Epic-FHIR — API category: Clinical Medications (sections 12 – 12.3.8)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

12 API category: Clinical Medications

File: site/apis/12-Clinical-Medications/index.html

R4 (20)

API | Method | URL template | Type
Immunization.Read (Patient Chart) (R4) | | api/FHIR/R4/Immunization/{ID} | USCDI
Immunization.Search (Patient Chart) (R4) | GET | api/FHIR/R4/Immunization?patient={patient}&status={status}&date={date} | USCDI
ImmunizationRecommendation.Read (R4) | GET | /api/FHIR/R4/ImmunizationRecommendation/{ID} | Industry-Standard
ImmunizationRecommendation.Search (R4) | GET | /api/FHIR/R4/ImmunizationRecommendation?patient={patient} | Industry-Standard
List.Read (Immunizations) (R4) | GET | /api/FHIR/R4/List/{ID} | Industry-Standard
List.Read (Medication List) (R4) | GET | /api/FHIR/R4/List/{ID} | Industry-Standard
List.Search (Immunizations) (R4) | GET;POST | /api/FHIR/R4/List?code={code}&patient={patient} | Industry-Standard
List.Search (Medication List) (R4) | GET | /api/FHIR/R4/List?code={code}&encounter={encounter}&patient={patient}&subject={subject} | Industry-Standard
Medication.Read (Organization Med List) (R4) | GET | /api/FHIR/R4/Medication/{ID} | USCDI
Medication.Search (Organization Med List) (R4) | GET | /api/FHIR/R4/Medication?_id={_id} | USCDI
MedicationAdministration.Read (R4) | GET | /api/FHIR/R4/MedicationAdministration/{ID} | Industry-Standard
MedicationAdministration.Search (R4) | GET | /api/FHIR/R4/MedicationAdministration?context={context}&effective-time={effective-time}&patient={patient}&performer={performer}&request={request}&status={status}&subject={subject}&_id={_id} | Industry-Standard
MedicationDispense.Read (Fill Status) (R4) | GET | /api/FHIR/R4/MedicationDispense/{ID} | USCDI
MedicationDispense.Read (Verified Orders) (R4) | GET | /api/FHIR/R4/MedicationDispense/{ID} | Industry-Standard
MedicationDispense.Search (Fill Status) (R4) | GET | /api/FHIR/R4/MedicationDispense?patient={patient}&subject={subject} | USCDI
MedicationDispense.Search (Verified Orders) (R4) | GET | /api/FHIR/R4/MedicationDispense?patient={patient}&subject={subject} | Industry-Standard
MedicationRequest.Read (Order Template Medication) (R4) | GET | /api/FHIR/R4/MedicationRequest/{ID} | Industry-Standard
MedicationRequest.Read (Signed Medication Order) (R4) | GET | /api/FHIR/R4/MedicationRequest/{ID} | USCDI
MedicationRequest.Search (Order Template Medication) (R4) | GET | /api/FHIR/R4/MedicationRequest?_id={_id} | Industry-Standard
MedicationRequest.Search (Signed Medication Order) (R4) | GET | api/FHIR/R4/MedicationRequest?patient={patient}&subject={subject}&category={category}&status={status}&authoredon={authoredon}&date={date}&intent={intent} | USCDI

STU3 (13)

API | Method | URL template | Type
Immunization.Read (STU3) | GET | api/FHIR/STU3/Immunization/{ID} | USCDI
Immunization.Search (STU3) | GET | api/FHIR/STU3/Immunization?patient={patient}&date={date}&notgiven={notgiven}&status={status} | USCDI
ImmunizationRecommendation.Read (STU3) | GET | /api/FHIR/STU3/ImmunizationRecommendation/{ID} | Industry-Standard
ImmunizationRecommendation.Search (STU3) | GET | /api/FHIR/STU3/ImmunizationRecommendation?patient={patient} | Industry-Standard
Medication.Read (STU3) | GET | /api/FHIR/STU3/Medication/{ID} | USCDI
MedicationAdministration.Read (STU3) | GET | /api/FHIR/STU3/MedicationAdministration/{ID} | Industry-Standard
MedicationAdministration.Search (STU3) | GET | /api/FHIR/STU3/MedicationAdministration?context={context}&effective-time={effective-time}&patient={patient}&performer={performer}&request={request}&status={status}&subject={subject}&_id={_id} | Industry-Standard
MedicationDispense.Read (Verified Orders) (STU3) | GET | /api/FHIR/STU3/MedicationDispense/{ID} | Industry-Standard
MedicationDispense.Search (Verified Orders) (STU3) | GET | /api/FHIR/STU3/MedicationDispense?patient={patient}&subject={subject} | Industry-Standard
MedicationRequest.Read (Signed Medication Order) (STU3) | GET | api/FHIR/STU3/MedicationRequest/{ID} | USCDI
MedicationRequest.Search (Signed Medication Order) (STU3) | GET | api/FHIR/STU3/MedicationRequest?patient={patient}&status={status}&subject={subject}&category={category}&authoredOn={authoredOn}&date={date} | USCDI
MedicationStatement.Read (STU3) | GET | api/FHIR/STU3/MedicationStatement/{ID} | USCDI
MedicationStatement.Search (STU3) | GET | api/FHIR/STU3/MedicationStatement?patient={patient}&subject={subject}&category={category}&status={status}&effective={effective} | USCDI

DSTU2 (8)

API | Method | URL template | Type
Immunization.Read (DSTU2) | GET | api/FHIR/DSTU2/Immunization/{ID} | USCDI
Immunization.Search (DSTU2) | GET | api/FHIR/DSTU2/Immunization?date={date}&patient={patient}&status={status}&subject={subject} | USCDI
Medication.Read (DSTU2) | GET | api/FHIR/DSTU2/Medication/{ID} | USCDI
Medication.Search (DSTU2) | GET | api/FHIR/DSTU2/Medication?_id={_id} | USCDI
MedicationOrder.Read (DSTU2) | GET | api/FHIR/DSTU2/MedicationOrder/{ID} | USCDI
MedicationOrder.Search (DSTU2) | GET | api/FHIR/DSTU2/MedicationOrder?patient={patient}&status={status}&_id={_id}&subject={subject} | USCDI
MedicationStatement.Read (DSTU2) | GET | api/FHIR/DSTU2/MedicationStatement/{ID} | USCDI
MedicationStatement.Search (DSTU2) | GET | api/FHIR/DSTU2/MedicationStatement?patient={patient}&_id={_id}&status={status} | USCDI

12.1 Clinical Medications: R4

File: site/apis/12-Clinical-Medications/1-R4/index.html

* Immunization.Read (Patient Chart) (R4)
* Immunization.Search (Patient Chart) (R4)
* ImmunizationRecommendation.Read (R4)
* ImmunizationRecommendation.Search (R4)
* List.Read (Immunizations) (R4)
* List.Read (Medication List) (R4)
* List.Search (Immunizations) (R4)
* List.Search (Medication List) (R4)
* Medication.Read (Organization Med List) (R4)
* Medication.Search (Organization Med List) (R4)
* MedicationAdministration.Read (R4)
* MedicationAdministration.Search (R4)
* MedicationDispense.Read (Fill Status) (R4)
* MedicationDispense.Read (Verified Orders) (R4)
* MedicationDispense.Search (Fill Status) (R4)
* MedicationDispense.Search (Verified Orders) (R4)
* MedicationRequest.Read (Order Template Medication) (R4)
* MedicationRequest.Read (Signed Medication Order) (R4)
* MedicationRequest.Search (Order Template Medication) (R4)
* MedicationRequest.Search (Signed Medication Order) (R4)

12.1.1 Immunization.Read (Patient Chart) (R4)

File: site/apis/12-Clinical-Medications/1-R4/1070-Immunization-Read-Patient-Chart-R4.html
Epic API ID | 1070
FHIR version | R4
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
URL template | api/FHIR/R4/Immunization/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1070

Description

The FHIR Immunization resource provides a patient's immunizations, including vaccine and vaccine administration details.

The read interaction allows a client to retrieve information for a specific Immunization resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Immunization FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Immunization (R4) | Immunization | | | | A single Immunization resource.
Immunization (R4).doseQuantity | Quantity | | | 0..1 | Amount of vaccine administered presented with value, unit, system, and category code.
Immunization (R4).doseQuantity.unit | String | | | 0..1 | Unit of amount of vaccine administered as a string.
Immunization (R4).doseQuantity.value | Decimal | | | 0..1 | Amount of vaccine administered as a decimal.
Immunization (R4).encounter | Reference | | | 0..1 | Reference to the Encounter resource in which this immunization took place. Immunization must be in a status of 1-Given for this to be returned.
Immunization (R4).expirationDate | date | | | 0..1 | Returns the expiration date for the immunization administered as a string in format "YYYY-MM-DD".
Immunization (R4).id | id | Required | | 1..1 | The FHIR ID for the Immunization resource.

Immunization (R4).identifier | Identifier | | Yes | 0..* | Returns the Epic identifier for the Immunization in the format ("System" varies at each Epic organization): { "use": "usual", "system": "urn:oid:#.#.#", "value": "<ID>" }

Immunization (R4).isSubpotent | boolean | | | 0..1 | Indicates that the dose wasn't full strength. By default, a dose should be considered potent.

Immunization (R4).location | Reference | | | 0..1 | Physical geographical site where the immunization is administered, or the name of the current organization if the location wasn't captured during administration.

Immunization (R4).lotNumber | string | | | 0..1 | The lot number identifying the source of an immunization or injection which is documented when administering a vaccine.

Immunization (R4).manufacturer | Reference | | | 0..1 | Name of vaccine manufacturer.

Immunization (R4).manufacturer.display | String | | | 1..1 | Vaccine manufacturer name.

Immunization (R4).note | Annotation | | Yes | 0..1 | Free text vaccination notes available to be documented by the clinician. This is not returned in the patient context.

Immunization (R4).occurrenceDateTime | dateTime | | | 0..1 | Vaccination administration date and time (if available).

Immunization (R4).patient | Reference | Required | | 1..1 | Reference to the Patient who was immunized.

Immunization (R4).performer | BackboneElement | | Yes | 0..* | Reference to a Practitioner that participated in the Immunization and the role they played in the interaction. This returns the administering provider as well as the ordering provider, if they are documented.

Immunization (R4).performer.actor | Reference | | | 1..1 | Reference to a Practitioner that participated in the Immunization and the provider's name and title.

Immunization (R4).performer.function | CodeableConcept | | | 0..1 | The role the Practitioner played in the immunization. Possible values include: Administering Provider (AP) Ordering Provider (OP)

Immunization (R4).primarySource | boolean | | | 0..1 | Whether the immunization data is historical and therefore reported by a patient or another system. If historical, "false" is returned as this system is not the primary source of the data.

Immunization (R4).reportOrigin | CodeableConcept | | | 0..1 | If Epic was not the primary source of the administration, indicates where the administration came from.

Immunization (R4).route | CodeableConcept | | | 0..1 | How the vaccine entered the body.

Immunization (R4).site | CodeableConcept | | | 0..1 | Body site where the vaccine was administered.

Immunization (R4).status | code | | | 1..1 | Status of the Immunization. Possible values are: completed entered-in-error not-done Incomplete Immunizations are not returned. Partially Administered immunizations return completed with IsSubpotent returning 1.

Immunization (R4).statusReason | CodeableConcept | | | 0..1 | Why immunization did not occur. This could either be that the immunization was marked deleted or deferred in the system. When the statusReason code system ends in 4088, this represents a deletion reason. When the code system ends in 4086, this represents a deferral reason.

Immunization (R4).vaccineCode | CodeableConcept | Required | | 1..1 | Vaccine product administered with code and name information. Vaccines are mapped to CVX codes and NDC codes. CVX codes are a standard set of codes used to indicate the product used in a vaccination. Multiple vaccines in the system can be mapped to the same CVX code. NDC codes are unique numeric codes used to identify all drugs in the United States, including immunizations. It identifies the medication, manufacturer, doses, type of medication, and quantity.

Immunization (R4).vaccineCode.coding | Coding | Required | Yes | 1..* | Vaccine code. CVX system: http://hl7.org/fhir/sid/cvx NDC system: http://hl7.org/fhir/sid/ndc

Immunization (R4).vaccineCode.text | String | Required | | 1..1 | Name of vaccine product administered.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Immunization/e5YlB1e0hqCcenkCZ5hqBkw3
```

Sample response


```
{
  "resourceType": "Immunization",
  "id": "eY6KzzE7s5qBWwMbQEnaOCfer8yZikamQVw97ikNG7FI3",
  "identifier": {
    "use": "usual",
    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.768076",
    "value": "1030748"
  },
  "status": "completed",
  "vaccineCode": {
    "coding": {
      "system": "http://hl7.org/fhir/sid/cvx",
      "code": "8987"
    },
    "text": "Measles"
  },
  "patient": {
    "reference": "Patient/e0305qj8fg3M1O30qqEGaJLy03K.hjrYTj2ASI9h5.aQ3",
    "display": "TestImm, Hayden"
  },
  "encounter": {
    "reference": "Encounter/ekzmW1Rj-Mo.fnA5H81BhI2OMQ7nvCkysOljCHSXu3xI3"
  },
  "occurrenceDateTime": "2020-04-08T05:00:00Z",
  "primarySource": "true",
  "lotNumber": "1",
  "expirationDate": "2030-04-08",
  "site": {
    "coding": {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4040",
      "code": "10",
      "display": "Right quadriceps"
    },
    "text": "Right quadriceps"
  },
  "route": {
    "coding": {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4030",
```

```
      "code": "5",
      "display": "Subcutaneous"
    },
    "text": "Subcutaneous"
  },
  "doseQuantity": {
    "value": "0.5",
    "unit": "mL",
    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4019",
    "code": "1"
  },
  "performer": {
    "function": {
      "coding": {
        "system": "http://hl7.org/fhir/ValueSet/immunization-function",
        "code": "AP",
        "display": "Administering Provider"
      },
      "text": "Administering Provider"
    },
    "actor": {
      "reference": "Practitioner/ef81ZrgFqs7ufzYI2X9ixcA3",
      "display": "User, Epic, RPh"
    }
  }
}
```


12.1.2 Immunization.Search (Patient Chart) (R4)

File: site/apis/12-Clinical-Medications/1-R4/1071-Immunization-Search-Patient-Chart-R4.html
Epic API ID | 1071
FHIR version | R4
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
HTTP method | GET
URL template | api/FHIR/R4/Immunization?patient={patient}&status={status}&date={date}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1071

Description

The FHIR Immunization resource provides a patient's immunizations, including vaccine and vaccine administration details.

The search interaction allows the client to query for a patient's immunizations. The Immunization Search endpoint allows a client to retrieve an identifier for an immunization.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others are ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
date | date | Optional | Yes | | Vaccination administration date.
patient | reference | Required | Yes | | The FHIR ID for the Patient resource for the patient who was immunized.
status | token | Optional | Yes | | Status of the Immunization. Possible values are: completed entered-in-error not-done Incomplete Immunizations are not supported. If no status is specified, all statuses are returned.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
identifier | token | Optional | Yes | | Epic identifiers for the Immunization.
location | reference | Optional | Yes | | Physical geographical site where the immunization is administered, or the name of the current organization if the location wasn't captured during administration.
lot-number | string | Optional | Yes | | Vaccine lot number.
manufacturer | reference | Optional | Yes | | Vaccine manufacturer name.
performer | reference | Optional | Yes | | Reference to a Practitioner that participated in the Immunization and the role they played in the interaction.
status-reason | token | Optional | Yes | | Why an immunization did not occur. This could be populated if the immunization was marked deleted or deferred in the system. The system and codes differ depending on whether the immunization was deleted or deferred. Work with the organization to find their specific system values and associated codes. Deleted: system ends in 7.10.768076.4088 Deferred: system ends in 7.10.768076.4086

vaccine-code | token | Optional | Yes | | Vaccine product administered. This can search on the immunization's CVX, NDC, or custom code set by the organization. CVX system: http://hl7.org/fhir/sid/cvx NDC system: http://hl7.org/fhir/sid/ndc

Response elements

Name | Type | Optional | Array | Cardinality | Description

Immunization (R4) | Immunization | | | | A single Immunization resource.

Immunization (R4).doseQuantity | Quantity | | | 0..1 | Amount of vaccine administered presented with value, unit, system, and category code.

Immunization (R4).doseQuantity.unit | String | | | 0..1 | Unit of amount of vaccine administered as a string.

Immunization (R4).doseQuantity.value | Decimal | | | 0..1 | Amount of vaccine administered as a decimal.

Immunization (R4).encounter | Reference | | | 0..1 | Reference to the Encounter resource in which this immunization took place. Immunization must be in a status of 1-Given for this to be returned.

Immunization (R4).expirationDate | date | | | 0..1 | Returns the expiration date for the immunization administered as a string in format "YYYY-MM-DD".

Immunization (R4).id | id | Required | | 1..1 | The FHIR ID for the Immunization resource.

Immunization (R4).identifier | Identifier | | Yes | 0..* | Returns the Epic identifier for the Immunization in the format ("System" varies at each Epic organization): { "use": "usual", "system": "urn:oid:#.#.#", "value": "<ID>" }

Immunization (R4).isSubpotent | boolean | | | 0..1 | Indicates that the dose wasn't full strength. By default, a dose should be considered potent.

Immunization (R4).location | Reference | | | 0..1 | Physical geographical site where the immunization is administered, or the name of the current organization if the location wasn't captured during administration.

Immunization (R4).lotNumber | string | | | 0..1 | The lot number identifying the source of an immunization or injection which is documented when administering a vaccine.

Immunization (R4).manufacturer | Reference | | | 0..1 | Name of vaccine manufacturer.

Immunization (R4).manufacturer.display | String | | | 1..1 | Vaccine manufacturer name.

Immunization (R4).note | Annotation | | Yes | 0..1 | Free text vaccination notes available to be documented by the clinician. This is not returned in the patient context.

Immunization (R4).occurrenceDateTime | dateTime | | | 0..1 | Vaccination administration date and time (if available).

Immunization (R4).patient | Reference | Required | | 1..1 | Reference to the Patient who was immunized.

Immunization (R4).performer | BackboneElement | | Yes | 0..* | Reference to a Practitioner that participated in the Immunization and the role they played in the interaction. This returns the administering provider as well as the ordering provider, if they are documented.

Immunization (R4).performer.actor | Reference | | | 1..1 | Reference to a Practitioner that participated in the Immunization and the provider's name and title.

Immunization (R4).performer.function | CodeableConcept | | | 0..1 | The role the Practitioner played in the immunization. Possible values include: Administering Provider (AP) Ordering Provider (OP)

Immunization (R4).primarySource | boolean | | | 0..1 | Whether the immunization data is historical and therefore reported by a patient or another system. If historical, "false" is returned as this system is not the primary source of the data.

Immunization (R4).reportOrigin | CodeableConcept | | | 0..1 | If Epic was not the primary source of the administration, indicates where the administration came from.

Immunization (R4).route | CodeableConcept | | | 0..1 | How the vaccine entered the body.

Immunization (R4).site | CodeableConcept | | | 0..1 | Body site where the vaccine was administered.

Immunization (R4).status | code | | | 1..1 | Status of the Immunization. Possible values are: completed entered-in-error not-done Incomplete Immunizations are not returned. Partially Administered immunizations return completed with IsSubpotent returning 1.

Immunization (R4).statusReason | CodeableConcept | | | 0..1 | Why immunization did not occur. This could either be that the immunization was marked deleted or deferred in the system. When the statusReason code system ends in 4088, this represents a deletion reason. When the code system ends in 4086, this represents a deferral reason.

Immunization (R4).vaccineCode | CodeableConcept | Required | | 1..1 | Vaccine product administered with code and name information. Vaccines are mapped to CVX codes and NDC codes. CVX codes are a standard set of codes used to indicate the product used in a vaccination. Multiple vaccines in the system can be mapped to the same CVX code. NDC codes are unique numeric codes used to identify all drugs in the United States, including immunizations. It identifies the medication, manufacturer, doses, type of medication, and quantity.

Immunization (R4).vaccineCode.coding | Coding | Required | Yes | 1..* | Vaccine code. CVX system: http://hl7.org/fhir/sid/cvx NDC system: http://hl7.org/fhir/sid/ndc

Immunization (R4).vaccineCode.text | String | Required | | 1..1 | Name of vaccine product administered.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Immunization?patient=eqlBnrn2agvxskLQkyPzLUQ3&date=gt2023-12-01
```

Sample response


```
{
  "Bundle": {
    "type": "searchset",
    "total": "3",
    "link": {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Immunization?patient=eqlBnrn2agvxskLQkyPzLUQ3"
    },
    "entry": [
      {
        "link": {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Immunization/eY6KzzE7s5qBWwMbQEnaOCfer8yZikamQVw97ikNG7FI3"
        },
        "fullUrl": "https://hostname/instance/api/FHIR/R4/Immunization/eY6KzzE7s5qBWwMbQEnaOCfer8yZikamQVw97ikNG7FI3",
        "resource": {
          "Immunization": {
            "id": "eY6KzzE7s5qBWwMbQEnaOCfer8yZikamQVw97ikNG7FI3",
            "identifier": {
              "use": "usual",
```

```
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.768076",
        "value": "1030748"
      },
      "status": "completed",
      "vaccineCode": {
        "coding": {
          "system": "http://hl7.org/fhir/sid/cvx",
          "code": "8987"
        },
        "text": "Measles"
      },
      "patient": {
        "reference": "Patient/eqlBnrn2agvxskLQkyPzLUQ3",
        "display": "TestImm, Hayden"
      },
      "encounter": {
        "reference": "Encounter/ekzmW1Rj-Mo.fnA5H81BhI2OMQ7nvCkysOljCHSXu3xI3"
      },
      "occurrenceDateTime": "2020-04-08T05:00:00Z",
      "primarySource": "true",
      "lotNumber": "1",
      "expirationDate": "2030-04-08",
      "site": {
        "coding": {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4040",
          "code": "10",
          "display": "Right quadriceps"
        },
        "text": "Right quadriceps"
      },
      "route": {
        "coding": {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4030",
          "code": "5",
          "display": "Subcutaneous"
        },
        "text": "Subcutaneous"
      },
      "doseQuantity": {
        "value": "0.5",
        "unit": "mL",
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4019",
        "code": "1"
      },
      "performer": {
        "function": {
          "coding": {
            "system": "http://hl7.org/fhir/ValueSet/immunization-function",
            "code": "AP",
            "display": "Administering Provider"
          },
          "text": "Administering Provider"
        },
        "actor": {
          "reference": "Practitioner/ef81ZrgFqs7ufzYI2X9ixcA3",
          "display": "User, Epic, RPh"
        }
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": {
    "relation": "self",
    "url": "https://hostname/instance/api/FHIR/R4/Immunization/ezzwqSh2ueqDUl.vNE5Cdy.tLuhKnkjc5uruxiraw6y83"
  },
  "fullUrl": "https://hostname/instance/api/FHIR/R4/Immunization/ezzwqSh2ueqDUl.vNE5Cdy.tLuhKnkjc5uruxiraw6y83",
  "resource": {
    "Immunization": {
      "id": "ezzwqSh2ueqDUl.vNE5Cdy.tLuhKnkjc5uruxiraw6y83",
      "identifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.768076",
        "value": "1030749"
      },
      "status": "not-done",
      "statusReason": {
        "coding": {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4086",
          "code": "1",
          "display": "Patient Refused"
        },
        "text": "Patient Refused"
      },
      "vaccineCode": {
        "text": "Mumps (4)"
```

```
      },
      "patient": {
        "reference": "Patient/eqlBnrn2agvxskLQkyPzLUQ3",
        "display": "TestImm, Hayden"
      },
      "occurrenceDateTime": "2020-04-08",
      "primarySource": "true",
      "note": {
        "text": "refused"
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": {
    "relation": "self",
    "url": "https://hostname/instance/api/FHIR/R4/Immunization/eLkM0ND6NPOd467fXG9HXwriNPjqzysGEaClWil2yxYo3"
  },
  "fullUrl": "https://hostname/instance/api/FHIR/R4/Immunization/eLkM0ND6NPOd467fXG9HXwriNPjqzysGEaClWil2yxYo3",
  "resource": {
    "Immunization": {
      "id": "eLkM0ND6NPOd467fXG9HXwriNPjqzysGEaClWil2yxYo3",
      "identifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.768076",
        "value": "1030750"
      },
      "status": "completed",
      "vaccineCode": {
        "text": "Influenza Imm-rx, seasonal"
      },
      "patient": {
        "reference": "Patient/eqlBnrn2agvxskLQkyPzLUQ3",
        "display": "TestImm, Hayden"
      },
      "encounter": {
        "reference": "Encounter/ekzmW1Rj-Mo.fnA5H81BhI2OMQ7nvCkysOljCHSXu3xI3"
      },
      "occurrenceDateTime": "2020-04-08T05:00:00Z",
      "primarySource": "true",
      "manufacturer": {
        "display": "Glaxo Smith Kline"
      },
      "lotNumber": "2",
      "site": {
        "coding": {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4040",
          "code": "7",
          "display": "Left deltoid"
        },
        "text": "Left deltoid"
      },
      "route": {
        "coding": {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4030",
          "code": "2",
          "display": "Intramuscular"
        },
        "text": "Intramuscular"
      },
      "doseQuantity": {
        "value": "0.5",
        "unit": "mL",
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4019",
        "code": "1"
      },
      "performer": {
        "function": {
          "coding": {
            "system": "http://hl7.org/fhir/ValueSet/immunization-function",
            "code": "AP",
            "display": "Administering Provider"
          },
          "text": "Administering Provider"
        },
        "actor": {
          "reference": "Practitioner/ef81ZrgFqs7ufzYI2X9ixcA3",
          "display": "User, Epic, RPh"
        }
      },
      "note": {
        "text": "Number 2"
      }
    }
  },
  "search": {
```

```
          "mode": "match"
        }
      }
    ]
  }
}
```

12.1.3 ImmunizationRecommendation.Read (R4)

File: site/apis/12-Clinical-Medications/1-R4/10249-ImmunizationRecommendation-Read-R4.html
Epic API ID | 10249
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/ImmunizationRecommendation/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10249

Description

This resource can only be used with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The ImmunizationRecommendation resource communicates which immunizations are recommended for a specified patient based on their current immunization orders. This resource includes information about only recommended immunizations, not administered or refused immunizations.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The FHIR ID of the recommended immunization order.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ImmunizationRecommendation | ImmunizationRecommendation | False
ImmunizationRecommendation.date | String | False | | | The date when the immunization recommendation was created.
ImmunizationRecommendation.extension (also: orderStatus) | Extension | True | Yes | | The status of the order associated with the immunization recommendation, which can be Pending, Ordered, or In Progress.
ImmunizationRecommendation.patient | Reference | False | | | The patient associated with the immunization recommendation. Reference to the Patient resource.
ImmunizationRecommendation.recommendation | Recommendation | False | Yes | | The immunization recommendation.
ImmunizationRecommendation.recommendation.dateCriterion | DateCriterion | True | Yes | | The date when the recommended immunization is considered due or overdue.
ImmunizationRecommendation.recommendation.dateCriterion.code | CodeableConcept | False | | | Whether a date value is considered the due date or the overdue date.
ImmunizationRecommendation.recommendation.dateCriterion.value | String | False | | | The date when the immunization is considered due or overdue.
ImmunizationRecommendation.recommendation.forecastStatus | CodeableConcept | False | | | The status of the immunization recommendation. Returns due or overdue.
ImmunizationRecommendation.recommendation.forecastStatus.coding | Coding | False | Yes | | The vaccine code for the recommended immunization. Includes GPK, HPK, and PRK codes.
ImmunizationRecommendation.recommendation.forecastStatus.text | String | True | | | The name of the recommended immunization.
ImmunizationRecommendation.recommendation.vaccineCode | CodeableConcept | True | Yes | | The code and product name for the recommended immunization.
ImmunizationRecommendation.recommendation.vaccineCode.coding | Coding | False | Yes | | The vaccine code for the recommended immunization. Includes GPK, HPK, and PRK codes.
ImmunizationRecommendation.recommendation.vaccineCode.text | String | True | | | The name of the recommended immunization.

Sample request

```
https://hostname/instance/api/FHIR/R4/ImmunizationRecommendation/e.7cMZ0SNyzGRu6zV2lGtzA3
```

Sample response

```
{
  "resourceType": "ImmunizationRecommendation",
  "id": "eo1y2ZySYfOZB8zcuOAjHFjM532C0gzYa2UDSgy87lCk3",
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
```

```
          "system": "http://hl7.org/fhir/v3/ActStatus",
          "code": "new",
          "display": "Ordered"
        }
      ],
      "text": "Ordered"
    },
    "url": "http://nictiz.nl/fhir/StructureDefinition/zib-VaccinationRecommendation-OrderStatus"
  }
 ],
 "patient": {
   "reference": "Patient/eXqNrSpKbDOt0qHjSGrqHxQ3",
   "display": "Sparta, REN."
 },
 "date": "2021-11-29T22:46:25Z",
 "recommendation": [
   {
     "vaccineCode": [
       {
         "coding": [
           {
             "system": "urn:oid:2.16.840.1.113883.2.4.4.1",
             "code": "74942"
           },
           {
             "system": "urn:oid:2.16.840.1.113883.2.4.4.7",
             "code": "233382"
           },
           {
             "system": "urn:oid:2.16.840.1.113883.2.4.4.10",
             "code": "7234"
           }
         ],
         "text": "Td (Adult)"
       }
     ],
     "forecastStatus": {
       "coding": [
         {
           "system": "http://hl7.org/fhir/immunization-recommendation-status",
           "code": "due",
           "display": "due"
         }
       ]
     },
     "dateCriterion": [
       {
         "code": {
           "coding": [
             {
               "system": "http://hl7.org/fhir/immunization-recommendation-date-criterion",
               "code": "due",
               "display": "due"
             }
           ]
         },
         "value": "2021-12-06"
       },
       {
         "code": {
           "coding": [
             {
               "system": "http://hl7.org/fhir/immunization-recommendation-date-criterion",
               "code": "overdue",
               "display": "overdue"
             }
           ]
         },
         "value": "2022-02-28"
       }
     ]
   }
 ]
}
```


12.1.4 ImmunizationRecommendation.Search (R4)

File: site/apis/12-Clinical-Medications/1-R4/10250-ImmunizationRecommendation-Search-R4.html
Epic API ID | 10250
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/ImmunizationRecommendation?patient={patient}

Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10250

Description

This resource can only be used with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The ImmunizationRecommendation resource communicates which immunizations are recommended for a specified patient based on their current immunization orders. This resource includes information about only recommended immunizations, not administered or refused immunizations.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | False | | | The patient associated with the immunization recommendation. Reference to the Patient resource.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
date | String | True | | | Date recommendation(s) created
identifier | String | True | | | Unsupported
information | String | True | | | Unsupported
status | String | True | | | Vaccine recommendation status
support | String | True | | | Unsupported
target-disease | String | True | | | Unsupported
vaccine-type | String | True | | | Vaccine or vaccine group recommendation applies to

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.ImmunizationRecommendation | ImmunizationRecommendation | False
Bundle.entry.resource.ImmunizationRecommendation.date | String | False | | | The date when the immunization recommendation was created.
Bundle.entry.resource.ImmunizationRecommendation.patient | Reference | False | | | The patient associated with the immunization recommendation. Reference to the Patient resource.
Bundle.entry.resource.ImmunizationRecommendation.recommendation | Recommendation | False | Yes | | The immunization recommendation.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.dateCriterion | DateCriterion | True | Yes | | The date when the recommended immunization is considered due or overdue.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.dateCriterion.code | CodeableConcept | False | | | Whether a date value is considered the due date or the overdue date.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.dateCriterion.value | String | False | | | The date when the immunization is considered due or overdue.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.forecastStatus | CodeableConcept | False | | | The status of the immunization recommendation. Returns due or overdue.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.vaccineCode | CodeableConcept | True | Yes | | The code and product name for the recommended immunization.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.vaccineCode.coding | Coding | False | Yes | | The vaccine code for the recommended immunization. Includes GPK, HPK, and PRK codes.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.vaccineCode.text | String | True | | | The name of the recommended immunization.

Sample request

```
https://hostname/instance/api/FHIR/R4/ImmunizationRecommendation?patient=evPYXaqzoN8z1rMzdIOYoTA3
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/ImmunizationRecommendation?patient=eXqNrSpKbDOt0qHjSGrqHxQ3"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url
    value="https://hostanem/instance/api/FHIR/R4/ImmunizationRecommendation/eo1y2ZySYfOZB8zcuOAjHFjM532C0gzYa2UDSgy87lCk
    3"/>
    </link>
    <fullUrl
    value="https://hostname/instance/api/FHIR/R4/ImmunizationRecommendation/eo1y2ZySYfOZB8zcuOAjHFjM532C0gzYa2UDSgy87lCk
```

```
    3"/>
    <resource>
      <ImmunizationRecommendation>
        <id value="eo1y2ZySYfOZB8zcuOAjHFjM532C0gzYa2UDSgy87lCk3"/>
        <extension url="http://nictiz.nl/fhir/StructureDefinition/zib-VaccinationRecommendation-OrderStatus">
          <valueCodeableConcept>
            <coding>
              <system value="http://hl7.org/fhir/v3/ActStatus"/>
              <code value="new"/>
              <display value="Ordered"/>
            </coding>
            <text value="Ordered"/>
          </valueCodeableConcept>
        </extension>
        <patient>
          <reference value="Patient/eXqNrSpKbDOt0qHjSGrqHxQ3"/>
          <display value="Sparta, REN."/>
        </patient>
        <date value="2021-11-29T22:46:25Z"/>
        <recommendation>
          <vaccineCode>
            <coding>
              <system value="urn:oid:2.16.840.1.113883.2.4.4.1"/>
              <code value="74942"/>
            </coding>
            <coding>
              <system value="urn:oid:2.16.840.1.113883.2.4.4.7"/>
              <code value="233382"/>
            </coding>
            <coding>
              <system value="urn:oid:2.16.840.1.113883.2.4.4.10"/>
              <code value="7234"/>
            </coding>
            <text value="Td (Adult)"/>
          </vaccineCode>
          <forecastStatus>
            <coding>
              <system value="http://hl7.org/fhir/immunization-recommendation-status"/>
              <code value="due"/>
              <display value="due"/>
            </coding>
          </forecastStatus>
          <dateCriterion>
            <code>
              <coding>
                <system value="http://hl7.org/fhir/immunization-recommendation-date-criterion"/>
                <code value="due"/>
                <display value="due"/>
              </coding>
            </code>
            <value value="2021-12-06"/>
          </dateCriterion>
          <dateCriterion>
            <code>
              <coding>
                <system value="http://hl7.org/fhir/immunization-recommendation-date-criterion"/>
                <code value="overdue"/>
                <display value="overdue"/>
              </coding>
            </code>
            <value value="2022-02-28"/>
          </dateCriterion>
        </recommendation>
      </ImmunizationRecommendation>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```


12.1.5 List.Read (Immunizations) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10152-List-Read-Immunizations-R4.html
Epic API ID | 10152
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/List/{ID}
Supports OAuth 2.0 | True

Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10152

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The List FHIR ID

Response elements

Name | Type | Optional | Array | Cardinality | Description
List | List | False | | | An instance of the R4 List FHIR resource.
List.code | CodeableConcept | True | | | The code representing the type of list searched. Always "immunizations".
List.emptyReason | CodeableConcept | True | | | The reason why the list is empty. Always “notstarted” if populated.
List.entry | Entry | True | Yes | | Each entry will be a BackboneElement with the "item" property populated with a reference to the Immunization.
List.entry.deleted | Boolean | True | | | Whether the immunization is deleted
List.entry.item | Reference | False | | | Reference to the Immunization resource
List.id | String | False | | | FHIR identifier for this List resource instance.
List.mode | String | False | | | Always "working"
List.status | String | False | | | Always "current"
List.subject | Reference | True | | | Reference to the patient resource with whom the List is associated.
List.title | String | True | | | The descriptive name for the list. Always “Immunization List”.

Sample request

```
https://hostname/instance/api/FHIR/R4/List/e2UBbeZz4JqyBEkRh7XY.cW6axa4YURkTKL.OKTeqnKUKnkadFH7NECtiaihV.EqH3
```

Sample response


```
{
  "resourceType": "List",
  "id": "e2UBbeZz4JqyBEkRh7XY.cW6axa4YURkTKL.OKTeqnKUKnkadFH7NECtiaihV.EqH3",
  "status": "current",
  "mode": "working",
  "title": "Immunization List",
  "code": {
    "coding": [
      {
        "system": "http://open.epic.com/FHIR/StructureDefinition/list-type",
        "code": "immunizations"
      }
    ]
  },
  "subject": {
    "reference": "Patient/efGUPRUPTZ0qbVksFCaHa5g3",
    "display": "Myers, Avery"
  },
  "entry": [
    {
      "item": {
        "reference": "Immunization/ewiNtF8peilxookuxlyK067RI0YoTcugPWLn-p9gyHBc3",
        "display": "DTaP Imm-rx"
      }
    },
    {
      "item": {
        "reference": "Immunization/ewiNtF8peilxookuxlyK065RaJpObi43fcVP0HX.U7vA3",
        "display": "Influenza, Injectable (IST) Imm-rx"
      }
    },
    {
      "item": {
        "reference": "Immunization/ebK5HJGeJN-veHlCbYWbCoXl7zvS.-YPuQaBm0CWwmyE3",
        "display": "Cat Allergen"
      }
    },
    {
      "item": {
        "reference": "Immunization/eLfKXdJRa2TrEn2yDxvL6JqVIFWcHou51FfkeR8g4lA83",
        "display": "MMR"
      }
    },
    {
      "item": {
        "reference": "Immunization/eLfKXdJRa2TrEn2yDxvL6JkJblGX4VmALD9V0HUervpo3",
        "display": "Tetanus"
      }
    },
    {
      "item": {
```

```
    "reference": "Immunization/ey4pQKHbY0NX71oAYf-5SyWOBEhrcyx0HrRwRmWdTOig3",
    "display": "Tetanus"
  }
},
{
  "item": {
    "reference": "Immunization/ey4pQKHbY0NX71oAYf-5SyVzKiJHlajknjooHJsyWy543",
    "display": "MMR"
  }
},
{
  "item": {
    "reference": "Immunization/ey4pQKHbY0NX71oAYf-5SyZRQhQlhY4KEO-WkZid9e-o3",
    "display": "DTaP Imm-rx"
  }
},
{
  "item": {
    "reference": "Immunization/erZ-bGEKoYNmlUJOiwlayO9Vh7ZB.Eeq.TCMqaVU7rrA3",
    "display": "Tetanus"
  }
},
{
  "item": {
    "reference": "Immunization/erZ-bGEKoYNmlUJOiwlayOwnFY-Q0M8NVRNn7VUZEbI03",
    "display": "MMR"
  }
},
{
  "item": {
    "reference": "Immunization/erZ-bGEKoYNmlUJOiwlayOzaKL5CtRZtFQuKMKqrhjJk3",
    "display": "DTaP Imm-rx"
  }
},
{
  "item": {
    "reference": "Immunization/edoYdto5AkxZfcllltPl9A0s-EON-OWOd3VAoJximXLJs3",
    "display": "Tetanus"
  }
},
{
  "item": {
    "reference": "Immunization/eRpzJz884Lz1Q2OSVj6w1gyYRrWP1pEZrezMDz29.b3A3",
    "display": "MCV4, Unspecified Imm-rx"
  }
},
{
  "item": {
    "reference": "Immunization/ezljMrdQn1ROHI01WA8-xTlhtdyGhc9Y1.wUOjKtO4Js3",
    "display": "DTP"
  }
},
{
  "item": {
    "reference": "Immunization/eO5IlOQeh9to2-sX5VuTLPx5Z4MpbP-JoZQbMllR8XAQ3",
    "display": "Rabies Vaccine"
  }
},
{
  "item": {
    "reference": "Immunization/eGwElJaMPxfBfBcHBn818XgaBIBO-mtXvtGky1LXr5mk3",
    "display": "Cholera Imm-rx"
  }
},
{
  "item": {
    "reference": "Immunization/eYPo0ZkVg.AXGMsDJ-kPMxXeqE7mVPu1gnFa0T0U3yj83",
    "display": "4vHPV Imm-rx"
  }
},
{
  "item": {
    "reference": "Immunization/ebI7RK8Fr3HxelmLidodBum5dtDIGV0H7EsITR0FBO6U3",
    "display": "Lyme Disease"
  }
},
{
  "item": {
    "reference": "Immunization/er7eEGxeEHxgkla8aEM4JXKTUNQY9RIoQ0fFq0YbixVw3",
    "display": "Comvax"
  }
},
{
  "item": {
    "reference": "Immunization/e-20z5Euakf3VdZVmxlJ9cIial8ne1FJ0LP7mSbRbyl83",
    "display": "Tetanus"
  }
},
{
```

```
  "item": {
    "reference": "Immunization/ehb-k5l9VkHpqx0icl3wMTE3yzFqlmDX-MQyfiezEqhA3",
    "display": "MMR"
  }
},
{
  "item": {
    "reference": "Immunization/eMq2K9-6kyABJIqLZ7oZknwoGasHW8MMXl9.mClcWEAs3",
    "display": "Tetanus"
  }
},
{
  "item": {
    "reference": "Immunization/eTMUQK0nryKQcRrQgl0RdPSYhvIUrpJz1I2SxMIIwF3s3",
    "display": "Comvax"
  }
},
{
  "item": {
    "reference": "Immunization/eAtMsS.1q9vGKc-CHTbo9d6YJuxdMx5egQFIkB0Vr3x43",
    "display": "4vHPV Imm-rx"
  }
},
{
  "item": {
    "reference": "Immunization/em3YQHzlvZI8HrX5JIXySwiWt5rfyCqok6jmfcjZKBA43",
    "display": "Comvax"
  }
},
{
  "item": {
    "reference": "Immunization/etVJdn9ZDdYbVkXlIPfWnmL82ZzOGeKROWzPAUK5GSFk3",
    "display": "Aas Test"
  }
},
{
  "item": {
    "reference": "Immunization/eJXbOYmRX2BtIqSmLI81j8A5PeIrsL7tmEDTJV1xjDyM3",
    "display": "Aas Test"
  }
},
{
  "item": {
    "reference": "Immunization/eJXbOYmRX2BtIqSmLI81j8ORJaA-tlB0EO56.N7WrqAU3",
    "display": "Aas Test"
  }
},
{
  "item": {
    "reference": "Immunization/eVKxIP.zVvZrSd2Jbeer037xmHFs0HVt.IqKcpoN94pM3",
    "display": "Moderna COVID-19 Vaccine"
  }
},
{
  "item": {
    "reference": "Immunization/e3RaTQIhw1lL.P4SPp461FUpT9-yCS2PKSmfGbB.M5iA3",
    "display": "Moderna COVID-19 Vaccine"
  }
},
{
  "item": {
    "reference": "Immunization/eX1aEGaZwZxJ6T8KdqNx7Ec2.YJjCON2593flTSPP.xk3",
    "display": "Moderna COVID-19 Vaccine"
  }
},
{
  "item": {
    "reference": "Immunization/eqeQzbm8dOlaGi9iVI4cg86suGjS-FKkerlRrbdCKiCc3",
    "display": "Pfizer Covid-19 Vaccine"
  }
},
{
  "item": {
    "reference": "Immunization/eqeQzbm8dOlaGi9iVI4cg85YXtEVutbyV0NSCF75u5ao3",
    "display": "Pfizer Covid-19 Vaccine"
  }
},
{
  "item": {
    "reference": "Immunization/e2phSGlVxQnOmzkJsjqgA4YymbiVs7N8U4t72NvgWqVA3",
    "display": "Tetanus"
  }
},
{
  "item": {
    "reference": "Immunization/eeTQHWw08Zlc-YOdm0GC-ndjP.BSkTFAkhIcmCgxbU.Q3",
    "display": "Cholera Imm-rx"
  }
},
```

```
    {
      "item": {
        "reference": "Immunization/eeTQHWw08Zlc-YOdm0GC-neeghPkpbkEsqWONAi9D0qA3",
        "display": "Cholera Imm-rx"
      }
    },
    {
      "item": {
        "reference": "Immunization/ep9nEcxhKol7KlhCLSjxOQiYN3ir-2.B9iun-4S1.u283",
        "display": "Tetanus"
      }
    },
    {
      "item": {
        "reference": "Immunization/ep9nEcxhKol7KlhCLSjxOQm8FsGy5Htsaz8HHuKD8-fk3",
        "display": "Hepatitis A"
      }
    },
    {
      "item": {
        "reference": "Immunization/eRJFl2gqDuM5PuDNqZgs0PreAa810wjbVxZmoEpa.gBs3",
        "display": "Hepatitis B Immune Globulin"
      }
    },
    {
      "item": {
        "reference": "Immunization/eYyaWWeGHI39LWzTE8XnNpDnMMvRbx0U4MSloNoBD5Do3",
        "display": "AstraZeneca COVID-19 Vaccination"
      }
    },
    {
      "item": {
        "reference": "Immunization/erKrV6gw.rGv74SuJQedPNmFai3WIag7lRU38TTy03lw3",
        "display": "Pfizer Covid-19 Vaccine"
      }
    }
  ]
}
```


12.1.6 List.Read (Medication List) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10105-List-Read-Medication-List-R4.html
Epic API ID | 10105
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/List/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10105

Description

The List (Medication) resource is used to represent the changes made to a patient's home medications during a given encounter.

The medications in the list are categorized based on when the patient was supposed to be taking them relative to that encounter. For example, some medications might be flagged as medications that the patient was taking prior to the admission and others might be flagged as medications the patient should take after being discharged.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The List FHIR ID

Response elements

Name | Type | Optional | Array | Cardinality | Description
List | List | False | | | An instance of the R4 List FHIR resource.
List.code | CodeableConcept | False | | | The code representing the type of list searched. Always "medications".
List.emptyReason | CodeableConcept | True | | | The reason why the list is empty. Only populated when the list is empty, and preferred to be one of the values here.
List.encounter | Reference | False | | | Reference to the Encounter resource with which the List is associated.

List.entry | Entry | False | Yes | | Each entry will be a BackboneElement with the "item" property populated with a reference to the MedicationRequest resource, and the "flag" property populated with a code representing how the medication relates to the encounter. These values are defined as an Epic-released structureDefinition.

List.entry.flag | CodeableConcept | True | | | Code representing how the medication relates to the encounter: Stopped-in-visit Unchanged Prior-to-admission Active-at-the-end-of-visit

List.entry.item | Reference | False | | | Populated with a reference to the MedicationRequest resource for the represented order.

List.id | String | False | | | The encoded list ID.

List.mode | String | False | | | The processing mode that applies to this list. Always "changes". Values can be found here.

List.note | Annotation | True | Yes | | If the list has a comment attached to it, that will be included here (including the most recent text of the comment, who last updated it, and when it was last updated). If list couldn't be loaded and we have an error message explaining why, that will be included here as well.

List.status | String | False | | | Status of the medication list. Always "retired" because each list only represents an encounter's changes. Values can be found here.

List.subject | Reference | False | | | Reference to the Patient resource with whom the List is associated.

Sample request

```
https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFhmzTkMy2m2uhB6A.ASh1h-
    WemqFxKTLfW1IuWERDxEpA11iUXPr100Zc9FOqLk02Q3
```

Sample response

```
<List>
  <id value="e3kCPUD7SPT10cIgcatMkFhmzTkMy2m2uhB6A.ASh1h-WemqFxKTLfW1IuWERDxEpA11iUXPr100Zc9FOqLk02Q3"/>
  <status value="retired"/>
  <mode value="changes"/>
  <code>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/list-type"/>
      <code value="medications"/>
      <display value="Medication List"/>
    </coding>
    <text value="Medication List"/>
  </code>
  <subject>
    <reference value="Patient/eIUTBCnalW5avrAyG.4ihQg3"/>
    <display value="Inpatient, Tdm"/>
  </subject>
  <encounter>
    <reference value="Encounter/ekMZ46DUtO16UTpk1-CPJODeIRAlS-.6sWVH7cNU4IMs3"/>
  </encounter>
  <note>
    <authorReference>
      <reference value="Practitioner/eLFz7QQvmpQcdFluMoY-MHA3"/>
      <type value="Practitioner"/>
      <display value="Tristan Mitchell"/>
    </authorReference>
    <time value="2021-01-04T19:18:50Z"/>
    <text value="Test med list comment. Fourth edit"/>
  </note>
  <entry>
    <flag>
      <coding>
        <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
        <code value="prior-to-admission"/>
        <display value="Prior to Admission"/>
      </coding>
      <text value="Prior to Admission"/>
    </flag>
    <item>
      <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78Iw1qI5J0k-CvQyMF6tZkL03"/>
      <identifier>
        <use value="usual"/>
        <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
        <value value="1000334976"/>
      </identifier>
      <display value="fluticasone (FLONASE) 50 MCG/ACT nasal spray"/>
    </item>
  </entry>
  <entry>
    <flag>
      <coding>
        <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
        <code value="prior-to-admission"/>
        <display value="Prior to Admission"/>
      </coding>
      <text value="Prior to Admission"/>
    </flag>
    <item>
      <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78FtEv37qXBuMFgVIAisZ2.w3"/>
      <identifier>
        <use value="usual"/>
        <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
        <value value="1000334977"/>
      </identifier>
      <display value="hydrocortisone 1 % cream"/>
```

```
    </item>
  </entry>
  <entry>
    <flag>
      <coding>
        <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
        <code value="prior-to-admission"/>
        <display value="Prior to Admission"/>
      </coding>
      <text value="Prior to Admission"/>
    </flag>
    <item>
      <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78IXaXBo75O4OZ2pl9ioVD6A3"/>
      <identifier>
        <use value="usual"/>
        <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
        <value value="1000334978"/>
      </identifier>
      <display value="Cyanocobalamin (VITAMIN B 12) 100 MCG LOZG"/>
    </item>
  </entry>
  <entry>
    <flag>
      <coding>
        <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
        <code value="prior-to-admission"/>
        <display value="Prior to Admission"/>
      </coding>
      <text value="Prior to Admission"/>
    </flag>
    <item>
      <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78C7qpBdG93OP9u5tuUJU5kI3"/>
      <identifier>
        <use value="usual"/>
        <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
        <value value="1000334979"/>
      </identifier>
      <display value="acetaminophen (TYLENOL) 500 MG tablet"/>
    </item>
  </entry>
</List>
```

12.1.7 List.Search (Immunizations) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10153-List-Search-Immunizations-R4.html
Epic API ID | 10153
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/R4/List?code={code}&patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10153

Description

Remarks

AuditEvent

The following details are returned as part of the AuditEvent structure if AuditEvent data is included with this resource. For more information about AuditEvent, refer to the FHIR Search Parameters article in the Documentation section of this site.

Name | Description | Is Optional | Is Array
type (coding) | Hard-coded value “Review History” | false | false
recorded (instant) | Time when the immunization review took place. | false | false
agent (backbone) | Who was involved in the review. | true | False
agent.Requestor (Boolean) | Whether user is initiator. Always true for this API. | true | No
agent.Who (reference) | Reference to who performed the last review. | true | No
agent.Role (coding) | Hard-coded value “Reviewer” | true | No
source (backbone) | Who/what was the reporting review | true | False
source.Observer (reference) | Reference to who performed the last review. | true | No
entity (backbone) | Data or objects used in the review. | true | false
entity.what (reference) | Specific instance of resource | false | No
entity.detail (backbone) | Additional information about the entity | true | No

entity.detail.type (Boolean) | Key/value pair list | False | No
entity.detail.valueString (reference) | Key/value pair list | False | No

Request parameters

Name | Type | Optional | Array | Cardinality | Description
code | String | False | | | The code representing the type of list to search. Must be “immunizations".
patient | String | False | | | The patient resource with whom the list is associated.
subject | String | False | | | Reference to the Patient resource with whom the List is associated.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
date | String | True | | | Unsupported
empty-reason | String | True | | | The reason why the list is empty. Always “notstarted” if populated.
encounter | String | True | | | Unsupported
item | String | True | | | Reference to an Immunization resource
notes | String | True | | | Unsupported
source | String | True | | | Unsupported
status | String | True | | | Always "current"
title | String | True | | | The descriptive name for the list. Always “Immunization List”.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.List | List | False | | | An instance of the R4 List FHIR resource.
Bundle.entry.resource.List.code | CodeableConcept | False | | | The code representing the type of list searched. Always "immunizations".
Bundle.entry.resource.List.emptyReason | CodeableConcept | True | | | The reason why the list is empty. Always “notstarted” if populated.
Bundle.entry.resource.List.entry | Entry | True | Yes | | Each entry has the "item" property populated with a reference to the Immunization resource.
Bundle.entry.resource.List.entry.deleted | Boolean | True | | | Whether the immunization is deleted
Bundle.entry.resource.List.entry.item | Reference | False | | | Reference to an Immunization resource
Bundle.entry.resource.List.id | String | False | | | FHIR identifier for this List resource instance.
Bundle.entry.resource.List.mode | String | False | | | Always "working"
Bundle.entry.resource.List.status | String | False | | | Always "current"
Bundle.entry.resource.List.subject | Reference | True | | | Reference to the Patient resource with whom the List is associated.
Bundle.entry.resource.List.title | String | True | | | The descriptive name for the list. Always “Immunization List”.

Sample request

```
https://hostname/instance/api/FHIR/R4/List?code=Immunizations&patient=efGUPRUPTZ0qbVksFCaHa5g3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/List?code=Immunizations&patient=efGUPRUPTZ0qbVksFCaHa5g3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url":
    "https://hostname/instance/api/FHIR/R4/List/e2UBbeZz4JqyBEkRh7XY.cW6axa4YURkTKL.OKTeqnKUKnkadFH7NECtiaihV.EqH3"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/R4/List/e2UBbeZz4JqyBEkRh7XY.cW6axa4YURkTKL.OKTeqnKUKnkadFH7NECtiaihV.EqH3",
      "resource": {
        "resourceType": "List",
        "id": "e2UBbeZz4JqyBEkRh7XY.cW6axa4YURkTKL.OKTeqnKUKnkadFH7NECtiaihV.EqH3",
        "status": "current",
        "mode": "working",
        "title": "Immunization List",
        "code": {
          "coding": [
            {
              "system": "http://open.epic.com/FHIR/StructureDefinition/list-type",
              "code": "immunizations"
            }
          ]
```

```
},
"subject": {
  "reference": "Patient/efGUPRUPTZ0qbVksFCaHa5g3",
  "display": "Myers, Avery"
},
"entry": [
  {
    "item": {
      "reference": "Immunization/ewiNtF8peilxookuxlyK067RI0YoTcugPWLn-p9gyHBc3",
      "display": "DTaP Imm-rx"
    }
  },
  {
    "item": {
      "reference": "Immunization/ewiNtF8peilxookuxlyK065RaJpObi43fcVP0HX.U7vA3",
      "display": "Influenza, Injectable (IST) Imm-rx"
    }
  },
  {
    "item": {
      "reference": "Immunization/ebK5HJGeJN-veHlCbYWbCoXl7zvS.-YPuQaBm0CWwmyE3",
      "display": "Cat Allergen"
    }
  },
  {
    "item": {
      "reference": "Immunization/eLfKXdJRa2TrEn2yDxvL6JqVIFWcHou51FfkeR8g4lA83",
      "display": "MMR"
    }
  },
  {
    "item": {
      "reference": "Immunization/eLfKXdJRa2TrEn2yDxvL6JkJblGX4VmALD9V0HUervpo3",
      "display": "Tetanus"
    }
  },
  {
    "item": {
      "reference": "Immunization/ey4pQKHbY0NX71oAYf-5SyWOBEhrcyx0HrRwRmWdTOig3",
      "display": "Tetanus"
    }
  },
  {
    "item": {
      "reference": "Immunization/ey4pQKHbY0NX71oAYf-5SyVzKiJHlajknjooHJsyWy543",
      "display": "MMR"
    }
  },
  {
    "item": {
      "reference": "Immunization/ey4pQKHbY0NX71oAYf-5SyZRQhQlhY4KEO-WkZid9e-o3",
      "display": "DTaP Imm-rx"
    }
  },
  {
    "item": {
      "reference": "Immunization/erZ-bGEKoYNmlUJOiwlayO9Vh7ZB.Eeq.TCMqaVU7rrA3",
      "display": "Tetanus"
    }
  },
  {
    "item": {
      "reference": "Immunization/erZ-bGEKoYNmlUJOiwlayOwnFY-Q0M8NVRNn7VUZEbI03",
      "display": "MMR"
    }
  },
  {
    "item": {
      "reference": "Immunization/erZ-bGEKoYNmlUJOiwlayOzaKL5CtRZtFQuKMKqrhjJk3",
      "display": "DTaP Imm-rx"
    }
  },
  {
    "item": {
      "reference": "Immunization/edoYdto5AkxZfclltPl9A0s-EON-OWOd3VAoJximXLJs3",
      "display": "Tetanus"
    }
  },
  {
    "item": {
      "reference": "Immunization/eRpzJz884Lz1Q2OSVj6w1gyYRrWP1pEZrezMDz29.b3A3",
      "display": "MCV4, Unspecified Imm-rx"
    }
  },
  {
    "item": {
      "reference": "Immunization/ezljMrdQn1ROHI01WA8-xTlhtdyGhc9Y1.wUOjKtO4Js3",
      "display": "DTP"
    }
```

```
},
{
  "item": {
    "reference": "Immunization/eO5IlOQeh9to2-sX5VuTLPx5Z4MpbP-JoZQbMllR8XAQ3",
    "display": "Rabies Vaccine"
  }
},
{
  "item": {
    "reference": "Immunization/eGwElJaMPxfBfBcHBn818XgaBIBO-mtXvtGky1LXr5mk3",
    "display": "Cholera Imm-rx"
  }
},
{
  "item": {
    "reference": "Immunization/eYPo0ZkVg.AXGMsDJ-kPMxXeqE7mVPu1gnFa0T0U3yj83",
    "display": "4vHPV Imm-rx"
  }
},
{
  "item": {
    "reference": "Immunization/ebI7RK8Fr3HxelmLidodBum5dtDIGV0H7EsITR0FBO6U3",
    "display": "Lyme Disease"
  }
},
{
  "item": {
    "reference": "Immunization/er7eEGxeEHxgkla8aEM4JXKTUNQY9RIoQ0fFq0YbixVw3",
    "display": "Comvax"
  }
},
{
  "item": {
    "reference": "Immunization/e-20z5Euakf3VdZVmxlJ9cIial8ne1FJ0LP7mSbRbyl83",
    "display": "Tetanus"
  }
},
{
  "item": {
    "reference": "Immunization/ehb-k5l9VkHpqx0icl3wMTE3yzFqlmDX-MQyfiezEqhA3",
    "display": "MMR"
  }
},
{
  "item": {
    "reference": "Immunization/eMq2K9-6kyABJIqLZ7oZknwoGasHW8MMXl9.mClcWEAs3",
    "display": "Tetanus"
  }
},
{
  "item": {
    "reference": "Immunization/eTMUQK0nryKQcRrQgl0RdPSYhvIUrpJz1I2SxMIIwF3s3",
    "display": "Comvax"
  }
},
{
  "item": {
    "reference": "Immunization/eAtMsS.1q9vGKc-CHTbo9d6YJuxdMx5egQFIkB0Vr3x43",
    "display": "4vHPV Imm-rx"
  }
},
{
  "item": {
    "reference": "Immunization/em3YQHzlvZI8HrX5JIXySwiWt5rfyCqok6jmfcjZKBA43",
    "display": "Comvax"
  }
},
{
  "item": {
    "reference": "Immunization/etVJdn9ZDdYbVkXlIPfWnmL82ZzOGeKROWzPAUK5GSFk3",
    "display": "Aas Test"
  }
},
{
  "item": {
    "reference": "Immunization/eJXbOYmRX2BtIqSmLI81j8A5PeIrsL7tmEDTJV1xjDyM3",
    "display": "Aas Test"
  }
},
{
  "item": {
    "reference": "Immunization/eJXbOYmRX2BtIqSmLI81j8ORJaA-tlB0EO56.N7WrqAU3",
    "display": "Aas Test"
  }
},
{
  "item": {
    "reference": "Immunization/eVKxIP.zVvZrSd2Jbeer037xmHFs0HVt.IqKcpoN94pM3",
    "display": "Moderna COVID-19 Vaccine"
```

```
          }
        },
        {
          "item": {
            "reference": "Immunization/e3RaTQIhw1lL.P4SPp461FUpT9-yCS2PKSmfGbB.M5iA3",
            "display": "Moderna COVID-19 Vaccine"
          }
        },
        {
          "item": {
            "reference": "Immunization/eX1aEGaZwZxJ6T8KdqNx7Ec2.YJjCON2593flTSPP.xk3",
            "display": "Moderna COVID-19 Vaccine"
          }
        },
        {
          "item": {
            "reference": "Immunization/eqeQzbm8dOlaGi9iVI4cg86suGjS-FKkerlRrbdCKiCc3",
            "display": "Pfizer Covid-19 Vaccine"
          }
        },
        {
          "item": {
            "reference": "Immunization/eqeQzbm8dOlaGi9iVI4cg85YXtEVutbyV0NSCF75u5ao3",
            "display": "Pfizer Covid-19 Vaccine"
          }
        },
        {
          "item": {
            "reference": "Immunization/e2phSGlVxQnOmzkJsjqgA4YymbiVs7N8U4t72NvgWqVA3",
            "display": "Tetanus"
          }
        },
        {
          "item": {
            "reference": "Immunization/eeTQHWw08Zlc-YOdm0GC-ndjP.BSkTFAkhIcmCgxbU.Q3",
            "display": "Cholera Imm-rx"
          }
        },
        {
          "item": {
            "reference": "Immunization/eeTQHWw08Zlc-YOdm0GC-neeghPkpbkEsqWONAi9D0qA3",
            "display": "Cholera Imm-rx"
          }
        },
        {
          "item": {
            "reference": "Immunization/ep9nEcxhKol7KlhCLSjxOQiYN3ir-2.B9iun-4S1.u283",
            "display": "Tetanus"
          }
        },
        {
          "item": {
            "reference": "Immunization/ep9nEcxhKol7KlhCLSjxOQm8FsGy5Htsaz8HHuKD8-fk3",
            "display": "Hepatitis A"
          }
        },
        {
          "item": {
            "reference": "Immunization/eRJFl2gqDuM5PuDNqZgs0PreAa810wjbVxZmoEpa.gBs3",
            "display": "Hepatitis B Immune Globulin"
          }
        },
        {
          "item": {
            "reference": "Immunization/eYyaWWeGHI39LWzTE8XnNpDnMMvRbx0U4MSloNoBD5Do3",
            "display": "AstraZeneca COVID-19 Vaccination"
          }
        },
        {
          "item": {
            "reference": "Immunization/erKrV6gw.rGv74SuJQedPNmFai3WIag7lRU38TTy03lw3",
            "display": "Pfizer Covid-19 Vaccine"
          }
        }
      ]
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


12.1.8 List.Search (Medication List) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10104-List-Search-Medication-List-R4.html
Epic API ID | 10104

FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/List?code={code}&encounter={encounter}&patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10104

Description

The List (Medication List) resource is used to represent the changes made to a patient's home medications during a given encounter.

The medications in the list are categorized based on when the patient was supposed to be taking them relative to that encounter. For example, some medications might be flagged as medications that the patient was taking prior to the admission and others might be flagged as medications the patient should take after being discharged.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
code | String | When _id is specified, Code is optional. | | | The code representing the type of list to search. Must be "medications".
encounter | String | Required when the Subject, Patient, and _id parameters are empty. | | | Reference to the Encounter resource with which the List is associated.
patient | String | Required when the Encounter,Subject, and _id parameters are empty. | | | The Patient resource with whom the List is associated.
subject | String | Required when the Encounter, Patient, and _id parameters are empty. | | | Reference to the Patient resource with whom the List is associated.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
date | String | True | | | Unsupported
empty-reason | String | True | | | The reason why the list is empty. Only populated when the list is empty, and preferred to be one of the values here. Will be "nilknown" when the med list has been marked as reviewed for the encounter. Will be "notasked" for all other encounters. Will be "withheld" when in a MyChart context and all meds have been filtered. Will be "unavailable" when we recorded a message in the "note" property above and quit before searching for meds.
identifier | String | True | | | Unsupported
item | String | True | | | Populated with a reference to the MedicationRequest resource for the represented order.
notes | String | True | | | The annotation - text content
source | String | True | | | Unsupported
status | String | True | | | Status of the medication list. Always "retired" because each list only represents an encounter's changes. Values can be found here.
title | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | Each entry will be a BackboneElement with the "item" property populated with a reference to the MedicationRequest resource, and the "flag" property populated with a code representing how the medication relates to the encounter. These values are defined as an Epic-released structureDefinition.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.List | List | False | | | An instance of the R4 List FHIR resource.
Bundle.entry.resource.List.code | CodeableConcept | True | | | The code representing the type of list searched. Always "medications".
Bundle.entry.resource.List.emptyReason | CodeableConcept | False | | | The reason why the list is empty. Only populated when the list is empty, and preferred to be one of the values here. Will be "nilknown" when the med list has been marked as reviewed for the encounter. Will be "notasked" for all other encounters. Will be "withheld" when in a MyChart context and all meds have been filtered. Will be "unavailable" when we recorded a message in the "note" property above and quit before searching for meds.
Bundle.entry.resource.List.encounter | Reference | True | | | Reference to the Encounter resource with which the List is associated.
Bundle.entry.resource.List.entry | Entry | True | Yes | | Each entry will be a BackboneElement with the "item" property populated with a reference to the MedicationRequest resource, and the "flag" property populated with a code representing how the medication relates to the encounter. These values are defined as an Epic-released structureDefinition.
Bundle.entry.resource.List.entry.flag | CodeableConcept | True | | | Code representing how the medication relates to the encounter: Stopped-in-visit Unchanged Prior-to-admission Active-at-the-end-of-visit
Bundle.entry.resource.List.entry.item | Reference | False | | | Populated with a reference to the MedicationRequest resource for the represented order.
Bundle.entry.resource.List.id | String | False | | | FHIR identifier for this List resource instance.
Bundle.entry.resource.List.mode | String | False | | | The processing mode that applies to this list. Always "changes". Values can be found here.
Bundle.entry.resource.List.note | Annotation | True | Yes | | If the list has a comment attached to it, that will be included here (including the most recent text of the comment, who last updated it, and when it was last updated). If list couldn't be loaded and we have an error message explaining

why, that will be included here as well.
Bundle.entry.resource.List.status | String | False | | | Status of the medication list. Always "retired" because each list only represents an encounter's changes. Values can be found here.
Bundle.entry.resource.List.subject | Reference | True | | | Reference to the Patient resource with whom the List is associated.
Bundle.total | Int64 | True | | | Total number of resources that matched the search criteria.

Sample request

```
https://hostname/instance/api/FHIR/R4/List?patient=eIUTBCnalW5avrAyG.4ihQg3&code=medications
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="5"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/List?patient=eIUTBCnalW5avrAyG.4ihQg3&amp;code=medications"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFhmzTkMy2m2uhB6A.ASh1h-
    WemqFxKTLfW1IuWERDxEpA11iUXPr100Zc9FOqLk02Q3"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFhmzTkMy2m2uhB6A.ASh1h-
    WemqFxKTLfW1IuWERDxEpA11iUXPr100Zc9FOqLk02Q3"/>
    <resource>
      <List>
        <id value="e3kCPUD7SPT10cIgcatMkFhmzTkMy2m2uhB6A.ASh1h-WemqFxKTLfW1IuWERDxEpA11iUXPr100Zc9FOqLk02Q3"/>
        <status value="retired"/>
        <mode value="changes"/>
        <code>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/list-type"/>
            <code value="medications"/>
            <display value="Medication List"/>
          </coding>
          <text value="Medication List"/>
        </code>
        <subject>
          <reference value="Patient/eIUTBCnalW5avrAyG.4ihQg3"/>
          <display value="Inpatient, Tdm"/>
        </subject>
        <encounter>
          <reference value="Encounter/ekMZ46DUtO16UTpk1-CPJODeIRAlS-.6sWVH7cNU4IMs3"/>
        </encounter>
        <note>
          <authorReference>
            <reference value="Practitioner/eLFz7QQvmpQcdFluMoY-MHA3"/>
            <type value="Practitioner"/>
            <display value="Tristan Mitchell"/>
          </authorReference>
          <time value="2021-01-04T19:18:50Z"/>
          <text value="Test med list comment. Fourth edit"/>
        </note>
        <entry>
          <flag>
            <coding>
              <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
              <code value="prior-to-admission"/>
              <display value="Prior to Admission"/>
            </coding>
            <text value="Prior to Admission"/>
          </flag>
          <item>
            <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78Iw1qI5J0k-CvQyMF6tZkL03"/>
            <identifier>
              <use value="usual"/>
              <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
              <value value="1000334976"/>
            </identifier>
            <display value="fluticasone (FLONASE) 50 MCG/ACT nasal spray"/>
          </item>
        </entry>
        <entry>
          <flag>
            <coding>
              <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
              <code value="prior-to-admission"/>
              <display value="Prior to Admission"/>
            </coding>
            <text value="Prior to Admission"/>
          </flag>
          <item>
            <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78FtEv37qXBuMFgVIAisZ2.w3"/>
            <identifier>
              <use value="usual"/>
```

```
            <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
            <value value="1000334977"/>
          </identifier>
          <display value="hydrocortisone 1 % cream"/>
        </item>
      </entry>
      <entry>
        <flag>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
            <code value="prior-to-admission"/>
            <display value="Prior to Admission"/>
          </coding>
          <text value="Prior to Admission"/>
        </flag>
        <item>
          <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78IXaXBo75O4OZ2pl9ioVD6A3"/>
          <identifier>
            <use value="usual"/>
            <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
            <value value="1000334978"/>
          </identifier>
          <display value="Cyanocobalamin (VITAMIN B 12) 100 MCG LOZG"/>
        </item>
      </entry>
      <entry>
        <flag>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
            <code value="prior-to-admission"/>
            <display value="Prior to Admission"/>
          </coding>
          <text value="Prior to Admission"/>
        </flag>
        <item>
          <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78C7qpBdG93OP9u5tuUJU5kI3"/>
          <identifier>
            <use value="usual"/>
            <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
            <value value="1000334979"/>
          </identifier>
          <display value="acetaminophen (TYLENOL) 500 MG tablet"/>
        </item>
      </entry>
    </List>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFvmqLCVW-
  2qftNNVRsiMqtjWunlXa3hZ979rVFvLMc4hfyhcjg9DZ-EkNvZZhdJ4eA3"/>
  </link>
  <fullUrl value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFvmqLCVW-
  2qftNNVRsiMqtjWunlXa3hZ979rVFvLMc4hfyhcjg9DZ-EkNvZZhdJ4eA3"/>
  <resource>
    <List>
      <id value="e3kCPUD7SPT10cIgcatMkFvmqLCVW-2qftNNVRsiMqtjWunlXa3hZ979rVFvLMc4hfyhcjg9DZ-EkNvZZhdJ4eA3"/>
      <status value="retired"/>
      <mode value="changes"/>
      <code>
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/list-type"/>
          <code value="medications"/>
          <display value="Medication List"/>
        </coding>
        <text value="Medication List"/>
      </code>
      <subject>
        <reference value="Patient/eIUTBCnalW5avrAyG.4ihQg3"/>
        <display value="Inpatient, Tdm"/>
      </subject>
      <encounter>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8"/>
          <value value="10000403203"/>
        </identifier>
      </encounter>
      <note>
        <text value="This visit is during an admission. Changes to the med list made in this visit will be reflected
  in the After Visit Summary of the admission."/>
      </note>
      <emptyReason>
        <coding>
          <system value="http://terminology.hl7.org/CodeSystem/list-empty-reason"/>
```

```
          <code value="unavailable"/>
          <display value="Unavailable"/>
        </coding>
        <text value="Unavailable"/>
      </emptyReason>
    </List>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFrgxCzP3bfzsU80yZ3ljARYZXw9.YxQY-
  YRc.zlxxEXpzVME98B6e9K14TR57YU79A3"/>
  </link>
  <fullUrl value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFrgxCzP3bfzsU80yZ3ljARYZXw9.YxQY-
  YRc.zlxxEXpzVME98B6e9K14TR57YU79A3"/>
  <resource>
    <List>
      <id value="e3kCPUD7SPT10cIgcatMkFrgxCzP3bfzsU80yZ3ljARYZXw9.YxQY-YRc.zlxxEXpzVME98B6e9K14TR57YU79A3"/>
      <status value="retired"/>
      <mode value="changes"/>
      <code>
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/list-type"/>
          <code value="medications"/>
          <display value="Medication List"/>
        </coding>
        <text value="Medication List"/>
      </code>
      <subject>
        <reference value="Patient/eIUTBCnalW5avrAyG.4ihQg3"/>
        <display value="Inpatient, Tdm"/>
      </subject>
      <encounter>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8"/>
          <value value="10000402312"/>
        </identifier>
      </encounter>
      <note>
        <text value="This visit is during an admission. Changes to the med list made in this visit will be reflected
  in the After Visit Summary of the admission."/>
      </note>
      <emptyReason>
        <coding>
          <system value="http://terminology.hl7.org/CodeSystem/list-empty-reason"/>
          <code value="unavailable"/>
          <display value="Unavailable"/>
        </coding>
        <text value="Unavailable"/>
      </emptyReason>
    </List>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url
  value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFpJdSHlkmzH9lb-0jsVgIO0DyaDIT9Iz4uc9rqlGv-
  CSxQj5Zbddvp1aa59FrdBJfw3"/>
  </link>
  <fullUrl
  value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFpJdSHlkmzH9lb-0jsVgIO0DyaDIT9Iz4uc9rqlGv-
  CSxQj5Zbddvp1aa59FrdBJfw3"/>
  <resource>
    <List>
      <id value="e3kCPUD7SPT10cIgcatMkFpJdSHlkmzH9lb-0jsVgIO0DyaDIT9Iz4uc9rqlGv-CSxQj5Zbddvp1aa59FrdBJfw3"/>
      <status value="retired"/>
      <mode value="changes"/>
      <code>
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/list-type"/>
          <code value="medications"/>
          <display value="Medication List"/>
        </coding>
        <text value="Medication List"/>
      </code>
      <subject>
        <reference value="Patient/eIUTBCnalW5avrAyG.4ihQg3"/>
        <display value="Inpatient, Tdm"/>
      </subject>
      <encounter>
```

```
      <reference value="Encounter/exFMTZoNNUX8IRfvP2SkCczGPHECSlPocS3EtNwOXFoI3"/>
    </encounter>
    <note>
      <authorReference>
        <reference value="Practitioner/eLFz7QQvmpQcdFluMoY-MHA3"/>
        <type value="Practitioner"/>
        <display value="Tristan Mitchell"/>
      </authorReference>
      <time value="2020-12-30T20:11:07Z"/>
      <text value="Test med list comment. Third edit, this time on new encounter"/>
    </note>
    <entry>
      <flag>
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
          <code value="unchanged"/>
          <display value="Unchanged"/>
        </coding>
        <text value="Unchanged"/>
      </flag>
      <item>
        <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78Iw1qI5J0k-CvQyMF6tZkL03"/>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
          <value value="1000334976"/>
        </identifier>
        <display value="fluticasone (FLONASE) 50 MCG/ACT nasal spray"/>
      </item>
    </entry>
    <entry>
      <flag>
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
          <code value="unchanged"/>
          <display value="Unchanged"/>
        </coding>
        <text value="Unchanged"/>
      </flag>
      <item>
        <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78FtEv37qXBuMFgVIAisZ2.w3"/>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
          <value value="1000334977"/>
        </identifier>
        <display value="hydrocortisone 1 % cream"/>
      </item>
    </entry>
    <entry>
      <flag>
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
          <code value="unchanged"/>
          <display value="Unchanged"/>
        </coding>
        <text value="Unchanged"/>
      </flag>
      <item>
        <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78IXaXBo75O4OZ2pl9ioVD6A3"/>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
          <value value="1000334978"/>
        </identifier>
        <display value="Cyanocobalamin (VITAMIN B 12) 100 MCG LOZG"/>
      </item>
    </entry>
    <entry>
      <flag>
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
          <code value="unchanged"/>
          <display value="Unchanged"/>
        </coding>
        <text value="Unchanged"/>
      </flag>
      <item>
        <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78C7qpBdG93OP9u5tuUJU5kI3"/>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
          <value value="1000334979"/>
        </identifier>
        <display value="acetaminophen (TYLENOL) 500 MG tablet"/>
      </item>
    </entry>
  </List>
</resource>
```

```
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFgg-3eci-sRH0ZnqvfoFYHHGw-
  yx-Q8oCBwYduKPar3wE5qEV7Dp.EK2MHl-73NqDA3"/>
  </link>
  <fullUrl value="https://hostname/instance/api/FHIR/R4/List/e3kCPUD7SPT10cIgcatMkFgg-3eci-sRH0ZnqvfoFYHHGw-
  yx-Q8oCBwYduKPar3wE5qEV7Dp.EK2MHl-73NqDA3"/>
  <resource>
    <List>
      <id value="e3kCPUD7SPT10cIgcatMkFgg-3eci-sRH0ZnqvfoFYHHGw-yx-Q8oCBwYduKPar3wE5qEV7Dp.EK2MHl-73NqDA3"/>
      <status value="retired"/>
      <mode value="changes"/>
      <code>
        <coding>
          <system value="http://open.epic.com/FHIR/StructureDefinition/list-type"/>
          <code value="medications"/>
          <display value="Medication List"/>
        </coding>
        <text value="Medication List"/>
      </code>
      <subject>
        <reference value="Patient/eIUTBCnalW5avrAyG.4ihQg3"/>
        <display value="Inpatient, Tdm"/>
      </subject>
      <encounter>
        <reference value="Encounter/enMSgIRp14ArmpI2VElQtvUv9IItYp7BmN.ttV88uBPw3"/>
      </encounter>
      <entry>
        <flag>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
            <code value="prior-to-admission"/>
            <display value="Prior to Admission"/>
          </coding>
          <text value="Prior to Admission"/>
        </flag>
        <item>
          <reference value="MedicationRequest/eL.fRFkB5FKNyi8UXw.5Jpef0NVE5p98jt2cAr0xJV4s3"/>
          <identifier>
            <use value="usual"/>
            <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
            <value value="1000280595"/>
          </identifier>
          <display value="acetaminophen (TYLENOL) 500 MG tablet"/>
        </item>
      </entry>
      <entry>
        <flag>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
            <code value="stopped-in-visit"/>
            <display value="Stopped in Visit"/>
          </coding>
          <text value="Stopped in Visit"/>
        </flag>
        <item>
          <reference value="MedicationRequest/eL.fRFkB5FKNyi8UXw.5Jpc2ZLbVCv.f13Il29QgeNOc3"/>
          <identifier>
            <use value="usual"/>
            <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
            <value value="1000280596"/>
          </identifier>
          <display value="Multiple Vitamins-Minerals (MULTIVITAMIN ADULT PO)"/>
        </item>
      </entry>
      <entry>
        <flag>
          <coding>
            <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
            <code value="stopped-in-visit"/>
            <display value="Stopped in Visit"/>
          </coding>
          <text value="Stopped in Visit"/>
        </flag>
        <item>
          <reference value="MedicationRequest/egHPHfmkbzdqDcj8f0cx3H0LJVljZMHJQTIEqDtcJNKM3"/>
          <identifier>
            <use value="usual"/>
            <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
            <value value="1000334891"/>
          </identifier>
          <display value="Cetirizine HCl (ZYRTEC ALLERGY) 10 MG CAPS"/>
        </item>
      </entry>
```

```
        <entry>
          <flag>
            <coding>
              <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
              <code value="active-at-end-of-visit"/>
              <display value="Active at the End of Visit"/>
            </coding>
            <text value="Active at the End of Visit"/>
          </flag>
          <item>
            <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78Iw1qI5J0k-CvQyMF6tZkL03"/>
            <identifier>
              <use value="usual"/>
              <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
              <value value="1000334976"/>
            </identifier>
            <display value="fluticasone (FLONASE) 50 MCG/ACT nasal spray"/>
          </item>
        </entry>
        <entry>
          <flag>
            <coding>
              <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
              <code value="active-at-end-of-visit"/>
              <display value="Active at the End of Visit"/>
            </coding>
            <text value="Active at the End of Visit"/>
          </flag>
          <item>
            <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78FtEv37qXBuMFgVIAisZ2.w3"/>
            <identifier>
              <use value="usual"/>
              <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
              <value value="1000334977"/>
            </identifier>
            <display value="hydrocortisone 1 % cream"/>
          </item>
        </entry>
        <entry>
          <flag>
            <coding>
              <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
              <code value="active-at-end-of-visit"/>
              <display value="Active at the End of Visit"/>
            </coding>
            <text value="Active at the End of Visit"/>
          </flag>
          <item>
            <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78IXaXBo75O4OZ2pl9ioVD6A3"/>
            <identifier>
              <use value="usual"/>
              <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
              <value value="1000334978"/>
            </identifier>
            <display value="Cyanocobalamin (VITAMIN B 12) 100 MCG LOZG"/>
          </item>
        </entry>
        <entry>
          <flag>
            <coding>
              <system value="http://open.epic.com/FHIR/StructureDefinition/med-list-flag"/>
              <code value="active-at-end-of-visit"/>
              <display value="Active at the End of Visit"/>
            </coding>
            <text value="Active at the End of Visit"/>
          </flag>
          <item>
            <reference value="MedicationRequest/e.P.8v42HK56oJOTBRDZ78C7qpBdG93OP9u5tuUJU5kI3"/>
            <identifier>
              <use value="usual"/>
              <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.798268"/>
              <value value="1000334979"/>
            </identifier>
            <display value="acetaminophen (TYLENOL) 500 MG tablet"/>
          </item>
        </entry>
      </List>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```

12.1.9 Medication.Read (Organization Med List) (R4)

File: site/apis/12-Clinical-Medications/1-R4/995-Medication-Read-Organization-Med-List-R4.html

Epic API ID | 995
FHIR version | R4
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2020
HTTP method | GET
URL template | /api/FHIR/R4/Medication/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=995

Description

The FHIR Medication resource defines detailed information about a medication order's product or package. The Medication resource is referenced by the MedicationRequest resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The FHIR ID referencing a medication.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Medication (R4) | Resource | | | | An instance of the R4 Medication FHIR resource.
Medication (R4).code | CodeableConcept | | | 0..1 | A code or set of codes that identify this medication. This could be a standard drug code such as a drug regulator code, RxNorm code, or other type of code. It could also be a local formulary code, optionally with translations to the standard drug codes. Supports GPK, HPK, and PRK codes for organizations in the Netherlands.
Medication (R4).extension (description) (also: extension (description)) | Extension | | Yes | 0..* | The name of a medication. Always provides the clinician-facing name. This element is used only by organizations in the Netherlands. This element is populated only if the Code element is not populated. URL: http://nictiz.nl/fhir/StructureDefinition/zib-Product-Description
Medication (R4).form | CodeableConcept | | | 0..1 | This is the form a dose can take, such as tablet or suspension.
Medication (R4).id | id | | | 1..1 | The Medication FHIR ID.
Medication (R4).identifier | Identifier | | Yes | 1..* | A unique identifier for the medication record. This element is populated starting in the February 2023 version of Epic, with special updates to the November 2022 and May 2022 versions of Epic.
Medication (R4).ingredient | BackboneElement | | Yes | 0..* | Ingredient information. Starting in the May 2025 version of Epic, the medication build can be configured to include ingredient information for combination drugs with multiple ingredients.
Medication (R4).ingredient.itemCodeableConcept | CodeableConcept | | | 0..1 | This element is used only with mixture components or single ingredient, non-mixture medications. Supports GPK, HPK, and PRK codes for organizations in the Netherlands.
Medication (R4).ingredient.itemReference | Reference | | | 0..1 | This element is used only with mixture medications. It is a reference to a Substance or Medication included in a mixture.
Medication (R4).ingredient.itemReference.display | String | | | 0..1 | The short name of the ingredient medication might appear with or without strength. Otherwise, the record name appears.
Medication (R4).ingredient.itemReference.reference | String | | | 1..1 | Medication or Substance FHIR ID for the ingredient.
Medication (R4).ingredient.strength | Ratio | | | 0..1 | The quantity of an ingredient present if it is a single-ingredient medication. Starting in the May 2025 version of Epic, the medication build can be configured to include strength information of ingredients for combination drugs with multiple ingredients.
Medication (R4).text | Narrative | | | 1..1 | The composed name of the medication order if referenced from an order. If there is no order reference, this uses the configured order display name of the medication, otherwise the medication record name.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Medication/eq13yZElJ1Y2SooDGxiflINfh37XcdUPvDRAoaieH-7jzWT.xygoh5R9HcYaTHPGS3
```

Sample response


```
{
  "resourceType": "Medication",
  "id": "eq13yZElJ1Y2SooDGxiflINfh37XcdUPvDRAoaieH-7jzWT.xygoh5R9HcYaTHPGS3",
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.698288",
      "value": "2595"
    }
  ],
  "code": {
    "text": "DOPamine (INOTROPIN) injection"
  },
  "ingredient": [
    {
      "itemReference": {
        "reference": "Medication/eCu-p5H7xIY321uw8wJJX-g3",
```

```
        "display": "D5W"
      }
    },
    {
      "itemReference": {
        "reference": "Medication/eUFtCkME4p0C8M0FqvU3ISA3",
        "display": "DOPamine (INOTROPIN) injection 160 mg/mL"
      }
    }
  ]
}
```


Change log

Epic Version | Description | Type
May 2025 | Codes removed from Medication.ingredient.itemCodeableConcept.coding element | Breaking change

12.1.10 Medication.Search (Organization Med List) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10079-Medication-Search-Organization-Med-List-R4.html
Epic API ID | 10079
FHIR version | R4
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/Medication?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10079

Description

The FHIR Medication resource defines detailed information about a medication order's product or package. The Medication resource is referenced by the MedicationRequest resource.

The R4 Medication.Search interaction currently supports only the _id search parameter, making it similar to a Medication.Read request.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Medication (R4) | Resource | | | | An instance of the R4 Medication FHIR resource.
Medication (R4).code | CodeableConcept | | | 0..1 | A code or set of codes that identify this medication. This could be a standard drug code such as a drug regulator code, RxNorm code, or other type of code. It could also be a local formulary code, optionally with translations to the standard drug codes. Supports GPK, HPK, and PRK codes for organizations in the Netherlands.
Medication (R4).extension (description) (also: extension (description)) | Extension | | Yes | 0..* | The name of a medication. Always provides the clinician-facing name. This element is used only by organizations in the Netherlands. This element is populated only if the Code element is not populated. URL: http://nictiz.nl/fhir/StructureDefinition/zib-Product-Description
Medication (R4).form | CodeableConcept | | | 0..1 | This is the form a dose can take, such as tablet or suspension.
Medication (R4).id | id | | | 1..1 | The Medication FHIR ID.
Medication (R4).identifier | Identifier | | Yes | 1..* | A unique identifier for the medication record. This element is populated starting in the February 2023 version of Epic, with special updates to the November 2022 and May 2022 versions of Epic.
Medication (R4).ingredient | BackboneElement | | Yes | 0..* | Ingredient information. Starting in the May 2025 version of Epic, the medication build can be configured to include ingredient information for combination drugs with multiple ingredients.
Medication (R4).ingredient.itemCodeableConcept | CodeableConcept | | | 0..1 | This element is used only with mixture components or single ingredient, non-mixture medications. Supports GPK, HPK, and PRK codes for organizations in the Netherlands.
Medication (R4).ingredient.itemReference | Reference | | | 0..1 | This element is used only with mixture medications. It is a reference to a Substance or Medication included in a mixture.
Medication (R4).ingredient.itemReference.display | String | | | 0..1 | The short name of the ingredient medication might appear with or without strength. Otherwise, the record name appears.
Medication (R4).ingredient.itemReference.reference | String | | | 1..1 | Medication or Substance FHIR ID for the ingredient.

Medication (R4).ingredient.strength | Ratio | | | 0..1 | The quantity of an ingredient present if it is a single-ingredient medication. Starting in the May 2025 version of Epic, the medication build can be configured to include strength information of ingredients for combination drugs with multiple ingredients.

Medication (R4).text | Narrative | | | 1..1 | The composed name of the medication order if referenced from an order. If there is no order reference, this uses the configured order display name of the medication, otherwise the medication record name.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Medication?_id=eNwj3S1v5hStEeGHtjEc-
    AM8o8.4g-Q0Z7lzo6645fSmz088aKe3sZypE3vgMc28M3
```

Sample response


```
{
  "resourceType": "Medication",
  "id": "eNwj3S1v5hStEeGHtjEc-AM8o8.4g-Q0Z7lzo6645fSmz088aKe3sZypE3vgMc28M3",
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.0.1.7.2.698288",
      "value": "25855"
    }
  ],
  "code": {
    "coding": [
      {
        "system": "urn:oid:2.16.840.1.113883.6.253",
        "code": "61185"
      },
      {
        "system": "urn:oid:2.16.840.1.113883.6.68",
        "code": "72600030000330"
      },
      {
        "system": "urn:oid:2.16.840.1.113883.6.162",
        "code": "26324"
      },
      {
        "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
        "code": "25480"
      },
      {
        "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
        "code": "310433"
      }
    ],
    "text": "gabapentin (NEURONTIN) tablet"
  },
  "form": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.310",
        "code": "TABS",
        "display": "tablet"
      }
    ],
    "text": "tablet"
  },
  "ingredient": [
    {
      "itemCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:2.16.840.1.113883.6.253",
            "code": "61185"
          },
          {
            "system": "urn:oid:2.16.840.1.113883.6.68",
            "code": "72600030000330"
          },
          {
            "system": "urn:oid:2.16.840.1.113883.6.162",
            "code": "26324"
          },
          {
            "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
            "code": "25480"
          },
          {
            "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
            "code": "310433"
          }
        ],
        "text": "gabapentin (NEURONTIN) tablet"
      },
      "strength": {
        "numerator": {
          "value": 600,
```

```
          "unit": "MG",
          "system": "http://unitsofmeasure.org",
          "code": "mg"
        },
        "denominator": {
          "value": 600,
          "unit": "MG",
          "system": "http://unitsofmeasure.org",
          "code": "mg"
        }
      }
    }
  ]
}
```


Change log

Epic Version	Description	Type
May 2025	Codes removed from Medication.ingredient.itemCodeableConcept.coding element	Breaking change

12.1.11 MedicationAdministration.Read (R4)

File: site/apis/12-Clinical-Medications/1-R4/10466-MedicationAdministration-Read-R4.html

Epic API ID	10466
FHIR version	R4
Categories	Clinical Medications
API type	Industry-Standard
USCDI	No
HTTP method	GET
URL template	/api/FHIR/R4/MedicationAdministration/{ID}
Supports OAuth 2.0	True
Supported user types	Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation	False
Source	https://fhir.epic.com/Specifications?api=10466

Description

This resource is part of a group of APIs that were created to support Dutch specific requirements for MedMij. These APIs use a Dutch FHIR profile, rely on Dutch workflows for the relevant information to be populated, and support targeted information and use cases. Starting in August 2026, this resource is available in all locales. In May 2026 and earlier, these APIs are only available in the Netherlands where their specific functionality is expected to be meaningful in supporting the eOverdracht program.

This MedicationAdministration resource records instances where a patient was administered a medication.

Request parameters

Name	Type	Optional	Array	Cardinality	Description
ID	String	False			FHIR ID of the MedicationAdministration resource.

Sample request

```
https://hostname/instance//api/FHIR/R4/MedicationAdministration/fQkY4sT810LWsN3kXiP8w6Bd.WFLZ8HaCChVsK9w08I84
```

Sample response


```
{
  "resourceType": "MedicationAdministration",
  "id": "fQkY4sT810LWsN3kXiP8w6Bd.WFLZ8HaCChVsK9w08I84",
  "status": "in-progress",
  "category": {
    "coding": [
      {
        "system": "http://terminology.hl7.org/CodeSystem/medication-admin-category",
        "code": "inpatient",
        "display": "Inpatient"
      }
    ],
    "text": "Inpatient"
  },
  "medicationReference": {
    "reference": "Medication/ev6aI3mqwKPdwb1-BI5FfXgZRmb0aP7065eG.Ma0HbpeFtNLFgHJ2.Vo72NRdoU7R3",
    "display": "ESSENTIAL AMINO ACIDS MIXTURE"
  },
  "subject": {
    "reference": "Patient/euc.F-kIqHcWfug3.vC9KMA3",
    "display": "Sample, Patient"
  },
  "effectiveDateTime": "2022-06-24T00:00:00Z",
  "note": [
    {
      "authorReference": {
```

```
        "reference": "Practitioner/eIh.l0EbRYcFNSmCvzyZpyA3",
        "display": "Doctor Test"
      },
      "text": "This is a comment"
    }
  ]
}
```

12.1.12 MedicationAdministration.Search (R4)

File: site/apis/12-Clinical-Medications/1-R4/10463-MedicationAdministration-Search-R4.html
Epic API ID | 10463
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
HTTP method | GET
URL template | /api/FHIR/R4/MedicationAdministration?context={context}&effective-time={effective-time}&patient={patient}&performer={performer}&request={request}&status={status}&subject={subject}&_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10463

Description

This MedicationAdministration resource records instances where a patient was administered a medication.

This resource is part of a group of APIs that were created to support Dutch specific requirements for MedMij. These APIs use a Dutch FHIR profile, rely on Dutch workflows for the relevant information to be populated, and support targeted information and use cases. Starting in Epic version August 2026, this resource is available in all locales. In Epic version May 2026 and earlier, these APIs are only available in the Netherlands where their specific functionality is expected to be meaningful in supporting the eOverdracht program.

In Epic version May 2026 and earlier, only the _id search parameter is supported.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_id | String | True | Yes | | A MedicationAdministration FHIR ID
context | String | True | Yes | | Refine a search for MedicationAdministration resources with one or more linked reference.
effective-time | String | True | Yes | | Refine a search for MedicationAdministration resources for a given patient by specifying a date or a range of dates for the administration.
medication | String | True | Yes | | You can use the medication.code parameter to only return medication administrations with a matching code. This parameter chains to the code search parameter of the referenced Medication resource and does not filter based on values returned directly in the MedicationAdministration response body. This parameter accepts a code value alone (medication.code={code}) to match against any code system, or a system and code together (medication.code={system}|{code}) to match against a specific code system. Supported code systems are listed below. If the system is explicitly null (medication.code=|{code}), a warning is returned and the parameter is ignored. Using AND logic (multiple codes that must all match) returns a fatal error. Code set Code set URN RxNorm http://www.nlm.nih.gov/research/umls/rxnorm or urn:oid:2.16.840.1.113883.6.88 ATC http://www.whocc.no/atc Multilex https://fhir.hl7.org/ld/multilex-drug-codes DMD https://dmd.nhs.uk Medi-Span DDID urn:oid:2.16.840.1.113883.6.253 Medi-Span GPI urn:oid:2.16.840.1.113883.6.68 Medi-Span MDDB urn:oid:2.16.840.1.113883.6.162 FDB NDDF urn:oid:2.16.840.1.113883.6.208 G-Standaard GPK urn:oid:2.16.840.1.113883.2.4.4.1 G-Standaard HPK urn:oid:2.16.840.1.113883.2.4.4.7 G-Standaard PRK urn:oid:2.16.840.1.113883.2.4.4.10 NDC urn:oid:2.16.840.1.113883.6.69
Code set | Code set URN
RxNorm | http://www.nlm.nih.gov/research/umls/rxnorm or urn:oid:2.16.840.1.113883.6.88
ATC | http://www.whocc.no/atc
Multilex | https://fhir.hl7.org/ld/multilex-drug-codes
DMD | https://dmd.nhs.uk
Medi-Span DDID | urn:oid:2.16.840.1.113883.6.253
Medi-Span GPI | urn:oid:2.16.840.1.113883.6.68
Medi-Span MDDB | urn:oid:2.16.840.1.113883.6.162
FDB NDDF | urn:oid:2.16.840.1.113883.6.208
G-Standaard GPK | urn:oid:2.16.840.1.113883.2.4.4.1
G-Standaard HPK | urn:oid:2.16.840.1.113883.2.4.4.7
G-Standaard PRK | urn:oid:2.16.840.1.113883.2.4.4.10
NDC | urn:oid:2.16.840.1.113883.6.69
patient | String | Either patient or subject must be provided. | Yes | | Search for MedicationAdministration resources for a specified patient ID. You can use "patient" and "subject" equivalently, but they cannot be used at the same time for different references.
performer | String | True | Yes | | Refine a search for MedicationAdministration resources by one or more associated reference.
request | String | True | Yes | | Refine a search for MedicationAdministration resources by associated reference.
status | String | True | Yes | | Refine a search for MedicationAdministration resources with one or more statuses.
subject | String | Either patient or subject must be provided | Yes | | Search for MedicationAdministration resources for a specified patient ID. You can use "patient" and "subject" equivalently, but they cannot be used at the same time for different references.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.MedicationAdministration | MedicationAdministration | False
Bundle.entry.resource.MedicationAdministration.category | CodeableConcept | False | | | Whether the encounter in which the administration occurred was inpatient or outpatient.
Bundle.entry.resource.MedicationAdministration.effectiveDateTime | String | False | | | Records when the administration occurred.
Bundle.entry.resource.MedicationAdministration.medicationReference | Reference | False | | | Reference to the Medication resource. The medication administered.
Bundle.entry.resource.MedicationAdministration.note | Annotation | True | Yes | | Notes on the administration.
Bundle.entry.resource.MedicationAdministration.status | String | False | | | Current status of the administration. Status values mapped to item values as follows: In Progress New Bag (infusion running) Held (infusion running) Restarted (infusion running) Stopped (infusion running) Rate Change (infusion running) Rate Verify (infusion running) Paused (infusion running) Pending Not Done Missed Refused MAR Hold MAR Unhold See Alternative Due On Hold Held (no previous New Bag) Automatically Held Completed Given New Bag (infusion no longer running) Held (infusion no longer running) Restarted (infusion no longer running) Stopped (infusion no longer running) Rate Change (infusion no longer running) Bolus Push Rate Verify (infusion no longer running) Paused (infusion no longer running) Entered in Error Canceled Entry Actions flagged for chart corrections Unknown Stopped (no previous new bag action) Paused (no previous new bag action) Unmapped custom actions
Bundle.entry.resource.MedicationAdministration.subject | Reference | False | | | Reference to the Patient resource. The patient who the medication was administered to.

Sample request

```
https://hostname/instance/api/FHIR/r4/MedicationAdministration?_id=fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://vs-icx18-11.epic.com/Interconnect-Netherlands-Stage1-nl-
    NL/api/FHIR/R4/MedicationAdministration?_id=fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://vs-icx18-11.epic.com/Interconnect-Netherlands-Stage1-nl-
    NL/api/FHIR/R4/MedicationAdministration/fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4"
        }
      ],
      "fullUrl": "https://vs-icx18-11.epic.com/Interconnect-Netherlands-Stage1-nl-
    NL/api/FHIR/R4/MedicationAdministration/fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4",
      "resource": {
        "resourceType": "MedicationAdministration",
        "id": "fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4",
        "status": "in-progress",
        "category": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/medication-admin-category",
              "code": "outpatient",
              "display": "Outpatient"
            }
          ],
          "text": "Outpatient"
        },
        "medicationReference": {
          "reference": "Medication/e0brIX9nZ6p7.0iJrUS5cE-6fEY58kvQGfA9H18lRiEoWRBasIX9B1keTidCP8z3q3",
          "display": "AUTOSOFT 30 INFUSION SET CANNULA 13MM/110CM GRIJS"
        },
        "subject": {
          "reference": "Patient/eDycH8l9bdYeJ5Ub.di6HZQ3",
          "display": "Patient, N.L."
        },
        "effectiveDateTime": "2022-07-08T15:15:00Z",
        "note": [
          {
            "authorReference": {
              "reference": "Practitioner/eg0d3ovoXoDELFqj22aobQw3",
              "display": "SAMPLE. Doctor"
            },
            "text": "sample note"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
```

```
    }
  ]
}
```

12.1.13 MedicationDispense.Read (Fill Status) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10647-MedicationDispense-Read-Fill-Status-R4.html
Epic API ID | 10647
FHIR version | R4
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 2 API
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/MedicationDispense/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10647

Description

The read interaction enables the lookup of a MedicationDispense resource by a constant server ID.

This resource returns a medication's fill status, as well as other information about the medication, such as the dose, route, and dispense quantity. This resource can return various types of medications, including prescriptions, inpatient-ordered medications, To Take Out (TTO) orders, and clinic-administered medications (CAMs) dispensed through Epic.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The MedicationDispense FHIR ID

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationDispense (R4) | MedicationDispense | | | | A single instance of a MedicationDispense resource.
MedicationDispense (R4).authorizingPrescription | Reference | | Yes | 1..* | Reference to the MedicationRequest that triggered the dispense.
MedicationDispense (R4).context | Reference | | | 0..1 | Reference to the patient Encounter in which the medication was ordered.
MedicationDispense (R4).dosageInstruction | Dosage | | Yes | 1..* | Dosage instruction details.
MedicationDispense (R4).dosageInstruction.asNeededBoolean | boolean | | | 0..1 | Whether the frequency is PRN.
MedicationDispense (R4).dosageInstruction.doseAndRate | BackboneElement | | Yes | 1..* | Information about the ranges and quantities of doses and rates. This element contains doseQuantity or doseRange.
MedicationDispense (R4).dosageInstruction.doseAndRate.doseQuantity | Quantity | | | 0..1 | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.
MedicationDispense (R4).dosageInstruction.doseAndRate.doseRange | Range | | | 0..1 | The high and low values of a medication's dose.
MedicationDispense (R4).dosageInstruction.patientInstruction | string | | | 0..1 | Patient or consumer instructions.
MedicationDispense (R4).dosageInstruction.route | CodeableConcept | | | 0..1 | The medication route.
MedicationDispense (R4).dosageInstruction.sequence | integer | | | 0..1 | If the dosageInstruction array contains multiple elements in sequence, then this number is this element's order in the sequence.
MedicationDispense (R4).dosageInstruction.text | string | | | 1..1 | The medication instructions.
MedicationDispense (R4).dosageInstruction.timing | Timing | | | 1..1 | Timing information related to the medication.
MedicationDispense (R4).medicationReference | Reference | | | 1..1 | Reference to the ordered medication.
MedicationDispense (R4).performer | BackboneElement | | Yes | 1..* | The organization where the medication was dispensed and the practitioner who performed the dispense action. If the organization is available, it is returned as an actor element in the array. If the practitioner is available, it is returned as another actor element in the array.
MedicationDispense (R4).performer.actor | Reference | | | 1..1 | The organization where the medication was dispensed or the practitioner who performed the dispense action.
MedicationDispense (R4).quantity | Quantity | | | 1..1 | Amount dispensed. Accounts for partial returns for non-mixtures.
MedicationDispense (R4).status | code | | | 1..1 | The status of the medication dispense. Can be any of the following: in-progress cancelled completed declined unknown
MedicationDispense (R4).subject | Reference | | | 1..1 | The patient receiving the dispensed medication.
MedicationDispense (R4).type | CodeableConcept | | | 1..1 | Type of dispense. Can be any of the following: First Fill Refill Emergency Supply First Fill - Part Fill Refill - Part Fill
MedicationDispense (R4).whenHandedOver | dateTime | | | 1..1 | When the product was given out or mailed. This must be populated if the status is completed.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/MedicationDispense/fW-8kEppa9VR8.zolkQVNa0HnPCe57RvepKG4edlHna44
```

Sample response

```
{
    "resourceType": "MedicationDispense",
```

```
"id": "fW-8kEppa9VR8.zolkQVNa0HnPCe57RvepKG4edlHna44",
"status": "completed",
"medicationReference": {
    "reference": "Medication/fKfzn6InlWtXLCKgYtcL2UxZ6kMQ.DNfpfMVhkOmwtRA4",
    "display": "atorvastatin (LIPITOR) tablet"
},
"subject": {
    "reference": "Patient/eXhIaDEB8XXfmIaMHjlFjFQ3",
    "display": "FHIR, Test Patient"
},
"context": {
    "reference": "Encounter/eH4wNmJCdiqIB4JDijtGG6zGzz3.2nxFP3OSnPjTEVSI3",
    "identifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
        "value": "10013994647"
    },
    "display": "Office Visit"
},
"performer": [
    {
        "actor": {
            "reference": "Organization/eaEV1Sz9o5UgoaQQAiZtxPA3",
            "display": "FHIR, Test Organization"
        }
    }
    {
        "actor": {
            "reference": "Practitioner/T261TVJilfMxfUGfuXuDQpQB",
            "display": "FHIR, Test Practitioner"
        }
    }
],
"authorizingPrescription": [
    {
        "reference": "MedicationRequest/e3WqE7yiXG8dDNkcy-tzUUn.uRk3QYjQCUsmkjV.aqoI3",
        "display": "atorvastatin (LIPITOR) 40 MG tablet"
    }
],
"type": {
    "coding": [
        {
            "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
            "code": "FF",
            "display": "First Fill"
        }
    ]
},
"quantity": {
    "value": 90,
    "unit": "tablet",
    "system": "http://unitsofmeasure.org",
    "code": "{tbl}"
},
"whenHandedOver": "2023-11-13T22:28:54Z",
"dosageInstruction": [
    {
        "text": "40 mg, Oral, NIGHTLY Starting Mon 11/13/2023, Disp-90 tablet, R-3, Normal",
        "patientInstruction": "Take 1 tablet by mouth nightly.",
        "timing": {
            "repeat": {
                "boundsPeriod": {
                    "start": "2023-11-13"
                },
                "timeOfDay": [
                    "21:00:00"
                ]
            },
            "code": {
                "text": "2100"
            }
        },
        "asNeededBoolean": false,
        "route": {
            "coding": [
                {
                    "system": "http://snomed.info/sct",
                    "code": "260548002",
                    "display": "Oral (qualifier value)"
                },
                {
                    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.798268.7025",
                    "code": "15",
                    "display": "Oral"
                }
            ],
            "text": "Oral"
        },
        "doseAndRate": [
```

```
                {
                    "type": {
                        "coding": [
                            {
                                "system": "http://epic.com/CodeSystem/dose-rate-type",
                                "code": "calculated",
                                "display": "calculated"
                            }
                        ],
                        "text": "calculated"
                    },
                    "doseQuantity": {
                        "value": 40,
                        "unit": "mg",
                        "system": "http://unitsofmeasure.org",
                        "code": "mg"
                    }
                },
                {
                    "type": {
                        "coding": [
                            {
                                "system": "http://epic.com/CodeSystem/dose-rate-type",
                                "code": "ordered",
                                "display": "ordered"
                            }
                        ],
                        "text": "ordered"
                    },
                    "doseQuantity": {
                        "value": 40,
                        "unit": "mg",
                        "system": "http://unitsofmeasure.org",
                        "code": "mg"
                    }
                }
            ]
        }
    ]
}
```


12.1.14 MedicationDispense.Read (Verified Orders) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10212-MedicationDispense-Read-Verified-Orders-R4.html
Epic API ID | 10212
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/MedicationDispense/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10212

Description

The read interaction enables the look up of a MedicationDispense resource by a constant server ID.

This resource indicates how a medication product is to be or has been dispensed for a named person/patient. This resource records the pharmacist verification of medication dispenses, rather than the actual dispenses. Note that MedicationDispense (Verified Orders) functions only for organizations in the Netherlands.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The MedicationDispense FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationDispense | MedicationDispense | False | | | A single instance of a MedicationDispense resource.
MedicationDispense.extension (also: authoredOn) | Extension | True | Yes | | The date the medication was verified.
MedicationDispense.authorizingPrescription | Reference | False | Yes | | Reference to the medication request that triggered the dispense.
MedicationDispense.category | CodeableConcept | False | | | Type of medication dispense. Hard-coded to SNOMED code 422037009.
MedicationDispense.context | Reference | False | | | Reference to the encounter associated with the dispense.
MedicationDispense.dosageInstruction | Dosage | False | Yes | | Dosage instruction details.
MedicationDispense.dosageInstruction.additionalInstruction | CodeableConcept | False | Yes | | The patient administration instructions for the prescriptionmedication. For a multi-line sig, this is the same.

MedicationDispense.dosageInstruction.asNeededBoolean | boolean | True | | | Whether the frequency is PRN.
MedicationDispense.dosageInstruction.doseAndRate | BackboneElement | False | Yes | | Information about the ranges and quantities of doses and rates.
MedicationDispense.dosageInstruction.doseAndRate.doseQuantity | Quantity | False | | | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.
MedicationDispense.dosageInstruction.doseAndRate.doseRange | Range | False | | | Parses the upper and lower bounds of the dose from above.
MedicationDispense.dosageInstruction.doseAndRate.rateQuantity | Quantity | False | | | The discrete value of a medication's rate of infusion.
MedicationDispense.dosageInstruction.doseAndRate.rateRange | Range | False | | | The high and low values of a medication's rate of infusion.
MedicationDispense.dosageInstruction.route | CodeableConcept | False | | | The medication route.
MedicationDispense.dosageInstruction.text | string | False | | | The medication instructions.
MedicationDispense.dosageInstruction.timing | Timing | False | | | Element to describe timing.
MedicationDispense.dosageInstruction.timing.repeat | BackboneElement | False | | | Element indicating an event that occurs multiple times.
MedicationDispense.dosageInstruction.timing.repeat.boundsPeriod | Period | False | | | The start and end dates for the medication.
MedicationDispense.dosageInstruction.timing.repeat.duration | Decimal | True | | | The medication duration. If duration is expressed as a range, this element is populated with the minimum duration.
MedicationDispense.dosageInstruction.timing.repeat.durationMax | Decimal | True | | | If duration is expressed as a range, this element is populated with the maximum duration.
MedicationDispense.dosageInstruction.timing.repeat.frequency | Int64 | True | | | The frequency.
MedicationDispense.dosageInstruction.timing.repeat.period | decimal | True | | | The period.
MedicationDispense.extension | Extension | False | Yes | | The duration of a medication's use.
MedicationDispense.id | id | False | | | The MedicationDispense FHIR ID.
MedicationDispense.identifier | Identifier | False | Yes | | The order ID.
MedicationDispense.medicationReference | Reference | False | | | The FHIR ID representation of the ordered medication.
MedicationDispense.performer | BackboneElement | False | Yes | | The organization where the medication was verified.
MedicationDispense.performer.actor | Reference | False | | | The organization where the medication was verified.
MedicationDispense.extension (also: periodOfUse) | Extension | True | Yes | | The start and end dates for the medication.
MedicationDispense.status | code | False | | | The status of the medication dispense. Can be either: Completed Entered-in-error
MedicationDispense.extension (also: stopType) | Extension | True | Yes | | Indicates whether a medication is temporarily or permanently inactive.
MedicationDispense.subject | Reference | False | | | Who the medication is being dispensed to.
MedicationDispense.extension (also: usageDuration) | Extension | False | Yes | | The duration of a medication's use.

Sample request

```
https://hostname/instance/api/FHIR/R4/MedicationDispense/eG5E5vxkNjsZbn0WRnyH0OQ3
```

Sample response


```
{
  "resourceType": "MedicationDispense",
  "id": "eG5E5vxkNjsZbn0WRnyH0OQ3",
  "extension": [
    {
      "valueDateTime": "2021-10-19T20:38:25Z",
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-AdministrationAgreement-AuthoredOn"
    },
    {
      "valuePeriod": {
        "start": "2021-10-19T20:15:00Z",
        "end": "2021-10-29T13:59:00Z"
      },
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-Medication-PeriodOfUse"
    },
    {
      "valueDuration": {
        "value": 9.74,
        "unit": "days",
        "system": "http://unitsofmeasure.org",
        "code": "d"
      },
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration"
    }
  ],
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.51037.1.7.2.798268",
      "value": "8657"
    }
  ],
  "status": "active",
  "category": {
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "422037009",
        "display": "Provider medication administration instructions (procedure)"
      },
      {
        "system": "http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-category",
        "code": "inpatient",
        "display": "Inpatient"
      }
```

```
    ]
  },
  "medicationReference": {
    "reference": "Medication/eN58HovjbaI5LGDt8VbNhSPgGtqBGimgRL.rLo70VKQ.ZR4R2t6pK0rzrBIJS4ISh3",
    "display": "IBUPROFEN BRUISGRANULAAT 600MG"
  },
  "subject": {
    "reference": "Patient/eRS6OIT4kpTEfLcud3Axh1w3",
    "display": "Jansen, J.L."
  },
  "context": {
    "reference": "Encounter/eOC-VsvI9OdFVZHooIY1YcA3",
    "display": "Hospital Encounter"
  },
  "authorizingPrescription": [
    {
      "reference": "MedicationRequest/eYdHQRllcxTxp7ldT3YMbBA3",
      "display": "ibuprofen (BRUFEN) bruisgranulaat BRUISGRANULA 600 mg"
    }
  ],
  "dosageInstruction": [
    {
      "text": "600 mg, ORAAL, DAILY, 10 doses, First dose on di 19-10-21 at 15:15, Last dose on do 28-10-21 at 09:00",
      "timing": {
        "repeat": {
          "boundsPeriod": {
            "start": "2021-10-19T20:15:00Z",
            "end": "2021-10-29T13:59:00Z"
          },
          "count": 10,
          "frequency": 1,
          "period": 1,
          "periodUnit": "d"
        },
        "code": {
          "text": "once a day"
        }
      },
      "asNeededBoolean": false,
      "route": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.51037.1.7.4.798268.7025",
            "code": "8",
            "display": "ORAAL"
          }
        ],
        "text": "ORAAL"
      },
      "doseAndRate": [
        {
          "type": {
            "coding": [
              {
                "system": "http://epic.com/CodeSystem/dose-rate-type",
                "code": "ordered",
                "display": "ordered"
              }
            ],
            "text": "ordered"
          },
          "doseQuantity": {
            "value": 600,
            "unit": "mg",
            "system": "http://unitsofmeasure.org",
            "code": "mg"
          }
        }
      ]
    }
  ]
}
```


12.1.15 MedicationDispense.Search (Fill Status) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10646-MedicationDispense-Search-Fill-Status-R4.html
Epic API ID | 10646
FHIR version | R4
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 2 API
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/MedicationDispense?patient={patient}&subject={subject}
Supports OAuth 2.0 | True

Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10646

Description

You can use the MedicationDispense search interaction to query for a medication's fill status, as well as other information about the medication, such as the dose, route, and dispense quantity.

This resource can return various types of medications, including prescriptions, inpatient-mode medications, To Take Out (TTO) orders, and clinic-administered medications (CAMs) dispensed through Epic.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
patient | reference | Conditional | Yes | | The Patient FHIR ID. Either patient or subject is required. If both are provided, they must match.
subject | reference | Conditional | Yes | | The Patient FHIR ID. Either patient or subject is required. If both are provided, they must match.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
medication | reference | Optional | Yes | | Reference to the ordered medication.
performer | reference | Optional | Yes | | The organization where the medication was dispensed or the practitioner who performed the dispense action.
prescription | reference | Optional | Yes | | Reference to the MedicationRequest that triggered the dispense.
status | token | Optional | Yes | | The status of the medication dispense. Can be any of the following: in-progress cancelled completed declined unknown
type | token | Optional | Yes | | Type of dispense. Can be any of the following: First Fill Refill Emergency Supply First Fill - Part Fill Refill - Part Fill
whenhandedover | date | Optional | Yes | | When the product was given out or mailed.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationDispense (R4) | MedicationDispense | | | | A single instance of a MedicationDispense resource.
MedicationDispense (R4).authorizingPrescription | Reference | | Yes | 1..* | Reference to the MedicationRequest that triggered the dispense.
MedicationDispense (R4).context | Reference | | | 0..1 | Reference to the patient Encounter in which the medication was ordered.
MedicationDispense (R4).dosageInstruction | Dosage | | Yes | 1..* | Dosage instruction details.
MedicationDispense (R4).dosageInstruction.asNeededBoolean | boolean | | | 0..1 | Whether the frequency is PRN.
MedicationDispense (R4).dosageInstruction.doseAndRate | BackboneElement | | Yes | 1..* | Information about the ranges and quantities of doses and rates. This element contains doseQuantity or doseRange.
MedicationDispense (R4).dosageInstruction.doseAndRate.doseQuantity | Quantity | | | 0..1 | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.
MedicationDispense (R4).dosageInstruction.doseAndRate.doseRange | Range | | | 0..1 | The high and low values of a medication's dose.
MedicationDispense (R4).dosageInstruction.patientInstruction | string | | | 0..1 | Patient or consumer instructions.
MedicationDispense (R4).dosageInstruction.route | CodeableConcept | | | 0..1 | The medication route.
MedicationDispense (R4).dosageInstruction.sequence | integer | | | 0..1 | If the dosageInstruction array contains multiple elements in sequence, then this number is this element's order in the sequence.
MedicationDispense (R4).dosageInstruction.text | string | | | 1..1 | The medication instructions.
MedicationDispense (R4).dosageInstruction.timing | Timing | | | 1..1 | Timing information related to the medication.
MedicationDispense (R4).medicationReference | Reference | | | 1..1 | Reference to the ordered medication.
MedicationDispense (R4).performer | BackboneElement | | Yes | 1..* | The organization where the medication was dispensed and the practitioner who performed the dispense action. If the organization is available, it is returned as an actor element in the array. If the practitioner is available, it is returned as another actor element in the array.
MedicationDispense (R4).performer.actor | Reference | | | 1..1 | The organization where the medication was dispensed or the practitioner who performed the dispense action.
MedicationDispense (R4).quantity | Quantity | | | 1..1 | Amount dispensed. Accounts for partial returns for non-mixtures.
MedicationDispense (R4).status | code | | | 1..1 | The status of the medication dispense. Can be any of the following: in-progress cancelled completed declined unknown
MedicationDispense (R4).subject | Reference | | | 1..1 | The patient receiving the dispensed medication.
MedicationDispense (R4).type | CodeableConcept | | | 1..1 | Type of dispense. Can be any of the following: First Fill Refill Emergency Supply First Fill - Part Fill Refill - Part Fill
MedicationDispense (R4).whenHandedOver | dateTime | | | 1..1 | When the product was given out or mailed. This must be populated if the status is completed.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/MedicationDispense?patient=eXhIaDEB8XXfmIaMHjlFjFQ3
```

Sample response

```
{
```

```
"resourceType": "Bundle",
"type": "searchset",
"total": 1,
"link": [
    {
        "relation": "self",
        "url": "https://hostname/instance/api/FHIR/R4/MedicationDispense?patient=eXhIaDEB8XXfmIaMHjlFjFQ3"
    }
],
"entry": [
    {
        "link": [
            {
                "relation": "self",
                "url":
"https://hostname/instance/api/FHIR/R4/MedicationDispense/fW-8kEppa9VR8.zolkQVNa0HnPCe57RvepKG4edlHna44"
            }
        ],
        "fullUrl":
"https://hostname/instance/api/FHIR/R4/MedicationDispense/fW-8kEppa9VR8.zolkQVNa0HnPCe57RvepKG4edlHna44",
        "resource": {
            "resourceType": "MedicationDispense",
            "id": "fW-8kEppa9VR8.zolkQVNa0HnPCe57RvepKG4edlHna44",
            "status": "completed",
            "medicationReference": {
                "reference": "Medication/fKfzn6InlWtXLCKgYtcL2UxZ6kMQ.DNfpfMVhkOmwtRA4",
                "display": "atorvastatin (LIPITOR) tablet"
            },
            "subject": {
                "reference": "Patient/eXhIaDEB8XXfmIaMHjlFjFQ3",
                "display": "FHIR, Test Patient"
            },
            "context": {
                "reference": "Encounter/eH4wNmJCdiqIB4JDijtGG6zGzz3.2nxFP3OSnPjTEVSI3",
                "identifier": {
                    "use": "usual",
                    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
                    "value": "10013994647"
                },
                "display": "Office Visit"
            },
            "performer": [
                {
                    "actor": {
                        "reference": "Organization/eaEV1Sz9o5UgoaQQAiZtxPA3",
                        "display": "FHIR, Test Organization"
                    }
                }
               {
                   "actor": {
                       "reference": "Practitioner/T261TVJilfMxfUGfuXuDQpQB",
                       "display": "FHIR, Test Practitioner"
                   }
               }
            ],
            "authorizingPrescription": [
                {
                    "reference": "MedicationRequest/e3WqE7yiXG8dDNkcy-tzUUn.uRk3QYjQCUsmkjV.aqoI3",
                    "display": "atorvastatin (LIPITOR) 40 MG tablet"
                }
            ],
            "type": {
                "coding": [
                    {
                        "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                        "code": "FF",
                        "display": "First Fill"
                    }
                ]
            },
            "quantity": {
                "value": 90,
                "unit": "tablet",
                "system": "http://unitsofmeasure.org",
                "code": "{tbl}"
            },
            "whenHandedOver": "2023-11-13T22:28:54Z",
            "dosageInstruction": [
                {
                    "text": "40 mg, Oral, NIGHTLY Starting Mon 11/13/2023, Disp-90 tablet, R-3, Normal",
                    "patientInstruction": "Take 1 tablet by mouth nightly.",
                    "timing": {
                        "repeat": {
                            "boundsPeriod": {
                                "start": "2023-11-13"
                            },
                            "timeOfDay": [
                                "21:00:00"
                            ]
```

```
                        },
                        "code": {
                            "text": "2100"
                        }
                    },
                    "asNeededBoolean": false,
                    "route": {
                        "coding": [
                            {
                                "system": "http://snomed.info/sct",
                                "code": "260548002",
                                "display": "Oral (qualifier value)"
                            },
                            {
                                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.798268.7025",
                                "code": "15",
                                "display": "Oral"
                            }
                        ],
                        "text": "Oral"
                    },
                    "doseAndRate": [
                        {
                            "type": {
                                "coding": [
                                    {
                                        "system": "http://epic.com/CodeSystem/dose-rate-type",
                                        "code": "calculated",
                                        "display": "calculated"
                                    }
                                ],
                                "text": "calculated"
                            },
                            "doseQuantity": {
                                "value": 40,
                                "unit": "mg",
                                "system": "http://unitsofmeasure.org",
                                "code": "mg"
                            }
                        },
                        {
                            "type": {
                                "coding": [
                                    {
                                        "system": "http://epic.com/CodeSystem/dose-rate-type",
                                        "code": "ordered",
                                        "display": "ordered"
                                    }
                                ],
                                "text": "ordered"
                            },
                            "doseQuantity": {
                                "value": 40,
                                "unit": "mg",
                                "system": "http://unitsofmeasure.org",
                                "code": "mg"
                            }
                        }
                    ]
                }
            ]
        },
        "search": {
            "mode": "match"
        }
    }
  ]
}
```


12.1.16 MedicationDispense.Search (Verified Orders) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10217-MedicationDispense-Search-Verified-Orders-R4.html
Epic API ID | 10217
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/MedicationDispense?patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10217

Description

You can use the search interaction to query for medications dispensed to a patient.

This resource can return various types of medications, including inpatient-ordered medications and clinic-administered medications (CAMS). This resource searches the pharmacist verification of medication dispenses, rather than the actual dispenses. Note that MedicationDispense (Verified Orders) functions only for organizations in the Netherlands.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | reference | Either patient or subject must be provided. If both are provided, they must match. | | | The Patient FHIR ID.
subject | reference | Either patient or subject must be provided. If both are provided, they must match. | | | The Patient FHIR ID.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
category | String | True | | | Type of medication dispense. Hard-coded to SNOMED code 422037009.
code | token | True | | | Unsupported
context | String | True | | | Reference to the encounter associated with the dispense.
destination | String | True | | | Unsupported
identifier | String | True | | | The order ID.
medication | reference | True | | | The FHIR ID representation of the ordered medication.
performer | reference | True | | | The organization where a dispense was verified.
prescription | reference | True | | | Reference to the medication request that triggered the dispense.
receiver | String | True | | | Unsupported
responsibleparty | String | True | | | Unsupported
status | token | True | | | The status of the medication dispense. Can be either: Completed Entered-in-error
type | token | True | | | Unsupported
whenhandedover | date | True | | | Unsupported
whenprepared | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.MedicationDispense | MedicationDispense | False | | | A single instance of a MedicationDispense resource.
Bundle.entry.resource.MedicationDispense.extension (also: authoredOn) | Extension | True | Yes | | The date the medication was verified.
Bundle.entry.resource.MedicationDispense.authorizingPrescription | Reference | True | Yes | | Reference to the medication request that triggered the dispense.
Bundle.entry.resource.MedicationDispense.category | CodeableConcept | False | | | Type of medication dispense. Hard-coded to SNOMED code 422037009.
Bundle.entry.resource.MedicationDispense.context | Reference | True | | | Reference to the encounter associated with the dispense.
Bundle.entry.resource.MedicationDispense.dosageInstruction | Dosage | True | Yes | | Dosage instruction details.
Bundle.entry.resource.MedicationDispense.dosageInstruction.additionalInstruction | CodeableConcept | True | Yes | | The administration instructions for the medication.
Bundle.entry.resource.MedicationDispense.dosageInstruction.asNeededBoolean | boolean | True | | | Whether the frequency is PRN.
Bundle.entry.resource.MedicationDispense.dosageInstruction.doseAndRate | BackboneElement | True | Yes | | Information about the ranges and quantities of doses and rates.
Bundle.entry.resource.MedicationDispense.dosageInstruction.route | CodeableConcept | True | | | The medication route.
Bundle.entry.resource.MedicationDispense.dosageInstruction.text | string | True | | | The medication instructions.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing | Timing | True | | | Element to describe timing.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat | BackboneElement | False | | | Element indicating an event that occurs multiple times.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.boundsPeriod | Period | True | | | The start and end dates for the medication.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.duration | Decimal | True | | | The medication duration. If duration is expressed as a range, this element is populated with the minimum duration.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.durationMax | Decimal | True | | | If duration is expressed as a range, this element is populated with the maximum duration.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.frequency | Int64 | True | | | The frequency.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.period | decimal | True | | | The period.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.when | String | True | | | The administration timing.
Bundle.entry.resource.MedicationDispense.id | id | False | | | The MedicationDispense FHIR ID.
Bundle.entry.resource.MedicationDispense.identifier | Identifier | True | Yes | | The order ID.
Bundle.entry.resource.MedicationDispense.medicationReference | Reference | False | | | The FHIR ID representation of the ordered medication.
Bundle.entry.resource.MedicationDispense.performer | BackboneElement | True | Yes | | The organization where a dispense was verified.
Bundle.entry.resource.MedicationDispense.performer.actor | Reference | False | | | The organization where the medication was verified.
Bundle.entry.resource.MedicationDispense.extension (also: periodOfUse) | Extension | True | Yes | | The start and end dates for the medication.
Bundle.entry.resource.MedicationDispense.status | code | True | | | The status of the medication dispense. Can be either: Completed Entered-in-error
Bundle.entry.resource.MedicationDispense.extension (also: stopType) | Extension | True | Yes | | Indicates whether a medication is temporarily or permanently inactive.

Bundle.entry.resource.MedicationDispense.subject | Reference | False | | | Who the medication is being dispensed to.
Bundle.entry.resource.MedicationDispense.extension (also: usageDuration) | Extension | True | Yes | | The duration of a medication's use.

Sample request

```
https://hostname/instance/api/FHIR/R4/MedicationDispense?patient=eRS6OIT4kpTEfLcud3Axh1w3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/MedicationDispense?patient=eRS6OIT4kpTEfLcud3Axh1w3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/MedicationDispense/eG5E5vxkNjsZbn0WRnyH0OQ3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/MedicationDispense/eG5E5vxkNjsZbn0WRnyH0OQ3",
      "resource": {
        "resourceType": "MedicationDispense",
        "id": "eG5E5vxkNjsZbn0WRnyH0OQ3",
        "extension": [
          {
            "valueDateTime": "2021-10-19T20:38:25Z",
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-AdministrationAgreement-AuthoredOn"
          },
          {
            "valuePeriod": {
              "start": "2021-10-19T20:15:00Z",
              "end": "2021-10-29T13:59:00Z"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-Medication-PeriodOfUse"
          },
          {
            "valueDuration": {
              "value": 9.74,
              "unit": "days",
              "system": "http://unitsofmeasure.org",
              "code": "d"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration"
          }
        ],
        "identifier": [
          {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.51037.1.7.2.798268",
            "value": "8657"
          }
        ],
        "status": "active",
        "category": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "422037009",
              "display": "Provider medication administration instructions (procedure)"
            },
            {
              "system": "http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-category",
              "code": "inpatient",
              "display": "Inpatient"
            }
          ]
        },
        "medicationReference": {
          "reference": "Medication/eN58HovjbaI5LGDt8VbNhSPgGtqBGimgRL.rLo70VKQ.ZR4R2t6pK0rzrBIJS4ISh3",
          "display": "IBUPROFEN BRUISGRANULAAT 600MG"
        },
        "subject": {
          "reference": "Patient/eRS6OIT4kpTEfLcud3Axh1w3",
          "display": "Jansen, J.L."
        },
        "context": {
          "reference": "Encounter/eOC-VsvI9OdFVZHooIY1YcA3",
          "display": "Hospital Encounter"
        },
        "authorizingPrescription": [
```

```
        {
          "reference": "MedicationRequest/eYdHQRllcxTxp7ldT3YMbBA3",
          "display": "ibuprofen (BRUFEN) bruisgranulaat BRUISGRANULA 600 mg"
        }
      ],
      "dosageInstruction": [
        {
          "text": "600 mg, ORAAL, DAILY, 10 doses, First dose on di 19-10-21 at 15:15, Last dose on do 28-10-21 at
   09:00",
          "timing": {
            "repeat": {
              "boundsPeriod": {
                "start": "2021-10-19T20:15:00Z",
                "end": "2021-10-29T13:59:00Z"
              },
              "count": 10,
              "frequency": 1,
              "period": 1,
              "periodUnit": "d"
            },
            "code": {
              "text": "once a day"
            }
          },
          "asNeededBoolean": false,
          "route": {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.51037.1.7.4.798268.7025",
                "code": "8",
                "display": "ORAAL"
              }
            ],
            "text": "ORAAL"
          },
          "doseAndRate": [
            {
              "type": {
                "coding": [
                  {
                    "system": "http://epic.com/CodeSystem/dose-rate-type",
                    "code": "ordered",
                    "display": "ordered"
                  }
                ],
                "text": "ordered"
              },
              "doseQuantity": {
                "value": 600,
                "unit": "mg",
                "system": "http://unitsofmeasure.org",
                "code": "mg"
              }
            }
          ]
        }
      ]
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


12.1.17 MedicationRequest.Read (Order Template Medication) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10095-MedicationRequest-Read-Order-Template-Medication-R4.html
Epic API ID | 10095
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
API group | Oncology Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/MedicationRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10095

Description

MedicationRequest.Read allows a client to look up MedicationRequest details by providing a specific MedicationRequest ID. The ID is typically returned as part of the response of a different FHIR resource request.

The MedicationRequest (Order Template) resource returns medication order templates from treatment plans and therapy plans.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | FHIR identifier for the MedicationRequest.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationRequest | MedicationRequest | False | | | An instance of the R4 MedicationRequest FHIR resource.
MedicationRequest.authoredOn | dateTime | True | | | Order signing time.
MedicationRequest.category | CodeableConcept | True | Yes | | Order mode.
MedicationRequest.dosageInstruction | Dosage | True | Yes | | Dosage instruction details.
MedicationRequest.dosageInstruction.timing | Timing | True | | | Dosage timing instructions.
MedicationRequest.dosageInstruction.timing.repeat | BackboneElement | True | | | Repeat occurrence information.
MedicationRequest.dosageInstruction.timing.repeat.boundsPeriod | Period | True | | | Duration information.
MedicationRequest.dosageInstruction.timing.repeat.boundsPeriod.end | String | True | | | Duration.
MedicationRequest.dosageInstruction.timing.repeat.count | Int64 | True | | | Number of treatments.
MedicationRequest.dosageInstruction.timing.repeat.dayOfWeek | String | True | | | Interval days.
MedicationRequest.dosageInstruction.timing.repeat.period | decimal | True | | | Interval period.
MedicationRequest.dosageInstruction.timing.repeat.periodUnit | code | True | | | Interval period unit.
MedicationRequest.encounter | Reference | True | | | Reference to the order template's linked encounter.
MedicationRequest.intent | code | False | | | FHIR intent based on order status.
MedicationRequest.medicationReference | Reference | False | | | A FHIR reference.
MedicationRequest.note | Annotation | True | Yes | | Order comments.
MedicationRequest.requester | Reference | True | | | Reference to order signing user
MedicationRequest.status | code | False | | | Order status.
MedicationRequest.subject | Reference | True | | | The patient or subject.

Sample request

```
/api/FHIR/R4/MedicationRequest/euHtu0fIBKsu8UhaYJaWMfg3
```

Sample response

```
<MedicationRequest xmlns="http://hl7.org/fhir">
  <id value="euHtu0fIBKsu8UhaYJaWMfg3"/>
  <status value="draft"/>
  <intent value="proposal"/>
  <category>
    <coding>
      <system value="http://terminology.hl7.org/CodeSystem/medicationrequest-category"/>
      <code value="Inpatient"/>
      <display value="Inpatient"/>
    </coding>
    <text value="Inpatient"/>
  </category>
  <medicationReference>
    <reference value="Medication/euHtu0fIBKsu8UhaYJaWMfg3"/>
    <display value="lorazepam (ATIVAN) injection 0.5 mg"/>
  </medicationReference>
  <subject>
    <reference value="Patient/eFV66xzT5B1w5K9vVA9Pgag3"/>
    <display value="Name, Patient"/>
  </subject>
  <dosageInstruction>
    <timing>
      <code>
        <text value="Every visit"/>
      </code>
    </timing>
  </dosageInstruction>
</MedicationRequest>
```

12.1.18 MedicationRequest.Read (Signed Medication Order) (R4)

File: site/apis/12-Clinical-Medications/1-R4/996-MedicationRequest-Read-Signed-Medication-Order-R4.html
Epic API ID | 996
FHIR version | R4
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies

Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2020
HTTP method | GET
URL template | /api/FHIR/R4/MedicationRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=996

Description

The Read interaction enables the look up of a MedicationRequest resource by a constant server ID. The Read interaction is typically used to:

* Retrieve specific MedicationRequest data that was referenced in another resource.

* Initiate a contextual launch where the runtime context is a specific MedicationRequest.

This resource can return various types of medications including inpatient-ordered medications, clinic-administered medications (CAMS), patient-reported medications, and reconciled medications from Care Everywhere and other external sources.

The R4 version of this resource also returns patient-reported medications. Previously, patient-reported medications were not returned by the STU3 version of MedicationRequest and needed to be queried using the STU3 MedicationStatement resource. This is no longer the case. The R4 version of this resource returns patient-reported medications with the reportedBoolean element set to True. If the informant is known, it is also specified in the reportedReference element.

Consider the following chart when determining what resource to use when identifying medications a patient is taking or has taken. When creating a new application, it is recommended to use the latest FHIR version available.

Resource | Inpatient Orders? | Outpatient Orders? | Patient-Reported Medications?
MedicationOrder (DSTU2) | Yes | Yes | No
MedicationStatement (DSTU2) | Yes | Yes | Yes
MedicationRequest (STU3) | Yes | Yes | No
MedicationStatement (STU3) | Yes | Yes | Yes
MedicationRequest (Signed Medication Order) (R4) | Yes | Yes | Yes

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | A MedicationRequest FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationRequest (R4) | MedicationRequest | | | | An instance of the R4 MedicationRequest FHIR resource.
MedicationRequest (R4).authoredOn | dateTime | | | 0..1 | The date the prescription was written.
MedicationRequest (R4).basedOn | Reference | | Yes | 0..2 | Reference to one or both of the following: * A CarePlan resource corresponding to the treatment plan or therapy plan from which the medication was ordered. * A MedicationRequest resource corresponding to the order template. Included if the order is from a treatment or therapy plan.
MedicationRequest (R4).category | CodeableConcept | | Yes | 0..* | The type of medication usage. Supported Category Description Inpatient Orders administered during an admission Outpatient Clinic-administered medication (CAMs) Community Prescriptions Discharge Prescriptions placed when patient was discharged from an admission
Supported Category | Description
Inpatient | Orders administered during an admission
Outpatient | Clinic-administered medication (CAMs)
Community | Prescriptions
Discharge | Prescriptions placed when patient was discharged from an admission
MedicationRequest (R4).dispenseRequest | BackboneElement | | | 0..1 | This element returns dispense details associated with the order.
MedicationRequest (R4).dispenseRequest.expectedSupplyDuration | Duration | | | 0..1 | The duration in days that the dispensed quantity is expected to last.
MedicationRequest (R4).dispenseRequest.numberOfRepeatsAllowed | unsignedInt | | | 0..1 | The number of discrete refills for the medication.
MedicationRequest (R4).dispenseRequest.quantity | Quantity | | | 0..1 | The quantity of the medication to be dispensed.
MedicationRequest (R4).dispenseRequest.validityPeriod | Period | | | 0..1 | The period during which the prescription can be dispensed. The lower bound is either an earliest fill date, the date the prescription was written, or the actual start date of the dosage regimen. The upper bound is not returned unless the order has been discontinued.
MedicationRequest (R4).dosageInstruction | Dosage | | Yes | 0..* | Dosage instruction details.
MedicationRequest (R4).dosageInstruction.asNeededBoolean | boolean | | | 0..1 | Indicates whether the medication should only be taken as needed.
MedicationRequest (R4).dosageInstruction.doseAndRate | BackboneElement | | Yes | 0..3 | Amount of medication administered, to be administered, or typical amount to be administered. These are returned with type elements of admin-amount, ordered, and calculated.
MedicationRequest (R4).dosageInstruction.doseAndRate.doseQuantity | Quantity | | | 0..1 | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.
MedicationRequest (R4).dosageInstruction.doseAndRate.doseRange | Range | | | 0..1 | The lower and upper bounds of a range of acceptable doses, if applicable. For example, if the dose were 1-2 tablets, this would indicate a lower bound of 1 tablet and an upper bound of 2 tablet.
MedicationRequest (R4).dosageInstruction.doseAndRate.rateQuantity | Quantity | | | 0..1 | Amount of medication per unit of time.

MedicationRequest (R4).dosageInstruction.doseAndRate.type | CodeableConcept | | | 0..1 | The kind of dose or rate specified. Supported code values: * ordered * calculated * admin-amount

MedicationRequest (R4).dosageInstruction.method | CodeableConcept | | | 0..1 | The dose delivery method.

MedicationRequest (R4).dosageInstruction.patientInstruction | string | | | 0..1 | Patient-facing instructions for the prescription, also known as the patient sig.

MedicationRequest (R4).dosageInstruction.route | CodeableConcept | | | 0..1 | The medication route.

MedicationRequest (R4).dosageInstruction.sequence | integer | | | 0..1 | A number indicating the sequence of the dosage, populated only if the order has multiple dosage parts or periods, such as a taper or ramp. dosageInstructions with the same sequence number are concurrent, followed by dosageInstructions with larger sequence numbers.

MedicationRequest (R4).dosageInstruction.text | string | | | 0..1 | A summary of the order, or the patient instructions (sig).

MedicationRequest (R4).dosageInstruction.timing | Timing | | | 0..1 | Timing information.

MedicationRequest (R4).dosageInstruction.timing.repeat | BackboneElement | | | 0..1 | Repeat occurrence information.

MedicationRequest (R4).dosageInstruction.timing.repeat.boundsPeriod | Period | | | 0..1 | The period during which the dosage should be given or taken.

MedicationRequest (R4).dosageInstruction.timing.repeat.count | Int64 | | | 0..1 | The number of doses that should be given or taken. Not populated if the order is PRN.

MedicationRequest (R4).dosageInstruction.timing.repeat.countMax | Int64 | | | 0..1 | The maximum number of doses that should be given/taken. Only populated if the order is PRN.

MedicationRequest (R4).dosageInstruction.timing.repeat.dayOfWeek | String | | Yes | 0..* | The day(s) of the week when the medication should be taken/given.

MedicationRequest (R4).dosageInstruction.timing.repeat.duration | Decimal | | | 0..1 | The administration duration (that is, the amount of time over which the dose should be administered whenever it is given). If durationMax is populated, then this is the minimum administration duration.

MedicationRequest (R4).dosageInstruction.timing.repeat.durationMax | Decimal | | | 0..1 | The maximum administration duration (that is, the maximum amount of time over which the dose should be administered whenever it is given).

MedicationRequest (R4).dosageInstruction.timing.repeat.durationUnit | String | | | 0..1 | The unit of the duration/durationMax elements.

MedicationRequest (R4).dosageInstruction.timing.repeat.frequency | Int64 | | | 0..1 | The number of times per period that this dosage should be given or taken. For example, if the order is given 3 times per day, this would be 3.

MedicationRequest (R4).dosageInstruction.timing.repeat.period | decimal | | | 0..1 | The period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be 1 (day).

MedicationRequest (R4).dosageInstruction.timing.repeat.periodUnit | code | | | 0..1 | The unit of the period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be days.

MedicationRequest (R4).dosageInstruction.timing.repeat.timeOfDay | String | | Yes | 0..* | The times of day when the medication should be taken or given.

MedicationRequest (R4).dosageInstruction.timing.repeat.when | String | | Yes | 0..* | An EventTiming during which the administration should occur.

MedicationRequest (R4).encounter | Reference | | | 0..1 | A reference to the Encounter resource during which the order was created.

MedicationRequest (R4).extension (us-core-medication-adherence) (also: extension (us-core-medication-adherence)) | Extension | | Yes | 0..* | Extension to the US Core Medication Adherence, representing the latest reported adherence information. Unknown is reported if there is no data. URL: http://hl7.org/fhir/us/core/StructureDefinition/us-core-medication-adherence

MedicationRequest (R4).extension (us-core-medication-adherence).extension (dateAsserted) (also: extension (dateAsserted)) | Extension | | Yes | 1..1 | Extension for when the adherence was reported. URL: dateAsserted

MedicationRequest (R4).extension (us-core-medication-adherence).extension (informationSource) (also: extension (informationSource)) | Extension | | Yes | 0..* | Information source of the adherence. For example, if it's reported by patient or a family member. URL: informationSource

MedicationRequest (R4).extension (us-core-medication-adherence).extension (medicationAdherence) (also: extension (medicationAdherence)) | Extension | | Yes | 1..1 | Extension for medicationAdherence. This code represents whether a medication has been consumed according to instructions. URL: medicationAdherence

MedicationRequest (R4).groupIdentifier | Identifier | | | 0..1 | The group ID and index for linked orders.

MedicationRequest (R4).id | id | | | 1..1 | A MedicationRequest FHIR ID.

MedicationRequest (R4).identifier | Identifier | | Yes | 0..* | The order ID.

MedicationRequest (R4).intent | code | | | 1..1 | Indicates whether the MedicationRequest should be interpreted as a plan or order. Patient-reported and historical medications have an intent of plan. Other medications, such as prescriptions or inpatient orders, have an intent of order.

MedicationRequest (R4).medicationReference | Reference | | | 1..1 | A reference to the Medication resource associated with the MedicationRequest.

MedicationRequest (R4).note | Annotation | | Yes | 0..* | Comments from the medication order, and additional notes regarding linked orders. Comments are not returned to patients.

MedicationRequest (R4).priority | code | | | | The priority of the medication request.

MedicationRequest (R4).priorPrescription | Reference | | | 0..1 | A reference to a MedicationRequest representing the order from which this order was reordered.

MedicationRequest (R4).reasonCode | CodeableConcept | | Yes | 0..* | The diagnosis associated with the medication order. Starting in the November 2024 version of Epic, each code also sends its display name.

MedicationRequest (R4).recorder | Reference | | | 0..1 | A reference to a Practitioner resource representing the provider/user who ordered this medication.

MedicationRequest (R4).reportedBoolean | boolean | | | 0..1 | Returns True if the medication is patient-reported or historical. A reportedReference is used instead if the informant who reported the details of the order is known.

MedicationRequest (R4).reportedReference | Reference | | | 0..1 | A reference to an informant who provided the information about a reported or historical medication. If no informant is recorded for such medications, a reportedBoolean is sent instead.

MedicationRequest (R4).requester | Reference | | | 1..1 | A reference to a Practitioner resource representing the requester, which is the provider who authorized or ordered the medication. If the requester is unknown, this element contains a Data Absent Reason Extension.

MedicationRequest (R4).status | code | | | 1..1 | The status of the MedicationRequest. Statuses: draft on-hold active cancelled completed unknown

MedicationRequest (R4).subject | Reference | | | 1..1 | A reference to a Patient resource representing who the MedicationRequest is for.

MedicationRequest (R4).substitution | BackboneElement | | | 0..1 | Indicates whether medication substitution is allowed to occur. If not sent, then substition is allowed.

MedicationRequest (R4).substitution.allowedBoolean | boolean | | | 0..1 | Returns false if the medication should not be substituted when it is dispensed.

MedicationRequest (R4).supportingInformation | Reference | | Yes | 0..* | Contains references to resources providing information to support the fulfilment of the request. For example, this might contain References to other MedicationRequest or ServiceRequest resources that are linked to this order and that should be completed in conjuction with each other or in a particular sequence.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/MedicationRequest/e3z3q7cdqUZggo48677dtjX3R6Au9JglZpGYbtJNIhoc3
```

Sample response


```
{
  "resourceType": "MedicationRequest",
  "id": "e3z3q7cdqUZggo48677dtjX3R6Au9JglZpGYbtJNIhoc3",
  "extension": [
    {
      "extension": [
        {
          "valueCodeableConcept": {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "1156699004",
                "display": "Complies with drug therapy (finding)"
              }
            ]
          },
          "url": "medicationAdherence"
        },
        {
          "valueDateTime": "2018-10-20T15:41:39Z",
          "url": "dateAsserted"
        },
        {
          "valueCodeableConcept": {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.696784.8600",
                "code": "1",
                "display": "Self"
              }
            ],
            "text": "Self"
          },
          "url": "informationSource"
        }
      ],
      "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-medication-adherence"
    }
  ],
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
      "value": "2454978"
    }
  ],
  "status": "active",
  "intent": "order",
  "category": [
    {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/medicationrequest-category",
          "code": "outpatient",
          "display": "Outpatient"
        }
      ],
      "text": "Outpatient"
    }
  ],
  "medicationReference": {
    "reference": "Medication/eFnx9hyX.YTNJ407PR9g4zpiT8lXCElOXkldLgGDYrAU-fszvYmrUZlYzRfJl-qKj3",
    "display": "oxybutynin (DITROPAN XL) CR tablet"
  },
  "subject": {
    "reference": "Patient/ecfCE.KpaQpPtHuipuBpYVg3",
    "display": "Friend, All"
  },
  "encounter": {
    "reference": "Encounter/eiUjKDnCzAklY4taV-ZqAfRDw-CztkJ5lLnQ5bCBa9Dw3"
  },
  "authoredOn": "2018-09-20T15:41:39Z",
  "requester": {
    "reference": "Practitioner/ef81ZrgFqs7ufzYI2X9ixcA3",
    "display": "Epic User"
  },
  "recorder": {
    "reference": "Practitioner/ef81ZrgFqs7ufzYI2X9ixcA3",
    "display": "Epic User"
  },
  "dosageInstruction": [
    {
      "timing": {
```

```
        "repeat": {
          "boundsPeriod": {
            "start": "2018-09-21T04:00:00Z"
          }
        },
        "code": {
          "text": "2100"
        }
      },
      "asNeededBoolean": false,
      "route": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.798268.7025",
            "code": "15",
            "display": "Oral"
          },
          {
            "system": "http://snomed.info/sct",
            "code": "260548002",
            "display": "Oral"
          }
        ],
        "text": "Oral"
      },
      "doseAndRate": [
        {
          "type": {
            "coding": [
              {
                "system": "http://epic.com/CodeSystem/dose-rate-type",
                "code": "calculated",
                "display": "calculated"
              }
            ],
            "text": "calculated"
          },
          "doseQuantity": {
            "value": 15,
            "unit": "mg",
            "system": "http://unitsofmeasure.org",
            "code": "mg"
          }
        },
        {
          "type": {
            "coding": [
              {
                "system": "http://epic.com/CodeSystem/dose-rate-type",
                "code": "admin-amount",
                "display": "admin-amount"
              }
            ],
            "text": "admin-amount"
          },
          "doseQuantity": {
            "value": 1,
            "unit": "tablet",
            "system": "http://unitsofmeasure.org",
            "code": "{tbl}"
          }
        },
        {
          "type": {
            "coding": [
              {
                "system": "http://epic.com/CodeSystem/dose-rate-type",
                "code": "ordered",
                "display": "ordered"
              }
            ],
            "text": "ordered"
          },
          "doseQuantity": {
            "value": 10,
            "unit": "mg",
            "system": "http://unitsofmeasure.org",
            "code": "mg"
          }
        }
      ]
    }
  ]
}
```


12.1.19 MedicationRequest.Search (Order Template Medication) (R4)

File: site/apis/12-Clinical-Medications/1-R4/10096-MedicationRequest-Search-Order-Template-Medication-R4.html

Epic API ID | 10096
FHIR version | R4
Categories | Clinical Medications
API type | Industry-Standard
API group | Oncology Plan Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/MedicationRequest?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10096

Description

MedicationRequest.Search allows a client to search for a MedicationRequest using the specified parameters. Currently, this web service supports only the _id search parameter. As a result, it functions similarly to the MedicationRequest.Read interaction.

The MedicationRequest (Order Template) resource returns medication order templates from treatment plans and therapy plans.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.MedicationRequest | MedicationRequest | False | | | An instance of the R4 MedicationRequest FHIR resource.
Bundle.entry.resource.MedicationRequest.authoredOn | dateTime | False | | | Order signing time.
Bundle.entry.resource.MedicationRequest.category | CodeableConcept | True | Yes | | Order mode.
Bundle.entry.resource.MedicationRequest.dosageInstruction | Dosage | True | Yes | | Dosage instruction details.
Bundle.entry.resource.MedicationRequest.dosageInstruction.timing | Timing | True | | | Dosage timing instructions.
Bundle.entry.resource.MedicationRequest.dosageInstruction.timing.repeat | BackboneElement | False | | | Repeat occurrence information.
Bundle.entry.resource.MedicationRequest.dosageInstruction.timing.repeat.boundsPeriod | Period | True | | | Duration information.
Bundle.entry.resource.MedicationRequest.dosageInstruction.timing.repeat.boundsPeriod.end | String | False | | | Duration.
Bundle.entry.resource.MedicationRequest.dosageInstruction.timing.repeat.count | Int64 | True | | | Number of treatments.
Bundle.entry.resource.MedicationRequest.dosageInstruction.timing.repeat.dayOfWeek | String | True | | | Interval days.
Bundle.entry.resource.MedicationRequest.dosageInstruction.timing.repeat.period | decimal | True | | | Interval period.
Bundle.entry.resource.MedicationRequest.dosageInstruction.timing.repeat.periodUnit | code | True | | | Interval period unit.
Bundle.entry.resource.MedicationRequest.encounter | Reference | True | | | Reference to the order template's linked encounter.
Bundle.entry.resource.MedicationRequest.intent | code | False | | | FHIR intent based on order status.
Bundle.entry.resource.MedicationRequest.medicationReference | Reference | False | | | Medication reference.
Bundle.entry.resource.MedicationRequest.note | Annotation | False | Yes | | Order comments.
Bundle.entry.resource.MedicationRequest.requester | Reference | True | | | Reference to order signing user
Bundle.entry.resource.MedicationRequest.status | code | False | | | Order status.
Bundle.entry.resource.MedicationRequest.subject | Reference | False | | | The patient or subject.

Sample request

```
/api/FHIR/R4/MedicationRequest?_id=ez46JcmOUWzil9UzrKZup0g3
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url value="https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/MedicationRequest?_id=ez46JcmOUWzil9UzrKZup0g3"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/MedicationRequest/ez46JcmOUWzil9UzrKZup0g3"/>
    </link>
    <fullUrl value="https://vs-icx.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/MedicationRequest/ez46JcmOUWzil9UzrKZup0g3"/>
    <resource>
      <MedicationRequest>
        <id value="ez46JcmOUWzil9UzrKZup0g3"/>
        <status value="draft"/>
        <intent value="proposal"/>
        <category>
          <coding>
            <system value="http://terminology.hl7.org/CodeSystem/medicationrequest-category"/>
```

```
            <code value="Inpatient"/>
            <display value="Inpatient"/>
          </coding>
          <text value="Inpatient"/>
        </category>
        <medicationReference>
          <reference value="Medication/ez46JcmOUWzil9UzrKZup0g3"/>
          <display value="rituximab (RITUXAN) in Dextrose 5 % chemo infusion"/>
        </medicationReference>
        <subject>
          <reference value="Patient/eBRPOaY79qqguRBWdO8s98g3"/>
          <display value="Name, Patient"/>
        </subject>
        <dosageInstruction>
          <timing>
            <repeat>
              <frequency value="1"/>
              <period value="1"/>
              <periodUnit value="mo"/>
            </repeat>
            <code>
              <text value="On the 1st Mon of every 1 month"/>
            </code>
          </timing>
        </dosageInstruction>
      </MedicationRequest>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```


12.1.20 MedicationRequest.Search (Signed Medication Order) (R4)

File: site/apis/12-Clinical-Medications/1-R4/997-MedicationRequest-Search-Signed-Medication-Order-R4.html
Epic API ID | 997
FHIR version | R4
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2020
HTTP method | GET
URL template | api/FHIR/R4/MedicationRequest?patient={patient}&subject={subject}&category={category}&status={status}&authoredon={authoredon}&date={date}&intent={intent}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=997

Description

You can use the Search interaction to query for medication orders based on a patient and optionally status or category.

This resource can return various types of medications including inpatient-ordered medications, clinic-administered medications (CAMS), patient-reported medications, and reconciled medications from Care Everywhere and other external sources.

The R4 version of this resource also returns patient-reported medications. Previously, patient-reported medications were not returned by the STU3 version of MedicationRequest and needed to be queried using the STU3 MedicationStatement resource. This is no longer the case. The R4 version of this resource returns patient-reported medications with the reportedBoolean element set to True. If the informant is known, it is also specified in the reportedReference element.

Consider the following chart when determining what resource to use when identifying medications a patient is taking or has taken. When creating a new application, it is recommended to use the latest FHIR version available.

Resource | Inpatient Orders? | Outpatient Orders? | Patient-Reported Medications?
MedicationOrder (DSTU2) | Yes | Yes | No
MedicationStatement (DSTU2) | Yes | Yes | Yes
MedicationRequest (STU3) | Yes | Yes | No
MedicationStatement (STU3) | Yes | Yes | Yes
MedicationRequest (Signed Medication Order) (R4) | Yes | Yes | Yes

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.

_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
category | token | Optional | Yes | | The category of medication orders to search for. By default all categories are searched. Supported Category Description Inpatient Orders administered during an admission Outpatient Clinic-administered medication (CAMs) Community Prescriptions Discharge Prescriptions placed when patient was discharged from an admission
Supported Category | Description
Inpatient | Orders administered during an admission
Outpatient | Clinic-administered medication (CAMs)
Community | Prescriptions
Discharge | Prescriptions placed when patient was discharged from an admission
date | date | Optional | Yes | | The medication administration date. This parameter corresponds to the dosageInstruction.timing.repeat.boundsPeriod element. Medication orders that do not have start and end dates within the search parameter dates are filtered. If the environment supports multiple time zones, the search dates are adjusted one day in both directions, so more medications might be returned than expected. Use caution when filtering a medication list by date as it is possible to filter out important active medications. Starting in the November 2022 version of Epic, this parameter is respected. Prior to the November 2022 version of Epic, this parameter is allowed but is ignored and no date filtering is applied.
intent | token | Optional | Yes | | The intent of the order. Only order and plan are supported.
patient | reference | Conditional | Yes | | A FHIR ID representing the patient associated with an order.
status | token | Optional | Yes | | The status for medication orders. By default, all statuses are returned. Supported statuses: * on-hold * completed * stopped * active
subject | reference | Conditional | Yes | | A FHIR ID representing the patient associated with an order.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authoredon | date | Optional | Yes | | The date the prescription was written.
encounter | reference | Optional | Yes | | A reference to the Encounter resource during which the order was created.
identifier | token | Optional | Yes | | The order ID.
medication | reference | Optional | Yes | | A FHIR ID representing the ordered medication.
requester | reference | Optional | Yes | | A FHIR reference to a Practitioner resource representing for the medication requester.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationRequest (R4) | MedicationRequest | | | | An instance of the R4 MedicationRequest FHIR resource.
MedicationRequest (R4).authoredOn | dateTime | | | 0..1 | The date the prescription was written.
MedicationRequest (R4).basedOn | Reference | | Yes | 0..2 | Reference to one or both of the following: * A CarePlan resource corresponding to the treatment plan or therapy plan from which the medication was ordered. * A MedicationRequest resource corresponding to the order template. Included if the order is from a treatment or therapy plan.
MedicationRequest (R4).category | CodeableConcept | | Yes | 0..* | The type of medication usage. Supported Category Description Inpatient Orders administered during an admission Outpatient Clinic-administered medication (CAMs) Community Prescriptions Discharge Prescriptions placed when patient was discharged from an admission
Supported Category | Description
Inpatient | Orders administered during an admission
Outpatient | Clinic-administered medication (CAMs)
Community | Prescriptions
Discharge | Prescriptions placed when patient was discharged from an admission
MedicationRequest (R4).dispenseRequest | BackboneElement | | | 0..1 | This element returns dispense details associated with the order.
MedicationRequest (R4).dispenseRequest.expectedSupplyDuration | Duration | | | 0..1 | The duration in days that the dispensed quantity is expected to last.
MedicationRequest (R4).dispenseRequest.numberOfRepeatsAllowed | unsignedInt | | | 0..1 | The number of discrete refills for the medication.
MedicationRequest (R4).dispenseRequest.quantity | Quantity | | | 0..1 | The quantity of the medication to be dispensed.
MedicationRequest (R4).dispenseRequest.validityPeriod | Period | | | 0..1 | The period during which the prescription can be dispensed. The lower bound is either an earliest fill date, the date the prescription was written, or the actual start date of the dosage regimen. The upper bound is not returned unless the order has been discontinued.
MedicationRequest (R4).dosageInstruction | Dosage | | Yes | 0..* | Dosage instruction details.
MedicationRequest (R4).dosageInstruction.asNeededBoolean | boolean | | | 0..1 | Indicates whether the medication should only be taken as needed.
MedicationRequest (R4).dosageInstruction.doseAndRate | BackboneElement | | Yes | 0..3 | Amount of medication administered, to be administered, or typical amount to be administered. These are returned with type elements of admin-amount, ordered, and calculated.
MedicationRequest (R4).dosageInstruction.doseAndRate.doseQuantity | Quantity | | | 0..1 | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.
MedicationRequest (R4).dosageInstruction.doseAndRate.doseRange | Range | | | 0..1 | The lower and upper bounds of a range of acceptable doses, if applicable. For example, if the dose were 1-2 tablets, this would indicate a lower bound of 1 tablet and an upper bound of 2 tablet.
MedicationRequest (R4).dosageInstruction.doseAndRate.rateQuantity | Quantity | | | 0..1 | Amount of medication per unit of time.
MedicationRequest (R4).dosageInstruction.doseAndRate.type | CodeableConcept | | | 0..1 | The kind of dose or rate specified. Supported code values: * ordered * calculated * admin-amount
MedicationRequest (R4).dosageInstruction.method | CodeableConcept | | | 0..1 | The dose delivery method.
MedicationRequest (R4).dosageInstruction.patientInstruction | string | | | 0..1 | Patient-facing instructions for the prescription, also known as the patient sig.
MedicationRequest (R4).dosageInstruction.route | CodeableConcept | | | 0..1 | The medication route.
MedicationRequest (R4).dosageInstruction.sequence | integer | | | 0..1 | A number indicating the sequence of the dosage, populated only if the order has multiple dosage parts or periods, such as a taper or ramp. dosageInstructions with the same sequence number are concurrent, followed by dosageInstructions with larger sequence numbers.
MedicationRequest (R4).dosageInstruction.text | string | | | 0..1 | A summary of the order, or the patient instructions (sig).

MedicationRequest (R4).dosageInstruction.timing | Timing | | | 0..1 | Timing information.

MedicationRequest (R4).dosageInstruction.timing.repeat | BackboneElement | | | 0..1 | Repeat occurrence information.

MedicationRequest (R4).dosageInstruction.timing.repeat.boundsPeriod | Period | | | 0..1 | The period during which the dosage should be given or taken.

MedicationRequest (R4).dosageInstruction.timing.repeat.count | Int64 | | | 0..1 | The number of doses that should be given or taken. Not populated if the order is PRN.

MedicationRequest (R4).dosageInstruction.timing.repeat.countMax | Int64 | | | 0..1 | The maximum number of doses that should be given/taken. Only populated if the order is PRN.

MedicationRequest (R4).dosageInstruction.timing.repeat.dayOfWeek | String | | Yes | 0..* | The day(s) of the week when the medication should be taken/given.

MedicationRequest (R4).dosageInstruction.timing.repeat.duration | Decimal | | | 0..1 | The administration duration (that is, the amount of time over which the dose should be administered whenever it is given). If durationMax is populated, then this is the minimum administration duration.

MedicationRequest (R4).dosageInstruction.timing.repeat.durationMax | Decimal | | | 0..1 | The maximum administration duration (that is, the maximum amount of time over which the dose should be administered whenever it is given).

MedicationRequest (R4).dosageInstruction.timing.repeat.durationUnit | String | | | 0..1 | The unit of the duration/durationMax elements.

MedicationRequest (R4).dosageInstruction.timing.repeat.frequency | Int64 | | | 0..1 | The number of times per period that this dosage should be given or taken. For example, if the order is given 3 times per day, this would be 3.

MedicationRequest (R4).dosageInstruction.timing.repeat.period | decimal | | | 0..1 | The period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be 1 (day).

MedicationRequest (R4).dosageInstruction.timing.repeat.periodUnit | code | | | 0..1 | The unit of the period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be days.

MedicationRequest (R4).dosageInstruction.timing.repeat.timeOfDay | String | | Yes | 0..* | The times of day when the medication should be taken or given.

MedicationRequest (R4).dosageInstruction.timing.repeat.when | String | | Yes | 0..* | An EventTiming during which the administration should occur.

MedicationRequest (R4).encounter | Reference | | | 0..1 | A reference to the Encounter resource during which the order was created.

MedicationRequest (R4).extension (us-core-medication-adherence) (also: extension (us-core-medication-adherence)) | Extension | | Yes | 0..* | Extension to the US Core Medication Adherence, representing the latest reported adherence information. Unknown is reported if there is no data. URL: http://hl7.org/fhir/us/core/StructureDefinition/us-core-medication-adherence

MedicationRequest (R4).extension (us-core-medication-adherence).extension (dateAsserted) (also: extension (dateAsserted)) | Extension | | Yes | 1..1 | Extension for when the adherence was reported. URL: dateAsserted

MedicationRequest (R4).extension (us-core-medication-adherence).extension (informationSource) (also: extension (informationSource)) | Extension | | Yes | 0..* | Information source of the adherence. For example, if it's reported by patient or a family member. URL: informationSource

MedicationRequest (R4).extension (us-core-medication-adherence).extension (medicationAdherence) (also: extension (medicationAdherence)) | Extension | | Yes | 1..1 | Extension for medicationAdherence. This code represents whether a medication has been consumed according to instructions. URL: medicationAdherence

MedicationRequest (R4).groupIdentifier | Identifier | | | 0..1 | The group ID and index for linked orders.

MedicationRequest (R4).id | id | | | 1..1 | A MedicationRequest FHIR ID.

MedicationRequest (R4).identifier | Identifier | | Yes | 0..* | The order ID.

MedicationRequest (R4).intent | code | | | 1..1 | Indicates whether the MedicationRequest should be interpreted as a plan or order. Patient-reported and historical medications have an intent of plan. Other medications, such as prescriptions or inpatient orders, have an intent of order.

MedicationRequest (R4).medicationReference | Reference | | | 1..1 | A reference to the Medication resource associated with the MedicationRequest.

MedicationRequest (R4).note | Annotation | | Yes | 0..* | Comments from the medication order, and additional notes regarding linked orders. Comments are not returned to patients.

MedicationRequest (R4).priority | code | | | The priority of the medication request.

MedicationRequest (R4).priorPrescription | Reference | | | 0..1 | A reference to a MedicationRequest representing the order from which this order was reordered.

MedicationRequest (R4).reasonCode | CodeableConcept | | Yes | 0..* | The diagnosis associated with the medication order. Starting in the November 2024 version of Epic, each code also sends its display name.

MedicationRequest (R4).recorder | Reference | | | 0..1 | A reference to a Practitioner resource representing the provider/user who ordered this medication.

MedicationRequest (R4).reportedBoolean | boolean | | | 0..1 | Returns True if the medication is patient-reported or historical. A reportedReference is used instead if the informant who reported the details of the order is known.

MedicationRequest (R4).reportedReference | Reference | | | 0..1 | A reference to an informant who provided the information about a reported or historical medication. If no informant is recorded for such medications, a reportedBoolean is sent instead.

MedicationRequest (R4).requester | Reference | | | 1..1 | A reference to a Practitioner resource representing the requester, which is the provider who authorized or ordered the medication. If the requester is unknown, this element contains a Data Absent Reason Extension.

MedicationRequest (R4).status | code | | | 1..1 | The status of the MedicationRequest. Statuses: draft on-hold active cancelled completed unknown

MedicationRequest (R4).subject | Reference | | | 1..1 | A reference to a Patient resource representing who the MedicationRequest is for.

MedicationRequest (R4).substitution | BackboneElement | | | 0..1 | Indicates whether medication substitution is allowed to occur. If not sent, then substition is allowed.

MedicationRequest (R4).substitution.allowedBoolean | boolean | | | 0..1 | Returns false if the medication should not be substituted when it is dispensed.

MedicationRequest (R4).supportingInformation | Reference | | Yes | 0..* | Contains references to resources providing information to support the fulfilment of the request. For example, this might contain References to other MedicationRequest or ServiceRequest resources that are linked to this order and that should be completed in conjuction with each other or in a particular sequence.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/MedicationRequest?patient=ecfCE.KpaQpPtHuipuBpYVg3&status=active
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
```

```
  {
    "relation": "self",
    "url": "https://hostname/instance/api/FHIR/R4/MedicationRequest?patient=ecfCE.KpaQpPtHuipuBpYVg3&status=active"
  }
],
"entry": [
  {
    "link": [
      {
        "relation": "self",
        "url": "https://hostname/instance/api/FHIR/R4/MedicationRequest/e3z3q7cdqUZggo48677dtjX3R6Au9JglZpGYbtJNIhoc3"
      }
    ],
    "fullUrl":
  "https://hostname/instance/api/FHIR/R4/MedicationRequest/e3z3q7cdqUZggo48677dtjX3R6Au9JglZpGYbtJNIhoc3",
    "resource": {
      "resourceType": "MedicationRequest",
      "id": "e3z3q7cdqUZggo48677dtjX3R6Au9JglZpGYbtJNIhoc3",
      "extension": [
        {
          "extension": [
            {
              "valueCodeableConcept": {
                "coding": [
                  {
                    "system": "http://snomed.info/sct",
                    "code": "1156699004",
                    "display": "Complies with drug therapy (finding)"
                  }
                ]
              },
              "url": "medicationAdherence"
            },
            {
              "valueDateTime": "2018-10-20T15:41:39Z",
              "url": "dateAsserted"
            },
            {
              "valueCodeableConcept": {
                "coding": [
                  {
                    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.696784.8600",
                    "code": "1",
                    "display": "Self"
                  }
                ],
                "text": "Self"
              },
              "url": "informationSource"
            }
          ],
          "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-medication-adherence"
        }
      ],
      "identifier": [
        {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
          "value": "2454978"
        }
      ],
      "status": "active",
      "intent": "order",
      "category": [
        {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/medicationrequest-category",
              "code": "outpatient",
              "display": "Outpatient"
            }
          ],
          "text": "Outpatient"
        }
      ],
      "medicationReference": {
        "reference": "Medication/eFnx9hyX.YTNJ407PR9g4zpiT8lXCElOXkldLgGDYrAU-fszvYmrUZlYzRfJl-qKj3",
        "display": "oxybutynin (DITROPAN XL) CR tablet"
      },
      "subject": {
        "reference": "Patient/ecfCE.KpaQpPtHuipuBpYVg3",
        "display": "Friend, All"
      },
      "encounter": {
        "reference": "Encounter/eiUjKDnCzAklY4taV-ZqAfRDw-CztkJ5lLnQ5bCBa9Dw3"
      },
      "authoredOn": "2018-09-20T15:41:39Z",
      "requester": {
        "reference": "Practitioner/ef81ZrgFqs7ufzYI2X9ixcA3",
```

```
  "display": "Epic User"
},
"recorder": {
  "reference": "Practitioner/ef81ZrgFqs7ufzYI2X9ixcA3",
  "display": "Epic User"
},
"dosageInstruction": [
  {
    "timing": {
      "repeat": {
        "boundsPeriod": {
          "start": "2018-09-21T04:00:00Z"
        }
      },
      "code": {
        "text": "2100"
      }
    },
    "asNeededBoolean": false,
    "route": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.798268.7025",
          "code": "15",
          "display": "Oral"
        },
        {
          "system": "http://snomed.info/sct",
          "code": "260548002",
          "display": "Oral"
        }
      ],
      "text": "Oral"
    },
    "doseAndRate": [
      {
        "type": {
          "coding": [
            {
              "system": "http://epic.com/CodeSystem/dose-rate-type",
              "code": "calculated",
              "display": "calculated"
            }
          ],
          "text": "calculated"
        },
        "doseQuantity": {
          "value": 15,
          "unit": "mg",
          "system": "http://unitsofmeasure.org",
          "code": "mg"
        }
      },
      {
        "type": {
          "coding": [
            {
              "system": "http://epic.com/CodeSystem/dose-rate-type",
              "code": "admin-amount",
              "display": "admin-amount"
            }
          ],
          "text": "admin-amount"
        },
        "doseQuantity": {
          "value": 1,
          "unit": "tablet",
          "system": "http://unitsofmeasure.org",
          "code": "{tbl}"
        }
      },
      {
        "type": {
          "coding": [
            {
              "system": "http://epic.com/CodeSystem/dose-rate-type",
              "code": "ordered",
              "display": "ordered"
            }
          ],
          "text": "ordered"
        },
        "doseQuantity": {
          "value": 10,
          "unit": "mg",
          "system": "http://unitsofmeasure.org",
          "code": "mg"
        }
      }
```

```
            ]
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```

12.2 Clinical Medications: STU3

File: site/apis/12-Clinical-Medications/2-STU3/index.html

* Immunization.Read (STU3)
* Immunization.Search (STU3)
* ImmunizationRecommendation.Read (STU3)
* ImmunizationRecommendation.Search (STU3)
* Medication.Read (STU3)
* MedicationAdministration.Read (STU3)
* MedicationAdministration.Search (STU3)
* MedicationDispense.Read (Verified Orders) (STU3)
* MedicationDispense.Search (Verified Orders) (STU3)
* MedicationRequest.Read (Signed Medication Order) (STU3)
* MedicationRequest.Search (Signed Medication Order) (STU3)
* MedicationStatement.Read (STU3)
* MedicationStatement.Search (STU3)

12.2.1 Immunization.Read (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/926-Immunization-Read-STU3.html
Epic API ID | 926
FHIR version | STU3
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2019
HTTP method | GET
URL template | api/FHIR/STU3/Immunization/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=926

Description

The FHIR Immunization resource provides a patient's immunizations, including vaccine and vaccine administration details.

The read interaction allows a client to retrieve information for a specific Immunization resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Immunization FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Immunization (STU3) | Immunization | | | | A single Immunization resource.
Immunization (STU3).date | dateTime | | | 0..1 | Vaccination administration date and time.
Immunization (STU3).doseQuantity | Quantity | | | 0..1 | Amount of vaccine administered presented with value, unit, system, and category code.
Immunization (STU3).doseQuantity.unit | string | | | 0..1 | Unit of amount of vaccine administered as a string.
Immunization (STU3).doseQuantity.value | decimal | | | 0..1 | Amount of vaccine administered as a decimal.
Immunization (STU3).encounter | Reference | | | 0..1 | Reference to the Encounter resource in which this immunization took place. Immunization must be in a status of "given" (notGiven is "false") for this to be returned.
Immunization (STU3).expirationDate | date | | | 0..1 | Returns the expiration date for the immunization administered as a string in format "YYYY-MM-DD".
Immunization (STU3).explanation | BackboneElement | | | 0..1 | Reason that the administration is not given/deleted.

Immunization (STU3).explanation.reasonNotGiven | CodeableConcept | | Yes | 0..1 | Why an immunization did not occur. Only sent if 'NotGiven' is true.

Immunization (STU3).extension (isSubpotent) (also: extension (isSubpotent)) | Extension | | Yes | 0..* | Indicates that the dose wasn't full strength. By default, a dose should be considered potent. URL: http://hl7.org/fhir/4.0/StructureDefinition/extension-Immunization.isSubpotent

Immunization (STU3).id | id | | | 1..1 | The Immunization FHIR ID.

Immunization (STU3).identifier | Identifier | | Yes | 0..* | Returns the Epic identifier for the Immunization in the format ("System" varies at each Epic organization): { "use": "usual", "system": "urn:oid:#.#.#", "value": "<ID>" }

Immunization (STU3).location | Reference | | | 0..1 | Physical geographical site where the immunization is administered, or the name of the current organization if the location wasn't captured during administration.

Immunization (STU3).location.display | String | | | 0..1 | Name of physical geographical site where the immunization is administered, or the name of the current organization if the location wasn't captured during administration.

Immunization (STU3).lotNumber | string | | | 0..1 | The lot number identifying the source of an immunization or injection which is documented when administering a vaccine.

Immunization (STU3).manufacturer | Reference | | | 0..1 | Vaccine manufacturer information.

Immunization (STU3).manufacturer.display | String | | | 1..1 | Vaccine manufacturer name.

Immunization (STU3).meta | Meta | | | 0..1 | The document metadata.

Immunization (STU3).meta.profile | String | | Yes | 0..1 | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-Vaccination

Immunization (STU3).note | Annotation | | Yes | 0..1 | Free text vaccination notes available to be documented by the clinician. This is not returned in the patient context.

Immunization (STU3).notGiven | boolean | | | 1..1 | Flag for whether the immunization was given.

Immunization (STU3).patient | Reference | | | 1..1 | Reference to the Patient who was immunized.

Immunization (STU3).practitioner | BackboneElement | | Yes | 0..* | Reference to a Practitioner that participated in the Immunization and the role they played in the interaction. This returns the administering provider as well as the ordering provider, if they are documented.

Immunization (STU3).practitioner.actor | Reference | | | 1..1 | Reference to a Practitioner that participated in the Immunization and the provider's name and title.

Immunization (STU3).practitioner.role | CodeableConcept | | | 0..1 | The role the Practitioner played in the immunization. Possible values include: Administering Provider (AP) Ordering Provider (OP)

Immunization (STU3).primarySource | boolean | | | 1..1 | Whether the immunization data is historical and therefore reported by a patient or another system. If historical, "false" is returned as this system is not the primary source of the data.

Immunization (STU3).route | CodeableConcept | | | 0..1 | How the vaccine entered the body.

Immunization (STU3).site | CodeableConcept | | | 0..1 | Body site where the vaccine was administered.

Immunization (STU3).status | code | | | 1..1 | Is always "completed" because deferred and incomplete immunizations are not returned. Partially Administered immunizations return completed with IsSubpotent extension returning 1.

Immunization (STU3).vaccineCode | CodeableConcept | Required | | 1..1 | Vaccine product administered with code and name information. Vaccines are mapped to CVX codes and NDC codes. CVX codes are a standard set of codes used to indicate the product used in a vaccination. Multiple vaccines in the system can be mapped to the same CVX code. NDC codes are unique numeric codes used to identify all drugs in the United States, including immunizations. It identifies the medication, manufacturer, doses, type of medication, and quantity.

Immunization (STU3).vaccineCode.coding | Coding | Required | Yes | 1..* | Vaccine code. CVX system: http://hl7.org/fhir/sid/cvx NDC system: http://hl7.org/fhir/sid/ndc

Immunization (STU3).vaccineCode.text | String | Required | | 1..1 | Name of vaccine product administered.

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/Immunization/ehw95dkN3LeP0tQqmm8Y2XQ3
```

Sample response


```
{
  "resourceType": "Immunization",
  "id": "ehw95dkN3LeP0tQqmm8Y2XQ3",
  "extension": [
    {
      "url": "http://hl7.org/fhir/4.0/StructureDefinition/extension-Immunization.isSubpotent",
      "valueBoolean": true
    }
  ],
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.768076",
      "value": "49020"
    }
  ],
  "status": "completed",
  "notGiven": false,
  "vaccineCode": {
    "coding": [
      {
        "system": "http://hl7.org/fhir/sid/cvx",
        "code": "110"
      },
      {
        "system": "http://hl7.org/fhir/sid/ndc",
        "code": "1350600000"
      }
    ],
    "text": "DTaP-Hep B-IPV"
  },
  "patient": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eNzTT5oTjKCVXqmpOhY-5nw3",
```

```
    "display": "FHIR, Test Patient"
  },
  "date": "2019-03-20",
  "primarySource": true,
  "location": {
    "display": "Epic Clinic 5"
  },
  "manufacturer": {
    "display": "Test Pharmaceuticals, inc"
  },
  "lotNumber": "5",
  "expirationDate": "2024-03-20",
  "site": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4040",
        "code": "11",
        "display": "Left quadriceps"
      }
    ],
    "text": "Left quadriceps"
  },
  "route": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4030",
        "code": "2",
        "display": "Intramuscular"
      }
    ],
    "text": "Intramuscular"
  },
  "doseQuantity": {
    "value": 0.5,
    "unit": "mL",
    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4019",
    "code": "1"
  },
  "practitioner": [
    {
      "role": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/v3/0443",
            "code": "AP",
            "display": "Administering Provider"
          }
        ],
        "text": "Administering Provider"
      },
      "actor": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ef81ZrgFqs7ufzYI2X9ixcA3",
        "display": "Test, User"
      }
    },
    {
      "role": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/v3/0443",
            "code": "OP",
            "display": "Ordering Provider"
          }
        ],
        "text": "Ordering Provider"
      },
      "actor": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/eNE.QLNPXbfJ.JrPUGj5oOQ3",
        "display": "Test, Provider"
      }
    }
  ],
  "note": [
    {
      "text": "Well child visit."
    }
  ]
}
```


12.2.2 Immunization.Search (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/927-Immunization-Search-STU3.html
Epic API ID | 927
FHIR version | STU3
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API

USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2019
HTTP method | GET
URL template | api/FHIR/STU3/Immunization?patient={patient}&date={date}&notgiven={notgiven}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=927

Description

The FHIR Immunization resource provides a patient's immunizations, including vaccine and vaccine administration details.

The search interaction allows the client to query for a patient's immunizations. The Immunization Search endpoint allows a client to retrieve an identifier for an Immunization.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count and _include. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
date | date | Optional | Yes | | Vaccination administration date.
notgiven | token | Optional | Yes | | Flag for whether the immunization was given. If not provided, defaults to "false" to return only given immunizations.
patient | reference | Required | Yes | | The FHIR ID for the Patient resource for the patient who was immunized.
status | token | Optional | Yes | | Immunization event status. "completed" is the only supported value, and this value is used by default if no status value is specified.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Immunization (STU3) | Immunization | | | | A single Immunization resource.
Immunization (STU3).date | dateTime | | | 0..1 | Vaccination administration date and time.
Immunization (STU3).doseQuantity | Quantity | | | 0..1 | Amount of vaccine administered presented with value, unit, system, and category code.
Immunization (STU3).doseQuantity.unit | string | | | 0..1 | Unit of amount of vaccine administered as a string.
Immunization (STU3).doseQuantity.value | decimal | | | 0..1 | Amount of vaccine administered as a decimal.
Immunization (STU3).encounter | Reference | | | 0..1 | Reference to the Encounter resource in which this immunization took place. Immunization must be in a status of "given" (notGiven is "false") for this to be returned.
Immunization (STU3).expirationDate | date | | | 0..1 | Returns the expiration date for the immunization administered as a string in format "YYYY-MM-DD".
Immunization (STU3).explanation | BackboneElement | | | 0..1 | Reason that the administration is not given/deleted.
Immunization (STU3).explanation.reasonNotGiven | CodeableConcept | | Yes | 0..1 | Why an immunization did not occur. Only sent if 'NotGiven' is true.
Immunization (STU3).extension (isSubpotent) (also: extension (isSubpotent)) | Extension | | Yes | 0..* | Indicates that the dose wasn't full strength. By default, a dose should be considered potent. URL: http://hl7.org/fhir/4.0/StructureDefinition/extension-Immunization.isSubpotent
Immunization (STU3).id | id | | | 1..1 | The Immunization FHIR ID.
Immunization (STU3).identifier | Identifier | | Yes | 0..* | Returns the Epic identifier for the Immunization in the format ("System" varies at each Epic organization): { "use": "usual", "system": "urn:oid:#.#.#", "value": "<ID>" }
Immunization (STU3).location | Reference | | | 0..1 | Physical geographical site where the immunization is administered, or the name of the current organization if the location wasn't captured during administration.
Immunization (STU3).location.display | String | | | 0..1 | Name of physical geographical site where the immunization is administered, or the name of the current organization if the location wasn't captured during administration.
Immunization (STU3).lotNumber | string | | | 0..1 | The lot number identifying the source of an immunization or injection which is documented when administering a vaccine.
Immunization (STU3).manufacturer | Reference | | | 0..1 | Vaccine manufacturer information.
Immunization (STU3).manufacturer.display | String | | | 1..1 | Vaccine manufacturer name.
Immunization (STU3).meta | Meta | | | 0..1 | The document metadata.
Immunization (STU3).meta.profile | String | | Yes | 0..1 | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-Vaccination
Immunization (STU3).note | Annotation | | Yes | 0..1 | Free text vaccination notes available to be documented by the clinician. This is not returned in the patient context.
Immunization (STU3).notGiven | boolean | | | 1..1 | Flag for whether the immunization was given.
Immunization (STU3).patient | Reference | | | 1..1 | Reference to the Patient who was immunized.
Immunization (STU3).practitioner | BackboneElement | | Yes | 0..* | Reference to a Practitioner that participated in the Immunization and the role they played in the interaction. This returns the administering provider as well as the ordering provider, if they are documented.
Immunization (STU3).practitioner.actor | Reference | | | 1..1 | Reference to a Practitioner that participated in the Immunization and the provider's name and title.
Immunization (STU3).practitioner.role | CodeableConcept | | | 0..1 | The role the Practitioner played in the immunization. Possible values include: Administering Provider (AP) Ordering Provider (OP)
Immunization (STU3).primarySource | boolean | | | 1..1 | Whether the immunization data is historical and therefore reported by a patient or another system. If historical, "false" is returned as this system is not the primary source of the data.

Immunization (STU3).route | CodeableConcept | | | 0..1 | How the vaccine entered the body.

Immunization (STU3).site | CodeableConcept | | | 0..1 | Body site where the vaccine was administered.

Immunization (STU3).status | code | | | 1..1 | Is always "completed" because deferred and incomplete immunizations are not returned. Partially Administered immunizations return completed with IsSubpotent extension returning 1.

Immunization (STU3).vaccineCode | CodeableConcept | Required | | 1..1 | Vaccine product administered with code and name information. Vaccines are mapped to CVX codes and NDC codes. CVX codes are a standard set of codes used to indicate the product used in a vaccination. Multiple vaccines in the system can be mapped to the same CVX code. NDC codes are unique numeric codes used to identify all drugs in the United States, including immunizations. It identifies the medication, manufacturer, doses, type of medication, and quantity.

Immunization (STU3).vaccineCode.coding | Coding | Required | Yes | 1..* | Vaccine code. CVX system: http://hl7.org/fhir/sid/cvx NDC system: http://hl7.org/fhir/sid/ndc

Immunization (STU3).vaccineCode.text | String | Required | | 1..1 | Name of vaccine product administered.

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/Immunization?patient=eNzTT5oTjKCVXqmpOhY-5nw3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/Immunization?patient=eNzTT5oTjKCVXqmpOhY-5nw3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/Immunization/e6HPrKzsWXs8q4UYbYul34A3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/Immunization/e6HPrKzsWXs8q4UYbYul34A3",
      "resource": {
        "resourceType": "Immunization",
        "id": "e6HPrKzsWXs8q4UYbYul34A3",
        "identifier": [
          {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.768076",
            "value": "49003"
          }
        ],
        "status": "completed",
        "notGiven": false,
        "vaccineCode": {
          "coding": [
            {
              "system": "http://hl7.org/fhir/sid/cvx",
              "code": "03"
            },
            {
              "system": "http://hl7.org/fhir/sid/ndc",
              "code": "0006-4681-00"
            }
          ],
          "text": "MMR"
        },
        "patient": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eNzTT5oTjKCVXqmpOhY-5nw3",
          "display": "FHIR, Test Patient"
        },
        "encounter": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/eNNxampNvQS4HOYb.uDjdjlbH6aE48k4g1JM0D4N9rsc3"
        },
        "date": "2019-01-14T23:04:00Z",
        "primarySource": true,
        "manufacturer": {
          "display": "Test Pharmaceuticals, inc"
        },
        "lotNumber": "50",
        "expirationDate": "2019-02-17",
        "site": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4040",
              "code": "14",
              "display": "Left arm"
            }
          ],
          "text": "Left arm"
        },
        "route": {
```

```
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4030",
          "code": "5",
          "display": "Subcutaneous"
        }
      ],
      "text": "Subcutaneous"
    },
    "practitioner": [
      {
        "role": {
          "coding": [
            {
              "system": "http://hl7.org/fhir/v3/0443",
              "code": "AP",
              "display": "Administering Provider"
            }
          ],
          "text": "Administering Provider"
        },
        "actor": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/e8QhLNiygeJJggZBZ18BnnA3",
          "display": "Test, Provider"
        }
      }
    ],
    "note": [
      {
        "text": "This is a comment about a med"
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/Immunization/ehw95dkN3LeP0tQqmm8Y2XQ3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/STU3/Immunization/ehw95dkN3LeP0tQqmm8Y2XQ3",
  "resource": {
    "resourceType": "Immunization",
    "id": "ehw95dkN3LeP0tQqmm8Y2XQ3",
    "extension": [
      {
        "url": "http://hl7.org/fhir/4.0/StructureDefinition/extension-Immunization.isSubpotent",
        "valueBoolean": true
      }
    ],
    "identifier": [
      {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.768076",
        "value": "49020"
      }
    ],
    "status": "completed",
    "notGiven": false,
    "vaccineCode": {
      "coding": [
        {
          "system": "http://hl7.org/fhir/sid/cvx",
          "code": "110"
        },
        {
          "system": "http://hl7.org/fhir/sid/ndc",
          "code": "1350600000"
        }
      ],
      "text": "DTaP-Hep B-IPV"
    },
    "patient": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eNzTT5oTjKCVXqmpOhY-5nw3",
      "display": "FHIR, Test Patient"
    },
    "date": "2019-03-20",
    "primarySource": true,
    "location": {
      "display": "SAM Clinic 5"
    },
    "manufacturer": {
      "display": "Test Pharmaceuticals, inc"
    },
    "lotNumber": "5",
```

```
        "expirationDate": "2024-03-20",
        "site": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4040",
              "code": "11",
              "display": "Left quadriceps"
            }
          ],
          "text": "Left quadriceps"
        },
        "route": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4030",
              "code": "2",
              "display": "Intramuscular"
            }
          ],
          "text": "Intramuscular"
        },
        "doseQuantity": {
          "value": 0.5,
          "unit": "mL",
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.768076.4019",
          "code": "1"
        },
        "practitioner": [
          {
            "role": {
              "coding": [
                {
                  "system": "http://hl7.org/fhir/v3/0443",
                  "code": "AP",
                  "display": "Administering Provider"
                }
              ],
              "text": "Administering Provider"
            },
            "actor": {
              "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ef81ZrgFqs7ufzYI2X9ixcA3",
              "display": "Test, User"
            }
          },
          {
            "role": {
              "coding": [
                {
                  "system": "http://hl7.org/fhir/v3/0443",
                  "code": "OP",
                  "display": "Ordering Provider"
                }
              ],
              "text": "Ordering Provider"
            },
            "actor": {
              "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/eNE.QLNPXbfJ.JrPUGj5oOQ3",
              "display": "Test, Provider"
            }
          }
        ],
        "note": [
          {
            "text": "Sample note text"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


12.2.3 ImmunizationRecommendation.Read (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/10251-ImmunizationRecommendation-Read-STU3.html
Epic API ID | 10251
FHIR version | STU3
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/ImmunizationRecommendation/{ID}
Supports OAuth 2.0 | True

Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10251

Description

This resource can only be used with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The ImmunizationRecommendation resource communicates which immunizations are recommended for a specified patient based on their current immunization orders. This resource includes information about only recommended immunizations, not administered or refused immunizations.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The FHIR ID of the recommended immunization order.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ImmunizationRecommendation | ImmunizationRecommendation | False
ImmunizationRecommendation.meta | Meta | True | | | The document metadata.
ImmunizationRecommendation.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-VaccinationRecommendation
ImmunizationRecommendation.extension (also: orderStatus) | Extension | True | Yes | | The status of the order associated with the immunization recommendation, which can be Pending, Ordered, or In Progress.
ImmunizationRecommendation.patient | Reference | False | | | The patient associated with the immunization recommendation. Reference to the Patient resource.
ImmunizationRecommendation.recommendation | Recommendation | False | Yes | | The immunization recommendation.
ImmunizationRecommendation.recommendation.date | String | False | | | The date when the immunization recommendation was created.
ImmunizationRecommendation.recommendation.dateCriterion | DateCriterion | True | Yes | | The date when the recommended immunization is considered due or overdue.
ImmunizationRecommendation.recommendation.dateCriterion.code | CodeableConcept | False | | | Whether a date value is considered the due date or the overdue date.
ImmunizationRecommendation.recommendation.dateCriterion.value | String | False | | | The date when the immunization is considered due or overdue.
ImmunizationRecommendation.recommendation.forecastStatus | CodeableConcept | False | | | The status of the immunization recommendation. Returns due or overdue.
ImmunizationRecommendation.recommendation.vaccineCode | CodeableConcept | True | | | The code and product name for the recommended immunization.
ImmunizationRecommendation.recommendation.vaccineCode.coding | Coding | False | Yes | | The vaccine code for the recommended immunization. Includes GPK, HPK, and PRK codes.
ImmunizationRecommendation.recommendation.vaccineCode.text | String | True | | | The name of the recommended immunization.

Sample request

```
https://hostname/instance/api/FHIR/STU3/ImmunizationRecommendation/e.7cMZ0SNyzGRu6zV2lGtzA3
```

Sample response


```
{
  "resourceType": "ImmunizationRecommendation",
  "id": "eo1y2ZySYfOZB8zcuOAjHFjM532C0gzYa2UDSgy87lCk3",
  "meta": {
    "profile": [
      "http://nictiz.nl/fhir/StructureDefinition/zib-VaccinationRecommendation"
    ]
  },
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/v3/ActStatus",
            "code": "new",
            "display": "Ordered"
          }
        ],
        "text": "Ordered"
      },
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-VaccinationRecommendation-OrderStatus"
    }
  ],
  "patient": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eXqNrSpKbDOt0qHjSGrqHxQ3",
    "display": "Sparta, REN."
  },
  "recommendation": [
    {
      "date": "2021-11-29T22:46:25Z",
```

```
      "vaccineCode": {
        "coding": [
          {
            "system": "urn:oid:2.16.840.1.113883.2.4.4.1",
            "code": "74942"
          },
          {
            "system": "urn:oid:2.16.840.1.113883.2.4.4.7",
            "code": "233382"
          },
          {
            "system": "urn:oid:2.16.840.1.113883.2.4.4.10",
            "code": "7234"
          }
        ],
        "text": "Td (Adult)"
      },
      "forecastStatus": {
        "coding": [
          {
            "system": "http://hl7.org/fhir/immunization-recommendation-status",
            "code": "due",
            "display": "due"
          }
        ]
      },
      "dateCriterion": [
        {
          "code": {
            "coding": [
              {
                "system": "http://hl7.org/fhir/immunization-recommendation-date-criterion",
                "code": "due",
                "display": "due"
              }
            ]
          },
          "value": "2021-12-06"
        },
        {
          "code": {
            "coding": [
              {
                "system": "http://hl7.org/fhir/immunization-recommendation-date-criterion",
                "code": "overdue",
                "display": "overdue"
              }
            ]
          },
          "value": "2022-02-28"
        }
      ]
    }
  ]
}
```


12.2.4 ImmunizationRecommendation.Search (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/10252-ImmunizationRecommendation-Search-STU3.html
Epic API ID | 10252
FHIR version | STU3
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/ImmunizationRecommendation?patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10252

Description

This resource can only be used with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The ImmunizationRecommendation resource communicates which immunizations are recommended for a specified patient based on their current immunization orders. This resource includes information about only recommended immunizations, not administered or refused immunizations.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | False | | | The patient associated with the immunization recommendation. Reference to the Patient resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.ImmunizationRecommendation | ImmunizationRecommendation | False
Bundle.entry.resource.ImmunizationRecommendation.extension | Extension | True | Yes | | The status of the order associated with the immunization recommendation, which can be Pending, Ordered, or In Progress.
Bundle.entry.resource.ImmunizationRecommendation.meta | Meta | True | | | The document metadata.
Bundle.entry.resource.ImmunizationRecommendation.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-VaccinationRecommendation
Bundle.entry.resource.ImmunizationRecommendation.patient | Reference | False | | | The patient associated with the immunization recommendation. Reference to the Patient resource.
Bundle.entry.resource.ImmunizationRecommendation.recommendation | Recommendation | False | Yes | | The immunization recommendation.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.date | String | False | | | The date when the immunization recommendation was created.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.dateCriterion | DateCriterion | True | Yes | | The date when the recommended immunization is considered due or overdue.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.dateCriterion.code | CodeableConcept | False | | | Whether a date value is considered the due date or the overdue date.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.dateCriterion.value | String | False | | | The date when the immunization is considered due or overdue.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.forecastStatus | CodeableConcept | False | | | The status of the immunization recommendation. Returns due or overdue.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.vaccineCode | CodeableConcept | True | | | The code and product name for the recommended immunization.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.vaccineCode.coding | Coding | False | Yes | | The vaccine code for the recommended immunization. Includes GPK, HPK, and PRK codes.
Bundle.entry.resource.ImmunizationRecommendation.recommendation.vaccineCode.text | String | True | | | The name of the recommended immunization.

Sample request

```
https://hostname/instance/api/FHIR/STU3/ImmunizationRecommendation?patient=evPYXaqzoN8z1rMzdIOYoTA3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/ImmunizationRecommendation?patient=eXqNrSpKbDOt0qHjSGrqHxQ3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url":
    "https://hostname/instance/api/FHIR/STU3/ImmunizationRecommendation/eo1y2ZySYfOZB8zcuOAjHFjM532C0gzYa2UDSgy87lCk3"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/STU3/ImmunizationRecommendation/eo1y2ZySYfOZB8zcuOAjHFjM532C0gzYa2UDSgy87lCk3",
      "resource": {
        "resourceType": "ImmunizationRecommendation",
        "id": "eo1y2ZySYfOZB8zcuOAjHFjM532C0gzYa2UDSgy87lCk3",
        "meta": {
          "profile": [
            "http://nictiz.nl/fhir/StructureDefinition/zib-VaccinationRecommendation"
          ]
        },
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "http://hl7.org/fhir/v3/ActStatus",
                  "code": "new",
                  "display": "Ordered"
                }
              ],
              "text": "Ordered"
```

```
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-VaccinationRecommendation-OrderStatus"
          }
        ],
        "patient": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eXqNrSpKbDOt0qHjSGrqHxQ3",
          "display": "Sparta, REN."
        },
        "recommendation": [
          {
            "date": "2021-11-29T22:46:25Z",
            "vaccineCode": {
              "coding": [
                {
                  "system": "urn:oid:2.16.840.1.113883.2.4.4.1",
                  "code": "74942"
                },
                {
                  "system": "urn:oid:2.16.840.1.113883.2.4.4.7",
                  "code": "233382"
                },
                {
                  "system": "urn:oid:2.16.840.1.113883.2.4.4.10",
                  "code": "7234"
                }
              ],
              "text": "Td (Adult)"
            },
            "forecastStatus": {
              "coding": [
                {
                  "system": "http://hl7.org/fhir/immunization-recommendation-status",
                  "code": "due",
                  "display": "due"
                }
              ]
            },
            "dateCriterion": [
              {
                "code": {
                  "coding": [
                    {
                      "system": "http://hl7.org/fhir/immunization-recommendation-date-criterion",
                      "code": "due",
                      "display": "due"
                    }
                  ]
                },
                "value": "2021-12-06"
              },
              {
                "code": {
                  "coding": [
                    {
                      "system": "http://hl7.org/fhir/immunization-recommendation-date-criterion",
                      "code": "overdue",
                      "display": "overdue"
                    }
                  ]
                },
                "value": "2022-02-28"
              }
            ]
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


12.2.5 Medication.Read (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/489-Medication-Read-STU3.html
Epic API ID | 489
FHIR version | STU3
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2018

HTTP method | GET
URL template | /api/FHIR/STU3/Medication/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=489

Description

The FHIR Medication resource defines detailed information about a medication order's product or package. The Medication resource is referenced by the MedicationRequest and MedicationStatement resources.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The FHIR ID referencing a medication.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Medication (STU3) | Medication
Medication (STU3).code | CodeableConcept | | | 0..1 | A code or set of codes that identify this medication. This could be a standard drug code such as a drug regulator code, RxNorm code, or other type of code. It could also be a local formulary code, optionally with translations to the standard drug codes. Supports GPK, HPK, and PRK codes for organizations in the Netherlands.
Medication (STU3).extension (description) (also: extension (description)) | Extension | | Yes | 0..* | The name of a medication. Always provides the clinician-facing name. This element is used only by organizations in the Netherlands. This element is populated only if the Code element is not populated. URL: http://nictiz.nl/fhir/StructureDefinition/zib-Product-Description
Medication (STU3).extension (identifier) (also: extension (identifier)) | Extension | | Yes | 1..* | A unique identifier for the medication record. This element is populated starting in the February 2023 version of Epic, with special updates to the November 2022, May 2022, and February 2022 versions of Epic. URL: http://hl7.org/fhir/4.0/StructureDefinition/extension-Medication.identifier
Medication (STU3).form | CodeableConcept | | | 0..1 | This is the form a dose can take, such as tablets or suspension.
Medication (STU3).ingredient | BackboneElement | | Yes | 0..* | An ingredient in the medication.
Medication (STU3).ingredient.amount | Ratio | | | 0..1 | For medications that have a total volume or are mixtures, this is the quantity of an ingredient present compared to the overall quantity of the mixture.
Medication (STU3).ingredient.itemCodeableConcept | CodeableConcept | | | 1..1 | This element is used only with mixture components or single ingredient, non-mixture medications. Supports GPK, HPK, and PRK codes for organizations in the Netherlands.
Medication (STU3).ingredient.itemReference | Reference | | | 1..1 | This element is used only with mixture medications. It is a reference to a Substance or Medication.
Medication (STU3).ingredient.itemReference.display | String | | | 0..1 | The short name of the ingredient medication might appear with or without strength. Otherwise, the record name appears.
Medication (STU3).isBrand | boolean | | | 0..1 | This element is true if this is a brand-name medication.
Medication (STU3).isOverTheCounter | boolean | | | 0..1 | This element is true if this medication doesn't require a prescription.
Medication (STU3).meta | Meta | | | 0..1 | The document metadata.
Medication (STU3).meta.profile | String | | Yes | 0..1 | Available only in organizations in the Netherlands. This element shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-Product

Sample request

```
GET
    https://hostname/instance/api/FHIR/STU3/Medication/eci..pW5ztKFF7MFf2b4au.fYRPVsgvKGwVb7yH7tEEeDWXW2jIBTMKBfZZSr1k-
    g3
```

Sample response


```
{
  "resourceType": "Medication",
  "id": "eci..pW5ztKFF7MFf2b4au.fYRPVsgvKGwVb7yH7tEEeDWXW2jIBTMKBfZZSr1k-g3",
  "extension": [
    {
      "url": "http://hl7.org/fhir/4.0/StructureDefinition/extension-Medication.identifier",
      "valueIdentifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.698288",
        "value": "151329"
      }
    }
  ],
  "code": {
    "coding": [
      {
        "system": "urn:oid:2.16.840.1.113883.6.68",
        "code": "88350065102050"
      },
      {
        "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
        "code": "1010739"
      }
    ],
    "text": "lidocaine (XYLOCAINE) 2% viscous solution"
  },
```

```
  "isBrand": false,
  "isOverTheCounter": false,
  "form": {
    "coding": [
      {
        "system": "1.2.840.114350.1.13.861.1.7.4.698288.310",
        "code": "SOLN",
        "display": "Solution"
      }
    ],
    "text": "Solution"
  }
}
```


Change log

Epic Version | Description | Type
May 2025 | Codes removed from Medication.ingredient.itemCodeableConcept.coding element | Breaking change

12.2.6 MedicationAdministration.Read (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/10467-MedicationAdministration-Read-STU3.html
Epic API ID | 10467
FHIR version | STU3
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
HTTP method | GET
URL template | /api/FHIR/STU3/MedicationAdministration/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10467

Description

This resource is part of a group of APIs that were created to support Dutch specific requirements for MedMij. These APIs use a Dutch FHIR profile, rely on Dutch workflows for the relevant information to be populated, and support targeted information and use cases. These APIs are only available in the Netherlands where their specific functionality is expected to be meaningful in supporting the eOverdracht program.

This MedicationAdministration resource records instances where a patient was administered a medication.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | FHIR ID of the MedicationAdministration resource.

Sample request

```
https://hostname/instance/api/FHIR/STU3/MedicationAdministration/fQkY4sT810LWsN3kXiP8w6Bd.WFLZ8HaCChVsK9w08I84
```

Sample response


```
{
  "resourceType": "MedicationAdministration",
  "id": "fQkY4sT810LWsN3kXiP8w6Bd.WFLZ8HaCChVsK9w08I84",
  "meta": {
    "profile": [
      "http://nictiz.nl/fhir/StructureDefinition/zib-Infusion-AdministeringSystem"
    ]
  },
  "status": "in-progress",
  "category": {
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "18629005",
        "display": "Administration of drug or medicament (procedure)"
      }
    ],
    "text": "Administration of drug or medicament (procedure)"
  },
  "medicationReference": {
    "reference": "/api/FHIR/STU3/Medication/ev6aI3mqwKPdwb1-BI5FfXgZRmb0aP7065eG.Ma0HbpeFtNLFgHJ2.Vo72NRdoU7R3",
    "display": "ESSENTIAL AMINO ACIDS MIXTURE"
  },
  "subject": {
    "reference": "/api/FHIR/STU3/Patient/euc.F-kIqHcWfug3.vC9KMA3",
    "display": "Sample, Patient"
  },
  "effectiveDateTime": "2022-06-24T00:00:00Z",
```

```
  "note": [
    {
      "authorReference": {
        "reference": "/api/FHIR/STU3/Practitioner/eIh.l0EbRYcFNSmCvzyZpyA3",
        "display": "Doctor Test"
      },
      "text": "This is a comment"
    }
  ]
}
```

12.2.7 MedicationAdministration.Search (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/10464-MedicationAdministration-Search-STU3.html
Epic API ID | 10464
FHIR version | STU3
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
HTTP method | GET
URL template | /api/FHIR/STU3/MedicationAdministration?context={context}&effective-time={effective-time}&patient={patient}&performer={performer}&request={request}&status={status}&subject={subject}&_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10464

Description

This resource is part of a group of APIs that were created to support Dutch specific requirements for MedMij. These APIs use a Dutch FHIR profile, rely on Dutch workflows for the relevant information to be populated, and support targeted information and use cases. These APIs are only available in the Netherlands where their specific functionality is expected to be meaningful in supporting the eOverdracht program.

This MedicationAdministration resource records instances where a patient was administered a medication.

The Search interaction currently supports only the _id search parameter, making it similar to a MedicationAdministration.Read request.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.MedicationAdministration | MedicationAdministration | False
Bundle.entry.resource.MedicationAdministration.category | CodeableConcept | False | | | Hard coded to SNOMED code 18629005.
Bundle.entry.resource.MedicationAdministration.effectiveDateTime | String | False | | | Records when the administration occurred.
Bundle.entry.resource.MedicationAdministration.medicationReference | Reference | False | | | Reference to the Medication resource. The medication administered.
Bundle.entry.resource.MedicationAdministration.meta | Meta | True | | | Adds meta information to record InfusionAdministeringSystem information.
Bundle.entry.resource.MedicationAdministration.note | Annotation | True | Yes | | Notes on the administration.
Bundle.entry.resource.MedicationAdministration.status | String | False | | | Current status of the administration. Status values mapped to item values as follows: In Progress New Bag (infusion running) Held (infusion running) Restarted (infusion running) Stopped (infusion running) Rate Change (infusion running) Rate Verify (infusion running) Paused (infusion running) Pending On Hold Held (no previous New Bag) Automatically Held Missed Refused MAR Hold MAR Unhold See Alternative Due Completed Given New Bag (infusion no longer running) Held (infusion no longer running) Restarted (infusion no longer running) Stopped (infusion no longer running) Rate Change (infusion no longer running) Bolus Push Rate Verify (infusion no longer running) Paused (infusion no longer running) Entered in Error Canceled Entry Actions flagged for chart corrections Unknown Stopped (no previous new bag action) Paused (no previous new bag action) Unmapped custom actions
Bundle.entry.resource.MedicationAdministration.subject | Reference | False | | | Reference to the Patient resource. The patient who the medication was administered to.

Sample request

```
https://hostname/instance/ api/FHIR/stu3/MedicationAdministration?_id=fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4
```

Sample response

```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://vs-icx18-11.epic.com/Interconnect-Netherlands-Stage1-nl-
    NL/api/FHIR/STU3/MedicationAdministration?_id=fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4"
    }
  ],
```

```
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://vs-icx18-11.epic.com/Interconnect-Netherlands-Stage1-nl-
    NL/api/FHIR/STU3/MedicationAdministration/fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4"
        }
      ],
      "fullUrl": "https://vs-icx18-11.epic.com/Interconnect-Netherlands-Stage1-nl-
    NL/api/FHIR/STU3/MedicationAdministration/fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4",
      "resource": {
        "resourceType": "MedicationAdministration",
        "id": "fYHtBn8EoqgCIN.50ynl5eDtfWx5YG.DzOofHuuZ.j7Q4",
        "meta": {
          "profile": [
            "http://nictiz.nl/fhir/StructureDefinition/zib-Infusion-AdministeringSystem"
          ]
        },
        "status": "in-progress",
        "category": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "18629005",
              "display": "Administration of drug or medicament (procedure)"
            }
          ],
          "text": "Administration of drug or medicament (procedure)"
        },
        "medicationReference": {
          "reference": "https://vs-icx18-11.epic.com/Interconnect-Netherlands-Stage1-nl-
    NL/api/FHIR/STU3/Medication/e0brIX9nZ6p7.0iJrUS5cE-6fEY58kvQGfA9H18lRiEoWRBasIX9B1keTidCP8z3q3",
          "display": "AUTOSOFT 30 INFUSION SET CANNULA 13MM/110CM GRIJS"
        },
        "subject": {
          "reference": "https://vs-icx18-11.epic.com/Interconnect-Netherlands-Stage1-nl-
    NL/api/FHIR/STU3/Patient/eDycH8l9bdYeJ5Ub.di6HZQ3",
          "display": "Patient, N.L."
        },
        "effectiveDateTime": "2022-07-08T15:15:00Z",
        "note": [
          {
            "authorReference": {
              "reference": "https://vs-icx18-11.epic.com/Interconnect-Netherlands-Stage1-nl-
    NL/api/FHIR/STU3/Practitioner/eg0d3ovoXoDELFqj22aobQw3",
              "display": "SAMPLE. Doctor"
            },
            "text": "sample note"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


12.2.8 MedicationDispense.Read (Verified Orders) (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/10213-MedicationDispense-Read-Verified-Orders-STU3.html
Epic API ID | 10213
FHIR version | STU3
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/MedicationDispense/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10213

Description

The read interaction enables the look up of a MedicationDispense resource by a constant server ID.

This resource indicates how a medication product is to be or has been dispensed for a named person/patient. This resource records the pharmacist verification of medication dispenses, rather than the actual dispenses. Note that MedicationDispense (Verified Orders) functions only for organizations in the Netherlands.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The MedicationDispense FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationDispense | MedicationDispense | False | | | A single instance of the MedicationDispense resource.
MedicationDispense.extension (also: authoredOn) | Extension | True | Yes | | The date of the dispense.
MedicationDispense.authorizingPrescription | Reference | True | Yes | | Reference to the medication request that triggered the dispense.
MedicationDispense.category | CodeableConcept | False | | | Type of medication dispense. Hard-coded to SNOMED code 422037009.
MedicationDispense.context | Reference | True | | | Reference to the encounter associated with the dispense.
MedicationDispense.dosageInstruction | Dosage | False | Yes
MedicationDispense.dosageInstruction.additionalInstruction | CodeableConcept | True | Yes | | The instructions for the medication.
MedicationDispense.dosageInstruction.asNeededBoolean | boolean | True | | | Whether the frequency is PRN.
MedicationDispense.dosageInstruction.doseQuantity | Quantity | True | | | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.
MedicationDispense.dosageInstruction.doseRange | Range | True | | | Parses the lower and upper end of a dose.
MedicationDispense.dosageInstruction.rateQuantity | Quantity | True | | | The high and low values or discrete value of a medication's rate of infusion.
MedicationDispense.dosageInstruction.rateRange | Range | True | | | The high and low values of a medication's rate of infusion.
MedicationDispense.dosageInstruction.route | CodeableConcept | True | | | The medication route.
MedicationDispense.dosageInstruction.text | string | True | | | The medication instructions.
MedicationDispense.dosageInstruction.timing | Timing | True | | | Element to describe timing.
MedicationDispense.dosageInstruction.timing.repeat | BackboneElement | False | | | Element indicating an event that occurs multiple times.
MedicationDispense.dosageInstruction.timing.repeat.boundsPeriod | Period | True | | | The start and end dates for the medication.
MedicationDispense.dosageInstruction.timing.repeat.duration | decimal | True | | | The medication duration. If duration is expressed as a range, this element is populated with the minimum duration.
MedicationDispense.dosageInstruction.timing.repeat.durationMax | decimal | True | | | If duration is expressed as a range, this element is populated with the maximum duration.
MedicationDispense.dosageInstruction.timing.repeat.frequency | integer | True | | | The frequency.
MedicationDispense.dosageInstruction.timing.repeat.period | decimal | True | | | The period.
MedicationDispense.dosageInstruction.timing.repeat.when | code | True | | | The administration timing.
MedicationDispense.identifier | Identifier | True | Yes | | The order ID.
MedicationDispense.medicationReference | Reference | False | | | The FHIR ID representation of the ordered medication.
MedicationDispense.meta | Meta | True | | | The document metadata.
MedicationDispense.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-AdministrationAgreement
MedicationDispense.performer | Performer | True | Yes | | The organization where the medication was verified.
MedicationDispense.performer.actor | Reference | False | | | The organization where the medication was verified.
MedicationDispense.extension (also: periodOfUse) | Extension | True | Yes | | The start and end dates for the medication.
MedicationDispense.status | String | True | | | The status of the medication dispense. Can be either: Completed Entered-in-error
MedicationDispense.extension (also: stopType) | Extension | True | Yes | | Indicates whether a medication is temporarily or permanently inactive.
MedicationDispense.subject | Reference | False | | | The patient who the medication is being dispensed to.
MedicationDispense.extension (also: usageDuration) | Extension | True | Yes | | The duration of a medication's use.
OperationOutcome | OperationOutcome | False | | | Informational, warning, and fatal messages associated with the response.
OperationOutcome.contained | ResourceContainer | False | Yes | | A single resource returned as part of this bundle.
OperationOutcome.extension | Extension | False | Yes
OperationOutcome.id | String | False | | | A medicationRequest FHIR ID.
OperationOutcome.implicitRules | String | False
OperationOutcome.issue | Issue | False | Yes
OperationOutcome.language | String | False
OperationOutcome.meta | Meta | False | | | The document metadata.
OperationOutcome.modifierExtension | Extension | False | Yes
OperationOutcome.text | Narrative | False

Sample request

```
https://hostname/instance/api/FHIR/STU3/MedicationDispense/eG5E5vxkNjsZbn0WRnyH0OQ3
```

Sample response


```
{
  "resourceType": "MedicationDispense",
  "id": "eG5E5vxkNjsZbn0WRnyH0OQ3",
  "meta": {
    "profile": [
      "http://nictiz.nl/fhir/StructureDefinition/zib-AdministrationAgreement"
    ]
  },
  "extension": [
    {
      "valueDateTime": "2021-10-19T20:38:25Z",
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-AdministrationAgreement-AuthoredOn"
    },
    {
      "valuePeriod": {
```

```
      "start": "2021-10-19T20:15:00Z",
      "end": "2021-10-29T13:59:00Z"
    },
    "url": "http://nictiz.nl/fhir/StructureDefinition/zib-Medication-PeriodOfUse"
  },
  {
    "valueDuration": {
      "value": 9.74,
      "unit": "days",
      "system": "http://unitsofmeasure.org",
      "code": "d"
    },
    "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration"
  }
],
"identifier": [
  {
    "use": "usual",
    "system": "urn:oid:1.2.840.114350.1.13.51037.1.7.2.798268",
    "value": "8657"
  }
],
"status": "active",
"category": {
  "coding": [
    {
      "system": "http://snomed.info/sct",
      "code": "422037009",
      "display": "Provider medication administration instructions (procedure)"
    },
    {
      "system": "http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-category",
      "code": "inpatient",
      "display": "Inpatient"
    }
  ]
},
"medicationReference": {
  "reference":
  "https://hostname/instance/api/FHIR/STU3/Medication/eN58HovjbaI5LGDt8VbNhSPgGtqBGimgRL.rLo70VKQ.ZR4R2t6pK0rzrBIJS4IS
  h3",
  "display": "IBUPROFEN BRUISGRANULAAT 600MG"
},
"subject": {
  "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eRS6OIT4kpTEfLcud3Axh1w3",
  "display": "Jansen, J.L."
},
"context": {
  "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/eOC-VsvI9OdFVZHooIY1YcA3",
  "display": "Hospital Encounter"
},
"authorizingPrescription": [
  {
    "reference": "https://hostname/instance/api/FHIR/STU3/MedicationRequest/eYdHQRllcxTxp7ldT3YMbBA3",
    "display": "ibuprofen (BRUFEN) bruisgranulaat BRUISGRANULA 600 mg"
  }
],
"dosageInstruction": [
  {
    "extension": [
      {
        "valueQuantity": {
          "value": 600,
          "unit": "mg",
          "system": "http://unitsofmeasure.org",
          "code": "mg"
        },
        "url": "https://open.epic.com/fhir/extensions/ordered-dose"
      }
    ],
    "text": "600 mg, ORAAL, DAILY, 10 doses, First dose on di 19-10-21 at 15:15, Last dose on do 28-10-21 at 09:00",
    "timing": {
      "repeat": {
        "boundsPeriod": {
          "start": "2021-10-19T20:15:00Z",
          "end": "2021-10-29T13:59:00Z"
        },
        "count": 10,
        "frequency": 1,
        "period": 1,
        "periodUnit": "d"
      },
      "code": {
        "text": "once a day"
      }
    },
    "asNeededBoolean": false,
    "route": {
      "coding": [
```

```
          {
            "system": "urn:oid:1.2.840.114350.1.13.51037.1.7.4.798268.7025",
            "code": "8",
            "display": "ORAAL"
          }
        ],
        "text": "ORAAL"
      }
    }
  ]
}
```

12.2.9 MedicationDispense.Search (Verified Orders) (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/10214-MedicationDispense-Search-Verified-Orders-STU3.html
Epic API ID | 10214
FHIR version | STU3
Categories | Clinical Medications
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/MedicationDispense?patient={patient}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10214

Description

You can use the search interaction to query for medications dispensed to a patient.

This resource returns medications with an inpatient order mode. This resource searches the pharmacist verification of medication dispenses, rather than the actual dispenses. Note that MedicationDispense (Verified Orders) functions only for organizations in the Netherlands.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | Either patient or subject must be provided. If both are provided, they must match. | | | The FHIR Patient ID.
subject | String | Either patient or subject must be provided. If both are provided, they must match. | | | The FHIR Patient ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.MedicationDispense | MedicationDispense | False | | | A single instance of the MedicationDispense resource.
Bundle.entry.resource.MedicationDispense.extension (also: authoredOn) | Extension | False | Yes | | The date the prescription was written.
Bundle.entry.resource.MedicationDispense.authorizingPrescription | Reference | True | Yes | | Reference to the medication request that triggered the dispense.
Bundle.entry.resource.MedicationDispense.category | CodeableConcept | False | | | Type of medication dispense. Hard-coded to SNOMED code 422037009.
Bundle.entry.resource.MedicationDispense.context | Reference | True | | | Reference to the encounter associated with the dispense.
Bundle.entry.resource.MedicationDispense.dosageInstruction | Dosage | True | Yes
Bundle.entry.resource.MedicationDispense.dosageInstruction.additionalInstruction | CodeableConcept | True | Yes | | The administration instructions for the medication.
Bundle.entry.resource.MedicationDispense.dosageInstruction.asNeededBoolean | boolean | True | | | Whether the frequency is PRN.
Bundle.entry.resource.MedicationDispense.dosageInstruction.doseQuantity | Quantity | True | | | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.
Bundle.entry.resource.MedicationDispense.dosageInstruction.doseRange | Range | True | | | Parses the lower and upper end of a dose.
Bundle.entry.resource.MedicationDispense.dosageInstruction.rateQuantity | Quantity | True | | | The discrete value of a medication’s rate of infusion.
Bundle.entry.resource.MedicationDispense.dosageInstruction.rateRange | Range | True | | | The high and low values of a medication’s rate of infusion.
Bundle.entry.resource.MedicationDispense.dosageInstruction.route | CodeableConcept | True | | | The medication route.
Bundle.entry.resource.MedicationDispense.dosageInstruction.text | string | True | | | The medication instructions.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing | Timing | True | | | Element to describe timing.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat | BackboneElement | False | | | Element indicating an event that occurs multiple times.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.boundsPeriod | Period | True | | | The start and end dates for the medication.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.duration | decimal | True | | | The medication duration. If duration is expressed as a range, this element is populated with the minimum duration.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.durationMax | decimal | True | | | If duration is expressed as a range, this element is populated with the maximum duration.

Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.frequency | integer | True | | | The frequency.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.period | decimal | True | | | The period.
Bundle.entry.resource.MedicationDispense.dosageInstruction.timing.repeat.when | code | True | | | The administration timing.
Bundle.entry.resource.MedicationDispense.identifier | Identifier | True | Yes | | The order ID.
Bundle.entry.resource.MedicationDispense.medicationReference | Reference | False | | | The FHIR ID representation of the ordered medication.
Bundle.entry.resource.MedicationDispense.meta | Meta | True | | | The document metadata.
Bundle.entry.resource.MedicationDispense.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-AdministrationAgreement
Bundle.entry.resource.MedicationDispense.performer | Performer | True | Yes | | The organization where the medication was verified.
Bundle.entry.resource.MedicationDispense.performer.actor | Reference | False | | | The organization where the medication was verified.
Bundle.entry.resource.MedicationDispense.extension (also: periodOfUse) | Extension | False | Yes | | The start and end dates for the medication.
Bundle.entry.resource.MedicationDispense.status | String | True | | | The status of the medication dispense. Can be either: Completed Entered-in-error
Bundle.entry.resource.MedicationDispense.extension (also: stopType) | Extension | False | Yes | | Indicates whether a medication is temporarily or permanently inactive.
Bundle.entry.resource.MedicationDispense.subject | Reference | False | | | The patient who the medication is being dispensed to.
Bundle.entry.resource.MedicationDispense.extension (also: usageDuration) | Extension | False | Yes | | The duration of a medication's use.

Sample request

```
https://hostname/instance/api/FHIR/STU3/MedicationDispense?patient=eRS6OIT4kpTEfLcud3Axh1w3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/MedicationDispense?patient=eRS6OIT4kpTEfLcud3Axh1w3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/MedicationDispense/eG5E5vxkNjsZbn0WRnyH0OQ3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/MedicationDispense/eG5E5vxkNjsZbn0WRnyH0OQ3",
      "resource": {
        "resourceType": "MedicationDispense",
        "id": "eG5E5vxkNjsZbn0WRnyH0OQ3",
        "meta": {
          "profile": [
            "http://nictiz.nl/fhir/StructureDefinition/zib-AdministrationAgreement"
          ]
        },
        "extension": [
          {
            "valueDateTime": "2021-10-19T20:38:25Z",
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-AdministrationAgreement-AuthoredOn"
          },
          {
            "valuePeriod": {
              "start": "2021-10-19T20:15:00Z",
              "end": "2021-10-29T13:59:00Z"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-Medication-PeriodOfUse"
          },
          {
            "valueDuration": {
              "value": 9.74,
              "unit": "days",
              "system": "http://unitsofmeasure.org",
              "code": "d"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration"
          }
        ],
        "identifier": [
          {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.51037.1.7.2.798268",
            "value": "8657"
          }
        ],
        "status": "active",
        "category": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
```

```
            "code": "422037009",
            "display": "Provider medication administration instructions (procedure)"
          },
          {
            "system": "http://terminology.hl7.org/fhir/CodeSystem/medicationdispense-category",
            "code": "inpatient",
            "display": "Inpatient"
          }
        ]
      },
      "medicationReference": {
        "reference":
  "https://hostname/instance/api/FHIR/STU3/Medication/eN58HovjbaI5LGDt8VbNhSPgGtqBGimgRL.rLo70VKQ.ZR4R2t6pK0rzrBIJS4IS
  h3",
        "display": "IBUPROFEN BRUISGRANULAAT 600MG"
      },
      "subject": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eRS6OIT4kpTEfLcud3Axh1w3",
        "display": "Jansen, J.L."
      },
      "context": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/eOC-VsvI9OdFVZHooIY1YcA3",
        "display": "Hospital Encounter"
      },
      "authorizingPrescription": [
        {
          "reference": "https://hostname/instance/api/FHIR/STU3/MedicationRequest/eYdHQRllcxTxp7ldT3YMbBA3",
          "display": "ibuprofen (BRUFEN) bruisgranulaat BRUISGRANULA 600 mg"
        }
      ],
      "dosageInstruction": [
        {
          "extension": [
            {
              "valueQuantity": {
                "value": 600,
                "unit": "mg",
                "system": "http://unitsofmeasure.org",
                "code": "mg"
              },
              "url": "https://open.epic.com/fhir/extensions/ordered-dose"
            }
          ],
          "text": "600 mg, ORAAL, DAILY, 10 doses, First dose on di 19-10-21 at 15:15, Last dose on do 28-10-21 at
  09:00",
          "timing": {
            "repeat": {
              "boundsPeriod": {
                "start": "2021-10-19T20:15:00Z",
                "end": "2021-10-29T13:59:00Z"
              },
              "count": 10,
              "frequency": 1,
              "period": 1,
              "periodUnit": "d"
            },
            "code": {
              "text": "once a day"
            }
          },
          "asNeededBoolean": false,
          "route": {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.51037.1.7.4.798268.7025",
                "code": "8",
                "display": "ORAAL"
              }
            ],
            "text": "ORAAL"
          }
        }
      ]
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


12.2.10 MedicationRequest.Read (Signed Medication Order) (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/490-MedicationRequest-Read-Signed-Medication-Order-STU3.html
Epic API ID | 490
FHIR version | STU3
Categories | Clinical Medications

API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2018
HTTP method | GET
URL template | api/FHIR/STU3/MedicationRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=490

Description

The Read interaction enables the look up of a MedicationRequest resource by a constant server ID. This resource can read various types of medication orders including prescriptions, inpatient-ordered medications, and clinic-administered medications (CAMS).

The Read interaction allows clients to store only the server ID, and with a single request, retrieve the most up-to-date result data on a patient. Read interactions typically begin with a client having previously established a relationship, often through querying for MedicationRequests through the Search interaction.

Organizations in the Netherlands can use this resource to satisfy the requirements of the MedicationAgreement profile.

Consider the following chart when determining what resource to use when identifying medications a patient is taking or has taken. When creating a new application, it is recommended to use the latest FHIR version available.

Resource | Inpatient Orders? | Outpatient Orders? | Patient-Reported Medications?
MedicationOrder (DSTU2) | Yes | Yes | No
MedicationStatement (DSTU2) | Yes | Yes | Yes
MedicationRequest (STU3) | Yes | Yes | No
MedicationStatement (STU3) | Yes | Yes | Yes
MedicationRequest (Signed Medication Order) (R4) | Yes | Yes | Yes

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | A MedicationRequest FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationRequest (STU3) | MedicationRequest
MedicationRequest (STU3).authoredOn | dateTime | | | 1..1 | The date the prescription was written.
MedicationRequest (STU3).category | CodeableConcept | | | 1..1 | Type of medication usage. There are three categories: Supported Category Description Inpatient Orders administered during an admission Outpatient Clinic-administered medications (CAMs) Community Prescriptions
Supported Category | Description
Inpatient | Orders administered during an admission
Outpatient | Clinic-administered medications (CAMs)
Community | Prescriptions
MedicationRequest (STU3).contained | ResourceContainer | | Yes | 0..* | Contains resources referenced in supportingInformation.
MedicationRequest (STU3).dispenseRequest | BackboneElement | | | 0..1 | This element returns dispense details associated with the order.
MedicationRequest (STU3).dispenseRequest.expectedSupplyDuration | Duration | | | 0..1 | The duration in days that the dispensed quantity is expected to last.
MedicationRequest (STU3).dispenseRequest.numberOfRepeatsAllowed | positiveInt | | | 0..1 | The number of discrete refills for the medication.
MedicationRequest (STU3).dispenseRequest.quantity | Quantity | | | 1..1 | The quantity of the medication to be dispensed.
MedicationRequest (STU3).dispenseRequest.validityPeriod | Period | | | 1..1 | The period during which the prescription can be dispensed.
MedicationRequest (STU3).dosageInstruction | Dosage | | Yes | 1..* | Indicates how the medication is to be used by the patient.
MedicationRequest (STU3).dosageInstruction.additionalInstruction | CodeableConcept | | Yes | 0..* | Administration instructions for the medication.
MedicationRequest (STU3).dosageInstruction.asNeededBoolean | boolean | | | 0..1 | Indicates whether the medication should only be taken as needed.
MedicationRequest (STU3).dosageInstruction.doseQuantity | Quantity | | | 0..1 | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.
MedicationRequest (STU3).dosageInstruction.doseRange | Range | | | 0..1 | The lower and upper bounds of a range of acceptable doses, if applicable. For example, if the dose were 1-2 tablets, this would indicate a lower bound of 1 tablet and an upper bound of 2 tablets.
MedicationRequest (STU3).dosageInstruction.extension (admin-amount) (also: extension (admin-amount)) | Extension | | Yes | 0..* | The administered amount. URL: https://open.epic.com/fhir/extensions/admin-amount
MedicationRequest (STU3).dosageInstruction.extension (ordered-dose) (also: extension (ordered-dose)) | Extension | | Yes | 0..1 | The ordered dose. URL: https://open.epic.com/fhir/extensions/ordered-dose
MedicationRequest (STU3).dosageInstruction.method | CodeableConcept | | | 0..1 | The dose delivery method.
MedicationRequest (STU3).dosageInstruction.patientInstruction | string | | | 0..1 | Patient-facing instructions for the prescription, also known as the patient sig.
MedicationRequest (STU3).dosageInstruction.rateQuantity | Quantity | | | 0..1 | Amount of medication per unit of time. Used when the rate is a discrete value.

MedicationRequest (STU3).dosageInstruction.rateRange | Range | | | 0..1 | Amount of medication per unit of time. Used when the rate is a range.
MedicationRequest (STU3).dosageInstruction.route | CodeableConcept | | | 0..1 | The medication route.
MedicationRequest (STU3).dosageInstruction.sequence | integer | | | 0..1 | A number indicating the sequence of the dosage, populated only if the order has multiple dosage parts or periods, such as a taper or ramp.
MedicationRequest (STU3).dosageInstruction.text | string | | | 0..1 | The patient instructions for the prescription. Starting in the August 2025 version of Epic (May 2025, February 2025, November 2024, and August 2024 with special updates), this includes the hold summary for paused outpatient orders.
MedicationRequest (STU3).dosageInstruction.timing | Timing | | | 1..1 | Timing information.
MedicationRequest (STU3).dosageInstruction.timing.repeat | BackboneElement | | | 1..1 | Element indicating an event that occurs multiple times.
MedicationRequest (STU3).dosageInstruction.timing.repeat.boundsPeriod | Period | | | 1..1 | The start and end dates for the medication.
MedicationRequest (STU3).dosageInstruction.timing.repeat.count | integer | | | 0..1 | The number of doses that should be given or taken.
MedicationRequest (STU3).dosageInstruction.timing.repeat.countMax | integer | | | 0..1 | The maximum number of doses that should be given or taken.
MedicationRequest (STU3).dosageInstruction.timing.repeat.dayOfWeek | code | | Yes | 0..* | The days of the week when the medication should be given or taken. Not populated if the order is an inpatient order.
MedicationRequest (STU3).dosageInstruction.timing.repeat.duration | decimal | | | 0..1 | The administration duration (that is, the amount of time over which the dose should be administered whenever it is given).
MedicationRequest (STU3).dosageInstruction.timing.repeat.durationMax | decimal | | | 0..1 | The maximum administration duration (that is, the maximum amount of time over which the dose should be administered whenever it is given). Populated if administration duration is ranged. Not populated for orders with multiple dosage periods.
MedicationRequest (STU3).dosageInstruction.timing.repeat.durationUnit | code | | | 0..1 | The unit of the duration and durationMax elements.
MedicationRequest (STU3).dosageInstruction.timing.repeat.frequency | integer | | | 0..1 | The number of times per period that this dosage should be taken or given. For example, if the order is given 3 times per day, this would be 3.
MedicationRequest (STU3).dosageInstruction.timing.repeat.period | decimal | | | 0..1 | The period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be 1 (day).
MedicationRequest (STU3).dosageInstruction.timing.repeat.periodUnit | code | | | 0..1 | The unit of the period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be days.
MedicationRequest (STU3).dosageInstruction.timing.repeat.timeOfDay | time | | Yes | 0..* | The times of day when the medication should be taken or given. Not populated if the order is an inpatient order.
MedicationRequest (STU3).dosageInstruction.timing.repeat.when | code | | Yes | 0..* | An EventTiming during which the administration should occur.
MedicationRequest (STU3).extension (periodOfUse) (also: extension (periodOfUse)) | Extension | | Yes | 1..1 | The period during which a medication was used. URL: http://nictiz.nl/fhir/StructureDefinition/zib-Medication-PeriodOfUse
MedicationRequest (STU3).extension (usageDuration) (also: extension (usageDuration)) | Extension | | Yes | 0..1 | Returns the total duration in days for active non-long-term medications that have an end date. This extension is returned only in the Netherlands. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration
MedicationRequest (STU3).groupIdentifier | Identifier | | | 0..1 | The group ID and index for linked orders.
MedicationRequest (STU3).identifier | Identifier | | Yes | 1..* | The order ID.
MedicationRequest (STU3).intent | code | | | 1..1 | Hardcoded to "order"
MedicationRequest (STU3).medicationReference | Reference | | | 1..1 | A reference to the Medication resource associated with the MedicationRequest.
MedicationRequest (STU3).modifierExtension (stopType) (also: modifierExtension (stopType)) | Extension | | Yes | 0..1 | Indicates whether the stopping of a medication is permanent or temporary. This element is meant for organizations in the Netherlands only. URL: http://nictiz.nl/fhir/StructureDefinition/zib-Medication-StopType
MedicationRequest (STU3).note | Annotation | | Yes | 0..* | Comments from the medication order and additional notes regarding linked orders. Comments are not returned to patients. Starting in the August 2025 version of Epic (May 2025, February 2025, November 2024, and August 2024 with special updates), if the medication is paused, a discrete note entry is returned that includes the text "Suspended by provider:" followed by text describing the pause duration.
MedicationRequest (STU3).priorPrescription | Reference | | | 0..1 | A reference to a MedicationRequest representing the order from which this order was reordered.
MedicationRequest (STU3).recorder | Reference | | | 1..1 | A reference to a Practitioner resource representing the provider or user who ordered this medication.
MedicationRequest (STU3).requester | BackboneElement | | | 1..1 | A reference to a Practitioner resource representing the requester, which is the provider who authorized or ordered the medication.
MedicationRequest (STU3).requester.agent | Reference | | | 1..1 | The healthcare professional responsible for authorizing the initial prescription.
MedicationRequest (STU3).status | code | | | 1..1 | The status of the medication request.
MedicationRequest (STU3).subject | Reference | | | 1..1 | A reference to a Patient resource representing who the MedicationRequest is for.
MedicationRequest (STU3).substitution | BackboneElement | | | 0..1 | Indicates whether medication substitution is allowed to occur. If not sent, then substitution is allowed.
MedicationRequest (STU3).substitution.allowed | boolean | | | 1..1 | Returns False if the medication should not be substituted when it is dispensed.
MedicationRequest (STU3).supportingInformation | Reference | | Yes | 0..* | Contains references to resources providing information to support the fulfillment of the request for linked orders. Can also contain height and weight information.

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/MedicationRequest/entZt.xSruDg3SGlvCl00KuMolVujwYsvXa1PnCZLXsw3
```

Sample response


```
{
  "resourceType": "MedicationRequest",
  "id": "entZt.xSruDg3SGlvCl00KuMolVujwYsvXa1PnCZLXsw3",
  "extension": [
    {
      "valuePeriod": {
        "start": "2026-03-27T14:35:00Z",
        "end": "2026-07-05T13:59:00Z"
      },
```

```
    "url": "http://nictiz.nl/fhir/StructureDefinition/zib-Medication-PeriodOfUse"
  }
],
"identifier": [
  {
    "use": "usual",
    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268",
    "value": "1021534649"
  }
],
"status": "active",
"intent": "order",
"category": {
  "coding": [
    {
      "system": "http://hl7.org/fhir/medication-request-category",
      "code": "inpatient",
      "display": "Inpatient"
    }
  ],
  "text": "Inpatient"
},
"medicationReference": {
  "reference": "https://hostname/instance/api/FHIR/STU3/Medication/eOaFWTPaR43DhEqt0BEPm3Q7vbZPCA92prAGDXeIJDZG-
  Gq7BorXzcgtLUAcTPUxf0aY8yVRIIV.OLkc3aBFg3yvu2b7TQQzfDtCtwGKibFA3",
  "display": "selegiline (ELDEPRYL) capsule 5 mg"
},
"subject": {
  "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eAnv7GcbNgC4ojmucnzeaWA3",
  "display": "Friend, FHIR"
},
"authoredOn": "2026-03-27T14:34:45Z",
"requester": {
  "agent": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/euJOUNeZyX6mofWELWG0Ibg3",
    "display": "Starter Provider, MD"
  }
},
"recorder": {
  "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/euJOUNeZyX6mofWELWG0Ibg3",
  "display": "Starter Provider, MD"
},
"dosageInstruction": [
  {
    "extension": [
      {
        "valueQuantity": {
          "value": 1,
          "unit": "capsule",
          "system": "http://unitsofmeasure.org",
          "code": "{capsule}"
        },
        "url": "https://open.epic.com/fhir/extensions/admin-amount"
      },
      {
        "valueQuantity": {
          "value": 5,
          "unit": "mg",
          "system": "http://unitsofmeasure.org",
          "code": "mg"
        },
        "url": "https://open.epic.com/fhir/extensions/ordered-dose"
      }
    ],
    "timing": {
      "repeat": {
        "boundsPeriod": {
          "start": "2026-03-27T14:35:00Z",
          "end": "2026-07-05T13:59:00Z"
        },
        "count": 200,
        "frequency": 2,
        "period": 1,
        "periodUnit": "d"
      },
      "code": {
        "text": "0900 & 1800"
      }
    },
    "asNeededBoolean": false,
    "route": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "260548002",
          "display": "Oral (qualifier value)"
        },
        {
          "system": "http://snomed.info/sct",
```

```
            "code": "26643006",
            "display": "Oral route (qualifier value)"
          },
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.798268.7025",
            "code": "15",
            "display": "Oral"
          }
        ],
        "text": "Oral"
      },
      "doseQuantity": {
        "value": 5,
        "unit": "mg",
        "system": "http://unitsofmeasure.org",
        "code": "mg"
      }
    }
  ],
  "priorPrescription": {
    "reference":
    "https://hostname/instance/api/FHIR/STU3/MedicationRequest/ek3ILlys6nr2rsY9RAfcZYtj.jp4zQF8SFGYmZjJMQYA3",
    "display": "selegiline (ELDEPRYL) capsule 5 mg"
  }
}
```


12.2.11 MedicationRequest.Search (Signed Medication Order) (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/491-MedicationRequest-Search-Signed-Medication-Order-STU3.html
Epic API ID | 491
FHIR version | STU3
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2018
HTTP method | GET
URL template | api/FHIR/STU3/MedicationRequest?patient={patient}&status={status}&subject={subject}&category={category}&authoredOn={authoredOn}&date={date}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=491

Description

You can use the Search interaction to query for medication orders based on a patient and optionally status or category. This resource can return various types of medications including prescriptions, inpatient-ordered medications, and clinic-administered medications (CAMS).

The STU3 version of this resource does not return patient-reported medications. To report on patient-reported medications, use the STU3 MedicationStatement resource or R4 MedicationRequest resource.

Organizations in the Netherlands can use this resource to fully satisfy the requirements of the MedicationAgreement profile.

Consider the following chart when determining what resource to use when identifying medications a patient is taking or has taken. When creating a new application, it is recommended to use the latest FHIR version available.

Resource | Inpatient Orders? | Outpatient Orders? | Patient-Reported Medications?
MedicationOrder (DSTU2) | Yes | Yes | No
MedicationStatement (DSTU2) | Yes | Yes | Yes
MedicationRequest (STU3) | Yes | Yes | No
MedicationStatement (STU3) | Yes | Yes | Yes
MedicationRequest (Signed Medication Orders) (R4) | Yes | Yes | Yes

Request parameters

Name | Type | Optional | Array | Cardinality | Description
authoredon | date | Optional | Yes | | This parameter is allowed, but ignored.
category | token | Optional | Yes | | The category of medication orders to search for. By default, all categories are searched. Supported Category Description Inpatient Orders administered during an admission Outpatient Clinic-administered medications (CAMs) Community Prescriptions
Supported Category | Description
Inpatient | Orders administered during an admission
Outpatient | Clinic-administered medications (CAMs)
Community | Prescriptions

date | date | Optional | Yes | | The medication administration date. This parameter corresponds to the dosageInstruction.timing.repeat.boundsPeriod element. Medication orders that do not have start and end dates within the search parameter dates are filtered. If the environment supports multiple time zones, the search dates are adjusted one day in both directions, so more medications might be returned than expected. Use caution when filtering a medication list by date as it is possible to filter out important active medications.
patient | reference | Conditional | Yes | | The FHIR Patient ID. Either this element or Subject is required.
status | token | Optional | Yes | | The status for medication orders. By default, active is assumed. Active must be present in all searches (you cannot search for just completed meds). In the Netherlands, all statuses are returned by default and active does not have to be present in all searches. Supported statuses: * on-hold * completed * stopped * active
subject | reference | Conditional | Yes | | The FHIR patient ID. Either this element or Patient is required.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationRequest (STU3) | MedicationRequest
MedicationRequest (STU3).authoredOn | dateTime | | | 1..1 | The date the prescription was written.
MedicationRequest (STU3).category | CodeableConcept | | | 1..1 | Type of medication usage. There are three categories: Supported Category Description Inpatient Orders administered during an admission Outpatient Clinic-administered medications (CAMs) Community Prescriptions
Supported Category | Description
Inpatient | Orders administered during an admission
Outpatient | Clinic-administered medications (CAMs)
Community | Prescriptions
MedicationRequest (STU3).contained | ResourceContainer | | Yes | 0..* | Contains resources referenced in supportingInformation.
MedicationRequest (STU3).dispenseRequest | BackboneElement | | | 0..1 | This element returns dispense details associated with the order.
MedicationRequest (STU3).dispenseRequest.expectedSupplyDuration | Duration | | | 0..1 | The duration in days that the dispensed quantity is expected to last.
MedicationRequest (STU3).dispenseRequest.numberOfRepeatsAllowed | positiveInt | | | 0..1 | The number of discrete refills for the medication.
MedicationRequest (STU3).dispenseRequest.quantity | Quantity | | | 1..1 | The quantity of the medication to be dispensed.
MedicationRequest (STU3).dispenseRequest.validityPeriod | Period | | | 1..1 | The period during which the prescription can be dispensed.
MedicationRequest (STU3).dosageInstruction | Dosage | | Yes | 1..* | Indicates how the medication is to be used by the patient.
MedicationRequest (STU3).dosageInstruction.additionalInstruction | CodeableConcept | | Yes | 0..* | Administration instructions for the medication.
MedicationRequest (STU3).dosageInstruction.asNeededBoolean | boolean | | | 0..1 | Indicates whether the medication should only be taken as needed.
MedicationRequest (STU3).dosageInstruction.doseQuantity | Quantity | | | 0..1 | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.
MedicationRequest (STU3).dosageInstruction.doseRange | Range | | | 0..1 | The lower and upper bounds of a range of acceptable doses, if applicable. For example, if the dose were 1-2 tablets, this would indicate a lower bound of 1 tablet and an upper bound of 2 tablets.
MedicationRequest (STU3).dosageInstruction.extension (admin-amount) (also: extension (admin-amount)) | Extension | | Yes | 0..* | The administered amount. URL: https://open.epic.com/fhir/extensions/admin-amount
MedicationRequest (STU3).dosageInstruction.extension (ordered-dose) (also: extension (ordered-dose)) | Extension | | Yes | 0..1 | The ordered dose. URL: https://open.epic.com/fhir/extensions/ordered-dose
MedicationRequest (STU3).dosageInstruction.method | CodeableConcept | | | 0..1 | The dose delivery method.
MedicationRequest (STU3).dosageInstruction.patientInstruction | string | | | 0..1 | Patient-facing instructions for the prescription, also known as the patient sig.
MedicationRequest (STU3).dosageInstruction.rateQuantity | Quantity | | | 0..1 | Amount of medication per unit of time. Used when the rate is a discrete value.
MedicationRequest (STU3).dosageInstruction.rateRange | Range | | | 0..1 | Amount of medication per unit of time. Used when the rate is a range.
MedicationRequest (STU3).dosageInstruction.route | CodeableConcept | | | 0..1 | The medication route.
MedicationRequest (STU3).dosageInstruction.sequence | integer | | | 0..1 | A number indicating the sequence of the dosage, populated only if the order has multiple dosage parts or periods, such as a taper or ramp.
MedicationRequest (STU3).dosageInstruction.text | string | | | 0..1 | The patient instructions for the prescription. Starting in the August 2025 version of Epic (May 2025, February 2025, November 2024, and August 2024 with special updates), this includes the hold summary for paused outpatient orders.
MedicationRequest (STU3).dosageInstruction.timing | Timing | | | 1..1 | Timing information.
MedicationRequest (STU3).dosageInstruction.timing.repeat | BackboneElement | | | 1..1 | Element indicating an event that occurs multiple times.
MedicationRequest (STU3).dosageInstruction.timing.repeat.boundsPeriod | Period | | | 1..1 | The start and end dates for the medication.
MedicationRequest (STU3).dosageInstruction.timing.repeat.count | integer | | | 0..1 | The number of doses that should be given or taken.
MedicationRequest (STU3).dosageInstruction.timing.repeat.countMax | integer | | | 0..1 | The maximum number of doses that should be given or taken.
MedicationRequest (STU3).dosageInstruction.timing.repeat.dayOfWeek | code | | Yes | 0..* | The days of the week when the medication should be given or taken. Not populated if the order is an inpatient order.
MedicationRequest (STU3).dosageInstruction.timing.repeat.duration | decimal | | | 0..1 | The administration duration (that is, the amount of time over which the dose should be administered whenever it is given).
MedicationRequest (STU3).dosageInstruction.timing.repeat.durationMax | decimal | | | 0..1 | The maximum administration duration (that is, the maximum amount of time over which the dose should be administered whenever it is given). Populated if administration duration is ranged. Not populated for orders with multiple dosage periods.
MedicationRequest (STU3).dosageInstruction.timing.repeat.durationUnit | code | | | 0..1 | The unit of the duration and durationMax elements.
MedicationRequest (STU3).dosageInstruction.timing.repeat.frequency | integer | | | 0..1 | The number of times per period that this dosage should be taken or given. For example, if the order is given 3 times per day, this would be 3.
MedicationRequest (STU3).dosageInstruction.timing.repeat.period | decimal | | | 0..1 | The period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be 1 (day).
MedicationRequest (STU3).dosageInstruction.timing.repeat.periodUnit | code | | | 0..1 | The unit of the period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be days.
MedicationRequest (STU3).dosageInstruction.timing.repeat.timeOfDay | time | | Yes | 0..* | The times of day when the medication should be taken or given. Not populated if the order is an inpatient order.
MedicationRequest (STU3).dosageInstruction.timing.repeat.when | code | | Yes | 0..* | An EventTiming during which the administration should occur.

MedicationRequest (STU3).extension (periodOfUse) (also: extension (periodOfUse)) | Extension | | Yes | 1..1 | The period during which a medication was used. URL: http://nictiz.nl/fhir/StructureDefinition/zib-Medication-PeriodOfUse

MedicationRequest (STU3).extension (usageDuration) (also: extension (usageDuration)) | Extension | | Yes | 0..1 | Returns the total duration in days for active non-long-term medications that have an end date. This extension is returned only in the Netherlands. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration

MedicationRequest (STU3).groupIdentifier | Identifier | | | 0..1 | The group ID and index for linked orders.

MedicationRequest (STU3).identifier | Identifier | | Yes | 1..* | The order ID.

MedicationRequest (STU3).intent | code | | | 1..1 | Hardcoded to "order"

MedicationRequest (STU3).medicationReference | Reference | | | 1..1 | A reference to the Medication resource associated with the MedicationRequest.

MedicationRequest (STU3).modifierExtension (stopType) (also: modifierExtension (stopType)) | Extension | | Yes | 0..1 | Indicates whether the stopping of a medication is permanent or temporary. This element is meant for organizations in the Netherlands only. URL: http://nictiz.nl/fhir/StructureDefinition/zib-Medication-StopType

MedicationRequest (STU3).note | Annotation | | Yes | 0..* | Comments from the medication order and additional notes regarding linked orders. Comments are not returned to patients. Starting in the August 2025 version of Epic (May 2025, February 2025, November 2024, and August 2024 with special updates), if the medication is paused, a discrete note entry is returned that includes the text "Suspended by provider:" followed by text describing the pause duration.

MedicationRequest (STU3).priorPrescription | Reference | | | 0..1 | A reference to a MedicationRequest representing the order from which this order was reordered.

MedicationRequest (STU3).recorder | Reference | | | 1..1 | A reference to a Practitioner resource representing the provider or user who ordered this medication.

MedicationRequest (STU3).requester | BackboneElement | | | 1..1 | A reference to a Practitioner resource representing the requester, which is the provider who authorized or ordered the medication.

MedicationRequest (STU3).requester.agent | Reference | | | 1..1 | The healthcare professional responsible for authorizing the initial prescription.

MedicationRequest (STU3).status | code | | | 1..1 | The status of the medication request.

MedicationRequest (STU3).subject | Reference | | | 1..1 | A reference to a Patient resource representing who the MedicationRequest is for.

MedicationRequest (STU3).substitution | BackboneElement | | | 0..1 | Indicates whether medication substitution is allowed to occur. If not sent, then substitution is allowed.

MedicationRequest (STU3).substitution.allowed | boolean | | | 1..1 | Returns False if the medication should not be substituted when it is dispensed.

MedicationRequest (STU3).supportingInformation | Reference | | Yes | 0..* | Contains references to resources providing information to support the fulfillment of the request for linked orders. Can also contain height and weight information.

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/MedicationRequest?patient=eAnv7GcbNgC4ojmucnzeaWA3&status=active
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/MedicationRequest?patient=eAnv7GcbNgC4ojmucnzeaWA3&status=active"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url":
    "https://hostname/instance/api/FHIR/STU3/MedicationRequest/entZt.xSruDg3SGlvCl00KuMolVujwYsvXa1PnCZLXsw3"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/STU3/MedicationRequest/entZt.xSruDg3SGlvCl00KuMolVujwYsvXa1PnCZLXsw3",
      "resource": {
        "resourceType": "MedicationRequest",
        "id": "entZt.xSruDg3SGlvCl00KuMolVujwYsvXa1PnCZLXsw3",
        "extension": [
          {
            "valuePeriod": {
              "start": "2026-03-27T14:35:00Z",
              "end": "2026-07-05T13:59:00Z"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-Medication-PeriodOfUse"
          }
        ],
        "identifier": [
          {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268",
            "value": "1021534649"
          }
        ],
        "status": "active",
        "intent": "order",
        "category": {
          "coding": [
            {
```

```
          "system": "http://hl7.org/fhir/medication-request-category",
          "code": "inpatient",
          "display": "Inpatient"
        }
      ],
      "text": "Inpatient"
    },
    "medicationReference": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Medication/eOaFWTPaR43DhEqt0BEPm3Q7vbZPCA92prAGDXeIJDZG-
Gq7BorXzcgtLUAcTPUxf0aY8yVRIIV.OLkc3aBFg3yvu2b7TQQzfDtCtwGKibFA3",
      "display": "selegiline (ELDEPRYL) capsule 5 mg"
    },
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eAnv7GcbNgC4ojmucnzeaWA3",
      "display": "Friend, FHIR"
    },
    "authoredOn": "2026-03-27T14:34:45Z",
    "requester": {
      "agent": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/euJOUNeZyX6mofWELWG0Ibg3",
        "display": "Starter Provider, MD"
      }
    },
    "recorder": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/euJOUNeZyX6mofWELWG0Ibg3",
      "display": "Starter Provider, MD"
    },
    "dosageInstruction": [
      {
        "extension": [
          {
            "valueQuantity": {
              "value": 1,
              "unit": "capsule",
              "system": "http://unitsofmeasure.org",
              "code": "{capsule}"
            },
            "url": "https://open.epic.com/fhir/extensions/admin-amount"
          },
          {
            "valueQuantity": {
              "value": 5,
              "unit": "mg",
              "system": "http://unitsofmeasure.org",
              "code": "mg"
            },
            "url": "https://open.epic.com/fhir/extensions/ordered-dose"
          }
        ],
        "timing": {
          "repeat": {
            "boundsPeriod": {
              "start": "2026-03-27T14:35:00Z",
              "end": "2026-07-05T13:59:00Z"
            },
            "count": 200,
            "frequency": 2,
            "period": 1,
            "periodUnit": "d"
          },
          "code": {
            "text": "0900 & 1800"
          }
        },
        "asNeededBoolean": false,
        "route": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "260548002",
              "display": "Oral (qualifier value)"
            },
            {
              "system": "http://snomed.info/sct",
              "code": "26643006",
              "display": "Oral route (qualifier value)"
            },
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.798268.7025",
              "code": "15",
              "display": "Oral"
            }
          ],
          "text": "Oral"
        },
        "doseQuantity": {
          "value": 5,
          "unit": "mg",
          "system": "http://unitsofmeasure.org",
```

```
            "code": "mg"
          }
        }
      ],
      "priorPrescription": {
        "reference":
   "https://hostname/instance/api/FHIR/STU3/MedicationRequest/ek3ILlys6nr2rsY9RAfcZYtj.jp4zQF8SFGYmZjJMQYA3",
        "display": "selegiline (ELDEPRYL) capsule 5 mg"
      }
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


12.2.12 MedicationStatement.Read (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/492-MedicationStatement-Read-STU3.html
Epic API ID | 492
FHIR version | STU3
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2018
HTTP method | GET
URL template | api/FHIR/STU3/MedicationStatement/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=492

Description

The MedicationStatement resource represents all medications a patient is taking, be it those ordered in the EMR or reported externally by either another organization or the patient themselves. The MedicationStatement resource information reflects the details about how the patient is actually taking the medication even if it differs from what was ordered.

Organizations in the Netherlands can use this resource to satisfy the requirements of the MedicationUse profile.

Resources

Consider the following chart when determining what resource to use when identifying medications a patient is taking. When creating a new application, it is recommended to use the latest FHIR version available.

Resource | Inpatient Orders? | Outpatient Orders? | Patient Reported Medications?
MedicationOrder (DSTU2) | Yes | Yes | No
MedicationStatement (DSTU2) | Yes | Yes | Yes
MedicationRequest (STU3) | Yes | Yes | No
MedicationStatement (STU3) | Yes | Yes | Yes
MedicationRequest (Orders) (R4) | Yes | Yes | Yes

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The MedicationStatement FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationStatement (STU3) | MedicationStatement
MedicationStatement (STU3).basedOn | Reference | | Yes | 1..* | The MedicationRequest resource that is associated with this MedicationStatement, if applicable.
MedicationStatement (STU3).category | CodeableConcept | | | 1..1 | The category of the medication order. Supported Category Description inpatient Orders administered during an admission outpatient Clinic-administered medication (CAMs) community Prescriptions patientspecified Patient-reported or historical medications
Supported Category | Description
inpatient | Orders administered during an admission
outpatient | Clinic-administered medication (CAMs)
community | Prescriptions
patientspecified | Patient-reported or historical medications
MedicationStatement (STU3).dateAsserted | dateTime | | | 1..1 | The date the prescription was written or reported.
MedicationStatement (STU3).dosage | Dosage | | Yes | 1..* | Dosage details.

MedicationStatement (STU3).dosage.additionalInstruction | CodeableConcept | | Yes | 0..* | Administration instructions for the medication. For organizations in the Netherlands environments, the patient-reported sig is also included.

MedicationStatement (STU3).dosage.asNeededBoolean | boolean | | | 0..1 | Indicates whether the medication should only be taken as needed, as in whether the order is PRN.

MedicationStatement (STU3).dosage.doseQuantity | Quantity | | | 0..1 | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.

MedicationStatement (STU3).dosage.doseRange | Range | | | 0..1 | The lower and upper bounds of a range of acceptable doses, if applicable. For example, if the dose were 1-2 tablets, this would indicate a lower bound of 1 tablet and an upper bound of 2 tablet.

MedicationStatement (STU3).dosage.extension (admin-amount) (also: extension (admin-amount)) | Extension | | Yes | 0..1 | The magnitude of the administration amount of the specified part of the specified dosage period. URL: https://open.epic.com/fhir/extensions/admin-amount

MedicationStatement (STU3).dosage.extension (Duration) (also: extension (Duration)) | Extension | | Yes | 1..* | Returns the total duration in days for active non-long-term medications that have an end date. This extension is used only in the Netherlands starting in February 2023. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration

MedicationStatement (STU3).dosage.extension (ordered-dose) (also: extension (ordered-dose)) | Extension | | Yes | 0..1 | The magnitude of the ordered dose of the specified part of the specified dosage period. URL: https://open.epic.com/fhir/extensions/ordered-dose

MedicationStatement (STU3).dosage.method | CodeableConcept | | | 0..1 | The dose delivery method.

MedicationStatement (STU3).dosage.patientInstruction | string | | | 0..1 | The patient instructions, also known as the sig, for the prescription, as well as patient-reported sig details, if applicable.

MedicationStatement (STU3).dosage.rateQuantity | Quantity | | | 0..1 | Amount of medication per unit of time. Used when the rate is a discrete value.

MedicationStatement (STU3).dosage.rateRange | Range | | | 0..1 | Amount of medication per unit of time. Used when the rate is a range.

MedicationStatement (STU3).dosage.route | CodeableConcept | | | 1..1 | The medication route. Can return a mapped code and the Epic defined value for route.

MedicationStatement (STU3).dosage.text | string | | | 1..1 | The patient instructions, also known as the sig, for the order.

MedicationStatement (STU3).dosage.timing | Timing | | | 0..1 | Timing information.

MedicationStatement (STU3).dosage.timing.code | CodeableConcept | | | | A code for the timing schedule.

MedicationStatement (STU3).dosage.timing.repeat | BackboneElement | | | 0..1 | Repeat occurrence information.

MedicationStatement (STU3).dosage.timing.repeat.boundsPeriod | Period | | | 0..1 | The period during which the dosage should be given or taken.

MedicationStatement (STU3).dosage.timing.repeat.count | integer | | | 0..1 | The number of doses that should be given or taken. Not populated if the order is PRN.

MedicationStatement (STU3).dosage.timing.repeat.countMax | integer | | | 0..1 | The maximum number of doses that should be given/taken. Only populated if the order is PRN.

MedicationStatement (STU3).dosage.timing.repeat.dayOfWeek | code | | Yes | 0..1 | The days of the week when the medication should be taken or given.

MedicationStatement (STU3).dosage.timing.repeat.duration | decimal | | | 0..1 | The administration duration, as in the amount of time over which the dose should be administered whenever it is given. If durationMax is populated, then this is the minimum administration duration.

MedicationStatement (STU3).dosage.timing.repeat.durationMax | decimal | | | 0..1 | The maximum administration duration, as in the maximum amount of time over which the dose should be administered whenever it is given.

MedicationStatement (STU3).dosage.timing.repeat.frequency | integer | | | 0..1 | The number of times per period that this dosage should be given or taken. For example, if the order is given 3 times per day, this would be 3.

MedicationStatement (STU3).dosage.timing.repeat.period | decimal | | | 0..1 | The period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be 1 (day).

MedicationStatement (STU3).dosage.timing.repeat.periodUnit | code | | | 1..1 | The unit of the period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be days.

MedicationStatement (STU3).dosage.timing.repeat.timeOfDay | time | | Yes | 1..1 | The times of day when the medication should be taken or given.

MedicationStatement (STU3).dosage.timing.repeat.when | code | | Yes | 1..1 | An EventTiming during which the administration should occur.

MedicationStatement (STU3).effectivePeriod | Period | | | 1..1 | The start and end date and time for the medication. If the medication is a prescription and is not discontinued, this element doesn't include an end date and time. In the Netherlands starting in February 2023, this element is extended with the total duration in days for active and non-long-term medications.

MedicationStatement (STU3).extension (asAgreedIndicator) (also: extension (asAgreedIndicator)) | Extension | | Yes | 0..1 | Indicates whether the medication is being used as outlined in the medication agreement. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-AsAgreedIndicator

MedicationStatement (STU3).extension (Duration) (also: extension (Duration)) | Extension | | Yes | 0..1 | Only used in the Netherlands in February 2023 or later. Returns the total duration in days for active non-long-term medications that have an end date. URL:http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration

MedicationStatement (STU3).extension (prescriber) (also: extension (prescriber)) | Extension | | Yes | 0..* | A reference to a Practitioner resource representing the health professional that entered the medication agreement with the patient, known as the authorizing provider. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Prescriber

MedicationStatement (STU3).extension (reasonForChangeOrDiscontinuationOfUse) (also: extension (reasonForChangeOrDiscontinuationOfUse)) | Extension | | Yes | | Information about why a med order was changed or discontinued. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-ReasonForChangeOrDiscontinuationOfUse

MedicationStatement (STU3).identifier | Identifier | | Yes | 1..* | The order ID.

MedicationStatement (STU3).informationSource | Reference | | | 0..1 | The Practioner resource associated with the ordering provider. If the medication is considered patient reported or has a patient taking differently sig, this element instead refers to the person or organization that provided the information about the taking of this medication.

MedicationStatement (STU3).medicationReference | Reference | | | 0..1 | A reference to the Medication resource associated with the MedicationRequest.

MedicationStatement (STU3).meta | Meta | | | 0..1 | The document metadata. Only applicable to organizations in the Netherlands.

MedicationStatement (STU3).meta.profile | String | | Yes | 0..1 | Available in Netherlands environments only. Indicates that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse

MedicationStatement (STU3).note | Annotation | | Yes | 0..* | Comments from the medication order, additional notes regarding linked orders, and patient-reported reasons for taking the medication differently.

MedicationStatement (STU3).status | code | | | 1..1 | The status of the MedicationRequest. These values can be returned: draft on-hold active stopped cancelled completed unknown

MedicationStatement (STU3).subject | Reference | | | 1..1 | A reference to a Patient resource representing who the medication request is for.

MedicationStatement (STU3).taken | code | | | 1..1 | This element is always set to unk, for unknown.

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/MedicationStatement/eLoY-ZU3sdwQonPwlN1iuDQ3
```

Sample response


```
{
  "resourceType": "MedicationStatement",
  "id": "eLoY-ZU3sdwQonPwlN1iuDQ3",
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.0.1.7.2.798268",
      "value": "795506"
    }
  ],
  "status": "on-hold",
  "category": {
    "coding": [
      {
        "system": "http://hl7.org/fhir/medication-statement-category",
        "code": "patientspecified",
        "display": "Patient Specified"
      }
    ],
    "text": "Patient Specified"
  },
  "medicationReference": {
    "reference":
    "https://hostname/instance/api/FHIR/STU3/Medication/eCVUWATktdzbe4twTCwnlM6o7eAt0wrEXtfvNnsB94rpVlHlWDwHeYPYf97MVGHb
    R3",
    "display": "loratadine (CLARITIN) tablet 10 mg"
  },
  "dateAsserted": "2012-11-29T22:54:39Z",
  "subject": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/enh2Q1c0oNRtWzXArnG4tKw3",
    "display": "M, FhirMan"
  },
  "taken": "unk",
  "dosage": [
    {
      "extension": [
        {
          "valueQuantity": {
            "value": 10,
            "unit": "mg",
            "system": "http://unitsofmeasure.org",
            "code": "mg"
          },
          "url": "https://open.epic.com/fhir/extensions/ordered-dose"
        }
      ],
      "text": "Take 10 mg by mouth daily.",
      "patientInstruction": "Take 10 mg by mouth daily.",
      "timing": {
        "repeat": {
          "timeOfDay": [
            "09:00:00"
          ]
        },
        "code": {
          "text": "0900"
        }
      },
      "asNeededBoolean": false,
      "route": {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "260548002",
            "display": "Oral (qualifier value)"
          },
          {
            "system": "urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.7025",
            "code": "15",
            "display": "Oral"
          }
        ],
        "text": "Oral"
      }
    }
  ]
}
```


12.2.13 MedicationStatement.Search (STU3)

File: site/apis/12-Clinical-Medications/2-STU3/493-MedicationStatement-Search-STU3.html
Epic API ID | 493

FHIR version | STU3
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2018
HTTP method | GET
URL template | api/FHIR/STU3/MedicationStatement?patient={patient}&subject={subject}&category={category}&status={status}&effective={effective}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=493

Description

The MedicationStatement resource represents all medications a patient is taking, be it those ordered in the EMR or reported externally by either another organization or the patient themselves. The MedicationStatement resource information reflects the details about how the patient is actually taking the medication even if it differs from what was ordered.

The search interaction enables you to query for medications based on a patient and optionally status or category. Only active medications are returned by default.

Starting in February 2023, medications of all statuses are returned for organizations in the Netherlands by default, and organizations in the Netherlands can use this resource to satisfy the requirements of the MedMij program.

Resources

Consider the following chart when determining what resource to use when identifying medications a patient is taking. When creating a new application, it is recommended to use the latest FHIR version available.

Resource | Inpatient Orders? | Outpatient Orders? | Patient Reported Medications?
MedicationOrder (DSTU2) | Yes | Yes | No
MedicationStatement (DSTU2) | Yes | Yes | Yes
MedicationRequest (STU3) | Yes | Yes | No
MedicationStatement (STU3) | Yes | Yes | Yes
MedicationRequest (Signed Medication Orders) (R4) | Yes | Yes | Yes

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count and _include. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
category | token | Optional | Yes | | The category of medication orders to search for. By default all categories are searched. Supported Category Description inpatient Orders administered during an admission outpatient Clinic-administered medication (CAMs) community Prescriptions patientspecified Patient-reported or historical medications urn:oid:2.16.840.1.113883.2.4.3.11.60.20.77.5.3|6 Only applicable to organizations in the Netherlands. Used to search on the "medicationUse" category. Equivalent to searching on community and patientspecified.
Supported Category | Description
inpatient | Orders administered during an admission
outpatient | Clinic-administered medication (CAMs)
community | Prescriptions
patientspecified | Patient-reported or historical medications
urn:oid:2.16.840.1.113883.2.4.3.11.60.20.77.5.3|6 | Only applicable to organizations in the Netherlands. Used to search on the "medicationUse" category. Equivalent to searching on community and patientspecified.
effective | date | Optional | Yes | | The date when the patient was taking the medication. This parameter corresponds to the MedicationStatement.effectivePeriod element. Medication orders that do not have start and end dates within the search parameter dates are filtered. If the environment supports multiple time zones, the search dates are adjusted one day in both directions, so more medications might be returned than expected. Use caution when filtering a medication list by effective date as it is possible to filter out important active medications. Starting in the November 2022 version of Epic, this parameter is respected. In May 2022 and earlier versions of Epic, this parameter is allowed, but is ignored and no date filtering is applied.
patient | reference | Conditional | Yes | | The FHIR Patient ID. Either this element or Subject is required.
status | token | Optional | Yes | | The status for medication orders. By default, active is assumed. Active must be present in all searches, so searching for only completed orders is not supported. In the Netherlands, all statuses are returned by default and active does not have to be present in all searches. Supported statuses: * on-hold * completed * stopped * active
subject | reference | Conditional | Yes | | The FHIR patient ID. Either this element or Patient is required.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationStatement (STU3) | MedicationStatement
MedicationStatement (STU3).basedOn | Reference | | Yes | 1..* | The MedicationRequest resource that is associated with this MedicationStatement, if applicable.

MedicationStatement (STU3).category | CodeableConcept | | | 1..1 | The category of the medication order. Supported Category Description inpatient Orders administered during an admission outpatient Clinic-administered medication (CAMs) community Prescriptions patientspecified Patient-reported or historical medications

Supported Category | Description

inpatient | Orders administered during an admission

outpatient | Clinic-administered medication (CAMs)

community | Prescriptions

patientspecified | Patient-reported or historical medications

MedicationStatement (STU3).dateAsserted | dateTime | | | 1..1 | The date the prescription was written or reported.

MedicationStatement (STU3).dosage | Dosage | | Yes | 1..* | Dosage details.

MedicationStatement (STU3).dosage.additionalInstruction | CodeableConcept | | Yes | 0..* | Administration instructions for the medication. For organizations in the Netherlands environments, the patient-reported sig is also included.

MedicationStatement (STU3).dosage.asNeededBoolean | boolean | | | 0..1 | Indicates whether the medication should only be taken as needed, as in whether the order is PRN.

MedicationStatement (STU3).dosage.doseQuantity | Quantity | | | 0..1 | Amount of medication per dose. The amount of therapeutic or other substance given at one administration event.

MedicationStatement (STU3).dosage.doseRange | Range | | | 0..1 | The lower and upper bounds of a range of acceptable doses, if applicable. For example, if the dose were 1-2 tablets, this would indicate a lower bound of 1 tablet and an upper bound of 2 tablet.

MedicationStatement (STU3).dosage.extension (admin-amount) (also: extension (admin-amount)) | Extension | | Yes | 0..1 | The magnitude of the administration amount of the specified part of the specified dosage period. URL: https://open.epic.com/fhir/extensions/admin-amount

MedicationStatement (STU3).dosage.extension (Duration) (also: extension (Duration)) | Extension | | Yes | 1..* | Returns the total duration in days for active non-long-term medications that have an end date. This extension is used only in the Netherlands starting in February 2023. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration

MedicationStatement (STU3).dosage.extension (ordered-dose) (also: extension (ordered-dose)) | Extension | | Yes | 0..1 | The magnitude of the ordered dose of the specified part of the specified dosage period. URL: https://open.epic.com/fhir/extensions/ordered-dose

MedicationStatement (STU3).dosage.method | CodeableConcept | | | 0..1 | The dose delivery method.

MedicationStatement (STU3).dosage.patientInstruction | string | | | 0..1 | The patient instructions, also known as the sig, for the prescription, as well as patient-reported sig details, if applicable.

MedicationStatement (STU3).dosage.rateQuantity | Quantity | | | 0..1 | Amount of medication per unit of time. Used when the rate is a discrete value.

MedicationStatement (STU3).dosage.rateRange | Range | | | 0..1 | Amount of medication per unit of time. Used when the rate is a range.

MedicationStatement (STU3).dosage.route | CodeableConcept | | | 1..1 | The medication route. Can return a mapped code and the Epic defined value for route.

MedicationStatement (STU3).dosage.text | string | | | 1..1 | The patient instructions, also known as the sig, for the order.

MedicationStatement (STU3).dosage.timing | Timing | | | 0..1 | Timing information.

MedicationStatement (STU3).dosage.timing.code | CodeableConcept | | | | A code for the timing schedule.

MedicationStatement (STU3).dosage.timing.repeat | BackboneElement | | | 0..1 | Repeat occurrence information.

MedicationStatement (STU3).dosage.timing.repeat.boundsPeriod | Period | | | 0..1 | The period during which the dosage should be given or taken.

MedicationStatement (STU3).dosage.timing.repeat.count | integer | | | 0..1 | The number of doses that should be given or taken. Not populated if the order is PRN.

MedicationStatement (STU3).dosage.timing.repeat.countMax | integer | | | 0..1 | The maximum number of doses that should be given/taken. Only populated if the order is PRN.

MedicationStatement (STU3).dosage.timing.repeat.dayOfWeek | code | | Yes | 0..1 | The days of the week when the medication should be taken or given.

MedicationStatement (STU3).dosage.timing.repeat.duration | decimal | | | 0..1 | The administration duration, as in the amount of time over which the dose should be administered whenever it is given. If durationMax is populated, then this is the minimum administration duration.

MedicationStatement (STU3).dosage.timing.repeat.durationMax | decimal | | | 0..1 | The maximum administration duration, as in the maximum amount of time over which the dose should be administered whenever it is given.

MedicationStatement (STU3).dosage.timing.repeat.frequency | integer | | | 0..1 | The number of times per period that this dosage should be given or taken. For example, if the order is given 3 times per day, this would be 3.

MedicationStatement (STU3).dosage.timing.repeat.period | decimal | | | 0..1 | The period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be 1 (day).

MedicationStatement (STU3).dosage.timing.repeat.periodUnit | code | | | 1..1 | The unit of the period over which frequency doses should occur. For example, if the order is given 3 times per day, this would be days.

MedicationStatement (STU3).dosage.timing.repeat.timeOfDay | time | | Yes | 1..1 | The times of day when the medication should be taken or given.

MedicationStatement (STU3).dosage.timing.repeat.when | code | | Yes | 1..1 | An EventTiming during which the administration should occur.

MedicationStatement (STU3).effectivePeriod | Period | | | 1..1 | The start and end date and time for the medication. If the medication is a prescription and is not discontinued, this element doesn't include an end date and time. In the Netherlands starting in February 2023, this element is extended with the total duration in days for active and non-long-term medications.

MedicationStatement (STU3).extension (asAgreedIndicator) (also: extension (asAgreedIndicator)) | Extension | | Yes | 0..1 | Indicates whether the medication is being used as outlined in the medication agreement. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-AsAgreedIndicator

MedicationStatement (STU3).extension (Duration) (also: extension (Duration)) | Extension | | Yes | 0..1 | Only used in the Netherlands in February 2023 or later. Returns the total duration in days for active non-long-term medications that have an end date. URL:http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Duration

MedicationStatement (STU3).extension (prescriber) (also: extension (prescriber)) | Extension | | Yes | 0..* | A reference to a Practitioner resource representing the health professional that entered the medication agreement with the patient, known as the authorizing provider. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-Prescriber

MedicationStatement (STU3).extension (reasonForChangeOrDiscontinuationOfUse) (also: extension (reasonForChangeOrDiscontinuationOfUse)) | Extension | | Yes | | Information about why a med order was changed or discontinued. URL: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse-ReasonForChangeOrDiscontinuationOfUse

MedicationStatement (STU3).identifier | Identifier | | Yes | 1..* | The order ID.

MedicationStatement (STU3).informationSource | Reference | | | 0..1 | The Practioner resource associated with the ordering provider. If the medication is considered patient reported or has a patient taking differently sig, this element instead refers to the person or organization that provided the information about the taking of this medication.

MedicationStatement (STU3).medicationReference | Reference | | | 0..1 | A reference to the Medication resource associated with the MedicationRequest.

MedicationStatement (STU3).meta | Meta | | | 0..1 | The document metadata. Only applicable to organizations in the Netherlands.
MedicationStatement (STU3).meta.profile | String | | Yes | 0..1 | Available in Netherlands environments only. Indicates that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-MedicationUse
MedicationStatement (STU3).note | Annotation | | Yes | 0..* | Comments from the medication order, additional notes regarding linked orders, and patient-reported reasons for taking the medication differently.
MedicationStatement (STU3).status | code | | | 1..1 | The status of the MedicationRequest. These values can be returned: draft on-hold active stopped cancelled completed unknown
MedicationStatement (STU3).subject | Reference | | | 1..1 | A reference to a Patient resource representing who the medication request is for.
MedicationStatement (STU3).taken | code | | | 1..1 | This element is always set to unk, for unknown.

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/MedicationStatement?patient=eC34QiLB76JQk4eY6CkS2Kw3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/MedicationStatement?Patient=eFKsVr2y75R9CKzJKJ37wMg3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url":
    "https://hostname/instance/api/FHIR/STU3/MedicationStatement/eDbMrWBI0seji4oPY6tVc3cwkkwXSAwjaLb4KmARROyQ3"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/STU3/MedicationStatement/eDbMrWBI0seji4oPY6tVc3cwkkwXSAwjaLb4KmARROyQ3",
      "resource": {
        "resourceType": "MedicationStatement",
        "id": "eDbMrWBI0seji4oPY6tVc3cwkkwXSAwjaLb4KmARROyQ3",
        "identifier": [
          {
            "use": "usual",
            "system": "1.2.840.114350.1.13.861.1.7.2.798268",
            "value": "5131734"
          }
        ],
        "status": "active",
        "category": {
          "coding": [
            {
              "code": "inpatient",
              "display": "Inpatient"
            }
          ],
          "text": "Inpatient"
        },
        "medicationReference": {
          "reference":
    "https://hostname/instance/api/FHIR/STU3/Medication/eq7Ib9QN5yAnUEPPN2tO1Av9b19DdLZPqjbyljiwwahKrtkKZtRVhx2OrRjD7Ekr
    J3",
          "display": "Ibuprofen suspension 40 mg"
        },
        "effectivePeriod": {
          "start": "2017-04-26T22:00:00Z"
        },
        "informationSource": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/egCj4Z7EG1mplI4xYrONFRQ3",
          "display": "PROVIDER, TESTING"
        },
        "subject": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eFKsVr2y75R9CKzJKJ37wMg3",
          "display": "Friend, All"
        },
        "taken": "unk",
        "dosage": [
          {
            "timing": {
              "repeat": {
                "boundsPeriod": {
                  "start": "2017-04-26T22:00:00Z"
                },
                "timeOfDay": [
                  "12:00:00",
                  "18:00:00"
                ]
              }
```

```
        },
        "asNeededBoolean": false,
        "route": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "260548002",
              "display": "Oral"
            }
          ],
          "text": "Oral"
        },
        "doseQuantity": {
          "value": "1",
          "unit": "mL",
          "system": "http://unitsofmeasure.org",
          "code": "mL"
        }
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url":
"https://hostname/instance/api/FHIR/STU3/MedicationStatement/eEASvhwEUGbDMlc9TczAf4kl6WH7pDd-2DnM9OPaH.S03"
    }
  ],
  "fullUrl":
"https://hostname/instance/api/FHIR/STU3/MedicationStatement/eEASvhwEUGbDMlc9TczAf4kl6WH7pDd-2DnM9OPaH.S03",
  "resource": {
    "resourceType": "MedicationStatement",
    "id": "eEASvhwEUGbDMlc9TczAf4kl6WH7pDd-2DnM9OPaH.S03",
    "identifier": [
      {
        "use": "usual",
        "system": "1.2.840.114350.1.13.861.1.7.2.798268",
        "value": "3742732"
      }
    ],
    "status": "active",
    "category": {
      "coding": [
        {
          "code": "community",
          "display": "Community"
        }
      ],
      "text": "Community"
    },
    "medicationReference": {
      "reference":
"https://hostname/instance/api/FHIR/STU3/Medication/elVSyIL1NHgTI4rA2wQ15IsdLLE11JPFlsWmvO.nSF3c3",
      "display": "atorvastatin 10 MG PO tablet"
    },
    "effectivePeriod": {
      "start": "2016-09-14"
    },
    "dateAsserted": "2016-09-14",
    "informationSource": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/egCj4Z7EG1mplI4xYrONFRQ3",
      "display": "PROVIDER, TESTING"
    },
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eFKsVr2y75R9CKzJKJ37wMg3",
      "display": "Friend, All"
    },
    "taken": "unk",
    "dosage": [
      {
        "text": "Sig:Take ONE tablet by mouth daily",
        "patientInstruction": "Sig:Take ONE tablet by mouth daily",
        "timing": {
          "repeat": {
            "boundsPeriod": {
              "start": "2016-09-14"
            },
            "timeOfDay": [
              "06:00:00"
            ]
          }
        },
        "asNeededBoolean": false,
        "route": {
```

```
              "coding": [
                {
                  "system": "http://snomed.info/sct",
                  "code": "260548002",
                  "display": "Oral"
                }
              ],
              "text": "Oral"
            },
            "method": {
              "coding": [
                {
                  "system": "http://snomed.info/sct",
                  "code": "419652001",
                  "display": "Take"
                }
              ],
              "text": "Take"
            },
            "doseQuantity": {
              "value": "1",
              "unit": "tablet",
              "system": "http://unitsofmeasure.org",
              "code": "{tbl}"
            }
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


12.3 Clinical Medications: DSTU2

File: site/apis/12-Clinical-Medications/3-DSTU2/index.html

* Immunization.Read (DSTU2)
* Immunization.Search (DSTU2)
* Medication.Read (DSTU2)
* Medication.Search (DSTU2)
* MedicationOrder.Read (DSTU2)
* MedicationOrder.Search (DSTU2)
* MedicationStatement.Read (DSTU2)
* MedicationStatement.Search (DSTU2)

12.3.1 Immunization.Read (DSTU2)

File: site/apis/12-Clinical-Medications/3-DSTU2/21-Immunization-Read-DSTU2.html
Epic API ID | 21
FHIR version | DSTU2
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Immunizations; vaccinations; vaccines
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/Immunization/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=21

Description

The FHIR Immunization Resource provides information about a patient's immunizations, including the vaccine administered and details regarding the administration.

The Immunization resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Immunizations.

The read interaction enables the lookup of an Immunization resource by a constant server ID. The read interaction allows clients to store only the server ID, and with a single request, retrieve the most up-to-date information about an immunization. Read interactions typically begin with a client having previously established a relationship, often through querying for

Immunizations through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | Immunization FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Immunization | Immunization | False | | | A single Immunization FHIR resource.
Immunization.date | String | True | | | Vaccination administration date.
Immunization.doseQuantity | Quantity | True | | | Information about the amount of vaccine administered.
Immunization.doseQuantity.unit | String | True | | | Unit of amount of vaccine administered.
Immunization.doseQuantity.value | Decimal | True | | | Amount of vaccine administered.
Immunization.expirationDate | DateTime | True | | | Vaccine expiration date.
Immunization.explanation | Explanation | True | | | Vaccine administration/non-administration reasons.
Immunization.explanation.reasonNotGiven | CodeableConcept | True | Yes | | Why immunization did not occur. Only sent if 'wasNotGiven' is true.
Immunization.id | String | False | | | Immunization FHIR ID.
Immunization.identifier | Identifier | True | Yes | | Additional identifiers for the Immunization.
Immunization.lotNumber | String | True | | | Vaccine lot number.
Immunization.manufacturer | ReferencedResource | True | | | Vaccine manufacturer information.
Immunization.manufacturer.display | String | True | | | Vaccine manufacturer name.
Immunization.note | Annotation | True | Yes | | Vaccination notes.
Immunization.patient | ReferencedResource | False | | | Reference to the Patient who was immunized.
Immunization.performer | ReferencedResource | True | | | Reference to the Practitioner who administered the vaccine.
Immunization.reported | Boolean | True | | | Indicates a self-reported record.
Immunization.requester | ReferencedResource | True | | | Reference to the Practitioner who ordered the vaccine.
Immunization.route | CodeableConcept | True | | | How the vaccine entered the body.
Immunization.site | CodeableConcept | True | | | Body site where the vaccine was administered.
Immunization.status | String | False | | | Status of the Immunization. Possible values are: completed entered-in-error in-progress on-hold
Immunization.vaccineCode | CodeableConcept | False | | | Vaccine product administered.
Immunization.vaccineCode.coding | Coding | False | Yes | | Vaccine code. Includes CVX and NDC codes.
Immunization.vaccineCode.text | String | False | | | Vaccine product name.
Immunization.wasNotGiven | Boolean | False | | | Flag for whether the immunization was given.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/Immunization/TbsCKcp1c5uHfqf3O5g22wAB
```

Sample response

```
<Immunization xmlns="http://hl7.org/fhir">
  <status value="completed"/>
  <date value="2016-02-11T16:19:00"/>
  <wasNotGiven value="false"/>
  <reported value="false"/>
  <lotNumber value="43295210"/>
  <id value="TbsCKcp1c5uHfqf3O5g22wAB"/>
  <vaccineCode>
    <text value="Dt/Tetanus"/>
    <coding>
      <system value="http://hl7.org/fhir/sid/cvx"/>
      <code value="7"/>
      <display value="DT/TETANUS"/>
    </coding>
  </vaccineCode>
  <patient>
    <display value="Fhir A Szitta"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  </patient>
  <performer>
    <display value="Tim Szitta, MD"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
  </performer>
  <manufacturer>
    <display value="Merck, Sharp, Dohme"/>
  </manufacturer>
  <site>
    <text value="Left deltoid"/>
    <coding>
      <system value="1.2.840.114350.1.13.5552.1.7.4.768076.4040"/>
      <code value="LD"/>
      <display value="Left deltoid"/>
    </coding>
  </site>
  <route>
    <text value="Intramuscular"/>
    <coding>
      <system value="1.2.840.114350.1.13.5552.1.7.4.768076.4030"/>
      <code value="IM"/>
```

```
      <display value="Intramuscular"/>
    </coding>
  </route>
  <doseQuantity>
    <value value="1"/>
    <unit value="EA"/>
    <code value="EA"/>
    <system value="http://unitsofmeasure.org"/>
  </doseQuantity>
  <note>
    <text value="given this"/>
  </note>
</Immunization>
```

12.3.2 Immunization.Search (DSTU2)

File: site/apis/12-Clinical-Medications/3-DSTU2/22-Immunization-Search-DSTU2.html
Epic API ID | 22
FHIR version | DSTU2
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Immunizations
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/Immunization?date={date}&patient={patient}&status={status}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=22

Description

The FHIR Immunization Resource provides information about a patient's immunizations, including the vaccine administered and details regarding the administration.

The Immunization resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Immunizations.

The search interaction enables the client to query for all immunizations documented for a given patient. The client, having established the patient in question, now wishes to retrieve the list of that patient's immunizations, and can futher refine the query by the date administered.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
date | String | True | | | Vaccination administration date.
patient | String | Either patient or subject must be provided. If both are provided, they must reference the same patient. | | | Reference to the Patient who was immunized.
status | String | True | | | Status of the Immunization. Possible values are: completed entered-in-error in-progress on-hold If not provided, will default to include only "completed" and "on-hold" immunizations.
subject | String | Either patient or subject must be provided. If both are provided, they must reference the same patient. | | | Reference to the Patient who was immunized.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | Resource | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.Immunization | Immunization | False | | | A single Immunization FHIR resource.
Bundle.entry.resource.Immunization.date | String | True | | | Vaccination administration date.
Bundle.entry.resource.Immunization.doseQuantity | Quantity | True | | | Information about the amount of vaccine administered.
Bundle.entry.resource.Immunization.doseQuantity.unit | String | True | | | Unit of amount of vaccine administered.
Bundle.entry.resource.Immunization.doseQuantity.value | Decimal | True | | | Amount of vaccine administered.
Bundle.entry.resource.Immunization.expirationDate | DateTime | True | | | Vaccine expiration date.
Bundle.entry.resource.Immunization.explanation | Explanation | True | | | Vaccine administration/non-administration reasons.
Bundle.entry.resource.Immunization.explanation.reasonNotGiven | CodeableConcept | True | Yes | | Why immunization did not occur. Only sent if 'wasNotGiven' is true.
Bundle.entry.resource.Immunization.id | String | False | | | Immunization FHIR ID.
Bundle.entry.resource.Immunization.identifier | Identifier | True | Yes | | Additional identifiers for the Immunization.
Bundle.entry.resource.Immunization.lotNumber | String | True | | | Vaccine lot number.
Bundle.entry.resource.Immunization.manufacturer | ReferencedResource | True | | | Vaccine manufacturer information.
Bundle.entry.resource.Immunization.manufacturer.display | String | True | | | Vaccine manufacturer name.
Bundle.entry.resource.Immunization.note | Annotation | True | Yes | | Vaccination notes.

Bundle.entry.resource.Immunization.patient | ReferencedResource | False | | | Reference to the Patient who was immunized.
Bundle.entry.resource.Immunization.performer | ReferencedResource | True | | | Reference to the Practitioner who administered the vaccine.
Bundle.entry.resource.Immunization.reported | Boolean | True | | | Indicates a self-reported record.
Bundle.entry.resource.Immunization.requester | ReferencedResource | True | | | Reference to the Practitioner who ordered the vaccine.
Bundle.entry.resource.Immunization.route | CodeableConcept | True | | | How the vaccine entered the body.
Bundle.entry.resource.Immunization.site | CodeableConcept | True | | | Body site where the vaccine was administered.
Bundle.entry.resource.Immunization.status | String | False | | | Status of the Immunization. Possible values are: completed entered-in-error in-progress on-hold
Bundle.entry.resource.Immunization.vaccineCode | CodeableConcept | False | | | Vaccine product administered.
Bundle.entry.resource.Immunization.vaccineCode.coding | Coding | False | Yes | | Vaccine code. Includes CVX and NDC codes.
Bundle.entry.resource.Immunization.vaccineCode.text | String | False | | | Vaccine product name.
Bundle.entry.resource.Immunization.wasNotGiven | Boolean | False | | | Flag for whether the immunization was given.
Bundle.total | Int32 | True | | | Total number of resources that matched the search criteria.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/Immunization?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="3"/>
  <link>
    <relation value="self"/>
    <url
    value="https://hostname/instance/api/FHIR/DSTU2/Immunization?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/
    >
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Immunization/TbsCKcp1c5uHfqf3O5g22wAB"/>
    </link>
    <resource>
      <Immunization>
        <status value="completed"/>
        <date value="2016-02-11T16:19:00"/>
        <wasNotGiven value="false"/>
        <reported value="false"/>
        <lotNumber value="43295210"/>
        <id value="TbsCKcp1c5uHfqf3O5g22wAB"/>
        <vaccineCode>
          <text value="Dt/Tetanus"/>
          <coding>
            <system value="http://hl7.org/fhir/sid/cvx"/>
            <code value="7"/>
            <display value="DT/TETANUS"/>
          </coding>
        </vaccineCode>
        <patient>
          <display value="Fhir A Szitta"/>
          <reference
    value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
        </patient>
        <performer>
          <display value="Tim Szitta, MD"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
        </performer>
        <manufacturer>
          <display value="Merck, Sharp, Dohme"/>
        </manufacturer>
        <site>
          <text value="Left deltoid"/>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.4.768076.4040"/>
            <code value="LD"/>
            <display value="Left deltoid"/>
          </coding>
        </site>
        <route>
          <text value="Intramuscular"/>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.4.768076.4030"/>
            <code value="IM"/>
            <display value="Intramuscular"/>
          </coding>
        </route>
        <doseQuantity>
          <value value="1"/>
          <unit value="EA"/>
          <code value="EA"/>
          <system value="http://unitsofmeasure.org"/>
        </doseQuantity>
        <note>
          <text value="given this"/>
```

```
      </note>
    </Immunization>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Immunization/T73MwGhth-XCKrCdpBvTJMQB"/>
  </link>
  <resource>
    <Immunization>
      <status value="on-hold"/>
      <date value="2016-02-11T00:00:00"/>
      <wasNotGiven value="true"/>
      <reported value="false"/>
      <id value="T73MwGhth-XCKrCdpBvTJMQB"/>
      <vaccineCode>
        <text value="Hepatitis A"/>
      </vaccineCode>
      <patient>
        <display value="Fhir A Szitta"/>
        <reference
  value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
      </patient>
      <performer>
        <display value="Tim Szitta, MD"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
      </performer>
      <note>
        <text value="i'm anti-vax"/>
      </note>
      <explanation>
        <reasonNotGiven>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.4.768076.4086"/>
            <code value="PT RFS"/>
            <display value="Patient Refused"/>
          </coding>
        </reasonNotGiven>
      </explanation>
    </Immunization>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Immunization/Tb-PIgSlQ0kUOJpEbeBdavwB"/>
  </link>
  <resource>
    <Immunization>
      <status value="completed"/>
      <date value="2016-01-13T00:00:00"/>
      <wasNotGiven value="false"/>
      <reported value="false"/>
      <lotNumber value="578448665"/>
      <id value="Tb-PIgSlQ0kUOJpEbeBdavwB"/>
      <vaccineCode>
        <text value="Influenza (Whole)"/>
      </vaccineCode>
      <patient>
        <display value="Fhir A Szitta"/>
        <reference
  value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
      </patient>
      <performer>
        <display value="Tim Szitta, MD"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
      </performer>
      <manufacturer>
        <display value="SmithKline Beecham Pharm"/>
      </manufacturer>
      <site>
        <text value="Left quadriceps"/>
        <coding>
          <system value="1.2.840.114350.1.13.5552.1.7.4.768076.4040"/>
          <code value="LQ"/>
          <display value="Left quadriceps"/>
        </coding>
      </site>
      <route>
        <text value="Intravenous"/>
        <coding>
          <system value="1.2.840.114350.1.13.5552.1.7.4.768076.4030"/>
```

```
            <code value="IV"/>
            <display value="Intravenous"/>
          </coding>
        </route>
        <doseQuantity>
          <value value="1"/>
          <unit value="EA"/>
          <code value="EA"/>
          <system value="http://unitsofmeasure.org"/>
        </doseQuantity>
      </Immunization>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
  <entry>
    <resource>
      <OperationOutcome>
        <issue>
          <severity value="warning"/>
          <details value="CVX code for vaccine not found"/>
          <code>
            <text value="informational"/>
            <coding>
              <system value="http://hl7.org/fhir/issue-type"/>
              <code value="informational"/>
              <display value="informational"/>
            </coding>
          </code>
        </issue>
        <issue>
          <severity value="warning"/>
          <details value="CVX code for vaccine not found"/>
          <code>
            <text value="informational"/>
            <coding>
              <system value="http://hl7.org/fhir/issue-type"/>
              <code value="informational"/>
              <display value="informational"/>
            </coding>
          </code>
        </issue>
      </OperationOutcome>
    </resource>
    <search>
      <mode value="outcome"/>
    </search>
  </entry>
</Bundle>
```

12.3.3 Medication.Read (DSTU2)

File: site/apis/12-Clinical-Medications/3-DSTU2/23-Medication-Read-DSTU2.html
Epic API ID | 23
FHIR version | DSTU2
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2015
HTTP method | GET
URL template | api/FHIR/DSTU2/Medication/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=23

Description

The FHIR Medication resource defines detailed information about a medication order's product or package. The Medication resource is not specific to any patient.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The FHIR ID referencing a medication.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Medication | Medication | False | | | An instance of the DSTU2 Medication FHIR resource.
Medication.code | CodeableConcept | True | | | A code (or set of codes) that identify this medication. Usage note: This could be a standard drug code such as a drug regulator code, RxNorm code, or other type of code. It could also be a local formulary code, optionally with translations to the standard drug codes.
Medication.product | Product | True | | | Information that only applies to products (not packages).
Medication.product.form | CodeableConcept | True | | | Describes the form of the item. Powder; tablets; carton.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/Medication/TEsK30cd14IXmSbsc2iHM5gB
```

Sample response

```
<Medication xmlns="http://hl7.org/fhir">
  <product>
    <form>
      <text value="Tablet"/>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.5552.1.7.4.698288.310"/>
        <code value="55"/>
        <display value="Tablet"/>
      </coding>
    </form>
  </product>
  <code>
    <text value="LISINOPRIL 10 MG PO TABS"/>
    <coding>
      <system value="urn:oid:2.16.840.1.113883.6.88"/>
      <code value="314076"/>
      <display value="LISINOPRIL 10 MG PO TABS"/>
    </coding>
  </code>
</Medication>
```

12.3.4 Medication.Search (DSTU2)

File: site/apis/12-Clinical-Medications/3-DSTU2/692-Medication-Search-DSTU2.html
Epic API ID | 692
FHIR version | DSTU2
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2015
HTTP method | GET
URL template | api/FHIR/DSTU2/Medication?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=692

Description

The FHIR Medication resource defines detailed information about a medication order's product or package. The Medication resource is not specific to any patient.

For the majority of use cases, you should use Medication.Read instead.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_id | String | False | | | The FHIR ID referencing a medication.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | Resource | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.Medication | Medication | False | | | An instance of the DSTU2 Medication FHIR resource.
Bundle.entry.resource.Medication.code | CodeableConcept | False | | | A code or set of codes that identifies this medication. This could be a standard drug code such as a drug regulator code, RxNorm code, or SNOMED CT code. It could also be a local formulary code, optionally with translations to the standard drug codes.
Bundle.entry.resource.Medication.product | Product | False | | | Information that only applies to products (not packages).
Bundle.entry.resource.Medication.product.form | CodeableConcept | False | | | Describes the form of the item, such as powder, tables, or carton.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/Medication?_id=TQeCuTQBplCtZ9L7grh5EXQB
```

Sample response

```
<?xml version="1.0" encoding="UTF-8"?>
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Medication?_id=TQeCuTQBplCtZ9L7grh5EXQB"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Medication/TQeCuTQBplCtZ9L7grh5EXQB"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Medication/TQeCuTQBplCtZ9L7grh5EXQB"/>
    <resource>
      <Medication>
        <id value="TQeCuTQBplCtZ9L7grh5EXQB"/>
        <code>
          <text value="HONEY 5 GM/5ML PO SYRP"/>
        </code>
        <product>
          <form>
            <coding>
              <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.698288.310"/>
              <code value="54"/>
              <display value="Syrup"/>
            </coding>
            <text value="Syrup"/>
          </form>
        </product>
      </Medication>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```

12.3.5 MedicationOrder.Read (DSTU2)

File: site/apis/12-Clinical-Medications/3-DSTU2/25-MedicationOrder-Read-DSTU2.html
Epic API ID | 25
FHIR version | DSTU2
Categories | Clinical Medications, Orders
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2015
HTTP method | GET
URL template | api/FHIR/DSTU2/MedicationOrder/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=25

Description

The FHIR MedicationOrder resource defines detailed information about a medication that was ordered for a patient. This includes prescriptions or OTC drugs ordered in an ambulatory clinic. It is not used for diet orders or durable medical equipment. It also contains information about how the medication should be taken by or given to the patient.

The MedicationOrder resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Medications.

The Read interaction enables the look up of a MedicationOrder resource by a constant server ID. Clients can store only the server ID, and with a single request, retrieve the most up-to-date information about the MedicationOrder. Read interactions typically begin with a client having previously established a relationship, often through querying for patients through the Search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description

ID | String | False | | | FHIR ID of the MedicationOrder resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description

MedicationOrder | MedicationOrder | False | | | An instance of the DSTU2 MedicationOrder resource.

MedicationOrder.dateWritten | DateTime | True | | | The date (and perhaps time) when the prescription was written.

MedicationOrder.dispenseRequest | Dispense | False | | | Indicates details about the requested medication.

MedicationOrder.dispenseRequest.expectedSupplyDuration | Quantity | False | | | Identifies the period time over which the supplied product is expected to be used, or the length of time the dispense is expected to last. In some situations, this attribute may be used instead of quantity to identify the amount supplied by how long it is expected to last, rather than the physical quantity issued, e.g. 90 days supply of medication (based on an ordered dosage) When possible, it is always better to specify quantity, as this tends to be more precise. expectedSupplyDuration will always be an estimate that can be influenced by external factors.

MedicationOrder.dispenseRequest.numberOfRepeatsAllowed | Int64 | True | | | An integer indicating the number of repeats of the Dispense. UsageNotes: For example, the number of times the prescribed quantity is to be supplied including the initial standard fill.

MedicationOrder.dispenseRequest.quantity | Quantity | False | | | The amount that is to be dispensed for one fill.

MedicationOrder.dispenseRequest.validityPeriod | Period | False | | | This indicates the validity period of a prescription (stale dating the Prescription) It reflects the prescriber perspective for the validity of the prescription. Dispenses must not be made against the prescription outside of this period. The lower-bound of the Dispensing Window signifies the earliest date that the prescription can be filled for the first time. If an upper-bound is not specified then the Prescription is open-ended or will default to a stale-date based on regulations. Rationale: Indicates when the Prescription becomes valid, and when it ceases to be a dispensable Prescription.

MedicationOrder.dosageInstruction | DosageInstruction | False | Yes | | Indicates how the medication is to be used by the patient.

MedicationOrder.dosageInstruction.asNeededBoolean | Boolean | True | | | If set to true, indicates that the medication is only taken when needed within the specified schedule rather than at every scheduled dose.

MedicationOrder.dosageInstruction.doseQuantity | Quantity | False | | | The amount of therapeutic or other substance given at one administration event.

MedicationOrder.dosageInstruction.doseQuantity.code | String | False | | | A computer processable form of the units in some unit representation system.

MedicationOrder.dosageInstruction.doseQuantity.comparator | String | False | | | How the value should be understood and represented - whether the actual value is greater or less than the stated value due to measurement issues. E.g. if the comparator is "<" , then the real value is < stated value.

MedicationOrder.dosageInstruction.doseQuantity.system | String | False | | | The identification of the system that provides the coded form of the unit.

MedicationOrder.dosageInstruction.doseQuantity.unit | String | False | | | A human-readable form of the units.

MedicationOrder.dosageInstruction.doseQuantity.value | Decimal | True | | | The value of the measured amount. The value includes an implicit precision in the presentation of the value.

MedicationOrder.dosageInstruction.doseRange | Range | False | | | The amount of therapeutic or other substance given at one administration event, specified as a range.

MedicationOrder.dosageInstruction.doseRange.high | Quantity | False | | | The high limit. The boundary is inclusive.

MedicationOrder.dosageInstruction.doseRange.low | Quantity | False | | | The low limit. The boundary is inclusive.

MedicationOrder.dosageInstruction.method | CodeableConcept | False | | | A coded value indicating the method by which the medication is introduced into or onto the body. Most commonly used for injections. Examples: Slow Push; Deep IV.

MedicationOrder.dosageInstruction.route | CodeableConcept | False | | | A code specifying the route or physiological path of administration of a therapeutic agent into or onto a patient.

MedicationOrder.dosageInstruction.text | String | False | | | Free text dosage instructions can be used for cases where the instructions are too complex to code. When coded instructions are present, the free text instructions may still be present for display to humans taking or administering the medication.

MedicationOrder.dosageInstruction.timing | Timing | False | | | The timing schedule for giving the medication to the patient. The Schedule data type allows many different expressions, for example. "Every 8 hours"; "Three times a day"; "1/2 an hour before breakfast for 10 days from 23-Dec 2011:"; "15 Oct 2013, 17 Oct 2013 and 1 Nov 2013".

MedicationOrder.dosageInstruction.timing.repeat | Repeat | False | | | A set of rules that describe when the event should occur.

MedicationOrder.dosageInstruction.timing.repeat.frequency | Int32 | True | | | The number of times to repeat the action within the specified period / period range (i.e. both period and periodMax provided).

MedicationOrder.dosageInstruction.timing.repeat.period | Decimal | True | | | Indicates the duration of time over which repetitions are to occur. E.g. to express "3 times per day", 3 would be the frequency and "1 day" would be the period.

MedicationOrder.dosageInstruction.timing.repeat.periodUnits | String | False | | | The units of time for the period in UCUM units.

MedicationOrder.identifier | Identifier | False | Yes | | External identifier - one that would be used by another non-FHIR system.

MedicationOrder.medicationReference | ReferencedResource | False | | | Reference to the Medication resource being ordered.

MedicationOrder.note | String | False | | | Extra information about the prescription that could not be conveyed by the other attributes. Starting in the August 2025 version of Epic (May 2025, February 2025, November 2024, and August 2024 with special updates), if the medication is paused, the note includes the text “Suspended by provider:” followed by text describing the pause duration.

MedicationOrder.patient | ReferencedResource | False | | | Reference to the Patient resource to whom the medication will be given.

MedicationOrder.prescriber | ReferencedResource | False | | | Reference to the healthcare professional responsible for authorizing the prescription.

MedicationOrder.status | String | False | | | A code specifying the state of the prescribing event. Describes the lifecycle of the prescription. For admitted patients all outpatient medications will return a status of 'on-hold'. During discharge these outpatient medications may revert back to 'active' or be discontinued based on clinical outcomes of the inpatient stay.

MedicationOrder.substitution | Substitution | False | | | Indicates whether or not substitution can or should be part of the dispense. In some cases substitution must happen, in other cases substitution must not happen, and in others it does not matter. This block explains the prescriber's intent. If nothing is specified substitution may be done.

MedicationOrder.substitution.type | CodeableConcept | False | | | A code signifying whether a different drug should be dispensed from what was prescribed.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/MedicationOrder/TX5g0lx9amu2mtMEVeZX0FwB
```

Sample response

```
<MedicationPrescription xmlns="http://hl7.org/fhir">
  <dateWritten value="2016-01-12T00:00:00"/>
  <status value="active"/>
  <id value="TX5g0lx9amu2mtMEVeZX0FwB"/>
  <identifier>
    <use value="usual"/>
    <system value="urn:oid:1.2.840.114350.1.13.5552.1.7.2.798268"/>
    <value value="2431362"/>
  </identifier>
  <identifier>
    <use value="usual"/>
    <system value="urn:oid:1.2.840.114350.1.13.5552.1.7.3.798268.801"/>
    <value value="2431362:1499081636"/>
  </identifier>
  <patient>
    <display value="Fhir A Doe"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
  </patient>
  <prescriber>
    <display value="John Doe, MD"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
  </prescriber>
  <medicationReference>
    <display value="lisinopril (PRINIVIL, ZESTRIL) 10 MG tablet"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Medication/TEsK30cd14IXmSbsc2iHM5gB"/>
  </medicationReference>
  <dosageInstruction>
    <text value="Take 1 tablet by mouth daily."/>
    <asNeededBoolean value="false"/>
    <route>
      <text value="Oral"/>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.5552.1.7.4.698288.330"/>
        <code value="15"/>
        <display value="Oral"/>
      </coding>
    </route>
    <method>
      <text value="Take"/>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.5552.1.7.4.798268.8600"/>
        <code value="11"/>
        <display value="Take"/>
      </coding>
    </method>
    <Timing>
      <repeat>
        <frequency value="1"/>
        <period value="1"/>
        <periodUnits value="d"/>
        <bounds>
          <start value="2016-01-12T00:00:00"/>
        </bounds>
      </repeat>
    </Timing>
    <doseQuantity>
      <value value="10"/>
      <code value="mg"/>
      <system value="urn:oid:2.16.840.1.113883.6.8"/>
    </doseQuantity>
  </dosageInstruction>
  <dispenseRequest>
    <numberOfRepeatsAllowed value="4"/>
    <expectedSupplyDuration>
      <value value="30"/>
      <unit value="days"/>
      <code value="d"/>
      <system value="urn:oid:2.16.840.1.113883.6.8"/>
    </expectedSupplyDuration>
    <validityPeriod>
      <start value="2016-01-12T00:00:00"/>
    </validityPeriod>
    <quantity>
      <value value="30"/>
      <system value="urn:oid:2.16.840.1.113883.6.8"/>
    </quantity>
  </dispenseRequest>
  <substitution>
    <type>
      <coding>
        <system value="urn:oid:2.16.840.1.113883.1.11.16621"/>
        <code value="N"/>
      </coding>
    </type>
  </substitution>
</MedicationPrescription>
```

12.3.6 MedicationOrder.Search (DSTU2)

File: site/apis/12-Clinical-Medications/3-DSTU2/26-MedicationOrder-Search-DSTU2.html
Epic API ID | 26
FHIR version | DSTU2
Categories | Clinical Medications, Orders
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2015
HTTP method | GET
URL template | api/FHIR/DSTU2/MedicationOrder?patient={patient}&status={status}&_id={_id}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=26

Description

The FHIR MedicationOrder resource defines detailed information about a medication that was ordered for a patient. This includes prescriptions or OTC drugs ordered in an ambulatory clinic. It is not used for diet orders or durable medical equipment. It also contains information about how the medication should be taken by or given to the patient.

The MedicationOrder resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Medications.

The search interaction enables the client to query for all medications associated with a given patient's medication list. The client, having established the patient in question, now wishes to retrieve the list of that patient's medications.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_id | String | True | | | FHIR ID of the MedicationOrder resource(s). If _id is included in the search, all other parameters are ignored.
patient | String | False | | | FHIR ID for a patient to list dispenses for.
status | String | True | | | By default, active medications are returned. Statuses of completed, on-hold, and stopped can also be specified.
subject | String | False | | | FHIR ID for a patient to list dispenses for.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | Resource | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.MedicationOrder | MedicationOrder | False | | | An instance of the DSTU2 MedicationOrder FHIR resource.
Bundle.entry.resource.MedicationOrder.dateWritten | DateTime | True | | | The date (and perhaps time) when the prescription was written.
Bundle.entry.resource.MedicationOrder.dispenseRequest | Dispense | False | | | Indicates details about the requested medication.
Bundle.entry.resource.MedicationOrder.dispenseRequest.expectedSupplyDuration | Quantity | False | | | Identifies the period time over which the supplied product is expected to be used, or the length of time the dispense is expected to last. In some situations, this attribute may be used instead of quantity to identify the amount supplied by how long it is expected to last, rather than the physical quantity issued, e.g. 90 days supply of medication (based on an ordered dosage) When possible, it is always better to specify quantity, as this tends to be more precise. expectedSupplyDuration will always be an estimate that can be influenced by external factors.
Bundle.entry.resource.MedicationOrder.dispenseRequest.numberOfRepeatsAllowed | Int64 | True | | | An integer indicating the number of repeats of the Dispense. UsageNotes: For example, the number of times the prescribed quantity is to be supplied including the initial standard fill.
Bundle.entry.resource.MedicationOrder.dispenseRequest.quantity | Quantity | False | | | The amount that is to be dispensed for one fill.
Bundle.entry.resource.MedicationOrder.dispenseRequest.quantity.code | String | False | | | A computer processable form of the units in some unit representation system.
Bundle.entry.resource.MedicationOrder.dispenseRequest.quantity.comparator | String | False | | | How the value should be understood and represented - whether the actual value is greater or less than the stated value due to measurement issues. E.g. if the comparator is "<" , then the real value is < stated value.
Bundle.entry.resource.MedicationOrder.dispenseRequest.quantity.system | String | False | | | The identification of the system that provides the coded form of the unit.
Bundle.entry.resource.MedicationOrder.dispenseRequest.quantity.unit | String | False | | | A human-readable form of the units.
Bundle.entry.resource.MedicationOrder.dispenseRequest.quantity.value | Decimal | True | | | The value of the measured amount. The value includes an implicit precision in the presentation of the value.
Bundle.entry.resource.MedicationOrder.dispenseRequest.validityPeriod | Period | False | | | This indicates the validity period of a prescription (stale dating the Prescription) It reflects the prescriber perspective for the validity of the prescription. Dispenses must not be made against the prescription outside of this period. The lower-bound of the Dispensing Window signifies the earliest date that the prescription can be filled for the first time. If an upper-bound is not specified then the Prescription is open-ended or will default to a stale-date based on regulations. Rationale: Indicates when the Prescription becomes valid, and when it ceases to be a dispensable Prescription.
Bundle.entry.resource.MedicationOrder.dosageInstruction | DosageInstruction | False | Yes | | Indicates how the medication is to be used by the patient.
Bundle.entry.resource.MedicationOrder.dosageInstruction.asNeededBoolean | Boolean | True | | | If set to true, indicates that the medication is only taken when needed within the specified schedule rather than at every scheduled dose.
Bundle.entry.resource.MedicationOrder.dosageInstruction.doseQuantity | Quantity | False | | | The amount of therapeutic or other substance given at one administration event.

Bundle.entry.resource.MedicationOrder.dosageInstruction.doseRange | Range | False | | | The amount of therapeutic or other substance given at one administration event, specified as a range.

Bundle.entry.resource.MedicationOrder.dosageInstruction.doseRange.high | Quantity | False | | | The high limit. The boundary is inclusive.

Bundle.entry.resource.MedicationOrder.dosageInstruction.doseRange.low | Quantity | False | | | The low limit. The boundary is inclusive.

Bundle.entry.resource.MedicationOrder.dosageInstruction.method | CodeableConcept | False | | | A coded value indicating the method by which the medication is introduced into or onto the body. Most commonly used for injections. Examples: Slow Push; Deep IV.

Bundle.entry.resource.MedicationOrder.dosageInstruction.route | CodeableConcept | False | | | A code specifying the route or physiological path of administration of a therapeutic agent into or onto a patient.

Bundle.entry.resource.MedicationOrder.dosageInstruction.text | String | False | | | Free text dosage instructions can be used for cases where the instructions are too complex to code. When coded instructions are present, the free text instructions may still be present for display to humans taking or administering the medication.

Bundle.entry.resource.MedicationOrder.dosageInstruction.timing | Timing | False | | | The timing schedule for giving the medication to the patient. The Schedule data type allows many different expressions, for example. "Every 8 hours"; "Three times a day"; "1/2 an hour before breakfast for 10 days from 23-Dec 2011:"; "15 Oct 2013, 17 Oct 2013 and 1 Nov 2013".

Bundle.entry.resource.MedicationOrder.dosageInstruction.timing.repeat | Repeat | False | | | A set of rules that describe when the event should occur.

Bundle.entry.resource.MedicationOrder.dosageInstruction.timing.repeat.frequency | Int32 | True | | | The number of times to repeat the action within the specified period / period range (i.e. both period and periodMax provided).

Bundle.entry.resource.MedicationOrder.dosageInstruction.timing.repeat.period | Decimal | True | | | Indicates the duration of time over which repetitions are to occur. E.g. to express "3 times per day", 3 would be the frequency and "1 day" would be the period.

Bundle.entry.resource.MedicationOrder.dosageInstruction.timing.repeat.periodUnits | String | False | | | The units of time for the period in UCUM units.

Bundle.entry.resource.MedicationOrder.identifier | Identifier | False | Yes | | External identifier - one that would be used by another non-FHIR system.

Bundle.entry.resource.MedicationOrder.medicationReference | ReferencedResource | False | | | Reference to the Medication resource being ordered.

Bundle.entry.resource.MedicationOrder.note | String | False | | | Extra information about the prescription that could not be conveyed by the other attributes. Starting in the August 2025 version of Epic (May 2025, February 2025, November 2024, and August 2024 with special updates), if the medication is paused, the note includes the text “Suspended by provider:” followed by text describing the pause duration.

Bundle.entry.resource.MedicationOrder.patient | ReferencedResource | False | | | Reference to the Patient resource to whom the medication will be given.

Bundle.entry.resource.MedicationOrder.prescriber | ReferencedResource | False | | | Reference to the healthcare professional responsible for authorizing the prescription.

Bundle.entry.resource.MedicationOrder.status | String | False | | | A code specifying the state of the prescribing event. Describes the lifecycle of the prescription. For admitted patients all outpatient medications will return a status of 'on-hold'. During discharge these outpatient medications may revert back to 'active' or be discontinued based on clinical outcomes of the inpatient stay.

Bundle.entry.resource.MedicationOrder.substitution | Substitution | False | | | Indicates whether or not substitution can or should be part of the dispense. In some cases substitution must happen, in other cases substitution must not happen, and in others it does not matter. This block explains the prescriber's intent. If nothing is specified substitution may be done.

Bundle.entry.resource.MedicationOrder.substitution.type | CodeableConcept | False | | | A code signifying whether a different drug should be dispensed from what was prescribed.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/MedicationOrder?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB&status=ac
    tive
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/MedicationOrder?patient=TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuw
    JhsFkB&amp;status=active"/>
  </link>
  <entry>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationOrder/TX5g0lx9amu2mtMEVeZX0FwB"/>
    <search>
      <mode value="match"/>
    </search>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/MedicationOrder/TX5g0lx9amu2mtMEVeZX0FwB"/>
    </link>
    <resource>
      <MedicationOrder>
        <dateWritten value="2016-01-12T00:00:00"/>
        <status value="active"/>
        <id value="TX5g0lx9amu2mtMEVeZX0FwB"/>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.5552.1.7.2.798268"/>
          <value value="2431362"/>
        </identifier>
        <identifier>
          <use value="usual"/>
          <system value="urn:oid:1.2.840.114350.1.13.5552.1.7.3.798268.801"/>
          <value value="2431362:1499081636"/>
        </identifier>
        <patient>
          <display value="Fhir A Doe"/>
```

```
        <reference
    value="https://hostname/instance/api/FHIR/DSTU2/Patient/TGwyi7uWQngTh8wlsxLyWPi6.8wgRuUnMqMfRuwJhsFkB"/>
        </patient>
        <prescriber>
          <display value="John Doe, MD"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T261TVJilfMxfUGfuXuDQpQB"/>
        </prescriber>
        <medicationReference>
          <display value="lisinopril (PRINIVIL, ZESTRIL) 10 MG tablet"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Medication/TEsK30cd14IXmSbsc2iHM5gB"/>
        </medicationReference>
        <dosageInstruction>
          <text value="Take 1 tablet by mouth daily."/>
          <asNeededBoolean value="false"/>
          <route>
            <text value="Oral"/>
            <coding>
              <system value="urn:oid:1.2.840.114350.1.13.5552.1.7.4.698288.330"/>
              <code value="15"/>
              <display value="Oral"/>
            </coding>
          </route>
          <method>
            <text value="Take"/>
            <coding>
              <system value="urn:oid:1.2.840.114350.1.13.5552.1.7.4.798268.8600"/>
              <code value="11"/>
              <display value="Take"/>
            </coding>
          </method>
          <Timing>
            <repeat>
              <frequency value="1"/>
              <period value="1"/>
              <periodUnits value="d"/>
              <bounds>
                <start value="2016-01-12T00:00:00"/>
              </bounds>
            </repeat>
          </Timing>
          <doseQuantity>
            <value value="10"/>
            <code value="mg"/>
            <system value="urn:oid:2.16.840.1.113883.6.8"/>
          </doseQuantity>
        </dosageInstruction>
        <dispenseRequest>
          <numberOfRepeatsAllowed value="4"/>
          <expectedSupplyDuration>
            <value value="30"/>
            <unit value="days"/>
            <code value="d"/>
            <system value="urn:oid:2.16.840.1.113883.6.8"/>
          </expectedSupplyDuration>
          <validityPeriod>
            <start value="2016-01-12T00:00:00"/>
          </validityPeriod>
          <quantity>
            <value value="30"/>
            <system value="urn:oid:2.16.840.1.113883.6.8"/>
          </quantity>
        </dispenseRequest>
        <substitution>
          <type>
            <coding>
              <system value="urn:oid:2.16.840.1.113883.1.11.16621"/>
              <code value="N"/>
            </coding>
          </type>
        </substitution>
      </MedicationOrder>
    </resource>
  </entry>
</Bundle>
```

12.3.7 MedicationStatement.Read (DSTU2)

File: site/apis/12-Clinical-Medications/3-DSTU2/338-MedicationStatement-Read-DSTU2.html
Epic API ID | 338
FHIR version | DSTU2
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes

ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/MedicationStatement/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=338

Description

The FHIR MedicationStatement resource defines detailed information about medications being consumed by a patient. The medication information may come from e.g. the patient's memory, from a prescription bottle, or from a list of medications the patient, clinician or other party maintains and therefore can be less specific than the MedicationOrder resource. The MedicationStatement resource is a high-level summary of medications being used, reported by patients or care providers. It is not a listing of specific prescriptions or administrations, which instead are available in the MedicationOrder and MedicationAdministration resources, respectively.

The Read interaction enables the look up of a MedicationStatement resource by a constant server ID. Clients can store only the server ID, and with a single request, retrieve the most up-to-date information about the MedicationStatement. Read interactions typically begin with a client having previously established a relationship, often through querying for patients through the Search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The FHIR ID of the MedicationStatement resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
MedicationStatement | MedicationStatement | False | | | An instance of the DSTU2 MedicationStatement resource.
MedicationStatement.dosage | Dosage | False | Yes | | The value and unit of the dosage.
MedicationStatement.dosage.asNeededBoolean | Boolean | True | | | True if taken as needed (PRN). False otherwise.
MedicationStatement.dosage.method | CodeableConcept | False | | | The dose delivery method.
MedicationStatement.dosage.quantityQuantity | Quantity | False | | | The medication administer amount.
MedicationStatement.dosage.route | CodeableConcept | False | | | The route where the medication is taken.
MedicationStatement.dosage.timing | Timing | False | | | The frequency.
MedicationStatement.effectiveDateTime | DateTime | True | | | The effective date and time when the patient started taking the medication.
MedicationStatement.effectivePeriod | Period | False | | | The effective date and time when the patient started and stopped taking the medication.
MedicationStatement.identifier | Identifier | False | Yes | | The identifier associated with the MedicationStatement.
MedicationStatement.informationSource | ReferencedResource | False | | | Reference to the source of information. Can include reference to a Patient, Practitioner, or RelatedPerson.
MedicationStatement.medicationCodeableConcept | CodeableConcept | False | | | The name of the medication/mixture.
MedicationStatement.medicationReference | ReferencedResource | False | | | The medication ID unless it is a mixture.
MedicationStatement.note | String | True | | | Additional notes for linked orders. Starting in the August 2025 version of Epic (May 2025, February 2025, November 2024, and August 2024 with special updates), if the medication is paused, the note includes the text “Suspended by provider:” followed by text describing the pause duration.
MedicationStatement.patient | ReferencedResource | False | | | Reference to the Patient resource.
MedicationStatement.status | String | False | | | The order status of the medication.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/MedicationStatement?patient=Tbt3KuCY0B5PSrJvCu2j-
    PlK.aiHsu2xUjUM8bWpetXoB&status=active,completed
```

Sample response

```
<?xml version="1.0"?>
<MedicationStatement xmlns="http://hl7.org/fhir">
  <status value="completed"/>
  <id value="TEYRqlko22AB6J.Fi4MCvpwB"/>
  <identifier>
    <use value="usual"/>
    <system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
    <value value="971096"/>
  </identifier>
  <identifier>
    <use value="usual"/>
    <system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
    <value value="971096:0396167050"/>
  </identifier>
  <patient>
    <display value="Jason Argonaut"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
  </patient>
  <informationSource>
    <display value="Physician Family Medicine"/>
```

```
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T3Mz3KLBDVXXgaRoee3EKAAB"/>
  </informationSource>
  <effectivePeriod>
    <start value="2015-08-24T00:00:00Z"/>
    <end value="2015-09-03T00:00:00Z"/>
  </effectivePeriod>
  <medicationCodeableConcept>
    <text value="amoxicillin (AMOXIL) 500 MG capsule"/>
    <coding>
      <system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
      <code value="308191"/>
      <display value="amoxicillin (AMOXIL) 500 MG capsule"/>
    </coding>
  </medicationCodeableConcept>
  <dosage>
    <text value="Take 1 capsule (500 mg total) by mouth 3 (three) times a day for 10 days."/>
    <asNeededBoolean value="false"/>
    <timing>
      <repeat>
        <frequency value="1"/>
        <period value="8"/>
        <periodUnits value="h"/>
        <boundsPeriod>
          <start value="2015-08-24T00:00:00Z"/>
          <end value="2015-09-03T00:00:00Z"/>
        </boundsPeriod>
      </repeat>
    </timing>
    <route>
      <text value="Oral"/>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
        <code value="15"/>
        <display value="Oral"/>
      </coding>
    </route>
    <method>
      <text value="Take"/>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
        <code value="11"/>
        <display value="Take"/>
      </coding>
    </method>
    <quantityQuantity>
      <value value="1"/>
      <unit value="capsule"/>
    </quantityQuantity>
  </dosage>
</MedicationStatement>
```

12.3.8 MedicationStatement.Search (DSTU2)

File: site/apis/12-Clinical-Medications/3-DSTU2/339-MedicationStatement-Search-DSTU2.html
Epic API ID | 339
FHIR version | DSTU2
Categories | Clinical Medications
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Medications;Medication allergies
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/MedicationStatement?patient={patient}&_id={_id}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=339

Description

The FHIR MedicationStatement resource defines detailed information about medications being consumed by a patient. This includes medication prescriptions, OTC drugs ordered in an ambulatory clinic, and medications reported by a patient. The medication information may come from e.g. the patient's memory, from a prescription bottle, or from a list of medications the patient, clinician or other party maintains and therefore is often, if not always, less specific than the MedicationOrder resource.

The search interaction enables the client to query for all medications associated with a given patient's medication list. The client, having established the patient in question, now wishes to retrieve the list of that patient's medications.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_id | String | True | | | The FHIR resource ID of an individual MedicationStatement resource. If specified, other search parameters are ignored.
patient | String | False | | | The FHIR resource ID of the linked patient.
status | String | True | | | The status of the order. If a status is not provided in the search, then only medications with an active status are returned. This is to avoid end user confusion and protect patient safety.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | Resource | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.MedicationStatement | MedicationStatement | False | | | An instance of the DSTU2 MedicationStatement resource.
Bundle.entry.resource.MedicationStatement.dosage | Dosage | False | Yes | | The value and unit of the dosage.
Bundle.entry.resource.MedicationStatement.dosage.asNeededBoolean | Boolean | True | | | True if taken as needed (PRN). False otherwise.
Bundle.entry.resource.MedicationStatement.dosage.method | CodeableConcept | False | | | The dose delivery method.
Bundle.entry.resource.MedicationStatement.dosage.quantityQuantity | Quantity | False | | | The medication administer amount.
Bundle.entry.resource.MedicationStatement.dosage.route | CodeableConcept | False | | | The route where the medication is taken.
Bundle.entry.resource.MedicationStatement.dosage.timing | Timing | False | | | The frequency.
Bundle.entry.resource.MedicationStatement.effectiveDateTime | DateTime | True | | | The effective date and time when the patient started taking the medication.
Bundle.entry.resource.MedicationStatement.effectivePeriod | Period | False | | | The effective dates and times when the patient started and stopped taking the medication.
Bundle.entry.resource.MedicationStatement.identifier | Identifier | False | Yes | | The identifier associated with the MedicationStatement.
Bundle.entry.resource.MedicationStatement.informationSource | ReferencedResource | False | | | Reference to the source of information. Can include reference to a Patient, Practitioner, or RelatedPerson.
Bundle.entry.resource.MedicationStatement.medicationCodeableConcept | CodeableConcept | False | | | The name of the medication/mixture.
Bundle.entry.resource.MedicationStatement.medicationReference | ReferencedResource | False | | | The medication ID unless it is a mixture.
Bundle.entry.resource.MedicationStatement.note | String | True | | | Additional notes for linked orders. Starting in the August 2025 version of Epic (May 2025, February 2025, November 2024, and August 2024 with special updates), if the medication is paused, the note includes the text “Suspended by provider:” followed by text describing the pause duration.
Bundle.entry.resource.MedicationStatement.patient | ReferencedResource | False | | | Reference to the Patient resource.
Bundle.entry.resource.MedicationStatement.status | String | False | | | The order status of the medication.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/MedicationStatement?patient=Tbt3KuCY0B5PSrJvCu2j-
    PlK.aiHsu2xUjUM8bWpetXoB&status=active,completed
```

Sample response

```
<?xml version="1.0"?>
<Bundle xmlns="http://hl7.org/fhir">
<type value="searchset"/>
<total value="14"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement?patient=Tbt3KuCY0B5PSrJvCu2j-
    PlK.aiHsu2xUjUM8bWpetXoB&status=active,completed"/>
</link>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TEYRqlko22AB6J.Fi4MCvpwB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TEYRqlko22AB6J.Fi4MCvpwB"/>
</link>
<resource>
<MedicationStatement>
<status value="completed"/>
<id value="TEYRqlko22AB6J.Fi4MCvpwB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="971096"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="971096:0396167050"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Physician Family Medicine"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T3Mz3KLBDVXXgaRoee3EKAAB"/>
</informationSource>
<effectivePeriod>
<start value="2015-08-24T00:00:00Z"/>
```

```
<end value="2015-09-03T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="amoxicillin (AMOXIL) 500 MG capsule"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="308191"/>
<display value="amoxicillin (AMOXIL) 500 MG capsule"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 1 capsule (500 mg total) by mouth 3 (three) times a day for 10 days."/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="8"/>
<periodUnits value="h"/>
<boundsPeriod>
<start value="2015-08-24T00:00:00Z"/>
<end value="2015-09-03T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="capsule"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TG49lm2wVQlU58.ppXAAYnQB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TG49lm2wVQlU58.ppXAAYnQB"/>
</link>
<resource>
<MedicationStatement>
<status value="completed"/>
<id value="TG49lm2wVQlU58.ppXAAYnQB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="971097"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="971097:0412944669"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Physician Family Medicine"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T3Mz3KLBDVXXgaRoee3EKAAB"/>
</informationSource>
<effectivePeriod>
<start value="2015-08-24T00:00:00Z"/>
<end value="2015-09-03T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="acetaminophen (TYLENOL 8 HOUR) 650 MG 8 hr tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="1148399"/>
<display value="acetaminophen (TYLENOL 8 HOUR) 650 MG 8 hr tablet"/>
```

```
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 1 tablet (650 mg total) by mouth every 8 (eight) hours as needed for mild pain for up to 10 days."/>
<asNeededBoolean value="true"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="8"/>
<periodUnits value="h"/>
<boundsPeriod>
<start value="2015-08-24T00:00:00Z"/>
<end value="2015-09-03T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="tablet"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TMfWKzxRbXf4fFrfhZOggZgB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TMfWKzxRbXf4fFrfhZOggZgB"/>
</link>
<resource>
<MedicationStatement>
<status value="completed"/>
<id value="TMfWKzxRbXf4fFrfhZOggZgB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="971100"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="971100:2819026638"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Physician Allergy, MD"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/TIY9FQ1OkFbokwyIOagncLAB"/>
</informationSource>
<effectivePeriod>
<start value="2015-09-18T00:00:00Z"/>
<end value="2015-09-28T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="acetaminophen (TYLENOL) 160 MG chewable tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="313820"/>
<display value="acetaminophen (TYLENOL) 160 MG chewable tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Chew 1 tablet (160 mg total) every 6 (six) hours as needed for mild pain for up to 10 days."/>
<asNeededBoolean value="true"/>
<timing>
<repeat>
<frequency value="1"/>
```

```
<period value="6"/>
<periodUnits value="h"/>
<boundsPeriod>
<start value="2015-09-18T00:00:00Z"/>
<end value="2015-09-28T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
-<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Chew"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="6"/>
<display value="Chew"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="tablet"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/Tw.v50ASgwkc..KACD2lswgB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/Tw.v50ASgwkc..KACD2lswgB"/>
</link>
<resource>
<MedicationStatement>
<status value="active"/>
<id value="Tw.v50ASgwkc..KACD2lswgB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="971101"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="971101:2835804257"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Physician Allergy, MD"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/TIY9FQ1OkFbokwyIOagncLAB"/>
</informationSource>
<effectivePeriod>
<start value="2015-09-18T00:00:00Z"/>
<end value="2016-09-17T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="atorvastatin (LIPITOR) 80 MG tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="259255"/>
<display value="atorvastatin (LIPITOR) 80 MG tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 1 tablet (80 mg total) by mouth daily."/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="1"/>
<periodUnits value="d"/>
<boundsPeriod>
<start value="2015-09-18T00:00:00Z"/>
<end value="2016-09-17T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
```

<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="tablet"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/T26syDuhU3pf7qf3Kvv13lAB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/T26syDuhU3pf7qf3Kvv13lAB"/>
</link>
<resource>
<MedicationStatement>
<status value="completed"/>
<id value="T26syDuhU3pf7qf3Kvv13lAB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="971102"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="971102:2785471400"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Eric Newman, MD"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/TiKHC4B6SOIjD8WIs47lgkgB"/>
</informationSource>
<effectivePeriod>
<start value="2015-11-03T00:00:00Z"/>
<end value="2015-11-07T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="acetaminophen (TYLENOL) 160 MG chewable tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="313820"/>
<display value="acetaminophen (TYLENOL) 160 MG chewable tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Chew 1 tablet (160 mg total) every 6 (six) hours as needed for mild pain for up to 10 days."/>
<asNeededBoolean value="true"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="6"/>
<periodUnits value="h"/>
<boundsPeriod>
<start value="2015-11-03T00:00:00Z"/>
<end value="2015-11-07T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>

```
<method>
<text value="Chew"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="6"/>
<display value="Chew"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="tablet"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TsmsDHh.ouMCg8QqhDaAMSAB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TsmsDHh.ouMCg8QqhDaAMSAB"/>
</link>
<resource>
<MedicationStatement>
<status value="active"/>
<id value="TsmsDHh.ouMCg8QqhDaAMSAB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="971103"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="971103:2802249019"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Physician Cdr Inpatient, MD"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/TJIwbotDwiZ6wgU-.V1OgUAB"/>
</informationSource>
<effectivePeriod>
<start value="2015-11-07T00:00:00Z"/>
<end value="2015-12-07T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="amphetamine-dextroamphetamine XR (ADDERALL XR) 15 MG 24 hr capsule"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="861223"/>
<display value="amphetamine-dextroamphetamine XR (ADDERALL XR) 15 MG 24 hr capsule"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 1 capsule (15 mg total) by mouth every morning. Max Daily Amount: 15 mg"/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="1"/>
<periodUnits value="d"/>
<boundsPeriod>
<start value="2015-11-07T00:00:00Z"/>
<end value="2015-12-07T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
```

```
<quantityQuantity>
<value value="1"/>
<unit value="capsule"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/Tw263wu6vdgnipYaCIKrh8wB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/Tw263wu6vdgnipYaCIKrh8wB"/>
</link>
<resource>
<MedicationStatement>
<status value="active"/>
<id value="Tw263wu6vdgnipYaCIKrh8wB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="971104"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="971104:2886137114"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Physician Cdr Inpatient, MD"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/TJIwbotDwiZ6wgU-.V1OgUAB"/>
</informationSource>
<effectivePeriod>
<start value="2015-11-07T00:00:00Z"/>
<end value="2016-11-06T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="rosiglitazone (AVANDIA) 2 MG tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="312859"/>
<display value="rosiglitazone (AVANDIA) 2 MG tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 1 tablet (2 mg total) by mouth 2 (two) times a day before meals."/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="12"/>
<periodUnits value="h"/>
<boundsPeriod>
<start value="2015-11-07T00:00:00Z"/>
<end value="2016-11-06T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="tablet"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
```

```
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/T85bAGuKFO3l.38SFGT3bKgB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/T85bAGuKFO3l.38SFGT3bKgB"/>
</link>
<resource>
<MedicationStatement>
<status value="completed"/>
<id value="T85bAGuKFO3l.38SFGT3bKgB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="971105"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="971105:2902914733"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Physician Cdr Inpatient, MD"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/TJIwbotDwiZ6wgU-.V1OgUAB"/>
</informationSource>
<effectivePeriod>
<start value="2015-11-07T00:00:00Z"/>
<end value="2016-11-06T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="allopurinol (ZYLOPRIM) 100 MG tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="197319"/>
<display value="allopurinol (ZYLOPRIM) 100 MG tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 1 tablet (100 mg total) by mouth 3 (three) times a day before meals."/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="8"/>
<periodUnits value="h"/>
<boundsPeriod>
<start value="2015-11-07T00:00:00Z"/>
<end value="2016-11-06T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="tablet"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TZbMGsH-jBzK5tKqr9uQQVwB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TZbMGsH-jBzK5tKqr9uQQVwB"/>
```

```
</link>
<resource>
<MedicationStatement>
<status value="active"/>
<id value="TZbMGsH-jBzK5tKqr9uQQVwB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="981975"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="981975:1244187637"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Physician Family Medicine"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/T3Mz3KLBDVXXgaRoee3EKAAB"/>
</informationSource>
<effectivePeriod>
<start value="2016-04-14T00:00:00Z"/>
<end value="2017-04-14T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="lisinopril (PRINIVIL,ZESTRIL) 5 MG tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="311354"/>
<display value="lisinopril (PRINIVIL,ZESTRIL) 5 MG tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 1 tablet (5 mg total) by mouth daily."/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="1"/>
<periodUnits value="d"/>
<boundsPeriod>
<start value="2016-04-14T00:00:00Z"/>
<end value="2017-04-14T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
-<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="tablet"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TOAdyJH4CpZIaZfESZu71OwB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TOAdyJH4CpZIaZfESZu71OwB"/>
</link>
<resource>
<MedicationStatement>
<status value="active"/>
<id value="TOAdyJH4CpZIaZfESZu71OwB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
```

<value value="988734"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="988734:2183847081"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Physician Adolescent"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Practitioner/TFPkggBo9HaiYYMHToL5QwAB"/>
</informationSource>
<effectivePeriod>
<start value="2016-04-24T00:00:00Z"/>
<end value="2016-05-24T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="ISOtretinoin (ACCUTANE) 30 MG capsule"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="403930"/>
<display value="ISOtretinoin (ACCUTANE) 30 MG capsule"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 1 capsule (30 mg total) by mouth 2 (two) times a day."/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="12"/>
<periodUnits value="h"/>
<boundsPeriod>
<start value="2016-04-24T00:00:00Z"/>
<end value="2016-05-24T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="capsule"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/T5YI1tCzs--JEvCICFbx8zgB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/T5YI1tCzs--JEvCICFbx8zgB"/>
</link>
<resource>
<MedicationStatement>
<status value="active"/>
<id value="T5YI1tCzs--JEvCICFbx8zgB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="988736"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="988736:2150291843"/>
</identifier>
<patient>

```
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</informationSource>
<effectivePeriod>
<start value="2016-11-15T00:00:00Z"/>
<end value="2016-11-23T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="amitriptyline (ELAVIL) 10 MG tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="856783"/>
<display value="amitriptyline (ELAVIL) 10 MG tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 10 mg by mouth nightly."/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="1"/>
<periodUnits value="d"/>
<boundsPeriod>
<start value="2016-11-15T00:00:00Z"/>
<end value="2016-11-23T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="10"/>
<unit value="mg"/>
<code value="mg"/>
<system value="http://unitsofmeasure.org"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/T8XCYuYyE-DxTvy60Ea7M1wB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/T8XCYuYyE-DxTvy60Ea7M1wB"/>
</link>
<resource>
<MedicationStatement>
<status value="active"/>
<id value="T8XCYuYyE-DxTvy60Ea7M1wB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="988737"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="988737:2133514224"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
```

```
</informationSource>
<effectivePeriod>
<start value="2016-11-15T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="azithromycin (ZITHROMAX) 500 MG tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="1148107"/>
<display value="azithromycin (ZITHROMAX) 500 MG tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 500 mg by mouth daily."/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="1"/>
<periodUnits value="d"/>
<boundsPeriod>
<start value="2016-11-15T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="500"/>
<unit value="mg"/>
<code value="mg"/>
<system value="http://unitsofmeasure.org"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/Tr2CmDYEfRtWBvDpGSFTYgQB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/Tr2CmDYEfRtWBvDpGSFTYgQB"/>
</link>
<resource>
<MedicationStatement>
<status value="active"/>
<id value="Tr2CmDYEfRtWBvDpGSFTYgQB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="988738"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="988738:2385178509"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</informationSource>
<effectivePeriod>
<start value="2016-11-10T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="digoxin (LANOXIN) 125 MCG tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
```

```
<code value="197604"/>
<display value="digoxin (LANOXIN) 125 MCG tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 125 mcg by mouth daily."/>
<asNeededBoolean value="false"/>
<timing>
<repeat>
<frequency value="1"/>
<period value="1"/>
<periodUnits value="d"/>
<boundsPeriod>
<start value="2016-11-10T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="125"/>
<unit value="ug"/>
<code value="ug"/>
<system value="http://unitsofmeasure.org"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
<entry>
<fullUrl value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TIBT3ETP4IoeaUwffbOPj7wB"/>
<link>
<relation value="self"/>
<url value="https://hostname/instance/api/FHIR/DSTU2/MedicationStatement/TIBT3ETP4IoeaUwffbOPj7wB"/>
</link>
<resource>
<MedicationStatement>
<status value="active"/>
<id value="TIBT3ETP4IoeaUwffbOPj7wB"/>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.2.798268"/>
<value value="988739"/>
</identifier>
<identifier>
<use value="usual"/>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.3.798268.801"/>
<value value="988739:2368400890"/>
</identifier>
<patient>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</patient>
<informationSource>
<display value="Jason Argonaut"/>
<reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/Tbt3KuCY0B5PSrJvCu2j-PlK.aiHsu2xUjUM8bWpetXoB"/>
</informationSource>
<effectivePeriod>
<start value="2016-11-09T00:00:00Z"/>
</effectivePeriod>
<medicationCodeableConcept>
<text value="lisinopril-hydrochlorothiazide (PRINZIDE,ZESTORETIC) 10-12.5 MG per tablet"/>
<coding>
<system value="http://www.nlm.nih.gov/research/umls/rxnorm"/>
<code value="197885"/>
<display value="lisinopril-hydrochlorothiazide (PRINZIDE,ZESTORETIC) 10-12.5 MG per tablet"/>
</coding>
</medicationCodeableConcept>
<dosage>
<text value="Take 1 tablet by mouth daily."/>
<asNeededBoolean value="false"/>
<timing>
```

```
<repeat>
<frequency value="1"/>
<period value="1"/>
<periodUnits value="d"/>
<boundsPeriod>
<start value="2016-11-09T00:00:00Z"/>
</boundsPeriod>
</repeat>
</timing>
<route>
<text value="Oral"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.698288.330"/>
<code value="15"/>
<display value="Oral"/>
</coding>
</route>
<method>
<text value="Take"/>
<coding>
<system value="urn:oid:1.2.840.114350.1.13.0.1.7.4.798268.8600"/>
<code value="11"/>
<display value="Take"/>
</coding>
</method>
<quantityQuantity>
<value value="1"/>
<unit value="tablet"/>
</quantityQuantity>
</dosage>
</MedicationStatement>
</resource>
<search>
<mode value="match"/>
</search>
</entry>
</Bundle>
```