Epic-FHIR — API category: Credit Cards (sections 17 – 17.1.3)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

17 API category: Credit Cards

File: site/apis/17-Credit-Cards/index.html

Non-FHIR (3)

API | Method | URL template | Type
InitializeDeviceResponse | POST | api/epic/2016/CreditCard/API/InitializeDeviceResponse/InitializeDeviceResponse | Epic Public
ProcessTransactionResponse | POST | api/epic/2016/CreditCard/API/ProcessTransactionResponse/ProcessTransactionResponse | Epic Public
ProcessTransactionResponse (2026) | POST | /api/epic/2026/CreditCard/API/ProcessTransactionResponse2026/ProcessTransactionResponse`TransactionResponse*** | Epic Public

17.1 Credit Cards: Non-FHIR

File: site/apis/17-Credit-Cards/1-Non-FHIR/index.html

* InitializeDeviceResponse
* ProcessTransactionResponse
* ProcessTransactionResponse (2026)

17.1.1 InitializeDeviceResponse

File: site/apis/17-Credit-Cards/1-Non-FHIR/708-InitializeDeviceResponse.html
Epic API ID | 708
FHIR version | Non-FHIR
Categories | Credit Cards
API type | Epic Public
API group | Credit Card Device and Payment Gateway Group
USCDI | No
HTTP method | POST
URL template | api/epic/2016/CreditCard/API/InitializeDeviceResponse/InitializeDeviceResponse
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0
Performs scope validation | False
SOAP namespace | urn:Epic-com:CreditCard.2016.Services.API
Source | https://fhir.epic.com/Specifications?api=708

Request parameters

Name | Type | Optional | Array | Cardinality | Description
InitializeResponse | InitializeResponse | False
InitializeResponse.Capabilities | Capabilities | False
InitializeResponse.ErrorMessage | String | True
InitializeResponse.MessageId | Int64 | False
InitializeResponse.Success | Boolean | False
InitializeResponse.SupportedPaymentMethods | SupportedPaymentMethods | False
InitializeResponse.SupportedPaymentMethods.Check | Boolean | False
InitializeResponse.SupportedPaymentMethods.CreditCard | Boolean | False

17.1.2 ProcessTransactionResponse

File: site/apis/17-Credit-Cards/1-Non-FHIR/710-ProcessTransactionResponse.html
Epic API ID | 710
FHIR version | Non-FHIR
Categories | Credit Cards
API type | Epic Public
API group | Credit Card Device and Payment Gateway Group
USCDI | No
HTTP method | POST
URL template | api/epic/2016/CreditCard/API/ProcessTransactionResponse/ProcessTransactionResponse
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0
Performs scope validation | False
SOAP namespace | urn:Epic-com:CreditCard.2016.Services.API
Source | https://fhir.epic.com/Specifications?api=710

Request

Name | Type | Optional | Array | Description
TransactionType | | False | | The type of command Epic is requesting: Charge TokenRequest Identification Preauthorization (for future use only)
Configuration | | False | | Describes the configuration needed to charge a card. This configuration is defined as name/value pairs in Epic settings, and is passed in through this XML block.
Amount | | False | | Currency requested including cents. For example: 4 4.5 4.56
PaymentMethod | | False | | Indicator of payment method. For example, "Check" or "CreditCard".
TotalQualifiedHealthcareAmount | | False | | Only available in Epic February 2019 and beyond. The total dollar amount of the qualified healthcare products. Includes prescription and other qualified merchandise costs. For IIAS transactions. No value indicates an unknown qualified amount, $0.00, indicates no qualified amount. Currently this is only supported for pharmacy transactions.
TotalPrescriptionAmount | | False | | Only available in Epic February 2019 and beyond. The total dollar amount of prescriptions. For IIAS transactions. No value indicates unknown qualified amount, $0.00 indicates no qualified amount. Currently this is only supported for pharmacy transactions.
AllowPartialPayment | | False | | Used only for Charge transactions. Set to true if Epic supports receiving payments less than the amount requested.
CurrencyCode | | False | | Currency code in ISO 4217 format.
RequestToken | | False | | Set to true if Epic requests a token used to save the card on file to charge at a later time.
LineItems | | False | | For future use. A line item list of items and amounts. Used only if the device supports showing a detailed list of purchased items.
LineItem.LineNumber | | False | | Line number, starting at 1.
LineItem.Description | | False | | Description of the item.
LineItem.Amount | | False | | Quantity of the item.
DisplayMessage | | False | | For future use. Message to display on the device if the device supports it.

Response

Name | Type | Optional | Array | Description
MessageID | | False | | Epic message ID.
Result | | False | | Indicates what happened to the command request. The expected values are: Accept Decline Error If you do not charge a card due to timeout, an error should be returned.
DeclineType | | True | | A code indicating why the card was declined. The expected values are: Decline AVS CCV Call Expired CardError AuthExpired
ErrorMessage | | True | | The error message.
ErrorCode | | True | | The error code.
DeviceErrorCode | | True | | The error code from the device.
Amount | | True | | The amount acquired from credit card. This includes cents. Examples: 4 4.5 5.56 If AllowPartialPayment is false, this value will be ignored. If AllowPartialPayment is true, this value will be used to determine if a partial payment is to be applied.
CardBrand | | True | | Indicates what brand of card was used. The expected values are: Visa MasterCard AmericanExpress Discover DinersClub
CardFirstFour | | True | | First four digits of the card (include leading zeros).
CardLastFour | | True | | Last four digits of the card (include leading zeros)
CardExpirationMonth | | True | | The month the card expires (1-12).
CardExpirationYear | | True | | The year the card expires. Must be a full four-digit year.
CardType | | True | | Indicates what type of card was used. The expected values are: Credit Debit
HolderName | | False | | This is the card holder name or the check holder name as it appears on the card or check.
TransactionId | | False | | The transaction identifier.
AuthorizationCode | | True | | The authorization code.
AuthorizationText | | True | | Any text that goes along with the authorization code.
Token | | True | | The token Epic will store to charge the card at a future time. The following characters are invalid for token IDs: Vertical bar (|) Slash (/) Plus (+) Equals (=) Ampersand (&) Caret (^) Square brackets ([or])
IsFSACard | | True | | Set to true if the card presented is an FSA card, for all transaction types.
IsHSACard | | True | | Set to true if the card presented is an HSA card, for all transaction types.
IsHRACard | | True | | Set to true if the card presented is an HRA card, for all transaction types. Available starting in Epic February 2019.
NonCreditCardTrackData | | True | | Used for identification transactions only.
SignatureImage | | True | | An image of the signature. Used for printing a receipt.
SignatureImageFormat | | True | | Indicates the image format of the signature. The expected values are: PNG - must be base64 encoded JPEG - must be base64 encoded HexPacked (For future use) - Not currently supported in Epic. If the device returns this format, please convert it to PNG or JPEG.
IsEMVTransaction | | True | | Set to true if the transaction is EMV based.
EMVApplicationID | | True | | If IsEMVTransaction is true, this field should indicate the Application ID (AID) of the transaction.
EMVApplicationName | | True | | If IsEMVTransaction is true, this field should indicate the Application Name of the transaction.
EMVCardEntryMode | | True | | If IsEMVTransaction is true, this field should indicate the Card Entry Mode of the transaction.
EMVCardHolderVerification | | True | | If IsEMVTransaction is true, this field should indicate the Card Holder Verification (CHV) of the transaction.
EMVAuthorizationMode | | True | | If IsEMVTransaction is true, this field should indicate the Authorization Mode of the transaction.
EMVTerminalVerificationResults | | True | | If IsEMVTransaction is true, this field should indicate the Terminal Verification Results (TVR) of the transaction.
EMVIssuerApplicationData | | True | | If IsEMVTransaction is true, this field should indicate the Issuer Application Data of the transaction.
EMVTransactionStatusInformation | | True | | If IsEMVTransaction is true, this field should indicate the Transaction Status Information (TSI) of the transaction.
EMVApplicationResponseCode | | True | | If IsEMVTransaction is true, this field should indicate the Application Response Code of the transaction.
BankAccountType | | True | | If it is a check transaction, the bank account type. The expected values are: Checking Savings Unknown
CheckNumber | | True | | If it is a check transaction, the check number.
AccountNumberLastFour | | True | | If it is a check transaction, the last four digits of the account number.
RoutingNumber | | True | | If it is a check transaction, the routing number for the check.

ReceiptMessage | | True | | If it is a check transaction, a message to be displayed on the receipt. This can be used to send a NSF message to indicate fees a bank may charge if there are not funds for this transaction.
TransactionDateTimeUTC | | False | | UTC Date and time of the transaction. Equivalent to: DateTime.Now.ToUniversalTime().ToString("o")

Sample request

```
{
TransactionRequest": {
MessageId": "12345",
"TransactionType": "Charge",
Configuration": {
"CustomFIelds": [
"CustomField": [
"Name":"",
"Value": ""
],
]
"IsTestAccount": ""
},
Amount":"20",
PaymentMethod":"CreditCard",
TotalQualifiedHealthcareAmount":"",
TotalPrescriptionAmount":"",
AllowPartialPayment":"false",
CurrencyCode":"USD",
RequestToken":"false",
LineItems": [
"LineItem": [
"LineNumber":"",
"Description":"",
"Amount":"",
]
]
DisplayMessage":""
}
}
```

Sample response

```
{
TransactionResponse": {
MessageId": "12345",
"Result": "Accept",
DeclineType": "",
ErrorMessage": "",
ErrorCode": "",
DeviceErrorCode": "",
Amount": "20",
CardBrand": "Visa",
CardFirstFour": "1234",
CardLastFour": "5678",
CardExpirationMonth": "10",
CardExpirationYear": "2023",
CardType": "Credit",
HolderName": "Test User",
TransactionId": "98765",
AuthorizationCode": "",
AuthorizationText": "",
Token": "",
IsFSACard": "false",
IsHSACard": "false",
IsHRACard": "false",
NonCreditCardTrackData": "",
SignatureImage": "",
SignatureImageFormat": "",
TransactionDateTimeUTC": "",
IsEMVTransaction": "false",
EMVApplicationID": "",
EMVCardEntryMode": "",
EMVCardHolderVerification": "",
EMVAuthorizationMode": "",
EMVTerminalVerificationResults": "",
EMVIssuerApplicationData": "",
EMVTransactionStatusInformation": "",
EMVApplicationResponseCode": "",
EMVApplicationName": "",
BankAccountType": "",
CheckNumber": "",
AccountNumberLastFour": "",
ReceiptMessage": "",
}
}
```

17.1.3 ProcessTransactionResponse (2026)

File: site/apis/17-Credit-Cards/1-Non-FHIR/40292-ProcessTransactionResponse-2026.html
Epic API ID | 40292

FHIR version | Non-FHIR
Categories | Credit Cards
API type | Epic Public
API group | Credit Card Device and Payment Gateway Group
USCDI | No
HTTP method | POST
URL template | /api/epic/2026/CreditCard/API/ProcessTransactionResponse2026/ProcessTransactionResponse`TransactionResponse***
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=40292

Request parameters

Name | Type | Optional | Array | Cardinality | Description
TransactionResponse | TransactionResponse2026 | False
TransactionResponse.AccountNumberLastFour | String | True
TransactionResponse.Amount | Decimal | True
TransactionResponse.AuthorizationCode | String | True
TransactionResponse.AuthorizationText | String | True
TransactionResponse.BankAccountType | String | True
TransactionResponse.CardBrand | String | True
TransactionResponse.CardExpirationMonth | Int32 | True
TransactionResponse.CardExpirationYear | Int32 | True
TransactionResponse.CardFirstFour | String | True
TransactionResponse.CardLastFour | String | True
TransactionResponse.CardType | String | False
TransactionResponse.CheckNumber | String | False
TransactionResponse.DeclineType | String | True
TransactionResponse.DeviceErrorCode | Int64 | True
TransactionResponse.EMVApplicationID | String | True
TransactionResponse.EMVApplicationName | String | True
TransactionResponse.EMVApplicationResponseCode | String | True
TransactionResponse.EMVAuthorizationMode | String | True
TransactionResponse.EMVCardEntryMode | String | True
TransactionResponse.EMVCardHolderVerification | String | True
TransactionResponse.EMVIssuerApplicationData | String | True
TransactionResponse.EMVTerminalVerificationResults | String | True
TransactionResponse.EMVTransactionStatusInformation | String | True
TransactionResponse.ErrorCode | Int64 | True
TransactionResponse.ErrorMessage | String | True
TransactionResponse.HolderName | String | False
TransactionResponse.IsEMVTransaction | Boolean | True
TransactionResponse.IsFSACard | Boolean | True
TransactionResponse.IsHealthAccount | Boolean | True
TransactionResponse.IsHRACard | Boolean | True
TransactionResponse.IsHSACard | Boolean | True
TransactionResponse.MessageId | Int64 | False
TransactionResponse.NonCreditCardTrackData | String | True
TransactionResponse.ReceiptMessage | String | True
TransactionResponse.Result | String | False
TransactionResponse.SignatureImage | String | False
TransactionResponse.SignatureImageFormat | String | True
TransactionResponse.Token | String | True
TransactionResponse.TransactionDateTimeUTC | String | False
TransactionResponse.TransactionId | String | False

Sample request


```
{
TransactionResponse": {
MessageId": "12345",
"Result": "Accept",
DeclineType": "",
ErrorMessage": "",
ErrorCode": "",
DeviceErrorCode": "",
Amount": "20",
CardBrand": "Visa",
CardFirstFour": "1234",
CardLastFour": "5678",
CardExpirationMonth": "10",
CardExpirationYear": "2023",
CardType": "Credit",
HolderName": "Test User",
TransactionId": "98765",
```

```
AuthorizationCode": "",
AuthorizationText": "",
Token": "",
IsFSACard": "false",
IsHSACard": "false",
IsHRACard": "false",
IsHealthAccount": "false",
NonCreditCardTrackData": "",
SignatureImage": "",
SignatureImageFormat": "",
TransactionDateTimeUTC": "",
IsEMVTransaction": "false",
EMVApplicationID": "",
EMVCardEntryMode": "",
EMVCardHolderVerification": "",
EMVAuthorizationMode": "",
EMVTerminalVerificationResults": "",
EMVIssuerApplicationData": "",
EMVTransactionStatusInformation": "",
EMVApplicationResponseCode": "",
EMVApplicationName": "",
BankAccountType": "",
CheckNumber": "",
AccountNumberLastFour": "",
ReceiptMessage": "",
}
}
```