Epic-FHIR — API category: Identification Devices (sections 19 – 19.3.2)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

19 API category: Identification Devices

File: site/apis/19-Identification-Devices/index.html

R4 (14)

API | Method | URL template | Type
Device.Read (External Devices) (R4) | GET | /api/FHIR/R4/Device/{ID} | Industry-Standard
Device.Read (Implants) (R4) | GET | /api/FHIR/R4/Device/{ID} | USCDI
Device.Read (Lines, Drains, Airways) (R4) | GET | /api/FHIR/R4/Device/{ID} | Industry-Standard
Device.Search (External Devices) (R4) | GET | /api/FHIR/R4/Device?_id={_id} | Industry-Standard
Device.Search (Implants) (R4) | GET | /api/FHIR/R4/Device?_id={_id}&device-name={device-name}&manufacturer={manufacturer}&model={model}&patient={patient}&udi-carrier={udi-carrier}&udi-di={udi-di} | USCDI
Device.Search (Lines, Drains, Airways) (R4) | GET | /api/FHIR/R4/Device?device-name={device-name}&manufacturer={manufacturer}&model={model}&patient={patient}&udi-carrier={udi-carrier}&udi-di={udi-di}&_id={_id} | Industry-Standard
DeviceRequest.Read (R4) | GET | /api/FHIR/R4/DeviceRequest/{ID} | Industry-Standard
DeviceRequest.Search (R4) | GET | /api/FHIR/R4/DeviceRequest?patient={patient}&status={status} | Industry-Standard
DeviceUseStatement.Read (External Devices) (R4) | GET | /api/FHIR/R4/DeviceUseStatement/{ID} | Industry-Standard
DeviceUseStatement.Read (Implants) (R4) | GET | /api/FHIR/R4/DeviceUseStatement/{ID} | Industry-Standard
DeviceUseStatement.Read (Lines, Drains, Airways) (R4) | GET | /api/FHIR/R4/DeviceUseStatement/{ID} | Industry-Standard
DeviceUseStatement.Search (External Devices) (R4) | GET | /api/FHIR/R4/DeviceUseStatement?patient={patient} | Industry-Standard
DeviceUseStatement.Search (Implants) (R4) | GET | /api/FHIR/R4/DeviceUseStatement?patient={patient} | Industry-Standard
DeviceUseStatement.Search (Lines, Drains, Airways) (R4) | GET | /api/FHIR/R4/DeviceUseStatement?patient={patient}&subject={subject}&_id={_id} | Industry-Standard

STU3 (10)

API | Method | URL template | Type
Device.Read (Implants and External Devices) (STU3) | GET | /api/FHIR/STU3/Device/{ID} | USCDI
Device.Read (LDA) (STU3) | GET | /api/FHIR/STU3/Device/{ID} | Industry-Standard
Device.Search (Implants and External Devices) (STU3) | GET | /api/FHIR/STU3/Device?device-name={device-name}&manufacturer={manufacturer}&model={model}&patient={patient}&udi-carrier={udi-carrier}&udi-di={udi-di} | USCDI
Device.Search (LDA) (STU3) | GET | /api/FHIR/STU3/Device?device-name={device-name}&manufacturer={manufacturer}&model={model}&patient={patient}&udi-carrier={udi-carrier}&udi-di={udi-di}&_id={_id} | Industry-Standard
DeviceRequest.Read (STU3) | GET | /api/FHIR/STU3/DeviceRequest/{ID} | Industry-Standard
DeviceRequest.Search (STU3) | GET | /api/FHIR/STU3/DeviceRequest?patient={patient}&status={status} | Industry-Standard
DeviceUseStatement.Read (Implants and External Devices) (STU3) | GET | /api/FHIR/STU3/DeviceUseStatement/{ID} | Industry-Standard
DeviceUseStatement.Read (LDAs) (STU3) | GET | /api/FHIR/STU3/DeviceUseStatement/{ID} | Industry-Standard
DeviceUseStatement.Search (Implants and External Devices) (STU3) | GET | /api/FHIR/STU3/DeviceUseStatement?patient={patient} | Industry-Standard
DeviceUseStatement.Search (LDAs) (STU3) | GET | /api/FHIR/STU3/DeviceUseStatement?patient={patient}&subject={subject}&_count={_count}&_id={_id}&_include={_include} | Industry-Standard

DSTU2 (2)

API | Method | URL template | Type
Device.Read (Implants) (DSTU2) | GET | api/FHIR/DSTU2/Device/{ID} | USCDI
Device.Search (Implants) (DSTU2) | GET | api/FHIR/DSTU2/Device?_id={_id}&patient={patient}&type={type}&udi={udi}&subject={subject} | USCDI

19.1 Identification Devices: R4

File: site/apis/19-Identification-Devices/1-R4/index.html

* Device.Read (External Devices) (R4)
* Device.Read (Implants) (R4)
* Device.Read (Lines, Drains, Airways) (R4)
* Device.Search (External Devices) (R4)
* Device.Search (Implants) (R4)
* Device.Search (Lines, Drains, Airways) (R4)
* DeviceRequest.Read (R4)
* DeviceRequest.Search (R4)
* DeviceUseStatement.Read (External Devices) (R4)
* DeviceUseStatement.Read (Implants) (R4)

* DeviceUseStatement.Read (Lines, Drains, Airways) (R4)
* DeviceUseStatement.Search (External Devices) (R4)
* DeviceUseStatement.Search (Implants) (R4)
* DeviceUseStatement.Search (Lines, Drains, Airways) (R4)

19.1.1 Device.Read (External Devices) (R4)

File: site/apis/19-Identification-Devices/1-R4/10254-Device-Read-External-Devices-R4.html
Epic API ID | 10254
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Device/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10254

Description

The FHIR Device resource describes information about durable, manufactured medical items. The Epic implementation of this resource supports external medical devices.

Read interactions begin with a client having previously established a relationship, typically when following a reference to this resource from another resource or through querying for devices through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Device FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Device | Resource | False
Device.id | id | False | | | The Device FHIR ID.
Device.patient | Reference | True | | | Patient identifier.
Device.status | code | True | | | Hard-coded to a value of “active”.
Device.type | CodeableConcept | False | | | A SNOMED or other device code.

Sample request

```
https://hostname/instance/api/FHIR/R4/Device/eWLpiH.SLWEEL1QB0uWYOuOyR1ENczSmoNSlJFWCH10io8cU1jNQL50zfC4DNU0bF4N-
    0lWtziMwS-RlKH6gNYaa5HfBj--yGSgBFlmwTYvo3
```

Sample response


```
{
  "resourceType": "Device",
  "id": "eWLpiH.SLWEEL1QB0uWYOuOyR1ENczSmoNSlJFWCH10io8cU1jNQL50zfC4DNU0bF4N-0lWtziMwS-RlKH6gNYaa5HfBj--yGSgBFlmwTYvo3",
  "status": "active",
  "type": {
    "coding": [
      {
        "system": "http://snomed.info/sct",
        "code": "58938008",
        "display": "Wheelchair device (physical object)"
      },
      {
        "system": "http://snomed.info/sct",
        "code": "705417005",
        "display": "Wheelchair accessory (physical object)"
      }
    ],
    "text": "Wheelchair"
  },
  "patient": {
    "reference": "Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
    "display": "Lufhir, Meiko"
  }
}
```


19.1.2 Device.Read (Implants) (R4)

File: site/apis/19-Identification-Devices/1-R4/1012-Device-Read-Implants-R4.html

Epic API ID | 1012
FHIR version | R4
Categories | Identification Devices
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Unique Device Identifier(s);Patient's implantable device(s)
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2020
HTTP method | GET
URL template | /api/FHIR/R4/Device/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1012

Description

The FHIR Device resource describes information about durable, manufactured medical items; specifically implantable medical devices.

Read interactions begin with a client having previously established a relationship, typically when following a reference to this resource from another resource or through querying for devices through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The device FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Device (R4) | Resource
Device (R4).contact | ContactPoint | | Yes | 0..* | Hospital's area code and phone number.
Device (R4).deviceName | BackboneElement | | Yes | 0..* | Device name and type details.
Device (R4).deviceName.name | string | | | 0..1 | The name of the device.
Device (R4).deviceName.type | code | | | 0..1 | Always set to "other".
Device (R4).distinctIdentifier | string | | | 0..1 | Distinct identification code. Only related to Tissue implants.
Device (R4).expirationDate | dateTime | | | 0..1 | Device expiration date.
Device (R4).location | Reference | | | 0..1 | Inventory location site.
Device (R4).lotNumber | string | | | 0..1 | Device lot number.
Device (R4).manufactureDate | dateTime | | | 0..1 | Date of device manufacture.
Device (R4).manufacturer | string | | | 0..1 | Device manufacturer.
Device (R4).modelNumber | string | | | 0..1 | Device model number.
Device (R4).note | Annotation | | Yes | 0..* | Details on who implanted the device, when it was implanted, who documented the device, and additional free text comments and description. Each value in the note array can include a "text" and an "authorReference" object. The "text" can include either "implanted", "explanted", or a string that was entered by the user. If the "text" value is "implanted" or explanted", the "authorReference" can contain who implanted the device. If the "text" value is another string, the "authorReference" can contain the documentation user. If the "text" value is "implanted" or explanted", there can be additional "date" and "time" values that contain the date and time that the device was implanted or explanted.
Device (R4).owner | Reference | | | 0..1 | The hospital location where the surgery was performed.
Device (R4).parent | Reference | | | 0..1 | Explant replacement ID.
Device (R4).patient | Reference | Required | | 0..1 | Patient identifier.
Device (R4).property | BackboneElement | | Yes | 0..* | Implant type information, including: Permanence Radioactive Site Laterality Size GUDID request status GUDID contains dry or latex rubber GMDN Preferred term name The "type" object contains which information is included and the "valueCode" object includes the value for the corresponding type. In MyChart context, only site and laterality are returned.
Device (R4).property.type | CodeableConcept | | | | The implant property included. Possible properties include Permanence Radioactive Site Laterality Size Request Status Rubber GMDN Term
Device (R4).property.valueCode | CodeableConcept | | Yes | | The value of the implant property.
Device (R4).safety | CodeableConcept | | Yes | 0..* | GUDID MRI safety information.
Device (R4).serialNumber | string | | | 0..1 | Device serial number.
Device (R4).specialization | BackboneElement | | Yes | 1..* | Specialization information.
Device (R4).specialization.systemType | CodeableConcept | | | 1..1 | Implant specialty.
Device (R4).status | code | | | 0..1 | One of the following values: active inactive entered-in-error unknown
Device (R4).type | CodeableConcept | | | 0..1 | The implant's type as either a string or a SNOMED code. For example, this element can contain values such as Pacemaker, Valve, or 882002.
Device (R4).udiCarrier | BackboneElement | | Yes | 0..* | UDI device identifier. A Unique Device Identifier (UDI) is a unique numeric or alphanumeric code that is comprised of two components: Device Identifier (DI) ("Static UDI") - a mandatory, fixed portion of a UDI that identifies the labeler and specific version or model of a device. Production Identifiers (PI) ("Dynamic UDI") - a conditional, variable portion of a UDI that identifies one or more of the following: Lot or batch number within which a device was manufactured Serial number of a specific device Expiration date of a specific device Production date of a specific device Distinct identification code for a human cell, tissue, or cellular- and tissue-based product
Device (R4).udiCarrier.carrierHRF | string | | | 0..1 | Device carrier's UDI human-readable barcode string.
Device (R4).udiCarrier.deviceIdentifier | string | | | 0..1 | Device identifier - fixed portion of UDI.
Device (R4).udiCarrier.entryType | code | | | 0..1 | Always set to "unknown".
Device (R4).version | BackboneElement | | Yes | 1..* | Version information.

Device (R4).version.value | string | | | 1..1 | GUDID version or model.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Device/enHmgz5QewcaX5Jz5QW49mw3
```

Sample response


```
{
  "resourceType": "Device",
  "id": "enHmgz5QewcaX5Jz5QW49mw3",
  "udiCarrier": [
    {
      "deviceIdentifier": "00001234567890",
      "carrierHRF": "(01)00001234567890(11)250713(17)271013(10)1234(21)98745",
      "entryType": "unknown"
    }
  ],
  "status": "active",
  "manufacturer": "Test Manufacturer",
  "manufactureDate": "2025-07-13",
  "expirationDate": "2027-10-13",
  "lotNumber": "1234",
  "serialNumber": "98745",
  "deviceName": [
    {
      "name": "12 MM - 2.0 MM CORTEX SCREW 223.12 - LOG32280",
      "type": "other"
    }
  ],
  "modelNumber": "12358",
  "type": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.737780.70",
        "code": "150",
        "display": "Screw"
      }
    ],
    "text": "Screw"
  },
  "property": [
    {
      "type": {
        "text": "Request Status"
      },
      "valueCode": [
        {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737780.1000",
              "code": "3",
              "display": "Successful"
            }
          ],
          "text": "Successful"
        }
      ]
    },
    {
      "type": {
        "text": "Rubber"
      },
      "valueCode": [
        {
          "text": "False"
        }
      ]
    }
  ],
  "patient": {
    "reference": "Patient/eqzTx5hgJMZhxToCyjAdi2w3",
    "display": "FHIR, Test Patient"
  },
  "owner": {
    "reference": "Organization/eQ04JwL1c5t.kHTy4hqDDVljfi5g293ShHts9Jy8AhNk3",
    "display": "FHIR Test OR"
  },
  "note": [
    {
      "authorReference": {
        "reference": "Practitioner/eB2h3Q.PubxQ3m6qiKkHOJg3",
        "type": "Practitioner",
        "display": "FHIR Surgeon"
      },
      "time": "2025-10-09",
      "text": "implanted"
    }
```

```
  ]
}
```

19.1.3 Device.Read (Lines, Drains, Airways) (R4)

File: site/apis/19-Identification-Devices/1-R4/10461-Device-Read-Lines-Drains-Airways-R4.html
Epic API ID | 10461
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
API group | Device (LDAs) Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Device/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10461

Description

This resource can only be used with healthcare organizations in the Netherlands. It was designed to meet Nictiz specifications. This resource cannot be used in any other locales at this time. The FHIR Device resource describes information about feeding tubes and lines, drains, and airways (LDAs) that can be used to administer medications or nutrition.

Each organization configures which types of LDAs are allowed to be used for administrating medications. Similarly, each organization configures which types of LDAs are considered feeding tubes. That organization-specific configuration determines which types of lines will be available via this API.

Read interactions begin with a client having previously established a relationship, typically when following a reference to this resource from another.

Sample request

```
https://hostname/instance/api/FHIR/R4/Device/fGF3AxFev3JsbzIwSVSvtHg4
```

Sample response

```
{
“resourceType”: “Device”,
“id”: “fGF3AxFev3JsbzIwSVSvtHg4”,
“extension”: [
{
“valueCodeableConcept”: {
“coding”: [
{
“system”: “urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040”,
“code”: “4”,
“display”: “Drain”
}
],
“text”: “Drain”
},
“url”: “http://hl7.org/fhir/5.0/StructureDefinition/extension-Device.type”
},
{
“valueCodeableConcept”: {
“coding”: [
{
“system”: “urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040”,
“code”: “5”,
“display”: “Airway”
}
],
“text”: “Airway”
},
“url”: “http://hl7.org/fhir/5.0/StructureDefinition/extension-Device.type”
}
],
“type”: {
“coding”: [
{
“system”: “http://loinc.org”,
“code”: “ 30852-8”,
“display”: “Peripheral IV”
},
{
“system”: “urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040”,
“code”: “3”,
“display”: “Line”
}
],
```

```
“text”: “Peripheral IV”
},
“patient”: {
“reference”: “Patient/eivR2DL-WAG8Nxx3xBYUu7A3”,
“display”: “Sample, Test”
}
}
```

19.1.4 Device.Search (External Devices) (R4)

File: site/apis/19-Identification-Devices/1-R4/10257-Device-Search-External-Devices-R4.html
Epic API ID | 10257
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Device?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10257

Description

The FHIR Device resource describes information about durable, manufactured medical items. The Epic implementation of this resource supports external medical devices.

The search interaction enables the client to query for external devices using the _id parameter. External devices are not supported by other search parameters.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Device | Resource | False
Bundle.entry.resource.Device.patient | Reference | False | | | Patient identifier.
Bundle.entry.resource.Device.status | code | False | | | Hard-coded to a value of “active”.
Bundle.entry.resource.Device.type | CodeableConcept | False | | | A SNOMED or other device code.

Sample request

```
https://hostname/instance/api/FHIR/R4/Device?_id=eWLpiH.SLWEEL1QB0uWYOuOyR1ENczSmoNSlJFWCH10io8cU1jNQL50zfC4DNU0bF4N-
    0lWtziMwS-RlKH6gNYaa5HfBj--yGSgBFlmwTYvo3
```

Sample response

```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Device?_id=eWLpiH.SLWEEL1QB0uWYOuOyR1ENczSmoNSlJFWCH10io8cU1jNQL50zf
    C4DNU0bF4N-0lWtziMwS-RlKH6gNYaa5HfBj--yGSgBFlmwTYvo3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Device/eWLpiH.SLWEEL1QB0uWYOuOyR1ENczSmoNSlJFWCH10io8cU1jNQL50zf
    C4DNU0bF4N-0lWtziMwS-RlKH6gNYaa5HfBj--yGSgBFlmwTYvo3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Device/eWLpiH.SLWEEL1QB0uWYOuOyR1ENczSmoNSlJFWCH10io8cU1jNQL50zf
    C4DNU0bF4N-0lWtziMwS-RlKH6gNYaa5HfBj--yGSgBFlmwTYvo3",
      "resource": {
        "resourceType": "Device",
        "id": "eWLpiH.SLWEEL1QB0uWYOuOyR1ENczSmoNSlJFWCH10io8cU1jNQL50zfC4DNU0bF4N-0lWtziMwS-RlKH6gNYaa5HfBj--
    yGSgBFlmwTYvo3",
        "status": "active",
        "type": {
          "coding": [
            {
              "system": "http://snomed.info/sct",
              "code": "58938008",
```

```
            "display": "Wheelchair device (physical object)"
          },
          {
            "system": "http://snomed.info/sct",
            "code": "705417005",
            "display": "Wheelchair accessory (physical object)"
          }
        ],
        "text": "Wheelchair"
      },
      "patient": {
        "reference": "Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
        "display": "Lufhir, Meiko"
      }
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


19.1.5 Device.Search (Implants) (R4)

File: site/apis/19-Identification-Devices/1-R4/1013-Device-Search-Implants-R4.html
Epic API ID | 1013
FHIR version | R4
Categories | Identification Devices
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Unique Device Identifier(s);Patient's implantable device(s)
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2020
HTTP method | GET
URL template | /api/FHIR/R4/Device?_id={_id}&device-name={device-name}&manufacturer={manufacturer}&model={model}&patient={patient}&udi-carrier={udi-carrier}&udi-di={udi-di}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1013

Description

The FHIR Device resource describes information about durable, manufactured medical items; specifically implantable medical devices.

The search interaction enables the client to query for implantable devices based on a specified set of information. The Device Search endpoint allows clients to establish an identifier for an implantable device without previously receiving unique identification from the server for the device.

When testing this API, you must use a UDI in a valid human readable or Automatic Identification and Data Capture (AIDC) format for this service to return a response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
device-name | string | Optional | Yes | | A string that can match the device UDI name.
manufacturer | string | Optional | Yes | | Device manufacturer.
model | string | Optional | Yes | | Device model number.
patient | reference | Required | Yes | | Patient identifier for the patient to whom the device is affixed. This property is always required by Epic.
udi-carrier | string | Optional | Yes | | The UDI barcode string either in human readable format (HRF) or Automatic Identification and Data Capture (AIDC) format.
udi-di | string | Optional | Yes | | UDI device identifier. A Unique Device Identifier (UDI) is a unique numeric or alphanumeric code that is comprised of two components: Device Identifier (DI) ("Static UDI") - a mandatory, fixed portion of a UDI that identifies the labeler and specific version or model of a device. Production Identifiers (PI) ("Dynamic UDI") - a conditional, variable portion of a UDI that identifies one or more of the following: Lot or batch number within which a device was manufactured Serial number of a specific device Expiration date of a specific device Production date of a specific device Distinct identification code for a human cell, tissue, or cellular- and tissue-based product

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description

location | reference | Optional | Yes | | Inventory location site.
organization | reference | Optional | Yes | | The surgical log location.
status | token | Optional | Yes | | One of the following values: active inactive entered-in-error unknown
type | token | Optional | Yes | | The implant's type as either a string or a SNOMED code. For example, this element can contain values such as Pacemaker, Valve, or 882002.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Device (R4) | Resource
Device (R4).contact | ContactPoint | | Yes | 0..* | Hospital's area code and phone number.
Device (R4).deviceName | BackboneElement | | Yes | 0..* | Device name and type details.
Device (R4).deviceName.name | string | | | 0..1 | The name of the device.
Device (R4).deviceName.type | code | | | 0..1 | Always set to "other".
Device (R4).distinctIdentifier | string | | | 0..1 | Distinct identification code. Only related to Tissue implants.
Device (R4).expirationDate | dateTime | | | 0..1 | Device expiration date.
Device (R4).location | Reference | | | 0..1 | Inventory location site.
Device (R4).lotNumber | string | | | 0..1 | Device lot number.
Device (R4).manufactureDate | dateTime | | | 0..1 | Date of device manufacture.
Device (R4).manufacturer | string | | | 0..1 | Device manufacturer.
Device (R4).modelNumber | string | | | 0..1 | Device model number.
Device (R4).note | Annotation | | Yes | 0..* | Details on who implanted the device, when it was implanted, who documented the device, and additional free text comments and description. Each value in the note array can include a "text" and an "authorReference" object. The "text" can include either "implanted", "explanted", or a string that was entered by the user. If the "text" value is "implanted" or explanted", the "authorReference" can contain who implanted the device. If the "text" value is another string, the "authorReference" can contain the documentation user. If the "text" value is "implanted" or explanted", there can be additional "date" and "time" values that contain the date and time that the device was implanted or explanted.
Device (R4).owner | Reference | | | 0..1 | The hospital location where the surgery was performed.
Device (R4).parent | Reference | | | 0..1 | Explant replacement ID.
Device (R4).patient | Reference | Required | | 0..1 | Patient identifier.
Device (R4).property | BackboneElement | | Yes | 0..* | Implant type information, including: Permanence Radioactive Site Laterality Size GUDID request status GUDID contains dry or latex rubber GMDN Preferred term name The "type" object contains which information is included and the "valueCode" object includes the value for the corresponding type. In MyChart context, only site and laterality are returned.
Device (R4).property.type | CodeableConcept | | | The implant property included. Possible properties include Permanence Radioactive Site Laterality Size Request Status Rubber GMDN Term
Device (R4).property.valueCode | CodeableConcept | | Yes | | The value of the implant property.
Device (R4).safety | CodeableConcept | | Yes | 0..* | GUDID MRI safety information.
Device (R4).serialNumber | string | | | 0..1 | Device serial number.
Device (R4).specialization | BackboneElement | | Yes | 1..* | Specialization information.
Device (R4).specialization.systemType | CodeableConcept | | | 1..1 | Implant specialty.
Device (R4).status | code | | | 0..1 | One of the following values: active inactive entered-in-error unknown
Device (R4).type | CodeableConcept | | | 0..1 | The implant's type as either a string or a SNOMED code. For example, this element can contain values such as Pacemaker, Valve, or 882002.
Device (R4).udiCarrier | BackboneElement | | Yes | 0..* | UDI device identifier. A Unique Device Identifier (UDI) is a unique numeric or alphanumeric code that is comprised of two components: Device Identifier (DI) ("Static UDI") - a mandatory, fixed portion of a UDI that identifies the labeler and specific version or model of a device. Production Identifiers (PI) ("Dynamic UDI") - a conditional, variable portion of a UDI that identifies one or more of the following: Lot or batch number within which a device was manufactured Serial number of a specific device Expiration date of a specific device Production date of a specific device Distinct identification code for a human cell, tissue, or cellular- and tissue-based product
Device (R4).udiCarrier.carrierHRF | string | | | 0..1 | Device carrier's UDI human-readable barcode string.
Device (R4).udiCarrier.deviceIdentifier | string | | | 0..1 | Device identifier - fixed portion of UDI.
Device (R4).udiCarrier.entryType | code | | | 0..1 | Always set to "unknown".
Device (R4).version | BackboneElement | | Yes | 1..* | Version information.
Device (R4).version.value | string | | | 1..1 | GUDID version or model.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Device?patient=eqzTx5hgJMZhxToCyjAdi2w3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://vs-icx18-25/Interconnect-FHIR-CDE-Unsecured/api/FHIR/R4/Device?patient=eqzTx5hgJMZhxToCyjAdi2w3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://vs-icx18-25/Interconnect-FHIR-CDE-Unsecured/api/FHIR/R4/Device/enHmgz5QewcaX5Jz5QW49mw3"
        }
      ],
      "fullUrl": "https://vs-icx18-25/Interconnect-FHIR-CDE-Unsecured/api/FHIR/R4/Device/enHmgz5QewcaX5Jz5QW49mw3",
```

```
      "resource": {
        "resourceType": "Device",
        "id": "enHmgz5QewcaX5Jz5QW49mw3",
        "udiCarrier": [
          {
            "deviceIdentifier": "00001234567890",
            "carrierHRF": "(01)00001234567890(11)250713(17)271013(10)1234(21)98745",
            "entryType": "unknown"
          }
        ],
        "status": "active",
        "manufacturer": "Test Manufacturer",
        "manufactureDate": "2025-07-13",
        "expirationDate": "2027-10-13",
        "lotNumber": "1234",
        "serialNumber": "98745",
        "deviceName": [
          {
            "name": "12 MM - 2.0 MM CORTEX SCREW 223.12 - LOG32280",
            "type": "other"
          }
        ],
        "modelNumber": "12358",
        "type": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.737780.70",
              "code": "150",
              "display": "Screw"
            }
          ],
          "text": "Screw"
        },
        "property": [
          {
            "type": {
              "text": "Request Status"
            },
            "valueCode": [
              {
                "coding": [
                  {
                    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.737780.1000",
                    "code": "3",
                    "display": "Preparing to send request"
                  }
                ],
                "text": "Preparing to send request"
              }
            ]
          }
        ],
        "patient": {
          "reference": "Patient/eqzTx5hgJMZhxToCyjAdi2w3",
          "display": "FHIR, Test Patient"
        },
        "owner": {
          "reference": "Organization/eQ04JwL1c5t.kHTy4hqDDVljfi5g293ShHts9Jy8AhNk3",
          "display": "FHIR Test OR"
        },
        "note": [
          {
            "authorReference": {
              "reference": "Practitioner/eB2h3Q.PubxQ3m6qiKkHOJg3",
              "type": "Practitioner",
              "display": "FHIR Surgeon"
            },
            "time": "2025-10-09",
            "text": "implanted"
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


19.1.6 Device.Search (Lines, Drains, Airways) (R4)

File: site/apis/19-Identification-Devices/1-R4/10454-Device-Search-Lines-Drains-Airways-R4.html
Epic API ID | 10454
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
API group | Device (LDAs) Group

USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Device?device-name={device-name}&manufacturer={manufacturer}&model={model}&patient={patient}&udi-carrier={udi-carrier}&udi-di={udi-di}&_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10454

Description

This resource can be used only with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The FHIR Device resource describes information about feeding tubes and lines, drains, and airways (LDAs) that can be used to administer medications or nutrition.

Each organization configures which types of LDAs are allowed to be used for administrating medications. Similarly, each organization configures which types of LDAs are considered feeding tubes. That organization-specific configuration determines which types of lines will be available via this API.

This search interaction currently supports only the _id search parameter. As a result, it functions similarly to a read request with the Device.Read (LDA) (R4) web service. The Device FHIR ID can be found by querying with the DeviceUseStatement resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Device | Resource | False
Bundle.entry.resource.Device.extension (also: device.type) | Extension | True | Yes | | Additional device types if there are multiple types.
Bundle.entry.resource.Device.patient | Reference | False | | | FHIR reference to the Patient resource.
Bundle.entry.resource.Device.type | CodeableConcept | True | | | The type of device.

Sample request

```
https://hostname/instance/api/FHIR/R4/Device?_id=feq03k4Gk6yRuwxJgYBhK1g4
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Device?_id=fGF3AxFev3JsbzIwSVSvtHg4"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Device/fGF3AxFev3JsbzIwSVSvtHg4"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Device/fGF3AxFev3JsbzIwSVSvtHg4",
      "resource": {
        "resourceType": "Device",
        "id": "fGF3AxFev3JsbzIwSVSvtHg4",
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040",
                  "code": "4",
                  "display": "Drain"
                }
              ],
              "text": "Drain"
            },
            "url": "http://hl7.org/fhir/5.0/StructureDefinition/extension-Device.type"
          },
          {
            "valueCodeableConcept": {
              "coding": [
                {
```

```
                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040",
                "code": "5",
                "display": "Airway"
              }
            ],
            "text": "Airway"
          },
          "url": "http://hl7.org/fhir/5.0/StructureDefinition/extension-Device.type"
        }
      ],
      "type": {
        "coding": [
          {
            "system": "http://loinc.org",
            "code": " 30852-8",
            "display": "Peripheral IV"
          },
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040",
            "code": "3",
            "display": "Line"
          }
        ],
        "text": "Peripheral IV"
      },
      "patient": {
        "reference": "Patient/eivR2DL-WAG8Nxx3xBYUu7A3",
        "display": "Sample"
      }
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


19.1.7 DeviceRequest.Read (R4)

File: site/apis/19-Identification-Devices/1-R4/10237-DeviceRequest-Read-R4.html
Epic API ID | 10237
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DeviceRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10237

Description

The DeviceRequest resource describes a request for a patient to employ a medical device. This resource applies only to external devices, such as wheelchairs or hearing aids.

Read interactions typically begin with a client having previously established a relationship, typically when following a reference to this resource from another resource or through querying for requests through the search interaction.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DeviceRequest | Resource | False
DeviceRequest.authoredOn | String | True | | | The date on which a request was made, or the day of the order that contains it.
DeviceRequest.basedOn | Reference | True | Yes | | Reference to the parent order that contains a request.
DeviceRequest.codeCodeableConcept | CodeableConcept | False | | | Standard API for SNOMED code of a procedure. This element also sends CPT, CBV, THL, Kuntaliitto codes. If a value is not found, it will send the procedure ID as the code.
DeviceRequest.encounter | Reference | True | | | Reference to the encounter where a device was ordered.
DeviceRequest.identifier | Identifier | True | Yes | | Identifies the request.
DeviceRequest.intent | String | False | | | The intent for this request. Can be one of the following: order proposal plan
DeviceRequest.occurrencePeriod | Period | True | | | The period during which an order is active.
DeviceRequest.occurrencePeriod.end | String | True | | | The end of the requested period of device use.
DeviceRequest.occurrencePeriod.start | String | True | | | The start of the requested period of device use.
DeviceRequest.extension (also: orderStatus) | Extension | True | Yes | | Includes an order's status, specific to Netherlands environments. Statuses include: Ordered (Order geplaatst) Requested (Aangevraagd) Pending (In afwachting van uitvoering) In progress (In uitvoering) On hold (Opgeschort) Cancelled (Geannuleerd) Noshow (Niet nagekomen)
DeviceRequest.priority | String | True | | | The priority of a request. Can be one of the following: routine urgent asap stat
DeviceRequest.requester | Reference | True | | | The provider responsible for making the request.

DeviceRequest.status | String | True | | | The status of a request. Can be one of the following: active completed draft cancelled entered-in-error unknown
DeviceRequest.subject | Reference | False | | | Patient identifier.

Sample request

```
https://hostname/instance/api/FHIR/R4/DeviceRequest/e2JR1dQ7Vmz-RGiLKEmdSuVtIlNBmaSewKvaitAlvI7g3
```

Sample response


```
{
    "resourceType": "DeviceRequest",
    "id": "e2JR1dQ7Vmz-RGiLKEmdSuVtIlNBmaSewKvaitAlvI7g3",
    "identifier": [
        {
            "use": "usual",
            "type": {
                "coding": [
                    {
                        "system": http://terminology.hl7.org/CodeSystem/v2-0203,
                        "code": "PLAC",
                        "display": "Placer Identifier"
                    }
                ],
                "text": "Placer Identifier"
            },
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268",
            "value": "6001356372"
        }
    ],
    "status": "revoked",
    "intent": "order",
    "priority": "Routine",
    "codeCodeableConcept": {
        "coding": [
            {
                "system": http://www.ama-assn.org/go/cpt,
                "code": "64947002",
                "display": "ORD PROC SUPPLIES"
            }
        ],
        "text": "ORD PROC SUPPLIES"
    },
    "subject": {
        "reference": "Patient/ee7VHp66HKnpv1ekGVK5Cqi-fOWZqgXoCP4oDantOoZk3",
        "display": "Falk, Supplies"
    },
    "encounter": {
        "reference": "Encounter/e2.Ujq2mBwCX6yepqT0XXQvnXep3-P6GYs.MsHIhr-ME3",
        "display": "Office Visit"
    },
    "occurrencePeriod": {
        "start": "2021-09-07T21:48:30Z",
        "end": "2021-09-08T04:59:59Z"
    },
    "authoredOn": "2021-09-07T21:48:30Z",
    "requester": {
        "reference": "Practitioner/e4WpPThq5zmJc8uRqG4kNrw3",
        "display": "Ted Falk, MD"
    }
}
```


19.1.8 DeviceRequest.Search (R4)

File: site/apis/19-Identification-Devices/1-R4/10243-DeviceRequest-Search-R4.html
Epic API ID | 10243
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DeviceRequest?patient={patient}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10243

Description

The DeviceRequest resource describes a request for a patient to employ a medical device. This resource applies only to external devices, such as wheelchairs or hearing aids.

The search interaction enables the client to query for requests based on a specified set of information. The DeviceRequest Search endpoint allows clients to establish an identifier for a request without previously receiving unique identification from the server for the request.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | False | | | Patient identifier for the patient who is the target of the request This property is always required by Epic.
status | String | True | | | The status of a request. Can be one of the following: active completed draft cancelled unknown If unspecified, returns requests of all statuses.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authored-on | String | True | | | The date on which a request was made, or the day of the order that contains it.
based-on | String | True | | | Reference to the parent order that contains a request.
code | String | True | | | Standard API for SNOMED code of a procedure. This element also sends CPT, CBV, THL, Kuntaliitto codes. If a value is not found, it will send the procedure ID as the code.
device | String | True | | | Unsupported
encounter | String | True | | | Reference to the encounter where a device was ordered.
event-date | String | True | | | The period during which an order is active.
group-identifier | String | True | | | Unsupported
identifier | String | True | | | Unsupported
instantiates-canonical | String | True | | | Unsupported
insurance | String | True | | | Unsupported
intent | String | True | | | The intent for this request. Can be one of the following: order proposal plan
performer | String | True | | | Unsupported
prior-request | String | True | | | Unsupported
requester | String | True | | | The provider responsible for making the request.
subject | String | True | | | Patient identifier.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DeviceRequest | Resource | False
Bundle.entry.resource.DeviceRequest.authoredOn | String | True | | | The date on which a request was made, or the day of the order that contains it.
Bundle.entry.resource.DeviceRequest.basedOn | Reference | True | Yes | | Reference to the parent order that contains a request.
Bundle.entry.resource.DeviceRequest.codeCodeableConcept | CodeableConcept | False | | | Standard API for SNOMED code of a procedure. This element also sends CPT, CBV, THL, Kuntaliitto codes. If a value is not found, it will send the procedure ID as the code.
Bundle.entry.resource.DeviceRequest.encounter | Reference | True | | | Reference to the encounter where a device was ordered.
Bundle.entry.resource.DeviceRequest.intent | String | False | | | The intent for this request. Can be one of the following: order proposal plan
Bundle.entry.resource.DeviceRequest.occurrencePeriod | Period | True | | | The period during which an order is active.
Bundle.entry.resource.DeviceRequest.occurrencePeriod.end | String | True | | | The end of the requested period of device use.
Bundle.entry.resource.DeviceRequest.occurrencePeriod.start | String | True | | | The start of the requested period of device use.
Bundle.entry.resource.DeviceRequest.extension (also: orderStatus) | Extension | False | Yes | | Includes an order's status, specific to Netherlands environments. Statuses include: Ordered (Order geplaatst) Requested (Aangevraagd) Pending (In afwachting van uitvoering) In progress (In uitvoering) On hold (Opgeschort) Cancelled (Geannuleerd) Noshow (Niet nagekomen)
Bundle.entry.resource.DeviceRequest.priority | String | True | | | The priority of a request. Can be one of the following: routine urgent asap stat
Bundle.entry.resource.DeviceRequest.requester | Reference | True | | | The provider responsible for making the request.
Bundle.entry.resource.DeviceRequest.status | String | True | | | The status of a request. Can be one of the following: active completed draft cancelled entered-in-error unknown
Bundle.entry.resource.DeviceRequest.subject | Reference | False | | | Patient identifier.

Sample request

```
https://hostname/instance/api/FHIR/R4/DeviceRequest?patient=ee7VHp66HKnpv1ekGVK5Cqi-fOWZqgXoCP4oDantOoZk3
```

Sample response

```
{
    "resourceType": "Bundle",
    "type": "searchset",
    "total": 1,
    "link": [
        {
            "relation": "next",
            "url": https://hostname/instance/api/FHIR/R4/DeviceRequest?patient=ee7VHp66HKnpv1ekGVK5Cqi-
    fOWZqgXoCP4oDantOoZk3&_count=1&sessionID=12-219409D410C811ECBD45D2068206269D
        }
    ],
    "entry": [
        {
            "link": [
                {
```

```
                "relation": "self",
                "url":
    https://hostname/instance/api/FHIR/R4/DeviceRequest/eqzaDL4GE3TZVvExLW6yrRD4.sNb.TM4lJiqp3va13A43
            }
        ],
        "fullUrl":
    https://hostname/instance/api/FHIR/R4/DeviceRequest/eqzaDL4GE3TZVvExLW6yrRD4.sNb.TM4lJiqp3va13A43,
        "resource": {
            "resourceType": "DeviceRequest",
            "id": "eqzaDL4GE3TZVvExLW6yrRD4.sNb.TM4lJiqp3va13A43",
            "identifier": [
                {
                    "use": "usual",
                    "type": {
                        "coding": [
                            {
                                "system": http://terminology.hl7.org/CodeSystem/v2-0203,
                                "code": "PLAC",
                                "display": "Placer Identifier"
                            }
                        ],
                        "text": "Placer Identifier"
                    },
                    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268",
                    "value": "6001342088"
                }
            ],
            "status": "active",
            "intent": "order",
            "priority": "Routine",
            "codeCodeableConcept": {
                "coding": [
                    {
                        "system": http://www.ama-assn.org/go/cpt,
                        "code": "1944500",
                        "display": "SAW SUPPLIES"
                    }
                ],
                "text": "SAW SUPPLIES"
            },
            "subject": {
                "reference": "Patient/ee7VHp66HKnpv1ekGVK5Cqi-fOWZqgXoCP4oDantOoZk3",
                "display": "Falk, Supplies"
            },
            "encounter": {
                "reference": "Encounter/e2.Ujq2mBwCX6yepqT0XXQvnXep3-P6GYs.MsHIhr-ME3",
                "display": "Office Visit"
            },
            "occurrencePeriod": {
                "start": "2021-09-02T05:00:00Z"
            },
            "authoredOn": "2021-09-02T23:02:53Z",
            "requester": {
                "reference": "Practitioner/e4WpPThq5zmJc8uRqG4kNrw3",
                "display": "Ted Falk, MD"
            }
        },
        "search": {
            "mode": "match"
        }
    }
]
}
```


19.1.9 DeviceUseStatement.Read (External Devices) (R4)

File: site/apis/19-Identification-Devices/1-R4/10265-DeviceUseStatement-Read-External-Devices-R4.html
Epic API ID | 10265
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DeviceUseStatement/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10265

Description

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for external medical devices.

Read interactions begin with a client having previously established a relationship, typically when following a reference to this resource from another resource or through querying for device use statements through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The DeviceUseStatement FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DeviceUseStatement | DeviceUseStatement | False
DeviceUseStatement.device | Reference | False | | | Reference to the Device (External Device) resource.
DeviceUseStatement.id | String | False | | | The DeviceUseStatement FHIR ID.
DeviceUseStatement.note | Annotation | True | Yes | | Comments.
DeviceUseStatement.status | String | True | | | This is hard-coded to a value of active.
DeviceUseStatement.subject | Reference | False | | | Patient identifier.

Sample request

```
https://hostname/instance/api/FHIR/R4/DeviceUseStatement/e5H-
    uqvToYXvYzay3mBxxUpgYDPoBRmAH8ydl6SHg11EMYYaCvErHG5zwqaMIyB1LtWMr99IvoOGOV8jB35N70l6jl6XSLjH6J-fMDN58I7o3
```

Sample response


```
{
  "resourceType": "DeviceUseStatement",
  "id": "e5H-uqvToYXvYzay3mBxxUpgYDPoBRmAH8ydl6SHg11EMYYaCvErHG5zwqaMIyB1LtWMr99IvoOGOV8jB35N70l6jl6XSLjH6J-fMDN58I7o3",
  "status": "active",
  "subject": {
    "reference": "Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
    "display": "Lufhir, Meiko"
  },
  "device": {
    "reference": "Device/eWLpiH.SLWEEL1QB0uWYOuOyR1ENczSmoNSlJFWCH10io8cU1jNQL50zfC4DNU0bF4N-0lWtziMwS-RlKH6gNYaa5HfBj--
    yGSgBFlmwTYvo3",
    "display": "Wheelchair"
  },
  "note": [
    {
      "text": "Sample free text"
    }
  ]
}
```


19.1.10 DeviceUseStatement.Read (Implants) (R4)

File: site/apis/19-Identification-Devices/1-R4/10247-DeviceUseStatement-Read-Implants-R4.html
Epic API ID | 10247
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DeviceUseStatement/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10247

Description

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for implantable medical devices.

Read interactions begin with a client having previously established a relationship, typically when following a reference to this resource from another resource or through querying for device use statements through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The DeviceUseStatement FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DeviceUseStatement | DeviceUseStatement | False
DeviceUseStatement.bodySite | CodeableConcept | True | | | The location of an implant in the body.

DeviceUseStatement.bodySite.extension (also: Laterality) | Extension | True | Yes | | Laterality adds information about body side to the anatomic location, for example left.
DeviceUseStatement.device | Reference | False | | | Reference to the Device (Implants) or Device (External Device) resource.
DeviceUseStatement.extension (also: HealthcareProvider) | Extension | True | Yes | | Returns the organization where the device was implanted.
DeviceUseStatement.extension (also: HealthProfessional) | Extension | True | Yes | | Returns the practitioner who implanted the device.
DeviceUseStatement.id | String | False | | | The DeviceUseStatement FHIR ID.
DeviceUseStatement.note | Annotation | True | Yes | | Comments.
DeviceUseStatement.status | String | True | | | One of the following values: active completed intended stopped
DeviceUseStatement.subject | Reference | False | | | Patient identifier.
DeviceUseStatement.extension (also: whenUsed) | Extension | True | Yes | | The date of the implant and explant for a device.

Sample request

```
https://hostname/instance/api/FHIR/R4/DeviceUseStatement/e0rayCr0M4MVFZ.4vo7vZ7w3
```

Sample response


```
{
  "resourceType": "DeviceUseStatement",
  "id": "e0rayCr0M4MVFZ.4vo7vZ7w3",
  "extension": [
    {
      "valueReference": {
        "reference": "Organization/ew533IbqmGo4e4BJs3xkJVA3",
        "display": "Jmah Hospital"
      },
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Organization"
    },
    {
      "valueReference": {
        "reference": "Practitioner/ej5DIf1GTYEKDhFox5Oa0Sw3",
        "display": "Axis Hess"
      },
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Practitioner"
    },
    {
      "valuePeriod": {
        "start": "2021-09-01"
      },
      "url": "http://hl7.org/fhir/3.0/StructureDefinition/extension-DeviceUseStatement.whenUsed"
    }
  ],
  "status": "active",
  "subject": {
    "reference": "Patient/e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3",
    "display": "Cohen, Fhirone"
  },
  "device": {
    "reference": "Device/emENut.RK-5xAG5S5nhjj6A3",
    "display": "CLK Cardiac Stent - LOG395317"
  },
  "bodySite": {
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.505",
              "code": "2",
              "display": "Right"
            }
          ],
          "text": "Right"
        },
        "url": "http://nictiz.nl/fhir/StructureDefinition/BodySite-Qualifier"
      }
    ],
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.500",
        "code": "10",
        "display": "Abdomen"
      }
    ],
    "text": "Abdomen"
  },
  "note": [
    {
      "text": "JPC Free Text Description of Cardiac Stent"
    }
  ]
}
```


19.1.11 DeviceUseStatement.Read (Lines, Drains, Airways) (R4)

File: site/apis/19-Identification-Devices/1-R4/10452-DeviceUseStatement-Read-Lines-Drains-Airways-R4.html
Epic API ID | 10452
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
API group | Device (LDAs) Group
USCDI | No
Keywords | LDA
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DeviceUseStatement/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10452

Description

This resource can currently be used in Netherlands locales only, to meet eOverdracht requirements.

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for a patient's feeding tubes and lines, drains, and airways (LDAs) that can be linked to medications.

Read interactions begin with a client having previously established a relationship, typically through querying for device use statements through the search interaction.

Sample request

```
https://hostname/instance/api//FHIR/R4/DeviceUseStatement/fzRZEChiuQVSFjKCZcCX7EA4
```

Sample response


```
{
  "resourceType": "DeviceUseStatement",
  "id": "fhnEOL6HT3yFqPjlpZYacCQ4",
  "status": "active",
  "subject": {
    "reference": "Patient/euc.F-kIqHcWfug3.vC9KMA3",
    "display": "Sample, Patient"
  },
  "timingPeriod": {
    "start": "2022-05-09T16:44:00Z"
  },
  "device": {
    "reference": "Device/f9nEPWUGOXvLZE1oPShZ58w4",
    "display": "LDA NO PORTS"
  },
  "note": [
    {
      "text": "This is note 1."
    },
    {
      "text": "This is note 2."
    }
  ]
}
```


19.1.12 DeviceUseStatement.Search (External Devices) (R4)

File: site/apis/19-Identification-Devices/1-R4/10266-DeviceUseStatement-Search-External-Devices-R4.html
Epic API ID | 10266
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DeviceUseStatement?patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10266

Description

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for external medical devices.

The search interaction enables the client to query for devices use statements based on a specified set of information. The DeviceUseStatement Search endpoint allows clients to establish an identifier for a statement without previously receiving unique identification from the server for the statement.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | False | | | Patient identifier for the patient using the device. This property is always required by Epic.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
device | String | False | | | Reference to the Device (External Device) resource.
identifier | String | False | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DeviceUseStatement | DeviceUseStatement | False
Bundle.entry.resource.DeviceUseStatement.device | Reference | False | | | Reference to the Device (External Device) resource.
Bundle.entry.resource.DeviceUseStatement.id | String | False | | | The DeviceUseStatement FHIR ID.
Bundle.entry.resource.DeviceUseStatement.note | Annotation | True | Yes | | Comments.
Bundle.entry.resource.DeviceUseStatement.status | String | True | | | This is hard-coded to a value of active.
Bundle.entry.resource.DeviceUseStatement.subject | Reference | False | | | Patient identifier.

Sample request

```
https://hostname/instance/api/FHIR/R4/DeviceUseStatement?patient=ePkoYQHmvWbfU.mZmNWGDtg3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/DeviceUseStatement?patient=ePkoYQHmvWbfU.mZmNWGDtg3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DeviceUseStatement/e5H-
    uqvToYXvYzay3mBxxUpgYDPoBRmAH8ydl6SHg11EMYYaCvErHG5zwqaMIyB1LtWMr99IvoOGOV8jB35N70l6jl6XSLjH6J-fMDN58I7o3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/DeviceUseStatement/e5H-
    uqvToYXvYzay3mBxxUpgYDPoBRmAH8ydl6SHg11EMYYaCvErHG5zwqaMIyB1LtWMr99IvoOGOV8jB35N70l6jl6XSLjH6J-fMDN58I7o3",
      "resource": {
        "resourceType": "DeviceUseStatement",
        "id":
    "e5H-uqvToYXvYzay3mBxxUpgYDPoBRmAH8ydl6SHg11EMYYaCvErHG5zwqaMIyB1LtWMr99IvoOGOV8jB35N70l6jl6XSLjH6J-fMDN58I7o3",
        "status": "active",
        "subject": {
          "reference": "Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
          "display": "Lufhir, Meiko"
        },
        "device": {
          "reference": "Device/eWLpiH.SLWEEL1QB0uWYOuOyR1ENczSmoNSlJFWCH10io8cU1jNQL50zfC4DNU0bF4N-0lWtziMwS-
    RlKH6gNYaa5HfBj--yGSgBFlmwTYvo3",
          "display": "Wheelchair"
        }
      },
      "search": {
        "mode": "match"
      }
    },
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DeviceUseStatement/e5H-
    uqvToYXvYzay3mBxxUqEucRkkUtcVWPgeoh4Fcmx6otgDO9ntMyQvEPaUp2KvvzEeArQc9yNoft9Y3kCd5Jaf190sMRsT6TswFRFFANc3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/DeviceUseStatement/e5H-
```

```
    uqvToYXvYzay3mBxxUqEucRkkUtcVWPgeoh4Fcmx6otgDO9ntMyQvEPaUp2KvvzEeArQc9yNoft9Y3kCd5Jaf190sMRsT6TswFRFFANc3",
      "resource": {
        "resourceType": "DeviceUseStatement",
        "id":
    "e5H-uqvToYXvYzay3mBxxUqEucRkkUtcVWPgeoh4Fcmx6otgDO9ntMyQvEPaUp2KvvzEeArQc9yNoft9Y3kCd5Jaf190sMRsT6TswFRFFANc3",
        "status": "active",
        "subject": {
          "reference": "Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
          "display": "Lufhir, Meiko"
        },
        "device": {
          "reference":
    "Device/eWLpiH.SLWEEL1QB0uWYOuL7qOQ66PnuwCUxqotVi96FisL3Ysr6he5zMfMT2gKqNEardf30jB84q-
    RHcF0ajUfxzLFNzHUkSM7tOK2aItUk3",
          "display": "Prosthetics"
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


19.1.13 DeviceUseStatement.Search (Implants) (R4)

File: site/apis/19-Identification-Devices/1-R4/10248-DeviceUseStatement-Search-Implants-R4.html
Epic API ID | 10248
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DeviceUseStatement?patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10248

Description

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for implantable medical devices.

The search interaction enables the client to query for devices use statements based on a specified set of information. The DeviceUseStatement Search endpoint allows clients to establish an identifier for a statement without previously receiving unique identification from the server for the statement.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | False

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
device | String | True | | | FHIR ID reference to the Device (Implants) resource.
identifier | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DeviceUseStatement | DeviceUseStatement | False
Bundle.entry.resource.DeviceUseStatement.bodySite | CodeableConcept | True | | | The location of an implant in the body.
Bundle.entry.resource.DeviceUseStatement.bodySite.extension (also: Laterality) | Extension | True | Yes | | Laterality adds information about body side to the anatomic location, for example left.
Bundle.entry.resource.DeviceUseStatement.device | Reference | False | | | Reference to the Device (Implants) resource.
Bundle.entry.resource.DeviceUseStatement.extension (also: HealthcareProvider) | Extension | True | Yes | | Returns the organization where the device was implanted.
Bundle.entry.resource.DeviceUseStatement.extension (also: HealthProfessional) | Extension | True | Yes | | Returns the practitioner who implanted the device.
Bundle.entry.resource.DeviceUseStatement.id | String | False | | | The DeviceUseStatement FHIR ID.
Bundle.entry.resource.DeviceUseStatement.note | Annotation | True | Yes | | Comments.
Bundle.entry.resource.DeviceUseStatement.status | String | True | | | One of the following values: active completed intended stopped

Bundle.entry.resource.DeviceUseStatement.subject | Reference | False | | | Patient identifier.
Bundle.entry.resource.DeviceUseStatement.extension (also: whenUsed) | Extension | True | Yes | | The date of the implant and explant for a device.

Sample request

```
https://hostname/instance/api/FHIR/R4/DeviceUseStatement?Patient=e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url":
    "https://hostname/instance/api/FHIR/R4/DeviceUseStatement?Patient=e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DeviceUseStatement/e0rayCr0M4MVFZ.4vo7vZ7w3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/DeviceUseStatement/e0rayCr0M4MVFZ.4vo7vZ7w3",
      "resource": {
        "resourceType": "DeviceUseStatement",
        "id": "e0rayCr0M4MVFZ.4vo7vZ7w3",
        "extension": [
          {
            "valueReference": {
              "reference": "Organization/ew533IbqmGo4e4BJs3xkJVA3",
              "display": "Jmah Hospital"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Organization"
          },
          {
            "valueReference": {
              "reference": "Practitioner/ej5DIf1GTYEKDhFox5Oa0Sw3",
              "display": "Axis Hess"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Practitioner"
          },
          {
            "valuePeriod": {
              "start": "2021-09-01"
            },
            "url": "http://hl7.org/fhir/3.0/StructureDefinition/extension-DeviceUseStatement.whenUsed"
          }
        ],
        "status": "active",
        "subject": {
          "reference": "Patient/e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3",
          "display": "Cohen, Fhirone"
        },
        "device": {
          "reference": "Device/emENut.RK-5xAG5S5nhjj6A3",
          "display": "CLK Cardiac Stent - LOG395317"
        },
        "bodySite": {
          "extension": [
            {
              "valueCodeableConcept": {
                "coding": [
                  {
                    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.505",
                    "code": "2",
                    "display": "Right"
                  }
                ],
                "text": "Right"
              },
              "url": "http://nictiz.nl/fhir/StructureDefinition/BodySite-Qualifier"
            }
          ],
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.500",
              "code": "10",
              "display": "Abdomen"
            }
          ],
          "text": "Abdomen"
        },
```

```
    "note": [
      {
        "text": "JPC Free Text Description of Cardiac Stent"
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/DeviceUseStatement/eQgZ6p71r5Cm0w3yjXlwKGw3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/R4/DeviceUseStatement/eQgZ6p71r5Cm0w3yjXlwKGw3",
  "resource": {
    "resourceType": "DeviceUseStatement",
    "id": "eQgZ6p71r5Cm0w3yjXlwKGw3",
    "extension": [
      {
        "valueReference": {
          "reference": "Organization/ew533IbqmGo4e4BJs3xkJVA3",
          "display": "Jmah Hospital"
        },
        "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Organization"
      },
      {
        "valueReference": {
          "reference": "Practitioner/ej5DIf1GTYEKDhFox5Oa0Sw3",
          "display": "Axis Hess"
        },
        "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Practitioner"
      },
      {
        "valuePeriod": {
          "start": "2021-09-01"
        },
        "url": "http://hl7.org/fhir/3.0/StructureDefinition/extension-DeviceUseStatement.whenUsed"
      }
    ],
    "status": "active",
    "subject": {
      "reference": "Patient/e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3",
      "display": "Cohen, Fhirone"
    },
    "device": {
      "reference": "Device/enpi9c2aXM3cdUar0pUO-uA3",
      "display": "CTK PACEMAKER - LOG395317"
    },
    "bodySite": {
      "extension": [
        {
          "valueCodeableConcept": {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.505",
                "code": "4",
                "display": "N/A"
              }
            ],
            "text": "N/A"
          },
          "url": "http://nictiz.nl/fhir/StructureDefinition/BodySite-Qualifier"
        }
      ],
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.500",
          "code": "80",
          "display": "Aorta"
        }
      ],
      "text": "Aorta"
    },
    "note": [
      {
        "text": "JPC Real Description of Pacemaker"
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "resource": {
```

```
        "resourceType": "OperationOutcome",
        "issue": [
          {
            "severity": "warning",
            "code": "processing",
            "details": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.657369",
                  "code": "4119",
                  "display": "This response includes information available to the authorized user at the time of the
    request. It may not contain the entire record available in the system."
                }
              ],
              "text": "This response includes information available to the authorized user at the time of the request.
    It may not contain the entire record available in the system."
            }
          }
        ]
      },
      "search": {
        "mode": "outcome"
      }
    }
  ]
}
```


19.1.14 DeviceUseStatement.Search (Lines, Drains, Airways) (R4)

File: site/apis/19-Identification-Devices/1-R4/10449-DeviceUseStatement-Search-Lines-Drains-Airways-R4.html
Epic API ID | 10449
FHIR version | R4
Categories | Identification Devices
API type | Industry-Standard
API group | Device (LDAs) Group
USCDI | No
Keywords | LDA
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DeviceUseStatement?patient={patient}&subject={subject}&_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10449

Description

This resource can currently be used in Netherlands locales only, to comply with MedMij requirements.

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for a patient's feeding tubes and lines, drains, and airways (LDAs) that can be linked to medications.

The search interaction enables the client to query for devices use statements based on a specified set of information.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | False | | | The reference to a patient resource

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
device | String | True | | | Reference to the Device resource.
identifier | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DeviceUseStatement | DeviceUseStatement | False
Bundle.entry.resource.DeviceUseStatement.device | Reference | False | | | Reference to the Device resource.
Bundle.entry.resource.DeviceUseStatement.note | Annotation | True | Yes | | Comments.
Bundle.entry.resource.DeviceUseStatement.status | String | True | | | Current status of LDA use. Can return one of two values: Completed if the LDA is removed. Active in all other cases.
Bundle.entry.resource.DeviceUseStatement.subject | Reference | False | | | Patient identifier.
Bundle.entry.resource.DeviceUseStatement.timingPeriod | Period | True | | | The period of time when an LDA was in use.

Sample request

```
https://hostname/instance/api/api/FHIR/R4/DeviceUseStatement?patient=euc.F-kIqHcWfug3.vC9KMA3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 3,
  "link": [
    {
      "relation": "self",
      "url": "/api/FHIR/R4/DeviceUseStatement?patient=euc.F-kIqHcWfug3.vC9KMA3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "/api/FHIR/R4/DeviceUseStatement/fhnEOL6HT3yFqPjlpZYacCQ4"
        }
      ],
      "fullUrl": "/api/FHIR/R4/DeviceUseStatement/fhnEOL6HT3yFqPjlpZYacCQ4",
      "resource": {
        "resourceType": "DeviceUseStatement",
        "id": "fhnEOL6HT3yFqPjlpZYacCQ4",
        "status": "active",
        "subject": {
          "reference": "Patient/euc.F-kIqHcWfug3.vC9KMA3",
          "display": "Sample, Patient"
        },
        "timingPeriod": {
          "start": "2022-05-09T16:44:00Z"
        },
        "device": {
          "reference": "Device/f9nEPWUGOXvLZE1oPShZ58w4",
          "display": "LDA NO PORTS"
        },
        "note": [
          {
            "text": "This is note 1."
          },
          {
            "text": "This is note 2."
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    },
    {
      "link": [
        {
          "relation": "self",
          "url": "/api/FHIR/R4/DeviceUseStatement/fzRZEChiuQVSFjKCZcCX7EA4"
        }
      ],
      "fullUrl": "/api/FHIR/R4/DeviceUseStatement/fzRZEChiuQVSFjKCZcCX7EA4",
      "resource": {
        "resourceType": "DeviceUseStatement",
        "id": "fzRZEChiuQVSFjKCZcCX7EA4",
        "status": "active",
        "subject": {
          "reference": "Patient/euc.F-kIqHcWfug3.vC9KMA3",
          "display": "Sample, Patient"
        },
        "timingPeriod": {
          "start": "2022-06-06T19:48:00Z"
        },
        "device": {
          "reference": "Device/fyGtwIkBWncWR7MebinJwUA4",
          "display": "LDA ALL PORTS"
        }
      },
      "search": {
        "mode": "match"
      }
    },
    {
      "link": [
        {
          "relation": "self",
          "url": "/api/FHIR/R4/DeviceUseStatement/fWw8NU8ZTLPkZftnstyOQxQ4"
        }
      ],
      "fullUrl": "/api/FHIR/R4/DeviceUseStatement/fWw8NU8ZTLPkZftnstyOQxQ4",
```

```
      "resource": {
        "resourceType": "DeviceUseStatement",
        "id": "fWw8NU8ZTLPkZftnstyOQxQ4",
        "status": "active",
        "subject": {
          "reference": "Patient/euc.F-kIqHcWfug3.vC9KMA3",
          "display": "Sample, Patient"
        },
        "timingPeriod": {
          "start": "2022-06-22T00:19:00Z"
        },
        "device": {
          "reference": "Device/fLCO410CSFuqyux1I.3tY3g4",
          "display": " LDA ALL PORTS"
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


19.2 Identification Devices: STU3

File: site/apis/19-Identification-Devices/2-STU3/index.html

* Device.Read (Implants and External Devices) (STU3)
* Device.Read (LDA) (STU3)
* Device.Search (Implants and External Devices) (STU3)
* Device.Search (LDA) (STU3)
* DeviceRequest.Read (STU3)
* DeviceRequest.Search (STU3)
* DeviceUseStatement.Read (Implants and External Devices) (STU3)
* DeviceUseStatement.Read (LDAs) (STU3)
* DeviceUseStatement.Search (Implants and External Devices) (STU3)
* DeviceUseStatement.Search (LDAs) (STU3)

19.2.1 Device.Read (Implants and External Devices) (STU3)

File: site/apis/19-Identification-Devices/2-STU3/892-Device-Read-Implants-and-External-Devices-STU3.html
Epic API ID | 892
FHIR version | STU3
Categories | Identification Devices
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Unique Device Identifier(s);Patient's implantable device(s)
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2019
HTTP method | GET
URL template | /api/FHIR/STU3/Device/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=892

Description

The FHIR Device resource describes information about durable, manufactured medical items. Starting in November 2021, this resource supports both implantable and external medical devices. In August 2021 and earlier, this resource supports implantable medical devices only. Any elements marked with an * in their description are returned for both implants and external devices, and all others are returned for implants only.

Read interactions typically begin with a client having previously established a relationship, often through querying for devices through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The Device FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Device | Device | False
Device.expirationDate | String | True | | | Device expiration date.
Device.id | String | False | | | The Device FHIR ID.
Device.identifier | Identifier | True | Yes | | Serial number. Type hardcoded to SNO.
Device.lotNumber | String | True | | | Device lot number.
Device.manufactureDate | String | True | | | Date of device manufacture.
Device.manufacturer | String | True | | | Device manufacturer.
Device.meta | Meta | True | | | The document metadata.*
Device.meta.profile | String | True | | | *Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDeviceProduct
Device.model | String | True | | | Device model or catalog number.
Device.patient | Reference | True | | | Patient identifier.*
Device.status | String | True | | | One of the following values: active inactive entered-in-error unknown Configuration options for device status are available. * For external devices, this is hard coded to a value of active.
Device.type | CodeableConcept | True | | | A SNOMED or other device code. Configuration options for device type are available.*
Device.udi | Udi | True
Device.udi.carrierHRF | String | True | | | Human-readable barcode string.
Device.udi.deviceIdentifier | String | True | | | Device identifier.
Device.udi.entryType | String | True | | | This element is always set to a value of "unknown."
Device.udi.name | String | True | | | Device name.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Device/eQZ0EP5liAmfUjDR9X7qDOw3
```

Sample response

```
<Device xmlns="http://hl7.org/fhir">
  <id value="ehrs9WMCpygyBmw-OHs-kuw3"/>
  <udi>
    <deviceIdentifier value="34934579834"/>
    <name value="IMPLANT"/>
    <carrierHRF value="+34934579834/$$31810122/S140/16D20180907"/>
    <entryType value="unknown"/>
  </udi>
  <status value="active"/>
  <type>
    <coding>
      <system value="http://snomed.com/"/>
      <code value="Nail"/>
      <display value="This is a Nail"/>
    </coding>
    <coding>
      <system value="http://genericwebsite.com"/>
      <code value="8675309"/>
      <display value="A long thin nail"/>
    </coding>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.10.737780.70"/>
      <code value="100"/>
    </coding>
  </type>
  <lotNumber value="2"/>
  <manufacturer value="RIS Pharmaceuticals"/>
  <manufactureDate value="2018-09-07"/>
  <expirationDate value="2018-10-12"/>
  <model value="239047ABC"/>
  <patient>
    <reference value="https://hostname/instance/api/FHIR/STU3/Patient/eNzTT5oTjKCVXqmpOhY-5nw3"/>
    <display value="Elena Q Kansi Esquire"/>
  </patient>
</Device>
```

19.2.2 Device.Read (LDA) (STU3)

File: site/apis/19-Identification-Devices/2-STU3/10462-Device-Read-LDA-STU3.html
Epic API ID | 10462
FHIR version | STU3
Categories | Identification Devices
API type | Industry-Standard
API group | Device (LDAs) Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Device/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10462

Description

This resource can only be used with healthcare organizations in the Netherlands. It was designed to meet Nictiz specifications. This resource cannot be used in any other locales at this time. The FHIR Device resource describes information about feeding tubes and lines, drains, and airways (LDAs) that can be used to administer medications or nutrition.

Each organization configures which types of LDAs are allowed to be used for administrating medications. Similarly, each organization configures which types of LDAs are considered feeding tubes. That organization-specific configuration determines which types of lines will be available via this API.

Read interactions begin with a client having previously established a relationship, typically when following a reference to this resource from another.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Device/fGF3AxFev3JsbzIwSVSvtHg4
```

Sample response


```
{
  "resourceType": "Device",
  "id": "fiHGH2dUsn1weTOsLWxFTPA4",
  "meta": {
    "profile": [
      "http://nictiz.nl/fhir/StructureDefinition/zib-Infusion-Product"
    ]
  },
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040",
            "code": "4",
            "display": "Drain"
          }
        ],
        "text": "Drain"
      },
      "url": "http://hl7.org/fhir/5.0/StructureDefinition/extension-Device.type"
    },
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040",
            "code": "5",
            "display": "Airway"
          }
        ],
        "text": "Airway"
      },
      "url": "http://hl7.org/fhir/5.0/StructureDefinition/extension-Device.type"
    }
  ],
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "30852-8",
        "display": "Peripheral IV"
      },
      {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040",
        "code": "3",
        "display": "Line"
      }
    ],
    "text": "Peripheral IV"
  },
  "patient": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eivR2DL-WAG8Nxx3xBYUu7A3",
    "display": "Sample, Test"
  }
}
```


19.2.3 Device.Search (Implants and External Devices) (STU3)

File: site/apis/19-Identification-Devices/2-STU3/893-Device-Search-Implants-and-External-Devices-STU3.html
Epic API ID | 893
FHIR version | STU3
Categories | Identification Devices
API type | USCDI
A la carte | Industry-Standard Level 1 API

USCDI | Yes
Keywords | Unique Device Identifier(s);Patient's implantable device(s)
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2019
HTTP method | GET
URL template | /api/FHIR/STU3/Device?device-name={device-name}&manufacturer={manufacturer}&model={model}&patient={patient}&udi-carrier={udi-carrier}&udi-di={udi-di}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=893

Description

The FHIR Device resource describes information about durable, manufactured medical items. The Epic implementation of this resource currently supports only implantable medical devices.

The search interaction enables the client to query for implantable devices based on a specified set of information. The Device Search endpoint allows clients to establish an identifier for an implantable device without previously receiving unique identification from the server for the device. Starting in the November 2021 version of Epic, this resource supports external medical device lookup using the _id parameter. External medical devices are not returned when using other search parameters. Any elements marked with an * in their description are returned for both implants and external devices, and all others are returned for implants only.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
device-name | String | True | | | A string that may match the device UDI name.
manufacturer | String | True | | | Device manufacturer.
model | String | True | | | Device model.
patient | String | False | | | Patient identifier for the patient to whom the device is affixed.
udi-carrier | String | True | | | The UDI barcode string either in HRF format or AIDC format.
udi-di | String | True | | | UDI device identifier. Under FDA regulations, all medical devices are required to include a Unique Device Identifier (UDI) on device labels and packages, in both human-readable and barcode format. The FDA also maintains a public database of medical devices and UDI information called the Global Unique Device Identification Database (GUDID). A Unique Device Identifier (UDI) is a unique numeric or alphanumeric code that is comprised of two components: Device Identifier (DI) ("Static UDI") – a mandatory, fixed portion of a UDI that identifiers the labeler and specific version or model of a device. Production Identifiers (PI) ("Dynamic UDI") – a conditional, variable portion of a UDI that identifies one or more of the following: Lot or batch number within which a device was manufactured Serial number of a specific device Expiration date of a specific device Production date of a specific device Distinct identification code for a human cell, tissue, or cellular- and tissue-based product When documenting a UDI for an implant in OpTime, you will need to use an identifier that is in a valid format for the selected issuer. Here are some example UDIs you can use for testing: UDI Type / Issuer Example Device ID ICCBBA W4184228005T0473 HIBC MDLXMAG120200 GS1 00822409025305
UDI Type / Issuer | Example Device ID
ICCBBA | W4184228005T0473
HIBC | MDLXMAG120200
GS1 | 00822409025305

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.Device | Device | False
Bundle.entry.resource.Device.expirationDate | String | True | | | Device expiration date.
Bundle.entry.resource.Device.id | String | False | | | The Device FHIR ID.
Bundle.entry.resource.Device.identifier | Identifier | True | Yes | | Serial number. Type hardcoded to SNO.*
Bundle.entry.resource.Device.lotNumber | String | True | | | Device lot number.
Bundle.entry.resource.Device.manufactureDate | String | True | | | Date of device manufacture.
Bundle.entry.resource.Device.manufacturer | String | True | | | Device manufacturer.
Bundle.entry.resource.Device.meta | Meta | True | | | The document metadata.*
Bundle.entry.resource.Device.meta.profile | String | True | | | *Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDeviceProduct
Bundle.entry.resource.Device.model | String | True | | | Device model or catalog number.
Bundle.entry.resource.Device.patient | Reference | True | | | Patient identifier.*
Bundle.entry.resource.Device.status | String | True | | | One of the following values: active inactive entered-in-error unknown Configuration options for device status are available. * For external devices, this is hard coded to a value of active.
Bundle.entry.resource.Device.type | CodeableConcept | True | | | A SNOMED or other device code. Configuration options for device type are available.*
Bundle.entry.resource.Device.udi | Udi | False
Bundle.entry.resource.Device.udi.carrierHRF | String | True | | | Human-readable barcode string.
Bundle.entry.resource.Device.udi.deviceIdentifier | String | True | | | Device identifier.
Bundle.entry.resource.Device.udi.entryType | String | True | | | This element is always set to a value of "unknown"
Bundle.entry.resource.Device.udi.name | String | True | | | Device name.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Device?patient=eNzTT5oTjKCVXqmpOhY-5nw3&model=239047ABC,T
```

Sample response

```
<Device xmlns="http://hl7.org/fhir">
  <id value="ehrs9WMCpygyBmw-OHs-kuw3"/>
  <udi>
    <deviceIdentifier value="34934579834"/>
    <name value="IMPLANT"/>
    <carrierHRF value="+34934579834/$$31810122/S140/16D20180907"/>
    <entryType value="unknown"/>
  </udi>
  <status value="active"/>
  <type>
    <coding>
      <system value="http://snomed.com/"/>
      <code value="Nail"/>
      <display value="This is a Nail"/>
    </coding>
    <coding>
      <system value="http://genericwebsite.com"/>
      <code value="8675309"/>
      <display value="A long thin nail"/>
    </coding>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.10.737780.70"/>
      <code value="100"/>
    </coding>
  </type>
  <lotNumber value="2"/>
  <manufacturer value="RIS Pharmaceuticals"/>
  <manufactureDate value="2018-09-07"/>
  <expirationDate value="2018-10-12"/>
  <model value="239047ABC"/>
  <patient>
    <reference value="https://hostname/instance/api/FHIR/STU3/Patient/eNzTT5oTjKCVXqmpOhY-5nw3"/>
    <display value="Elena Q Kansi Esquire"/>
  </patient>
</Device>
```

19.2.4 Device.Search (LDA) (STU3)

File: site/apis/19-Identification-Devices/2-STU3/10460-Device-Search-LDA-STU3.html
Epic API ID | 10460
FHIR version | STU3
Categories | Identification Devices
API type | Industry-Standard
API group | Device (LDAs) Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Device?device-name={device-name}&manufacturer={manufacturer}&model={model}&patient={patient}&udi-carrier={udi-carrier}&udi-di={udi-di}&_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10460

Description

This resource can only be used with healthcare organizations in the Netherlands. It was designed to meet Nictiz specifications for the eOverdracht program. This resource cannot be used in any other locales at this time

The FHIR Device resource describes information about feeding tubes and lines, drains, and airways (LDAs) that can be used to administer medications or nutrition.

Each organization configures which types of LDAs are allowed to be used for administrating medications. Similarly, each organization configures which types of LDAs are considered feeding tubes. That organization-specific configuration determines which types of lines will be available via this API.

This search interaction currently supports only the _id search parameter. As a result, it functions similarly to a read request with the Device.Read (LDA) (R4) web service. The Device FHIR ID can be found by querying with the DeviceUseStatement resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.

Bundle.entry.resource.Device | Device | False

Bundle.entry.resource.Device.extension | Extension | True | Yes | | Additional device type(s) if there are multiple.

Bundle.entry.resource.Device.meta | Meta | True | | | The Infusion profile and FeedingTubeSystem profiles are configured independently. The Infusion profile is configured through LDAs' associated types that can be linked to meds as configured via LSD settings (I LSD 52055) while the FeedingTube profile checks if any of an LDAs' types are listed in the profile variable FHIR_NL_FEEDING_TUBE_LDA_TYPES.

Bundle.entry.resource.Device.patient | Reference | False | | | FHIR reference to the patient resource

Bundle.entry.resource.Device.type | CodeableConcept | True | | | The type of device.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Device?_id=feq03k4Gk6yRuwxJgYBhK1g4
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/Device?_id=fGF3AxFev3JsbzIwSVSvtHg4"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/Device/fGF3AxFev3JsbzIwSVSvtHg4"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/Device/fGF3AxFev3JsbzIwSVSvtHg4",
      "resource": {
        "resourceType": "Device",
        "id": "fGF3AxFev3JsbzIwSVSvtHg4",
        "meta": {
          "profile": [
            "http://nictiz.nl/fhir/StructureDefinition/zib-Infusion-Product"
          ]
        },
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040",
                  "code": "4",
                  "display": "Drain"
                }
              ],
              "text": "Drain"
            },
            "url": "http://hl7.org/fhir/5.0/StructureDefinition/extension-Device.type"
          },
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040",
                  "code": "5",
                  "display": "Airway"
                }
              ],
              "text": "Airway"
            },
            "url": "http://hl7.org/fhir/5.0/StructureDefinition/extension-Device.type"
          }
        ],
        "type": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "30852-8",
              "display": "Peripheral IV"
            },
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.707679.8040",
              "code": "3",
              "display": "Line"
            }
          ],
          "text": "Peripheral IV"
        },
        "patient": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eivR2DL-WAG8Nxx3xBYUu7A3",
          "display": "Sample, Test"
```

```
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```

19.2.5 DeviceRequest.Read (STU3)

File: site/apis/19-Identification-Devices/2-STU3/10236-DeviceRequest-Read-STU3.html
Epic API ID | 10236
FHIR version | STU3
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DeviceRequest/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10236

Description

The DeviceRequest resource describes a request for a patient to employ a medical device. This resource applies only to external devices, such as wheelchairs or hearing aids.

Read interactions typically begin with a client having previously established a relationship, often through querying for requests through the search interaction.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DeviceRequest | DeviceRequest | False
DeviceRequest.authoredOn | String | True | | | The date on which a request was made, or the day of the order that contains it.
DeviceRequest.basedOn | Reference | True | Yes | | Reference to the parent order that contains a request.
DeviceRequest.codeCodeableConcept | CodeableConcept | False | | | Standard API for SNOMED code of a procedure.
DeviceRequest.context | Reference | True | | | Reference to the encounter where a device was ordered.
DeviceRequest.identifier | Identifier | True | Yes | | Identifies the request.
DeviceRequest.intent | CodeableConcept | False | | | The intent for this request. Can be one of the following: order proposal plan
DeviceRequest.meta | Meta | True | | | The document metadata.
DeviceRequest.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDeviceRequest
DeviceRequest.occurrencePeriod | Period | True | | | The period during which an order is active.
DeviceRequest.occurrencePeriod.end | String | True | | | The end of the requested period of device use.
DeviceRequest.occurrencePeriod.start | String | True | | | The start of the requested period of device use.
DeviceRequest.extension (also: orderStatus) | Extension | True | Yes | | Includes an order's status, specific to Netherlands environments. Statuses include: Ordered (Order geplaatst) Requested (Aangevraagd) Pending (In afwachting van uitvoering) In progress (In uitvoering) On hold (Opgeschort) Cancelled (Geannuleerd) Noshow (Niet nagekomen)
DeviceRequest.priority | String | True | | | The priority of a request. Can be one of the following: routine urgent asap stat
DeviceRequest.requester | Requester | True | | | The provider responsible for making the request.
DeviceRequest.requester.agent | Reference | False | | | Provider who requested the device.
DeviceRequest.status | String | True | | | The status of a request. Can be one of the following: active completed draft cancelled entered-in-error unknown
DeviceRequest.subject | Reference | False | | | Patient identifier.

Sample request

```
https://hostname/instance/api/FHIR/STU3/DeviceRequest/e2JR1dQ7Vmz-RGiLKEmdSuVtIlNBmaSewKvaitAlvI7g3
```

Sample response

```
{
    "resourceType": "DeviceRequest",
    "id": "e2JR1dQ7Vmz-RGiLKEmdSuVtIlNBmaSewKvaitAlvI7g3",
    "identifier": [
        {
            "use": "usual",
            "type": {
                "coding": [
                    {
                        "system": http://terminology.hl7.org/CodeSystem/v2-0203,
                        "code": "PLAC",
                        "display": "Placer Identifier"
                    }
                ],
```

```
                "text": "Placer Identifier"
            },
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268",
            "value": "6001356372"
        }
    ],
    "status": "cancelled",
    "intent": {
        "coding": [
            {
                "system": http://hl7.org/fhir/request-intent,
                "code": "order"
            }
        ],
        "text": "order"
    },
    "priority": "Routine",
    "codeCodeableConcept": {
        "coding": [
            {
                "system": http://www.ama-assn.org/go/cpt,
                "code": "64947002",
                "display": "ORD PROC SUPPLIES"
            }
        ],
        "text": "ORD PROC SUPPLIES"
    },
    "subject": {
        "reference": https://hostname/instance/api/FHIR/STU3/Patient/ee7VHp66HKnpv1ekGVK5Cqi-fOWZqgXoCP4oDantOoZk3,
        "display": "Falk, Supplies"
    },
    "context": {
        "reference": https://hostname/instance/api/FHIR/STU3/Encounter/e2.Ujq2mBwCX6yepqT0XXQvnXep3-P6GYs.MsHIhr-ME3,
        "display": "Office Visit"
    },
    "occurrencePeriod": {
        "start": "2021-09-07T21:48:30Z",
        "end": "2021-09-08T04:59:59Z"
    },
    "authoredOn": "2021-09-07T21:48:30Z",
    "requester": {
        "agent": {
            "reference": https://hostname/instance/api/FHIR/STU3/Practitioner/e4WpPThq5zmJc8uRqG4kNrw3,
            "display": "Ted Falk, MD"
        }
    }
}
```


19.2.6 DeviceRequest.Search (STU3)

File: site/apis/19-Identification-Devices/2-STU3/10240-DeviceRequest-Search-STU3.html
Epic API ID | 10240
FHIR version | STU3
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DeviceRequest?patient={patient}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10240

Description

The DeviceRequest resource describes a request for a patient to employ a medical device. This resource applies only to external devices, such as wheelchairs or hearing aids.

The search interaction enables the client to query for requests based on a specified set of information. The DeviceRequest Search endpoint allows clients to establish an identifier for a request without previously receiving unique identification from the server for the request.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | False | | | Patient identifier for the patient who is the target of the request This property is always required by Epic.
status | String | True | | | The status of a request. Can be one of the following: active completed draft cancelled unknown If unspecified, returns requests of all statuses.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.DeviceRequest | DeviceRequest | False
Bundle.entry.resource.DeviceRequest.authoredOn | String | True | | | The date on which a request was made, or the day of the order that contains it.
Bundle.entry.resource.DeviceRequest.basedOn | Reference | True | Yes | | Reference to the parent order that contains a request.
Bundle.entry.resource.DeviceRequest.codeCodeableConcept | CodeableConcept | False | | | Standard API for SNOMED code of a procedure.
Bundle.entry.resource.DeviceRequest.context | Reference | True | | | Reference to the encounter where a device was ordered.
Bundle.entry.resource.DeviceRequest.identifier | Identifier | True | Yes | | Identifies the request.
Bundle.entry.resource.DeviceRequest.intent | CodeableConcept | False | | | The intent for this request. Can be one of the following: order proposal plan
Bundle.entry.resource.DeviceRequest.meta | Meta | True | | | The document metadata.
Bundle.entry.resource.DeviceRequest.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDeviceRequest
Bundle.entry.resource.DeviceRequest.occurrencePeriod | Period | True | | | The period during which an order is active.
Bundle.entry.resource.DeviceRequest.occurrencePeriod.id | String | True | | | The end of the requested period of device use.
Bundle.entry.resource.DeviceRequest.occurrencePeriod.start | String | True | | | The start of the requested period of device use.
Bundle.entry.resource.DeviceRequest.extension (also: orderStatus) | Extension | True | Yes | | Includes an order's status, specific to Netherlands environments. Statuses include: Ordered (Order geplaatst) Requested (Aangevraagd) Pending (In afwachting van uitvoering) In progress (In uitvoering) On hold (Opgeschort) Cancelled (Geannuleerd) Noshow (Niet nagekomen)
Bundle.entry.resource.DeviceRequest.priority | String | True | | | The priority of a request. Can be one of the following: routine urgent asap stat
Bundle.entry.resource.DeviceRequest.requester | Requester | True | | | The provider responsible for making the request.
Bundle.entry.resource.DeviceRequest.requester.agent | Reference | False | | | Provider who requested the device.
Bundle.entry.resource.DeviceRequest.status | String | True | | | The status of a request. Can be one of the following: active completed draft cancelled entered-in-error unknown
Bundle.entry.resource.DeviceRequest.subject | Reference | False | | | Patient identifier.

Sample request

```
https://hostname/instance/api/FHIR/STU3/DeviceRequest?patient=ee7VHp66HKnpv1ekGVK5Cqi-fOWZqgXoCP4oDantOoZk3
```

Sample response


```
{
    "resourceType": "Bundle",
    "type": "searchset",
    "total": 1,
    "link": [
        {
            "relation": "next",
            "url": https://hostname/instance/api/FHIR/R4/DeviceRequest?patient=ee7VHp66HKnpv1ekGVK5Cqi-
    fOWZqgXoCP4oDantOoZk3&_count=1&sessionID=12-219409D410C811ECBD45D2068206269D
        }
    ],
    "entry": [
        {
            "link": [
                {
                    "relation": "self",
                    "url":
    https://hostname/instance/api/FHIR/R4/DeviceRequest/eqzaDL4GE3TZVvExLW6yrRD4.sNb.TM4lJiqp3va13A43
                }
            ],
            "fullUrl":
    https://hostname/instance/api/FHIR/R4/DeviceRequest/eqzaDL4GE3TZVvExLW6yrRD4.sNb.TM4lJiqp3va13A43,
            "resource": {
                "resourceType": "DeviceRequest",
                "id": "eqzaDL4GE3TZVvExLW6yrRD4.sNb.TM4lJiqp3va13A43",
                "identifier": [
                    {
                        "use": "usual",
                        "type": {
                            "coding": [
                                {
                                    "system": http://terminology.hl7.org/CodeSystem/v2-0203,
                                    "code": "PLAC",
                                    "display": "Placer Identifier"
                                }
                            ],
                            "text": "Placer Identifier"
                        },
                        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268",
                        "value": "6001342088"
                    }
                ],
                "status": "active",
                "intent": "order",
                "priority": "Routine",
                "codeCodeableConcept": {
                    "coding": [
                        {
                            "system": http://www.ama-assn.org/go/cpt,
```

```
                        "code": "1944500",
                        "display": "SAW SUPPLIES"
                    }
                ],
                "text": "SAW SUPPLIES"
            },
            "subject": {
                "reference": "Patient/ee7VHp66HKnpv1ekGVK5Cqi-fOWZqgXoCP4oDantOoZk3",
                "display": "Falk, Supplies"
            },
            "encounter": {
                "reference": "Encounter/e2.Ujq2mBwCX6yepqT0XXQvnXep3-P6GYs.MsHIhr-ME3",
                "display": "Office Visit"
            },
            "occurrencePeriod": {
                "start": "2021-09-02T05:00:00Z"
            },
            "authoredOn": "2021-09-02T23:02:53Z",
            "requester": {
                "reference": "Practitioner/e4WpPThq5zmJc8uRqG4kNrw3",
                "display": "Ted Falk, MD"
            }
        },
        "search": {
            "mode": "match"
        }
    }
  ]
}
```


19.2.7 DeviceUseStatement.Read (Implants and External Devices) (STU3)

File: site/apis/19-Identification-Devices/2-STU3/10245-DeviceUseStatement-Read-Implants-and-External-Devices-STU3.html
Epic API ID | 10245
FHIR version | STU3
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DeviceUseStatement/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10245

Description

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for both implantable and external medical devices. Any elements marked with an * in their description are returned for both implants and external devices, and all others are returned for implants only.

Read interactions begin with a client having previously established a relationship, typically when following a reference to this resource from another resource or through querying for device use statements through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The DeviceUseStatement FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DeviceUseStatement | DeviceUseStatement | False
DeviceUseStatement.bodySite | CodeableConcept | True | | | The location of an implant in the body.
DeviceUseStatement.bodySite.extension (also: Laterality) | Extension | True | Yes | | Laterality adds information about body side to the anatomic location, for example left.
DeviceUseStatement.device | Reference | False | | | Reference to the Device (Implants) or Device (External Device) resource.*
DeviceUseStatement.extension (also: HealthcareProvider) | Extension | True | Yes | | Returns the organization where the device was implanted.
DeviceUseStatement.extension (also: HealthProfessional) | Extension | True | Yes | | Returns the practitioner who implanted the device.
DeviceUseStatement.id | String | False | | | The DeviceUseStatement FHIR ID.
DeviceUseStatement.meta | Meta | True | | | The document metadata.*
DeviceUseStatement.meta.profile | String | True | | | *Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice
DeviceUseStatement.note | Annotation | True | Yes | | Comments.*
DeviceUseStatement.status | String | True | | | One of the following values: active completed intended stopped *For external devices, this is hard coded to a value of active.
DeviceUseStatement.subject | Reference | False | | | Patient identifier.*
DeviceUseStatement.whenUsed | Period | True | | | The date of the implant and explant for a device.

Sample request

```
https://hostname/instance/api/FHIR/STU3/DeviceUseStatement/e0rayCr0M4MVFZ.4vo7vZ7w3
```

Sample response


```
{
  "resourceType": "DeviceUseStatement",
  "id": "e0rayCr0M4MVFZ.4vo7vZ7w3",
  "extension": [
    {
      "valueReference": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Organization/ew533IbqmGo4e4BJs3xkJVA3",
        "display": "Jmah Hospital"
      },
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Organization"
    },
    {
      "valueReference": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ej5DIf1GTYEKDhFox5Oa0Sw3",
        "display": "Axis Hess"
      },
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Practitioner"
    }
  ],
  "status": "active",
  "subject": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3",
    "display": "Cohen, Fhirone"
  },
  "whenUsed": {
    "start": "2021-09-01"
  },
  "device": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Device/emENut.RK-5xAG5S5nhjj6A3",
    "display": "CLK Cardiac Stent - LOG395317"
  },
  "bodySite": {
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.505",
              "code": "2",
              "display": "Right"
            }
          ],
          "text": "Right"
        },
        "url": "http://nictiz.nl/fhir/StructureDefinition/BodySite-Qualifier"
      }
    ],
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.500",
        "code": "10",
        "display": "Abdomen"
      }
    ],
    "text": "Abdomen"
  },
  "note": [
    {
      "text": "JPC Free Text Description of Cardiac Stent"
    }
  ]
}
```


19.2.8 DeviceUseStatement.Read (LDAs) (STU3)

File: site/apis/19-Identification-Devices/2-STU3/10451-DeviceUseStatement-Read-LDAs-STU3.html
Epic API ID | 10451
FHIR version | STU3
Categories | Identification Devices
API type | Industry-Standard
API group | Device (LDAs) Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DeviceUseStatement/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10451

Description

This resource can be used only with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for

Read interactions begin with a client having previously established a relationship, typically through querying for device use statements through the search interaction.

Response elements

Name | Type | Optional | Array | Cardinality | Description

DeviceUseStatement | DeviceUseStatement | False

DeviceUseStatement.device | Reference | False | | | Reference to the Device resource.

DeviceUseStatement.extension (also: EnteralNutrition) | Extension | True | Yes | | Related to feeding tubes only. Records a description of the fluid administered through the feeding tube as references to the FHIR MedicationAdministration resource.

DeviceUseStatement.extension (also: FeedingTubeLength) | Extension | True | Yes | | Related to feeding tubes only. Returns the input length of the feeding tube.

DeviceUseStatement.extension (also: LumenOrLine) | Extension | True | Yes | | Documentation of each line. Can repeat if there are multiple ports for each line.

DeviceUseStatement.extension.extension (also: AdministeringSystem) | Extension | True | Yes | | List of all med admin actions linked to a specific line. Describes the entire system making fluid run from the infusion bag to the patient.

DeviceUseStatement.extension.extension (also: LineStatus) | Extension | True | Yes | | Whether a line is running, as derived from medication administrations.

DeviceUseStatement.extension.extension (also: LockFluid) | Extension | True | Yes | | The description of the fluid used as an anticoagulation lock, such as heparin.

DeviceUseStatement.extension.extension (also: LumenLocation) | Extension | True | Yes | | For central venous catheters with multiple lumens, LumenLocation indicates the relative position of the lumen with respect to the insertion opening.

DeviceUseStatement.extension (also: MedicalDevice) | Extension | True | Yes | | A description of device aids required to use the feeding tube.

DeviceUseStatement.meta | Meta | True | | | Adds meta information to record FeedingTubeSystem and Infusion information.

DeviceUseStatement.note | Annotation | True | Yes | | Comments.

DeviceUseStatement.status | String | True | | | Current status of LDA use. Can return one of two values: Completed if the LDA is removed. Active in all other cases.

DeviceUseStatement.subject | Reference | False | | | Patient identifier.

DeviceUseStatement.timingPeriod | Period | True | | | The period of time when an LDA was in use.

DeviceUseStatement.whenUsed | Period | True | | | The period of time when an LDA was in use.

Sample request

```
https://hostname/instance/api/FHIR/STU3/DeviceUseStatement/fzRZEChiuQVSFjKCZcCX7EA4
```

Sample response


```
{
  "resourceType": "DeviceUseStatement",
  "id": "fzRZEChiuQVSFjKCZcCX7EA4",
  "meta": {
    "profile": [
      "http://nictiz.nl/fhir/StructureDefinition/zib-Infusion",
      "http://nictiz.nl/fhir/StructureDefinition/zib-FeedingTubeSystem"
    ]
  },
  "extension": [
    {
      "extension": [
        {
          "valueCodeableConcept": {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "46053002",
                "display": "DISTAL (QUALIFIER VALUE)"
              },
              {
                "system": "urn:oid:1.2.840.114350.1.13.93.1.7.4.696784.34596",
                "code": "60632",
                "display": "Distal"
              }
            ],
            "text": "DISTAL (QUALIFIER VALUE)"
          },
          "url": "LumenLocation"
        }
      ],
      "url": "http://nictiz.nl/fhir/StructureDefinition/zib-Infusion-LumenOrLine"
    },
    {
      "extension": [
        {
```

```
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:2.16.840.1.113883.2.4.3.11.60.40.4.12.1",
            "code": "LNP",
            "display": "Lopend"
          }
        ],
        "text": "Lopend"
      },
      "url": "LineStatus"
    },
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "255561001",
            "display": "MEDIAL (QUALIFIER VALUE)"
          },
          {
            "system": "urn:oid:1.2.840.114350.1.13.93.1.7.4.696784.34596",
            "code": "60631",
            "display": "Medial"
          }
        ],
        "text": "MEDIAL (QUALIFIER VALUE)"
      },
      "url": "LumenLocation"
    },
    {
      "valueReference": {
        "display": "POEDER VOOR VOEDING MET O.A. VITAMINE K"
      },
      "url": "LockFluid"
    },
    {
      "valueReference": {
        "reference": "/api/FHIR/STU3/MedicationAdministration/f1IySHhfAB1vJH3cMlCT6n47uaNCbSfjM8ak2A8ZjdyI4",
        "display": "VITAMINE K BEVATTEND POEDER"
      },
      "url": "AdministeringSystem"
    },
    {
      "valueReference": {
        "reference": "/api/FHIR/STU3/MedicationAdministration/fj1eCL9CMWp-QOlYlbV1yU6jjhPC8yaEb2HRg8P4E1Vs4",
        "display": "DETOXNER DETOX MIX 5 SACH + DETOX DRINK 20 BRUISTB"
      },
      "url": "AdministeringSystem"
    }
  ],
  "url": "http://nictiz.nl/fhir/StructureDefinition/zib-Infusion-LumenOrLine"
},
{
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:2.16.840.1.113883.2.4.3.11.60.40.4.12.1",
            "code": "LNP",
            "display": "Lopend"
          }
        ],
        "text": "Lopend"
      },
      "url": "LineStatus"
    },
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "http://snomed.info/sct",
            "code": "40415009",
            "display": "PROXIMAL (QUALIFIER VALUE)"
          },
          {
            "system": "urn:oid:1.2.840.114350.1.13.93.1.7.4.696784.34596",
            "code": "60630",
            "display": "Proximal"
          }
        ],
        "text": "PROXIMAL (QUALIFIER VALUE)"
      },
      "url": "LumenLocation"
    },
    {
      "valueReference": {
        "display": "POEDER VOOR VOEDING MET O.A. VITAMINE K"
```

```
        },
        "url": "LockFluid"
      },
      {
        "valueReference": {
          "reference": "/api/FHIR/STU3/MedicationAdministration/f15Mhgac0aYDZWVJiTi02jkVNHtukRdiXqMjY6qDlnM04",
          "display": "VITAMINE K BEVATTEND POEDER"
        },
        "url": "AdministeringSystem"
      },
      {
        "valueReference": {
          "reference": "/api/FHIR/STU3/MedicationAdministration/f52ihBteFI1ILIz4VGCpdalRk3tv0sUGTxhgsu2xGjEE4",
          "display": "VITAMINE K BEVATTEND POEDER"
        },
        "url": "AdministeringSystem"
      },
      {
        "valueReference": {
          "reference": "/api/FHIR/STU3/MedicationAdministration/fw99iJkOEpyvdqPHQHE2QvH-7Yu1hgkFt7a4zTkVDCcY4",
          "display": "VITAMINE K BEVATTEND POEDER"
        },
        "url": "AdministeringSystem"
      },
      {
        "valueReference": {
          "reference": "/api/FHIR/STU3/MedicationAdministration/fl6S0HPwOiuEWJt.MbyS4CSj3Pu2FdbPHMuCxv4MPcbQ4",
          "display": "VITAMINE K BEVATTEND POEDER"
        },
        "url": "AdministeringSystem"
      }
    ],
    "url": "http://nictiz.nl/fhir/StructureDefinition/zib-Infusion-LumenOrLine"
  },
  {
    "valueReference": {
      "display": "VITAMINE K BEVATTEND POEDER"
    },
    "url": "http://nictiz.nl/fhir/StructureDefinition/zib-FeedingTubeSystem-EnteralNutrition"
  },
  {
    "valueReference": {
      "display": "DETOXNER DETOX MIX 5 SACH + DETOX DRINK 20 BRUISTB"
    },
    "url": "http://nictiz.nl/fhir/StructureDefinition/zib-FeedingTubeSystem-EnteralNutrition"
  }
],
"status": "active",
"subject": {
  "reference": "/api/FHIR/STU3/Patient/euc.F-kIqHcWfug3.vC9KMA3",
  "display": "Sample, Patient"
},
"whenUsed": {
  "start": "2022-06-06T19:48:00Z"
},
"timingPeriod": {
  "start": "2022-06-06T19:48:00Z"
},
"device": {
  "reference": "/api/FHIR/STU3/Device/fyGtwIkBWncWR7MebinJwUA4",
  "display": " LDA ALL PORTS"
}
}
```


19.2.9 DeviceUseStatement.Search (Implants and External Devices) (STU3)

File: site/apis/19-Identification-Devices/2-STU3/10246-DeviceUseStatement-Search-Implants-and-External-Devices-STU3.html
Epic API ID | 10246
FHIR version | STU3
Categories | Identification Devices
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DeviceUseStatement?patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10246

Description

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for both implantable and external medical devices. Any elements marked with an * in their description are returned

for both implants and external devices, and all others are returned for implants only.

The search interaction enables the client to query for devices use statements based on a specified set of information. The DeviceUseStatement Search endpoint allows clients to establish an identifier for a statement without previously receiving unique identification from the server for the statement.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | False | | | Patient identifier for the patient using the device.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.DeviceUseStatement | DeviceUseStatement | False
Bundle.entry.resource.DeviceUseStatement.bodySite | CodeableConcept | True | | | The location of an implant in the body.
Bundle.entry.resource.DeviceUseStatement.bodySite.extension (also: Laterality) | Extension | True | Yes | | The date of the implant and explant for a device.
Bundle.entry.resource.DeviceUseStatement.device | Reference | False | | | Reference to the Device (Implants) or Device (External Device) resource.*
Bundle.entry.resource.DeviceUseStatement.extension (also: HealthcareProvider) | Extension | True | Yes | | Returns the organization where the device was implanted.
Bundle.entry.resource.DeviceUseStatement.extension (also: HealthProfessional) | Extension | True | Yes | | Returns the practitioner who implanted the device.
Bundle.entry.resource.DeviceUseStatement.id | String | False | | | The DeviceUseStatement FHIR ID.
Bundle.entry.resource.DeviceUseStatement.meta | Meta | True | | | The document metadata.*
Bundle.entry.resource.DeviceUseStatement.meta.profile | String | True | | | *Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice
Bundle.entry.resource.DeviceUseStatement.note | Annotation | True | Yes | | Comments.*
Bundle.entry.resource.DeviceUseStatement.status | String | True | | | One of the following values: active completed intended stopped *For external devices, this is hard coded to a value of active.
Bundle.entry.resource.DeviceUseStatement.subject | Reference | False | | | Patient identifier.*
Bundle.entry.resource.DeviceUseStatement.whenUsed | Period | True | | | The date of the implant and explant for a device.

Sample request

```
https://hostname/instance/api/FHIR/STU3/DeviceUseStatement?Patient=e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url":
    "https://hostname/instance/api/FHIR/STU3/DeviceUseStatement?Patient=e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/DeviceUseStatement/e0rayCr0M4MVFZ.4vo7vZ7w3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/DeviceUseStatement/e0rayCr0M4MVFZ.4vo7vZ7w3",
      "resource": {
        "resourceType": "DeviceUseStatement",
        "id": "e0rayCr0M4MVFZ.4vo7vZ7w3",
        "extension": [
          {
            "valueReference": {
              "reference": "https://hostname/instance/api/FHIR/STU3/Organization/ew533IbqmGo4e4BJs3xkJVA3",
              "display": "Jmah Hospital"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Organization"
          },
          {
            "valueReference": {
              "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ej5DIf1GTYEKDhFox5Oa0Sw3",
              "display": "Axis Hess"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Practitioner"
          }
        ],
```

```
    "status": "active",
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3",
      "display": "Cohen, Fhirone"
    },
    "whenUsed": {
      "start": "2021-09-01"
    },
    "device": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Device/emENut.RK-5xAG5S5nhjj6A3",
      "display": "CLK Cardiac Stent - LOG395317"
    },
    "bodySite": {
      "extension": [
        {
          "valueCodeableConcept": {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.505",
                "code": "2",
                "display": "Right"
              }
            ],
            "text": "Right"
          },
          "url": "http://nictiz.nl/fhir/StructureDefinition/BodySite-Qualifier"
        }
      ],
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.500",
          "code": "10",
          "display": "Abdomen"
        }
      ],
      "text": "Abdomen"
    },
    "note": [
      {
        "text": "JPC Free Text Description of Cardiac Stent"
      }
    ]
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/DeviceUseStatement/eQgZ6p71r5Cm0w3yjXlwKGw3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/STU3/DeviceUseStatement/eQgZ6p71r5Cm0w3yjXlwKGw3",
  "resource": {
    "resourceType": "DeviceUseStatement",
    "id": "eQgZ6p71r5Cm0w3yjXlwKGw3",
    "extension": [
      {
        "valueReference": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Organization/ew533IbqmGo4e4BJs3xkJVA3",
          "display": "Jmah Hospital"
        },
        "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Organization"
      },
      {
        "valueReference": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ej5DIf1GTYEKDhFox5Oa0Sw3",
          "display": "Axis Hess"
        },
        "url": "http://nictiz.nl/fhir/StructureDefinition/zib-MedicalDevice-Practitioner"
      }
    ],
    "status": "active",
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/e7jBgQ1iS9ZKLKMruqdAZ1Ye0EVcyvJCfOdkQHTgTpmw3",
      "display": "Cohen, Fhirone"
    },
    "whenUsed": {
      "start": "2021-09-01"
    },
    "device": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Device/enpi9c2aXM3cdUar0pUO-uA3",
      "display": "CTK PACEMAKER - LOG395317"
    },
    "bodySite": {
      "extension": [
        {
```

```
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.505",
                  "code": "4",
                  "display": "N/A"
                }
              ],
              "text": "N/A"
            },
            "url": "http://nictiz.nl/fhir/StructureDefinition/BodySite-Qualifier"
          }
        ],
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.737780.500",
            "code": "80",
            "display": "Aorta"
          }
        ],
        "text": "Aorta"
      },
      "note": [
        {
          "text": "JPC Real Description of Pacemaker"
        }
      ]
    },
    "search": {
      "mode": "match"
    }
  },
  {
    "resource": {
      "resourceType": "OperationOutcome",
      "issue": [
        {
          "severity": "warning",
          "code": "processing",
          "details": {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.657369",
                "code": "4119",
                "display": "This response includes information available to the authorized user at the time of the
  request. It may not contain the entire record available in the system."
              }
            ],
            "text": "This response includes information available to the authorized user at the time of the request.
  It may not contain the entire record available in the system."
          }
        }
      ]
    },
    "search": {
      "mode": "outcome"
    }
  }
 ]
}
```


19.2.10 DeviceUseStatement.Search (LDAs) (STU3)

File: site/apis/19-Identification-Devices/2-STU3/10450-DeviceUseStatement-Search-LDAs-STU3.html
Epic API ID | 10450
FHIR version | STU3
Categories | Identification Devices
API type | Industry-Standard
API group | Device (LDAs) Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DeviceUseStatement?patient={patient}&subject={subject}&_count={_count}&_id={_id}&_include={_include}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10450

Description

This resource can be used only with healthcare organizations in the Netherlands. This resource cannot be used in any other locales at this time.

The FHIR DeviceUseStatement resource records the use of a healthcare-related device by a patient. This resource supports statements for a patient's feeding tubes and lines, drains, and airways (LDAs) that can be linked to medications.

The search interaction enables the client to query for device use statements based on a specified set of information.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
patient | String | True | | | The reference to a patient resource.
subject | String | True | | | The reference to a patient resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.DeviceUseStatement | DeviceUseStatement | False
Bundle.entry.resource.DeviceUseStatement.device | Reference | False | | | Reference to the Device resource.
Bundle.entry.resource.DeviceUseStatement.extension (also: EnteralNutrition) | Extension | True | Yes | | Related to feeding tubes only. Records a description of the fluid administered through the feeding tube as references to the FHIR MedicationAdministration resource.
Bundle.entry.resource.DeviceUseStatement.extension (also: FeedingTubeLength) | Extension | True | Yes | | Related to feeding tubes only. Returns the input length of the feeding tube.
Bundle.entry.resource.DeviceUseStatement.extension (also: LumenOrLine) | Extension | True | Yes | | Documentation of each line. Can repeat if there are multiple ports for each line.
Bundle.entry.resource.DeviceUseStatement.extension.extension (also: AdministeringSystem) | Extension | True | Yes | | List of all med admin actions linked to a specific line. Describes the entire system making fluid run from the infusion bag to the patient.
Bundle.entry.resource.DeviceUseStatement.extension.extension (also: LineStatus) | Extension | True | Yes | | Whether a line is running, as derived from medication administrations.
Bundle.entry.resource.DeviceUseStatement.extension.extension (also: LockFluid) | Extension | True | Yes | | The description of the fluid used as an anticoagulation lock, such as heparin.
Bundle.entry.resource.DeviceUseStatement.extension.extension (also: LumenLocation) | Extension | True | Yes | | For central venous catheters with multiple lumens, LumenLocation indicates the relative position of the lumen with respect to the insertion opening.
Bundle.entry.resource.DeviceUseStatement.extension (also: MedicalDevice) | Extension | True | Yes | | A description of device aids required to use the feeding tube.
Bundle.entry.resource.DeviceUseStatement.meta | Meta | True | | | Adds meta information to record FeedingTubeSystem and Infusion information.
Bundle.entry.resource.DeviceUseStatement.note | Annotation | True | Yes | | Comments.
Bundle.entry.resource.DeviceUseStatement.status | String | True | | | Current status of LDA use. Can return one of two values: Completed if the LDA is removed. Active in all other cases.
Bundle.entry.resource.DeviceUseStatement.subject | Reference | False | | | Patient identifier.
Bundle.entry.resource.DeviceUseStatement.timingPeriod | Period | False | | | The period of time when an LDA was in use.
Bundle.entry.resource.DeviceUseStatement.whenUsed | Period | False | | | The period of time when an LDA was in use.

Sample request

```
https://hostname/instance/api/FHIR/stu3/DeviceUseStatement?patient=euc.F-kIqHcWfug3.vC9KMA3
```

Sample response


```
{
    "resourceType": "Bundle",
    "type": "searchset",
    "total": 2,
    "link": [
        {
            "relation": "self",
            "url": "/api/FHIR/STU3/DeviceUseStatement?patient=e4rb3816rkKTOqXgStvY0Wg3"
        }
    ],
    "entry": [
        {
            "link": [
                {
                    "relation": "self",
                    "url": "/api/FHIR/STU3/DeviceUseStatement/fYxCh1nJ4Y4BngnV8lQmKrg4"
                }
            ],
            "fullUrl": "/api/FHIR/STU3/DeviceUseStatement/fYxCh1nJ4Y4BngnV8lQmKrg4",
            "resource": {
                "resourceType": "DeviceUseStatement",
                "id": "fYxCh1nJ4Y4BngnV8lQmKrg4",
                "meta": {
                    "profile": [
                        http://nictiz.nl/fhir/StructureDefinition/zib-Infusion,
                        http://nictiz.nl/fhir/StructureDefinition/zib-FeedingTubeSystem
                    ]
                },
                "status": "active",
                "subject": {
                    "reference": "/api/FHIR/STU3/Patient/e4rb3816rkKTOqXgStvY0Wg3",
                    "display": "Fhir, Device"
```

```
            },
            "whenUsed": {
                "start": "2022-06-08T18:32:00Z"
            },
            "timingPeriod": {
                "start": "2022-06-08T18:32:00Z"
            },
            "device": {
                "reference": "/api/FHIR/STU3/Device/firgDSdXayLpIsEjX0q-PLQ4",
                "display": "LDA NO PORTS"
            }
        },
        "search": {
            "mode": "match"
        }
    },
    {
        "link": [
            {
                "relation": "self",
                "url": "/api/FHIR/STU3/DeviceUseStatement/fc2ORJmZnrdq9YpjeaBAD3g4"
            }
        ],
        "fullUrl": "/api/FHIR/STU3/DeviceUseStatement/fc2ORJmZnrdq9YpjeaBAD3g4",
        "resource": {
            "resourceType": "DeviceUseStatement",
            "id": "fc2ORJmZnrdq9YpjeaBAD3g4",
            "meta": {
                "profile": [
                    http://nictiz.nl/fhir/StructureDefinition/zib-Infusion,
                    http://nictiz.nl/fhir/StructureDefinition/zib-FeedingTubeSystem
                ]
            },
            "extension": [
                {
                    "extension": [
                        {
                            "valueReference": {
                                "reference":
"/api/FHIR/STU3/MedicationAdministration/fA0Az16TeD0LLAmLCcKtxqOgTFtNxFwk0FY1w9wi-HJQ4",
                                "display": "NUTRIFLEX OMEGA PLUS INF.EMULSIE"
                            },
                            "url": "AdministeringSystem"
                        }
                    ],
                    "url": http://nictiz.nl/fhir/StructureDefinition/zib-Infusion-LumenOrLine
                },
                {
                    "valueQuantity": {
                        "value": 3,
                        "unit": "cm",
                        "system": "http://unitsofmeasure.org",
                        "code": "cm"
                    },
                    "url": http://nictiz.nl/fhir/StructureDefinition/zib-FeedingTubeSystem-FeedingTubeLength
                },
                {
                    "valueReference": {
                        "reference":
"/api/FHIR/STU3/MedicationAdministration/fA0Az16TeD0LLAmLCcKtxqOgTFtNxFwk0FY1w9wi-HJQ4",
                        "display": "NUTRIFLEX OMEGA PLUS INF.EMULSIE"
                    },
                    "url": http://nictiz.nl/fhir/StructureDefinition/zib-FeedingTubeSystem-EnteralNutrition
                },
                {
                    "valueReference": {
                        "display": "custom list value;enteral feeding pump"
                    },
                    "url": http://nictiz.nl/fhir/StructureDefinition/extension-medicaldevice
                }
            ],
            "status": "active",
            "subject": {
                "reference": "/api/FHIR/STU3/Patient/e4rb3816rkKTOqXgStvY0Wg3",
                "display": "Fhir, Device"
            },
            "whenUsed": {
                "start": "2022-06-22T18:47:00Z"
            },
            "timingPeriod": {
                "start": "2022-06-22T18:47:00Z"
            },
            "device": {
                "reference": "/api/FHIR/STU3/Device/fyPl.19lu.IzVRYOLoJkujg4",
                "display": "LDA"
            },
            "note": [
                {
                    "text": "The first note"
```

```
                    },
                    {
                        "text": "The second note"
                    }
                ]
            },
            "search": {
                "mode": "match"
            }
        }
    ]
}
```

19.3 Identification Devices: DSTU2

File: site/apis/19-Identification-Devices/3-DSTU2/index.html

* Device.Read (Implants) (DSTU2)
* Device.Search (Implants) (DSTU2)

19.3.1 Device.Read (Implants) (DSTU2)

File: site/apis/19-Identification-Devices/3-DSTU2/8-Device-Read-Implants-DSTU2.html
Epic API ID | 8
FHIR version | DSTU2
Categories | Identification Devices
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Unique Device Identifier(s);Patient's implantable device(s)
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/Device/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=8

Description

The FHIR Device resource describes information about a specific patient's durable, manufactured medical items. The below documentation describes only medical devices implanted in a patient.

The Device resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Unique Device Identifiers (UDI).

The read interaction enables the lookup of a Device resource by a constant server ID. The read interaction allows clients to store only the server ID, and with a single request, retrieve the most up-to-date information about a device. Read interactions typically begin with a client having previously established a relationship, often through querying for Devices through the search interaction.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Device | Device | False
Device.expiry | String | True | | | Date and time of expiry of this device (if applicable)
Device.lotNumber | String | True | | | Lot number of manufacture
Device.manufacturer | String | True | | | Name of device manufacturer
Device.model | String | True | | | Model id assigned by the manufacturer
Device.patient | ReferencedResource | False | | | If the resource is affixed to a person
Device.status | String | True | | | We'll send a status of entered-in-error for soft-deleted records. All other records will have a status of available.
Device.type | CodeableConcept | False | | | What kind of device this is DeviceKind (Preferred)
Device.udi | String | True | | | FDA mandated Composite Unique Device Identifier

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/Device/TD3asEm-BcI7MUquBrLe.wAB
```

Sample response

```
<Device xmlns="http://hl7.org/fhir">
  <udi value="=/126843=,1931000=&gt;017034&amp;,11931002"/>
  <lotNumber value="1931002"/>
  <manufacturer value="Ace"/>
  <model value="1931001"/>
  <expiry value="2017-02-03T00:00:00"/>
```

```
  <id value="TD3asEm-BcI7MUquBrLe.wAB"/>
  <status value="available"/>
  <patient>
    <display value="John Doe"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
  </patient>
  <type>
    <text value="Screw"/>
    <coding>
      <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
      <code value="Screw"/>
      <display value="Screw"/>
    </coding>
  </type>
</Device>
```

19.3.2 Device.Search (Implants) (DSTU2)

File: site/apis/19-Identification-Devices/3-DSTU2/9-Device-Search-Implants-DSTU2.html
Epic API ID | 9
FHIR version | DSTU2
Categories | Identification Devices
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Keywords | Unique Device Identifier(s);Patient's implantable device(s)
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/Device?_id={_id}&patient={patient}&type={type}&udi={udi}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=9

Description

The FHIR Device resource describes information about a specific patient's durable, manufactured medical items. The below documentation describes only medical devices implanted in a patient.

The Device resource corresponds to the following Common Clinical Data Set (CCDS) Elements: Unique Device Identifiers (UDI).

The Search interaction enables the client to query for the devices of a given patient. The client, having established the patient in question, now wishes to retrieve the implanted devices for the patient. Clients can further refine their search by device type or UDI.

To ensure clinical safety for a patient, a search filtered via the search parameter will return all currently implanted devices for the patient in addition to other data returned in the search.

Note:

_lastUpdated

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_id | String | True
patient | String | False | | | Patient is always required.
type | String | True | | | The type of the device.
udi | String | True | | | FDA mandated Unique Device Identifier.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False
Bundle.entry | Entry | False | Yes
Bundle.entry.resource | Resource | False
Bundle.entry.resource.Device | Device | False
Bundle.entry.resource.Device.expiry | String | True | | | Date and time of expiry of this device (if applicable). This parameter does not respect MyChart filtering.
Bundle.entry.resource.Device.lotNumber | String | True | | | Lot number of manufacture. This parameter does not respect MyChart filtering.
Bundle.entry.resource.Device.manufacturer | String | True | | | Name of device manufacturer. This parameter does not respect MyChart filtering.
Bundle.entry.resource.Device.model | String | True | | | Model ID assigned by the manufacturer. This parameter does not respect MyChart filtering.
Bundle.entry.resource.Device.patient | ReferencedResource | False | | | If the resource is affixed to a person. This parameter does not respect MyChart filtering.
Bundle.entry.resource.Device.status | String | False | | | This parameter does not respect MyChart filtering.
Bundle.entry.resource.Device.type | CodeableConcept | False | | | The type of the device. This parameter respects MyChart filtering.

Bundle.entry.resource.Device.udi | String | True | | | FDA mandated Composite Unique Device Identifier.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/Device?patient=TG7cJWa-If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="10"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Device?patient=TG7cJWa-If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Device/TpvjYd30iuam-C9dJJ.V87wB"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Device/TpvjYd30iuam-C9dJJ.V87wB"/>
    <resource>
      <Device>
        <udi value="+7821/$$31702031931005/S1931003"/>
        <lotNumber value="1931005"/>
        <manufacturer value="Ace"/>
        <model value="1931004"/>
        <expiry value="2017-02-03T00:00:00"/>
        <id value="TpvjYd30iuam-C9dJJ.V87wB"/>
        <status value="available"/>
        <patient>
          <display value="Emily Device Williams"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
    If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
        </patient>
        <type>
          <text value="Plate"/>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
            <code value="Plate"/>
            <display value="Plate"/>
          </coding>
        </type>
      </Device>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Device/TD3asEm-BcI7MUquBrLe.wAB"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Device/TD3asEm-BcI7MUquBrLe.wAB"/>
    <resource>
      <Device>
        <udi value="=/126843=,1931000=&gt;017034&amp;,11931002"/>
        <lotNumber value="1931002"/>
        <manufacturer value="Ace"/>
        <model value="1931001"/>
        <expiry value="2017-02-03T00:00:00"/>
        <id value="TD3asEm-BcI7MUquBrLe.wAB"/>
        <status value="available"/>
        <patient>
          <display value="Emily Device Williams"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
    If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
        </patient>
        <type>
          <text value="Screw"/>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
            <code value="Screw"/>
            <display value="Screw"/>
          </coding>
        </type>
      </Device>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Device/TDlrEzziaSB-975OGPIv.EwB"/>
    </link>
```

```
  <fullUrl value="hhttps://hostname/instance/api/FHIR/DSTU2/Device/TDlrEzziaSB-975OGPIv.EwB"/>
  <resource>
    <Device>
      <udi value="(01)01654(17)161123(10)1931007(21)1931008"/>
      <lotNumber value="1931007"/>
      <manufacturer value="PetroChem Medical"/>
      <model value="1931006"/>
      <expiry value="2016-11-23T00:00:00"/>
      <id value="TDlrEzziaSB-975OGPIv.EwB"/>
      <status value="available"/>
      <patient>
        <display value="Emily Device Williams"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
  If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
      </patient>
      <type>
        <text value="Bolt"/>
        <coding>
          <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
          <code value="Bolt"/>
          <display value="Bolt"/>
        </coding>
      </type>
    </Device>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Device/TJk48hW2XT-.-AKxolbUXygB"/>
  </link>
  <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Device/TJk48hW2XT-.-AKxolbUXygB"/>
  <resource>
    <Device>
      <udi value="(01)56321(17)220204(10)984(21)654"/>
      <lotNumber value="984"/>
      <manufacturer value="Boston Scientific"/>
      <model value="987"/>
      <expiry value="2022-02-04T00:00:00"/>
      <id value="TJk48hW2XT-.-AKxolbUXygB"/>
      <status value="available"/>
      <patient>
        <display value="Emily Device Williams"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
  If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
      </patient>
      <type>
        <text value="Bolt"/>
        <coding>
          <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
          <code value="Bolt"/>
          <display value="Bolt"/>
        </coding>
      </type>
    </Device>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Device/ToIW.h05cIU0MLEHE48VVXwB"/>
  </link>
  <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Device/ToIW.h05cIU0MLEHE48VVXwB"/>
  <resource>
    <Device>
      <udi value="=/124=,6546=&gt;017159&amp;,1351"/>
      <lotNumber value="351"/>
      <manufacturer value="3M"/>
      <model value="65498"/>
      <expiry value="2017-06-08T00:00:00"/>
      <id value="ToIW.h05cIU0MLEHE48VVXwB"/>
      <status value="available"/>
      <patient>
        <display value="Emily Device Williams"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
  If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
      </patient>
      <type>
        <text value="Pump"/>
        <coding>
          <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
          <code value="PUMP"/>
          <display value="Pump"/>
```

```
        </coding>
      </type>
    </Device>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Device/TL.yozmtsRWpiXdGschWujwB"/>
  </link>
  <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Device/TL.yozmtsRWpiXdGschWujwB"/>
  <resource>
    <Device>
      <udi value="+165132165/$$3170505158/S6654"/>
      <lotNumber value="158"/>
      <manufacturer value="Boston Scientific"/>
      <model value="324"/>
      <expiry value="2017-05-05T00:00:00"/>
      <id value="TL.yozmtsRWpiXdGschWujwB"/>
      <status value="available"/>
      <patient>
        <display value="Emily Device Williams"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
  If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
      </patient>
      <type>
        <text value="Mesh"/>
        <coding>
          <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
          <code value="Mesh"/>
          <display value="Mesh"/>
        </coding>
      </type>
    </Device>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Device/T7hhIor12ufDN4oOrRmAu.wB"/>
  </link>
  <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Device/T7hhIor12ufDN4oOrRmAu.wB"/>
  <resource>
    <Device>
      <udi value="(01)65489(11)140210(17)170210(10)651(21)984"/>
      <lotNumber value="651"/>
      <manufacturer value="Ace"/>
      <model value="654"/>
      <expiry value="2017-02-10T00:00:00"/>
      <id value="T7hhIor12ufDN4oOrRmAu.wB"/>
      <status value="available"/>
      <patient>
        <display value="Emily Device Williams"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
  If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
      </patient>
      <type>
        <text value="EFW Implant"/>
        <coding>
          <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
          <code value="EFW Table"/>
          <display value="EFW Implant"/>
        </coding>
      </type>
    </Device>
  </resource>
  <search>
    <mode value="match"/>
  </search>
</entry>
<entry>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/Device/TQCRu7tlOsu4T5G5UZlqbsgB"/>
  </link>
  <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Device/TQCRu7tlOsu4T5G5UZlqbsgB"/>
  <resource>
    <Device>
      <udi value="=/65421=,516=&gt;019042&amp;,1651"/>
      <lotNumber value="651"/>
      <manufacturer value="Ace"/>
      <model value="651"/>
      <expiry value="2019-02-11T00:00:00"/>
```

```
        <id value="TQCRu7tlOsu4T5G5UZlqbsgB"/>
        <status value="available"/>
        <patient>
          <display value="Emily Device Williams"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
    If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
        </patient>
        <type>
          <text value="Clamp"/>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
            <code value="Clamp"/>
            <display value="Clamp"/>
          </coding>
        </type>
      </Device>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Device/T7.N4tLpdWgNv0CTPxjMTnQB"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Device/T7.N4tLpdWgNv0CTPxjMTnQB"/>
    <resource>
      <Device>
        <udi value="(01)561(10)2351"/>
        <lotNumber value="2351"/>
        <model value="841"/>
        <id value="T7.N4tLpdWgNv0CTPxjMTnQB"/>
        <status value="available"/>
        <patient>
          <display value="Emily Device Williams"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
    If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
        </patient>
        <type>
          <text value="Insert"/>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
            <code value="INSERT"/>
            <display value="Insert"/>
          </coding>
        </type>
      </Device>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Device/Te0p2-tobal.LEqHf.VaOtwB"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/DSTU2/Device/Te0p2-tobal.LEqHf.VaOtwB"/>
    <resource>
      <Device>
        <udi value="(01)561(10)2351"/>
        <lotNumber value="2351"/>
        <model value="841"/>
        <id value="Te0p2-tobal.LEqHf.VaOtwB"/>
        <status value="available"/>
        <patient>
          <display value="Emily Device Williams"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TG7cJWa-
    If.KeTo74UIBQhhbTdO7s5GnyjkLCzU7kx54B"/>
        </patient>
        <type>
          <text value="Insert"/>
          <coding>
            <system value="1.2.840.114350.1.13.5552.1.7.1.737780.70.1931002"/>
            <code value="INSERT"/>
            <display value="Insert"/>
          </coding>
        </type>
      </Device>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```