Epic-FHIR — API category: Identification Groups (sections 21 – 21.2.1)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

21 API category: Identification Groups

File: site/apis/21-Identification-Groups/index.html

R4 (2)

API | Method | URL template | Type
Organization.Read (Organizational Directory) (R4) | GET | api/FHIR/R4/Organization/{ID} | USCDI
Organization.Search (Organizational Directory) (R4) | GET | /api/FHIR/R4/Organization?_id={_id} | USCDI

STU3 (1)

API | Method | URL template | Type
Organization.Read (STU3) | GET | api/FHIR/STU3/Organization/{ID} | USCDI

21.1 Identification Groups: R4

File: site/apis/21-Identification-Groups/1-R4/index.html

* Organization.Read (Organizational Directory) (R4)
* Organization.Search (Organizational Directory) (R4)

21.1.1 Organization.Read (Organizational Directory) (R4)

File: site/apis/21-Identification-Groups/1-R4/929-Organization-Read-Organizational-Directory-R4.html
Epic API ID | 929
FHIR version | R4
Categories | Identification Groups
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2019
HTTP method | GET
URL template | api/FHIR/R4/Organization/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=929

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Organization FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Organization (R4) | Resource | | | | An instance of the R4 Organization FHIR resource.
Organization (R4).active | boolean | | | 0..1 | Whether the organization's record is active.
Organization (R4).address | Address | | Yes | 0..* | The address of the organization.
Organization (R4).address.city | string | | | 0..1 | The organization's city.
Organization (R4).address.country | String | | | 0..1 | The organization's country.
Organization (R4).address.extension (houseNumber) (also: extension (houseNumber)) | Extension | | Yes | 0..1 | The house number of the address. Only applicable to organizations in the Netherlands. URL: http://hl7.org/fhir/StructureDefinition/iso21090-ADXP-houseNumber
Organization (R4).address.extension (streetName) (also: extension (streetName)) | Extension | | Yes | 0..1 | The street name of the address. Only applicable to organizations in the Netherlands. URL: http://hl7.org/fhir/StructureDefinition/iso21090-ADXP-streetName
Organization (R4).address.line | string | | Yes | 0..* | The organization's street address. Not returned in the Netherlands, see extension (streetName) instead.
Organization (R4).address.postalCode | string | | | 0..1 | The organization's postal code.
Organization (R4).address.state | string | | | | The organization's state.
Organization (R4).address.text | String | | | 0..1 | Formatted display of the address as a string.
Organization (R4).alias | string | | Yes | 0..* | The synonyms for the organization.
Organization (R4).contact | BackboneElement | | Yes | 0..1 | For organizations that are resulting agencies, this contains the contact information for the lab director.

Organization (R4).extension (specialty) (also: extension (specialty)) | Extension | | Yes | 0..* | The organization's specialties. URL: https://open.epic.com/fhir/extensions/specialty
Organization (R4).id | id | | | 1..1 | The Organization FHIR ID.
Organization (R4).identifier | Identifier | | Yes | 0..* | Identifiers for the organization. Possible identifiers vary based on the type of organization, but can include: Epic MPI IDs Epic Internal ID NPI (National Provider ID) - Starting in the November 2024 version of Epic CLIA (Clinical Laboratory Improvement Amendments) TIN (Taxpayer Identification Number) - Starting in the November 2024 version of Epic SOR ID (Denmark Only) - Starting in the February 2026 version of Epic NAIC ID (National Association of Insurance Commissioners) - Starting in the February 2026 version of Epic Payer ID - Starting in the February 2026 version of Epic URA ID and AGB ID (Netherlands Only) - Starting in the February 2026 version of Epic
Organization (R4).identifier.system | String | | | 1..1 | A few specific identifier systems are listed below for reference. Some system values are configurable in Epic. ID Type System OID/URL URA (Netherlands Only) 2.16.528.1.1007.3.3 or http://fhir.nl/fhir/NamingSystem/ura AGB (Netherlands Only) 2.16.840.1.113883.2.4.6.1 or http://fhir.nl/fhir/NamingSystem/agb-z UZOVI (Netherlands Only) 2.16.840.1.113883.2.4.6.4 or http://fhir.nl/fhir/NamingSystem/uzovi NPI http://hl7.org/fhir/sid/us-npi TIN 2.16.840.1.113883.4.4 NAIC 2.16.840.1.113883.6.300 SOR ID 1.2.208.176.1.1
ID Type | System OID/URL
URA (Netherlands Only) | 2.16.528.1.1007.3.3 or http://fhir.nl/fhir/NamingSystem/ura
AGB (Netherlands Only) | 2.16.840.1.113883.2.4.6.1 or http://fhir.nl/fhir/NamingSystem/agb-z
UZOVI (Netherlands Only) | 2.16.840.1.113883.2.4.6.4 or http://fhir.nl/fhir/NamingSystem/uzovi
NPI | http://hl7.org/fhir/sid/us-npi
TIN | 2.16.840.1.113883.4.4
NAIC | 2.16.840.1.113883.6.300
SOR ID | 1.2.208.176.1.1
Organization (R4).identifier.type | CodeableConcept | | | 0..1 | The type of the identifier.
Organization (R4).identifier.type.coding | Coding | | Yes | 0..1 | The identifier type represented as a codeable concept.
Organization (R4).identifier.type.coding.code | String | | | 0..1 | The code for the identifier type. Codes are specified only for the ID types listed in the following table: ID Type Code Tax ID Number TAX NAIC naiccode Payer ID payerid
ID Type | Code
Tax ID Number | TAX
NAIC | naiccode
Payer ID | payerid
Organization (R4).identifier.type.coding.system | String | | | 0..1 | The system of the identifier type. Systems are specified only for the ID types listed in the following table: ID Type System OID/URL Tax ID Number http://terminology.hl7.org/CodeSystem/v2-0203 NAIC http://hl7.org/fhir/us/carin-bb/CodeSystem/C4BBIdentifierType Payer ID http://hl7.org/fhir/us/carin-bb/CodeSystem/C4BBIdentifierType
ID Type | System OID/URL
Tax ID Number | http://terminology.hl7.org/CodeSystem/v2-0203
NAIC | http://hl7.org/fhir/us/carin-bb/CodeSystem/C4BBIdentifierType
Payer ID | http://hl7.org/fhir/us/carin-bb/CodeSystem/C4BBIdentifierType
Organization (R4).identifier.type.text | String | | | 0..1 | Textual description of the identifier type.
Organization (R4).identifier.value | String | Required | | 1..1 | The value of the identifier.
Organization (R4).meta | Meta | | | 0..1 | The document metadata. Only applicable to organizations in the Netherlands.
Organization (R4).meta.profile | String | | Yes | 0..1 | Only applicable to organizations in the Netherlands. This environment shows that this API conforms to the profile connected to the following canonical url: http://fhir.nl/fhir/StructureDefinition/nl-core-organization
Organization (R4).name | string | | | 0..1 | The name of the organization.
Organization (R4).partOf | Reference | | | 0..1 | For a department record, this references the Organization FHIR ID of the department's revenue location. Starting in the February 2026 version of Epic, for organizations using EPS in the United Kingdom, partOf references the parent location for a location record with an identifer and display element.
Organization (R4).telecom | ContactPoint | | Yes | 0..* | The phone number, fax number, email, or emergency phone number.
Organization (R4).type | CodeableConcept | | Yes | 0..* | The organization type returned as a codeable concept.

21.1.2 Organization.Search (Organizational Directory) (R4)

File: site/apis/21-Identification-Groups/1-R4/10083-Organization-Search-Organizational-Directory-R4.html
Epic API ID | 10083
FHIR version | R4
Categories | Identification Groups
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/Organization?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10083

Response elements

Name | Type | Optional | Array | Cardinality | Description
Organization (R4) | Resource | | | | An instance of the R4 Organization FHIR resource.
Organization (R4).active | boolean | | | 0..1 | Whether the organization's record is active.
Organization (R4).address | Address | | Yes | 0..* | The address of the organization.

Organization (R4).address.city | string | | | 0..1 | The organization's city.
Organization (R4).address.country | String | | | 0..1 | The organization's country.
Organization (R4).address.extension (houseNumber) (also: extension (houseNumber)) | Extension | | Yes | 0..1 | The house number of the address. Only applicable to organizations in the Netherlands. URL: http://hl7.org/fhir/StructureDefinition/iso21090-ADXP-houseNumber
Organization (R4).address.extension (streetName) (also: extension (streetName)) | Extension | | Yes | 0..1 | The street name of the address. Only applicable to organizations in the Netherlands. URL: http://hl7.org/fhir/StructureDefinition/iso21090-ADXP-streetName
Organization (R4).address.line | string | | Yes | 0..* | The organization's street address. Not returned in the Netherlands, see extension (streetName) instead.
Organization (R4).address.postalCode | string | | | 0..1 | The organization's postal code.
Organization (R4).address.state | string | | | | The organization's state.
Organization (R4).address.text | String | | | 0..1 | Formatted display of the address as a string.
Organization (R4).alias | string | | Yes | 0..* | The synonyms for the organization.
Organization (R4).contact | BackboneElement | | Yes | 0..1 | For organizations that are resulting agencies, this contains the contact information for the lab director.
Organization (R4).extension (specialty) (also: extension (specialty)) | Extension | | Yes | 0..* | The organization's specialties. URL: https://open.epic.com/fhir/extensions/specialty
Organization (R4).id | id | | | 1..1 | The Organization FHIR ID.
Organization (R4).identifier | Identifier | | Yes | 0..* | Identifiers for the organization. Possible identifiers vary based on the type of organization, but can include: Epic MPI IDs Epic Internal ID NPI (National Provider ID) - Starting in the November 2024 version of Epic CLIA (Clinical Laboratory Improvement Amendments) TIN (Taxpayer Identification Number) - Starting in the November 2024 version of Epic SOR ID (Denmark Only) - Starting in the February 2026 version of Epic NAIC ID (National Association of Insurance Commissioners) - Starting in the February 2026 version of Epic Payer ID - Starting in the February 2026 version of Epic URA ID and AGB ID (Netherlands Only) - Starting in the February 2026 version of Epic
Organization (R4).identifier.system | String | | | 1..1 | A few specific identifier systems are listed below for reference. Some system values are configurable in Epic. ID Type System OID/URL URA (Netherlands Only) 2.16.528.1.1007.3.3 or http://fhir.nl/fhir/NamingSystem/ura AGB (Netherlands Only) 2.16.840.1.113883.2.4.6.1 or http://fhir.nl/fhir/NamingSystem/agb-z UZOVI (Netherlands Only) 2.16.840.1.113883.2.4.6.4 or http://fhir.nl/fhir/NamingSystem/uzovi NPI http://hl7.org/fhir/sid/us-npi TIN 2.16.840.1.113883.4.4 NAIC 2.16.840.1.113883.6.300 SOR ID 1.2.208.176.1.1
ID Type | System OID/URL
URA (Netherlands Only) | 2.16.528.1.1007.3.3 or http://fhir.nl/fhir/NamingSystem/ura
AGB (Netherlands Only) | 2.16.840.1.113883.2.4.6.1 or http://fhir.nl/fhir/NamingSystem/agb-z
UZOVI (Netherlands Only) | 2.16.840.1.113883.2.4.6.4 or http://fhir.nl/fhir/NamingSystem/uzovi
NPI | http://hl7.org/fhir/sid/us-npi
TIN | 2.16.840.1.113883.4.4
NAIC | 2.16.840.1.113883.6.300
SOR ID | 1.2.208.176.1.1
Organization (R4).identifier.type | CodeableConcept | | | 0..1 | The type of the identifier.
Organization (R4).identifier.type.coding | Coding | | Yes | 0..1 | The identifier type represented as a codeable concept.
Organization (R4).identifier.type.coding.code | String | | | 0..1 | The code for the identifier type. Codes are specified only for the ID types listed in the following table: ID Type Code Tax ID Number TAX NAIC naiccode Payer ID payerid
ID Type | Code
Tax ID Number | TAX
NAIC | naiccode
Payer ID | payerid
Organization (R4).identifier.type.coding.system | String | | | 0..1 | The system of the identifier type. Systems are specified only for the ID types listed in the following table: ID Type System OID/URL Tax ID Number http://terminology.hl7.org/CodeSystem/v2-0203 NAIC http://hl7.org/fhir/us/carin-bb/CodeSystem/C4BBIdentifierType Payer ID http://hl7.org/fhir/us/carin-bb/CodeSystem/C4BBIdentifierType
ID Type | System OID/URL
Tax ID Number | http://terminology.hl7.org/CodeSystem/v2-0203
NAIC | http://hl7.org/fhir/us/carin-bb/CodeSystem/C4BBIdentifierType
Payer ID | http://hl7.org/fhir/us/carin-bb/CodeSystem/C4BBIdentifierType
Organization (R4).identifier.type.text | String | | | 0..1 | Textual description of the identifier type.
Organization (R4).identifier.value | String | Required | | 1..1 | The value of the identifier.
Organization (R4).meta | Meta | | | 0..1 | The document metadata. Only applicable to organizations in the Netherlands.
Organization (R4).meta.profile | String | | Yes | 0..1 | Only applicable to organizations in the Netherlands. This environment shows that this API conforms to the profile connected to the following canonical url: http://fhir.nl/fhir/StructureDefinition/nl-core-organization
Organization (R4).name | string | | | 0..1 | The name of the organization.
Organization (R4).partOf | Reference | | | 0..1 | For a department record, this references the Organization FHIR ID of the department's revenue location. Starting in the February 2026 version of Epic, for organizations using EPS in the United Kingdom, partOf references the parent location for a location record with an identifer and display element.
Organization (R4).telecom | ContactPoint | | Yes | 0..* | The phone number, fax number, email, or emergency phone number.
Organization (R4).type | CodeableConcept | | Yes | 0..* | The organization type returned as a codeable concept.

21.2 Identification Groups: STU3

File: site/apis/21-Identification-Groups/2-STU3/index.html
* Organization.Read (STU3)

21.2.1 Organization.Read (STU3)

File: site/apis/21-Identification-Groups/2-STU3/857-Organization-Read-STU3.html
Epic API ID | 857
FHIR version | STU3
Categories | Identification Groups

API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2018
HTTP method | GET
URL template | api/FHIR/STU3/Organization/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=857

Description

The read interaction of the Organization resource allows you to look up an organization using a constant server ID. The read interaction allows clients to store only the server ID, and with a single request, retrieve the most up-to-date information about an organization. Read interactions typically begin with a client having previously established a relationship, often through querying for Organization or PractitionerRoles through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The Organization FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Organization | Organization | False
Organization.active | Boolean | True | | | Whether the organization's record is in active use.
Organization.address | Address | True | Yes | | The address from the organization, lab, payer, vendor, pharmacy, place of service, or department.
Organization.address.city | String | True | | | The organization’s city.
Organization.address.country | String | True | | | The organization’s country.
Organization.address.district | String | True | | | The organization’s district or county.
Organization.address.line | String | True | | | The organization's street address.
Organization.address.postalCode | String | True | | | The organization’s ZIP code.
Organization.address.state | String | True | | | The organization’s state.
Organization.address.text | String | False | | | The organization’s full address as a string. This is formatted based on the country the address is in.
Organization.id | String | False | | | The Organization FHIR ID.
Organization.identifier | Identifier | True | Yes | | Organization identifier. Starting in the February 2025 version of Epic (available back to May 2024 via Special Update), this service also returns the internal Epic ID of the service area level of the organization hierarchy. Starting in the November 2024 version of Epic, for organizations with a National Provider Identifier (NPI), this service returns an identifier type of NPI and the ID of the NPI. For organizations with a Tax Identification Number (TIN), this service returns an identifier type of TIN and the ID of the TIN. The following organization ID types are supported for organizations in the Netherlands: ID Type System OID System URL returned in Identifier.system URA 2.16.528.1.1007.3.3 http://fhir.nl/fhir/NamingSystem/ura AGB 2.16.840.1.113883.2.4.6.1 http://fhir.nl/fhir/NamingSystem/agb-z UZOVI 2.16.840.1.113883.2.4.6.4 http://fhir.nl/fhir/NamingSystem/uzovi NPI http://hl7.org/fhir/sid/us-npi TIN 2.16.840.1.113883.4.4
ID Type | System OID | System URL returned in Identifier.system
URA | 2.16.528.1.1007.3.3 | http://fhir.nl/fhir/NamingSystem/ura
AGB | 2.16.840.1.113883.2.4.6.1 | http://fhir.nl/fhir/NamingSystem/agb-z
UZOVI | 2.16.840.1.113883.2.4.6.4 | http://fhir.nl/fhir/NamingSystem/uzovi
NPI | | http://hl7.org/fhir/sid/us-npi
TIN | 2.16.840.1.113883.4.4
Organization.meta | Meta | True | | | The document metadata.
Organization.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://fhir.nl/fhir/StructureDefinition/nl-core-organization
Organization.name | String | True | | | The name used for the organization.
Organization.partOf | Reference | True | | | For a department, the revenue location ID.
Organization.extension (also: specialty) | Extension | True | Yes | | The organization's specialties.
Organization.telecom | ContactPoint | True | Yes | | The phone number, fax number, and emergency phone number.
Organization.type | CodeableConcept | True | Yes | | The place of service type. Supported starting in August 2020. This element supports the following extensible bindings: organizationType: The organization type. departmentSpecialty: The department specialty

Sample request

```
https://hostname/instance/api/FHIR/STU3/Organization/emgHSNHoIHfpGDcEhb9luYA3
```

Sample response


```
{
  "resourceType": "Organization",
  "id": "emgHSNHoIHfpGDcEhb9luYA3",
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
```

```
            "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.688867.4150",
            "code": "10",
            "display": "Cardiology"
          }
        ]
      },
      "url": "https://open.epic.com/fhir/extensions/specialty"
    }
  ],
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.5.737384.137",
      "value": "1000000954"
    },
    {
      "use": "usual",
      "type": {
        "text": "NPI"
      },
      "system": "http://hl7.org/fhir/sid/us-npi",
      "value": "1000000954"
    },
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.696570",
      "value": "4869"
    }
  ],
  "active": true,
  "name": "External Cardiology Dept",
  "telecom": [
    {
      "system": "phone",
      "value": "555-555-5555",
      "use": "work"
    }
  ],
  "address": [
    {
      "text": "1979 Milky Way\r\nVerona WI 53593-9179\r\nUnited States of America",
      "line": [
        "1979 Milky Way"
      ],
      "city": "Verona",
      "state": "Wisconsin",
      "postalCode": "53593-9179",
      "country": "United States of America"
    }
  ]
}
```