Epic-FHIR — API category: Infrastructure Documents & Lists (sections 23 – 23.4.2)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

23 API category: Infrastructure Documents & Lists

File: site/apis/23-Infrastructure-Documents-Lists/index.html

R4 (81)

API | Method | URL template | Type
Binary.Read (Advance Directive) (R4) | GET | /api/FHIR/R4/Binary/{ID} | USCDI
Binary.Read (Clinical Notes) (R4) | | api/FHIR/R4/Binary/{ID} | USCDI
Binary.Read (Clinical References) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (Correspondences) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (Document Information) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (External CCDA) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (Generated CDAs) (R4) | GET | /api/FHIR/R4/Binary/{ID} | USCDI
Binary.Read (Handoff) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (HIS) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (IRF-PAI) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (Labs) (R4) | GET | /api/FHIR/R4/Binary/{ID} | USCDI
Binary.Read (Minimum Data Set) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (OASIS) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (Outside Record - Clinical Notes) (R4) | GET | /api/FHIR/R4/Binary/{ID} | USCDI
Binary.Read (Patient-Entered Questionnaires) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (Provider Photo) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (Radiology Results) (R4) | GET | /api/FHIR/R4/Binary/{ID} | Industry-Standard
Binary.Read (Study) (R4) | GET | /api/FHIR/R4/Binary/{ID} | USCDI
Binary.Search (Advance Directive) (R4) | GET | /api/FHIR/R4/Binary?_count={_count}&_id={_id}&_include={_include}&_revinclude={_revinclude} | USCDI
Binary.Search (Clinical Notes) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | USCDI
Binary.Search (Clinical References) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (Correspondences) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (Document Information) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (External CCDA) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (Generated CDAs) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | USCDI
Binary.Search (Handoff) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (HIS) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (IRF-PAI) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (Labs) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | USCDI
Binary.Search (Minimum Data Set) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (OASIS) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (Outside Record - Clinical Notes) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | USCDI
Binary.Search (Patient-Entered Questionnaires) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (Provider Photo) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (Radiology Results) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | Industry-Standard
Binary.Search (Study) (R4) | GET | /api/FHIR/R4/Binary?_id={_id} | USCDI
DocumentReference.Create (Clinical Notes) (R4) | POST | api/FHIR/R4/DocumentReference | Industry-Standard
DocumentReference.Create (Document Information) (R4) | POST | /api/FHIR/R4/DocumentReference/ | Industry-Standard
DocumentReference.Create (Non-Patient Document Information) (R4) | POST | /api/FHIR/R4/DocumentReference | Industry-Standard
DocumentReference.Read (Advance Directive) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | USCDI
DocumentReference.Read (Clinical Notes) (R4) | | api/FHIR/R4/DocumentReference/{ID} | USCDI
DocumentReference.Read (Clinical References) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (Correspondences) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (Document Information) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (External CCDA) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (Generated CDAs) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | USCDI
DocumentReference.Read (Handoff) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (HIS) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (IRF-PAI) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (Labs) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | USCDI
DocumentReference.Read (Minimum Data Set) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (Non-Patient Document Information) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (OASIS) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (Outside Record - Clinical Notes) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | USCDI
DocumentReference.Read (Patient-Entered Questionnaires) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard
DocumentReference.Read (Radiology Results) (R4) | GET | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard

DocumentReference.Search (Advance Directive) (R4) | GET | /api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&status={status}&subject={subject}&type={type}&_count={_count}&_id={_id}&_include={_include}&_lastupdated={_lastupdated}&_revinclude={_revinclude} | USCDI

DocumentReference.Search (Clinical Notes) (R4) | GET | /api/FHIR/R4/DocumentReference?category={category}&date={date}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&subject={subject}&type={type} | USCDI

DocumentReference.Search (Clinical References) (R4) | GET | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}&subject={subject}&encounter={encounter} | Industry-Standard

DocumentReference.Search (Correspondences) (R4) | GET | /api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&patient={patient}&period={period}&type={type} | Industry-Standard

DocumentReference.Search (Document Information) (R4) | GET | /api/FHIR/R4/DocumentReference?category={category}&patient={patient} | Industry-Standard

DocumentReference.Search (External CCDA) (R4) | GET;POST | /api/FHIR/R4/DocumentReference?category={category}&date={date}&patient={patient}&period={period} | Industry-Standard

DocumentReference.Search (Generated CDAs) (R4) | GET | /api/FHIR/R4/DocumentReference?_id={_id}&patient={patient}&subject={subject}&period={period}&category={category}&type={type}&encounter={encounter}&status={status}&date={date} | USCDI

DocumentReference.Search (Handoff) (R4) | GET;POST | /api/FHIR/R4/DocumentReference?category={category}&patient={patient} | Industry-Standard

DocumentReference.Search (HIS) (R4) | GET;POST | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}&period={period} | Industry-Standard

DocumentReference.Search (IRF-PAI) (R4) | GET | /api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&subject={subject}&type={type}&_id={_id}&_include={_include}&_lastupdated={_lastupdated} | Industry-Standard

DocumentReference.Search (Labs) (R4) | GET;POST | /api/FHIR/R4/DocumentReference?category={category}&date={date}&patient={patient}&subject={subject}&type={type} | USCDI

DocumentReference.Search (Minimum Data Set) (R4) | GET | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}&period={period}&docstatus={docstatus} | Industry-Standard

DocumentReference.Search (Non-Patient Document Information) (R4) | GET | /api/FHIR/R4/DocumentReference?_id={DocumentReference} | Industry-Standard

DocumentReference.Search (OASIS) (R4) | GET;POST | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}&period={period}&subject={subject} | Industry-Standard

DocumentReference.Search (Outside Record - Clinical Notes) (R4) | GET | /api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&status={status}&subject={subject}&type={type}&_id={_id}&_include={_include}&_lastupdated={_lastupdated} | USCDI

DocumentReference.Search (Patient-Entered Questionnaires) (R4) | GET | /api/FHIR/R4/DocumentReference?patient={patient}&category={category}&date={date}&status={status} | Industry-Standard

DocumentReference.Search (Radiology Results) (R4) | GET | /api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&patient={patient}&period={period}&subject={subject}&type={type} | Industry-Standard

DocumentReference.Update (Document Information) (R4) | PUT | /api/FHIR/R4/DocumentReference/{ID} | Industry-Standard

Group.Read (Employer Group) (R4) | GET | /api/FHIR/R4/Group/{ID} | Industry-Standard

Group.Search (Employer Group) (R4) | GET | /api/FHIR/R4/Group?_id={_id} | Industry-Standard

List.Read (Patient List) (R4) | GET | /api/FHIR/R4/List/{ID} | Industry-Standard

List.Search (Patient List) (R4) | GET | /api/FHIR/R4/List?code={code}&identifier={identifier} | Industry-Standard

Media.Read (Study) (R4) | GET | /api/FHIR/R4/Media/{ID} | USCDI

Media.Search (Study) (R4) | GET | /api/FHIR/R4/Media?_id={id} | USCDI

Patient.$summary (International Patient Summary) (R4) | GET | /api/FHIR/R4/Patient/{ID}/$summary | Industry-Standard

STU3 (16)

API | Method | URL template | Type

Binary.Read (Clinical Notes) (STU3) | GET | api/FHIR/STU3/Binary/{ID} | USCDI

Binary.Read (Correspondences) (STU3) | GET | /api/FHIR/STU3/Binary/{ID} | Industry-Standard

Binary.Read (Patient-Entered Questionnaires) (STU3) | GET | /api/FHIR/STU3/Binary/{ID} | Industry-Standard

Binary.Read (Practitioner Photo) (STU3) | GET | /api/FHIR/STU3/Binary/{ID} | Industry-Standard

Binary.Read (Radiology Results) (STU3) | GET | /api/FHIR/STU3/Binary/{ID} | Industry-Standard

DocumentReference.Create (Clinical Notes) (STU3) | POST | api/FHIR/STU3/DocumentReference | Industry-Standard

DocumentReference.Read (Clinical Notes) (STU3) | GET | api/FHIR/STU3/DocumentReference/{ID} | USCDI

DocumentReference.Read (Correspondences) (STU3) | GET | /api/FHIR/STU3/DocumentReference/{ID} | Industry-Standard

DocumentReference.Read (Patient-Entered Questionnaires) (STU3) | GET | /api/FHIR/STU3/DocumentReference/{ID} | Industry-Standard

DocumentReference.Read (Radiology Results) (STU3) | GET | /api/FHIR/STU3/DocumentReference/{ID} | Industry-Standard

DocumentReference.Search (Clinical Notes) (STU3) | GET | api/FHIR/STU3/DocumentReference?class={class}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&type={type} | USCDI

DocumentReference.Search (Correspondences) (STU3) | GET | /api/FHIR/STU3/DocumentReference?author={author}&class={class}&indexed={indexed}&patient={patient}&period={period}&subject={subject} | Industry-Standard

DocumentReference.Search (Patient-Entered Questionnaires) (STU3) | GET | /api/FHIR/STU3/DocumentReference?patient={patient}&class={class}&indexed={date}&status={status} | Industry-Standard

DocumentReference.Search (Radiology Results) (STU3) | GET | /api/FHIR/STU3/DocumentReference?author={author}&class={class}&indexed={indexed}&patient={patient}&period={period}&subject={subject}&type={type} | Industry-Standard

List.Read (Patient List) (STU3) | GET | /api/FHIR/STU3/List/{ID} | Industry-Standard

List.Search (Patient List) (STU3) | GET | api/FHIR/STU3/List?code={code}&identifier={identifier} | Industry-Standard

DSTU2 (3)

API | Method | URL template | Type
Binary.Read (Generated CCDA) (DSTU2) | GET | api/FHIR/DSTU2/Binary/{ID} | USCDI
DocumentReference.Read (Generated CCDA) (DSTU2) | GET | api/FHIR/DSTU2/DocumentReference/{ID} | USCDI
DocumentReference.Search (Generated CCDA) (DSTU2) | GET | api/FHIR/DSTU2/DocumentReference?_id={_id}&patient={patient}&subject={subject}&period={period}&class={class} | USCDI

Non-FHIR (2)

API | Method | URL template | Type
GetScanSignatureContext | POST | /api/epic/2023/Access/Provider/GetScanSignatureContext | Epic Public
UpdateScanSignatures2 | POST | /api/epic/2023/Access/Provider/UpdateScanSignatures2 | Epic Public

23.1 Infrastructure Documents & Lists: R4

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/index.html

* Binary.Read (Advance Directive) (R4)
* Binary.Read (Clinical Notes) (R4)
* Binary.Read (Clinical References) (R4)
* Binary.Read (Correspondences) (R4)
* Binary.Read (Document Information) (R4)
* Binary.Read (External CCDA) (R4)
* Binary.Read (Generated CDAs) (R4)
* Binary.Read (Handoff) (R4)
* Binary.Read (HIS) (R4)
* Binary.Read (IRF-PAI) (R4)
* Binary.Read (Labs) (R4)
* Binary.Read (Minimum Data Set) (R4)
* Binary.Read (OASIS) (R4)
* Binary.Read (Outside Record - Clinical Notes) (R4)
* Binary.Read (Patient-Entered Questionnaires) (R4)
* Binary.Read (Provider Photo) (R4)
* Binary.Read (Radiology Results) (R4)
* Binary.Read (Study) (R4)
* Binary.Search (Advance Directive) (R4)
* Binary.Search (Clinical Notes) (R4)
* Binary.Search (Clinical References) (R4)
* Binary.Search (Correspondences) (R4)
* Binary.Search (Document Information) (R4)
* Binary.Search (External CCDA) (R4)
* Binary.Search (Generated CDAs) (R4)
* Binary.Search (Handoff) (R4)
* Binary.Search (HIS) (R4)
* Binary.Search (IRF-PAI) (R4)
* Binary.Search (Labs) (R4)
* Binary.Search (Minimum Data Set) (R4)
* Binary.Search (OASIS) (R4)
* Binary.Search (Outside Record - Clinical Notes) (R4)
* Binary.Search (Patient-Entered Questionnaires) (R4)
* Binary.Search (Provider Photo) (R4)
* Binary.Search (Radiology Results) (R4)
* Binary.Search (Study) (R4)
* DocumentReference.Create (Clinical Notes) (R4)
* DocumentReference.Create (Document Information) (R4)
* DocumentReference.Create (Non-Patient Document Information) (R4)
* DocumentReference.Read (Advance Directive) (R4)
* DocumentReference.Read (Clinical Notes) (R4)

* DocumentReference.Read (Clinical References) (R4)
* DocumentReference.Read (Correspondences) (R4)
* DocumentReference.Read (Document Information) (R4)
* DocumentReference.Read (External CCDA) (R4)
* DocumentReference.Read (Generated CDAs) (R4)
* DocumentReference.Read (Handoff) (R4)
* DocumentReference.Read (HIS) (R4)
* DocumentReference.Read (IRF-PAI) (R4)
* DocumentReference.Read (Labs) (R4)
* DocumentReference.Read (Minimum Data Set) (R4)
* DocumentReference.Read (Non-Patient Document Information) (R4)
* DocumentReference.Read (OASIS) (R4)
* DocumentReference.Read (Outside Record - Clinical Notes) (R4)
* DocumentReference.Read (Patient-Entered Questionnaires) (R4)
* DocumentReference.Read (Radiology Results) (R4)
* DocumentReference.Search (Advance Directive) (R4)
* DocumentReference.Search (Clinical Notes) (R4)
* DocumentReference.Search (Clinical References) (R4)
* DocumentReference.Search (Correspondences) (R4)
* DocumentReference.Search (Document Information) (R4)
* DocumentReference.Search (External CCDA) (R4)
* DocumentReference.Search (Generated CDAs) (R4)
* DocumentReference.Search (Handoff) (R4)
* DocumentReference.Search (HIS) (R4)
* DocumentReference.Search (IRF-PAI) (R4)
* DocumentReference.Search (Labs) (R4)
* DocumentReference.Search (Minimum Data Set) (R4)
* DocumentReference.Search (Non-Patient Document Information) (R4)
* DocumentReference.Search (OASIS) (R4)
* DocumentReference.Search (Outside Record - Clinical Notes) (R4)
* DocumentReference.Search (Patient-Entered Questionnaires) (R4)
* DocumentReference.Search (Radiology Results) (R4)
* DocumentReference.Update (Document Information) (R4)
* Group.Read (Employer Group) (R4)
* Group.Search (Employer Group) (R4)
* List.Read (Patient List) (R4)
* List.Search (Patient List) (R4)
* Media.Read (Study) (R4)
* Media.Search (Study) (R4)
* Patient.$summary (International Patient Summary) (R4)

23.1.1 Binary.Read (Advance Directive) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/40293-Binary-Read-Advance-Directive-R4.html
Epic API ID | 40293
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Advance Directive Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False

Source | https://fhir.epic.com/Specifications?api=40293

Description

Given a Binary FHIR ID, this web service returns documentation related to an advance directive.

DocumentReference.Search (Advance Directive) (R4)

DocumentReference.Read (Advance Directive) (R4)

can be used to obtain a Binary FHIR ID for an advance directive.

When a read request is made for the Binary resource using an Accept header value of "

application/fhir+xml

" or "

application/fhir+json

", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the “data” element. Alternatively, if one of those Accept header values is not specified, the raw content is returned directly using the associated content type, and the content type can be discerned from the Content-Type header of the response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary (R4) | Binary | | | | A single instance of a FHIR Binary resource.
Binary (R4).contentType | String | | | 1..1 | The MimeType of the binary content. For example, "text/html" or "text/rtf".
Binary (R4).data | String | | | 1..1 | Base64 encoded document content.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary/enCLZgyDBPcCO5JG1B9eJ7hmoD428tXX7KqJtknYFiYQ3
Accept: application/fhir+json
```

Sample response

```
This example is with the Accept header set to application/fhir+json
{
  "resourceType": "Binary",
  "id": "enCLZgyDBPcCO5JG1B9eJ7hmoD428tXX7KqJtknYFiYQ3",
  "contentType": "image/jpeg",
  "data": "/9j/4AAQSkZJRgABAQAAAQABAAD/2wBDAAsJCQcJCQcJCQkJCwkJCQkJCQsJCwsMCwsLDA0QDBEODQ4MEhkSJRodJR0ZHxwpKRYlNzU2GioyP
    i0pMBk7IRP/2wBDAQcICAsJCxULCxUsHRkdLCwsLCwsLCwsLCwsLCwsLCwsLCwsLCwsLCwsLCwsLCwsLCwsLCz/wAARCAC2AUcDA
    SIAAhEBAxEB/8QAGwAAAgIDAQAAAAAAAAAAAAAAAAECBQMEBgf/xABKEAABAwMDAQYDBQUFBAcJAAABAgMRAAQhBRIxQ"
}
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.2 Binary.Read (Clinical Notes) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/1044-Binary-Read-Clinical-Notes-R4.html
Epic API ID | 1044
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Clinical Notes Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
URL template | api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1044

Description

Given a Binary FHIR ID for a clinical note, this web service returns an HTML or RTF version of the note.

DocumentReference.Search (Clinical Notes) (R4)

DocumentReference.Read (Clinical Notes) (R4)

can be used to obtain the HTML and RTF Binary FHIR IDs for notes.

When a read request is made for the Binary resource using an Accept header value of "application/fhir+xml" or "application/fhir+json", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the “data” element. The samples on this page represent that scenario. Alternatively, if one of those Accept header values is not specified, the raw content is returned directly using the associated content type, and the content type can be discerned from the Content-Type header of the response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary (R4) | Binary | | | | A single instance of a FHIR Binary resource.
Binary (R4).contentType | String | | | 1..1 | The MimeType of the binary content. For example, "text/html" or "text/rtf".
Binary (R4).data | String | | | 1..1 | Base64 encoded note or document content.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary/f859KKT5DsrSxpFu8cSdkasOF3QBkgahtf5cQ5PV2ZcM4
Accept: application/fhir+json
```

Sample response

```
This is a response for a read on an RTF Binary with the Accept header set to "application/fhir+json"
{
  "resourceType": "Binary",
  "id": "f859KKT5DsrSxpFu8cSdkasOF3QBkgahtf5cQ5PV2ZcM4",
  "contentType": "text/rtf",
  "data": "e1xydGYxXGVwaWNWMTE1MDBcYW5zaVxzcGx0cGdwYXJcamV4cGFuZFxub3hsYXR0b3llbiANClxkZWZmMVxwYXBlcncxMjI0MFxwYXBlcmgxN
    Tg0MFxtYXJnbDE4MDBcbWFyZ3IxODAwXG1hcmd0MTQ0MFxtYXJnYjE0NDAgDQp7XGZvbnR0Ymx7XGYxXGZjaGFyc2V0MFxmc3dpc3MgQXJpYWw7fX0NC
    lxzZWN0ZFxoZWFkZXJ5NzIwXGZvb3Rlcnk3MjBccGFyZFxsdHJwYXIgDQpccGxhaW5cbHRyY2hcbGFuZzAgQmVkOlRSMDQ8QlI+RXhwZWN0ZWQgZGF0Z
    ToyLzE2LzA5PEJSPkV4cGVjdGVkIHRpbWU6IDM6NTYgUE08QlI+TWVhbnMgb2YgYXJyaXZhbDpBbWJ1bGFuY2U8QlI+Q29tbWVudHM6PEJSPjY1IHlyI
    G9sZCBtYWxlIHcvQ2hlc3QgUGFpblxwYXJ9"
}
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change
Nov 2022 | RTF documents supported as a response | Substantive change

23.1.3 Binary.Read (Clinical References) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10308-Binary-Read-Clinical-References-R4.html
Epic API ID | 10308
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Clinical Reference Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10308

Description

Given a Binary FHIR ID, this web service returns the content of the associated Clinical Reference document.

When a read request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | The content type. Always MineType Sufficient.
Binary.data | String | False | | | The binary data – the content of the clinical reference document.

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/eg5G4a1wX1DGzkjxib3xh8P4.xnlTsrlTE0Ij6k6EDfw3
```

Sample response

```
{
  "resourceType": "Binary",
  "id": " eg5G4a1wX1DGzkjxib3xh8P4.xnlTsrlTE0Ij6k6EDfw3",
  "contentType": "text/xml",
  "data": "<encoded data omitted from this sample>"
}
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.4 Binary.Read (Correspondences) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10231-Binary-Read-Correspondences-R4.html
Epic API ID | 10231
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Correspondences Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10231

Description

When a read request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | This is always "application/pdf" for correspondences.
Binary.data | String | False | | | The content as a base64-encoded string.
Binary.id | String | False | | | The Binary FHIR ID.

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/exfLp1dxoIskYyIfOmsjokdswD8R3EHVWQiK6jiXsoCviWH-0urnVQpSsUi4EiL7.3
```

Sample response

```
{
  "resourceType": "Binary",
  "id": "exfLp1dxoIskYyIfOmsjokdswD8R3EHVWQiK6jiXsoCviWH-0urnVQpSsUi4EiL7.3",
  "contentType": "application/pdf",
  "data": "VGVzdCBjb250ZW50IHN0cmluZw=="
}
```

Change log

Epic Version | Description | Type

Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.5 Binary.Read (Document Information) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10013-Binary-Read-Document-Information-R4.html
Epic API ID | 10013
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10013

Description

Given a Binary FHIR ID, this web service returns the associated document information record from within Epic. Typically, an integration must first invoke a different resource to obtain the URL to a Binary document information resource.

When a read request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | The content type. For example, "application/vnd.midmark.car".
Binary.data | String | True | | | The binary data.

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.6 Binary.Read (External CCDA) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10183-Binary-Read-External-CCDA-R4.html
Epic API ID | 10183
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | External CCDA Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10183

Description

Given a Binary FHIR ID, this web service returns the associated binary document, which is an External CDA. Typically, a client obtains the ID from a DocumentReference (External CDAs) read or search interaction.

When a read request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | This is always "text/xml" for External CDAs.
Binary.data | String | False | | | The external CDA content as a base64-encoded string.
Binary.id | String | False | | | The Binary FHIR ID

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/epw91WAF0wONpYRnpw9dVEjx7FNbkgJk81KBUIDRbte03
```

Sample response

```
{
  "resourceType": "Binary",
  "id": "epw91WAF0wONpYRnpw9dVEjx7FNbkgJk81KBUIDRbte03",
  "contentType": "text/xml",
  "data": "VGVzdCBjb250ZW50IHN0cmluZw=="
}
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change
May 2025 | DocumentReference and Binary (External CCDA) resource IDs will now be limited to 64 characters for clients configured to respect this limit. | Breaking change

23.1.7 Binary.Read (Generated CDAs) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10501-Binary-Read-Generated-CDAs-R4.html
Epic API ID | 10501
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Generated CCDA Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10501

Description

This Epic implementation of Binary supports retrieving Clinical Document Architecture (CDA) documents via this FHIR resource. Note that Binary does not return existing CDA documents for a patient. Instead, it generates new CDA documents based on the current clinical content in the system to prevent the communication of stale data. Starting in February 2025 version of Epic and optionally available in the November 2024, August 2024, and May 2024 versions of Epic, Binary includes or excludes sensitive data based on the security of the Care Everywhere background user. Patients will continue to receive documents containing the data that they are authorized to view, because this behavior respects Care Everywhere filtering.

The Binary read interaction enables the look up of a binary resource by a constant server ID. The read interaction allows clients to store only the server ID, and with a single request, retrieve the most up-to-date binary content. Read interactions typically begin with a client having previously established a relationship, often through querying for DocumentReference resources through the search interaction. Note that because a new CDA document might be generated for each new request, it is not safe to assume that DocumentReference will always return the same Binary ID for the most recently generated document, as new Binary IDs might be generated if there is new clinical content available, which will generate a new CDA document.

You likely want to work with the CDA documents rather than a FHIR resource. Therefore, when making a read request, we recommend that you do not explicitly specify FHIR content types such as "application/xml+fhir" or "application/json+fhir" in the Accept header.

Note - only 80 CCDA API calls can be made for any single document per day. An app that repeats API calls instead of caching results would quickly reach the cap.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | MimeType of the binary content. This is always "application/xml" because CDA documents are the only Binary content supported.
Binary.data | String | False | | | The actual content.
Binary.id | String | False | | | The Binary FHIR ID.

Sample response


```
<ClinicalDocument xmlns="urn:hl7-org:v3">
  <realmCode code="US"/>
  <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
  <templateId root="1.2.840.114350.1.72.1.51693"/>
  <templateId root="2.16.840.1.113883.10.20.22.1.1"/>
  <templateId root="2.16.840.1.113883.10.20.22.1.1" extension="2015-08-01"/>
  <templateId root="2.16.840.1.113883.10.20.22.1.9"/>
  <templateId root="2.16.840.1.113883.10.20.22.1.9" extension="2015-08-01"/>
  <id assigningAuthorityName="EPC" root="1.2.840.114350.1.13.5325.1.7.8.688883.1951931"/>
  <code code="11506-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Subsequent evaluation
    note"/>
  <title>Encounter Summary</title>
  <effectiveTime value="20221024103859-0500"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25" displayName="Normal"/>
  <languageCode code="en-US"/>
  <setId assigningAuthorityName="EPC" extension="329e6a80-53a7-11ed-8cfd-6c04221b350c"
    root="1.2.840.114350.1.13.5325.1.7.1.1"/>
  <versionNumber value="2"/>
  <recordTarget>
    <patientRole>
      <id assigningAuthorityName="Social Security Administration" root="2.16.840.1.113883.4.1" extension="236758264"/>
      <addr use="HP">
        <streetAddressLine>123 Main St</streetAddressLine>
        <county>ADAIR</county>
        <city>Citytown</city>
        <state>WY</state>
        <postalCode>12345</postalCode>
        <country>USA</country>
        <useablePeriod xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="IVL_TS">
          <low value="20220223"/>
          <high nullFlavor="NA"/>
        </useablePeriod>
      </addr>
      <telecom nullFlavor="UNK"/>
      <patient>
        <name use="L">
          <given>Patient</given>
          <given>Test</given>
          <family>Sample</family>
          <validTime>
            <low nullFlavor="NA"/>
            <high nullFlavor="NA"/>
          </validTime>
        </name>
        <name use="P">
          <given>Patient</given>
          <given>Shelly</given>
          <family>Sample</family>
          <validTime>
            <low nullFlavor="UNK"/>
            <high nullFlavor="UNK"/>
          </validTime>
        </name>
        <administrativeGenderCode codeSystem="2.16.840.1.113883.5.1" codeSystemName="AdministrativeGenderCode"
    nullFlavor="OTH">
          <originalText>Nonbinary</originalText>
        </administrativeGenderCode>
        <birthTime value="19981116"/>
        <ep2:deceasedInd xmlns:ep2="urn:hl7-org:sdtc" value="false"/>
        <maritalStatusCode nullFlavor="UNK"/>
        <raceCode nullFlavor="UNK"/>
        <ethnicGroupCode nullFlavor="UNK"/>
        <languageCommunication>
          <languageCode nullFlavor="UNK"/>
        </languageCommunication>
      </patient>
      <providerOrganization>
        <id root="1.2.840.114350.1.13.5325.1.7.2.696570" extension="163000"/>
        <name>EDI Healthcare Management #%~&amp;amp;</name>
        <telecom use="WP" value="tel:+1-608-163-0001"/>
```

```
      <addr use="WP">
        <streetAddressLine>101 NORTH SHORE DRIVE</streetAddressLine>
        <city>MADISON</city>
        <state>WI</state>
        <postalCode>53711</postalCode>
      </addr>
    </providerOrganization>
  </patientRole>
</recordTarget>
<author>
  <time value="20221024103859-0500"/>
  <assignedAuthor>
    <id root="1.2.840.114350.1.1" extension="10.4"/>
    <addr nullFlavor="NA"/>
    <telecom nullFlavor="NA"/>
    <assignedAuthoringDevice>
      <manufacturerModelName>Epic - Version 10.4</manufacturerModelName>
      <softwareName>Epic - Version 10.4</softwareName>
    </assignedAuthoringDevice>
    <representedOrganization>
      <id root="1.2.840.114350.1.13.5325.1.7.2.696570" extension="163000"/>
      <name>EDI Healthcare Management #%~&amp;amp;</name>
      <telecom use="WP" value="tel:+1-608-163-0001"/>
      <addr use="WP">
        <streetAddressLine>101 NORTH SHORE DRIVE</streetAddressLine>
        <city>MADISON</city>
        <state>WI</state>
        <postalCode>53711</postalCode>
      </addr>
    </representedOrganization>
  </assignedAuthor>
</author>
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <id root="1.2.840.114350.1.13.5325.1.7.2.696570" extension="163000"/>
      <name>EDI Healthcare Management #%~&amp;amp;</name>
      <telecom use="WP" value="tel:+1-608-163-0001"/>
      <addr use="WP">
        <streetAddressLine>101 NORTH SHORE DRIVE</streetAddressLine>
        <city>MADISON</city>
        <state>WI</state>
        <postalCode>53711</postalCode>
      </addr>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
<legalAuthenticator>
  <time value="20221024103859-0500"/>
  <signatureCode code="S"/>
  <assignedEntity>
    <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="35222"/>
    <code nullFlavor="UNK"/>
    <addr nullFlavor="UNK"/>
    <telecom nullFlavor="UNK"/>
    <assignedPerson>
      <name use="L">
        <given>Bx</given>
        <family>Provider</family>
        <validTime>
          <low nullFlavor="UNK"/>
          <high nullFlavor="UNK"/>
        </validTime>
      </name>
    </assignedPerson>
  </assignedEntity>
</legalAuthenticator>
<documentationOf typeCode="DOC">
  <serviceEvent classCode="PCPR">
    <templateId root="2.16.840.1.113883.10.20.21.3.1"/>
    <effectiveTime>
      <low value="20221024"/>
      <high value="20221024"/>
    </effectiveTime>
    <performer typeCode="PRF">
      <functionCode code="PCP" codeSystem="2.16.840.1.113883.5.88" codeSystemName="ParticipationFunction"
  displayName="Primary Care Provider">
        <originalText>General</originalText>
      </functionCode>
      <time>
        <low value="20210830"/>
        <high nullFlavor="NI"/>
      </time>
      <assignedEntity>
        <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
        <code nullFlavor="OTH">
          <originalText>Family Practice</originalText>
          <translation code="19" codeSystem="1.2.840.114350.1.72.1.7.7.10.688867.4160"
  codeSystemName="Epic.DXC.StandardProviderSpecialtyType" displayName="Family Medicine"/>
```

```
        <translation code="9" codeSystem="1.2.840.114350.1.13.5325.1.7.10.836982.1050"
  codeSystemName="Epic.SER.ProviderSpecialty" displayName="Family Practice"/>
      </code>
      <addr nullFlavor="UNK"/>
      <telecom value="mailto:sample@epic.com"/>
      <assignedPerson>
        <name use="L">
          <given>Patient</given>
          <family>Sample</family>
          <suffix qualifier="AC"> MD</suffix>
          <validTime>
            <low nullFlavor="UNK"/>
            <high nullFlavor="UNK"/>
          </validTime>
        </name>
      </assignedPerson>
      <representedOrganization classCode="ORG">
        <name>MODEL SYSTEM</name>
        <telecom use="WP" value="tel:+1-608-271-9000"/>
        <telecom value="fax:+1-608-271-9000"/>
        <addr use="WP">
          <streetAddressLine>81 MODEL DRIVE</streetAddressLine>
          <city>Madison</city>
          <state>WI</state>
          <postalCode>53711</postalCode>
        </addr>
      </representedOrganization>
    </assignedEntity>
  </performer>
</serviceEvent>
</documentationOf>
<relatedDocument typeCode="RPLC">
  <parentDocument>
    <id assigningAuthorityName="EPC" root="1.2.840.114350.1.13.5325.1.7.8.688883.1951485"/>
    <setId assigningAuthorityName="EPC" extension="329e6a80-53a7-11ed-8cfd-6c04221b350c"
  root="1.2.840.114350.1.13.5325.1.7.1.1"/>
    <versionNumber value="1"/>
  </parentDocument>
</relatedDocument>
<componentOf>
  <encompassingEncounter>
    <id root="1.2.840.114350.1.13.5325.1.7.3.698084.8" extension="10001261113"/>
    <code code="VR" codeSystem="2.16.840.1.113883.5.4" displayName="Virtual">
      <originalText>E-Visit</originalText>
      <translation code="0" codeSystem="1.2.840.114350.1.72.1.30.1"/>
    </code>
    <effectiveTime>
      <low value="20221024"/>
    </effectiveTime>
    <responsibleParty>
      <assignedEntity>
        <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
        <addr use="WP">
          <streetAddressLine nullFlavor="UNK"/>
          <city nullFlavor="UNK"/>
          <state nullFlavor="UNK"/>
          <postalCode nullFlavor="UNK"/>
        </addr>
        <telecom value="mailto:sample@epic.com"/>
        <assignedPerson>
          <name>
            <given>Patient</given>
            <family>Sample</family>
          </name>
        </assignedPerson>
        <representedOrganization>
          <name>EDI Healthcare Management #%~&amp;amp;</name>
        </representedOrganization>
      </assignedEntity>
    </responsibleParty>
    <encounterParticipant typeCode="ATND">
      <time value="20221024"/>
      <assignedEntity>
        <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
        <code code="208D00000X" codeSystem="2.16.840.1.113883.6.101" displayName="General Practice Physician">
          <originalText>Family Practice</originalText>
          <translation code="19" codeSystem="1.2.840.114350.1.72.1.7.7.10.688867.4160"
  codeSystemName="Epic.DXC.StandardProviderSpecialtyType" displayName="Family Medicine"/>
          <translation code="9" codeSystem="1.2.840.114350.1.13.5325.1.7.10.836982.1050"
  codeSystemName="Epic.SER.ProviderSpecialty" displayName="Family Practice"/>
        </code>
        <addr nullFlavor="UNK"/>
        <telecom value="mailto:sample@epic.com"/>
        <assignedPerson>
          <name use="L">
            <given>Patient</given>
            <family>Sample</family>
            <suffix qualifier="AC"> MD</suffix>
            <validTime>
```

```
            <low nullFlavor="UNK"/>
            <high nullFlavor="UNK"/>
          </validTime>
        </name>
      </assignedPerson>
    </assignedEntity>
  </encounterParticipant>
  <location>
    <healthCareFacility>
      <id root="1.2.840.114350.1.13.5325.1.7.2.686980" extension="163011"/>
      <code nullFlavor="UNK">
        <originalText>Internal Medicine</originalText>
        <translation code="32" codeSystem="1.2.840.114350.1.72.1.7.7.10.688867.4150"
codeSystemName="Epic.DepartmentSpecialty" displayName="Internal Medicine"/>
      </code>
      <location>
        <name>EDI Central Hospital - East Wing</name>
        <addr use="WP">
          <streetAddressLine>1740 Central Park Blvd</streetAddressLine>
          <city>MADISON</city>
          <state>WI</state>
          <postalCode>53711</postalCode>
        </addr>
      </location>
      <serviceProviderOrganization>
        <id root="1.2.840.114350.1.13.5325.1.7.2.696570" extension="163001"/>
        <name>EDI Central Hospital #%|^~&amp;amp;</name>
        <addr use="WP">
          <streetAddressLine>1740 Central Park Blvd</streetAddressLine>
          <city>MADISON</city>
          <state>WI</state>
          <postalCode>53711</postalCode>
        </addr>
        <asOrganizationPartOf>
          <wholeOrganization>
            <name>EDI Healthcare Management #%~&amp;amp;</name>
            <addr nullFlavor="NA"/>
          </wholeOrganization>
        </asOrganizationPartOf>
      </serviceProviderOrganization>
    </healthCareFacility>
  </location>
</encompassingEncounter>
</componentOf>
<component>
  <structuredBody>
    <component>
      <section>
        <templateId root="2.16.840.1.113883.10.20.22.2.22"/>
        <templateId root="2.16.840.1.113883.10.20.22.2.22" extension="2015-08-01"/>
        <templateId root="2.16.840.1.113883.10.20.22.2.22.1"/>
        <templateId root="2.16.840.1.113883.10.20.22.2.22.1" extension="2015-08-01"/>
        <code code="46240-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="History of
Hospitalizations+Outpatient visits Narrative"/>
        <title>Encounter Details</title>
        <text>
          <table>
            <colgroup>
              <col width="10%"/>
              <col width="15%"/>
              <col width="25%" span="3"/>
            </colgroup>
            <thead>
              <tr>
                <th>Date</th>
                <th>Type</th>
                <th>Department</th>
                <th>Care Team</th>
                <th>Description</th>
              </tr>
            </thead>
            <tbody>
              <tr ID="encounter1" styleCode="xRowNormal">
                <td>10/24/2022</td>
                <td ID="encounter1type">E-Visit</td>
                <td>
                  <paragraph>EDI Central Hospital - East Wing</paragraph>
                  <paragraph>1740 Central Park Blvd</paragraph>
                  <paragraph>MADISON, WI 53711</paragraph>
                  <paragraph>608-163-0011</paragraph>
                </td>
                <td>
                  <paragraph styleCode="Bold">Sample, Doctor, MD</paragraph>
                  <paragraph>sample@epic.com</paragraph>
                </td>
                <td/>
              </tr>
            </tbody>
          </table>
```

```
      </text>
      <entry>
        <encounter classCode="ENC" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.49"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.49" extension="2015-08-01"/>
          <id assigningAuthorityName="EPIC" root="1.2.840.114350.1.13.5325.1.7.3.698084.8" extension="10001261113"/>
          <code code="AMB" codeSystem="2.16.840.1.113883.5.4">
            <originalText>
              <reference value="#encounter1type"/>
            </originalText>
            <translation code="62" codeSystem="1.2.840.114350.1.13.5325.1.7.4.698084.30"
codeSystemName="Epic.EncounterType"/>
            <translation code="62" codeSystem="1.2.840.114350.1.72.1.30"/>
            <translation code="0" codeSystem="1.2.840.114350.1.72.1.30.1"/>
          </code>
          <text>
            <reference value="#encounter1"/>
          </text>
          <statusCode code="normal"/>
          <effectiveTime>
            <low value="20221024"/>
          </effectiveTime>
          <performer typeCode="PRF">
            <time>
              <low nullFlavor="UNK"/>
              <high nullFlavor="UNK"/>
            </time>
            <assignedEntity classCode="ASSIGNED">
              <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
              <code code="208D00000X" codeSystem="2.16.840.1.113883.6.101" displayName="General Practice Physician">
                <originalText>Family Practice</originalText>
                <translation code="19" codeSystem="1.2.840.114350.1.72.1.7.7.10.688867.4160"
codeSystemName="Epic.DXC.StandardProviderSpecialtyType" displayName="Family Medicine"/>
                <translation code="9" codeSystem="1.2.840.114350.1.13.5325.1.7.10.836982.1050"
codeSystemName="Epic.SER.ProviderSpecialty" displayName="Family Practice"/>
              </code>
              <addr nullFlavor="UNK"/>
              <telecom value="mailto:sample@epic.com"/>
              <assignedPerson>
                <name>
                  <given>Patient</given>
                  <family>Sample</family>
                  <suffix qualifier="AC">MD</suffix>
                </name>
              </assignedPerson>
              <representedOrganization classCode="ORG">
                <name>EDI Healthcare Management #%~&amp;amp;</name>
                <addr use="WP">
                  <streetAddressLine>101 NORTH SHORE DRIVE</streetAddressLine>
                  <city>MADISON</city>
                  <state>WI</state>
                  <postalCode>53711</postalCode>
                </addr>
              </representedOrganization>
            </assignedEntity>
          </performer>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20221024090451-0500"/>
            <assignedAuthor>
              <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
              <addr nullFlavor="UNK"/>
              <telecom nullFlavor="UNK"/>
              <representedOrganization>
                <id root="1.2.840.114350.1.13.5325.1.7.2.696570" extension="163000"/>
                <id root="2.16.840.1.113883.4.2" nullFlavor="UNK"/>
                <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
                <name>EDI Healthcare Management #%~&amp;amp;</name>
                <telecom use="WP" value="tel:+1-608-163-0001"/>
                <telecom value="fax:+1-608-163-0101"/>
                <addr use="WP">
                  <streetAddressLine>101 NORTH SHORE DRIVE</streetAddressLine>
                  <city>MADISON</city>
                  <state>WI</state>
                  <postalCode>53711</postalCode>
                </addr>
              </representedOrganization>
            </assignedAuthor>
          </author>
          <participant typeCode="LOC">
            <participantRole classCode="SDLOC">
              <templateId root="2.16.840.1.113883.10.20.22.4.32"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.686980" extension="163011"/>
              <code nullFlavor="UNK">
                <originalText>Internal Medicine</originalText>
                <translation code="32" codeSystem="1.2.840.114350.1.72.1.7.7.10.688867.4150"
codeSystemName="Epic.DepartmentSpecialty" displayName="Internal Medicine"/>
              </code>
```

```
              <addr use="WP">
                <streetAddressLine>1740 Central Park Blvd</streetAddressLine>
                <city>MADISON</city>
                <state>WI</state>
                <postalCode>53711</postalCode>
              </addr>
              <playingEntity classCode="PLC">
                <name>EDI Central Hospital - East Wing</name>
                <desc>Internal Medicine</desc>
              </playingEntity>
            </participantRole>
          </participant>
        </encounter>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.22.2.17"/>
      <templateId root="2.16.840.1.113883.10.20.22.2.17" extension="2015-08-01"/>
      <code code="29762-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Social history
Narrative"/>
      <title>Social History</title>
      <text>
        <table ID="sochist4">
          <colgroup>
            <col width="25%" span="2"/>
            <col width="13%"/>
            <col width="12%"/>
            <col width="25%"/>
          </colgroup>
          <thead>
            <tr>
              <th>Tobacco Use</th>
              <th>Types</th>
              <th>Packs/Day</th>
              <th>Years Used</th>
              <th>Date</th>
            </tr>
          </thead>
          <tbody>
            <tr>
              <td>Smoking Tobacco: Former</td>
              <td>Cigarettes</td>
              <td ID="sochist4packsperday"/>
              <td/>
              <td/>
            </tr>
            <tr styleCode="xRowNormal xmergeUp">
              <td/>
              <td>Hookah</td>
              <td/>
              <td/>
              <td/>
            </tr>
            <tr ID="sochist4smokeless" styleCode="xRowAlt">
              <td>Smokeless Tobacco: Never</td>
              <td/>
              <td/>
              <td/>
              <td/>
            </tr>
          </tbody>
        </table>
        <table>
          <tbody>
            <tr>
              <td ID="sochist4cessation" styleCode="xnoIndent">
                <content styleCode="xcellHeader">Comments:</content>
                 AAM smoking comment
                <br/>
              </td>
            </tr>
          </tbody>
        </table>
        <table>
          <colgroup>
            <col width="25%" span="4"/>
          </colgroup>
          <thead>
            <tr>
              <th>Substance Use</th>
              <th>Types</th>
              <th>Use/Week</th>
              <th>Comments</th>
            </tr>
          </thead>
          <tbody>
            <tr>
```

```
              <td ID="substanceStatus">Not Currently</td>
              <td/>
              <td/>
              <td>AAM drug use comment</td>
            </tr>
          </tbody>
        </table>
        <table>
          <colgroup>
            <col width="50%"/>
            <col width="25%" span="2"/>
          </colgroup>
          <thead>
            <tr>
              <th>Sex and Gender Information</th>
              <th>Value</th>
              <th>Date Recorded</th>
            </tr>
          </thead>
          <tbody>
            <tr ID="BirthSex7">
              <td>Sex Assigned at Birth</td>
              <td ID="BirthSex7Value">Female</td>
              <td>02/23/2022  9:36 AM CST</td>
            </tr>
            <tr ID="GenderIdentity5">
              <td>Gender Identity</td>
              <td ID="GenderIdentity5Value">Nonbinary</td>
              <td>03/30/2022  3:24 PM CDT</td>
            </tr>
            <tr ID="SexualOrientation6">
              <td>Sexual Orientation</td>
              <td ID="SexualOrientation6Value">Don't know</td>
              <td>02/23/2022  9:36 AM CST</td>
            </tr>
          </tbody>
        </table>
        <footnote ID="subTitle3" styleCode="xSectionSubTitle">documented as of this encounter</footnote>
      </text>
      <entry>
        <observation classCode="OBS" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.78"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.78" extension="2014-06-09"/>
          <id root="1.2.840.114350.1.13.5325.1.7.1.1040.1" extension="Z11500^^72166-2"/>
          <code code="72166-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Tobacco
smoking status NHIS"/>
          <text>
            <reference value="#sochist4"/>
          </text>
          <statusCode code="completed"/>
          <effectiveTime value="20220509"/>
          <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="8517006"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Ex-smoker" xsi:type="CD"/>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220509"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
              <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
              <code code="208D00000X" codeSystem="2.16.840.1.113883.6.101" displayName="General Practice Physician">
                <originalText>Family Practice</originalText>
                <translation code="19" codeSystem="1.2.840.114350.1.72.1.7.7.10.688867.4160"
codeSystemName="Epic.DXC.StandardProviderSpecialtyType" displayName="Family Medicine"/>
                <translation code="9" codeSystem="1.2.840.114350.1.13.5325.1.7.10.836982.1050"
codeSystemName="Epic.SER.ProviderSpecialty" displayName="Family Practice"/>
              </code>
              <addr nullFlavor="UNK"/>
              <telecom nullFlavor="UNK"/>
              <assignedPerson>
                <name use="L">
                  <given>Patient</given>
                  <family>Sample</family>
                  <suffix qualifier="AC"> MD</suffix>
                  <validTime>
                    <low nullFlavor="UNK"/>
                    <high nullFlavor="UNK"/>
                  </validTime>
                </name>
              </assignedPerson>
              <representedOrganization>
                <id root="1.2.840.114350.1.13.5325.1.7.2.696570" extension="163000"/>
                <id root="2.16.840.1.113883.4.2" nullFlavor="UNK"/>
                <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
                <name>EDI Healthcare Management #%~&amp;amp;</name>
                <telecom use="WP" value="tel:+1-608-163-0001"/>
                <telecom value="fax:+1-608-163-0101"/>
                <addr use="WP">
                  <streetAddressLine>101 NORTH SHORE DRIVE</streetAddressLine>
```

```
                <city>MADISON</city>
                <state>WI</state>
                <postalCode>53711</postalCode>
              </addr>
            </representedOrganization>
          </assignedAuthor>
        </author>
      </observation>
    </entry>
    <entry>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.85"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.85" extension="2014-06-09"/>
        <id root="1.2.840.114350.1.13.5325.1.7.1.1040.2" extension="Z11500^^77176002"/>
        <code code="11367-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="History of
tobacco use"/>
        <text>
          <reference value="#sochist4"/>
        </text>
        <statusCode code="completed"/>
        <effectiveTime>
          <low nullFlavor="UNK"/>
          <high nullFlavor="UNK"/>
        </effectiveTime>
        <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="77176002"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Current smoker" xsi:type="CD"/>
        <author>
          <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
          <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
          <time value="20220509"/>
          <assignedAuthor>
            <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
            <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
          </assignedAuthor>
        </author>
      </observation>
    </entry>
    <entry>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.85"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.85" extension="2014-06-09"/>
        <id root="1.2.840.114350.1.13.5325.1.7.1.1040.2" extension="Z11500^^65568007"/>
        <code code="11367-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="History of
tobacco use"/>
        <text>
          <reference value="#sochist4"/>
        </text>
        <statusCode code="completed"/>
        <effectiveTime>
          <low nullFlavor="UNK"/>
          <high nullFlavor="UNK"/>
        </effectiveTime>
        <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="65568007"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Cigarette Smoker" xsi:type="CD"/>
        <author>
          <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
          <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
          <time value="20220509"/>
          <assignedAuthor>
            <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
            <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
          </assignedAuthor>
        </author>
      </observation>
    </entry>
    <entry>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.85"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.85" extension="2014-06-09"/>
        <id root="1.2.840.114350.1.13.5325.1.7.1.1040.2" extension="Z11500^^"/>
        <code code="11367-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="History of
tobacco use"/>
        <text>
          <reference value="#sochist4"/>
        </text>
        <statusCode code="completed"/>
        <effectiveTime>
          <low nullFlavor="UNK"/>
          <high nullFlavor="UNK"/>
        </effectiveTime>
        <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" codeSystem="2.16.840.1.113883.6.96"
codeSystemName="SNOMED CT" xsi:type="CD" nullFlavor="UNK"/>
        <author>
          <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
          <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
          <time value="20220509"/>
          <assignedAuthor>
            <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
            <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
```

```
          </assignedAuthor>
        </author>
      </observation>
    </entry>
    <entry>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.38"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.38" extension="2015-08-01"/>
        <id root="1.2.840.114350.1.13.5325.1.7.1.1040.8" extension="Z11500^^713914004"/>
        <code code="229819007" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT" displayName="Tobacco
 use and exposure">
          <translation code="88031-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Smokeless tobacco status"/>
        </code>
        <text>
          <reference value="#sochist4smokeless"/>
        </text>
        <statusCode code="completed"/>
        <effectiveTime value="20220509"/>
        <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="451381000124107"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Smokeless tobacco non-user"
xsi:type="CD"/>
        <author>
          <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
          <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
          <time value="20220509"/>
          <assignedAuthor>
            <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
            <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
          </assignedAuthor>
        </author>
      </observation>
    </entry>
    <entry>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.38"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.38" extension="2015-08-01"/>
        <id root="1.2.840.114350.1.13.5325.1.7.1.1040.14" extension="Z11500^55234^363908000"/>
        <code code="363908000" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Details
 of drug misuse behavior">
          <translation code="28355-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Substance use status"/>
        </code>
        <statusCode code="completed"/>
        <effectiveTime value="20220707"/>
        <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="44870007"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Misused drugs in past (finding)"
xsi:type="CD">
          <originalText>
            <reference value="#substanceStatus"/>
          </originalText>
        </value>
      </observation>
    </entry>
    <entry>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.38"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.38" extension="2015-08-01"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.38" extension="2022-06-01"/>
        <id root="1.2.840.114350.1.13.5325.1.7.1.1040.21" extension="5732147578-97003-Z11500"/>
        <code code="8689-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="History of
Social function"/>
        <statusCode code="completed"/>
        <effectiveTime value="20220707"/>
        <entryRelationship typeCode="SPRT">
          <observation classCode="OBS" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.22.4.69" extension="2022-06-01"/>
            <id root="1.2.840.114350.1.13.5325.1.7.1.83687972" extension="5732147578-97003-Z11500"/>
            <code code="88028-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Tobacco
use panel">
              <originalText>Patient History</originalText>
            </code>
            <text>
              <reference nullFlavor="UNK"/>
            </text>
            <statusCode code="completed"/>
            <effectiveTime value="20220707"/>
            <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK"/>
            <interpretationCode nullFlavor="OTH">
              <originalText>Medium Risk</originalText>
              <translation code="X-SDOH-RISK-2" codeSystem="1.2.840.114350.1.72.1.8.1" codeSystemName="Epic.Sdoh"
displayName="Medium Risk"/>
            </interpretationCode>
            <entryRelationship typeCode="COMP">
              <observation classCode="OBS" moodCode="EVN">
                <templateId root="2.16.840.1.113883.10.20.22.4.86" extension="2022-06-01"/>
                <id root="1.2.840.114350.1.13.5325.1.7.1.83687972" extension="cer97028-5732147578-97003-Z11500"/>
                <code code="72166-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Tobacco smoking status NHIS">
```

```
                  <originalText>Smoking Tobacco Use</originalText>
                </code>
                <statusCode code="completed"/>
                <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="LA15920-4"
codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Former smoker" xsi:type="CD">
                  <originalText>Former</originalText>
                  <translation code="281018007" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
displayName="Ex-cigarette smoker (finding)"/>
                </value>
              </observation>
            </entryRelationship>
            <entryRelationship typeCode="COMP">
              <observation classCode="OBS" moodCode="EVN">
                <templateId root="2.16.840.1.113883.10.20.22.4.86" extension="2022-06-01"/>
                <id root="1.2.840.114350.1.13.5325.1.7.1.83687972" extension="cer97078-5732147578-97003-Z11500"/>
                <code code="88031-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Smokeless tobacco status">
                  <originalText>Smokeless Tobacco Use</originalText>
                </code>
                <statusCode code="completed"/>
                <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="LA4519-0"
codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Never used" xsi:type="CD">
                  <originalText>Never</originalText>
                  <translation code="228512004" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
displayName="Never chewed tobacco (finding)"/>
                </value>
              </observation>
            </entryRelationship>
            <entryRelationship typeCode="COMP">
              <observation classCode="OBS" moodCode="EVN">
                <templateId root="2.16.840.1.113883.10.20.22.4.86" extension="2022-06-01"/>
                <id root="1.2.840.114350.1.13.5325.1.7.1.83687972" extension="cer97148-5732147578-97003-Z11500"/>
                <code nullFlavor="UNK">
                  <originalText>Passive Exposure</originalText>
                </code>
                <statusCode code="completed"/>
                <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="OTH">
                  <originalText>Not on file</originalText>
                </value>
              </observation>
            </entryRelationship>
          </observation>
        </entryRelationship>
      </observation>
    </entry>
    <entry>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="1.2.840.114350.1.72.5.1"/>
        <id root="1.2.840.114350.1.13.5325.1.7.7.698084.19214" extension="Z11500"/>
        <code code="X-SDOH-19214" codeSystem="1.2.840.114350.1.72.1.8" codeSystemName="X-SDOH"
displayName="Tobacco Comment"/>
        <statusCode code="completed"/>
        <effectiveTime value="20220509"/>
        <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="ST">AAM smoking comment</value>
      </observation>
    </entry>
    <entry>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.200" extension="2016-06-01"/>
        <id root="1.2.840.114350.1.13.5325.1.7.1.1040.20" extension="Z11500"/>
        <code code="76689-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Sex Assigned
At Birth"/>
        <text>
          <reference value="#BirthSex7"/>
        </text>
        <statusCode code="completed"/>
        <effectiveTime value="19981116"/>
        <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="F" codeSystem="2.16.840.1.113883.5.1"
xsi:type="CD">
          <originalText>
            <reference value="#BirthSex7Value"/>
          </originalText>
        </value>
        <author>
          <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
          <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
          <time value="20220223093622-0600"/>
          <assignedAuthor>
            <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
            <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
          </assignedAuthor>
        </author>
      </observation>
    </entry>
    <entry>
      <observation classCode="OBS" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.34.3.45" extension="2022-06-01"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.38"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.38" extension="2015-08-01"/>
```

```
          <id nullFlavor="UNK"/>
          <code code="76691-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Gender
identity"/>
          <text>
            <reference value="#GenderIdentity5"/>
          </text>
          <statusCode code="completed"/>
          <effectiveTime>
            <low value="20220330152407-0500"/>
          </effectiveTime>
          <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="446131000124102"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMEDCT" displayName="Identifies as non-conforming gender
(finding)" xsi:type="CD">
            <originalText>
              <reference value="#GenderIdentity5Value"/>
            </originalText>
          </value>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220330152407-0500"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
              <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
            </assignedAuthor>
          </author>
        </observation>
      </entry>
      <entry>
        <observation classCode="OBS" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.501" extension="2022-06-01"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.38"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.38" extension="2015-08-01"/>
          <id nullFlavor="UNK"/>
          <code code="76690-7" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Sexual
orientation"/>
          <text>
            <reference value="#SexualOrientation6"/>
          </text>
          <statusCode code="completed"/>
          <effectiveTime>
            <low value="20220223093622-0600"/>
          </effectiveTime>
          <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
            <originalText>
              <reference value="#SexualOrientation6Value"/>
            </originalText>
          </value>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220223093622-0600"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
              <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
            </assignedAuthor>
          </author>
        </observation>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.22.2.10"/>
      <templateId root="2.16.840.1.113883.10.20.22.2.10" extension="2014-06-09"/>
      <code code="18776-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Plan of care
note"/>
      <title>Plan of Treatment</title>
      <text>
        <paragraph>Not on file</paragraph>
        <footnote ID="subTitle25" styleCode="xSectionSubTitle">documented as of this encounter</footnote>
      </text>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.22.2.60"/>
      <code code="61146-7" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Goals"/>
      <title>Goals</title>
      <text>
        <table>
          <colgroup>
            <col width="30%"/>
            <col width="10%"/>
            <col width="15%"/>
            <col width="20%"/>
            <col width="12%"/>
            <col width="13%"/>
          </colgroup>
```

```
          <thead>
            <tr>
              <th>Goal</th>
              <th>Patient Goal Type</th>
              <th>Associated Problems</th>
              <th>Recent Progress</th>
              <th>Patient-Stated?</th>
              <th>Author</th>
            </tr>
          </thead>
          <tbody>
            <tr styleCode="xRowNormal">
              <td>
                <paragraph ID="goal1">Walk 20 min per day</paragraph>
              </td>
              <td>Exercise</td>
              <td/>
              <td/>
              <td>No</td>
              <td>Sample, Doctor, MD</td>
            </tr>
            <tr styleCode="xRowNormal xMergeUp">
              <td styleCode="xIndent" colspan="6">
                <paragraph styleCode="xLabel">Note: </paragraph>
                <content ID="goal1note">
                  <content styleCode="xLabel">Formatting of this note might be different from the
original.</content>
                  <br/>
                  Patient is currently walking 10 per day, 2 days per week.
                  <br/>
                  Barriers to meeting this goal include: bad weather
                  <br/>
                </content>
                <br/>
              </td>
            </tr>
            <tr styleCode="xRowAlt">
              <td>
                <paragraph ID="goal2">nmg surgery goal</paragraph>
              </td>
              <td>Care Plan</td>
              <td>nmg surgery problem</td>
              <td/>
              <td>No</td>
              <td>Hess, Jillian</td>
            </tr>
            <tr styleCode="xRowNormal">
              <td>
                <paragraph ID="goal3">nmg surgery goal</paragraph>
              </td>
              <td>Care Plan</td>
              <td>nmg surgery problem</td>
              <td/>
              <td>No</td>
              <td>Hess, Jillian</td>
            </tr>
            <tr styleCode="xRowAlt">
              <td>
                <paragraph ID="goal4">nmg surgery goal</paragraph>
              </td>
              <td>Care Plan</td>
              <td>nmg surgery problem</td>
              <td/>
              <td>No</td>
              <td>Hess, Jillian</td>
            </tr>
            <tr styleCode="xRowNormal">
              <td>
                <paragraph ID="goal5">nmg surgery goal</paragraph>
              </td>
              <td>Care Plan</td>
              <td>nmg surgery problem</td>
              <td/>
              <td>No</td>
              <td>Hess, Jillian</td>
            </tr>
          </tbody>
        </table>
        <footnote ID="subTitle27" styleCode="xSectionSubTitle">documented as of this encounter</footnote>
      </text>
      <entry>
        <observation classCode="OBS" moodCode="GOL">
          <templateId root="2.16.840.1.113883.10.20.22.4.121"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.121" extension="2022-06-01"/>
          <id root="1.2.840.114350.1.13.5325.1.7.2.737179" extension="9562"/>
          <code code="87528-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Personal
health goal"/>
          <statusCode code="active"/>
          <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
```

```
            <originalText>
              <reference value="#goal2"/>
            </originalText>
          </value>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220413083130-0700"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
              <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
              <addr nullFlavor="UNK"/>
              <telecom use="WP" value="tel:271-9000 X11797"/>
              <assignedPerson>
                <name use="L">
                  <given>Jillian</given>
                  <family>Hess</family>
                  <validTime>
                    <low nullFlavor="UNK"/>
                    <high nullFlavor="UNK"/>
                  </validTime>
                </name>
              </assignedPerson>
              <representedOrganization>
                <id root="1.2.840.114350.1.13.5325.1.7.2.696570" extension="163000"/>
                <id root="2.16.840.1.113883.4.2" nullFlavor="UNK"/>
                <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
                <name>EDI Healthcare Management #%~&amp;amp;</name>
                <telecom use="WP" value="tel:+1-608-163-0001"/>
                <telecom value="fax:+1-608-163-0101"/>
                <addr use="WP">
                  <streetAddressLine>101 NORTH SHORE DRIVE</streetAddressLine>
                  <city>MADISON</city>
                  <state>WI</state>
                  <postalCode>53711</postalCode>
                </addr>
              </representedOrganization>
            </assignedAuthor>
          </author>
        </observation>
      </entry>
      <entry>
        <observation classCode="OBS" moodCode="GOL">
          <templateId root="2.16.840.1.113883.10.20.22.4.121"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.121" extension="2022-06-01"/>
          <id root="1.2.840.114350.1.13.5325.1.7.2.737179" extension="9571"/>
          <code code="87528-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Personal
health goal"/>
          <statusCode code="active"/>
          <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
            <originalText>
              <reference value="#goal3"/>
            </originalText>
          </value>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220413093045-0700"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
              <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
            </assignedAuthor>
          </author>
        </observation>
      </entry>
      <entry>
        <observation classCode="OBS" moodCode="GOL">
          <templateId root="2.16.840.1.113883.10.20.22.4.121"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.121" extension="2022-06-01"/>
          <id root="1.2.840.114350.1.13.5325.1.7.2.737179" extension="9799"/>
          <code code="87528-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Personal
health goal"/>
          <statusCode code="active"/>
          <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
            <originalText>
              <reference value="#goal4"/>
            </originalText>
          </value>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220418072922-0700"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
              <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
            </assignedAuthor>
```

```
          </author>
        </observation>
      </entry>
      <entry>
        <observation classCode="OBS" moodCode="GOL">
          <templateId root="2.16.840.1.113883.10.20.22.4.121"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.121" extension="2022-06-01"/>
          <id root="1.2.840.114350.1.13.5325.1.7.2.737179" extension="11256"/>
          <code code="87528-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Personal
health goal"/>
          <statusCode code="active"/>
          <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
            <originalText>
              <reference value="#goal5"/>
            </originalText>
          </value>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220506121026-0700"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
              <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
            </assignedAuthor>
          </author>
        </observation>
      </entry>
      <entry>
        <observation classCode="OBS" moodCode="GOL">
          <templateId root="2.16.840.1.113883.10.20.22.4.121"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.121" extension="2022-06-01"/>
          <id root="1.2.840.114350.1.13.5325.1.7.2.737179" extension="11260"/>
          <code code="87528-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Personal
health goal"/>
          <statusCode code="active"/>
          <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
            <originalText>
              <reference value="#goal1"/>
            </originalText>
          </value>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220509124301-0500"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
              <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
            </assignedAuthor>
          </author>
          <entryRelationship typeCode="SUBJ" inversionInd="true">
            <act classCode="ACT" moodCode="EVN">
              <templateId root="2.16.840.1.113883.10.20.22.4.64"/>
              <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Annotation
 comment"/>
              <text>
                <reference value="#goal1note"/>
              </text>
              <statusCode code="completed"/>
            </act>
          </entryRelationship>
        </observation>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.22.2.8"/>
      <id root="0F79E9A0-53B4-11ED-B1C9-6D045785C67F"/>
      <code code="51848-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Assessments"/>
      <title>Visit Diagnoses</title>
      <text>
        <content ID="nof32">Not on file</content>
        <footnote ID="subTitle31" styleCode="xSectionSubTitle">documented in this encounter</footnote>
      </text>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.22.2.58"/>
      <templateId root="2.16.840.1.113883.10.20.22.2.58" extension="2015-08-01"/>
      <code code="75310-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Health concerns
Document"/>
      <title>Additional Health Concerns</title>
      <text>
        <table>
          <colgroup>
            <col width="60%"/>
            <col width="15%"/>
```

```
            <col width="25%"/>
          </colgroup>
          <thead>
            <tr>
              <th>Problem</th>
              <th>Noted Date</th>
              <th>Diagnosed Date</th>
            </tr>
          </thead>
          <tbody>
            <tr ID="problem36" styleCode="xRowAlt">
              <td ID="problem36name">nmg surgery problem</td>
              <td>04/13/2022</td>
              <td/>
            </tr>
            <tr ID="problem37" styleCode="xRowNormal">
              <td ID="problem37name">nmg surgery problem</td>
              <td>04/13/2022</td>
              <td/>
            </tr>
            <tr ID="problem38" styleCode="xRowAlt">
              <td ID="problem38name">nmg surgery problem</td>
              <td>04/18/2022</td>
              <td/>
            </tr>
            <tr ID="problem39" styleCode="xRowNormal">
              <td ID="problem39name">nmg surgery problem</td>
              <td>05/06/2022</td>
              <td/>
            </tr>
          </tbody>
        </table>
        <table>
          <colgroup>
            <col width="50%"/>
            <col width="12.5%" span="2"/>
            <col width="25%"/>
          </colgroup>
          <thead>
            <tr>
              <th>Infection</th>
              <th>Onset Date</th>
              <th>Last Indicated</th>
              <th>Resolved Time</th>
            </tr>
          </thead>
          <tbody>
            <tr>
              <td>
                <content ID="infection66217ln1">COVID-19 (Confirmed)</content>
              </td>
              <td>04/18/2022</td>
              <td>04/18/2022</td>
              <td/>
            </tr>
          </tbody>
        </table>
        <footnote ID="subTitle35" styleCode="xSectionSubTitle">documented as of this encounter</footnote>
      </text>
      <entry>
        <act classCode="ACT" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.132"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.132" extension="2015-08-01"/>
          <id root="1.2.840.114350.1.13.5325.1.7.2.768066" extension="5118"/>
          <code code="75310-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Health
Concern"/>
          <statusCode code="active"/>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220413083130-0700"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
              <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
            </assignedAuthor>
          </author>
          <entryRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
              <templateId root="2.16.840.1.113883.10.20.22.4.4"/>
              <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2015-08-01"/>
              <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2022-06-01"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.768066" extension="5118"/>
              <code code="55607006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
displayName="Problem">
                <translation code="75326-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Problem HL7.CCDAR2"/>
              </code>
              <text>
```

```
              <reference value="#problem36name"/>
            </text>
            <statusCode code="completed"/>
            <effectiveTime>
              <low value="20220413"/>
            </effectiveTime>
            <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
              <originalText>
                <reference value="#problem36name"/>
              </originalText>
            </value>
            <author>
              <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
              <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
              <time value="20220413083130-0700"/>
              <assignedAuthor>
                <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
                <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
                <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
              </assignedAuthor>
            </author>
          </observation>
        </entryRelationship>
      </act>
    </entry>
    <entry>
      <act classCode="ACT" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.132"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.132" extension="2015-08-01"/>
        <id root="1.2.840.114350.1.13.5325.1.7.2.768066" extension="5121"/>
        <code code="75310-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Health
Concern"/>
        <statusCode code="active"/>
        <author>
          <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
          <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
          <time value="20220413093045-0700"/>
          <assignedAuthor>
            <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
            <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
            <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
          </assignedAuthor>
        </author>
        <entryRelationship typeCode="REFR">
          <observation classCode="OBS" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.22.4.4"/>
            <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2015-08-01"/>
            <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2022-06-01"/>
            <id root="1.2.840.114350.1.13.5325.1.7.2.768066" extension="5121"/>
            <code code="55607006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
displayName="Problem">
              <translation code="75326-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Problem HL7.CCDAR2"/>
            </code>
            <text>
              <reference value="#problem37name"/>
            </text>
            <statusCode code="completed"/>
            <effectiveTime>
              <low value="20220413"/>
            </effectiveTime>
            <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
              <originalText>
                <reference value="#problem37name"/>
              </originalText>
            </value>
            <author>
              <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
              <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
              <time value="20220413093045-0700"/>
              <assignedAuthor>
                <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
                <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
                <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
              </assignedAuthor>
            </author>
          </observation>
        </entryRelationship>
      </act>
    </entry>
    <entry>
      <act classCode="ACT" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.132"/>
        <templateId root="2.16.840.1.113883.10.20.22.4.132" extension="2015-08-01"/>
        <id root="1.2.840.114350.1.13.5325.1.7.2.768066" extension="5184"/>
        <code code="75310-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Health
Concern"/>
        <statusCode code="active"/>
        <author>
```

```
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220418072922-0700"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
              <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
            </assignedAuthor>
          </author>
          <entryRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
              <templateId root="2.16.840.1.113883.10.20.22.4.4"/>
              <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2015-08-01"/>
              <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2022-06-01"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.768066" extension="5184"/>
              <code code="55607006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
displayName="Problem">
                <translation code="75326-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Problem HL7.CCDAR2"/>
              </code>
              <text>
                <reference value="#problem38name"/>
              </text>
              <statusCode code="completed"/>
              <effectiveTime>
                <low value="20220418"/>
              </effectiveTime>
              <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
                <originalText>
                  <reference value="#problem38name"/>
                </originalText>
              </value>
              <author>
                <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
                <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
                <time value="20220418072922-0700"/>
                <assignedAuthor>
                  <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
                  <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
                  <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
                </assignedAuthor>
              </author>
            </observation>
          </entryRelationship>
        </act>
      </entry>
      <entry>
        <act classCode="ACT" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.132"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.132" extension="2015-08-01"/>
          <id root="1.2.840.114350.1.13.5325.1.7.2.768066" extension="5932"/>
          <code code="75310-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Health
Concern"/>
          <statusCode code="active"/>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220506121026-0700"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
              <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
            </assignedAuthor>
          </author>
          <entryRelationship typeCode="REFR">
            <observation classCode="OBS" moodCode="EVN">
              <templateId root="2.16.840.1.113883.10.20.22.4.4"/>
              <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2015-08-01"/>
              <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2022-06-01"/>
              <id root="1.2.840.114350.1.13.5325.1.7.2.768066" extension="5932"/>
              <code code="55607006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
displayName="Problem">
                <translation code="75326-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Problem HL7.CCDAR2"/>
              </code>
              <text>
                <reference value="#problem39name"/>
              </text>
              <statusCode code="completed"/>
              <effectiveTime>
                <low value="20220506"/>
              </effectiveTime>
              <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="UNK">
                <originalText>
                  <reference value="#problem39name"/>
                </originalText>
              </value>
              <author>
                <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
```

```
              <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
              <time value="20220506121026-0700"/>
              <assignedAuthor>
                <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="523123737"/>
                <id root="1.2.840.114350.1.13.5325.1.7.2.697780" extension="21682"/>
                <id root="2.16.840.1.113883.4.6" nullFlavor="UNK"/>
              </assignedAuthor>
            </author>
          </observation>
        </entryRelationship>
      </act>
    </entry>
    <entry>
      <act classCode="ACT" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.22.4.132" extension="2015-08-01"/>
        <id root="1.2.840.114350.1.13.5325.1.7.2.737870" extension="504-act"/>
        <code code="75310-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Health
Concern"/>
        <statusCode code="active"/>
        <entryRelationship typeCode="REFR">
          <observation classCode="OBS" moodCode="EVN">
            <templateId root="1.2.840.114350.1.72.3.11"/>
            <id root="1.2.840.114350.1.13.5325.1.7.2.737870" extension="504"/>
            <code code="74018-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Alert"/>
            <statusCode code="completed"/>
            <effectiveTime>
              <low value="20220418"/>
            </effectiveTime>
            <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="840539006"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMEDCT" displayName="Disease caused by Severe acute
respiratory syndrome coronavirus 2 (disorder)" xsi:type="CD">
              <originalText>
                COVID-19 (Confirmed)
                <reference value="#infection66217ln1"/>
              </originalText>
            </value>
            <author>
              <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
              <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
              <time value="20220418193617+0000"/>
              <assignedAuthor>
                <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
                <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
              </assignedAuthor>
            </author>
          </observation>
        </entryRelationship>
        <entryRelationship typeCode="COMP">
          <observation classCode="OBS" moodCode="EVN">
            <code code="64991-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Date of
observation"/>
            <statusCode code="completed"/>
            <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="TS" value="20220418"/>
          </observation>
        </entryRelationship>
      </act>
    </entry>
  </section>
</component>
<component>
  <section>
    <templateId root="2.16.840.1.113883.10.20.22.2.500" extension="2022-06-01"/>
    <templateId root="2.16.840.1.113883.10.20.22.2.500" extension="2019-07-01"/>
    <code code="85847-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Patient Care team
information"/>
    <title>Care Teams</title>
    <text>
      <table ID="ct41">
        <colgroup>
          <col width="25%" span="3"/>
          <col width="13%"/>
          <col width="12%"/>
        </colgroup>
        <thead>
          <tr>
            <th>Team Member</th>
            <th>Relationship</th>
            <th>Specialty</th>
            <th>Start Date</th>
            <th>End Date</th>
          </tr>
        </thead>
        <tbody>
          <tr styleCode="xRowNormal">
            <td>
              <paragraph styleCode="Bold">Sample, Doctor, MD</paragraph>
              <paragraph>NPI: 1000003164</paragraph>
              <paragraph>sample@epic.com</paragraph>
            </td>
```

```
              <td>PCP - General</td>
              <td>Family Practice</td>
              <td>8/30/21</td>
              <td/>
            </tr>
            <tr styleCode="xRowAlt">
              <td>
                <paragraph styleCode="Bold">Free Text</paragraph>
              </td>
              <td>Midwife</td>
              <td/>
              <td>4/15/22</td>
              <td/>
            </tr>
          </tbody>
        </table>
        <footnote ID="subTitle40" styleCode="xSectionSubTitle">documented as of this encounter</footnote>
      </text>
      <entry>
        <organizer classCode="CLUSTER" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.500" extension="2022-06-01"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.500" extension="2019-07-01"/>
          <id nullFlavor="NI"/>
          <code code="86744-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Care Team">
            <originalText>
              <reference value="#ct41"/>
            </originalText>
          </code>
          <statusCode code="active"/>
          <effectiveTime>
            <low value="20210830"/>
          </effectiveTime>
          <author>
            <templateId root="2.16.840.1.113883.10.20.22.4.119"/>
            <templateId root="2.16.840.1.113883.10.20.22.5.6" extension="2019-10-01"/>
            <time value="20220422151348-0500"/>
            <assignedAuthor>
              <id root="1.2.840.114350.1.13.5325.1.7.1.1133" extension="13952441"/>
              <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
            </assignedAuthor>
          </author>
          <participant typeCode="PPRF">
            <ep2:functionCode xmlns:ep2="urn:hl7-org:sdtc" code="PCP" codeSystem="2.16.840.1.113883.5.88"
codeSystemName="ParticipationFunction" displayName="Primary Care Provider">
              <originalText>General</originalText>
            </ep2:functionCode>
            <participantRole>
              <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
            </participantRole>
          </participant>
          <component>
            <act classCode="PCPR" moodCode="EVN">
              <templateId root="2.16.840.1.113883.10.20.22.4.500.1" extension="2022-06-01"/>
              <templateId root="2.16.840.1.113883.10.20.22.4.500.1" extension="2019-07-01"/>
              <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
              <code code="85847-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Care Team
Information"/>
              <statusCode code="active"/>
              <effectiveTime>
                <low value="20210830"/>
              </effectiveTime>
              <performer typeCode="PRF">
                <ep2:functionCode xmlns:ep2="urn:hl7-org:sdtc" code="PCP" codeSystem="2.16.840.1.113883.5.88"
codeSystemName="ParticipationFunction" displayName="Primary Care Provider">
                  <originalText>General</originalText>
                </ep2:functionCode>
                <assignedEntity>
                  <id root="2.16.840.1.113883.4.6" extension="1000003164"/>
                  <code nullFlavor="OTH">
                    <originalText>Family Practice</originalText>
                    <translation code="19" codeSystem="1.2.840.114350.1.72.1.7.7.10.688867.4160"
codeSystemName="Epic.DXC.StandardProviderSpecialtyType" displayName="Family Medicine"/>
                    <translation code="9" codeSystem="1.2.840.114350.1.13.5325.1.7.10.836982.1050"
codeSystemName="Epic.SER.ProviderSpecialty" displayName="Family Practice"/>
                  </code>
                  <addr nullFlavor="UNK"/>
                  <telecom value="mailto:sample@epic.com"/>
                  <assignedPerson>
                    <name use="L">
                      <given>Patient</given>
                      <family>Sample</family>
                      <suffix qualifier="AC"> MD</suffix>
                      <validTime>
                        <low nullFlavor="UNK"/>
                        <high nullFlavor="UNK"/>
                      </validTime>
                    </name>
                  </assignedPerson>
                  <representedOrganization>
```

```
                    <name>MODEL SYSTEM</name>
                    <telecom use="WP" value="tel:+1-608-271-9000"/>
                    <telecom value="fax:+1-608-271-9000"/>
                    <addr use="WP">
                      <streetAddressLine>81 MODEL DRIVE</streetAddressLine>
                      <city>Madison</city>
                      <state>WI</state>
                      <postalCode>53711</postalCode>
                    </addr>
                  </representedOrganization>
                </assignedEntity>
              </performer>
            </act>
          </component>
          <component>
            <act classCode="PCPR" moodCode="EVN">
              <templateId root="2.16.840.1.113883.10.20.22.4.500.1" extension="2022-06-01"/>
              <templateId root="2.16.840.1.113883.10.20.22.4.500.1" extension="2019-07-01"/>
              <id nullFlavor="UNK"/>
              <code code="85847-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Care Team
Information"/>
              <statusCode code="active"/>
              <effectiveTime>
                <low value="20220415"/>
              </effectiveTime>
              <performer typeCode="PRF">
                <ep2:functionCode xmlns:ep2="urn:hl7-org:sdtc" nullFlavor="UNK">
                  <originalText>Midwife</originalText>
                  <translation code="5" codeSystem="1.2.840.114350.1.13.5325.1.7.4.698084.80114"
codeSystemName="EPIC" displayName="Midwife"/>
                </ep2:functionCode>
                <assignedEntity>
                  <id nullFlavor="UNK"/>
                  <code nullFlavor="UNK"/>
                  <telecom nullFlavor="UNK"/>
                  <assignedPerson>
                    <name>
                      <given>Free</given>
                      <family>Text</family>
                    </name>
                  </assignedPerson>
                </assignedEntity>
              </performer>
            </act>
          </component>
        </organizer>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <code code="X-DOCPERF" codeSystem="1.2.840.114350.1.72.2" displayName="Document Performance Information"/>
      <title>Performance Information</title>
      <text>
        <paragraph styleCode="Italics">This section was added by Care Everywhere to monitor performance and is not
part of the original document.</paragraph>
        <table>
          <thead>
            <tr>
              <th>Accumulator</th>
              <th>Time</th>
              <th>CPUTime(ms)</th>
              <th>Globals</th>
              <th>GloUpd</th>
              <th>NetCacheMiss</th>
              <th>LogBlkRead</th>
              <th>NetGloUpd</th>
              <th>MCmd</th>
              <th>TotBlkRead</th>
              <th>TotBlkWrt</th>
              <th>JrnEntry</th>
            </tr>
          </thead>
          <tbody>
            <tr>
              <td>Source Comments</td>
              <td>0.011</td>
              <td>1</td>
              <td>89</td>
              <td>0</td>
              <td>6</td>
              <td>119</td>
              <td>0</td>
              <td>2093</td>
              <td>0</td>
              <td>0</td>
              <td>0</td>
            </tr>
            <tr>
```

```
  <td>Reason for Referral</td>
  <td>0.000</td>
  <td>0</td>
  <td>4</td>
  <td>0</td>
  <td>0</td>
  <td>6</td>
  <td>0</td>
  <td>269</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Reason for Visit</td>
  <td>0.000</td>
  <td>0</td>
  <td>7</td>
  <td>0</td>
  <td>0</td>
  <td>9</td>
  <td>0</td>
  <td>306</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Prior Encounters</td>
  <td>0.011</td>
  <td>6</td>
  <td>1123</td>
  <td>593</td>
  <td>1</td>
  <td>855</td>
  <td>2</td>
  <td>17462</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>ANESTHESIA RECORD SECTION</td>
  <td>0.004</td>
  <td>0</td>
  <td>17</td>
  <td>0</td>
  <td>2</td>
  <td>41</td>
  <td>0</td>
  <td>397</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Social History</td>
  <td>0.164</td>
  <td>17</td>
  <td>3264</td>
  <td>1315</td>
  <td>117</td>
  <td>3219</td>
  <td>12</td>
  <td>60390</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>VITALS SECTION - DISCRETE DATA</td>
  <td>0.004</td>
  <td>0</td>
  <td>111</td>
  <td>5</td>
  <td>3</td>
  <td>130</td>
  <td>2</td>
  <td>2843</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>NUTRITION SECTION</td>
  <td>0.001</td>
  <td>0</td>
  <td>19</td>
  <td>0</td>
```

```
  <td>0</td>
  <td>30</td>
  <td>0</td>
  <td>477</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>FUNCTIONAL STATUS SECTION</td>
  <td>0.073</td>
  <td>5</td>
  <td>1266</td>
  <td>0</td>
  <td>34</td>
  <td>1377</td>
  <td>0</td>
  <td>15088</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Discharge Diagnoses</td>
  <td>0.004</td>
  <td>0</td>
  <td>79</td>
  <td>7</td>
  <td>1</td>
  <td>94</td>
  <td>2</td>
  <td>1965</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Discharge Summaries</td>
  <td>0.002</td>
  <td>1</td>
  <td>133</td>
  <td>6</td>
  <td>1</td>
  <td>198</td>
  <td>2</td>
  <td>2302</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>DISCHARGE INSTRUCTIONS SECTION</td>
  <td>0.001</td>
  <td>0</td>
  <td>14</td>
  <td>0</td>
  <td>0</td>
  <td>24</td>
  <td>0</td>
  <td>437</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Discharge Medications</td>
  <td>0.000</td>
  <td>0</td>
  <td>3</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>357</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Current Medications</td>
  <td>0.011</td>
  <td>1</td>
  <td>273</td>
  <td>22</td>
  <td>4</td>
  <td>352</td>
  <td>8</td>
  <td>8617</td>
  <td>0</td>
```

```
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Progress Notes</td>
  <td>0.000</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>291</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>H&amp;amp;P Notes</td>
  <td>0.000</td>
  <td>0</td>
  <td>4</td>
  <td>0</td>
  <td>0</td>
  <td>11</td>
  <td>0</td>
  <td>310</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Procedure Notes</td>
  <td>0.000</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>308</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Consult Notes</td>
  <td>0.000</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>309</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Nursing Notes</td>
  <td>0.000</td>
  <td>0</td>
  <td>3</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>319</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>OR Notes</td>
  <td>0.000</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>315</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>ED Notes</td>
```

```
  <td>0.000</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>318</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Notes</td>
  <td>0.000</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>323</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Plan of Care</td>
  <td>0.066</td>
  <td>8</td>
  <td>2306</td>
  <td>46</td>
  <td>51</td>
  <td>2389</td>
  <td>2</td>
  <td>33325</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>GOALS SECTION</td>
  <td>0.104</td>
  <td>9</td>
  <td>2449</td>
  <td>1098</td>
  <td>80</td>
  <td>2103</td>
  <td>14</td>
  <td>45876</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>INTERVENTIONS SECTION</td>
  <td>0.008</td>
  <td>0</td>
  <td>27</td>
  <td>0</td>
  <td>6</td>
  <td>54</td>
  <td>0</td>
  <td>653</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Procedures</td>
  <td>0.002</td>
  <td>0</td>
  <td>38</td>
  <td>7</td>
  <td>2</td>
  <td>47</td>
  <td>2</td>
  <td>857</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Results History</td>
  <td>0.004</td>
  <td>0</td>
  <td>263</td>
  <td>10</td>
  <td>0</td>
```

```
  <td>328</td>
  <td>2</td>
  <td>9634</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Lab Results</td>
  <td>0.000</td>
  <td>0</td>
  <td>4</td>
  <td>0</td>
  <td>0</td>
  <td>10</td>
  <td>0</td>
  <td>400</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Imaging Results</td>
  <td>0.000</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>400</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>EKG Results</td>
  <td>0.000</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>400</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Miscellaneous Results</td>
  <td>0.000</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>0</td>
  <td>2</td>
  <td>0</td>
  <td>400</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Visit Diagnoses</td>
  <td>0.001</td>
  <td>0</td>
  <td>54</td>
  <td>35</td>
  <td>0</td>
  <td>36</td>
  <td>0</td>
  <td>1143</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Admitting Diagnoses</td>
  <td>0.000</td>
  <td>0</td>
  <td>6</td>
  <td>2</td>
  <td>0</td>
  <td>5</td>
  <td>0</td>
  <td>373</td>
  <td>0</td>
  <td>0</td>
```

```
  <td>0</td>
</tr>
<tr>
  <td>Administered Medications</td>
  <td>0.004</td>
  <td>0</td>
  <td>40</td>
  <td>7</td>
  <td>2</td>
  <td>43</td>
  <td>2</td>
  <td>1048</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>RECENT MAR SECTION</td>
  <td>0.000</td>
  <td>0</td>
  <td>10</td>
  <td>0</td>
  <td>0</td>
  <td>16</td>
  <td>0</td>
  <td>307</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>HEALTH CONCERNS SECTION</td>
  <td>0.132</td>
  <td>9</td>
  <td>1832</td>
  <td>1131</td>
  <td>63</td>
  <td>1728</td>
  <td>77</td>
  <td>34102</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>HOME HEALTH AND HOSPICE CARE PLAN SECTION</td>
  <td>0.002</td>
  <td>0</td>
  <td>4</td>
  <td>0</td>
  <td>1</td>
  <td>8</td>
  <td>0</td>
  <td>224</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>HOME HEALTH AND HOSPICE ACTIONS AND NARRATIVE SECTION</td>
  <td>0.000</td>
  <td>0</td>
  <td>4</td>
  <td>0</td>
  <td>0</td>
  <td>8</td>
  <td>0</td>
  <td>225</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>CARE TEAMS SECTION</td>
  <td>0.015</td>
  <td>1</td>
  <td>489</td>
  <td>427</td>
  <td>6</td>
  <td>347</td>
  <td>0</td>
  <td>11356</td>
  <td>0</td>
  <td>0</td>
  <td>0</td>
</tr>
<tr>
  <td>Source Comments</td>
  <td>0.004</td>
```

```
                  <td>0</td>
                  <td>22</td>
                  <td>0</td>
                  <td>3</td>
                  <td>36</td>
                  <td>0</td>
                  <td>431</td>
                  <td>0</td>
                  <td>0</td>
                  <td>0</td>
                </tr>
                <tr>
                  <td styleCode="bold">Totals</td>
                  <td styleCode="bold">0.628</td>
                  <td styleCode="bold">58</td>
                  <td styleCode="bold">13975</td>
                  <td styleCode="bold">4711</td>
                  <td styleCode="bold">383</td>
                  <td styleCode="bold">13645</td>
                  <td styleCode="bold">127</td>
                  <td styleCode="bold">256650</td>
                  <td styleCode="bold">0</td>
                  <td styleCode="bold">0</td>
                  <td styleCode="bold">0</td>
                </tr>
              </tbody>
            </table>
          </text>
        </section>
      </component>
    </structuredBody>
  </component>
</ClinicalDocument>
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change
May 2024 | Patient summary CCDAs now respect Care Everywhere filtering and may exclude sensitive encounters previously available. | Breaking change

23.1.8 Binary.Read (Handoff) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10138-Binary-Read-Handoff-R4.html
Epic API ID | 10138
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Handoff Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10138

Description

The Binary.Read (Handoff) web service returns content associated with a handoff report. Typically, a client obtains the Binary ID by first completing a DocumentReference (Handoff) read or search interaction.

Handoff reports allow clinicians to communicate important time-sensitive information between shifts. Handoff reports are specialty-specific, so clinicians write and review reports that contain only information relevant to the services they perform. Each handoff report is split into several fields, each of which is associated with a particular purpose, such as “To Do” or “Medications.” One DocumentReference handoff entity represents a single handoff report field for a single specialty. The text of each field is contained in a separate Binary (Handoff) resource response.

When a read request is made for the Binary resource using an Accept header value of "application/fhir+xml" or "application/fhir+json", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the “data” element. The samples on this page represent that scenario. Alternatively, if one of those Accept header values is not specified, the raw content is returned directly using the associated content type, and the content type can be discerned from the Content-Type header of the response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | This is always "text/html" for handoff reports.
Binary.data | String | False | | | The note or document content, which is first converted to HTML and then returned as a base64-encoded string.
Binary.id | String | False | | | The Binary FHIR ID

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/e2GiyqrbNxPfIf5umGsNc.g3
```

Sample response


```
{
  "resourceType": "Binary",
  "id": "e2GiyqrbNxPfIf5umGsNc.g3",
  "contentType": "text/html",
  "data": "SGFuZG9mZiB0ZXh0IGV4YW1wbGUuPGJyPjxicj5BZGRpdGlvbmFsIGRldGFpbCBvbiB0aGlyZCBsaW5lLg=="
}
```


Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.9 Binary.Read (HIS) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10137-Binary-Read-HIS-R4.html
Epic API ID | 10137
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | HIS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10137

Description

When a read request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | This is always "text/xml" for HIS assessments.
Binary.data | String | False | | | The assessment content as a base64-encoded string.
Binary.id | String | False | | | The FHIR ID

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/ eCSw8b2R2bVhjE0Qs9byj.Q3
```

Sample response


```
{
  "resourceType": "Binary",
  "id": "eCSw8b2R2bVhjE0Qs9byj.Q3",
  "contentType": "text/xml",
```

```
  "data": "PD94bWwgdmVyc2lvbj0iMS4wIiBzdGFuZGFsb25lPSJ5ZXMiPz4NCjxBU1NFU1NNRU5UPg0KPEEwMDUwPjE8L0EwMDUwPg0KPEEwMTAwQT45O
    Dc2OTg3Njk4PC9BMDEwMEE+DQo8QTAxMDBCPjI3MDAxMTwvQTAxMDBCPg0KPEEwMjIwPjIwMjAwNjAxPC9BMDIyMD4NCjxBMDI1MD4wOTwvQTAyNTA+D
    Qo8QTAyNzA+MjAyMDA3MTA8L0EwMjcwPg0KPEEwNTAwQT5ISVNSRUdSRVNTSU88L0EwNTAwQT4NCjxBMDUwMEI+XjwvQTA1MDBCPg0KPEEwNTAwQz5KQ
    VZFRDwvQTA1MDBDPg0KPEEwNTAwRD5ePC9BMDUwMEQ+DQo8QTA2MDBBPnh4eHh4ODc0MjwvQTA2MDBBPg0KPEEwNjAwQj5ePC9BMDYwMEI+DQo8QTA3M
    DA+TjwvQTA3MDA+DQo8QTA4MDA+MTwvQTA4MDA+DQo8QTA5MDA+MTk5MjA5Mjk8L0EwOTAwPg0KPEEyMTE1PjAxPC9BMjExNT4NCjxDUkNUTl9OVU0+M
    DwvQ1JDVE5fTlVNPg0KPEZBQ19JRD5JQ0VfQ1JFQU08L0ZBQ19JRD4NCjxJVE1fU0JTVF9DRD5IRDwvSVRNX1NCU1RfQ0Q+DQo8SVRNX1NFVF9TWVNfQ
    0Q+SE9TUElldRTwvSVRNX1NFVF9TWVNfQ0Q+DQo8SVRNX1NFVF9WUlNOX0NEPjMuMDA8L0lUTV9TRVRfVlJTTl9DRD4NCjxTRlRXUl9QUk9EX05BTUU+R
    XBpYzwvU0ZUV1JfUFJPRF9OQU1FPg0KPFNGVFdSX1BST0RfVlJTTl9DRD45Ljc8L1NGVFdSX1BST0RfVlJTTl9DRD4NCjxTRlRXUl9WTkRSX0VNQUlMX
    0FEUj5oaGhzcGNDTVNzdWJtaXNzaW9uc0BlcGljLmNvbTwvU0ZUV1JfVk5EUl9FTUFJTF9BRFI+DQo8U0ZUV1JfVk5EUl9JRD4zOTEzMTk5NTA8L1NGV
    FdSX1ZORFJfSUQ+DQo8U0ZUV1JfVk5EUl9OQU1FPkVwaWM8L1NGVFdSX1ZORFJfTkFNRT4NCjxTUEVDX1ZSU05fQ0Q+My4wMDwvU1BFQ19WUlNOX0NEP
    g0KPFNUQVRFX0NEPldJPC9TVEFURV9DRD4NCjxaMDUwMEI+MjAyMDA5MzA8L1owNTAwQj4NCjwvQVNTRVNTTUVOVD4NCg=="
}
```


Change log

Epic Version	Description	Type
Nov 2026	The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation.	Breaking change

23.1.10 Binary.Read (IRF-PAI) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10285-Binary-Read-IRF-PAI-R4.html	
Epic API ID	10285
FHIR version	R4
Categories	Infrastructure Documents & Lists
API type	Industry-Standard
API group	IRF-PAI Document Group
USCDI	No
Available in inpatient and other contexts	Yes
HTTP method	GET
URL template	/api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0	True
Supported user types	Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation	False
Source	https://fhir.epic.com/Specifications?api=10285

Request parameters

Name	Type	Optional	Array	Cardinality	Description
ID	token	False			The Binary FHIR ID.

Response elements

Name	Type	Optional	Array	Cardinality	Description
Binary	Binary	False			Generated XML of the specified IRF-PAI based on CMS regulations.
Binary.contentType	String	True			Format of how the response will be displayed.
Binary.data	String	False			Content of the requested IRF-PAI
Binary.id	String	False			The Binary FHIR ID

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/eWfQ6iH9jCMG10kOvWD5MRI55IuAGEgoL8QW2d.5EFZs3
```

Sample response

```
<?xml version="1.0" standalone="yes"?>
<ASSESSMENT>
<ASMT_SYS_CD>IRF-PAI</ASMT_SYS_CD>
<TRANS_TYPE_CD>1</TRANS_TYPE_CD>
<FAC_ID>2813308004</FAC_ID>
<STATE_CD>NJ</STATE_CD>
<FAC_ADDR_1>123 Sugar Land Rd</FAC_ADDR_1>
<FAC_ADDR_2>^</FAC_ADDR_2>
<FAC_CITY>Bergenfield</FAC_CITY>
<FAC_ZIP>07621</FAC_ZIP>
<FAC_CNTCT>S Stadtmueller,Eric</FAC_CNTCT>
<FAC_PHONE>^</FAC_PHONE>
<FAC_EXTEN>^</FAC_EXTEN>
<FAC_DOC_CD>^</FAC_DOC_CD>
<ITM_SET_VRSN_CD>3.0</ITM_SET_VRSN_CD>
<SPEC_VRSN_CD>4.00</SPEC_VRSN_CD>
<SFTWR_PROD_NAME>Epic</SFTWR_PROD_NAME>
<SFTWR_PROD_VRSN_CD>10.1.0.0</SFTWR_PROD_VRSN_CD>
<SBMTD_CMG_TXT>A1801</SBMTD_CMG_TXT>
<SBMTD_CMG_VRSN_TXT>5.00</SBMTD_CMG_VRSN_TXT>
<SFTWR_VNDR_ID>391319950</SFTWR_VNDR_ID>
<SFTWR_VNDR_NAME>Epic</SFTWR_VNDR_NAME>
<SFTWR_VNDR_EMAIL_ADR>cmssubmissions@epic.com</SFTWR_VNDR_EMAIL_ADR>
<CORRECTION_NUM>00</CORRECTION_NUM>
Patient’s IRF-PAI will display here
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.11 Binary.Read (Labs) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10139-Binary-Read-Labs-R4.html
Epic API ID | 10139
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Labs Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10139

Description

Given a Binary FHIR ID, this web service returns documentation related to a lab order, which can represent the order narrative, impression, or addenda. The

DocumentReference.Search (Labs) (R4)

resource can be used to obtain a Binary FHIR ID for lab documentation.

When a read request is made for the Binary resource using an Accept header value of "

application/fhir+xml

" or "

application/fhir+json

", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the “data” element. Alternatively, if one of those Accept header values is not specified, the raw content is returned directly using the associated content type, and the content type can be discerned from the Content-Type header of the response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary (R4) | Binary | | | | A single instance of a FHIR Binary resource.
Binary (R4).contentType | String | | | 1..1 | This is always "text/html" for labs data.
Binary (R4).data | String | | | 1..1 | The note or document content, which is first converted to HTML and then returned as a base64-encoded string.
Binary (R4).id | String | | | 1..1 | The Binary FHIR ID.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary/eUt8Ivo7d3tDjElMe7IZ2Yhngqtc8Mj02lY-FRCKsRW03
Accept: application/fhir+json
```

Sample response

```
This example is with the Accept header set to application/fhir+json
{
  "resourceType": "Binary",
  "id": "eUt8Ivo7d3tDjElMe7IZ2Yhngqtc8Mj02lY-FRCKsRW03",
  "contentType": "text/html",
  "data": "Q2VydmljYWwgY3l0b2xvZ3kgbmVnYXRpdmUgZm9yIG1hbGlnbmFudCBjZWxscy4gJm5ic3A7RW5kb2NlcnZpY2FsPGJyPmNlbGxzIGlkZW50a
    WZpZWQuICZuYnNwO0NsYXNzIDEu"
}
```

Change log

Epic Version | Description | Type

Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.12 Binary.Read (Minimum Data Set) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10290-Binary-Read-Minimum-Data-Set-R4.html
Epic API ID | 10290
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | MDS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10290

Description

When a read request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | Generated XML of the specified MDS based on CMS regulations.
Binary.contentType | String | True | | | Format of how the response will be displayed.
Binary.data | String | False | | | Content of the requested MDS.
Binary.id | String | False | | | The Binary FHIR ID.

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/eWfQ6iH9jCMG10kOvWD5MRI55IuAGEgoL8QW2d.5EFZs3
```

Sample response


```
{
  "resourceType": "Binary",
  "id": "eCGTT1j58rtCpSCb4.r4zfw3",
  "contentType": "text/xml",
  "data": "PD94bWwgdmVyc2lvbj0iMS4wIiBzdGFuZGFsb25lPSJ5ZXMiPz4NCjxBU1NFU1NNRU5UPg0KPEFTTVRfU1lTX0NEPk1EUzwvQVNNVF9TWVNfQ
    0Q+DQo8SVRNX1NCU1RfQ0Q+TlA8L0lUTV9TQlNUX0NEPg0KPElUTV9TRVRfVlJTTl9DRD4xLjE3PC9JVE1fU0VUX1ZSU05fQ0Q+DQo8U1BFQ19WUlNOX
    0NEPjMuMDA8L1NQRUNfVlJTTl9DRD4NCjxQUk9ETl9URVNUX0NEPlA8L1BST0ROX1RFU1RfQ0Q+DQo8U1RBVEVfQ0Q…"
}
```


Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.13 Binary.Read (OASIS) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10136-Binary-Read-OASIS-R4.html
Epic API ID | 10136
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | OASIS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10136

Description

When a read request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | This is always "text/xml" for OASIS assessments.
Binary.data | String | False | | | The assessment content as a base64-encoded string.
Binary.id | String | False | | | The FHIR ID.

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/eUS5bsY3WX14zZkfzn7hwyg3
```

Sample response


```
{
  "resourceType": "Binary",
  "id": "eUS5bsY3WX14zZkfzn7hwyg3",
  "contentType": "text/xml",
  "data": "PD94bWwgdmVyc2lvbj0iMS4wIiBzdGFuZGFsb25lPSJ5ZXMiPz4NCjxBU1NFU1NNRU5UPg0KPEFDWV9ET0NfQ0Q+NDA0ODwvQUNZX0RPQ19DR
    D4NCjxBU01UX1NZU19DRD5PQVNJUzwvQVNNVF9TWVNfQ0Q+DQo8Q09SUkVDVElPTl9OVU0+MDA8L0NPUlJFQ1RJT05fTlVNPg0KPEdHMDEzMEEzPjAyP
    C9HRzAxMzBBMz4NCjxHRzAxMzBCMz4wMjwvR0cwMTMwQjM+DQo8R0cwMTMwQzM+MDI8L0dHMDEzMEMzPg0KPEdHMDEzMEUzPjAyPC9HRzAxMzBFMz4NC
    jxHRzAxMzBGMz4wMjwvR0cwMTMwRjM+DQo8R0cwMTMwRzM+MDI8L0dHMDEzMEczPg0KPEdHMDEzMEgzPjAzPC9HRzAxNzBBMz4NCjxHRzAxNzBBMz4wM
    jwvR0cwMTcwQTM+DQo8R0cwMTcwQjM+MDI8L0dHMDE3MEIzPg0KPEdHMDE3MEMzPjAyPC9HRzAxNzBDMz4NCjxHRzAxNzBEMz4wMjwvR0cwMTcwRDM+D
    Qo8R0cwMTcwRTM+MDI8L0dHMDE3MEUzPg0KPEdHMDE3MEYzPjAyPC9HRzAxNzBGMz4wMjwvR0cwMTcwRzM+DQo8R0cwMTcwSTM+M
    DI8L0dHMDE3MEkzPg0KPEdHMDE3MEozPjAyPC9HRzAxNzBKMz4wMjwvR0cwMTcwSzM+DQo8R0cwMTcwTDM+MDM8L0dHMDE3MEwzP
    g0KPEdHMDE3MEozPjA0PC9HRzAxNzBNMz4wMjwvR0cwMTcwTjM+DQo8R0cwMTcwTzM+MDM8L0dHMDE3ME8zPg0KPEdHMDE3MFAzP
    jA0PC9HRzAxNzBQMz4NCjxHRzAxNzBRMz4wPC9HRzAxNzBRMz4NCjxHRzAxNzBSMz5ePC9HRzAxNzBSMz4NCjxHRzAxNzBSUjM+XjwvR0cwMTcwUlIzP
    g0KPEdHMDE3MFMzPl48L0dHMDE3MFMzPg0KPEdHMDE3MFNTMz5ePC9HRzAxNzBTUzM+DQo8SEhBX0FHRU5DWV9JRD48L0hIQV9BR0VOQ1lfSUQ+DQo8S
    VRNX1NCU1RfQ0Q+MDk8L0lUTV9TQlNUX0NEPg0KPElUTV9TRVRfVlJTTl9DRD5EMS0wMTIwMjA8L0lUTV9TRVRfVlJTTl9DRD4NCjxKMTgwMD4wPC9KM
    TgwMD4NCjxKMTkwMEE+XjwvSjE5MDBBPg0KPEoxOTAwQj5ePC9KMTkwMEI+DQo8SjE5MDBDPl48L0oxOTAwQz4NCjxNMDAxMF9DQ04+MTY1Mzg3PC9NM
    DAxMF9DQ04+DQo8TTAwMTRfQlJBTkNIX1NUQVRFPl48L00wMDE0X0JSQU5DSF9TVEFURT4NCjxNMDAxNl9CUkFOQ0hfSUQ+TjwvTTAwMTZfQlJBTkNIX
    0lEPg0KPE0wMDE4X1BIWVNJQ0lBTl9JRD5ePC9NMDAxOF9QSFlTSUNJQU5fSUQ+DQo8TTAwMThfUEhZU0lDSUFOX1VLPjE8L00wMDE4X1BIWVNJQ0lBT
    l9VSz4NCjxNMDAyMF9QQVRfSUQ+NTEzNzg1PC9NMDAyMF9QQVRfSUQ+DQo8TTAwMzBfU1RBUlRfQ0FSRV9EVD4yMDIxMDEwMTwvTTAwMzBfU1RBUlRfQ
    0FSRV9EVD4NCjxNMDAzMl9ST0NfRFQ+XjwvTTAwMzJfUk9DX0RUPg0KPE0wMDMyX1JPQ19EVF9OQT4xPC9NMDAzMl9ST0NfRFRfTkE+DQo8TTAwNDBfQ
    EFUX0ZOQU1FPkxBTkNFUjwvTTAwNDBfUEFUX0ZOQU1FPg0KPE0wMDQwX1BBVF9MTkFNRT5TSEFJS0g8L00wMDQwX1BBVF9MTkFNRT4NCjxNMDA0MF9QQ
    VRfTUk+XjwvTTAwNDBfUEFUX01JPg0KPE0wMDQwX1BBVF9TVUZGSVg+XjwvTTAwNDBfUEFUX1NVRkZJWD4NCjxNMDA1MF9QQVRfU1Q+V0k8L00wMDUwX
    1BBVF9TVD4NCjxNMDA2MF9QQVRfWklQPjUzNzE3PC9NMDA2MF9QQVRfWklQPg0KPE0wMDYzX01FRElDQVJFX05BPjE8L00wMDYzX01FRElDQVJFX05BP
    g0KPE0wMDYzX01FRElDQVJFX05VTT5ePC9NMDA2M19NRURJQ0FSRV9OVU0+DQo8TTAwNjRfU1NOPng0KPE0wMDY0X
    1NTTl9VSz4wPC9NMDA2NF9TU05fVUs+DQo8TTAwNjVfTUVESUNBSURfTkE+MTwvTTAwNjVfTUVESUNBSURfTkE+DQo8TTAwNjVfTUVESUNBSURfTlVNP
    l48L00wMDY1X01FRElDQUlEX05VTT4NCjxNMDA2Nl9QQVRfQklSVEhfRFQ+MTk5ODAxMTU8L00wMDY2X1BBVF9CSVJUSF9EVD4NCjxNMDA2OV9QQVRfR
    0VOREVSPjE8L00wMDY5X1BBVF9HRU5ERVI+DQo8TTAwODBfQVNTRVNTT1JfRElTQ0RfQlRfU1JOVF9TRTAwMTwvTTAwODBfQVNTRVNTT1JfRElTQ0RfQlRfU1JOVF9TR
    UFTT04+XjwvTTEwNDZfSU5GTE5aX1JFQ0RfQ1JOVF9TRUFTT04+DQo8TTEwNTFfUFZYX1JDVkRfQUdOQ1k+XjwvTTEwNTFfUFZYX1JDVkRfQUdOQ1k+D
    Qo8TTEwNTZfUFZYX1JTTl9OT1RfUkNWRF9BR05DWT48L00xMDU2X1BWWF9SU05fTk9UX1JDVkRfQUdOQ1k+DQo8TTEyNDJfUEFJTl9GUkVRX0FDVFZUW
    V9NVk1UPl48L00xMjQyX1BBSU5fRlJFUV9BQ1RWVFlfTVZNVD4NCjxNMTMwNl9VTkhMRF9TVEcyX1BSU1JfVUxDUj4wPC9NMTMwNl9VTkhMRF9TVEcyX
    1BSU1JfVUxDUj4NCjxNMTMwN19PTERTVF9TVEcyX0FUX0RTQ0hSRz5ePC9NMTMwN19PTERTVF9TVEcyX0FUX0RTQ0hSRz4NCjxNMTMwN19PTERTVF9TV
    EcyX09OU1RfRFQ+XjwvTTEzMDdfT0xEU1RfU1RHMl9PTlNUX0RUPg0KPE0xMzExX05CUl9QUlNVTENVTlNUX0RUPjA8L00xMzExX05CUl9QUlNVTENVTlNUX
    1NURzJfQTE+DQo8TTEzMTFfTkJSX1BSU1VMQ19TVEczX0IxPl48L00xMzExX05CUl9QUlNVTENfU1RHM19CMT4NCjxNMTMxMV9OQlJfUFJTVUxDX1NUR
    zRfQzE+XjwvTTEzMTFfTkJSX1BSU1VMQ19TVEc0X0MxPg0KPE0xMzExX05CUl9QUlNVTENfU09DUk9DX1NURzNfQjI+XjwvTTEzMTFfTkJSX1BSU1VMQ19TT0NST
    0NfU1RHMl9BMj4NCjxNTMxMV9OQlJfUFJTVUxDX1NUR0NfU09DUk9DX1NURzNfQjI+DQo8TTEzMzRfU1RBUlRfQUdOQ1k+XjwvTTEzMzRfU1RBUlRfQUdOQ1k
    gzBfU1RBU19VTENSX1BSU05UPjAwPC9NMTMzMF9TVEFTX1VMQ1JfUFJTTlQ+DQo8TTEzMzRfU1RVU19QUkJMTV9TVEFTX1VMQ1I+XjwvTTEzMzRfU1RVU
    19QUkJMTV9TVEFTX1VMQ1I+DQo8TTEzNDBfU1JHQ0xfV05EX1BSU05UPjAwPC9NMTM0MF9TUkdDTF9XTkRfUFJTTlQ+DQo8TTEzNDJfU1RVU19QUkJMT
    V9TUkdDTF9XTkQ+XjwvTTEzNDJfU1RVU19QUkJMTV9TUkdDTF9XTkQ+DQo8TTE0MDBfV0hFTl9EWVNQTkVJQz4wMDwvTTE0MDBfV0hFTl9EWVNQTkVJQ
    z4NCjxNMTYwMF9VVEk+MDA8L00xNjAwX1VUST4NCjxNMTYyMF9CV0xfSU5DT05UPjAwPC9NMTYyMF9CV0xfSU5DT05UPg0KPE0xNzAwX0NPR19GVU5DV
    ElPTj4wMDwvTTE3MDBfQ09HX0ZVTkNUSU9OPg0KPE0xNzEwX1dIRU5fQ09ORlVTRUQ+MDA8L00xNzEwX1dIRU5fQ09ORlVTRUQrDQo8TTE3MjBfV0hFT
    l9BTlhJT1VTPjAwPC9NMTcyMF9XSEVOX0FOWElPTnQ+DQo8TTE3NDBfQkRfREVMVVNJT05TPjA8L00xNzQwX0JEX0RFTFVTU0OUz4NCjxNTc0MF9CR
    F9JTVBfREVDSVNOPjE8L00xNzQwX0JEX0lNUF9ERUNJU04+DQo8TTE3NDBfQkRfTUVNX0RFRklDSVQ+MDwvTTE3NDBfQkRfTUVNX0RFRklDSVQrDQo8T
    TE3NDBfQkRfTk9ORT4wPC9NMTc0MF9CRF9OT05FPg0KPE0xNzQwX0JEX1BIWVNJQ0FMPjA8L00xNzQwX0JEX1BIWVNJQ0FMPg0KPE0xNzQwX0JEX1NPQ
    19JTkFQUFJPPjA8L00xNzQwX0JEX1NPQ19JTkFQUFJPPg0KPE0xNzQwX0JEX1ZFUkJBTD4wPC9NMTc0MF9CRF9WRVJCQUw+DQo8TTE3NDVfQkFfU1RBU
    0JfRlJFUT4wMDwvTTE3NDVfQkFfU1RBU0JfRlJFUT4NCjxNMTgwMF9DUk5UX0dST09NSU5HPjAwPC9NMTgwMF9DUk5UX0dST09NSU5HPg0KPE0xODEwX
    0NSTlRfRFJFU1NfVVBQRVI+MDA8L00xODEwX0NSTlRfRFJFU1NfVVBQRVI+DQo8TTE4MjBfQ1JOVF9EUkVTU19DRUJfUFJTVUxDUj4wPC9NMTgyMF9DUk5UX
    kVTU19MT1dFUj4NCjxNMTgzMF9DUk5UX0JBVEhPPjAyPC9NMTgzMF9DUk5UX0JBVEhPPg0KPE0xODQwX0NSTlRfVE9JTFRHPjAyPC9NMTg0MF9DUk5UX
    1RPSUxURz4NCjxNMTg0NV9DUk5UX1RPSUxUR19IWUdOPjAwPC9NMTg0NV9DUk5UX1RPSUxUR19IWUdOPg0KPE0xODUwX0NSTlRfVFJOU0ZSTkc+MDA8L
    00xODUwX0NSTlRfVFJOU0ZSTkc+DQo8TTE4NjBfQ1JOVF9BTUJMVE4+MDQ8L00xODYwX0NSTlRfQU1CTFROPg0KPE0xODcwX0NSTlRfRkVFRElORz4wM
    zwvTTE4NzBfQ1JOVF9GRUVESU5HPg0KPE0yMDA1X01EQ1ROX0lOVFJWVE4+MDwvTTIwMDVfTURDVE5fSU5UUlZUTj4NCjxNMjAxNl9EULVHX0VEQ1ROX
```

```
    0lOVFJWVE4+MDA8L00yMDE2X0RSVUdfRURDVE5fSU5UUlZUTj4NCjxNMjAyMF9DUk5UX01HTVRfT1JBTF9NRENUTj4wMDwvTTIwMjBfQ1JOVF9NR01UX
    09SQUxfTURDVE4+DQo8TTIxMDJfQ0FSRV9UWVBFX1NSQ19BREw+MDA8L00yMTAyX0NBUkVfVFlQRV9TUkNfQURMPg0KPE0yMTAyX0NBUkVfVFlQRV9TU
    kNfTURDVE4+MDE8L00yMTAyX0NBUkVfVFlQRV9TUkNfTURDVE4+DQo8TTIxMDJfQ0FSRV9UWVBFX1NSQ19QUkNEUj4wMTwvTTIxMDJfQ0FSRV9UWVBFX
    1NSQ19QUkNEUj4NCjxNMjEwMl9DQVJFX1RZUEVfU1JDX1NQUlZTTj4wMTwvTTIxMDJfQ0FSRV9UWVBFX1NSQ19TUFJWU04+DQo8TTIzMDFfRU1FUl9VU
    0VfQUZUUl9MQVNUX0FTTVQ+MDA8L00yMzAxX0VNRVJfVVNFX0FGVFJfTEFTVF9BU01UPg0KPE0yMzEwX0VDUl9IWVBPR0xZQz5ePC9NMjMxMF9FQ1JfS
    FlQT0dMWUM+DQo8TTIzMTBfRUNSX01FRElDQVRJT04+XjwvTTIzMTBfRUNSX01FRElDQVRJT04+DQo8TTIzMTBfRUNSX09USEVSPl48L00yMzEwX0VDU
    l9PVEhFUj4NCjxNMjMxMF9FQ1JfVU5LTk9XTj5ePC9NMjMxMF9FQ1JfVU5LTk9XTj4NCjxNMjQwMV9JTlRSVlROX1NNUllfREJUU19GVD5ePC9NMjQwM
    V9JTlRSVlROX1NNUllfREJUU19GVD4NCjxNMjQwMV9JTlRSVlROX1NNUllfRFBSU04+MDA8L00yNDAxX0lOVFJWVE5fU01SWV9EUFJTTj4NCjxNMjQwM
    V9JTlRSVlROX1NNUllfRkFMTF9QUlZOVD4wMDwvTTI0MDFfSU5UUlZUTl9TTVJZX0ZBTExfUFJWTlQ+DQo8TTI0MDFfSU5UUlZUTl9TTVJZX1BBSU5fT
    U5UUj4wMDwvTTI0MDFfSU5UUlZUTl9TTVJZX1BBSU5fTU5UUj4NCjxNMjQwMV9JTlRSVlROX1NNUllfUFJTVUxDX1BSVk4+MDE8L00yNDAxX0lOVFJWV
    E5fU01SWV9QUlNVTENfUFJWTj4NCjxNMjQwMV9JTlRSVlROX1NNUllfUFJTVUxDX1dFVD4wMTwvTTI0MDFfSU5UUlZUTl9TTVJZX1BSU1VMQ19XRVQ+D
    Qo8TTI0MTBfSU5QQVRfRkFDSUxJVFk+TkE8L00yNDEwX0lOUEFUX0ZBQ0lMSVRZPg0KPE0yNDIwX0RTQ0hSR19ESVNQPjAxPC9NMjQyMF9EU0NIUkdfR
    ElTUD4NCjxOQVRMX1BSVkRSX0lEPjEzMDYzNDk2NDI8L05BVExfUFJWRFJfSUQ+DQo8U0ZXX0VNQUlMX0FEUj5oaGhzcGNDTVNzdWJtaXNzaW9uc0Blc
    GljLmNvbTwvU0ZXX0VNQUlMX0FEUj4NCjxTRldfSUQ+MzkxMzE5OTUwPC9TRldfSUQ+DQo8U0ZXX05BTUU+RXBpYzwvU0ZXX05BTUU+DQo8U0ZXX1BST
    0RfTkFNRT5FcGljPC9TRldfUFJPRF9OQU1FPg0KPFNGV19QUk9EX1ZSU05fQ0Q+OS43PC9TRldfUFJPRF9WUlNOX0NEPg0KPFNQRUNfVlJTTl9DRD4yL
    jMxPC9TUEVDX1ZSU05fQ0Q+DQo8U1RBVEVfQ0Q+V0k8L1NUQVRFX0NEPg0KPFRSQU5TX1RZUEVfQ0Q+MTwvVFJBTlNfVFlQRV9DRD4NCjwvQVNTRVNTT
    UVOVD4NCg=="
}
```


Change log

Epic Version	Description	Type
Nov 2026	The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation.	Breaking change

23.1.14 Binary.Read (Outside Record - Clinical Notes) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10996-Binary-Read-Outside-Record-Clinical-Notes-R4.html	
Epic API ID	10996
FHIR version	R4
Categories	Infrastructure Documents & Lists, CMS Incoming
API type	USCDI
API group	Outside Record - Clinical Notes Group
A la carte	Industry-Standard Level 1 Group
USCDI	Yes
Available in inpatient and other contexts	Yes
HTTP method	GET
URL template	/api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0	True
Supported user types	Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation	False
Source	https://fhir.epic.com/Specifications?api=10996

Description

Given a Binary FHIR ID, this web service returns the note or document content. Plain text notes are converted to HTML. The DocumentReference (Outside Record - Clinical Notes) (R4) resource can be used to obtain Binary FHIR IDs for notes.

When a read request is made for the Binary resource using an Accept header value of "application/fhir+xml" or "application/fhir+json", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the “data” element. The samples on this page represent that scenario. Alternatively, if one of the two Accept header values is not specified, the raw content is returned directly using the associated content type and the content type can be discerned from the Content-Type header of the response.

Request parameters

Name	Type	Optional	Array	Cardinality	Description
ID	token	Required			The FHIR ID for the Binary resource.

Response elements

Name	Type	Optional	Array	Cardinality	Description
Binary (R4)	Binary				A single instance of a FHIR Binary resource.
Binary (R4).contentType	String			1..1	The content type. For example, "text/html".
Binary (R4).data	String			1..1	The note or document content as a base64-encoded string.
Binary (R4).id	String			1..1	The FHIR ID for the Binary resource.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary/eibaYRQF6yVTF.5R2n92hhMhIzS.lJx9doPV5HgjIawc3
```

Sample response


```
{"resourceType":"Binary",
"id":"eibaYRQF6yVTF.5R2n92hhMhIzS.lJx9doPV5HgjIawc3",
"contentType":"text/html",
"data":"PGRpdiBjbGFzcz0iZm10Q29udiIgc3R5bGU9ImxpbmUtaGVpZ2h0OiBub3JtYWw7IGZvbnQtZmFtaWx5OiBBcmlhbDsiPg0KIDxkaXY+PHNwYW4g
    c3R5bGU9ImZvbnQtc2l6ZTogMTBwdDsgZm9udC1mYW1pbHk6ICdTRUdPRSBVSScsIHNhbnMtc2VyaWY7ICI+Tm90ZSBUZXh0OiBQcm9ncmVzcyBOb3Rl
    PC9zcGFuPjwvZGl2Pg0KIDxkaXY+PHNwYW4gc3R5bGU9ImZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNv
```

bG9yOiAjMDAwMDAwOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXNpemU6IDExcHQ7IGZvbnQtZmFtaWx5OiBD
YWxpYnJpLCBzYW5zLXNlcmlmOyBjb2xvcjogIzAwMDAwMDsgIj4mbHQ7YiZndDtCT0xEJmx0Oy9iJmd0Ozwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFu
IHN0eWxlPSJmb250LXNpemU6IDExcHQ7IGZvbnQtZmFtaWx5OiBDYWxpYnJpLCBzYW5zLXNlcmlmOyBjb2xvcjogIzAwMDAwMDsgIj4mbmJzcDs8L3Nw
YW4+PC9kaXY+DQogPGRpdj48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmks
IHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMDAwOyAiPkJPTERERREQ8L3NwYW4+PC9kaXY+DQogPGRpdj48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJv
bGQ7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMDAwOyAiPiZuYnNwOzwvc3Bhbj48
L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXdlaWdodDogYm9sZDsgZm9udC1zaXplOiAxMXB0OyBmb250LWZhbWlseTogQ2FsaWJyaSwgc2Fu
cy1zZXJpZjsgY29sb3I6ICMwMEZGMDA7ICI+ZnNkZnNkZjwvc3Bhbj48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTogMTFw
dDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPnNkZnNkZnNkZjwvc3Bhbj48c3BhbiBzdHlsZT0iZm9u
dC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTogMTZwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPnNk
ZnNkZjwvc3Bhbj48c3BhbiBzdHlsZT0iZm9udC1zdHlsZTogaXRhbGljOyBmb250LXdlaWdodDogYm9sZDsgZm9udC1zaXplOiAxNnB0OyBmb250LWZh
bWlseTogQ2FsaWJyaSwgc2Fucy1zZXJpZjsgY29sb3I6ICMwMDAwRkY7ICI+c2Rmc2RmPC9zcGFuPjwvZGl2Pg0KIDxkaXY+PHNwYW4gc3R5bGU9IlZv
bnQtc3R5bGU6IGl0YWxpYzsgZm9udC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7
IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXdlaWdodDogYm9sZDsgZm9udC1zaXplOiAx
MXB0OyBmb250LWZhbWlseTogQ2FsaWJyaSwgc2Fucy1zZXJpZjsgY29sb3I6ICMwMEZGMDA7ICI+c2Rmc2RmPC9zcGFuPjwvZGl2Pg0KIDxkaXY+PHNw
YW4gc3R5bGU9IlZvbnQtc3R5bGU6IGl0YWxpYzsgZm9udC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmks
IHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTog
MTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48c3BhbiBzdHlsZT0iZm9u
dC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZu
YnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXdlaWdodDogYm9sZDsgZm9udC1zaXplOiAxMXB0OyBmb250LWZhbWlseTog
Q2FsaWJyaSwgc2Fucy1zZXJpZjsgY29sb3I6ICMwMEZGMDA7ICI+ZnNkZnNkZjwvc3Bhbj48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJvbGQ7IGZv
bnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4N
CiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXdlaWdodDogYm9sZDsgZm9udC1zaXplOiAxMXB0OyBmb250LWZhbWlseTogQ2FsaWJyaSwgc2Fucy1zZXJp
ZjsgY29sb3I6ICMwMEZGMDA7ICI+c2Rmc2RmPC9zcGFuPjwvZGl2Pg0KIDxkaXY+PHNwYW4gc3R5bGU9IlZvbnQtc3R5bGU6IGl0YWxpYzsgZm9udC13

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.16 Binary.Read (Provider Photo) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/983-Binary-Read-Provider-Photo-R4.html
Epic API ID | 983
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
USCDI | No
Keywords | pic;picture;pics;pictures
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2020
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=983

Description

Given a Binary FHIR ID, this web service returns the associated binary document, which is a Practitioner photo. Typically, a system first invokes the Practitioner resource to obtain the URL to a Binary resource.

When a read request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | The content type. For example, "image/jpeg".
Binary.data | String | True | | | Image content.

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/e1Aa5.W2M8iS873-A9H.S8w3
```

Sample response

```
<Binary xmlns="http://hl7.org/fhir">
  <id value="e1Aa5.W2M8iS873-A9H.S8w3"/>
  <contentType value="image/JPEG"/>
  <data value="/9j/4AAxqC/emUmI2RkDHXHtmZdMbo5bHycuMkyGquXbjLrKEpoyj7Jw+LZ/6b5lcXyfxHIb2Ti+6wYH+UIyrmNF3n7piSFogs5YV7tkY
    0u2TZK4UhUaK1nkYiCYxxrdlsMmWN7rMyHIg64MkkWx1i0nvgRzFyMi08larJ2lV61WyniFGxX1mZOZCYmdq7FpF6lJTzsXGt3sHXHq5aeXnMKKpVqmY
    NgyeutMFA2kJTnO5gsx708WtFvrhh8thX07/wA9eNVa4BXqx9jSde0iMabPefZGcPju/vx/bAmc1D3qRxF6lzVgh5WCDQlIxQhlL+qbIwKdOwcv2cMxW
    3uU0X0PNS03RuqPecZ5OJF3DPKqTMnce1rY/b2Lant54Ws/tq9Kv6gnb2AuQpQWnBpFZhXREM+uNkLJplHA6yrS/TGYZHvCMPZWUph+qAWmvOXUmNj0y
    Yi4xYXVe+1uO472Jj0iYsH5tHp7pQ/tx//Z"/>
</Binary>
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.17 Binary.Read (Radiology Results) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10230-Binary-Read-Radiology-Results-R4.html
Epic API ID | 10230
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Radiology Results Document Group
USCDI | No

Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10230

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Binary.contentType | String | False | | | This is always "application/pdf" for radiology result data.
Binary.data | String | False | | | The note or document content as a base64-encoded value.
Binary.id | String | False | | | The Binary FHIR ID.

Sample request

```
https://hostname/instance/api/FHIR/R4/Binary/eRGuw4B2nN9B9ytkVIiLZugpER.TyU0fwGuUA2WJgQyA3
```

Sample response


```
{
  "resourceType": "Binary",
  "id": "eRGuw4B2nN9B9ytkVIiLZugpER.TyU0fwGuUA2WJgQyA3",
  "contentType": "application/pdf",
  "data": "RXhhbXBsZSBuYXJyYXRpdmUgZm9yIGFzc2F5IGZlcnJpdGluLg=="
}
```


Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.1.18 Binary.Read (Study) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/11002-Binary-Read-Study-R4.html
Epic API ID | 11002
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Media Study Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=11002

Description

Given a Binary FHIR ID, this web service returns the content of the associated study document.

When a read request is made for the Binary resource using an Accept header value of "application/fhir+xml" or "application/fhir+json", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the "data" element. The samples on this page represent that scenario.

Alternatively, if one of those Accept header values is not specified, the raw content is returned directly using the associated content type, and the content type can be discerned from the Content-Type header of the response.

Binary Study references are returned in

Media.Read (Study) (R4)

responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary (R4) | Binary | | | | A single instance of a FHIR Binary resource.
Binary (R4).contentType | String | | | 0..1 | MIME Type of the binary content
Binary (R4).data | String | | | | Base64 encoded image.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary/f-860uR6HWQYh8OsfJaYcMQ4
```

Sample response


```
{
  "resourceType": "Binary",
  "id": "f-860uR6HWQYh8OsfJaYcMQ4",
  "contentType": "image/png",
  "data": "iVBORw0KGgoAAAANSUhEUgAAAnYAAAI5CAYAAAAsWndAAAAAAXNSR0IArs4c6QAAAARnQU1BAACxjwv8YQUAAAAJcEhZcwAADsMAAA7DAcdvq
    GQAAP+lSURBVHhe5P11dB3HtcZ/0hZYzIwWMzMzWbIsZmZmZm
```

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary?_id=f859KKT5DsrSxpFu8cSdkasOF3QBkgahtf5cQ5PV2ZcM4
Accept: application/fhir+json
```

Sample response

```
This is a response for a search on an RTF Binary with the Accept header set to "application/fhir+json"
{
  "resourceType": "Binary",
  "id": "f859KKT5DsrSxpFu8cSdkasOF3QBkgahtf5cQ5PV2ZcM4",
  "contentType": "text/rtf",
  "data": "e1xydGYxXGVwaWNWMTE1MDBcYW5zaVxzcGx0cGdwYXJcamV4cGFuZFxub3hsYXR0b3llbiANClxkZWZmMVxwYXBlcncxMjI0MFxwYXBlcmgxN
    Tg0MFxtYXJnbDE4MDBcbWFyZ3IxODAwXG1hcmd0MTQ0MFxtYXJnYjE0NDAgDQp7XGZvbnR0Ymx7XGYxXGZjaGFyc2V0MFxmc3dpc3MgQXJpYWw7fX0NC
    lxzZWN0ZFxoZWFkZXJ5NzIwXGZvb3Rlcnk3MjBccGFyZFxsdHJwYXIgDQpccGxhaW5cbHRyY2hcbGFuZzAgQmVkOlRSMDQ8QlI+RXhwZWN0ZWQgZGF0Z
    ToyLzE2LzA5PEJSPkV4cGVjdGVkIHRpbWU6IDM6NTYgUE08QlI+TWVhbnMgb2YgYXJyaXZhbDpBbWJ1bGFuY2U8QlI+Q29tbWVudHM6PEJSPjY1IHlyI
    G9sZCBtYWxlIHcvQ2hlc3QgUGFpblxwYXJ9"
}
```

23.1.20 Binary.Search (Clinical Notes) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10533-Binary-Search-Clinical-Notes-R4.html
Epic API ID | 10533
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Clinical Notes Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10533

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use

Binary.Read (Clinical Notes) (R4)

. This API supports only the _id parameter, so it is similar to a Binary.Read.

Given a Binary FHIR ID for a clinical note, this web service returns an HTML or RTF version of the note. The

DocumentReference (Clinical Notes) (R4)

resource can be used to obtain the HTML and RTF Binary FHIR IDs for notes.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary (R4) | Binary | | | | A single instance of a FHIR Binary resource.
Binary (R4).contentType | String | | | 1..1 | The MimeType of the binary content. For example, "text/html" or "text/rtf".
Binary (R4).data | String | | | 1..1 | Base64 encoded note or document content.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary?_id=f859KKT5DsrSxpFu8cSdkasOF3QBkgahtf5cQ5PV2ZcM4
Accept: application/fhir+json
```

Sample response

```
This is a response for a search on an RTF Binary with the Accept header set to "application/fhir+json"
{
  "resourceType": "Binary",
  "id": "f859KKT5DsrSxpFu8cSdkasOF3QBkgahtf5cQ5PV2ZcM4",
  "contentType": "text/rtf",
  "data": "e1xydGYxXGVwaWNWMTE1MDBcYW5zaVxzcGx0cGdwYXJcamV4cGFuZFxub3hsYXR0b3llbiANClxkZWZmMVxwYXBlcncxMjI0MFxwYXBlcmgxN
    Tg0MFxtYXJnbDE4MDBcbWFyZ3IxODAwXG1hcmd0MTQ0MFxtYXJnYjE0NDAgDQp7XGZvbnR0Ymx7XGYxXGZjaGFyc2V0MFxmc3dpc3MgQXJpYWw7fX0NC
    lxzZWN0ZFxoZWFkZXJ5NzIwXGZvb3Rlcnk3MjBccGFyZFxsdHJwYXIgDQpccGxhaW5cbHRyY2hcbGFuZzAgQmVkOlRSMDQ8QlI+RXhwZWN0ZWQgZGF0Z
```

```
    ToyLzE2LzA5PEJSPkV4cGVjdGVkIHRpbWU6IDM6NTYgUE08QlI+TWVhbnMgb2YgYXJyaXZhbDpBbWJ1bGFuY2U8QlI+Q29tbWVudHM6PEJSPjY1IHlyI
    G9sZCBtYWxlIHcvQ2hlc3QgUGFpblxwYXJ9"
}
```


Change log

Epic Version	Description	Type
Aug 2025	Plain notes documents supported as a response	Substantive change

Epic Version	Description	Type
Nov 2022	RTF documents supported as a response	Substantive change

23.1.21 Binary.Search (Clinical References) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10551-Binary-Search-Clinical-References-R4.html	
Epic API ID	10551
FHIR version	R4
Categories	Infrastructure Documents & Lists
API type	Industry-Standard
API group	Clinical Reference Document Group
USCDI	No
Available in inpatient and other contexts	Yes
HTTP method	GET
URL template	/api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0	True
Supported user types	Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation	False
Source	https://fhir.epic.com/Specifications?api=10551

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Given a Binary FHIR ID, this web service returns the content of the associated Clinical Reference document.

Response elements

Name	Type	Optional	Array	Cardinality	Description
Bundle	Bundle	False			Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry	BackboneElement	False	Yes		An array of entries included in this bundle.
Bundle.entry.resource	ResourceContainer	False			A container for a single FHIR resource.
Bundle.entry.resource.Binary	Binary	False			A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType	String	False			The content type. Always MineType Sufficient.
Bundle.entry.resource.Binary.data	String	False			The binary data – the content of the clinical reference document.

23.1.22 Binary.Search (Correspondences) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10556-Binary-Search-Correspondences-R4.html	
Epic API ID	10556
FHIR version	R4
Categories	Infrastructure Documents & Lists
API type	Industry-Standard
API group	Correspondences Document Group
USCDI	No
Available in inpatient and other contexts	Yes
HTTP method	GET
URL template	/api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0	True
Supported user types	Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation	False
Source	https://fhir.epic.com/Specifications?api=10556

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Given a Binary FHIR ID, this resource returns the associated binary document, which is a correspondence (for example, a letter). Typically, a client obtains the ID from a DocumentReference (Correspondences) read or search interaction.

Response elements

Name	Type	Optional	Array	Cardinality	Description
Bundle	Bundle	False			Resource bundle. For more information, refer to the FHIR specification.

Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | This is always "application/pdf" for correspondences.
Bundle.entry.resource.Binary.data | String | False | | | The content as a base64-encoded string.
Bundle.entry.resource.Binary.id | String | False | | | The Binary FHIR ID.

23.1.23 Binary.Search (Document Information) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10559-Binary-Search-Document-Information-R4.html
Epic API ID | 10559
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10559

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Given a Binary FHIR ID, this web service returns the associated document information record from within Epic. Typically, an integration must first invoke a different resource to obtain the URL to a Binary document information resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | The content type. For example, "application/vnd.midmark.car".
Bundle.entry.resource.Binary.data | String | False | | | The binary data.

23.1.24 Binary.Search (External CCDA) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10558-Binary-Search-External-CCDA-R4.html
Epic API ID | 10558
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | External CCDA Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10558

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Given a Binary FHIR ID, this web service returns the associated binary document, which is an External CDA. Typically, a client obtains the ID from a DocumentReference (External CDAs) read or search interaction.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.

Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | This is always "text/xml" for External CDAs.
Bundle.entry.resource.Binary.data | String | False | | | The external CDA content as a base64-encoded string.
Bundle.entry.resource.Binary.id | String | False | | | The Binary FHIR ID

Change log

Epic Version | Description | Type
May 2025 | DocumentReference and Binary (External CCDA) resource IDs will now be limited to 64 characters for clients configured to respect this limit. | Breaking change

23.1.25 Binary.Search (Generated CDAs) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10557-Binary-Search-Generated-CDAs-R4.html
Epic API ID | 10557
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Generated CCDA Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10557

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

This Epic implementation of Binary supports retrieving Clinical Document Architecture (CDA) documents via this FHIR resource. Note that Binary does not return existing CDA documents for a patient. Instead, it generates new CDA documents based on the current clinical content in the system to prevent the communication of stale data. Starting in the February 2025 version of Epic and optionally available in the November 2024, August 2024, and May 2024 versions of Epic, Binary includes or excludes sensitive data based on the security of the Care Everywhere background user. Patients will continue to receive documents containing the data that they are authorized to view, because this behavior respects Care Everywhere filtering.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | MimeType of the binary content. This is always "application/xml" because CDA documents are the only Binary content supported.
Bundle.entry.resource.Binary.data | String | False | | | The actual content.
Bundle.entry.resource.Binary.id | String | False | | | The Binary FHIR ID.

Change log

Epic Version | Description | Type
May 2024 | Patient summary CCDAs now respect Care Everywhere filtering and may exclude sensitive encounters previously available. | Breaking change

23.1.26 Binary.Search (Handoff) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10550-Binary-Search-Handoff-R4.html
Epic API ID | 10550
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Handoff Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients

Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10550

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

The Binary (Handoff) web service returns content associated with a handoff report. Typically, a client obtains the Binary ID by first completing a DocumentReference (Handoff) read or search interaction.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | This is always "text/html" for handoff reports.
Bundle.entry.resource.Binary.data | String | False | | | The note or document content, which is first converted to HTML and then returned as a base64-encoded string.
Bundle.entry.resource.Binary.id | String | False | | | The Binary FHIR ID

23.1.27 Binary.Search (HIS) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10552-Binary-Search-HIS-R4.html
Epic API ID | 10552
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | HIS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10552

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Given a Binary FHIR ID, this web service returns the associated binary document, which is an HIS assessment. Typically, a client obtains the ID from a DocumentReference (HIS) read or search interaction.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | This is always "text/xml" for HIS assessments.
Bundle.entry.resource.Binary.data | String | False | | | The assessment content as a base64-encoded string.
Bundle.entry.resource.Binary.id | String | False | | | The FHIR ID

23.1.28 Binary.Search (IRF-PAI) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10553-Binary-Search-IRF-PAI-R4.html
Epic API ID | 10553
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | IRF-PAI Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False

Source | https://fhir.epic.com/Specifications?api=10553

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Given a Binary FHIR ID, this web service returns the associated binary document, which is an Inpatient Rehab Facility Patient Assessment Instrument (IRF-PAI) in XML form. The documentation on the IRF-PAI will differ depending on the version. For more information on data specifications between versions, visit the CMS website. Typically, a client obtains the ID from a DocumentReference (IRF-PAI) read or search interaction. If the request is an EHI export request, it will not return third-party data.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | Format of how the response will be displayed.
Bundle.entry.resource.Binary.data | String | False | | | Content of the requested IRF-PAI
Bundle.entry.resource.Binary.id | String | False | | | The Binary FHIR ID

23.1.29 Binary.Search (Labs) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10554-Binary-Search-Labs-R4.html
Epic API ID | 10554
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Labs Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10554

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use

Binary.Read (Labs) (R4)

. This API supports only the _id parameter, so it is similar to a Binary.Read.

Given a Binary FHIR ID, this web service returns documentation related to a lab order, which can represent the order narrative, impression, or addenda. The

DocumentReference (Labs) (R4)

resource can be used to obtain a Binary FHIR ID for lab documentation.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary (R4) | Binary | | | | A single instance of a FHIR Binary resource.
Binary (R4).contentType | String | | | 1..1 | This is always "text/html" for labs data.
Binary (R4).data | String | | | 1..1 | The note or document content, which is first converted to HTML and then returned as a base64-encoded string.
Binary (R4).id | String | | | 1..1 | The Binary FHIR ID.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary?_id=eUt8Ivo7d3tDjElMe7IZ2Yhngqtc8Mj02lY-FRCKsRW03
```

```
Accept: application/fhir+json
```

Sample response

```
This example is with the Accept header set to application/fhir+json
{
  "resourceType": "Binary",
  "id": "eUt8Ivo7d3tDjElMe7IZ2Yhngqtc8Mj02lY-FRCKsRW03",
  "contentType": "text/html",
  "data": "Q2VydmljYWwgY3l0b2xvZ3kgbmVnYXRpdmUgZm9yIG1hbGlnbmFudCBjZWxscy4gJm5ic3A7RW5kb2NlcnZpY2FsPGJyPmNlbGxzIGlkZW50aWZpZWQuICZuYnNwO0NsYXNzIDEu"
}
```

23.1.30 Binary.Search (Minimum Data Set) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10560-Binary-Search-Minimum-Data-Set-R4.html
Epic API ID | 10560
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | MDS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10560

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Given a Binary FHIR ID, this web service returns the associated binary document, which is a Minimum Data Set (MDS) in XML form. Typically, a client obtains the ID from a DocumentReference (MDS) read or search interaction.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | Format of how the response will be displayed.
Bundle.entry.resource.Binary.data | String | False | | | Content of the requested MDS.
Bundle.entry.resource.Binary.id | String | False | | | The Binary FHIR ID.

23.1.31 Binary.Search (OASIS) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10561-Binary-Search-OASIS-R4.html
Epic API ID | 10561
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | OASIS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10561

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Given a Binary FHIR ID, this web service returns the associated binary document, which is an OASIS assessment. Typically, a client obtains the ID from a DocumentReference (OASIS) read or search interaction.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | This is always "text/xml" for OASIS assessments.
Bundle.entry.resource.Binary.data | String | False | | | The assessment content as a base64-encoded string.
Bundle.entry.resource.Binary.id | String | False | | | The Binary FHIR ID.

23.1.32 Binary.Search (Outside Record - Clinical Notes) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10997-Binary-Search-Outside-Record-Clinical-Notes-R4.html
Epic API ID | 10997
FHIR version | R4
Categories | Infrastructure Documents & Lists, CMS Incoming
API type | USCDI
API group | Outside Record - Clinical Notes Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10997

Description

Given a Binary FHIR ID, this web service returns the note or document content. Plain text notes are converted to HTML. The DocumentReference (Outside Record - Clinical Notes) (R4) resource can be used to obtain Binary FHIR IDs for notes.

When a read request is made for the Binary resource using an Accept header value of "application/fhir+xml" or "application/fhir+json", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the “data” element. The samples on this page represent that scenario. Alternatively, if one of the two Accept header values is not specified, the raw content is returned directly using the associated content type and the content type can be discerned from the Content-Type header of the response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others are ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary (R4) | Binary | | | | A single instance of a FHIR Binary resource.
Binary (R4).contentType | String | | | 1..1 | The content type. For example, "text/html".
Binary (R4).data | String | | | 1..1 | The note or document content as a base64-encoded string.
Binary (R4).id | String | | | 1..1 | The FHIR ID for the Binary resource.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary?_id=eibaYRQF6yVTF.5R2n92hhMhIzS.lJx9doPV5HgjIawc3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Binary?_id=eibaYRQF6yVTF.5R2n92hhMhIzS.lJx9doPV5HgjIawc3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Binary/eibaYRQF6yVTF.5R2n92hhMhIzS.lJx9doPV5HgjIawc3"
```

```
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Binary/eibaYRQF6yVTF.5R2n92hhMhIzS.lJx9doPV5HgjIawc3",
      "resource": {
           "id":"eibaYRQF6yVTF.5R2n92hhMhIzS.lJx9doPV5HgjIawc3",
           "contentType":"text/html",
"data":"PGRpdiBjbGFzcz0iZm10Q29udiIgc3R5bGU9ImxpbmUtaGVpZ2h0OiBub3JtYWw7IGZvbnQtZmFtaWx5OiBBcmlhbDsiPg0KIDxkaXY+PHNwYW4g
    c3R5bGU9ImZvbnQtc2l6ZTogMTBwdDsgZm9udC1mYW1pbHk6ICdTRUdPRSBVSScsIHNhbnMtc2VyaWY7ICI+Tm90ZSBUZXh0OiBQcm9ncmVzcyBOb3Rl
    PC9zcGFuPjwvZGl2Pg0KIDxkaXY+PHNwYW4gc3R5bGU9ImZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNv
    bG9yOiAjMDAwMDAwOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXNpemU6IDExcHQ7IGZvbnQtZmFtaWx5OiBD
    YWxpYnJpLCBzYW5zLXNlcmlmOyBjb2xvciguIzAwMDAwMDsgIj4mbHQ7YiZndDtCT0xEJmx0Oy9iJmd0Ozwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFu
    YW4+PC9kaXY+DQogPGRpdj48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmks
    IHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMDAwOyAiPkJPTEREREQ8L3NwYW4+PC9kaXY+DQogPGRpdj48c3BhbiBzdHlsZT0iZm9udC13ZWlnaHQ6IGJv
    bGQ7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMDAwOyAiPiZuYnNwOzwvc3Bhbj48
    L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXdlaWdodDogYm9sZDsgZm9udC1zaXplOiAxMXB0OyBmb250LWZhbWlseTogQ2FsaWJyaSwgc2Fu
    cy1zZXJpZjsgY29sb3I6ICMwMEZGMDA7ICI+c2Rmc2RmPC9zcGFuPjwvZGl2Pg0KIDxkaXY+PHNwYW4gc3R5bGU9ImZv
    dDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMDAwOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFu
    dC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTogMTZwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPnNk
    ZnNkZjwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXdlaWdodDogYm9sZDsgZm9udC1zaXplOiAxMXB0OyBmb250LWZhbWlseTog
    bWlseTogQ2FsaWJyaSwgc2Fucy1zZXJpZjsgY29sb3I6ICMwMDAwRkY7ICI+c2Rmc2RmPC9zcGFuPjwvZGl2Pg0KIDxkaXY+PHNwYW4gc3R5bGU9ImZv
    bnQtc3R5bGU6IGl0YWxpYzsgZm9udC13ZWlnaHQ6IGJvbGQ7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7
    IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtd2VpZ
    Z2h0OiBib2xkOyBmb250LXNp
emU6IDExcHQ7IGZvbnQtZmFtaWx5OiBDYWxpYnJpLCBzYW5zLXNlcmlmOyB0ZXh0LWRlY29yYXRpb246IHVuZGVybGluZTsgY29sb3I6ICMwMDAwRkY7ICI+
    VW5kZXJsaW5lPC9zcGFuPjwvZGl2Pg0KIDxkaXY+PHNwYW4gc3R5bGU9ImZvbnQtc3R5bGU6IGl0YWxpYzsgZm9udC13ZWlnaHQ6IGJvbGQ7IGZvbnQt
    c2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8
    ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtd2VpZ2h0OiBib2xkOyBmb250LXNpemU6IDExcHQ7IGZvbnQtZmFtaWx5OiBD
    YWxpYnJpLCBzYW5zLXNlcmlmOyB0ZXh0LWRlY29yYXRpb246IHVuZGVybGluZSBsaW5lLXRocm91Z2g7IGNvbG9yOiAjMDAwMEZGOyAiPlNUUklLRTwv
    c3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGli
    cmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPlZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBp
    dGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bh
    bj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmk
    sIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFs
    aWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2
    Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMt
    c2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZv
    bnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4N
    CiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2Vy
    aWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQt
    c2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8
    ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7
    IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6
    ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2
    PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNv
    bG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTog
    MTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2Pjxz
    cGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9y
    OiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFw
    dDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFu
    IHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAj
    MDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsg
    Zm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0
    eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAw
    MEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9u
    dC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxl
    PSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZG
    OyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1m
    YW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJm
    b250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAi
    PiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1p
    bHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250
    LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZu
    YnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6
    IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0
    eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNw
    Ozwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENh
    bGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxl
    OiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwv
    c3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGli
    cmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBp
    dGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bh
    bj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmk
    sIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFs
    aWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2
    Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMt
    c2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZv
    bnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4N
    CiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2Vy
    aWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQt
    c2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8
    ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7
    IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6
    ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2
    PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNv
    bG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTog
    MTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2Pjxz
    cGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9y
    OiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFw
    dDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFu
    IHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAj
    MDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsg
    Zm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0
    eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAw
    MEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9u
    dC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxl
    PSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZG
    OyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1m
    YW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJm
    b250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAi
    PiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1p
    bHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250
    LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZu
    YnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6
    IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0
    eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNw
    Ozwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENh
    bGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxl
    OiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwv
    c3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGli
    cmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBp
    dGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bh
    bj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmk
    sIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFs
    aWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2
    Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMt
    c2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZv
    bnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4N
    CiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2Vy
    aWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQt
    c2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8
    ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7
    IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6
    ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2
    PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNv
    bG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTog
    MTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2Pjxz
    cGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9y
    OiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFw
    dDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFu
    IHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAj
    MDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsg
    Zm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0
    eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAw
    MEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9u
    dC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxl
    PSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZG
    OyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1m
    YW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJm
    b250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAi
    PiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1p
    bHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250
    LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZu
    YnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPSJmb250LXN0eWxlOiBpdGFsaWM7IGZvbnQtc2l6ZTogMTFwdDsgZm9udC1mYW1pbHk6
    IENhbGlicmksIHNhbnMtc2VyaWY7IGNvbG9yOiAjMDAwMEZGOyAiPiZuYnNwOzwvc3Bhbj48L2Rpdj4NCiA8ZGl2PjxzcGFuIHN0eWxlPS
```

Epic API ID | 10555
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10555

Description

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Given a Binary FHIR ID, this web service returns the associated binary document, which is a Practitioner photo. Typically, a system first invokes the Practitioner resource to obtain the URL to a Binary resource.

When a request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | The content type. For example, "image/jpeg".
Bundle.entry.resource.Binary.data | String | False | | | Image content.
Bundle.entry.resource.Binary.id | String | False | | | The Binary FHIR ID.

23.1.35 Binary.Search (Radiology Results) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10562-Binary-Search-Radiology-Results-R4.html
Epic API ID | 10562
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Radiology Results Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10562

Description

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Binary | Binary | False | | | A single instance of a FHIR Binary resource.
Bundle.entry.resource.Binary.contentType | String | False | | | This is always "application/pdf" for radiology result data.
Bundle.entry.resource.Binary.data | String | False | | | The note or document content as a base64-encoded value.

23.1.36 Binary.Search (Study) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10992-Binary-Search-Study-R4.html
Epic API ID | 10992
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Media Study Group
A la carte | Industry-Standard Level 1 Group

USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Binary?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10992

Description

Given a Binary FHIR ID, this web service returns the content of the associated study document.

The Binary.Search interaction is intended only for Bulk FHIR clients. Other clients must use Binary.Read. This API supports only the _id parameter, so it acts similarly to a Read.

Binary Study references are returned in

Media.Search (Study) (R4)

responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary (R4) | Binary | | | | A single instance of a FHIR Binary resource.
Binary (R4).contentType | String | | | 0..1 | MIME Type of the binary content
Binary (R4).data | String | | | | Base64 encoded image.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Binary?_id=f-860uR6HWQYh8OsfJaYcMQ4
```

Sample response


```
{
  "resourceType": "Binary",
  "id": "f-860uR6HWQYh8OsfJaYcMQ4",
  "contentType": "image/png",
  "data": "iVBORw0KGgoAAAANSUhEUgAAAnYAAAI5CAYAAAAsWndAAAAAAXNSR0IArs4c6QAAAARnQU1BAACxjwv8YQUAAAAJcEhZcwAADsMAAA7DAcdvq
    GQAAP+lSURBVHhe5P11dB3HtcxR+zGzLcwOkzMzJ8YwOTGzLEuWmZmZmZ
```

data wipe if the patient is a no-show. When filed during pre-charting, the note must be filed with a preliminary status.

Alternatives

: HL7v2 Incoming MDM (Transcriptions) Interface can create rich text notes, interact with in basket, create encounters on the fly, and fuzzy match to encounters. HL7v2 Interfaces such as Scanned Documents or Incoming Orders can create PDFs.

The response of a Create depends on the Prefer header:

Prefer: return=minimal

returns the full URL to the resource in the Location header.

Prefer: return=representation

returns both the full URL to the resource in the Location header, as well as the full FHIR resource in the response body.

Request parameters

Name | Type | Optional | Array | Cardinality | Description

DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.

DocumentReference (R4).content | BackboneElement | Required | Yes | 1..1 | Note content.

DocumentReference (R4).content.attachment | Attachment | Required | | 1..1 | Content attachment. Epic only saves the first attachment.

DocumentReference (R4).content.attachment.contentType | String | Required | | 1..1 | Content type. This must be "text/plain".

DocumentReference (R4).content.attachment.data | String | Required | | 1..1 | The base64-encoded content of the note. The decoded content must be plain text; it cannot be RTF or HTML.

DocumentReference (R4).context | BackboneElement | Required | | 1..1 | The clinical context for this note.

DocumentReference (R4).context.encounter | Reference | Required | Yes | 1..1 | An Encounter FHIR reference for the encounter that you are filing the note to. This must be a clinical encounter that can hold a note. This encounter must belong to the subject.

DocumentReference (R4).docStatus | code | Required | | | The status the note should have when filed. Epic supports the following values when creating notes: preliminary final Documents marked "preliminary" are given an incomplete status in Epic so that a clinician can review or edit the document before signing it in Epic. All other documents are assigned a "final" status, which is the default value, and corresponds to a value of "signed" in Epic. Notes filed to pre-charting encounters must have a docStatus of "preliminary".

DocumentReference (R4).status | code | Optional | | 1..1 | The status of the document reference. The only supported value is "current".

DocumentReference (R4).subject | Reference | Required | | 1..1 | A Patient FHIR reference for the patient that you are filing the note to.

DocumentReference (R4).type | CodeableConcept | Required | | 1..1 | The note category ID or the LOINC code for the note type. Use case: Create notes by LOINC code system: http://loinc.org code: the LOINC codes below are supported. Epic organizations can map additional LOINC codes to note types as well. Discharge Summary (18842-5) Consultation (11488-4) History & Physical (34117-2) Progress Note (11506-3) Procedure Note (28570-0) Emergency Department Note (34111-5) Nurse Note (34746-8) Use case: Create notes by note type system: urn:oid:<Note Type OID> code: <Note Type> Additional information: <Note Type OID> and <Note Type> will vary by Epic organization. Work with the organization to obtain these values. This API cannot be used to create Discharge Instructions or Patient Instructions note types.

Response elements

Name | Type | Optional | Array | Cardinality | Description

DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.

DocumentReference (R4).authenticator | Reference | | | 0..1 | The last user who signed this note.

DocumentReference (R4).authenticator.extension (clinical-note-authentication-instant) (also: extension (clinical-note-authentication-instant)) | Extension | | Yes | 0..* | The last instant at which an authenticating user signed this note. This is represented as a FHIR dateTime. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-authentication-instant

DocumentReference (R4).authenticator.reference | String | | | 1..1 | The last user who signed this note.

DocumentReference (R4).author | Reference | | Yes | 1..* | The note's author.

DocumentReference (R4).author.reference | String | | | 1..1 | The note's author.

DocumentReference (R4).category | CodeableConcept | | Yes | 1..* | Categorization of the document. For DocumentReference (Clinical Notes) resources, this is always "clinical-note".

DocumentReference (R4).content | BackboneElement | | Yes | 1..* | The contents of a clinical note are provided by Binary resources and are available in both HTML format and Rich Text Format (RTF). A content element is provided for each format if the note contains text. Notes that were created from scans also provide an attachment for the scan's content if the scan can be retrieved with the Binary.Read (Clinical Note) (R4) API.

DocumentReference (R4).content.attachment | Attachment | | | 1..1 | A reference to a Binary FHIR resource that contains the note's content or the content of the scanned document that the note was created from.

DocumentReference (R4).content.attachment.contentType | String | | | 1..1 | MIME content type for this version of the note. This is either text/html for HTML or text/rtf for Rich Text Format. Other MIME types are given if the content is a scanned document. A third attachment with content type text/plain is returned to applications configured for NoteReader CDI. Some information is lost when content is converted to plain text. For example, images, styling, and Unicode characters are not preserved.

DocumentReference (R4).content.attachment.url | String | | | 1..1 | Reference to Binary FHIR resource that contains the note's content.

DocumentReference (R4).content.format | Coding | | | 1..1 | Always "mimetype Sufficient" system: http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem code: urn:ihe:iti:xds:2017:mimeTypeSufficient

DocumentReference (R4).context | BackboneElement | | | 1..1 | Clinical context for this note.

DocumentReference (R4).context.encounter | Reference | | Yes | 0..* | A FHIR Encounter reference for the encounter that this note belongs to.

DocumentReference (R4).context.encounter.extension (ce-encounter-id) (also: extension (ce-encounter-id)) | Extension | | Yes | 0..* | The ID of the Care Everywhere encounter associated with this note. URL: http://open.epic.com/FHIR/StructureDefinition/extension/ce-encounter-id

DocumentReference (R4).context.extension (clinical-note-author-provider-type) (also: extension (clinical-note-author-provider-type)) | Extension | | Yes | 0..* | The provider type of the provider who wrote the clinical note. NUCC Codes might also be returned in this extension if the organization has mapped them. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type

DocumentReference (R4).context.extension (clinical-note-post-procedure-diagnosis) (also: extension (clinical-note-post-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note after its related procedures have been completed. This is a CodeableConcept. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-post-procedure-diagnosis

DocumentReference (R4).context.extension (clinical-note-pre-procedure-diagnosis) (also: extension (clinical-note-pre-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note prior to a related procedure. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-pre-procedure-diagnosis

DocumentReference (R4).context.extension (clinical-note-service) (also: extension (clinical-note-service)) | Extension | | Yes | 0..* | The clinical service associated with this note. This refers to different hospital services such as internal medicine, intensive care, and cardiology. The service is represented as a CodeableConcept. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-service

DocumentReference (R4).context.period | Period | | | 1..1 | The date and time of service for this note.

DocumentReference (R4).context.practiceSetting | CodeableConcept | | | 0..1 | Note author's specialty. This is not returned in patient context.

DocumentReference (R4).context.related | Reference | | Yes | 0..* | This can be any of the following: A ServiceRequest reference for a procedure order associated with the note Observation (SmartData Elements) references for discrete data elements filed to the note An Epic order ID for an order associated with the note A Condition reference for problems associated with the note (not available in the patient-facing context)

DocumentReference (R4).custodian | Reference | | | 0..1 | The source organization that this note came from.

DocumentReference (R4).custodian.reference | String | | | 1..1 | The source organization that this note came from.

DocumentReference (R4).date | instant | | | 1..1 | Date and time when this note was created. This date and time might not be clinically relevant.

DocumentReference (R4).docStatus | code | | | 1..1 | The status of this note: preliminary: the note is an incomplete draft, or it has changes that are awaiting signing or cosigning. final: the note has been fully signed amended: the note has been fully signed and was amended since it was first signed entered-in-error: the note has been deleted

DocumentReference (R4).extension | Extension | | Yes

DocumentReference (R4).extension.extension (mode) (also: extension (mode)) | Extension | | Yes | 1..* | What role the signer had in signing the note: Signer: the person who signed this note Cosigner: a cosigner who cosigned this note without an attestation Attesting Cosigner: a cosigner who cosigned this note with a written attestation Transcription Authenticator: a person who authenticated this note if it was entered as a transcription This is a codeableConcept. URL: mode

DocumentReference (R4).extension.extension (party) (also: extension (party)) | Extension | | Yes | 1..* | Who signed this note. This is a reference to a Practitioner. URL: party

DocumentReference (R4).extension.extension (time) (also: extension (time)) | Extension | | Yes | 1..* | When this signature was made. URL: time

DocumentReference (R4).extension (clinical-note-author-provider-type) (also: extension (clinical-note-author-provider-type)) | Extension | | Yes | 0..* | The provider type of the provider who wrote the clinical note. This is a CodeableConcept. Possible provider types might be physician, registered nurse, case manager, or other types. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type

DocumentReference (R4).extension (clinical-note-inactive-instant) (also: extension (clinical-note-inactive-instant)) | Extension | Optional | Yes | 0..1 | The instant when the clinical note is considered inactive. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-inactive-instant

DocumentReference (R4).extension (clinical-note-interval-update) (also: extension (clinical-note-interval-update)) | Extension | | Yes | 0..* | Interval H&P notes that update this note. These are mainly used for surgical documentation. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-interval-update

DocumentReference (R4).extension (clinical-note-interval-update-source) (also: extension (clinical-note-interval-update-source)) | Extension | | Yes | 0..* | If this note is an Interval H&P note, then this extension references the note that this interval note updates. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-interval-update-source

DocumentReference (R4).extension (clinical-note-post-procedure-diagnosis) (also: extension (clinical-note-post-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note after its related procedures have been completed. This is a CodeableConcept. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-post-procedure-diagnosis

DocumentReference (R4).extension (clinical-note-pre-procedure-diagnosis) (also: extension (clinical-note-pre-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note prior to a related procedure. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-pre-procedure-diagnosis

DocumentReference (R4).extension (extension-DocumentReference.attester) (also: extension (extension-DocumentReference.attester)) | Extension | | Yes | 1..* | Participants who signed this note. URL: http://hl7.org/fhir/5.0/StructureDefinition/extension-DocumentReference.attester

DocumentReference (R4).id | id | | | 1..1 | The DocumentReference FHIR ID.

DocumentReference (R4).identifier | Identifier | | Yes | 1..* | The identifiers for this note in the Epic system.

DocumentReference (R4).status | code | | | 1..1 | The status of this DocumentReference. This is always "current".

DocumentReference (R4).subject | Reference | | | 1..1 | The patient that is the subject of the note.

DocumentReference (R4).type | CodeableConcept | | | 1..1 | The note type. There are three potential coding values for type. All will be present for Epic-released note types. For organization-specific note types, which coding values are present will depend on whether additional mapping was done by the organization. LOINC system: http://loinc.org code: <LOINC code> Note Type category system: ends in 7.4.737880.5010 (work with the organization to get their specific system) code: <category value> Epic-released categories system: urn:oid:1.2.840.114350.1.72.727879.69848980 code: <category value>

Sample request

```
POST https://hostname/instance/api/FHIR/R4/DocumentReference
{
  "resourceType": "DocumentReference",
  "docStatus": "final",
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "11506-3",
        "display": "Progress note"
      }
    ],
    "text": "Progress note"
  },
  "subject": {
    "reference": "Patient/eUEKdnYPKuCXlSq8WIYaPTA3",
    "display": "Bugsy, Beau Dakota"
  },
  "date": "2025-04-22T08:37:52Z",
  "author": [
    {
      "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3"
    }
  ],
  "content": [
    {
      "attachment": {
```

```
        "contentType": "text/plain",
        "data": "VGhpcyBpcyBhIHNpbXBsZSBwbGFpbiB0ZXh0IG5vdGU="
      }
    }
  ],
  "context": {
    "encounter": [
      {
        "reference": "Encounter/eKvkb8V4sgTKL9nm3MtDjXw3"
      }
    ]
  }
}
```

Sample response

```
Status code: Created (201)
Content-Type: application/json; charset=utf-8
Location: DocumentReference/ePpOtpLCSTFBNsWp4uy1XWw3
```

23.1.38 DocumentReference.Create (Document Information) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10050-DocumentReference-Create-Document-Information-R4.html
Epic API ID | 10050
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | POST
URL template | /api/FHIR/R4/DocumentReference/
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10050

Description

This web service is designed for scanning integrations through the Hyperdrive Scan Acquisition Workflow. It cannot be called outside of this workflow. For more information, see the Scan Acquisition documentation on this page: https://open.epic.com/Prototype/Hyperdrive

Request parameters

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.author | Reference | True | Yes | | Received by/Scan by user.
DocumentReference.category | CodeableConcept | False | Yes | | Category to indicate that this request is for Document Information creation: system: "http://open.epic.com/FHIR/StructureDefinition/documentreference-category" code: “document-information” display: “Document Information”
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.encounter | Reference | Required if the document type can only be attached at an Encounter level. Otherwise, optional. | Yes | | The encounter that the document is attached to.
DocumentReference.context.period | Period | False | | | Document service date and time.
DocumentReference.custodian | Reference | True | | | The display name for the current organization.
DocumentReference.date | instant | False | | | Document received date and time.
DocumentReference.description | String | False | | | Document Description.
DocumentReference.identifier | Identifier | False | Yes | | Document identifier.
DocumentReference.status | code | False | | | Document status, always be “current”.
DocumentReference.subject | Reference | False | | | The patient that is the subject of the document
DocumentReference.type | CodeableConcept | False | | | Document type.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.author | Reference | True | Yes | | Received by/Scan by user.
DocumentReference.category | CodeableConcept | False | Yes | | Category to indicate that this request is for Document Information creation: system: "http://open.epic.com/FHIR/StructureDefinition/documentreference-category" code: “document-information” display: “Document Information”
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.encounter | Reference | True | Yes | | The encounter that the document is attached to
DocumentReference.context.period | Period | True | | | Document service date and time
DocumentReference.context.related | Reference | True | Yes | | A reference to the referral-type ServiceRequest associated with this
DocumentReference.date | instant | True | | | Document received date and time
DocumentReference.description | String | True | | | Document description.
DocumentReference.identifier | Identifier | False | Yes | | Document identifier
DocumentReference.status | code | False | | | Always returns "current".

DocumentReference.subject | Reference | False | | | The patient that is the subject of the document.
DocumentReference.type | CodeableConcept | False | | | Document type.

Sample request

```
POST https://hostname/instance/api/FHIR/R4/DocumentReference/
<DocumentReference xmlns="http://hl7.org/fhir">
  <identifier>
    <use value="official"/>
    <system value="http://open.epic.com/FHIR/StructureDefinition/document-identifier"/>
    <value value="ID.123456789"/>
  </identifier>
  <status value="current"/>
  <type>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.686783.100"/>
      <code value="3000"/>
      <display value="Lab Result Scan"/>
    </coding>
  </type>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/documentreferencecategory"/>
      <code value="document-information"/>
      <display value="Document Information"/>
    </coding>
  </category>
  <subject>
    <reference value="Patient/ePD0eeFq.GMHG.aXttqP.Lw3"/>
  </subject>
  <date value="2020-08-10T19:34:02Z"/>
  <description value="Scanned lab results"/>
  <context>
    <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/documenteffective">
      <valuePeriod>
        <start value="2020-08-20T05:30:00Z"/>
      </valuePeriod>
    </extension>
    <encounter>
      <reference value="Encounter/eNUn2eocfTVNGxpakQDrzQZgQXx4Q9G7VOzZPKA5b-xI3"/>
    </encounter>
    <period>
      <start value="2020-08-20T05:00:00Z"/>
    </period>
    <related>
      <reference value="ServiceRequest/eyMKd3uyxo6FCijnvGJQO9nYcQ8RjP9JlFIk3RZV8kE3"/>
    </related>
  </context>
</DocumentReference>
```

Sample response

```
N/A
```

23.1.39 DocumentReference.Create (Non-Patient Document Information) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10303-DocumentReference-Create-Non-Patient-Document-Information-R4.html
Epic API ID | 10303
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Non-Patient Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | POST
URL template | /api/FHIR/R4/DocumentReference
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10303

Description

This web service is designed for scanning integrations to be used only with Epic’s Tapestry module. The Hyperdrive client can be configured to launch an external scan acquisition application that allows users to acquire scanned documents through a Document Management System (DMS) and associate documents with Epic records. These documents are saved as Document (DCS) records in Epic. Currently, we support associating documents acquired in this manner only with Employer Group records, which represent groups of members using the same benefit plan, Account records, which group together employer groups for the purposes of generating invoices and receiving payments, Communication records, which represent

records of communication between two entities, Vendor records, which represent a group of clinicians or clinics that an insurer has contracted with to provide services for a patient population, and Contract records, which contain claims payment information for billing and reimbursement adjudication. Contextual information, such as a FHIR Group ID representing an Employer Group, an Account ID representing an Account, a Communication ID representing a CRM, an Organization ID representing a vendor, or a Contract ID representing a contract can be passed as a context variable as part of the launch workflow. The scanning software can then use the Group.Read (Employer Group), Account.Read (Premium Billing), Communication.Read (Customer Relationship Management), Communication.Read (Non-Patient CRM),Organization.Read, or Contract.Read API to access information about the Employer Group, Account, CRM, Vendor, or Contract. When the scanning workflow is completed within the scanning system, the scanning application stores the scanned document's binary data to its server and files metadata about the scan to Epic using the DocumentReference.Create (Non-Patient Document Information) API. For Employer Group, Account, CRM, Vendor, and Contract scanning workflows, the FHIR Group ID, Account ID, CRM ID, or Organization ID provided as a launch context variable must be included in the DocumentReference.context.related property in the DocumentReference.Create (Non-Patient Document Information) API to link the scan to the Employer Group, Account, CRM, Vendor, or Contract.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.category | CodeableConcept | False | Yes | | Category to indicate that this request is for Document Information creation: system: "http://open.epic.com/FHIR/StructureDefinition/documentreference-category" code: “nonpatient-document-information” display: “Non-Patient Document Information”
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.related | Reference | True | Yes | | A reference to the resource type that is associated with this DocumentReference. The resource type linked here can represent various types of resources, such as Group (Employer Group), Account (Premium Billing), Communication (CRM), Organization (Vendor), or Contract (Healthcare Services Reimbursement).
DocumentReference.description | String | True | | | Document description.
DocumentReference.identifier | Identifier | False | Yes | | Document identifier.
DocumentReference.status | code | False | | | The status.
DocumentReference.type | CodeableConcept | False | | | Document type.

Sample request

```
<DocumentReference xmlns="http://hl7.org/fhir">
  <identifier>
    <use value="official"/>
    <system value="http://open.epic.com/FHIR/StructureDefinition/document-identifier"/>
    <value value="ID.123456789"/>
  </identifier>
  <status value="current"/>
  <type>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.686783.100"/>
      <code value="18100"/>
      <display value="Employer Group Scan"/>
    </coding>
  </type>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/documentreferencecategory"/>
      <code value="nonpatient-document-information"/>
      <display value="Non-Patient Document Information"/>
    </coding>
  </category>
  <description value="Scanned employer group benefits"/>
  <context>
    <related>
      <reference value="Group/eqv3buSVDoRkM9AR9M65K8kVmuesdX2DBNVxiQ-Tvg4Q3"/>
    </related>
  </context>
</DocumentReference>
```

Sample response

```
{
  "resourceType": "DocumentReference",
  "id": "eRWmDCZsaFi-xtV1Xlf5n0kQBTKTx20gSJtuLyYQj3gc3",
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.686783",
      "value": "701761"
    },
    {
      "use": "official",
```

```
      "system": "http://open.epic.com/FHIR/StructureDefinition/document-identifier",
      "value": "Capture3.jpg7544139718055786"
    }
  ],
  "status": "current",
  "type": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.686783.100",
        "code": "18100",
        "display": "Employer Group Attachment"
      }
    ],
    "text": "Employer Group Attachment"
  },
  "category": [
    {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/documentreference-category",
          "code": "nonpatient-document-information",
          "display": "Non-Patient Document Information"
        }
      ],
      "text": "Non-Patient Document Information"
    }
  ],
  "custodian": {
    "display": "Current Stage 1 Primary"
  },
  "description": "Hyperdrive scan acquisition",
  "content": [
    {
      "extension": [
        {
          "valueCode": "not-applicable",
          "url": "http://hl7.org/fhir/StructureDefinition/data-absent-reason"
        }
      ]
    }
  ],
  "context": {
    "related": [
      {
        "reference": "Group/eLCZz8nhM-unXAHaPq473xIlE.vITkhCM46Lnlbodl Zc3"
      }
    ]
  }
}
```


23.1.40 DocumentReference.Read (Advance Directive) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/40295-DocumentReference-Read-Advance-Directive-R4.html
Epic API ID | 40295
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Advance Directive Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=40295

Description

DocumentReference.Read (Advance Directive) can be used to find information about a specific advance directive document.

Binary.Read (Advance Directive) (R4)

can be used to return the document content for the Binary attachments found in the DocumentReference.Read (Advance Directive) responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | 1..1 | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description

DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.

DocumentReference (R4).authenticator (also: authenticator) | Reference | | | 0..1 | The user who authenticated the document.

DocumentReference (R4).author (also: author) | Reference | | Yes | 0..* | Who authored the document. Possible resource types are: Practitioner, Patient, or RelatedPerson.

DocumentReference (R4).category (also: category) | CodeableConcept | | Yes | 1..1 | Categorization of document. For DocumentReference (Advance Directive) resources, this is always LOINC code 42348-3.

DocumentReference (R4).content (also: content) | BackboneElement | | Yes | 1..1 | The contents of a document are provided by Binary resources.

DocumentReference (R4).content.attachment (also: attachment) | Attachment | | | 1..1 | The Binary FHIR resource that contains the document's content.

DocumentReference (R4).content.attachment.contentType (also: contentType) | String | | | 1..1 | MIME type of the content, with charset etc.

DocumentReference (R4).content.attachment.url (also: url) | String | | | 1..1 | The Binary FHIR resource that contains the document's content.

DocumentReference (R4).content.format (also: format) | Coding | | | 0..1 | Format/content rules for the document

DocumentReference (R4).date (also: date) | instant | | | 0..1 | When this document was created

DocumentReference (R4).extension (us-core-authentication-time) (also: extension (us-core-authentication-time)) | Extension | | Yes | 0..1 | This extension indicates when the information in the document was verified. URL: http://hl7.org/fhir/us/core/StructureDefinition/us-core-authentication-time

DocumentReference (R4).identifier (also: identifier) | Identifier | | Yes | 0..* | Other identifiers for the document

DocumentReference (R4).status (also: status) | code | | | 1..1 | The status of this DocumentReference. If the document's record state is inactive or deleted, this is always "entered-in-error". If the document is expired, this is "superseded". In all other cases, this is "current", which matches the behavior of DocumentReference (Document Information).

DocumentReference (R4).subject (also: subject) | Reference | | | 1..1 | The patient who is the subject of the document.

DocumentReference (R4).type (also: type) | CodeableConcept | | | 1..1 | The document type. The value must come from the Advance Healthcare Directive Document Types Grouper.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/DocumentReference/fNf9Y3w2WtrOnwWjPXoajjg4
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "fNf9Y3w2WtrOnwWjPXoajjg4",
  "extension": [
    {
      "valueDateTime": "2026-05-08T18:39:21Z",
      "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-authentication-time"
    }
  ],
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.686783",
      "value": "222222"
    },
    {
      "use": "official",
      "system": "http://open.epic.com/FHIR/StructureDefinition/document-identifier",
      "value": "111111,111111.pdf"
    }
  ],
  "status": "current",
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "93037-0",
        "display": "Portable medical order form"
      }
    ],
    "text": "Portable medical order form"
  },
  "category": [
    {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "42348-3",
          "display": "Advance healthcare directives"
        }
      ],
      "text": "Advance healthcare directives"
    }
  ],
  "subject": {
    "reference": "Patient/eabcdecd1hijklmnop88883",
    "display": "FHIR, Test Patient"
  },
  "date": "2026-05-08T18:39:21Z",
  "author": [
    {
      "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
      "type": "Practitioner",
```

```
      "display": "FHIR Test Physician, MD"
    }
  ],
  "authenticator": {
    "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
    "type": "Practitioner",
    "display": "FHIR Test Physician, MD"
  },
  "content": [
    {
      "attachment": {
        "contentType": "application/pdf",
        "url": "Binary/enCLZgyDBPcCO5JG1B9eJ7hmoD428tXX7KqJtknYFiYQ3"
      },
      "format": {
        "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
        "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
        "display": "mimeType Sufficient"
      }
    }
  ]
}
```


23.1.41 DocumentReference.Read (Clinical Notes) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/1047-DocumentReference-Read-Clinical-Notes-R4.html
Epic API ID | 1047
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Clinical Notes Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
URL template | api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1047

Description

Documentreference.Read (Clinical Notes) can be used to find information about a specific clinical note.

Binary.Read (Clinical Notes) (R4)

can be used to return the note content for the Binary references found in the Documentreference.Read (Clinical Notes) responses

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | 1..1 | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.
DocumentReference (R4).authenticator | Reference | | | 0..1 | The last user who signed this note.
DocumentReference (R4).authenticator.extension (clinical-note-authentication-instant) (also: extension (clinical-note-authentication-instant)) | Extension | | Yes | 0..* | The last instant at which an authenticating user signed this note. This is represented as a FHIR dateTime. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-authentication-instant
DocumentReference (R4).authenticator.reference | String | | | 1..1 | The last user who signed this note.
DocumentReference (R4).author | Reference | | Yes | 1..* | The note's author.
DocumentReference (R4).author.reference | String | | | 1..1 | The note's author.
DocumentReference (R4).category | CodeableConcept | | Yes | 1..* | Categorization of the document. For DocumentReference (Clinical Notes) resources, this is always "clinical-note".
DocumentReference (R4).content | BackboneElement | | Yes | 1..* | The contents of a clinical note are provided by Binary resources and are available in both HTML format and Rich Text Format (RTF). A content element is provided for each format if the note contains text. Notes that were created from scans also provide an attachment for the scan's content if the scan can be retrieved with the Binary.Read (Clinical Note) (R4) API.
DocumentReference (R4).content.attachment | Attachment | | | 1..1 | A reference to a Binary FHIR resource that contains the note's content or the content of the scanned document that the note was created from.
DocumentReference (R4).content.attachment.contentType | String | | | 1..1 | MIME content type for this version of the note. This is either text/html for HTML or text/rtf for Rich Text Format. Other MIME types are given if the content is a scanned document. A third attachment with content type text/plain is returned to applications configured for NoteReader CDI. Some information is lost when content is converted to plain text. For example, images, styling, and Unicode characters are not preserved.
DocumentReference (R4).content.attachment.url | String | | | 1..1 | Reference to Binary FHIR resource that contains the note's content.

DocumentReference (R4).content.format | Coding | | | 1..1 | Always "mimetype Sufficient" system: http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem code: urn:ihe:iti:xds:2017:mimeTypeSufficient

DocumentReference (R4).context | BackboneElement | | | 1..1 | Clinical context for this note.

DocumentReference (R4).context.encounter | Reference | | Yes | 0..* | A FHIR Encounter reference for the encounter that this note belongs to.

DocumentReference (R4).context.encounter.extension (ce-encounter-id) (also: extension (ce-encounter-id)) | Extension | | Yes | 0..* | The ID of the Care Everywhere encounter associated with this note. URL: http://open.epic.com/FHIR/StructureDefinition/extension/ce-encounter-id

DocumentReference (R4).context.extension (clinical-note-author-provider-type) (also: extension (clinical-note-author-provider-type)) | Extension | | Yes | 0..* | The provider type of the provider who wrote the clinical note. NUCC Codes might also be returned in this extension if the organization has mapped them. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type

DocumentReference (R4).context.extension (clinical-note-post-procedure-diagnosis) (also: extension (clinical-note-post-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note after its related procedures have been completed. This is a CodeableConcept. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-post-procedure-diagnosis

DocumentReference (R4).context.extension (clinical-note-pre-procedure-diagnosis) (also: extension (clinical-note-pre-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note prior to a related procedure. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-pre-procedure-diagnosis

DocumentReference (R4).context.extension (clinical-note-service) (also: extension (clinical-note-service)) | Extension | | Yes | 0..* | The clinical service associated with this note. This refers to different hospital services such as internal medicine, intensive care, and cardiology. The service is represented as a CodeableConcept. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-service

DocumentReference (R4).context.period | Period | | | 1..1 | The date and time of service for this note.

DocumentReference (R4).context.practiceSetting | CodeableConcept | | | 0..1 | Note author's specialty. This is not returned in patient context.

DocumentReference (R4).context.related | Reference | | Yes | 0..* | This can be any of the following: A ServiceRequest reference for a procedure order associated with the note Observation (SmartData Elements) references for discrete data elements filed to the note An Epic order ID for an order associated with the note A Condition reference for problems associated with the note (not available in the patient-facing context)

DocumentReference (R4).custodian | Reference | | | 0..1 | The source organization that this note came from.

DocumentReference (R4).custodian.reference | String | | | 1..1 | The source organization that this note came from.

DocumentReference (R4).date | instant | | | 1..1 | Date and time when this note was created. This date and time might not be clinically relevant.

DocumentReference (R4).docStatus | code | | | 1..1 | The status of this note: preliminary: the note is an incomplete draft, or it has changes that are awaiting signing or cosigning. final: the note has been fully signed amended: the note has been fully signed and was amended since it was first signed entered-in-error: the note has been deleted

DocumentReference (R4).extension | Extension | | Yes

DocumentReference (R4).extension.extension (mode) (also: extension (mode)) | Extension | | Yes | 1..* | What role the signer had in signing the note: Signer: the person who signed this note Cosigner: a cosigner who cosigned this note without an attestation Attesting Cosigner: a cosigner who cosigned this note with a written attestation Transcription Authenticator: a person who authenticated this note if it was entered as a transcription This is a codeableConcept. URL: mode

DocumentReference (R4).extension.extension (party) (also: extension (party)) | Extension | | Yes | 1..* | Who signed this note. This is a reference to a Practitioner. URL: party

DocumentReference (R4).extension.extension (time) (also: extension (time)) | Extension | | Yes | 1..* | When this signature was made. URL: time

DocumentReference (R4).extension (clinical-note-author-provider-type) (also: extension (clinical-note-author-provider-type)) | Extension | | Yes | 0..* | The provider type of the provider who wrote the clinical note. This is a CodeableConcept. Possible provider types might be physician, registered nurse, case manager, or other types. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type

DocumentReference (R4).extension (clinical-note-inactive-instant) (also: extension (clinical-note-inactive-instant)) | Extension | Optional | Yes | 0..1 | The instant when the clinical note is considered inactive. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-inactive-instant

DocumentReference (R4).extension (clinical-note-interval-update) (also: extension (clinical-note-interval-update)) | Extension | | Yes | 0..* | Interval H&P notes that update this note. These are mainly used for surgical documentation. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-interval-update

DocumentReference (R4).extension (clinical-note-interval-update-source) (also: extension (clinical-note-interval-update-source)) | Extension | | Yes | 0..* | If this note is an Interval H&P note, then this extension references the note that this interval note updates. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-interval-update-source

DocumentReference (R4).extension (clinical-note-post-procedure-diagnosis) (also: extension (clinical-note-post-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note after its related procedures have been completed. This is a CodeableConcept. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-post-procedure-diagnosis

DocumentReference (R4).extension (clinical-note-pre-procedure-diagnosis) (also: extension (clinical-note-pre-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note prior to a related procedure. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-pre-procedure-diagnosis

DocumentReference (R4).extension (extension-DocumentReference.attester) (also: extension (extension-DocumentReference.attester)) | Extension | | Yes | 1..* | Participants who signed this note. URL: http://hl7.org/fhir/5.0/StructureDefinition/extension-DocumentReference.attester

DocumentReference (R4).id | id | | | 1..1 | The DocumentReference FHIR ID.

DocumentReference (R4).identifier | Identifier | | Yes | 1..* | The identifiers for this note in the Epic system.

DocumentReference (R4).securityLabel | CodeableConcept | | Yes | 0..1 | Indicates whether the note is allowed to be shared with patients. This is only present if the note should not be shared with patients. If the note cannot be shared with patients, then it has the following coding: system: http://terminology.hl7.org/CodeSystem/v3-ActCode code: NOPAT display: no disclosure to patient, family or caregivers without attending provider's authorization This element is only included in provider-facing and backend applications. It is omitted for patient-facing applications.

DocumentReference (R4).status | code | | | 1..1 | The status of this DocumentReference. This is always "current".

DocumentReference (R4).subject | Reference | | | 1..1 | The patient that is the subject of the note.

DocumentReference (R4).type | CodeableConcept | | | 1..1 | The note type. There are three potential coding values for type. All will be present for Epic-released note types. For organization-specific note types, which coding values are present will depend on whether additional mapping was done by the organization. LOINC system: http://loinc.org code: <LOINC code> Note Type category system: ends in 7.4.737880.5010 (work with the organization to get their specific system) code: <category value> Epic-released categories system: urn:oid:1.2.840.114350.1.72.727879.69848980 code: <category value>

Sample request

```
GET https://hostname/instance/api/FHIR/R4/DocumentReference/eXR.vCaCsTte6MWYJJim4wA3
```

Sample response

```
{
```

```
"resourceType": "DocumentReference",
"id": "eXR.vCaCsTte6MWYJJim4wA3",
"extension": [
  {
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.696784.72072",
              "code": "1",
              "display": "Signer"
            }
          ],
          "text": "Signer"
        },
        "url": "mode"
      },
      {
        "valueDateTime": "2025-04-20T23:27:56Z",
        "url": "time"
      },
      {
        "valueReference": {
          "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
          "display": "Attending Physician Inpatient, MD"
        },
        "url": "party"
      }
    ],
    "url": "http://hl7.org/fhir/5.0/StructureDefinition/extension-DocumentReference.attester"
  }
],
"identifier": [
  {
    "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.2.727879",
    "value": "566327"
  },
  {
    "system": "urn:oid:1.2.840.114350.1.72.3.15",
    "value": "1.2.840.114350.1.13.11511.1.7.2.727879_566327"
  }
],
"status": "current",
"docStatus": "final",
"type": {
  "coding": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.737880.5010",
      "code": "1",
      "display": "Progress Notes"
    },
    {
      "system": "urn:oid:1.2.840.114350.1.72.727879.69848980",
      "code": "1",
      "display": "Progress Notes"
    },
    {
      "system": "http://loinc.org",
      "code": "11506-3",
      "display": "Progress note",
      "userSelected": true
    }
  ],
  "text": "Progress Notes"
},
"category": [
  {
    "coding": [
      {
        "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-documentreference-category",
        "code": "clinical-note",
        "display": "Clinical Note"
      }
    ],
    "text": "Clinical Note"
  }
],
"subject": {
  "reference": "Patient/eUEKdnYPKuCXlSq8WIYaPTA3",
  "display": "Bugsy, Beau Dakota"
},
"date": "2025-04-20T23:27:24Z",
"author": [
  {
    "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
    "type": "Practitioner",
    "display": "Attending Physician Inpatient, MD"
  }
```

```
],
"authenticator": {
  "extension": [
    {
      "valueDateTime": "2025-04-20T23:27:56Z",
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-authentication-instant"
    }
  ],
  "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
  "type": "Practitioner",
  "display": "Attending Physician Inpatient, MD"
},
"custodian": {
  "identifier": {
    "system": "urn:ietf:rfc:3986",
    "value": "urn:epic:cec.fsplyfin"
  },
  "display": "FHIR Playground"
},
"content": [
  {
    "attachment": {
      "contentType": "text/html",
      "url": "Binary/e6OvKs0SMxxJBE132ZozoeA3"
    },
    "format": {
      "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
      "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
      "display": "mimeType Sufficient"
    }
  },
  {
    "attachment": {
      "contentType": "text/rtf",
      "url": "Binary/fF4.r.AZYL0syLa.ko.DTJDW6zmUskO2Tigi1g8J7iwA4"
    },
    "format": {
      "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
      "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
      "display": "mimeType Sufficient"
    }
  }
],
"context": {
  "extension": [
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.836982.1040",
            "code": "1",
            "display": "Physician"
          },
          {
            "system": "urn:oid:2.16.840.1.113883.6.101",
            "code": "207R00000X",
            "display": "Internal Medicine Physician"
          }
        ],
        "text": "Physician"
      },
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type"
    },
    {
      "valueCodeableConcept": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.696784.34886",
            "code": "112",
            "display": "Internal Medicine"
          }
        ],
        "text": "Internal Medicine"
      },
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-service"
    }
  ],
  "encounter": [
    {
      "reference": "Encounter/eKvkb8V4sgTKL9nm3MtDjXw3",
      "identifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.3.698084.8",
        "value": "40282"
      },
      "display": "Hospital Encounter"
    }
  ],
  "period": {
```

```
      "start": "2025-04-20T23:27:24Z"
    },
    "practiceSetting": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.836982.1050",
          "code": "17",
          "display": "Internal Medicine"
        }
      ],
      "text": "Internal Medicine"
    }
  }
}
```

Change log

Epic Version | Description | Type
May 2024 | DocumentReference(Clinical Note).code.system will return URLs in place of an OID for the following code systems: System URL OID AGB-Id http://fhir.nl/fhir/NamingSystem/agb-z 2.16.840.1.113883.2.4.6.1 ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 BIG http://fhir.nl/fhir/NamingSystem/big 2.16.528.1.1007.5.1 ContactRole2 http://terminology.hl7.org/CodeSystem/v2-0131 2.16.840.1.113883.18.58 CPT http://www.ama-assn.org/go/cpt 2.16.840.1.113883.6.12 DataAbsentReason http://hl7.org/fhir/StructureDefinition/data-absent-reason 2.16.840.1.113883.6.12 ICD-9-CM http://hl7.org/fhir/sid/icd-9-cm 2.16.840.1.113883.6.103 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 LOINC http://loinc.org 2.16.840.1.113883.6.1 RoleCode http://terminology.hl7.org/CodeSystem/v3-RoleCode 2.16.528.1.1007.3.3 RxNorm http://www.nlm.nih.gov/research/umls/rxnorm 2.16.840.1.113883.6.88 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 URA http://fhir.nl/fhir/NamingSystem/ura 2.16.528.1.1007.3.3 UZI http://fhir.nl/fhir/NamingSystem/uzi-nr-pers 2.16.528.1.1007.3.1 Uzovi http://fhir.nl/fhir/NamingSystem/uzovi 2.16.840.1.113883.2.4.6.4 | Breaking change
System | URL | OID
AGB-Id | http://fhir.nl/fhir/NamingSystem/agb-z | 2.16.840.1.113883.2.4.6.1
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
BIG | http://fhir.nl/fhir/NamingSystem/big | 2.16.528.1.1007.5.1
ContactRole2 | http://terminology.hl7.org/CodeSystem/v2-0131 | 2.16.840.1.113883.18.58
CPT | http://www.ama-assn.org/go/cpt | 2.16.840.1.113883.6.12
DataAbsentReason | http://hl7.org/fhir/StructureDefinition/data-absent-reason | 2.16.840.1.113883.6.12
ICD-9-CM | http://hl7.org/fhir/sid/icd-9-cm | 2.16.840.1.113883.6.103
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
LOINC | http://loinc.org | 2.16.840.1.113883.6.1
RoleCode | http://terminology.hl7.org/CodeSystem/v3-RoleCode | 2.16.528.1.1007.3.3
RxNorm | http://www.nlm.nih.gov/research/umls/rxnorm | 2.16.840.1.113883.6.88
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96
URA | http://fhir.nl/fhir/NamingSystem/ura | 2.16.528.1.1007.3.3
UZI | http://fhir.nl/fhir/NamingSystem/uzi-nr-pers | 2.16.528.1.1007.3.1
Uzovi | http://fhir.nl/fhir/NamingSystem/uzovi | 2.16.840.1.113883.2.4.6.4
Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

23.1.42 DocumentReference.Read (Clinical References) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10317-DocumentReference-Read-Clinical-References-R4.html
Epic API ID | 10317
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Clinical Reference Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10317

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.category | CodeableConcept | True | Yes | | Always "clinical-reference".
DocumentReference.content | BackboneElement | False | Yes | | Document information.
DocumentReference.content.attachment | Attachment | False | | | The URL of a FHIR Binary resource containing the contents of the HNO.
DocumentReference.content.format | Coding | True | | | Format/Content rules for the document. Specifies RTF vs HTML.
DocumentReference.context | BackboneElement | True | | | Encounter information.
DocumentReference.context.encounter | Reference | True | Yes | | References the encounter to which the clinical references are attached.
DocumentReference.date | instant | True | | | The date and time when the Clinical Reference was attached.
DocumentReference.status | code | False | | | Always "current".
DocumentReference.subject | Reference | False | | | Focus of message (patient).

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/eGlGqhMrWY-D7S9UWdHMuOoeJ0ive0Yvo0ssmqFUSohM3
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "eGlGqhMrWY-D7S9UWdHMuOoeJ0ive0Yvo0ssmqFUSohM3",
  "status": "current",
  "category": [
    {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/documentreference-category",
          "code": "clinical-reference",
          "display": "Clinical Reference"
        }
      ],
      "text": "Clinical Reference"
    }
  ],
  "subject": {
    "reference": "Patient/efS7U8khObcJM43siqMrZQ8qh4zBvSjftUk5VQhXXWGg3",
    "display": "Brauwer, Alistair"
  },
  "date": "2022-01-28T16:16:47Z",
  "content": [
    {
      "attachment": {
        "contentType": "text/rtf",
        "url": "Binary/eg5G4a1wX1DGzkjxib3xh8P4.xnlTsrlTE0Ij6k6EDfw3"
      },
      "format": {
        "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
        "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
        "display": "mimeType Sufficient"
      }
    }
  ],
  "context": {
    "encounter": [
      {
        "reference": "Encounter/ewjLq6T8jD2jClb0dkMYS25HM0BGjl-uE31HHZUSdadw3",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
          "value": "10003900569"
        },
        "display": "Hospital Encounter"
      }
    ]
  }
}
```


23.1.43 DocumentReference.Read (Correspondences) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10239-DocumentReference-Read-Correspondences-R4.html
Epic API ID | 10239
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Correspondences Document Group
USCDI | No

Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10239

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.authenticator | Reference | False | | | A FHIR reference.
DocumentReference.author | Reference | False | Yes | | The person who authored the document. Reference to a Practitioner resource.
DocumentReference.category | CodeableConcept | False | Yes | | Always "Correspondence."
DocumentReference.contained | ResourceContainer | False | Yes | | A container for a single FHIR resource.
DocumentReference.content | BackboneElement | False | Yes | | Reference to the Binary resource.
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.custodian | Reference | False | | | A FHIR reference.
DocumentReference.date | instant | False | | | The instant when the correspondence was sent.
DocumentReference.description | String | False | | | A description of the reason for the correspondence.
DocumentReference.docStatus | code | False | | | Always “Final.”
DocumentReference.id | id | False | | | The DocumentReference FHIR ID.
DocumentReference.identifier | Identifier | False | Yes | | The note record ID.
DocumentReference.implicitRules | String | False
DocumentReference.language | String | False
DocumentReference.masterIdentifier | Identifier | False | | | A unique identifier for the document that is based on information such as the patient record. If the correspondence has an attached note record, this master identifier is the same as the identifier.
DocumentReference.meta | Meta | False
DocumentReference.relatesTo | RelatesTo | False | Yes
DocumentReference.securityLabel | CodeableConcept | False | Yes | | CodeableConcept value.
DocumentReference.status | code | False | | | Always “Current.”
DocumentReference.subject | Reference | False | | | Patient to whom the document is related. Reference to a Patient resource.
DocumentReference.text | Narrative | False
DocumentReference.type | CodeableConcept | False | | | The reason for the letter, always includes generic LOINC code 56444-3. Identified with a LOINC class code in November 2021 version of Epic. This element may also include the Epic-specific document type.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4V0zHIkaRhxssCEVApuupXph50iFB
    R3
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4V0zHIkaRhxssCEVApuupXph50iFBR3",
  "masterIdentifier": {
    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.6.698084.19749",
    "value": "Z536005^55563.95^A0"
  },
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
      "value": "1008659241"
    }
  ],
  "status": "current",
  "docStatus": "final",
  "type": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.698084.20208",
        "code": "4",
        "display": "Summary of Care"
      },
      {
        "system": "http://snomed.info/sct",
        "code": "429111000124101",
        "display": "Documentation of care summary (procedure)"
      }
    ],
```

```
    "text": "Documentation of care summary (procedure)"
  },
  "category": [
    {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
          "code": "correspondence",
          "display": "Correspondence"
        }
      ],
      "text": "Correspondence"
    }
  ],
  "subject": {
    "reference": "Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
    "display": "Lufhir, Meiko"
  },
  "date": "2021-08-11T19:59:36Z",
  "author": [
    {
      "reference": "Practitioner/eIOnxJsdFcfgJ4iy716I3MA3",
      "display": "Epic User, MD"
    }
  ],
  "description": "Summary of Care",
  "content": [
    {
      "attachment": {
        "contentType": "application/pdf",
        "url": "Binary/exfLp1dxoIskYyIfOmsjokdswD8R3EHVWQiK6jiXsoCviWH-0urnVQpSsUi4EiL7.3"
      }
    }
  ],
  "context": {
    "encounter": [
      {
        "reference": "Encounter/eSj.HsZo1FUNx-iYKrPKarcbV8sCPtDiFp.ddg0MO4PY3",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
          "value": "10001633207"
        },
        "display": "Emergency"
      }
    ],
    "period": {
      "start": "2021-08-11T19:18:00Z"
    },
    "practiceSetting": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.727879.59",
          "code": "4",
          "display": "Emergency"
        }
      ],
      "text": "Emergency"
    }
  }
}
```


Change log

Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

23.1.44 DocumentReference.Read (Document Information) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10049-DocumentReference-Read-Document-Information-R4.html
Epic API ID | 10049
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard

API group | Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10049

Description

This web service is designed for scanning integrations. It allows the retrieval of metadata associated with a document information record in Epic.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.category | CodeableConcept | False | Yes | | Category to indicate that this request is for Document Information.
DocumentReference.category.coding | Coding | False | Yes | | Coding value to indicate that this request is for Document Information.
DocumentReference.category.coding.code | String | False | | | Always "document-information"
DocumentReference.category.coding.display | String | False | | | Display of concept. Always "Document Information"
DocumentReference.category.coding.system | String | False | | | Always "http://open.epic.com/FHIR/StructureDefinition/documentreference-category"
DocumentReference.content | BackboneElement | False | Yes | | The file content for the document.
DocumentReference.content.attachment | Attachment | False | | | Contains a reference for an attachment to the related document if available.
DocumentReference.content.attachment.contentType | String | True | | | Mime content type string.
DocumentReference.content.attachment.extension (also: data-absent-reason) | Extension | Only included when no attachment is applicable for the document. | Yes | | Extension that indicates that an attachment is not applicable for the document. Returns "not applicable".
DocumentReference.content.attachment.url | String | True | | | A reference to the Binary FHIR resource of the document if available.
DocumentReference.content.format | Coding | True | | | Format/content rules for the document.
DocumentReference.content.format.code | String | True | | | Always "urn:ihe:iti:xds:2017:mimeTypeSufficient" if available.
DocumentReference.content.format.display | String | True | | | Always "mimeType Sufficient" if available.
DocumentReference.content.format.system | String | True | | | Always "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" if available.
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.extension (also: document-effective) | Extension | True | Yes | | Document effective date time.
DocumentReference.context.encounter | Reference | True | Yes | | The encounter that the document is attached to.
DocumentReference.context.period | Period | True | | | Document service date and time.
DocumentReference.context.related | Reference | True | Yes | | A reference to the related resources associated with this DocumentReference.
DocumentReference.custodian | Reference | True | | | The display name for the current organization.
DocumentReference.date | instant | True | | | Document received date and time.
DocumentReference.description | String | True | | | Document description.
DocumentReference.docStatus | code | True | | | Status of the document. Mapped to CompositionStatus.
DocumentReference.identifier | Identifier | False | Yes | | Document identifier.
DocumentReference.status | code | False | | | Returns “current” unless the document is deleted, hidden, or otherwise unavailable. Then, returns “entered-in-error”.
DocumentReference.subject | Reference | False | | | The patient that is the subject of the document.
DocumentReference.type | CodeableConcept | False | | | Document type.
DocumentReference.type.coding | Coding | False | Yes | | Coding value for the document type.
DocumentReference.type.coding.code | String | False | | | The code from the terminology for the document type concept.
DocumentReference.type.coding.display | String | False | | | Display of document type concept.
DocumentReference.type.coding.system | String | False | | | This is a URI that identifies the terminology (or collection of codes).

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/ewEnnXxnkibmfLRhZkYDBXQ3
```

Sample response

```
<DocumentReference xmlns="http://hl7.org/fhir">
  <id value="eKYdCGpwLc8INuigr0WqcaT2ZIsVHhCJ-kOsD.4XKRl43"/>
  <identifier>
    <use value="usual"/>
    <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.2.686783"/>
    <value value="1104604"/>
  </identifier>
  <identifier>
    <use value="official"/>
    <system value="http://open.epic.com/FHIR/StructureDefinition/document-identifier"/>
    <value value="S-idecur-180890719.TIFF"/>
```

```
  </identifier>
  <status value="current"/>
  <docStatus value="final"/>
  <type>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.686783.100"/>
      <code value="1"/>
      <display value="Other"/>
    </coding>
    <text value="Other"/>
  </type>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category"/>
      <code value="document-information"/>
      <display value="Document Information"/>
    </coding>
    <text value="Document Information"/>
  </category>
  <subject>
    <reference value="Patient/eiCbDCEzFk6wR6UNlcWziySVQrlN47NTRvxPwgT4P3883"/>
    <display value="JEK, Danger"/>
  </subject>
  <date value="2021-12-17T19:32:59Z"/>
  <custodian>
    <display value="Current Stage 1 Primary"/>
  </custodian>
  <content>
    <attachment>
      <contentType value="image/tiff"/>
      <url value="Binary/eznNmeR6UubGMKVe-Vpsy1XZrAdvB35dzRIEVpTG.fFU3"/>
    </attachment>
    <format>
      <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem"/>
      <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient"/>
      <display value="mimeType Sufficient"/>
    </format>
  </content>
</DocumentReference>
```

Change log

Epic Version	Description	Type
February 2024	The date element's data type is now an instant instead of dateTime.	Breaking Change

23.1.45 DocumentReference.Read (External CCDA) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10134-DocumentReference-Read-External-CCDA-R4.html

Epic API ID	10134
FHIR version	R4
Categories	Infrastructure Documents & Lists
API type	Industry-Standard
API group	External CCDA Document Group
USCDI	No
Available in inpatient and other contexts	Yes
ONC certification products	EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions	August 2021
HTTP method	GET
URL template	/api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0	True
Supported user types	Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation	False
Source	https://fhir.epic.com/Specifications?api=10134

Description

The FHIR DocumentReference resource describes information about a document, the associated patient and author, and information about its creation. The DocumentReference resource only contains metadata about the document. The actual document content is accessed via the Binary resource that is referenced in the DocumentReference.content.attachment.url property.

Similar Resources:

* DocumentReference (Generated CCDA) (DSTU2) - Generates a CDA document based on current clinical content in the system.

* DocumentReference (Generated CCDA) (R4) - Functionally the same as DSTU2 with improvements to document generation limit.

* DocumentReference (External CCDA Document) (STU3) - Returns external CDA documents received in Epic. Can only query Epic payer systems.

* DocumentReference (External CCDA Document) (R4) - Returns external CDA documents received in Epic. Can query Epic provider systems.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.author | Reference | False | Yes | | Identifier for the external provider associated with the event.
DocumentReference.category | CodeableConcept | False | Yes | | Always "external-ccda" for structured CDAs received from an external source.
DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
DocumentReference.content.attachment | Attachment | False | | | Reference to the Binary resource that contains the CDA content.
DocumentReference.context | BackboneElement | True | | | Context details.
DocumentReference.context.event | CodeableConcept | True | Yes | | HL7 ActCode for the event associated with the document. The following returned code system varies by Epic version: August 2023 and earlier: http://hl7.org/fhir/v3/ActCode November 2023 and later: http://terminology.hl7.org/CodeSystem/v3-ActCode
DocumentReference.context.period | Period | True | | | Start and end dateTimes for the event associated with the document. Document creation time appears as the period end dateTime for documents without associated event dateTimes.
DocumentReference.context.practiceSetting | CodeableConcept | True | | | Epic-specific code and description for the department specialties for the event associated with the document.
DocumentReference.context.related | Reference | True | Yes | | Used to identify the Epic-specific visit number value of the event associated with the document.
DocumentReference.custodian | Reference | False | | | Organization name and Home Community ID identifier.
DocumentReference.date | instant | False | | | The document creation time.
DocumentReference.description | String | False | | | Short description of the document or event associated with the document.
DocumentReference.docStatus | code | False | | | Epic supports the following values: entered-in-error final CDAs are given the docStatus "entered-in-error" when they are invalidated (soft-deleted) for any reason. Entered-in-error documents are not returned in searches, but may be returned in read transactions. All other documents are given a docStatus of "final".
DocumentReference.id | id | False | | | The FHIR ID
DocumentReference.meta | Meta | False | | | The document metadata.
DocumentReference.meta.lastUpdated | String | False | | | When the most recent version of the CDA was received. Same value as the “date” element.
DocumentReference.relatesTo | RelatesTo | True | Yes | | Used with the “append” code to reference another DocumentReference resource that this document is adding information to. Used with the “replaces” code to reference another DocumentReference resource that this document is replacing.
DocumentReference.status | code | False | | | Epic supports the following values: entered-in-error current CDAs are given the status "entered-in-error" when they are invalidated (soft-deleted) for any reason. Entered-in-error documents are not returned in searches, but may be returned in read transactions. All other documents are given a status of "current".
DocumentReference.subject | Reference | False | | | Reference to the patient resource associated with the document.
DocumentReference.type | CodeableConcept | False | | | The type of document, identified with a LOINC class code. May also include the Epic-specific document type.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/e2UC05Km8uiSDt2wIFE7muNLLIpcpJ4U3ZhTg9puBUv2HrstSOHU9ghhg3
```

Sample response


```
{
"resourceType": "DocumentReference",
"id": "e2-UC05Km8uiSDt2wIFE7muNLLIpcpJ4U3ZhTg9puBUv2HrstSOHU9ghhg3",
"meta": {
"lastUpdated": "2019-07-02T17:59:04Z"
},
"status": "current",
"docStatus": "final",
"type": {
"coding": [
{
"system": "http://loinc.org",
"code": "11506-3"
}
]},
"category": {
"coding": [{
"system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
"code": "external-ccda",
"display": "CCDA Document"
}],
"text": "External C-CDA Document"
},
"subject": {
"reference": "Patient/eh-cNpfT7OkL.Ul6gZJRjmA3",
"display": "Keira McNair"
},
"date": "2019-07-02T17:59:04Z",
"author": [
```

```
{
"identifier": {
"system": "http://hl7.org/fhir/sid/us-npi",
"value": "5711354846"
},
"display": "Smith, Emily"
}
],
"custodian": {
"identifier": {
"system": "urn:ietf:rfc:3986",
"value": "urn:oid:1.2.840.114350.1.13.861.1.7.3.688884.100"
},
"display": "Epic Clinic - Verona,"
},
"description": "Ankle sprain and strain, left, initial encounter (Primary Dx)",
"content": [{"attachment": {
"contentType": "text/xml",
"url": "Binary/efg02yE30wQ60yjhdZXKepDyjmzTXzSn2So5ewSU2dJNwZHXPm96mELDeeRKAs903"
}}],
"context": {
"event": [
{
"coding": [
{
"system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
"code": "IMP"
}]
}],
"period": {
"start": "2019-05-18T05:00:00Z",
"end": "2019-05-19T06:00:00Z"
},
"practiceSetting": {
"coding": [
{
"system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.688867.4150",
"code": "19",
"display": "Family Practice"
},
{
"system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.686980.110",
"code": "9",
"display": "Family Practice"
}
]},
"related": [
{
"identifier": {
"type": {
"coding": [
{
"system": "http://terminology.hl7.org/CodeSystem/v2-0203",
"code": "VN",
"display": "Visit Number"
}
]},
"system": "urn:oid:1.2.840.114350.1.13.1610.1.7.3.698084.8",
"value": "426491"
}}]
}
```


Change log

Epic Version | Description | Type
November 2023 | Updated the context.event and context.type code system URLs to match current specification. | Breaking change
May 2025 | DocumentReference and Binary (External CCDA) resource IDs will now be limited to 64 characters for clients configured to respect this limit. | Breaking change

23.1.46 DocumentReference.Read (Generated CDAs) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10502-DocumentReference-Read-Generated-CDAs-R4.html
Epic API ID | 10502
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Generated CCDA Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients

Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10502

Description

The FHIR DocumentReference resource describes information about a document, the associated patient and author, and information about its creation. The read interaction enables the look up of a DocumentReference resource by a constant server ID. The DocumentReference resource only contains metadata about the document. The actual document content is accessed via the Binary resource that is referenced in the DocumentReference.content.attachment.url property.

Note that DocumentReference does not return existing CDA documents for a patient. Instead, it generates new CDA documents based on the current clinical content in the system to prevent the communication of stale data. Starting in February 2025 and optionally available in special updates for November 2024, August 2024, and May 2024, DocumentReference adheres to Care Everywhere filtering. This ensures that CDA documents generated match what healthcare organizations receive over Care Everywhere.

Similar Resources:

* DocumentReference (Generated CCDA) (DSTU2) - Generates a CDA document based on current clinical content in the system.

* DocumentReference (Generated CCDA) (R4) - Functionally the same as DSTU2 with improvements to document generation limit.

* DocumentReference (External CCDA Document) (STU3) - Returns external CDA documents received in Epic. Can only query Epic payer systems.

* DocumentReference (External CCDA Document) (R4) - Returns external CDA documents received in Epic. Can query Epic provider systems.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.author | Reference | False | Yes | | A display name only reference to the organization.
DocumentReference.category | CodeableConcept | True | Yes | | The document category, returned as “summary-document” for generated CCDAs.
DocumentReference.content | BackboneElement | False | Yes | | A reference to the Binary resource.
DocumentReference.content.attachment | Attachment | False | | | Where to access the document
DocumentReference.content.attachment.contentType | String | True | | | Media type of the resource. This is always "application/xml" for generated CCDAs.
DocumentReference.content.attachment.url | String | True | | | The document ID encoded into a Binary ID.
DocumentReference.content.format | Coding | True | | | Format/content rules for the document. Always returned as urn:hl7-org:sdwg:ccda-structuredBody:2.1.
DocumentReference.context | BackboneElement | True | | | A reference to the Encounter resource.
DocumentReference.context.encounter | Reference | False | Yes | | A reference to the encounter. Only relevant for encounter documents.
DocumentReference.context.period | Period | True | | | This is the time of the service that is being documented. Only relevant for encounter documents.
DocumentReference.custodian | Reference | False | | | A display name only reference to the organization.
DocumentReference.date | instant | True | | | The record create instant.
DocumentReference.id | id | False | | | The DocumentReference FHIR ID.
DocumentReference.identifier | Identifier | True | Yes | | The document ID where system = urn:ietf:rfc:3986 since the ID value is a globally unique OID.
DocumentReference.status | code | False | | | The status of the document. Set to “current” for generated CCDAs.
DocumentReference.subject | Reference | False | | | A reference to the patient.
DocumentReference.type | CodeableConcept | True | | | The type of document, returned as LOINC code 34133-9 for patient summary documents and 11506-3 for encounter summary documents.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3qweF-KHScJrsFNA4XEBFq8M4
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "fEgxmZRki1zWvMs3h68t3qweF-KHScJrsFNA4XEBFq8M4",
  "identifier": [
    {
      "use": "usual",
      "system": "urn:ietf:rfc:3986",
      "value": "urn:oid:1.2.840.114350.1.13.5325.1.7.8.688883.1547203"
    }
  ],
  "status": "current",
```

```
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "11506-3"
      }
    ]
  },
  "category": [
    {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-category",
          "code": "summary-document",
          "display": "Summary Document"
        }
      ],
      "text": "Summary Document"
    }
  ],
  "subject": {
    "reference": "Patient/eA89p424379ipU8JFXV6LGg3",
    "display": "Patient, Sample"
  },
  "date": "2022-10-06T20:50:33Z",
  "author": [
    {
      "display": "Current Stage 1 Primary real"
    }
  ],
  "custodian": {
    "display": "Current Stage 1 Primary real"
  },
  "content": [
    {
      "attachment": {
        "contentType": "application/xml",
        "url": "Binary/fcJQI9NmtGsI40mukZ1hTb-SpRUd9.mdYr1PN6UMejEQ4"
      },
      "format": {
        "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
        "code": "urn:hl7-org:sdwg:ccda-structuredBody:2.1",
        "display": "Structured Body C-CDA 2.1"
      }
    }
  ],
  "context": {
    "encounter": [
      {
        "reference": "Encounter/eOBiejzXGrGFKFcmFuWNv3mkj4Jif69VdXtx3Poyqwa43",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
          "value": "10000986220"
        },
        "display": "Orders Only"
      }
    ],
    "period": {
      "start": "2022-08-22"
    }
  }
}
```


Change log

Epic Version | Description | Type
May 2024 | Patient summary CCDAs now respect Care Everywhere filtering and may exclude sensitive encounters previously available. | Breaking change

23.1.47 DocumentReference.Read (Handoff) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10130-DocumentReference-Read-Handoff-R4.html
Epic API ID | 10130
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Handoff Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}

Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10130

Description

The DocumentReference handoff API can retrieve the handoff reports for an encounter. Handoff reports allow clinicians to communicate important time-sensitive information between shifts. Handoff reports are specialty-specific, so clinicians write and review reports that contain only information relevant to the services they perform. Each handoff report is split into several fields, and each of those fields is associated with a particular purpose, such as “To Do” or “Medications.” One DocumentReference handoff entity represents a single handoff report field for a single specialty. The text of each field is contained in a separate Binary handoff subresource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.author | Reference | True | Yes | | The user who saved this edit to handoff.
DocumentReference.category | CodeableConcept | False | Yes | | Always coded as “handoff” in Epic’s “documentreference-category” coding system.
DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
DocumentReference.content.attachment | Attachment | False | | | Absolute reference to Binary FHIR resource in Content.attachment.content
DocumentReference.content.attachment.contentType | String | False | | | Always “text/html”. The Binary resource converts RTF and plain text to HTML.
DocumentReference.content.attachment.url | String | False | | | Points to the Binary resource that represents this handoff record’s text.
DocumentReference.content.format | Coding | False | | | The mimeType Sufficient code from http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.encounter | Reference | False | Yes | | The encounter with which this handoff is associated.
DocumentReference.custodian | Reference | True | | | The display name for the current organization.
DocumentReference.date | instant | True | | | The instant at which handoff was updated on this contact.
DocumentReference.extension (also: handoff-purpose) | Extension | False | Yes | | The purpose for which this record was created.
DocumentReference.extension (also: handoff-service) | Extension | False | Yes | | The patient with whom this handoff record is associated.
DocumentReference.status | code | False | | | “current” if this is the most recent SOD contact, or “superseded” for previous contacts.
DocumentReference.subject | Reference | True | | | The patient with whom this handoff record is associated.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/eCk1KGp2VfqCcuQFpYNDwdw3
```

Sample response

```
<DocumentReference xmlns="http://hl7.org/fhir">
  <id value="eCk1KGp2VfqCcuQFpYNDwdw3"/>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
    <valueCodeableConcept>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886"/>
        <code value="5"/>
        <display value="Orthopaedics"/>
      </coding>
      <text value="Orthopaedics"/>
    </valueCodeableConcept>
  </extension>
  <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
    <valueCodeableConcept>
      <coding>
        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002"/>
        <code value="2"/>
        <display value="To Do"/>
      </coding>
      <text value="fffffffffffffffff"/>
    </valueCodeableConcept>
  </extension>
  <status value="current"/>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category"/>
      <code value="handoff"/>
      <display value="Handoff"/>
    </coding>
    <text value="Handoff"/>
  </category>
  <subject>
    <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3"/>
```

```
    <display value="Johnsen, Thor"/>
  </subject>
  <date value="2021-03-02T21:31:28Z"/>
  <author>
    <reference value="Practitioner/elv-5IrDo72rgPH8kxftS.g3"/>
    <display value="Resident, InpatientMD "/>
  </author>
  <custodian>
    <display value="Current Stage 1 Primary&lt;/br&gt;"/>
  </custodian>
  <content>
    <attachment>
      <contentType value="text/html"/>
      <url value="Binary/efvqpCkWGpMKN47rIxF4i0Q3"/>
    </attachment>
    <format>
      <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem"/>
      <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient"/>
      <display value="mimeType Sufficient"/>
    </format>
  </content>
  <context>
    <encounter>
      <reference value="Encounter/e.29rLCRhaNs3IDP5yllfMJfhARTcoYGf3YcS.kBT7Eg3"/>
    </encounter>
  </context>
</DocumentReference>
```

23.1.48 DocumentReference.Read (HIS) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10128-DocumentReference-Read-HIS-R4.html
Epic API ID | 10128
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | HIS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10128

Description

The FHIR DocumentReference resource describes information about a document. The DocumentReference (HIS) API returns data on Hospice Item Set assessments, which are defined by CMS.

Read interactions typically begin with a client having previously established a relationship, often through querying for DocumentReference resources through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.authenticator | Reference | True | | | Who verified the assessment.
DocumentReference.author | Reference | True | Yes | | Agency that compiled the assessment.
DocumentReference.category | CodeableConcept | True | Yes | | Always "HIS"
DocumentReference.content | BackboneElement | False | Yes | | Content details.
DocumentReference.content.attachment | Attachment | False | | | Reference to the binary documenting containing the assessment data.
DocumentReference.content.format | Coding | True | | | Mime content type string.
DocumentReference.context | BackboneElement | True | | | Context details.
DocumentReference.context.period | Period | True | | | Admission date or the discharge date for the patient associated with the assessment.
DocumentReference.custodian | Reference | True | | | The display name for the current organization.
DocumentReference.date | instant | True | | | When this document was created.
DocumentReference.description | String | True | | | A string in the format <reason for assessment> HIS Assessment for <Patient>.
DocumentReference.docStatus | code | True | | | One of the following docstatus values: preliminary final amended
DocumentReference.identifier | Identifier | True | Yes | | The assessment identifier from the Epic system
DocumentReference.status | code | False | | | Always "current"

DocumentReference.subject | Reference | True | | | The patient who is the subject of the note.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/eqZnEODOAMEUgP6xOuzbFQw3
```

Sample response


```
"resourceType": "DocumentReference",
    "id": "eqZnEODOAMEUgP6xOuzbFQw3",
    "identifier": [
        {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.767279",
            "value": "3007"
        }
    ],
    "status": "current",
    "docStatus": "preliminary",
    "category": [
        {
            "coding": [
                {
                    "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.767279.500",
                    "code": "2",
                    "display": "HIS"
                }
            ],
            "text": "HIS"
        }
    ],
    "subject": {
        "reference": "Patient/eoXKhtu2Y-BDwj9IEb69Eyw3",
        "display": "Doe, John"
    },
    "date": "2020-09-30T17:26:01Z",
    "author": [
        {
            "reference": "Organization/eJvZ8qvkRy96oZORGQ64X4w3",
            "display": "WI HH + HSPC LOCATION"
        }
    ],
    "authenticator": {
        "reference": "Practitioner/ezvg.w1vhuaBLzUHGnpf.Gg3",
        "display": ""
    },
    "description": "Discharge HIS Assessment for Doe, John",
    "content": [
        {
            "attachment": {
                "contentType": "text/xml",
                "url": "Binary/eCSw8b2R2bVhjE0Qs9byj.Q3"
            },
            "format": {
                "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
                "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
                "display": "mimeType Sufficient"
            }
        }
    ],
    "context": {
        "period": {
            "start": "2020-07-10",
            "end": "2020-07-10"
        }
    }
```


23.1.49 DocumentReference.Read (IRF-PAI) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10286-DocumentReference-Read-IRF-PAI-R4.html
Epic API ID | 10286
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | IRF-PAI Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10286

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.extension (also: assessment-accepted-date) | Extension | False | Yes | | Lists the accepted date of the IRF-PAI.
DocumentReference.extension (also: assessment-cmg-code) | Extension | False | Yes | | Contains the current CMG code for the IRF-PAI. This is based on the IGC and Etiologic Diagnosis for the IRF-PAI and denotes the estimated length of stay for the patient.
DocumentReference.authenticator | Reference | False | | | Organization name and ID from the patient's encounter.
DocumentReference.author | Reference | False | Yes | | Lists the provider for the patient's encounter.
DocumentReference.category | CodeableConcept | False | Yes | | Lists the type of assessment that DocumentReference is referring to.
DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
DocumentReference.content.attachment | Attachment | False | | | Reference to the Binary document containing the XML of the IRF-PAI.
DocumentReference.content.format | Coding | False | | | Hardcoded to “mimeType Sufficient”
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.encounter | Reference | False | Yes | | Lists the encounter that data is being pulled from.
DocumentReference.context.period | Period | False | | | Lists the date of creation of the IRF-PAI and discharge date of the resident listed in the IRF-PAI.
DocumentReference.custodian | Reference | False | | | Organization name and ID from the patient's encounter.
DocumentReference.date | instant | False | | | Lists the date the assessment was created.
DocumentReference.description | String | False | | | "IRF-PAI Assessment for
DocumentReference.docStatus | code | False | | | Lists the docStatus Property that corresponds to the assessment's submission status. Preliminary: 1-New, 63000-Admission Complete Amended: 97-Modified, 98-Inactivated Final: 63001-Doc Complete, 63002-Filed, 20-Exported, 33-Accepted
DocumentReference.identifier | Identifier | False | Yes | | Lists the ID of the abstraction being searched
DocumentReference.status | code | False | | | Lists the status property that corresponds to the status of the requested abstraction. Entered-in-error: 98-Inactivated, 99-Void Superseded: 97-Modified Current: 1-New, 63000-Admission Complete, 63001-Doc Complete, 63002-Filed, 20-Exported, 33-Accepted
DocumentReference.subject | Reference | False | | | Lists the patient to whom the assessment is linked.
DocumentReference.type | CodeableConcept | False | | | Lists the LOINC code that is associated with the requested assessment.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/eTzbzGM0mAOJ0qsiWN.4CWA5bDlC-YK7X4u5TJkDmRSQ3
```

Sample response


```
{
    "resourceType": "DocumentReference",
    "id": "eTzbzGM0mAOJ0qsiWN.4CWA5bDlC-YK7X4u5TJkDmRSQ3",
    "extension": [
        {
            "valueString": "A1801",
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/assessment-cmg-code"
        },
        {
            "valueDate": "09/23/2021",
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/assessment-accepted-date"
        }
    ],
    "identifier": [
        {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.826873",
            "value": "2743230"
        }
    ],
    "status": "current",
    "docStatus": "final",
    "type": {
        "coding": [
            {
                "system": "http://loinc.org",
                "code": "89963-3",
                "display": "IRF-PAI 3.0"
            }
        ],
        "text": "IRF-PAI 3.0"
    },
    "category": [
        {
            "text": "IRF-PAI"
        }
    ],
    "subject": {
        "reference": "Patient/ek85yxvdYlzN2dBZAD8eHIg3",
        "display": "Stadtmueller, Glen"
    },
    "date": "2021-08-24",
    "author": [
```

```
        {
            "reference": "Practitioner/ei9xX5RN2-ulw2H8YcWL.pepONAwj.EbVayP06BUAHt43",
            "display": "Reynolds, Eric, PT"
        }
    ],
    "authenticator": {
        "reference": "Organization/eO8IVsvMQAUfjnnn5WRzetA3",
        "display": "ACX HOSPITAL
    },
    "description": "IRF-PAI Assessment for Stadtmueller, Glen",
    "content": [
        {
            "attachment": {
                "contentType": "application/xml",
                "url": "Binary/eNinQq0sqVhhBKijYJ4DhkpHSai-3eT3irgbmGr5A2nw3"
            },
            "format": {
                "system": "https://www.hl7.org/fhir/valueset-formatcodes.html",
                "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
                "display": "mimeType Sufficient"
            }
        }
    ],
    "context": {
        "encounter": [
            {
                "reference": "Encounter/e69DQ4dW4P5w5Jh9JBxl.jRzfKhaBMfYqNSPZovXR6iA3",
                "display": "Hospital Encounter"
            }
        ],
        "period": {
            "start": "2021-08-24T12:53:54Z",
            "end": "2021-09-08T04:59:59Z"
        }
    }
}
```


23.1.50 DocumentReference.Read (Labs) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10132-DocumentReference-Read-Labs-R4.html
Epic API ID | 10132
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Labs Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10132

Description

The FHIR DocumentReference.Read (Labs) web service returns documentation related to a specific lab or order result, such as the narratives, impressions, and addenda on that result. It includes detail about the patient associated with the lab result, as well as a reference to the Binary resource(s) which contain the documentation content associated with the lab or order result.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.
DocumentReference (R4).author | Reference | | Yes | 1..* | For narratives and impressions: If the order is an imaging order, this will either be The reading physician, or The resulting physician (non-patient-facing only) Otherwise, this will be the resulting agency director (non-patient-facing only) For lab addendums: Addending physicians For Epic lab result PDFs: This element will not be populated
DocumentReference (R4).category | CodeableConcept | | Yes | 1..* | Categorization of the document. Always "clinical-note".
DocumentReference (R4).content | BackboneElement | | Yes | 1..* | The document contents.
DocumentReference (R4).content.attachment | Attachment | | | 1..1 | Reference to Binary FHIR resource that contains the document's content.
DocumentReference (R4).content.attachment.contentType | String | | | 1..1 | The MIME content type of the note text. This will be text/rtf or text/html.

DocumentReference (R4).content.attachment.url | String | | | 1..1 | The Binary FHIR reference for the textual content or report PDF.
DocumentReference (R4).context | BackboneElement | | | 1..1 | Clinical context for this document.
DocumentReference (R4).context.encounter | Reference | | Yes | 1..* | A FHIR Encounter reference for the encounter the document is linked to.
DocumentReference (R4).context.period | Period | | | 1..1 | This represents the most relevant date/time for an order. This is typically the specimen collection date/time for resulted orders.
DocumentReference (R4).custodian | Reference | | | 1..1 | The organization being queried.
DocumentReference (R4).date | instant | | | 1..1 | This represents the most relevant date/time for an order. This is typically the specimen collection date/time for resulted orders.
DocumentReference (R4).id | id | | | 1..1 | The DocumentReference FHIR ID.
DocumentReference (R4).identifier | Identifier | | Yes | 1..* | The order identifier from the Epic system.
DocumentReference (R4).status | code | | | 1..1 | The status of the lab result. Always "current".
DocumentReference (R4).subject | Reference | | | 1..1 | A FHIR Patient reference for the patient that this order is for.
DocumentReference (R4).type | CodeableConcept | | | 1..1 | Returns one of the following: 18748-4 Imaging Narrative Note 11526-1 Pathology Narrative Note 11502-2 Laboratory Narrative Note 34109-9 Note

Sample request

```
GET https://hostname/instance/api/FHIR/R4/DocumentReference/ekgKh3PWd57aNtnBEqid9LnnqE9v.QZ0bbzB6V4cTKRk3
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "ekgKh3PWd57aNtnBEqid9LnnqE9v.QZ0bbzB6V4cTKRk3",
  "identifier": [
    {
      "use": "usual",
      "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.2.798268",
      "value": "1063009"
    }
  ],
  "status": "current",
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "11502-2",
        "display": "Laboratory report"
      }
    ],
    "text": "Laboratory report"
  },
  "category": [
    {
      "coding": [
        {
          "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-documentreference-category",
          "code": "clinical-note",
          "display": "Clinical Note"
        }
      ],
      "text": "Clinical Note"
    }
  ],
  "subject": {
    "reference": "Patient/esFytr5MU-.fX0c5ClyxdJQ3",
    "display": "Radonc, Brenda Mosaiq"
  },
  "date": "2007-11-17T05:00:00Z",
  "custodian": {
    "display": "FHIR Playground"
  },
  "content": [
    {
      "attachment": {
        "contentType": "text/html",
        "url": "Binary/eUt8Ivo7d3tDjElMe7IZ2Yhngqtc8Mj02lY-FRCKsRW03"
      },
      "format": {
        "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
        "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
        "display": "mimeType Sufficient"
      }
    }
  ],
  "context": {
    "encounter": [
      {
        "reference": "Encounter/eMUWRLZbx0w3Bv1OvxfBPpw3",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.3.698084.8",
          "value": "39996"
        },
        "display": "Office Visit"
      }
```

```
    ],
    "period": {
      "start": "2007-11-17T05:00:00Z"
    }
  }
}
```

23.1.51 DocumentReference.Read (Minimum Data Set) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10274-DocumentReference-Read-Minimum-Data-Set-R4.html
Epic API ID | 10274
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | MDS Document Group
USCDI | No
Keywords | MDS
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10274

Description

The FHIR DocumentReference resource describes information about a document. The DocumentReference (Minimum Data Set) API returns information pertaining to Minimum Data Set assessments, which are defined by CMS.

Read interactions typically begin with a client having previously established a relationship, often through querying for DocumentReference resources through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.authenticator | Reference | False | | | Organization name and ID from the patient's encounter.
DocumentReference.category | CodeableConcept | False | Yes | | | Lists whether the assessment is an IRF-PAI or MDS assessment.
DocumentReference.content | BackboneElement | False | Yes | | | Content details.
DocumentReference.content.attachment | Attachment | False | | | | Reference to the Binary document containing the XML of the MDS.
DocumentReference.content.format | Coding | False | | | | Hardcoded to "mimeType Sufficient".
DocumentReference.context | BackboneElement | False | | | | Context details.
DocumentReference.context.encounter | Reference | False | Yes | | | Lists the encounter that data is being pulled from.
DocumentReference.context.period | Period | False | | | | Lists the start and end date of the MDS.
DocumentReference.custodian | Reference | False | | | | Organization name and ID from the patient's encounter.
DocumentReference.date | instant | False | | | | Lists the date the assessment was created.
DocumentReference.description | String | False | | | | "MDS Assessment for <Patient Name>"
DocumentReference.docStatus | code | False | | | | Lists the docStatus property that corresponds to the status of the requested abstraction. Preliminary: 7 – In Progress, 44000 – Waiting for Signoff, 36 – Rejected, 15 – Ready for Export, 44099 – Test Record Amended: 44100 – Corrected/Inactivated/Deleted, 44097 – A0410 Correction Requested, 44098 – Wrong FAC_ID Final: 20 – Exported, 44020 – Will not be Exported, 30 – Submitted, 33 – Accepted Entered-in-error: 99 - Void
DocumentReference.identifier | Identifier | False | Yes | | | Lists the ID of the abstraction being searched.
DocumentReference.status | code | False | | | | Lists the status property that corresponds to the status of the requested abstraction. Entered-in-error: 44020 – Will not be Exported, 99 – Void, 44099 – Test Record Superseded: 44100 - Corrected/Inactivated/Deleted, 44097 – A0410 Correction Requested, 44098 – Wrong FAC_ID Current: 7 – In Progress, 44000 – Waiting for Signoff, 15 – Ready for Export, 20 – Exported, 30 – Submitted, 33 – Accepted, 36 - Rejected
DocumentReference.subject | Reference | False | | | | Lists the patient to whom the assessment is linked to.
DocumentReference.type | CodeableConcept | False | | | | Lists the LOINC code that is associated with the requested assessment.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/eiAaDtGBwjbz6frMek-O0HTz7I5LCfDw82.ioUGixiws3
```

Sample response

```
{
  "resourceType": "DocumentReference",
  "id": "eiAaDtGBwjbz6frMek-O0HTz7I5LCfDw82.ioUGixiws3",
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.826873",
```

```
      "value": "2852745"
    }
  ],
  "status": "current",
  "docStatus": "final",
  "type": {
    "coding": [
      {
        "code": "54580-6",
        "display": "54580-6"
      }
    ],
    "text": "54580-6"
  },
  "category": [
    {
      "coding": [
        {
          "code": "mds",
          "display": "MDS"
        }
      ],
      "text": "MDS"
    }
  ],
  "subject": {
    "reference": "Patient/eI..1wKXcvTqnuL4Id40pYHSZTJt7gAdOf41EqnRXwFo3",
    "display": "Richardson, Adam"
  },
  "date": "2021-09-27T18:50:03Z",
  "authenticator": {
    "reference": "Organization/epMvZOQGjQAezQOR-DVuexA3",
    "display": "Monona Skilled Nursing Facility"
  },
  "custodian": {
    "reference": "Organization/epMvZOQGjQAezQOR-DVuexA3",
    "display": "Monona Skilled Nursing Facility"
  },
  "description": "Correction to OBRA Admission MDS Assessment for Richardson, Adam",
  "content": [
    {
      "attachment": {
        "contentType": "application/xml",
        "url": "Binary/edfZ8omX3NtkU3ftTvWjTe4Wxifxi1xPwMJQmLi.hVFI3"
      },
      "format": {
        "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
        "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
        "display": "mimeType Sufficient"
      }
    }
  ],
  "context": {
    "encounter": [
      {
        "reference": "Encounter/emgW91NB1ex3EHz-pBQ99hVTTU6eCxZQW6hxKF939Nj03",
        "display": "Hospital Encounter"
      }
    ],
    "period": {
      "start": "2021-09-27T13:50:03Z",
      "end": "2021-10-20T23:59:59Z"
    }
  }
}
```


23.1.52 DocumentReference.Read (Non-Patient Document Information) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10299-DocumentReference-Read-Non-Patient-Document-Information-R4.html
Epic API ID | 10299
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Non-Patient Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10299

Description

This web service is designed for scanning integrations to be used only with Epic's Tapestry module. The Hyperdrive client can be configured to launch an external scan acquisition application that allows users to acquire scanned documents through a Document Management System (DMS) and associate documents with Epic records. These documents are saved as Document (DCS) records in Epic. Currently, we support associating documents acquired in this manner only with Employer Group records, which represent groups of members using the same benefit plan, Account records, which group together employer groups for the purposes of generating invoices and receiving payments, Communication records, which represent records of communication between two entities, Vendor records, which represent a group of clinicians or clinics that an insurer has contracted with to provide services for a patient population, and Contract records, which contain claims payment information for billing and reimbursement adjudication. Contextual information, such as a FHIR Group ID representing an Employer Group, an Account ID representing an Account, a Communication ID representing a CRM, an Organization ID representing a Vendor, or a Contract ID representing a contract can be passed as a context variable as part of the launch workflow. The scanning software can then use the Group.Read (Employer Group), Account.Read (Premium Billing), Communication.Read (Customer Relationship Management), Communication.Read (Non-Patient CRM), Organization API, or Contract.Read to access information about the Employer Group, Account, CRM, Vendor, or Contract. When the scanning workflow is completed within the scanning system, the scanning application stores the scanned document's binary data to its server and files metadata about the scan to Epic using the DocumentReference.Create (Non-Patient Document Information) API. For Employer Group, Account, CRM, Vendor, and Contract scanning workflows, the FHIR Group ID, Account ID, CRM ID, or Organization ID provided as a launch context variable must be included in the DocumentReference.context.related property in the DocumentReference.Create (Non-Patient Document Information) API to link the scan to the Employer Group, Account, CRM, Vendor, or Contract.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.category | CodeableConcept | False | Yes | | Category to indicate that this request is for Document Information creation: system: "http://open.epic.com/FHIR/StructureDefinition/documentreference-category" code: “nonpatient-document-information” display: “Non-Patient Document Information”
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.related | Reference | True | Yes | | A reference to the resource type that is associated with this DocumentReference. The resource type linked here can represent various types of resources such as Group (Employer Group), Account (Premium Billing), Communication (CRM), Organization (Vendor), or Contract (Healthcare Services Reimbursement).
DocumentReference.description | String | True | | | The document description.
DocumentReference.identifier | Identifier | False | Yes | | The document identifier.
DocumentReference.status | code | False | | | The Document status.
DocumentReference.type | CodeableConcept | False | | | The document type.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/eaMyQQ.DCPJPVzsZ-MLwa-rZmOfaLZu84AoX8KfGazcQ3
```

Sample response

```
<DocumentReference xmlns="http://hl7.org/fhir">
  <id value="eaMyQQ.DCPJPVzsZ-MLwa-rZmOfaLZu84AoX8KfGazcQ3"/>
  <identifier>
    <use value="official"/>
    <system value="http://open.epic.com/FHIR/StructureDefinition/document-identifier"/>
    <value value=" ID.123456789"/>
  </identifier>
  <identifier>
    <use value="usual"/>
    <system value="urn:oid:1.2.840.114350.1.13.861.1.7.2.686783"/>
    <value value="999869"/>
  </identifier>
  <status value="current"/>
  <type>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.686783.100"/>
      <code value="18100"/>
      <display value="Employer Group Attachment"/>
    </coding>
    <text value="Employer Group Attachment"/>
  </type>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category"/>
      <code value="nonpatient-document-information"/>
      <display value="Non-Patient Document Information"/>
    </coding>
    <text value="Non-Patient Document Information"/>
```

```
  </category>
  <date value="2020-08-10T19:34:02Z"/>
  <custodian>
    <display value="Current Development Environment (CDE)"/>
  </custodian>
  <description value="Employer group scan"/>
  <context>
    <related>
      <reference value="Group/eqv3buSVDoRkM9AR9M65K8kVmuesdX2DBNVxiQ-Tvg4Q3"/>
    </related>
  </context>
</DocumentReference>
```

23.1.53 DocumentReference.Read (OASIS) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10126-DocumentReference-Read-OASIS-R4.html
Epic API ID | 10126
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | OASIS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10126

Description

The FHIR DocumentReference resource describes information about a document. The DocumentReference (OASIS) API returns information pertaining to OASIS assessments, which are defined by CMS.

Read interactions typically begin with a client having previously established a relationship, often through querying for DocumentReference resources through the search interaction.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.authenticator | Reference | True | | | What organization is associated with the assessment.
DocumentReference.author | Reference | True | Yes | | Who signed the assessment.
DocumentReference.category | CodeableConcept | True | Yes | | Always “OASIS”.
DocumentReference.content | BackboneElement | False | Yes | | Content details
DocumentReference.content.attachment | Attachment | False | | | Reference to the binary documenting containing the assessment data.
DocumentReference.content.format | Coding | True | | | Mime content type string.
DocumentReference.context | BackboneElement | True | | | Context details.
DocumentReference.context.encounter | Reference | True | Yes | | Reference to the encounter where the assessment was documented.
DocumentReference.context.period | Period | True | | | The date the assessment was completed.
DocumentReference.custodian | Reference | True | | | The display name for the current organization.
DocumentReference.date | instant | True | | | When this document was created.
DocumentReference.description | String | True | | | A string in the format "<reason for assessment> OASIS Assessment for <Patient>."
DocumentReference.docStatus | code | True | | | One of the following docstatus values: preliminary final amended
DocumentReference.identifier | Identifier | True | Yes | | The assessment identifier from the Epic system.
DocumentReference.status | code | False | | | Always "current"
DocumentReference.subject | Reference | True | | | The patient who is the subject of the note.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/eHEAE8U2NK.whpVE7oyMJHg3
```

Sample response

```
{
  "resourceType": "DocumentReference",
  "id": "eHEAE8U2NK.whpVE7oyMJHg3",
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.767279",
```

```
      "value": "4453"
    }
  ],
  "status": "current",
  "docStatus": "amended",
  "category": [
    {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.767279.500",
          "code": "1",
          "display": "OASIS"
        }
      ],
      "text": "OASIS"
    }
  ],
  "subject": {
    "reference": "Patient/e8vt4.Gw2SqYdZSLbkJR5yA3",
    "display": "Doe, John"
  },
  "date": "2021-03-01T22:49:47Z",
  "author": [
    {
      "reference": "Practitioner/eCiHZKxX9uWDoxrIVf9yndA3",
      "display": "Smith, Marty, MD"
    }
  ],
  "authenticator": {
    "reference": "Organization/eJvZ8qvkRy96oZORGQ64X4w3",
    "display": "WI HH + HSPC LOCATION"
  },
  "description": "Recertification OASIS Assessment for Doe, John",
  "content": [
    {
      "attachment": {
        "contentType": "text/xml",
        "url": "Binary/eUy5S3wbwCgYTJWkaEYsj7Q3"
      },
      "format": {
        "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
        "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
        "display": "mimeType Sufficient"
      }
    }
  ],
  "context": {
    "encounter": [
      {
        "reference": "Encounter/epBnGNDDecPtYSsKkyraQ82F5FX0-7gzULr0EmI7hrbw3"
      }
    ],
    "period": {
      "start": "2021-03-06",
      "end": "2021-03-06"
    }
  }
}
```


23.1.54 DocumentReference.Read (Outside Record - Clinical Notes) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/11009-DocumentReference-Read-Outside-Record-Clinical-Notes-R4.html
Epic API ID | 11009
FHIR version | R4
Categories | Infrastructure Documents & Lists, CMS Incoming
API type | USCDI
API group | Outside Record - Clinical Notes Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=11009

Description

Use this API to retrieve a specific instance of a patient's Clinical Notes. A clinical note is a record of a patient's health information usually documented during an Encounter.

This API differs from other Document Reference Clinical Note APIs because it returns data obtained as part of payer data exchange workflows rather than directly recorded during patient care. This data can come from payers, providers, or loaded

from other FHIR servers. Because this data doesn't originate from the organization being queried, users of this API should be aware that the data might be unverified, incomplete, or duplicative.

Data from outside payer and provider systems is saved to an organization's database and returned in a standard format, documented below. Data loaded from other FHIR servers is returned in the format the organization received it. Because of this, the documentation below does not apply to these loaded resources. These resources can include any elements from the FHIR specification and can be distinguished from other resources by the presence of meta.tag set to “external-bulk-data".

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | 1..* | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.
DocumentReference (R4).authenticator | Reference | | | 0..1 | Who or what authenticated the document.
DocumentReference (R4).author | Reference | | Yes | 0..* | Who or what authored the document.
DocumentReference (R4).category | CodeableConcept | | Yes | 2..2 | Categorization of the document. Always returns both "clinical-note" and "external-clinical-note".
DocumentReference (R4).content | BackboneElement | | Yes | 1..1 | The document referenced by the resource.
DocumentReference (R4).content.attachment | Attachment | | | 1..1 | Link to Binary FHIR resource.
DocumentReference (R4).content.attachment.contentType | String | | | 0..1 | Mime content type string.
DocumentReference (R4).content.attachment.url | String | | | 0..1 | The URI where the data can be found.
DocumentReference (R4).content.format | Coding | | | 0..1 | Format/content rules for the document.
DocumentReference (R4).context | BackboneElement | | | 0..1 | Clinical context of the document
DocumentReference (R4).context.encounter | Reference | | Yes | 0..1 | The encounter associated with the document.
DocumentReference (R4).context.extension (clinical-note-author-provider-type) (also: extension (clinical-note-author-provider-type)) | Extension | | Yes | 0..1 | The author's provider type. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type
DocumentReference (R4).context.period | Period | | | 0..1 | The time of the service that is being documented.
DocumentReference (R4).context.practiceSetting | CodeableConcept | | | 0..1 | The author's specialty.
DocumentReference (R4).context.related | Reference | | Yes | 0..* | Mime content type string.
DocumentReference (R4).custodian | Reference | | | 0..1 | The display name for the source organization.
DocumentReference (R4).date | instant | | | 0..1 | When this document reference was created.
DocumentReference (R4).docStatus | code | | | 0..1 | The status: preliminary final amended entered-in-error
DocumentReference (R4).extension (clinical-note-attached-media) (also: extension (clinical-note-attached-media)) | Extension | | Yes | 0..* | We do not send attached media for external notes. If there was originally media, there is a dataAbsentReason included here. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-attached-media
DocumentReference (R4).extension (clinical-note-service) (also: extension (clinical-note-service)) | Extension | | Yes | 0..1 | The service the author provides. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-service
DocumentReference (R4).id | id | | | 1..1 | The FHIR ID for this DocumentReference.
DocumentReference (R4).identifier | Identifier | | Yes | 0..3 | The note identifier from the Epic system.
DocumentReference (R4).meta | Meta | | | | Metadata about the resource, including information about the origin or source of the data.
DocumentReference (R4).meta.tag | Coding | | Yes | | Set to external-bulk-data for resources originally loaded from another FHIR server. If this element is set to external-bulk-data, all other element-level documentation does not apply to the resource. The resource content might vary and can include any elements allowed by the FHIR specification.
DocumentReference (R4).securityLabel | CodeableConcept | | Yes | 0..1 | Indicates whether the note is allowed to be shared with patients. This is only present if the note should not be shared with patients. Whether a note can be shared with a patient matches the value in the source system where this note was originally documented. If the note cannot be shared with patients, then it has the following coding: system: http://terminology.hl7.org/CodeSystem/v3-ActCode code: NOPAT display: no disclosure to patient, family or caregivers without attending provider's authorization This element is only included in provider-facing and backend applications. It is omitted for patient-facing applications.
DocumentReference (R4).status | code | | | 1..1 | Always returns "current".
DocumentReference (R4).subject | Reference | | | 1..1 | Patient who is the subject of the note.
DocumentReference (R4).type | CodeableConcept | | | 1..1 | The note type.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/DocumentReference/fbh37RXR5BrRhyn.XcOSDEA4
```

Sample response


```
{
    "resourceType": "DocumentReference",
    "id": "fbh37RXR5BrRhyn.XcOSDEA4",
    "identifier": [
        {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.51879.1.7.2.686783",
            "value": "715200"
        },
        {
            "use": "official",
            "system": "http://open.epic.com/FHIR/StructureDefinition/document-identifier",
            "value": "IX-84363.PNG"
        }
    ],
    "status": "current",
```

```
    "docStatus": "final",
    "type": {
        "coding": [
            {
                "system": "urn:oid:2.16.840.1.113883.6.1",
                "code": "18849-0",
                "display": "Narrative Fetal presentation palpation"
            },
            {
                "system": "urn:oid:1.2.840.114350.1.13.51879.1.7.4.686783.100",
                "code": "72133",
                "display": "External Progress Note"
            }
        ],
        "text": "Narrative Fetal presentation palpation"
    },
    "category": [
        {
            "coding": [
                {
                    "system": "http://open.epic.com/FHIR/StructureDefinition/documentreference-category",
                    "code": "clinical-note",
                    "display": "Clinical-Note"
                }
            ],
            "text": "Clinical-Note"
        },
                {
                    "system": "http://open.epic.com/FHIR/StructureDefinition/documentreference-category",
                    "code": "external-clinical-note",
                    "display": "external-clinical-note"
                }
            ],
            "text": "external-clinical-note"
        }
    ],
    "subject": {
        "reference": "Patient/eZCAUFrkG8e5Yj9AZ5KGQ4A3",
        "display": "FHIR, Test"
    },
    "date": "2025-10-27T21:10:00Z",
    "custodian": {
        "display": "Payer Platform Dev"
    },
    "description": "Ancillary Procedure",
    "content": [
        {
            "attachment": {
                "contentType": "image/png",
                "url": "Binary/fx2UlESugphzs59X.9IWc5g4"
            },
            "format": {
                "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
                "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
                "display": "mimeType Sufficient"
            }
        }
    ]
}
```


23.1.55 DocumentReference.Read (Patient-Entered Questionnaires) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10435-DocumentReference-Read-Patient-Entered-Questionnaires-R4.html
Epic API ID | 10435
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Patient-Entered Questionnaires Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10435

Description

The FHIR DocumentReference.Read (Patient-Entered Questionnaires) API returns documentation related to a specific patient-entered questionnaire response submitted for a patient. It includes details about the questionnaire itself along with the date and time of response submission. There is also a reference to the Binary resource that contains the PDF associated with the questionnaire response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.author | Reference | True | Yes | | The person who answered the questionnaire response (clinical user, patient, or proxy).
DocumentReference.category | CodeableConcept | True | Yes | | Always “questionnaire-response.”
DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
DocumentReference.content.attachment | Attachment | False | | | Absolute reference to Binary FHIR resource in Content.attachment.content
DocumentReference.content.attachment.contentType | String | True | | | Always “application/pdf.”
DocumentReference.content.attachment.url | String | True | | | The Binary URL of the questionnaire response.
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.encounter | Reference | True | Yes | | The encounter that the questionnaire submission message is linked to. If the questionnaire submission does not have a message record, we use the latest encounter associated with the questionnaire submission.
DocumentReference.context.period | Period | True | | | The date of questionnaire response submission.
DocumentReference.date | instant | False | | | The date of questionnaire response submission.
DocumentReference.description | String | True | | | The questionnaire title.
DocumentReference.docStatus | code | True | | | The status of the questionnaire response document itself. This resource only looks for questionnaire response documents with the “Final” status.
DocumentReference.identifier | Identifier | True | Yes | | The ID number of the current questionnaire response you are reading.
DocumentReference.masterIdentifier | Identifier | False | | | The ID number of the current questionnaire response you are reading.
DocumentReference.status | code | False | | | The status of the questionnaire response. This resource only looks for questionnaire responses with the “Current” status.
DocumentReference.subject | Reference | True | | | The patient the questionnaire response is from.
DocumentReference.type | CodeableConcept | False | | | Hard-coded to LOINC code 74465-6 (Questionnaire response document).

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/efWEbskIVZ2C4f-Jj-rqPgw3
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "efWEbskIVZ2C4f-Jj-rqPgw3",
  "masterIdentifier": {
    "system": "urn:oid:1.2.840.114350.1.13.260.1.7.2.728165",
    "value": "1538"
  },
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.260.1.7.2.728165",
      "value": "1538"
    }
  ],
  "status": "current",
  "docStatus": "final",
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "74465-6",
        "display": "Questionnaire Response Document"
      }
    ]
  },
  "category": [
    {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
          "code": "questionnaire-response",
          "display": "Questionnaire Response"
        }
      ]
    }
  ],
  "subject": {
    "reference": "Patient/ekuNit2ySBCnmzdH1zlpgRQ3",
    "display": "Robinson, A."
  },
  "date": "2022-07-11T23:00:00Z",
  "author": [
    {
      "reference": "Patient/ekuNit2ySBCnmzdH1zlpgRQ3",
      "display": "Robinson, A."
    }
  ],
  "description": "Knee Pain Questionnaire",
```

```
  "content": [
    {
      "attachment": {
        "contentType": "application/pdf",
        "url": "Binary/ecCu9Q.YoNnYH0UhJxI9.hg3"
      }
    }
  ],
  "context": {
    "encounter": [
      {
        "reference": "Encounter/e8Q5UO9ByAiyFYVPPtvpFKQ3",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.260.1.7.3.698084.8",
          "value": "239417"
        },
        "display": "Questionnaire Series Submission"
      }
    ],
    "period": {
      "start": "2022-07-12",
      "end": "2022-07-12"
    }
  }
}
```


23.1.56 DocumentReference.Read (Radiology Results) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10234-DocumentReference-Read-Radiology-Results-R4.html
Epic API ID | 10234
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Radiology Results Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10234

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.authenticator | Reference | True | | | The user who signed the study. Reference to the Practitioner resource. Returns only the first user who signed the study.
DocumentReference.author | Reference | True | Yes | | The user who finalized the study and users who addended the study. Reference to the Practitioner resource.
DocumentReference.category | CodeableConcept | False | Yes | | Categorization of the document. Always "imaging-result".
DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
DocumentReference.content.attachment | Attachment | False | | | Reference to Binary FHIR resource
DocumentReference.content.attachment.contentType | String | True | | | Mime content type code. Always "application/pdf".
DocumentReference.content.attachment.url | String | False | | | Link to the Binary resource for text content.
DocumentReference.context | BackboneElement | True | | | Context details.
DocumentReference.context.encounter | Reference | True | Yes | | Encounter that order is linked to. Reference to the Encounter resource. Returns only the first encounter linked to the results.
DocumentReference.context.period | Period | True | | | The instant when the exam was ended.
DocumentReference.context.practiceSetting | CodeableConcept | True | | | The performing department’s specialty.
DocumentReference.date | instant | False | | | The instant when the study was finalized. If the study was addended, returns the instant when the last addendum was finalized.
DocumentReference.description | String | True | | | The name of the procedure.
DocumentReference.docStatus | code | True | | | If the study is addended, returns "amended". Otherwise, returns "final".
DocumentReference.id | id | False | | | The DocumentReference FHIR ID.
DocumentReference.identifier | Identifier | True | Yes | | The order identifier from the Epic system. Returns the same information as masterIdentifier.
DocumentReference.masterIdentifier | Identifier | False | | | The order identifier from the Epic system. Returns the same information as identifier.
DocumentReference.status | code | False | | | The status of the result. Always "current".
DocumentReference.subject | Reference | False | | | The patient record that is linked to the order. Reference to the Patient resource.

DocumentReference.type | CodeableConcept | False | | | Returns the LOINC code or the system code for the order or the procedure.

Sample request

```
/api/FHIR/R4/DocumentReference/e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03",
  "masterIdentifier": {
    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
    "value": "1012293993"
  },
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
      "value": "1012293993"
    }
  ],
  "status": "current",
  "docStatus": "final",
  "type": {
    "text": "DLS WEB STUDY REVIEW"
  },
  "category": [
    {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
          "code": "imaging-result",
          "display": "Imaging Result"
        }
      ],
      "text": "Imaging Result"
    }
  ],
  "subject": {
    "reference": "Patient/eP3l9BmBRjLTG9l6H4ldefA3",
    "display": "Bob, Big"
  },
  "date": "2021-08-02T16:57:20Z",
  "author": [
    {
      "reference": "Practitioner/ebyrK--nn121NxCaaZJDEoA3",
      "display": "Daniel Hon, MD"
    }
  ],
  "authenticator": {
    "reference": "Practitioner/ebyrK--nn121NxCaaZJDEoA3",
    "display": "Daniel Hon, MD"
  },
  "description": "DLS WEB STUDY REVIEW",
  "content": [
    {
      "attachment": {
        "contentType": "application/pdf",
        "url": "Binary/eRGuw4B2nN9B9ytkVIiLZugpER.TyU0fwGuUA2WJgQyA3"
      }
    }
  ],
  "context": {
    "encounter": [
      {
        "reference": "Encounter/epIg68WT.XDwLo7CgCKn952.4sInTUfO-Pim0ZRd7oTY3",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
          "value": "10001559470"
        },
        "display": "Hospital Encounter"
      }
    ],
    "period": {
      "start": "2021-07-15T15:22:14Z",
      "end": "2021-07-15T15:22:14Z"
    },
    "practiceSetting": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.686980.110",
          "code": "40",
          "display": "Radiology"
        }
      ],
      "text": "Radiology"
    }
```

```
  }
}
```

23.1.57 DocumentReference.Search (Advance Directive) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/40299-DocumentReference-Search-Advance-Directive-R4.html
Epic API ID | 40299
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Advance Directive Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&status={status}&subject={subject}&type={type}&_count={_count}&_id={_id}&_include={_include}&_lastupdated={_lastupdated}&_revinclude={_revinclude}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=40299

Description

DocumentReference.Search (Advance Directive) can be used to find information about advance directive documents for a patient.

Binary.Read (Advance Directive) (R4)

can be used to return the document content for the Binary attachment found in the DocumentReference.Search (Advance Directive) responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others are ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
category | token | Optional | Yes | | This should be set to "42348-3" to restrict the search results to only include the Advance Directive sub-resource.
patient | reference | Conditional | Yes | | The Patient FHIR ID whom the document is about. This parameter is required unless subject is given.
subject | reference | Conditional | Yes | | The Patient FHIR ID whom the document is about. This parameter is required unless patient is given.
type | token | Optional | Yes | | The document type. The value must come from the Advance Healthcare Directive Document Types Grouper.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | Optional | Yes | | The FHIR Practitioner who authenticated the document.
author | reference | Optional | Yes | | Who authored the document
date | date | Optional | Yes | | When this document was created
identifier | token | Optional | Yes | | Other identifiers for the document
status | token | Optional | Yes | | The status of this DocumentReference.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.
DocumentReference (R4).authenticator (also: authenticator) | Reference | | | 0..1 | The user who authenticated the document.
DocumentReference (R4).author (also: author) | Reference | | Yes | 0..* | Who authored the document. Possible resource types are: Practitioner, Patient, or RelatedPerson.
DocumentReference (R4).category (also: category) | CodeableConcept | | Yes | 1..1 | Categorization of document. For DocumentReference (Advance Directive) resources, this is always LOINC code 42348-3.
DocumentReference (R4).content (also: content) | BackboneElement | | Yes | 1..1 | The contents of a document are provided by Binary resources.
DocumentReference (R4).content.attachment (also: attachment) | Attachment | | | 1..1 | The Binary FHIR resource that contains the document's content.
DocumentReference (R4).content.attachment.contentType (also: contentType) | String | | | 1..1 | MIME type of the content, with charset etc.
DocumentReference (R4).content.attachment.url (also: url) | String | | | 1..1 | The Binary FHIR resource that contains the document's content.
DocumentReference (R4).content.format (also: format) | Coding | | | 0..1 | Format/content rules for the document
DocumentReference (R4).date (also: date) | instant | | | 0..1 | When this document was created
DocumentReference (R4).extension (us-core-authentication-time) (also: extension (us-core-authentication-time)) | Extension | | Yes | 0..1 | This extension indicates when the information in the document was verified. URL: http://hl7.org/fhir/us/core/StructureDefinition/us-core-authentication-time
DocumentReference (R4).identifier (also: identifier) | Identifier | | Yes | 0..* | Other identifiers for the document

DocumentReference (R4).status (also: status) | code | | | 1..1 | The status of this DocumentReference. If the document's record state is inactive or deleted, this is always "entered-in-error". If the document is expired, this is "superseded". In all other cases, this is "current", which matches the behavior of DocumentReference (Document Information).

DocumentReference (R4).subject (also: subject) | Reference | | | 1..1 | The patient who is the subject of the document.

DocumentReference (R4).type (also: type) | CodeableConcept | | | 1..1 | The document type. The value must come from the Advance Healthcare Directive Document Types Grouper.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/DocumentReference?patient=eabcdecd1hijklmnop88883&category=42348-3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/DocumentReference?category=42348-3&patient=eabcdecd1hijklmnop88883"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/fNf9Y3w2WtrOnwWjPXoajjg4"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/fNf9Y3w2WtrOnwWjPXoajjg4",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "fNf9Y3w2WtrOnwWjPXoajjg4",
        "extension": [
          {
            "valueDateTime": "2026-05-08T18:39:21Z",
            "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-authentication-time"
          }
        ],
        "identifier": [
          {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.686783",
            "value": "222222"
          },
          {
            "use": "official",
            "system": "http://open.epic.com/FHIR/StructureDefinition/document-identifier",
            "value": "111111,111111.pdf"
          }
        ],
        "status": "current",
        "type": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "93037-0",
              "display": "Portable medical order form"
            }
          ],
          "text": "Portable medical order form"
        },
        "category": [
          {
            "coding": [
              {
                "system": "http://loinc.org",
                "code": "42348-3",
                "display": "Advance healthcare directives"
              }
            ],
            "text": "Advance healthcare directives"
          }
        ],
        "subject": {
          "reference": "Patient/eabcdecd1hijklmnop88883",
          "display": "FHIR, Test Patient"
        },
        "date": "2026-05-08T18:39:21Z",
        "author": [
          {
            "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
            "type": "Practitioner",
            "display": "FHIR Test Physician, MD"
          }
        ],
```

```
        "authenticator": {
          "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
          "type": "Practitioner",
          "display": "FHIR Test Physician, MD"
        },
        "content": [
          {
            "attachment": {
              "contentType": "application/pdf",
              "url": "Binary/enCLZgyDBPcCO5JG1B9eJ7hmoD428tXX7KqJtknYFiYQ3"
            },
            "format": {
              "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
              "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
              "display": "mimeType Sufficient"
            }
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


23.1.58 DocumentReference.Search (Clinical Notes) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/1048-DocumentReference-Search-Clinical-Notes-R4.html
Epic API ID | 1048
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Clinical Notes Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2020
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?category={category}&date={date}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&subject={subject}&type={type}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=1048

Description

DocumentReference.Search (Clinical Notes) can be used to find information about clinical notes for a patient.

Binary.Read (Clinical Notes) (R4)

can be used to return the note content for the Binary references found in the DocumentReference.Search (Clinical Notes) responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
category | token | Optional | Yes | | This should be set to "clinical-note" to restrict the search results to only include the Clinical Notes sub-resource.
date | date | Optional | Yes | | When the note was created (FHIR Date and Time Parameters).
docstatus | token | Optional | Yes | | The status of this note: preliminary: the note is an incomplete draft, or it has changes that are awaiting signing or cosigning. final: the note has been fully signed amended: the note has been fully signed and was amended since it was first signed entered-in-error: the note has been deleted
encounter | reference | Optional | Yes | | The Encounter FHIR ID for the encounter asscociated with the note.
patient | reference | Conditional | Yes | | The Patient FHIR ID for whom this note note was written. This parameter is required unless subject is given.
period | date | Optional | Yes | | The dates of service for which the notes were written (FHIR Date and Time Parameters).
subject | reference | Conditional | Yes | | The Patient FHIR ID for whom this clinical note was written. This parameter is required unless patient is given.
type | token | Optional | Yes | | The note category ID or the LOINC code for the document type. To restrict the search to only include the Clinical Notes sub-resource, a value must be provided for either the category or type request element. The format for the type parameter is <system>|<type>. The accepted <type> values are listed below. Note: The <system> value is optional in each case, but providing it can improve performance Use case: Search for notes by LOINC code system: http://loinc.org type: the LOINC codes below are standardly supported. Epic organizations can map additional LOINC codes to note types as well. Discharge Summary (18842-5) Consultation (11488-4) History & Physical (34117-2) Progress Note (11506-3) Procedure Note (28570-0) Emergency Department Note (34111-5) Nurse Note (34746-8) Discharge Instructions

(74213-0) Surgical Op Note (11504-8) Miscellaneous Note (34109-9) Use case: Search for notes by note type system: <Note Type OID> type: <Note Type> Additional information: <Note Type OID> and <Note Type> will vary by Epic organization. Work with the organization to obtain these values.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description

authenticator | reference | Optional | Yes | | The FHIR Practitioner, Organization, or PratitionerRole ID of the person, organization, or practitioner role who last signed this note.

author | reference | Optional | Yes | | A Practitioner reference for the note author.

contenttype | token | Optional | Yes | | The MIME content type of the note text. This may be text/rtf or text/html.

custodian | reference | Optional | Yes | | The organization that owns the note.

format | token | Optional | Yes | | Always "mimetype Sufficient" system: http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem code: urn:ihe:iti:xds:2017:mimeTypeSufficient

related | reference | Optional | Yes | | This can be any of the following: A ServiceRequest reference for a procedure order associated with the note Observation (SmartData Elements) references for discrete data elements filed to the note An Epic order ID for an order associated with the note A Condition reference for problems associated with the note (not available in the patient-facing context)

status | token | Optional | Yes | | This DocumentReference's status. It is always "current" for clinical notes.

Response elements

Name | Type | Optional | Array | Cardinality | Description

DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.

DocumentReference (R4).authenticator | Reference | | | 0..1 | The last user who signed this note.

DocumentReference (R4).authenticator.extension (clinical-note-authentication-instant) (also: extension (clinical-note-authentication-instant)) | Extension | | Yes | 0..* | The last instant at which an authenticating user signed this note. This is represented as a FHIR dateTime. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-authentication-instant

DocumentReference (R4).authenticator.reference | String | | | 1..1 | The last user who signed this note.

DocumentReference (R4).author | Reference | | Yes | 1..* | The note's author.

DocumentReference (R4).author.reference | String | | | 1..1 | The note's author.

DocumentReference (R4).category | CodeableConcept | | Yes | 1..* | Categorization of the document. For DocumentReference (Clinical Notes) resources, this is always "clinical-note".

DocumentReference (R4).content | BackboneElement | | Yes | 1..* | The contents of a clinical note are provided by Binary resources and are available in both HTML format and Rich Text Format (RTF). A content element is provided for each format if the note contains text. Notes that were created from scans also provide an attachment for the scan's content if the scan can be retrieved with the Binary.Read (Clinical Note) (R4) API.

DocumentReference (R4).content.attachment | Attachment | | | 1..1 | A reference to a Binary FHIR resource that contains the note's content or the content of the scanned document that the note was created from.

DocumentReference (R4).content.attachment.contentType | String | | | 1..1 | MIME content type for this version of the note. This is either text/html for HTML or text/rtf for Rich Text Format. Other MIME types are given if the content is a scanned document. A third attachment with content type text/plain is returned to applications configured for NoteReader CDI. Some information is lost when content is converted to plain text. For example, images, styling, and Unicode characters are not preserved.

DocumentReference (R4).content.attachment.url | String | | | 1..1 | Reference to Binary FHIR resource that contains the note's content.

DocumentReference (R4).content.format | Coding | | | 1..1 | Always "mimetype Sufficient" system: http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem code: urn:ihe:iti:xds:2017:mimeTypeSufficient

DocumentReference (R4).context | BackboneElement | | | 1..1 | Clinical context for this note.

DocumentReference (R4).context.encounter | Reference | | Yes | 0..* | A FHIR Encounter reference for the encounter that this note belongs to.

DocumentReference (R4).context.encounter.extension (ce-encounter-id) (also: extension (ce-encounter-id)) | Extension | | Yes | 0..* | The ID of the Care Everywhere encounter associated with this note. URL: http://open.epic.com/FHIR/StructureDefinition/extension/ce-encounter-id

DocumentReference (R4).context.extension (clinical-note-author-provider-type) (also: extension (clinical-note-author-provider-type)) | Extension | | Yes | 0..* | The provider type of the provider who wrote the clinical note. NUCC Codes might also be returned in this extension if the organization has mapped them. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type

DocumentReference (R4).context.extension (clinical-note-post-procedure-diagnosis) (also: extension (clinical-note-post-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note after its related procedures have been completed. This is a CodeableConcept. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-post-procedure-diagnosis

DocumentReference (R4).context.extension (clinical-note-pre-procedure-diagnosis) (also: extension (clinical-note-pre-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note prior to a related procedure. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-pre-procedure-diagnosis

DocumentReference (R4).context.extension (clinical-note-service) (also: extension (clinical-note-service)) | Extension | | Yes | 0..* | The clinical service associated with this note. This refers to different hospital services such as internal medicine, intensive care, and cardiology. The service is represented as a CodeableConcept. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-service

DocumentReference (R4).context.period | Period | | | 1..1 | The date and time of service for this note.

DocumentReference (R4).context.practiceSetting | CodeableConcept | | | 0..1 | Note author's specialty. This is not returned in patient context.

DocumentReference (R4).context.related | Reference | | Yes | 0..* | This can be any of the following: A ServiceRequest reference for a procedure order associated with the note Observation (SmartData Elements) references for discrete data elements filed to the note An Epic order ID for an order associated with the note A Condition reference for problems associated with the note (not available in the patient-facing context)

DocumentReference (R4).custodian | Reference | | | 0..1 | The source organization that this note came from.

DocumentReference (R4).custodian.reference | String | | | 1..1 | The source organization that this note came from.

DocumentReference (R4).date | instant | | | 1..1 | Date and time when this note was created. This date and time might not be clinically relevant.

DocumentReference (R4).docStatus | code | | | 1..1 | The status of this note: preliminary: the note is an incomplete draft, or it has changes that are awaiting signing or cosigning. final: the note has been fully signed amended: the note has been fully signed and was amended since it was first signed entered-in-error: the note has been deleted

DocumentReference (R4).extension | Extension | | Yes

DocumentReference (R4).extension.extension (mode) (also: extension (mode)) | Extension | | Yes | 1..* | What role the signer had in signing the note: Signer: the person who signed this note Cosigner: a cosigner who cosigned this note without an attestation Attesting Cosigner: a cosigner who cosigned this note with a written attestation Transcription Authenticator: a person who authenticated this note if it was entered as a transcription This is a codeableConcept. URL: mode

DocumentReference (R4).extension.extension (party) (also: extension (party)) | Extension | | Yes | 1..* | Who signed this note. This is a reference to a Practitioner. URL: party

DocumentReference (R4).extension.extension (time) (also: extension (time)) | Extension | | Yes | 1..* | When this signature was made. URL: time

DocumentReference (R4).extension (clinical-note-author-provider-type) (also: extension (clinical-note-author-provider-type)) | Extension | | Yes | 0..* | The provider type of the provider who wrote the clinical note. This is a CodeableConcept. Possible provider types might be physician, registered nurse, case manager, or other types. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type

DocumentReference (R4).extension (clinical-note-inactive-instant) (also: extension (clinical-note-inactive-instant)) | Extension | Optional | Yes | 0..1 | The instant when the clinical note is considered inactive. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-inactive-instant

DocumentReference (R4).extension (clinical-note-interval-update) (also: extension (clinical-note-interval-update)) | Extension | | Yes | 0..* | Interval H&P notes that update this note. These are mainly used for surgical documentation. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-interval-update

DocumentReference (R4).extension (clinical-note-interval-update-source) (also: extension (clinical-note-interval-update-source)) | Extension | | Yes | 0..* | If this note is an Interval H&P note, then this extension references the note that this interval note updates. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-interval-update-source

DocumentReference (R4).extension (clinical-note-post-procedure-diagnosis) (also: extension (clinical-note-post-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note after its related procedures have been completed. This is a CodeableConcept. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-post-procedure-diagnosis

DocumentReference (R4).extension (clinical-note-pre-procedure-diagnosis) (also: extension (clinical-note-pre-procedure-diagnosis)) | Extension | | Yes | 0..* | A diagnosis associated with a clinical note prior to a related procedure. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-pre-procedure-diagnosis

DocumentReference (R4).extension (extension-DocumentReference.attester) (also: extension (extension-DocumentReference.attester)) | Extension | | Yes | 1..* | Participants who signed this note. URL: http://hl7.org/fhir/5.0/StructureDefinition/extension-DocumentReference.attester

DocumentReference (R4).id | id | | | 1..1 | The DocumentReference FHIR ID.

DocumentReference (R4).identifier | Identifier | | Yes | 1..* | The identifiers for this note in the Epic system.

DocumentReference (R4).securityLabel | CodeableConcept | | Yes | 0..1 | Indicates whether the note is allowed to be shared with patients. This is only present if the note should not be shared with patients. If the note cannot be shared with patients, then it has the following coding: system: http://terminology.hl7.org/CodeSystem/v3-ActCode code: NOPAT display: no disclosure to patient, family or caregivers without attending provider's authorization This element is only included in provider-facing and backend applications. It is omitted for patient-facing applications.

DocumentReference (R4).status | code | | | 1..1 | The status of this DocumentReference. This is always "current".

DocumentReference (R4).subject | Reference | | | 1..1 | The patient that is the subject of the note.

DocumentReference (R4).type | CodeableConcept | | | 1..1 | The note type. There are three potential coding values for type. All will be present for Epic-released note types. For organization-specific note types, which coding values are present will depend on whether additional mapping was done by the organization. LOINC system: http://loinc.org code: <LOINC code> Note Type category system: ends in 7.4.737880.5010 (work with the organization to get their specific system) code: <category value> Epic-released categories system: urn:oid:1.2.840.114350.1.72.727879.69848980 code: <category value>

Sample request

```
GET https://hostname/instance/api/FHIR/R4/DocumentReference?patient=eUEKdnYPKuCXlSq8WIYaPTA3&category=clinical-note
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/DocumentReference?category=clinical-
    note&patient=eUEKdnYPKuCXlSq8WIYaPTA3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eXR.vCaCsTte6MWYJJim4wA3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/eXR.vCaCsTte6MWYJJim4wA3",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "eXR.vCaCsTte6MWYJJim4wA3",
        "extension": [
          {
            "extension": [
              {
                "valueCodeableConcept": {
                  "coding": [
                    {
                      "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.696784.72072",
                      "code": "1",
                      "display": "Signer"
                    }
                  ],
                  "text": "Signer"
                },
                "url": "mode"
              },
              {
                "valueDateTime": "2025-04-20T23:27:56Z",
```

```
        "url": "time"
      },
      {
        "valueReference": {
          "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
          "display": "Attending Physician Inpatient, MD"
        },
        "url": "party"
      }
    ],
    "url": "http://hl7.org/fhir/5.0/StructureDefinition/extension-DocumentReference.attester"
  }
],
"identifier": [
  {
    "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.2.727879",
    "value": "566327"
  },
  {
    "system": "urn:oid:1.2.840.114350.1.72.3.15",
    "value": "1.2.840.114350.1.13.11511.1.7.2.727879_566327"
  }
],
"status": "current",
"docStatus": "final",
"type": {
  "coding": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.737880.5010",
      "code": "1",
      "display": "Progress Notes"
    },
    {
      "system": "urn:oid:1.2.840.114350.1.72.727879.69848980",
      "code": "1",
      "display": "Progress Notes"
    },
    {
      "system": "http://loinc.org",
      "code": "11506-3",
      "display": "Progress note",
      "userSelected": true
    }
  ],
  "text": "Progress Notes"
},
"category": [
  {
    "coding": [
      {
        "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-documentreference-category",
        "code": "clinical-note",
        "display": "Clinical Note"
      }
    ],
    "text": "Clinical Note"
  }
],
"subject": {
  "reference": "Patient/eUEKdnYPKuCXlSq8WIYaPTA3",
  "display": "Bugsy, Beau Dakota"
},
"date": "2025-04-20T23:27:24Z",
"author": [
  {
    "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
    "type": "Practitioner",
    "display": "Attending Physician Inpatient, MD"
  }
],
"authenticator": {
  "extension": [
    {
      "valueDateTime": "2025-04-20T23:27:56Z",
      "url": "http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-authentication-instant"
    }
  ],
  "reference": "Practitioner/ejb8.EbaQ8UyziPoyHy.J3A3",
  "type": "Practitioner",
  "display": "Attending Physician Inpatient, MD"
},
"custodian": {
  "identifier": {
    "system": "urn:ietf:rfc:3986",
    "value": "urn:epic:cec.fsplyfin"
  },
  "display": "FHIR Playground"
},
"content": [
```

```
        {
          "attachment": {
            "contentType": "text/html",
            "url": "Binary/e6OvKs0SMxxJBE132ZozoeA3"
          },
          "format": {
            "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
            "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
            "display": "mimeType Sufficient"
          }
        },
        {
          "attachment": {
            "contentType": "text/rtf",
            "url": "Binary/fF4.r.AZYL0syLa.ko.DTJDW6zmUskO2Tigi1g8J7iwA4"
          },
          "format": {
            "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
            "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
            "display": "mimeType Sufficient"
          }
        }
      ],
      "context": {
        "extension": [
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.836982.1040",
                  "code": "1",
                  "display": "Physician"
                },
                {
                  "system": "urn:oid:2.16.840.1.113883.6.101",
                  "code": "207R00000X",
                  "display": "Internal Medicine Physician"
                }
              ],
              "text": "Physician"
            },
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type"
          },
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.696784.34886",
                  "code": "112",
                  "display": "Internal Medicine"
                }
              ],
              "text": "Internal Medicine"
            },
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-service"
          }
        ],
        "encounter": [
          {
            "reference": "Encounter/eKvkb8V4sgTKL9nm3MtDjXw3",
            "identifier": {
              "use": "usual",
              "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.3.698084.8",
              "value": "40282"
            },
            "display": "Hospital Encounter"
          }
        ],
        "period": {
          "start": "2025-04-20T23:27:24Z"
        },
        "practiceSetting": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.836982.1050",
              "code": "17",
              "display": "Internal Medicine"
            }
          ],
          "text": "Internal Medicine"
        }
      }
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```

Change log

Epic Version | Description | Type
August 2025 | DocumentReference (Clinical Note) will now return plain text binary if NoteReader CDI is enabled ContentType text/plain Previously, 2 note Binaries were generated and provided in the response. Now a third one will be provided to offer a plaintext version for NoteReader CDI. | Update
ContentType | text/plain | Previously, 2 note Binaries were generated and provided in the response. Now a third one will be provided to offer a plaintext version for NoteReader CDI.
Epic Version | Description | Type
May 2024 | DocumentReference(Clinical Note).code.system will return URLs in place of an OID for the following code systems: System URL OID AGB-Id http://fhir.nl/fhir/NamingSystem/agb-z 2.16.840.1.113883.2.4.6.1 ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 BIG http://fhir.nl/fhir/NamingSystem/big 2.16.528.1.1007.5.1 ContactRole2 http://terminology.hl7.org/CodeSystem/v2-0131 2.16.840.1.113883.18.58 CPT http://www.ama-assn.org/go/cpt 2.16.840.1.113883.6.12 DataAbsentReason http://hl7.org/fhir/StructureDefinition/data-absent-reason 2.16.840.1.113883.6.12 ICD-9-CM http://hl7.org/fhir/sid/icd-9-cm 2.16.840.1.113883.6.103 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 LOINC http://loinc.org 2.16.840.1.113883.6.1 RoleCode http://terminology.hl7.org/CodeSystem/v3-RoleCode 2.16.528.1.1007.3.3 RxNorm http://www.nlm.nih.gov/research/umls/rxnorm 2.16.840.1.113883.6.88 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 URA http://fhir.nl/fhir/NamingSystem/ura 2.16.528.1.1007.3.3 UZI http://fhir.nl/fhir/NamingSystem/uzi-nr-pers 2.16.528.1.1007.3.1 Uzovi http://fhir.nl/fhir/NamingSystem/uzovi 2.16.840.1.113883.2.4.6.4 | Breaking change
System | URL | OID
AGB-Id | http://fhir.nl/fhir/NamingSystem/agb-z | 2.16.840.1.113883.2.4.6.1
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
BIG | http://fhir.nl/fhir/NamingSystem/big | 2.16.528.1.1007.5.1
ContactRole2 | http://terminology.hl7.org/CodeSystem/v2-0131 | 2.16.840.1.113883.18.58
CPT | http://www.ama-assn.org/go/cpt | 2.16.840.1.113883.6.12
DataAbsentReason | http://hl7.org/fhir/StructureDefinition/data-absent-reason | 2.16.840.1.113883.6.12
ICD-9-CM | http://hl7.org/fhir/sid/icd-9-cm | 2.16.840.1.113883.6.103
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
LOINC | http://loinc.org | 2.16.840.1.113883.6.1
RoleCode | http://terminology.hl7.org/CodeSystem/v3-RoleCode | 2.16.528.1.1007.3.3
RxNorm | http://www.nlm.nih.gov/research/umls/rxnorm | 2.16.840.1.113883.6.88
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96
URA | http://fhir.nl/fhir/NamingSystem/ura | 2.16.528.1.1007.3.3
UZI | http://fhir.nl/fhir/NamingSystem/uzi-nr-pers | 2.16.528.1.1007.3.1
Uzovi | http://fhir.nl/fhir/NamingSystem/uzovi | 2.16.840.1.113883.2.4.6.4
Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

23.1.59 DocumentReference.Search (Clinical References) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10318-DocumentReference-Search-Clinical-References-R4.html
Epic API ID | 10318
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Clinical Reference Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}&subject={subject}&encounter={encounter}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10318

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | token | False | | | Always "clinical-reference".
encounter | reference | True | | | Associated encounter.
patient | reference | Either patient or subject must be specified. | | | The associated patient.

subject | reference | Either patient or subject must be specified. | | | The associated patient.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Unsupported
author | reference | True | | | Unsupported
contenttype | token | True | | | Unsupported
custodian | reference | True | | | Unsupported
date | date | True | | | The date and time when the Clinical Reference was attached.
description | String | True | | | Unsupported
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Format/Content rules for the document. Specifies RTF vs HTML.
identifier | token | True | | | Unsupported
language | String | True | | | Unsupported
period | date | True | | | Unsupported
related | reference | True | | | Unsupported
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Unsupported
status | token | True | | | Always "current".
type | token | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | True | Yes | | Always "clinical-reference".
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Document information.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | The URL of a FHIR Binary resource containing the contents of the HNO.
Bundle.entry.resource.DocumentReference.content.format | Coding | True | | | Format/Content rules for the document. Specifies RTF vs HTML.
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Encounter information.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | Yes | | References the encounter to which the clinical references are attached.
Bundle.entry.resource.DocumentReference.date | instant | True | | | The date and time when the Clinical Reference was attached.
Bundle.entry.resource.DocumentReference.status | code | False | | | Always "current".
Bundle.entry.resource.DocumentReference.subject | Reference | False | | | Focus of message (patient).

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?encounter=ewjLq6T8jD2jClb0dkMYS25HM0BGjl-
    uE31HHZUSdadw3&category=clinical-reference
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/DocumentReference?encounter=ewjLq6T8jD2jClb0dkMYS25HM0BGjl-
    uE31HHZUSdadw3&category=clinical-reference"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eGlGqhMrWY-D7S9UWdHMuOoeJ0ive0Yvo0ssmqFUSohM3"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/R4/DocumentReference/eGlGqhMrWY-D7S9UWdHMuOoeJ0ive0Yvo0ssmqFUSohM3",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "eGlGqhMrWY-D7S9UWdHMuOoeJ0ive0Yvo0ssmqFUSohM3",
        "status": "current",
        "category": [
          {
            "coding": [
```

```
            {
              "system": "http://open.epic.com/FHIR/StructureDefinition/documentreference-category",
              "code": "clinical-reference",
              "display": "Clinical Reference"
            }
          ],
          "text": "Clinical Reference"
        }
      ],
      "subject": {
        "reference": "Patient/efS7U8khObcJM43siqMrZQ8qh4zBvSjftUk5VQhXXWGg3",
        "display": "Brauwer, Alistair"
      },
      "date": "2022-01-28T16:16:47Z",
      "content": [
        {
          "attachment": {
            "contentType": "text/rtf",
            "url": "Binary/eg5G4a1wX1DGzkjxib3xh8P4.xnlTsrlTE0Ij6k6EDfw3"
          },
          "format": {
            "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
            "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
            "display": "mimeType Sufficient"
          }
        }
      ],
      "context": {
        "encounter": [
          {
            "reference": "Encounter/ewjLq6T8jD2jClb0dkMYS25HM0BGjl-uE31HHZUSdadw3",
            "identifier": {
              "use": "usual",
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
              "value": "10003900569"
            },
            "display": "Hospital Encounter"
          }
        ]
      }
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```


23.1.60 DocumentReference.Search (Correspondences) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10244-DocumentReference-Search-Correspondences-R4.html
Epic API ID | 10244
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Correspondences Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template |
/api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&patient={patient}&period={period}&type={type}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10244

Description

The FHIR DocumentReference.Search (Correspondences) resource returns documentation related to a piece of correspondence, including who created the correspondence and when. It includes details about the patient associated with the correspondence, as well as a reference to the Binary resource that contains the documentation content associated with the correspondence.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
author | reference | True | | | FHIR ID for the providers who created the correspondence.
category | token | False | | | Must be set to “correspondence” if specified.
date | date | True | | | The instant or range of instants when a correspondence was sent.
patient | reference | Either a patient, a subject, or an encounter is required. | | | FHIR Patient ID. If provided, the search returns all matching results for this patient.
period | date | True | | | The instant when the encounter associated with the correspondence occurred.

status | token | True | | | If specified, must be set to "current", which is the status of all correspondences.
subject | reference | Either a patient, a subject, or an encounter is required. | | | The patient that is the subject of the note.
type | token | True | | | The reasons for the correspondence.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Unsupported
contenttype | token | True | | | Always “application/pdf.”
custodian | reference | True | | | Unsupported
description | String | True | | | A description of the reason for the correspondence.
docstatus | token | True | | | Always “Final.”
encounter | reference | Either a patient, a subject, or an encounter is required. | | | Reference to the Encounter resource.
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Unsupported
identifier | token | True | | | A unique identifier for the document that is based on information such as the patient record. If the correspondence has an attached note record, this master identifier is the same as the identifier.
language | String | True | | | Unsupported
related | reference | True | | | Unsupported
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | The service associated with the author for the correspondence (for example, internal medicine).

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.author | Reference | True | Yes | | The person who authored the document. Reference to a Practitioner resource.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | False | Yes | | Always "Correspondence."
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Reference to the Binary resource.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Reference to Binary FHIR resource.
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | True | | | Always “application/pdf.”
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Reference to the Encounter resource.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | Yes | | Reference to the Encounter resource.
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | The instant when the encounter associated with the correspondence occurred.
Bundle.entry.resource.DocumentReference.context.practiceSetting | CodeableConcept | True | | | The service associated with the author for the correspondence (for example, internal medicine).
Bundle.entry.resource.DocumentReference.date | instant | False | | | The instant when the correspondence was sent.
Bundle.entry.resource.DocumentReference.description | String | True | | | A description of the reason for the correspondence.
Bundle.entry.resource.DocumentReference.docStatus | code | True | | | Always “Final.”
Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | The note record ID.
Bundle.entry.resource.DocumentReference.masterIdentifier | Identifier | False | | | A unique identifier for the document that is based on information such as the patient record. If the correspondence has an attached note record, this master identifier is the same as the identifier.
Bundle.entry.resource.DocumentReference.status | code | False | | | Always “Current.”
Bundle.entry.resource.DocumentReference.subject | Reference | False | | | Patient to whom the document is related. Reference to a Patient resource.
Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | The reason for the letter, identified with a LOINC class code in November 2021 and earlier versions. Starting in February 2022 version of Epic, this element may also include the Epic-specific document type. Always includes generic LOINC code 56444-3.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?patient=ePkoYQHmvWbfU.mZmNWGDtg3&category=correspondence
```

Sample response


```
{
    "resourceType": "Bundle",
    "type": "searchset",
    "total": 3,
    "link": [
        {
            "relation": "self",
            "url":
    "https://hostname/instance/api/FHIR/R4/DocumentReference?patient=ePkoYQHmvWbfU.mZmNWGDtg3&category=correspondence"
        }
    ],
    "entry": [
        {
            "link": [
```

```
            {
                "relation": "self",
                "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4
V0zHIkaRhxssCEVApuupXph50iFBR3"
            }
        ],
        "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4V0zH
IkaRhxssCEVApuupXph50iFBR3",
        "resource": {
            "resourceType": "DocumentReference",
            "id": "eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4V0zHIkaRhxssCEVApuupXph50iFBR3",
            "masterIdentifier": {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.6.698084.19749",
                "value": "Z536005^55563.95^A0"
            },
            "identifier": [
                {
                    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
                    "value": "1008659241"
                }
            ],
            "status": "current",
            "docStatus": "final",
            "type": {
                "coding": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.698084.20208",
                        "code": "4",
                        "display": "Summary of Care"
                    },
                    {
                        "system": "http://snomed.info/sct",
                        "code": "429111000124101",
                        "display": "Documentation of care summary (procedure)"
                    }
                ],
                "text": "Documentation of care summary (procedure)"
            },
            "category": [
                {
                    "coding": [
                        {
                            "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
                            "code": "correspondence",
                            "display": "Correspondence"
                        }
                    ],
                    "text": "Correspondence"
                }
            ],
            "subject": {
                "reference": "Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
                "display": "Lufhir, Meiko"
            },
            "date": "2021-08-11T19:59:36Z",
            "author": [
                {
                    "reference": "Practitioner/eIOnxJsdFcfgJ4iy716I3MA3",
                    "display": "Epic User, MD"
                }
            ],
            "description": "Summary of Care",
            "content": [
                {
                    "attachment": {
                        "contentType": "application/pdf",
                        "url": "Binary/exfLp1dxoIskYyIfOmsjokdswD8R3EHVWQiK6jiXsoCviWH-0urnVQpSsUi4EiL7.3"
                    }
                }
            ],
            "context": {
                "encounter": [
                    {
                        "reference": "Encounter/eSj.HsZo1FUNx-iYKrPKarcbV8sCPtDiFp.ddg0MO4PY3",
                        "identifier": {
                            "use": "usual",
                            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
                            "value": "10001633207"
                        },
                        "display": "Emergency"
                    }
                ],
                "period": {
                    "start": "2021-08-11T19:18:00Z"
                },
                "practiceSetting": {
                    "coding": [
                        {
                            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.727879.59",
```

```
                            "code": "4",
                            "display": "Emergency"
                        }
                    ],
                    "text": "Emergency"
                }
            }
        },
        "search": {
            "mode": "match"
        }
    },
    {
        "link": [
            {
                "relation": "self", "https://hostname/instance/api/FHIR/R4/DocumentReference/eTfOWeRsRBvcSskwCCNnAE-
j00wobMoXQvWgqHhwRtSgBDVMn83nd6YSmw7Oy9Ya.3"
            }
        ],
        "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/eTfOWeRsRBvcSskwCCNnAE-
j00wobMoXQvWgqHhwRtSgBDVMn83nd6YSmw7Oy9Ya.3",
        "resource": {
            "resourceType": "DocumentReference",
            "id": "eTfOWeRsRBvcSskwCCNnAE-j00wobMoXQvWgqHhwRtSgBDVMn83nd6YSmw7Oy9Ya.3",
            "masterIdentifier": {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.6.698084.19749",
                "value": "Z536005^55563.95^A3"
            },
            "identifier": [
                {
                    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
                    "value": "1008936475"
                }
            ],
            "status": "current",
            "docStatus": "final",
            "type": {
                "coding": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.698084.20208",
                        "code": "2",
                        "display": "Health Maintenance"
                    },
                    {
                        "system": "http://snomed.info/sct",
                        "code": "78318003",
                        "display": "History and physical examination, annual for health maintenance (procedure)"
                    }
                ],
                "text": "History and physical examination, annual for health maintenance (procedure)"
            },
            "category": [
                {
                    "coding": [
                        {
                            "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
                            "code": "correspondence",
                            "display": "Correspondence"
                        }
                    ],
                    "text": "Correspondence"
                }
            ],
            "subject": {
                "reference": "Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
                "display": "Lufhir, Meiko"
            },
            "date": "2021-08-19T19:19:36Z",
            "author": [
                {
                    "reference": "Practitioner/eIOnxJsdFcfgJ4iy716I3MA3",
                    "display": "Epic User, MD"
                }
            ],
            "description": "Health Maintenance",
            "content": [
                {
                    "attachment": {
                        "contentType": "application/pdf",
                        "url": "Binary/exfLp1dxoIskYyIfOmsjokUIrFxBhghbTAS6W1F6UxShuJYANULtQ.u26kxNQeg8i3"
                    }
                }
            ],
            "context": {
                "encounter": [
                    {
                        "reference": "Encounter/eSj.HsZo1FUNx-iYKrPKarcbV8sCPtDiFp.ddg0MO4PY3",
                        "identifier": {
                            "use": "usual",
```

```
                            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
                            "value": "10001633207"
                        },
                        "display": "Emergency"
                    }
                ],
                "period": {
                    "start": "2021-08-11T19:18:00Z"
                },
                "practiceSetting": {
                    "coding": [
                        {
                            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.727879.59",
                            "code": "7",
                            "display": "Observation"
                        }
                    ],
                    "text": "Observation"
                }
            }
        },
        "search": {
            "mode": "match"
        }
    },
    {
        "link": [
            {
                "relation": "self",
                "url":
"https://hostname/instance/api/FHIR/R4/DocumentReference/eTfOWeRsRBvcSskwCCNnAE4njzMgdld7DyiEtdiXwLn43"
            }
        ],
        "fullUrl":
"https://hostname/instance/api/FHIR/R4/DocumentReference/eTfOWeRsRBvcSskwCCNnAE4njzMgdld7DyiEtdiXwLn43",
        "resource": {
            "resourceType": "DocumentReference",
            "id": "eTfOWeRsRBvcSskwCCNnAE4njzMgdld7DyiEtdiXwLn43",
            "masterIdentifier": {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
                "value": "1008906960"
            },
            "identifier": [
                {
                    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
                    "value": "1008906960"
                }
            ],
            "status": "current",
            "docStatus": "final",
            "type": {
                "coding": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.698084.20208",
                        "code": "2",
                        "display": "Health Maintenance"
                    },
                    {
                        "system": "http://snomed.info/sct",
                        "code": "78318003",
                        "display": "History and physical examination, annual for health maintenance (procedure)"
                    }
                ],
                "text": "History and physical examination, annual for health maintenance (procedure)"
            },
            "category": [
                {
                    "coding": [
                        {
                            "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
                            "code": "correspondence",
                            "display": "Correspondence"
                        }
                    ],
                    "text": "Correspondence"
                }
            ],
            "subject": {
                "reference": "Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
                "display": "Lufhir, Meiko"
            },
            "date": "2021-08-18T23:33:09Z",
            "author": [
                {
                    "reference": "Practitioner/eIOnxJsdFcfgJ4iy716I3MA3",
                    "display": "Epic User, MD"
                }
            ],
            "description": "Health Maintenance",
```

```
                "content": [
                    {
                        "attachment": {
                            "contentType": "application/pdf",
                            "url": "Binary/exfLp1dxoIskYyIfOmsjokck0YXfPt6Slj1Mk4p2CqI83"
                        }
                    }
                ],
                "context": {
                    "encounter": [
                        {
                            "reference": "Encounter/eLXGhqniK8DBLybGEt5cFBWxBnzZjZfLBdTtiscvurhs3",
                            "identifier": {
                                "use": "usual",
                                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
                                "value": "10001652697"
                            },
                            "display": "Letter (Out)"
                        }
                    ],
                    "period": {
                        "start": "2021-08-18T23:29:00Z"
                    }
                }
            },
            "search": {
                "mode": "match"
            }
        }
    ]
}
```


Change log

Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

23.1.61 DocumentReference.Search (Document Information) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10310-DocumentReference-Search-Document-Information-R4.html
Epic API ID | 10310
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10310

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | token | True | | | The type of DocumentReference being requested. In this case, set to "document-information".
patient | reference | False | | | The FHIR patient ID.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Unsupported
author | reference | True | | | Received by/Scan by user.
contenttype | token | True | | | Mime type of the content, with charset etc.
custodian | reference | True | | | Organization which maintains the document

date | date | True | | | Document received date and time.
description | String | True | | | Document description.
docstatus | token | True | | | Status of the document. Mapped to CompositionStatus.
encounter | reference | True | | | The encounter that the document is attached to.
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Format/content rules for the document
identifier | token | True | | | Document identifier.
language | String | True | | | Unsupported
period | date | True | | | Document service date and time.
related | reference | True | | | A reference to the referral-type ServiceRequest associated with this DocumentReference.
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Unsupported
status | token | True | | | Returns "current" unless the document is deleted, hidden, or otherwise unavailable. Then, returns “entered-in-error.”
type | token | True | | | Document type.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | False | Yes | | Category to indicate that this request is for Document Information.
Bundle.entry.resource.DocumentReference.category.coding | Coding | False | Yes | | Coding value to indicate that this request is for Document Information.
Bundle.entry.resource.DocumentReference.category.coding.code | String | False | | | Always “document-information”.
Bundle.entry.resource.DocumentReference.category.coding.display | String | False | | | Always “Document Information”.
Bundle.entry.resource.DocumentReference.category.coding.system | String | False | | | Always "http://open.epic.com/FHIR/StructureDefinition/documentreference-category".
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | The file content for the document
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Contains a reference for an attachment to the related document if available.
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | True | | | Mime type of the content, with charset etc.
Bundle.entry.resource.DocumentReference.content.attachment.extension (also: data-absent-reason) | Extension | True | Yes | | Extension that indicates that an attachment is not applicable for the document. Returns "not applicable".
Bundle.entry.resource.DocumentReference.content.attachment.url | String | False | | | A reference to the Binary FHIR resource of the document if available.
Bundle.entry.resource.DocumentReference.content.extension (also: data-absent-reason) | Extension | True | Yes | | Extension to indicate that the attachment is not available.
Bundle.entry.resource.DocumentReference.content.format | Coding | True | | | Format/content rules for the document
Bundle.entry.resource.DocumentReference.content.format.code | String | False | | | Always "urn:ihe:iti:xds:2017:mimeTypeSufficient" if available.
Bundle.entry.resource.DocumentReference.content.format.display | String | False | | | Always "mimeType Sufficient" if available.
Bundle.entry.resource.DocumentReference.content.format.system | String | False | | | Always "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" if available.
Bundle.entry.resource.DocumentReference.context | BackboneElement | False | | | Context details.
Bundle.entry.resource.DocumentReference.context.extension (also: document-effective) | Extension | True | Yes | | Document effective date time.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | Yes | | The encounter that the document is attached to.
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | Document service date and time.
Bundle.entry.resource.DocumentReference.context.related | Reference | True | Yes | | A reference to the related resources associated with this DocumentReference.
Bundle.entry.resource.DocumentReference.custodian | Reference | True | | | The display name for the current organization.
Bundle.entry.resource.DocumentReference.date | instant | True | | | Document received date and time.
Bundle.entry.resource.DocumentReference.description | String | True | | | Document description.
Bundle.entry.resource.DocumentReference.docStatus | code | True | | | Status of the document. Mapped to CompositionStatus.
Bundle.entry.resource.DocumentReference.identifier | Identifier | False | Yes | | Document identifier.
Bundle.entry.resource.DocumentReference.status | code | False | | | Returns "current" unless the document is deleted, hidden, or otherwise unavailable. Then, returns “entered-in-error.”
Bundle.entry.resource.DocumentReference.subject | Reference | False | | | The patient that is the subject of the document.
Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | Document type.
Bundle.entry.resource.DocumentReference.type.coding | Coding | False | Yes | | Coding value for the document type.
Bundle.entry.resource.DocumentReference.type.coding.code | String | False | | | The code from the terminology for the document type concept.
Bundle.entry.resource.DocumentReference.type.coding.display | String | False | | | Display of document type concept.
Bundle.entry.resource.DocumentReference.type.coding.system | String | False | | | This is a URI that identifies the terminology (or collection of codes).

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?patient=eliPBpAsEyZVmECYLH-J.kg3&category=document-information
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
    <type value="searchset"/>
    <total value="764"/>
    <link>
        <relation value="self"/>
        <url
    value="https://hostname/instance/api/FHIR/R4/DocumentReference?patient=eiCbDCEzFk6wR6UNlcWziySVQrlN47NTRvxPwgT4P3883
    "/>
    </link>
    <entry>
        <link>
            <relation value="self"/>
            <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/eGTI41.Isi638FTkMSoEA47L5.WtT25eJ-
    zlSghkBD543"/>
        </link>
        <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/eGTI41.Isi638FTkMSoEA47L5.WtT25eJ-
    zlSghkBD543"/>
        <resource>
            <DocumentReference>
                <id value="eGTI41.Isi638FTkMSoEA47L5.WtT25eJ-zlSghkBD543"/>
                <identifier>
                    <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.2.727879"/>
                    <value value="1010618052"/>
                </identifier>
                <identifier>
                    <system value="urn:oid:1.2.840.114350.1.72.3.15"/>
                    <value value="1.2.840.114350.1.13.5325.1.7.2.727879_1010618052"/>
                </identifier>
                <status value="current"/>
                <docStatus value="preliminary"/>
                <type>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.737880.5010"/>
                        <code value="1"/>
                        <display value="Progress Notes"/>
                    </coding>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.72.727879.69848980"/>
                        <code value="1"/>
                        <display value="Progress Notes"/>
                    </coding>
                    <coding>
                        <system value="http://loinc.org"/>
                        <code value="11506-3"/>
                        <display value="Progress note"/>
                        <userSelected value="true"/>
                    </coding>
                    <coding>
                        <system value="http://loinc.org"/>
                        <code value="75492-9"/>
                        <display value="Risk assessment and screening note"/>
                    </coding>
                    <text value="Progress Notes"/>
                </type>
                <category>
                    <coding>
                        <system value="http://hl7.org/fhir/us/core/CodeSystem/us-core-documentreference-category"/>
                        <code value="clinical-note"/>
                        <display value="Clinical Note"/>
                    </coding>
                    <text value="Clinical Note"/>
                </category>
                <subject>
                    <reference value="Patient/eiCbDCEzFk6wR6UNlcWziySVQrlN47NTRvxPwgT4P3883"/>
                    <display value="JEK, Danger"/>
                </subject>
                <date value="2021-10-27T19:02:27Z"/>
                <author>
                    <reference value="Practitioner/emnkokS3ex3pMjlzS7Qtl7A3"/>
                    <type value="Practitioner"/>
                    <display value="Doctor Kay Jr."/>
                </author>
                <custodian>
                    <identifier>
                        <system value="urn:ietf:rfc:3986"/>
                        <value value="urn:epic:cec.idecur"/>
                    </identifier>
                    <status value="current"/>
                    <docStatus value="final"/>
                    <type>
                        <coding>
                            <system value="http://loinc.org"/>
                            <code value="56444-3"/>
                            <display value="Healthcare communication Document"/>
                        </coding>
                        <text value="Healthcare communication Document"/>
                    </type>
                    <category>
                        <coding>
```

```
                        <system value="http://open.epic.com/FHIR/StructureDefinition/document-reference-class"/>
                        <code value="correspondence"/>
                        <display value="Correspondence"/>
                    </coding>
                    <text value="Correspondence"/>
                </category>
                <subject>
                    <reference value="Patient/eiCbDCEzFk6wR6UNlcWziySVQrlN47NTRvxPwgT4P3883"/>
                    <display value="JEK, Danger"/>
                </subject>
                <author>
                    <reference value="Practitioner/emnkokS3ex3pMjlzS7Qtl7A3"/>
                    <type value="Practitioner"/>
                    <display value="Doctor Kay Jr."/>
                </author>
                <content>
                    <attachment>
                        <contentType value="application/pdf"/>
                        <url value="Binary/eNVo36G0dNhtI70LrZFsf725wDrfmnjA-ZAnqJA3AEv8V1lh.HzYSZ-maN9StcdvL3"/>
                    </attachment>
                </content>
                <context>
                    <encounter>
                        <identifier>
                            <use value="usual"/>
                            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8"/>
                            <value value="10002444658"/>
                        </identifier>
                        <display value="Letter (Out)"/>
                    </encounter>
                    <period>
                        <start value="2021-04-03T17:25:00Z"/>
                    </period>
                </context>
            </DocumentReference>
        </resource>
        <search>
            <mode value="match"/>
        </search>
    </entry>
</Bundle>
```


Change log

Epic Version | Description | Type
February 2024 | The date element's data type is now an instant instead of dateTime. | Breaking Change

23.1.62 DocumentReference.Search (External CCDA) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10135-DocumentReference-Search-External-CCDA-R4.html
Epic API ID | 10135
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | External CCDA Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/R4/DocumentReference?category={category}&date={date}&patient={patient}&period={period}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10135

Description

The FHIR DocumentReference resource is a resource that can be used to represent many different types of documents. The FHIR DocumentReference (External CCDA) implementation is used to communicate information about a structured C-CDA (Consolidated-Clinical Document Architecture) document that was received from an external source. C-CDA is an HL7 standard for documents used to exchange clinical data between organizations using EHRs.

The search interaction enables the client to query for C-CDA document records based on a patient and optionally a date of service or date of document creation/update.

Similar Resources:

* DocumentReference (Generated CCDA) (DSTU2) - Generates a CDA document based on current clinical content in the system.

* DocumentReference (Generated CCDA) (R4) - Functionally the same as DSTU2 with improvements to document generation limit.

* DocumentReference (External CCDA Document) (STU3) - Returns external CDA documents received in Epic. Can only query Epic payer systems.

* DocumentReference (External CCDA Document) (R4) - Returns external CDA documents received in Epic. Can query Epic provider systems.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | token | False | | | Use "external-ccda" to retrieve structured CDAs received from an external source.
date | date | True | | | When the document reference was created.
patient | reference | False | | | The Patient FHIR ID.
period | date | True | | | Filters the results based on the dateTime of event the document applies to.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Unsupported
author | reference | True | | | Identifier for the external provider associated with the event.
contenttype | token | True | | | Mime type of the content, with charset etc.
custodian | reference | True | | | Organization name and Home Community ID identifier.
description | String | True | | | Short description of the document or event associated with the document.
docstatus | token | True | | | Epic supports the following values: entered-in-error final CDAs are given the docStatus "entered-in-error" when they are invalidated (soft-deleted) for any reason. Entered-in-error documents are not returned in searches, but may be returned in read transactions. All other documents are given a docStatus of "final".
encounter | reference | True | | | Unsupported
event | String | True | | | HL7 ActCode for the event associated with the document.
facility | String | True | | | Unsupported
format | token | True | | | Unsupported
identifier | token | True | | | Unsupported
language | String | True | | | Unsupported
related | reference | True | | | Used to identify the Epic-specific visit number value of the event associated with the document.
relatesto | String | True | | | Used with the “append” code to reference another DocumentReference resource that this document is adding information to. Used with the “replaces” code to reference another DocumentReference resource that this document is replacing.
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Epic-specific code and description for the department specialties for the event associated with the document.
status | token | True | | | Epic supports the following values: entered-in-error current CDAs are given the status "entered-in-error" when they are invalidated (soft-deleted) for any reason. Entered-in-error documents are not returned in searches, but may be returned in read transactions. All other documents are given a status of "current".
type | token | True | | | The type of document, identified with a LOINC class code. May also include the Epic-specific document type.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.author | Reference | False | Yes | | Identifier for the external provider associated with the event.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | False | Yes | | Always "external-ccda" for structured CDAs received from an external source.
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Reference to the Binary resource that contains the CDA content.
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | False | | | Mime type of the content, with charset etc.
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Context details.
Bundle.entry.resource.DocumentReference.context.event | CodeableConcept | True | Yes | | HL7 ActCode for the event associated with the document. The following returned code system varies by Epic version: August 2023 and earlier: http://hl7.org/fhir/v3/ActCode November 2023 and later: http://terminology.hl7.org/CodeSystem/v3-ActCode
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | Start and end dateTimes for the event associated with the document. Document creation time appears as the period end dateTime for documents without associated event dateTimes.
Bundle.entry.resource.DocumentReference.context.practiceSetting | CodeableConcept | True | | | Epic-specific code and description for the department specialties for the event associated with the document.
Bundle.entry.resource.DocumentReference.context.related | Reference | True | Yes | | Used to identify the Epic-specific visit number value of the event associated with the document.
Bundle.entry.resource.DocumentReference.custodian | Reference | False | | | Organization name and Home Community ID identifier.
Bundle.entry.resource.DocumentReference.date | instant | False | | | The document creation time.
Bundle.entry.resource.DocumentReference.description | String | True | | | Short description of the document or event associated with the document.
Bundle.entry.resource.DocumentReference.docStatus | code | False | | | Epic supports the following values: entered-in-error final CDAs are given the docStatus "entered-in-error" when they are invalidated (soft-deleted) for any reason. Entered-in-error documents are not returned in searches, but may be returned in read transactions. All other documents are given a docStatus of "final".

Bundle.entry.resource.DocumentReference.id | id | False | | | The FHIR ID

Bundle.entry.resource.DocumentReference.meta | Meta | False | | | The document metadata.

Bundle.entry.resource.DocumentReference.meta.lastUpdated | String | False | | | When the most recent version of the CDA was received. Same value as the “date” element.

Bundle.entry.resource.DocumentReference.relatesTo | RelatesTo | True | Yes | | Used with the “append” code to reference another DocumentReference resource that this document is adding information to. Used with the “replaces” code to reference another DocumentReference resource that this document is replacing.

Bundle.entry.resource.DocumentReference.status | code | False | | | Epic supports the following values: entered-in-error current CDAs are given the status "entered-in-error" when they are invalidated (soft-deleted) for any reason. Entered-in-error documents are not returned in searches, but may be returned in read transactions. All other documents are given a status of "current”.

Bundle.entry.resource.DocumentReference.subject | Reference | False | | | Reference to the patient resource associated with the document.

Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | The type of document, identified with a LOINC class code. May also include the Epic-specific document type. The following returned code system varies by Epic version: August 2023 and earlier: http://hl7.org/fhir/v2/0203 November 2023 and later: http://terminology.hl7.org/CodeSystem/v2-0203

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?patient=e0XtlK2KpvewoeDY9h2kovw3&category=external-ccda
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url":
    "https://hostname/instance/api/FHIR/R4/DocumentReference?patient=e0XtlK2KpvewoeDY9h2kovw3&category=external-ccda"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url":
    "https://hostname/instance/api/FHIR/R4/DocumentReference/e2-
    UC05Km8uiSDt2wIFE7muNLLIpcpJ4U3ZhTg9puBUv2HrstSOHU9ghhg3"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/R4/DocumentReference/e2-
    UC05Km8uiSDt2wIFE7muNLLIpcpJ4U3ZhTg9puBUv2HrstSOHU9ghhg3",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "e2-UC05Km8uiSDt2wIFE7muNLLIpcpJ4U3ZhTg9puBUv2HrstSOHU9ghhg3",
        "meta": {
          "lastUpdated": "2019-07-02T17:59:04Z"
        },
        "status": "current",
        "docStatus": "final",
        "type": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "11506-3"
            }
          ]
        },
        "category": {
          "coding": [
            {
              "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
              "code": "external-ccda",
              "display": "CCDA Document"
            }
          ],
          "text": "External C-CDA Document"
        },
        "subject": {
          "reference": "Patient/eh-cNpfT7OkL.Ul6gZJRjmA3",
          "display": "Keira McNair"
        },
        "date": "2019-07-02T17:59:04Z",
        "author": [
          {
            "identifier": {
              "system": "http://hl7.org/fhir/sid/us-npi",
              "value": "5711354846"
            },
            "display": "Smith, Emily"
          }
        ],
        "custodian": {
```

```
          "identifier": {
            "system": "urn:ietf:rfc:3986",
            "value": "urn:oid:1.2.840.114350.1.13.861.1.7.3.688884.100"
          },
          "display": "Epic Clinic - Verona,"
        },
        "description": "Ankle sprain and strain, left, initial encounter (Primary Dx)",
        "content": [
          {
            "attachment": {
              "contentType": "text/xml",
              "url": "Binary/efg02yE30wQ60yjhdZXKepDyjmzTXzSn2So5ewSU2dJNwZHXPm96mELDeeRKAs903"
            }
          }
        ],
        "context": {
          "event": [
            {
              "coding": [
                {
                  "system": "http://terminology.hl7.org/CodeSystem/v3-ActCode",
                  "code": "IMP"
                }
              ]
            }
          ],
          "period": {
            "start": "2019-05-18T05:00:00Z",
            "end": "2019-05-19T06:00:00Z"
          },
          "practiceSetting": {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.688867.4150",
                "code": "19",
                "display": "Family Practice"
              },
              {
                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.686980.110",
                "code": "9",
                "display": "Family Practice"
              }
            ]
          },
          "related": [
            {
              "identifier": {
                "type": {
                  "coding": [
                    {
                      "system": "http://terminology.hl7.org/CodeSystem/v2-0203",
                      "code": "VN",
                      "display": "Visit Number"
                    }
                  ]
                },
                "system": "urn:oid:1.2.840.114350.1.13.1610.1.7.3.698084.8",
                "value": "426491"
              }
            }
          ]
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


Change log

Epic Version | Description | Type
November 2023 | Updated the context.event and context.type code system URLs to match current specification. | Breaking change
May 2025 | DocumentReference and Binary (External CCDA) resource IDs will now be limited to 64 characters for clients configured to respect this limit. | Breaking change

23.1.63 DocumentReference.Search (Generated CDAs) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10506-DocumentReference-Search-Generated-CDAs-R4.html
Epic API ID | 10506
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Generated CCDA Document Group

A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?_id={_id}&patient={patient}&subject={subject}&period={period}&category={category}&type={type}&encounter={encounter}&status={status}&date={date}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10506

Description

The FHIR DocumentReference resource describes information about a document, the associated patient and author, and information about its creation. The DocumentReference resource only contains metadata about the document. The actual document content is accessed via the Binary resource that is referenced in the DocumentReference.content.attachment.url property.

Note that DocumentReference does not return existing CDA documents for a patient. Instead, it generates new CDA documents based on the current clinical content in the system to prevent the communication of stale data. Starting in the February 2025 version of Epic and optionally available in the November 2024, August 2024, and May 2024 versions of Epic, DocumentReference includes or excludes sensitive data on the security of the Care Everywhere background user. Patients will continue to receive documents containing the data that they are authorized to view, because this behavior respects Care Everywhere filtering.

Note: Only 80 DocumentReference (Generated CCDAs) searches can be made for a given patient in one day. Apps must be prepared to gracefully handle this cap, especially if they will be requesting information multiple times in a day. An app that repeats API calls instead of caching results is more likely to reach the cap.

Similar Resources:

* DocumentReference (Generated CCDA) (DSTU2) - Generates a CDA document based on current clinical content in the system.

* DocumentReference (Generated CCDA) (R4) - Functionally the same as DSTU2 with improvements to document generation limit.

* DocumentReference (External CCDA Document) (STU3) - Returns external CDA documents received in Epic. Can only query Epic payer systems.

* DocumentReference (External CCDA Document) (R4) - Returns external CDA documents received in Epic. Can query Epic provider systems.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
author | reference | True | | | A display name only reference to the organization.
category | token | False | | | Categorization of the document. Set to "summary-document" for generated CCDAs.
date | date | False | | | When the document was created.
encounter | reference | False | | | FHIR ID for the encounter associated with the document.
patient | reference | One of patient or subject is required. | | | The patient FHIR ID
period | date | False | | | The period of the service the document applies to. This applies to clinically relevant dates, not document dates.
status | token | False | | | The status of the DocumentReference. If the status is not “current,” no data will be returned.
subject | reference | One of patient or subject is required. | | | The patient FHIR ID
type | token | False | | | LOINC based document type. Set to 34133-9 for patient summary documents and 11506-3 for encounter summary documents.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Unsupported
contenttype | token | True | | | Media type of the resource. This is always "application/xml" for generated CCDAs.
custodian | reference | True | | | A display name only reference to the organization.
description | String | True | | | Unsupported
docstatus | token | False | | | Unsupported
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Format/content rules for the document. Always returned as urn:hl7-org:sdwg:ccda-structuredBody:2.1.
identifier | token | False | | | The document ID where system = urn:ietf:rfc:3986 since the ID value is a globally unique OID.
language | String | False | | | Unsupported
related | reference | False | | | Unsupported
relatesto | String | False | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.author | Reference | False | Yes | | A display name only reference to the organization.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | True | Yes | | The document category, returned as “summary-document” for generated CCDAs.
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | A reference to the Binary resource.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Where to access the document
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | False | | | Media type of the resource. This is always "application/xml" for generated CCDAs.
Bundle.entry.resource.DocumentReference.content.attachment.url | String | False | | | The document ID encoded into a Binary ID.
Bundle.entry.resource.DocumentReference.content.format | Coding | True | | | Format/content rules for the document. Always returned as urn:hl7-org:sdwg:ccda-structuredBody:2.1.
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Contains a reference to the Encounter resource.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | False | Yes | | A reference to the encounter. Only relevant for encounter documents.
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | This is the time of the service that is being documented. Only relevant for encounter documents.
Bundle.entry.resource.DocumentReference.custodian | Reference | False | | | A display name only reference to the organization.
Bundle.entry.resource.DocumentReference.date | instant | True | | | The reconrd create instant.
Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | The document ID where system = urn:ietf:rfc:3986 since the ID value is a globally unique OID.
Bundle.entry.resource.DocumentReference.status | code | False | | | The status of the document. Set to “current” for generated CCDAs.
Bundle.entry.resource.DocumentReference.subject | Reference | False | | | A reference to the patient.
Bundle.entry.resource.DocumentReference.type | CodeableConcept | True | | | The type of document, returned as LOINC code 34133-9 for patient summary documents and 11506-3 for encounter summary documents.

Sample request

```
http://hostname/instance/api/FHIR/R4/DocumentReference?patient=TH0aGuOHJzYi6XCyLOX.PAnk1pctsHTBxZ9g9hP8FIDEB&category=su
    mmary-document&period=2022-10-16T01:00:00
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 6,
  "link": [
    {
      "relation": "self",
      "url": "https://eccp-
    11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference?patient=e28jseOGd8NHOLNSvukk8Rg
    3&category=summary-document"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://eccp-
    11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3qwbtSMNeBz
    VnAd.6Zc-VPdI4"
        }
      ],
      "fullUrl": "https://eccp-
    11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3qwbtSMNeBz
    VnAd.6Zc-VPdI4",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "fEgxmZRki1zWvMs3h68t3qwbtSMNeBzVnAd.6Zc-VPdI4",
        "identifier": [
          {
            "use": "usual",
            "system": "urn:ietf:rfc:3986",
            "value": "urn:oid:1.2.840.114350.1.13.5325.1.7.8.688883.1557762"
          }
        ],
        "status": "current",
        "type": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "11506-3"
            }
          ],
          "text": "Encounter Summary"
        },
        "category": [
          {
```

```
        "coding": [
          {
            "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-category",
            "code": "summary-document",
            "display": "Summary Document"
          }
        ],
        "text": "Summary Document"
      }
    ],
    "subject": {
      "reference": "Patient/e28jseOGd8NHOLNSvukk8Rg3",
      "display": "Sample, Patient"
    },
    "date": "2022-10-12T19:34:07Z",
    "author": [
      {
        "display": "Current Stage 1 Primary real"
      }
    ],
    "custodian": {
      "display": "Current Stage 1 Primary real"
    },
    "content": [
      {
        "attachment": {
          "contentType": "application/xml",
          "url": "Binary/fcJQI9NmtGsI40mukZ1hTb3v8gWQMVk8HgjNgmNSl-xU4"
        },
        "format": {
          "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
          "code": "urn:hl7-org:sdwg:ccda-structuredBody:2.1",
          "display": "Structured Body C-CDA 2.1"
        }
      }
    ],
    "context": {
      "encounter": [
        {
          "reference": "Encounter/eV4R0d3RguC-PROiMASceoMLmx.W7Z5odrCpXppnCJEg3",
          "identifier": {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
            "value": "10001217700"
          },
          "display": "Office Visit"
        }
      ],
      "period": {
        "start": "2022-10-12"
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q.Zmvo.LCE
T-FF8K0St3Kg84"
    }
  ],
  "fullUrl": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q.Zmvo.LCE
T-FF8K0St3Kg84",
  "resource": {
    "resourceType": "DocumentReference",
    "id": "fEgxmZRki1zWvMs3h68t3q.Zmvo.LCET-FF8K0St3Kg84",
    "identifier": [
      {
        "use": "usual",
        "system": "urn:ietf:rfc:3986",
        "value": "urn:oid:1.2.840.114350.1.13.5325.1.7.8.688883.195709"
      }
    ],
    "status": "current",
    "type": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "11506-3"
        }
      ],
      "text": "Encounter Summary"
    },
```

```
    "category": [
      {
        "coding": [
          {
            "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-category",
            "code": "summary-document",
            "display": "Summary Document"
          }
        ],
        "text": "Summary Document"
      }
    ],
    "subject": {
      "reference": "Patient/e28jseOGd8NHOLNSvukk8Rg3",
      "display": "Sample, Patient"
    },
    "date": "2022-04-01T18:44:33Z",
    "author": [
      {
        "display": "Current Stage 1 Primary real"
      }
    ],
    "custodian": {
      "display": "Current Stage 1 Primary real"
    },
    "content": [
      {
        "attachment": {
          "contentType": "application/xml",
          "url": "Binary/fcJQI9NmtGsI40mukZ1hTbzKFWT-saOD3fDbhKgUwGU04"
        },
        "format": {
          "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
          "code": "urn:hl7-org:sdwg:ccda-structuredBody:2.1",
          "display": "Structured Body C-CDA 2.1"
        }
      }
    ],
    "context": {
      "encounter": [
        {
          "reference": "Encounter/ehOlwqA69kHZzuK954i3K505-JXS7lKUc9RucWj6Ul5k3",
          "identifier": {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
            "value": "10000174317"
          },
          "display": "Hospital Encounter"
        }
      ],
      "period": {
        "start": "2022-04-19"
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q38-
.MPGDGQs3Ua9-SIx3Pc4"
    }
  ],
  "fullUrl": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q38-
.MPGDGQs3Ua9-SIx3Pc4",
  "resource": {
    "resourceType": "DocumentReference",
    "id": "fEgxmZRki1zWvMs3h68t3q38-.MPGDGQs3Ua9-SIx3Pc4",
    "identifier": [
      {
        "use": "usual",
        "system": "urn:ietf:rfc:3986",
        "value": "urn:oid:1.2.840.114350.1.13.5325.1.7.8.688883.1557763"
      }
    ],
    "status": "current",
    "type": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "11506-3"
        }
      ],
```

```
      "text": "Encounter Summary"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-category",
            "code": "summary-document",
            "display": "Summary Document"
          }
        ],
        "text": "Summary Document"
      }
    ],
    "subject": {
      "reference": "Patient/e28jseOGd8NHOLNSvukk8Rg3",
      "display": "Sample, Patient"
    },
    "date": "2022-10-12T19:34:07Z",
    "author": [
      {
        "display": "Current Stage 1 Primary real"
      }
    ],
    "custodian": {
      "display": "Current Stage 1 Primary real"
    },
    "content": [
      {
        "attachment": {
          "contentType": "application/xml",
          "url": "Binary/fcJQI9NmtGsI40mukZ1hTbwodYFimtoCzKx9bUmqU1hI4"
        },
        "format": {
          "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
          "code": "urn:hl7-org:sdwg:ccda-structuredBody:2.1",
          "display": "Structured Body C-CDA 2.1"
        }
      }
    ],
    "context": {
      "encounter": [
        {
          "reference": "Encounter/eTF7xdJxMjgiJWQwynNQi9PfS6.vpHY0jX2uvYeJUjWs3",
          "identifier": {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
            "value": "10000289755"
          },
          "display": "Taylor Visit"
        }
      ],
      "period": {
        "start": "2022-04-13",
        "end": "2022-04-13"
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q-
RUAStkRT-PL6MZM-zrdMc4"
    }
  ],
  "fullUrl": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q-
RUAStkRT-PL6MZM-zrdMc4",
  "resource": {
    "resourceType": "DocumentReference",
    "id": "fEgxmZRki1zWvMs3h68t3q-RUAStkRT-PL6MZM-zrdMc4",
    "identifier": [
      {
        "use": "usual",
        "system": "urn:ietf:rfc:3986",
        "value": "urn:oid:1.2.840.114350.1.13.5325.1.7.8.688883.195708"
      }
    ],
    "status": "current",
    "type": {
      "coding": [
        {
          "system": "http://loinc.org",
```

```
          "code": "11506-3"
        }
      ],
      "text": "Encounter Summary"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-category",
            "code": "summary-document",
            "display": "Summary Document"
          }
        ],
        "text": "Summary Document"
      }
    ],
    "subject": {
      "reference": "Patient/e28jseOGd8NHOLNSvukk8Rg3",
      "display": "Sample, Patient"
    },
    "date": "2022-04-01T18:44:33Z",
    "author": [
      {
        "display": "Current Stage 1 Primary real"
      }
    ],
    "custodian": {
      "display": "Current Stage 1 Primary real"
    },
    "content": [
      {
        "attachment": {
          "contentType": "application/xml",
          "url": "Binary/fcJQI9NmtGsI40mukZ1hTb2zbnqZHHvOHCfKEHrBWNho4"
        },
        "format": {
          "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
          "code": "urn:hl7-org:sdwg:ccda-structuredBody:2.1",
          "display": "Structured Body C-CDA 2.1"
        }
      }
    ],
    "context": {
      "encounter": [
        {
          "reference": "Encounter/eFZz0e7gxhUZJJxMoswH5xychBmUpoiGAaSW8iRpOJpk3",
          "identifier": {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
            "value": "10000198400"
          },
          "display": "Telemedicine"
        }
      ],
      "period": {
        "start": "2022-03-22",
        "end": "2022-03-22"
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q6wE4fARFf
xe1Nhb1xxeU2s4"
    }
  ],
  "fullUrl": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q6wE4fARFf
xe1Nhb1xxeU2s4",
  "resource": {
    "resourceType": "DocumentReference",
    "id": "fEgxmZRki1zWvMs3h68t3q6wE4fARFfxe1Nhb1xxeU2s4",
    "identifier": [
      {
        "use": "usual",
        "system": "urn:ietf:rfc:3986",
        "value": "urn:oid:1.2.840.114350.1.13.5325.1.7.8.688883.195710"
      }
    ],
    "status": "current",
    "type": {
```

```
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "11506-3"
        }
      ],
      "text": "Encounter Summary"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-category",
            "code": "summary-document",
            "display": "Summary Document"
          }
        ],
        "text": "Summary Document"
      }
    ],
    "subject": {
      "reference": "Patient/e28jseOGd8NHOLNSvukk8Rg3",
      "display": "Sample, Patient"
    },
    "date": "2022-04-01T18:44:33Z",
    "author": [
      {
        "display": "Current Stage 1 Primary real"
      }
    ],
    "custodian": {
      "display": "Current Stage 1 Primary real"
    },
    "content": [
      {
        "attachment": {
          "contentType": "application/xml",
          "url": "Binary/fcJQI9NmtGsI40mukZ1hTbxatinWn3HNKQx.LCGI4x4I4"
        },
        "format": {
          "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
          "code": "urn:hl7-org:sdwg:ccda-structuredBody:2.1",
          "display": "Structured Body C-CDA 2.1"
        }
      }
    ],
    "context": {
      "encounter": [
        {
          "reference": "Encounter/eSk90M6s0xQAPqw9wxtIxRdrd8ehVGV8YftWT0AqV6nE3",
          "identifier": {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
            "value": "10000102860"
          },
          "display": "Office Visit"
        }
      ],
      "period": {
        "start": "2022-02-25",
        "end": "2022-09-20"
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q4BPDSp-
tdvz0tlXmWGQR.w4"
    }
  ],
  "fullUrl": "https://eccp-
11.cogapi.eccp.epic.com/v1/gateway/urn:epic:cec.idecur/api/FHIR/R4/DocumentReference/fEgxmZRki1zWvMs3h68t3q4BPDSp-
tdvz0tlXmWGQR.w4",
  "resource": {
    "resourceType": "DocumentReference",
    "id": "fEgxmZRki1zWvMs3h68t3q4BPDSp-tdvz0tlXmWGQR.w4",
    "identifier": [
      {
        "use": "usual",
        "system": "urn:ietf:rfc:3986",
        "value": "urn:oid:1.2.840.114350.1.13.5325.1.7.8.688883.195711"
      }
```

```
        ],
        "status": "current",
        "type": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "34133-9"
            }
          ],
          "text": "Patient Summary"
        },
        "category": [
          {
            "coding": [
              {
                "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-category",
                "code": "summary-document",
                "display": "Summary Document"
              }
            ],
            "text": "Summary Document"
          }
        ],
        "subject": {
          "reference": "Patient/e28jseOGd8NHOLNSvukk8Rg3",
          "display": "Sample, Patient"
        },
        "date": "2022-04-01T18:44:33Z",
        "author": [
          {
            "display": "Current Stage 1 Primary real"
          }
        ],
        "custodian": {
          "display": "Current Stage 1 Primary real"
        },
        "content": [
          {
            "attachment": {
              "contentType": "application/xml",
              "url": "Binary/fcJQI9NmtGsI40mukZ1hTb19jEIurqi3.akmafed0EBM4"
            },
            "format": {
              "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
              "code": "urn:hl7-org:sdwg:ccda-structuredBody:2.1",
              "display": "Structured Body C-CDA 2.1"
            }
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


Change log

Epic Version | Description | Type
May 2024 | Patient summary CCDAs now respect Care Everywhere filtering and may exclude sensitive encounters previously available. | Breaking change

23.1.64 DocumentReference.Search (Handoff) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10131-DocumentReference-Search-Handoff-R4.html
Epic API ID | 10131
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Handoff Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10131

Description

The DocumentReference handoff API can retrieve the handoff reports for an encounter. Handoff reports allow clinicians to communicate important time-sensitive information between shifts. Handoff reports are specialty-specific, so clinicians write and review reports that contain only information relevant to the services they perform. Each handoff report is split into several fields, and each of those fields is associated with a particular purpose, such as “To Do” or “Medications.” One DocumentReference handoff entity represents a single handoff report field for a single specialty. The text of each field is contained in a separate Binary handoff subresource.

To get Provenance for a handoff resource, you can perform a search with the following parameters: _ID=<DocumentReference ID>&_revInclude=Provenance:target

Request parameters

Name | Type | Optional | Array | Cardinality | Description
author | reference | True | | | The user who saved this edit to handoff.
category | token | False | | | If this is set to “handoff”, the search returns only handoff records. If this is not set, handoff records are returned along with other kinds of DocumentReference instances that the client has scope to access, such as clinical notes, if the search parameters are valid for them.
date | date | True | | | The instant at which handoff was updated on this contact.
encounter | reference | At least one of the following must be specified: encounter, patient, or subject | | | FHIR Encounter ID. If provided, the search returns all matching handoff records for this encounter.
patient | reference | At least one of the following must be specified: encounter, patient, or subject | | | FHIR Patient ID. If provided, the search returns all matching handoff records for this patient.
period | date | True | | | Unsupported
status | token | True | | | “current” if this is the most recent SOD contact, or “superseded” for previous contacts.
subject | reference | At least one of the following must be specified: encounter, patient, or subject | | | FHIR Patient ID. If provided, the search returns all matching handoff records for this patient.
type | token | True | | | Unsupported

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Unsupported
contenttype | token | True | | | Unsupported
custodian | reference | True | | | The display name for the current organization.
description | String | True | | | Unsupported
docstatus | token | True | | | Unsupported
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Unsupported
identifier | token | True | | | Unsupported
language | String | True | | | Unsupported
related | reference | True | | | Unsupported
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.author | Reference | True | Yes | | The user who saved this edit to handoff.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | False | Yes | | Always coded as “handoff” in Epic’s “documentreference-category” coding system.
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Absolute reference to Binary FHIR resource in Content.attachment.content
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | False | | | Always “text/html”. The Binary resource converts RTF and plain text to HTML.
Bundle.entry.resource.DocumentReference.content.attachment.url | String | False | | | Points to the Binary resource that represents this handoff record’s text.
Bundle.entry.resource.DocumentReference.context | BackboneElement | False | | | Context details.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | False | Yes | | The encounter that this handoff record is for
Bundle.entry.resource.DocumentReference.custodian | Reference | True | | | The display name for the current organization.
Bundle.entry.resource.DocumentReference.date | instant | False | | | The instant at which handoff was updated on this contact.
Bundle.entry.resource.DocumentReference.extension (also: handoff-purpose) | Extension | False | Yes | | The purpose for which this record was created.
Bundle.entry.resource.DocumentReference.extension (also: handoff-service) | Extension | False | Yes | | The service for which this record was created.
Bundle.entry.resource.DocumentReference.status | code | False | | | “current” if this is the most recent SOD contact, or “superseded” for previous contacts.
Bundle.entry.resource.DocumentReference.subject | Reference | True | | | The patient with whom this handoff record is associated.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?patient=e1NIHhihhpGcqZC9ngLnvYQ3&category=handoff&encounter=eepy
    7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
    <type value="searchset" />
    <total value="12" />
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference?patient=e1NIHhihhpGcqZC9ngLnvYQ3&amp;categor
    y=handoff&amp;encounter=eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
    </link>
    <entry>
        <link>
            <relation value="self" />
            <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/ewnNd8i7veLqIymdjMG-fOA3" />
        </link>
        <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/ewnNd8i7veLqIymdjMG-fOA3" />
        <resource>
            <DocumentReference>
                <id value="ewnNd8i7veLqIymdjMG-fOA3" />
                <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                    <valueCodeableConcept>
                        <coding>
                            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                            <code value="4" />
                            <display value="Emergency" />
                        </coding>
                        <text value="Emergency" />
                    </valueCodeableConcept>
                </extension>
                <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                    <valueCodeableConcept>
                        <coding>
                            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                            <code value="1" />
                            <display value="Summary" />
                        </coding>
                        <text value="Summary" />
                    </valueCodeableConcept>
                </extension>
                <status value="current" />
                <category>
                    <coding>
                        <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                        <code value="handoff" />
                        <display value="Handoff" />
                    </coding>
                    <text value="Handoff" />
                </category>
                <subject>
                    <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                    <display value="Johnsen, Thor" />
                </subject>
                <date value="2021-03-09T23:00:41Z" />
                <author>
                    <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                    <display value="Barton, Clint (Emp), A Mystery" />
                </author>
                <custodian>
                    <display value="Current Stage 1 Primary&lt;/br&gt;" />
                </custodian>
                <content>
                    <attachment>
                        <contentType value="text/html" />
                        <url value="Binary/eSmrBiK7arY6LDeBhihjTjA3" />
                    </attachment>
                    <format>
                        <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                        <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                        <display value="mimeType Sufficient" />
                    </format>
                </content>
                <context>
                    <encounter>
                        <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                    </encounter>
                </context>
            </DocumentReference>
        </resource>
        <search>
            <mode value="match" />
        </search>
    </entry>
    <entry>
        <link>
```

```
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/eeXWL7wTxCdb30c21jNSheQ3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/eeXWL7wTxCdb30c21jNSheQ3" />
    <resource>
        <DocumentReference>
            <id value="eeXWL7wTxCdb30c21jNSheQ3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="4" />
                        <display value="Emergency" />
                    </coding>
                    <text value="Emergency" />
                </valueCodeableConcept>
            </extension>
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="2" />
                        <display value="To Do" />
                    </coding>
                    <text value="To Do" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-09T23:00:42Z" />
            <author>
                <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                <display value="Barton, Clint (Emp), A Mystery" />
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&lt;/br&gt;" />
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
                    <url value="Binary/eMalqgv5NLZEHdgHhZcf.rQ3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
        </DocumentReference>
    </resource>
    <search>
        <mode value="match" />
    </search>
</entry>
<entry>
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/eKU9kPBuT4bW2oRBpBu5Lsw3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/eKU9kPBuT4bW2oRBpBu5Lsw3" />
    <resource>
        <DocumentReference>
            <id value="eKU9kPBuT4bW2oRBpBu5Lsw3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="4" />
                        <display value="Emergency" />
                    </coding>
                    <text value="Emergency" />
                </valueCodeableConcept>
            </extension>
```

```
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="4" />
                        <display value="Labs" />
                    </coding>
                    <text value="Medications" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-09T23:00:42Z" />
            <author>
                <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                <display value="Barton, Clint (Emp), A Mystery" />
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&lt;/br&gt;" />
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
                    <url value="Binary/etCMiLml33MgxkoU.wvUAMw3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
        </DocumentReference>
    </resource>
    <search>
        <mode value="match" />
    </search>
</entry>
<entry>
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/evnyj1kYZEAJ6RlTeM.eUaA3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/evnyj1kYZEAJ6RlTeM.eUaA3" />
    <resource>
        <DocumentReference>
            <id value="evnyj1kYZEAJ6RlTeM.eUaA3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="5" />
                        <display value="Orthopaedics" />
                    </coding>
                    <text value="Orthopaedics" />
                </valueCodeableConcept>
            </extension>
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="1" />
                        <display value="Summary" />
                    </coding>
                    <text value="abcdef" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
```

```
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-09T23:02:42Z" />
            <author>
                <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                <display value="Barton, Clint (Emp), A Mystery" />
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&lt;/br&gt;" />
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
                    <url value="Binary/e48uwpXLwwtYW0hGarpnDSw3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
        </DocumentReference>
    </resource>
    <search>
        <mode value="match" />
    </search>
</entry>
<entry>
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/eAyN1FVsIdxMUd7eebFenBA3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/eAyN1FVsIdxMUd7eebFenBA3" />
    <resource>
        <DocumentReference>
            <id value="eAyN1FVsIdxMUd7eebFenBA3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="6" />
                        <display value="Lab Workup" />
                    </coding>
                    <text value="Lab Workup" />
                </valueCodeableConcept>
            </extension>
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="1" />
                        <display value="Summary" />
                    </coding>
                    <text value="Summary" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-09T22:59:59Z" />
            <author>
                <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                <display value="Barton, Clint (Emp), A Mystery" />
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&lt;/br&gt;" />
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
```

```
                    <url value="Binary/egkrHufo.ZlDjGgxzuHPwZQ3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
        </DocumentReference>
    </resource>
    <search>
        <mode value="match" />
    </search>
</entry>
<entry>
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/egk5zRK5lEL7GKPYTfHeqrQ3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/egk5zRK5lEL7GKPYTfHeqrQ3" />
    <resource>
        <DocumentReference>
            <id value="egk5zRK5lEL7GKPYTfHeqrQ3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="7" />
                        <display value="Observation" />
                    </coding>
                    <text value="Observation" />
                </valueCodeableConcept>
            </extension>
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="1" />
                        <display value="Summary" />
                    </coding>
                    <text value="Summary" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-11T20:01:46Z" />
            <author>
                <reference value="Practitioner/elv-5IrDo72rgPH8kxftS.g3" />
                <display value
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&lt;/br&gt;" />
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
                    <url value="Binary/e2yTd6FtRR1.c6VEx8ptsJA3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
        </DocumentReference>
    </resource>
    <search>
        <mode value="match" />
```

```
    </search>
</entry>
<entry>
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/epWMzbMt4LqHE2cPYwdiU7g3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/epWMzbMt4LqHE2cPYwdiU7g3" />
    <resource>
        <DocumentReference>
            <id value="epWMzbMt4LqHE2cPYwdiU7g3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="10" />
                        <display value="Medicine" />
                    </coding>
                    <text value="Medicine" />
                </valueCodeableConcept>
            </extension>
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="1002" />
                        <display value="Gossip" />
                    </coding>
                    <text value="Cthulhu Service" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-09T23:02:17Z" />
            <author>
                <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                <display value="Barton, Clint (Emp), A Mystery" />
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&lt;/br&gt;" />
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
                    <url value="Binary/eITBDb6xQtAVjNgZJyrRuPg3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
        </DocumentReference>
    </resource>
    <search>
        <mode value="match" />
    </search>
</entry>
<entry>
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/elHw8eNbaUNZx1DT4SPI3Jg3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/elHw8eNbaUNZx1DT4SPI3Jg3" />
    <resource>
        <DocumentReference>
            <id value="elHw8eNbaUNZx1DT4SPI3Jg3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="11" />
                        <display value="Cardiology" />
```

```
                    </coding>
                    <text value="Cardiology" />
                </valueCodeableConcept>
            </extension>
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="1" />
                        <display value="Summary" />
                    </coding>
                    <text value="Summary" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-09T23:01:28Z" />
            <author>
                <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                <display value="Barton, Clint (Emp), A Mystery" />
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&lt;/br&gt;" />
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
                    <url value="Binary/euGXr7Hgq2tedxKG35n1esA3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
        </DocumentReference>
    </resource>
    <search>
        <mode value="match" />
    </search>
</entry>
<entry>
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/e38G8SF-Ql.iYbAJHH4obIg3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/e38G8SF-Ql.iYbAJHH4obIg3" />
    <resource>
        <DocumentReference>
            <id value="e38G8SF-Ql.iYbAJHH4obIg3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="11" />
                        <display value="Cardiology" />
                    </coding>
                    <text value="Cardiology" />
                </valueCodeableConcept>
            </extension>
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="2" />
                        <display value="To Do" />
                    </coding>
                    <text value="To Do" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
```

```
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-31T17:51:01Z" />
            <author>
                <reference value="Practitioner/elv-5IrDo72rgPH8kxftS.g3" />
                <display value="MD" />
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&lt;/br&gt;" />
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
                    <url value="Binary/eqijNCtKItHBjdHIiYMs4CQ3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
        </DocumentReference>
    </resource>
    <search>
        <mode value="match" />
    </search>
</entry>
<entry>
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/eTAx7LHKgErjD9qaK3cc67g3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/eTAx7LHKgErjD9qaK3cc67g3" />
    <resource>
        <DocumentReference>
            <id value="eTAx7LHKgErjD9qaK3cc67g3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="11" />
                        <display value="Cardiology" />
                    </coding>
                    <text value="Cardiology" />
                </valueCodeableConcept>
            </extension>
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="4" />
                        <display value="Labs" />
                    </coding>
                    <text value="Medications" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-09T23:01:28Z" />
            <author>
                <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                <display value="Barton, Clint (Emp), A Mystery" />
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&lt;/br&gt;" />
```

```
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
                    <url value="Binary/e1zu0hhy3d7usJ9jmAmdsBw3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
        </DocumentReference>
    </resource>
    <search>
        <mode value="match" />
    </search>
</entry>
<entry>
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/e1YHMdxaG4PTRXh2w-.o57Q3" />
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/e1YHMdxaG4PTRXh2w-.o57Q3" />
    <resource>
        <DocumentReference>
            <id value="e1YHMdxaG4PTRXh2w-.o57Q3" />
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                        <code value="12" />
                        <display value="Oncology" />
                    </coding>
                    <text value="Oncology" />
                </valueCodeableConcept>
            </extension>
            <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                <valueCodeableConcept>
                    <coding>
                        <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                        <code value="1" />
                        <display value="Summary" />
                    </coding>
                    <text value="Summary" />
                </valueCodeableConcept>
            </extension>
            <status value="current" />
            <category>
                <coding>
                    <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                    <code value="handoff" />
                    <display value="Handoff" />
                </coding>
                <text value="Handoff" />
            </category>
            <subject>
                <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                <display value="Johnsen, Thor" />
            </subject>
            <date value="2021-03-09T23:02:07Z" />
            <author>
                <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                <display value="Barton, Clint (Emp), A Mystery" />
            </author>
            <custodian>
                <display value="Current Stage 1 Primary&amp;lt;/br&amp;gt;" />
            </custodian>
            <content>
                <attachment>
                    <contentType value="text/html" />
                    <url value="Binary/ey.oiH5GMPoQMnMHd5nHVew3" />
                </attachment>
                <format>
                    <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                    <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                    <display value="mimeType Sufficient" />
                </format>
            </content>
            <context>
                <encounter>
                    <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                </encounter>
            </context>
```

```
            </DocumentReference>
        </resource>
        <search>
            <mode value="match" />
        </search>
    </entry>
    <entry>
        <link>
            <relation value="self" />
            <url value="https://hostname/instance/api/FHIR/R4/DocumentReference/efbHf-50CLPVgRhz2zw3XAw3" />
        </link>
        <fullUrl value="https://hostname/instance/api/FHIR/R4/DocumentReference/efbHf-50CLPVgRhz2zw3XAw3" />
        <resource>
            <DocumentReference>
                <id value="efbHf-50CLPVgRhz2zw3XAw3" />
                <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-service">
                    <valueCodeableConcept>
                        <coding>
                            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.696784.34886" />
                            <code value="2076502" />
                            <display value="Hospitality" />
                        </coding>
                        <text value="Hospitality" />
                    </valueCodeableConcept>
                </extension>
                <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/handoff-purpose">
                    <valueCodeableConcept>
                        <coding>
                            <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.4.837968.34002" />
                            <code value="1" />
                            <display value="Summary" />
                        </coding>
                        <text value="Summary" />
                    </valueCodeableConcept>
                </extension>
                <status value="current" />
                <category>
                    <coding>
                        <system value="http://open.epic.com/FHIR/StructureDefinition/documentreference-category" />
                        <code value="handoff" />
                        <display value="Handoff" />
                    </coding>
                    <text value="Handoff" />
                </category>
                <subject>
                    <reference value="Patient/e1NIHhihhpGcqZC9ngLnvYQ3" />
                    <display value="Johnsen, Thor" />
                </subject>
                <date value="2021-03-09T23:01:43Z" />
                <author>
                    <reference value="Practitioner/eOw1D3IZ7T0oeftH98Rhknw3" />
                    <display value="Barton, Clint (Emp), A Mystery" />
                </author>
                <custodian>
                    <display value="Current Stage 1 Primary&lt;/br&gt;" />
                </custodian>
                <content>
                    <attachment>
                        <contentType value="text/html" />
                        <url value="Binary/eOqZSuyu5AUUeynLGWfoqGg3" />
                    </attachment>
                    <format>
                        <system value="http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem" />
                        <code value="urn:ihe:iti:xds:2017:mimeTypeSufficient" />
                        <display value="mimeType Sufficient" />
                    </format>
                </content>
                <context>
                    <encounter>
                        <reference value="Encounter/eepy7yt-nZEIqmPZQGkzvRwXdQi3vGc1KeDhTAqhqoNg3" />
                    </encounter>
                </context>
            </DocumentReference>
        </resource>
        <search>
            <mode value="match" />
        </search>
    </entry>
</Bundle>
```


23.1.65 DocumentReference.Search (HIS) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10129-DocumentReference-Search-HIS-R4.html
Epic API ID | 10129
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard

API group | HIS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}&period={period}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10129

Description

The FHIR DocumentReference resource describes information about a document. The DocumentReference (HIS) API returns data on Hospice Item Set assessments, which are defined by CMS.

The search interaction enables the client to query for HIS assessment records based on a patient or document FHIR ID, and, optionally assessment category, or associated encounter period.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
author | reference | True | | | Agency that compiled the assessment.
category | token | True | | | To find all HIS assessments, set to “HIS”. To find more specific HIS assessments to following values can be used: HIS-ADMISSION HIS-DISCHARGE
date | date | True | | | When this document was created.
encounter | reference | True | | | Unsupported
patient | reference | Either the patient or subject parameter must be specified. | | | The subject of the report
period | date | True | | | The date of service being documented.
status | token | True | | | Always "current"
subject | reference | Either the patient or subject parameter must be specified. | | | The subject of the report
type | token | True | | | Unsupported

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Who verified the assessment.
contenttype | token | True | | | Unsupported
custodian | reference | True | | | The display name for the current organization.
description | String | True | | | A string in the format <reason for assessment> HIS Assessment for <Patient>.
docstatus | token | True | | | One of the following docstatus values: preliminary final amended
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Mime content type string.
identifier | token | True | | | The assessment identifier from the Epic system
language | String | True | | | Unsupported
related | reference | True | | | Unsupported
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.authenticator | Reference | True | | | Who verified the assessment.
Bundle.entry.resource.DocumentReference.author | Reference | True | Yes | | Agency that compiled the assessment.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | True | Yes | | The assessment type. Always returns “HIS”.
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Content details.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Reference to the binary documenting containing the assessment data.
Bundle.entry.resource.DocumentReference.content.format | Coding | True | | | Mime content type string.
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Context details.
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | Admission date or the Discharge date for the patient associated with the assessment.
Bundle.entry.resource.DocumentReference.custodian | Reference | True | | | The display name for the current organization.
Bundle.entry.resource.DocumentReference.date | instant | True | | | When this document was created.
Bundle.entry.resource.DocumentReference.description | String | True | | | A string in the format <reason for assessment> HIS Assessment for <Patient>.

Bundle.entry.resource.DocumentReference.docStatus | code | True | | | One of the following docstatus values: preliminary final amended
Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | The assessment identifier from the Epic system
Bundle.entry.resource.DocumentReference.status | code | False | | | Always "current"
Bundle.entry.resource.DocumentReference.subject | Reference | True | | | The patient who is the subject of the note.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?patient=e7XZi7JJ6AZSxlmZBc9-Rdw3&category=HIS
```

Sample response


```
"entry": [
        {
            "link": [
                {
                    "relation": "self",
                    "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/e91Zcm9HSAiBMOq5NRyw9ug3"
                }
            ],
            "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/e91Zcm9HSAiBMOq5NRyw9ug3",
            "resource": {
                "resourceType": "DocumentReference",
                "id": "e91Zcm9HSAiBMOq5NRyw9ug3",
                "identifier": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.767279",
                        "value": "3006"
                    }
                ],
                "status": "current",
                "docStatus": "amended",
                "category": [
                    {
                        "coding": [
                            {
                                "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.767279.500",
                                "code": "2",
                                "display": "HIS"
                            }
                        ],
                        "text": "HIS"
                    }
                ],
                "subject": {
                    "reference": "Patient/eoXKhtu2Y-BDwj9IEb69Eyw3",
                    "display": "Doe, John"
                },
                "date": "2020-09-29T22:14:54Z",
                "author": [
                    {
                        "reference": "Organization/eJvZ8qvkRy96oZORGQ64X4w3",
                        "display": "WI HH + HSPC LOCATION"
                    }
                ],
                "authenticator": {
                    "reference": "Practitioner/eJ0dtMBE5j6apE6dK3ANoiQ3",
                    "display": "Smith, Marty, MD"
                },
                "description": "Admission HIS Assessment for Doe, John",
                "content": [
                    {
                        "attachment": {
                            "contentType": "text/xml",
                            "url": "Binary/eGMP5raLU7BgQ5nVGqpB0pw3"
                        },
                        "format": {
                            "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
                            "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
                            "display": "mimeType Sufficient"
                        }
                    }
                ],
                "context": {
                    "period": {
                        "start": "2020-06-01",
                        "end": "2020-06-01"
                    }
                }
            },
            "search": {
                "mode": "match"
            }
        },
        {
            "link": [
                {
                    "relation": "self",
                    "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eqZnEODOAMEUgP6xOuzbFQw3"
```

```
                }
            ],
            "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/eqZnEODOAMEUgP6xOuzbFQw3",
            "resource": {
                "resourceType": "DocumentReference",
                "id": "eqZnEODOAMEUgP6xOuzbFQw3",
                "identifier": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.767279",
                        "value": "3007"
                    }
                ],
                "status": "current",
                "docStatus": "preliminary",
                "category": [
                    {
                        "coding": [
                            {
                                "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.767279.500",
                                "code": "2",
                                "display": "HIS"
                            }
                        ],
                        "text": "HIS"
                    }
                ],
                "subject": {
                    "reference": "Patient/eoXKhtu2Y-BDwj9IEb69Eyw3",
                    "display": "Doe, John"
                },
                "date": "2020-09-30T17:26:01Z",
                "author": [
                    {
                        "reference": "Organization/eJvZ8qvkRy96oZORGQ64X4w3",
                        "display": "WI HH + HSPC LOCATION"
                    }
                ],
                "authenticator": {
                    "reference": "Practitioner/ezvg.w1vhuaBLzUHGnpf.Gg3",
                    "display":
                },
                "description": "Discharge HIS Assessment for Doe, John",
                "content": [
                    {
                        "attachment": {
                            "contentType": "text/xml",
                            "url": "Binary/eCSw8b2R2bVhjE0Qs9byj.Q3"
                        },
                        "format": {
                            "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
                            "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
                            "display": "mimeType Sufficient"
                        }
                    }
                ],
                "context": {
                    "period": {
                        "start": "2020-07-10",
                        "end": "2020-07-10"
                    }
                }
            },
            "search": {
                "mode": "match"
            }
        }
    ]
}
```


23.1.66 DocumentReference.Search (IRF-PAI) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10287-DocumentReference-Search-IRF-PAI-R4.html
Epic API ID | 10287
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | IRF-PAI Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&subject={subject}&type={type}&_id={_id}&_include={_include}&_lastupdated={_lastupdated}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False

Source | https://fhir.epic.com/Specifications?api=10287

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | token | False | | | The type of document you are searching for. If you would like to see only your patient's IRF-PAI, list "IRFPAI."
patient | reference | False | | | FHIR Patient ID, which returns assessments for the specified patient.
period | date | True | | | The date range of IRF-PAI assessments to be included.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Organization name and ID from the patient's encounter.
author | reference | True | | | Lists the provider for the patient's encounter.
contenttype | token | True | | | Mime type of the content, with charset etc.
custodian | reference | True | | | Organization name and ID from the patient's encounter.
date | date | True | | | Lists the date the assessment was created.
description | String | True | | | "IRF-PAI Assessment for
docstatus | token | True | | | Lists the docStatus Property that corresponds to the assessment's submission status. Preliminary: 1-New, 63000-Admission Complete Amended: 97-Modified, 98-Inactivated Final: 63001-Doc Complete, 63002-Filed, 20-Exported, 33-Accepted
encounter | reference | True | | | Lists the encounter that data is being pulled from.
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Hardcoded to "mimeTypeSufficient."
identifier | token | True | | | Lists the ID of the abstraction being searched.
language | String | True | | | Unsupported
related | reference | True | | | Unsupported
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Unsupported
status | token | True | | | Lists the status property that corresponds to the status of the requested abstraction. Entered-in-error: 98-Inactivated, 99-Void Superseded: 97-Modified Current: 1-New, 63000-Admission Complete, 63001-Doc Complete, 63002-Filed, 20-Exported, 33-Accepted
type | token | True | | | Lists the LOINC code that is associated with the requested assessment.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.extension (also: assessment-accepted-date) | Extension | True | Yes | | Lists the accepted date of the IRF-PAI.
Bundle.entry.resource.DocumentReference.extension (also: assessment-cmg-code) | Extension | True | Yes | | Lists the current CMG code for the IRF-PAI.
Bundle.entry.resource.DocumentReference.authenticator | Reference | True | | | Organization name and ID from the patient's encounter.
Bundle.entry.resource.DocumentReference.author | Reference | True | Yes | | Lists the provider for the patient's encounter.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | True | Yes | | Lists the type of assessment that DocumentReference is referring to.
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
Bundle.entry.resource.DocumentReference.content.format | Coding | False | | | Hardcoded to "mimeTypeSufficient."
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Context details.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | Yes | | Lists the encounter that data is being pulled from.
Bundle.entry.resource.DocumentReference.context.period | Period | False | | | Lists the start and end date of the IRF-PAI.
Bundle.entry.resource.DocumentReference.custodian | Reference | True | | | Organization name and ID from the patient's encounter.
Bundle.entry.resource.DocumentReference.date | instant | True | | | Lists the date the assessment was created.
Bundle.entry.resource.DocumentReference.description | String | True | | | "IRF-PAI Assessment for
Bundle.entry.resource.DocumentReference.docStatus | code | False | | | Lists the docStatus Property that corresponds to the assessment's submission status. Preliminary: 1-New, 63000-Admission Complete Amended: 97-Modified, 98-Inactivated Final: 63001-Doc Complete, 63002-Filed, 20-Exported, 33-Accepted
Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | Lists the ID of the abstraction being searched.
Bundle.entry.resource.DocumentReference.status | code | False | | | Lists the status property that corresponds to the status of the requested abstraction. Entered-in-error: 98-Inactivated, 99-Void Superseded: 97-Modified Current: 1-New, 63000-Admission Complete, 63001-Doc Complete, 63002-Filed, 20-Exported, 33-Accepted
Bundle.entry.resource.DocumentReference.subject | Reference | True | | | Lists the patient to who the assessment is linked.
Bundle.entry.resource.DocumentReference.type | CodeableConcept | True | | | Lists the LOINC code that is associated with the requested assessment.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?patient=ek85yxvdYlzN2dBZAD8eHIg3&docStatus=final&category=IRF-
    PAI&period=lt2021-09-08T05:59:59Z
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url":
    "https://hostname/instance/api/FHIR/R4/DocumentReference?patient=ek85yxvdYlzN2dBZAD8eHIg3&docStatus=final&category=I
    RF-PAI&period=lt2021-09-08T05:59:59Z"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eTzbzGM0mAOJ0qsiWN.4CWA5bDlC-YK7X4u5TJkDmRSQ3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/eTzbzGM0mAOJ0qsiWN.4CWA5bDlC-
    YK7X4u5TJkDmRSQ3",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "eTzbzGM0mAOJ0qsiWN.4CWA5bDlC-YK7X4u5TJkDmRSQ3",
        "extension": [
          {
            "valueString": "A1801",
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/assessment-cmg-code"
          },
          {
            "valueDate": "09/23/2021",
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/assessment-accepted-date"
          }
        ],
        "identifier": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.826873",
            "value": "2743230"
          }
        ],
        "status": "current",
        "docStatus": "final",
        "type": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "89963-3",
              "display": "IRF-PAI 3.0"
            }
          ],
          "text": "IRF-PAI 3.0"
        },
        "category": [
          {
            "text": "IRF-PAI"
          }
        ],
        "subject": {
          "reference": "Patient/ek85yxvdYlzN2dBZAD8eHIg3",
          "display": "Stadtmueller, Glen"
        },
        "date": "2021-08-24",
        "author": [
          {
            "reference": "Practitioner/ei9xX5RN2-ulw2H8YcWL.pepONAwj.EbVayP06BUAHt43",
            "display": "Stadtmueller, Eric, PT"
          }
        ],
        "authenticator": {
          "reference": "Organization/eO8IVsvMQAUfjnnn5WRzetA3",
          "display": "ACX HOSPITAL"
        },
        "description": "IRF-PAI Assessment for Stadtmueller, Helptheresafhir",
        "content": [
          {
            "attachment": {
              "contentType": "application/xml",
              "url": "Binary/eNinQq0sqVhhBKijYJ4DhkpHSai-3eT3irgbmGr5A2nw3"
            },
            "format": {
              "system": "https://www.hl7.org/fhir/valueset-formatcodes.html",
              "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
              "display": "mimeType Sufficient"
            }
          }
        ],
```

```
        "context": {
          "encounter": [
            {
              "reference": "Encounter/e69DQ4dW4P5w5Jh9JBxl.jRzfKhaBMfYqNSPZovXR6iA3",
              "display": "Hospital Encounter"
            }
          ],
          "period": {
            "start": "2021-08-24T12:53:54Z",
            "end": "2021-09-08T04:59:59Z"
          }
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


23.1.67 DocumentReference.Search (Labs) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10133-DocumentReference-Search-Labs-R4.html
Epic API ID | 10133
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Labs Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/R4/DocumentReference?category={category}&date={date}&patient={patient}&subject={subject}&type={type}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10133

Description

The FHIR DocumentReference.Search (Labs) web service returns documentation related to a lab result, such as the narratives, impressions, and addenda on that result. It includes detail about the patient associated with the lab result, as well as a reference to the Binary resource(s) which contain the documentation content associated with the lab result.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
category | token | Optional | Yes | | Must be set to "clinical-note" if specified.
date | date | Optional | Yes | | This represents the most relevant date/time for an order. This is typically the specimen collection date/time for resulted orders. For information about how dates should be formatted, refer to this document. If the value passed in this parameter is malformed, it will not filter results returned.
patient | reference | Conditional | Yes | | The Patient FHIR ID. If encounter and subject parameters are not provided, this parameter is required.
subject | reference | Conditional | Yes | | The Patient FHIR ID. If encounter and patient parameters are not provided, this parameter is required.
type | token | Optional | Yes | | The type of lab result documentation. The format for the type parameter is <system>|<type>. The accepted <type> values are listed below. Note: the <system> value is optional, but providing it can improve performance Epic supports the following LOINC codes for type: 18748-4 (Diagnostic imaging study) 11526-1 (Pathology study) 11502-2 (Laboratory report) 34109-9 (Note)

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
author | reference | Optional | Yes | | Who or what created the document. This value must be a valid Practitioner FHIR ID.
contenttype | token | Optional | Yes | | The MIME content type of the note text. This could be text/rtf or text/html.
custodian | reference | Optional | Yes | | The name of the organization where the document was originally created.
encounter | reference | Optional | Yes | | The Encounter FHIR ID for the encounter the order is linked to. If subject and patient parameters are not provided, this parameter is required.
identifier | token | Optional | Yes | | The order identifier from the Epic system.
period | date | Optional | Yes | | This represents the most relevant date/time for an order. This is typically the specimen collection date/time for resulted orders. Providing this element will yield the same results as date, but date is better for performance. For information about how dates should be formatted, see this document. If the value passed in this parameter is mal formed, it will not filter results returned.
status | token | Optional | Yes | | This DocumentReference's status. It is always "current" for labs.

Response elements

Name | Type | Optional | Array | Cardinality | Description

DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.

DocumentReference (R4).author | Reference | | Yes | 1..* | For narratives and impressions: If the order is an imaging order, this will either be The reading physician, or The resulting physician (non-patient-facing only) Otherwise, this will be the resulting agency director (non-patient-facing only) For lab addendums: Addending physicians For Epic lab result PDFs: This element will not be populated

DocumentReference (R4).category | CodeableConcept | | Yes | 1..* | Categorization of the document. Always "clinical-note".

DocumentReference (R4).content | BackboneElement | | Yes | 1..* | The document contents.

DocumentReference (R4).content.attachment | Attachment | | | 1..1 | Reference to Binary FHIR resource that contains the document's content.

DocumentReference (R4).content.attachment.contentType | String | | | 1..1 | The MIME content type of the note text. This will be text/rtf or text/html.

DocumentReference (R4).content.attachment.url | String | | | 1..1 | The Binary FHIR reference for the textual content or report PDF.

DocumentReference (R4).context | BackboneElement | | | 1..1 | Clinical context for this document.

DocumentReference (R4).context.encounter | Reference | | Yes | 1..* | A FHIR Encounter reference for the encounter the document is linked to.

DocumentReference (R4).context.period | Period | | | 1..1 | This represents the most relevant date/time for an order. This is typically the specimen collection date/time for resulted orders.

DocumentReference (R4).custodian | Reference | | | 1..1 | The organization being queried.

DocumentReference (R4).date | instant | | | 1..1 | This represents the most relevant date/time for an order. This is typically the specimen collection date/time for resulted orders.

DocumentReference (R4).id | id | | | 1..1 | The DocumentReference FHIR ID.

DocumentReference (R4).identifier | Identifier | | Yes | 1..* | The order identifier from the Epic system.

DocumentReference (R4).status | code | | | 1..1 | The status of the lab result. Always "current".

DocumentReference (R4).subject | Reference | | | 1..1 | A FHIR Patient reference for the patient that this order is for.

DocumentReference (R4).type | CodeableConcept | | | 1..1 | Returns one of the following: 18748-4 Imaging Narrative Note 11526-1 Pathology Narrative Note 11502-2 Laboratory Narrative Note 34109-9 Note

Sample request

```
GET
    https://hostname/instance/api/FHIR/R4/DocumentReference?patient=esFytr5MU-.fX0c5ClyxdJQ3&type=11502-2&date=gt2013-
    11-04
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 2,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/DocumentReference?date=ge2013-11-05T06%3A00%3A00Z&patient=esFytr5MU-
    .fX0c5ClyxdJQ3&type=11502-2"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eerSWeaehpzJH19.R53SK.8ZsRKlizrgvHI1Gro9AUCA3"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/R4/DocumentReference/eerSWeaehpzJH19.R53SK.8ZsRKlizrgvHI1Gro9AUCA3",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "eerSWeaehpzJH19.R53SK.8ZsRKlizrgvHI1Gro9AUCA3",
        "identifier": [
          {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.2.798268",
            "value": "1062986"
          }
        ],
        "status": "current",
        "type": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "11502-2",
              "display": "Laboratory report"
            }
          ],
          "text": "Laboratory report"
        },
        "category": [
          {
            "coding": [
              {
                "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-documentreference-category",
                "code": "clinical-note",
                "display": "Clinical Note"
              }
```

```
        ],
        "text": "Clinical Note"
      }
    ],
    "subject": {
      "reference": "Patient/esFytr5MU-.fX0c5ClyxdJQ3",
      "display": "Radonc, Brenda Mosaiq"
    },
    "date": "2013-11-06T05:00:00Z",
    "custodian": {
      "display": "FHIR Playground"
    },
    "content": [
      {
        "attachment": {
          "contentType": "text/html",
          "url": "Binary/edgxpkzNMV2LGEuEH8Xf73ARe8XbZQXpusohQf0ovCyk3"
        },
        "format": {
          "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
          "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
          "display": "mimeType Sufficient"
        }
      }
    ],
    "context": {
      "encounter": [
        {
          "reference": "Encounter/e9EwsUu-szzrMW9ZozYzVHA3",
          "identifier": {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.3.698084.8",
            "value": "40025"
          },
          "display": "Office Visit"
        }
      ],
      "period": {
        "start": "2013-11-06T05:00:00Z"
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eerSWeaehpzJH19.R53SK.6kc9i.hUuCoDyXtHHZBgDY3"
    }
  ],
  "fullUrl":
"https://hostname/instance/api/FHIR/R4/DocumentReference/eerSWeaehpzJH19.R53SK.6kc9i.hUuCoDyXtHHZBgDY3",
  "resource": {
    "resourceType": "DocumentReference",
    "id": "eerSWeaehpzJH19.R53SK.6kc9i.hUuCoDyXtHHZBgDY3",
    "identifier": [
      {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.2.798268",
        "value": "1062986"
      }
    ],
    "status": "current",
    "type": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "11502-2",
          "display": "Laboratory report"
        }
      ],
      "text": "Laboratory report"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-documentreference-category",
            "code": "clinical-note",
            "display": "Clinical Note"
          }
        ],
        "text": "Clinical Note"
      }
    ],
    "subject": {
```

```
          "reference": "Patient/esFytr5MU-.fX0c5ClyxdJQ3",
          "display": "Radonc, Brenda Mosaiq"
        },
        "date": "2013-11-06T05:00:00Z",
        "custodian": {
          "display": "FHIR Playground"
        },
        "content": [
          {
            "attachment": {
              "contentType": "text/html",
              "url": "Binary/edgxpkzNMV2LGEuEH8Xf73DpQz5YQ4FnA9yWMyJYvm.03"
            },
            "format": {
              "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
              "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
              "display": "mimeType Sufficient"
            }
          }
        ],
        "context": {
          "encounter": [
            {
              "reference": "Encounter/e9EwsUu-szzrMW9ZozYzVHA3",
              "identifier": {
                "use": "usual",
                "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.3.698084.8",
                "value": "40025"
              },
              "display": "Office Visit"
            }
          ],
          "period": {
            "start": "2013-11-06T05:00:00Z"
          }
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


23.1.68 DocumentReference.Search (Minimum Data Set) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10284-DocumentReference-Search-Minimum-Data-Set-R4.html
Epic API ID | 10284
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | MDS Document Group
USCDI | No
Keywords | MDS
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}&period={period}&docstatus={docstatus}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10284

Description

The FHIR DocumentReference resource describes information about a document. The DocumentReference (Minimum Data Set) API returns information pertaining to MDS assessments, which are defined by CMS.

The search interaction enables the client to query for MDS assessment records based on a patient or document FHIR ID, and optionally assessment category, associated encounter period, or document status.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | token | False | | | The type of document you are searching for. For MDS assessments, set to "MDS."
patient | reference | False | | | FHIR Patient ID, which returns assessments for the specified patient.
period | date | True | | | The date range of MDS assessments to be included.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Organization name and ID from the patient’s encounter.
author | reference | True

contenttype | token | True | | | Mime type of the content, with charset etc.
custodian | reference | True | | | Organization name and ID from the patient's encounter.
date | date | True | | | Lists the date the assessment was created.
description | String | True | | | "MDS Assessment for <Patient Name>"
docstatus | token | True | | | Lists the docStatus property that corresponds to the status of the requested abstraction. Preliminary: 7 – In Progress, 44000 – Waiting for Signoff, 36 – Rejected, 15 – Ready for Export, 44099 – Test Record Amended: 44100 – Corrected/Inactivated/Deleted, 44097 – A0410 Correction Requested, 44098 – Wrong FAC_ID Final: 20 – Exported, 44020 – Will not be Exported, 30 – Submitted, 33 – Accepted Entered-in-error: 99 - Void
encounter | reference | True | | | Lists the encounter that data is being pulled from.
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Hardcoded to "mimeType Sufficient".
identifier | token | True | | | Lists the ID of the abstraction being searched.
language | String | True | | | Unsupported
related | reference | True | | | Unsupported
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Unsupported
status | token | True | | | Lists the status property that corresponds to the status of the requested abstraction. Entered-in-error: 44020 – Will not be Exported, 99 – Void, 44099 – Test Record Superseded: 44100 - Corrected/Inactivated/Deleted, 44097 – A0410 Correction Requested, 44098 – Wrong FAC_ID Current: 7 – In Progress, 44000 – Waiting for Signoff, 15 – Ready for Export, 20 – Exported, 30 – Submitted, 33 – Accepted, 36 - Rejected
type | token | True | | | Lists the LOINC code that is associated with the requested assessment.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.authenticator | Reference | True | | | Organization name and ID from the patient's encounter.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | True | Yes | | Lists whether the assessment is an IRF-PAI or MDS assessment.
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Content details.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | True | | | Reference to the Binary document containing the XML of the MDS.
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | True | | | Mime type of the content, with charset etc.
Bundle.entry.resource.DocumentReference.content.format | Coding | False | | | Hardcoded to "mimeType Sufficient".
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Context details.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | Yes | | Lists the encounter that data is being pulled from.
Bundle.entry.resource.DocumentReference.context.period | Period | False | | | Lists the start and end date of the MDS.
Bundle.entry.resource.DocumentReference.custodian | Reference | True | | | Organization name and ID from the patient's encounter.
Bundle.entry.resource.DocumentReference.date | instant | True | | | Lists the date the assessment was created.
Bundle.entry.resource.DocumentReference.description | String | True | | | "MDS Assessment for <Patient Name>"
Bundle.entry.resource.DocumentReference.docStatus | code | False | | | Lists the docStatus property that corresponds to the status of the requested abstraction. Preliminary: 7 – In Progress, 44000 – Waiting for Signoff, 36 – Rejected, 15 – Ready for Export, 44099 – Test Record Amended: 44100 – Corrected/Inactivated/Deleted, 44097 – A0410 Correction Requested, 44098 – Wrong FAC_ID Final: 20 – Exported, 44020 – Will not be Exported, 30 – Submitted, 33 – Accepted Entered-in-error: 99 - Void
Bundle.entry.resource.DocumentReference.identifier | Identifier | False | Yes | | Lists the ID of the abstraction being searched.
Bundle.entry.resource.DocumentReference.status | code | False | | | Lists the status property that corresponds to the status of the requested abstraction. Entered-in-error: 44020 – Will not be Exported, 99 – Void, 44099 – Test Record Superseded: 44100 - Corrected/Inactivated/Deleted, 44097 – A0410 Correction Requested, 44098 – Wrong FAC_ID Current: 7 – In Progress, 44000 – Waiting for Signoff, 15 – Ready for Export, 20 – Exported, 30 – Submitted, 33 – Accepted, 36 - Rejected
Bundle.entry.resource.DocumentReference.subject | Reference | True | | | Lists the patient to whom the assessment is linked to.
Bundle.entry.resource.DocumentReference.type | CodeableConcept | True | | | Lists the LOINC code that is associated with the requested assessment.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference/?_id=eiAaDtGBwjbz6frMek-O0HTz7I5LCfDw82.ioUGixiws3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/DocumentReference?_id=eiAaDtGBwjbz6frMek-O0HTz7I5LCfDw82.ioUGixiws3"
    }
  ],
  "entry": [
    {
```

```
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eiAaDtGBwjbz6frMek-O0HTz7I5LCfDw82.ioUGixiws3"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/R4/DocumentReference/eiAaDtGBwjbz6frMek-O0HTz7I5LCfDw82.ioUGixiws3",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "eiAaDtGBwjbz6frMek-O0HTz7I5LCfDw82.ioUGixiws3",
        "identifier": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.826873",
            "value": "2852745"
          }
        ],
        "status": "current",
        "docStatus": "final",
        "type": {
          "coding": [
            {
              "code": "54580-6",
              "display": "54580-6"
            }
          ],
          "text": "54580-6"
        },
        "category": [
          {
            "coding": [
              {
                "code": "mds",
                "display": "MDS"
              }
            ],
            "text": "MDS"
          }
        ],
        "subject": {
          "reference": "Patient/eI..1wKXcvTqnuL4Id40pYHSZTJt7gAdOf41EqnRXwFo3",
          "display": "Richardson, Adam"
        },
        "date": "2021-09-27T18:50:03Z",
        "authenticator": {
          "reference": "Organization/epMvZOQGjQAezQOR-DVuexA3",
          "display": "Monona Skilled Nursing Facility"
        },
        "custodian": {
          "reference": "Organization/epMvZOQGjQAezQOR-DVuexA3",
          "display": "Monona Skilled Nursing Facility"
        },
        "description": "Correction to OBRA Admission MDS Assessment for Richardson, Adam",
        "content": [
          {
            "attachment": {
              "contentType": "application/xml",
              "url": "Binary/edfZ8omX3NtkU3ftTvWjTe4Wxifxi1xPwMJQmLi.hVFI3"
            },
            "format": {
              "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
              "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
              "display": "mimeType Sufficient"
            }
          }
        ],
        "context": {
          "encounter": [
            {
              "reference": "Encounter/emgW91NB1ex3EHz-pBQ99hVTTU6eCxZQW6hxKF939Nj03",
              "display": "Hospital Encounter"
            }
          ],
          "period": {
            "start": "2021-09-27T13:50:03Z",
            "end": "2021-10-20T23:59:59Z"
          }
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```

23.1.69 DocumentReference.Search (Non-Patient Document Information) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10503-DocumentReference-Search-Non-Patient-Document-Information-R4.html
Epic API ID | 10503
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Non-Patient Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?_id={DocumentReference}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10503

Description

This web service is designed for scanning integrations to be used only with Epic's Tapestry module.

The Hyperdrive client can be configured to launch an external scan acquisition application that allows users to acquire scanned documents through a Document Management System (DMS) and associate documents with Epic records. These documents are saved as Document (DCS) records in Epic.

Currently, we support associating documents acquired in this manner only with Employer Group records, which represent groups of members using the same benefit plan, Account records, which group together employer groups for the purposes of generating invoices and receiving payments, Communication records, which represent records of communication between two entities, Vendor records, which represent a group of clinicians or clinics that an insurer has contracted with to provide services for a patient population, and Contract records, which contain claims payment information for billing and reimbursement adjudication.

Contextual information, such as a FHIR Group ID representing an Employer Group, an Account ID representing an Account, a Communication ID representing a CRM, an Organization ID representing a vendor, or a Contract ID representing a contract can be passed as a context variable as part of the launch workflow. The scanning software can then use the Group.Read (Employer Group), Account.Read (Premium Billing), Communication.Read (Customer Relationship Management), Communication.Read (Non-Patient CRM), Organization.Read, or Contract.Read to access information about the Employer Group, Account, CRM, Vendor, or Contract.

When the scanning workflow is completed within the scanning system, the scanning application stores the scanned document's binary data to its server and files metadata about the scan to Epic using the DocumentReference.Create (Non-Patient Document Information) API. For Employer Group, Account, CRM, Vendor, and Contract scanning workflows, the FHIR Group ID, Account ID, CRM ID, Organization ID, or Contract ID provided as a launch context variable must be included in the DocumentReference.context.related property in the DocumentReference.Create (Non-Patient Document Information) API to link the scan to the Employer Group, Account, CRM, Vendor, or Contract.

Currently, this web service supports only the _id search parameter. As a result, it functions similarly to the Read interaction for DocumentReference (Non-Patient Document Information) (R4).

This API currently supports only the _id search parameter. As a result, it functions similarly to DocumentReference.Read (Non-Patient Document Information) (R4).

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | False | Yes | | The category of the document. Always "nonpatient-document-information".
Bundle.entry.resource.DocumentReference.context | BackboneElement | False | | | Context details.
Bundle.entry.resource.DocumentReference.context.related | Reference | True | Yes | | A reference to the resource type that is associated with this DocumentReference. The resource type linked here can represent various types of resources such as Group (Employer Group), Account (Premium Billing), Communication (CRM), Organization (Vendor), or Contract (Healthcare Services Reimbursement).
Bundle.entry.resource.DocumentReference.description | String | True | | | The document description.
Bundle.entry.resource.DocumentReference.identifier | Identifier | False | Yes | | The document identifier.
Bundle.entry.resource.DocumentReference.status | code | False | | | The Document status. Will always be "current".
Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | The document type.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?_id=e.G5AhDpxqvKMS624OpkHKtISKV5A6VEln85gP.3X7NQ3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "
    https://hostname/instance/api/FHIR/R4/DocumentReference?_id=e.G5AhDpxqvKMS624OpkHKtISKV5A6VEln85gP.3X7NQ3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "
    https://hostname/instance/api/FHIR/R4/DocumentReference/e.G5AhDpxqvKMS624OpkHKtISKV5A6VEln85gP.3X7NQ3"
        }
      ],
      "fullUrl": "
    https://hostname/instance/api/FHIR/R4/DocumentReference/e.G5AhDpxqvKMS624OpkHKtISKV5A6VEln85gP.3X7NQ3",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "e.G5AhDpxqvKMS624OpkHKtISKV5A6VEln85gP.3X7NQ3",
        "identifier": [
          {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.686783",
            "value": "809925"
          },
          {
            "use": "official",
            "system": "http://open.epic.com/FHIR/StructureDefinition/document-identifier",
            "value": "Capture3.jpg745139718051333"
          }
        ],
        "status": "current",
        "type": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.686783.100",
              "code": "18070",
              "display": "PB Account Attachment"
            }
          ],
          "text": "PB Account Attachment"
        },
        "category": [
          {
            "coding": [
              {
                "system": "http://open.epic.com/FHIR/StructureDefinition/documentreference-category",
                "code": "nonpatient-document-information",
                "display": "Non-Patient Document Information"
              }
            ],
            "text": "Non-Patient Document Information"
          }
        ],
        "custodian": {
          "display": "Current Stage 1 Primary real"
        },
        "description": " aaa aaa aa <i>italics</i>",
        "content": [
          {
            "attachment": {
              "extension": [
                {
                  "valueCode": "not-applicable",
                  "url": "http://hl7.org/fhir/StructureDefinition/data-absent-reason"
                }
              ]
            }
          }
        ],
        "context": {
          "related": [
            {
              "reference": "Account/fUqJJ0uVEFXFrSQzfCaEebw4"
            }
          ]
        }
      },
      "search": {
        "mode": "match"
      }
```

```
    }
  ]
}
```

23.1.70 DocumentReference.Search (OASIS) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10127-DocumentReference-Search-OASIS-R4.html
Epic API ID | 10127
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | OASIS Document Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2021
HTTP method | GET;POST
URL template | /api/FHIR/R4/DocumentReference?category={category}&patient={patient}&period={period}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10127

Description

The FHIR DocumentReference resource describes information about a document. The DocumentReference (OASIS) API returns information pertaining to OASIS assessments, which are defined by CMS.

The search interaction enables the client to query for OASIS assessment records based on a patient or document FHIR ID, and optionally assessment category, or associated encounter period.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
author | reference | True | | | Who signed the assessment.
category | token | True | | | To find all OASIS assessments, set to “OASIS”. To find more specific OASIS assessments to following values can be used: OASIS-SOC OASIS-ROC OASIS-RECERTIFICATION OASIS-OTHER-FOLLOWUP OASIS-TRANSFER-NO-DISCHARGE OASIS-TRANSFER-DISCHARGE OASIS-DEATH OASIS-DISCHARGE
date | date | True | | | When this document was created.
encounter | reference | True | | | Reference to the encounter where the assessment was documented.
patient | reference | Either the patient or subject parameter must be provided. | | | The subject of the report
period | date | True | | | The date of service being documented.
status | token | True | | | Always "current"
subject | reference | Either the patient or subject parameter must be provided. | | | The subject of the report
type | token | True | | | Unsupported

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | What organization is associated with the assessment.
contenttype | token | True | | | Unsupported
custodian | reference | True | | | The display name for the current organization.
description | String | True | | | A string in the format <reason for assessment> OASIS Assessment for <Patient>.
docstatus | token | True | | | One of the following docstatus values: preliminary final amended
event | String | True
facility | String | True | | | Unsupported
format | token | True | | | Mime content type string.
identifier | token | True | | | The assessment identifier from the Epic system
language | String | True | | | Unsupported
related | reference | True | | | Unsupported
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.authenticator | Reference | True | | | What organization is associated with the assessment.
Bundle.entry.resource.DocumentReference.author | Reference | False | Yes | | Who signed the assessment.

Bundle.entry.resource.DocumentReference.category | CodeableConcept | True | Yes | | The assessment type. Always returns “OASIS”.
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Content details.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Reference to the binary documenting containing the assessment data.
Bundle.entry.resource.DocumentReference.content.format | Coding | True | | | Mime content type string.
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Context details.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | Yes | | Reference to the encounter where the assessment was documented.
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | The date the assessment was completed.
Bundle.entry.resource.DocumentReference.custodian | Reference | True | | | The display name for the current organization.
Bundle.entry.resource.DocumentReference.date | instant | True | | | When this document was created.
Bundle.entry.resource.DocumentReference.description | String | True | | | A string in the format <reason for assessment> OASIS Assessment for <Patient>.
Bundle.entry.resource.DocumentReference.docStatus | code | False | | | One of the following docstatus values: preliminary final amended
Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | The assessment identifier from the Epic system
Bundle.entry.resource.DocumentReference.status | code | False | | | Always "current"
Bundle.entry.resource.DocumentReference.subject | Reference | True | | | The patient who is the subject of the note.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?patient=e7XZi7JJ6AZSxlmZBc9-Rdw3&category=OASIS
```

Sample response


```
"entry": [
        {
            "link": [
                {
                    "relation": "self",
                    "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eO5c-kqDQJWwbpWytmsJ2Aw3"
                }
            ],
            "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/eO5c-kqDQJWwbpWytmsJ2Aw3",
            "resource": {
                "resourceType": "DocumentReference",
                "id": "eO5c-kqDQJWwbpWytmsJ2Aw3",
                "identifier": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.767279",
                        "value": "4048"
                    }
                ],
                "status": "current",
                "docStatus": "final",
                "category": [
                    {
                        "coding": [
                            {
                                "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.767279.500",
                                "code": "1",
                                "display": "OASIS"
                            }
                        ],
                        "text": "OASIS"
                    }
                ],
                "subject": {
                    "reference": "Patient/eY2CI.Y8BLyKcluHAEKEYFA3",
                    "display": "Doe, Jane"
                },
                "date": "2021-01-15T20:12:21Z",
                "author": [
                    {
                        "reference": "Practitioner/eW-SZpFZu.Ab3BrYCykJVJg3",
                        "display": "Smith, Marty, MD"
                    }
                ],
                "authenticator": {
                    "reference": "Organization/eHsjP4BgcFSo14mHGFN3h-g3",
                    "display": "WI HOME HEALTH SERVICE"
                },
                "description": "Discharge OASIS Assessment for Doe, Jane",
                "content": [
                    {
                        "attachment": {
                            "contentType": "text/xml",
                            "url": "Binary/eUS5bsY3WX14zZkfzn7hwyg3"
                        },
                        "format": {
                            "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
                            "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
                            "display": "mimeType Sufficient"
                        }
                    }
                ],
```

```
        "context": {
            "encounter": [
                {
                    "reference": "Encounter/eG3klOdbnBVKFNDGBoralDVh4oMo1-fIMLLGRFW5VYVc3"
                }
            ],
            "period": {
                "start": "2021-01-14",
                "end": "2021-01-14"
            }
        }
    },
    "search": {
        "mode": "match"
    }
},
{
    "link": [
        {
            "relation": "self",
            "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/eyLH27LL.qNWYJ.cqcezGOw3"
        }
    ],
    "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/eyLH27LL.qNWYJ.cqcezGOw3",
    "resource": {
        "resourceType": "DocumentReference",
        "id": "eyLH27LL.qNWYJ.cqcezGOw3",
        "identifier": [
            {
                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.767279",
                "value": "4043"
            }
        ],
        "status": "current",
        "docStatus": "amended",
        "category": [
            {
                "coding": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.72.1.7.7.10.767279.500",
                        "code": "1",
                        "display": "OASIS"
                    }
                ],
                "text": "OASIS"
            }
        ],
        "subject": {
            "reference": "Patient/eY2CI.Y8BLyKcluHAEKEYFA3",
            "display": "Doe, Jane"
        },
        "date": "2021-01-15T18:49:39Z",
        "author": [
            {
                "reference": "Practitioner/eW-SZpFZu.Ab3BrYCykJVJg3",
                "display": "Smith, Marty, MD"
            }
        ],
        "authenticator": {
            "reference": "Organization/eHsjP4BgcFSo14mHGFN3h-g3",
            "display": "WI HOME HEALTH SERVICE"
        },
        "description": "Start of Care OASIS Assessment for Doe, Jane",
        "content": [
            {
                "attachment": {
                    "contentType": "text/xml",
                    "url": "Binary/egmHCRBS6Y8ykL-8789dPbw3"
                },
                "format": {
                    "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
                    "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
                    "display": "mimeType Sufficient"
                }
            }
        ],
        "context": {
            "encounter": [
                {
                    "reference": "Encounter/e26fBtze1-qBqXKwmnypyqNxqISsY-pWDLOrb0mCcDJk3"
                }
            ],
            "period": {
                "start": "2021-01-01",
                "end": "2021-01-01"
            }
        }
    },
    "search": {
```

```
            "mode": "match"
        }
    }
]
```

23.1.71 DocumentReference.Search (Outside Record - Clinical Notes) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10999-DocumentReference-Search-Outside-Record-Clinical-Notes-R4.html
Epic API ID | 10999
FHIR version | R4
Categories | Infrastructure Documents & Lists, CMS Incoming
API type | USCDI
API group | Outside Record - Clinical Notes Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&status={status}&subject={subject}&type={type}&_id={_id}&_include={_include}&_lastupdated={_lastupdated}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10999

Description

Use this API to search for a patient's Clinical Notes. A Clinical Note is a record of a patient's health information typically documented during an Encounter.

This API differs from other Document Reference Clinical Note APIs because it returns data obtained as part of payer data exchange workflows rather than directly recorded during patient care. This data can come from payers, providers, or loaded from other FHIR servers. Because this data doesn't originate from the organization being queried, users of this API should be aware that the data might be unverified, incomplete, or duplicative.

Data from outside payer and provider systems is saved to an organization's database and returned in a standard format, documented below. Data loaded from other FHIR servers is returned in the format the organization received it. Because of this, the documentation below does not apply to these loaded resources. These resources can include any elements from the FHIR specification and can be distinguished from other resources by the presence of meta.tag set to “external-bulk-data".

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | 0..* | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others are ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
category | token | Optional | Yes | 0..* | Should be "external-clinical-note" or "clinical-note" if specified.
date | date | Optional | Yes | 0..* | When this document reference was created.
docstatus | token | Optional | Yes | 0..* | The status: preliminary final amended entered-in-error
encounter | reference | Optional | Yes | 0..* | The encounter associated with the document.
patient | reference | Conditional | Yes | | The FHIR ID of the patient for the search. Either the patient or subject parameter must be provided. If both are provided, they must match exactly.
period | date | Optional | Yes | 0..* | Time range for the date of service of the note.
subject | reference | Conditional | Yes | | The FHIR ID of the patient for the search. Either the patient or subject parameter must be provided. If both are provided, they must match exactly.
type | token | Optional | Yes | 0..* | The note category ID or the LOINC code for the document type. Only the first type parameter will be searched on. All other are ignored. code= By default, we support the following LOINC codes for document type. Epic organizations can support additional LOINC codes beyond these defaults with custom mapping. Discharge Documentation (18842-5) Consultation (11488-4) History & Physical (34117-2) Progress Note (11506-3) Procedure Note (28570-0) Emergency Department Note (34111-5) Nurse Note (34746-8) Note category IDs can also be specified, and correspond to note types in Epic. The format for using Note category IDs is: type=system|code, where: system="1.2.840.114350.1.13.[environment identifier].[environment_type].7.4.737880.5010" code=the note category ID "environment identifier" is different per epic instance and should be determined at time of implementation. For the Vendor Services sandbox it is '0' "environment type", '2' for a production instance, '3' for a non-production instance, and '1' for the Vendor Services sandbox. For example, in the Vendor Services sandbox, if searching for Progress Notes: type=1.2.840.114350.1.13.0.1.7.4.737880.5010|1

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | Optional | Yes | | Who or what authenticated the document.
author | reference | Optional | Yes | 0..* | Who or what authored the document.
contenttype | token | Optional | Yes | 0..* | Mime content type string.
custodian | reference | Optional | Yes | 0..* | The display name for the source organization.
security-label | token | Conditional | Yes | 0..* | Included if the note should not be shared with the patient.
status | token | Optional | Yes | 0..* | Will only return values of "current."

Response elements

Name | Type | Optional | Array | Cardinality | Description

DocumentReference (R4) | DocumentReference | | | | An instance of the R4 DocumentReference resource.

DocumentReference (R4).authenticator | Reference | | | 0..1 | Who or what authenticated the document.

DocumentReference (R4).author | Reference | | Yes | 0..* | Who or what authored the document.

DocumentReference (R4).category | CodeableConcept | | Yes | 2..2 | Categorization of the document. Always returns both "clinical-note" and "external-clinical-note".

DocumentReference (R4).content | BackboneElement | | Yes | 1..1 | The document referenced by the resource.

DocumentReference (R4).content.attachment | Attachment | | | 1..1 | Link to Binary FHIR resource.

DocumentReference (R4).content.attachment.contentType | String | | | 0..1 | Mime content type string.

DocumentReference (R4).content.attachment.url | String | | | 0..1 | The URI where the data can be found.

DocumentReference (R4).content.format | Coding | | | 0..1 | Format/content rules for the document.

DocumentReference (R4).context | BackboneElement | | | 0..1 | Clinical context of the document

DocumentReference (R4).context.encounter | Reference | | Yes | 0..1 | The encounter associated with the document.

DocumentReference (R4).context.extension (clinical-note-author-provider-type) (also: extension (clinical-note-author-provider-type)) | Extension | | Yes | 0..1 | The author's provider type. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-author-provider-type

DocumentReference (R4).context.period | Period | | | 0..1 | The time of the service that is being documented.

DocumentReference (R4).context.practiceSetting | CodeableConcept | | | 0..1 | The author's specialty.

DocumentReference (R4).context.related | Reference | | Yes | 0..* | Mime content type string.

DocumentReference (R4).custodian | Reference | | | 0..1 | The display name for the source organization.

DocumentReference (R4).date | instant | | | 0..1 | When this document reference was created.

DocumentReference (R4).docStatus | code | | | 0..1 | The status: preliminary final amended entered-in-error

DocumentReference (R4).extension (clinical-note-attached-media) (also: extension (clinical-note-attached-media)) | Extension | | Yes | 0..* | We do not send attached media for external notes. If there was originally media, there is a dataAbsentReason included here. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-attached-media

DocumentReference (R4).extension (clinical-note-service) (also: extension (clinical-note-service)) | Extension | | Yes | 0..1 | The service the author provides. URL: http://open.epic.com/FHIR/StructureDefinition/extension/clinical-note-service

DocumentReference (R4).id | id | | | 1..1 | The FHIR ID for this DocumentReference.

DocumentReference (R4).identifier | Identifier | | Yes | 0..3 | The note identifier from the Epic system.

DocumentReference (R4).meta | Meta | | | | Metadata about the resource, including information about the origin or source of the data.

DocumentReference (R4).meta.tag | Coding | | Yes | | Set to external-bulk-data for resources originally loaded from another FHIR server. If this element is set to external-bulk-data, all other element-level documentation does not apply to the resource. The resource content might vary and can include any elements allowed by the FHIR specification.

DocumentReference (R4).securityLabel | CodeableConcept | | Yes | 0..1 | Indicates whether the note is allowed to be shared with patients. This is only present if the note should not be shared with patients. Whether a note can be shared with a patient matches the value in the source system where this note was originally documented. If the note cannot be shared with patients, then it has the following coding: system: http://terminology.hl7.org/CodeSystem/v3-ActCode code: NOPAT display: no disclosure to patient, family or caregivers without attending provider's authorization This element is only included in provider-facing and backend applications. It is omitted for patient-facing applications.

DocumentReference (R4).status | code | | | 1..1 | Always returns "current".

DocumentReference (R4).subject | Reference | | | 1..1 | Patient who is the subject of the note.

DocumentReference (R4).type | CodeableConcept | | | 1..1 | The note type.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/DocumentReference?patient=eZCAUFrkG8e5Yj9AZ5KGQ4A3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/DocumentReference?patient=eZCAUFrkG8e5Yj9AZ5KGQ4A3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/fbh37RXR5BrRhyn.XcOSDEA4"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/fbh37RXR5BrRhyn.XcOSDEA4",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "fbh37RXR5BrRhyn.XcOSDEA4",
        "identifier": [
          {
            "use": "usual",
            "system": "urn:oid:1.2.840.114350.1.13.51879.1.7.2.686783",
            "value": "715200"
          },
          {
            "use": "official",
            "system": "http://open.epic.com/FHIR/StructureDefinition/document-identifier",
```

```
            "value": "IX-84363.PNG"
          }
        ],
        "status": "current",
        "docStatus": "final",
        "type": {
          "coding": [
            {
              "system": "urn:oid:2.16.840.1.113883.6.1",
              "code": "18849-0",
              "display": "Narrative Fetal presentation palpation"
            },
            {
              "system": "urn:oid:1.2.840.114350.1.13.51879.1.7.4.686783.100",
              "code": "72133",
              "display": "External Progress Note"
            }
          ],
          "text": "Narrative Fetal presentation palpation"
        },
        "category": [
          {
            "coding": [
              {
                "system": "http://open.epic.com/FHIR/StructureDefinition/documentreference-category",
                "code": "clinical-note",
                "display": "Clinical-Note"
              }
            ],
            "text": "Clinical-Note"
          },
          {
            "coding": [
              {
                "system": "http://open.epic.com/FHIR/StructureDefinition/documentreference-category",
                "code": "external-clinical-note",
                "display": "external-clinical-note"
              }
            ],
            "text": "external-clinical-note"
          }
        ],
        "subject": {
          "reference": "Patient/eZCAUFrkG8e5Yj9AZ5KGQ4A3",
          "display": "FHIR, Test Patient"
        },
        "date": "2025-10-27T21:10:00Z",
        "custodian": {
          "display": "Test Organization"
        },
        "description": "Ancillary Procedure",
        "content": [
          {
            "attachment": {
              "contentType": "image/png",
              "url": "Binary/fx2UlESugphzs59X.9IWc5g4"
            },
            "format": {
              "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
              "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
              "display": "mimeType Sufficient"
            }
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


23.1.72 DocumentReference.Search (Patient-Entered Questionnaires) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10436-DocumentReference-Search-Patient-Entered-Questionnaires-R4.html
Epic API ID | 10436
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Patient-Entered Questionnaires Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?patient={patient}&category={category}&date={date}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients

Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10436

Description

The FHIR DocumentReference.Search (Patient-Entered Questionnaires) API returns documentation related to patient-entered questionnaire responses submitted for a patient. It includes details about the questionnaire itself along with the date and time of response submission. There is also a reference to the Binary resource that contains the PDF associated with the questionnaire response. Note that this API only functions for organizations in the Netherlands.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
category | token | True | | | The type of document reference.
date | date | True | | | The date of document reference submission.
patient | reference | False | | | The FHIR patient ID.
status | token | True | | | The status of the document reference.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | Unsupported
author | reference | True | | | The person who answered the questionnaire response (clinical user, patient, or proxy).
contenttype | token | True | | | Always “application/pdf.”
custodian | reference | True | | | Unsupported
description | String | True | | | The questionnaire title.
docstatus | token | True | | | The status of the questionnaire response document itself. This resource only looks for questionnaire response documents with the “Final” status.
encounter | reference | True | | | The encounter that the questionnaire submission message is linked to. If the questionnaire submission does not have a message record, we use the latest encounter associated with the questionnaire submission.
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Unsupported
identifier | token | True | | | The ID number of the current questionnaire response you are reading.
language | String | True | | | Unsupported
period | date | True | | | The date of questionnaire response submission.
related | reference | True | | | Unsupported
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Unsupported
type | token | True | | | Hard-coded to LOINC code 74465-6 (Questionnaire response document).

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.author | Reference | True | Yes | | The person who answered the questionnaire response (clinical user, patient, or proxy).
Bundle.entry.resource.DocumentReference.category | CodeableConcept | True | Yes | | Always “questionnaire-response.”
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Absolute reference to Binary FHIR resource in Content.attachment.content
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | True | | | Always “application/pdf.”
Bundle.entry.resource.DocumentReference.content.attachment.url | String | True | | | The Binary URL of the questionnaire response.
Bundle.entry.resource.DocumentReference.context | BackboneElement | False | | | Context details.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | Yes | | The encounter that the questionnaire submission message is linked to. If the questionnaire submission does not have a message record, we use the latest encounter associated with the questionnaire submission.
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | The date of questionnaire response submission.
Bundle.entry.resource.DocumentReference.date | instant | False | | | The date of questionnaire response submission.
Bundle.entry.resource.DocumentReference.description | String | True | | | The questionnaire title.
Bundle.entry.resource.DocumentReference.docStatus | code | True | | | The status of the questionnaire response document itself. This resource only looks for questionnaire response documents with the “Final” status.
Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | The ID number of the current questionnaire response you are reading.
Bundle.entry.resource.DocumentReference.masterIdentifier | Identifier | False | | | The ID number of the current questionnaire response you are reading.
Bundle.entry.resource.DocumentReference.status | code | False | | | The status of the questionnaire response. This resource only looks for questionnaire responses with the “Current” status.
Bundle.entry.resource.DocumentReference.subject | Reference | True | | | The patient the questionnaire response is from.

Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | Hard-coded to LOINC code 74465-6 (Questionnaire response document).

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?patient=ekuNit2ySBCnmzdH1zlpgRQ3&category=questionnaire-response
```

Sample response


```
{
    "resourceType": "Bundle",
    "type": "searchset",
    "total": 1,
    "link": [
        {
            "relation": "self",
            "url":
    "https://hostname/instance/api/FHIR/R4/DocumentReference?patient=ekuNit2ySBCnmzdH1zlpgRQ3&category=questionnaire-
    response"
        }
    ],
    "entry": [
        {
            "link": [
                {
                    "relation": "self",
                    "url": "https://hostname/instance/api/FHIR/R4/DocumentReference/etvlwaOhJY8edmwCYRegn1A3"
                }
            ],
            "fullUrl": "https://hostname/instance/api/FHIR/R4/DocumentReference/etvlwaOhJY8edmwCYRegn1A3",
            "resource": {
                "resourceType": "DocumentReference",
                "id": "etvlwaOhJY8edmwCYRegn1A3",
                "masterIdentifier": {
                    "system": "urn:oid:1.2.840.114350.1.13.260.1.7.2.728165",
                    "value": "1466"
                },
                "identifier": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.13.260.1.7.2.728165",
                        "value": "1466"
                    }
                ],
                "status": "current",
                "docStatus": "final",
                "type": {
                    "coding": [
                        {
                            "system": "http://loinc.org",
                            "code": "74465-6",
                            "display": "Questionnaire Response Document"
                        }
                    ]
                },
                "category": [
                    {
                        "coding": [
                            {
                                "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
                                "code": "questionnaire-response",
                                "display": "Questionnaire Response"
                            }
                        ]
                    }
                ],
                "subject": {
                    "reference": "Patient/ekuNit2ySBCnmzdH1zlpgRQ3",
                    "display": "Robinson, B."
                },
                "date": "2022-07-22T16:31:41Z",
                "author": [
                    {
                        "reference": "Patient/ekuNit2ySBCnmzdH1zlpgRQ3",
                        "display": "Robinson, B."
                    }
                ],
                "description": "Post Doctor Visit Questionnaire",
                "content": [
                    {
                        "attachment": {
                            "contentType": "application/pdf",
                            "url": "Binary/ehTd8hnSRN4G6BHW2.qsXeQ3"
                        }
                    }
                ],
                "context": {
                    "encounter": [
                        {
```

```
                        "reference": "Encounter/eSsyxHpaypjapsz3mv8y4eQ3",
                        "identifier": {
                            "use": "usual",
                            "system": "urn:oid:1.2.840.114350.1.13.260.1.7.3.698084.8",
                            "value": "239212"
                        },
                        "display": "Patient Message"
                    }
                ],
                "period": {
                    "start": "2022-08-02",
                    "end": "2022-08-02"
                }
            }
        },
        "search": {
            "mode": "match"
        }
    },
```


23.1.73 DocumentReference.Search (Radiology Results) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10235-DocumentReference-Search-Radiology-Results-R4.html
Epic API ID | 10235
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Radiology Results Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/DocumentReference?author={author}&category={category}&date={date}&patient={patient}&period={period}&subject={subject}&type={type}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10235

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
author | reference | True | | | FHIR ID for the providers who signed or addended the study.
category | token | True | | | Must be set to “imaging-result” if specified. Only category or type may be specified in a single query.
date | date | True | | | The instant or range of instants when a study was addended or finalized.
encounter | reference | True | | | Encounter that order is linked to.
patient | reference | Either patient or subject must be provided. If both are provided, they must match. | | | The subject of the report if a patient
period | date | True | | | The instant when the exam was performed.
status | token | True | | | The status of the result. Always "current".
subject | reference | Either patient or subject must be provided. If both are provided, they must match. | | | The patient that is the subject of the note.
type | token | True | | | The LOINC or system code for the radiology result. Only category or type may be specified in a single query.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
authenticator | reference | True | | | The user who signed the study. Reference to the Practitioner resource. Returns only the first user who signed the study.
contenttype | token | True | | | Mime content type code. Always "application/pdf".
custodian | reference | True | | | Unsupported
description | String | True | | | The name of the procedure.
event | String | True | | | Unsupported
facility | String | True | | | Unsupported
format | token | True | | | Unsupported
identifier | token | True | | | The order identifier from the Epic system.
language | String | True | | | Unsupported
related | reference | True | | | Unsupported
relatesto | String | True | | | Unsupported
relation | String | True | | | Unsupported
security-label | token | True | | | Unsupported
setting | String | True | | | Unsupported

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.

Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
Bundle.entry.resource.DocumentReference.authenticator | Reference | True | | | The user who signed the study. Reference to the Practitioner resource. Returns only the first user who signed the study.
Bundle.entry.resource.DocumentReference.author | Reference | True | Yes | | The user who finalized the study and users who addended the study. Reference to the Practitioner resource.
Bundle.entry.resource.DocumentReference.category | CodeableConcept | False | Yes | | Categorization of the document. Always "imaging-result".
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Reference to Binary FHIR resource
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | True | | | Mime content type code. Always "application/pdf".
Bundle.entry.resource.DocumentReference.content.attachment.url | String | False | | | Link to the Binary resource for text content.
Bundle.entry.resource.DocumentReference.context | BackboneElement | False | | | Context details.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | Yes | | Encounter that order is linked to. Reference to the Encounter resource. Returns only the first encounter linked to the results.
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | The instant when the exam was ended.
Bundle.entry.resource.DocumentReference.date | instant | False | | | The instant when the study was finalized. If the study was addended, returns the instant when the last addendum was finalized.
Bundle.entry.resource.DocumentReference.description | String | True | | | The name of the procedure.
Bundle.entry.resource.DocumentReference.docStatus | code | True | | | If the study is addended, returns "amended". Otherwise, returns "final".
Bundle.entry.resource.DocumentReference.id | id | False | | | The DocumentReference FHIR ID.
Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | The order identifier from the Epic system. Returns the same information as masterIdentifier.
Bundle.entry.resource.DocumentReference.masterIdentifier | Identifier | True | | | The order identifier from the Epic system. Returns the same information as identifier.
Bundle.entry.resource.DocumentReference.status | code | False | | | The status of the result. Always "current".
Bundle.entry.resource.DocumentReference.subject | Reference | True | | | The patient record that is linked to the order. Reference to the Patient resource.
Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | Returns the LOINC code or the system code for the order or the procedure.

Sample request

```
https://hostname/instance/api/FHIR/R4/DocumentReference?patient=eP3l9BmBRjLTG9l6H4ldefA3&category=imaging-result
```

Sample response


```
{
    "resourceType": "Bundle",
    "type": "searchset",
    "total": 1
    "link": [
        {
            "relation": "self",
            "url":
    "https://hostname/instance/api/FHIR/R4/DocumentReference?patient=eP3l9BmBRjLTG9l6H4ldefA3&category=imaging-result"
        }
    ],
    "entry": [
        {
            "link": [
                {
                    "relation": "self",
                    "url":
    "https://hostname/instance/api/FHIR/R4/DocumentReference/e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03"
                }
            ],
            "fullUrl":
    "https://hostname/instance/api/FHIR/R4/DocumentReference/e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03",
            "resource": {
                "resourceType": "DocumentReference",
                "id": "e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03",
                "masterIdentifier": {
                    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
                    "value": "1012293993"
                },
                "identifier": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
                        "value": "1012293993"
                    }
                ],
                "status": "current",
                "docStatus": "final",
                "type": {
                    "text": "DLS WEB STUDY REVIEW"
                },
                "category": [
                    {
                        "coding": [
                            {
                                "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
                                "code": "imaging-result",
```

```
                            "display": "Imaging Result"
                        }
                    ],
                    "text": "Imaging Result"
                }
            ],
            "subject": {
                "reference": "Patient/eP3l9BmBRjLTG9l6H4ldefA3",
                "display": "Bob, Big"
            },
            "date": "2021-08-02T16:57:20Z",
            "author": [
                {
                    "reference": "Practitioner/ebyrK--nn121NxCaaZJDEoA3",
                    "display": "Daniel Hon, MD"
                }
            ],
            "authenticator": {
                "reference": "Practitioner/ebyrK--nn121NxCaaZJDEoA3",
                "display": "Daniel Hon, MD"
            },
            "description": "DLS WEB STUDY REVIEW",
            "content": [
                {
                    "attachment": {
                        "contentType": "application/pdf",
                        "url": "Binary/eRGuw4B2nN9B9ytkVIiLZugpER.TyU0fwGuUA2WJgQyA3"
                    }
                }
            ],
            "context": {
                "encounter": [
                    {
                        "reference": "Encounter/epIg68WT.XDwLo7CgCKn952.4sInTUfO-Pim0ZRd7oTY3",
                        "identifier": {
                            "use": "usual",
                            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
                            "value": "10001559470"
                        },
                        "display": "Hospital Encounter"
                    }
                ],
                "period": {
                    "start": "2021-07-15T15:22:14Z",
                    "end": "2021-07-15T15:22:14Z"
                },
                "practiceSetting": {
                    "coding": [
                        {
                            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.686980.110",
                            "code": "40",
                            "display": "Radiology"
                        }
                    ],
                    "text": "Radiology"
                }
            }
        },
        "search": {
            "mode": "match"
        }
    }
  ]
}
```


23.1.74 DocumentReference.Update (Document Information) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10051-DocumentReference-Update-Document-Information-R4.html
Epic API ID | 10051
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Document Information Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | PUT
URL template | /api/FHIR/R4/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10051

Description

This web service is designed for scanning integrations. It allows updating a document information record in Epic.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the R4 DocumentReference resource.
DocumentReference.author | Reference | False | Yes | | Received by/Scan by user.
DocumentReference.category | CodeableConcept | False | Yes | | Category to indicate that this request is for Document Information creation: system: "http://open.epic.com/FHIR/StructureDefinition/documentreference-category" code: “document-information” display: “Document Information”
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.encounter | Reference | Required if the document type can only be attached at an Encounter level. Otherwise, optional. | Yes | | The encounter that the document is attached to
DocumentReference.context.period | Period | False | | | Document service date and time.
DocumentReference.date | instant | False | | | Document received date and time.
DocumentReference.description | String | False | | | Document Description.
DocumentReference.identifier | Identifier | False | Yes | | Document identifier.
DocumentReference.status | code | False | | | Document status, always be “current”.
DocumentReference.subject | Reference | False | | | The patient that is the subject of the document
DocumentReference.type | CodeableConcept | False | | | Document type.
ID | String | False

Sample request

```
PUT https://hostname/instance/api/FHIR/R4/DocumentReference/ewEnnXxnkibmfLRhZkYDBXQ3
<DocumentReference xmlns="http://hl7.org/fhir">
  <identifier>
    <use value="official"/>
    <system value="http://open.epic.com/FHIR/StructureDefinition/document-identifier"/>
    <value value="ID.123456789"/>
  </identifier>
  <status value="current"/>
  <type>
    <coding>
      <system value="urn:oid:1.2.840.114350.1.13.861.1.7.4.686783.100"/>
      <code value="3000"/>
      <display value="Lab Result Scan"/>
    </coding>
  </type>
  <category>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/documentreferencecategory"/>
      <code value="document-information"/>
      <display value="Document Information"/>
    </coding>
  </category>
  <subject>
    <reference value="Patient/ePD0eeFq.GMHG.aXttqP.Lw3"/>
  </subject>
  <date value="2020-08-10T19:34:02Z"/>
  <description value="Scanned lab results"/>
  <context>
    <extension url="http://open.epic.com/FHIR/StructureDefinition/extension/documenteffective">
      <valuePeriod>
        <start value="2020-08-20T05:30:00Z"/>
      </valuePeriod>
    </extension>
    <encounter>
      <reference value="Encounter/eNUn2eocfTVNGxpakQDrzQZgQXx4Q9G7VOzZPKA5b-xI3"/>
    </encounter>
    <period>
      <start value="2020-08-20T05:00:00Z"/>
    </period>
    <related>
      <reference value="ServiceRequest/eyMKd3uyxo6FCijnvGJQO9nYcQ8RjP9JlFIk3RZV8kE3"/>
    </related>
  </context>
</DocumentReference>
```

Sample response

```
N/A
```

23.1.75 Group.Read (Employer Group) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10315-Group-Read-Employer-Group-R4.html
Epic API ID | 10315
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Non-Patient Document Information Group
USCDI | No
HTTP method | GET

URL template | /api/FHIR/R4/Group/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10315

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The FHIR ID for this Group resource.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Group | Group | False | | | An instance of the FHIR R4 Group resource.
Group.actual | Boolean | False | | | Defines whether the group includes references to all members of a group. Always returns false for Group (Employer Group) resources.
Group.code | CodeableConcept | False | | | Defines the specific type of resource this group includes. For Group (Employer Group), this is always set to “Employer Group Member”.
Group.identifier | Identifier | False | Yes | | Employer Group identifier.
Group.type | String | False | | | The group type. Always “Person” for employer group resources.

Sample request

```
/api/FHIR/R4/Group/eqv3buSVDoRkM9AR9M65K8kVmuesdX2DBNVxiQ-Tvg4Q3
```

Sample response

```
<Group xmlns="http://hl7.org/fhir">
<id value="eqv3buSVDoRkM9AR9M65K8kVmuesdX2DBNVxiQ-Tvg4Q3" />
<extension>
<valueReference url=":"http://open.epic.com/FHIR/StructureDefinition/extension/scan-document">
<reference value="DocumentReference/en1LVHsvHg-oOPwDiArMi1M-osjZVj6sKHe4USRiAT0E3" />
<display value="I'm a description!" />
</valueReference>
<valueReference url=":"http://open.epic.com/FHIR/StructureDefinition/extension/scan-document">
<reference value="DocumentReference/eaMyQQ.DCPJPVzsZ-MLwa-rZmOfaLZu84AoX8KfGazcQ3" />
<display value="test2" />
</valueReference>
<valueReference url=":"http://open.epic.com/FHIR/StructureDefinition/extension/scan-document">
<reference value="DocumentReference/e7w1-MgguGMO2YHEpvUX7wOnfFjPFRDZUZgqKQPVSZSk3" />
<display value="Hyperdrive scan acquisition" />
</valueReference>
</extension>
<identifier>
<value value="221466" />
</identifier>
<type value="person" />
<actual value="false" />
<code>
<text value="Employer Group Member" />
</code>
</Group>
```

23.1.76 Group.Search (Employer Group) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10476-Group-Search-Employer-Group-R4.html
Epic API ID | 10476
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Non-Patient Document Information Group
USCDI | No
HTTP method | GET
URL template | /api/FHIR/R4/Group?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10476

Description

An Employer Group record is used to define the smallest group of members who share the same coverage. A FHIR ID representing an Employer Group can be passed as a context variable as part of the launch workflow of a third-party application. This third party can then use the Group.Search (Employer Group) API to access information about the Employer Group, such as the type and ID.

Currently, only the _id search parameter is supported, making this interaction similar to Group.Read (Employer Group).

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Group | Group | False | | | An instance of the FHIR R4 Group resource.
Bundle.entry.resource.Group.actual | Boolean | False | | | Defines the specific type of resource this group includes. For Group (Employer), this is always set to “Employer Group Member”.
Bundle.entry.resource.Group.code | CodeableConcept | False | | | CodeableConcept value.
Bundle.entry.resource.Group.identifier | Identifier | False | Yes | | Employer Group ID.
Bundle.entry.resource.Group.type | String | False | | | The group type. Always “Person” for employer group resources.

Sample request

```
https://hostname/instance/api/FHIR/R4/Group?_id=eAN39tDi6izFw8Rqrqjk1Ea.V1U9DjzoEs590rcLigv43
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://eccp-internal.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/Group?_id=eAN39tDi6izFw8Rqrqjk1Ea.V1U9DjzoEs590rcLigv43"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://eccp-internal.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/Group/eAN39tDi6izFw8Rqrqjk1Ea.V1U9DjzoEs590rcLigv43"
        }
      ],
      "fullUrl": "https://eccp-internal.epic.com/Interconnect-Current-
    Stage1-Primary/api/FHIR/R4/Group/eAN39tDi6izFw8Rqrqjk1Ea.V1U9DjzoEs590rcLigv43",
      "resource": {
        "resourceType": "Group",
        "id": "eAN39tDi6izFw8Rqrqjk1Ea.V1U9DjzoEs590rcLigv43",
        "identifier": [
          {
            "value": "36178501012"
          }
        ],
        "type": "person",
        "actual": false,
        "code": {
          "text": "Employer Group Member"
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


23.1.77 List.Read (Patient List) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10520-List-Read-Patient-List-R4.html
Epic API ID | 10520
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/List/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10520

Description

The FHIR List resource defines a collection of records that can be used within many places. Epic supports direct reading of the List resource to give access to Patient Lists, which includes My Lists and System Lists.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The encoded list ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
List | List | False | | | An instance of the R4 List FHIR resource.
List.code | CodeableConcept | False | | | Always "patients".
List.date | String | False | | | dateTime that the request was made.
List.emptyReason | CodeableConcept | True | | | The reason the list is empty. If the list returns no data, value is "nilknown".
List.entry | Entry | True | Yes | | Patients on the list.
List.entry.item | Reference | False | | | Reference to the patient resource.
List.entry.item.display | String | False | | | The patient's name if the patient is not restricted or confidential to the user. If the patient is restricted, the name is masked with asterisks.
List.entry.item.reference | String | False | | | The literal reference to the patient.
List.id | String | False | | | The List FHIR ID.
List.identifier | Identifier | False | Yes | | An internal patient list ID.
List.mode | String | False | | | The processing mode that applies to this list. Always "working".
List.status | String | False | | | Status of the patient list. Always "current".
List.title | String | False | | | The descriptive name for the list.

Sample request

```
hostname/instance/api/FHIR/R4/list/fFms1bUKSwvOpII5LsSp2yda7qqhJW4wv5MdC9yGs3Lg4
```

Sample response

```
<List xmlns="http://hl7.org/fhir">
  <id value="fFms1bUKSwvOpII5LsSp2yda7qqhJW4wv5MdC9yGs3Lg4"/>
  <identifier>
    <use value="usual"/>
    <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.2.698283"/>
    <value value="9192"/>
  </identifier>
  <status value="current"/>
  <mode value="working"/>
  <code>
    <coding>
      <system value="http://open.epic.com/FHIR/StructureDefinition/list-type"/>
      <code value="patients"/>
      <display value="Patient List"/>
    </coding>
    <text value="Patient List"/>
  </code>
  <date value="2022-12-23T18:18:42Z"/>
  <entry>
    <item>
      <reference value="Patient/e6TG8s9z.2ekxjWJhQL.cbA3"/>
      <display value="Patient, First"/>
    </item>
  </entry>
  <entry>
    <item>
      <reference value="Patient/eZr2RFFvKFG7Qe7HpaUUpmQ3"/>
      <display value="Patient, Second"/>
    </item>
  </entry>
  <entry>
    <item>
      <reference value="Patient/e6NdacCWRWwPgam-24k.ltQ3"/>
      <display value="Patient, Third"/>
    </item>
  </entry>
</List>
```

23.1.78 List.Search (Patient List) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10519-List-Search-Patient-List-R4.html
Epic API ID | 10519
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/List?code={code}&identifier={identifier}

Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10519

Description

The FHIR List resource defines a collection of records that can be used within many places. Epic supports direct reading of the List resource to give access to Patient Lists, which includes My Lists and System Lists. To pull a My List, it must be the My List of the user whom the API call is made on behalf of or shared with that user.

The identifiers for the specific lists to pull are typically received from the customer at the time of implementation of your application. The provided Try It case has a system list value you can test with against the Sandbox.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
code | String | False | | | The code representing the type of list to search. Must be "patients".
identifier | String | False | | | An internal patient list ID in the format system|id. System is an OID. OIDs differ between organizations and between prod and non prod. In the sandbox, use a system of urn:oid:1.2.840.114350.1.13.0.1.7.2.806567 for system lists, and urn:oid:1.2.840.114350.1.13.0.1.7.2.698283 for patient lists.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
date | String | True | | | dateTime that the request was made.
empty-reason | String | True | | | The reason the list is empty. If the list returns no data, value is "nilknown".
encounter | String | True | | | Unsupported
item | String | True | | | FHIR Reference to patient resource.
notes | String | True | | | Unsupported
patient | String | True | | | Unsupported
source | String | True | | | Unsupported
status | String | True | | | Status of the patient list. Always "current".
subject | String | True | | | Unsupported
title | String | True | | | The descriptive name for the list.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.List | List | False | | | An instance of the R4 List FHIR resource.
Bundle.entry.resource.List.code | CodeableConcept | False | | | Represents the type of list searched. Always “patients”.
Bundle.entry.resource.List.date | String | False | | | dateTime that the request was made.
Bundle.entry.resource.List.emptyReason | CodeableConcept | True | | | The reason the list is empty. If the list returns no data, value is "nilknown".
Bundle.entry.resource.List.entry | Entry | True | Yes | | Patients on the list.
Bundle.entry.resource.List.entry.item | Reference | True | | | FHIR Reference to patient resource.
Bundle.entry.resource.List.entry.item.display | String | True | | | The patient's name if the patient is not restricted or confidential to the user. If the patient is restricted, the name is masked with asterisks.
Bundle.entry.resource.List.entry.item.reference | String | True | | | Reference to a Patient resource representing a patient on the list.
Bundle.entry.resource.List.id | String | False | | | The List FHIR ID.
Bundle.entry.resource.List.identifier | Identifier | False | Yes | | An Internal patient list ID.
Bundle.entry.resource.List.mode | String | False | | | The processing mode that applies to this list. Always "working".
Bundle.entry.resource.List.status | String | False | | | Status of the patient list. Always "current".
Bundle.entry.resource.List.title | String | False | | | The descriptive name for the list.

Sample request

```
hostname/instance/api/FHIR/R4/List?identifier=urn:oid:1.2.840.114350.1.13.5325.1.7.2.698283|9192&code=patients
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
    <type value="searchset" />
    <total value="1" />
    <link>
        <relation value="self" />
        <url value="https://hostname/instance/api/FHIR/R4/List?identifier=urn:oid:1.2.840.114350.1.13.5325.1.7.2.698283%
    7C9192&amp;code=patients" />
    </link>
    <entry>
        <link>
            <relation value="self" />
            <url value="https://hostname/instance/api/FHIR/R4/List/fFms1bUKSwvOpII5LsSp2yda7qqhJW4wv5MdC9yGs3Lg4" />
        </link>
        <fullUrl value="https://hostname/instance/api/FHIR/R4/List/fFms1bUKSwvOpII5LsSp2yda7qqhJW4wv5MdC9yGs3Lg4" />
        <resource>
```

```
            <List>
                <id value="fFms1bUKSwvOpII5LsSp2yda7qqhJW4wv5MdC9yGs3Lg4" />
                <identifier>
                    <use value="usual" />
                    <system value="urn:oid:1.2.840.114350.1.13.5325.1.7.2.698283" />
                    <value value="9192" />
                </identifier>
                <status value="current" />
                <mode value="working" />
                <code>
                    <coding>
                        <system value="http://open.epic.com/FHIR/StructureDefinition/list-type" />
                        <code value="patients" />
                        <display value="Patient List" />
                    </coding>
                    <text value="Patient List" />
                </code>
                <date value="2022-12-23T19:06:20Z" />
                <entry>
                    <item>
                        <reference value="Patient/e6TG8s9z.2ekxjWJhQL.cbA3" />
                        <display value="Patient, First />
                    </item>
                </entry>
                <entry>
                    <item>
                        <reference value="Patient/eZr2RFFvKFG7Qe7HpaUUpmQ3" />
                        <display value="Patient, Second" />
                    </item>
                </entry>
                <entry>
                    <item>
                        <reference value="Patient/e6NdacCWRWwPgam-24k.ltQ3" />
                        <display value="Patient, Third />
                    </item>
                </entry>
            </List>
        </resource>
        <search>
            <mode value="match" />
        </search>
    </entry>
</Bundle>
```

23.1.79 Media.Read (Study) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/10989-Media-Read-Study-R4.html
Epic API ID | 10989
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Media Study Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Media/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10989

Description

The FHIR Media resource defines detailed information about images that are acquired or used in healthcare, specifically cardiology and endoscopy.

Media references are returned in

DiagnosticReport.Read (Results) (R4)

responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | Resource FHIR ID

Response elements

Name | Type | Optional | Array | Cardinality | Description
Media (R4) | Media
Media (R4).content | Attachment | | | 1..1 | The actual content of the media linked to an order.

Media (R4).content.contentType | String | | | 0..1 | Type of media being returned. For example, image/jpeg or image/png.
Media (R4).content.title | String | | | 0..1 | Image caption. If one isn't specified, "Study Image" is sent.
Media (R4).content.url | String | | | 0..1 | URL for the associated Binary (Study) resource.
Media (R4).id | id | | | | Media Resource FHIR ID
Media (R4).status | code | | | 1..1 | Always "Completed"

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Media/fSyXX5Xr9eEjP4C9b0pGgRQ4
```

Sample response


```
{
  "resourceType": "Media",
  "id": "fSyXX5Xr9eEjP4C9b0pGgRQ4",
  "status": "completed",
  "content": {
    "contentType": "image/png",
    "url": "Binary/ft59EzeC3l74UUMOHF0uwOg4",
    "title": "Study Image"
  }
}
```


23.1.80 Media.Search (Study) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/11001-Media-Search-Study-R4.html
Epic API ID | 11001
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Media Study Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Media?_id={id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=11001

Description

The FHIR Media resource defines detailed information about images that are acquired or used in healthcare, specifically cardiology and endocopy.

The R4 Media.Search interaction currently supports only the _id search parameter, making it similar to a Media.Read request. This search interaction is intended for use with integrations that retrieve Media data using Bulk FHIR.

Media references are returned in

DiagnosticReport.Search (Results) (R4)

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Media (R4) | Media
Media (R4).content | Attachment | | | 1..1 | The actual content of the media linked to an order.
Media (R4).content.contentType | String | | | 0..1 | Type of media being returned. For example, image/jpeg or image/png.
Media (R4).content.title | String | | | 0..1 | Image caption. If one isn't specified, "Study Image" is sent.
Media (R4).content.url | String | | | 0..1 | URL for the associated Binary (Study) resource.
Media (R4).id | id | | | | Media resource FHIR ID
Media (R4).status | code | | | 1..1 | Always "Completed"

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Media?_id=fSyXX5Xr9eEjP4C9b0pGgRQ4
```

Sample response

```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/Media?_id=fSyXX5Xr9eEjP4C9b0pGgRQ4"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/Media?_id=fSyXX5Xr9eEjP4C9b0pGgRQ4"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/Media?_id=fSyXX5Xr9eEjP4C9b0pGgRQ4",
      "resource": {
        "resourceType": "Media",
        "id": "fSyXX5Xr9eEjP4C9b0pGgRQ4",
        "status": "completed",
        "content": {
          "contentType": "image/png",
          "url": "Binary/ft59EzeC3l74UUMOHF0uwOg4",
          "title": "Study Image"
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


23.1.81 Patient.$summary (International Patient Summary) (R4)

File: site/apis/23-Infrastructure-Documents-Lists/1-R4/11219-Patient-summary-International-Patient-Summary-R4.html
Epic API ID | 11219
FHIR version | R4
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/Patient/{ID}/$summary
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=11219

Description

The Patient.$summary operation accepts a single patient's FHIR ID and generates an International Patient Summary (IPS) document. An IPS document is an electronic health record extract containing essential healthcare information about a patient. This document is intended to be used for treatment-based exchange for patients and providers.

The $summary API returns an IPS FHIR Bundle containing discrete FHIR resources and human-readable narrative content. The Bundle includes a Composition resource that has sections for various types of patient data, narrative content in each section, and FHIR resource references to the related discrete data. The referenced FHIR resources themselves are also included in the Bundle. The resources in the Bundle can include Patient (R4), Condition (Problems) (R4), AllergyIntolerance (R4), MedicationRequest (Signed Medication Order) (R4), Immunization (R4), Medication (R4), and Organization (R4). As a result, the IPS includes data on the patient's demographics, problem list, allergies, medications, and immunization history, respectively, as documented on their chart. If there is no data in one of these sections or an authorizing user does not have sufficient security, the Composition section returns without any clinical data. An exception to this behavior is the Immunization (R4) resource, where the Composition section is not returned at all if the patient has no immunizations recorded.

Note: when submitting a Patient.$summary request, the "profile" parameter can optionally be supplied. If supplied, the only accepted value is "http://hl7.org/fhir/uv/ips/StructureDefinition/Composition-uv-ips"

Remarks

The IPS response bundle can contain any of the following types of FHIR resources:

Resource Type | Description | Always Present? | Maximum Number in Bundle
Composition | The Composition resource is a set of healthcare-related information assembled into a document. It defines a FHIR document. Refer to the "Composition Resource Structure" section below for more detail. | Yes | 1
Patient | A single instance of a Patient FHIR resource. Refer to Patient.Read (R4) for a complete example of this resource structure. In addition to what is returned in Patient.Read (R4), a narrative description of the resource is returned in Patient.text. | Yes | 1

Condition | A single instance of a Condition (Problems) FHIR resource. Refer to Condition.Read (Problems) (R4) for a complete example of this resource structure. | No | Multiple
AllergyIntolerance | A single instance of an AllergyIntolerance FHIR resource. Refer to AllergyIntolerance.Read (R4) for a complete example of this resource structure. | No | Multiple
MedicationRequest | A single instance of a MedicationRequest FHIR resource. Refer to MedicationRequest.Read (Signed Medication Order) (R4) for a complete example of this resource structure. | No | Multiple
Immunization | A single instance of an Immunization FHIR resource. Refer to Immunization.Read (R4) for a complete example of this resource structure. | No | Multiple
Medication | A single instance of a Medication FHIR resource. Refer to Medication.Read (R4) for a complete example of this resource structure. | No | Multiple
Organization | A single instance of a Medication FHIR resource. Refer to Organization.Read (R4) for a complete example of this resource structure. | No | Multiple

Composition Resource Structure

Name | Description | Is Optional | Is Array
id | The FHIR ID of the Composition resource. | false | false
text (Narrative) | The narrative content of the Composition resource. | false | false
status (code) | A marker for the clinical standing of the document. This value is always returned as “final.” | false | false
type (CodeableConcept) | The kind of composition. This value is always returned as “Patient summary Document” with LOINC code 60591-5. | false | false
text (text) | This is always “International Patient Summary” | false | false
subject (Reference) | Reference to the requested patient. | false | false
date (dateTime) | The exact time the resource was requested. | false | false
author (Reference) | The organization that authored the IPS. | false | true
title (string) | The label of the composition resource. This value is always returned as "International Patient Summary for {Patient Name}.” | false | false
custodian (Reference) | The source organization that maintains the IPS. | false | false
extension (valueAnnotation) | A disclaimer that can be customized. In patient- facing contexts, there is a default disclaimer of "This document contains information that was shared with {Patient Name}. It may not contain the entire record from {Your Organization Name}." | conditional | true
section (BackboneElement) | The resources that will compose the IPS. These are Condition (Problems) (R4), AllergyIntolerance (R4), MedicationRequest (Signed Medication Order) (R4), and Immunization (R4). Note that if a patient does not have a record of any immunizations, then the “Immunizations” section is omitted. | true | true

Composition.section

Name | Description | Is Optional | Is Array
title (string) | The title of the section. This is “Problems,” “Allergies,” “Medications,” or “Immunizations.” This title will be translated to the FHIR server’s primary language. | false | false
code (CodeableConcept) | The LOINC code that is mapped to the section it is associated with. Section LOINC code Problems 11450-4 Allergies 48765-2 Medications 10160-0 Immunizations 11369-6 | false | false
Section | LOINC code
Problems | 11450-4
Allergies | 48765-2
Medications | 10160-0
Immunizations | 11369-6
text (narrative) | The narrative content of the section that the element is associated with. | false | false
entry (reference) | A reference to each instance of the resource associated with that section. | true | true
emptyReason (CodeableConcept) | If the “entry” element is empty, a reason for why no entries exist in this section. It may be one of the following: witheld This is returned if the user is not permitted to see clinical data of this type notasked This is returned if the organization has not yet collected the patient’s data for this section nilknown This is returned if the organization has determined that the patient has no applicable data for this section | conditional | false
witheld | This is returned if the user is not permitted to see clinical data of this type
notasked | This is returned if the organization has not yet collected the patient’s data for this section
nilknown | This is returned if the organization has determined that the patient has no applicable data for this section
pregnancyStatus (reference) | If the patient is pregnant, then the status of the pregnancy and associated SNOMED code will return: Section SNOMED code Pregnant 77386006 Not pregnant 60001007 Pregnancy not yet confirmed 152231000119106 Possible pregnancy 146799005 This will only be returned in the “Problems” section of the resource. | conditional | false
Section | SNOMED code
Pregnant | 77386006
Not pregnant | 60001007
Pregnancy not yet confirmed | 152231000119106
Possible pregnancy | 146799005
extension (text) | The text of a Care Coordination Note if one is documented on a patient’s problem list. This will only be returned in the “Problems” section of the resource. | Conditional | true

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The FHIR ID of the patient for whom to generate the IPS. Provided as a URL path segment.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.

Bundle.entry.resource | ResourceContainer | False | | | A single FHIR resource included in the IPS response bundle. Refer to the Remarks section of this specification document for more information.

Bundle.identifier | Identifier | False | | | A unique uuid with a value system that is always set to "urn:ietf:rfc:3986."

Bundle.timestamp | instant | False | | | The time the bundle was created.

Bundle.type | code | False | | | The kind of bundle that is returned. The IPS is always “document.”

Sample request

```
https://hostname/instance/api/FHIR/R4/Patient/eiyYG1XjqctfG3K.zQvSlWw3/$summary?profile=http://hl7.org/fhir/uv/ips/Struc
    tureDefinition/Composition-uv-ips
```

Sample response


```
{
  "resourceType": "Bundle",
  "identifier": {
    "system": "urn:ietf:rfc:3986",
    "value": "urn:uuid:9b0990f1-5de7-423f-a215-8b65ac69e37d"
  },
  "type": "document",
  "timestamp": "2025-02-19T21:04:03Z",
  "entry": [
    {
      "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-
    Unsecured/api/FHIR/R4/Composition/feE1F.6OLpos2ZZAXV5UHxg4",
      "resource": {
        "resourceType": "Composition",
        "id": "feE1F.6OLpos2ZZAXV5UHxg4",
        "text": {
          "status": "generated",
          "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><div class=\"Section\"><div
    class=\"Header\"><h3>Author</h3></div><div class=\"Body\"><span>Epic Central Clinic<br />608-163-0003<br />410 HIGH
    POINT ROAD<br />MADISON WI 53711</span></div></div><br /><div class=\"Section\"><div class=\"Header\"><h3>Document
    Information</h3></div><div class=\"Body\"><div class=\"SingleLineField\"><span class=\"Prefix\"><strong>UTC offset:
    </strong></span><span class=\"Value\">UTC-06:00</span></div><div class=\"SingleLineField\"><span
    class=\"Prefix\"><strong>Date format: </strong></span><span class=\"Value\">M/d/yyyy</span></div><div
    class=\"SingleLineField\"><span class=\"Prefix\"><strong>Decimal separator: </strong></span><span
    class=\"Value\">.</span></div><div class=\"SingleLineField\"><span class=\"Prefix\"><strong>Date generated:
    </strong></span><span class=\"Value\">2/19/2025</span></div></div></div></div>"
        },
        "status": "final",
        "type": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "60591-5",
              "display": "Patient summary Document"
            }
          ],
          "text": "International Patient Summary"
        },
        "subject": {
          "reference": "Patient/eNO3wqOfAltfnWMfWBQ1WmQ3",
          "display": "Jackson, Jayden"
        },
        "date": "2025-02-19T21:04:03Z",
        "author": [
          {
            "reference": "Organization/eBBFDl1F2A4AHQpheZzVucw3",
            "display": "Epic Central Clinic"
          }
        ],
        "title": "International Patient Summary for Jackson, Jayden",
        "custodian": {
          "reference": "Organization/eBBFDl1F2A4AHQpheZzVucw3",
          "display": "Epic Central Clinic"
        },
        "section": [
          {
            "title": "Problems",
            "code": {
              "coding": [
                {
                  "system": "http://loinc.org",
                  "code": "11450-4",
                  "display": "Problem list - Reported"
                }
              ],
              "text": "Problem list - Reported"
            },
            "text": {
              "status": "generated",
              "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><div class=\"ActiveProblems\"><h3>Active
    Problems</h3><table class=\"ActiveProblemTable\"><thead><tr><th>Problem</th><th>Priority</th><th>Noted
    Date</th><th>Diagnosed Date</th></tr></thead><tbody><tr><td class=\"Name\"><span class=\"ProblemName\">Moderate
    persistent asthma (HHS/HCC) (HHS)</span></td><td class=\"Priority\">-</td><td class=\"NotedDate\">2/17/2025</td><td
    class=\"DiagnosedDate\">-</td></tr></tbody></table></div><br /><div class=\"ResolvedProblems\"><h3>Resolved
    Problems</h3><table class=\"ResolvedProblemTable\"><thead><tr><th>Problem</th><th>Priority</th><th>Noted
```

```
Date</th><th>Diagnosed Date</th><th>Resolved Date</th></tr></thead><tbody><tr><td class=\"Name\"><span
class=\"ProblemName\">Struck by alligator</span><ul><li class=\"Note\"><span class=\"NoteTitle\">Overview (2/18/2018
 1:22 PM):</span><br /><span class=\"WarningMsg\"><em>Formatting of this note might be different from the
original.</em></span><br /><span class=\"NoteText\">It was a real big gator.<br /></span></li></ul></td><td
class=\"Priority\">High</td><td class=\"NotedDate\">2/18/2018</td><td class=\"DiagnosedDate\">2/18/2018</td><td
class=\"ResolvedDate\">2/18/2018</td></tr></tbody></table></div></div>"
        },
        "entry": [
          {
            "reference": "Condition/e-8nWH.bGEpZxDWq2oCoCLREUwM32POPS7KMw9NU04mg3"
          },
          {
            "reference": "Condition/evRt9rC4iF4hQ8HrVrp6408lZdE-j24dngrOAo3aMboY3"
          }
        ]
      },
      {
        "title": "Allergies",
        "code": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "48765-2",
              "display": "Allergies and adverse reactions Document"
            }
          ],
          "text": "Allergies and adverse reactions Document"
        },
        "text": {
          "status": "generated",
          "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><table class=\"ActiveAllergyTable\"><thead
class=\"ActiveAllergyHeader\"><tr><th>Active Allergy</th><th>Allergen
Type</th><th>Reactions</th><th>Criticality</th><th>Noted Date</th><th>Comments</th></tr></thead><tbody
class=\"ActiveAllergy\"><tr class=\"ActiveAllergy\"><td class=\"Name\">NICKEL</td><td class=\"Type\">Allergy</td><td
 class=\"Reactions\">Hives</td><td class=\"Criticality\">High</td><td class=\"NotedDate\">9/13/2024</td><td
class=\"Comments\">-</td></tr><tr class=\"ActiveAllergy\"><td class=\"Name\">LACTOSE</td><td
class=\"Type\">Allergy</td><td class=\"Reactions\">Nausea</td><td class=\"Criticality\">Low</td><td
class=\"NotedDate\">1/24/2025</td><td class=\"Comments\">-</td></tr></tbody></table></div>"
        },
        "entry": [
          {
            "reference": "AllergyIntolerance/eq.ZnjVL0b3grxEEs0Jb512-FP-IEF5CPgq1LtNhj8vE3"
          },
          {
            "reference": "AllergyIntolerance/ew9Q0B3JJOwNipaZ.Pb2J5sXukodDH.N271w777jlVLU3"
          }
        ]
      },
      {
        "title": "Medications",
        "code": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "10160-0",
              "display": "History of Medication use Narrative"
            }
          ],
          "text": "History of Medication use Narrative"
        },
        "text": {
          "status": "generated",
          "div": "<div
xmlns=\"http://www.w3.org/1999/xhtml\"><table><thead><tr><th>Medication</th><th>Sig</th><th>Dispense
Quantity</th><th>Refills</th><th>Start Date</th><th>End Date</th><th>Status</th><tr><td>aspirin-acetaminophen-
caffeine (EXCEDRIN MIGRAINE) 250-250-65 MG per tablet<ul></ul></td><td>For headaches, take 1 pill by mouth every 6
hours as needed.</td><td>30 tablet</td><td>0</td><td>9/17/2024</td><td>-</td><td>On
Hold</td></tr></tbody></table></div>"
        },
        "entry": [
          {
            "reference": "MedicationRequest/eZ.jcFkxpptG67qxgRtMnjY5sQsmiFdGFbRTrWxSCDtU3"
          }
        ]
      },
      {
        "title": "Immunizations",
        "code": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "11369-6",
              "display": "History of Immunization Narrative"
            }
          ],
          "text": "History of Immunization Narrative"
        },
        "text": {
          "status": "generated",
```

```
          "div": "<div
xmlns=\"http://www.w3.org/1999/xhtml\"><table><thead><tr><th>Immunization</th><th>Administration Dates</th><th>Next
Due</th></tr></thead><tbody><tr><td>Influenza Virus
Vaccine</td><td>1/7/2025</td><td>-</td></tr></tbody></table></div>"
        },
        "entry": [
          {
            "reference": "Immunization/ehsR6jLoIwy.GKVtLGLzBSRS1O4-Hh7BxqD4hCyfh.5o3"
          }
        ]
      }
    ]
  }
},
{
  "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-
Unsecured/api/FHIR/R4/AllergyIntolerance/eq.ZnjVL0b3grxEEs0Jb512-FP-IEF5CPgq1LtNhj8vE3",
  "resource": {
    "resourceType": "AllergyIntolerance",
    "id": "eq.ZnjVL0b3grxEEs0Jb512-FP-IEF5CPgq1LtNhj8vE3",
    "clinicalStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical",
          "version": "4.0.0",
          "code": "active",
          "display": "Active"
        }
      ],
      "text": "Active"
    },
    "verificationStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-verification",
          "version": "4.0.0",
          "code": "confirmed",
          "display": "Confirmed"
        }
      ],
      "text": "Confirmed"
    },
    "type": "allergy",
    "category": [
      "medication"
    ],
    "criticality": "high",
    "code": {
      "coding": [
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "31738",
          "display": "NICKEL"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "1311629"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "1546280"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.4.9",
          "code": "4FLT4T3WUN"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.4.9",
          "code": "696BNE976J"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.4.9",
          "code": "7OV03QG267"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.4.9",
          "code": "J7B7WZ5ZMT"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.4.9",
          "code": "NUZ5T2QN2V"
        }
      ],
      "text": "NICKEL"
    },
    "patient": {
      "reference": "Patient/eNO3wqOfAltfnWMfWBQ1WmQ3",
      "display": "Jackson, Jayden"
    },
```

```
    "onsetDateTime": "2024-09-13",
    "recordedDate": "2024-09-13T22:28:43Z",
    "reaction": [
      {
        "manifestation": [
          {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "201272008",
                "display": "(URTICARIA NOS) OR (HIVES)"
              }
            ],
            "text": "Hives"
          }
        ],
        "description": "Hives"
      }
    ]
  }
},
{
  "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-
Unsecured/api/FHIR/R4/AllergyIntolerance/ew9Q0B3JJOwNipaZ.Pb2J5sXukodDH.N271w777jlVLU3",
  "resource": {
    "resourceType": "AllergyIntolerance",
    "id": "ew9Q0B3JJOwNipaZ.Pb2J5sXukodDH.N271w777jlVLU3",
    "clinicalStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-clinical",
          "version": "4.0.0",
          "code": "active",
          "display": "Active"
        }
      ],
      "text": "Active"
    },
    "verificationStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/allergyintolerance-verification",
          "version": "4.0.0",
          "code": "confirmed",
          "display": "Confirmed"
        }
      ],
      "text": "Confirmed"
    },
    "type": "allergy",
    "category": [
      "medication"
    ],
    "criticality": "low",
    "code": {
      "coding": [
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "6211",
          "display": "LACTOSE"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "1305527"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "1307662"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "2359362"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.4.9",
          "code": "3SY5LH9PMK"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.4.9",
          "code": "EWQ57Q8I5X"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.4.9",
          "code": "J2B2A4N98G"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.4.9",
          "code": "MJF4JAT10B"
        }
```

```
      ],
      "text": "LACTOSE"
    },
    "patient": {
      "reference": "Patient/eNO3wqOfAltfnWMfWBQ1WmQ3",
      "display": "Jackson, Jayden"
    },
    "onsetDateTime": "2025-01-24",
    "recordedDate": "2025-01-24T16:45:23Z",
    "reaction": [
      {
        "manifestation": [
          {
            "text": "Nausea"
          }
        ],
        "description": "Nausea"
      }
    ]
  }
},
{
  "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-
Unsecured/api/FHIR/R4/Immunization/ehsR6jLoIwy.GKVtLGLzBSRS1O4-Hh7BxqD4hCyfh.5o3",
  "resource": {
    "resourceType": "Immunization",
    "id": "ehsR6jLoIwy.GKVtLGLzBSRS1O4-Hh7BxqD4hCyfh.5o3",
    "identifier": [
      {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.768076",
        "value": "1000057742"
      }
    ],
    "status": "completed",
    "vaccineCode": {
      "coding": [
        {
          "system": "http://hl7.org/fhir/sid/ndc",
          "code": "2000-1234-01"
        }
      ],
      "text": "Influenza Virus Vaccine"
    },
    "patient": {
      "reference": "Patient/eNO3wqOfAltfnWMfWBQ1WmQ3",
      "display": "Jackson, Jayden"
    },
    "occurrenceDateTime": "2025-01-07T20:25:00Z",
    "primarySource": true,
    "lotNumber": "1564",
    "site": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.768076.4040",
          "code": "14",
          "display": "Left arm"
        }
      ],
      "text": "Left arm"
    },
    "route": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.768076.4030",
          "code": "2",
          "display": "Intramuscular"
        },
        {
          "system": "http://ncicb.nci.nih.gov/xml/owl/EVS/Thesaurus.owl",
          "code": "56"
        }
      ],
      "text": "Intramuscular"
    },
    "doseQuantity": {
      "value": 5,
      "unit": "mL",
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.768076.4019",
      "code": "1"
    },
    "performer": [
      {
        "function": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/v2-0443",
              "code": "AP",
              "display": "Administering Provider"
```

```
            }
          ],
          "text": "Administering Provider"
        },
        "actor": {
          "reference": "Practitioner/eb3d.4apzwRM33Q91Nm7wJA3",
          "type": "Practitioner",
          "display": "Emile Underwood, MD"
        }
      }
    ]
  }
},
{
  "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-
Unsecured/api/FHIR/R4/MedicationRequest/eZ.jcFkxpptG67qxgRtMnjY5sQsmiFdGFbRTrWxSCDtU3",
  "resource": {
    "resourceType": "MedicationRequest",
    "id": "eZ.jcFkxpptG67qxgRtMnjY5sQsmiFdGFbRTrWxSCDtU3",
    "identifier": [
      {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.798268",
        "value": "1020672672"
      }
    ],
    "status": "on-hold",
    "intent": "order",
    "category": [
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/medicationrequest-category",
            "code": "community",
            "display": "Community"
          }
        ],
        "text": "Community"
      }
    ],
    "medicationReference": {
      "reference": "Medication/eFPOEegDKIjYsM3RkHequHJ5I2sLnb6kCobyvt.2bHUQMn5mMSA84ght6QXRPlsUrYrpRQOlGll1yESbZhar2
gGHGBpCW6ZAZfG3I-2k38Uw3",
      "display": "aspirin-acetaminophen-caffeine (EXCEDRIN MIGRAINE) 250-250-65 MG per tablet"
    },
    "subject": {
      "reference": "Patient/eNO3wqOfAltfnWMfWBQ1WmQ3",
      "display": "Jackson, Jayden"
    },
    "encounter": {
      "reference": "Encounter/eUxsoXoUZAJwTHuf8BKfp10EW8pkwRRRqSke8aOSl6jo3",
      "identifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.698084.8",
        "value": "10004197672"
      },
      "display": "Office Visit"
    },
    "authoredOn": "2024-09-17",
    "requester": {
      "reference": "Practitioner/eb3d.4apzwRM33Q91Nm7wJA3",
      "type": "Practitioner",
      "display": "Emile Underwood, MD"
    },
    "recorder": {
      "reference": "Practitioner/eb3d.4apzwRM33Q91Nm7wJA3",
      "type": "Practitioner",
      "display": "Emile Underwood, MD"
    },
    "courseOfTherapyType": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/medicationrequest-course-of-therapy",
          "code": "acute",
          "display": "Short course (acute) therapy"
        }
      ],
      "text": "Short course (acute) therapy"
    },
    "dosageInstruction": [
      {
        "text": "1 tablet, Oral, EVERY 6 HOURS PRN Starting Tue 9/17/2024, Disp-30 tablet, R-0, Normal",
        "patientInstruction": "For headaches, take 1 pill by mouth every 6 hours as needed.",
        "timing": {
          "repeat": {
            "boundsPeriod": {
              "start": "2024-09-17"
            },
            "frequency": 1,
```

```
    "period": 6,
    "periodUnit": "h"
  },
  "code": {
    "text": "Q6H PRN"
  }
},
"asNeededBoolean": true,
"route": {
  "coding": [
    {
      "system": "http://snomed.info/sct",
      "code": "260548002",
      "display": "Oral (qualifier value)"
    },
    {
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.798268.7025",
      "code": "15",
      "display": "Oral"
    }
  ],
  "text": "Oral"
},
"method": {
  "coding": [
    {
      "system": "http://snomed.info/sct",
      "code": "419652001",
      "display": "Take"
    }
  ],
  "text": "Take"
},
"doseAndRate": [
  {
    "type": {
      "coding": [
        {
          "system": "http://epic.com/CodeSystem/dose-rate-type",
          "code": "calculated",
          "display": "calculated"
        }
      ],
      "text": "calculated"
    },
    "doseQuantity": {
      "value": 1,
      "unit": "tablet",
      "system": "http://unitsofmeasure.org",
      "code": "{tbl}"
    }
  },
  {
    "type": {
      "coding": [
        {
          "system": "http://epic.com/CodeSystem/dose-rate-type",
          "code": "admin-amount",
          "display": "admin-amount"
        }
      ],
      "text": "admin-amount"
    },
    "doseQuantity": {
      "value": 1,
      "unit": "tablet",
      "system": "http://unitsofmeasure.org",
      "code": "{tbl}"
    }
  },
  {
    "type": {
      "coding": [
        {
          "system": "http://epic.com/CodeSystem/dose-rate-type",
          "code": "ordered",
          "display": "ordered"
        }
      ],
      "text": "ordered"
    },
    "doseQuantity": {
      "value": 1,
      "unit": "tablet",
      "system": "http://unitsofmeasure.org",
      "code": "{tbl}"
    }
  }
]
```

```
      }
    ],
    "dispenseRequest": {
      "validityPeriod": {
        "start": "2024-09-17"
      },
      "numberOfRepeatsAllowed": 0,
      "quantity": {
        "value": 30,
        "unit": "tablet"
      },
      "expectedSupplyDuration": {
        "value": 8,
        "unit": "Day",
        "system": "http://unitsofmeasure.org",
        "code": "d"
      }
    }
  }
},
{
  "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-
Unsecured/api/FHIR/R4/Condition/e-8nWH.bGEpZxDWq2oCoCLREUwM32POPS7KMw9NU04mg3",
  "resource": {
    "resourceType": "Condition",
    "id": "e-8nWH.bGEpZxDWq2oCoCLREUwM32POPS7KMw9NU04mg3",
    "extension": [
      {
        "valueDateTime": "2018-02-18",
        "url": "http://hl7.org/fhir/StructureDefinition/condition-assertedDate"
      }
    ],
    "clinicalStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
          "version": "4.0.0",
          "code": "resolved",
          "display": "Resolved"
        }
      ],
      "text": "Resolved"
    },
    "verificationStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
          "version": "4.0.0",
          "code": "confirmed",
          "display": "Confirmed"
        }
      ],
      "text": "Confirmed"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/condition-category",
            "code": "problem-list-item",
            "display": "Problem List Item"
          }
        ],
        "text": "Problem List Item"
      }
    ],
    "severity": {
      "coding": [
        {
          "system": "urn:oid:2.16.840.1.113883.6.96",
          "code": "24484000",
          "display": "Severe"
        }
      ],
      "text": "High"
    },
    "code": {
      "coding": [
        {
          "system": "http://hl7.org/fhir/sid/icd-10-cm",
          "code": "W58.02XA",
          "display": "Struck by alligator, initial encounter"
        },
        {
          "system": "http://snomed.info/sct",
          "code": "418589001",
          "display": "Accidental Physical Contact With Animal"
        }
      ],
```

```
      "text": "Struck by alligator"
    },
    "subject": {
      "reference": "Patient/eng1-x9wfpFRTWZ1fXHxlhg3",
      "display": "Realistic, Jayden FHIR Jr."
    },
    "onsetDateTime": "2018-02-18",
    "abatementDateTime": "2025-02-17",
    "recordedDate": "2018-02-18",
    "note": [
      {
        "extension": [
          {
            "valueString": "Formatting of this note might be different from the original.",
            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/data-conversion-warning"
          },
          {
            "valueCodeableConcept": {
              "coding": [
                {
                  "system": "http://loinc.org",
                  "code": "68608-9",
                  "display": "Summary note"
                }
              ],
              "text": "Problem Overview"
            },
            "url": "http://hl7.org/fhir/StructureDefinition/annotationType"
          }
        ],
        "authorReference": {
          "reference": "Practitioner/eTgWia0U3VHmeYIDAJ2.kFw3",
          "display": "Justin Ramm"
        },
        "time": "2018-02-18T19:22:47Z",
        "text": "It was a real big gator.\r\n"
      }
    ]
  }
},
{
  "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-
Unsecured/api/FHIR/R4/Condition/evRt9rC4iF4hQ8HrVrp6408lZdE-j24dngrOAo3aMboY3",
  "resource": {
    "resourceType": "Condition",
    "id": "evRt9rC4iF4hQ8HrVrp6408lZdE-j24dngrOAo3aMboY3",
    "extension": [
      {
        "valueDateTime": "2007",
        "url": "http://hl7.org/fhir/StructureDefinition/condition-assertedDate"
      }
    ],
    "clinicalStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-clinical",
          "version": "4.0.0",
          "code": "resolved",
          "display": "Resolved"
        }
      ],
      "text": "Resolved"
    },
    "verificationStatus": {
      "coding": [
        {
          "system": "http://terminology.hl7.org/CodeSystem/condition-ver-status",
          "version": "4.0.0",
          "code": "confirmed",
          "display": "Confirmed"
        }
      ],
      "text": "Confirmed"
    },
    "category": [
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/condition-category",
            "code": "problem-list-item",
            "display": "Problem List Item"
          }
        ],
        "text": "Problem List Item"
      }
    ],
    "severity": {
      "coding": [
        {
```

```
          "system": "urn:oid:2.16.840.1.113883.6.96",
          "code": "6736007",
          "display": "Moderate"
        }
      ],
      "text": "Med"
    },
    "code": {
      "coding": [
        {
          "system": "http://hl7.org/fhir/sid/icd-10-cm",
          "code": "J45.40",
          "display": "Moderate persistent asthma, uncomplicated"
        },
        {
          "system": "http://snomed.info/sct",
          "code": "427295004",
          "display": "Moderate Persistent Asthma"
        }
      ],
      "text": "Moderate persistent asthma (HHS/HCC) (HHS)"
    },
    "subject": {
      "reference": "Patient/eng1-x9wfpFRTWZ1fXHxlhg3",
      "display": "Realistic, Jayden FHIR Jr."
    },
    "onsetDateTime": "2025-02-17",
    "abatementDateTime": "2025-02-17",
    "recordedDate": "2025-02-17"
  }
},
{
  "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-Unsecured/api/FHIR/R4/Medication
/eFPOEegDKIjYsM3RkHequHJ5I2sLnb6kCobyvt.2bHUQMn5mMSA84ght6QXRPlsUrYrpRQOlGll1yESbZhar2gGHGBpCW6ZAZfG3I-2k38Uw3",
  "resource": {
    "resourceType": "Medication",
    "id":
"eFPOEegDKIjYsM3RkHequHJ5I2sLnb6kCobyvt.2bHUQMn5mMSA84ght6QXRPlsUrYrpRQOlGll1yESbZhar2gGHGBpCW6ZAZfG3I-2k38Uw3",
    "identifier": [
      {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.698288",
        "value": "22850"
      }
    ],
    "code": {
      "coding": [
        {
          "system": "http://www.whocc.no/atc",
          "code": "N02BE51"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.6.253",
          "code": "55360"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.6.68",
          "code": "64990003200350"
        },
        {
          "system": "urn:oid:2.16.840.1.113883.6.162",
          "code": "03485"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "161"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "1191"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "1886"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "209468"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "308297"
        },
        {
          "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
          "code": "466584"
        }
      ],
      "text": "aspirin-acetaminophen-caffeine (EXCEDRIN MIGRAINE) 250-250-65 MG per tablet"
```

```
    },
    "form": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.698288.310",
          "code": "TABS",
          "display": "Tablet"
        }
      ],
      "text": "Tablet"
    },
    "ingredient": [
      {
        "itemCodeableConcept": {
          "coding": [
            {
              "system": "http://www.whocc.no/atc",
              "code": "N02BE51"
            },
            {
              "system": "urn:oid:2.16.840.1.113883.6.253",
              "code": "55360"
            },
            {
              "system": "urn:oid:2.16.840.1.113883.6.68",
              "code": "64990003200350"
            },
            {
              "system": "urn:oid:2.16.840.1.113883.6.162",
              "code": "03485"
            },
            {
              "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
              "code": "161"
            },
            {
              "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
              "code": "1191"
            },
            {
              "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
              "code": "1886"
            },
            {
              "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
              "code": "209468"
            },
            {
              "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
              "code": "308297"
            },
            {
              "system": "http://www.nlm.nih.gov/research/umls/rxnorm",
              "code": "466584"
            }
          ],
          "text": "aspirin-acetaminophen-caffeine (EXCEDRIN MIGRAINE) 250-250-65 MG per tablet"
        }
      }
    ]
  }
},
{
  "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-
Unsecured/api/FHIR/R4/Organization/eBBFDl1F2A4AHQpheZzVucw3",
  "resource": {
    "resourceType": "Organization",
    "id": "eBBFDl1F2A4AHQpheZzVucw3",
    "identifier": [
      {
        "use": "usual",
        "type": {
          "text": "TAX"
        },
        "system": "urn:oid:2.16.840.1.113883.4.4",
        "value": "4749832920"
      },
      {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.696570",
        "value": "163002"
      }
    ],
    "active": true,
    "name": "Epic Central Clinic",
    "telecom": [
      {
        "system": "phone",
        "value": "608-163-0003",
```

```
        "use": "work"
      }
    ],
    "address": [
      {
        "text": "410 HIGH POINT ROAD\r\nMADISON WI 53711",
        "line": [
          "410 HIGH POINT ROAD"
        ],
        "city": "MADISON",
        "state": "Wisconsin",
        "postalCode": "53711"
      }
    ]
  }
},
{
  "fullUrl": "https://vs-icx18-25.epic.com/Interconnect-FHIR-Current-Stage1-Primary-
Unsecured/api/FHIR/R4/Patient/eNO3wqOfAltfnWMfWBQ1WmQ3",
  "resource": {
    "resourceType": "Patient",
    "id": "eNO3wqOfAltfnWMfWBQ1WmQ3",
    "text": {
      "status": "generated",
      "div": "<div xmlns=\"http://www.w3.org/1999/xhtml\"><h1>Jayden Jackson</h1><div class=\"Section\"><div
class=\"Header\"><h2>Demographics</h2></div><div class=\"Body\"><div class=\"Section\"><div
class=\"SingleLineField\"><span class=\"Prefix\"><strong>Legal name:</strong></span> <span class=\"Value\">Jayden
Jackson</span></div><div class=\"SingleLineField\"><span class=\"Prefix\"><strong>Preferred name:</strong></span>
<span class=\"Value\">Not on file</span></div><div class=\"SingleLineField\"><span
class=\"Prefix\"><strong>Age:</strong></span> <span class=\"Value\">33 y.o.</span></div><div
class=\"SingleLineField\"><span class=\"Prefix\"><strong>Legal sex:</strong></span> <span
class=\"Value\">Female</span></div><div class=\"SingleLineField\"><span class=\"Prefix\"><strong>Gender
identity:</strong></span> <span class=\"Value\">Non-binary</span></div><div class=\"SingleLineField\"><span
class=\"Prefix\"><strong>Birth date:</strong></span> <span class=\"Value\">8/23/1991</span></div></div><br /><div
class=\"Section\"><div class=\"Header\"><h3>Identifiers</h3></div><div class=\"Body\"><p class=\"NotOnFile\">Not on
file</p></div></div><br /><div class=\"Section\"><div class=\"Header\"><h3>Addresses</h3></div><div
class=\"Body\"><div class=\"Section\"><div class=\"Header\"><h4>Current Addresses</h4></div><div class=\"Body\"><ul
class=\"unlist\"><li><div>1979 Milky Way (Home)</div><div>VERONA WI 53593</div><div>United States of
America</div></li></ul></div></div><br /><div class=\"Section\"><div class=\"Header\"><h4>Former
Addresses</h4></div><div class=\"Body\"><p class=\"NotOnFile\">Not on file</p></div></div></div></div><br /><div
class=\"Section\"><div class=\"Header\"><h3>Communication</h3></div><div class=\"Body\"><ol
class=\"unlist\"><li>fhir@email.com (Email)</li><li>+1 608-777-7777 (Work Phone)</li></ol></div></div><br /><div
class=\"Section\"><div class=\"Header\"><h3>Languages</h3></div><div class=\"Body\"><div class=\"Section\"><div
class=\"Header\"><h4>Spoken Languages</h4></div><div class=\"Body\"><ol class=\"unlist\"><li>English
(Preferred)</li></ol></div></div><br /><div class=\"Section\"><div class=\"Header\"><h4>Written
Languages</h4></div><div class=\"Body\"><p class=\"NotOnFile\">Not on
file</p></div></div></div></div></div></div><br /><br /><div class=\"Section\"><div
class=\"Header\"><h2>Contacts</h2></div><div class=\"Body\"><table><thead><tr><th>Contact
Name</th><th>Communication</th><th>Relationship to Patient</th></tr></thead><tbody><tr><td
class=\"ContactName\">Smith,Sally</td><td class=\"ContactTelecom\"><div>+1 608-222-2392 (Mobile Phone)</div></td><td
 class=\"ContactRelationship\">Spouse, Emergency Contact</td></tr><tr><td class=\"ContactName\">Brown,Ryan</td><td
class=\"ContactTelecom\"><div>+1 608-777-7777 (Mobile Phone)</div></td><td class=\"ContactRelationship\">Care giver,
 Legal Guardian</td></tr></tbody></table></div></div><br /><br /><div class=\"Section\"><div
class=\"Header\"><h2>Primary Care Providers</h2></div><div class=\"Body\"><table><thead><tr><th>Provider
Name</th></tr></thead><tbody><tr><td class=\"PCPName\">Emile Underwood,
MD</td></tr></tbody></table></div></div></div>"
    },
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.10.698084.130.768080.39128",
              "code": "female",
              "display": "female"
            }
          ],
          "text": "Female"
        },
        "url": "http://open.epic.com/FHIR/StructureDefinition/extension/legal-sex"
      },
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "http://hl7.org/fhir/gender-identity",
              "code": "other",
              "display": "other"
            }
          ],
          "text": "Non-binary"
        },
        "url": "http://hl7.org/fhir/StructureDefinition/patient-genderIdentity"
      },
      {
        "valueCode": "F",
        "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-birthsex"
      },
      {
```

```
    "extension": [
      {
        "valueCoding": {
          "system": "http://terminology.hl7.org/CodeSystem/v3-NullFlavor",
          "code": "UNK",
          "display": "Unknown"
        },
        "url": "ombCategory"
      },
      {
        "valueString": "Unknown",
        "url": "text"
      }
    ],
    "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-race"
  },
  {
    "extension": [
      {
        "valueCoding": {
          "system": "urn:oid:2.16.840.1.113883.6.238",
          "code": "2186-5",
          "display": "Not Hispanic or Latino"
        },
        "url": "ombCategory"
      },
      {
        "valueString": "Not Hispanic or Latino",
        "url": "text"
      }
    ],
    "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-ethnicity"
  },
  {
    "valueCode": "184115007",
    "url": "http://hl7.org/fhir/us/core/StructureDefinition/us-core-sex"
  },
  {
    "valueCodeableConcept": {
      "coding": [
        {
          "system": "http://loinc.org",
          "code": "LA29519-8",
          "display": "she/her/her/hers/herself"
        }
      ]
    },
    "url": "http://open.epic.com/FHIR/StructureDefinition/extension/calculated-pronouns-to-use-for-text"
  },
  {
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "LA29519-8",
              "display": "she/her/her/hers/herself"
            }
          ]
        },
        "url": "value"
      },
      {
        "valuePeriod": {
          "start": "2025-01-07T20:28:32Z"
        },
        "url": "period"
      }
    ],
    "url": "http://hl7.org/fhir/StructureDefinition/individual-pronouns"
  }
],
"identifier": [
  {
    "use": "usual",
    "type": {
      "text": "CEID"
    },
    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.688884.100",
    "value": "YC82BDQ3VDJK6XX"
  },
  {
    "use": "usual",
    "type": {
      "text": "EDI"
    },
    "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.5.737384.421",
    "value": "33400003"
```

```
    },
    {
      "use": "usual",
      "type": {
        "text": "EPI"
      },
      "system": "urn:oid:1.2.840.114350.1.1",
      "value": "107393"
    },
    {
      "use": "usual",
      "type": {
        "text": "EXTERNAL"
      },
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.698084",
      "value": "Z9668"
    },
    {
      "use": "usual",
      "type": {
        "text": "FHIR"
      },
      "system": "http://open.epic.com/FHIR/StructureDefinition/patient-dstu2-fhir-id",
      "value": "TjK9XmsROjvY5OtpAOfF9aVnhgNSOVh3AzZHjvyQOKPcB"
    },
    {
      "use": "usual",
      "type": {
        "text": "FHIR STU3"
      },
      "system": "http://open.epic.com/FHIR/StructureDefinition/patient-fhir-id",
      "value": "eNO3wqOfAltfnWMfWBQ1WmQ3"
    },
    {
      "use": "usual",
      "type": {
        "text": "INTERNAL"
      },
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.698084",
      "value": "     Z9668"
    },
    {
      "use": "usual",
      "type": {
        "text": "MYCHARTLOGIN"
      },
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.878082.110",
      "value": "EFWFHIR"
    },
    {
      "use": "usual",
      "type": {
        "text": "WPRINTERNAL"
      },
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.878082",
      "value": "12921"
    },
    {
      "use": "usual",
      "system": "https://open.epic.com/FHIR/StructureDefinition/PayerMemberId",
      "value": "187935"
    },
    {
      "use": "usual",
      "system": "urn:oid:2.16.840.1.113883.4.1",
      "value": "011-23-5813"
    }
  ],
  "active": true,
  "name": [
    {
      "use": "official",
      "text": "Jayden Jackson",
      "family": "Jackson",
      "given": [
        "Jayden"
      ]
    },
    {
      "use": "usual",
      "text": "Jayden Jackson",
      "family": "Jackson",
      "given": [
        "Jayden"
      ]
    }
  ],
  "telecom": [
    {
```

```
    "system": "phone",
    "value": "+1 608-777-7777",
    "use": "work"
  },
  {
    "system": "email",
    "value": "fhir@email.com",
    "rank": 1
  }
],
"gender": "female",
"birthDate": "1991-08-23",
"deceasedBoolean": false,
"address": [
  {
    "use": "home",
    "text": "1979 Milky Way\r\nVERONA WI 53593\r\nUnited States of America",
    "line": [
      "1979 Milky Way"
    ],
    "city": "VERONA",
    "district": "DANE",
    "state": "WI",
    "postalCode": "53593",
    "country": "USA",
    "period": {
      "start": "2019-08-23"
    }
  }
],
"maritalStatus": {
  "coding": [
    {
      "system": "http://terminology.hl7.org/CodeSystem/v3-NullFlavor",
      "code": "OTH",
      "display": "Other"
    }
  ],
  "text": "Married"
},
"contact": [
  {
    "relationship": [
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-RoleCode",
            "code": "SPS",
            "display": "spouse"
          },
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.827665.1000",
            "code": "17",
            "display": "Spouse"
          }
        ],
        "text": "Spouse"
      },
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v2-0131",
            "code": "C",
            "display": "Emergency Contact"
          }
        ],
        "text": "Emergency Contact"
      }
    ],
    "name": {
      "use": "usual",
      "text": "Smith,Sally"
    },
    "telecom": [
      {
        "system": "phone",
        "value": "+1 608-222-2392",
        "use": "mobile",
        "rank": 1
      }
    ]
  },
  {
    "relationship": [
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v2-0131",
            "code": "O",
```

```
            "display": "Other"
          },
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.827665.1000",
            "code": "22",
            "display": "Care giver"
          }
        ],
        "text": "Care giver"
      },
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v3-RoleClass",
            "code": "GUARD",
            "display": "guardian"
          }
        ],
        "text": "Legal Guardian"
      }
    ],
    "name": {
      "use": "usual",
      "text": "Brown,Ryan"
    },
    "telecom": [
      {
        "system": "phone",
        "value": "+1 608-777-7777",
        "use": "mobile",
        "rank": 1
      }
    ],
    "period": {
      "end": "2025-02-11"
    }
  },
  {
    "relationship": [
      {
        "coding": [
          {
            "system": "http://terminology.hl7.org/CodeSystem/v2-0131",
            "code": "E",
            "display": "Employer"
          }
        ]
      }
    ],
    "telecom": [
      {
        "system": "phone",
        "value": "608-271-9000",
        "use": "work"
      }
    ],
    "address": {
      "use": "work",
      "text": "TOKAY BLVD\r\nMADISON WI 53719\r\nUnited States of America",
      "line": [
        "TOKAY BLVD"
      ],
      "city": "MADISON",
      "district": "DANE",
      "state": "WI",
      "postalCode": "53719",
      "country": "USA"
    },
    "organization": {
      "display": "Epic Systems Corp"
    },
    "period": {
      "start": "2014-07-07"
    }
  }
],
"communication": [
  {
    "extension": [
      {
        "extension": [
          {
            "valueCoding": {
              "system": "http://terminology.hl7.org/CodeSystem/v3-LanguageAbilityMode",
              "code": "ESP",
              "display": "Expressed spoken"
            },
            "url": "type"
          }
```

```
              ],
              "url": "http://hl7.org/fhir/StructureDefinition/patient-proficiency"
            }
          ],
          "language": {
            "coding": [
              {
                "system": "urn:ietf:bcp:47",
                "code": "en",
                "display": "English"
              }
            ],
            "text": "English"
          },
          "preferred": true,
          "_preferred": {
            "extension": [
              {
                "valueCoding": {
                  "system": "http://hl7.org/fhir/language-preference-type",
                  "code": "verbal",
                  "display": "verbal"
                },
                "url": "http://hl7.org/fhir/StructureDefinition/patient-preferenceType"
              }
            ]
          }
        }
      ],
      "generalPractitioner": [
        {
          "reference": "Practitioner/eb3d.4apzwRM33Q91Nm7wJA3",
          "type": "Practitioner",
          "display": "Emile Underwood, MD"
        }
      ],
      "managingOrganization": {
        "reference": "Organization/ePioZEeqCYv.F5W96swOaXA3",
        "display": "EDI Healthcare Management #%~&"
      },
      "_birthDate": {
        "extension": [
          {
            "valueDateTime": "1991-08-23T23:23:00Z",
            "url": "http://hl7.org/fhir/StructureDefinition/patient-birthTime"
          }
        ]
      }
    }
  }
 ]
}
```


23.2 Infrastructure Documents & Lists: STU3

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/index.html

* Binary.Read (Clinical Notes) (STU3)
* Binary.Read (Correspondences) (STU3)
* Binary.Read (Patient-Entered Questionnaires) (STU3)
* Binary.Read (Practitioner Photo) (STU3)
* Binary.Read (Radiology Results) (STU3)
* DocumentReference.Create (Clinical Notes) (STU3)
* DocumentReference.Read (Clinical Notes) (STU3)
* DocumentReference.Read (Correspondences) (STU3)
* DocumentReference.Read (Patient-Entered Questionnaires) (STU3)
* DocumentReference.Read (Radiology Results) (STU3)
* DocumentReference.Search (Clinical Notes) (STU3)
* DocumentReference.Search (Correspondences) (STU3)
* DocumentReference.Search (Patient-Entered Questionnaires) (STU3)
* DocumentReference.Search (Radiology Results) (STU3)
* List.Read (Patient List) (STU3)
* List.Search (Patient List) (STU3)

23.2.1 Binary.Read (Clinical Notes) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/841-Binary-Read-Clinical-Notes-STU3.html

Epic API ID | 841
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Clinical Notes Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Keywords | CDA;Document;pic;picture;pics;pictures
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2018
HTTP method | GET
URL template | api/FHIR/STU3/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=841

Description

For notes, given a Binary FHIR ID, this web service returns an HTML version of the note or document content (RTF and plain text notes are converted to HTML).

DocumentReference.Search (Clinical Notes) (STU3)

DocumentReference.Read (Clinical Notes) (STU3)

can be used to obtain a Binary FHIR ID for notes.

When a read request is made for the Binary resource using an Accept header value of "application/fhir+xml" or "application/fhir+json", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the “content” element. The samples on this page represent that scenario. Alternatively, if one of those Accept header values is not specified, the raw content is returned directly using the associated content type, and the content type can be discerned from the Content-Type header of the response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary (STU3) | Binary
Binary (STU3).content | base64Binary | | | 1..1 | The Base64-encoded HTML representation of the note's content.
Binary (STU3).contentType | code | | | 1..1 | The MIME type of the content. This is always "text/html" for clinical notes.

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/Binary/e8FuJcrwneroKHZxYxR1fZA3
Accept: application/fhir+json
```

Sample response

```
This is a response for a read on an RTF Binary with the Accept header set to "application/fhir+json"
{
  "resourceType": "Binary",
  "id": "e8FuJcrwneroKHZxYxR1fZA3",
  "contentType": "text/html",
  "content": "PGRpdiBjbGFzcz0iZm10Q29udiIgc3R5bGU9ImxpbmUtaGVpZ2h0OiBub3JtYWw7IGZvbnQtZmFtaWx5OiBBcmlhbDsgd2lkb3dzOiAxOy
    BvcnBoYW5zOiAxOyI+DQoNCjxkaXYgc3R5bGU9InRleHQtYWxpZ246IG1heC13aWR0aDogMTAwJTsiIGRhdGEtcGFyYWdyYXBoPSIwIj48c3
    BhbiBzdHlsZT0iZm9udC1zaXplOiAxMXB0OyBmb250LWZhbWlseTogJ1NFR09FIFVJJywgc2Fucy1zZXJpZjsgY29sb3I6ICMwMDAwMDA7Ij5TZWNvbm
    QgZGF5IG9mIHR4PC9zcGFuPjwvZGl2PjwvZGl2Pg0K"
}
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.2.2 Binary.Read (Correspondences) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10233-Binary-Read-Correspondences-STU3.html
Epic API ID | 10233
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard

API group | Correspondences Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10233

Description

When a read request is made for the Binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content is returned using the content type stated in the resource.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False
Binary.content | base64Binary | False | | | The content as a base64-encoded string.
Binary.contentType | code | False | | | This is always "application/pdf" for correspondences.
Binary.id | String | False | | | The Binary FHIR ID.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Binary/exfLp1dxoIskYyIfOmsjokdswD8R3EHVWQiK6jiXsoCviWH-0urnVQpSsUi4EiL7.3
```

Sample response


```
{
  "resourceType": "Binary",
  "id": "exfLp1dxoIskYyIfOmsjokdswD8R3EHVWQiK6jiXsoCviWH-0urnVQpSsUi4EiL7.3",
  "contentType": "application/pdf",
  "content": "VGVzdCBjb250ZW50IHN0cmluZw=="
}
```


Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.2.3 Binary.Read (Patient-Entered Questionnaires) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10437-Binary-Read-Patient-Entered-Questionnaires-STU3.html
Epic API ID | 10437
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Patient-Entered Questionnaires Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10437

Description

The FHIR Binary.Read (Patient-Entered Questionnaires) API returns the specified patient-entered questionnaire response in a PDF format. The document shows details such as the questions and responses from that submission along with who answered the questionnaire.

When a read request is made for the Binary resource using an Accept header value of "application/fhir+xml" or "application/fhir+json", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the “data” element. The samples on this page represent that scenario. Alternatively, if one of those Accept header values is not specified, the raw content is returned directly using the , and the content type can be discerned from the Content-Type header of the response.

Note that this API only functions for organizations in the Netherlands.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False
Binary.contentType | code | False | | | Always “application/pdf.”
Binary.id | String | False | | | The Binary FHIR ID.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Binary/ehTd8hnSRN4G6BHW2.qsXeQ3
```

Sample response

```
{
  "resourceType": "Binary",
  "id": "ehTd8hnSRN4G6BHW2.qsXeQ3",
  "contentType": "application/pdf",
  "data": "RXhhbXBsZSBuYXJyYXRpdmUgZm9yIGFzc2F5IGZlcnJpdGluLg=="
}
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.2.4 Binary.Read (Practitioner Photo) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10570-Binary-Read-Practitioner-Photo-STU3.html
Epic API ID | 10570
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10570

Description

For practitioner photos, practitioners with a photo associated with their user will return a Binary resource reference in the photo data element. Using the returned Content-Type, you can save the response as the associated file type. For example, if the response Content-Type header returned image/jpg you would save the response with a filename and .jpg extension. This is not possible to achieve through Try-It cases at this time due to character encoding.

When a read request is made for the Binary resource using an Accept header value of "application/fhir+xml" or "application/fhir+json", the response is returned as a structured FHIR resource response with the content Base64-encoded and returned in the “content” element. The samples on this page represent that scenario. Alternatively, if one of those Accept header values is not specified, the raw content is returned directly using the associated content type, and the content type can be discerned from the Content-Type header of the response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False
Binary.content | base64Binary | False | | | The note or document content.
Binary.contentType | code | False | | | This is always "text/html" for clinical notes.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Binary/esQeLhUcHfUSQnyrAJ7GV7A3
```

Sample response

```
{
  "resourceType": "Binary",
```

```
  "id": "esQeLhUcHfUSQnyrAJ7GV7A3",
  "contentType": "image/jpg",
  "content": "[base64 encoded content here.]"
}
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.2.5 Binary.Read (Radiology Results) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10232-Binary-Read-Radiology-Results-STU3.html
Epic API ID | 10232
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Radiology Results Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Binary/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10232

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The Binary FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False
Binary.content | base64Binary | False | | | The note or document content as a base64-encoded value.
Binary.contentType | code | False | | | This is always "application/pdf" for radiology result data.
Binary.id | String | False | | | The Binary FHIR ID.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Binary/eRGuw4B2nN9B9ytkVIiLZugpER.TyU0fwGuUA2WJgQyA3
```

Sample response

```
{
  "resourceType": "Binary",
  "id": "eRGuw4B2nN9B9ytkVIiLZugpER.TyU0fwGuUA2WJgQyA3",
  "contentType": "application/pdf",
  "content": "RXhhbXBsZSBuYXJyYXRpdmUgZm9yIGFzc2F5IGZlcnJpdGluLg=="
}
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change

23.2.6 DocumentReference.Create (Clinical Notes) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/845-DocumentReference-Create-Clinical-Notes-STU3.html
Epic API ID | 845
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2018
HTTP method | POST
URL template | api/FHIR/STU3/DocumentReference
Supports OAuth 2.0 | True

Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=845

Description

DocumentReference.Create (Clinical Notes) is used to file a plain text clinical note to an open (in progress) encounter or to a closed (finalized) encounter in the patient's chart.

Pre-Charting

: Starting in the February 2025 version of Epic and available in the May 2024 version by special update, the create interaction can also file notes to a visit during pre-charting. This allows documentation before a patient presents for a visit and allows for data wipe if the patient is a no-show. When filed during pre-charting, the note must be filed with a preliminary status.

Alternatives

: HL7v2 Incoming MDM (Transcriptions) Interface can create rich text notes, interact with in basket, create encounters on the fly, and fuzzy match to encounters. HL7v2 Interfaces such as Scanned Documents or Incoming Orders can create PDFs.

The response of a Create depends on the Prefer header:

Prefer: return=minimal

returns the full URL to the resource in the Location header.

Prefer: return=representation

returns both the full URL to the resource in the Location header, as well as the full FHIR resource in the response body.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
DocumentReference (STU3) | DocumentReference | | | | An instance of the STU3 DocumentReference resource.
DocumentReference (STU3).content | BackboneElement | Required | Yes | 1..1 | Note content.
DocumentReference (STU3).content.attachment | Attachment | Required | | 1..1 | Content attachment. Epic only saves the first attachment.
DocumentReference (STU3).content.attachment.contentType | String | Required | | 1..1 | Content type. This must be "text/plain".
DocumentReference (STU3).content.attachment.data | String | Required | | 1..1 | The base64-encoded content of the note. The decoded content must be plain text; it cannot be RTF or HTML.
DocumentReference (STU3).context | BackboneElement | Required | | 1..1 | The clinical context for this note.
DocumentReference (STU3).context.encounter | Reference | Required | | 1..1 | The Encounter FHIR ID of the encounter that you are filing the note to. This must be a clinical encounter that can hold a note. This encounter must belong to the subject.
DocumentReference (STU3).docStatus | code | Required | | 1..1 | The status to save the note as. Epic supports the following values when creating notes: preliminary final Documents marked "preliminary" are given an incomplete status in Epic so that a clinician can review or edit the document before signing it in Epic. All other documents are assigned a "final" status, which is the default value, and corresponds to a value of "signed" in Epic. Notes filed to pre-charting encounters must have a docStatus of "preliminary".
DocumentReference (STU3).status | code | Optional | | 1..1 | The status of the DocumentReference. The only supported value is "current".
DocumentReference (STU3).subject | Reference | Required | | 1..1 | A FHIR Patient reference for the patient you are filing the note to.
DocumentReference (STU3).type | CodeableConcept | Required | | 1..1 | The note category ID or the LOINC code for the note type. Use case: Create notes by LOINC code system: http://loinc.org type: the LOINC codes below are supported. Epic organizations can map additional LOINC codes to note types as well. Discharge Summary (18842-5) Consultation (11488-4) History & Physical (34117-2) Progress Note (11506-3) Procedure Note (28570-0) Emergency Department Note (34111-5) Nurse Note (34746-8) Use case: Create notes by note type system: <Note Type OID> type: <Note Type> Additional information: <Note Type OID> and <Note Type> will vary by Epic organization. Work with the organization to obtain these values. This API cannot be used to create Discharge Instructions or Patient Instructions note types.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference (STU3) | DocumentReference | | | | An instance of the STU3 DocumentReference resource.
DocumentReference (STU3).authenticator | Reference | | | 0..1 | The last user who signed this note. If his note was cosigned, then this user is the cosigner.
DocumentReference (STU3).author | Reference | | Yes | 0..* | The note's author.
DocumentReference (STU3).class | CodeableConcept | | | 1..1 | The document's class. Only the following values are supported for clinical notes: clinical-note clinical-notes (This value does not follow the specification and is supported only for backward compatibility)
DocumentReference (STU3).content | BackboneElement | | Yes | 1..* | The contents of a clinical note are provided by a Binary resource in HTML format.
DocumentReference (STU3).content.attachment | Attachment | | | 1..1 | A reference to the Binary resource that contains the note's content.
DocumentReference (STU3).content.attachment.contentType | String | | | 1..1 | This is the MIME content type "text/html".
DocumentReference (STU3).content.attachment.url | String | | | 0..1 | Reference to Binary FHIR resource that contains the note's content.
DocumentReference (STU3).content.format | Coding | | | 0..1 | Always "mimetype sufficient" System: http://ihe.net/fhir/valueset/ihe.formatcode.codesystem Code: urn:ihe:iti:xds:2017:mimetypesufficient
DocumentReference (STU3).context | BackboneElement | | | 0..1 | Clinical context for this note.
DocumentReference (STU3).context.encounter | Reference | | | 0..1 | A FHIR Encounter reference for the encounter that this note belongs to.
DocumentReference (STU3).context.period | Period | | | 1..1 | The date and time of service for this note.
DocumentReference (STU3).created | dateTime | | | 0..1 | Date and time when this note was created. This date and time might not be clinically relevant.
DocumentReference (STU3).docStatus | code | | | 1..1 | The status of this note: preliminary: the note is an incomplete draft, or it has changes that are awaiting signing or cosigning. final: the note has been fully signed amended: the note has been fully signed and was amended since it was first signed entered-in-error: the note has been deleted
DocumentReference (STU3).id | id | | | 1..1 | This note's DocumentReference FHIR ID.

DocumentReference (STU3).identifier | Identifier | | Yes | 1..* | The identifiers for this note in the Epic system.
DocumentReference (STU3).indexed | instant | | | 1..1 | This is always the same as created.
DocumentReference (STU3).status | code | | | 1..1 | This is always "current".
DocumentReference (STU3).subject | Reference | | | 1..1 | The Patient FHIR ID for whom the clinical note was written.
DocumentReference (STU3).type | CodeableConcept | | | 1..1 | The note type. There are two potential coding values for type. All will be present for Epic-released note types. For organization-specific note types, which coding values are present will depend on whether additional mapping was done by the organization. LOINC system: http://loinc.org code: <LOINC code> Note Type category system: ends in 7.4.737880.5010 (work with the organization to get their specific system) code: <category value>

Sample request

```
POST https://hostname/instance/api/FHIR/STU3/DocumentReference
{
  "resourceType": "DocumentReference",
  "status": "current",
  "docStatus": "final",
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "11506-3",
        "display": "Progress note"
      }
    ]
  },
  "subject": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/esFytr5MU-.fX0c5ClyxdJQ3",
    "display": "Radonc, Brenda Mosaiq"
  },
  "author": [
    {
      "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ewXRSd.jvZt-MYC99URep9g3",
      "display": "Physician Beacon, MD"
    }
  ],
  "content": [
    {
      "attachment": {
        "contentType": "text/plain",
        "data": "VGhpcyBpcyBhIHNhbXBsZSBwbGFpbiB0ZXh0IG5vdGU="
      }
    }
  ],
  "context": {
    "encounter": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/es7eGY.8UBKbmVvBfcY-wPg3"
    }
  }
}
```

Sample response

```
Status code: Created (201)
Content-Type: application/json; charset=utf-8
Location: DocumentReference/es95Uwneu.nDyyksCB-Fh.A3
```

Change log

Epic Version | Description | Type
November 2022 | Epic has updated the behavior of certain modifier elements in FHIR write APIs to ensure the data in the incoming request body matches the data filed to the database and to comply with the HL7 FHIR specification. Previously, the modifier element was ignored in certain situations, and an undocumented default value was saved in its place. Now, if the modifier element is included and is set to an unaccepted value, a fatal error logs, preventing the request from filing to the database. The FHIR request returns an OperationOutcome with the invalid element and what value is accepted for that element. Element Accepted Incoming Value Default Value clinicalStatus current current | Substantive change
Element | Accepted Incoming Value | Default Value
clinicalStatus | current | current

23.2.7 DocumentReference.Read (Clinical Notes) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/844-DocumentReference-Read-Clinical-Notes-STU3.html
Epic API ID | 844
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Clinical Notes Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Keywords | Consultation note;Discharge summary note;History & physical;Procedure note;Progress note
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | August 2018

HTTP method | GET
URL template | api/FHIR/STU3/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=844

Description

Documentreference.Read (Clinical Notes) can be used to find information about a specific clinical note.

Binary.Read (Clinical Notes) (STU3)

can be used to return the note content for the Binary references found in the Documentreference.Read (Clinical Notes) responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | A DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference (STU3) | DocumentReference | | | | An instance of the STU3 DocumentReference resource.
DocumentReference (STU3).authenticator | Reference | | | 0..1 | The last user who signed this note. If his note was cosigned, then this user is the cosigner.
DocumentReference (STU3).author | Reference | | Yes | 0..* | The note's author.
DocumentReference (STU3).class | CodeableConcept | | | 1..1 | The document's class. Only the following values are supported for clinical notes: clinical-note clinical-notes (This value does not follow the specification and is supported only for backward compatibility)
DocumentReference (STU3).content | BackboneElement | | Yes | 1..* | The contents of a clinical note are provided by a Binary resource in HTML format.
DocumentReference (STU3).content.attachment | Attachment | | | 1..1 | A reference to the Binary resource that contains the note's content.
DocumentReference (STU3).content.attachment.contentType | String | | | 1..1 | This is the MIME content type "text/html".
DocumentReference (STU3).content.attachment.url | String | | | 0..1 | Reference to Binary FHIR resource that contains the note's content.
DocumentReference (STU3).content.format | Coding | | | 0..1 | Always "mimetype sufficient" System: http://ihe.net/fhir/valueset/ihe.formatcode.codesystem Code: urn:ihe:iti:xds:2017:mimetypesufficient
DocumentReference (STU3).context | BackboneElement | | | 0..1 | Clinical context for this note.
DocumentReference (STU3).context.encounter | Reference | | | 0..1 | A FHIR Encounter reference for the encounter that this note belongs to.
DocumentReference (STU3).context.period | Period | | | 1..1 | The date and time of service for this note.
DocumentReference (STU3).created | dateTime | | | 0..1 | Date and time when this note was created. This date and time might not be clinically relevant.
DocumentReference (STU3).docStatus | code | | | 1..1 | The status of this note: preliminary: the note is an incomplete draft, or it has changes that are awaiting signing or cosigning. final: the note has been fully signed amended: the note has been fully signed and was amended since it was first signed entered-in-error: the note has been deleted
DocumentReference (STU3).id | id | | | 1..1 | This note's DocumentReference FHIR ID.
DocumentReference (STU3).identifier | Identifier | | Yes | 1..* | The identifiers for this note in the Epic system.
DocumentReference (STU3).indexed | instant | | | 1..1 | This is always the same as created.
DocumentReference (STU3).status | code | | | 1..1 | This is always "current".
DocumentReference (STU3).subject | Reference | | | 1..1 | The Patient FHIR ID for whom the clinical note was written.
DocumentReference (STU3).type | CodeableConcept | | | 1..1 | The note type. There are two potential coding values for type. All will be present for Epic-released note types. For organization-specific note types, which coding values are present will depend on whether additional mapping was done by the organization. LOINC system: http://loinc.org code: <LOINC code> Note Type category system: ends in 7.4.737880.5010 (work with the organization to get their specific system) code: <category value>

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/DocumentReference/e.mJ.6CzRDTIWh8sEnXBcbQ3
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "e.mJ.6CzRDTIWh8sEnXBcbQ3",
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.2.727879",
      "value": "344341"
    }
  ],
  "status": "current",
  "docStatus": "final",
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "11506-3",
        "display": "Progress note"
      },
      {
```

```
        "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.737880.5010",
        "code": "1",
        "display": "Progress Notes"
      }
    ],
    "text": "Progress note"
  },
  "class": {
    "coding": [
      {
        "system": "https://argonautproject.github.io/clinicalnotes/ValueSet-documentreference-category.html",
        "code": "clinical-notes",
        "display": "Clinical Notes"
      },
      {
        "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-documentreference-category",
        "code": "clinical-note",
        "display": "Clinical Note"
      }
    ],
    "text": "Clinical Notes"
  },
  "subject": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/esFytr5MU-.fX0c5ClyxdJQ3",
    "display": "Radonc, Brenda Mosaiq"
  },
  "created": "2022-02-04T22:23:56Z",
  "indexed": "2022-02-04T22:23:56Z",
  "author": [
    {
      "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ewXRSd.jvZt-MYC99URep9g3",
      "display": "Physician Beacon, MD"
    }
  ],
  "content": [
    {
      "attachment": {
        "contentType": "text/html",
        "url": "https://hostname/instance/api/FHIR/STU3/Binary/e8FuJcrwneroKHZxYxR1fZA3"
      },
      "format": {
        "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
        "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
        "display": "mimeType Sufficient"
      }
    }
  ],
  "context": {
    "encounter": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/es7eGY.8UBKbmVvBfcY-wPg3",
      "identifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.3.698084.8",
        "value": "40038"
      },
      "display": "Hospital Encounter"
    },
    "period": {
      "start": "2022-02-01T17:15:00Z"
    }
  }
}
```


23.2.8 DocumentReference.Read (Correspondences) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10241-DocumentReference-Read-Correspondences-STU3.html
Epic API ID | 10241
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Correspondences Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10241

Description

The FHIR DocumentReference.Read (Correspondences) resource returns documentation related to a piece of correspondence, including who created the correspondence and when. It includes details about the patient associated with

the correspondence, as well as a reference to the Binary resource that contains the documentation content associated with the correspondence.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the STU3 DocumentReference resource.
DocumentReference.author | Reference | True | Yes | | The person who authored the document. Reference to a Practitioner resource.
DocumentReference.class | CodeableConcept | False | | | Always "Correspondence."
DocumentReference.content | BackboneElement | False | Yes | | Reference to the Binary resource.
DocumentReference.content.attachment | Attachment | False | | | Reference to Binary FHIR resource.
DocumentReference.content.attachment.contentType | String | True | | | Always “application/pdf.”
DocumentReference.content.attachment.url | String | False | | | Link to the Binary FHIR resource.
DocumentReference.context | BackboneElement | True | | | Reference to the Encounter resource.
DocumentReference.context.encounter | Reference | True | | | Reference to the Encounter resource.
DocumentReference.context.period | Period | True | | | The instant when the encounter associated with the correspondence occurred.
DocumentReference.created | dateTime | True | | | The document creation time.
DocumentReference.description | String | True | | | A description of the reason for the correspondence.
DocumentReference.docStatus | code | True | | | Always “Final.”
DocumentReference.identifier | Identifier | True | Yes | | The note record ID.
DocumentReference.indexed | instant | False | | | The instant when the correspondence was sent.
DocumentReference.masterIdentifier | Identifier | False | | | A unique identifier for the document that is based on information such as the patient record. If the correspondence has an attached note record, this master identifier is the same as the identifier.
DocumentReference.status | code | False | | | Always “Current.”
DocumentReference.subject | Reference | False | | | Patient to whom the document is related. Reference to a Patient resource.
DocumentReference.type | CodeableConcept | False | | | The reason for the letter. Always includes generic LOINC code 56444-3.

Sample request

```
https://hostname/instance/api/FHIR/STU3/DocumentReference/eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4V0zHIkaRhxssCEVApuupXph50i
    FBR3
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4V0zHIkaRhxssCEVApuupXph50iFBR3",
  "masterIdentifier": {
    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.6.698084.19749",
    "value": "Z536005^55563.95^A0"
  },
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
      "value": "1008659241"
    }
  ],
  "status": "current",
  "docStatus": "final",
  "type": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.698084.20208",
        "code": "4",
        "display": "Summary of Care"
      },
      {
        "system": "http://snomed.info/sct",
        "code": "429111000124101",
        "display": "Documentation of care summary (procedure)"
      }
    ],
    "text": "Documentation of care summary (procedure)"
  },
  "class": {
    "coding": [
      {
        "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
        "code": "correspondence",
        "display": "Correspondence"
      }
    ],
    "text": "Correspondence"
  },
  "subject": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
    "display": "Lufhir, Meiko"
```

```
  },
  "created": "2021-08-11T19:59:36Z",
  "indexed": "2021-08-11T19:59:36Z",
  "author": [
    {
      "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/eIOnxJsdFcfgJ4iy716I3MA3",
      "display": "Epic User, MD"
    }
  ],
  "description": "Summary of Care",
  "content": [
    {
      "attachment": {
        "contentType": "application/pdf",
        "url":
    "https://hostname/instance/api/FHIR/STU3/Binary/exfLp1dxoIskYyIfOmsjokdswD8R3EHVWQiK6jiXsoCviWH-0urnVQpSsUi4EiL7.3"
      }
    }
  ],
  "context": {
    "encounter": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/eSj.HsZo1FUNx-iYKrPKarcbV8sCPtDiFp.ddg0MO4PY3",
      "identifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
        "value": "10001633207"
      },
      "display": "Emergency"
    },
    "period": {
      "start": "2021-08-11T19:18:00Z"
    },
    "practiceSetting": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.727879.59",
          "code": "4",
          "display": "Emergency"
        }
      ],
      "text": "Emergency"
    }
  }
}
```


Change log

Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

23.2.9 DocumentReference.Read (Patient-Entered Questionnaires) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10433-DocumentReference-Read-Patient-Entered-Questionnaires-STU3.html
Epic API ID | 10433
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Patient-Entered Questionnaires Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10433

Description

The FHIR DocumentReference.Read (Patient-Entered Questionnaires) returns documentation related to a specific patient-entered questionnaire response submitted for a patient. It includes details about the questionnaire itself along with the

date and time of response submission. There is also a reference to the Binary resource that contains the PDF associated with the questionnaire response.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the STU3 DocumentReference resource.
DocumentReference.author | Reference | True | Yes | | The person who answered the questionnaire response (clinical user, patient, or proxy).
DocumentReference.class | CodeableConcept | True | | | Always “questionnaire-response.”
DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
DocumentReference.content.attachment | Attachment | False | | | Absolute reference to Binary FHIR resource in Content.attachment.content
DocumentReference.content.attachment.contentType | String | True | | | Always “application/pdf.”
DocumentReference.content.attachment.url | String | True | | | The Binary URL of the questionnaire response.
DocumentReference.context | BackboneElement | False | | | Context details.
DocumentReference.context.encounter | Reference | True | | | The encounter that the questionnaire submission message is linked to. If the questionnaire submission does not have a message record, we use the latest encounter associated with the questionnaire submission.
DocumentReference.context.period | Period | False | | | The date of questionnaire response submission.
DocumentReference.description | String | True | | | The questionnaire title.
DocumentReference.docStatus | code | True | | | The status of the questionnaire response document itself. This resource only looks for questionnaire response documents with the “Final” status.
DocumentReference.identifier | Identifier | True | Yes | | The ID number of the current questionnaire response you are reading.
DocumentReference.indexed | instant | False | | | The date of questionnaire response submission.
DocumentReference.masterIdentifier | Identifier | False | | | The ID number of the current questionnaire response you are reading.
DocumentReference.status | code | False | | | The status of the questionnaire response. This resource only looks for questionnaire responses with the “Current” status.
DocumentReference.subject | Reference | True | | | The patient the questionnaire response is from.
DocumentReference.type | CodeableConcept | False | | | Hard-coded to LOINC code 74465-6 (Questionnaire response document).

Sample request

```
https://hostname/instance/api/FHIR/STU3/DocumentReference/efWEbskIVZ2C4f-Jj-rqPgw3
```

Sample response


```
{
  "resourceType": "DocumentReference",
  "id": "efWEbskIVZ2C4f-Jj-rqPgw3",
  "masterIdentifier": {
    "system": "urn:oid:1.2.840.114350.1.13.260.1.7.2.728165",
    "value": "1538"
  },
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.260.1.7.2.728165",
      "value": "1538"
    }
  ],
  "status": "current",
  "docStatus": "final",
  "type": {
    "coding": [
      {
        "system": "http://loinc.org",
        "code": "74465-6",
        "display": "Questionnaire Response Document"
      }
    ]
  },
  "class": {
    "coding": [
      {
        "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
        "code": "questionnaire-response",
        "display": "Questionnaire Response"
      }
    ]
  },
  "subject": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ekuNit2ySBCnmzdH1zlpgRQ3",
    "display": "Robinson, A."
  },
  "indexed": "2022-07-11T23:00:00Z",
  "author": [
    {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ekuNit2ySBCnmzdH1zlpgRQ3",
      "display": "Robinson, A."
    }
```

```
  ],
  "description": "Knee Pain Questionnaire",
  "content": [
    {
      "attachment": {
        "contentType": "application/pdf",
        "url": "https://hostname/instance/api/FHIR/STU3/Binary/ecCu9Q.YoNnYH0UhJxI9.hg3"
      }
    }
  ],
  "context": {
    "encounter": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/e8Q5UO9ByAiyFYVPPtvpFKQ3",
      "identifier": {
        "use": "usual",
        "system": "urn:oid:1.2.840.114350.1.13.260.1.7.3.698084.8",
        "value": "239417"
      },
      "display": "Questionnaire Series Submission"
    },
    "period": {
      "start": "2022-07-12",
      "end": "2022-07-12"
    }
  }
}
```


23.2.10 DocumentReference.Read (Radiology Results) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10238-DocumentReference-Read-Radiology-Results-STU3.html
Epic API ID | 10238
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Radiology Results Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10238

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the STU3 DocumentReference resource.
DocumentReference.authenticator | Reference | True | | | The user who signed the study. Reference to the Practitioner resource. Returns only the first user who signed the study.
DocumentReference.author | Reference | True | Yes | | The user who finalized the study and users who addended the study. Reference to the Practitioner resource.
DocumentReference.class | CodeableConcept | False | | | Categorization of the document. Always "imaging-result".
DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
DocumentReference.content.attachment | Attachment | False | | | Reference to Binary FHIR resource
DocumentReference.content.attachment.contentType | String | True | | | Mime content type code. Always "application/pdf".
DocumentReference.content.attachment.url | String | False | | | Link to the Binary resource for text content.
DocumentReference.context | BackboneElement | True | | | Context details.
DocumentReference.context.encounter | Reference | True | | | Encounter that order is linked to. Reference to the Encounter resource. Returns only the first encounter linked to the results.
DocumentReference.context.period | Period | True | | | The instant when the exam was ended.
DocumentReference.context.practiceSetting | CodeableConcept | True | | | The performing department’s specialty.
DocumentReference.created | dateTime | True | | | The instant when the exam was finalized.
DocumentReference.description | String | True | | | The name of the procedure.
DocumentReference.docStatus | code | True | | | If the study is addended, returns "amended". Otherwise, returns "final".
DocumentReference.id | id | False | | | The DocumentReference FHIR ID.
DocumentReference.identifier | Identifier | True | Yes | | The order identifier from the Epic system. Returns the same information as masterIdentifier.
DocumentReference.indexed | instant | False | | | The instant when the study was finalized. If the study was addended, returns the instant when the last addendum was finalized.
DocumentReference.masterIdentifier | Identifier | False | | | A unique identifier for the document that is based on information such as the patient record. If the correspondence has an attached note record, this master identifier is the same as the identifier.

DocumentReference.status | code | False | | | The status of the result. Always "current".
DocumentReference.subject | Reference | True | | | The patient record that is linked to the order. Reference to the Patient resource.
DocumentReference.type | CodeableConcept | False | | | Returns the LOINC code or the system code for the order or the procedure.

Sample request

```
https://hostname/instance/api/FHIR/STU3/DocumentReference/e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03
```

Sample response


```
{
    "resourceType": "DocumentReference",
    "id": "e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03",
    "masterIdentifier": {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
        "value": "1012293993"
    },
    "identifier": [
        {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
            "value": "1012293993"
        }
    ],
    "status": "current",
    "docStatus": "final",
    "type": {
        "text": "DLS WEB STUDY REVIEW"
    },
    "class": {
        "coding": [
            {
                "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
                "code": "imaging-result",
                "display": "Imaging Result"
            }
        ],
        "text": "Imaging Result"
    },
    "subject": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eP3l9BmBRjLTG9l6H4ldefA3",
        "display": "Bob, Big"
    },
    "created": "2021-08-02T16:57:20Z",
    "indexed": "2021-08-02T16:57:20Z",
    "author": [
        {
            "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ebyrK--nn121NxCaaZJDEoA3",
            "display": "Daniel Hon, MD"
        }
    ],
    "authenticator": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ebyrK--nn121NxCaaZJDEoA3",
        "display": "Daniel Hon, MD"
    },
    "description": "DLS WEB STUDY REVIEW",
    "content": [
        {
            "attachment": {
                "contentType": "application/pdf",
                "url": "https://hostname/instance/api/FHIR/STU3/Binary/eRGuw4B2nN9B9ytkVIiLZugpER.TyU0fwGuUA2WJgQyA3"
            }
        }
    ],
    "context": {
        "encounter": {
            "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/epIg68WT.XDwLo7CgCKn952.4sInTUfO-
    Pim0ZRd7oTY3",
            "identifier": {
                "use": "usual",
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
                "value": "10001559470"
            },
            "display": "Hospital Encounter"
        },
        "period": {
            "start": "2021-07-15T15:22:14Z",
            "end": "2021-07-15T15:22:14Z"
        },
        "practiceSetting": {
            "coding": [
                {
                    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.686980.110",
                    "code": "40",
                    "display": "Radiology"
                }
            ],
            "text": "Radiology"
        }
```

}

23.2.11 DocumentReference.Search (Clinical Notes) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/865-DocumentReference-Search-Clinical-Notes-STU3.html
Epic API ID | 865
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Clinical Notes Document Group
A la carte | Industry-Standard Level 1 Group
USCDI | Yes
Keywords | Consultation note;Discharge summary note;History & physical;Procedure note;Progress note
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | November 2018
HTTP method | GET
URL template | api/FHIR/STU3/DocumentReference?class={class}&docstatus={docstatus}&encounter={encounter}&patient={patient}&period={period}&type={type}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=865

Description

DocumentReference.Search (Clinical Notes) can be used to find information about clinical notes for a patient.

Binary.Read (Clinical Notes) (STU3)

can be used to return the note content for the Binary references found in the DocumentReference.Search (Clinical Notes) responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count and _include. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
class | token | Optional | Yes | | Refine a search for DocumentReference resources by category. Only the following values are supported for clinical notes: clinical-note clinical-notes (This value does not follow the specification and is supported only for backward compatibility)
docstatus | token | Optional | Yes | | The status of this note: preliminary: the note is an incomplete draft, or it has changes that are awaiting signing or cosigning. final: the note has been fully signed amended: the note has been fully signed and was amended since it was first signed entered-in-error: the note has been deleted
encounter | reference | Optional | Yes | 1..* | The Encounter FHIR ID for the encounter asscociated with the note.
patient | reference | Conditional | Yes | | The Patient FHIR ID for whom this note note was written. This parameter is required unless subject is given.
period | date | Optional | Yes | | The dates of service for which the notes were written (FHIR Date and Time Parameters).
subject | reference | Conditional | Yes | | The Patient FHIR ID for whom this clinical note was written. This parameter is required unless patient is given.
type | token | Optional | Yes | | The note category ID or the LOINC code for the document type. The format for the type parameter is <system>|<type>. The accepted <type> values are listed below. Note: The <system> value is optional in each case, but providing it can improve performance Use case: Search for notes by LOINC code system: http://loinc.org type: the LOINC codes below are standardly supported. Epic organizations can map additional LOINC codes to note types as well. Discharge Summary (18842-5) Consultation (11488-4) History & Physical (34117-2) Progress Note (11506-3) Procedure Note (28570-0) Emergency Department Note (34111-5) Nurse Note (34746-8) Discharge Instructions (74213-0) Surgical Op Note (11504-8) Miscellaneous Note (34109-9) Use case: Search for notes by note type system: <Note Type OID> type: <Note Type> Additional information: <Note Type OID> and <Note Type> will vary by Epic organization. Work with the organization to obtain these values.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference (STU3) | DocumentReference | | | | An instance of the STU3 DocumentReference resource.
DocumentReference (STU3).authenticator | Reference | | | 0..1 | The last user who signed this note. If his note was cosigned, then this user is the cosigner.
DocumentReference (STU3).author | Reference | | Yes | 0..* | The note's author.
DocumentReference (STU3).class | CodeableConcept | | | 1..1 | The document's class. Only the following values are supported for clinical notes: clinical-note clinical-notes (This value does not follow the specification and is supported only for backward compatibility)
DocumentReference (STU3).content | BackboneElement | | Yes | 1..* | The contents of a clinical note are provided by a Binary resource in HTML format.
DocumentReference (STU3).content.attachment | Attachment | | | 1..1 | A reference to the Binary resource that contains the note's content.
DocumentReference (STU3).content.attachment.contentType | String | | | 1..1 | This is the MIME content type "text/html".
DocumentReference (STU3).content.attachment.url | String | | | 0..1 | Reference to Binary FHIR resource that contains the note's content.
DocumentReference (STU3).content.format | Coding | | | 0..1 | Always "mimetype sufficient" System: http://ihe.net/fhir/valueset/ihe.formatcode.codesystem Code: urn:ihe:iti:xds:2017:mimetypesufficient
DocumentReference (STU3).context | BackboneElement | | | 0..1 | Clinical context for this note.
DocumentReference (STU3).context.encounter | Reference | | | 0..1 | A FHIR Encounter reference for the encounter that this note belongs to.

DocumentReference (STU3).context.period | Period | | | 1..1 | The date and time of service for this note.

DocumentReference (STU3).created | dateTime | | | 0..1 | Date and time when this note was created. This date and time might not be clinically relevant.

DocumentReference (STU3).docStatus | code | | | 1..1 | The status of this note: preliminary: the note is an incomplete draft, or it has changes that are awaiting signing or cosigning. final: the note has been fully signed amended: the note has been fully signed and was amended since it was first signed entered-in-error: the note has been deleted

DocumentReference (STU3).id | id | | | 1..1 | This note's DocumentReference FHIR ID.

DocumentReference (STU3).identifier | Identifier | | Yes | 1..* | The identifiers for this note in the Epic system.

DocumentReference (STU3).indexed | instant | | | 1..1 | This is always the same as created.

DocumentReference (STU3).status | code | | | 1..1 | This is always "current".

DocumentReference (STU3).subject | Reference | | | 1..1 | The Patient FHIR ID for whom the clinical note was written.

DocumentReference (STU3).type | CodeableConcept | | | 1..1 | The note type. There are two potential coding values for type. All will be present for Epic-released note types. For organization-specific note types, which coding values are present will depend on whether additional mapping was done by the organization. LOINC system: http://loinc.org code: <LOINC code> Note Type category system: ends in 7.4.737880.5010 (work with the organization to get their specific system) code: <category value>

Sample request

```
GET https://hostname/instance/api/FHIR/STU3/DocumentReference?patient=esFytr5MU-.fX0c5ClyxdJQ3&type=11506-
    3&encounter=es7eGY.8UBKbmVvBfcY-wPg3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/DocumentReference?patient=esFytr5MU-.fX0c5ClyxdJQ3&type=11506-
    3&encounter=es7eGY.8UBKbmVvBfcY-wPg3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/DocumentReference/e.mJ.6CzRDTIWh8sEnXBcbQ3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/DocumentReference/e.mJ.6CzRDTIWh8sEnXBcbQ3",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "e.mJ.6CzRDTIWh8sEnXBcbQ3",
        "identifier": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.2.727879",
            "value": "344341"
          }
        ],
        "status": "current",
        "docStatus": "final",
        "type": {
          "coding": [
            {
              "system": "http://loinc.org",
              "code": "11506-3",
              "display": "Progress note"
            },
            {
              "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.4.737880.5010",
              "code": "1",
              "display": "Progress Notes"
            }
          ],
          "text": "Progress note"
        },
        "class": {
          "coding": [
            {
              "system": "https://argonautproject.github.io/clinicalnotes/ValueSet-documentreference-category.html",
              "code": "clinical-notes",
              "display": "Clinical Notes"
            },
            {
              "system": "http://hl7.org/fhir/us/core/CodeSystem/us-core-documentreference-category",
              "code": "clinical-note",
              "display": "Clinical Note"
            }
          ],
          "text": "Clinical Notes"
        },
        "subject": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/esFytr5MU-.fX0c5ClyxdJQ3",
```

```
          "display": "Radonc, Brenda Mosaiq"
        },
        "created": "2022-02-04T22:23:56Z",
        "indexed": "2022-02-04T22:23:56Z",
        "author": [
          {
            "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ewXRSd.jvZt-MYC99URep9g3",
            "display": "Physician Beacon, MD"
          }
        ],
        "content": [
          {
            "attachment": {
              "contentType": "text/html",
              "url": "https://hostname/instance/api/FHIR/STU3/Binary/e8FuJcrwneroKHZxYxR1fZA3"
            },
            "format": {
              "system": "http://ihe.net/fhir/ValueSet/IHE.FormatCode.codesystem",
              "code": "urn:ihe:iti:xds:2017:mimeTypeSufficient",
              "display": "mimeType Sufficient"
            }
          }
        ],
        "context": {
          "encounter": {
            "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/es7eGY.8UBKbmVvBfcY-wPg3",
            "identifier": {
              "use": "usual",
              "system": "urn:oid:1.2.840.114350.1.13.11511.1.7.3.698084.8",
              "value": "40038"
            },
            "display": "Hospital Encounter"
          },
          "period": {
            "start": "2022-02-01T17:15:00Z"
          }
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


23.2.12 DocumentReference.Search (Correspondences) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10242-DocumentReference-Search-Correspondences-STU3.html
Epic API ID | 10242
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Correspondences Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template |
/api/FHIR/STU3/DocumentReference?author={author}&class={class}&indexed={indexed}&patient={patient}&period={period}&subject={subject}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10242

Description

The FHIR DocumentReference.Search (Correspondences) resource returns documentation related to a piece of correspondence, including who created the correspondence and when. It includes details about the patient associated with the correspondence, as well as a reference to the Binary resource that contains the documentation content associated with the correspondence.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
author | String | True | | | FHIR ID for the providers who created the correspondence.
class | token | Optional starting in Epic version February 2022 or in Epic version November 2021 with special updates. Either “class” or “type” must be specified in earlier versions of Epic. | | | Must be set to “correspondence” if specified.
indexed | String | True | | | The instant or range of instants when a correspondence was sent.
patient | reference | True | | | FHIR Patient ID. If provided, the search returns all matching results for this patient.
period | date | True | | | The instant when the encounter associated with the correspondence occurred.
subject | reference | True | | | FHIR Patient ID. If provided, the search returns all matching results for this patient.

type | token | Optional starting in Epic version February 2022 or in Epic version November 2021 with special updates. Either “class” or “type” must be specified in earlier versions of Epic. | | | The reasons for the correspondence.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the STU3 DocumentReference resource.
Bundle.entry.resource.DocumentReference.author | Reference | True | Yes | | The person who authored the document. Reference to a Practitioner resource.
Bundle.entry.resource.DocumentReference.class | CodeableConcept | False | | | Always "Correspondence."
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Reference to the Binary resource.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Reference to Binary FHIR resource.
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | True | | | Always “application/pdf.”
Bundle.entry.resource.DocumentReference.content.attachment.url | String | False | | | Link to the Binary FHIR resource.
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Reference to the Encounter resource.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | | | Reference to the Encounter resource.
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | The instant when the encounter associated with the correspondence occurred.
Bundle.entry.resource.DocumentReference.context.practiceSetting | CodeableConcept | True | | | The service associated with the author for the correspondence (for example, internal medicine).
Bundle.entry.resource.DocumentReference.created | dateTime | True | | | The document creation time.
Bundle.entry.resource.DocumentReference.description | String | True | | | A description of the reason for the correspondence.
Bundle.entry.resource.DocumentReference.docStatus | code | True | | | Always “Final.”
Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | The note record ID.
Bundle.entry.resource.DocumentReference.indexed | instant | False | | | The instant when the correspondence was sent.
Bundle.entry.resource.DocumentReference.masterIdentifier | Identifier | False | | | A unique identifier for the document that is based on information such as the patient record. If the correspondence has an attached note record, this master identifier is the same as the identifier.
Bundle.entry.resource.DocumentReference.status | code | False | | | Always “Current.”
Bundle.entry.resource.DocumentReference.subject | Reference | False | | | Patient to whom the document is related. Reference to a Patient resource.
Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | The reason for the letter. Always includes generic LOINC code 56444-3.

Sample request

```
https://hostname/instance/api/FHIR/STU3/DocumentReference?patient=ePkoYQHmvWbfU.mZmNWGDtg3&class=correspondence
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 3,
  "link": [
    {
      "relation": "self",
      "url":
    "https://hostname/instance/api/FHIR/STU3/DocumentReference?patient=ePkoYQHmvWbfU.mZmNWGDtg3&class=correspondence"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/DocumentReference/eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4V0zHIkaR
    hxssCEVApuupXph50iFBR3"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/DocumentReference/eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4V0zHIkaR
    hxssCEVApuupXph50iFBR3",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "eTfOWeRsRBvcSskwCCNnAE5n.yIU9qaC7jF4V0zHIkaRhxssCEVApuupXph50iFBR3",
        "masterIdentifier": {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.6.698084.19749",
          "value": "Z536005^55563.95^A0"
        },
        "identifier": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
            "value": "1008659241"
          }
        ],
        "status": "current",
        "docStatus": "final",
        "type": {
          "coding": [
            {
```

```
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.698084.20208",
          "code": "4",
          "display": "Summary of Care"
        },
        {
          "system": "http://snomed.info/sct",
          "code": "429111000124101",
          "display": "Documentation of care summary (procedure)"
        }
      ],
      "text": "Documentation of care summary (procedure)"
    },
    "class": {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
          "code": "correspondence",
          "display": "Correspondence"
        }
      ],
      "text": "Correspondence"
    },
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
      "display": "Lufhir, Meiko"
    },
    "created": "2021-08-11T19:59:36Z",
    "indexed": "2021-08-11T19:59:36Z",
    "author": [
      {
        "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/eIOnxJsdFcfgJ4iy716I3MA3",
        "display": "Epic User, MD"
      }
    ],
    "description": "Summary of Care",
    "content": [
      {
        "attachment": {
          "contentType": "application/pdf",
          "url":
"https://hostname/instance/api/FHIR/STU3/Binary/exfLp1dxoIskYyIfOmsjokdswD8R3EHVWQiK6jiXsoCviWH-0urnVQpSsUi4EiL7.3"
        }
      }
    ],
    "context": {
      "encounter": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/eSj.HsZo1FUNx-
iYKrPKarcbV8sCPtDiFp.ddg0MO4PY3",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
          "value": "10001633207"
        },
        "display": "Emergency"
      },
      "period": {
        "start": "2021-08-11T19:18:00Z"
      },
      "practiceSetting": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.727879.59",
            "code": "4",
            "display": "Emergency"
          }
        ],
        "text": "Emergency"
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/DocumentReference/eTfOWeRsRBvcSskwCCNnAE-
j00wobMoXQvWgqHhwRtSgBDVMn83nd6YSmw7Oy9Ya.3"
    }
  ],
  "fullUrl": "https://hostname/instance/api/FHIR/STU3/DocumentReference/eTfOWeRsRBvcSskwCCNnAE-
j00wobMoXQvWgqHhwRtSgBDVMn83nd6YSmw7Oy9Ya.3",
  "resource": {
    "resourceType": "DocumentReference",
    "id": "eTfOWeRsRBvcSskwCCNnAE-j00wobMoXQvWgqHhwRtSgBDVMn83nd6YSmw7Oy9Ya.3",
    "masterIdentifier": {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.6.698084.19749",
```

```
      "value": "Z536005^55563.95^A3"
    },
    "identifier": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
        "value": "1008936475"
      }
    ],
    "status": "current",
    "docStatus": "final",
    "type": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.698084.20208",
          "code": "2",
          "display": "Health Maintenance"
        },
        {
          "system": "http://snomed.info/sct",
          "code": "78318003",
          "display": "History and physical examination, annual for health maintenance (procedure)"
        }
      ],
      "text": "History and physical examination, annual for health maintenance (procedure)"
    },
    "class": {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
          "code": "correspondence",
          "display": "Correspondence"
        }
      ],
      "text": "Correspondence"
    },
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
      "display": "Lufhir, Meiko"
    },
    "created": "2021-08-19T19:19:36Z",
    "indexed": "2021-08-19T19:19:36Z",
    "author": [
      {
        "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/eIOnxJsdFcfgJ4iy716I3MA3",
        "display": "Epic User, MD"
      }
    ],
    "description": "Health Maintenance",
    "content": [
      {
        "attachment": {
          "contentType": "application/pdf",
          "url":
"https://hostname/instance/api/FHIR/STU3/Binary/exfLp1dxoIskYyIfOmsjokUIrFxBhghbTAS6W1F6UxShuJYANULtQ.u26kxNQeg8i3"
        }
      }
    ],
    "context": {
      "encounter": {
        "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/eSj.HsZo1FUNx-
iYKrPKarcbV8sCPtDiFp.ddg0MO4PY3",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
          "value": "10001633207"
        },
        "display": "Emergency"
      },
      "period": {
        "start": "2021-08-11T19:18:00Z"
      },
      "practiceSetting": {
        "coding": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.727879.59",
            "code": "7",
            "display": "Observation"
          }
        ],
        "text": "Observation"
      }
    }
  },
  "search": {
    "mode": "match"
  }
},
{
  "link": [
```

```
    {
      "relation": "self",
      "url":
"https://hostname/instance/api/FHIR/STU3/DocumentReference/eTfOWeRsRBvcSskwCCNnAE4njzMgdld7DyiEtdiXwLn43"
    }
  ],
  "fullUrl":
"https://hostname/instance/api/FHIR/STU3/DocumentReference/eTfOWeRsRBvcSskwCCNnAE4njzMgdld7DyiEtdiXwLn43",
  "resource": {
    "resourceType": "DocumentReference",
    "id": "eTfOWeRsRBvcSskwCCNnAE4njzMgdld7DyiEtdiXwLn43",
    "masterIdentifier": {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
      "value": "1008906960"
    },
    "identifier": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.727879",
        "value": "1008906960"
      }
    ],
    "status": "current",
    "docStatus": "final",
    "type": {
      "coding": [
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.698084.20208",
          "code": "2",
          "display": "Health Maintenance"
        },
        {
          "system": "http://snomed.info/sct",
          "code": "78318003",
          "display": "History and physical examination, annual for health maintenance (procedure)"
        }
      ],
      "text": "History and physical examination, annual for health maintenance (procedure)"
    },
    "class": {
      "coding": [
        {
          "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
          "code": "correspondence",
          "display": "Correspondence"
        }
      ],
      "text": "Correspondence"
    },
    "subject": {
      "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ePkoYQHmvWbfU.mZmNWGDtg3",
      "display": "Lufhir, Meiko"
    },
    "created": "2021-08-18T23:33:09Z",
    "indexed": "2021-08-18T23:33:09Z",
    "author": [
      {
        "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/eIOnxJsdFcfgJ4iy716I3MA3",
        "display": "Epic User, MD"
      }
    ],
    "description": "Health Maintenance",
    "content": [
      {
        "attachment": {
          "contentType": "application/pdf",
          "url": "https://hostname/instance/api/FHIR/STU3/Binary/exfLp1dxoIskYyIfOmsjokck0YXfPt6Slj1Mk4p2CqI83"
        }
      }
    ],
    "context": {
      "encounter": {
        "reference":
"https://hostname/instance/api/FHIR/STU3/Encounter/eLXGhqniK8DBLybGEt5cFBWxBnzZjZfLBdTtiscvurhs3",
        "identifier": {
          "use": "usual",
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
          "value": "10001652697"
        },
        "display": "Letter (Out)"
      },
      "period": {
        "start": "2021-08-18T23:29:00Z"
      }
    }
  },
  "search": {
    "mode": "match"
  }
}
```

```
  ]
}
```

Change log

Epic Version | Description | Type
November 2022 | Code systems for the following code sets now return a URL in place of an OID: ActCode, ICD-10-CM, ICD-10-CA, ICD-10-NL, SNOMED System URL OID ActCode STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode 2.16.840.1.113883.5.4 ICD-10-CM http://hl7.org/fhir/sid/icd-10-cm 2.16.840.1.113883.6.90 ICD-10-CA http://hl7.org/fhir/sid/icd-10-ca 2.16.840.1.113883.6.94 ICD-10-NL http://hl7.org/fhir/sid/icd-10-nl 2.16.840.1.113883.6.3.2 SNOMED http://snomed.info/sct 2.16.840.1.113883.6.96 | Breaking change
System | URL | OID
ActCode | STU3: http://hl7.org/fhir/v3/ActCode R4: http://terminology.hl7.org/CodeSystem/v3-ActCode | 2.16.840.1.113883.5.4
ICD-10-CM | http://hl7.org/fhir/sid/icd-10-cm | 2.16.840.1.113883.6.90
ICD-10-CA | http://hl7.org/fhir/sid/icd-10-ca | 2.16.840.1.113883.6.94
ICD-10-NL | http://hl7.org/fhir/sid/icd-10-nl | 2.16.840.1.113883.6.3.2
SNOMED | http://snomed.info/sct | 2.16.840.1.113883.6.96

23.2.13 DocumentReference.Search (Patient-Entered Questionnaires) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10434-DocumentReference-Search-Patient-Entered-Questionnaires-STU3.html
Epic API ID | 10434
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Patient-Entered Questionnaires Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DocumentReference?patient={patient}&class={class}&indexed={date}&status={status}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10434

Description

The FHIR DocumentReference.Search (Patient-Entered Questionnaires) API returns documentation related to patient-entered questionnaire responses submitted for a patient. It includes details about the questionnaire itself along with the date and time of response submission. There is also a reference to the Binary resource that contains the PDF associated with the questionnaire response. Note that this API only functions for organizations in the Netherlands.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
class | token | True | | | The type of document reference.
indexed | String | True | | | The date of document reference submission.
patient | reference | False | | | The FHIR patient ID.
status | String | True | | | The status of the document reference.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the STU3 DocumentReference resource.
Bundle.entry.resource.DocumentReference.author | Reference | True | Yes | | The person who answered the questionnaire response (clinical user, patient, or proxy).
Bundle.entry.resource.DocumentReference.class | CodeableConcept | True | | | Always “questionnaire-response.”
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Absolute reference to Binary FHIR resource in Content.attachment.content
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | True | | | Always “application/pdf.”
Bundle.entry.resource.DocumentReference.content.attachment.url | String | True | | | The Binary URL of the questionnaire response.
Bundle.entry.resource.DocumentReference.context | BackboneElement | False | | | Context details.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | | | The encounter that the questionnaire submission message is linked to. If the questionnaire submission does not have a message record, we use the latest encounter associated with the questionnaire submission.
Bundle.entry.resource.DocumentReference.description | String | True | | | The questionnaire title.
Bundle.entry.resource.DocumentReference.docStatus | code | True | | | The status of the questionnaire response document itself. This resource only looks for questionnaire response documents with the “Final” status.

Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | The ID number of the current questionnaire response you are reading.

Bundle.entry.resource.DocumentReference.indexed | instant | False | | | The date of questionnaire response submission.

Bundle.entry.resource.DocumentReference.masterIdentifier | Identifier | False | | | The ID number of the current questionnaire response you are reading.

Bundle.entry.resource.DocumentReference.status | code | False | | | The status of the questionnaire response. This resource only looks for questionnaire responses with the “Current” status.

Bundle.entry.resource.DocumentReference.subject | Reference | True | | | The patient the questionnaire response is from.

Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | Hard-coded to LOINC code 74465-6 (Questionnaire response document).

Sample request

```
https://hostname/instance/api/FHIR/STU3/DocumentReference?patient=ekuNit2ySBCnmzdH1zlpgRQ3&class=questionnaire-response
```

Sample response


```
{
    "resourceType": "Bundle",
    "type": "searchset",
    "total": 1,
    "link": [
        {
            "relation": "self",
            "url":
    "https://hostname/instance/api/FHIR/STU3/DocumentReference?patient=ekuNit2ySBCnmzdH1zlpgRQ3&category=questionnaire-
    response"
        }
    ],
    "entry": [
        {
            "link": [
                {
                    "relation": "self",
                    "url": "https://hostname/instance/api/FHIR/STU3/DocumentReference/etvlwaOhJY8edmwCYRegn1A3"
                }
            ],
            "fullUrl": "https://hostname/instance/api/FHIR/STU3/DocumentReference/etvlwaOhJY8edmwCYRegn1A3",
            "resource": {
                "resourceType": "DocumentReference",
                "id": "etvlwaOhJY8edmwCYRegn1A3",
                "masterIdentifier": {
                    "system": "urn:oid:1.2.840.114350.1.13.260.1.7.2.728165",
                    "value": "1466"
                },
                "identifier": [
                    {
                        "system": "urn:oid:1.2.840.114350.1.13.260.1.7.2.728165",
                        "value": "1466"
                    }
                ],
                "status": "current",
                "docStatus": "final",
                "type": {
                    "coding": [
                        {
                            "system": "http://loinc.org",
                            "code": "74465-6",
                            "display": "Questionnaire Response Document"
                        }
                    ]
                },
                "class": {
                    "coding": [
                        {
                            "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
                            "code": "questionnaire-response",
                            "display": "Questionnaire Response"
                        }
                    ]
                },
                "subject": {
                    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ekuNit2ySBCnmzdH1zlpgRQ3",
                    "display": "Robinson, B."
                },
                "indexed": "2022-07-22T16:31:41Z",
                "author": [
                    {
                        "reference": "https://hostname/instance/api/FHIR/STU3/Patient/ekuNit2ySBCnmzdH1zlpgRQ3",
                        "display": "Robinson, B."
                    }
                ],
                "description": "Post Doctor Visit Questionnaire",
                "content": [
                    {
                        "attachment": {
                            "contentType": "application/pdf",
                            "url": "https://hostname/instance/api/FHIR/STU3/Binary/ehTd8hnSRN4G6BHW2.qsXeQ3"
```

```
                }
            }
        ],
        "context": {
            "encounter": {
                "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/eSsyxHpaypjapsz3mv8y4eQ3",
                "identifier": {
                    "use": "usual",
                    "system": "urn:oid:1.2.840.114350.1.13.260.1.7.3.698084.8",
                    "value": "239212"
                },
                "display": "Patient Message"
            },
            "period": {
                "start": "2022-08-02",
                "end": "2022-08-02"
            }
        }
    },
```


23.2.14 DocumentReference.Search (Radiology Results) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/10253-DocumentReference-Search-Radiology-Results-STU3.html
Epic API ID | 10253
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
API group | Radiology Results Document Group
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/DocumentReference?author={author}&class={class}&indexed={indexed}&patient={patient}&period={period}&subject={subject}&type={type}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10253

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
author | String | True | | | FHIR ID for the providers who signed or addended the study.
class | token | Optional starting in Epic version February 2022 or in Epic version November 2021 with special updates. Either “class” or “type” must be specified in earlier versions of Epic. | | | Must be set to “imaging-result” if specified. Only class or type may be specified in a single query.
indexed | String | True | | | The instant or range of instants when a study was addended or finalized.
patient | reference | FHIR Patient ID. If provided, the search returns all matching results for this patient. | | | FHIR Patient ID. If provided, the search returns all matching results for this patient.
period | date | True | | | The instant when the exam was performed.
subject | reference | Either patient or subject must be provided. If both are provided, they must match. | | | FHIR Patient ID. If provided, the search returns all matching results for this patient.
type | token | Optional starting in Epic version February 2022 or in Epic version November 2021 with special updates. Either “class” or “type” must be specified in earlier versions of Epic. | | | The LOINC or system code for the radiology result. Only class or type may be specified in a single query.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the STU3 DocumentReference resource.
Bundle.entry.resource.DocumentReference.authenticator | Reference | True | | | The user who signed the study. Reference to the Practitioner resource. Returns only the first user who signed the study.
Bundle.entry.resource.DocumentReference.author | Reference | True | Yes | | The user who finalized the study and users who addended the study. Reference to the Practitioner resource.
Bundle.entry.resource.DocumentReference.class | CodeableConcept | False | | | Categorization of the document. Always "imaging-result".
Bundle.entry.resource.DocumentReference.content | BackboneElement | False | Yes | | Where to access the document.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Reference to Binary FHIR resource
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | True | | | Mime content type code. Always "application/pdf".
Bundle.entry.resource.DocumentReference.content.attachment.url | String | False | | | Link to the Binary resource for text content.
Bundle.entry.resource.DocumentReference.context | BackboneElement | True | | | Context details.
Bundle.entry.resource.DocumentReference.context.encounter | Reference | True | | | Encounter that order is linked to. Reference to the Encounter resource. Returns only the first encounter linked to the results.
Bundle.entry.resource.DocumentReference.context.period | Period | True | | | The instant when the exam was ended.
Bundle.entry.resource.DocumentReference.context.practiceSetting | CodeableConcept | True | | | The performing department’s specialty.
Bundle.entry.resource.DocumentReference.created | dateTime | True | | | The instant when the exam was finalized.

Bundle.entry.resource.DocumentReference.description | String | True | | | The name of the procedure.

Bundle.entry.resource.DocumentReference.docStatus | code | True | | | If the study is addended, returns "amended". Otherwise, returns "final".

Bundle.entry.resource.DocumentReference.id | id | False | | | The DocumentReference FHIR ID.

Bundle.entry.resource.DocumentReference.identifier | Identifier | True | Yes | | The order identifier from the Epic system. Returns the same information as masterIdentifier.

Bundle.entry.resource.DocumentReference.indexed | instant | False | | | The instant when the study was finalized. If the study was addended, returns the instant when the last addendum was finalized.

Bundle.entry.resource.DocumentReference.masterIdentifier | Identifier | False | | | A unique identifier for the document that is based on information such as the patient record. If the correspondence has an attached note record, this master identifier is the same as the identifier.

Bundle.entry.resource.DocumentReference.status | code | False | | | Always “Current.”

Bundle.entry.resource.DocumentReference.subject | Reference | False | | | Patient to whom the document is related. Reference to a Patient resource.

Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | Returns the LOINC code or the system code for the order or the procedure.

Sample request

```
https://hostname/instance/api/FHIR/STU3/DocumentReference?patient=eP3l9BmBRjLTG9l6H4ldefA3&class=imaging-result
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/DocumentReference?class=imaging-
    result&patient=eP3l9BmBRjLTG9l6H4ldefA3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url":
    "https://hostname/instance/api/FHIR/STU3/DocumentReference/e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03"
        }
      ],
      "fullUrl":
    "https://hostname/instance/api/FHIR/STU3/DocumentReference/e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03",
      "resource": {
        "resourceType": "DocumentReference",
        "id": "e9QjNRTzNE1.EXdPgnfsxKXAuvVWkTquRvetfAt-v8D03",
        "masterIdentifier": {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
          "value": "1012293993"
        },
        "identifier": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.798268",
            "value": "1012293993"
          }
        ],
        "status": "current",
        "docStatus": "final",
        "type": {
          "text": "DLS WEB STUDY REVIEW"
        },
        "class": {
          "coding": [
            {
              "system": "http://open.epic.com/FHIR/StructureDefinition/document-reference-class",
              "code": "imaging-result",
              "display": "Imaging Result"
            }
          ],
          "text": "Imaging Result"
        },
        "subject": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/eP3l9BmBRjLTG9l6H4ldefA3",
          "display": "Bob, Big"
        },
        "created": "2021-08-02T16:57:20Z",
        "indexed": "2021-08-02T16:57:20Z",
        "author": [
          {
            "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ebyrK--nn121NxCaaZJDEoA3",
            "display": "Daniel Hon, MD"
          }
        ],
        "authenticator": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Practitioner/ebyrK--nn121NxCaaZJDEoA3",
          "display": "Daniel Hon, MD"
```

```
        },
        "description": "DLS WEB STUDY REVIEW",
        "content": [
          {
            "attachment": {
              "contentType": "application/pdf",
              "url": "https://hostname/instance/api/FHIR/STU3/Binary/eRGuw4B2nN9B9ytkVIiLZugpER.TyU0fwGuUA2WJgQyA3"
            }
          }
        ],
        "context": {
          "encounter": {
            "reference": "https://hostname/instance/api/FHIR/STU3/Encounter/epIg68WT.XDwLo7CgCKn952.4sInTUfO-
    Pim0ZRd7oTY3",
            "identifier": {
              "use": "usual",
              "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.698084.8",
              "value": "10001559470"
            },
            "display": "Hospital Encounter"
          },
          "period": {
            "start": "2021-07-15T15:22:14Z",
            "end": "2021-07-15T15:22:14Z"
          },
          "practiceSetting": {
            "coding": [
              {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.10.686980.110",
                "code": "40",
                "display": "Radiology"
              }
            ],
            "text": "Radiology"
          }
        }
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```


23.2.15 List.Read (Patient List) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/879-List-Read-Patient-List-STU3.html
Epic API ID | 879
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | November 2018
HTTP method | GET
URL template | /api/FHIR/STU3/List/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=879

Description

The FHIR List resource defines a collection of records that can be used within many places. We support direct reading of the List resource to give access to Patient Lists. Reading is supported for those types of lists and system lists.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The encoded list ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
List | List | False | | | An instance of the STU3 List resource
List.code | CodeableConcept | False | | | Always "PatientList".
List.date | String | False | | | When the list was prepared.
List.emptyReason | CodeableConcept | False | | | The reason the list is empty. If the list returns no data, value is "nilknown".
List.entry | Entry | False | Yes | | Patients on the list.
List.entry.item | Reference | False | | | Reference to the patient resource.
List.entry.item.display | String | False | | | Populating this field with the patient's name if the patient is not restricted or confidential to the user.

List.entry.item.reference | String | False | | | The literal reference to the patient.
List.id | String | False | | | The List FHIR ID.
List.mode | String | False | | | The processing mode that applies to this list. Always "working". Values can be found here.
List.status | String | False | | | Status of the patient list. Always "current". Values can be found here.
List.title | String | False | | | The descriptive name for the list.

Sample request

```
https://hostname/instance/api/FHIR/STU3/List/eFUHrrnHAFB.u0iyC.m1fyvsg0tL5hWteKjITYhphT5Y3
```

Sample response

```
<List xmlns="http://hl7.org/fhir">
  <id value="eFUHrrnHAFB.u0iyC.m1fyvsg0tL5hWteKjITYhphT5Y3"/>
  <status value="current"/>
  <mode value="working"/>
  <title value="FHIR Example"/>
  <code>
    <text value="PatientList"/>
  </code>
  <date value="2018-03-26T15:54:40Z"/>
  <entry>
    <item>
      <reference value="https://hostname/instance/api/FHIR/STU3/Patient/ebhWlDzYDQnUWQCZXvHfXOg3"/>
      <display value="Life, Fhir"/>
    </item>
  </entry>
  <entry>
    <item>
      <reference value="https://hostname/instance/api/FHIR/STU3/Patient/eLTuGLDEzqBaWCfif.2RFig3"/>
      <display value="FHIR, Patient, PhD"/>
    </item>
  </entry>
</List>
```

23.2.16 List.Search (Patient List) (STU3)

File: site/apis/23-Infrastructure-Documents-Lists/2-STU3/880-List-Search-Patient-List-STU3.html
Epic API ID | 880
FHIR version | STU3
Categories | Infrastructure Documents & Lists
API type | Industry-Standard
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2019
HTTP method | GET
URL template | api/FHIR/STU3/List?code={code}&identifier={identifier}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=880

Description

The FHIR List resource defines a collection of records that can be used within many places. We support direct reading of the List resource to give access to Patient Lists. Reading is supported for those types of lists and system lists.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
code | String | Required if _id is empty. | | | The code representing the type of list to search. Must be "patientlist".
identifier | String | Required if _id is empty. | | | An internal patient list ID in the format system|id, where 'system' is either mylist or systemlist and 'id' is an internal ID corresponding to the value of 'system'. This value must be provided by the healthcare organization to the caller.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.List | List | False | | | An instance of the STU3 List resource
Bundle.entry.resource.List.code | CodeableConcept | False | | | Always "PatientList".
Bundle.entry.resource.List.date | String | False | | | When the list was prepared.
Bundle.entry.resource.List.emptyReason | CodeableConcept | True | | | The reason the list is empty. If the list returns no data, value is "nilknown".
Bundle.entry.resource.List.entry | Entry | False | Yes | | Patients on the list.
Bundle.entry.resource.List.entry.item | Reference | False | | | Reference to another resource.
Bundle.entry.resource.List.entry.item.display | String | False
Bundle.entry.resource.List.entry.item.reference | String | False | | | Reference to another FHIR resource.

Bundle.entry.resource.List.id | String | False | | | The List FHIR ID.
Bundle.entry.resource.List.mode | String | False | | | The processing mode that applies to this list. Always "working". Values can be found here.
Bundle.entry.resource.List.status | String | False | | | Status of the patient list. Always "current". Values can be found here.
Bundle.entry.resource.List.title | String | False | | | The descriptive name for the list.
Bundle.total | Int64 | True | | | Total resources that match the search criteria.
Bundle.type | String | False | | | The resource type returned. Always "searchset".

Sample request

```
https://hostname/instance/api/FHIR/STU3/List?identifier=systemlist|6442&code=patientlist
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="1"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/STU3/List?identifier=systemlist%7C6442&amp;code=PATientlist"/>
  </link>
  <entry>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/STU3/List/eF9VQMkt1WU0OUXwt.Rrdp7.GffjqBNwXjSDqVMY7LUY3"/>
    </link>
    <fullUrl value="https://hostname/instance/api/FHIR/STU3/List/eF9VQMkt1WU0OUXwt.Rrdp7.GffjqBNwXjSDqVMY7LUY3"/>
    <resource>
      <List>
        <id value="eF9VQMkt1WU0OUXwt.Rrdp7.GffjqBNwXjSDqVMY7LUY3"/>
        <status value="current"/>
        <mode value="working"/>
        <title value="Abby's Aspirin List"/>
        <code>
          <text value="PatientList"/>
        </code>
        <date value="2018-11-27T16:05:02Z"/>
        <entry>
          <item>
            <reference value="https://hostname/instance/api/FHIR/STU3/Patient/e3KNb7vncuN52v1YR1hK4kw3"/>
            <display value="Test, Danf T"/>
          </item>
        </entry>
        <entry>
          <item>
            <reference value="https://hostname/instance/api/FHIR/STU3/Patient/e.16buEtVqGgfhBat-3GUVw3"/>
            <display value="Yge, Reviewnotrequired"/>
          </item>
        </entry>
      </List>
    </resource>
    <search>
      <mode value="match"/>
    </search>
  </entry>
</Bundle>
```

23.3 Infrastructure Documents & Lists: DSTU2

File: site/apis/23-Infrastructure-Documents-Lists/3-DSTU2/index.html

* Binary.Read (Generated CCDA) (DSTU2)
* DocumentReference.Read (Generated CCDA) (DSTU2)
* DocumentReference.Search (Generated CCDA) (DSTU2)

23.3.1 Binary.Read (Generated CCDA) (DSTU2)

File: site/apis/23-Infrastructure-Documents-Lists/3-DSTU2/3-Binary-Read-Generated-CCDA-DSTU2.html
Epic API ID | 3
FHIR version | DSTU2
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Generated CCDA Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Keywords | CDA; Document
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2015
HTTP method | GET
URL template | api/FHIR/DSTU2/Binary/{ID}
Supports OAuth 2.0 | True

Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=3

Description

Note: Only 80 CCDA documents can be generated for a patient per day via DocumentReference (Generated CCDA) (DSTU2). We recommend using the DocumentReference (Generated CCDAs) (R4) resource instead as it can accommodate 80 API calls per day, and any result returned each has its own 80 request limit.

This Epic implementation of Binary currently support retrieving CDA documents via this FHIR resource. Note that Binary does not return existing CDA documents for a patient. Instead, it generates new CDA documents based on the current clinical content in the system to prevent the communication of stale data. Starting in February 2025 version of Epic and optionally available in the November 2024, August 2024, and May 2024 versions of Epic, Binary includes or excludes sensitive data based on the security of the Care Everywhere background user. Patients will continue to receive documents containing the data that they are authorized to view, because this behavior respects Care Everywhere filtering. /p>

The Binary read interaction enables the look up of a binary resource by a constant server ID. The read interaction allows clients to store only the server ID, and with a single request, retrieve the most up-to-date binary content. Read interactions typically begin with a client having previously established a relationship, often through querying for DocumentReference resources through the search interaction. Note that because a new CDA document may be generated for each new request, it is not safe to assume that DocumentReference will always return the same Binary ID, as new Binary IDs may be generated if there is new clinical content available, which will generate a new CDA document.

You likely want to work with the CDA documents rather than a FHIR resource. Therefore, when making a read request, we recommend that you do not explicitly specify FHIR content types such as "application/xml+fhir" or "application/json+fhir" in the Accept header.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Binary | Binary | False
Binary.content | String | False | | | The actual content.
Binary.contentType | String | False | | | MimeType of the binary content. This is always "application/xml" as CDA documents are the only Binary content supported.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/Binary/Ta5OjgPrhRxHl8Q5l.wi1gAB
```

Sample response

```
<ClinicalDocument xmlns="urn:hl7-org:v3">
  <realmCode code="US"/>
  <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
  <templateId root="1.2.840.114350.1.72.1.51693"/>
  <templateId root="2.16.840.1.113883.10" extension="IMPL_CDAR2_LEVEL1"/>
  <templateId root="2.16.840.1.113883.10.20.3"/>
  <templateId root="2.16.840.1.113883.10.20.1"/>
  <templateId root="2.16.840.1.113883.3.88.11.32.1"/>
  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.5"/>
  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.2"/>
  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.1"/>
  <id assigningAuthorityName="EPC" root="1.2.840.114350.1.13.5552.1.7.8.688883.12952"/>
  <code code="34133-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Summarization of Episode
    Note"/>
  <title>Clinical Summary</title>
  <effectiveTime value="20160311163837-0600"/>
  <confidentialityCode code="N" codeSystem="2.16.840.1.113883.5.25" displayName="Normal"/>
  <languageCode code="eng"/>
  <setId assigningAuthorityName="EPC" extension="7b2de1e6-cf7d-11e5-8474-0050568b1d1b"
    root="1.2.840.114350.1.13.5552.1.7.1.1"/>
  <versionNumber value="1"/>
  <recordTarget>
    <patientRole>
      <id root="1.2.840.114350.1.13.5552.1.7.3.688884.100" extension="MU31061500"/>
      <addr use="HP">
        <country>US</country>
      </addr>
      <telecom nullFlavor="UNK"/>
      <patient>
        <name use="L">
          <given>John</given>
          <given>A</given>
          <family>Doe</family>
        </name>
```

```
      <administrativeGenderCode code="F" codeSystem="2.16.840.1.113883.5.1" codeSystemName="AdministrativeGenderCode"
  displayName="Female"/>
      <birthTime value="19911231"/>
      <maritalStatusCode nullFlavor="UNK"/>
      <raceCode nullFlavor="UNK"/>
      <ethnicGroupCode nullFlavor="UNK"/>
      <languageCommunication>
        <languageCode nullFlavor="UNK"/>
      </languageCommunication>
    </patient>
    <providerOrganization>
      <id root="1.2.840.114350.1.13.5552.1.7.2.688879" extension="6200"/>
      <name>MU 3 Isolation QA</name>
      <telecom nullFlavor="NA"/>
      <addr>
        <streetAddressLine>2016 Another Stage Bites the Dust</streetAddressLine>
        <city>Verona</city>
        <state>WI</state>
        <postalCode>53593</postalCode>
        <country>US</country>
      </addr>
    </providerOrganization>
  </patientRole>
</recordTarget>
<author>
  <time value="20160311163838-0600"/>
  <assignedAuthor>
    <id root="1.2.840.114350.1.1" extension="8.3"/>
    <addr nullFlavor="NA"/>
    <telecom nullFlavor="NA"/>
    <assignedAuthoringDevice>
      <manufacturerModelName>Epic - Version 8.3</manufacturerModelName>
      <softwareName>Epic - Version 8.3</softwareName>
    </assignedAuthoringDevice>
    <representedOrganization>
      <id root="1.2.840.114350.1.13.5552.1.7.2.688879" extension="6200"/>
      <name>MU 3 Isolation QA</name>
      <telecom nullFlavor="NA"/>
      <addr>
        <streetAddressLine>2016 Another Stage Bites the Dust</streetAddressLine>
        <city>Verona</city>
        <state>WI</state>
        <postalCode>53593</postalCode>
        <country>US</country>
      </addr>
    </representedOrganization>
  </assignedAuthor>
</author>
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <id root="1.2.840.114350.1.13.5552.1.7.2.688879" extension="6200"/>
      <name>MU 3 Isolation QA</name>
      <telecom nullFlavor="NA"/>
      <addr>
        <streetAddressLine>2016 Another Stage Bites the Dust</streetAddressLine>
        <city>Verona</city>
        <state>WI</state>
        <postalCode>53593</postalCode>
        <country>US</country>
      </addr>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
<documentationOf typeCode="DOC">
  <serviceEvent classCode="PCPR">
    <effectiveTime>
      <low value="19911231"/>
      <high value="20160311"/>
    </effectiveTime>
    <performer typeCode="PRF">
      <templateId root="2.16.840.1.113883.3.88.11.32.4"/>
      <templateId root="2.16.840.1.113883.3.88.11.83.4"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.2.3"/>
      <functionCode code="PP" codeSystem="2.16.840.1.113883.12.443" codeSystemName="Provider Role"
  displayName="Primary Care Provider">
        <originalText>Primary Care Provider</originalText>
      </functionCode>
      <time>
        <low nullFlavor="NI"/>
        <high nullFlavor="PINF"/>
      </time>
      <assignedEntity nullFlavor="NI">
        <id nullFlavor="UNK"/>
        <addr nullFlavor="NA"/>
        <telecom nullFlavor="NA"/>
        <assignedPerson nullFlavor="NA">
          <name nullFlavor="NA"/>
        </assignedPerson>
```

```
        <representedOrganization>
          <id root="1.2.840.114350.1.13.5552.1.7.2.688879" extension="6200"/>
          <name>MU 3 Isolation QA</name>
          <telecom nullFlavor="NA"/>
          <addr>
            <streetAddressLine>2016 Another Stage Bites the Dust</streetAddressLine>
            <city>Verona</city>
            <state>WI</state>
            <postalCode>53593</postalCode>
            <country>US</country>
          </addr>
        </representedOrganization>
      </assignedEntity>
    </performer>
  </serviceEvent>
</documentationOf>
<component>
  <structuredBody>
    <component>
      <section>
        <code code="X-DOCCMT" codeSystem="1.2.840.114350.1.72.2" displayName="Document Comments"/>
        <title>Source Comments</title>
        <text>
          This is a brief source comment. Yippee.
          <footnote>MU 3 Isolation QA</footnote>
        </text>
      </section>
    </component>
    <component>
      <section>
        <templateId root="2.16.840.1.113883.10.20.1.2"/>
        <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.13"/>
        <templateId root="2.16.840.1.113883.3.88.11.83.102"/>
        <id root="FF48053C-E7D9-11E5-A029-0050568B1D1B"/>
        <code code="48765-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Allergies, Adverse
   Reactions, Alerts"/>
        <title>Allergies</title>
        <text>
          <table>
            <colgroup>
              <col width="25%"/>
              <col width="25%"/>
              <col width="13%"/>
              <col width="12%"/>
              <col width="25%"/>
            </colgroup>
            <thead>
              <tr>
                <th>Active Allergy</th>
                <th>Reactions</th>
                <th>Severity</th>
                <th>Noted Date</th>
                <th>Comments</th>
              </tr>
            </thead>
            <tbody>
              <tr ID="allergy2">
                <td ID="allergy2allergen">Belladonna</td>
                <td/>
                <td ID="allergy2severity"/>
                <td>01/06/2016</td>
                <td ID="allergy2comments"/>
              </tr>
            </tbody>
          </table>
        </text>
        <entry>
          <act classCode="ACT" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.1.27"/>
            <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5.1"/>
            <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5.3"/>
            <templateId root="2.16.840.1.113883.3.88.11.32.6"/>
            <templateId root="2.16.840.1.113883.3.88.11.83.6"/>
            <id root="1.2.840.114350.1.13.5552.1.7.2.768076" extension="20254"/>
            <code nullFlavor="NA"/>
            <statusCode code="active"/>
            <effectiveTime>
              <low value="20160106"/>
            </effectiveTime>
            <entryRelationship inversionInd="false" typeCode="SUBJ">
              <observation classCode="OBS" moodCode="EVN" negationInd="false">
                <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5"/>
                <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.6"/>
                <templateId root="2.16.840.1.113883.10.20.1.18"/>
                <templateId root="1.3.6.1.4.1.19376.1.5.3.1" extension="allergy"/>
                <templateId root="2.16.840.1.113883.10.20.1.28"/>
                <id root="1.2.840.114350.1.13.5552.1.7.2.768076" extension="20254"/>
                <code code="419511003" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
  displayName="Propensity to adverse reactions to drug"/>
```

```
            <text>
              <reference value="#allergy2"/>
            </text>
            <statusCode code="completed"/>
            <effectiveTime>
              <low value="20160106"/>
              <high nullFlavor="PINF"/>
            </effectiveTime>
            <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="1359"
codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm" xsi:type="CD"/>
            <author>
              <time value="20160106"/>
              <assignedAuthor>
                <id root="1.2.840.114350.1.13.5552.1.7.2.697780" extension="19310"/>
                <addr nullFlavor="UNK"/>
                <telecom use="WP" value="tel:271-9000 X73599"/>
                <assignedPerson>
                  <name>
                    <given>John</given>
                    <family>Doe</family>
                  </name>
                </assignedPerson>
                <representedOrganization>
                  <id root="1.2.840.114350.1.13.5552.1.7.2.688879" extension="6200"/>
                  <name>MU 3 Isolation QA</name>
                  <telecom nullFlavor="NA"/>
                  <addr>
                    <streetAddressLine>2016 Another Stage Bites the Dust</streetAddressLine>
                    <city>Verona</city>
                    <state>WI</state>
                    <postalCode>53593</postalCode>
                    <country>US</country>
                  </addr>
                </representedOrganization>
              </assignedAuthor>
            </author>
            <participant typeCode="CSM">
              <participantRole classCode="MANU">
                <playingEntity classCode="MMAT">
                  <code code="1359" codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm">
                    <originalText>
                      <reference value="#allergy2allergen"/>
                    </originalText>
                    <translation code="89781" codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm"/>
                    <translation code="221113" codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm"/>
                    <translation code="314517" codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm"/>
                    <translation code="1312380" codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm"/>
                    <translation code="1353220" codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm"/>
                    <translation code="1361461" codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm"/>
                    <translation code="1363430" codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm"/>
                    <translation code="2L03I6S85J" codeSystem="2.16.840.1.113883.4.9" codeSystemName="FDA Unique
Ingredient Identifier (UNII)"/>
                    <translation code="6GZW20TIOI" codeSystem="2.16.840.1.113883.4.9" codeSystemName="FDA Unique
Ingredient Identifier (UNII)"/>
                    <translation code="6MW97Q6E8M" codeSystem="2.16.840.1.113883.4.9" codeSystemName="FDA Unique
Ingredient Identifier (UNII)"/>
                    <translation code="76S2JPL145" codeSystem="2.16.840.1.113883.4.9" codeSystemName="FDA Unique
Ingredient Identifier (UNII)"/>
                    <translation code="B26WXN5GZJ" codeSystem="2.16.840.1.113883.4.9" codeSystemName="FDA Unique
Ingredient Identifier (UNII)"/>
                    <translation code="DSV74G1P2J" codeSystem="2.16.840.1.113883.4.9" codeSystemName="FDA Unique
Ingredient Identifier (UNII)"/>
                    <translation code="WQZ3G9PF0H" codeSystem="2.16.840.1.113883.4.9" codeSystemName="FDA Unique
Ingredient Identifier (UNII)"/>
                  </code>
                  <name>BELLADONNA</name>
                </playingEntity>
              </participantRole>
            </participant>
            <entryRelationship inversionInd="true" typeCode="REFR">
              <observation classCode="OBS" moodCode="EVN">
                <templateId root="2.16.840.1.113883.10.20.1.39"/>
                <code code="33999-4" codeSystem="2.16.840.1.113883.6.1" displayName="Status"/>
                <statusCode code="completed"/>
                <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="55561003"
codeSystem="2.16.840.1.113883.6.96" xsi:type="CE" displayName="Active"/>
              </observation>
            </entryRelationship>
          </observation>
        </entryRelationship>
      </act>
    </entry>
  </section>
 </component>
 <component>
  <section>
    <templateId root="2.16.840.1.113883.10.20.1.8"/>
    <templateId root="2.16.840.1.113883.3.88.11.83.112"/>
    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.19"/>
```

```
      <id root="FF542F38-E7D9-11E5-A029-0050568B1D1B"/>
      <code code="10160-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="History of
Medication Use"/>
      <title>Current Medications</title>
      <text>
        <content styleCode="flagData">Medication comment: Please review all current meds with the patient!
</content>
        <br/>
        <content ID="nof3">Not on file</content>
      </text>
      <entry>
        <substanceAdministration classCode="SBADM" moodCode="INT">
          <templateId root="2.16.840.1.113883.10.20.1.24"/>
          <templateId root="2.16.840.1.113883.3.88.11.83.8"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.1"/>
          <templateId root="2.16.840.1.113883.3.88.11.32.8"/>
          <id nullFlavor="NA"/>
          <text mediaType="text/xml"/>
          <statusCode code="completed"/>
          <effectiveTime xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="IVL_TS">
            <low nullFlavor="UNK"/>
            <high nullFlavor="UNK"/>
          </effectiveTime>
          <consumable typeCode="CSM">
            <manufacturedProduct classCode="MANU">
              <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.2"/>
              <templateId root="2.16.840.1.113883.10.20.1.53"/>
              <templateId root="2.16.840.1.113883.3.88.11.32.9"/>
              <templateId root="2.16.840.1.113883.3.88.11.83.8.2"/>
              <templateId root="2.16.840.1.113883.3.249.11.100.13"/>
              <manufacturedMaterial>
                <code codeSystem="2.16.840.1.113883.6.88" nullFlavor="NI">
                  <originalText>
                    <reference value="#nof3"/>
                  </originalText>
                </code>
              </manufacturedMaterial>
            </manufacturedProduct>
          </consumable>
        </substanceAdministration>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.1.11"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.6"/>
      <templateId root="2.16.840.1.113883.3.88.11.83.103"/>
      <id root="FF54ABA2-E7D9-11E5-A029-0050568B1D1B"/>
      <code code="11450-4" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="PROBLEM LIST"/>
      <title>Active Problems</title>
      <text>
        <table>
          <colgroup>
            <col width="75%"/>
            <col width="25%"/>
          </colgroup>
          <thead>
            <tr>
              <th>Problem</th>
              <th>Noted Date</th>
            </tr>
          </thead>
          <tbody>
            <tr ID="problem4" styleCode="normRow">
              <td ID="problem4name">Pneumonia</td>
              <td>01/06/2016</td>
            </tr>
          </tbody>
        </table>
      </text>
      <entry>
        <act classCode="ACT" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.1.27"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5.1"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5.2"/>
          <templateId root="2.16.840.1.113883.3.88.11.32.7"/>
          <templateId root="2.16.840.1.113883.3.88.11.83.7"/>
          <id root="1.2.840.114350.1.13.5552.1.7.2.768076" extension="20238"/>
          <code nullFlavor="NA"/>
          <statusCode code="active"/>
          <effectiveTime>
            <low value="20160106"/>
          </effectiveTime>
          <entryRelationship inversionInd="false" typeCode="SUBJ">
            <observation classCode="OBS" moodCode="EVN">
              <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5"/>
              <templateId root="2.16.840.1.113883.10.20.1.28"/>
```

```
              <id root="1.2.840.114350.1.13.5552.1.7.2.768076" extension="20238"/>
              <code code="55607006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
displayName="Problem"/>
              <text>
                <reference value="#problem4name"/>
              </text>
              <statusCode code="completed"/>
              <effectiveTime>
                <low value="20160106"/>
              </effectiveTime>
              <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="233604007"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" xsi:type="CD" displayName="Pneumonia">
                <originalText>
                  <reference value="#problem4name"/>
                </originalText>
                <translation code="486" codeSystem="2.16.840.1.113883.6.103" codeSystemName="ICD-9CM"
displayName="Pneumonia"/>
                <translation code="J18.9" codeSystem="2.16.840.1.113883.6.90" codeSystemName="ICD-10-CM"
displayName="Pneumonia"/>
              </value>
              <author>
                <time value="20160106183308+0000"/>
                <assignedAuthor>
                  <id root="1.2.840.114350.1.13.5552.1.7.2.697780" extension="19310"/>
                  <addr nullFlavor="UNK"/>
                  <telecom use="WP" value="tel:271-9000 X73599"/>
                  <assignedPerson>
                    <name>
                      <given>John</given>
                      <family>Doe</family>
                    </name>
                  </assignedPerson>
                  <representedOrganization>
                    <id root="1.2.840.114350.1.13.5552.1.7.2.688879" extension="6200"/>
                    <name>MU 3 Isolation QA</name>
                    <telecom nullFlavor="NA"/>
                    <addr>
                      <streetAddressLine>2016 Another Stage Bites the Dust</streetAddressLine>
                      <city>Verona</city>
                      <state>WI</state>
                      <postalCode>53593</postalCode>
                      <country>US</country>
                    </addr>
                  </representedOrganization>
                </assignedAuthor>
              </author>
              <entryRelationship typeCode="REFR">
                <observation classCode="OBS" moodCode="EVN">
                  <code code="33999-4" codeSystem="2.16.840.1.113883.6.1" displayName="Status"/>
                  <statusCode code="completed"/>
                  <effectiveTime>
                    <low value="20160106"/>
                  </effectiveTime>
                  <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="55561003"
codeSystem="2.16.840.1.113883.6.96" xsi:type="CD" displayName="Active"/>
                </observation>
              </entryRelationship>
            </observation>
          </entryRelationship>
        </act>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.1.3"/>
      <templateId root="2.16.840.1.113883.3.88.11.83.127"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.5.3.3"/>
      <code code="46240-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="HISTORY OF
ENCOUNTERS"/>
      <title>Encounters - from Last 3 Months</title>
      <text>
        <table>
          <colgroup>
            <col width="10%"/>
            <col width="15%"/>
            <col width="25%"/>
            <col width="25%"/>
            <col width="25%"/>
          </colgroup>
          <thead>
            <tr>
              <th>Date</th>
              <th>Type</th>
              <th>Specialty</th>
              <th>Care Team</th>
              <th>Description</th>
            </tr>
          </thead>
```

```
          <tbody>
            <tr ID="encounter5" styleCode="normRow">
              <td>01/21/2016</td>
              <td ID="encounter5type">Hospital Encounter</td>
              <td/>
              <td/>
              <td/>
            </tr>
            <tr ID="encounter6" styleCode="altRow">
              <td>01/21/2016</td>
              <td ID="encounter6type">Procedure Pass</td>
              <td/>
              <td/>
              <td/>
            </tr>
            <tr ID="encounter8" styleCode="normRow">
              <td>01/21/2016</td>
              <td ID="encounter8type">Surgery</td>
              <td/>
              <td>
                <paragraph>&lt;B&gt;&lt;/I&gt;Bobowski, Surgeon!@#$%&lt;/B&gt;&lt;I&gt;, MD</paragraph>
              </td>
              <td ID="encounter8desc">JEB SURGERY</td>
            </tr>
            <tr ID="encounter9" styleCode="altRow">
              <td>01/20/2016</td>
              <td ID="encounter9type">Hospital Encounter</td>
              <td/>
              <td/>
              <td/>
            </tr>
            <tr ID="encounter10" styleCode="normRow">
              <td>01/20/2016</td>
              <td ID="encounter10type">Procedure Pass</td>
              <td/>
              <td/>
              <td/>
            </tr>
            <tr ID="encounter12" styleCode="altRow">
              <td>01/20/2016</td>
              <td ID="encounter12type">Surgery</td>
              <td/>
              <td>
                <paragraph>&lt;B&gt;&lt;/I&gt;Bobowski, Surgeon!@#$%&lt;/B&gt;&lt;I&gt;, MD</paragraph>
              </td>
              <td ID="encounter12desc">JEB SURGERY</td>
            </tr>
          </tbody>
        </table>
      </text>
      <entry>
        <encounter classCode="ENC" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.1.21"/>
          <templateId root="2.16.840.1.113883.3.88.11.83.16"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.14"/>
          <id assigningAuthorityName="EPIC" root="1.2.840.114350.1.13.5552.1.7.3.698084.8" extension="10000010162"/>
          <code nullFlavor="OTH">
            <originalText>
              <reference value="#encounter5type"/>
            </originalText>
            <translation code="3" codeSystem="1.2.840.114350.1.13.5552.1.7.4.698084.30"
codeSystemName="Epic.EncounterType" displayName="Hospital Encounter"/>
          </code>
          <text>
            <reference nullFlavor="NI"/>
          </text>
          <statusCode code="normal"/>
          <effectiveTime>
            <low value="20160121094500-0600"/>
          </effectiveTime>
          <participant typeCode="LOC">
            <templateId root="2.16.840.1.113883.10.20.1.45"/>
            <participantRole classCode="SDLOC">
              <id root="1.2.840.114350.1.13.5552.1.7.2.686980" extension="2579"/>
              <playingEntity classCode="PLC">
                <name>JEB Intra-op</name>
              </playingEntity>
            </participantRole>
          </participant>
        </encounter>
      </entry>
      <entry>
        <encounter classCode="ENC" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.1.21"/>
          <templateId root="2.16.840.1.113883.3.88.11.83.16"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.14"/>
          <id assigningAuthorityName="EPIC" root="1.2.840.114350.1.13.5552.1.7.3.698084.8" extension="10000010159"/>
          <code nullFlavor="OTH">
            <originalText>
```

```
              <reference value="#encounter6type"/>
            </originalText>
            <translation code="103" codeSystem="1.2.840.114350.1.13.5552.1.7.4.698084.30"
codeSystemName="Epic.EncounterType" displayName="Procedure Pass"/>
          </code>
          <text>
            <reference nullFlavor="NI"/>
          </text>
          <statusCode code="normal"/>
          <effectiveTime value="20160121"/>
          <participant typeCode="LOC">
            <templateId root="2.16.840.1.113883.10.20.1.45"/>
            <participantRole classCode="SDLOC">
              <id root="1.2.840.114350.1.13.5552.1.7.2.686980" extension="2579"/>
              <playingEntity classCode="PLC">
                <name>JEB Intra-op</name>
              </playingEntity>
            </participantRole>
          </participant>
        </encounter>
      </entry>
      <entry>
        <encounter classCode="ENC" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.1.21"/>
          <templateId root="2.16.840.1.113883.3.88.11.83.16"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.14"/>
          <id assigningAuthorityName="EPIC" root="1.2.840.114350.1.13.5552.1.7.3.698084.8" extension="10000010158"/>
          <code nullFlavor="OTH">
            <originalText>
              <reference value="#encounter8type"/>
            </originalText>
            <translation code="51" codeSystem="1.2.840.114350.1.13.5552.1.7.4.698084.30"
codeSystemName="Epic.EncounterType" displayName="Surgery"/>
          </code>
          <text>
            <reference value="#encounter8desc"/>
          </text>
          <statusCode code="normal"/>
          <effectiveTime value="20160121"/>
          <performer typeCode="PRF">
            <assignedEntity classCode="ASSIGNED">
              <id nullFlavor="UNK"/>
              <addr nullFlavor="UNK"/>
              <telecom nullFlavor="UNK"/>
              <assignedPerson>
                <name>
                  <given>Surgeon!@#$%&lt;/B&gt;&lt;I&gt;</given>
                  <family>&lt;B&gt;&lt;/I&gt;Bobowski</family>
                </name>
              </assignedPerson>
              <representedOrganization classCode="ORG">
                <name nullFlavor="UNK"/>
                <telecom nullFlavor="UNK"/>
                <addr nullFlavor="UNK"/>
              </representedOrganization>
            </assignedEntity>
          </performer>
          <participant typeCode="LOC">
            <templateId root="2.16.840.1.113883.10.20.1.45"/>
            <participantRole classCode="SDLOC">
              <id root="1.2.840.114350.1.13.5552.1.7.2.686980" extension="2579"/>
              <playingEntity classCode="PLC">
                <name>JEB Intra-op</name>
              </playingEntity>
            </participantRole>
          </participant>
          <entryRelationship typeCode="COMP">
            <act classCode="ACT" moodCode="EVN">
              <templateId root="2.16.840.1.113883.10.20.22.4.64"/>
              <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
              <text>
                <reference value="#encounter8desc"/>
              </text>
              <statusCode code="completed"/>
            </act>
          </entryRelationship>
        </encounter>
      </entry>
      <entry>
        <encounter classCode="ENC" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.1.21"/>
          <templateId root="2.16.840.1.113883.3.88.11.83.16"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.14"/>
          <id assigningAuthorityName="EPIC" root="1.2.840.114350.1.13.5552.1.7.3.698084.8" extension="10000010144"/>
          <code nullFlavor="OTH">
            <originalText>
              <reference value="#encounter9type"/>
            </originalText>
            <translation code="3" codeSystem="1.2.840.114350.1.13.5552.1.7.4.698084.30"
```

```
codeSystemName="Epic.EncounterType" displayName="Hospital Encounter"/>
          </code>
          <text>
            <reference nullFlavor="NI"/>
          </text>
          <statusCode code="normal"/>
          <effectiveTime>
            <low value="20160120100500-0600"/>
          </effectiveTime>
          <participant typeCode="LOC">
            <templateId root="2.16.840.1.113883.10.20.1.45"/>
            <participantRole classCode="SDLOC">
              <id root="1.2.840.114350.1.13.5552.1.7.2.686980" extension="2579"/>
              <playingEntity classCode="PLC">
                <name>JEB Intra-op</name>
              </playingEntity>
            </participantRole>
          </participant>
        </encounter>
      </entry>
      <entry>
        <encounter classCode="ENC" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.1.21"/>
          <templateId root="2.16.840.1.113883.3.88.11.83.16"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.14"/>
          <id assigningAuthorityName="EPIC" root="1.2.840.114350.1.13.5552.1.7.3.698084.8" extension="10000010104"/>
          <code nullFlavor="OTH">
            <originalText>
              <reference value="#encounter10type"/>
            </originalText>
            <translation code="103" codeSystem="1.2.840.114350.1.13.5552.1.7.4.698084.30"
codeSystemName="Epic.EncounterType" displayName="Procedure Pass"/>
          </code>
          <text>
            <reference nullFlavor="NI"/>
          </text>
          <statusCode code="normal"/>
          <effectiveTime value="20160120"/>
          <participant typeCode="LOC">
            <templateId root="2.16.840.1.113883.10.20.1.45"/>
            <participantRole classCode="SDLOC">
              <id root="1.2.840.114350.1.13.5552.1.7.2.686980" extension="2579"/>
              <playingEntity classCode="PLC">
                <name>JEB Intra-op</name>
              </playingEntity>
            </participantRole>
          </participant>
        </encounter>
      </entry>
      <entry>
        <encounter classCode="ENC" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.1.21"/>
          <templateId root="2.16.840.1.113883.3.88.11.83.16"/>
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.14"/>
          <id assigningAuthorityName="EPIC" root="1.2.840.114350.1.13.5552.1.7.3.698084.8" extension="10000010103"/>
          <code nullFlavor="OTH">
            <originalText>
              <reference value="#encounter12type"/>
            </originalText>
            <translation code="51" codeSystem="1.2.840.114350.1.13.5552.1.7.4.698084.30"
codeSystemName="Epic.EncounterType" displayName="Surgery"/>
          </code>
          <text>
            <reference value="#encounter12desc"/>
          </text>
          <statusCode code="normal"/>
          <effectiveTime value="20160120"/>
          <performer typeCode="PRF">
            <assignedEntity classCode="ASSIGNED">
              <id nullFlavor="UNK"/>
              <addr nullFlavor="UNK"/>
              <telecom nullFlavor="UNK"/>
              <assignedPerson>
                <name>
                  <given>Surgeon!@#$%&amp;lt;/B&amp;gt;&amp;lt;I&amp;gt;</given>
                  <family>&amp;lt;B&amp;gt;&amp;lt;/I&amp;gt;Bobowski</family>
                </name>
              </assignedPerson>
              <representedOrganization classCode="ORG">
                <name nullFlavor="UNK"/>
                <telecom nullFlavor="UNK"/>
                <addr nullFlavor="UNK"/>
              </representedOrganization>
            </assignedEntity>
          </performer>
          <participant typeCode="LOC">
            <templateId root="2.16.840.1.113883.10.20.1.45"/>
            <participantRole classCode="SDLOC">
              <id root="1.2.840.114350.1.13.5552.1.7.2.686980" extension="2579"/>
```

```
              <playingEntity classCode="PLC">
                <name>JEB Intra-op</name>
              </playingEntity>
            </participantRole>
          </participant>
          <entryRelationship typeCode="COMP">
            <act classCode="ACT" moodCode="EVN">
              <templateId root="2.16.840.1.113883.10.20.22.4.64"/>
              <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
              <text>
                <reference value="#encounter12desc"/>
              </text>
              <statusCode code="completed"/>
            </act>
          </entryRelationship>
        </encounter>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.1.15"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.16"/>
      <code code="29762-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Social history"/>
      <title>Social History</title>
      <text>
        <table>
          <colgroup>
            <col width="25%"/>
            <col width="25%"/>
            <col width="13%"/>
            <col width="12%"/>
            <col width="25%"/>
          </colgroup>
          <thead>
            <tr>
              <th>Tobacco Use</th>
              <th>Types</th>
              <th>Packs/Day</th>
              <th>Years Used</th>
              <th>Date</th>
            </tr>
          </thead>
          <tbody>
            <tr>
              <td>Never Assessed</td>
              <td/>
              <td/>
              <td/>
              <td/>
            </tr>
          </tbody>
        </table>
      </text>
      <entry>
        <observation classCode="OBS" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.78"/>
          <templateId root="2.16.840.1.113883.10.20.22.4.78" extension="2014-06-09"/>
          <id root="1.2.840.114350.1.13.5552.1.7.1.1040.1" extension="121531-Z7542"/>
          <code code="72166-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Tobacco
smoking status NHIS"/>
          <statusCode code="completed"/>
          <effectiveTime value="21730927"/>
          <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" code="266927001"
codeSystem="2.16.840.1.113883.6.96" xsi:type="CD" displayName="Unknown if ever smoked"/>
        </observation>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.1.16"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.25"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2"/>
      <templateId root="2.16.840.1.113883.3.88.11.83.119"/>
      <code code="8716-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Vital Signs"/>
      <title>Last Filed Vital Signs</title>
      <text>
        <content ID="nof17">Not on file</content>
      </text>
      <entry typeCode="DRIV">
        <organizer classCode="CLUSTER" moodCode="EVN" nullFlavor="NI">
          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13.1"/>
          <templateId root="2.16.840.1.113883.10.20.1.32"/>
          <templateId root="2.16.840.1.113883.10.20.1.35"/>
          <id root="1.2.840.114350.1.13.5552.1.7.1.2109" extension="empty-Z7542"/>
          <code code="46680005" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Vital
signs">
            <translation code="74728-7" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Vital
```

```
 signs, weight, height, head circumference, oximetry, BMI, and BSA panel - HL7.CCDAr1.1"/>
          </code>
          <statusCode code="completed"/>
          <effectiveTime nullFlavor="NI"/>
          <component>
            <observation classCode="OBS" moodCode="EVN">
              <templateId root="2.16.840.1.113883.10.20.1.31"/>
              <templateId root="2.16.840.1.113883.3.88.11.83.14"/>
              <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13.2"/>
              <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>
              <id root="1.2.840.114350.1.13.5552.1.7.1.2109.1"/>
              <code nullFlavor="NI"/>
              <statusCode code="completed"/>
              <effectiveTime>
                <low nullFlavor="UNK"/>
              </effectiveTime>
              <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="PQ" nullFlavor="NI"/>
            </observation>
          </component>
        </organizer>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.1.10"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.31"/>
      <templateId root="2.16.840.1.113883.3.88.11.83.124"/>
      <templateId root="2.16.840.1.113883.10.20.2.7"/>
      <code code="18776-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Treatment plan"/>
      <title>Plan of Treatment</title>
      <text>
        <paragraph>Not on file</paragraph>
      </text>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.22.2.23"/>
      <templateId root="2.16.840.1.113883.10.20.22.2.23" extension="2014-06-09"/>
      <code code="46264-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Medical
Equipment"/>
      <title>Implants</title>
      <text>
        <table>
          <colgroup>
            <col width="35%"/>
            <col width="10%"/>
            <col width="10%"/>
            <col width="15%"/>
            <col width="10%"/>
            <col width="10%"/>
            <col width="10%"/>
          </colgroup>
          <thead>
            <tr>
              <th>Implanted</th>
              <th>Type</th>
              <th>Area</th>
              <th>Manufacturer</th>
              <th>Device Identifier</th>
              <th>Expiration Date</th>
              <th>Model / Serial / Lot</th>
            </tr>
          </thead>
          <tbody>
            <tr>
              <td>
                <content styleCode="header" ID="implant2">Eye Bolt 804-206-12/24/2015</content>
                <br/>
                <content styleCode="cellHeader">Implanted: </content>
                Qty: 1 on 12/24/2015 by Doe, John, MD
              </td>
              <td>Bolt</td>
              <td>Right: Foot</td>
              <td>3M</td>
              <td>454654</td>
              <td>01/21/2022</td>
              <td styleCode="noIndent">
                13 /
                <br/>
                156894 /
                <br/>
                125
              </td>
            </tr>
            <tr>
              <td>
                <content styleCode="header" ID="implant1">Implant Record</content>
```

```
                <br/>
                <content styleCode="cellHeader">Implanted: </content>
                Qty: 1 on 01/21/2016 by &lt;B&gt;&lt;/I&gt;Bobowski, Surgeon!@#$%&lt;/B&gt;&lt;I&gt;, MD
              </td>
              <td>Pin</td>
              <td>Left: Face</td>
              <td>3M</td>
              <td/>
              <td>01/21/2018</td>
              <td styleCode="noIndent">
                MANU /
                <br/>
                19310 /
                <br/>
                49663
              </td>
            </tr>
          </tbody>
        </table>
      </text>
      <entry>
        <procedure classCode="PROC" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.14" extension="2014-06-09"/>
          <id root="1.2.840.114350.1.13.5552.1.7.2.737780" extension="2050"/>
          <code nullFlavor="UNK"/>
          <statusCode code="active"/>
          <effectiveTime>
            <low value="20151224"/>
            <high nullFlavor="NI"/>
          </effectiveTime>
          <participant typeCode="DEV">
            <participantRole classCode="MANU">
              <templateId root="2.16.840.1.113883.10.20.22.4.37"/>
              <id assigningAuthorityName="FDA" root="2.16.840.1.113883.3.3719"
extension="(01)454654(17)220121(10)125(21)156894"/>
              <playingDevice>
                <code nullFlavor="UNK">
                  <originalText>
                    <reference value="#implant2"/>
                  </originalText>
                </code>
              </playingDevice>
              <scopingEntity>
                <id root="2.16.840.1.113883.3.3719"/>
              </scopingEntity>
            </participantRole>
          </participant>
        </procedure>
      </entry>
      <entry>
        <procedure classCode="PROC" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.14" extension="2014-06-09"/>
          <id root="1.2.840.114350.1.13.5552.1.7.2.737780" extension="1554"/>
          <code nullFlavor="UNK"/>
          <statusCode code="active"/>
          <effectiveTime>
            <low value="20160121"/>
            <high nullFlavor="NI"/>
          </effectiveTime>
          <participant typeCode="DEV">
            <participantRole classCode="MANU">
              <templateId root="2.16.840.1.113883.10.20.22.4.37"/>
              <id nullFlavor="UNK"/>
              <playingDevice>
                <code nullFlavor="UNK">
                  <originalText>
                    <reference value="#implant1"/>
                  </originalText>
                </code>
              </playingDevice>
              <scopingEntity>
                <id root="2.16.840.1.113883.3.3719"/>
              </scopingEntity>
            </participantRole>
          </participant>
        </procedure>
      </entry>
    </section>
  </component>
  <component>
    <section>
      <templateId root="2.16.840.1.113883.10.20.1.14"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.27"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.28"/>
      <templateId root="2.16.840.1.113883.3.88.11.83.122"/>
      <id root="ff8f5216-e7d9-11e5-a029-0050568b1d1b"/>
      <code code="30954-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="STUDIES SUMMARY"/>
      <title>Results from Last 3 Months</title>
      <text>
```

```
          <list>
            <item>
              <content>Not on file</content>
            </item>
          </list>
        </text>
        <entry>
          <organizer classCode="BATTERY" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.1.32"/>
            <id nullFlavor="NA"/>
            <code code="261665006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
    displayName="Unknown"/>
            <statusCode code="completed"/>
            <effectiveTime nullFlavor="UNK"/>
            <component>
              <observation classCode="OBS" moodCode="EVN">
                <templateId root="2.16.840.1.113883.10.20.1.31"/>
                <templateId root="2.16.840.1.113883.3.88.11.83.15.1"/>
                <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>
                <id nullFlavor="NA"/>
                <code code="261665006" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"
    displayName="Unknown"/>
                <text>
                  <reference nullFlavor="UNK"/>
                </text>
                <statusCode code="completed"/>
                <effectiveTime nullFlavor="UNK">
                  <low nullFlavor="UNK"/>
                </effectiveTime>
                <value xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:type="CD" nullFlavor="NA"/>
                <referenceRange>
                  <observationRange>
                    <text/>
                  </observationRange>
                </referenceRange>
              </observation>
            </component>
            <component>
              <procedure classCode="PROC" moodCode="EVN">
                <templateId root="2.16.840.1.113883.10.20.1.29"/>
                <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.19"/>
                <templateId root="2.16.840.1.113883.3.88.11.83.17"/>
                <id nullFlavor="NA"/>
                <code nullFlavor="NA">
                  <originalText>
                    <reference nullFlavor="UNK"/>
                  </originalText>
                </code>
                <text>
                  <reference nullFlavor="UNK"/>
                </text>
                <statusCode code="completed"/>
                <effectiveTime nullFlavor="UNK">
                  <low nullFlavor="UNK"/>
                </effectiveTime>
              </procedure>
            </component>
          </organizer>
        </entry>
      </section>
      <section>
        <templateId root="2.16.840.1.113883.10.20.1.14"/>
        <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.27"/>
        <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.28"/>
        <templateId root="2.16.840.1.113883.3.88.11.83.122"/>
        <id root="FF8F898E-E7D9-11E5-A029-0050568B1D1B"/>
        <code code="30954-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="STUDIES SUMMARY"/>
        <title>Results from Last 3 Months</title>
        <text>
          <content ID="nof19">Not on file</content>
        </text>
      </section>
    </component>
    <component>
      <section>
        <code code="X-DOCCMTADDL" codeSystem="1.2.840.114350.1.72.2" displayName="Additional Document Comments"/>
        <title>Additional Source Comments</title>
        <text>
          These are some additional source comments. Yep.
          <footnote>MU 3 Isolation QA</footnote>
        </text>
      </section>
    </component>
  </structuredBody>
 </component>
</ClinicalDocument>
```

Change log

Epic Version | Description | Type
Nov 2026 | The “content-disposition” header is returned on Binary.Read requests when the document is requested rather than the FHIR resource representation. | Breaking change
May 2024 | Patient summary CCDAs now respect Care Everywhere filtering and may exclude sensitive encounters previously available. | Breaking change

23.3.2 DocumentReference.Read (Generated CCDA) (DSTU2)

File: site/apis/23-Infrastructure-Documents-Lists/3-DSTU2/12-DocumentReference-Read-Generated-CCDA-DSTU2.html
Epic API ID | 12
FHIR version | DSTU2
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Generated CCDA Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2017
HTTP method | GET
URL template | api/FHIR/DSTU2/DocumentReference/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=12

Description

The FHIR DocumentReference resource describes information about a document, the associated patient and author, and information about its creation. The read interaction enables the look up of a DocumentReference resource by a constant server ID. The DocumentReference resource only contains metadata about the document. The actual document content is accessed via the Binary resource that is referenced in the DocumentReference.content.attachment.url property.

Note that DocumentReference does not return existing CDA documents for a patient. Instead, it generates new CDA documents based on the current clinical content in the system to prevent the communication of stale data. Starting in February 2025 and optionally available in special updates for November 2024, August 2024, and May 2024, DocumentReference includes or excludes sensitive data based on the security of the Care Everywhere background user. Patients will continue to receive documents containing the data that they are authorized to view, because this behavior respects Care Everywhere filtering.

Similar Resources:

* DocumentReference (Generated CCDA) (DSTU2) - Generates a CDA document based on current clinical content in the system.

* DocumentReference (Generated CCDA) (R4) - Functionally the same as DSTU2 with improvements to document generation limit.

* DocumentReference (External CCDA Document) (STU3) - Returns external CDA documents received in Epic. Can only query Epic payer systems.

* DocumentReference (External CCDA Document) (R4) - Returns external CDA documents received in Epic. Can query Epic provider systems.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The DocumentReference FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
DocumentReference | DocumentReference | False | | | An instance of the DSTU2 DocumentReference resource.
DocumentReference.class | CodeableConcept | False | | | Categorization of document.
DocumentReference.content | Content | False | Yes | | The document referenced.
DocumentReference.content.attachment | Attachment | False | | | Where to access the document.
DocumentReference.content.attachment.contentType | String | False | | | Media type of the resource.
DocumentReference.content.attachment.url | String | False | | | A reference to the Binary resource which contains the document content.
DocumentReference.context | Context | False | | | Context details.
DocumentReference.context.related | Related | False | Yes | | The associated encounter.
DocumentReference.context.related.identifier | Identifier | False | | | The associated encounter's Epic CSN identifier.
DocumentReference.created | String | False | | | Document creation time. This element is not populated in February 2019 and later versions of Epic. In February 2019 and later, use the Indexed element instead.
DocumentReference.id | String | False | | | The DocumentReference FHIR ID.
DocumentReference.indexed | String | False | | | When this document reference was created.

DocumentReference.masterIdentifier | Identifier | False | | | The associated encounter's Epic CSN identifier.
DocumentReference.status | String | False | | | Current, superseded, or entered-in-error.
DocumentReference.subject | Reference | False | | | Who/what is the subject of the document.
DocumentReference.type | CodeableConcept | False | | | Categorization of document.

Sample request

```
https://hostname/instance/api/FHIR/DSTU2/DocumentReference/Ta5OjgPrhRxHl8Q5l.wi1gAB
```

Sample response

```
<DocumentReference xmlns="http://hl7.org/fhir">
  <created value="2016-02-09T00:00:00"/>
  <indexed value="2016-02-09T00:00:00"/>
  <status value="current"/>
  <id value="Ta5OjgPrhRxHl8Q5l.wi1gAB"/>
  <subject>
    <display value="John A Doe"/>
    <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TVvHM06czXsYBOZYtJiz9BsSuvzmIbZGbIRzim-CwknYB"/>
  </subject>
  <class>
    <text value="Summarization of Episode Note"/>
    <coding>
      <system value="2.16.840.1.113883.6.1"/>
      <code value="34133-9"/>
      <display value="Summarization of Episode Note"/>
    </coding>
  </class>
  <type>
    <text value="Summarization of Episode Note"/>
    <coding>
      <system value="2.16.840.1.113883.6.1"/>
      <code value="34133-9"/>
      <display value="Summarization of Episode Note"/>
    </coding>
  </type>
  <content>
    <attachment>
      <contentType value="application/xml"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/Binary/Ta5OjgPrhRxHl8Q5l.wi1gAB"/>
    </attachment>
  </content>
  <masterIdentifier>
    <value value="1.2.840.114350.1.13.5552.1.7.8.688883.12952"/>
  </masterIdentifier>
</DocumentReference>
```

Change log

Epic Version | Description | Type
May 2024 | Patient summary CCDAs now respect Care Everywhere filtering and may exclude sensitive encounters previously available. | Breaking change

23.3.3 DocumentReference.Search (Generated CCDA) (DSTU2)

File: site/apis/23-Infrastructure-Documents-Lists/3-DSTU2/13-DocumentReference-Search-Generated-CCDA-DSTU2.html
Epic API ID | 13
FHIR version | DSTU2
Categories | Infrastructure Documents & Lists
API type | USCDI
API group | Generated CCDA Document Group
A la carte | Industry-Standard Level 2 Group
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | Epic 2015
HTTP method | GET
URL template | api/FHIR/DSTU2/DocumentReference?_id={_id}&patient={patient}&subject={subject}&period={period}&class={class}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=13

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
class | String | False | | | Refine a search for DocumentReference resources by passing a LOINC code for document class (CCD and encounter supported). The default LOINC code for CCD is 34133-9 - Summarization of Episode Note. The default LOINC code for Encounter is 11506-3 -

Subsequent Evaluation Note.
patient | String | True | | | Search for DocumentReference resources for a specified patient ID.
period | String | True | | | Refine a search for DocumentReference resources by specifying a date or date range for the DocumentReference content. Enter dates in ISO 8601 format (YYYY[-MM[-DD[THH:MM[:SS][TZ]]]]). Local server time is assumed if time zone information is not included. Common FHIR operators such as gt, lt, ge, le, =, and ap are supported. When no period is specified, a customer setting is used to determine how far to look back. There is also a setting capping lookback. Another setting can limit what encounter types are returned. Encounters without clinical data will not be returned.
subject | String | True | | | Search for DocumentReference resources for a specified patient ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | Documents returned by search.
Bundle.entry.resource | Resource | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.DocumentReference | DocumentReference | False | | | An instance of the DSTU2 DocumentReference resource.
Bundle.entry.resource.DocumentReference.class | CodeableConcept | False | | | Categorization of document.
Bundle.entry.resource.DocumentReference.content | Content | False | Yes | | The document referenced.
Bundle.entry.resource.DocumentReference.content.attachment | Attachment | False | | | Where to access the document.
Bundle.entry.resource.DocumentReference.content.attachment.contentType | String | False | | | Media type of the resource.
Bundle.entry.resource.DocumentReference.content.attachment.url | String | False | | | A reference to the Binary resource which contains the document content.
Bundle.entry.resource.DocumentReference.context | Context | False | | | Context details.
Bundle.entry.resource.DocumentReference.context.related | Related | False | Yes | | The associated encounter.
Bundle.entry.resource.DocumentReference.context.related.identifier | Identifier | False | | | The associated encounter's Epic CSN identifier.
Bundle.entry.resource.DocumentReference.created | String | False | | | Document creation time. This element is not populated in February 2019 and later versions of Epic. In February 2019 and later, use the Indexed element instead.
Bundle.entry.resource.DocumentReference.indexed | String | False | | | When this document reference was created.
Bundle.entry.resource.DocumentReference.masterIdentifier | Identifier | False | | | The associated encounter's Epic CSN identifier.
Bundle.entry.resource.DocumentReference.status | String | False | | | Current, superseded, or entered-in-error.
Bundle.entry.resource.DocumentReference.subject | Reference | False | | | Who/what is the subject of the document.
Bundle.entry.resource.DocumentReference.type | CodeableConcept | False | | | Categorization of document.
Bundle.total | Int32 | True | | | Total resources that match the search criteria.
Bundle.type | String | False | | | The resource type returned. Always "searchset".

Sample request

```
http://hostname/instance/api/FHIR/DSTU2/DocumentReference?patient=TH0aGuOHJzYi6XCyLOX.PAnk1pctsHTBxZ9g9hP8FIDEB
```

Sample response

```
<Bundle xmlns="http://hl7.org/fhir">
  <type value="searchset"/>
  <total value="7"/>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/DocumentReference?patient=TH0aGuOHJzYi6XCyLOX.PAnk1pctsHTBxZ9g9
    hP8FIDEB"/>
  </link>
  <entry>
    <search>
      <mode value="match"/>
    </search>
    <link>
      <relation value="self"/>
      <url value="https://hostname/instance/api/FHIR/DSTU2/DocumentReference/Ta5OjgPrhRxHl8Q5l.wi1gAB"/>
    </link>
    <resource>
      <DocumentReference>
        <created value="2016-02-09T00:00:00"/>
        <indexed value="2016-02-09T00:00:00"/>
        <status value="current"/>
        <id value="Ta5OjgPrhRxHl8Q5l.wi1gAB"/>
        <subject>
          <display value="Jane A. Doe"/>
          <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TVvHM06czXsYBOZYtJiz9BsSuvzmIbZGbIRzim-
    CwknYB"/>
        </subject>
        <class>
          <text value="Summarization of Episode Note"/>
          <coding>
            <system value="2.16.840.1.113883.6.1"/>
            <code value="34133-9"/>
            <display value="Summarization of Episode Note"/>
          </coding>
        </class>
        <type>
          <text value="Summarization of Episode Note"/>
          <coding>
            <system value="2.16.840.1.113883.6.1"/>
            <code value="34133-9"/>
            <display value="Summarization of Episode Note"/>
```

```
        </coding>
      </type>
      <content>
        <attachment>
          <contentType value="application/xml"/>
          <url value="https://hostname/instance/api/FHIR/DSTU2/Binary/Ta5OjgPrhRxHl8Q5l.wi1gAB"/>
        </attachment>
      </content>
      <masterIdentifier>
        <value value="1.2.840.114350.1.13.5552.1.7.8.688883.12952"/>
      </masterIdentifier>
    </DocumentReference>
  </resource>
</entry>
<entry>
  <search>
    <mode value="match"/>
  </search>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/DocumentReference/T9u49oNVw4d3386n0ciWmzwB"/>
  </link>
  <resource>
    <DocumentReference>
      <created value="2016-01-21T00:00:00"/>
      <indexed value="2016-02-09T00:00:00"/>
      <status value="current"/>
      <id value="T9u49oNVw4d3386n0ciWmzwB"/>
      <subject>
        <display value="Jane A. Doe"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TVvHM06czXsYBOZYtJiz9BsSuvzmIbZGbIRzim-
  CwknYB"/>
      </subject>
      <class>
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </class>
      <type>
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </type>
      <content>
        <attachment>
          <contentType value="application/xml"/>
          <url value="https://hostname/instance/api/FHIR/DSTU2/Binary/T9u49oNVw4d3386n0ciWmzwB"/>
        </attachment>
      </content>
      <masterIdentifier>
        <value value="1.2.840.114350.1.13.5552.1.7.8.688883.12953"/>
      </masterIdentifier>
    </DocumentReference>
  </resource>
</entry>
<entry>
  <search>
    <mode value="match"/>
  </search>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/DocumentReference/T8g4DAggB6cm3et-GAjwakgB"/>
  </link>
  <resource>
    <DocumentReference>
      <created value="2016-01-21T00:00:00"/>
      <indexed value="2016-02-09T00:00:00"/>
      <status value="current"/>
      <id value="T8g4DAggB6cm3et-GAjwakgB"/>
      <subject>
        <display value="Jane A. Doe"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TVvHM06czXsYBOZYtJiz9BsSuvzmIbZGbIRzim-
  CwknYB"/>
      </subject>
      <class>
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </class>
      <type>
```

```
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </type>
      <content>
        <attachment>
          <contentType value="application/xml"/>
          <url value="https://hostname/instance/api/FHIR/DSTU2/Binary/T8g4DAggB6cm3et-GAjwakgB"/>
        </attachment>
      </content>
      <masterIdentifier>
        <value value="1.2.840.114350.1.13.5552.1.7.8.688883.12954"/>
      </masterIdentifier>
    </DocumentReference>
  </resource>
</entry>
<entry>
  <search>
    <mode value="match"/>
  </search>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/DocumentReference/TkAO-OpxquDRxXJV6ZBfFpAB"/>
  </link>
  <resource>
    <DocumentReference>
      <created value="2016-01-21T00:00:00"/>
      <indexed value="2016-02-09T00:00:00"/>
      <status value="current"/>
      <id value="TkAO-OpxquDRxXJV6ZBfFpAB"/>
      <subject>
        <display value="Jane A. Doe"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TVvHM06czXsYBOZYtJiz9BsSuvzmIbZGbIRzim-
  CwknYB"/>
      </subject>
      <class>
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </class>
      <type>
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </type>
      <content>
        <attachment>
          <contentType value="application/xml"/>
          <url value="https://hostname/instance/api/FHIR/DSTU2/Binary/TkAO-OpxquDRxXJV6ZBfFpAB"/>
        </attachment>
      </content>
      <masterIdentifier>
        <value value="1.2.840.114350.1.13.5552.1.7.8.688883.12955"/>
      </masterIdentifier>
    </DocumentReference>
  </resource>
</entry>
<entry>
  <search>
    <mode value="match"/>
  </search>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/DocumentReference/TzPdFjPHKYgBkNoj0deplAAB"/>
  </link>
  <resource>
    <DocumentReference>
      <created value="2016-01-20T00:00:00"/>
      <indexed value="2016-02-09T00:00:00"/>
      <status value="current"/>
      <id value="TzPdFjPHKYgBkNoj0deplAAB"/>
      <subject>
        <display value="Jane A. Doe"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TVvHM06czXsYBOZYtJiz9BsSuvzmIbZGbIRzim-
  CwknYB"/>
      </subject>
      <class>
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
```

```
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </class>
      <type>
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </type>
      <content>
        <attachment>
          <contentType value="application/xml"/>
          <url value="https://hostname/instance/api/FHIR/DSTU2/Binary/TzPdFjPHKYgBkNoj0deplAAB"/>
        </attachment>
      </content>
      <masterIdentifier>
        <value value="1.2.840.114350.1.13.5552.1.7.8.688883.12956"/>
      </masterIdentifier>
    </DocumentReference>
  </resource>
</entry>
<entry>
  <search>
    <mode value="match"/>
  </search>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/DocumentReference/Tfroo55sA-X4fWtVVArRuPwB"/>
  </link>
  <resource>
    <DocumentReference>
      <created value="2016-01-20T00:00:00"/>
      <indexed value="2016-02-09T00:00:00"/>
      <status value="current"/>
      <id value="Tfroo55sA-X4fWtVVArRuPwB"/>
      <subject>
        <display value="Jane A. Doe"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TVvHM06czXsYBOZYtJiz9BsSuvzmIbZGbIRzim-
  CwknYB"/>
      </subject>
      <class>
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </class>
      <type>
        <text value="Subsequent evaluation note"/>
        <coding>
          <system value="2.16.840.1.113883.6.1"/>
          <code value="11506-3"/>
          <display value="Subsequent evaluation note"/>
        </coding>
      </type>
      <content>
        <attachment>
          <contentType value="application/xml"/>
          <url value="https://hostname/instance/api/FHIR/DSTU2/Binary/Tfroo55sA-X4fWtVVArRuPwB"/>
        </attachment>
      </content>
      <masterIdentifier>
        <value value="1.2.840.114350.1.13.5552.1.7.8.688883.12957"/>
      </masterIdentifier>
    </DocumentReference>
  </resource>
</entry>
<entry>
  <search>
    <mode value="match"/>
  </search>
  <link>
    <relation value="self"/>
    <url value="https://hostname/instance/api/FHIR/DSTU2/DocumentReference/T606oB-jEP2YYrWylcZXewgB"/>
  </link>
  <resource>
    <DocumentReference>
      <created value="2016-01-20T00:00:00"/>
      <indexed value="2016-02-09T00:00:00"/>
      <status value="current"/>
      <id value="T606oB-jEP2YYrWylcZXewgB"/>
      <subject>
        <display value="Jane A. Doe"/>
        <reference value="https://hostname/instance/api/FHIR/DSTU2/Patient/TVvHM06czXsYBOZYtJiz9BsSuvzmIbZGbIRzim-
  CwknYB"/>
```

```
        </subject>
        <class>
          <text value="Subsequent evaluation note"/>
          <coding>
            <system value="2.16.840.1.113883.6.1"/>
            <code value="11506-3"/>
            <display value="Subsequent evaluation note"/>
          </coding>
        </class>
        <type>
          <text value="Subsequent evaluation note"/>
          <coding>
            <system value="2.16.840.1.113883.6.1"/>
            <code value="11506-3"/>
            <display value="Subsequent evaluation note"/>
          </coding>
        </type>
        <content>
          <attachment>
            <contentType value="application/xml"/>
            <url value="https://hostname/instance/api/FHIR/DSTU2/Binary/T606oB-jEP2YYrWylcZXewgB"/>
          </attachment>
        </content>
        <masterIdentifier>
          <value value="1.2.840.114350.1.13.5552.1.7.8.688883.12958"/>
        </masterIdentifier>
      </DocumentReference>
    </resource>
  </entry>
</Bundle>
```

Change log

Epic Version | Description | Type
May 2024 | Patient summary CCDAs now respect Care Everywhere filtering and may exclude sensitive encounters previously available. | Breaking change
November 2025 | DocumentReference.Search (DSTU2) – Results Not Returned Unless Class Parameter Set | Breaking change

23.4 Infrastructure Documents & Lists: Non-FHIR

File: site/apis/23-Infrastructure-Documents-Lists/4-Non-FHIR/index.html

* GetScanSignatureContext
* UpdateScanSignatures2

23.4.1 GetScanSignatureContext

File: site/apis/23-Infrastructure-Documents-Lists/4-Non-FHIR/10529-GetScanSignatureContext.html
Epic API ID | 10529
FHIR version | Non-FHIR
Categories | Infrastructure Documents & Lists
API type | Epic Public
API group | Document and Image Management Group
USCDI | No
HTTP method | POST
URL template | /api/epic/2023/Access/Provider/GetScanSignatureContext
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10529

Description

See Scan Signature Deficiencies on open.epic for further documentation on this resource.

This web service returns the complete list of patient encounters that are related to the given encounter for scan signature purposes. This service can also be used to find all the documents a provider has to sign in each encounter so the provider can work on them all at once.

Vendors should call this service to get the full list of patient CSNs for which to display documents and signature requirements. This service will search for patient encounters linked to the episode of the CSN and documents with outstanding signature requirements. Outstanding in this case means a provider hasn't completed the document’s signature requirement.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
PatientCSN | String | False | | | The patient's contact serial number. This is one of the encounters in the deficiency episode containing the analyzed documents. This is the same value as the %CSN% mnemonic that can be set in the launch context.
ScanSigProvID | String | False | | | The launching provider ID. If provided, this web service will look up documents that have outstanding signature requirements in Epic for this provider. This is the same value as the %SCANSIGPROVID% mnemonic that can be set in the launch context.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Documents | ExternalDocument2 | True | Yes | | Array of documents for which the provider has outstanding scan signature deficiencies.
Documents.ExternalDocumentID | String | True | | | The document ID that has an outstanding signature requirement for the provider.
Documents.OriginalProviderID | String | True | | | Provider who was originally assigned to sign this document.
EpisodeEncounters | String | False | | | An array of patient encounter CSNs. This is the full list of CSNs for which the external application should display document information.

Errors

Code | Severity | Description | Example
NO-PROVIDER-FOUND | None | | Could not find a matching provider record.
NO-PATIENT-CSN | None | | Patient CSN is required but not provided.
NO-PATIENT-CSN-FOUND | None | | No patient encounter found with the provided CSN.
AUTHORIZATION-FAILED | None | | The user that authorized the access token is invalid or does not have security to perform this action.

Sample request

```
{
  "PatientCSN": "10005436454",
  "ScanSigProvID": "7787"
}
```

Sample response

```
{
  "EpisodeEncounters": [
    "10000202555",
    "10000049655"
  ],
  "Documents": [
    {
      "ExternalDocumentID": "External Scan 8",
      "OriginalProviderID": "7787"
    }
  ]
}
```

23.4.2 UpdateScanSignatures2

File: site/apis/23-Infrastructure-Documents-Lists/4-Non-FHIR/10528-UpdateScanSignatures2.html
Epic API ID | 10528
FHIR version | Non-FHIR
Categories | Infrastructure Documents & Lists
API type | Epic Public
API group | Document and Image Management Group
USCDI | No
HTTP method | POST
URL template | /api/epic/2023/Access/Provider/UpdateScanSignatures2
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10528

Description

See Scan Signature Deficiencies on open.epic for further documentation on this resource.

This web service updates signature statuses for documents in an external document management system (DMS) along with the Epic scan signature deficiencies associated with those documents.

An external DMS can add requirements for providers to electronically sign scanned documents. These signatures are added, removed, and signed in the DMS. In Epic, we use scan signature deficiencies to mark that providers still have documents to sign in the chart. In this context, we're working in a single patient contact which might have one or more documents associated with one or more providers that need to sign off on a document.

After the DMS is done updating signature requirements for all documents on an encounter, it should call into this web service to 1) update the external document records with the new signature statuses and 2) update the scan signature deficiencies associated with those documents.

This service will attempt to update as much of the given documents as it can. One document running into an error will not prevent the other documents from updating.

If there is an existing DFI for the signature:

* If the new signature status is "Incomplete":

* Revert to the first status if the deficiency was completed.

* Undecline the deficiency if it was declined.

* If the new signature status is "Complete":

* Advances the status of the deficiency

* If the new signature status is "Decline":

* Decline the deficiency

If there isn't an existing DFI for the signature:

* If the new signature is "Complete", don't do anything.

* If the new signature is "Incomplete", create a new signature deficiency.

* If the new signature is "Declined", create a new signature deficiency and then immediately decline it.

Providers do not need security to update deficiencies that are currently assigned to them. Analysts will need View Deficiency and Edit Deficiency to create new deficiencies.

Request parameters

Name | Type | Optional | Array | Cardinality | Description

Documents | ScanSigDocumentRequest2 | False | Yes | | Array of scanned documents whose signature statuses should be updated in Epic. Up to 100 documents may be sent at a time for updates.

Documents.ExternalDocumentID | String | False | | | Document ID in the DMS whose scan signature status is being updated. This should be formatted as it is stored in the DMS.

Documents.Providers | ScanSigProvider2 | False | Yes | | Array of providers that have signature statuses for this document. If no providers are given, all existing scan signature statuses on this document will be cleared. Up to 50 providers may be sent at a time.

Documents.Providers.ScanSigProvID | String | False | | | The provider that has a signature status for a document.

Documents.Providers.SignatureStatus | Int32 | False | | | Status of this provider's signature on the parent document. In the case of multiple signature requirements, a status of incomplete should be returned if at least one signature is incomplete. After that a status of declined should be returned if at least one signature is declined. This can be one of three values: Incomplete. The provider will receive a notification that they have an outstanding scan signature task in Epic. Complete. The signature task for this provider has been resolved in Epic and it will fall off the provider’s and analysts’ task lists. Declined. The signature task is removed from the provider’s task list but remains open for an analyst to review. The analyst will later launch scan analysis to correct the signature requirement.

UserID | IDType | True | | | Epic user that is updating the scan signature deficiencies. The Type property determines the format of ID and defaults to "Internal". This element is not used if the application is set up for user-level access. In that case the authorizing user on the access token is used as the user performing the signature updates. This parameter is required when this API is called from a backend system context.

UserID.ID | String | False | | | The identifier for this resource.

UserID.Type | String | False | | | The type of identifier.

Response elements

Name | Type | Optional | Array | Cardinality | Description

DocumentErrors | DocumentError | True | Yes | | A list of errors that occurred while processing this request. If a document is included here, it was not updated in Epic.

DocumentErrors.Description | String | False | | | The fault description for the error.

DocumentErrors.ErrorCode | String | False | | | The fault code that describes the error.

Errors

Code | Severity | Description | Example

NO-DOCUMENTS | None | | Documents are required but none are provided.

TOO-MANY-DOCUMENTS | None | | Only 100 documents may be updated at a time through this web service call.

TOO-MANY-PROVIDERS | None | | Only 50 providers may be assigned to a given document through this web service call.

SIGNATURE-UPDATE-DISABLED | None | | The system has been configured to disable updates to Scan Signature deficiencies.

NO-PATIENT-ID | None | | Patient ID is required but not provided in document.

NO-PATIENT-FOUND | None | | No patient found with the provided ID and ID type in document.

NO-PROVIDER-ID | None | | Provider ID is required but not provided.

NO-PROVIDER-FOUND | None | | No provider found with the provided ID and ID type in document.

INVALID-SIGNATURE-STATUS | None | | One or more providers either did not have a valid signature status between 1 and 3.

NO-DOCUMENT-ID | None | | Document ID is required but not provided.

NO-DOCUMENT-FOUND | None | | No document found with the given document ID.

DOCUMENT-NOT-ATTACHED-TO-PATIENT | None | | Document is not linked to a patient.

DOCUMENT-NOT-ATTACHED-TO-ENCOUNTER | None | | Document is not linked to an encounter.

INVALID-SECURITY | None | | User does not have security to edit deficiencies in this encounter.

INVALID-ENCOUNTER | None | | Deficiencies cannot be created in this encounter. SDF 15215 lists encounter types that the user can't create new scan signature deficiencies on.

CLOSED-ENCOUNTER | None | | Deficiencies cannot be created on closed encounters. This check can be skipped by setting SDF 15216.

AUTHORIZATION-FAILED | None | | The user who authorized the access token is invalid or does not have security to perform the requested action.

| None

Sample request

```
{
  "Documents": [
    {
      "ExternalDocumentID": "External Scan 2",
      "Providers": [
        {
          "SignatureStatus": "1",
```

```
          "ScanSigProvID": "FirstResponsibleSER"
        }
      ]
    },
    {
      "ExternalDocumentID": "External Scan 5",
      "Providers": [
        {
          "SignatureStatus": "1",
          "ScanSigProvID": "FirstResponsibleSER"
        }
      ]
    }
  ],
  "UserID": {
    "ID": "AdminUserEmp",
    "Type": "External"
  }
}
```

Sample response

```
{
  "DocumentErrors": [
    {
      "ErrorCode": "NO-DOCUMENT-FOUND",
      "Description": "Error in Documents[1]. External Document \"SomeInvalidDocumentID\" not found."
    }
  ]
}
```