Epic-FHIR — API category: Labs (sections 26 – 26.2.2)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

26 API category: Labs

File: site/apis/26-Labs/index.html

R4 (4)

API | Method | URL template | Type
Observation.Read (Labs) (R4) (described under Clinical Diagnostics) | GET | /api/FHIR/R4/Observation/{ID} | USCDI
Observation.Search (Labs) (R4) (described under Clinical Diagnostics) | GET | api/FHIR/R4/Observation?patient={patient}&subject={subject}&category={category}&code={code}&date={date} | USCDI
Specimen.Read (Patient Chart) (R4) | GET | /api/FHIR/R4/Specimen/{ID} | USCDI
Specimen.Search (Patient Chart) (R4) | GET | /api/FHIR/R4/Specimen?_id={_id} | USCDI

STU3 (5)

API | Method | URL template | Type
Observation.$lastn (Labs) (STU3) (described under Clinical Diagnostics) | GET | /api/FHIR/STU3/Observation/$lastn?patient={patient}&category={category}&max={max}&subject={subject} | Industry-Standard
Observation.Read (Labs) (STU3) (described under Clinical Diagnostics) | GET | api/FHIR/STU3/Observation/{ID} | USCDI
Observation.Search (Labs) (STU3) (described under Clinical Diagnostics) | GET | api/FHIR/STU3/Observation?patient={patient}&subject={subject}&category={category}&code={code}&date={date} | USCDI
Specimen.Read (STU3) | GET | /api/FHIR/STU3/Specimen/{ID} | USCDI
Specimen.Search (STU3) | GET | /api/FHIR/STU3/Specimen?_id={_id} | USCDI

DSTU2 (2)

API | Method | URL template | Type
Observation.Read (Labs) (DSTU2) (described under Clinical Diagnostics) | GET | api/FHIR/DSTU2/Observation/{ID} | USCDI
Observation.Search (Labs) (DSTU2) (described under Clinical Diagnostics) | GET | api/FHIR/DSTU2/Observation?code={code}&date={date}&patient={patient}&subject={subject}&category={category} | USCDI

26.1 Labs: R4

File: site/apis/26-Labs/1-R4/index.html

* Specimen.Read (Patient Chart) (R4)
* Specimen.Search (Patient Chart) (R4)

26.1.1 Specimen.Read (Patient Chart) (R4)

File: site/apis/26-Labs/1-R4/10014-Specimen-Read-Patient-Chart-R4.html
Epic API ID | 10014
FHIR version | R4
Categories | Labs
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/Specimen/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10014

Description

The Specimen resource returns information about specimens used in diagnostic testing.

Specimen references can be returned in Observation (Labs) and ServiceRequest (Orders) responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The Specimen FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description

Specimen (R4) | Specimen | | | | A single Specimen resource.

Specimen (R4).collection | BackboneElement | | | 0..1 | Collection details for the specimen.

Specimen (R4).collection.bodySite | CodeableConcept | | | 0..1 | The codes describing the anatomical collection site from which the specimen was collected (for example, a lung). For organizations in the Netherlands, this element can also include laterality.

Specimen (R4).collection.collectedDateTime | dateTime | | | 0..1 | The date and time of collection, if available.

Specimen (R4).collection.collector | Reference | | | 0..1 | Who collected the specimen. This is either a reference to a Practitioner resource or a display-only text value, depending on the data source.

Specimen (R4).collection.extension (bodySite.laterality) (also: extension (bodySite.laterality)) | Extension | | Yes | 0..* | The laterality related to the anatomical collection site in the bodySite element (for example, indicating which lung a specimen was collected from). Available only for organizations in the Netherlands. URL: http://nictiz.nl/fhir/StructureDefinition/BodySite-Qualifier

Specimen (R4).collection.method | CodeableConcept | | | 0..1 | The method used to collect the specimen, such as venipuncture or capillary.

Specimen (R4).collection.quantity | Quantity | | | 0..1 | Total collection volume. UCUM units are returned with a system value of "http://unitsofmeasure.org/".

Specimen (R4).condition | CodeableConcept | | Yes | 0..* | The condition of the specimen, such as whether it was marked as frozen or flagged for quality issues like hemolysis, clotting, or damage. Specimens marked as frozen are returned with a code of "FROZ" and a coding system of "http://terminology.hl7.org/CodeSystem/v2-0493". Additional conditions are mapped from customer-configured external data mappings to standard code systems such as HL7 v2-0493 and SNOMED CT. When a condition value has one or more configured mappings, the raw value and each mapped concept are returned as separate codings within the same condition element. Conditions with no configured mapping are returned with an Epic-proprietary code system.

Specimen (R4).id | id | | | 1..1 | The Specimen FHIR ID.

Specimen (R4).identifier | Identifier | | Yes | 0..* | Identifiers for the specimen.

Specimen (R4).note | Annotation | | Yes | 0..* | Specimen comments.

Specimen (R4).receivedTime | dateTime | | | 0..1 | The date and time when the specimen was received for processing.

Specimen (R4).subject | Reference | | | 1..1 | Where the specimen came from. This returns a reference to the Patient resource the Specimen is from.

Specimen (R4).type | CodeableConcept | | | 0..* | The material type that forms the specimen.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Specimen/eLQ-LSNFnZCihE-yDLObNtYfYUwjv6jd6Rdi.u0eOzpE3
```

Sample response


```
{
  "resourceType": "Specimen",
  "id": "eLQ-LSNFnZCihE-yDLObNtYfYUwjv6jd6Rdi.u0eOzpE3",
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.798268.320",
      "value": "DDK202106031302A",
      "assigner": {
        "display": "APPID"
      }
    },
    {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.798268.850",
      "value": "ALB850Test",
      "assigner": {
        "display": "ALB850TestAPP"
      }
    },
    {
      "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.798268.800",
      "value": "ALB800"
    }
  ],
  "type": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.798268.300",
        "code": "77",
        "display": "Blood"
      },
      {
        "system": "http: //snomed.info/sct",
        "code": "87612001",
        "display": "Blood (substance)"
      }
    ],
    "text": "Blood"
  },
  "subject": {
    "reference": "Patient/euSQz8YANFZGxDfb0fSoyQQ3",
    "display": "TestPat, Zach"
  },
  "receivedTime": "2021-06-14T13:30:00Z",
  "collection": {
    "collectedDateTime": "2021-04-21T15:20:00Z",
    "quantity": {
      "value": 101,
      "unit": "mL",
      "system": "http://unitsofmeasure.org"
```

```
    },
    "method": {
      "coding": [
        {
          "system": http: //snomed.info/sct,
          "code": "22778000",
          "display": "Venipuncture (procedure)"
        }
      ],
      "text": "Venipuncture"
    },
    "bodySite": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "182280003",
          "display": "Arm NEC (body structure)"
        },
        {
          "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.798268.325",
          "code": "44",
          "display": "Arm, Right"
        }
      ],
      "text": "Arm, Right"
    }
  },
  "note": [
    {
      "text": "Inside elbow"
    }
  ]
}
```

26.1.2 Specimen.Search (Patient Chart) (R4)

File: site/apis/26-Labs/1-R4/10015-Specimen-Search-Patient-Chart-R4.html
Epic API ID | 10015
FHIR version | R4
Categories | Labs
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/Specimen?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10015

Description

The Specimen resource returns information about specimens used in diagnostic testing.

This API currently supports only the _id search parameter. As a result, it functions similarly to Specimen.Read (R4). Specimen references can be returned in Observation (Labs) and ServiceRequest (Orders) responses.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Specimen (R4) | Specimen | | | | A single Specimen resource.
Specimen (R4).collection | BackboneElement | | | 0..1 | Collection details for the specimen.
Specimen (R4).collection.bodySite | CodeableConcept | | | 0..1 | The codes describing the anatomical collection site from which the specimen was collected (for example, a lung). For organizations in the Netherlands, this element can also include laterality.
Specimen (R4).collection.collectedDateTime | dateTime | | | 0..1 | The date and time of collection, if available.
Specimen (R4).collection.collector | Reference | | | 0..1 | Who collected the specimen. This is either a reference to a Practitioner resource or a display-only text value, depending on the data source.

Specimen (R4).collection.extension (bodySite.laterality) (also: extension (bodySite.laterality)) | Extension | | Yes | 0..* | The laterality related to the anatomical collection site in the bodySite element (for example, indicating which lung a specimen was collected from). Available only for organizations in the Netherlands. URL: http://nictiz.nl/fhir/StructureDefinition/BodySite-Qualifier

Specimen (R4).collection.method | CodeableConcept | | | 0..1 | The method used to collect the specimen, such as venipuncture or capillary.

Specimen (R4).collection.quantity | Quantity | | | 0..1 | Total collection volume. UCUM units are returned with a system value of "http://unitsofmeasure.org/".

Specimen (R4).condition | CodeableConcept | | Yes | 0..* | The condition of the specimen, such as whether it was marked as frozen or flagged for quality issues like hemolysis, clotting, or damage. Specimens marked as frozen are returned with a code of "FROZ" and a coding system of "http://terminology.hl7.org/CodeSystem/v2-0493". Additional conditions are mapped from customer-configured external data mappings to standard code systems such as HL7 v2-0493 and SNOMED CT. When a condition value has one or more configured mappings, the raw value and each mapped concept are returned as separate codings within the same condition element. Conditions with no configured mapping are returned with an Epic-proprietary code system.

Specimen (R4).id | id | | | 1..1 | The Specimen FHIR ID.

Specimen (R4).identifier | Identifier | | Yes | 0..* | Identifiers for the specimen.

Specimen (R4).note | Annotation | | Yes | 0..* | Specimen comments.

Specimen (R4).receivedTime | dateTime | | | 0..1 | The date and time when the specimen was received for processing.

Specimen (R4).subject | Reference | | | 1..1 | Where the specimen came from. This returns a reference to the Patient resource the Specimen is from.

Specimen (R4).type | CodeableConcept | | | 0..* | The material type that forms the specimen.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/Specimen?_id=eLQ-LSNFnZCihE-yDLObNtYfYUwjv6jd6Rdi.u0eOzpE3
```

Sample response


```
{
    "resourceType": "Specimen",
    "id": "eLQ-LSNFnZCihE-yDLObNtYfYUwjv6jd6Rdi.u0eOzpE3",
    "identifier": [
        {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.798268.320",
            "value": "DDK202106031302A",
            "assigner": {
                "display": "APPID"
            }
        },
        {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.798268.850",
            "value": "ALB850Test",
            "assigner": {
                "display": "ALB850TestAPP"
            }
        },
        {
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.3.798268.800",
            "value": "ALB800"
        }
    ],
    "type": {
        "coding": [
            {
                "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.798268.300",
                "code": "77",
                "display": "Blood"
            },
            {
                "system": http://snomed.info/sct,
                "code": "87612001",
                "display": "Blood (substance)"
            }
        ],
        "text": "Blood"
    },
    "subject": {
        "reference": "Patient/euSQz8YANFZGxDfb0fSoyQQ3",
        "display": "TestPat, Zach"
    },
    "receivedTime": "2021-06-14T13:30:00Z",
    "collection": {
        "collectedDateTime": "2021-04-21T15:20:00Z",
        "quantity": {
            "value": 101,
            "unit": "mL",
            "system": http://unitsofmeasure.org
        },
        "method": {
            "coding": [
                {
                    "system": http://snomed.info/sct,
                    "code": "22778000",
                    "display": "Venipuncture (procedure)"
                }
            ],
            "text": "Venipuncture"
        },
```

```
        "bodySite": {
            "coding": [
                {
                    "system": http://snomed.info/sct,
                    "code": "182280003",
                    "display": "Arm NEC (body structure)"
                },
                {
                    "system": "urn:oid:1.2.840.114350.1.13.861.1.7.4.798268.325",
                    "code": "44",
                    "display": "Arm, Right"
                }
            ],
            "text": "Arm, Right"
        }
    },
    "note": [
        {
            "text": "Inside elbow"
        }
    ]
}
```


26.2 Labs: STU3

File: site/apis/26-Labs/2-STU3/index.html

* Specimen.Read (STU3)
* Specimen.Search (STU3)

26.2.1 Specimen.Read (STU3)

File: site/apis/26-Labs/2-STU3/10207-Specimen-Read-STU3.html
Epic API ID | 10207
FHIR version | STU3
Categories | Labs
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Specimen/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10207

Description

The Specimen resource returns information about specimens used in diagnostic testing.

This resource returns data only for specimen information stored in patient records. It cannot be used to return specimen information stored in requisition grouper records.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | String | False | | | The specimen's FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Specimen | Specimen | False
Specimen.collection | Collection | True | | | Collection details.
Specimen.collection.bodySite | CodeableConcept | True | | | The codes describing the anatomical collection site from which the specimen was collected (for example, a lung). For organizations in the Netherlands, this element can also include laterality.
Specimen.collection.extension (also: bodySite.laterality) | Extension | True | Yes | | The laterality related to the anatomical collection site in the bodySite element (for example, indicating which lung a specimen was collected from). Available only for organizations in the Netherlands.
Specimen.collection.collectedDateTime | String | True | | | Instant derived from the date and time of collection. When there is no date, this item returns null.
Specimen.collection.collector | Reference | True | | | Who collected the specimen. Reference to a Practitioner resource.
Specimen.collection.method | CodeableConcept | True | | | The method used to collect the specimen (for example, venipuncture).
Specimen.collection.quantity | Quantity | True | | | Total collection volume.
Specimen.id | String | False | | | The specimen's FHIR ID.
Specimen.identifier | Identifier | True | Yes | | External identifier for the specimen.
Specimen.meta | Meta | True | | | The document metadata.
Specimen.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-LaboratoryTestResult-Specimen

Specimen.note | Annotation | True | Yes | | Specimen comments.
Specimen.processing | Processing | False | Yes | | Processing and processing step details.
Specimen.receivedTime | String | True | | | The time when the specimen was received for processing.
Specimen.subject | Reference | False | | | Where the specimen information came from. Reference to the Patient resource.
Specimen.type | CodeableConcept | True | | | Kind of material that forms the specimen.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Specimen/e3qQK7OF1zjIKwWe6wLTldQIo.oLPgXm.JcjXab-imM43
```

Sample response


```
{
  "resourceType": "Specimen",
  "id": "e3qQK7OF1zjIKwWe6wLTldQIo.oLPgXm.JcjXab-imM43",
  "identifier": [
    {
      "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.798268.320",
      "value": "TVM1873801201",
      "assigner": {
        "display": "784512001"
      }
    }
  ],
  "type": {
    "coding": [
      {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.798268.300",
        "code": "77",
        "display": "Blood"
      },
      {
        "system": "http://snomed.info/sct",
        "code": "87612001",
        "display": "Blood (substance)"
      }
    ],
    "text": "Blood"
  },
  "subject": {
    "reference": "https://hostname/instance/api/FHIR/STU3/Patient/e3E2Rkizy.WmzItzk1PbZAQ3",
    "display": "Marshall, Fhir One"
  },
  "receivedTime": "2021-08-19T16:44:55Z",
  "collection": {
    "collectedDateTime": "2021-08-19T12:25:00Z",
    "quantity": {
      "value": 65,
      "unit": "mL",
      "system": "http://unitsofmeasure.org"
    },
    "method": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "28520004",
          "display": "Venipuncture for blood test (procedure)"
        }
      ],
      "text": "Venipuncture"
    },
    "bodySite": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "368208006",
          "display": "Left upper arm structure (body structure)"
        },
        {
          "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.798268.325",
          "code": "43",
          "display": "Arm, Left"
        }
      ],
      "text": "Arm, Left"
    }
  },
  "note": [
    {
      "text": "Specimen Comments."
    }
  ]
}
```


26.2.2 Specimen.Search (STU3)

File: site/apis/26-Labs/2-STU3/10210-Specimen-Search-STU3.html
Epic API ID | 10210
FHIR version | STU3
Categories | Labs
API type | USCDI
A la carte | Industry-Standard Level 1 API
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/STU3/Specimen?_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10210

Description

The Specimen resource returns information about specimens used in diagnostic testing.

This API currently supports only the _id search parameter. As a result, it functions similarly to Specimen.Read (STU3).

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | Entry | False | Yes | | A single entry in the resource bundle.
Bundle.entry.resource | ResourceContainer | False | | | A single resource returned as part of this bundle.
Bundle.entry.resource.Specimen | Specimen | False
Bundle.entry.resource.Specimen.collection | Collection | True | | | Collection details.
Bundle.entry.resource.Specimen.collection.bodySite | CodeableConcept | True | | | The codes describing the anatomical collection site from which the specimen was collected (for example, a lung). For organizations in the Netherlands, this element can also include laterality.
Bundle.entry.resource.Specimen.collection.extension (also: bodySite.laterality) | Extension | True | Yes | | The laterality related to the anatomical collection site in the bodySite element (for example, indicating which lung a specimen was collected from). Available only for organizations in the Netherlands.
Bundle.entry.resource.Specimen.collection.collectedDateTime | String | True | | | Instant derived from the date and time of collection. When there is no date, this item returns null.
Bundle.entry.resource.Specimen.collection.collector | Reference | True | | | Who collected the specimen. Reference to a Practitioner resource.
Bundle.entry.resource.Specimen.collection.method | CodeableConcept | True | | | The method used to collect the specimen (for example, venipuncture).
Bundle.entry.resource.Specimen.collection.quantity | Quantity | True | | | Total collection volume.
Bundle.entry.resource.Specimen.id | String | False | | | The Specimen FHIR ID.
Bundle.entry.resource.Specimen.identifier | Identifier | True | Yes | | External identifier for the specimen.
Bundle.entry.resource.Specimen.meta | Meta | True | | | The document metadata.
Bundle.entry.resource.Specimen.meta.profile | String | True | | | Available in Netherlands environments only. This environment shows that this API conforms to the profile connected to the following canonical url: http://nictiz.nl/fhir/StructureDefinition/zib-LaboratoryTestResult-Specimen
Bundle.entry.resource.Specimen.note | Annotation | True | Yes | | Specimen comments.
Bundle.entry.resource.Specimen.processing | Processing | True | Yes | | Processing and processing step details.
Bundle.entry.resource.Specimen.receivedTime | String | True | | | The time when the specimen was received for processing.
Bundle.entry.resource.Specimen.subject | Reference | False | | | Where the specimen information came from. Reference to the Patient resource.
Bundle.entry.resource.Specimen.type | CodeableConcept | True | | | Kind of material that forms the specimen.

Sample request

```
https://hostname/instance/api/FHIR/STU3/Specimen?_id=e3qQK7OF1zjIKwWe6wLTldQIo.oLPgXm.JcjXab-imM43
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/STU3/Specimen?_id=e3qQK7OF1zjIKwWe6wLTldQIo.oLPgXm.JcjXab-imM43"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/STU3/Specimen/e3qQK7OF1zjIKwWe6wLTldQIo.oLPgXm.JcjXab-imM43"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/STU3/Specimen/e3qQK7OF1zjIKwWe6wLTldQIo.oLPgXm.JcjXab-imM43",
      "resource": {
        "resourceType": "Specimen",
        "id": "e3qQK7OF1zjIKwWe6wLTldQIo.oLPgXm.JcjXab-imM43",
```

```
        "identifier": [
          {
            "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.3.798268.320",
            "value": "TVM1873801201",
            "assigner": {
              "display": "784512001"
            }
          }
        ],
        "type": {
          "coding": [
            {
              "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.798268.300",
              "code": "77",
              "display": "Blood"
            },
            {
              "system": "http://snomed.info/sct",
              "code": "87612001",
              "display": "Blood (substance)"
            }
          ],
          "text": "Blood"
        },
        "subject": {
          "reference": "https://hostname/instance/api/FHIR/STU3/Patient/e3E2Rkizy.WmzItzk1PbZAQ3",
          "display": "Marshall, Fhir One"
        },
        "receivedTime": "2021-08-19T16:44:55Z",
        "collection": {
          "collectedDateTime": "2021-08-19T12:25:00Z",
          "quantity": {
            "value": 65,
            "unit": "mL",
            "system": "http://unitsofmeasure.org"
          },
          "method": {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "28520004",
                "display": "Venipuncture for blood test (procedure)"
              }
            ],
            "text": "Venipuncture"
          },
          "bodySite": {
            "coding": [
              {
                "system": "http://snomed.info/sct",
                "code": "368208006",
                "display": "Left upper arm structure (body structure)"
              },
              {
                "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.4.798268.325",
                "code": "43",
                "display": "Arm, Left"
              }
            ],
            "text": "Arm, Left"
          }
        },
        "note": [
          {
            "text": "Specimen Comments."
          }
        ]
      },
      "search": {
        "mode": "match"
      }
    }
  ]
}
```