Epic-FHIR — API category: Managed Care (sections 27 – 27.1.2)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

27 API category: Managed Care

File: site/apis/27-Managed-Care/index.html

R4 (3)

API | Method | URL template | Type
Claim.Read (Prior Auth) (R4) (described under Billing Workflow) | GET | /api/FHIR/R4/Claim/{ID} | Industry-Standard
ExplanationOfBenefit.Read (Prior Auth) (R4) | GET | /api/FHIR/R4/ExplanationOfBenefit/{ID} | USCDI
ExplanationOfBenefit.Search (Prior Auth) (R4) | GET | /api/FHIR/R4/ExplanationOfBenefit?created={created}&patient={patient}&use={use}&_id={_id} | USCDI

27.1 Managed Care: R4

File: site/apis/27-Managed-Care/1-R4/index.html

* ExplanationOfBenefit.Read (Prior Auth) (R4)
* ExplanationOfBenefit.Search (Prior Auth) (R4)

27.1.1 ExplanationOfBenefit.Read (Prior Auth) (R4)

File: site/apis/27-Managed-Care/1-R4/11039-ExplanationOfBenefit-Read-Prior-Auth-R4.html
Epic API ID | 11039
FHIR version | R4
Categories | Managed Care
API type | USCDI
A la carte | Industry-Standard Level 3 API
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/ExplanationOfBenefit/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=11039

Description

Use this API to retrieve a specific ExplanationOfBenefit (Prior Auth) resource. This resource represents medical benefit prior authorization information, including requests for services or bed day authorizations submitted for a patient.

The data returned includes prior authorization requests processed directly by the organization as well as prior authorizations received from external payers through payer data exchange workflows.

Data loaded from other FHIR servers is returned in the format the organization received it. Because of this, the documentation below does not apply to these loaded resources. These resources can include any elements from the FHIR specification and can be distinguished from other resources by the presence of meta.tag set to

external-bulk-data

When used as part of the CMS Payer-to-Payer API, only approved prior authorizations are returned. In other interoperability scenarios, both approved and denied prior authorizations can be returned.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | Required | | | The ExplanationOfBenefit FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ExplanationOfBenefit (R4) | ExplanationOfBenefit
ExplanationOfBenefit (R4).careTeam | BackboneElement | | Yes | 0..* | The members of the team who provided the products and services.
ExplanationOfBenefit (R4).careTeam.provider | Reference | | | 1..1 | A reference to a provider or organization associated with the authorization request. This references a PractitionerRole or Organization resource.
ExplanationOfBenefit (R4).careTeam.role | CodeableConcept | | | 0..1 | Function or responsibility of the care team member associated with the prior authorization request, such as ordering or rendering provider.
ExplanationOfBenefit (R4).careTeam.role.coding | Coding | | Yes | 0..1 | Coded representation of the care team member's role.
ExplanationOfBenefit (R4).careTeam.role.coding.code | String | | | 0..1 | The specific role code assigned to the care team member.

ExplanationOfBenefit (R4).careTeam.role.coding.display | String | | | 0..1 | A human-readable description of the role code. This text provides a clear interpretation of the role assigned to the care team member.

ExplanationOfBenefit (R4).careTeam.role.coding.system | String | | | 0..1 | Code system that defines the role codes for care team members. For Prior Authorization items, this is always set to "https://codesystem.x12.org/005010/98".

ExplanationOfBenefit (R4).careTeam.sequence | positiveInt | | | 0..1 | The sequence ID.

ExplanationOfBenefit (R4).created | dateTime | | | 1..1 | Date when the prior authorization (or referral) response was created.

ExplanationOfBenefit (R4).diagnosis | BackboneElement | | Yes | 0..* | Each diagnosis on the authorization (or referral) has an entry.

ExplanationOfBenefit (R4).diagnosis.diagnosisCodeableConcept | CodeableConcept | | | 1..1 | Code set and reference code from the diagnosis.

ExplanationOfBenefit (R4).diagnosis.sequence | positiveInt | | | 0..1 | The sequence ID.

ExplanationOfBenefit (R4).extension (levelOfServiceCode) (also: extension (levelOfServiceCode)) | Extension | | Yes | 0..* | A code specifying the level of service being requested (UM06) URL: http://hl7.org/fhir/us/davinci-pdex/StructureDefinition/extension-levelOfServiceCode

ExplanationOfBenefit (R4).facility | Reference | | | 0..1 | Referred-to place of service.

ExplanationOfBenefit (R4).id | id | | | 1..1 | The Referral FHIR ID.

ExplanationOfBenefit (R4).identifier | Identifier | | Yes | 1..* | The authorization request ID.

ExplanationOfBenefit (R4).insurance | BackboneElement | | Yes | 1..* | Identifies the member's insurance coverage (Coverage resource) that applies to this authorization request.

ExplanationOfBenefit (R4).insurance.coverage | Reference | | | 1..1 | Reference to the Coverage resource representing the member’s insurance coverage for this authorization.

ExplanationOfBenefit (R4).insurance.focal | boolean | Required | | 1..1 | A flag to indicate that this Coverage is to be used for this authorization when set to true.

ExplanationOfBenefit (R4).insurer | Reference | | | 1..1 | Payer for the authorization request (or referral).

ExplanationOfBenefit (R4).item | BackboneElement | | Yes | 0..* | Service lines.

ExplanationOfBenefit (R4).item.adjudication | BackboneElement | | Yes | 0..* | Adjudication results for the service line in the ExplanationOfBenefit (Prior Authorization) sub-resource. Each entry represents a prior authorization decision for the service line, including approved, denied, pending, partially approved, or canceled determinations.

ExplanationOfBenefit (R4).item.adjudication.category | CodeableConcept | | | 1..1 | Category describing what type of adjudication information this entry represents.

ExplanationOfBenefit (R4).item.adjudication.category.coding | Coding | | Yes | 1..1 | Coding that represents the adjudication category for this entry.

ExplanationOfBenefit (R4).item.adjudication.category.coding.code | String | | | 1..1 | Code that identifies the adjudication category for this entry. For Prior Authorization service lines in this sub-resource, this is always set to "denialReason".

ExplanationOfBenefit (R4).item.adjudication.category.coding.system | String | | | 1..1 | Code system that defines the adjudication category codes. This element is always populated with "http://hl7.org/fhir/us/davinci-pdex/CodeSystem/PDexAdjudicationDiscriminator"

ExplanationOfBenefit (R4).item.adjudication.extension | Extension | | Yes | 0..* | Additional detail about the adjudication outcome. In this sub-resource, these extensions carry review information such as the authorization action code and any associated reason codes.

ExplanationOfBenefit (R4).item.adjudication.extension.extension | Extension | | Yes | 0..* | Nested extensions that hold the individual review details, such as the review action code and the reason code. Each nested extension represents one review data element.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.url | uri | | | 1..1 | Identifies the specific review detail represented by this nested extension. Each nested extension uses its own URL to indicate which review field it contains, such as the authorization action code or the reason code associated with the prior authorization decision.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept | CodeableConcept | | | 0..1 | Coded value representing the review detail for this nested extension. In this sub-resource, it is used to carry values like the review action code or the reason code.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept.coding | Coding | | Yes | 0..* | Coding that represents the review detail, such as the authorization action (for example, pending, approved, denied) or a reason code.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept.coding.code | String | | | 0..1 | Code that represents the review action or reason. For example, codes may be used to indicate authorized, denied, pending, or canceled status.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept.coding.display | String | | | | Human-readable description of the review action or reason code.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept.coding.system | String | | | | Code system that defines the adjudication action or reason codes. This system provides standardized terminology used to represent authorization decisions and associated reasons.

ExplanationOfBenefit (R4).item.adjudication.extension.url | uri | | | 1..1 | URL that identifies this as a specific adjudication-related extension, such as the Prior Authorization reviewAction extension.

ExplanationOfBenefit (R4).item.careTeamSequence | positiveInt | | Yes | 0..1 | Applicable care team members.

ExplanationOfBenefit (R4).item.category | CodeableConcept | | | 0..1 | Classification of the authorized service, represented as a CodeableConcept describing the type or category of service being requested or approved.

ExplanationOfBenefit (R4).item.category.coding | Coding | | Yes | 0..1 | A coded representation of the service category, including the coding system, code, and display text describing the service.

ExplanationOfBenefit (R4).item.category.coding.code | String | | | 1..1 | The service type code selected from the X12 service type code system.

ExplanationOfBenefit (R4).item.category.coding.display | String | | | 1..1 | Human-readable description corresponding to the selected service type code.

ExplanationOfBenefit (R4).item.category.coding.system | String | | | 1..1 | Code system that defines the service type codes. For Prior Authorization items, this is always set to "https://x12.org/codes/service-type-codes".

ExplanationOfBenefit (R4).item.diagnosisSequence | positiveInt | | Yes | 0..1 | Diagnosis numbers.

ExplanationOfBenefit (R4).item.extension (authorizedItemDetail) (also: extension (authorizedItemDetail)) | Extension | | Yes | 0..* | The details of what has been authorized if different from what was requested. URL: http://hl7.org/fhir/us/davinci-pas/StructureDefinition/extension-itemAuthorizedDetail

ExplanationOfBenefit (R4).item.extension (itemAuthorizedProvider) (also: extension (itemAuthorizedProvider)) | Extension | | Yes | 0..* | A Practitioner reference to the specific provider who has been authorized to provide this service. URL: http://hl7.org/fhir/us/davinci-pas/StructureDefinition/extension-itemAuthorizedProvider

ExplanationOfBenefit (R4).item.extension (preAuthIssueDate) (also: extension (preAuthIssueDate)) | Extension | | Yes | 0..1 | The date when this item's preauthorization was issued. URL: http://hl7.org/fhir/us/davinci-pas/StructureDefinition/extension-itemPreAuthIssueDate

ExplanationOfBenefit (R4).item.modifier | CodeableConcept | | Yes | 1..* | Modifiers

ExplanationOfBenefit (R4).item.productOrService | CodeableConcept | | | 1..1 | CPT/HCPCS codes

ExplanationOfBenefit (R4).item.quantity | Quantity | | | 1..1 | Quantity

ExplanationOfBenefit (R4).item.revenue | CodeableConcept | | | 1..1 | The revenue code.

ExplanationOfBenefit (R4).item.sequence | positiveInt | | | 0..1 | The sequence ID.

ExplanationOfBenefit (R4).meta | Meta | | | | Metadata about the resource, including information about the origin or source of the data.

ExplanationOfBenefit (R4).meta.tag | Coding | | Yes | | Set to external-bulk-data for resources originally loaded from another FHIR server. If this element is set to external-bulk-data, all other element-level documentation does not apply to the resource. The resource content might vary and can include any elements allowed by the FHIR specification.

ExplanationOfBenefit (R4).outcome | code | | | 1..1 | Outcome of the authorization request (or referral).

ExplanationOfBenefit (R4).patient | Reference | | | 1..1 | The patient associated with the authorization request (or referral).

ExplanationOfBenefit (R4).preAuthRefPeriod | Period | | Yes | 0..1 | The timeframe during which the authorization request can be used on claims for adjudication.

ExplanationOfBenefit (R4).preAuthRefPeriod.end | String | | | 0..1 | Authorization request expiration date.

ExplanationOfBenefit (R4).preAuthRefPeriod.start | String | | | 0..1 | Authorization request start date.

ExplanationOfBenefit (R4).procedure | BackboneElement | | Yes | 0..* | ICD procedures.

ExplanationOfBenefit (R4).provider | Reference | | | 1..1 | Reference to the servicing provider for the authorization request (or referral).

ExplanationOfBenefit (R4).status | code | | | 1..1 | Status of the authorization request.

ExplanationOfBenefit (R4).supportingInfo | BackboneElement | | Yes | 0..* | Additional information submitted by the provider in support of the prior authorization.

ExplanationOfBenefit (R4).supportingInfo.category | CodeableConcept | | | 1..1 | Always set to "http://hl7.org/fhir/us/davinci-pas/CodeSystem/PASTempCodes". Identifies the classification of the prior authorization supporting information using the PAS temporary codes CodeSystem.

ExplanationOfBenefit (R4).supportingInfo.sequence | positiveInt | | | 1..1 | Sequence identifier for a single note, document, or QuestionnaireResponse FHIR sub-resource that provides supporting information for the authorization.

ExplanationOfBenefit (R4).supportingInfo.valueReference | Reference | | | 1..1 | Reference to the FHIR sub-resource containing the supporting information for the authorization. This can be a QuestionnaireResponse or DocumentReference resource.

ExplanationOfBenefit (R4).type | CodeableConcept | | | 1..1 | Category or discipline.

ExplanationOfBenefit (R4).use | code | | | 0..1 | This value can be "claim", "preauthorization", or both delimited by comma. If it is omitted or contains both values, the response includes both claim and prior auth data.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/ExplanationOfBenefit/fSLzIGoOf4kGg9KnpBsiRaA4
```

Sample response


```
{
    "resourceType": "ExplanationOfBenefit",
    "id": "fSLzIGoOf4kGg9KnpBsiRaA4",
    "identifier": [
        {
            "use": "secondary",
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.658571",
            "value": "17301"
        },
        {
            "use": "usual",
            "type": {
                "coding": [
                    {
                        "system": "http://open.epic.com/FHIR/StructureDefinition/CodeSystem/eob-identifier-type",
                        "code": "external-identifier"
                    }
                ],
                "text": "Auth request external ID"
            },
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.658571",
            "value": "1000088746-1"
        }
    ],
    "status": "active",
    "type": {
        "coding": [
            {
                "system": "http://terminology.hl7.org/CodeSystem/claim-type",
                "code": "professional",
                "display": "Professional"
            }
        ]
    },
    "use": "preauthorization",
    "patient": {
        "reference": "Patient/ewbLFmxjf0c1YoxmlYY.GRQ3",
        "display": "TEST, FHIR Demo"
    },
    "created": "2025-10-21T16:11:36Z",
    "insurer": {
        "reference": "Organization/eQwtXhDZWxT5OutDu-R4IdA3",
        "display": "Test Payer"
    },
    "provider": {
        "reference": "PractitionerRole/e4y.67VvbOSbEq219c8DMMrVZPI4zr.KhJZAbJMuwP3FVid1eQaz5xThcyM9YWaXD3",
        "type": "PractitionerRole",
        "display": "Arya Nelson, MD"
    },
    "facility": {
        "reference": "Location/ePZvmw2n-VoU1GrocSudwKg3",
```

```
    "type": "Location",
    "display": "Harrington Surgery"
},
"outcome": "complete",
"preAuthRef": [
    "1000088746-1"
],
"preAuthRefPeriod": [
    {
        "start": "2025-03-01",
        "end": "2025-04-30"
    }
],
"careTeam": [
    {
        "sequence": 1,
        "provider": {
            "reference": "PractitionerRole/e4y.67VvbOSbEq219c8DMMrVZPI4zr.KhJZAbJMuwP3FVid1eQaz5xThcyM9YWaXD3",
            "type": "PractitionerRole",
            "display": "Arya Nelson, MD"
        },
        "role": {
            "coding": [
                {
                    "system": "https://codesystem.x12.org/005010/98",
                    "code": "DN",
                    "display": "Referring Provider"
                }
            ]
        }
    },
    {
        "sequence": 2,
        "provider": {
            "reference": "Organization/e5CfydGNlIqeLgH4bhDEikQ3",
            "type": "Organization",
            "display": "Harrington Surgery"
        },
        "role": {
            "coding": [
                {
                    "system": "https://codesystem.x12.org/005010/98",
                    "code": "77",
                    "display": "Service Location"
                }
            ]
        }
    }
],
"insurance": [
    {
        "focal": true,
        "coverage": {
            "reference": "Coverage/eydwsySGRLPAwmndPyFtJxsAUwnd08VVKGwUBao74gKX-JLL52hq15cqJeashDj3I3",
            "display": "TEST PAYER/TEST BENEFIT PLAN"
        },
        "preAuthRef": [
            "EXTPYR1000088746-1"
        ]
    }
],
"item": [
    {
        "extension": [
            {
                "valueCodeableConcept": {
                    "coding": [
                        {
                            "system": "https://codesystem.x12.org/005010/1525",
                            "code": "HS",
                            "display": "Health Services Review"
                        }
                    ]
                },
                "url": "http://hl7.org/fhir/us/davinci-pas/StructureDefinition/extension-serviceItemRequestType"
            },
            {
                "extension": [
                    {
                        "valueQuantity": {
                            "value": 1,
                            "system": "https://codesystem.x12.org/005010/673",
                            "code": "FL"
                        },
                        "url": "quantity"
                    }
                ],
                "url": "http://hl7.org/fhir/us/davinci-pas/StructureDefinition/extension-itemAuthorizedDetail"
            }
```

```
            ],
            "sequence": 1,
            "productOrService": {
                "coding": [
                    {
                        "system": "http://www.ama-assn.org/go/cpt",
                        "code": "29888",
                        "display": "KNEE SCOPE,AID ANT CRUCIATE REPAIR"
                    }
                ]
            },
            "quantity": {
                "value": 1,
                "system": "http://unitsofmeasure.org"
                "code": "[arb'U]"
            },
            "adjudication": [
                {
                    "extension": [
                        {
                            "extension": [
                                {
                                    "valueCodeableConcept": {
                                        "coding": [
                                            {
                                                "system": "https://codesystem.x12.org/005010/306",
                                                "code": "A1",
                                                "display": "Certified in total"
                                            }
                                        ]
                                    },
                                    "url": "http://hl7.org/fhir/us/davinci-pdex/StructureDefinition/extension-
    reviewActionCode"
                                },
                                {
                                    "valueCodeableConcept": {
                                        "coding": [
                                            {
                                                "system": "https://codesystem.x12.org/external/886",
                                                "code": "01"
                                            }
                                        ]
                                    },
                                    "url": "reasonCode"
                                }
                            ],
                            "url": "http://hl7.org/fhir/us/davinci-pdex/StructureDefinition/extension-reviewAction"
                        }
                    ],
                    "category": {
                        "coding": [
                            {
                                "system": "http://hl7.org/fhir/us/davinci-
    pdex/CodeSystem/PDexAdjudicationDisctiminator",
                                "code": "denialreason"
                            }
                        ]
                    }
                }
            ]
        }
    ]
}
```


27.1.2 ExplanationOfBenefit.Search (Prior Auth) (R4)

File: site/apis/27-Managed-Care/1-R4/11054-ExplanationOfBenefit-Search-Prior-Auth-R4.html
Epic API ID | 11054
FHIR version | R4
Categories | Managed Care
API type | USCDI
A la carte | Industry-Standard Level 3 API
USCDI | Yes
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/ExplanationOfBenefit?created={created}&patient={patient}&use={use}&_id={_id}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=11054

Description

Use this API to search for ExplanationOfBenefit (Prior Auth) resources for a patient. This resource represents medical benefit prior authorization requests and determinations, including both service-based and bed day authorizations.

The API can retrieve prior authorizations processed directly by the organization as well as prior authorizations received from external payers through payer data exchange workflows. Data loaded from other FHIR servers is returned in the format the organization received it. Because of this, the documentation below does not apply to these loaded resources. These resources can include any elements from the FHIR specification and can be distinguished from other resources by the presence of meta.tag set to

external-bulk-data

When used as part of the CMS Payer-to-Payer API, only approved prior authorizations are returned. In other interoperability scenarios, both approved and denied prior authorizations can be returned.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
_count | number | Optional | Yes | | Number of results per page.
_id | token | Optional | Yes | | FHIR resource IDs for the desired resources. Can be used in combination with _count, _include, and _revInclude. All others will be ignored.
_include | string | Optional | Yes | | Used to indicate which referenced resources to include in the search bundle.
_revinclude | string | Optional | Yes | | Used to include Provenance or AuditEvent resources that refer to search results, when available.
created | date | Optional | Yes | | Date when the prior authorization (or referral) response was created.
patient | reference | Required | Yes | | The patient for whom prior authorization data is being retrieved.
use | token | Optional | Yes | | This value can be "claim", "preauthorization", or both delimited by comma. If it is omitted or contains both values, the response includes both claim and prior auth data.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
care-team | reference | Optional | Yes | | Member of the care team.
claim | reference | Optional | Yes | | The reference to the Claim resource.
coverage | reference | Optional | Yes | | The plan under which the claim was adjudicated.
detail-udi | reference | Optional | Yes | | UDI associated with a line-item detail product or service.
disposition | string | Optional | Yes | | The contents of the disposition message.
encounter | reference | Optional | Yes | | Encounters associated with a billed line item.
enterer | reference | Optional | Yes | | The party responsible for the entry of the claim.
facility | reference | Optional | Yes | | Facility responsible for the goods and services.
identifier | token | Optional | Yes | | The business identifier of the ExplanationOfBenefit.
item-udi | reference | Optional | Yes | | UDI associated with a line-item product or service.
payee | reference | Optional | Yes | | The party receiving any payment for the claim.
procedure-udi | reference | Optional | Yes | | UDI associated with a procedure.
provider | reference | Optional | Yes | | A reference to the PractitionerRole or Organization resource.
status | token | Optional | Yes | | Status of the instance.
subdetail-udi | reference | Optional | Yes | | UDI associated with a line-item detail subdetail product or service.

Response elements

Name | Type | Optional | Array | Cardinality | Description
ExplanationOfBenefit (R4) | ExplanationOfBenefit
ExplanationOfBenefit (R4).careTeam | BackboneElement | | Yes | 0..* | The members of the team who provided the products and services.
ExplanationOfBenefit (R4).careTeam.provider | Reference | | | 1..1 | A reference to a provider or organization associated with the authorization request. This references a PractitionerRole or Organization resource.
ExplanationOfBenefit (R4).careTeam.role | CodeableConcept | | | 0..1 | Function or responsibility of the care team member associated with the prior authorization request, such as ordering or rendering provider.
ExplanationOfBenefit (R4).careTeam.role.coding | Coding | | Yes | 0..1 | Coded representation of the care team member's role.
ExplanationOfBenefit (R4).careTeam.role.coding.code | String | | | 0..1 | The specific role code assigned to the care team member.
ExplanationOfBenefit (R4).careTeam.role.coding.display | String | | | 0..1 | A human-readable description of the role code. This text provides a clear interpretation of the role assigned to the care team member.
ExplanationOfBenefit (R4).careTeam.role.coding.system | String | | | 0..1 | Code system that defines the role codes for care team members. For Prior Authorization items, this is always set to "https://codesystem.x12.org/005010/98".
ExplanationOfBenefit (R4).careTeam.sequence | positiveInt | | | 0..1 | The sequence ID.
ExplanationOfBenefit (R4).created | dateTime | | | 1..1 | Date when the prior authorization (or referral) response was created.
ExplanationOfBenefit (R4).diagnosis | BackboneElement | | Yes | 0..* | Each diagnosis on the authorization (or referral) has an entry.
ExplanationOfBenefit (R4).diagnosis.diagnosisCodeableConcept | CodeableConcept | | | 1..1 | Code set and reference code from the diagnosis.
ExplanationOfBenefit (R4).diagnosis.sequence | positiveInt | | | 0..1 | The sequence ID.
ExplanationOfBenefit (R4).extension (levelOfServiceCode) (also: extension (levelOfServiceCode)) | Extension | | Yes | 0..* | A code specifying the level of service being requested (UM06) URL: http://hl7.org/fhir/us/davinci-pdex/StructureDefinition/extension-levelOfServiceCode
ExplanationOfBenefit (R4).facility | Reference | | | 0..1 | Referred-to place of service.
ExplanationOfBenefit (R4).id | id | | | 1..1 | The Referral FHIR ID.
ExplanationOfBenefit (R4).identifier | Identifier | | Yes | 1..* | The authorization request ID.
ExplanationOfBenefit (R4).insurance | BackboneElement | | Yes | 1..* | Identifies the member's insurance coverage (Coverage resource) that applies to this authorization request.
ExplanationOfBenefit (R4).insurance.coverage | Reference | | | 1..1 | Reference to the Coverage resource representing the member's insurance coverage for this authorization.

ExplanationOfBenefit (R4).insurance.focal | boolean | Required | | 1..1 | A flag to indicate that this Coverage is to be used for this authorization when set to true.

ExplanationOfBenefit (R4).insurer | Reference | | | 1..1 | Payer for the authorization request (or referral).

ExplanationOfBenefit (R4).item | BackboneElement | | Yes | 0..* | Service lines.

ExplanationOfBenefit (R4).item.adjudication | BackboneElement | | Yes | 0..* | Adjudication results for the service line in the ExplanationOfBenefit (Prior Authorization) sub-resource. Each entry represents a prior authorization decision for the service line, including approved, denied, pending, partially approved, or canceled determinations.

ExplanationOfBenefit (R4).item.adjudication.category | CodeableConcept | | | 1..1 | Category describing what type of adjudication information this entry represents.

ExplanationOfBenefit (R4).item.adjudication.category.coding | Coding | | Yes | 1..1 | Coding that represents the adjudication category for this entry.

ExplanationOfBenefit (R4).item.adjudication.category.coding.code | String | | | 1..1 | Code that identifies the adjudication category for this entry. For Prior Authorization service lines in this sub-resource, this is always set to "denialReason".

ExplanationOfBenefit (R4).item.adjudication.category.coding.system | String | | | 1..1 | Code system that defines the adjudication category codes. This element is always populated with "http://hl7.org/fhir/us/davinci-pdex/CodeSystem/PDexAdjudicationDiscriminator"

ExplanationOfBenefit (R4).item.adjudication.extension | Extension | | Yes | 0..* | Additional detail about the adjudication outcome. In this sub-resource, these extensions carry review information such as the authorization action code and any associated reason codes.

ExplanationOfBenefit (R4).item.adjudication.extension.extension | Extension | | Yes | 0..* | Nested extensions that hold the individual review details, such as the review action code and the reason code. Each nested extension represents one review data element.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.url | uri | | | 1..1 | Identifies the specific review detail represented by this nested extension. Each nested extension uses its own URL to indicate which review field it contains, such as the authorization action code or the reason code associated with the prior authorization decision.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept | CodeableConcept | | | 0..1 | Coded value representing the review detail for this nested extension. In this sub-resource, it is used to carry values like the review action code or the reason code.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept.coding | Coding | | Yes | 0..* | Coding that represents the review detail, such as the authorization action (for example, pending, approved, denied) or a reason code.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept.coding.code | String | | | 0..1 | Code that represents the review action or reason. For example, codes may be used to indicate authorized, denied, pending, or canceled status.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept.coding.display | String | | | | Human-readable description of the review action or reason code.

ExplanationOfBenefit (R4).item.adjudication.extension.extension.valueCodeableConcept.coding.system | String | | | | Code system that defines the adjudication action or reason codes. This system provides standardized terminology used to represent authorization decisions and associated reasons.

ExplanationOfBenefit (R4).item.adjudication.extension.url | uri | | | 1..1 | URL that identifies this as a specific adjudication-related extension, such as the Prior Authorization reviewAction extension.

ExplanationOfBenefit (R4).item.careTeamSequence | positiveInt | | Yes | 0..1 | Applicable care team members.

ExplanationOfBenefit (R4).item.category | CodeableConcept | | | 0..1 | Classification of the authorized service, represented as a CodeableConcept describing the type or category of service being requested or approved.

ExplanationOfBenefit (R4).item.category.coding | Coding | | Yes | 0..1 | A coded representation of the service category, including the coding system, code, and display text describing the service.

ExplanationOfBenefit (R4).item.category.coding.code | String | | | 1..1 | The service type code selected from the X12 service type code system.

ExplanationOfBenefit (R4).item.category.coding.display | String | | | 1..1 | Human-readable description corresponding to the selected service type code.

ExplanationOfBenefit (R4).item.category.coding.system | String | | | 1..1 | Code system that defines the service type codes. For Prior Authorization items, this is always set to "https://x12.org/codes/service-type-codes".

ExplanationOfBenefit (R4).item.diagnosisSequence | positiveInt | | Yes | 0..1 | Diagnosis numbers.

ExplanationOfBenefit (R4).item.extension (itemAuthorizedProvider) (also: extension (itemAuthorizedProvider)) | Extension | | Yes | 0..* | A Practitioner reference to the specific provider who has been authorized to provide this service. URL: http://hl7.org/fhir/us/davinci-pas/StructureDefinition/extension-itemAuthorizedProvider

ExplanationOfBenefit (R4).item.extension (preAuthIssueDate) (also: extension (preAuthIssueDate)) | Extension | | Yes | 0..1 | The date when this item's preauthorization was issued. URL: http://hl7.org/fhir/us/davinci-pas/StructureDefinition/extension-itemPreAuthIssueDate

ExplanationOfBenefit (R4).item.modifier | CodeableConcept | | Yes | 1..* | Modifiers

ExplanationOfBenefit (R4).item.productOrService | CodeableConcept | | | 1..1 | CPT/HCPCS codes

ExplanationOfBenefit (R4).item.quantity | Quantity | | | 1..1 | Quantity

ExplanationOfBenefit (R4).item.revenue | CodeableConcept | | | 1..1 | The revenue code.

ExplanationOfBenefit (R4).item.sequence | positiveInt | | | 0..1 | The sequence ID.

ExplanationOfBenefit (R4).meta | Meta | | | | Metadata about the resource, including information about the origin or source of the data.

ExplanationOfBenefit (R4).meta.tag | Coding | | Yes | | Set to external-bulk-data for resources originally loaded from another FHIR server. If this element is set to external-bulk-data, all other element-level documentation does not apply to the resource. The resource content might vary and can include any elements allowed by the FHIR specification.

ExplanationOfBenefit (R4).outcome | code | | | 1..1 | Outcome of the authorization request (or referral).

ExplanationOfBenefit (R4).patient | Reference | | | 1..1 | The patient associated with the authorization request (or referral).

ExplanationOfBenefit (R4).preAuthRefPeriod | Period | | Yes | 0..1 | The timeframe during which the authorization request can be used on claims for adjudication.

ExplanationOfBenefit (R4).preAuthRefPeriod.end | String | | | 0..1 | Authorization request expiration date.

ExplanationOfBenefit (R4).preAuthRefPeriod.start | String | | | 0..1 | Authorization request start date.

ExplanationOfBenefit (R4).procedure | BackboneElement | | Yes | 0..* | ICD procedures.

ExplanationOfBenefit (R4).provider | Reference | | | 1..1 | Reference to the servicing provider for the authorization request (or referral).

ExplanationOfBenefit (R4).status | code | | | 1..1 | Status of the authorization request.

ExplanationOfBenefit (R4).supportingInfo | BackboneElement | | Yes | 0..* | Additional information submitted by the provider in support of the prior authorization.

ExplanationOfBenefit (R4).supportingInfo.category | CodeableConcept | | | 1..1 | Always set to "http://hl7.org/fhir/us/davinci-pas/CodeSystem/PASTempCodes". Identifies the classification of the prior authorization supporting information using the PAS temporary codes CodeSystem.

ExplanationOfBenefit (R4).supportingInfo.sequence | positiveInt | | | 1..1 | Sequence identifier for a single note, document, or QuestionnaireResponse FHIR sub-resource that provides supporting information for the authorization.

ExplanationOfBenefit (R4).supportingInfo.valueReference | Reference | | | 1..1 | Reference to the FHIR sub-resource containing the supporting information for the authorization. This can be a QuestionnaireResponse or DocumentReference resource.

ExplanationOfBenefit (R4).type | CodeableConcept | | | 1..1 | Category or discipline.

ExplanationOfBenefit (R4).use | code | | | 0..1 | This value can be "claim", "preauthorization", or both delimited by comma. If it is omitted or contains both values, the response includes both claim and prior auth data.

Sample request

```
GET https://hostname/instance/api/FHIR/R4/ExplanationOfBenefit?patient= ewbLFmxjf0c1YoxmlYY.GRQ3
```

Sample response


```
{
  "resourceType": "Bundle",
  "type": "searchset",
  "total": 1,
  "link": [
    {
      "relation": "self",
      "url": "https://hostname/instance/api/FHIR/R4/ExplanationOfBenefit?patient=ewbLFmxjf0c1YoxmlYY.GRQ3"
    }
  ],
  "entry": [
    {
      "link": [
        {
          "relation": "self",
          "url": "https://hostname/instance/api/FHIR/R4/ExplanationOfBenefit/fSLzIGoOf4kGg9KnpBsiRaA4"
        }
      ],
      "fullUrl": "https://hostname/instance/api/FHIR/R4/ExplanationOfBenefit/fSLzIGoOf4kGg9KnpBsiRaA4",
      "resource": {
        "resourceType": "ExplanationOfBenefit",
        "id": "fSLzIGoOf4kGg9KnpBsiRaA4",
        "identifier": [
          {
            "use": "secondary",
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.658571",
            "value": "17301"
          },
          {
            "use": "usual",
            "type": {
              "coding": [
                {
                  "system": "http://open.epic.com/FHIR/StructureDefinition/CodeSystem/eob-identifier-type",
                  "code": "external-identifier"
                }
              ],
              "text": "Auth request external ID"
            },
            "system": "urn:oid:1.2.840.114350.1.13.861.1.7.2.658571",
            "value": "1000088746-1"
          }
        ],
        "status": "active",
        "type": {
          "coding": [
            {
              "system": "http://terminology.hl7.org/CodeSystem/claim-type",
              "code": "professional",
              "display": "Professional"
            }
          ]
        },
        "use": "preauthorization",
        "patient": {
          "reference": "Patient/ewbLFmxjf0c1YoxmlYY.GRQ3",
          "display": "TEST, FHIR Demo"
        },
        "created": "2025-10-21T16:11:36Z",
        "insurer": {
          "reference": "Organization/eQwtXhDZWxT5OutDu-R4IdA3",
          "display": "Test Payer"
        },
        "provider": {
          "reference": "PractitionerRole/e4y.67VvbOSbEq219c8DMMrVZPI4zr.KhJZAbJMuwP3FVid1eQaz5xThcyM9YWaXD3",
          "type": "PractitionerRole",
          "display": "Arya Nelson, MD"
        },
        "facility": {
          "reference": "Location/ePZvmw2n-VoU1GrocSudwKg3",
          "type": "Location",
          "display": "Harrington Surgery"
        },
        "outcome": "complete",
        "preAuthRef": [
          "1000088746-1"
```

```
],
"preAuthRefPeriod": [
  {
    "start": "2025-03-01",
    "end": "2025-04-30"
  }
],
"careTeam": [
  {
    "sequence": 1,
    "provider": {
      "reference": "PractitionerRole/e4y.67VvbOSbEq219c8DMMrVZPI4zr.KhJZAbJMuwP3FVid1eQaz5xThcyM9YWaXD3",
      "type": "PractitionerRole",
      "display": "Arya Nelson, MD"
    },
    "role": {
      "coding": [
        {
          "system": "https://codesystem.x12.org/005010/98",
          "code": "DN",
          "display": "Referring Provider"
        }
      ]
    }
  },
  {
    "sequence": 2,
    "provider": {
      "reference": "Organization/e5CfydGNlIqeLgH4bhDEikQ3",
      "type": "Organization",
      "display": "Harrington Surgery"
    },
    "role": {
      "coding": [
        {
          "system": "https://codesystem.x12.org/005010/98",
          "code": "77",
          "display": "Service Location"
        }
      ]
    }
  }
],
"insurance": [
  {
    "focal": true,
    "coverage": {
      "reference": "Coverage/eydwsySGRLPAwmndPyFtJxsAUwnd08VVKGwUBao74gKX-JLL52hq15cqJeashDj3I3",
      "display": "TEST PAYER/TEST BENEFIT PLAN"
    },
    "preAuthRef": [
      "EXTPYR1000088746-1"
    ]
  }
],
"item": [
  {
    "extension": [
      {
        "valueCodeableConcept": {
          "coding": [
            {
              "system": "https://codesystem.x12.org/005010/1525",
              "code": "HS",
              "display": "Health Services Review"
            }
          ]
        },
        "url": "http://hl7.org/fhir/us/davinci-pas/StructureDefinition/extension-serviceItemRequestType"
      },
      {
        "extension": [
          {
            "valueQuantity": {
              "value": 1,
              "system": "https://codesystem.x12.org/005010/673",
              "code": "FL"
            },
            "url": "quantity"
          }
        ],
        "url": "http://hl7.org/fhir/us/davinci-pas/StructureDefinition/extension-itemAuthorizedDetail"
      }
    ],
    "sequence": 1,
    "productOrService": {
      "coding": [
        {
          "system": "http://www.ama-assn.org/go/cpt",
```

```
                "code": "29888",
                "display": "KNEE SCOPE,AID ANT CRUCIATE REPAIR"
              }
            ]
          },
          "quantity": {
            "value": 1,
            "system": "http://unitsofmeasure.org",
            "code": "[arb'U]"
          },
          "adjudication": [
            {
              "extension": [
                {
                  "extension": [
                    {
                      "valueCodeableConcept": {
                        "coding": [
                          {
                            "system": "https://codesystem.x12.org/005010/306",
                            "code": "A1",
                            "display": "Certified in total"
                          }
                        ]
                      },
                      "url": "http://hl7.org/fhir/us/davinci-pdex/StructureDefinition/extension-reviewActionCode"
                    },
                    {
                      "valueCodeableConcept": {
                        "coding": [
                          {
                            "system": "https://codesystem.x12.org/external/886",
                            "code": "01"
                          }
                        ]
                      },
                      "url": "reasonCode"
                    }
                  ],
                  "url": "http://hl7.org/fhir/us/davinci-pdex/StructureDefinition/extension-reviewAction"
                }
              ],
              "category": {
                "coding": [
                  {
                    "system": "http://hl7.org/fhir/us/davinci-pdex/CodeSystem/PDexAdjudicationDiscriminator",
                    "code": "denialreason"
                  }
                ]
              }
            }
          ]
        }
      ]
    },
    "search": {
      "mode": "match"
    }
  }
 ]
}
```