Epic-FHIR — API category: Patient Access (sections 29 – 29.1.6)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

29 API category: Patient Access

File: site/apis/29-Patient-Access/index.html

R4 (6)

API | Method | URL template | Type
Questionnaire.Read (Patient-Entered Questionnaires) (R4) | GET | /api/FHIR/R4/Questionnaire/{ID} | Industry-Standard
Questionnaire.Search (Patient-Entered Questionnaires) (R4) | GET | /api/FHIR/R4/Questionnaire?_count={_count}&_id={_id}&_include={_include}&_revinclude={_revinclude} | Industry-Standard
QuestionnaireResponse.Create (Patient-Entered Questionnaires) (R4) | POST | /api/FHIR/R4/QuestionnaireResponse | Industry-Standard
QuestionnaireResponse.Read (Code Status Questionnaire) (R4) | GET | /api/FHIR/R4/QuestionnaireResponse/{ID} | Industry-Standard
QuestionnaireResponse.Read (Patient-Entered Questionnaires) (R4) | GET | /api/FHIR/R4/QuestionnaireResponse/{ID} | Industry-Standard
QuestionnaireResponse.Search (Patient-Entered Questionnaires) (R4) | GET | /api/FHIR/R4/QuestionnaireResponse?patient={patient}&encounter={encounter} | Industry-Standard

29.1 Patient Access: R4

File: site/apis/29-Patient-Access/1-R4/index.html

* Questionnaire.Read (Patient-Entered Questionnaires) (R4)
* Questionnaire.Search (Patient-Entered Questionnaires) (R4)
* QuestionnaireResponse.Create (Patient-Entered Questionnaires) (R4)
* QuestionnaireResponse.Read (Code Status Questionnaire) (R4)
* QuestionnaireResponse.Read (Patient-Entered Questionnaires) (R4)
* QuestionnaireResponse.Search (Patient-Entered Questionnaires) (R4)

29.1.1 Questionnaire.Read (Patient-Entered Questionnaires) (R4)

File: site/apis/29-Patient-Access/1-R4/10025-Questionnaire-Read-Patient-Entered-Questionnaires-R4.html
Epic API ID | 10025
FHIR version | R4
Categories | Patient Access
API type | Industry-Standard
API group | Questionnaires Due Group
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/Questionnaire/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10025

Description

This web service will return certain questionnaire details regarding the name of the patient-entered questionnaire, the date of the most recent contact of the patient-entered questionnaire, and the MPI identifier values of the patient-entered questionnaire if applicable.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Questionnaire | Resource | False | | | An instance of the R4 Questionnaire FHIR resource.
Questionnaire.code | Coding | True | Yes | | The MPI ID and type of the questionnaire
Questionnaire.copyright | String | True | | | The questionnaire post-text
Questionnaire.date | String | True | | | The date for a given version of the questionnaire
Questionnaire.identifier | Identifier | True | Yes | | The ID of the questionnaire.
Questionnaire.name | String | True | | | The record name of the questionnaire.
Questionnaire.status | code | False | | | Always "active"
Questionnaire.title | string | True | | | The patient-facing name of the questionnaire.
Questionnaire.version | String | True | | | The version of the questionnaire.

Sample request

```
https://hostname/instance/api/FHIR/R4/Questionnaire/eWYNll5blHAhPi.ksDaG1YSwoiC7G1t-D2hudQj3j7FM3
```

Sample response

```
<Questionnaire xmlns="http://hl7.org/fhir">
  <id value="eWYNll5blHAhPi.ksDaG1YSwoiC7G1t-D2hudQj3j7FM3"/>
  <name value="GENERIC PAIN QUESTIONNAIRE"/>
  <title value="Pain Questionnaire"/>
  <status value="active"/>
  <date value="2020-12-11"/>
  <code>
    <system value="THIRD PARTY QUESTIONNAIRE IDENTIFIER"/>
    <code value="1152"/>
  </code>
</Questionnaire>
```

29.1.2 Questionnaire.Search (Patient-Entered Questionnaires) (R4)

File: site/apis/29-Patient-Access/1-R4/10081-Questionnaire-Search-Patient-Entered-Questionnaires-R4.html
Epic API ID | 10081
FHIR version | R4
Categories | Patient Access
API type | Industry-Standard
API group | Questionnaires Due Group
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/Questionnaire?_count={_count}&_id={_id}&_include={_include}&_revinclude={_revinclude}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10081

Description

This web service will return certain questionnaire details regarding the name of the patient-entered questionnaire, the date of the most recent contact of the patient-entered questionnaire, and the MPI identifier values of the patient-entered questionnaire if applicable.

This search interaction currently supports only the _id search parameter. As a result, it functions similarly to a read request with the Questionnaire.Read (Patient-Entered Questionnaires) (R4) web service.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.Questionnaire | Resource | False | | | An instance of the R4 Questionnaire FHIR resource.
Bundle.entry.resource.Questionnaire.code | Coding | True | Yes | | The MPI ID and type of the questionnaire.
Bundle.entry.resource.Questionnaire.copyright | String | True | | | The questionnaire post-text.
Bundle.entry.resource.Questionnaire.date | String | True | | | The date for a given version of the questionnaire
Bundle.entry.resource.Questionnaire.id | id | True | | | The ID of the questionnaire.
Bundle.entry.resource.Questionnaire.name | String | True | | | The record name of the questionnaire.
Bundle.entry.resource.Questionnaire.status | code | False | | | The questionnaire status. Always "active".
Bundle.entry.resource.Questionnaire.title | string | True | | | The patient-facing name of the questionnaire.
Bundle.entry.resource.Questionnaire.version | String | True | | | The version of the questionnaire.

Sample request

```
https://hostname/instance/api/FHIR/R4/Questionnaire?_id=eWYNll5blHAhPi.ksDaG1YSwoiC7G1t-D2hudQj3j7FM3
```

Sample response

```
<Questionnaire xmlns="http://hl7.org/fhir">
  <id value="eWYNll5blHAhPi.ksDaG1YSwoiC7G1t-D2hudQj3j7FM3"/>
  <name value="GENERIC PAIN QUESTIONNAIRE"/>
  <title value="Pain Questionnaire"/>
  <status value="active"/>
  <date value="2020-12-11"/>
  <code>
    <system value="THIRD PARTY QUESTIONNAIRE IDENTIFIER"/>
    <code value="1152"/>
  </code>
</Questionnaire>
```

29.1.3 QuestionnaireResponse.Create (Patient-Entered Questionnaires) (R4)

File: site/apis/29-Patient-Access/1-R4/10023-QuestionnaireResponse-Create-Patient-Entered-Questionnaires.html
Epic API ID | 10023
FHIR version | R4
Categories | Patient Access
API type | Industry-Standard
API group | Questionnaires Due Group
USCDI | No
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | POST
URL template | /api/FHIR/R4/QuestionnaireResponse
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10023

Description

A questionnaire response represents a patient's responses to the questions contained in a patient-entered questionnaire. The create interaction of this resource only supports answering patient-entered questionnaires assigned to an appointment or a questionnaire series. In addition, the user will only be able to answer questions linked to the patient-entered questionnaire the request references.

To find which patient-entered questionnaires are assigned to a given patient, refer to CarePlan.Read (Questionnaires Due). This will return the questionnaire identifiers as well as the subject identifier. To learn more about an assigned questionnaire, refer to Questionnaire.Read.

Request parameters

Name | Type | Optional | Array | Cardinality | Description
QuestionnaireResponse | Resource | False
QuestionnaireResponse.authored | dateTime | True | | | Date and time the answers were gathered (UTC). The default is the current date and time.
QuestionnaireResponse.item | BackboneElement | True | Yes | | The answers submitted for the question.
QuestionnaireResponse.item.answer | BackboneElement | True | Yes | | The answer submitted for the question. Answer to the question. Starting in the May 2021 version of Epic, multi-response answers are supported. Depending on the type of question, the value(s) sent will be one of the following types: Type of Question Mapping Epic Question Response Type FHIR Answer Type Numeric valueDecimal Category-INI, Custom List, Free Text valueString Time with Unit valueQuantity Date valueDate Time valueTime Yes/No valueBoolean Other types are not supported.
Epic Question Response Type | FHIR Answer Type
Numeric | valueDecimal
Category-INI, Custom List, Free Text | valueString
Time with Unit | valueQuantity
Date | valueDate
Time | valueTime
Yes/No | valueBoolean
QuestionnaireResponse.item.linkId | string | False | | | This can be either the Identity ID or Internal Epic ID of the Question record. If using Identity, this is a pipe (|)-delimited string. The first part is the Internal Epic ID of the Identity ID Type and the second part is the Epic Identity ID of the Question record. If using Internal Epic ID, this is just the value of the Internal Epic ID of the Question record.
QuestionnaireResponse.questionnaire | canonical | False | | | The questionnaire ID.
QuestionnaireResponse.status | code | False | | | Always either "in-progress" or "completed". A questionnaire response with any other status is considered invalid.
QuestionnaireResponse.subject | Reference | False | | | Refers to the context in which the patient-entered questionnaire was assigned. The only supported contexts are patient-entered questionnaires assigned through an appointment or a questionnaire series.
QuestionnaireResponse.subject.identifier | Identifier | False | | | The system identifier array for the context in which the patient-entered questionnaire was assigned.
QuestionnaireResponse.subject.identifier.system | String | False | | | Formatted as "urn:oid:
QuestionnaireResponse.subject.identifier.value | String | False | | | The subject reference value. Returned in CarePlan.activity.reference.identifier.value

Sample request

```
{
    "resourceType": "QuestionnaireResponse",
    "subject": {
    “identifier”: {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.728165",
        "value": "106731"
        },
    },
    "questionnaire": "Questionnaire/eU7pqmsZY1Mzn5Q6N3sr5CypVI-gW8oj3qZkRi4fCIS83",
    "status": "completed",
    "authored": "2021-08-30T21:08:11Z",
    "item": [
        {
```

```
            "linkId": "64407",
            "answer": [
                {
                    "valueDecimal": 7
                }
            ]
        },
        {
            "linkId": "325236236|220424",
            "answer": [
                {
                    "valueDate": "2021-08-08"
                }
            ]
        },
        {
            "linkId": "325236236|220425",
            "answer": [
                {
                    "valueString": "At morning"
                }
            ]
        },
        {
            "linkId": "325236236|220426",
            "answer": [
                {
                    "valueBoolean": true
                }
            ]
        }
    ]
}
```


Sample response

N/A

Change log

Epic Version | Description | Type
February 2023 | Failed answer validation checks will respond with "business-rule" error type (Error Code: 59159) and with a description for each failure in the following format: "Failed to validate answer to question: LQL ID (Used within the request). Reason why validation failed." | Substantive change

29.1.4 QuestionnaireResponse.Read (Code Status Questionnaire) (R4)

File: site/apis/29-Patient-Access/1-R4/10226-QuestionnaireResponse-Read-Code-Status-Questionnaire-R4.html
Epic API ID | 10226
FHIR version | R4
Categories | Patient Access
API type | Industry-Standard
USCDI | No
Available in inpatient and other contexts | Yes
HTTP method | GET
URL template | /api/FHIR/R4/QuestionnaireResponse/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10226

Description

Request parameters

Name | Type | Optional | Array | Cardinality | Description
ID | token | False | | | QuestionnaireResponse FHIR ID.

Response elements

Name | Type | Optional | Array | Cardinality | Description
QuestionnaireResponse | Resource | False | | | An instance of the R4 QuestionnaireResponse FHIR resource.
QuestionnaireResponse.basedOn | Reference | True | Yes | | FHIR reference to the procedure order that represents the code status.
QuestionnaireResponse.encounter | Reference | True | | | FHIR reference to the encounter that the code status was placed in.
QuestionnaireResponse.id | id | False | | | QuestionnaireResponse FHIR ID.
QuestionnaireResponse.item | BackboneElement | True | Yes | | Information about the questions from the order. Each item contains the information for one question.
QuestionnaireResponse.item.answer | BackboneElement | True | Yes | | Contains information about the answer submitted for the question. Depending on the type of question, the value sent will be one of the following types: valueBoolean valueDecimal valueInteger valueDate valueTime valueString valueCoding Other types are not supported.

QuestionnaireResponse.item.answer.valueBoolean | boolean | True | | | Boolean value
QuestionnaireResponse.item.answer.valueCoding | Coding | False | | | Coding value.
QuestionnaireResponse.item.answer.valueDate | date | False | | | Date value
QuestionnaireResponse.item.answer.valueDecimal | decimal | True | | | Decimal value
QuestionnaireResponse.item.answer.valueInteger | Int32 | True
QuestionnaireResponse.item.answer.valueString | string | False | | | String value
QuestionnaireResponse.item.answer.valueTime | time | False | | | Time value
QuestionnaireResponse.item.linkId | string | False | | | The ID of the question that has been answered.
QuestionnaireResponse.item.text | string | False | | | The prompt for the question.
QuestionnaireResponse.status | code | False | | | Always set to ‘completed’.
QuestionnaireResponse.subject | Reference | True | | | FHIR reference to the patient that the code status applies to.

Sample request

```
https://hostname/instance/api/FHIR/R4/QuestionnaireResponse/e1YCrNQzuB9H5gtKDHjkXnQ3
```

Sample response


```
{
  "resourceType": "QuestionnaireResponse",
  "id": "e1YCrNQzuB9H5gtKDHjkXnQ3",
  "basedOn": [
    {
      "reference": "ServiceRequest/eYqtELnEtyjRSWKGFepk2mFnlPXwHdMAAhSpwFXeZ6UE3"
    }
  ],
  "status": "completed",
  "subject": {
    "reference": "Patient/ejhJ5AcIkLeU2HYq1TuE9RP8BKaTy54Jlyrxvg.KTUuc3",
    "display": "Zzz, Fhirconsent"
  },
  "encounter": {
    "reference": "Encounter/eEaf9FsTYjnDTMVh2RaULz-wTax74oKcQfSqgDWT.siQ3",
    "display": "Office Visit"
  },
  "item": [
    {
      "linkId": "1493",
      "text": "Allowable interventions for Partial Code:",
      "answer": [
        {
          "valueString": "DEFIBRILLATION"
        },
        {
          "valueString": "EXTERNAL CHEST COMPRESSION"
        }
      ]
    }
  ]
}
```


29.1.5 QuestionnaireResponse.Read (Patient-Entered Questionnaires) (R4)

File: site/apis/29-Patient-Access/1-R4/10024-QuestionnaireResponse-Read-Patient-Entered-Questionnaires-R4.html
Epic API ID | 10024
FHIR version | R4
Categories | Patient Access
API type | Industry-Standard
API group | Questionnaires Due Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | February 2021
HTTP method | GET
URL template | /api/FHIR/R4/QuestionnaireResponse/{ID}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10024

Description

This web service returns the responses that were recorded for a patient-entered questionnaire, along with certain metadata about those responses. Reference the QuestionnaireResponse.Create (Patient-Entered Questionnaires) web service for information about filing a patient’s response to a questionnaire.

Response elements

Name | Type | Optional | Array | Cardinality | Description
QuestionnaireResponse | Resource | False | | | An instance of the R4 QuestionnaireResponse FHIR resource.

QuestionnaireResponse.authored | dateTime | True | | | Date and time the answers were gathered (in UTC). The default is the current time.
QuestionnaireResponse.encounter | Reference | True | | | Refers to the encounter the questionnaire was assigned to. If the questionnaire was assigned in an encounter that cannot be returned as a FHIR resource, this element returns the identifier values of that encounter.
QuestionnaireResponse.id | id | False | | | Identifier for this QuestionnaireResponse resource.
QuestionnaireResponse.identifier | Identifier | False | | | Generic identifier.
QuestionnaireResponse.item | BackboneElement | True | Yes | | Answers to the questions in the questionnaire.
QuestionnaireResponse.item.answer | BackboneElement | True | Yes | | The answer submitted for the question. Single-valued answer to the question. Depending on the type of question, the value sent will be one of the following types: Type of Question Mapping Epic Question Response Type FHIR Answer Type Numeric valueDecimal Custom List, Free Text valueString Category-INI valueCoding Time with Unit valueQuantity Date valueDate Time valueTime Yes/No valueBoolean Scoring Value valueDecimal Scoring Range Description valueString Other types are not supported.
Epic Question Response Type | FHIR Answer Type
Numeric | valueDecimal
Custom List, Free Text | valueString
Category-INI | valueCoding
Time with Unit | valueQuantity
Date | valueDate
Time | valueTime
Yes/No | valueBoolean
Scoring Value | valueDecimal
Scoring Range Description | valueString
QuestionnaireResponse.item.answer.extension (also: scoring-answer-description) | Extension | True | Yes | | A string value indicating the scoring answer description.
QuestionnaireResponse.item.answer.valueAttachment | Attachment | True | | | The attachment as a binary resource URL.
QuestionnaireResponse.item.answer.valueBoolean | boolean | True | | | Boolean value
QuestionnaireResponse.item.answer.valueCoding | Coding | True | | | Coding value.
QuestionnaireResponse.item.answer.valueDate | date | True | | | Date value
QuestionnaireResponse.item.answer.valueDecimal | decimal | True | | | Decimal value
QuestionnaireResponse.item.answer.valueQuantity | Quantity | True | | | Quantity value.
QuestionnaireResponse.item.answer.valueString | string | True | | | String value
QuestionnaireResponse.item.answer.valueTime | time | True | | | Time value
QuestionnaireResponse.item.linkId | string | False | | | This property lists the questionnaire ID, the question ID, along with the DAT of the question as a dot-delimited (.) string.
QuestionnaireResponse.item.text | string | True | | | The prompt of the question or question group.
QuestionnaireResponse.language | String | True | | | Language the questionnaire was answered in. For questionnaire response records that do not list the submission language, no language code is returned.
QuestionnaireResponse.questionnaire | canonical | True | | | The FHIR questionnaire.
QuestionnaireResponse.source | Reference | True | | | The Patient or RelatedPerson who answered the questionnaire. It could be the patient themselves, a patient proxy, or a non-patient proxy.
QuestionnaireResponse.status | code | False | | | Set to In-progress, unless all questionnaires are answered. If all questionnaires are answered, set to Completed.
QuestionnaireResponse.subject | Reference | True | | | The patient who is associated with the questionnaire.

Sample request

```
https://hostname/instance/api/FHIR/R4/QuestionnaireResponse/eLT3wmcSO-FnPHnHQ2FkBbQ3
```

Sample response


```
{
    "resourceType": "QuestionnaireResponse",
    "id": "eLT3wmcSO-FnPHnHQ2FkBbQ3",
    "identifier": {
        "system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.728165",
        "value": "106731"
    },
    "questionnaire": "Questionnaire/eU7pqmsZY1Mzn5Q6N3sr5CypVI-gW8oj3qZkRi4fCIS83",
    "status": "completed",
    "subject": {
        "reference": "Patient/eBJiv3SI2EuZFZSbARSALJz1qvR2nrHiiztqv0dgm9yM3",
        "display": "Johnson, Ken"
    },
    "encounter": {
        "reference": "Encounter/et2BlG8rMcWAICw5GbF58AP2Qdnk9wkJy2jt1u7cM5Mg3"
    },
    "authored": "2021-08-30T21:08:11Z",
    "source": {
        "reference": "Patient/eBJiv3SI2EuZFZSbARSALJz1qvR2nrHiiztqv0dgm9yM3",
        "display": "Johnson, Ken"
    },
    "item": [
        {
            "linkId": "325236236|220423|55545",
            "text": "On a scale from one to ten, rate your back pain in severity (range: 1 - 10)",
            "answer": [
                {
                    "valueDecimal": 7
                }
            ]
        },
```

```
        {
            "linkId": "325236236|220424|55545",
            "text": "When did you notice your back pain intensify?",
            "answer": [
                {
                    "valueDate": "2021-08-08"
                }
            ]
        },
        {
            "linkId": "325236236|220425|55545",
            "text": "When do you experience the most back pain?",
            "answer": [
                {
                    "valueString": "At morning"
                }
            ]
        },
        {
            "linkId": "325236236|220426|55545",
            "text": "Have the prescribed medications improved your back pain since?",
            "answer": [
                {
                    "valueBoolean": true
                }
            ]
        }
        {
            "linkId": "19393311|150297|55545",
            "text": " (range: 0 - 3)",
            "answer": [
                {
                    "extension": [
                        {
                            "valueString": "This is a score of 3",
                            "url": "http://open.epic.com/FHIR/StructureDefinition/extension/scoring-answer-description"
                        }
                    ],
                    "valueDecimal": 3
                }
            ]
        },
    ]
}
```


29.1.6 QuestionnaireResponse.Search (Patient-Entered Questionnaires) (R4)

File: site/apis/29-Patient-Access/1-R4/10082-QuestionnaireResponse-Search-Patient-Entered-Questionnaires.html
Epic API ID | 10082
FHIR version | R4
Categories | Patient Access
API type | Industry-Standard
API group | Questionnaires Due Group
USCDI | No
Available in inpatient and other contexts | Yes
ONC certification products | EpicCare Ambulatory Base, EpicCare Inpatient Base
ONC certification versions | May 2021
HTTP method | GET
URL template | /api/FHIR/R4/QuestionnaireResponse?patient={patient}&encounter={encounter}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users, Patients
Performs scope validation | False
Source | https://fhir.epic.com/Specifications?api=10082

Description

This web service returns a list of questionnaire responses that the patient has submitted. Multiple patients cannot be referenced when performing a search, and this API will only search for responses to patient-entered questionnaires.

If the patient has responded to immunization questionnaires, those responses will not be referenced in this resource. If the patient has questionnaire responses associated with multiple encounters, the encounter parameter can be used to refine search results to questionnaire responses submitted by a patient only for the specified encounter(s).

Request parameters

Name | Type | Optional | Array | Cardinality | Description
encounter | String | True | | | FHIR Encounter IDs. If provided, the search returns only those patient-entered questionnaire responses associated with the specified encounter(s).
patient | reference | False | | | FHIR Patient ID. All patient-entered questionnaire responses from the specified patient will be returned. Multiple patients cannot be referenced in the search request.

subject | reference | True | | | Refers to the patient that the questionnaire was assigned to.

Request parameters (post-filtered search parameters)

Name | Type | Optional | Array | Cardinality | Description
author | String | True | | | Unsupported
authored | String | True | | | The date and time when the questionnaire response was submitted. The time is always in UTC format.
based-on | String | True | | | Unsupported
identifier | String | True | | | Identifier for this questionnaire response.
part-of | String | True | | | Unsupported
questionnaire | String | True | | | The questionnaire identifier in Questionnaire/FHIR ID format.
source | String | True | | | The Patient or RelatedPerson who answered the questionnaire. It could be the patient themselves, a patient proxy, or a non-patient proxy.
status | String | True | | | Always "completed" because only completed questionnaire responses are returned. A questionnaire response with any other status is considered invalid.

Response elements

Name | Type | Optional | Array | Cardinality | Description
Bundle | Bundle | False | | | Resource bundle. For more information, refer to the FHIR specification.
Bundle.entry | BackboneElement | False | Yes | | An array of entries included in this bundle.
Bundle.entry.resource | ResourceContainer | False | | | A container for a single FHIR resource.
Bundle.entry.resource.QuestionnaireResponse | Resource | False | | | An instance of the R4 QuestionnaireResponse FHIR resource.
Bundle.entry.resource.QuestionnaireResponse.authored | dateTime | True | | | The date and time when the questionnaire response was submitted. The time is always in UTC format.
Bundle.entry.resource.QuestionnaireResponse.encounter | Reference | True | | | Refers to the encounter the questionnaire was assigned to. If the questionnaire was assigned in an encounter that cannot be returned as a FHIR resource, this element returns the identifier values of that encounter.
Bundle.entry.resource.QuestionnaireResponse.id | id | False | | | Identifier for this QuestionnaireResponse resource.
Bundle.entry.resource.QuestionnaireResponse.identifier | Identifier | True | | | Identifier for this questionnaire response.
Bundle.entry.resource.QuestionnaireResponse.item | BackboneElement | True | Yes | | Answers to the questions in the questionnaire.
Bundle.entry.resource.QuestionnaireResponse.item.answer | BackboneElement | True | Yes | | The answer submitted for the question. Single-valued answer to the question. Depending on the type of question, the value sent will be one of the following types: Type of Question Mapping Epic Question Response Type FHIR Answer Type Numeric valueDecimal Custom List, Free Text valueString Category-INI valueCoding Time with Unit valueQuantity Date valueDate Time valueTime Yes/No valueBoolean Scoring Value valueDecimal Scoring Range Description valueString Other types are not supported.
Epic Question Response Type | FHIR Answer Type
Numeric | valueDecimal
Custom List, Free Text | valueString
Category-INI | valueCoding
Time with Unit | valueQuantity
Date | valueDate
Time | valueTime
Yes/No | valueBoolean
Scoring Value | valueDecimal
Scoring Range Description | valueString
Bundle.entry.resource.QuestionnaireResponse.item.answer.extension (also: scoring-answer-description) | Extension | True | Yes | | A string value indicating the scoring answer description.
Bundle.entry.resource.QuestionnaireResponse.item.answer.valueAttachment | Attachment | True | | | The attachment as a binary resource URL.
Bundle.entry.resource.QuestionnaireResponse.item.answer.valueBoolean | boolean | True | | | Boolean value
Bundle.entry.resource.QuestionnaireResponse.item.answer.valueCoding | Coding | True | | | Coding value.
Bundle.entry.resource.QuestionnaireResponse.item.answer.valueDate | date | True | | | Date value
Bundle.entry.resource.QuestionnaireResponse.item.answer.valueDecimal | decimal | True | | | Decimal value
Bundle.entry.resource.QuestionnaireResponse.item.answer.valueQuantity | Quantity | True | | | Quantity value.
Bundle.entry.resource.QuestionnaireResponse.item.answer.valueString | string | True | | | String value
Bundle.entry.resource.QuestionnaireResponse.item.answer.valueTime | time | True | | | Time value
Bundle.entry.resource.QuestionnaireResponse.item.linkId | string | False | | | This property lists the questionnaire ID, the question ID, along with the DAT of the question as a dot-delimited (.) string.
Bundle.entry.resource.QuestionnaireResponse.item.text | string | True | | | The prompt of the question or question group.
Bundle.entry.resource.QuestionnaireResponse.language | String | True | | | Language the questionnaire was answered in. For questionnaire response records that do not list the submission language, no language code is returned.
Bundle.entry.resource.QuestionnaireResponse.questionnaire | canonical | True | | | The questionnaire identifier.
Bundle.entry.resource.QuestionnaireResponse.source | Reference | False | | | The Patient or RelatedPerson who answered the questionnaire. It could be the patient themselves, a patient proxy, or a non-patient proxy.
Bundle.entry.resource.QuestionnaireResponse.status | code | False | | | Always "completed" because only completed questionnaire responses are returned. A questionnaire response with any other status is considered invalid.
Bundle.entry.resource.QuestionnaireResponse.subject | Reference | True | | | Refers to the patient that the questionnaire was assigned to.

Sample request

```
https://hostname/instance/api/FHIR/R4/QuestionnaireResponse?Patient=eBJiv3SI2EuZFZSbARSALJz1qvR2nrHiiztqv0dgm9yM3
```

Sample response


```
{
 "resourceType": "Bundle",
```

```
"type": "searchset",
"total": 1,
"link": [
{
"relation": "self",
"url":
   "https://hostname/instance/api/FHIR/R4/QuestionnaireResponse?Patient=eBJiv3SI2EuZFZSbARSALJz1qvR2nrHiiztqv0dgm9yM3"
}
],
"entry": [
{
"link": [
{
"relation": "self",
"url": "https://hostname/instance/api/FHIR/R4/QuestionnaireResponse/eLT3wmcSO-FnPHnHQ2FkBbQ3"
}
],
"fullUrl": "https://hostname/instance/api/FHIR/R4/QuestionnaireResponse/eLT3wmcSO-FnPHnHQ2FkBbQ3",
"resource": {
"resourceType": "QuestionnaireResponse",
"id": "eLT3wmcSO-FnPHnHQ2FkBbQ3",
"identifier": {
"system": "urn:oid:1.2.840.114350.1.13.5325.1.7.2.728165",
"value": "106731"
},
"questionnaire": "Questionnaire/eU7pqmsZY1Mzn5Q6N3sr5CypVI-gW8oj3qZkRi4fCIS83",
"status": "completed",
"subject": {
"reference": "Patient/eBJiv3SI2EuZFZSbARSALJz1qvR2nrHiiztqv0dgm9yM3",
"display": "Johnson, Ken"
},
"encounter": {
"reference": "Encounter/et2BlG8rMcWAICw5GbF58AP2Qdnk9wkJy2jt1u7cM5Mg3"
},
"authored": "2021-08-30T21:08:11Z",
"source": {
"reference": "Patient/eBJiv3SI2EuZFZSbARSALJz1qvR2nrHiiztqv0dgm9yM3",
"display": "Johnson, Ken"
},
"item": [
{
"linkId": "325236236|220423|55545",
"text": "On a scale from one to ten, rate your back pain in severity (range: 1 - 10)",
"answer": [
{
"valueDecimal": 7
}
]
},
{
"linkId": "325236236|220424|55545",
"text": "When did you notice your back pain intensify?",
"answer": [
{
"valueDate": "2021-08-08"
}
]
},
{
"linkId": "325236236|220425|55545",
"text": "When do you experience the most back pain?",
"answer": [
{
"valueString": "At morning"
}
]
},
{
"linkId": "325236236|220426|55545",
"text": "Have the prescribed medications improved your back pain since?",
"answer": [
{
"valueBoolean": true
}
]
}
{
"linkId": "19393311|150297|55545",
"text": " (range: 0 - 3)",
"answer": [
{
"extension": [
{
"valueString": "This is a score of 3",
"url": "http://open.epic.com/FHIR/StructureDefinition/extension/scoring-answer-description"
}
],
"valueDecimal": 3
}
```

```
 ]
 },
]
 },
 "search": {
 "mode": "match"
 }
 }
 ]
}
```