# Epic-FHIR — API category: Release of Information (sections 31 – 31.1.4)

Source: Epic on FHIR (fhir.epic.com) documentation, mirrored 2026-11. Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

## 31 API category: Release of Information

File: site/apis/31-Release-of-Information/index.html

### Non-FHIR (4)

API | Method | URL template | Type
CreateRelease | POST | api/epic/2014/Access/Patient/CreateRelease/HealthInformationManagement/Patient/CreateRelease?RequesterName={RequesterName}&IsPatientRequester={IsPatientRequester}&Purpose={Purpose}&RequestedFormat={RequestedFormat}&ReleasedFormat={ReleasedFormat}&ReleaseStatus={ReleaseStatus}&Priority={Priority}&InformationStartDate={InformationStartDate}&InformationEndDate={InformationEndDate}&RequestedDate={RequestedDate}&NeededByDate={NeededByDate}&FulfilledDate={FulfilledDate}&NumberOfPages={NumberOfPages}&PatientIsUnknown={PatientIsUnknown} | Epic Public
CreateRelease2 | POST | api/epic/2017/Access/Patient/CreateRelease2/HealthInformationManagement/Patient/CreateRelease2 | Epic Public
UpdateRelease | POST | api/epic/2014/Access/Patient/UpdateRelease/HealthInformationManagement/Patient/UpdateRelease?RequesterName={RequesterName}&IsPatientRequester={IsPatientRequester}&Purpose={Purpose}&ReleasedFormat={ReleasedFormat}&ReleaseStatus={ReleaseStatus}&InformationStartDate={InformationStartDate}&InformationEndDate={InformationEndDate}&RequestedDate={RequestedDate}&NeededByDate={NeededByDate}&FulfilledDate={FulfilledDate}&NumberOfPages={NumberOfPages}&CancelHoldReason={CancelHoldReason} | Epic Public
UpdateRelease2 | POST | api/epic/2017/Access/Patient/UpdateRelease2/HealthInformationManagement/Patient/UpdateRelease2 | Epic Public

## 31.1 Release of Information: Non-FHIR

File: site/apis/31-Release-of-Information/1-Non-FHIR/index.html

* CreateRelease
* CreateRelease2
* UpdateRelease
* UpdateRelease2

## 31.1.1 CreateRelease

File: site/apis/31-Release-of-Information/1-Non-FHIR/61-CreateRelease.html
Epic API ID | 61
FHIR version | Non-FHIR
Categories | Release of Information
API type | Epic Public
API group | Release of Information Group
USCDI | No
HTTP method | POST
URL template | api/epic/2014/Access/Patient/CreateRelease/HealthInformationManagement/Patient/CreateRelease?RequesterName={RequesterName}&IsPatientRequester={IsPatientRequester}&Purpose={Purpose}&RequestedFormat={RequestedFormat}&ReleasedFormat={ReleasedFormat}&ReleaseStatus={ReleaseStatus}&Priority={Priority}&InformationStartDate={InformationStartDate}&InformationEndDate={InformationEndDate}&RequestedDate={RequestedDate}&NeededByDate={NeededByDate}&FulfilledDate={FulfilledDate}&NumberOfPages={NumberOfPages}&PatientIsUnknown={PatientIsUnknown}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
SOAP namespace | urn:Epic-com:Access.2014.Services.Patient
WSDL | Epic.Access.GeneratedServices/Patient.svc?wsdl
Source | https://fhir.epic.com/Specifications?api=61

### Request parameters

Name | Type | Optional | Array | Cardinality | Description
BillingAddress | Address | True
ChartTypes | String | True
Comments | String | True
Facility | IDType | True | | | A generic identifier.
FulfilledDate | String | True
InformationEndDate | String | True
InformationReleased | String | True
InformationRequested | String | True
InformationStartDate | String | True
IsPatientRequester | Boolean | True
NeededByDate | String | True
NumberOfPages | Int32 | True

PatientDemographics | Demographics | True
PatientDemographics.DateOfBirth | String | True
PatientDemographics.FirstName | String | True
PatientDemographics.LastName | String | True
PatientDemographics.MiddleName | String | True
PatientDemographics.NationalIdentifier | String | True
PatientDemographics.Sex | String | True
PatientIsUnknown | Boolean | True
PatientRequested | IDType | False | | | A generic identifier.
PatientRequested.ID | String | False | | | The identifier for this resource.
PatientRequested.Type | String | False | | | The type of identifier.
Priority | String | True
Purpose | String | True
ReleaseAddress | Address | True
ReleaseAddress.City | String | True
ReleaseAddress.Country | String | True
ReleaseAddress.County | String | True
ReleaseAddress.District | String | True
ReleaseAddress.FaxNumber | String | True
ReleaseAddress.HouseNumber | String | True
ReleaseAddress.PhoneNumber | String | True
ReleaseAddress.PostalCode | String | True
ReleaseAddress.State | String | True
ReleaseAddress.Street | String | True
ReleasedFormat | String | True
ReleaseStatus | String | True
ReleaseType | IDType | True | | | A generic identifier.
RequestedDate | String | True
RequestedFormat | String | True
Requester | IDType | True | | | A generic identifier.
RequesterName | String | True

## Response elements

Name | Type | Optional | Array | Cardinality | Description
ReleaseIDs | IDType | False | Yes | | A generic identifier.

## Errors

Code | Severity | Description | Example
NOT-LICENSED | None | | The system is not licensed to use the web service.
NO-PATIENT-ID | None | | Patient ID is required but not provided.
INVALID-PATIENT-ID-TYPE | None | | Patient ID Type is invalid.
INVALID-DATE-OF-BIRTH | None | | Invalid date value.
INVALID-NATIONAL-IDENTIFIER | None | | Invalid value.
INVALID-PATIENT-SEX | None | | Patient sex is invalid or could not be resolved to a unique value.
NO-PATIENT-FOUND | None | | No patient was found with the provided ID and ID type OR Patient record matching the given patient ID and demographic information is not found.
NO-REQUESTER-FOUND | None | | No requester was found with the provided ID and ID type.
INVALID-REQUESTER-ID-TYPE | None | | Requester ID Type is invalid.
MISSING-REQUESTER | None | | Either the requester ID or the requester name is required if patient is not the requester of the release. OR Requester record necessary to create the release cannot be found.
INVALID-FACILITY-ID-TYPE | None | | Facility ID Type is invalid.
NO-FACILITY-FOUND | None | | No facility was found with the provided ID and ID type.
NO-FACILITY | None | | Facility from which the release is requested is not specified.
INVALID-REQUESTER | None | | Requester record specified does not exist under the facility specified.
INVALID-RELEASE-TYPE-ID-TYPE | None | | Release Type ID Type is invalid.
NO-RELEASE-TYPE-FOUND | None | | No release type was found with the provided ID and ID type. OR Release Type necessary to create the release is not available.
INVALID-CHART-TYPES | None | | Chart Types are invalid or could not be resolved to unique values.
NO-CHART-TYPE-FOUND | None | | Chart Type necessary to create the release is not available.
INVALID-INFORMATION-START-DATE | None | | Invalid date value.
INVALID-INFORMATION-START-DATE | None | | Invalid date value.
INFO-STARTDATE-AFTER-ENDDATE | None | | Information end date is prior to information start date.
INVALID-REQUESTED-DATE | None | | Invalid date value.
INVALID-NEEDED-BY-DATE | None | | Invalid date value.
INVALID-FULFILLED-DATE | None | | Invalid date value.
DATE-REQUESTED-AFTER-DATE-FULFILLED | None | | Fulfilled date is prior to the requested date.
INVALID-PURPOSE | None | | Purpose is invalid or could not be resolved to a unique value.
INVALID-REQUESTED-FORMAT | None | | Requested format is invalid or could not be resolved to a unique value.
INVALID-RELEASED-FORMAT | None | | Released format is invalid or could not be resolved to a unique value.
INVALID-RELEASE-STATUS | None | | Release status is invalid or could not be resolved to a unique value. OR Canceled is not a valid release status. OR On Hold is not a valid release status.

INVALID-PRIORITY | None | | Priority is invalid or could not be resolved to a unique value.
INVALID-INFO-REQUESTED | None | | Information Types requested are invalid or could not be resolved to unique values.
INVALID-INFO-RELEASED | None | | Information Types released are invalid or could not be resolved to unique values.
INVALID-NUM-PAGES-VALUE | None | | Number of pages is not a valid numeric value. OR Number of pages is less than 0.
INVALID-NUM-PAGES-VALUE | None | | Information Types released are invalid or could not be resolved to unique values.
INVALID-RELEASE-STATE | None | | Release Address - state is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTY | None | | Release Address - county is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTRY | None | | Release Address - country is invalid or could not be resolved to a unique value.
INVALID-RELEASE-POSTAL-CODE | None | | Invalid value.
INVALID-RELEASE-DISTRICT | None | | Release Address - district is invalid or could not be resolved to a unique value.
INVALID-RELEASE-PHONE-NUMBER | None | | Invalid value.
INVALID-RELEASE-FAX-NUMBER | None | | Invalid value.
INVALID-BILLING-STATE | None | | Billing Address - state is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTY | None | | Billing Address - county is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTRY | None | | Billing Address - country is invalid or could not be resolved to a unique value.
INVALID-BILLING-POSTAL-CODE | None | | Invalid value.
INVALID-BILLING-DISTRICT | None | | Release Address - district is invalid or could not be resolved to a unique value.
INVALID-BILLING-PHONE-NUMBER | None | | Invalid value.
INVALID-BILLING-FAX-NUMBER | None | | Invalid value.
RELEASE-CREATION-FAILED | None | | Failed to create a release record.
INVALID-REQUESTER-RECIPIENT-FACILITY | None | | The requester and recipient are not part of the same ROI service area.
REQUESTER-IS-PATIENT-ACCOUNT | None | | The requester is a patient account. Only non-patient accounts can be requesters.
RELEASE-TO-UNKNOWN-PATIENT | None | | The patient cannot be the requester or recipient if the patient is unknown.
MUTUALLY-EXCLUSIVE-REQUESTER | None | | The requester cannot have a requester record ID if it is the patient or a patient relation, cannot have a relationship type if it is the patient, or cannot have a requester name if it is the patient.
NO-UNKNOWN-PATIENT-RECORD | None | | The patient is unknown, but there is no unknown patient record specified for the service area.
INVALID-RELEASE-STATUS-FULFILLED-DATE | None | | The release has a fulfilled date but the release is not at a status of Complete or Fulfilled.
INVALID-RELEASE-CITY | None | | The release address city is over 60 characters.
INVALID-RELEASE-HOUSE-NUMBER | None | | The house number in the release address is longer than 20 characters.
INVALID-BILLING-HOUSE-NUMBER | None | | The house number for the billing address is longer than 20 characters.
INVALID-BILLING-CITY | None | | The city for the billing address is longer than 60 characters.
INVALID-REQUESTER-NAME | None | | The requester name is longer than 160 characters.
INVALID-UNKNOWN-PATIENT | None | | The unknown patient doesn't match the unknown patient record specified for the service area.
INVALID-REQUESTER-SERVICE-AREA | None | | The requester service area does not match the facility or department.
RELEASE-TYPE-RESTRICTION-ERROR | None | | The purpose, hold reason, cancel reason, information requested value, or requested format are not allowed based on the release type.

## Sample request

```
<CreateRelease xmlns="urn:Epic-com:Access.2014.Services.Patient">
  <RequesterName>CMS</RequesterName>
  <IsPatientRequester>false</IsPatientRequester>
  <Purpose>10</Purpose>
  <RequestedFormat>3</RequestedFormat>
  <ReleasedFormat>3</ReleasedFormat>
  <ReleaseStatus>2</ReleaseStatus>
  <Priority>3</Priority>
  <ChartTypes>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1</string>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">4</string>
  </ChartTypes>
  <InformationRequested>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">2</string>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">8</string>
  </InformationRequested>
  <InformationReleased>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">8</string>
  </InformationReleased>
  <InformationStartDate>20130101</InformationStartDate>
  <InformationEndDate>20131231</InformationEndDate>
  <RequestedDate>20140310</RequestedDate>
  <NeededByDate>20140410</NeededByDate>
  <FulfilledDate>20140318</FulfilledDate>
  <NumberOfPages>200</NumberOfPages>
  <Comments>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">Patient visit information for the last
    calendar year.</string>
  </Comments>
  <PatientRequested>
    <ID xmlns="urn:Epic-com:Access.2012.Services.Patient">Z3454</ID>
    <Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
  </PatientRequested>
  <PatientDemographics>
    <DateOfBirth>19760604</DateOfBirth>
    <FirstName>John</FirstName>
    <LastName>Smith</LastName>
    <MiddleName>K</MiddleName>
    <NationalIdentifier>999-99-9999</NationalIdentifier>
    <Sex>Male</Sex>
  </PatientDemographics>
```

```
  <Requester>
    <ID xmlns="urn:Epic-com:Access.2012.Services.Patient">171215</ID>
    <Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
  </Requester>
  <ReleaseAddress>
    <City>Madison</City>
    <Country>USA</Country>
    <County>Dane</County>
    <District/>
    <FaxNumber>608-555-5556</FaxNumber>
    <HouseNumber/>
    <PhoneNumber>608-555-5555</PhoneNumber>
    <PostalCode>53593</PostalCode>
    <State>WI</State>
    <Street>
      <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1979 Milky Way</string>
    </Street>
  </ReleaseAddress>
  <BillingAddress>
    <City>Madison</City>
    <Country>USA</Country>
    <County>Dane</County>
    <District/>
    <FaxNumber>608-555-5556</FaxNumber>
    <HouseNumber/>
    <PhoneNumber>608-555-5555</PhoneNumber>
    <PostalCode>53593</PostalCode>
    <State>WI</State>
    <Street>
      <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1979 Milky Way</string>
    </Street>
  </BillingAddress>
  <Facility>
    <ID xmlns="urn:Epic-com:Access.2012.Services.Patient">740</ID>
    <Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
  </Facility>
  <ReleaseType>
    <ID xmlns="urn:Epic-com:Access.2012.Services.Patient">6</ID>
    <Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
  </ReleaseType>
</CreateRelease>
```

### Sample response

```
<CreateReleaseResult xmlns="urn:Epic-com:Access.2014.Services.Patient">
  <ReleaseIDs>
    <IDType xmlns="urn:Epic-com:Access.2012.Services.Patient">
      <ID>991585</ID>
      <Type>EXTERNAL</Type>
    </IDType>
  </ReleaseIDs>
</CreateReleaseResult>
```

# 31.1.2 CreateRelease2

File: site/apis/31-Release-of-Information/1-Non-FHIR/801-CreateRelease2.html
Epic API ID | 801
FHIR version | Non-FHIR
Categories | Release of Information
API type | Epic Public
API group | Release of Information Group
USCDI | No
HTTP method | POST
URL template | api/epic/2017/Access/Patient/CreateRelease2/HealthInformationManagement/Patient/CreateRelease2
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
SOAP namespace | urn:Epic-com:Access.2017.Services.Patient
WSDL | Epic.Access.GeneratedServices/Patient.svc?wsdl
Source | https://fhir.epic.com/Specifications?api=801

### Request parameters

Name | Type | Optional | Array | Cardinality | Description
AllRecordsSearch | Boolean | True
AssignedUser | IDType | True | | | A generic identifier.
BillingAddress | Address2 | True
BillingAddress.AttentionTo | String | True
BillingAddress.City | String | True
BillingAddress.Country | String | True
BillingAddress.County | String | True
BillingAddress.District | String | True

BillingAddress.Email | String | True
BillingAddress.FaxNumber | String | True
BillingAddress.HouseNumber | String | True
BillingAddress.PhoneNumber | String | True
BillingAddress.PostalCode | String | True
BillingAddress.State | String | True
BillingAddress.Street | String | True
BillingWorkflow | String | True
ChartTypes | String | True
Comments | String | True
Department | IDType | True | | | A generic identifier.
ExceptionGroups | IDType | True | Yes | | A generic identifier.
Facility | IDType | True | | | A generic identifier.
FontSize | Int32 | True
FulfilledDate | String | True
GenerateScreenReaderDocument | String | True
InformationEndDate | String | True
InformationReleased | String | True
InformationRequested | String | True
InformationStartDate | String | True
IsPatientRecipient | Boolean | True
IsPatientRequester | Boolean | True
NeededByDate | String | True
NumberOfPages | Int32 | True
PatientDemographics | Demographics | True
PatientDemographics.DateOfBirth | String | True
PatientDemographics.FirstName | String | True
PatientDemographics.LastName | String | True
PatientDemographics.MiddleName | String | True
PatientDemographics.NationalIdentifier | String | True
PatientDemographics.Sex | String | True
PatientIsUnknown | Boolean | True
PatientRequested | IDType | False | | | A generic identifier.
PatientRequested.ID | String | False | | | The identifier for this resource.
PatientRequested.Type | String | False | | | The type of identifier.
Priority | String | True
Purpose | String | True
Recipient | IDType | True | | | A generic identifier.
RecipientName | String | True
RecipientRelationship | String | True
RecipientSite | String | True
ReleaseAddress | Address2 | True
ReleasedFormat | String | True
ReleaseStatus | String | True
ReleaseType | IDType | True | | | A generic identifier.
RequestedDate | String | True
RequestedFormat | String | True
Requester | IDType | True | | | A generic identifier.
RequesterName | String | True
RequesterRelationship | String | True
SearchAccount | IDType | True | | | A generic identifier.
SearchEpisode | IDType | True | | | A generic identifier.

## Response elements

Name | Type | Optional | Array | Cardinality | Description
ErrorCodes | Error | False | Yes
ErrorCodes.Code | String | False
ErrorCodes.Description | String | False
ReleaseID | IDType | False | | | A generic identifier.

## Errors

Code | Severity | Description | Example
INVALID-PATIENT-ID-TYPE | None | | Patient ID Type is invalid.
INVALID-DATE-OF-BIRTH | None | | Invalid date value.
INVALID-NATIONAL-IDENTIFIER | None | | Invalid value.
NO-PATIENT-FOUND | None | | No patient was found with the provided ID and ID type OR Patient record matching the given patient ID and demographic information is not found.
NO-REQUESTER-FOUND | None | | No requester was found with the provided ID and ID type.
INVALID-REQUESTER-ID-TYPE | None | | Requester ID Type is invalid.
INVALID-FACILITY-ID-TYPE | None | | Facility ID Type is invalid.
INVALID-RELEASE-TYPE-ID-TYPE | None | | Release Type ID Type is invalid.

NO-RELEASE-TYPE-FOUND | None | | No release type was found with the provided ID and ID type. OR Release Type necessary to create the release is not available.
NO-CHART-TYPE-FOUND | None | | Chart Type necessary to create the release is not available.
INFO-STARTDATE-AFTER-ENDDATE | None | | Information end date is prior to information start date.
INVALID-REQUESTED-DATE | None | | Invalid date value.
INVALID-NEEDED-BY-DATE | None | | Invalid date value.
INVALID-FULFILLED-DATE | None | | Invalid date value.
DATE-REQUESTED-AFTER-DATE-FULFILLED | None | | Fulfilled date is prior to the requested date.
INVALID-PURPOSE | None | | Purpose is invalid or could not be resolved to a unique value.
INVALID-REQUESTED-FORMAT | None | | Requested format is invalid or could not be resolved to a unique value.
INVALID-RELEASED-FORMAT | None | | Released format is invalid or could not be resolved to a unique value.
INVALID-RELEASE-STATUS | None | | Release status is invalid or could not be resolved to a unique value. OR Canceled is not a valid release status. OR On Hold is not a valid release status.
INVALID-PRIORITY | None | | Priority is invalid or could not be resolved to a unique value.
INVALID-INFO-REQUESTED | None | | Information Types requested are invalid or could not be resolved to unique values.
INVALID-NUM-PAGES-VALUE | None | | Number of pages is not a valid numeric value. OR Number of pages is less than 0.
INVALID-RELEASE-STATE | None | | Release Address - state is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTY | None | | Release Address - county is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTRY | None | | Release Address - country is invalid or could not be resolved to a unique value.
INVALID-RELEASE-POSTAL-CODE | None | | Invalid value.
INVALID-RELEASE-DISTRICT | None | | Release Address - district is invalid or could not be resolved to a unique value.
INVALID-RELEASE-PHONE-NUMBER | None | | Invalid value.
INVALID-RELEASE-FAX-NUMBER | None | | Invalid value.
INVALID-BILLING-STATE | None | | Billing Address - state is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTY | None | | Billing Address - county is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTRY | None | | Billing Address - country is invalid or could not be resolved to a unique value.
INVALID-BILLING-POSTAL-CODE | None | | Invalid value.
INVALID-BILLING-DISTRICT | None | | Release Address - district is invalid or could not be resolved to a unique value.
INVALID-BILLING-PHONE-NUMBER | None | | Invalid value.
INVALID-BILLING-FAX-NUMBER | None | | Invalid value.
RELEASE-CREATION-FAILED | None | | Failed to create a release record.
NOT-LICENSED | None | | The required license is not activated.
INVALID-REQUESTER-RECIPIENT-FACILITY | None | | The requester and recipient must belong to the same ROI service area.
NO-FACILITY | None | | The facility from which the release is requested is not specified.
INVALID-REQUESTER | None | | The ROI requester record specified does not exist under the facility specified.
REQUESTER-IS-PATIENT-ACCOUNT | None | | Only non-patient accounts are accepted.
RELEASE-TO-UNKNOWN-PATIENT | None | | Patient cannot be the requester or recipient if patient is unknown.
INVALID-REQUESTER-RELATION | None | | Name is required if relation to patient.
MISSING-REQUESTER | None | | The name or ROI requester ID is required if not patient.
MUTUALLY-EXCLUSIVE-REQUESTER | None | | Cannot have an ROI requester ID if is patient Cannot have an ROI requester ID if is relation Cannot have a relationship type if is patient Cannot have a name if is patient
INVALID-RECIPIENT | None | | The ROI requester record specified does not exist under the facility specified.
RECIPIENT-IS-PATIENT-ACCOUNT | None | | Only non-patient accounts are accepted.
INVALID-RECIPIENT-RELATION | None | | Name is required if relation to patient.
MISSING-RECIPIENT | None | | Name or ROI requester ID is required if not patient.
MUTUALLY-EXCLUSIVE-RECIPIENT | None | | Cannot have an ROI requester ID if is patient Cannot have an ROI requester ID if is relation Cannot have a relationship type if is patient Cannot have a name if is patient
NO-UNKNOWN-PATIENT-RECORD | None | | No unknown patient record defined for this service area.
INVALID-RELEASE-STATUS-FULFILLED-DATE | None | | The release status needs to be fulfilled or complete in order to have a fulfilled date.
INVALID-EXCEPTION-GROUPS | None | | Exception Groups were not valid for the document template configured in the release type.
INVALID-ACCOUNT-ID | None | | Document template search hospital account was not found with the provided ID and ID type.
INVALID-EPISODE-ID | None | | Document template search episode was not found with the provided ID and ID type.
MUTUALLY-EXCLUSIVE-SEARCH-TYPE | None | | Select a date range, hospital account, episode, no records, or all records to select data via document templates.
INVALID-REQUESTER-RELATIONSHIP | None | | RequesterRelationship is invalid or could not be resolved to a unique value.
INVALID-RECIPIENT-RELATIONSHIP | None | | RecipientRelationship is invalid or could not be resolved to a unique value.
INVALID-RELEASE-ATTENTION-TO | None | | Attention to exceeded the maximum number of characters: 80.
INVALID-RELEASE-CITY | None | | City exceeded the maximum number of characters: 60.
INVALID-RELEASE-EMAIL | None | | Email is invalid.
INVALID-BILLING-ATTENTION-TO | None | | Attention to exceeded maximum number of characters: 80.
INVALID-BILLING-CITY | None | | City exceeded maximum number of characters: 60.
INVALID-BILLING-EMAIL | None | | Email is invalid.
INVALID-BILLING-WORKFLOW | None | | Billing workflow is invalid or could not be resolved to a unique value.
NO-DEPARTMENT-FOUND | None | | Department was not found with the provided ID and ID type.
INVALID-DEPARTMENT-ID-TYPE | None | | Department ID Type is invalid.
NO-FACILITY-FOUND | None | | Facility was not found with the provided ID and ID type.
NO-RECIPIENT-FOUND | None | | Recipient was not found with the provided ID and ID type.
INVALID-RECIPIENT-ID-TYPE | None | | Recipient ID Type is invalid.
NO-PATIENT-FOUND | None | | Patient was not found with the provided ID and ID type.
ASSIGNED-USER-NOT-FOUND | None | | Assigned user was not found with the provided ID and ID type.
INVALID-ASSIGNED-USER-ID-TYPE | None | | Assigned user ID Type is invalid.
INVALID-ACCOUNT-ID-TYPE | None | | Document template search hospital account ID Type is invalid.
INVALID-EPISODE-ID-TYPE | None | | Document template search episode ID Type is invalid.

INVALID-RECIPIENT-NAME | None | | Recipient name exceeded maximum number of characters: 160.
INVALID-REQUESTER-NAME | None | | Requester name exceeded maximum number of characters: 160.
INVALID-FONT-SIZE-VALUE | None | | FontSize is not 0, 14, or 18.
INVALID-GENERATE-SCREEN-READER-DOCUMENT | None | | Generate screen reader document is invalid or could not be resolved to a unique value.
INVALID-RECIPIENT-SITE | None | | Recipient site was not found on the ROI Requester record or was inactive.
RELEASE-TYPE-RESTRICTION-ERROR | None | | The release type record restricted the purpose, hold reason, cancel reason, info requested, or requested format provided.
INVALID-RELEASE-HOUSE-NUMBER | None | | The house number for the release request is over 20 characters.
INVALID-BILLING-HOUSE-NUMBER | None | | The house number for the billing address is over 20 characters.
INVALID-PATIENT-SEX | None | | The patient's sex is invalid or could not be resolved to a unique value.
NO-PATIENT-ID | None | | The release request has no patient ID.
INVALID-UNKNOWN-PATIENT | None | | The unknown patient does not match the unknown patient record specified for the service area.
INVALID-CHART-TYPES | None | | The chart type value is invalid.
INVALID-INFO-RELEASED | None | | The information types released value is invalid.
INVALID-INFORMATION-START-DATE | None | | The start date for the information requested is not valid.
INVALID-INFORMATION-END-DATE | None | | The end date for the information requested is not valid.
INVALID-REQUESTER-SERVICE-AREA | None | | The requester service area does not match the facility or department.
INVALID-RECIPIENT-SERVICE-AREA | None | | The recipient service area does not match the facility or department.
EXCEPTION-GROUP-NOT-FOUND | None | | The provided exception group ID does not match an exception group.
INVALID-EXCEPTION-GROUP-ID-TYPE | None | | The exception group's ID type is invalid.

## Sample request

```
<CreateRelease2 xmlns="urn:Epic-com:Access.2017.Services.Patient" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <!--string occurs:0,1-->
  <RequesterName xsi:nil="true"/>
  <!--boolean occurs:0,1-->
  <IsPatientRequester>1</IsPatientRequester>
  <!--string occurs:0,1-->
  <Purpose xsi:nil="false">Personal</Purpose>
  <!--string occurs:0,1-->
  <RequestedFormat xsi:nil="false">PDF</RequestedFormat>
  <!--string occurs:0,1-->
  <ReleasedFormat xsi:nil="true"/>
  <!--string occurs:0,1-->
  <ReleaseStatus xsi:nil="true"/>
  <!--string occurs:0,1-->
  <Priority xsi:nil="true"/>
  <!--arrayofstring occurs:0,1-->
  <ChartTypes xsi:nil="false">
    <!--string occurs:0,-->
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">PJR Medical</string>
  </ChartTypes>
  <!--arrayofstring occurs:0,1-->
  <InformationRequested xsi:nil="false">
    <!--string occurs:0,-->
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">All</string>
  </InformationRequested>
  <!--arrayofstring occurs:0,1-->
  <InformationReleased xsi:nil="true"/>
  <!--string occurs:0,1-->
  <InformationStartDate xsi:nil="false">2017-08-01</InformationStartDate>
  <!--string occurs:0,1-->
  <InformationEndDate xsi:nil="false">2017-10-01</InformationEndDate>
  <!--string occurs:0,1-->
  <RequestedDate xsi:nil="true"/>
  <!--string occurs:0,1-->
  <NeededByDate xsi:nil="true"/>
  <!--string occurs:0,1-->
  <FulfilledDate xsi:nil="true"/>
  <!--arrayofstring occurs:0,1-->
  <Comments xsi:nil="false">
    <!--string occurs:0,-->
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">This is a
    comment.</string>
    <!--string occurs:0,-->
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">This is a comment on a new
     line.</string>
  </Comments>
  <!--boolean occurs:0,1-->
  <PatientIsUnknown>0</PatientIsUnknown>
  <!--boolean occurs:0,1-->
  <IsPatientRecipient>1</IsPatientRecipient>
  <!--string occurs:0,1-->
  <RecipientName xsi:nil="true"/>
  <!--string occurs:0,1-->
  <RecipientRelationship xsi:nil="true"/>
  <!--string occurs:0,1-->
  <RequesterRelationship xsi:nil="true"/>
  <!--boolean occurs:0,1-->
  <AllRecordsSearch>0</AllRecordsSearch>
  <!--string occurs:0,1-->
  <BillingWorkflow xsi:nil="false">3</BillingWorkflow>
```

```
<!--string occurs:0,1-->
<RecipientSite xsi:nil="false"/>
<!--string occurs:0,1-->
<GenerateScreenReaderDocument xsi:nil="false"/>
<!--int occurs:0,1-->
<FontSize/>
<!--idtype occurs:0,1-->
<PatientRequested xsi:nil="false">
  <!--string occurs:0,1-->
  <ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">120459</ID>
  <!--string occurs:0,1-->
  <Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EPI</Type>
</PatientRequested>
<!--demographics occurs:0,1-->
<PatientDemographics xsi:nil="false">
  <!--string occurs:0,1-->
  <DateOfBirth xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">1966-01-25</DateOfBirth>
  <!--string occurs:0,1-->
  <FirstName xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">A</FirstName>
  <!--string occurs:0,1-->
  <LastName xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">Test</LastName>
  <!--string occurs:0,1-->
  <MiddleName xsi:nil="true"/>
  <!--string occurs:0,1-->
  <NationalIdentifier xmlns="urn:Epic-com:Access.2014.Services.Patient"
  xsi:nil="false">639-94-9463</NationalIdentifier>
  <!--string occurs:0,1-->
  <Sex xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">M</Sex>
</PatientDemographics>
<!--idtype occurs:0,1-->
<Requester xsi:nil="true"/>
<!--address2 occurs:0,1-->
<BillingAddress xsi:nil="false">
  <!--string occurs:0,1-->
  <AttentionTo xsi:nil="false">A's mom</AttentionTo>
  <!--string occurs:0,1-->
  <City xsi:nil="false">Verona</City>
  <!--string occurs:0,1-->
  <Country xsi:nil="true"/>
  <!--string occurs:0,1-->
  <County xsi:nil="true"/>
  <!--string occurs:0,1-->
  <District xsi:nil="true"/>
  <!--string occurs:0,1-->
  <Email xsi:nil="false">amomtesting@epic.com</Email>
  <!--string occurs:0,1-->
  <FaxNumber xsi:nil="true"/>
  <!--string occurs:0,1-->
  <HouseNumber xsi:nil="true"/>
  <!--string occurs:0,1-->
  <PhoneNumber xsi:nil="false">608-777-9000</PhoneNumber>
  <!--string occurs:0,1-->
  <PostalCode xsi:nil="false">53593</PostalCode>
  <!--string occurs:0,1-->
  <State xsi:nil="false">WI</State>
  <!--arrayofstring occurs:0,1-->
  <Street xsi:nil="false">
    <!--string occurs:0,-->
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">1979 Milky Way</string>
    <!--string occurs:0,-->
    <string xsi:nil="true"/>
  </Street>
</BillingAddress>
<!--idtype occurs:0,1-->
<Facility xsi:nil="false">
  <!--string occurs:0,1-->
  <ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">8099</ID>
  <!--string occurs:0,1-->
  <Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
</Facility>
<!--idtype occurs:0,1-->
<ReleaseType xsi:nil="false">
  <!--string occurs:0,1-->
  <ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">52</ID>
  <!--string occurs:0,1-->
  <Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
</ReleaseType>
<!--idtype occurs:0,1-->
<Recipient xsi:nil="true"/>
<!--address2 occurs:0,1-->
<ReleaseAddress xsi:nil="true"/>
<!--idtype occurs:0,1-->
<Department xsi:nil="false">
  <!--string occurs:0,1-->
  <ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">14985001</ID>
  <!--string occurs:0,1-->
  <Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
</Department>
<!--idtype occurs:0,1-->
```

```
  <SearchAccount xsi:nil="true"/>
  <!--idtype occurs:0,1-->
  <SearchEpisode xsi:nil="true"/>
  <!--idtype occurs:0,1-->
  <AssignedUser xsi:nil="false">
    <!--string occurs:0,1-->
    <ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">14985001</ID>
    <!--string occurs:0,1-->
    <Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
  </AssignedUser>
  <!--arrayofidtype occurs:0,1-->
  <ExceptionGroups xsi:nil="true"/>
</CreateRelease2>
```

### Sample response

```
<?xml version="1.0" encoding="utf-16"?>
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
<s:Header>
<ServerMetrics xmlns="Epic.Core.Communication">[{"BlockReads":13,"BlockWrites":33,"BlocksAllocated":2,"DBTime":1052,"ECF
    NetworkTime":1,"ECFRequestCount":0,"ECFRequestTime":1053,"GREF":2715,"JournalEntries":132,"LocksFailed":0,"LocksGran
    ted":12,"MCommands":32040,"MemoryDifference":501760,"WorkflowEventBlockReads":13,"WorkflowEventDBTime":1052,"Workflo
    wEventECFNetworkTime":0,"WorkflowEventECFRequestCount":0,"WorkflowEventGREF":2715}]</ServerMetrics>
</s:Header>
<s:Body>
<CreateRelease2Response xmlns="urn:Epic-com:Access.2017.Services.Patient">
<CreateRelease2Result xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
<ErrorCodes i:nil="true" xmlns:a="urn:Epic-com:Access.2014.Services.Patient" />
<ReleaseID xmlns:a="urn:Epic-com:Access.2012.Services.Patient">
<a:ID>647963</a:ID>
<a:Type>EXTERNAL</a:Type>
</ReleaseID>
</CreateRelease2Result>
</CreateRelease2Response>
</s:Body>
</s:Envelope>
```

# 31.1.3 UpdateRelease

File: site/apis/31-Release-of-Information/1-Non-FHIR/63-UpdateRelease.html
Epic API ID | 63
FHIR version | Non-FHIR
Categories | Release of Information
API type | Epic Public
API group | Release of Information Group
USCDI | No
HTTP method | POST
URL template | api/epic/2014/Access/Patient/UpdateRelease/HealthInformationManagement/Patient/UpdateRelease?RequesterName={RequesterName}&IsPatientRequester={IsPatientRequester}&Purpose={Purpose}&ReleasedFormat={ReleasedFormat}&ReleaseStatus={ReleaseStatus}&InformationStartDate={InformationStartDate}&InformationEndDate={InformationEndDate}&RequestedDate={RequestedDate}&NeededByDate={NeededByDate}&FulfilledDate={FulfilledDate}&NumberOfPages={NumberOfPages}&CancelHoldReason={CancelHoldReason}
Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
SOAP namespace | urn:Epic-com:Access.2014.Services.Patient
WSDL | Epic.Access.GeneratedServices/Patient.svc?wsdl
Source | https://fhir.epic.com/Specifications?api=63

### Request

Name | Type | Optional | Array | Description
RequesterName | string | True | | Name of the entity requesting the release.
IsPatientRequester | boolean | True | | A flag that indicates if the patient is the requester of the release.
Purpose | string | True | | Purpose of the release. This must be a category value from the Purpose Needed category list built in Epic.
ReleasedFormat | string | True | | Format in which the information is released. This must be a category value from the Released Output Format category list in Epic.
ReleaseStatus | string | True | | Current status of the release. This must be a category value from the Release Status category list in Epic. Default release status is "In Progress".
InformationReleased | string | True | Yes | Types of patient medical record documents released. This must be a category value from the Info Requested category list built in Epic.
InformationStartDate | string | True | | This is the starting date (in YYYY-MM-DD format) of the date range for which information is requested.
InformationEndDate | string | True | | This is the ending date (in YYYY-MM-DD format) of the date range for which information is requested.
RequestedDate | string | True | | Date the release was requested (in YYYY-MM-DD format). Default value is the current date.
NeededByDate | string | True | | Date by which the requester needs the information (in YYYY-MM-DD format).
FulfilledDate | string | True | | Date a release request was fulfilled (in YYYY-MM-DD format). Default value is today's date.
NumberOfPages | string | True | | Number of pages of information released.
Comments | string | True | Yes | Additional information associated with a release request.
CancelHoldReason | string | True | | Reason for either canceling or placing a release on hold. This must be a category value from the Hold Reasons category list built in Epic.

Requester | IDType | True | | Identifier of the entity requesting the release. Identifier is used to find the requester record in Epic's Requester database.
ReleaseAddress | Address | True | | Release address of the requesting entity.
BillingAddress | Address | True | | Billing address of the requesting entity.
ReleaseType | IDType | True | | Type of the release. This must be the identifier of the release type record in Epic's release type database.
ReleaseToUpdate | Release | False | | Release identifier. A release matching this element is updated.

## Response

Name | Type | Optional | Array | Description
Errors | Error | True | Yes | List of errors encountered during the release update.
UpdateSuccessful | boolean | False | | Indicates if the release request is successfully updated or not.

## Type: IDType

Name | Type | Optional | Array | Description
ID | string | False | | Record ID.
Type | string | False | | Record ID type.

## Type: Address

Name | Type | Optional | Array | Description
Street | string | False | Yes | Street address.
City | string | False | | City.
State | string | False | | State.
PostalCode | string | False | | Postal code or ZIP code.
County | string | False | | County.
Country | string | False | | Country.
District | string | False | | District.
HouseNumber | string | False | | House number.
PhoneNumber | string | False | | Phone number.
FaxNumber | string | False | | Fax number.

## Type: Release

Name | Type | Optional | Array | Description
ReleaseID | IDType | False | | Release request identifier.
AssociatedPatient | IDType | False | | ID of the patient associated with the release request.

## Type: IDType

Name | Type | Optional | Array | Description
ID | string | False | | Record ID.
Type | string | False | | Record ID type.

## Type: Error

Name | Type | Optional | Array | Description
Code | string | False | | Code identifying an error.
Description | string | False | | Description of an error.

## Errors

Code | Severity | Description | Example
NOT-LICENSED | None | | The system is not licensed to use the web service.
NO-PATIENT-ID | None | | Patient ID is required but not provided.
INVALID-PATIENT-ID-TYPE | None | | Patient ID is required but not provided.
NO-RELEASE-ID | None | | Release ID is required but not provided.
INVALID-RELEASE-ID-TYPE | None | | Release ID is required but not provided.
INVALID-RELEASE | None | | Release does not belong to the given patient.
NO-PATIENT-FOUND | None | | No patient was found with the provided ID and ID type.
NO-RELEASE-FOUND | None | | No release was found with the provided ID and ID type.
RELEASE-REQUEST-LOCKED | None | | Release request is locked and cannot be updated.

## Sample request

```
<UpdateRelease xmlns="urn:Epic-com:Access.2014.Services.Patient">
  <RequesterName>CMS</RequesterName>
  <IsPatientRequester>false</IsPatientRequester>
  <Purpose>10</Purpose>
  <ReleasedFormat>3</ReleasedFormat>
  <ReleaseStatus>4</ReleaseStatus>
  <InformationReleased>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">2</string>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">8</string>
  </InformationReleased>
```

```
  <InformationStartDate>20130101</InformationStartDate>
  <InformationEndDate>20130101</InformationEndDate>
  <RequestedDate>20140310</RequestedDate>
  <NeededByDate>20140410</NeededByDate>
  <FulfilledDate>20140318</FulfilledDate>
  <NumberOfPages>200</NumberOfPages>
  <Comments>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">Patient visit information for the last
    calendar year</string>
  </Comments>
  <CancelHoldReason>1</CancelHoldReason>
  <Requester>
    <ID xmlns="urn:Epic-com:Access.2012.Services.Patient">171215</ID>
    <Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
  </Requester>
  <ReleaseAddress>
    <City>Madison</City>
    <Country>USA</Country>
    <County>Dane</County>
    <District/>
    <FaxNumber>608-555-5556</FaxNumber>
    <HouseNumber/>
    <PhoneNumber>608-555-5555</PhoneNumber>
    <PostalCode>53593</PostalCode>
    <State>WI</State>
    <Street>
      <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1979 Milky Way</string>
    </Street>
  </ReleaseAddress>
  <BillingAddress>
    <City>Madison</City>
    <Country>USA</Country>
    <County>Dane</County>
    <District/>
    <FaxNumber>608-555-5556</FaxNumber>
    <HouseNumber/>
    <PhoneNumber>608-555-5555</PhoneNumber>
    <PostalCode>53593</PostalCode>
    <State>WI</State>
    <Street>
      <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1979 Milky Way</string>
    </Street>
  </BillingAddress>
  <ReleaseType>
    <ID xmlns="urn:Epic-com:Access.2012.Services.Patient">6</ID>
    <Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
  </ReleaseType>
  <ReleaseToUpdate>
    <AssociatedPatient>
      <ID xmlns="urn:Epic-com:Access.2012.Services.Patient">Z3454</ID>
      <Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
    </AssociatedPatient>
    <ReleaseID>
      <ID xmlns="urn:Epic-com:Access.2012.Services.Patient">243567</ID>
      <Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
    </ReleaseID>
  </ReleaseToUpdate>
</UpdateRelease>
```

### Sample response

```
<UpdateReleaseResult xmlns="urn:Epic-com:Access.2014.Services.Patient">
  <Errors>
    <Error>
      <Code>INFO-RELEASED-NOT-UPDATED</Code>
      <Description>Information Types Released are invalid or could not be resolved to unique values</Description>
    </Error>
    <Error>
      <Code>INFO-STARTEND-DATES-NOT-UPDATED</Code>
      <Description>Information end date is prior to information start date</Description>
    </Error>
  </Errors>
  <UpdateSuccessful>false</UpdateSuccessful>
</UpdateReleaseResult>
```

# 31.1.4 UpdateRelease2

File: site/apis/31-Release-of-Information/1-Non-FHIR/835-UpdateRelease2.html
Epic API ID | 835
FHIR version | Non-FHIR
Categories | Release of Information
API type | Epic Public
API group | Release of Information Group
USCDI | No
HTTP method | POST
URL template | api/epic/2017/Access/Patient/UpdateRelease2/HealthInformationManagement/Patient/UpdateRelease2

Supports OAuth 2.0 | True
Supported user types | Backend Systems and Non-OAuth 2.0, Clinicians or Administrative Users
Performs scope validation | False
SOAP namespace | urn:Epic-com:Access.2018.Services.Patient
WSDL | Epic.Access.GeneratedServices/Patient.svc?wsdl
Source | https://fhir.epic.com/Specifications?api=835

## Request parameters

Name | Type | Optional | Array | Cardinality | Description
AllRecordsSearch | Boolean | True
AssignedUser | IDType | True | | | A generic identifier.
AssignedUser.ID | String | False | | | The identifier for this resource.
AssignedUser.Type | String | False | | | The type of identifier.
BillingAddress | Address2 | False
BillingAddress.AttentionTo | String | False
BillingAddress.City | String | False
BillingAddress.Country | String | False
BillingAddress.County | String | False
BillingAddress.District | String | False
BillingAddress.Email | String | False
BillingAddress.FaxNumber | String | False
BillingAddress.HouseNumber | String | False
BillingAddress.PhoneNumber | String | False
BillingAddress.PostalCode | String | False
BillingAddress.State | String | False
BillingAddress.Street | String | False | Yes
BillingWorkflow | String | True
CancelHoldReason | String | True
Comments | String | True | Yes
ExceptionGroups | IDType | True | Yes | | A generic identifier.
ExceptionGroups.ID | String | False | | | The identifier for this resource.
ExceptionGroups.Type | String | False | | | The type of identifier.
FontSize | Int32 | True
FulfilledDate | String | True
GenerateScreenReaderDocument | String | True
InformationEndDate | String | True
InformationReleased | String | True | Yes
InformationRequested | String | True | Yes
InformationStartDate | String | True
IsPatientRecipient | Boolean | True
IsPatientRequester | Boolean | True
NeededByDate | String | True
NumberOfPages | Int32 | True
Priority | String | True
Purpose | String | True
Recipient | IDType | False | | | A generic identifier.
Recipient.ID | String | False | | | The identifier for this resource.
Recipient.Type | String | False | | | The type of identifier.
RecipientName | String | True
RecipientRelationship | String | True
RecipientSite | String | True
ReleaseAddress | Address2 | True
ReleaseAddress.AttentionTo | String | False
ReleaseAddress.City | String | False
ReleaseAddress.Country | String | False
ReleaseAddress.County | String | False
ReleaseAddress.District | String | False
ReleaseAddress.Email | String | False
ReleaseAddress.FaxNumber | String | False
ReleaseAddress.HouseNumber | String | False
ReleaseAddress.PhoneNumber | String | False
ReleaseAddress.PostalCode | String | False
ReleaseAddress.State | String | False
ReleaseAddress.Street | String | False | Yes
ReleasedFormat | String | True
ReleaseStatus | String | True
ReleaseToUpdate | Release | False
ReleaseToUpdate.AssociatedPatient | IDType | False | | | A generic identifier.
ReleaseToUpdate.ReleaseID | IDType | False | | | A generic identifier.
ReleaseType | IDType | True | | | A generic identifier.
ReleaseType.ID | String | False | | | The identifier for this resource.

ReleaseType.Type | String | False | | | The type of identifier.
RequestedDate | String | True
RequestedFormat | String | True
Requester | IDType | True | | | A generic identifier.
Requester.ID | String | False | | | The identifier for this resource.
Requester.Type | String | False | | | The type of identifier.
RequesterName | String | True
RequesterRelationship | String | True
SearchAccount | IDType | True | | | A generic identifier.
SearchAccount.ID | String | False | | | The identifier for this resource.
SearchAccount.Type | String | False | | | The type of identifier.
SearchEpisode | IDType | True | | | A generic identifier.
SearchEpisode.ID | String | False | | | The identifier for this resource.
SearchEpisode.Type | String | False | | | The type of identifier.

## Response elements

Name | Type | Optional | Array | Cardinality | Description
ErrorCodes | Error | False | Yes
ErrorCodes.Code | String | False
ErrorCodes.Description | String | False
UpdateSuccessful | Boolean | False

## Errors

Code | Severity | Description | Example
INVALID-PATIENT-ID-TYPE | None | | Patient ID Type is invalid.
INVALID-DATE-OF-BIRTH | None | | Invalid date value.
INVALID-NATIONAL-IDENTIFIER | None | | Invalid value.
NO-PATIENT-FOUND | None | | No patient was found with the provided ID and ID type OR Patient record matching the given patient ID and demographic information is not found.
NO-REQUESTER-FOUND | None | | No requester was found with the provided ID and ID type.
INVALID-REQUESTER-ID-TYPE | None | | Requester ID Type is invalid.
INVALID-FACILITY-ID-TYPE | None | | Facility ID Type is invalid.
INVALID-RELEASE-TYPE-ID-TYPE | None | | Release Type ID Type is invalid.
NO-RELEASE-TYPE-FOUND | None | | No release type was found with the provided ID and ID type. OR Release Type necessary to create the release is not available.
NO-CHART-TYPE-FOUND | None | | Chart Type necessary to create the release is not available.
INFO-STARTDATE-AFTER-ENDDATE | None | | Information end date is prior to information start date.
INVALID-REQUESTED-DATE | None | | Invalid date value.
INVALID-NEEDED-BY-DATE | None | | Invalid date value.
INVALID-FULFILLED-DATE | None | | Invalid date value.
DATE-REQUESTED-AFTER-DATE-FULFILLED | None | | Fulfilled date is prior to the requested date.
INVALID-PURPOSE | None | | Purpose is invalid or could not be resolved to a unique value.
INVALID-REQUESTED-FORMAT | None | | Requested format is invalid or could not be resolved to a unique value.
INVALID-RELEASED-FORMAT | None | | Released format is invalid or could not be resolved to a unique value.
INVALID-RELEASE-STATUS | None | | Release status is invalid or could not be resolved to a unique value. OR Canceled is not a valid release status. OR On Hold is not a valid release status.
INVALID-PRIORITY | None | | Priority is invalid or could not be resolved to a unique value.
INVALID-INFO-REQUESTED | None | | Information Types requested are invalid or could not be resolved to unique values.
INVALID-NUM-PAGES-VALUE | None | | Number of pages is not a valid numeric value. OR Number of pages is less than 0.
INVALID-RELEASE-STATE | None | | Release Address - state is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTY | None | | Release Address - county is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTRY | None | | Release Address - country is invalid or could not be resolved to a unique value.
INVALID-RELEASE-POSTAL-CODE | None | | Invalid value.
INVALID-RELEASE-DISTRICT | None | | Release Address - district is invalid or could not be resolved to a unique value.
INVALID-RELEASE-PHONE-NUMBER | None | | Invalid value.
INVALID-RELEASE-FAX-NUMBER | None | | Invalid value.
INVALID-BILLING-STATE | None | | Billing Address - state is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTY | None | | Billing Address - county is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTRY | None | | Billing Address - country is invalid or could not be resolved to a unique value.
INVALID-BILLING-POSTAL-CODE | None | | Invalid value.
INVALID-BILLING-DISTRICT | None | | Release Address - district is invalid or could not be resolved to a unique value.
INVALID-BILLING-PHONE-NUMBER | None | | Invalid value.
INVALID-BILLING-FAX-NUMBER | None | | Invalid value.
RELEASE-CREATION-FAILED | None | | Failed to create a release record.
NOT-LICENSED | None | | The required license is not activated.
INVALID-REQUESTER-RECIPIENT-FACILITY | None | | The requester and recipient must belong to the same ROI service area.
NO-FACILITY | None | | The facility from which the release is requested is not specified.
INVALID-REQUESTER | None | | The ROI requester record specified does not exist under the facility specified.
REQUESTER-IS-PATIENT-ACCOUNT | None | | Only non-patient accounts are accepted.
RELEASE-TO-UNKNOWN-PATIENT | None | | Patient cannot be the requester or recipient if patient is unknown.
INVALID-REQUESTER-RELATION | None | | Name is required if relation to patient.

MISSING-REQUESTER | None | | The name or ROI requester ID is required if not patient.
MUTUALLY-EXCLUSIVE-REQUESTER | None | | Cannot have an ROI requester ID if is patient Cannot have an ROI requester ID if is relation Cannot have a relationship type if is patient Cannot have a name if is patient
INVALID-RECIPIENT | None | | The ROI requester record specified does not exist under the facility specified.
RECIPIENT-IS-PATIENT-ACCOUNT | None | | Only non-patient accounts are accepted.
INVALID-RECIPIENT-RELATION | None | | Name is required if relation to patient.
MISSING-RECIPIENT | None | | Name or ROI requester ID is required if not patient.
MUTUALLY-EXCLUSIVE-RECIPIENT | None | | Cannot have an ROI requester ID if is patient Cannot have an ROI requester ID if is relation Cannot have a relationship type if is patient Cannot have a name if is patient
NO-UNKNOWN-PATIENT-RECORD | None | | No unknown patient record defined for this service area.
INVALID-RELEASE-STATUS-FULFILLED-DATE | None | | The release status needs to be fulfilled or complete in order to have a fulfilled date.
INVALID-EXCEPTION-GROUPS | None | | Exception Groups were not valid for the document template configured in the release type.
INVALID-ACCOUNT-ID | None | | Document template search hospital account was not found with the provided ID and ID type.
INVALID-EPISODE-ID | None | | Document template search episode was not found with the provided ID and ID type.
MUTUALLY-EXCLUSIVE-SEARCH-TYPE | None | | Select a date range, hospital account, episode, no records, or all records to select data via document templates.
INVALID-REQUESTER-RELATIONSHIP | None | | RequesterRelationship is invalid or could not be resolved to a unique value.
INVALID-RECIPIENT-RELATIONSHIP | None | | RecipientRelationship is invalid or could not be resolved to a unique value.
INVALID-RELEASE-ATTENTION-TO | None | | Attention to exceeded the maximum number of characters: 80.
INVALID-RELEASE-CITY | None | | City exceeded the maximum number of characters: 60.
INVALID-RELEASE-EMAIL | None | | Email is invalid.
INVALID-BILLING-ATTENTION-TO | None | | Attention to exceeded maximum number of characters: 80.
INVALID-BILLING-CITY | None | | City exceeded maximum number of characters: 60.
INVALID-BILLING-EMAIL | None | | Email is invalid.
INVALID-BILLING-WORKFLOW | None | | Billing workflow is invalid or could not be resolved to a unique value.
NO-DEPARTMENT-FOUND | None | | Department was not found with the provided ID and ID type.
INVALID-DEPARTMENT-ID-TYPE | None | | Department ID Type is invalid.
NO-FACILITY-FOUND | None | | Facility was not found with the provided ID and ID type.
NO-RECIPIENT-FOUND | None | | Recipient was not found with the provided ID and ID type.
INVALID-RECIPIENT-ID-TYPE | None | | Recipient ID Type is invalid.
NO-PATIENT-FOUND | None | | Patient was not found with the provided ID and ID type.
ASSIGNED-USER-NOT-FOUND | None | | Assigned user was not found with the provided ID and ID type.
INVALID-ASSIGNED-USER-ID-TYPE | None | | Assigned user ID Type is invalid.
INVALID-ACCOUNT-ID-TYPE | None | | Document template search hospital account ID Type is invalid.
INVALID-EPISODE-ID-TYPE | None | | Document template search episode ID Type is invalid.
INVALID-RECIPIENT-NAME | None | | Recipient name exceeded maximum number of characters: 160.
INVALID-REQUESTER-NAME | None | | Requester name exceeded maximum number of characters: 160.
INVALID-FONT-SIZE-VALUE | None | | FontSize is not 0, 14, or 18.
INVALID-GENERATE-SCREEN-READER-DOCUMENT | None | | Generate screen reader document is invalid or could not be resolved to a unique value.
INVALID-RECIPIENT-SITE | None | | Recipient site was not found on the ROI Requester record or was inactive.
RELEASE-TYPE-RESTRICTION-ERROR | None | | The release type record restricted the purpose, hold reason, cancel reason, info requested, or requested format provided.
REQUESTER-INFO-NOT-UPDATED | None | | The release request is already fulfilled or closed so the requester's information couldn't be updated.

## Sample request

```
<UpdateRelease2 xmlns="urn:Epic-com:Access.2017.Services.Patient" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <!--string occurs:0,1-->
  <RequesterName xsi:nil="true"/>
  <!--string occurs:0,1-->
  <Purpose xsi:nil="true"/>
  <!--string occurs:0,1-->
  <ReleasedFormat xsi:nil="true"/>
  <!--string occurs:0,1-->
  <ReleaseStatus xsi:nil="false">On Hold</ReleaseStatus>
  <!--arrayofstring occurs:0,1-->
  <InformationReleased xsi:nil="true"/>
  <!--string occurs:0,1-->
  <InformationStartDate xsi:nil="true"/>
  <!--string occurs:0,1-->
  <InformationEndDate xsi:nil="true"/>
  <!--string occurs:0,1-->
  <RequestedDate xsi:nil="true"/>
  <!--string occurs:0,1-->
  <NeededByDate xsi:nil="true"/>
  <!--string occurs:0,1-->
  <FulfilledDate xsi:nil="true"/>
  <!--arrayofstring occurs:0,1-->
  <Comments xsi:nil="false">
    <!--string occurs:0,-->
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">asked to be put on
    hold</string>
    <!--string occurs:0,-->
    <string xsi:nil="true"/>
  </Comments>
  <!--string occurs:0,1-->
  <CancelHoldReason xsi:nil="false">2</CancelHoldReason>
  <!--arrayofstring occurs:0,1-->
```

```
  <InformationRequested xsi:nil="true"/>
  <!--string occurs:0,1-->
  <RequestedFormat xsi:nil="true"/>
  <!--string occurs:0,1-->
  <RequesterRelationship xsi:nil="true"/>
  <!--string occurs:0,1-->
  <RecipientRelationship xsi:nil="true"/>
  <!--string occurs:0,1-->
  <RecipientName xsi:nil="true"/>
  <!--string occurs:0,1-->
  <Priority xsi:nil="true"/>
  <!--string occurs:0,1-->
  <BillingWorkflow xsi:nil="true"/>
  <!--string occurs:0,1-->
  <RecipientSite xsi:nil="false"/>
  <!--string occurs:0,1-->
  <GenerateScreenReaderDocument xsi:nil="false"/>
  <!--int occurs:0,1-->
  <FontSize/>
  <!--idtype occurs:0,1-->
  <Recipient xsi:nil="true"/>
  <!--idtype occurs:0,1-->
  <Requester xsi:nil="true"/>
  <!--address2 occurs:0,1-->
  <ReleaseAddress xsi:nil="true"/>
  <!--address2 occurs:0,1-->
  <BillingAddress xsi:nil="true"/>
  <!--idtype occurs:0,1-->
  <AssignedUser xsi:nil="true"/>
  <!--release occurs:0,1-->
  <ReleaseToUpdate xsi:nil="false">
    <!--idtype occurs:0,1-->
    <AssociatedPatient xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">
      <!--string occurs:0,1-->
      <ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">Z75420</ID>
      <!--string occurs:0,1-->
      <Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
    </AssociatedPatient>
    <!--idtype occurs:0,1-->
    <ReleaseID xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">
      <!--string occurs:0,1-->
      <ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">647958</ID>
      <!--string occurs:0,1-->
      <Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
    </ReleaseID>
  </ReleaseToUpdate>
  <!--idtype occurs:0,1-->
  <ReleaseType xsi:nil="true"/>
  <!--arrayofidtype occurs:0,1-->
  <ExceptionGroups xsi:nil="true"/>
  <!--idtype occurs:0,1-->
  <SearchAccount xsi:nil="true"/>
  <!--idtype occurs:0,1-->
  <SearchEpisode xsi:nil="true"/>
</UpdateRelease2>
```

## Sample response


```
<?xml version="1.0" encoding="utf-16"?>
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
<s:Header>
<ServerMetrics xmlns="Epic.Core.Communication">[{"BlockReads":26,"BlockWrites":11,"BlocksAllocated":0,"DBTime":33,"ECFNe
    tworkTime":2,"ECFRequestCount":0,"ECFRequestTime":35,"GREF":575,"JournalEntries":36,"LocksFailed":0,"LocksGranted":2
    ,"MCommands":8232,"MemoryDifference":266240,"WorkflowEventBlockReads":26,"WorkflowEventDBTime":33,"WorkflowEventECFN
    etworkTime":0,"WorkflowEventECFRequestCount":0,"WorkflowEventGREF":575}]</ServerMetrics>
</s:Header>
<s:Body>
<UpdateRelease2Response xmlns="urn:Epic-com:Access.2017.Services.Patient">
<UpdateRelease2Result xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
<ErrorCodes i:nil="true" xmlns:a="urn:Epic-com:Access.2014.Services.Patient" />
<UpdateSuccessful>true</UpdateSuccessful>
</UpdateRelease2Result>
</UpdateRelease2Response>
</s:Body>
</s:Envelope>
```