FHIR-STU3 — Foundation Module — part 2 of 2 (sections 2.32.3 – 2.48.8)

Source: HL7 FHIR STU3 (v3.0.2). Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

2.32.3 Mappings

URL: https://hl7.org/fhir/STU3/elementdefinition-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.32.3 Element Definition Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This page provides mappings for Element Definition.

2.32.3.1 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

ElementDefinition | OM1
path | N/A
representation | N/A
sliceName | N/A
label
code | OM1.7
slicing
discriminator
type
path
description
ordered
rules
short
definition | OM1.6, OM1.41
comment | NTE, OM1.32, OM1.33, OM1.39
requirements
alias | OM1.8, OM1.52
min
max | OMC.10
base
path
min
max
contentReference
type | OM1.3, OMC.9
code | OM1.3
profile
targetProfile
aggregation
versioning
defaultValue[x]
meaningWhenMissing
orderMeaning
fixed[x]
pattern[x]
example
label
value[x]
minValue[x]
maxValue[x]
maxLength | OMC.12
condition
constraint
key
requirements
severity
human
expression
xpath
source
mustSupport

isModifier
isSummary
binding | OM3, OMC.11
strength | N/A
description
valueSet[x]
mapping
identity
language
map
comment

2.32.3.2 Mappings for RIM Mapping (http://hl7.org/v3)

ElementDefinition | Observation[classCode=OBS, moodCode=DEFN]
path | N/A
representation | N/A
sliceName | N/A
label | ./code/display
code | ./code (root or translation)
slicing | N/A
discriminator | N/A
type | N/A
path | N/A
description | N/A
ordered | N/A
rules | N/A
short | N/A
definition | ./text
comment | ./inboundRelationship[typeCode=SUBJ]/source[classCode=LIST, moodCode=EVN]/code
requirements | ./inboundRelationship[typeCode=META]/source[classCode=ACT, moodCode=EVN, isCriterionInd=true]/reasonCode/originalText
alias | Not currently expressible
min | N/A (MIF territory)
max | N/A (MIF territory)
base | N/A (MIF territory)
path | N/A (MIF territory)
min | N/A (MIF territory)
max | N/A (MIF territory)
contentReference | N/A
type | N/A (MIF territory)
code | N/A (MIF territory)
profile | N/A (MIF territory)
targetProfile | N/A (MIF territory)
aggregation | N/A (MIF territory)
versioning | N/A (MIF territory)
defaultValue[x] | N/A (MIF territory)
meaningWhenMissing | N/A (MIF territory)
orderMeaning | N/A (MIF territory)
fixed[x] | N/A (MIF territory)
pattern[x] | N/A (MIF territory)
example | N/A (MIF territory)
label | N/A (MIF territory)
value[x] | N/A (MIF territory)
minValue[x] | N/A (MIF territory)
maxValue[x] | N/A (MIF territory)
maxLength | N/A (MIF territory)
condition | N/A (MIF territory)
constraint | N/A (MIF territory)
key | N/A (MIF territory)
requirements | N/A (MIF territory)
severity | N/A (MIF territory)
human | N/A (MIF territory)
expression | N/A (MIF territory)
xpath | N/A (MIF territory)
source | N/A (MIF territory)
mustSupport | N/A (MIF territory)
isModifier | N/A (MIF territory)
isSummary | N/A (MIF territory)
binding | N/A (MIF territory)
strength | N/A (MIF territory)
description | N/A (MIF territory)
valueSet[x] | N/A (MIF territory)
mapping | N/A (MIF territory)

identity | N/A (MIF territory)
language | N/A (MIF territory)
map | N/A (MIF territory)
comment | N/A (MIF territory)

2.32.3.3 Mappings for LOINC code for the element (http://loinc.org)

ElementDefinition
path
representation
sliceName
label
code | LOINC_NUM
slicing
discriminator
type
path
description
ordered
rules
short
definition | TERM DEFINITION/DESCRIPTION(S)
comment | COMMENTS
requirements | R/O/C
alias | RELATED NAMES (only some of these apply)
min
max
base
path
min
max
contentReference
type | HL7_V2_DATATYPE (translation required), HL7_V3_DATATYPE (translation required)
code | HL7_V2_DATATYPE (translation required), HL7_V3_DATATYPE (translation required)
profile
targetProfile
aggregation
versioning
defaultValue[x]
meaningWhenMissing
orderMeaning
fixed[x]
pattern[x]
example
label
value[x] | EXMPL_ANSWERS
minValue[x]
maxValue[x]
maxLength
condition
constraint
key
requirements
severity
human
expression
xpath
source
mustSupport
isModifier
isSummary
binding | ANSWER LIST, NORMATIVE ANSWER LIST
strength | N/A
description
valueSet[x] | CODE_TABLE
mapping
identity
language
map
comment

2.32.3.4 Mappings for ISO 11179 (http://metadata-standards.org/11179/)

ElementDefinition | Data_Element
path | Name, Identifier & Context
representation | n/a
sliceName | n/a
label | n/a
code | (Data_Element).data_element_concept.identifier
slicing | n/a
discriminator | n/a
type
path | n/a
description
ordered | n/a
rules | n/a
short | N/A
definition | (Designatable_Item).definition.text acceptability=preferred in default context
comment | (Administered_Item).explanatory_comment
requirements | (Registered_item).document_reference[document_type=requirements].notation
alias | (Designatable_Item).designation.sign acceptability!=preferred or context is other than default
min | Minimum size of data element values?
max | Maximum size of data element values?
base | n/a
path | n/a
min | n/a
max | n/a
contentReference
type | .domain.data+Q14type
code | .domain.data+Q14type
profile | n/a
targetProfile | n/a
aggregation | n/a
versioning
defaultValue[x]
meaningWhenMissing
orderMeaning
fixed[x] | N/A (only relevant when constraining, which 11179 doesn't do)
pattern[x]
example
label
value[x] | .example
minValue[x]
maxValue[x]
maxLength | .domain.maximum_character_quantity
condition
constraint | ??
key
requirements
severity
human
expression
xpath
source
mustSupport | ??
isModifier | ??
isSummary | ??
binding | .domain
strength
description | .domain.description
valueSet[x] | points to explicit list or expression that evaluates to list of (Enumerated_Value_Domain).member
mapping | Registered_item).document_reference[document_type=mapping] Also, .meaning linkage to Data_Element_Concept is done as a mapping to a reference model. (Data_Element_Concepts are all defined in some sort of reference model, be that Object_Class and Property or some other mechanism)
identity
language
map | ObjectClass, Property (this is one possible data model that can be mapped to - the uri would identify the data model
mappingSpecification.mappingScript
comment

2.32.3.5 Mappings for IHE Data Element Exchange (DEX) (http://wiki.ihe.net/index.php?title=Data_Element_Exchange)

ElementDefinition | RetrieveMetadata response
path
representation

sliceName
label
code
slicing
discriminator
type
path
description
ordered
rules
short
definition
comment
requirements
alias
min
max
base
path
min
max
contentReference
type | valueDomain.dataType
code
profile
targetProfile
aggregation
versioning
defaultValue[x]
meaningWhenMissing
orderMeaning
fixed[x]
pattern[x]
example
label
value[x]
minValue[x]
maxValue[x]
maxLength
condition
constraint
key
requirements
severity
human
expression
xpath
source
mustSupport
isModifier
isSummary
binding
strength
description
valueSet[x] | valueDomain.valueSet
mapping | mappingSpecification
identity
language
map
comment

2.33 Guide to Resources

URL: https://hl7.org/fhir/STU3/resourceguide.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.33 Guide to Resources

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

The FHIR specification defines a set of resources, and an infrastructure for handling resources. In order to use FHIR to create solutions for integration requirements, implementers must map their problems to resources and their content.

The resources are classified into 6 sections:

* Clinical: The content of a clinical record

* Identification: Supporting entities involved in the care process

* Workflow: Manage the healthcare process

* Financial: Resources that support the billing and payment parts of FHIR

* Conformance: Resources use to manage specification, development and testing of FHIR solutions

* Infrastructure: General functionality, and resources for internal FHIR requirements

This page describes the resources and their functional intent in more detail to assist implementers to understand their purpose and scope, and their supporting classifications.

Where to find common concepts in this specification:

Concept | Example | Where to find
Clinical Findings
Laboratory Results | Blood panels such as CBC with Differential, Liver Panel, etc. | DiagnosticReport with Observations
Imaging Study Findings | CT Scans, MRI, Plain Radiographs, Ultrasounds) | DiagnosticReport (some with Observations)
Diagnostic Test Results | EKG, pulmonary function test, EEG | Observations (and maybe a DiagnosticReport)
Vital Signs | Temperature, Blood Pressure, Heart Rate, Respiratory Rate | Observation
Other Physical Exam Findings | Auscultation findings | Observation
Pulmonary Artery Catheter readings | Pulmonary artery pressure | Observation
Patient Problems, Allergies and Adverse Events
Allergy | Food or drug allergies | AllergyIntolerance
Clinical Diagnosis | Diabetes, Congestive Heart Failure | Condition
Adverse Event | Adverse reaction to an agent, falls, adverse surgical events, hospital infections | AdverseEvent
Patient History
Chief Complaint | Cough, Pain, Fever, Fatigue | Condition
Past Surgical History | Appendectomy, Hernia repair | Procedure
Past Medical History | Diabetes, Congestive heart failure | Condition
MAR (Medication Administration Record) | Warfarin 5mg PO administered on 12/10/2013 at 3pm | MedicationAdministration
Home Meds | Warfarin 5mg, 30 day supply, dispensed on 12/01/2013 | MedicationStatement
Social History | Sexual behavior, Smoking status, Alcohol intake, Illicit drug use | Observation
Family History | Mother has diabetes | FamilyMemberHistory
Signs & Symptoms | from a review of systems- Pain, Fever | Condition
Suggested Physician Orders
Proposal for a laboratory test | A blood panel, a stool analysis | ProcedureRequest
Proposal for an imaging procedure | CT Scan, MRI, X-Rays | ProcedureRequest
Proposed Diet Order | An oral diet order | NutritionOrder
Proposed respiratory order | Oxygen delivery | Not done yet
Proposed Medications | Aspirin, Lisinopril | MedicationRequest
Proposed Supply | Wheel Chair, Food Tray | SupplyRequest
Interdisciplinary Care Planning
Patient Goal | Reduce risk of falls, lose weight | Goal (as part of a CarePlan)
Intervention | Patient assessments | ProcedureRequest

In addition, to the information on this page, see also Common Use Cases.

2.33.1 Resource Classification

In addition to the overall classification above, Resources and the data elements in them are tapped into an overall ontology that provides consistent meaning across the resources.

One of the most fundamental aspects of a resource is tense - where it fits into the time line. Some resources are records of past events, some are plans for the future, etc. This table summarizes the categories:

Type | Description
Past | A record of an event that has happened
Present | A record that serves an exchange in real time
Future | A record that describes a future intent
Ongoing | A record that is maintained over time that tracks the state of a patient
Unrelated | A record that doesn't relate to time (e.g. a fixed entity)

Note that even future records end up in the past after the event they are concerned with passes.

2.33.2 Clinical

2.33.2.1 General

AllergyIntolerance, Condition, and Procedure are common resources that appear throughout the patient record - summaries of the patient status or history. FamilyMemberHistory tracks significant health issues for relatives of the patient, since these are significant risk factors for the patient. These resources may be found in patient, episode, discharge summaries, and consultation records.

ClinicalImpression (aka ClinicalAssessment) records the core of a clinical consultation/assessment/impression. When a single text note is inserted directly in the patient record, this is typically a ClinicalImpression.summary. A RiskAssessment is an assessment - usually, but not necessarily, by a decision support engine of the likely outcomes of some course of action for a patient.

A DetectedIssue is an active alert that there is a clinical issue with/between one or more active or proposed clinical actions for a patient. One way it may be used is as part of an error message in response to an attempted operation.

Resource | Category | RIM | Lifecycle
AllergyIntolerance | Ongoing | Act | This has a Current List
Condition | Ongoing | Act | This has a Current List
Procedure | Past | Act | Clinical Workflow
FamilyMemberHistory | Past | Act
ClinicalImpression | Past | Act
RiskAssessment | Present | Act | Clinical Workflow
DetectedIssue | Present | Act

2.33.2.2 Care Provision

These resources support planning of care provision - care and treatment plans.

CarePlan and Goal are the primary structures around which future planning for the patient is based. These are used to define care and treatment planned for a patient in the future, and may be updated and adjusted as ongoing care is provided.

ReferralRequest is the basis for a proposed/requested transfer of care from one clinician to another. Typically, these are associated with a transfer of records, and a physical relocation of the patient, but neither of these are required. A ProcedureRequest records a request for a procedure to be carried out.

NutritionOrder is a request to supply a diet, formula feeding (enteral) or oral nutritional supplement to a patient and VisionPrescription contains the details of visual aids requested for a patient.

Resource | Category | RIM | Lifecycle
CarePlan | Ongoing | Act
Goal | Future | Act | Clinical Workflow
ReferralRequest | Future | Act | Clinical Workflow
ProcedureRequest | Future | Act | Clinical Workflow
NutritionOrder | Future/Ongoing | Act
VisionPrescription | Future | Act

2.33.2.3 Medication Management

Supports the medication and immunization processes. Some points of note:

* Prescription = a MedicationRequest

* In some records, medication orders, administration, and statements may not be well differentiated. Generally, use MedicationStatement if records are unclear

* A medication chart (or variants) will use multiple different types of medication resources

* When prescribing is done by an external system (e.g. most ambulatory e-prescribing), the Medication resource is not used. It is generally used to represent information in formularies and to describe custom formulations

Resource | Category | RIM | Lifecycle
Medication | Unrelated | Role
Medication | Medication | Act | Clinical Workflow
MedicationDispense | Past | Act | Clinical Workflow
MedicationRequest | Future | Act | Request/Order. This has a current List
MedicationStatement | Ongoing / Past | Act | Entity Availability Workflow. This has a Current List
Immunization | Past | Act
ImmunizationRecommendation | Future | Act

2.33.2.4 Diagnostics

Resources concerned with observing the patient, and the diagnostic service process built around this. The Observation resource is a widely used general purpose tool. Typical uses include recording the following kinds of data:

* Laboratory Results

* Vital Signs (including Blood Pressure)

* Physical Examinations

* Social history (e.g. Smoking History)

and many more things beside. Note that 'everything is an observation', but implementations should not use Observation where Condition is more appropriate.

ProcedureRequest and DiagnosticReport support the overall diagnostic process. A DiagnosticReport connects the process of 'reporting', linking process identifiers, visual presentations of a report, and conclusions/interpretations with the Observations. ProcedureRequests capture the request from an authorized clinician to initiate the diagnostic process. Specimen and BodySite are used to record the details of specimen collection although BodySite can also be used with other resources (e.g. Operation location details on a Procedure).

The resources ImagingManifest and ImagingStudy are provided to make links to diagnostic images available within the clinical record, where the actual images will be provided by dedicated systems (the Media resource is intended for sharing actual images directly, which is not generally suitable for high resolution, high volume diagnostic images).

Resource | Category | RIM | Lifecycle
Observation | Past | Act
DiagnosticReport | Past | Act | Entity Availability Workflow
ProcedureRequest | Future | Act | Request/Order
Specimen | Unrelated | Role | Entity Availability Workflow
BodySite | Unrelated | Role
ImagingManifest | Past | Act
ImagingStudy | Past | Act

2.33.3 Administrative Resources

These resources provide support for identifying the various entities involved in healthcare: people, organizations, substances, devices, etc.

2.33.3.1 Individuals

The Patient resource represents the recipient of healthcare. This concept is not always referred to as a 'patient' - other words such as client, customer, resident, etc. are commonly used, but in this specification, the recipient of healthcare is simply known as the patient. The patient resource includes basic demographics and next of kin information.

The Practitioner resource is used to identify and describe any person (or even animal) involved in the provision of care, including doctors, nurses, clerical staff, specialist support staff, etc.

RelatedPerson is used to describe individuals who are related to the patient who are involved in the healthcare process, beyond merely being next of kin - they may sign documents, administer medications, be the source of information, or simply provide care by chance at an accident.

Resource | Category | RIM | Lifecycle
Patient | Unrelated | Role | Entity Availability Workflow
Practitioner | Unrelated | Role
RelatedPerson | Unrelated | Role

2.33.3.2 Groups

In most provision of healthcare, some Organization is responsible and accountable for the care, and references appear throughout the clinical record. The organization is a legal entity that may operate at multiple locations. A HealthcareService represents the services offered by one or more organizations at a single location.

A Group is used to describe one or more individuals - usually people, though other kinds of entities are allowed. Typically, these are used with aggregate reporting, though sometimes care is provided to a set of individuals at once (some counseling procedures, public health procedures, herds of cattle, etc.).

Resource | Category | RIM | Lifecycle
Organization | Unrelated | Role
HealthcareService | Unrelated | Role
Group | Unrelated | Entity

2.33.3.3 Entities

Location - for where things happen. Locations are either by instance (e.g. this particular room at a given address or GPS coordinates) or by kind (e.g. the back of some ambulance). The same applies to Substance, for some kind of material (e.g. chemical) used in healthcare - it may refer to an identified instance (e.g. bottle) or a kind of chemical.

The Person resource is used to track associations between different patient records across the provision of healthcare (e.g. "master patient indexes"). Person resources are not referred directly from other resources; their use is for dedicated person registries.

Resource | Category | RIM | Lifecycle
Location | Unrelated | Role | Entity Availability Workflow
Substance | Unrelated | Entity
Person | Unrelated | Entity

2.33.3.4 Device

Device is used to track non-consumable manufactured materials through the healthcare process. It includes implants, large instruments, non-medical things (including software), and containers. Devices - and therefore the device resource - have many purposes, including stock control, locating devices, and tracking implants.

DeviceComponent and DeviceMetric are used to report the status and characteristics of the kinds of medical devices that produce a stream of one or more data points (Observations), usually about a patient.

Resource | Category | RIM | Lifecycle
Device | Unrelated | Role
DeviceComponent | Unrelated | Role
DeviceMetric | Unrelated | Role

2.33.3.5 Research

ResearchStudy is used to capture information related to the planning and execution of clinical and pre-clinical studies. It covers both human and veterinary studies and safety, efficacy, comparative effectiveness and retrospective trials.

ResearchSubject capture the information around the participation of a specific individual (Patient) in a specific ResearchStudy. This information includes their time of participation, associated study arm, status within the study, etc.

Resource | Category | RIM | Lifecycle
ResearchStudy | Unrelated | Act
ResearchSubject | Unrelated | Role

2.33.4 Work Flow

2.33.4.1 Encounters

Encounter tracks an interaction between a patient and healthcare provider(s). Specifically, this resource tracks the administrative details of the interaction, not the clinical details (though these usual link to it). Aliases for this include 'admission', 'consultation', and sometimes 'appointment'. Encounters may be nested - e.g. when the patient goes to physiotherapy as part of a hospital admission.

An EpisodeOfCare is an association between a patient and a care provider that may last over several encounters. The purpose of EpisodeOfCare is track a provider (person or organization) that has an interest in the ongoing care of the patient.

A Communication is a record of a formal communication with a patient or another party with an interest in their care - a letter, email, phone call etc.

A Flag is warning maintained in the system that alerts care providers to potential issues they should be aware of when providing care to a patient, or at a location.

Resource | Category | RIM | Lifecycle
Encounter | Future / Ongoing / Past | Act
EpisodeOfCare | | Act
Communication | Past | Act | Clinical Workflow
Flag | Ongoing | Act | Entity Availability Workflow

2.33.4.2 Scheduling

These resources are concerned with planning times and locations for future delivery of care:

* A Schedule describes a set of times in the future that a service or individual may be available

* A Slot is an instance of a time in a schedule that may be reserved

* An Appointment is proposed or confirmed future event, with a list of participants who may or may not have confirmed their attendance

* An AppointmentResponse is an individual's acceptance or rejection of an appointment

The scheduling systems is closely aligned with the iCal system so that systems may leverage web bookings while maintaining integrity with the rest of the clinical record.

Resource | Category | RIM | Lifecycle
Appointment | Future | Act
AppointmentResponse | Future | Act
Schedule | Future
Slot | Future | Act

2.33.4.3 Order Management

Todo: these resources are all draft. Bringing them to maturity and testing their support for real-world scenarios is a major ongoing focus of the FHIR project.

Resource | Category | RIM | Lifecycle
Task | Present | Act
CommunicationRequest | Future | Act | Request/Order
DeviceRequest | Present | Act | Request/Order
DeviceUseStatement | Past | Act
ProcessRequest | Present | Act | Request/Order
ProcessResponse | Present | Act
SupplyDelivery | Present | Act
SupplyRequest | Future | Act

2.33.5 Infrastructure

These resources provide generally useful functionality, and/or are referenced directly from the base FHIR framework (RESTful API, messaging, documents).

2.33.5.1 Information Management

Questionnaire and QuestionnaireResponse are for general purpose data collection from a patient or other information source. They represent the set of questions to be answered, and an individual's responses to those questions. A questionnaire can contain any kind of data, including the data represented in all other resources. It is anticipated that the data will be processed

into other kinds of resources for further usage and exchange.

The Provenance resource is used to make statements about where a resource came from - that is, who, what, why, when and where for its creation. This may be used in assessing the integrity, reliability and usefulness of a resource or the data in it. Note that many resources contain some limited amount of this information directly, because it is deemed essential to using/finding/filtering/understanding the resource directly. Whenever information is found in both a resource, and in the provenance statements for the resource, it is expected to be the same.

An AuditEvent is an observation by a system that a record was altered (created, updated, deleted) or otherwise accessed (queried, transferred, copied), with audit information about the event. Typically, the provenance record is created before the resource is altered, by the (sub)system causing the change to the resource, while the audit record is created after the change by the (sub)system responsible for storing it.

Resource | Category | RIM | Lifecycle
Questionnaire | Past | Act
QuestionnaireResponse | Past | Act
Provenance | Past | Act
AuditEvent | Past | Act

2.33.5.2 Documents

In clinical practice, there are use cases for both exchanging information in a highly granular form, and for exchanging it in packages known as 'documents'. This specification provides two different kinds of support for creating and exchanging documents:

* Composition allows for the construction of a detailed document package using other resources for all content of the document

* DocumentReference and DocumentManifest are used for referring to and/or exchanging external documents (CDA , PDF, other kinds of records, etc.) either as single documents or groups of documents respectively

The List resource is used to link a set of other kinds of resources into a single list. This might be done for many reasons - maintaining a list of work to do, of patients of interest, or of a set of current problems for a patient.

Resource | Category | RIM | Lifecycle
Composition | Unrelated | Unrelated
DocumentManifest | Unrelated | Document | Entity Availability Workflow
DocumentReference | | Document | Entity Availability Workflow
List | Unrelated | Act

2.33.5.3 Structures

Basic support structure Resources with general usefulness:

* Media stores an image, video, or sound recording, with metadata that can be used to link it into the rest of the healthcare record as represented in resources

* Binary is a container for content of any type, to include content that is in some format other than a FHIR resource

* Bundle acts as an envelope for a set of other resources as they are gathered together for exchange. Bundles may be long lived (documents) or very short lived (search results)

* Basic is a general container that can be used to represent data for which a specific resource doesn't yet exist (general extension point)

Resource | Category | RIM | Lifecycle
Media | Past | Act
Binary | Unrelated | Entity
Bundle | Unrelated | Entity
Basic | Unrelated | InfrastructureRoot

2.33.5.4 Exchange

These resources support the exchange process directly:

* MessageHeader is the header for a message - identifies its context, sender and receiver, and content

* OperationOutcome is returned to indicate the detailed outcome of a particular FHIR operation or interaction - success, or failure

* Parameters is input or output to Operations

* Subscription allows one system to subscribe to events on another system

Resource | Category | RIM | Lifecycle
MessageHeader | Present | Act
OperationOutcome | Present | Act
Parameters | Present | InfrastructureRoot
Subscription | Present | Act

2.33.6 Conformance

This specification is a base platform specification that defines a set of general capabilities. Specific systems build on top of that to create interoperable solutions by making a set of conformance rules. These conformance rules are supported by a this

set of "conformance" resources.

2.33.6.1 Terminology

A ValueSet defines a set of codes from one or more code systems that are used for validation, lookup etc. A ConceptMap maps value sets between different code systems.

A NamingSystem resource represents an external provider of codes or identifiers (e.g. an external code system such as SNOMED CT, or an identification system such as an institution MRN). The naming system resource exists to share the identification and registration of these systems, to foster consistency in their identification.

Resource | Category | RIM | Lifecycle
ValueSet | Unrelated
ConceptMap | Unrelated
NamingSystem | Unrelated

2.33.6.2 Content

StructureDefinition and DataElement both describe a set of data elements that can represent data for the purposes of collection, analysis and exchange. They have slightly different purposes:

* StructureDefinition is used specifically to describe the structures used by or with this specification

* DataElement describes more general data items that are represented and exchanged in many formats and/or contexts

StructureMap supports a general purpose mapping language that can be used to transfer data from one structure to another.

Resource | Category | RIM | Lifecycle
StructureDefinition | Unrelated
StructureMap | Unrelated | Unrelated
DataElement | Unrelated | Entity

2.33.6.3 Behavior

A CapabilityStatement is a statement of a set of system capabilities for use as system discovery, or conformance expectations.

An OperationDefinition describes an operation that can be executed on a server, and a SearchParameter defines a search parameter that can be used on a server. CompartmentDefinition provides information about how resources are associated on a server. MessageDefintion describes the behavior associated with receiving a particular message.

Resource | Category | RIM | Lifecycle
CapabilityStatement | Unrelated
OperationDefinition | Unrelated
SearchParameter | Unrelated
CompartmentDefinition | Unrelated

2.33.6.4 Miscellaneous

ImplementationGuide is used to gather all the other resources into a single package for publication, and also to define the bounds of an interoperability solution.

A TestScript specifies a series of operations and outcomes that a system is expected to meet. TestScripts are for development and acceptance testing, but may also be considered for use with production systems, if the tests are carefully constructed and vetted.

A TestReport contains the test execution results of a TestScript against a series of operations and outcomes that a system is expected to meet. TestReports provide a static recording of TestScript results for subsequent retrieval and review..

Resource | Category | RIM | Lifecycle
ImplementationGuide | Unrelated
TestScript | Unrelated
TestReport | Unrelated

2.33.7 Financial

These resources are all in draft status and more details will be provided here in due course.

Resource | Category | RIM | Lifecycle
Coverage | Ongoing | Act
EligibilityRequest | Present | Act
EligibilityResponse | Present | Act
EnrollmentRequest | Present | Act
EnrollmentResponse | Present | Act
Claim | Present | Act
ClaimResponse | Present | Act
PaymentNotice | Past | Act
PaymentReconciliation | Past | Act
ExplanationOfBenefit | Past | Act

2.34 Resource Basic - Content

URL: https://hl7.org/fhir/STU3/basic.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Compartments: Patient, Practitioner, RelatedPerson

Basic is used for handling concepts not yet defined in FHIR, narrative-only resources that don't map to an existing resource, and custom resources not appropriate for inclusion in the FHIR specification.

2.34.1 Scope and Usage

Basic is a special type of resource. Unlike all other resources, it doesn't correspond to a specific pre-defined HL7 concept. Instead, it's a placeholder for any resource-like concept that isn't already defined in the HL7 specification.

The Basic resource is intended for use in three circumstances:

* When an implementer needs a resource concept that is likely to be defined by HL7 in the future but they have not yet done so (due to bandwidth issues, lack of sufficient requirements, lower prioritization, etc.)

* When there's a need to convey a narrative-only construct that doesn't neatly correspond to one of the other resources, either because it combines aspects of several resources (e.g. Assessment + Plan) or because the allowed content is flexible such that the system can't be totally sure what sort of content might have been included in the narrative text.

* Other than the circumstances above, this resource will see minimal use. To keep the FHIR specification manageable, it cannot incorporate every site-specific requirement that might be needed in some implementation somewhere. This set of resources likely won't ever be officially defined in HL7.

There's also a fourth circumstance: An implementer wishes to convey information that could/should be conveyed using a standard resource, however they want to represent the information in a custom format that isn't aligned with the official resource's elements. While this resource would be the preferred way of meeting that use-case because it will at least be wire-format compatible, such a use would not be conformant because making use of the Basic resource would prevent the healthcare-related information from being safely processed, queried and analyzed by other conformant systems.

Implementers don't need to be concerned with which of the three categories their desired resource fits within. If they need a resource and it clearly doesn't fit one of the ones currently defined, they should use Basic.

2.34.2 Background and Context

Basic defines only a minimal set of data elements - those necessary to identify what kind of resource it represents and those necessary to support resource compartmenting. All other data elements are represented using the extension mechanism. It's entirely possible to have a Basic resource instance with nothing other than narrative, a subject and code. And, in practice, that's all many systems will understand.

2.34.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints

Basic | ? | | DomainResource | Resource for non-supported content Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | ? | 0..* | Identifier | Business identifier

code | ?!? | 1..1 | CodeableConcept | Kind of Resource Basic Resource Types (Example)

subject | ? | 0..1 | Reference(Any) | Identifies the focus of this resource

created | ? | 0..1 | date | When created

author | ? | 0..1 | Reference(Practitioner | Patient | RelatedPerson) | Who created

Documentation for this format

UML Diagram (Legend)

XML Template

```
<Basic xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business identifier --></identifier>
 <code><!-- 1..1 CodeableConcept Kind of Resource --></code>
 <subject><!-- 0..1 Reference(Any) Identifies the focus of this resource --></subject>
 <created value="[date]"/><!-- 0..1 When created -->
 <author><!-- 0..1 Reference(Practitioner|Patient|RelatedPerson) Who created --></author>
</Basic>
```

JSON Template

```
{
  "resourceType" : "Basic",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business identifier
  "code" : { CodeableConcept }, // R!  Kind of Resource
  "subject" : { Reference(Any) }, // Identifies the focus of this resource
  "created" : "<date>", // When created
  "author" : { Reference(Practitioner|Patient|RelatedPerson) } // Who created
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Basic;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Basic.identifier [ Identifier ], ... ; # 0..* Business identifier
  fhir:Basic.code [ CodeableConcept ]; # 1..1 Kind of Resource
  fhir:Basic.subject [ Reference(Any) ]; # 0..1 Identifies the focus of this resource
  fhir:Basic.created [ date ]; # 0..1 When created
  fhir:Basic.author [ Reference(Practitioner|Patient|RelatedPerson) ]; # 0..1 Who created
]
```

Changes since DSTU2

Basic

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 4 tests that all execute ok. All tests pass round-trip testing and 1 r3 resources are invalid (3 errors).).

Structure

Name	Flags	Card.	Type	Description & Constraints
Basic	?		DomainResource	Resource for non-supported content Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier	?	0..*	Identifier	Business identifier
code	?!?	1..1	CodeableConcept	Kind of Resource Basic Resource Types (Example)
subject	?	0..1	Reference(Any)	Identifies the focus of this resource
created	?	0..1	date	When created
author	?	0..1	Reference(Practitioner | Patient | RelatedPerson)	Who created

Documentation for this format

UML Diagram (Legend)

XML Template

```
<Basic xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business identifier --></identifier>
 <code><!-- 1..1 CodeableConcept Kind of Resource --></code>
 <subject><!-- 0..1 Reference(Any) Identifies the focus of this resource --></subject>
 <created value="[date]"/><!-- 0..1 When created -->
 <author><!-- 0..1 Reference(Practitioner|Patient|RelatedPerson) Who created --></author>
</Basic>
```

JSON Template

```
{
  "resourceType" : "Basic",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business identifier
  "code" : { CodeableConcept }, // R!  Kind of Resource
  "subject" : { Reference(Any) }, // Identifies the focus of this resource
  "created" : "<date>", // When created
  "author" : { Reference(Practitioner|Patient|RelatedPerson) } // Who created
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Basic;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Basic.identifier [ Identifier ], ... ; # 0..* Business identifier
  fhir:Basic.code [ CodeableConcept ]; # 1..1 Kind of Resource
  fhir:Basic.subject [ Reference(Any) ]; # 0..1 Identifies the focus of this resource
  fhir:Basic.created [ date ]; # 0..1 When created
  fhir:Basic.author [ Reference(Practitioner|Patient|RelatedPerson) ]; # 0..1 Who created
```

]

Changes since DSTU2

Basic

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 4 tests that all execute ok. All tests pass round-trip testing and 1 r3 resources are invalid (3 errors).).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.34.3.1 Terminology Bindings

Path | Definition | Type | Reference
Basic.code | Codes for identifying types of resources not yet defined by FHIR | Example | Basic Resource Types

2.34.4 Why not custom resources?

Technically, nothing prevents implementers from going off and defining their own resources containing whatever data elements they wish. However, doing so causes several issues:

* Custom resources don't have a discoverability mechanism in the same way custom codes and extensions do using the ValueSet and StructureDefinition resources. As a result, any implementer that receives a custom resource would have no way of looking up what the meaning of the resource or its elements were. While they could get some sense of meaning from XML or JSON tag names, this often isn't sufficient for safe healthcare interoperability.

* Custom resource names would not be present in the FHIR schemas as allowed elements within the FHIR Bundle schema, would not be present in the enumeration of resources in the Reference type, and would not be supported by any of the autogenerated reference implementations and software interfaces. This would cause issues for any receiving system making use of the schemas directly or via code-generation.

* There is no means of preventing two implementers from independently coming up with the same name for a resource but defining it differently in terms of meaning as well as allowed elements. This would also cause interoperability issues.

All of these concerns are mitigated when there's an assumption that the custom resource will only be used within a narrow constrained environment where all participants will be aware of the semantics, will be using the same custom schemas and there's no chance of collisions. However, HL7's experience is that closed implementation environments rarely remain that way over the long term. Eventually data will need to be shared with others outside the closed environment and all of the above issues will again come into play.

Therefore, use of 'custom' resources is NOT considered to be conformant with FHIR. While the use of extensions may make the Basic resource slightly more complex and less visually appealing, it is the only safe and approved mechanism for sharing resource concepts not representable using standard HL7-defined resources.

It is expected that future versions of the interface tooling will be able to generate object interfaces on the basis of profiles. Where this occurs, the complexity of custom resource elements being expressed as extensions should be transparent to the internal code of systems that support that particular variant of the Basic resource. This should further reduce the cost of using 'Basic' as opposed to custom resources.

NOTE: This position is subject to change based on implementation experience. Alternative mechanisms for handling custom resource requirements in a safe manner may be explored. Ideas around alternative technical strategies for managing this issue are welcome.

2.34.5 Documents and narrative-only resources

Documents are constructed of sections, where a key part of each section is the narrative. The narratives are stitched together to form the overall text of the document. Many document sections will correspond neatly to resources that are already defined - List, DiagnosticReport, FamilyMemberHistory, etc. However, oddly enough, alignment with FHIR resources isn't always in mind when clinicians and others design documents, and some sections won't neatly align with the boundaries of resources. Sometimes there's simply a need for a place where a document author can say "stuff" without any particular constraints on what they may choose to talk about. Basic is intended to provide a mechanism to handle those circumstances.

Wherever possible, the "standard" FHIR resources should be used, even for narrative-only content. That's because subsequent revisions of the narrative-only content might choose to encode pieces or even all of the narrative content. Encoding can occur with "Basic" as well. Extensions can point to other resources (contained or stand-alone) that fully encode pieces of the free-form narrative found in the Basic resource. If no appropriate other resource exists for the meaning of the content, extensions can also be used.

2.34.6 Best practices for using 'Basic'

There are several good practices to follow when making use of the Basic resource:

* Before using Basic, post a description of the desired resource type on HL7's FHIR list-server or on Stack Overflow to see whether the use-case can be met by an existing resource. (Sometimes the intended scope of an existing resource won't be clear, even if the intent is to cover your space.) Using an existing resource is usually preferable to using Basic as it significantly increases the likelihood of interoperability.

* If an existing resource would normally be a good fit for your use-case but can't be used due to overly prescriptive constraints your implementation is unable to meet, again raise the problem on Stack Overflow so the problem with the specification can be addressed.

* If it is necessary to make use of the Basic resource, try to use one of the HL7-defined codes for resource type or submit your requirement for a new type for inclusion in the HL7 vocabulary (using the Propose a change link), as this will increase the likelihood of interoperability. Alternate code systems are conformant, but are less likely to be recognized or re-used across the healthcare implementation space.

* Architect your interface in a way that will make it less painful to swap your use of Basic with an 'official' resource in the event that a future release of FHIR formally defines a resource that encompasses your use-case.

* Use a StructureDefinition to define the extensions relevant to each type of other resource used. Profile can also be used to define additional search criteria appropriate for the resource.

* When defining a profile on Basic, include mappings to the w5 categories to allow systems to easily manage AuditEvent and Provenance uses as well as other potential higher-level abstractions of the data.

* As well, profiles should consider how best to handle common notions such as "Entered in error" status and alignment with common practices within similar resource families (other request resources, medication-related resources), etc.

2.34.7 Referencing Basic resources

None of the standard resources will have direct references to Basic, aside from those that allow linking to "Any" resource. As a result, most references to "Basic" will need to be performed using extensions.

2.34.8 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
author | reference | Who created | Basic.author (Practitioner, Patient, RelatedPerson)
code | token | Kind of Resource | Basic.code
created | date | When created | Basic.created
identifier | token | Business identifier | Basic.identifier
patient | reference | Identifies the focus of this resource | Basic.subject (Patient)
subject | reference | Identifies the focus of this resource | Basic.subject (Any)

2.34.9 Resource Basic - Examples

URL: https://hl7.org/fhir/STU3/basic-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.34.9 Resource Basic - Examples

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient, Practitioner, RelatedPerson

Example List:

How 'basic' can be used for future resources - in this case referral | referral | XML | JSON | Turtle
How 'Basic' can be used for essoteric resources - in this case, a UML class model | classModel | XML | JSON | Turtle
A resource that uses all narrative features for testing rendering applications | basic-example-narrative | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.34.10 Resource Basic - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/basic-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.34.10 Resource Basic - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Compartments: Patient, Practitioner, RelatedPerson

Detailed Descriptions for the elements in the Basic resource.

Basic
Definition | Basic is used for handling concepts not yet defined in FHIR, narrative-only resources that don't map to an existing resource, and custom resources not appropriate for inclusion in the FHIR specification.
Control | 1..1
Requirements | Need some way to safely (without breaking interoperability) allow implementers to exchange content not supported by the initial set of declared resources.
Alternate Names | Z-resource; Extension-resource; Custom-resource
Summary | true
Basic.identifier

Definition | Identifier assigned to the resource for business purposes, outside the context of FHIR.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
Summary | true
Basic.code
Definition | Identifies the 'type' of resource - equivalent to the resource name for other resources.
Control | 1..1
Terminology Binding | Basic Resource Types (Example)
Type | CodeableConcept
Is Modifier | true
Requirements | Must be able to distinguish different types of Basic resources.
Summary | true
Comments | Because resource references will only be able to indicate 'Basic', the type of reference will need to be specified in a Profile identified as part of the resource. Refer to the resource notes section for information on appropriate terminologies for this code. This element is labeled as a modifier because the it defines the meaning of the resource and cannot be ignored.
Basic.subject
Definition | Identifies the patient, practitioner, device or any other resource that is the "focus" of this resource.
Control | 0..1
Type | Reference(Any)
Requirements | Needed for partitioning the resource by Patient.
Summary | true
Comments | Optional as not all potential resources will have subjects. Resources associated with multiple subjects can handle this via extension.
Basic.created
Definition | Identifies when the resource was first created.
Control | 0..1
Type | date
Requirements | Allows ordering resource instances by time.
Summary | true
Basic.author
Definition | Indicates who was responsible for creating the resource instance.
Control | 0..1
Type | Reference(Practitioner | Patient | RelatedPerson)
Requirements | Needed for partitioning the resource.
Summary | true

2.34.11 Resource Basic - Mappings

URL: https://hl7.org/fhir/STU3/basic-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.34.11 Resource Basic - Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient, Practitioner, RelatedPerson

Mappings:

RIM Mapping

Mappings for the basic resource.

2.34.11.1 Mappings for RIM Mapping (http://hl7.org/v3)

Basic | Act, Entity or Role
identifier | ./identifier
code | ./code
subject | ./participation[typeCode='SBJ'] (possibly through a ControlAct and Role)
created | ./participation[typeCode='AUT']/time (possibly through a ControlAct and Role)
author | ./participation[typeCode='SUB'] (possibly through a ControlAct and Role)

2.34.12 Resource Basic - Design Notes

URL: https://hl7.org/fhir/STU3/basic-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.34.12 Resource Basic - Design Notes

to do

2.34.13 Resource Basic - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/basic-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.34.13 Resource Basic - Extensions & Profiles

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Basic resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.34.13.1 Profiles

No Profiles defined for this resource

2.34.13.2 Extensions

cqif-guidanceencounterClass | encounterClass | for CQIF Guidance Extensions
cqif-guidanceencounterType | encounterType | for CQIF Guidance Extensions
cqif-guidanceinitiatingOrganization | initiatingOrganization | for CQIF Guidance Extensions
cqif-guidanceinitiatingPerson | initiatingPerson | for CQIF Guidance Extensions
cqif-guidancereceivingOrganization | receivingOrganization | for CQIF Guidance Extensions
cqif-guidancereceivingPerson | receivingPerson | for CQIF Guidance Extensions
cqif-guidancerecipientLanguage | recipientLanguage | for CQIF Guidance Extensions
cqif-guidancerecipientType | recipientType | for CQIF Guidance Extensions
cqif-guidancesystemUserLanguage | systemUserLanguage | for CQIF Guidance Extensions
cqif-guidancesystemUserTaskContext | systemUserTaskContext | for CQIF Guidance Extensions
cqif-guidancesystemUserType | systemUserType | for CQIF Guidance Extensions

Extensions that reference this resource:

No Extensions refer to this resource

2.34.13.3 Search Extensions

No Search Extensions defined for this resource

2.34.14 Resource Basic - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/basic-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.34.14 Resource Basic - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient, Practitioner, RelatedPerson

R2 : R3 Converson maps for Basic.

Functional status for this map: 4 tests that all execute ok. All tests pass round-trip testing and 1 r3 resources are invalid (3 errors). (see documentation)

2.34.14.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/Basic2to3" = "R2 to R3 Conversions for Basic"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Basic" alias BasicR2 as source
uses "http://hl7.org/fhir/StructureDefinition/Basic" alias Basic as target

imports "http://hl7.org/fhir/StructureMap/*2to3"

group for type+types  Basic extends DomainResource
  input src : BasicR2 as source
  input tgt : Basic as target

  "Basic-identifier" : for src.identifier make tgt.identifier
  "Basic-code" : for src.code make tgt.code
  "Basic-subject" : for src.subject make tgt.subject
  "Basic-created" : for src.created make tgt.created
  "Basic-author" : for src.author make tgt.author

endgroup
```

2.34.14.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/Basic3to2" = "R3 to R2 Conversion for Basic"

uses "http://hl7.org/fhir/StructureDefinition/Basic" alias Basic as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Basic" alias BasicR2 as target

imports "http://hl7.org/fhir/StructureMap/*3to2"

group for type+types  Basic extends DomainResource
  input src : Basic as source
  input tgt : BasicR2 as target
```

```
  "Basic-identifier" : for src.identifier make tgt.identifier
  "Basic-code" : for src.code make tgt.code
  "Basic-subject" : for src.subject make tgt.subject
  "Basic-created" : for src.created make tgt.created
  "Basic-author" : for src.author make tgt.author

endgroup
```

2.34.14.3 R3 Validation Errors

basic-adverseevent-example | ERROR @ Basic.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/qicore-adverseevent-cause is unknown, and not allowed here (src = InstanceValidator) ERROR @ Basic.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/qicore-adverseevent-type is unknown, and not allowed here (src = InstanceValidator) ERROR @ Basic.extension[3]: The extension http://hl7.org/fhir/StructureDefinition/qicore-adverseevent-period is unknown, and not allowed here (src = InstanceValidator)

2.35 Resource Binary - Content

URL: https://hl7.org/fhir/STU3/binary.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Compartments: Not linked to any defined compartments

A binary resource can contain any content, whether text, image, pdf, zip archive, etc.

2.35.1 Scope and Usage

There are situations where it is useful or required to handle pure binary content using the same framework as other resources. Typically, this is when the binary content is referred to from other FHIR Resources. Using the same framework means that the existing servers, security arrangements, code libraries etc. can handle additional related content. Typically, Binary resources are used for handling content such as:

* CDA Documents (i.e. with XDS)

* PDF Documents

* Images (the Media resource is preferred for handling images, but not possible when the content is already binary - XDS)

A binary resource can contain any content, whether text, image, pdf, zip archive, etc. These resources are served in their native form on the rest interface, but can also be represented in XML or JSON, such as when including these resources in a bundle (used when it is convenient to include these in the feed directly rather than leaving them by reference).

2.35.2 Boundaries and Relationships

This resource is generally used as the target of a Document Reference or an Attachment, when a FHIR server finds it convenient to manage the content within the same overall REST framework as the other resources.

2.35.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
Binary | | | Resource | Pure binary content defined by a format other than FHIR Elements defined in Ancestors: id, meta, implicitRules, language
contentType | ? | 1..1 | code | MimeType of the binary content MimeType (Required)
securityContext | ? | 0..1 | Reference(Any) | Access Control Management
content | | 1..1 | base64Binary | The actual content
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Binary xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <contentType value="[code]"/><!-- 1..1 MimeType of the binary content  -->
 <securityContext><!-- 0..1 Reference(Any) Access Control Management --></securityContext>
 <content value="[base64Binary]"/><!-- 1..1 The actual content -->
</Binary>
```

JSON Template

```
{
  "resourceType" : "Binary",
  // from Resource: id, meta, implicitRules, and language
```

```
  "contentType" : "<code>", // R!  MimeType of the binary content
  "securityContext" : { Reference(Any) }, // Access Control Management
  "content" : "<base64Binary>" // R!  The actual content
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Binary;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  fhir:Binary.contentType [ code ]; # 1..1 MimeType of the binary content
  fhir:Binary.securityContext [ Reference(Any) ]; # 0..1 Access Control Management
  fhir:Binary.content [ base64Binary ]; # 1..1 The actual content
]
```

Changes since DSTU2

Binary

Binary.securityContext | Added Element

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 2 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints

Binary | | | Resource | Pure binary content defined by a format other than FHIR Elements defined in Ancestors: id, meta, implicitRules, language

contentType | ? | 1..1 | code | MimeType of the binary content MimeType (Required)

securityContext | ? | 0..1 | Reference(Any) | Access Control Management

content | | 1..1 | base64Binary | The actual content

Documentation for this format

UML Diagram (Legend)

XML Template

```
<Binary xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <contentType value="[code]"/><!-- 1..1 MimeType of the binary content  -->
 <securityContext><!-- 0..1 Reference(Any) Access Control Management --></securityContext>
 <content value="[base64Binary]"/><!-- 1..1 The actual content -->
</Binary>
```

JSON Template

```
{
  "resourceType" : "Binary",
  // from Resource: id, meta, implicitRules, and language
  "contentType" : "<code>", // R!  MimeType of the binary content
  "securityContext" : { Reference(Any) }, // Access Control Management
  "content" : "<base64Binary>" // R!  The actual content
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Binary;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  fhir:Binary.contentType [ code ]; # 1..1 MimeType of the binary content
  fhir:Binary.securityContext [ Reference(Any) ]; # 0..1 Access Control Management
  fhir:Binary.content [ base64Binary ]; # 1..1 The actual content
]
```

Changes since DSTU2

Binary

Binary.securityContext | Added Element

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 2 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.35.3.1 Terminology Bindings

Path | Definition | Type | Reference

Binary.contentType | The mime type of an attachment. Any valid mime type is allowed. | Required | BCP 13 (RFCs 2045, 2046, 2047, 4288, 4289 and 2049)

2.35.3.2 Serving Binary Resources using the RESTful API

Binary resources behave slightly differently to all other resources on the RESTful API. Specifically, when a read request is made for the binary resource that doesn't explicitly specify the FHIR content types "application/fhir+xml" or "application/fhir+json", then the content should be returned using the content type stated in the resource. e.g. if the content type in the resource is "application/pdf", then the content should be returned as a PDF directly.

Note that due to the way the web infrastructure works, it is not possible to make blanket rules about the relationship between the "Accept" field in the HTTP request, and the return type, which is why there is no hard rule about this. However the intent is that unless specifically requested, the FHIR XML/JSON representation is not returned.

Note that in the native binary representation, the normal resource metadata is not available directly, though some of it is replicated in the HTTP response headers. Specifically, the following elements of the resource have matching HTTP Headers:

* Binary.meta.lastUpdated: Last-Modified

* Binary.meta.versionId: ETag header

* Binary.contentType: Content-Type

* Binary.securityContext: X-Security-Context - this is a FHIR specific extension, primarily intended to allow a the security context for a Binary resource to be specified when it is posted in native form

When a binary is written the server (create/update - POST or PUT), the data is accepted as is and treated as a the binary content of a Binary, including when the content type is "application/fhir+xml" or "application/fhir+json", except for the special case where the content is actually a Binary resource.

Note that when client requests a binary resource using a generic mime type (application/xml, text/xml, or application/json), the server SHOULD return the content directly if the content-type format matches the requested mime type (e.g. if the Accept header is appplication/json, and the contentType is vnd.xacml+json). However servers may not always be able to interpret mime types correctly, and clients SHOULD be prepared to receive either format.

Note that the _summary parameter does not apply when the mime type is not one of the stanard FHIR content types.

2.35.3.3 Security Considerations

Binary resources are not constrained, and therefore can be of any content type and encoding. Therefore extra care needs to be taken to validate the content of the Binary resource against malicious or malformed content. For more details see Security of Narrative.

Very often, the content of a binary resource is sensitive, and the server should apply appropriate access control to the content. When the server itself generates the content, it implicitly knows what access control to apply. When the client provides the binary to the server itself, it uses the securityContext element (or the matching X-Security-Context HTTP header) to inform the server that the Binary resource should be treated as if it was the other resource. Typically, the other resource is a DocumentReference or similar resource that refers directly to the Binary resource, but that is not mandatory.

2.35.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
contenttype | token | MimeType of the binary content | Binary.contentType

2.35.5 Resource Binary - Examples

URL: https://hl7.org/fhir/STU3/binary-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.35.5 Resource Binary - Examples

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Example List:

Binary Example - a PDF document | example | XML | JSON | Turtle
Example Patient photo as a binary | f006 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.35.6 Resource Binary - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/binary-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.35.6 Resource Binary - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the Binary resource.

Binary
Definition | A binary resource can contain any content, whether text, image, pdf, zip archive, etc.
Control | 1..1
Requirements | There are situations where it is useful or required to handle pure binary content using the same framework as other resources.
Comments | Typically, Binary resources are used for handling content such as: * CDA Documents (i.e. with XDS) * PDF Documents * Images (the Media resource is preferred for handling images, but not possible when the content is already binary - e.g. XDS).
Binary.contentType
Definition | MimeType of the binary content represented as a standard MimeType (BCP 13).
Control | 1..1
Terminology Binding | MimeType :
Type | code
Summary | true
Binary.securityContext
Definition | Treat this binary as if it was this other resource for access control purposes.
Control | 0..1
Type | Reference(Any)
Summary | true
Binary.content
Definition | The actual content, base64 encoded.
Control | 1..1
Type | base64Binary
Comments | If the content type is itself base64 encoding, then this will be base64 encoded twice - what is created by un-base64ing the content must be the specified content type.

2.35.7 Resource Binary - Mappings

URL: https://hl7.org/fhir/STU3/binary-mappings.html
This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.35.7 Resource Binary - Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Mappings:

RIM Mapping

Mappings for the binary resource.

2.35.7.1 Mappings for RIM Mapping (http://hl7.org/v3)

Binary | N/A

2.35.8 Resource Binary - Design Notes

URL: https://hl7.org/fhir/STU3/binary-explanations.html
This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.35.8 Resource Binary - Design Notes

to do

2.35.9 Resource Binary - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/binary-profiles.html
This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.35.9 Resource Binary - Extensions & Profiles

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Binary resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.35.9.1 Profiles

No Profiles defined for this resource

2.35.9.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

2.35.9.3 Search Extensions

No Search Extensions defined for this resource

2.35.10 Resource Binary - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/binary-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.35.10 Resource Binary - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

R2 : R3 Converson maps for Binary.

Functional status for this map: 2 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid. (see documentation)

2.35.10.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/Binary2to3" = "R2 to R3 Conversions for Binary"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Binary" alias BinaryR2 as source
uses "http://hl7.org/fhir/StructureDefinition/Binary" alias Binary as target

imports "http://hl7.org/fhir/StructureMap/primitives2to3"
imports "http://hl7.org/fhir/StructureMap/Resource2to3"

group for type+types  Binary extends Resource
  input src : BinaryR2 as source
  input tgt : Binary as target

  "Binary-contentType" : for src.contentType make tgt.contentType
  "Binary-content" : for src.content make tgt.content

endgroup
```

2.35.10.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/Binary3to2" = "R3 to R2 Conversion for Binary"

uses "http://hl7.org/fhir/StructureDefinition/Binary" alias Binary as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Binary" alias BinaryR2 as target

imports "http://hl7.org/fhir/StructureMap/primitives3to2"
imports "http://hl7.org/fhir/StructureMap/Resource3to2"

group for type+types  Binary extends Resource
  input src : Binary as source
  input tgt : BinaryR2 as target

  "Binary-contentType" : for src.contentType make tgt.contentType
  "Binary-content" : for src.content make tgt.content

endgroup
```

2.35.10.3 R3 Validation Errors

2.36 Resource Bundle - Content

URL: https://hl7.org/fhir/STU3/bundle.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Compartments: Not linked to any defined compartments

A container for a collection of resources.

2.36.1 Scope and Usage

One common operation performed with resources is to gather a collection of resources into a single instance with containing context. In FHIR this is referred to as "bundling" the resources together. These resource bundles are useful for a variety of different reasons, including:

* Returning a set of resources that meet some criteria as part of a server operation (see RESTful Search)

* Returning a set of versions of resources as part of the history operation on a server (see History)

* Sending a set of resources as part of a message exchange (see Messaging)

* Grouping a self-contained set of resources to act as an exchangeable and persistable collection with clinical integrity - e.g. a clinical document (see Documents)

* Creating/updating/deleting a set of resources on a server as a single operation (including doing so as a single atomic transaction) (see Transactions)

* Storing a collection of resources

2.36.2 Boundaries and Relationships

There are two ways to collect resources together for transport and persistence purposes - contained resources, and bundles. There is an important difference between the two:

* Contained resources are "in" the container resource - they can only ever be interpreted and/or changed in the context of the container

* A bundle is a collection of resources that have an independent existence - for example, they can also be accessed directly using the RESTful API

In addition to these two technical mechanisms, there are three administrative and infrastructure resources which also support grouping of content:

* The List resource – Enumerates a flat collection of resources and provides features for managing the collection. While a particular List instance may represent a "snapshot", from a business process perspective the notion of "List" is dynamic – items are added and removed over time. The list resource references other resources. Lists may be curated and have specific business meaning.

* The Group resource – Defines a group of specific people, animals, devices, etc. by enumerating them, or by describing qualities that group members have. The group resource refers to other resources, possibly implicitly. Groups are intended to be acted upon or observed as a whole; e.g. performing therapy on a group, calculating risk for a group, etc. This resource will commonly be used for public health (e.g. describing an at-risk population), clinical trials (e.g. defining a test subject pool) and similar purposes.

* The Composition resource – Defines a set of healthcare-related information that is assembled together into a single logical document that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. The composition resource provides the basic structure of a FHIR document. The full content of the document is expressed using a bundle. Compositions will often reference Lists as the focus of particular sections.

This resource is referenced by measurereport

2.36.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
Bundle | ?I | | Resource | Contains a collection of resources + FullUrl must be unique in a bundle, or else entries with the same fullUrl must have different meta.versionId + A document must have an identifier with a system and a value + entry.request only for some types of bundles + entry.response only for some types of bundles + total only when a search or history + entry.search only when a search Elements defined in Ancestors: id, meta, implicitRules, language
identifier | ? | 0..1 | Identifier | Persistent identifier for the bundle
type | ? | 1..1 | code | document | message | transaction | transaction-response | batch | batch-response | history | searchset | collection BundleType (Required)
total | ?I | 0..1 | unsignedInt | If search, the total number of matches
link | ? | 0..* | BackboneElement | Links related to this Bundle
relation | ? | 1..1 | string | See http://www.iana.org/assignments/link-relations/link-relations.xhtml#link-relations-1
url | ? | 1..1 | uri | Reference details for the link
entry | ?I | 0..* | BackboneElement | Entry in the bundle - will have a resource, or information + fullUrl cannot be a version specific reference + must be a resource unless there's a request or response
link | ? | 0..* | see link | Links related to this entry
fullUrl | ? | 0..1 | uri | Absolute URL for resource (server address, or UUID/OID)
resource | ? | 0..1 | Resource | A resource in the bundle
search | ?I | 0..1 | BackboneElement | Search related information
mode | ? | 0..1 | code | match | include | outcome - why this is in the result set SearchEntryMode (Required)
score | ? | 0..1 | decimal | Search ranking (between 0 and 1)
request | ?I | 0..1 | BackboneElement | Transaction Related Information
method | ? | 1..1 | code | GET | POST | PUT | DELETE HTTPVerb (Required)
url | ? | 1..1 | uri | URL for HTTP equivalent of this entry

ifNoneMatch | ? | 0..1 | string | For managing cache currency
ifModifiedSince | ? | 0..1 | instant | For managing update contention
ifMatch | ? | 0..1 | string | For managing update contention
ifNoneExist | ? | 0..1 | string | For conditional creates
response | ?I | 0..1 | BackboneElement | Transaction Related Information
status | ? | 1..1 | string | Status response code (text optional)
location | ? | 0..1 | uri | The location, if the operation returns a location
etag | ? | 0..1 | string | The etag for the resource (if relevant)
lastModified | ? | 0..1 | instant | Server's date time modified
outcome | ? | 0..1 | Resource | OperationOutcome with hints and warnings (for batch/transaction)
signature | ? | 0..1 | Signature | Digital Signature
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Bundle xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <identifier><!-- 0..1 Identifier Persistent identifier for the bundle --></identifier>
 <type value="[code]"/><!-- 1..1 document | message | transaction | transaction-response | batch | batch-response |
    history | searchset | collection -->
 <total value="[unsignedInt]"/><!--  0..1 If search, the total number of matches -->
 <link>  <!-- 0..* Links related to this Bundle -->
  <relation value="[string]"/><!-- 1..1 See http://www.iana.org/assignments/link-relations/link-relations.xhtml#link-
    relations-1 -->
  <url value="[uri]"/><!-- 1..1 Reference details for the link -->
 </link>
 <entry>  <!-- 0..* Entry in the bundle - will have a resource, or information -->
  <link><!-- 0..* Content as for Bundle.link Links related to this entry --></link>
  <fullUrl value="[uri]"/><!-- 0..1 Absolute URL for resource (server address, or UUID/OID) -->
  <resource><!-- 0..1 Resource A resource in the bundle --></resource>
  <search>  <!--  0..1 Search related information -->
   <mode value="[code]"/><!-- 0..1 match | include | outcome - why this is in the result set -->
   <score value="[decimal]"/><!-- 0..1 Search ranking (between 0 and 1) -->
  </search>
  <request>  <!--  0..1 Transaction Related Information -->
   <method value="[code]"/><!-- 1..1 GET | POST | PUT | DELETE -->
   <url value="[uri]"/><!-- 1..1 URL for HTTP equivalent of this entry -->
   <ifNoneMatch value="[string]"/><!-- 0..1 For managing cache currency -->
   <ifModifiedSince value="[instant]"/><!-- 0..1 For managing update contention -->
   <ifMatch value="[string]"/><!-- 0..1 For managing update contention -->
   <ifNoneExist value="[string]"/><!-- 0..1 For conditional creates -->
  </request>
  <response>  <!--  0..1 Transaction Related Information -->
   <status value="[string]"/><!-- 1..1 Status response code (text optional) -->
   <location value="[uri]"/><!-- 0..1 The location, if the operation returns a location -->
   <etag value="[string]"/><!-- 0..1 The etag for the resource (if relevant) -->
   <lastModified value="[instant]"/><!-- 0..1 Server's date time modified -->
   <outcome><!-- 0..1 Resource OperationOutcome with hints and warnings (for batch/transaction) --></outcome>
  </response>
 </entry>
 <signature><!-- 0..1 Signature Digital Signature --></signature>
</Bundle>
```

JSON Template

```
{
  "resourceType" : "Bundle",
  // from Resource: id, meta, implicitRules, and language
  "identifier" : { Identifier }, // Persistent identifier for the bundle
  "type" : "<code>", // R!  document | message | transaction | transaction-response | batch | batch-response | history |
     searchset | collection
  "total" : "<unsignedInt>", // C? If search, the total number of matches
  "link" : [{ // Links related to this Bundle
    "relation" : "<string>", // R!  See http://www.iana.org/assignments/link-relations/link-relations.xhtml#link-
    relations-1
    "url" : "<uri>" // R!  Reference details for the link
  }],
  "entry" : [{ // Entry in the bundle - will have a resource, or information
    "link" : [{ Content as for Bundle.link }], // Links related to this entry
    "fullUrl" : "<uri>", // Absolute URL for resource (server address, or UUID/OID)
    "resource" : { Resource }, // A resource in the bundle
    "search" : { // C? Search related information
      "mode" : "<code>", // match | include | outcome - why this is in the result set
      "score" : <decimal> // Search ranking (between 0 and 1)
    },
    "request" : { // C? Transaction Related Information
      "method" : "<code>", // R!  GET | POST | PUT | DELETE
      "url" : "<uri>", // R!  URL for HTTP equivalent of this entry
      "ifNoneMatch" : "<string>", // For managing cache currency
      "ifModifiedSince" : "<instant>", // For managing update contention
      "ifMatch" : "<string>", // For managing update contention
      "ifNoneExist" : "<string>" // For conditional creates
    },
    "response" : { // C? Transaction Related Information
      "status" : "<string>", // R!  Status response code (text optional)
      "location" : "<uri>", // The location, if the operation returns a location
```

```
      "etag" : "<string>", // The etag for the resource (if relevant)
      "lastModified" : "<instant>", // Server's date time modified
      "outcome" : { Resource } // OperationOutcome with hints and warnings (for batch/transaction)
    }
  }],
  "signature" : { Signature } // Digital Signature
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Bundle;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  fhir:Bundle.identifier [ Identifier ]; # 0..1 Persistent identifier for the bundle
  fhir:Bundle.type [ code ]; # 1..1 document | message | transaction | transaction-response | batch | batch-response |
    history | searchset | collection
  fhir:Bundle.total [ unsignedInt ]; # 0..1 If search, the total number of matches
  fhir:Bundle.link [ # 0..* Links related to this Bundle
    fhir:Bundle.link.relation [ string ]; # 1..1 See http://www.iana.org/assignments/link-relations/link-
    relations.xhtml#link-relations-1
    fhir:Bundle.link.url [ uri ]; # 1..1 Reference details for the link
  ], ...;
  fhir:Bundle.entry [ # 0..* Entry in the bundle - will have a resource, or information
    fhir:Bundle.entry.link [ See Bundle.link ], ... ; # 0..* Links related to this entry
    fhir:Bundle.entry.fullUrl [ uri ]; # 0..1 Absolute URL for resource (server address, or UUID/OID)
    fhir:Bundle.entry.resource [ Resource ]; # 0..1 A resource in the bundle
    fhir:Bundle.entry.search [ # 0..1 Search related information
      fhir:Bundle.entry.search.mode [ code ]; # 0..1 match | include | outcome - why this is in the result set
      fhir:Bundle.entry.search.score [ decimal ]; # 0..1 Search ranking (between 0 and 1)
    ];
    fhir:Bundle.entry.request [ # 0..1 Transaction Related Information
      fhir:Bundle.entry.request.method [ code ]; # 1..1 GET | POST | PUT | DELETE
      fhir:Bundle.entry.request.url [ uri ]; # 1..1 URL for HTTP equivalent of this entry
      fhir:Bundle.entry.request.ifNoneMatch [ string ]; # 0..1 For managing cache currency
      fhir:Bundle.entry.request.ifModifiedSince [ instant ]; # 0..1 For managing update contention
      fhir:Bundle.entry.request.ifMatch [ string ]; # 0..1 For managing update contention
      fhir:Bundle.entry.request.ifNoneExist [ string ]; # 0..1 For conditional creates
    ];
    fhir:Bundle.entry.response [ # 0..1 Transaction Related Information
      fhir:Bundle.entry.response.status [ string ]; # 1..1 Status response code (text optional)
      fhir:Bundle.entry.response.location [ uri ]; # 0..1 The location, if the operation returns a location
      fhir:Bundle.entry.response.etag [ string ]; # 0..1 The etag for the resource (if relevant)
      fhir:Bundle.entry.response.lastModified [ instant ]; # 0..1 Server's date time modified
      fhir:Bundle.entry.response.outcome [ Resource ]; # 0..1 OperationOutcome with hints and warnings (for
    batch/transaction)
    ];
  ], ...;
  fhir:Bundle.signature [ Signature ]; # 0..1 Digital Signature
]
```

Changes since DSTU2

Bundle

Bundle.identifier | Added Element

Bundle.entry.response.outcome | Added Element

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 23 tests of which 1 fail to execute. 11 fail round-trip testing and 11 r3 resources are invalid (3836 errors).).

Structure

Name | Flags | Card. | Type | Description & Constraints

Bundle | ?I | | Resource | Contains a collection of resources + FullUrl must be unique in a bundle, or else entries with the same fullUrl must have different meta.versionId + A document must have an identifier with a system and a value + entry.request only for some types of bundles + entry.response only for some types of bundles + total only when a search or history + entry.search only when a search Elements defined in Ancestors: id, meta, implicitRules, language

identifier | ? | 0..1 | Identifier | Persistent identifier for the bundle

type | ? | 1..1 | code | document | message | transaction | transaction-response | batch | batch-response | history | searchset | collection BundleType (Required)

total | ?I | 0..1 | unsignedInt | If search, the total number of matches

link | ? | 0..* | BackboneElement | Links related to this Bundle

relation | ? | 1..1 | string | See http://www.iana.org/assignments/link-relations/link-relations.xhtml#link-relations-1

url | ? | 1..1 | uri | Reference details for the link

entry | ?I | 0..* | BackboneElement | Entry in the bundle - will have a resource, or information + fullUrl cannot be a version specific reference + must be a resource unless there's a request or response

link | ? | 0..* | see link | Links related to this entry

fullUrl | ? | 0..1 | uri | Absolute URL for resource (server address, or UUID/OID)

resource | ? | 0..1 | Resource | A resource in the bundle

search | ?I | 0..1 | BackboneElement | Search related information

mode | ? | 0..1 | code | match | include | outcome - why this is in the result set SearchEntryMode (Required)

score | ? | 0..1 | decimal | Search ranking (between 0 and 1)
request | ?I | 0..1 | BackboneElement | Transaction Related Information
method | ? | 1..1 | code | GET | POST | PUT | DELETE HTTPVerb (Required)
url | ? | 1..1 | uri | URL for HTTP equivalent of this entry
ifNoneMatch | ? | 0..1 | string | For managing cache currency
ifModifiedSince | ? | 0..1 | instant | For managing update contention
ifMatch | ? | 0..1 | string | For managing update contention
ifNoneExist | ? | 0..1 | string | For conditional creates
response | ?I | 0..1 | BackboneElement | Transaction Related Information
status | ? | 1..1 | string | Status response code (text optional)
location | ? | 0..1 | uri | The location, if the operation returns a location
etag | ? | 0..1 | string | The etag for the resource (if relevant)
lastModified | ? | 0..1 | instant | Server's date time modified
outcome | ? | 0..1 | Resource | OperationOutcome with hints and warnings (for batch/transaction)
signature | ? | 0..1 | Signature | Digital Signature
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Bundle xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <identifier><!-- 0..1 Identifier Persistent identifier for the bundle --></identifier>
 <type value="[code]"/><!-- 1..1 document | message | transaction | transaction-response | batch | batch-response |
    history | searchset | collection -->
 <total value="[unsignedInt]"/><!--  0..1 If search, the total number of matches -->
 <link>  <!-- 0..* Links related to this Bundle -->
  <relation value="[string]"/><!-- 1..1 See http://www.iana.org/assignments/link-relations/link-relations.xhtml#link-
    relations-1 -->
  <url value="[uri]"/><!-- 1..1 Reference details for the link -->
 </link>
 <entry>  <!-- 0..* Entry in the bundle - will have a resource, or information -->
  <link><!-- 0..* Content as for Bundle.link Links related to this entry --></link>
  <fullUrl value="[uri]"/><!-- 0..1 Absolute URL for resource (server address, or UUID/OID) -->
  <resource><!-- 0..1 Resource A resource in the bundle --></resource>
  <search>  <!--  0..1 Search related information -->
   <mode value="[code]"/><!-- 0..1 match | include | outcome - why this is in the result set -->
   <score value="[decimal]"/><!-- 0..1 Search ranking (between 0 and 1) -->
  </search>
  <request>  <!--  0..1 Transaction Related Information -->
   <method value="[code]"/><!-- 1..1 GET | POST | PUT | DELETE -->
   <url value="[uri]"/><!-- 1..1 URL for HTTP equivalent of this entry -->
   <ifNoneMatch value="[string]"/><!-- 0..1 For managing cache currency -->
   <ifModifiedSince value="[instant]"/><!-- 0..1 For managing update contention -->
   <ifMatch value="[string]"/><!-- 0..1 For managing update contention -->
   <ifNoneExist value="[string]"/><!-- 0..1 For conditional creates -->
  </request>
  <response>  <!--  0..1 Transaction Related Information -->
   <status value="[string]"/><!-- 1..1 Status response code (text optional) -->
   <location value="[uri]"/><!-- 0..1 The location, if the operation returns a location -->
   <etag value="[string]"/><!-- 0..1 The etag for the resource (if relevant) -->
   <lastModified value="[instant]"/><!-- 0..1 Server's date time modified -->
   <outcome><!-- 0..1 Resource OperationOutcome with hints and warnings (for batch/transaction) --></outcome>
  </response>
 </entry>
 <signature><!-- 0..1 Signature Digital Signature --></signature>
</Bundle>
```

JSON Template

```
{
  "resourceType" : "Bundle",
  // from Resource: id, meta, implicitRules, and language
  "identifier" : { Identifier }, // Persistent identifier for the bundle
  "type" : "<code>", // R!  document | message | transaction | transaction-response | batch | batch-response | history |
     searchset | collection
  "total" : "<unsignedInt>", // C? If search, the total number of matches
  "link" : [{ // Links related to this Bundle
    "relation" : "<string>", // R!  See http://www.iana.org/assignments/link-relations/link-relations.xhtml#link-
    relations-1
    "url" : "<uri>" // R!  Reference details for the link
  }],
  "entry" : [{ // Entry in the bundle - will have a resource, or information
    "link" : [{ Content as for Bundle.link }], // Links related to this entry
    "fullUrl" : "<uri>", // Absolute URL for resource (server address, or UUID/OID)
    "resource" : { Resource }, // A resource in the bundle
    "search" : { // C? Search related information
      "mode" : "<code>", // match | include | outcome - why this is in the result set
      "score" : <decimal> // Search ranking (between 0 and 1)
    },
    "request" : { // C? Transaction Related Information
      "method" : "<code>", // R!  GET | POST | PUT | DELETE
      "url" : "<uri>", // R!  URL for HTTP equivalent of this entry
      "ifNoneMatch" : "<string>", // For managing cache currency
      "ifModifiedSince" : "<instant>", // For managing update contention
      "ifMatch" : "<string>", // For managing update contention
```

```
      "ifNoneExist" : "<string>" // For conditional creates
    },
    "response" : { // C? Transaction Related Information
      "status" : "<string>", // R!  Status response code (text optional)
      "location" : "<uri>", // The location, if the operation returns a location
      "etag" : "<string>", // The etag for the resource (if relevant)
      "lastModified" : "<instant>", // Server's date time modified
      "outcome" : { Resource } // OperationOutcome with hints and warnings (for batch/transaction)
    }
  }],
  "signature" : { Signature } // Digital Signature
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Bundle;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  fhir:Bundle.identifier [ Identifier ]; # 0..1 Persistent identifier for the bundle
  fhir:Bundle.type [ code ]; # 1..1 document | message | transaction | transaction-response | batch | batch-response |
    history | searchset | collection
  fhir:Bundle.total [ unsignedInt ]; # 0..1 If search, the total number of matches
  fhir:Bundle.link [ # 0..* Links related to this Bundle
    fhir:Bundle.link.relation [ string ]; # 1..1 See http://www.iana.org/assignments/link-relations/link-
    relations.xhtml#link-relations-1
    fhir:Bundle.link.url [ uri ]; # 1..1 Reference details for the link
  ], ...;
  fhir:Bundle.entry [ # 0..* Entry in the bundle - will have a resource, or information
    fhir:Bundle.entry.link [ See Bundle.link ], ... ; # 0..* Links related to this entry
    fhir:Bundle.entry.fullUrl [ uri ]; # 0..1 Absolute URL for resource (server address, or UUID/OID)
    fhir:Bundle.entry.resource [ Resource ]; # 0..1 A resource in the bundle
    fhir:Bundle.entry.search [ # 0..1 Search related information
      fhir:Bundle.entry.search.mode [ code ]; # 0..1 match | include | outcome - why this is in the result set
      fhir:Bundle.entry.search.score [ decimal ]; # 0..1 Search ranking (between 0 and 1)
    ];
    fhir:Bundle.entry.request [ # 0..1 Transaction Related Information
      fhir:Bundle.entry.request.method [ code ]; # 1..1 GET | POST | PUT | DELETE
      fhir:Bundle.entry.request.url [ uri ]; # 1..1 URL for HTTP equivalent of this entry
      fhir:Bundle.entry.request.ifNoneMatch [ string ]; # 0..1 For managing cache currency
      fhir:Bundle.entry.request.ifModifiedSince [ instant ]; # 0..1 For managing update contention
      fhir:Bundle.entry.request.ifMatch [ string ]; # 0..1 For managing update contention
      fhir:Bundle.entry.request.ifNoneExist [ string ]; # 0..1 For conditional creates
    ];
    fhir:Bundle.entry.response [ # 0..1 Transaction Related Information
      fhir:Bundle.entry.response.status [ string ]; # 1..1 Status response code (text optional)
      fhir:Bundle.entry.response.location [ uri ]; # 0..1 The location, if the operation returns a location
      fhir:Bundle.entry.response.etag [ string ]; # 0..1 The etag for the resource (if relevant)
      fhir:Bundle.entry.response.lastModified [ instant ]; # 0..1 Server's date time modified
      fhir:Bundle.entry.response.outcome [ Resource ]; # 0..1 OperationOutcome with hints and warnings (for
    batch/transaction)
    ];
  ], ...;
  fhir:Bundle.signature [ Signature ]; # 0..1 Digital Signature
]
```

Changes since DSTU2

Bundle

Bundle.identifier | Added Element

Bundle.entry.response.outcome | Added Element

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 23 tests of which 1 fail to execute. 11 fail round-trip testing and 11 r3 resources are invalid (3836 errors).).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.36.3.1 Terminology Bindings

Path | Definition | Type | Reference

Bundle.type | Indicates the purpose of a bundle - how it was intended to be used. | Required | BundleType

Bundle.entry.search.mode | Why an entry is in the result set - whether it's included as a match or because of an _include requirement. | Required | SearchEntryMode

Bundle.entry.request.method | HTTP verbs (in the HTTP command line). | Required | HTTPVerb

2.36.3.2 Constraints

* bdl-1: total only when a search or history (expression : total.empty() or (type = 'searchset') or (type = 'history'))

* bdl-2: entry.search only when a search (expression : entry.search.empty() or (type = 'searchset'))

* bdl-3: entry.request only for some types of bundles (expression : entry.request.empty() or type = 'batch' or type = 'transaction' or type = 'history')

* bdl-4: entry.response only for some types of bundles (expression : entry.response.empty() or type = 'batch-response' or type = 'transaction-response')

* bdl-5: On Bundle.entry: must be a resource unless there's a request or response (expression on Bundle.entry: resource.exists() or request.exists() or response.exists())

* bdl-7: FullUrl must be unique in a bundle, or else entries with the same fullUrl must have different meta.versionId (expression : entry.where(fullUrl).select(fullUrl&resource.meta.versionId).isDistinct())

* bdl-8: On Bundle.entry: fullUrl cannot be a version specific reference (expression on Bundle.entry: fullUrl.contains('/_history/').not())

* bdl-9: A document must have an identifier with a system and a value (expression : type = 'document' implies (identifier.system.exists() and identifier.value.exists()))

2.36.3.3 Notes about Bundle

* Conceptually, a bundle is a list of resources with some context (named links, and status on the entries)

* Since a Bundle is itself a Resource it has the same common metadata as all resources, including profile assertions, tags, and security labels

* Although there are no extensions on the Bundle itself, link, entry, and search/request/response can all have extensions. See Patient and Location for examples on search

* Both Bundle.link and Bundle.entry.link are defined to support providing additional context when bundles are used (e.g. HATEOAS). Bundle.entry.link corresponds to links found in the HTTP header if the resource in the entry was read directly. This specification defines some specific uses of Bundle.link for searching and paging, but no specific uses for Bundle.entry.link, and no defined function in a transaction - meaning is implementation specific

* Bundles have both .id and .identifier - see Resource Identities for further information

2.36.3.4 Using Bundles

The content and rules for using a Bundle depend on the type of the bundle. Note that all bundle types use resource identity resolution as described below.

2.36.3.4.1 Document

A document bundle (type = "document") consists of a series of entries, the first of which is a Composition. Each entry element SHALL contain a resource. See Documents for further information.

Example

2.36.3.4.2 Message

A message bundle (type = "message") consists of a series of entries, the first of which is a MessageHeader. Each entry element SHALL contain a resource. See Messaging for further information.

Example Request and Response

2.36.3.4.3 Search Results

A set of search results (type = "searchset") consists of a series of 0 or more entries. Each entry element SHALL contain a resource. See Search for further information.

In addition, Bundle.total may be used to return the total number of resources that match the search, and that may be returned by following the "next" link.

For each entry, a search set can also contain two specific pieces of search related information:

* search.mode: An indication of whether the resource is in the search set because it matched the search criteria, or whether it is included because another resource refers to it (e.g. by the _include parameter)

* search.score: The server's search ranking score for the entry. Servers are not required to return a ranking score, but if they do, 1 is most relevant, and 0 is least relevant. Note: often, search results are sorted by score, but the client may specify a different sort order (see Search Relevance

Example

2.36.3.4.4 History

An change history (type = "history") consists of a series of 0 or more entries. Each entry element SHALL contain a request element that describes the change that was made, and, if the method is a POST or PUT, a resource that represents the state of the resource at the conclusion of the operation. See History for further information.

In addition, Bundle.total may be used to return the total number of resources that are included in the change history, and that may be returned by following the "next" link.

Example to do

2.36.3.4.5 Transaction / Batch

A transaction (type = "transaction") or batch (type = "batch") consists of a series of 0 or more entries. Each entry element SHALL contain either a request element, or a resource element (or both). See Transactions for further information. Each entry in a transaction has the details of an HTTP operation that informs the system processing the transaction what to do with the

entry. If the entry method is a 'PUT' or 'POST', then the entry SHALL contain a resource that becomes the body of the HTTP operation.

If there is no request element, then there SHALL be a resource and the server must infer whether this is a create or an update from the resource identity supplied.

Example

2.36.3.4.6 Transaction/batch Response

A transaction response (type = "transaction-response") or batch response (type="batch-response") consists of a series of 0 or more entries, 1 for each entry in the transaction or batch it is in response to. Each entry element SHALL contain a response element which indicates the outcome of the HTTP operation that the server performed for the entry.

Example

2.36.3.4.7 Collection

A collection (type = "collection") consists of a series of 0 or more entries. No particular use with respect to the FHIR specification is associated with this bundle. Each entry element SHALL contain a resource.

Example

2.36.4 Resource URL & Uniqueness rules in a bundle

Except for transactions and batches, Each entry in a Bundle must have a fullUrl which is the identity of the resource in the entry. Note that this is not a versioned reference to the resource, but its identity. Where a resource is not assigned a persistent identity that can be used in the bundle, a UUID should be used (urn:uuid:...).

For transactions and batches, entries may not have fullURLs when the entry.request.method = POST, and the resource has no identity. Note that even in this case, there may still be a fullURL in a transaction on a POST so that relationships between resources can be represented (see Transactions).

In some bundles, a given resource can only appear once:

Type | Rules
document | no duplicates
message | no duplicates (generally not, unless noted explicitly in the event definition e.g. for messaging deltas?)
transaction | no duplicates allowed
transaction-response | no duplicates allowed
batch | no duplicates allowed
batch-response | no duplicates allowed
history | yes, duplicates are allowed
searchset | no duplicates allowed
collection | yes, duplicates are allowed, though generally would not be a good idea

2.36.4.1 Resolving references in Bundles

The Bundle resource is a packaging construct that has one of more entries that are other kinds of resources. Those resources themselves have references to other resources - e.g. an Observation that refers to a Patient. The referenced resources may also be found in the bundle. For example, the system that constructed the bundle may have included both the observation and the patient. The content of the references between resources doesn't change because of the bundle.

This section documents a method that resolves references correctly within a bundle. Note that this method does not define any new semantics; resolution is based on the way resource identity and resource references work.

Applications reading a bundle should always look for a resource by its identity in the bundle first before trying to access it by its URL.

How to resolve a reference in a bundle:

* If the reference is not an absolute reference, convert it

* If the fullUrl starts with urn:uuid: or urn:oid:, then append the id to the base URL and try to resolve within the bundle as for a RESTful URL reference. If no resolution is possible, then the reference has no defined meaning within this specification

* if the fullUrl of the resource that contains the reference is a RESTful one (see the RESTful URL regex), extract the [root], and append the reference to it

* otherwise, treat the fullUrl as a normal URL, and follow the normal method for Resolving Relative References to Absolute Form

* Look for an entry with a fullUrl that contains the URL in the reference

* If no match is found, the resource is not in the bundle, and must be found elsewhere (e.g. if an http: URL, try accessing it directly)

* If multiple matches are found, it is ambiguous which is correct

If the reference is version specific (either relative or absolute), then remove the version from the URL before matching fullUrl, and then match the version based on Resource.meta.versionId. Note that the rules for resolving references in contained resources are the same as those for resolving resources in the resource that contains the contained resource.

Here is an example Bundle the demonstrates these rules:

```
<Bundle xmlns="http://hl7.org/fhir">
```

```
  <type value="collection"/>

  <!-- A patient that already has an id on a server -->
  <entry>
    <fullUrl value="http://example.org/fhir/Patient/23"/>
    <resource>
      <Patient>
         <id value="23"/>
      </Patient>
    </resource>
  </entry>

  <!-- A patient that doesn't have a persistent home - but it does have
      a UUID assigned for this bundle "locally identified" -->
  <entry>
    <fullUrl value="urn:uuid:04121321-4af5-424c-a0e1-ed3aab1c349d"/>
    <resource>
      <Patient>
      </Patient>
    </resource>
  </entry>

  <!-- a relative resource reference -->
  <entry>
    <fullUrl value="http://example.org/fhir/Observation/123"/>
    <resource>
      <Observation>
         <id value="123"/>
         <subject>
           <!-- this is reference to the first resource above -->
           <reference value="Patient/23"/>
         </subject>
      </Observation>
    </resource>
  </entry>

  <!-- an absolute reference -->
  <entry>
    <fullUrl value="http://example.org/fhir/Observation/124"/>
    <resource>
      <Observation>
         <id value="124"/>
         <subject>
           <!-- this is reference to the first resource above -->
           <reference value="http://example.org/fhir/Patient/23"/>
         </subject>
      </Observation>
    </resource>
  </entry>

  <!-- reference to a locally identified resource -->
  <entry>
    <fullUrl value="http://example.org/fhir/Observation/12"/>
    <resource>
      <Observation>
         <id value="12"/>
         <subject>
           <!-- reference to the second patient above -->
           <reference value="urn:uuid:04121321-4af5-424c-a0e1-ed3aab1c349d"/>
         </subject>
      </Observation>
    </resource>
  </entry>

  <!-- reference that doesn't resolve in this bundle -->
  <entry>
    <fullUrl value="http://example.org/fhir/Observation/14"/>
    <resource>
      <Observation>
         <id value="14"/>
         <subject>
           <!-- reference to a patient not found in this bundle -->
           <reference value="http://example.org/fhir-2/Patient/1"/>
         </subject>
      </Observation>
    </resource>
  </entry>

</Bundle>
```

2.36.5 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common

composition | reference | The first resource in the bundle, if the bundle type is "document" - this is a composition, and this parameter provides access to searches its contents | Bundle.entry[0].resource (Composition)

identifier | token | Persistent identifier for the bundle | Bundle.identifier
message | reference | The first resource in the bundle, if the bundle type is "message" - this is a message header, and this parameter provides access to search its contents | Bundle.entry[0].resource (MessageHeader)
type | token | document | message | transaction | transaction-response | batch | batch-response | history | searchset | collection | Bundle.type

2.36.6 Resource Bundle - Examples

URL: https://hl7.org/fhir/STU3/bundle-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.36.6 Resource Bundle - Examples

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

In addition to the examples below, there are other examples of Bundles through the specification:

* Document

* Message Request

* Message Response

* Collection

Example List:

An example of a search response | bundle-example | XML | JSON | Turtle
An example transaction | bundle-transaction | XML | JSON | Turtle
Response for the example transaction | bundle-response | XML | JSON | Turtle
Retrieve a patients medications, allergies, problems and immunizations | bundle-request-medsallergies | XML | JSON | Turtle
Response for Retrieve a patients medications, allergies, problems and immunizations | bundle-response-medsallergies | XML | JSON | Turtle
Retrieve a patient’s conditions, medication statements and blood pressure readings since a given date | bundle-request-simplesummary | XML | JSON | Turtle
Response for Retrieve a patient’s conditions, medication statements and blood pressure readings since a given date | bundle-response-simplesummary | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.36.7 Resource Bundle - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/bundle-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.36.7 Resource Bundle - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the Bundle resource.

Bundle
Definition | A container for a collection of resources.
Control | 1..1
Summary | true
Invariants | Defined on this element bdl-1: total only when a search or history (expression : total.empty() or (type = 'searchset') or (type = 'history'), xpath: not(f:total) or (f:type/@value = 'searchset') or (f:type/@value = 'history')) bdl-2: entry.search only when a search (expression : entry.search.empty() or (type = 'searchset'), xpath: not(f:entry/f:search) or (f:type/@value = 'searchset')) bdl-3: entry.request only for some types of bundles (expression : entry.request.empty() or type = 'batch' or type = 'transaction' or type = 'history', xpath: not(f:entry/f:request) or (f:type/@value = 'batch') or (f:type/@value = 'transaction') or (f:type/@value = 'history')) bdl-4: entry.response only for some types of bundles (expression : entry.response.empty() or type = 'batch-response' or type = 'transaction-response', xpath: not(f:entry/f:response) or (f:type/@value = 'batch-response') or (f:type/@value = 'transaction-response')) bdl-7: FullUrl must be unique in a bundle, or else entries with the same fullUrl must have different meta.versionId (expression : entry.where(fullUrl).select(fullUrl&resource.meta.versionId).isDistinct(), xpath: count(for $entry in f:entry[f:resource] return $entry[count(parent::f:Bundle/f:entry[f:fullUrl/@value=$entry/f:fullUrl/@value and ((not(f:resource/*/f:meta/f:versionId/@value) and not($entry/f:resource/*/f:meta/f:versionId/@value)) or f:resource/*/f:meta/f:versionId/@value=$entry/f:resource/*/f:meta/f:versionId/@value)])!=1])=0) bdl-9: A document must have an identifier with a system and a value (expression : type = 'document' implies (identifier.system.exists() and identifier.value.exists()), xpath: not(f:type/@value = 'document') or exists(f:identifier/f:system) or exists(f:identifier/f:value))
Bundle.identifier
Definition | A persistent identifier for the batch that won't change as a batch is copied from server to server.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1
Type | Identifier
Summary | true
Comments | Persistent identity generally only matters for batches of type Document, Message, and Collection. It would not normally be populated for search and history results, and servers ignore Bundle.identifier when processing batches and transactions. For Documents the .identifier SHALL be populated such that the .identifier is globally unique.
Bundle.type
Definition | Indicates the purpose of this bundle - how it was intended to be used.

Control | 1..1
Terminology Binding | BundleType (Required)
Type | code
Summary | true
Comments | It's possible to use a bundle for other purposes (e.g. a document can be accepted as a transaction). This is primarily defined so that there can be specific rules for some of the bundle types.
Bundle.total
Definition | If a set of search matches, this is the total number of matches for the search (as opposed to the number of results in this bundle).
Control | 0..1
Type | unsignedInt
Summary | true
Comments | Only used if the bundle is a search result set. The total does not include resources such as OperationOutcome and included resources, only the total number of matching resources.
Invariants | Affect this element bdl-1: total only when a search or history (expression : total.empty() or (type = 'searchset') or (type = 'history'), xpath: not(f:total) or (f:type/@value = 'searchset') or (f:type/@value = 'history'))
Bundle.link
Definition | A series of links that provide context to this bundle.
Control | 0..*
Summary | true
Bundle.link.relation
Definition | A name which details the functional use for this link - see http://www.iana.org/assignments/link-relations/link-relations.xhtml#link-relations-1 .
Control | 1..1
Type | string
Summary | true
Bundle.link.url
Definition | The reference details for the link.
Control | 1..1
Type | uri
Summary | true
Bundle.entry
Definition | An entry in a bundle resource - will either contain a resource, or information about a resource (transactions and history only).
Control | 0..*
Summary | true
Invariants | Defined on this element bdl-5: must be a resource unless there's a request or response (expression : resource.exists() or request.exists() or response.exists(), xpath: exists(f:resource) or exists(f:request) or exists(f:response)) bdl-8: fullUrl cannot be a version specific reference (expression : fullUrl.contains('/_history/').not(), xpath: not(exists(f:fullUrl[contains(string(@value), '/_history/')])))
Bundle.entry.link
Definition | A series of links that provide context to this entry.
Control | 0..*
Type | See Bundle.link
Summary | true
Bundle.entry.fullUrl
Definition | The Absolute URL for the resource. The fullUrl SHALL not disagree with the id in the resource. The fullUrl is a version independent reference to the resource. The fullUrl element SHALL have a value except that: * fullUrl can be empty on a POST (although it does not need to when specifying a temporary id for reference in the bundle) * Results from operations might involve resources that are not identified.
Control | 0..1
Type | uri
Summary | true
Comments | fullUrl may not be unique in the context of a resource. Note that since FHIR resources do not need to be served through the FHIR API, the absolute URL may not end with the logical id of the resource (Resource.id), but if the fullUrl does look like a RESTful server URL (e.g. meets the regex, then it SHALL end with the Resource.id.
Bundle.entry.resource
Definition | The Resources for the entry.
Control | 0..1
Type | Resource
Summary | true
Bundle.entry.search
Definition | Information about the search process that lead to the creation of this entry.
Control | 0..1
Summary | true
Invariants | Affect this element bdl-2: entry.search only when a search (expression : entry.search.empty() or (type = 'searchset'), xpath: not(f:entry/f:search) or (f:type/@value = 'searchset'))
Bundle.entry.search.mode
Definition | Why this entry is in the result set - whether it's included as a match or because of an _include requirement.
Control | 0..1
Terminology Binding | SearchEntryMode (Required)
Type | code
Summary | true
Comments | There is only one mode. In some corner cases, a resource may be included because it is both a match and an include. In these circumstances, 'match' takes precedence.
Bundle.entry.search.score
Definition | When searching, the server's search ranking score for the entry.

Control | 0..1
Type | decimal
Summary | true
Comments | Servers are not required to return a ranking score. 1 is most relevant, and 0 is least relevant. Often, search results are sorted by score, but the client may specify a different sort order.
Bundle.entry.request
Definition | Additional information about how this entry should be processed as part of a transaction.
Control | 0..1
Summary | true
Invariants | Affect this element bdl-3: entry.request only for some types of bundles (expression : entry.request.empty() or type = 'batch' or type = 'transaction' or type = 'history', xpath: not(f:entry/f:request) or (f:type/@value = 'batch') or (f:type/@value = 'transaction') or (f:type/@value = 'history'))
Bundle.entry.request.method
Definition | The HTTP verb for this entry in either a change history, or a transaction/ transaction response.
Control | 1..1
Terminology Binding | HTTPVerb (Required)
Type | code
Summary | true
Bundle.entry.request.url
Definition | The URL for this entry, relative to the root (the address to which the request is posted).
Control | 1..1
Type | uri
Summary | true
Comments | E.g. for a Patient Create, the method would be "POST" and the URL would be "Patient". For a Patient Update, the method would be PUT, and the URL would be "Patient/[id]".
Bundle.entry.request.ifNoneMatch
Definition | If the ETag values match, return a 304 Not Modified status. See the API documentation for "Conditional Read".
Control | 0..1
Type | string
Summary | true
Bundle.entry.request.ifModifiedSince
Definition | Only perform the operation if the last updated date matches. See the API documentation for "Conditional Read".
Control | 0..1
Type | instant
Summary | true
Bundle.entry.request.ifMatch
Definition | Only perform the operation if the Etag value matches. For more information, see the API section "Managing Resource Contention".
Control | 0..1
Type | string
Summary | true
Bundle.entry.request.ifNoneExist
Definition | Instruct the server not to perform the create if a specified resource already exists. For further information, see the API documentation for "Conditional Create". This is just the query portion of the URL - what follows the "?" (not including the "?").
Control | 0..1
Type | string
Summary | true
Bundle.entry.response
Definition | Additional information about how this entry should be processed as part of a transaction.
Control | 0..1
Summary | true
Invariants | Affect this element bdl-4: entry.response only for some types of bundles (expression : entry.response.empty() or type = 'batch-response' or type = 'transaction-response', xpath: not(f:entry/f:response) or (f:type/@value = 'batch-response') or (f:type/@value = 'transaction-response'))
Bundle.entry.response.status
Definition | The status code returned by processing this entry. The status SHALL start with a 3 digit HTTP code (e.g. 404) and may contain the standard HTTP description associated with the status code.
Control | 1..1
Type | string
Summary | true
Bundle.entry.response.location
Definition | The location header created by processing this operation.
Control | 0..1
Type | uri
Summary | true
Bundle.entry.response.etag
Definition | The etag for the resource, it the operation for the entry produced a versioned resource (see Resource Metadata and Versioning and Managing Resource Contention).
Control | 0..1
Type | string
Summary | true
Comments | Etags match the Resource.meta.versionId. The ETag has to match the version id in the header if a resource is included.
Bundle.entry.response.lastModified
Definition | The date/time that the resource was modified on the server.
Control | 0..1
Type | instant

Summary | true
Comments | This has to match the same time in the meta header if a resource is included.
Bundle.entry.response.outcome
Definition | An OperationOutcome containing hints and warnings produced as part of processing this entry in a batch or transaction.
Control | 0..1
Type | Resource
Summary | true
Comments | For a POST/PUT operation, this is the equivalent outcome that would be returned for prefer = operationoutcome - except that the resource is always returned whether or not the outcome is returned.
Bundle.signature
Definition | Digital Signature - base64 encoded. XML-DSIg or a JWT.
Control | 0..1
Type | Signature
Requirements | This element allows capturing signatures on documents. It also allows signatures on messages, transactions or even query responses. It may support content-authentication, non-repudiation or other business cases. This is primarily relevant where the bundle may travel through multiple hops or via other mechanisms where HTTPS non-repudiation is insufficient.
Summary | true
Comments | The signature could be created by the "author" of the bundle or by the originating device. Requirements around inclusion of a signature, verification of signatures and treatment of signed/non-signed bundles is implementation-environment specific.

2.36.8 Resource Bundle - Mappings

URL: https://hl7.org/fhir/STU3/bundle-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.36.8 Resource Bundle - Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Mappings:

RIM Mapping

HL7 v2 Mapping

Mappings for the bundle resource.

2.36.8.1 Mappings for RIM Mapping (http://hl7.org/v3)

Bundle | N/A

2.36.8.2 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

Bundle | N/A

2.36.9 Resource Bundle - Design Notes

URL: https://hl7.org/fhir/STU3/bundle-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.36.9 Resource Bundle - Design Notes

to do

2.36.10 Resource Bundle - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/bundle-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.36.10 Resource Bundle - Extensions & Profiles

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Bundle resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.36.10.1 Profiles

No Profiles defined for this resource

2.36.10.2 Extensions

http-response-header | http-response-header | for Common extensions for bundle-related types
location-distance | location-distance | for Common extensions for bundle-related types
match-grade | match-grade | for Common extensions for bundle-related types

Extensions that reference this resource:

No Extensions refer to this resource

2.36.10.3 Search Extensions

No Search Extensions defined for this resource

2.36.11 Common extensions for bundle-related types

URL: https://hl7.org/fhir/STU3/bundle-extensions.html

Defines "common" extensions for use with the Bundle resource and contained elements

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.36.11 Common extensions for bundle-related types

(No assigned work group) | Maturity Level: N/A | Ballot Status: Informative

2.36.11.1 Content

Extensions:

http-response-header | http-response-header : In a transaction, every single interaction can have multiple HTTP response headers returned as a result of the interaction.

match-grade | match-grade : Assessment of resource match outcome - how likely this resource is to be a match.

location-distance | location-distance : A calculated distance between the resource and a provided location.

2.36.12 Resource Bundle - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/bundle-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.36.12 Resource Bundle - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

R2 : R3 Converson maps for Bundle.

Functional status for this map: 23 tests of which 1 fail to execute. 11 fail round-trip testing and 11 r3 resources are invalid (3836 errors). (see documentation)

2.36.12.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/Bundle2to3" = "R2 to R3 Conversions for Bundle"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Bundle" alias BundleR2 as source
uses "http://hl7.org/fhir/StructureDefinition/Bundle" alias Bundle as target

imports "http://hl7.org/fhir/StructureMap/*2to3"

group for type+types  Bundle extends Resource
  input src : BundleR2 as source
  input tgt : Bundle as target

  "Bundle-type" : for src.type make tgt.type
  "Bundle-total" : for src.total make tgt.total
  "Bundle-link" : for src.link as vs0 make tgt.link as vt0 then bundleLink(vs0, vt0)
  "Bundle-entry" : for src.entry as vs0 make tgt.entry as vt0 then bundleEntry(vs0, vt0)
  "Bundle-signature" : for src.signature make tgt.signature
endgroup

group bundleLink extends BackboneElement
  input src as source
  input tgt as target

  "Bundle.link-relation" : for src.relation make tgt.relation
  "Bundle.link-url" : for src.url make tgt.url
endgroup

group bundleEntry extends BackboneElement
  input src as source
  input tgt as target

  "Bundle.entry-fullUrl" : for src.fullUrl make tgt.fullUrl
  "Bundle.entry-resource" : for src.resource make tgt.resource
  "Bundle.entry-search" : for src.search as vs make tgt.search as vt then bundleSearch(vs, vt)
  "Bundle.entry-request" : for src.request as vs make tgt.request as vt then bundleRequest(vs, vt)
  "Bundle.entry-response" : for src.response as vs make tgt.response as vt then bundleResponse(vs, vt)
endgroup

group bundleSearch extends BackboneElement
  input src as source
```

```
  input tgt as target

  "Bundle.entry.search-mode" : for src.mode make tgt.mode
  "Bundle.entry.search-score" : for src.score make tgt.score
endgroup

group bundleRequest extends BackboneElement
  input src as source
  input tgt as target

  "Bundle.entry.request-method" : for src.method make tgt.method
  "Bundle.entry.request-url" : for src.url make tgt.url
  "Bundle.entry.request-ifNoneMatch" : for src.ifNoneMatch make tgt.ifNoneMatch
  "Bundle.entry.request-ifModifiedSince" : for src.ifModifiedSince make tgt.ifModifiedSince
  "Bundle.entry.request-ifMatch" : for src.ifMatch make tgt.ifMatch
  "Bundle.entry.request-ifNoneExist" : for src.ifNoneExist make tgt.ifNoneExist
endgroup

group bundleResponse extends BackboneElement
  input src as source
  input tgt as target

  "Bundle.entry.response-status" : for src.status make tgt.status
  "Bundle.entry.response-location" : for src.location make tgt.location
  "Bundle.entry.response-etag" : for src.etag make tgt.etag
  "Bundle.entry.response-lastModified" : for src.lastModified make tgt.lastModified
  "Bundle.entry.response-outcome" : for src.outcome make tgt.outcome
endgroup
```

2.36.12.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/Bundle3to2" = "R3 to R2 Conversion for Bundle"

uses "http://hl7.org/fhir/StructureDefinition/Bundle" alias Bundle as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Bundle" alias BundleR2 as target

imports "http://hl7.org/fhir/StructureMap/*3to2"

group for type+types  Bundle extends Resource
  input src : Bundle as source
  input tgt : BundleR2 as target
  "Bundle-type" : for src.type make tgt.type
  "Bundle-total" : for src.total make tgt.total
  "Bundle-link" : for src.link as vs0 make tgt.link as vt0 then bundleLink(vs0, vt0)
  "Bundle-entry" : for src.entry as vs0 make tgt.entry as vt0 then bundleEntry(vs0, vt0)
  "Bundle-signature" : for src.signature make tgt.signature
endgroup

group bundleLink extends BackboneElement
  input src as source
  input tgt as target

  "Bundle.link-relation" : for src.relation make tgt.relation
  "Bundle.link-url" : for src.url make tgt.url
endgroup

group bundleEntry extends BackboneElement
  input src as source
  input tgt as target

  "Bundle.entry-fullUrl" : for src.fullUrl make tgt.fullUrl
  "Bundle.entry-resource" : for src.resource make tgt.resource
  "Bundle.entry-search" : for src.search as vs make tgt.search as vt then bundleSearch(vs, vt)
  "Bundle.entry-request" : for src.request as vs make tgt.request as vt then bundleRequest(vs, vt)
  "Bundle.entry-response" : for src.response as vs make tgt.response as vt then bundleResponse(vs, vt)
endgroup

group bundleSearch extends BackboneElement
  input src as source
  input tgt as target

  "Bundle.entry.search-mode" : for src.mode make tgt.mode
  "Bundle.entry.search-score" : for src.score make tgt.score
endgroup

group bundleRequest extends BackboneElement
  input src as source
  input tgt as target

  "Bundle.entry.request-method" : for src.method make tgt.method
  "Bundle.entry.request-url" : for src.url make tgt.url
  "Bundle.entry.request-ifNoneMatch" : for src.ifNoneMatch make tgt.ifNoneMatch
  "Bundle.entry.request-ifModifiedSince" : for src.ifModifiedSince make tgt.ifModifiedSince
  "Bundle.entry.request-ifMatch" : for src.ifMatch make tgt.ifMatch
  "Bundle.entry.request-ifNoneExist" : for src.ifNoneExist make tgt.ifNoneExist
endgroup

group bundleResponse extends BackboneElement
  input src as source
  input tgt as target
```

```
  "Bundle.entry.response-status" : for src.status make tgt.status
  "Bundle.entry.response-location" : for src.location make tgt.location
  "Bundle.entry.response-etag" : for src.etag make tgt.etag
  "Bundle.entry.response-lastModified" : for src.lastModified make tgt.lastModified
  "Bundle.entry.response-outcome" : for src.outcome make tgt.outcome
endgroup
```

2.36.12.3 R3 Validation Errors

conceptmaps | WARNING @ Bundle.entry[22].resource.group[41].element.target.comment: value should not start or finish with whitespace (src = InstanceValidator)

2763c3ea-6bce-4f15-bdc9-4b41aaceee03 | ERROR @ Bundle.entry[1].resource: If the resource is contained in another resource, it SHALL be referred to from elsewhere in the resource [contained.where(('#'+id in %resource.descendants().reference).not()).empty()] (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[1].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[1].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[1].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[3].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[3].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[3].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[3].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[3].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[3].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[10].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[10].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[10].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[10].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[10].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[10].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[10].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[10].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[10].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[10].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[10].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[10].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[10].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[10].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[11].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[11].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[11].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[11].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[11].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[11].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[11].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[11].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[11].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[11].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[11].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[11].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[11].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[11].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[12].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[12].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[12].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[12].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[12].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[12].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[13].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[13].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[13].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[13].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[13].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[13].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[17].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[17].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[17].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[17].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[17].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[17].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[20].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[20].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[20].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[20].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[20].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[20].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[20].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[20].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[20].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[20].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[20].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[20].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[20].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[20].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[21].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[21].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[21].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[21].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[21].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[21].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[22].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[22].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[22].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[22].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[22].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[22].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[23].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[23].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[23].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[23].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[23].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[23].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[24].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest,

Element 'Bundle.entry[24].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[24].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[24].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[24].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[24].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[24].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[24].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[24].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[24].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[24].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[24].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[24].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[24].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[25].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[25].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[25].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[25].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[25].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[25].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[26].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[26].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[26].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[26].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[26].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[26].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[26].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[26].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[26].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[26].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[26].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[26].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[26].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[26].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[27].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[27].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[27].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[27].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[27].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[27].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[28].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[28].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[28].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[28].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[28].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[28].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[29].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[29].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[29].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[29].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[29].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[29].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[29].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[30].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[30].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[30].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[30].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[30].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[30].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[33].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[33].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[33].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[33].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[33].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[33].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[33].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[33].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[33].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[33].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[33].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[33].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[33].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[33].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[34].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[34].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[34].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[34].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[34].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[34].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[34].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[34].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[34].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[34].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[34].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[34].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[34].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[34].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[35].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[35].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[35].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[35].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[35].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[35].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[36].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[36].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[36].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[36].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[36].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[36].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[37].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[37].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[37].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src =

InstanceValidator) ERROR @ Bundle.entry[37].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[37].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[37].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[37].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[38].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[38].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[38].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[38].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[38].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[38].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[39].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[39].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[39].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[39].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[39].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[39].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[40].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[40].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[40].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[40].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[40].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[40].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[40].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[40].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[40].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[40].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[40].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[40].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[40].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[40].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[41].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[41].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[41].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[41].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[41].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[41].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[42].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[42].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[42].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[42].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[42].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[42].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[43].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[43].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[43].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[43].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[43].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[43].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[44].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[44].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[44].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[44].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[44].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[44].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[45].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[45].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[45].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[45].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[45].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[45].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[46].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[46].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[46].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[46].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[46].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[46].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[46].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[46].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[46].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[46].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[46].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[46].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[46].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[46].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[47].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[47].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[47].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[47].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[47].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[47].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[48].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[48].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[48].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[48].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[48].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[48].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[48].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[48].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[48].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[48].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[48].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[48].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[48].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[48].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[49].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[49].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[49].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[49].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[49].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[49].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[50].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[50].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[50].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[50].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[50].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[50].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[51].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[51].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[51].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[51].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[51].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[51].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[52].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[52].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[52].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[52].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[52].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[52].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[53].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[53].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[53].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[53].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[53].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[53].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[54].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[54].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[54].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[54].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[54].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[54].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[54].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[54].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[54].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[54].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[54].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[54].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[54].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[54].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[55].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[55].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[55].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[55].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[55].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[55].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[55].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[55].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[55].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[55].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[55].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[55].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[55].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[55].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[56].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[56].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[56].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[56].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[56].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[56].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[58].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[58].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[58].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[58].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[58].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[58].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[58].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[58].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[58].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[58].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[58].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[58].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[58].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[58].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[59].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[59].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[59].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[59].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[59].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[59].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[59].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[59].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[59].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[59].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[59].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[59].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[59].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[59].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[60].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[60].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[60].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[60].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[60].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[60].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[61].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[61].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[61].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[61].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[61].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[61].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[61].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[61].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[61].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[61].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[61].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[61].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[61].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[61].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[66].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[66].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[66].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[66].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[66].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[66].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[67].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[67].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[67].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[67].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[67].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[67].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[68].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[68].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[68].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[68].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[68].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[68].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[69].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[69].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[69].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[69].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[69].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[69].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[70].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[70].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[70].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[70].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[70].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[70].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[71].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest,

Element 'Bundle.entry[71].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[71].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[71].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[71].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[71].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[71].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[71].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[71].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[71].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[71].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[71].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[71].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[71].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[72].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[72].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[72].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[72].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[72].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[72].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[76].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[76].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[76].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[76].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[76].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[76].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[77].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[77].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[77].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[77].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[77].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[77].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[77].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[77].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[77].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[77].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[77].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[77].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[77].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[77].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[78].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[78].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[78].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[78].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[78].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[78].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[79].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[79].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[79].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[79].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[79].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[79].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[79].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[80].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[80].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[80].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[80].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[80].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[80].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[83].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[83].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[83].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[83].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[83].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[83].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[84].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[84].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[84].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[84].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[84].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[84].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[86].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[86].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[86].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[86].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[86].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[86].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[90].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[90].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[90].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[90].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[90].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[90].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[90].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[90].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[90].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[90].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[90].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[90].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[90].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[90].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[91].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[91].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[91].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src =

InstanceValidator) ERROR @ Bundle.entry[91].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[91].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[91].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[91].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[94].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[94].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[94].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[94].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[94].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[94].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[95].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[95].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[95].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[95].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[95].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[95].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[96].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[96].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[96].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[96].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[96].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[96].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[96].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[96].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[96].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[96].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[96].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[96].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[96].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[96].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[102].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[102].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[102].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[102].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[102].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[102].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[103].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[103].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[103].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[103].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[103].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[103].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[104].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[104].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[104].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[104].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[104].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[104].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[105].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[105].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[105].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[105].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[105].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[105].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[106].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[106].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[106].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[106].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[106].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[106].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[107].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[107].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[107].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[107].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[107].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[107].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[107].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[107].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[107].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[107].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[107].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[107].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[107].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[107].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[111].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[111].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[111].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[111].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[111].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[111].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[111].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[111].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[111].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[111].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[111].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[111].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[111].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[111].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[112].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[112].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[112].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[112].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[112].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[112].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[112].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[112].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[112].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[112].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[112].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[112].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[112].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[112].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[113].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[113].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[113].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[113].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[113].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[113].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[114].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[114].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[114].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[114].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[114].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[114].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[114].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[114].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[114].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[114].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[114].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[114].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[114].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[114].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[115].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[115].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[115].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[115].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[115].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[115].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[115].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[115].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[115].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[115].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[115].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[115].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[115].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[115].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[116].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[116].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[116].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[116].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[116].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[116].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[116].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[116].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[116].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[116].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[116].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[116].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[116].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[116].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[117].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[117].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[117].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[117].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[117].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[117].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[118].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[118].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[118].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[118].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[118].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[118].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[118].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[118].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[118].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[118].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[118].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[118].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[118].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[118].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[119].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[119].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[119].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[119].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[119].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[119].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[127].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[127].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[127].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[127].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[127].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[127].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[130].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[130].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[130].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[130].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[130].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[130].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[131].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[131].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[131].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[131].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[131].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[131].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[133].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[133].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[133].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[133].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[133].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[133].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[138].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[138].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[138].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[138].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[138].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[138].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[142].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[142].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[142].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[142].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[142].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[142].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[145].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[145].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[145].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[145].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[145].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[145].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[146].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[146].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[146].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[146].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[146].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[146].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[149].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[149].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[149].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[149].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[149].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[149].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[150].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[150].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[150].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[150].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[150].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[150].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest,

Element 'Bundle.entry[152].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[152].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[152].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[152].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[152].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[152].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[153].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[153].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[153].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[153].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[153].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[153].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[154].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[154].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[154].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[154].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[154].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[154].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[155].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[155].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[155].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[155].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[155].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[155].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[156].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[156].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[156].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[156].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[156].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[156].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[156].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[156].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[156].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[156].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[156].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[156].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[156].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[156].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[157].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[157].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[157].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[157].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[157].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[157].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[157].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[157].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[157].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[157].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[157].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[157].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[157].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[157].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[158].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[158].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[158].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[158].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[158].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[158].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[158].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[158].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[158].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[158].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[158].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[158].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[158].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[158].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[159].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[159].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[159].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[159].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[159].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[159].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[159].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[159].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[159].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[159].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[159].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[159].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[159].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[159].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[160].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[160].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[160].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[160].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[160].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[160].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[160].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[160].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[160].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[160].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[160].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[160].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[160].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[160].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[161].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[161].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[161].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[161].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[161].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[161].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[161].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[161].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[161].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[161].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[161].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[161].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[161].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[161].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[162].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[162].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[162].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[162].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[162].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[162].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[162].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[162].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[162].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[162].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[162].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[162].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[162].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[162].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[163].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[163].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[163].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[163].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[163].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[163].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[163].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src =

InstanceValidator) ERROR @ Bundle.entry[163].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[163].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[163].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[163].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[163].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[163].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[163].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[164].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[164].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[164].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[164].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[164].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[164].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[164].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[164].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[164].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[164].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[164].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[164].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[164].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[164].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[166].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[166].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[166].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[166].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[166].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[166].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[166].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[166].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[166].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[166].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[166].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[166].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[166].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[166].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[167].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[167].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[167].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[167].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[167].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[167].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[167].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[167].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[167].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[167].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[167].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[167].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[167].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[167].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[171].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[171].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[171].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[171].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[171].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[171].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[171].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[171].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[171].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[171].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[171].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[171].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[171].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[171].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[172].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[172].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[172].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[172].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[172].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[172].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[172].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[172].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[172].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[172].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[172].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[172].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[172].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[172].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[173].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[173].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[173].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[173].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[173].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[173].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[173].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[173].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[173].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[173].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[173].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[173].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[173].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[173].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[174].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[174].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[174].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[174].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[174].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[174].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[174].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[174].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[174].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[174].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[174].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[174].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[174].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[174].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[177].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[177].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[177].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[177].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[177].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[177].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[177].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[177].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[177].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[177].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[177].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[177].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[177].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[177].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[178].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[178].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[178].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[178].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[178].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[178].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[178].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[178].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[178].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[178].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[178].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[178].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[178].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[178].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[179].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[179].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[179].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[179].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[179].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[179].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[179].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[179].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[179].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[179].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[179].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[179].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[179].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[179].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[180].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[180].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[180].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[180].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[180].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[180].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[180].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[180].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[180].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[180].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[180].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[180].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[180].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[180].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[181].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[181].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[181].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[181].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[181].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[181].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[181].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[181].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[181].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[181].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[181].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[181].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[181].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[181].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[182].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[182].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[182].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[182].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[182].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[182].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[182].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[182].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[182].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[182].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[182].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[182].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[182].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[182].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[186].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[186].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[186].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[186].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[186].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[186].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[186].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[186].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[186].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[186].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[186].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[186].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[186].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[186].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[187].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[187].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[187].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[187].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[187].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[187].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[187].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[187].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[187].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[187].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[187].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[187].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[187].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[187].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[188].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[188].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[188].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[188].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[188].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[188].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[188].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[188].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[188].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[188].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[188].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[188].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[188].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[188].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[189].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[189].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[189].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[189].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[189].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[189].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[189].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[189].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[189].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[189].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[189].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[189].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[189].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[189].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[190].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[190].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[190].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[190].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[190].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[190].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[190].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[190].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[190].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[190].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[190].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[190].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[190].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[190].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[192].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[192].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[192].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[192].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[192].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[192].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[192].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[192].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[192].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[192].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[192].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[192].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[192].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[192].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[193].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[193].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[193].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[193].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[193].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[193].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[193].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[193].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[193].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[193].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[193].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[193].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[193].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[193].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[195].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[195].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[195].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[195].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[195].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[195].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[195].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[195].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[195].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[195].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[195].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[195].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[195].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[195].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[198].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[198].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[198].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[198].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[198].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[198].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[198].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[198].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[198].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[198].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[198].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[198].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[198].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[198].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[199].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[199].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[199].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[199].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[199].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[199].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[200].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[200].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[200].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[200].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[200].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[200].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[200].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[200].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[200].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[200].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[200].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[200].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[200].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[200].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[201].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[201].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[201].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[201].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[201].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[201].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[201].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[201].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[201].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[201].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[201].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[201].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[201].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[201].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[205].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[205].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[205].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[205].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[205].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[205].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[205].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[205].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[205].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[205].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[205].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[205].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[205].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[205].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[206].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[206].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[206].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[206].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[206].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[206].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[206].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[206].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[206].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[206].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[206].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[206].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[206].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[206].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[207].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[207].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[207].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[207].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[207].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[207].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[207].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[207].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[207].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[207].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[207].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[207].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[207].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[207].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[208].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest,

Element 'Bundle.entry[208].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[208].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[208].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[208].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[208].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[208].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[208].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[208].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[208].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[208].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[208].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[208].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[208].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[209].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[209].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[209].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[209].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[209].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[209].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[209].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[209].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[209].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[209].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[209].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[209].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[209].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[209].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[210].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[210].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[210].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[210].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[210].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[210].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[210].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[210].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[210].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[210].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[210].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[210].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[210].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[210].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[211].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[211].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[211].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[211].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[211].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[211].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[211].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[211].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[211].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[211].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[211].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[211].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[211].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[211].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[212].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[212].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[212].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[212].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[212].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[212].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[212].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[212].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[212].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[212].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[212].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[212].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[212].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[212].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[213].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[213].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[213].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[213].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[213].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[213].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[213].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[213].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[213].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[213].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[213].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[213].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[213].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[213].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[214].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[214].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[214].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[214].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[214].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[214].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[214].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[214].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[214].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[214].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[214].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[214].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[214].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[214].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[215].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[215].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[215].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[215].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[215].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[215].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[215].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[215].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[215].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[215].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[215].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[215].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[215].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[215].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[216].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[216].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[216].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[216].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[216].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[216].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[216].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[216].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[216].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[216].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[216].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[216].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[216].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[216].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[217].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[217].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[217].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[217].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[217].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[217].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[217].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[217].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[217].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[217].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[217].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[217].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[217].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[217].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[220].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[220].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[220].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[220].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[220].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[220].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[220].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[220].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[220].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[220].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[220].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[220].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[220].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[220].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[221].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[221].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[221].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[221].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[221].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[221].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[221].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src =

InstanceValidator) ERROR @ Bundle.entry[221].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[221].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[221].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[221].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[221].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[221].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[221].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[222].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[222].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[222].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[222].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[222].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[222].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[222].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[222].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[222].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[222].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[222].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[222].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[222].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[222].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[223].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[223].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[223].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[223].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[223].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[223].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[223].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[223].resource.contained.reasonCode.text: value should not start or finish with whitespace (src = InstanceValidator) ERROR @ Bundle.entry[223].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[223].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[223].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[223].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[223].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[223].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[223].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[223].resource.basedOn.contained.reasonCode.text: value should not start or finish with whitespace (src = InstanceValidator) ERROR @ Bundle.entry[224].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[224].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[224].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[224].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[224].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[224].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[224].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[224].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[224].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[224].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[224].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[224].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[224].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[224].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[225].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[225].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[225].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[225].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[225].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[225].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[225].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[225].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[225].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[225].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[225].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[225].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[225].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[225].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[226].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[226].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[226].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[226].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[226].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[226].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[226].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[226].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[226].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[226].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[226].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[226].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[226].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[226].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[228].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest,

Element 'Bundle.entry[228].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[228].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[228].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[228].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[228].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[228].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[228].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[228].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[228].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[228].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[228].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[228].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[228].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[230].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[230].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[230].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[230].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[230].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[230].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[230].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[230].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[230].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[230].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[230].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[230].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[230].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[230].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[231].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[231].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[231].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[231].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[231].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[231].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[231].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[231].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[231].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[231].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[231].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[231].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[231].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[231].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[232].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[232].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[232].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[232].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[232].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[232].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[232].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[232].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[232].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[232].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[232].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[232].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[232].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[232].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[233].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[233].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[233].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[233].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[233].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[233].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[233].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[233].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[233].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[233].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[233].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[233].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[233].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[233].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[234].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[234].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[234].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[234].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[234].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[234].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[234].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[234].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[234].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[234].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[234].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[234].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[234].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[234].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[235].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[235].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[235].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[235].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[235].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[235].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[235].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[235].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[235].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[235].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[235].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[235].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[235].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[235].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[236].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[236].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[236].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[236].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[236].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[236].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[236].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[236].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[236].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[236].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[236].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[236].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[236].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[236].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[237].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[237].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[237].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[237].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[237].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[237].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[237].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[237].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[237].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[237].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[237].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[237].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[237].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[237].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[238].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[238].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[238].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[238].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[238].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[238].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[238].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[238].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[238].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[238].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[238].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[238].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[238].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[238].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[239].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[239].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[239].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[239].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[239].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[239].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[239].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[239].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[239].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[239].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[239].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[239].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[239].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[239].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[240].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[240].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[240].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[240].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[240].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[240].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[240].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src =

InstanceValidator) ERROR @ Bundle.entry[240].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[240].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[240].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[240].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[240].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[240].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[240].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[241].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[241].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[241].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[241].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[241].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[241].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[241].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[241].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[241].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[241].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[241].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[241].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[241].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[241].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[242].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[242].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[242].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[242].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[242].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[242].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[242].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[242].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[242].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[242].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[242].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[242].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[242].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[242].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[243].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[243].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[243].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[243].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[243].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[243].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[243].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[243].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[243].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[243].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[243].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[243].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[243].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[243].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[244].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[244].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[244].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[244].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[244].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[244].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[244].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[244].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[244].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[244].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[244].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[244].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[244].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[244].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[245].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[245].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[245].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[245].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[245].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[245].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[245].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[245].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[245].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[245].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[245].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[245].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[245].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[245].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[246].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[246].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[246].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[246].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[246].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[246].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[246].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[246].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[246].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[246].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[246].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[246].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[246].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[246].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[248].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[248].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[248].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[248].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[248].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[248].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[248].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[248].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[248].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[248].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[248].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[248].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[248].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[248].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[250].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[250].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[250].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[250].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[250].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[250].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[250].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[250].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[250].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[250].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[250].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[250].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[250].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[250].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[251].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[251].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[251].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[251].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[251].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[251].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[251].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[251].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[251].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[251].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[251].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[251].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[251].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[251].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[253].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[253].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[253].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[253].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[253].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[253].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[253].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[253].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[253].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[253].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[253].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[253].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[253].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[253].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[254].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[254].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[254].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[254].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[254].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[254].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[254].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[254].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[254].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[254].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[254].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[254].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[254].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[254].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[255].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[255].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[255].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[255].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[255].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[255].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[255].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[255].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[255].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[255].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[255].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[255].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[255].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[255].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[256].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[256].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[256].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[256].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[256].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[256].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[256].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[256].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[256].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[256].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[256].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[256].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[256].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[256].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[257].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[257].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[257].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[257].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[257].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[257].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[257].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[257].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[257].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[257].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[257].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[257].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[257].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[257].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[258].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[258].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[258].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[258].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[258].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[258].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[258].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[258].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[258].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[258].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[258].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[258].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[258].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[258].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[268].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[268].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[268].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[268].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[268].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[268].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[268].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[268].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[268].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[268].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[268].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[268].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[268].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[268].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[269].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[269].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[269].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[269].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[269].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[269].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[269].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[269].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[269].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[269].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[269].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[269].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[269].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[269].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[273].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[273].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[273].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[273].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[273].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[273].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[273].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[273].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[273].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[273].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[273].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[273].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[273].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[273].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[279].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[279].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[279].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[279].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[279].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[279].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[279].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[279].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[279].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[279].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[279].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[279].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[279].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[279].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[280].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[280].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[280].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[280].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[280].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[280].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[280].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[280].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[280].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[280].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[280].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[280].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[280].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[280].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[281].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[281].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[281].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[281].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[281].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[281].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[281].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[281].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[281].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[281].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[281].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[281].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[281].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[281].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[282].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[282].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[282].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[282].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[282].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[282].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[282].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[282].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[282].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[282].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[282].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[282].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[282].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[282].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[286].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[286].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[286].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[286].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[286].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[286].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[286].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[286].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[286].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[286].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[286].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[286].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[286].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[286].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[287].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[287].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[287].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[287].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[287].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[287].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[287].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[287].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[287].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[287].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[287].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[287].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[287].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[287].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[288].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[288].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[288].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[288].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[288].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[288].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[288].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[288].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[288].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[288].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[288].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[288].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[288].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[288].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[289].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[289].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[289].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[289].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[289].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[289].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[289].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[289].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[289].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[289].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[289].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[289].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[289].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[289].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[292].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[292].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[292].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[292].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[292].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[292].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[292].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[292].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[292].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[292].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[292].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[292].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[292].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[292].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[293].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[293].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[293].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[293].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[293].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[293].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[293].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[293].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[293].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[293].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[293].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[293].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[293].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[293].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[294].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest,

Element 'Bundle.entry[294].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[294].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[294].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[294].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[294].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[294].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[294].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[294].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[294].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[294].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[294].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[294].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[294].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[295].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[295].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[295].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[295].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[295].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[295].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[295].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[295].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[295].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[295].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[295].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[295].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[295].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[295].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[296].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[296].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[296].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[296].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[296].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[296].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[296].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[296].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[296].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[296].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[296].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[296].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[296].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[296].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[297].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[297].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[297].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[297].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[297].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[297].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[297].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[297].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[297].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[297].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[297].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[297].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[297].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[297].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[299].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[299].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[299].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[299].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[299].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[299].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[299].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[299].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[299].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[299].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[299].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[299].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[299].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[299].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[300].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[300].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[300].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[300].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[300].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[300].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[300].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[300].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[300].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[300].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[300].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[300].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[300].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[300].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[301].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[301].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[301].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[301].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[301].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[301].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[301].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[301].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[301].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[301].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[301].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[301].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[301].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[301].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[306].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[306].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[306].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[306].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[306].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[306].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[306].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[306].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[306].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[306].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[306].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[306].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[306].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[306].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[307].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[307].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[307].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[307].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[307].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[307].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[307].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[307].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[307].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[307].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[307].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[307].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[307].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[307].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[308].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[308].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[308].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[308].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[308].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[308].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[308].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[308].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[308].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[308].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[308].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[308].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[308].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[308].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[310].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[310].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[310].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[310].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[310].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[310].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[310].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[310].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[310].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[310].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[310].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[310].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[310].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[310].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[311].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[311].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[311].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[311].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[311].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[311].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[311].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src =

InstanceValidator) ERROR @ Bundle.entry[311].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[311].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[311].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[311].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[311].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[311].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[311].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[316].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[316].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[316].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[316].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[316].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[316].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[316].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[316].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[316].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[316].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[316].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[316].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[316].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[316].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[317].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[317].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[317].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[317].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[317].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[317].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[317].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[317].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[317].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[317].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[317].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[317].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[317].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[317].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[318].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[318].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[318].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[318].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[318].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[318].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[318].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[318].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[318].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[318].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[318].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[318].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[318].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[318].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[319].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[319].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[319].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[319].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[319].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[319].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[319].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[319].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[319].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[319].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[319].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[319].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[319].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[319].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[320].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[320].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[320].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[320].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[320].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[320].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[320].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[320].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[320].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[320].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[320].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[320].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[320].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[320].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[321].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[321].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[321].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element

'Bundle.entry[321].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[321].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[321].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[321].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[321].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[321].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[321].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[321].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[321].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[321].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[321].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[322].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[322].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[322].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[322].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[322].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[322].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[322].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[322].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[322].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[322].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[322].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[322].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[322].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[322].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[323].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[323].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[323].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[323].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[323].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[323].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[323].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[323].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[323].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[323].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[323].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[323].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[323].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[323].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[324].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[324].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[324].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[324].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[324].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[324].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[324].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[324].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[324].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[324].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[324].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[324].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[324].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[324].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[327].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[327].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[327].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[327].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[327].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[327].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[327].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[327].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[327].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[327].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[327].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[327].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[327].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[327].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[328].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[328].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[328].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[328].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[328].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[328].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[328].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[328].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[328].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[328].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[328].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[328].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[328].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @

Bundle.entry[328].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[329].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[329].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[329].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[329].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[329].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[329].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[329].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[329].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[329].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[329].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[329].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[329].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[329].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[329].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[330].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[330].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[330].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[330].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[330].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[330].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[330].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[330].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[330].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[330].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[330].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[330].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[330].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[330].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[331].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[331].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[331].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[331].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[331].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[331].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[331].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[331].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[331].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[331].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[331].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[331].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[331].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[331].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[332].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[332].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[332].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[332].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[332].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[332].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[332].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[332].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[332].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[332].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[332].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[332].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[332].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[332].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[333].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[333].resource.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[333].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[333].resource.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[333].resource.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[333].resource.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[333].resource.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[333].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[333].resource.basedOn.contained.status': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[333].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[333].resource.basedOn.contained.intent': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[333].resource.basedOn.contained: Profile http://hl7.org/fhir/StructureDefinition/ProcedureRequest, Element 'Bundle.entry[333].resource.basedOn.contained.code': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[333].resource.basedOn.contained.extension: The extension http://hl7.org/fhir/diagnosticorder-r2-marker is unknown, and not allowed here (src = InstanceValidator)

father | ERROR @ Bundle: A document must have an identifier with a system and a value [type = 'document' implies (identifier.system.exists() and identifier.value.exists())] (src = InstanceValidator) WARNING @ Bundle.entry[6].resource.requester.agent: URN reference is not locally contained within the bundle Practitioner/example (src = InstanceValidator) WARNING @ Bundle.entry:5: URN reference is not locally contained within the bundle Practitioner/example (src = InstanceValidator)

extensions | ERROR @ Bundle.entry[15].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,item,Extension.extension.id,extension,Extension.extension.url,Extension.extension.value[x],certainty,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src

= InstanceValidator) ERROR @ Bundle.entry[15].resource: All element definitions must have unique ids (diff) ((ids: Extension,item,extension,Extension.extension.url,Extension.extension.value[x],certainty,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[23].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,individual,Extension.extension.id,extension,Extension.extension.url,Extension.extension.value[x],status,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCode,priority,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[23].resource: All element definitions must have unique ids (diff) ((ids: Extension,individual,extension,Extension.extension.url,Extension.extension.value[x],status,extension,Extension.extension.url,Extension.extension.value[x],priority,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[28].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,content,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueString,timestamp,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueInstant,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[28].resource: All element definitions must have unique ids (diff) ((ids: Extension,content,extension,Extension.extension.url,Extension.extension.value[x],timestamp,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[33].resource: If the structure defines an extension then the structure must have context information [type != 'Extension' or derivation = 'specialization' or (context.exists() and contextType.exists())] (src = InstanceValidator) ERROR @ Bundle.entry[40].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,required,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueString,optional,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueString,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[40].resource: All element definitions must have unique ids (diff) ((ids: Extension,required,extension,Extension.extension.url,Extension.extension.value[x],optional,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[66].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,type,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,identifier,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueReference,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[66].resource: All element definitions must have unique ids (diff) ((ids: Extension,type,extension,Extension.extension.url,Extension.extension.value[x],identifier,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[91].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,measure,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,detail,Extension.extension.id,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[91].resource: All element definitions must have unique ids (diff) ((ids: Extension,measure,extension,Extension.extension.url,Extension.extension.value[x],detail,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[102].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,name,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueString,preferred,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueBoolean,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[102].resource: All element definitions must have unique ids (diff) ((ids: Extension,name,extension,Extension.extension.url,Extension.extension.value[x],preferred,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[133].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,code,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,period,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valuePeriod,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[133].resource: All element definitions must have unique ids (diff) ((ids: Extension,code,extension,Extension.extension.url,Extension.extension.value[x],period,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[168].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,code,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,detail,Extension.extension.id,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[168].resource: All element definitions must have unique ids (diff) ((ids: Extension,code,extension,Extension.extension.url,Extension.extension.value[x],detail,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[192].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,NCT,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueString,period,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valuePeriod,reason,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[192].resource: All element definitions must have unique ids (diff) ((ids: Extension,NCT,extension,Extension.extension.url,Extension.extension.value[x],period,extension,Extension.extension.url,Extension.extension.value[x],reason,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[197].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,condition,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueReference,role,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,Extension.url,Extension.valueReference)) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[197].resource: All element definitions must have unique ids (diff) ((ids: Extension,condition,extension,Extension.extension.url,Extension.extension.value[x],role,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[198].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,user,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueString,use,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueString,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[198].resource: All element definitions must have unique ids (diff) ((ids: Extension,user,extension,Extension.extension.url,Extension.extension.value[x],use,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[218].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,question,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueString,answered,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueBoolean,answer,Extension.extension.id,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[218].resource: All element definitions must have unique ids (diff) ((ids: Extension,question,extension,Extension.extension.url,Extension.extension.value[x],answered,extension,Extension.extension.url,Extension.extension.value[x],answer,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[221].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,type,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,target,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueReference,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[221].resource: All element definitions must have unique ids (diff) ((ids: Extension,type,extension,Extension.extension.url,Extension.extension.value[x],target,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src =

InstanceValidator) ERROR @ Bundle.entry[265].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,code,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,period,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valuePeriod,Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[265].resource: All element definitions must have unique ids (diff) ((ids: Extension,code,extension,Extension.extension.url,Extension.extension.value[x],period,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[278].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,code,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueCodeableConcept,detail,Extension.extension.id,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[278].resource: All element definitions must have unique ids (diff) ((ids: Extension,code,extension,Extension.extension.url,Extension.extension.value[x],detail,extension,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[279].resource: All element definitions must have unique ids (snapshot) ((ids: Extension,Extension.id,Extension.extension,name,Extension.extension.id,extension,Extension.extension.url,Extension.extension.valueString,revision,Extension.extension.id,Extension.extension.extension,date,Extension.extension.extension.id,extension,Extension.extension.extension.url,Extension.extension.extension.valueDateTime,id,Extension.extension.extension.id,extension,Extension.extension.extension.url,Extension.extension.extension.valueString,author,Extension.extension.extension.id,extension,Extension.extension.extension.url,Extension.extension.extension.valueString,notes,Extension.extension.extension.id,extension,Extension.extension.extension.url,Extension.extension.extension.valueString,Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[279].resource: All element definitions must have unique ids (diff) ((ids: Extension,name,extension,Extension.extension.url,Extension.extension.value[x],revision,date,extension,Extension.extension.extension.url,Extension.extension.extension.value[x],id,extension,Extension.extension.extension.url,Extension.extension.extension.value[x],author,extension,Extension.extension.extension.url,Extension.extension.extension.value[x],notes,extension,Extension.extension.extension.url,Extension.extension.extension.value[x],Extension.extension.url,Extension.extension.value[x],Extension.url,Extension.value[x])) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator)
profiles-others | ERROR @ Bundle.entry[7].resource.snapshot.element[24]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[7].resource.snapshot.element[25]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[7].resource.differential.element[5]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[7].resource.differential.element[6]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[10]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[11]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[12]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[13]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[14]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[15]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[16]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[17]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[18]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[19]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[20]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[24]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[25]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[26]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[30]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[31]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[32]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[33]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[34]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[35]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[36]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[37]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[38]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[42]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[43]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[44]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[45]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[49]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[50]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[51]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[52]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[53]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[54]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[55]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[56]: sliceName must be

a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[57]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[61]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[62]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[63]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[64]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[68]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[69]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[70]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[71]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[72]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[73]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[74]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[75]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[76]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[77]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[78]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[82]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[83]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[87]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[88]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.snapshot.element[92]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[3]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[4]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[5]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[6]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[7]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[8]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[10]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[11]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[12]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[13]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[14]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[15]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[16]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[17]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[18]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[19]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[20]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[21]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[22]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[23]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[24]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[25]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[26]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[27]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[28]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[29]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[30]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[31]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[32]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[33]: sliceName must be a proper token [sliceName.empty() or

sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[34]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[35]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[36]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[37]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[38]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[39]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[40]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[41]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[42]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[43]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[44]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[45]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[46]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[47]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[48]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[49]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[50]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[51]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[52]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[53]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[54]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[55]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[56]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.differential.element[57]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[29].resource: All element definitions must have unique ids (snapshot) ((ids: USLab-Patient,Patient.id,Patient.meta,Patient.implicitRules,Patient.language,Patient.text,Patient.contained,Patient.extension,race,Patient.extension.id,extension,Patient.extension.url,Patient.extension.valueCodeableConcept,Patient.extension.valueCodeableConcept.id,Patient.extension.valueCodeableConcept.extension,Patient.extension.valueCodeableConcept.coding,Patient.extension.valueCodeableConcept.coding.id,Patient.extension.valueCodeableConcept.coding.extension,Patient.extension.valueCodeableConcept.coding.system,Patient.extension.valueCodeableConcept.coding.version,Patient.extension.valueCodeableConcept.coding.code,Patient.extension.valueCodeableConcept.coding.display,Patient.extension.valueCodeableConcept.coding.userSelected,Patient.extension.valueCodeableConcept.text,ethnicity,Patient.extension.id,extension,Patient.extension.url,Patient.extension.valueCodeableConcept,Patient.extension.valueCodeableConcept.id,Patient.extension.valueCodeableConcept.extension,Patient.extension.valueCodeableConcept.coding,Patient.extension.valueCodeableConcept.coding.id,Patient.extension.valueCodeableConcept.coding.extension,Patient.extension.valueCodeableConcept.coding.system,Patient.extension.valueCodeableConcept.coding.version,Patient.extension.valueCodeableConcept.coding.code,Patient.extension.valueCodeableConcept.coding.display,Patient.extension.valueCodeableConcept.coding.userSelected,Patient.extension.valueCodeableConcept.text,Patient.modifierExtension,Patient.identifier,Patient.identifier.id,Patient.identifier.extension,Patient.identifier.use,Patient.identifier.type,Patient.identifier.system,Patient.identifier.value,Patient.identifier.period,Patient.identifier.assigner,Patient.active,Patient.name,Patient.name.id,Patient.name.extension,Patient.name.use,Patient.name.text,Patient.name.family,Patient.name.given,Patient.name.prefix,Patient.name.suffix,Patient.name.period,Patient.telecom,Patient.gender,Patient.birthDate,Patient.deceased[x],Patient.address,Patient.address.id,Patient.address.extension,Patient.address.use,Patient.address.type,Patient.address.text,Patient.address.line,Patient.address.city,Patient.address.district,Patient.address.state,Patient.address.postalCode,Patient.address.country,Patient.address.period,Patient.maritalStatus,Patient.multipleBirth[x],Patient.photo,Patient.contact,Patient.contact.id,Patient.contact.extension,Patient.contact.modifierExtension,Patient.contact.relationship,Patient.contact.name,Patient.contact.telecom,Patient.contact.address,Patient.contact.gender,Patient.contact.organization,Patient.contact.period,Patient.animal,Patient.animal.id,Patient.animal.extension,Patient.animal.modifierExtension,Patient.animal.species,Patient.animal.breed,Patient.animal.genderStatus,Patient.communication,Patient.communication.id,Patient.communication.extension,Patient.communication.modifierExtension,Patient.communication.language,Patient.communication.preferred,Patient.careProvider,Patient.managingOrganization,Patient.link,Patient.link.id,Patient.link.extension,Patient.link.modifierExtension,Patient.link.other,Patient.link.type)) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[29].resource: All element definitions must have unique ids (diff) ((ids: USLab-Patient,race,Patient.extension.valueCodeableConcept,Patient.extension.valueCodeableConcept.coding,Patient.extension.valueCodeableConcept.coding.system,Patient.extension.valueCodeableConcept.coding.code,Patient.extension.valueCodeableConcept.coding.display,ethnicity,Patient.extension.valueCodeableConcept,Patient.extension.valueCodeableConcept.coding,Patient.extension.valueCodeableConcept.coding.system,Patient.extension.valueCodeableConcept.coding.code,Patient.extension.valueCodeableConcept.coding.display,Patient.identifier,Patient.identifier.use,Patient.identifier.system,Patient.identifier.value,Patient.name,Patient.name.use,Patient.name.family,Patient.name.given,Patient.name.suffix,Patient.gender,Patient.birthDate,Patient.deceased[x],Patient.address,Patient.address.use,Patient.address.line,Patient.address.city,Patient.address.state,Patient.address.postalCode,Patient.address.country)) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[30].resource: All element definitions must have unique ids (snapshot) ((ids: USLab-PHPatient,Patient.id,Patient.meta,Patient.implicitRules,Patient.language,Patient.text,Patient.contained,Patient.extension,DAFRace,Patient.extension.id,extension,Patient.extension.url,Patient.extension.valueCodeableConcept,Patient.extension.valueCodeableConcept.id,Patient.extension.valueCodeableConcept.extension,Patient.extension.valueCodeableConcept.coding,Patient.extension.valueCodeableConcept.coding.id,Patient.extension.valueCodeableConcept.coding.extension,Patient.extension.valueCodeableConcept.coding.system,Patient.extension.valueCodeableConcept.coding.version,Patient.extension.valueCodeableConcept.coding.code,Patient.extension.valueCodeableConcept.coding.display,Patient.extension.valueCodeableConcept.coding.userSelected,Patient.extension.valueCodeableConcept.text,DAFethnicity,Patient.extension.id,extension,Patient.extension.url,Patient.extension.valueCodeableConcept,Patient.extension.valueCodeableConcept.id,Patient.extension.valueCodeableConcept.extension,Patient.extension.valueCodeableConcept.coding,Patient.extension.valueCodeableConcept.coding.id,Patient.extension.valueCodeableConcept.coding.extension,Patient.extension.valueCodeableConcept.coding.system,Patient.extension.valueCodeableConcept.coding.version,Patient.extension.valueCodeableConcept.coding.code,Patient.extension.valueCodeableConcept.coding.display,Patient.extension.valueCodeableConcept.coding.userSelected,Patient.extension.valueCodeableConcept.text,Patient.modifierExtension,Patient.identifier,Patient.identifier.id,Patient.identifier.extension,Patient.identifier.use,Patient.identifier.type,Patient.identifier.system,Patient.identifier.value,Patient.identifier.period,Patient.identifier.assigner,Patient.active,Patient.name,Patient.name.id,Patient.name.extension,Patient.name.use,Patient.name.text,Patient.name.family,Patient.na

me.given,Patient.name.prefix,Patient.name.suffix,Patient.name.period,Patient.telecom,USLabHomePhone,Patient.telecom.id,Patient.telecom.extension,Patient.telecom.system,Patient.telecom.value,Patient.telecom.use,Patient.telecom.rank,Patient.telecom.period,USLabWorkPhone,Patient.telecom.id,Patient.telecom.extension,Patient.telecom.system,Patient.telecom.value,Patient.telecom.use,Patient.telecom.rank,Patient.telecom.period,Patient.gender,Patient.birthDate,Patient.deceased[x],Patient.address,Patient.address.id,Patient.address.extension,USLabPHCountry,Patient.address.use,Patient.address.type,Patient.address.text,Patient.address.line,Patient.address.city,Patient.address.district,Patient.address.state,Patient.address.postalCode,Patient.address.country,Patient.address.period,Patient.maritalStatus,Patient.multipleBirth[x],Patient.photo,Patient.contact,Patient.contact.id,Patient.contact.extension,Patient.contact.modifierExtension,Patient.contact.relationship,Patient.contact.relationship.id,Patient.contact.relationship.extension,Patient.contact.relationship.coding,Patient.contact.relationship.coding.id,Patient.contact.relationship.coding.extension,Patient.contact.relationship.coding.system,Patient.contact.relationship.coding.version,Patient.contact.relationship.coding.code,Patient.contact.relationship.coding.display,Patient.contact.relationship.coding.userSelected,Patient.contact.relationship.text,Patient.contact.name,Patient.contact.name.id,Patient.contact.name.extension,Patient.contact.name.use,Patient.contact.name.text,Patient.contact.name.family,Patient.contact.name.given,Patient.contact.name.prefix,Patient.contact.name.suffix,Patient.contact.name.period,Patient.contact.telecom,Patient.contact.telecom.id,Patient.contact.telecom.extension,Patient.contact.telecom.system,Patient.contact.telecom.value,Patient.contact.telecom.use,Patient.contact.telecom.rank,Patient.contact.telecom.period,Patient.contact.address,Patient.contact.address.id,Patient.contact.address.extension,CountyCountact,Patient.contact.address.use,Patient.contact.address.type,Patient.contact.address.text,Patient.contact.address.line,Patient.contact.address.city,Patient.contact.address.district,Patient.contact.address.state,Patient.contact.address.postalCode,Patient.contact.address.country,Patient.contact.address.period,Patient.contact.gender,Patient.contact.organization,Patient.contact.period,Patient.animal,Patient.animal.id,Patient.animal.extension,Patient.animal.modifierExtension,Patient.animal.species,Patient.animal.breed,Patient.animal.genderStatus,Patient.communication,Patient.communication.id,Patient.communication.extension,Patient.communication.modifierExtension,Patient.communication.language,Patient.communication.preferred,Patient.careProvider,Patient.managingOrganization,Patient.link,Patient.link.id,Patient.link.extension,Patient.link.modifierExtension,Patient.link.other,Patient.link.type))
[snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[30].resource: All element definitions must have unique ids (diff) ((ids: USLab-PHPatient,DAFRace,Patient.extension.valueCodeableConcept,Patient.extension.valueCodeableConcept.coding,Patient.extension.valueCodeableConcept.coding.system,Patient.extension.valueCodeableConcept.coding.code,Patient.extension.valueCodeableConcept.coding.display,DAFethnicity,Patient.extension.valueCodeableConcept,Patient.extension.valueCodeableConcept.coding,Patient.extension.valueCodeableConcept.coding.system,Patient.extension.valueCodeableConcept.coding.code,Patient.extension.valueCodeableConcept.coding.display,Patient.identifier,Patient.identifier.use,Patient.identifier.system,Patient.identifier.value,Patient.name,Patient.name.use,Patient.name.family,Patient.name.given,Patient.name.prefix,Patient.name.suffix,USLabHomePhone,Patient.telecom.system,Patient.telecom.value,Patient.telecom.use,USLabWorkPhone,Patient.telecom.system,Patient.telecom.value,Patient.telecom.use,Patient.gender,Patient.birthDate,Patient.deceased[x],Patient.address,USLabPHCountry,Patient.address.use,Patient.address.line,Patient.address.city,Patient.address.state,Patient.address.postalCode,Patient.address.country,Patient.contact,Patient.contact.relationship,Patient.contact.relationship.coding,Patient.contact.relationship.coding.code,Patient.contact.name,Patient.contact.name.family,Patient.contact.name.given,Patient.contact.name.suffix,Patient.contact.telecom,Patient.contact.telecom.system,Patient.contact.telecom.value,Patient.contact.address,CountyCountact,Patient.contact.address.use,Patient.contact.address.line,Patient.contact.address.city,Patient.contact.address.state,Patient.contact.address.postalCode,Patient.contact.address.country)) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource: All element definitions must have unique ids (snapshot) ((ids: SDC-Questionnaire,Questionnaire.id,Questionnaire.meta,Questionnaire.implicitRules,Questionnaire.language,Questionnaire.text,Questionnaire.contained,Questionnaire.extension,submissionEndpoint,provenanceSignatureRequired,styleSensitive,category,Questionnaire.modifierExtension,Questionnaire.identifier,Questionnaire.version,Questionnaire.status,Questionnaire.date,Questionnaire.publisher,Questionnaire.telecom,Questionnaire.subjectType,Questionnaire.group,Questionnaire.group.id,Questionnaire.group.extension,groupLabel,Questionnaire.group.extension.id,extension,Questionnaire.group.extension.url,Questionnaire.group.extension.valueString,Questionnaire.group.extension.valueString.id,Questionnaire.group.extension.valueString.extension,groupLabel.renderingStyle,groupLabel.markup,Questionnaire.group.extension.valueString.value,groupInstruction,Questionnaire.group.extension.id,extension,Questionnaire.group.extension.url,Questionnaire.group.extension.valueString,Questionnaire.group.extension.valueString.id,Questionnaire.group.extension.valueString.extension,groupInstruction.renderingStyle,groupInstruction.markup,Questionnaire.group.extension.valueString.value,groupSecurity,Questionnaire.group.extension.id,extension,Questionnaire.group.extension.url,Questionnaire.group.extension.valueString,Questionnaire.group.extension.valueString.id,Questionnaire.group.extension.valueString.extension,groupSecurity.renderingStyle,groupSecurity.markup,Questionnaire.group.extension.valueString.value,groupHelp,Questionnaire.group.extension.id,extension,Questionnaire.group.extension.url,Questionnaire.group.extension.valueString,Questionnaire.group.extension.valueString.id,Questionnaire.group.extension.valueString.extension,groupHelp.renderingStyle,groupHelp.markup,Questionnaire.group.extension.valueString.value,groupTooltip,Questionnaire.group.extension.id,extension,Questionnaire.group.extension.url,Questionnaire.group.extension.valueString,Questionnaire.group.extension.valueString.id,Questionnaire.group.extension.valueString.extension,groupTooltip.renderingStyle,groupTooltip.markup,Questionnaire.group.extension.valueString.value,groupTrailing,Questionnaire.group.extension.id,extension,Questionnaire.group.extension.url,Questionnaire.group.extension.valueString,Questionnaire.group.extension.valueString.id,Questionnaire.group.extension.valueString.extension,groupTrailing.renderingStyle,groupTrailing.markup,Questionnaire.group.extension.valueString.value,groupOptionalDisplay,hidden,groupMinOccurs,groupMaxOccurs,specialGroup,Questionnaire.group.modifierExtension,Questionnaire.group.linkId,Questionnaire.group.title,Questionnaire.group.title.id,Questionnaire.group.title.extension,groupTitle.renderingStyle,groupTitle.markup,Questionnaire.group.title.value,Questionnaire.group.concept,Questionnaire.group.text,Questionnaire.group.text.id,Questionnaire.group.text.extension,groupText.renderingStyle,groupText.markup,Questionnaire.group.text.value,Questionnaire.group.required,Questionnaire.group.repeats,Questionnaire.group.group,Questionnaire.group.question,Questionnaire.group.question.id,Questionnaire.group.question.extension,questionMinOccurs,questionMaxOccurs,questionLabel,Questionnaire.group.question.extension.id,extension,Questionnaire.group.question.extension.url,Questionnaire.group.question.extension.valueString,Questionnaire.group.question.extension.valueString.id,Questionnaire.group.question.extension.valueString.extension,questionLabel.renderingStyle,questionLabel.markup,Questionnaire.group.question.extension.valueString.value,questionInstruction,Questionnaire.group.question.extension.id,extension,Questionnaire.group.question.extension.url,Questionnaire.group.question.extension.valueString,Questionnaire.group.question.extension.valueString.id,Questionnaire.group.question.extension.valueString.extension,questionInstruction.renderingStyle,questionInstruction.markup,Questionnaire.group.question.extension.valueString.value,questionSecurity,Questionnaire.group.question.extension.id,extension,Questionnaire.group.question.extension.url,Questionnaire.group.question.extension.valueString,Questionnaire.group.question.extension.valueString.id,Questionnaire.group.question.extension.valueString.extension,questionSecurity.renderingStyle,questionSecurity.markup,Questionnaire.group.question.extension.valueString.value,questionHelp,Questionnaire.group.question.extension.id,extension,Questionnaire.group.question.extension.url,Questionnaire.group.question.extension.valueString,Questionnaire.group.question.extension.valueString.id,Questionnaire.group.question.extension.valueString.extension,questionHelp.renderingStyle,questionHelp.markup,Questionnaire.group.question.extension.valueString.value,questionTooltip,Questionnaire.group.question.extension.id,extension,Questionnaire.group.question.extension.url,Questionnaire.group.question.extension.valueString,Questionnaire.group.question.extension.valueString.id,Questionnaire.group.question.extension.valueString.extension,questionTooltip.renderingStyle,questionTooltip.markup,Questionnaire.group.question.extension.valueString.value,questionTrailing,Questionnaire.group.question.extension.id,extension,Questionnaire.group.question.extension.url,Questionnaire.group.question.extension.valueString,Questionnaire.group.question.extension.valueString.id,Questionnaire.group.question.extension.valueString.extension,questionTrailing.renderingStyle,questionTrailing.markup,Questionnaire.group.question.extension.valueString.value,questionUnits,Questionnaire.group.question.extension.id,extension,Questionnaire.group.question.extension.url,Questionnaire.group.question.extension.valueString,Questionnaire.group.question.extension.valueString.id,Questionnaire.group.question.extension.valueString.extension,questionUnits.renderingStyle,questionUnits.markup,Questionnaire.group.question.extension.valueString.value,questionEnableWhen,Questionnaire.group.question.extension.id,Questionnaire.group.question.extension.extension,question,Questionnaire.group.question.extension.extension.id,extension,Questionnaire.group.question.extension.extension.url,Questionnaire.group.question.extension.extension.valueString,answered,Questionnaire.group.question.extension.extension.id,extension,Questionnaire.group.question.extension.extension.url,Questionnaire.group.question.extension.extension.valueBoolean,answer,Questionnaire.group.question.extension.extension.id,extension,Questionnaire.group.question.extension.extension.url,Questionnaire.group.question.extension.extension.value[x],Questionnaire.group.question.extension.url,Questionnaire.group.question.extension.val

ue[x],questionOptionalDisplay,hidden,questionControl,choiceOrientation,defaultValue,readOnly,minLength,maxLength,regex,entryFormat,minValue,maxValue,maxDecimalPlaces,deReference,Questionnaire.group.question.modifierExtension,Questionnaire.group.question.linkId,Questionnaire.group.question.concept,Questionnaire.group.question.text,Questionnaire.group.question.text.id,Questionnaire.group.question.text.extension,questionText.renderingStyle,questionText.markup,Questionnaire.group.question.text.value,Questionnaire.group.question.type,Questionnaire.group.question.required,Questionnaire.group.question.repeats,Questionnaire.group.question.options,Questionnaire.group.question.option,Questionnaire.group.question.group)) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource: All element definitions must have unique ids (diff) ((ids: SDC-Questionnaire,submissionEndpoint,provenanceSignatureRequired,styleSensitive,category,Questionnaire.identifier,Questionnaire.version,Questionnaire.status,Questionnaire.date,Questionnaire.publisher,Questionnaire.subjectType,Questionnaire.group,groupLabel,Questionnaire.group.extension.valueString,groupLabel.renderingStyle,groupLabel.markup,groupInstruction,Questionnaire.group.extension.valueString,groupInstruction.renderingStyle,groupInstruction.markup,groupSecurity,Questionnaire.group.extension.valueString,groupSecurity.renderingStyle,groupSecurity.markup,groupHelp,Questionnaire.group.extension.valueString,groupHelp.renderingStyle,groupHelp.markup,groupTooltip,Questionnaire.group.extension.valueString,groupTooltip.renderingStyle,groupTooltip.markup,groupTrailing,Questionnaire.group.extension.valueString,groupTrailing.renderingStyle,groupTrailing.markup,groupOptionalDisplay,hidden,groupMinOccurs,groupMaxOccurs,specialGroup,Questionnaire.group.linkId,Questionnaire.group.title,groupTitle.renderingStyle,groupTitle.markup,Questionnaire.group.concept,Questionnaire.group.text,groupText.renderingStyle,groupText.markup,Questionnaire.group.required,Questionnaire.group.repeats,Questionnaire.group.group,Questionnaire.group.question,questionMinOccurs,questionMaxOccurs,questionLabel,Questionnaire.group.question.extension.valueString,questionLabel.renderingStyle,questionLabel.markup,questionInstruction,Questionnaire.group.question.extension.valueString,questionInstruction.renderingStyle,questionInstruction.markup,questionSecurity,Questionnaire.group.question.extension.valueString,questionSecurity.renderingStyle,questionSecurity.markup,questionHelp,Questionnaire.group.question.extension.valueString,questionHelp.renderingStyle,questionHelp.markup,questionTooltip,Questionnaire.group.question.extension.valueString,questionTooltip.renderingStyle,questionTooltip.markup,questionTrailing,Questionnaire.group.question.extension.valueString,questionTrailing.renderingStyle,questionTrailing.markup,questionUnits,Questionnaire.group.question.extension.valueString,questionUnits.renderingStyle,questionUnits.markup,questionEnableWhen,question,answered,answer,questionOptionalDisplay,hidden,questionControl,choiceOrientation,defaultValue,readOnly,minLength,maxLength,regex,entryFormat,minValue,maxValue,maxDecimalPlaces,deReference,Questionnaire.group.question.linkId,Questionnaire.group.question.concept,Questionnaire.group.question.text,questionText.renderingStyle,questionText.markup,Questionnaire.group.question.type,Questionnaire.group.question.required,Questionnaire.group.question.repeats,Questionnaire.group.question.options,Questionnaire.group.question.option,Questionnaire.group.question.group)) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[31]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[32]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[41]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[42]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[51]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[52]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[61]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[62]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[71]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[72]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[81]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[82]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[94]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[95]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[101]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[102]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[119]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[120]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[129]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[130]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[139]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[140]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[149]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[150]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[159]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[160]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[169]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[170]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[179]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[180]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[222]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.snapshot.element[223]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[15]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[16]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[19]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[20]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @

Bundle.entry[35].resource.differential.element[23]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[24]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[27]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[28]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[31]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[32]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[35]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[36]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[44]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[45]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[48]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[49]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[58]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[59]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[62]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[63]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[66]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[67]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[70]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[71]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[74]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[75]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[78]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[79]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[82]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[83]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[105]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.differential.element[106]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource: All element definitions must have unique ids (snapshot) ((ids: SDC-ValueSet,ValueSet.id,ValueSet.meta,ValueSet.implicitRules,ValueSet.language,ValueSet.text,ValueSet.contained,ValueSet.extension,styleSensitive,ValueSet.modifierExtension,ValueSet.url,ValueSet.identifier,ValueSet.version,ValueSet.name,ValueSet.status,ValueSet.experimental,ValueSet.publisher,ValueSet.contact,ValueSet.contact.id,ValueSet.contact.extension,ValueSet.contact.modifierExtension,ValueSet.contact.name,ValueSet.contact.telecom,ValueSet.date,ValueSet.lockedDate,ValueSet.description,ValueSet.useContext,ValueSet.immutable,ValueSet.requirements,ValueSet.copyright,ValueSet.extensible,ValueSet.codeSystem,ValueSet.codeSystem.id,ValueSet.codeSystem.extension,ValueSet.codeSystem.modifierExtension,ValueSet.codeSystem.system,ValueSet.codeSystem.version,ValueSet.codeSystem.caseSensitive,ValueSet.codeSystem.concept,ValueSet.codeSystem.concept.id,ValueSet.codeSystem.concept.extension,conceptLabel,ValueSet.codeSystem.concept.extension.id,extension,ValueSet.codeSystem.concept.extension.url,ValueSet.codeSystem.concept.extension.valueString,ValueSet.codeSystem.concept.extension.valueString.id,ValueSet.codeSystem.concept.extension.valueString.extension,conceptLabel.renderingStyle,conceptLabel.markup,ValueSet.codeSystem.concept.extension.valueString.value,conceptConceptOrder,ValueSet.codeSystem.concept.modifierExtension,ValueSet.codeSystem.concept.code,ValueSet.codeSystem.concept.abstract,ValueSet.codeSystem.concept.display,ValueSet.codeSystem.concept.display.id,ValueSet.codeSystem.concept.display.extension,conceptDisplayLabel.renderingStyle,conceptDisplayLabel.markup,ValueSet.codeSystem.concept.display.value,ValueSet.codeSystem.concept.definition,designation,ValueSet.codeSystem.concept.designation.id,ValueSet.codeSystem.concept.designation.extension,ValueSet.codeSystem.concept.designation.modifierExtension,ValueSet.codeSystem.concept.designation.language,ValueSet.codeSystem.concept.designation.use,ValueSet.codeSystem.concept.designation.value,ValueSet.codeSystem.concept.concept,ValueSet.compose,ValueSet.compose.id,ValueSet.compose.extension,ValueSet.compose.modifierExtension,ValueSet.compose.import,ValueSet.compose.include,ValueSet.compose.include.id,ValueSet.compose.include.extension,ValueSet.compose.include.modifierExtension,ValueSet.compose.include.system,ValueSet.compose.include.version,ValueSet.compose.include.concept,ValueSet.compose.include.concept.id,ValueSet.compose.include.concept.extension,conceptLabel,ValueSet.compose.include.concept.extension.id,extension,ValueSet.compose.include.concept.extension.url,ValueSet.compose.include.concept.extension.valueString,ValueSet.compose.include.concept.extension.valueString.id,ValueSet.compose.include.concept.extension.valueString.extension,code.renderingStyle,code.markup,ValueSet.compose.include.concept.extension.valueString.value,conceptConceptOrder,ValueSet.compose.include.concept.modifierExtension,ValueSet.compose.include.concept.code,ValueSet.compose.include.concept.display,ValueSet.compose.include.concept.display.id,ValueSet.compose.include.concept.display.extension,codeDisplay.renderingStyle,codeDisplay.markup,ValueSet.compose.include.concept.display.value,ValueSet.compose.include.concept.designation,ValueSet.compose.include.filter,ValueSet.compose.include.filter.id,ValueSet.compose.include.filter.extension,ValueSet.compose.include.filter.modifierExtension,ValueSet.compose.include.filter.property,ValueSet.compose.include.filter.op,ValueSet.compose.include.filter.value,ValueSet.compose.exclude,ValueSet.expansion,ValueSet.expansion.id,ValueSet.expansion.extension,ValueSet.expansion.modifierExtension,ValueSet.expansion.identifier,ValueSet.expansion.timestamp,ValueSet.expansion.total,ValueSet.expansion.offset,ValueSet.expansion.parameter,ValueSet.expansion.parameter.id,ValueSet.expansion.parameter.extension,ValueSet.expansion.parameter.modifierExtension,ValueSet.expansion.parameter.name,ValueSet.expansion.parameter.value[x],ValueSet.expansion.contains,ValueSet.expansion.contains.id,ValueSet.expansion.contains.extension,expansionLabel,ValueSet.expansion.contains.extension.id,extension,ValueSet.expansion.contains.extension.url,ValueSet.expansion.contains.extension.valueString,ValueSet.expansion.contains.extension.valueString.id,ValueSet.expansion.contains.extension.valueString.extension,expansion.renderingStyle,expansion.markup,ValueSet.expansion.contains.extension.valueString.value,conceptConceptOrder,ValueSet.expansion.contains.modifierExtension,ValueSet.expansion.contains.system,ValueSet.expansion.contains.abstract,ValueSet.expansion.contains.version,ValueSet.expansion.contains.code,ValueSet.expansion.contains.display,ValueSet.expansion.contains.display.id,ValueSet.expansion.contains.display.extension,expansionDisplay.renderingStyle,expansionDisplay.markup,ValueSet.expansion.contains.display.value,ValueSet.expansion.contains.contains)) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource: All element definitions must have unique ids (diff) ((ids: SDC-ValueSet,styleSensitive,ValueSet.url,ValueSet.name,ValueSet.status,ValueSet.experimental,ValueSet.date,ValueSet.lockedDate,ValueSet.description,ValueSet.useContext,ValueSet.immutable,ValueSet.e

xtensible,ValueSet.codeSystem,ValueSet.codeSystem.system,ValueSet.codeSystem.version,ValueSet.codeSystem.caseSensitive,ValueSet.codeSystem.concept,conceptLabel,ValueSet.codeSystem.concept.extension.valueString,conceptLabel.renderingStyle,conceptLabel.markup,conceptConceptOrder,ValueSet.codeSystem.concept.code,ValueSet.codeSystem.concept.abstract,ValueSet.codeSystem.concept.display,conceptDisplayLabel.renderingStyle,conceptDisplayLabel.markup,ValueSet.codeSystem.concept.definition,ValueSet.codeSystem.concept.concept,ValueSet.compose,ValueSet.compose.import,ValueSet.compose.include,ValueSet.compose.include.system,ValueSet.compose.include.version,ValueSet.compose.include.concept,conceptLabel,ValueSet.compose.include.concept.extension.valueString,code.renderingStyle,code.markup,conceptConceptOrder,ValueSet.compose.include.concept.code,ValueSet.compose.include.concept.display,codeDisplay.renderingStyle,codeDisplay.markup,ValueSet.compose.include.filter,ValueSet.compose.include.filter.property,ValueSet.compose.include.filter.op,ValueSet.compose.include.filter.value,ValueSet.compose.exclude,ValueSet.expansion,ValueSet.expansion.identifier,ValueSet.expansion.timestamp,ValueSet.expansion.contains,expansionLabel,ValueSet.expansion.contains.extension.valueString,expansion.renderingStyle,expansion.markup,conceptConceptOrder,ValueSet.expansion.contains.system,ValueSet.expansion.contains.abstract,ValueSet.expansion.contains.version,ValueSet.expansion.contains.code,ValueSet.expansion.contains.display,expansionDisplay.renderingStyle,expansionDisplay.markup,ValueSet.expansion.contains.contains)) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[49]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[50]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[59]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[60]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[92]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[93]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[101]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[102]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[137]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[138]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[149]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.snapshot.element[150]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[20]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[21]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[26]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[27]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[38]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[39]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[43]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[44]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[56]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[57]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[64]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.differential.element[65]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[38].resource: All element definitions must have unique ids (snapshot) ((ids: SDCDE-DataElement,DataElement.id,DataElement.meta,DataElement.implicitRules,DataElement.language,DataElement.text,DataElement.contained,DataElement.extension,effectivePeriod,documentReference,administrativeStatus,changeDescription,submitterOrganization,registryOrganization,DataElement.modifierExtension,DataElement.url,DataElement.identifier,DataElement.version,DataElement.name,DataElement.status,DataElement.experimental,DataElement.publisher,DataElement.contact,DataElement.contact.id,DataElement.contact.extension,contactAddress,DataElement.contact.modifierExtension,DataElement.contact.name,DataElement.contact.telecom,DataElement.date,DataElement.useContext,DataElement.useContext.id,DataElement.useContext.extension,classificationOrContext,DataElement.useContext.coding,DataElement.useContext.text,DataElement.copyright,DataElement.stringency,DataElement.mapping,ObjectClassPropertyMapping,DataElement.mapping.id,DataElement.mapping.extension,DataElement.mapping.modifierExtension,DataElement.mapping.identity,DataElement.mapping.uri,DataElement.mapping.name,DataElement.mapping.comments,OtherMapping,DataElement.mapping.id,DataElement.mapping.extension,DataElement.mapping.modifierExtension,DataElement.mapping.identity,DataElement.mapping.uri,DataElement.mapping.name,DataElement.mapping.comments,DataElement.element,DataElement.element.id,DataElement.element.extension,question,allowedUnits,minLength,regex,entryFormat,maxDecimalPlaces,DataElement.element.path,DataElement.element.representation,DataElement.element.name,DataElement.element.label,DataElement.element.code,DataElement.element.code.id,DataElement.element.code.extension,isDataElementConcept,DataElement.element.code.system,DataElement.element.code.version,DataElement.element.code.code,DataElement.element.code.display,DataElement.element.code.userSelected,DataElement.element.slicing,DataElement.element.slicing.id,DataElement.element.slicing.extension,DataElement.element.slicing.discriminator,DataElement.element.slicing.description,DataElement.element.slicing.ordered,DataElement.element.slicing.rules,DataElement.element.short,DataElement.element.definition,DataElement.element.comments,DataElement.element.requirements,DataElement.element.alias,DataElement.element.min,DataElement.element.max,DataElement.element.base,DataElement.element.base.id,DataElement.element.base.extension,DataElement.element.base.path,DataElement.element.base.min,DataElement.element.base.max,DataElement.element.type,DataElement.element.type.id,DataElement.element.type.extension,DataElement.element.type.code,DataElement.element.type.profile,DataElement.element.type.aggregation,DataElement.element.nameReference,DataElement.element.defaultValue[x],DataElement.element.meaningWhenMissing,DataElement.element.fixed[x],DataElement.element.pattern[x],DataElement.element.example[x],DataElement.element.minValue[x],I,DataElement.element.maxLength,DataElement.element.condition,DataElement.element.constraint,DataElement.element.constraint.id,DataElement.element.constraint.extension,DataElement.element.constraint.key,DataElement.element.constraint.requirements,DataElement.element.constraint.severity,DataElement.element.constraint.human,DataElement.element.constraint.xpath,DataElement.element.mustSupport,DataElement.element.isModifier,DataElement.element.isSummary,DataElement.element.binding,DataElement.element.binding.id,DataElement.element.binding.extension,DataElement.element.binding.strength,DataElement.element.binding.description,DataElement.element.binding.valueSetReference,DataElement.element.binding.valueSetReference.id,DataElement.element.binding.valueSetReference.extension,permittedValueValueset,permittedValueConcepmap,DataElement.element.binding.valueSetReference.reference,DataElement.element.binding.valueSetReference.display,DataElement.element.mapping,ClassPropertyMapping,DataElement.element.mapping.id,DataElement.element.mapping.extension,objectClass,DataElement.element.mapping.extension.id,extension,DataElement.element.mapping.extension.url,DataElement.element.mapping.extension.valueCoding,property,DataElement.element.mapping.extension.id,extension,DataElement.element.mapping.extension.url,DataElement.element.mapping.extension.valueCoding,DataElement.element.mapping.identity,DataElement.element.mapping.language,D

ataElement.element.mapping.map,OtherElementMapping,DataElement.element.mapping.id,MappingEquivalence,DataElement.element.mapping.identity,DataElement.element.mapping.language,DataElement.element.mapping.map)) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[38].resource: All element definitions must have unique ids (diff) ((ids: SDCDE-DataElement,effectivePeriod,documentReference,administrativeStatus,changeDescription,submitterOrganization,registryOrganization,DataElement.url,DataElement.identifier,DataElement.version,DataElement.name,DataElement.status,DataElement.experimental,DataElement.publisher,DataElement.contact,contactAddress,DataElement.contact.name,DataElement.contact.telecom,DataElement.date,DataElement.useContext,classificationOrContext,DataElement.copyright,DataElement.stringency,ObjectClassPropertyMapping,DataElement.mapping.identity,DataElement.mapping.uri,DataElement.mapping.name,DataElement.mapping.comments,OtherMapping,DataElement.mapping.identity,DataElement.mapping.uri,DataElement.mapping.name,DataElement.mapping.comments,DataElement.element,question,allowedUnits,minLength,regex,entryFormat,maxDecimalPlaces,DataElement.element.path,DataElement.element.name,DataElement.element.label,DataElement.element.code,isDataElementConcept,DataElement.element.definition,DataElement.element.comments,DataElement.element.requirements,DataElement.element.alias,DataElement.element.min,DataElement.element.max,DataElement.element.type,DataElement.element.type.code,DataElement.element.defaultValue[x],DataElement.element.meaningWhenMissing,DataElement.element.example[x],DataElement.element.minValue[x],I,DataElement.element.maxLength,DataElement.element.condition,DataElement.element.constraint,DataElement.element.constraint.key,DataElement.element.constraint.requirements,DataElement.element.constraint.severity,DataElement.element.constraint.human,DataElement.element.constraint.xpath,DataElement.element.mustSupport,DataElement.element.binding,DataElement.element.binding.strength,DataElement.element.binding.description,DataElement.element.binding.valueSetReference,permittedValueValueset,permittedValueConcepmap,ClassPropertyMapping,objectClass,DataElement.element.mapping.extension.valueCoding,property,DataElement.element.mapping.extension.valueCoding,DataElement.element.mapping.identity,DataElement.element.mapping.map,OtherElementMapping,MappingEquivalence,DataElement.element.mapping.identity,DataElement.element.mapping.language,DataElement.element.mapping.map)) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[39].resource: All element definitions must have unique ids (snapshot) ((ids: SDCDE-ValueSet,ValueSet.id,ValueSet.meta,ValueSet.implicitRules,ValueSet.language,ValueSet.text,ValueSet.contained,ValueSet.extension,styleSensitive,trustedExpansion,effectiveDate,expirationDate,ValueSet.modifierExtension,ValueSet.url,ValueSet.identifier,ValueSet.version,ValueSet.name,ValueSet.status,ValueSet.experimental,ValueSet.publisher,ValueSet.contact,ValueSet.contact.id,ValueSet.contact.extension,ValueSet.contact.modifierExtension,ValueSet.contact.name,ValueSet.contact.telecom,ValueSet.date,ValueSet.lockedDate,ValueSet.description,ValueSet.useContext,ValueSet.immutable,ValueSet.requirements,ValueSet.copyright,ValueSet.extensible,ValueSet.codeSystem,ValueSet.codeSystem.id,ValueSet.codeSystem.extension,ValueSet.codeSystem.modifierExtension,ValueSet.codeSystem.system,ValueSet.codeSystem.version,ValueSet.codeSystem.caseSensitive,ValueSet.codeSystem.concept,ValueSet.codeSystem.concept.id,ValueSet.codeSystem.concept.extension,conceptConceptOrder,ValueSet.codeSystem.concept.modifierExtension,ValueSet.codeSystem.concept.code,ValueSet.codeSystem.concept.abstract,ValueSet.codeSystem.concept.display,ValueSet.codeSystem.concept.definition,designation,ValueSet.codeSystem.concept.designation.id,ValueSet.codeSystem.concept.designation.extension,ValueSet.codeSystem.concept.designation.modifierExtension,ValueSet.codeSystem.concept.designation.language,ValueSet.codeSystem.concept.designation.use,ValueSet.codeSystem.concept.designation.value,ValueSet.codeSystem.concept.concept,ValueSet.compose,ValueSet.compose.id,ValueSet.compose.extension,ValueSet.compose.modifierExtension,ValueSet.compose.import,ValueSet.compose.include,ValueSet.compose.include.id,ValueSet.compose.include.extension,ValueSet.compose.include.modifierExtension,ValueSet.compose.include.system,ValueSet.compose.include.version,ValueSet.compose.include.concept,ValueSet.compose.include.concept.id,ValueSet.compose.include.concept.extension,conceptConceptOrder,ValueSet.compose.include.concept.modifierExtension,ValueSet.compose.include.concept.code,ValueSet.compose.include.concept.display,ValueSet.compose.include.concept.designation,ValueSet.compose.include.filter,ValueSet.compose.include.filter.id,ValueSet.compose.include.filter.extension,ValueSet.compose.include.filter.modifierExtension,ValueSet.compose.include.filter.property,ValueSet.compose.include.filter.op,ValueSet.compose.include.filter.value,ValueSet.compose.exclude,ValueSet.expansion,ValueSet.expansion.id,ValueSet.expansion.extension,ValueSet.expansion.modifierExtension,ValueSet.expansion.identifier,ValueSet.expansion.timestamp,ValueSet.expansion.total,ValueSet.expansion.offset,ValueSet.expansion.parameter,ValueSet.expansion.parameter.id,ValueSet.expansion.parameter.extension,ValueSet.expansion.parameter.modifierExtension,ValueSet.expansion.parameter.name,ValueSet.expansion.parameter.value[x],ValueSet.expansion.contains,ValueSet.expansion.contains.id,ValueSet.expansion.contains.extension,conceptConceptOrder,definition,systemName,ValueSet.expansion.contains.modifierExtension,ValueSet.expansion.contains.system,ValueSet.expansion.contains.abstract,ValueSet.expansion.contains.version,ValueSet.expansion.contains.code,ValueSet.expansion.contains.display,ValueSet.expansion.contains.contains)) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[39].resource: All element definitions must have unique ids (diff) ((ids: SDCDE-ValueSet,styleSensitive,trustedExpansion,effectiveDate,expirationDate,ValueSet.url,ValueSet.identifier,ValueSet.version,ValueSet.name,ValueSet.status,ValueSet.experimental,ValueSet.publisher,ValueSet.date,ValueSet.lockedDate,ValueSet.description,ValueSet.useContext,ValueSet.immutable,ValueSet.extensible,ValueSet.codeSystem,ValueSet.codeSystem.system,ValueSet.codeSystem.version,ValueSet.codeSystem.caseSensitive,ValueSet.codeSystem.concept,conceptConceptOrder,ValueSet.codeSystem.concept.code,ValueSet.codeSystem.concept.abstract,ValueSet.codeSystem.concept.display,ValueSet.codeSystem.concept.definition,ValueSet.codeSystem.concept.concept,ValueSet.compose,ValueSet.compose.import,ValueSet.compose.include,ValueSet.compose.include.system,ValueSet.compose.include.version,ValueSet.compose.include.concept,conceptConceptOrder,ValueSet.compose.include.concept.code,ValueSet.compose.include.concept.display,ValueSet.compose.include.filter,ValueSet.compose.include.filter.property,ValueSet.compose.include.filter.op,ValueSet.compose.include.filter.value,ValueSet.compose.exclude,ValueSet.expansion,ValueSet.expansion.identifier,ValueSet.expansion.timestamp,ValueSet.expansion.contains,conceptConceptOrder,definition,systemName,ValueSet.expansion.contains.system,ValueSet.expansion.contains.abstract,ValueSet.expansion.contains.version,ValueSet.expansion.contains.code,ValueSet.expansion.contains.display,ValueSet.expansion.contains.contains)) [differential.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.snapshot.element[10]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.snapshot.element[28]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.differential.element[3]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.differential.element[13]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[73].resource: All element definitions must have unique ids (snapshot) ((ids: QICore-AdverseEvent,Basic.id,Basic.meta,Basic.implicitRules,Basic.language,Basic.text,Basic.contained,Basic.extension,type,discoveryDateTime,location,category,cause,Basic.extension.id,Basic.extension.extension,item,Basic.extension.extension.id,extension,Basic.extension.extension.url,Basic.extension.extension.value[x],certainty,Basic.extension.extension.id,extension,Basic.extension.extension.url,Basic.extension.extension.valueCodeableConcept,Basic.extension.url,Basic.extension.value[x],reaction,period,clinicalStudy,severity,Basic.modifierExtension,didNotOccur,Basic.identifier,Basic.code,Basic.subject,Basic.author,Basic.created)) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[75].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[75].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[81].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @

Bundle.entry[81].resource.snapshot.element[31]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[81].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[81].resource.differential.element[14]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[82].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[82].resource.snapshot.element[13]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[82].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[82].resource.differential.element[3]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[83].resource: All element definitions must have unique ids (snapshot) ((ids: QICore-Encounter,Encounter.id,Encounter.meta,Encounter.implicitRules,Encounter.language,Encounter.text,Encounter.contained,Encounter.extension,Encounter.relatedCondition,Encounter.extension.id,Encounter.extension.extension,condition,Encounter.extension.extension,Encounter.extension.extension,Encounter.extension.extension,Encounter.extension.extension,role,Encounter.extension.extension,Encounter.extension.extension.extension,Encounter.extension.extension,Encounter.extension.extension,Encounter.extension.extension,Encounter.extension.extension,Encounter.extension.extension,Encounter.extension.url,Encounter.extension.valueReference,Encounter.reasonCancelled,Encounter.modifierExtension,Encounter.identifier,Encounter.status,Encounter.statusHistory,Encounter.statusHistory.id,Encounter.statusHistory.extension,Encounter.statusHistory.modifierExtension,Encounter.statusHistory.status,Encounter.statusHistory.period,Encounter.class,Encounter.type,Encounter.priority,Encounter.patient,Encounter.episodeOfCare,Encounter.incomingReferral,Encounter.participant,Encounter.participant.id,Encounter.participant.extension,Encounter.participant.modifierExtension,Encounter.participant.type,Encounter.participant.period,Encounter.participant.individual,Encounter.appointment,Encounter.period,Encounter.length,Encounter.reason,Encounter.indication,Encounter.hospitalization,Encounter.hospitalization.id,Encounter.hospitalization.extension,Encounter.hospitalization.modifierExtension,Encounter.hospitalization.preAdmissionIdentifier,Encounter.hospitalization.origin,Encounter.hospitalization.admitSource,Encounter.hospitalization.admittingDiagnosis,Encounter.hospitalization.reAdmission,Encounter.hospitalization.dietPreference,Encounter.hospitalization.specialCourtesy,Encounter.hospitalization.specialArrangement,Encounter.hospitalization.destination,Encounter.hospitalization.dischargeDisposition,Encounter.hospitalization.dischargeDiagnosis,Encounter.location,Encounter.location.id,Encounter.location.extension,Encounter.location.modifierExtension,Encounter.location.location,Encounter.location.status,Encounter.location.period,Encounter.serviceProvider,Encounter.partOf)) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.snapshot.element[26]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.differential.element[3]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.differential.element[4]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.differential.element[5]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.differential.element[6]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.snapshot.element[24]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.snapshot.element[25]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.differential.element[8]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.differential.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[86].resource: All element definitions must have unique ids (snapshot) ((ids: QICore-Goal,Goal.id,Goal.meta,Goal.implicitRules,Goal.language,Goal.text,Goal.contained,Goal.extension,Goal.target,Goal.extension.id,Goal.extension.extension,measure,Goal.extension.extension,Goal.extension.extension,Goal.extension.extension.extension,Goal.extension.extension,detail,Goal.extension.extension,Goal.extension.extension,Goal.extension.extension,Goal.extension.extension,Goal.extension.extension,Goal.extension.extension,Goal.extension.url,Goal.extension.value[x],Goal.reasonRejected,Goal.modifierExtension,Goal.identifier,Goal.subject,Goal.start[x],Goal.target[x],Goal.category,Goal.description,Goal.status,Goal.statusDate,Goal.statusReason,Goal.author,Goal.priority,Goal.addresses,Goal.note,Goal.outcome,Goal.outcome.id,Goal.outcome.extension,Goal.outcome.modifierExtension,Goal.outcome.result[x])) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.snapshot.element[26]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.differential.element[3]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.differential.element[4]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.differential.element[5]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[87].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[87].resource.snapshot.element[10]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[87].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[87].resource.differential.element[3]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.snapshot.element[21]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.differential.element[6]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[10]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[29]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[30]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[31]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[32]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[33]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[34]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[35]: sliceName must be

a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.snapshot.element[36]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[3]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[15]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[16]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[17]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[18]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[19]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[20]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[21]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.differential.element[22]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.snapshot.element[24]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.snapshot.element[25]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.snapshot.element[26]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.snapshot.element[27]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.snapshot.element[28]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.snapshot.element[29]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.snapshot.element[30]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.snapshot.element[31]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.differential.element[10]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.differential.element[11]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.differential.element[12]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.differential.element[13]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.differential.element[14]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.differential.element[15]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.differential.element[16]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.differential.element[17]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[98].resource: All element definitions must have unique ids (snapshot) ((ids: QICore-Patient,Patient.id,Patient.meta,Patient.implicitRules,Patient.language,Patient.text,Patient.contained,Patient.extension,race,ethnicity,religion,birthPlace,disability,nationality,Patient.extension.id,Patient.extension.extension,code,Patient.extension.extension,Patient.extension.extension.extension,Patient.extension.extension.extension,period,Patient.extension.extension,Patient.extension.extension,Patient.extension.extension.extension,Patient.extension.extension,Patient.extension.extension,Patient.extension.extension,Patient.extension.url,Patient.extension.value[x],cadavericDonor,militaryService,clinicalTrial,Patient.extension.id,Patient.extension.extension,NCT,Patient.extension.extension.id,extension,Patient.extension.extension.url,Patient.extension.extension.valueString,period,Patient.extension.extension.id,extension,Patient.extension.extension.url,Patient.extension.extension.valuePeriod,reason,Patient.extension.extension.id,extension,Patient.extension.extension.url,Patient.extension.extension.valueCodeableConcept,Patient.extension.url,Patient.extension.value[x],birthTime,Patient.modifierExtension,Patient.identifier,Patient.active,Patient.name,Patient.telecom,Patient.telecom.id,Patient.telecom.extension,telecom.preferred,Patient.telecom.system,Patient.telecom.value,Patient.telecom.use,Patient.telecom.rank,Patient.telecom.period,Patient.gender,Patient.birthDate,Patient.deceased[x],Patient.address,Patient.address.id,Patient.address.extension,address.preferred,Patient.address.use,Patient.address.type,Patient.address.text,Patient.address.line,Patient.address.city,Patient.address.district,Patient.address.state,Patient.address.postalCode,Patient.address.country,Patient.address.period,Patient.maritalStatus,Patient.multipleBirth[x],Patient.photo,Patient.contact,Patient.contact.id,Patient.contact.extension,Patient.contact.modifierExtension,Patient.contact.relationship,Patient.contact.name,Patient.contact.telecom,Patient.contact.address,Patient.contact.address.id,Patient.contact.address.extension,Patient.contact.address.use,Patient.contact.address.type,Patient.contact.address.text,Patient.contact.address.line,Patient.contact.address.city,Patient.contact.address.district,Patient.contact.address.state,Patient.contact.address.postalCode,Patient.contact.address.country,Patient.contact.address.period,Patient.contact.gender,Patient.contact.organization,Patient.contact.period,Patient.animal,Patient.animal.id,Patient.animal.extension,Patient.animal.modifierExtension,Patient.animal.species,Patient.animal.breed,Patient.animal.genderStatus,Patient.communication,Patient.communication.id,Patient.communication.extension,Patient.communication.modifierExtension,Patient.communication.language,Patient.communication.preferred,Patient.careProvider,Patient.managingOrganization,Patient.link,Patient.link.id,Patient.link.extension,Patient.link.modifierExtension,Patient.link.other,Patient.link.type)) [snapshot.element.id.trace('ids').isDistinct()] (src = InstanceValidator) ERROR @ Bundle.entry[98].resource.snapshot.element[61]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[98].resource.snapshot.element[73]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[98].resource.differential.element[8]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[98].resource.differential.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[98].resource.differential.element[19]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[98].resource.differential.element[24]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[99].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[99].resource.snapshot.element[28]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[99].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[99].resource.differential.element[8]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[100].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[100].resource.snapshot.element[10]: sliceName must be a proper token [sliceName.empty() or

sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[100].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[100].resource.differential.element[3]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[101].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[101].resource.snapshot.element[10]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[101].resource.snapshot.element[11]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[101].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[101].resource.differential.element[3]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[101].resource.differential.element[4]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.snapshot.element[9]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.differential.element[2]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.snapshot.element[37]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.differential.element[14]: sliceName must be a proper token [sliceName.empty() or sliceName.matches('^[a-zA-Z0-9\\-_]+$')] (src = InstanceValidator)

questionnaire-sdc-profile-example | ERROR @ Bundle.entry[1].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-category is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/sdc-questionnaire-specialGroup is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[1].item[1].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[1].resource.item.item[2].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[2].item[1].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[2].item[1].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[2].item[1].item[1].item.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[2].item[1].item[1].item.extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[2].item[1].item[1].item.item.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[2].item[1].item[1].item.item.extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[2].item[1].item[2].item.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[3].item[1].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[3].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[3].item[3].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[3].item[4].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[3].item[5].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[3].item[6].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[3].item[7].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[3].item[8].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[3].item[9].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[5].item: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[1].resource.item.item[2].item[5].item.type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[6].item: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[1].resource.item.item[2].item[6].item.type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].extension: The extension http://hl7.org/fhir/StructureDefinition/sdc-questionnaire-specialGroup is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/sdc-questionnaire-specialGroup is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[1].item[1].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[3].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[3].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[2].resource.item.item[3].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[3].item[3].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-defaultValue is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[4].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[4].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[2].resource.item.item[4].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[5].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[2].resource.item.item[5].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[7].item: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[2].resource.item.item[7].item.type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[2].resource.item.item[8].extension: The extension http://hl7.org/fhir/StructureDefinition/sdc-questionnaire-specialGroup is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-category is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[1].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[3].resource.item.item[1].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[1].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[1].item[3].extension[1]: The extension

http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[1].item[3].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[1].item[4].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[1].item[4].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[2].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[3].resource.item.item[2].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[2].item[2].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[2].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[3].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[3].resource.item.item[3].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[3].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[3].item[2].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[3].item[3].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[3].item[4].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[3].item[4].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[3].item[5].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.item.item[3].item[5].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-category is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-category is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[1].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[4].resource.item.item[1].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[1].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[1].item[2].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[1].item[3].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[1].item[3].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[1].item[4].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[1].item[5].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[1].item[5].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[4].resource.item.item[2].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[2].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[3].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[3].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[4].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[4].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[5].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[6].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[6].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[7].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[2].item[7].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[4].resource.item.item[3].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[2].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[3].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[3].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[4].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[4].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[5].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[5].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[6].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.item.item[3].item[6].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-category is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[1].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[5].resource.item.item[1].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[1].item[2].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[1].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @

Bundle.entry[5].resource.item.item[1].item[3].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[1].item[3].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[1].item[4].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[1].item[4].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[2].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[5].resource.item.item[2].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[2].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[2].item[2].extension[4]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[2].item[3].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[2].item[3].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[2].item[4].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[5].resource.item.item[3].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[2].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[3].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[3].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[4].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[4].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[5].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[5].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[6].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[6].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[7].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[7].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[8].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[9].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[9].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[10].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[10].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[11].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[11].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[12].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[13].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[14].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[15].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[15].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[16].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[17].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[17].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[18].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[18].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[19].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[19].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[20].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[20].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[21].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[3].item[21].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[4].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[5].resource.item.item[4].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[4].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[4].item[2].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[4].item[3].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.item.item[4].item[3].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator)

questionnaire-sdc-profile-example-ussg-fht | ERROR @ Bundle.entry[1].resource: If the resource is contained in another resource, it SHALL be referred to from elsewhere in the resource [contained.where(('#'+id in %resource.descendants().reference).not()).empty()] (src = InstanceValidator)

ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[2].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[3].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[4].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[5].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[6].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[7].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[7].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[7].item[1].item.options: Unable to resolve resource '#height' (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[7].item[1].item.options: SHALL have a contained resource if a local reference is provided ((url: height; ids: length,weight)) [reference.startsWith('#').not() or (reference.substring(1).trace('url') in %resource.contained.id.trace('ids'))] (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[7].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[8].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[8].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[10].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[1].item[11].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[2].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[2].item[2].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[3].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[3].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].options: Relative URLs must be of the format [ResourceName]/[id]. Encountered LL361-7 (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].item[1].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].item[1].item[1].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].item[1].item[1].item.item: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Bundle.entry[1].resource.item.item[3].item.item[1].item[4].item[1].item[1].item.item.linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].item[1].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].item[2].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[4].item[2].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[5].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[6].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[7].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[1].item[8].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[2].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.item.item[3].item.item[2].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.mapping: At least one of name or uri SHALL be present [uri.exists() or name.exists()] (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.element.binding.valueSetReference: Relative URLs must be of the format [ResourceName]/[id]. Encountered LL361-7 (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.element.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-units is unknown, and not allowed here (src = InstanceValidator)
v2-valuesets | WARNING @ Bundle.entry[1].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[2].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[3].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[4].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[5].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[6].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[7].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[8].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[9].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @

Bundle.entry[10].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[11].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[12].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[13].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[14].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[15].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[16].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[17].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[18].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[19].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[20].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[21].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[22].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[23].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[24].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[25].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[26].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[27].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[28].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[29].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[30].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[31].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[32].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[33].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[34].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[35].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[36].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[37].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[38].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[39].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[40].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[41].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[42].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[43].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[44].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[45].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[46].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[47].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[48].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[49].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[50].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[51].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[52].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[53].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[54].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[55].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[56].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[57].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[58].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[59].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[60].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[61].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[62].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[63].resource.meta.profile[0]: StructureDefinition reference

"http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[64].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[65].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[66].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[67].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[68].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[69].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[70].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[71].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[72].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[73].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[74].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[75].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[76].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[77].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[78].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[79].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[80].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[81].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[82].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[83].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[84].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[85].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[86].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[87].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[88].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[89].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[90].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[91].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[92].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[93].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[94].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[95].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[96].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[97].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[98].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[99].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[100].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[101].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[102].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[103].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[104].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[105].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[106].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[107].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[108].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[109].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[110].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[111].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[112].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[113].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[114].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[115].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[116].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could

not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[117].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[118].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[119].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[120].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[121].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[122].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[123].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[124].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[125].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[126].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[127].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[128].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[129].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[130].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[131].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[132].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[133].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[134].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[135].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[136].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[137].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[138].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[139].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[140].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[141].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[142].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[143].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[144].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[145].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[146].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[147].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[148].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[149].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[150].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[151].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[152].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[153].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[154].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[155].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[156].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[157].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[158].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[159].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[160].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[161].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[162].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[163].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[164].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[165].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[166].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[167].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[168].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[169].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @

Bundle.entry[170].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[171].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[172].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[173].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[174].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[175].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[176].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[177].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[178].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[179].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[180].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[181].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[182].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[183].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[184].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[185].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[186].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[187].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[188].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[189].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[190].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[191].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[192].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[193].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[194].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[195].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[196].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[197].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[198].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[199].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[200].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[201].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[202].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[203].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[204].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[205].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[206].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[207].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[208].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[209].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[210].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[211].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[212].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[213].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[214].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[215].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[216].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[217].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[218].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[219].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[220].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[221].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[222].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[223].resource.meta.profile[0]: StructureDefinition reference

"http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[224].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[225].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[226].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[227].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[228].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[229].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[230].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[231].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[232].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[233].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[234].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[235].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[236].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[237].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[238].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[239].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[240].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[241].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[242].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[243].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[244].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[245].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[246].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[247].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[248].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[249].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[250].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[251].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[252].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[253].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[254].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[255].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[256].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[257].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[258].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[259].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[260].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[261].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[262].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[263].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[264].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[265].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[266].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[267].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[268].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[269].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[270].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[271].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[272].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[273].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[274].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[275].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[276].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could

not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[277].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[278].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[279].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[280].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[281].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[282].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[283].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[284].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[285].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[286].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[287].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[288].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[289].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[290].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[291].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[292].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[293].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[294].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[295].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[296].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[297].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[298].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[299].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[300].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[301].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[302].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[303].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[304].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[305].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[306].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[307].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[308].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[309].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[310].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[311].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[312].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[313].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[314].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[315].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[316].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[317].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[318].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[319].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[320].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[321].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[322].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[323].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[324].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[325].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[326].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[327].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[328].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[329].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @

Bundle.entry[330].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[331].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[332].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[333].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[334].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[335].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[336].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[337].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[338].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[339].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[340].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[341].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[342].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[343].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[344].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[345].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[346].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[347].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[348].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[349].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[350].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[351].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[352].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[353].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[354].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[355].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[356].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[357].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[358].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[359].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[360].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[361].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[362].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[363].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[364].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[365].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[366].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[367].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[368].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[369].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[370].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[371].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[372].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[373].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[374].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[375].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[376].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[377].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[378].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[379].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[380].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[381].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[382].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[383].resource.meta.profile[0]: StructureDefinition reference

"http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[384].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[385].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[386].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[387].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[388].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[389].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[390].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[391].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[392].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[393].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[394].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[395].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[396].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[397].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[398].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[399].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[400].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[401].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[402].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[403].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[404].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[405].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[406].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[407].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[408].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[409].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[410].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[411].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[412].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[413].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[414].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[415].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[416].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[417].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[418].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[419].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[420].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[421].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[422].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[423].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[424].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[425].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[426].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[427].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[428].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[429].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[430].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[431].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[432].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator)

v3-valuesets | WARNING @ Bundle.entry[1].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[1].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[2].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @

Bundle.entry[3].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[3].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[4].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[4].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[5].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[5].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[6].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[7].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[8].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[8].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[9].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[9].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[10].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[11].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[12].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[13].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[14].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[15].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[15].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[16].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[16].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[17].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[18].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[18].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[19].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[19].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[20].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[21].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[22].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[23].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[24].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[25].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[26].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[27].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[28].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[29].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[30].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[31].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[31].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[32].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[33].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[34].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[34].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src =

InstanceValidator) WARNING @ Bundle.entry[35].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[36].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[37].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[38].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[39].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[40].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[41].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[42].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[43].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[44].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[45].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[46].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[47].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[48].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[48].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[49].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[50].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[51].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[52].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[53].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[54].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[54].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[55].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[56].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[57].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[57].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[58].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[59].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[60].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[61].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[62].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[62].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[63].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[63].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[64].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[65].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @

Bundle.entry[65].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[66].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[67].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[68].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[69].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[70].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[71].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[72].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[73].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[73].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[74].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[74].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[75].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[75].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[76].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[77].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[78].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[79].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[80].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[81].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[81].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[82].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[83].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[84].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[85].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[86].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[86].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[87].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[87].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[88].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[88].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[89].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[89].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[90].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[91].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[92].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[92].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[93].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[94].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[95].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[96].resource.meta.profile[0]: StructureDefinition reference

"http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[97].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[97].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[98].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[98].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[99].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[100].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[100].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[101].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[101].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[102].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[103].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[104].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[105].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[106].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[107].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[108].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[108].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[109].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[109].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[110].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[110].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[111].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[112].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[112].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[113].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[114].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[115].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[116].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[117].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[118].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[118].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[119].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[120].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[120].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[121].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[121].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[122].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[122].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[123].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[123].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[124].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[124].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[125].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[125].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[126].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[127].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could

not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[128].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[128].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[129].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[129].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[130].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[131].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[132].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[132].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[133].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[134].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[134].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[135].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[135].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[136].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[136].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[137].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[137].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[138].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[139].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[139].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[140].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[140].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[141].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[141].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[142].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[143].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[143].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[144].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[144].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[145].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[146].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[147].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[147].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[148].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[148].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[149].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[150].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[151].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[151].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[152].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[153].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @

Bundle.entry[154].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[155].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator)
valuesets | WARNING @ Bundle.entry[1].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[2].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[3].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[4].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) WARNING @ Bundle.entry[12].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[12].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[13].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[13].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[14].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[14].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[15].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[15].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[16].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[16].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[17].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[17].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[18].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[18].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[19].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[19].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[20].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[20].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[21].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[21].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[22].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[22].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[23].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[23].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[24].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[24].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[25].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[25].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[26].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[26].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[27].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[27].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[28].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[28].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[29].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[29].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[30].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[30].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[31].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[31].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[32].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[32].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[33].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[33].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[34].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @

Bundle.entry[34].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[35].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[35].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[36].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[36].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[37].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[37].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[38].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[38].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[39].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[39].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[40].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[40].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[41].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[41].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[42].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[42].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[43].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[43].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[44].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[44].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[45].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[45].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[46].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[46].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[47].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[47].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[48].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[48].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[49].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[49].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[50].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[50].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[51].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[51].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[52].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[52].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[53].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[53].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[54].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[54].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[55].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[55].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[56].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[56].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[57].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[57].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[58].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[58].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[59].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[59].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[60].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[60].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[61].resource.meta.profile[0]: StructureDefinition reference

"http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[61].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[62].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[62].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[63].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[63].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[64].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[64].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[65].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[65].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[66].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[66].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[67].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[67].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[68].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[68].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[69].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[69].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[70].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[70].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[71].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[71].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[72].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[72].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[73].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[73].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[74].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[74].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[75].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[75].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[76].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[76].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[77].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[77].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[78].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[78].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[79].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[79].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[80].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[80].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[81].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[81].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[82].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[82].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[83].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[83].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[84].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[84].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[84].resource.compose.include.concept[71].display: value should not start or finish with whitespace (src = InstanceValidator) WARNING @ Bundle.entry[84].resource.compose.include.concept[72].display: value should not start or finish with whitespace (src = InstanceValidator) WARNING @ Bundle.entry[85].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[85].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[86].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @

Bundle.entry[86].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[87].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[87].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[87].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[88].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[88].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[89].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[89].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[90].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[90].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[91].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[91].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[92].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[92].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[93].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[93].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[94].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[94].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[95].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[95].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[96].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[96].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[97].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[97].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[98].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[98].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[98].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[98].resource.compose.include.concept[80].display: value should not start or finish with whitespace (src = InstanceValidator) WARNING @ Bundle.entry[98].resource.compose.include.concept[112].display: value should not start or finish with whitespace (src = InstanceValidator) WARNING @ Bundle.entry[99].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[99].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[100].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[100].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[101].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[101].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[102].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[102].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[103].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[103].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[104].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[104].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[105].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[105].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[106].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[106].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[107].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[107].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[108].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[108].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[109].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[109].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[110].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[110].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[111].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[111].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src =

InstanceValidator) WARNING @ Bundle.entry[112].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[112].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[113].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[113].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[114].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[114].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[115].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[115].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[116].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[116].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[117].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[117].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[118].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[118].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[119].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[119].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[120].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[120].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[121].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[121].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[122].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[122].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[123].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[123].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[124].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[124].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[125].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[125].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[126].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[126].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[127].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[127].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[128].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[128].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[129].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[129].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[130].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[130].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[131].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[131].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[132].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[132].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[133].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[133].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[134].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[134].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[135].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[135].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[136].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[136].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[137].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[137].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[138].resource.meta.profile[0]: StructureDefinition reference

"http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[138].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[139].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[139].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[140].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[140].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[141].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[141].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[142].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[142].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[143].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[143].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[144].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[144].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[145].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[145].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[146].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[146].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[147].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[147].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[148].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[148].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[149].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[149].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[150].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[150].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[151].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[151].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[152].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[152].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[153].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[153].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[154].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[154].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[155].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[155].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[156].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[156].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[157].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[157].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[158].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[158].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[159].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[159].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[160].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[160].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[161].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[161].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[162].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[162].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[163].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[163].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[164].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[164].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src =

InstanceValidator) WARNING @ Bundle.entry[165].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[165].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[166].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[166].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[167].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[167].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[168].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[168].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[169].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[169].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[170].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[170].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[171].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[171].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[172].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[172].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[173].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[173].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[174].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[174].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[175].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[175].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[176].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[176].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[177].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[177].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[178].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[178].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[179].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[179].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[180].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[180].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[181].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[181].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[182].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[182].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[183].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[183].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[184].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[184].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[185].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[185].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[186].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[186].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[187].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[187].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[188].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[188].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[189].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[189].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[190].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[190].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[191].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @

Bundle.entry[191].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[192].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[192].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[193].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[193].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[194].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[194].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[195].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[195].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[196].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[196].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[197].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[197].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[198].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[198].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[199].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[199].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[200].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[200].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[201].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[201].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[202].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[202].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[203].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[203].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[204].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[204].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[205].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[205].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[206].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[206].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[207].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[207].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[208].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[208].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[209].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[209].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[210].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[210].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[211].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[211].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[212].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[212].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[213].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[213].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[214].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[214].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[215].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[215].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[216].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[216].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[217].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[217].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src =

InstanceValidator) WARNING @ Bundle.entry[218].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[218].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[218].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[218].resource.compose.include.concept[44].display: value should not start or finish with whitespace (src = InstanceValidator) WARNING @ Bundle.entry[219].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[219].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[220].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[220].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[221].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[221].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[222].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[222].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[223].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[223].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[224].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[224].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[225].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[225].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[226].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[226].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[227].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[227].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[228].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[228].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[229].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[229].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[230].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[230].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[231].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[231].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[232].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[232].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[233].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[233].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[234].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[234].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[235].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[235].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[236].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[236].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[237].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[237].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[238].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[238].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[239].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[239].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[240].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[240].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[241].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[241].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[242].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[242].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[243].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[243].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src =

InstanceValidator) WARNING @ Bundle.entry[244].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[244].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[245].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[245].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[246].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[246].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[247].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[247].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[248].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[248].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[249].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[249].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[250].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[250].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[251].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[251].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[252].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[252].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[253].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[253].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[254].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[254].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[255].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[255].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[256].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[256].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[257].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[257].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[258].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[258].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[259].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[259].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[259].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[260].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[260].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[261].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[261].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[262].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[262].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[263].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[263].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[264].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[264].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[265].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[265].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[266].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[266].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[267].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[267].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[268].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[268].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[269].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[269].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[270].resource.meta.profile[0]: StructureDefinition reference

"http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[270].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[271].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[271].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[272].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[272].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[273].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[273].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[274].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[274].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[275].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[275].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[276].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[276].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[277].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[277].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[278].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[278].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[279].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[279].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[280].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[280].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[281].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[281].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[282].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[282].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[283].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[283].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[284].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[284].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[285].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[285].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[286].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[286].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[287].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[287].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[288].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[288].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[289].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[289].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[290].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[290].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[291].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[291].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[292].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[292].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[293].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[293].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[294].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[294].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[295].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[295].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[296].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[296].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src =

InstanceValidator) WARNING @ Bundle.entry[297].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[297].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[298].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[298].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[299].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[299].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[300].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[300].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[301].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[301].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[302].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[302].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[303].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[303].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[304].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[304].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[305].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[305].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[306].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[306].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[307].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[307].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[308].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[308].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[309].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[309].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[310].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[310].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[311].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[311].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[312].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[312].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[313].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[313].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[314].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[314].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[315].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[315].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[316].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[316].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[317].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[317].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[318].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[318].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[319].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[319].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[320].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[320].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[321].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[321].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[322].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[322].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[323].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @

Bundle.entry[323].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[324].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[324].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[325].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[325].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[326].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[326].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[327].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[327].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[328].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[328].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[329].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[329].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[330].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[330].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[331].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[331].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[332].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[332].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[333].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[333].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[334].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[334].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[335].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[335].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[336].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[336].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[337].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[337].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[338].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[338].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[339].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[339].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[340].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[340].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[341].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[341].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[342].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[342].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[343].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[343].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[344].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[344].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[345].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[345].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[346].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[346].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[347].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[347].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[348].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[348].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[349].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[349].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[350].resource.meta.profile[0]: StructureDefinition reference

"http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[350].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[351].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[351].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[352].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[352].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[353].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[353].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[354].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[354].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[355].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[355].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[356].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[356].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[357].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[357].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[358].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[358].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[359].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[359].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[360].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[360].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[361].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[361].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[362].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[362].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[363].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[363].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[364].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[364].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[365].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[365].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[366].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[366].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[367].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[367].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[368].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[368].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[368].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[369].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[369].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[370].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[370].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[371].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[371].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[372].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[372].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[373].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[373].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[374].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[374].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[375].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[375].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[376].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @

Bundle.entry[376].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[377].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[377].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[378].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[378].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[379].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[379].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[380].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[380].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[381].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[381].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[382].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[382].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[383].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[383].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[384].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[384].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[385].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[385].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[386].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[386].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[387].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[387].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[388].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[388].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[389].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[389].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[390].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[390].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[391].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[391].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[391].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[392].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[392].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[392].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[393].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[393].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[394].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[394].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[395].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[395].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[396].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[396].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[397].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[397].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[398].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[398].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[399].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[399].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[400].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[400].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[401].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[401].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[402].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @

Bundle.entry[402].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[403].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[403].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[404].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[404].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[405].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[405].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[406].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[407].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[407].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[407].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[407].resource.name: value should not start or finish with whitespace (src = InstanceValidator) WARNING @ Bundle.entry[408].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[408].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[409].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[410].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[410].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[410].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[411].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[411].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[411].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[412].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[412].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[414].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[414].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[415].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[415].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[416].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[416].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[417].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[417].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[418].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[418].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[419].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[419].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[420].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[420].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[421].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[422].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[422].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[423].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[424].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[424].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[425].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[425].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[426].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[426].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[426].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[427].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[427].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[427].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[428].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[428].resource.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) ERROR @ Bundle.entry[428].resource.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator) WARNING @ Bundle.entry[429].resource.meta.profile[0]: StructureDefinition reference "http://hl7.org/fhir/StructureDefinition/valueset-shareable-definition" could not be resolved (src = InstanceValidator) ERROR @ Bundle.entry[429].resource.extension: The extension http://hl7.org/fhir/StructureDefinition/valueset-oid is unknown, and not allowed here (src = InstanceValidator)

xds | WARNING @ Bundle.entry[1].resource.subject: URN reference is not locally contained within the bundle Patient/a2 (src = InstanceValidator)
WARNING @ Bundle.entry[1].resource.author[1]: URN reference is not locally contained within the bundle Practitioner/a3 (src = InstanceValidator)
WARNING @ Bundle.entry[1].resource.author[2]: URN reference is not locally contained within the bundle Practitioner/a4 (src = InstanceValidator)

2.37 Resource Media - Content

URL: https://hl7.org/fhir/STU3/media.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Compartments: Device, Patient, Practitioner

A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.

2.37.1 Scope and Usage

The Media resource contains photos, videos, and audio recordings. It is used with media acquired or used as part of the healthcare process. Here are some typical usages:

* Photos and videos of diagnostic or care provision procedures for recording purposes

* Images contained in diagnostic reports

2.37.2 Boundaries and Relationships

This resource captures a specific type of Observation - an Observation whose value is audio, video or image data. This resource is the preferred representation of such forms of information as it exposes the metadata relevant for interpreting the information. However, in some legacy environments, media information may occasionally appear in Observation instead. Systems should be aware of this possibility.

The Media resource is able to contain medical images in a DICOM format. These images may also be made accessible through an ImagingStudy resource, which provides a direct reference to the image to a WADO-RS server.

For such images, the WADO-RS framework is a preferred method for representing the images - the WADO-RS service may include rendering the image with annotations and display parameters from an associated DICOM presentation state, for instance.

On the other hand, the media resource allows for a robust transfer of an image across boundaries where the WADO-RS service is not available. For this reason, medical images can also be represented in a Media resource, but the Media.content.url should provide a reference to a source WADO-RS service for the image.

This resource is referenced by diagnosticreport

2.37.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
Media | I | | DomainResource | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference + Height can only be used for a photo or video + Width can only be used for a photo or video + Frames can only be used for a photo + Duration can only be used for an audio or a video Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | ? | 0..* | Identifier | Identifier(s) for the image
basedOn | ? | 0..* | Reference(ProcedureRequest) | Procedure that caused this media to be created
type | ? | 1..1 | code | photo | video | audio DigitalMediaType (Required)
subtype | ? | 0..1 | CodeableConcept | The type of acquisition equipment/process Media SubType (Example)
view | ? | 0..1 | CodeableConcept | Imaging view, e.g. Lateral or Antero-posterior Media Collection View/Projection (Example)
subject | ? | 0..1 | Reference(Patient | Practitioner | Group | Device | Specimen) | Who/What this Media is a record of
context | ? | 0..1 | Reference(Encounter | EpisodeOfCare) | Encounter / Episode associated with media
occurrence[x] | ? | 0..1 | | When Media was collected
occurrenceDateTime | | | dateTime
occurrencePeriod | | | Period
operator | ? | 0..1 | Reference(Practitioner) | The person who generated the image
reasonCode | ? | 0..* | CodeableConcept | Why was event performed? Procedure Reason Codes (Example)
bodySite | ? | 0..1 | CodeableConcept | Body part in media SNOMED CT Body Structures (Example)
device | ? | 0..1 | Reference(Device | DeviceMetric) | Observing Device
height | ?I | 0..1 | positiveInt | Height of the image in pixels (photo/video)

width | ?I | 0..1 | positiveInt | Width of the image in pixels (photo/video)
frames | ?I | 0..1 | positiveInt | Number of frames if > 1 (photo)
duration | ?I | 0..1 | unsignedInt | Length in seconds (audio / video)
content | | 1..1 | Attachment | Actual Media - reference or data
note | | 0..* | Annotation | Comments made about the media
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Media xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Identifier(s) for the image --></identifier>
 <basedOn><!-- 0..* Reference(ProcedureRequest) Procedure that caused this media to be created --></basedOn>
 <type value="[code]"/><!-- 1..1 photo | video | audio -->
 <subtype><!-- 0..1 CodeableConcept The type of acquisition equipment/process --></subtype>
 <view><!-- 0..1 CodeableConcept Imaging view, e.g. Lateral or Antero-posterior --></view>
 <subject><!-- 0..1 Reference(Patient|Practitioner|Group|Device|Specimen) Who/What this Media is a record of
    --></subject>
 <context><!-- 0..1 Reference(Encounter|EpisodeOfCare) Encounter / Episode associated with media --></context>
 <occurrence[x]><!-- 0..1 dateTime|Period When Media was collected --></occurrence[x]>
 <operator><!-- 0..1 Reference(Practitioner) The person who generated the image --></operator>
 <reasonCode><!-- 0..* CodeableConcept Why was event performed? --></reasonCode>
 <bodySite><!-- 0..1 CodeableConcept Body part in media --></bodySite>
 <device><!-- 0..1 Reference(Device|DeviceMetric) Observing Device --></device>
 <height value="[positiveInt]"/><!--  0..1 Height of the image in pixels (photo/video) -->
 <width value="[positiveInt]"/><!--  0..1 Width of the image in pixels (photo/video) -->
 <frames value="[positiveInt]"/><!--  0..1 Number of frames if > 1 (photo) -->
 <duration value="[unsignedInt]"/><!--  0..1 Length in seconds (audio / video) -->
 <content><!-- 1..1 Attachment Actual Media - reference or data --></content>
 <note><!-- 0..* Annotation Comments made about the media --></note>
</Media>
```

JSON Template

```
{
  "resourceType" : "Media",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Identifier(s) for the image
  "basedOn" : [{ Reference(ProcedureRequest) }], // Procedure that caused this media to be created
  "type" : "<code>", // R!  photo | video | audio
  "subtype" : { CodeableConcept }, // The type of acquisition equipment/process
  "view" : { CodeableConcept }, // Imaging view, e.g. Lateral or Antero-posterior
  "subject" : { Reference(Patient|Practitioner|Group|Device|Specimen) }, // Who/What this Media is a record of
  "context" : { Reference(Encounter|EpisodeOfCare) }, // Encounter / Episode associated with media
  // occurrence[x]: When Media was collected. One of these 2:
  "occurrenceDateTime" : "<dateTime>",
  "occurrencePeriod" : { Period },
  "operator" : { Reference(Practitioner) }, // The person who generated the image
  "reasonCode" : [{ CodeableConcept }], // Why was event performed?
  "bodySite" : { CodeableConcept }, // Body part in media
  "device" : { Reference(Device|DeviceMetric) }, // Observing Device
  "height" : "<positiveInt>", // C? Height of the image in pixels (photo/video)
  "width" : "<positiveInt>", // C? Width of the image in pixels (photo/video)
  "frames" : "<positiveInt>", // C? Number of frames if > 1 (photo)
  "duration" : "<unsignedInt>", // C? Length in seconds (audio / video)
  "content" : { Attachment }, // R!  Actual Media - reference or data
  "note" : [{ Annotation }] // Comments made about the media
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Media;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Media.identifier [ Identifier ], ... ; # 0..* Identifier(s) for the image
  fhir:Media.basedOn [ Reference(ProcedureRequest) ], ... ; # 0..* Procedure that caused this media to be created
  fhir:Media.type [ code ]; # 1..1 photo | video | audio
  fhir:Media.subtype [ CodeableConcept ]; # 0..1 The type of acquisition equipment/process
  fhir:Media.view [ CodeableConcept ]; # 0..1 Imaging view, e.g. Lateral or Antero-posterior
  fhir:Media.subject [ Reference(Patient|Practitioner|Group|Device|Specimen) ]; # 0..1 Who/What this Media is a record
    of
  fhir:Media.context [ Reference(Encounter|EpisodeOfCare) ]; # 0..1 Encounter / Episode associated with media
  # Media.occurrence[x] : 0..1 When Media was collected. One of these 2
    fhir:Media.occurrenceDateTime [ dateTime ]
    fhir:Media.occurrencePeriod [ Period ]
  fhir:Media.operator [ Reference(Practitioner) ]; # 0..1 The person who generated the image
  fhir:Media.reasonCode [ CodeableConcept ], ... ; # 0..* Why was event performed?
  fhir:Media.bodySite [ CodeableConcept ]; # 0..1 Body part in media
  fhir:Media.device [ Reference(Device|DeviceMetric) ]; # 0..1 Observing Device
  fhir:Media.height [ positiveInt ]; # 0..1 Height of the image in pixels (photo/video)
  fhir:Media.width [ positiveInt ]; # 0..1 Width of the image in pixels (photo/video)
  fhir:Media.frames [ positiveInt ]; # 0..1 Number of frames if > 1 (photo)
```

```
  fhir:Media.duration [ unsignedInt ]; # 0..1 Length in seconds (audio / video)
  fhir:Media.content [ Attachment ]; # 1..1 Actual Media - reference or data
  fhir:Media.note [ Annotation ], ... ; # 0..* Comments made about the media
]
```

Changes since DSTU2

Media
Media.basedOn | Added Element
Media.context | Added Element
Media.occurrence[x] | Added Element
Media.reasonCode | Added Element
Media.bodySite | Added Element
Media.device | Added Element
Media.note | Added Element
Media.deviceName | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 3 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints
Media | I | | DomainResource | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference + Height can only be used for a photo or video + Width can only be used for a photo or video + Frames can only be used for a photo + Duration can only be used for an audio or a video Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | ? | 0..* | Identifier | Identifier(s) for the image
basedOn | ? | 0..* | Reference(ProcedureRequest) | Procedure that caused this media to be created
type | ? | 1..1 | code | photo | video | audio DigitalMediaType (Required)
subtype | ? | 0..1 | CodeableConcept | The type of acquisition equipment/process Media SubType (Example)
view | ? | 0..1 | CodeableConcept | Imaging view, e.g. Lateral or Antero-posterior Media Collection View/Projection (Example)
subject | ? | 0..1 | Reference(Patient | Practitioner | Group | Device | Specimen) | Who/What this Media is a record of
context | ? | 0..1 | Reference(Encounter | EpisodeOfCare) | Encounter / Episode associated with media
occurrence[x] | ? | 0..1 | | When Media was collected
occurrenceDateTime | | | dateTime
occurrencePeriod | | | Period
operator | ? | 0..1 | Reference(Practitioner) | The person who generated the image
reasonCode | ? | 0..* | CodeableConcept | Why was event performed? Procedure Reason Codes (Example)
bodySite | ? | 0..1 | CodeableConcept | Body part in media SNOMED CT Body Structures (Example)
device | ? | 0..1 | Reference(Device | DeviceMetric) | Observing Device
height | ?I | 0..1 | positiveInt | Height of the image in pixels (photo/video)
width | ?I | 0..1 | positiveInt | Width of the image in pixels (photo/video)
frames | ?I | 0..1 | positiveInt | Number of frames if > 1 (photo)
duration | ?I | 0..1 | unsignedInt | Length in seconds (audio / video)
content | | 1..1 | Attachment | Actual Media - reference or data
note | | 0..* | Annotation | Comments made about the media
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Media xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Identifier(s) for the image --></identifier>
 <basedOn><!-- 0..* Reference(ProcedureRequest) Procedure that caused this media to be created --></basedOn>
 <type value="[code]"/><!-- 1..1 photo | video | audio -->
 <subtype><!-- 0..1 CodeableConcept The type of acquisition equipment/process --></subtype>
 <view><!-- 0..1 CodeableConcept Imaging view, e.g. Lateral or Antero-posterior --></view>
 <subject><!-- 0..1 Reference(Patient|Practitioner|Group|Device|Specimen) Who/What this Media is a record of
    --></subject>
 <context><!-- 0..1 Reference(Encounter|EpisodeOfCare) Encounter / Episode associated with media --></context>
 <occurrence[x]><!-- 0..1 dateTime|Period When Media was collected --></occurrence[x]>
 <operator><!-- 0..1 Reference(Practitioner) The person who generated the image --></operator>
 <reasonCode><!-- 0..* CodeableConcept Why was event performed? --></reasonCode>
 <bodySite><!-- 0..1 CodeableConcept Body part in media --></bodySite>
 <device><!-- 0..1 Reference(Device|DeviceMetric) Observing Device --></device>
 <height value="[positiveInt]"/><!--  0..1 Height of the image in pixels (photo/video) -->
 <width value="[positiveInt]"/><!--  0..1 Width of the image in pixels (photo/video) -->
 <frames value="[positiveInt]"/><!--  0..1 Number of frames if > 1 (photo) -->
 <duration value="[unsignedInt]"/><!--  0..1 Length in seconds (audio / video) -->
 <content><!-- 1..1 Attachment Actual Media - reference or data --></content>
 <note><!-- 0..* Annotation Comments made about the media --></note>
</Media>
```

JSON Template

```
{
  "resourceType" : "Media",
  // from Resource: id, meta, implicitRules, and language
```

```
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Identifier(s) for the image
  "basedOn" : [{ Reference(ProcedureRequest) }], // Procedure that caused this media to be created
  "type" : "<code>", // R!  photo | video | audio
  "subtype" : { CodeableConcept }, // The type of acquisition equipment/process
  "view" : { CodeableConcept }, // Imaging view, e.g. Lateral or Antero-posterior
  "subject" : { Reference(Patient|Practitioner|Group|Device|Specimen) }, // Who/What this Media is a record of
  "context" : { Reference(Encounter|EpisodeOfCare) }, // Encounter / Episode associated with media
  // occurrence[x]: When Media was collected. One of these 2:
  "occurrenceDateTime" : "<dateTime>",
  "occurrencePeriod" : { Period },
  "operator" : { Reference(Practitioner) }, // The person who generated the image
  "reasonCode" : [{ CodeableConcept }], // Why was event performed?
  "bodySite" : { CodeableConcept }, // Body part in media
  "device" : { Reference(Device|DeviceMetric) }, // Observing Device
  "height" : "<positiveInt>", // C? Height of the image in pixels (photo/video)
  "width" : "<positiveInt>", // C? Width of the image in pixels (photo/video)
  "frames" : "<positiveInt>", // C? Number of frames if > 1 (photo)
  "duration" : "<unsignedInt>", // C? Length in seconds (audio / video)
  "content" : { Attachment }, // R!  Actual Media - reference or data
  "note" : [{ Annotation }] // Comments made about the media
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Media;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Media.identifier [ Identifier ], ... ; # 0..* Identifier(s) for the image
  fhir:Media.basedOn [ Reference(ProcedureRequest) ], ... ; # 0..* Procedure that caused this media to be created
  fhir:Media.type [ code ]; # 1..1 photo | video | audio
  fhir:Media.subtype [ CodeableConcept ]; # 0..1 The type of acquisition equipment/process
  fhir:Media.view [ CodeableConcept ]; # 0..1 Imaging view, e.g. Lateral or Antero-posterior
  fhir:Media.subject [ Reference(Patient|Practitioner|Group|Device|Specimen) ]; # 0..1 Who/What this Media is a record
    of
  fhir:Media.context [ Reference(Encounter|EpisodeOfCare) ]; # 0..1 Encounter / Episode associated with media
  # Media.occurrence[x] : 0..1 When Media was collected. One of these 2
    fhir:Media.occurrenceDateTime [ dateTime ]
    fhir:Media.occurrencePeriod [ Period ]
  fhir:Media.operator [ Reference(Practitioner) ]; # 0..1 The person who generated the image
  fhir:Media.reasonCode [ CodeableConcept ], ... ; # 0..* Why was event performed?
  fhir:Media.bodySite [ CodeableConcept ]; # 0..1 Body part in media
  fhir:Media.device [ Reference(Device|DeviceMetric) ]; # 0..1 Observing Device
  fhir:Media.height [ positiveInt ]; # 0..1 Height of the image in pixels (photo/video)
  fhir:Media.width [ positiveInt ]; # 0..1 Width of the image in pixels (photo/video)
  fhir:Media.frames [ positiveInt ]; # 0..1 Number of frames if > 1 (photo)
  fhir:Media.duration [ unsignedInt ]; # 0..1 Length in seconds (audio / video)
  fhir:Media.content [ Attachment ]; # 1..1 Actual Media - reference or data
  fhir:Media.note [ Annotation ], ... ; # 0..* Comments made about the media
]
```

Changes since DSTU2

Media
Media.basedOn | Added Element
Media.context | Added Element
Media.occurrence[x] | Added Element
Media.reasonCode | Added Element
Media.bodySite | Added Element
Media.device | Added Element
Media.note | Added Element
Media.deviceName | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 3 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.37.3.1 Terminology Bindings

Path | Definition | Type | Reference
Media.type | Whether the media is a photo, video, or audio | Required | DigitalMediaType
Media.subtype | Detailed information about the type of the image - its kind, purpose, or the kind of equipment used to generate it | Example | Media SubType
Media.view | Imaging view (projection) used when collecting an image | Example | Media Collection View/Projection
Media.reasonCode | The reason for the media | Example | Procedure Reason Codes
Media.bodySite | Codes describing anatomical locations. May include laterality. | Example | SNOMED CT Body Structures

2.37.3.2 Constraints

* mda-1: Height can only be used for a photo or video (expression : height.empty() or type != 'audio')

* mda-2: Width can only be used for a photo or video (expression : width.empty() or type != 'audio')

* mda-3: Frames can only be used for a photo (expression : frames.empty() or type = 'photo')

* mda-4: Duration can only be used for an audio or a video (expression : duration.empty() or type != 'photo')

2.37.3.3 Implementation Notes

The media resource contains several date/times:

* Media.occurrence[x] - The date(/time) of collection, or the period over which collection occured

* Media.duration - The duration of the media. The duration might differ from occurrencePeriod if recording was paused

* Media.content.creation - This should be consistent with the Media.occurrence[x] but might be different due to partial / edited recordings

This resource can embed the image information directly through the attachment.data element. However, good practice is generally to use the attachment.url element to point to a Binary resource. Servers will frequently be able to persist Binary resources in purpose-dedicated repositories more suitable to potentially large artifacts.

2.37.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
based-on | reference | Procedure that caused this media to be created | Media.basedOn (ProcedureRequest)
context | reference | Encounter / Episode associated with media | Media.context (EpisodeOfCare, Encounter)
created | date | Date attachment was first created | Media.content.creation
date | date | When Media was collected | Media.occurrence
device | reference | Observing Device | Media.device (Device, DeviceMetric)
identifier | token | Identifier(s) for the image | Media.identifier
operator | reference | The person who generated the image | Media.operator (Practitioner)
patient | reference | Who/What this Media is a record of | Media.subject (Patient)
site | token | Body part in media | Media.bodySite
subject | reference | Who/What this Media is a record of | Media.subject (Practitioner, Group, Specimen, Device, Patient)
subtype | token | The type of acquisition equipment/process | Media.subtype
type | token | photo | video | audio | Media.type
view | token | Imaging view, e.g. Lateral or Antero-posterior | Media.view

2.37.5 Resource Media - Examples

URL: https://hl7.org/fhir/STU3/media-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.37.5 Resource Media - Examples

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Patient, Practitioner

Example List:

Simple photo | example | XML | JSON | Turtle
Example Ultrasound Image | 1.2.840.113619075792384034087 00.3.0.14.19970327150033 | XML | JSON | Turtle
Example Sound Recording | sound | XML | JSON | Turtle
Example hand x-ray | xray | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.37.6 Resource Media - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/media-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.37.6 Resource Media - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Compartments: Device, Patient, Practitioner

Detailed Descriptions for the elements in the Media resource.

Media
Definition | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.
Control | 1..1
Invariants | Defined on this element mda-1: Height can only be used for a photo or video (expression : height.empty() or type != 'audio', xpath: not(f:type/@value='audio') or not(f:height)) mda-2: Width can only be used for a photo or video (expression : width.empty() or type != 'audio', xpath: not(f:type/@value='audio') or not(f:width)) mda-3: Frames can only be used for a photo (expression : frames.empty() or type = 'photo', xpath: (f:type/@value='photo') or not(f:frames)) mda-4: Duration can only be used for an audio or a video (expression : duration.empty() or type != 'photo',

xpath: not(f:type/@value='photo') or not(f:duration))
Media.identifier
Definition | Identifiers associated with the image - these may include identifiers for the image itself, identifiers for the context of its collection (e.g. series ids) and context ids such as accession numbers or other workflow identifiers.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
Summary | true
Comments | The identifier label and use can be used to determine what kind of identifier it is.
Media.basedOn
Definition | A procedure that is fulfilled in whole or in part by the creation of this media.
Control | 0..*
Type | Reference(ProcedureRequest)
Requirements | Allows tracing of authorization for the event and tracking whether proposals/recommendations were acted upon.
Alternate Names | fulfills
Summary | true
Media.type
Definition | Whether the media is a photo (still image), an audio recording, or a video recording.
Control | 1..1
Terminology Binding | DigitalMediaType (Required)
Type | code
Summary | true
Media.subtype
Definition | Details of the type of the media - usually, how it was acquired (what type of device). If images sourced from a DICOM system, are wrapped in a Media resource, then this is the modality.
Control | 0..1
Terminology Binding | Media SubType (Example)
Type | CodeableConcept
Summary | true
Media.view
Definition | The name of the imaging view e.g. Lateral or Antero-posterior (AP).
Control | 0..1
Terminology Binding | Media Collection View/Projection (Example)
Type | CodeableConcept
Summary | true
Media.subject
Definition | Who/What this Media is a record of.
Control | 0..1
Type | Reference(Patient | Practitioner | Group | Device | Specimen)
Summary | true
Media.context
Definition | The encounter or episode of care that establishes the context for this media.
Control | 0..1
Type | Reference(Encounter | EpisodeOfCare)
Requirements | Links the media to the Encounter context.
Alternate Names | encounter
Summary | true
Comments | This will typically be the encounter the media occurred within.
Media.occurrence[x]
Definition | The date and time(s) at which the media was collected.
Control | 0..1
Type | dateTime|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Alternate Names | timing
Summary | true
Media.operator
Definition | The person who administered the collection of the image.
Control | 0..1
Type | Reference(Practitioner)
Summary | true
Media.reasonCode
Definition | Describes why the event occurred in coded or textual form.
Control | 0..*
Terminology Binding | Procedure Reason Codes (Example)
Type | CodeableConcept
Summary | true
Comments | Textual reasons can be caprued using reasonCode.text.
Media.bodySite
Definition | Indicates the site on the subject's body where the media was collected (i.e. the target site).
Control | 0..1
Terminology Binding | SNOMED CT Body Structures (Example)
Type | CodeableConcept

Summary | true
Comments | If the use case requires BodySite to be handled as a separate resource (e.g. to identify and track separately) then use The standard extension body-site-instance.
Media.device
Definition | The device used to collect the media.
Control | 0..1
Type | Reference(Device | DeviceMetric)
Summary | true
Comments | An extension should be used if further typing of the device is needed. Scondary devices used to support collecting a media can be represented using either extension or through the Observation.related element.
Media.height
Definition | Height of the image in pixels (photo/video).
Control | 0..1
Type | positiveInt
Summary | true
Invariants | Affect this element mda-1: Height can only be used for a photo or video (expression : height.empty() or type != 'audio', xpath: not(f:type/@value='audio') or not(f:height))
Media.width
Definition | Width of the image in pixels (photo/video).
Control | 0..1
Type | positiveInt
Summary | true
Invariants | Affect this element mda-2: Width can only be used for a photo or video (expression : width.empty() or type != 'audio', xpath: not(f:type/@value='audio') or not(f:width))
Media.frames
Definition | The number of frames in a photo. This is used with a multi-page fax, or an imaging acquisition context that takes multiple slices in a single image, or an animated gif. If there is more than one frame, this SHALL have a value in order to alert interface software that a multi-frame capable rendering widget is required.
Control | 0..1
Type | positiveInt
Default Value | 1
Summary | true
Invariants | Affect this element mda-3: Frames can only be used for a photo (expression : frames.empty() or type = 'photo', xpath: (f:type/@value='photo') or not(f:frames))
Media.duration
Definition | The duration of the recording in seconds - for audio and video.
Control | 0..1
Type | unsignedInt
Summary | true
Comments | The duration might differ from occurrencePeriod if recording was paused.
Invariants | Affect this element mda-4: Duration can only be used for an audio or a video (expression : duration.empty() or type != 'photo', xpath: not(f:type/@value='photo') or not(f:duration))
Media.content
Definition | The actual content of the media - inline or by direct reference to the media source file.
Control | 1..1
Type | Attachment
Comments | Recommended content types: image/jpeg, image/png, image/tiff, video/mpeg, audio/mp4, application/dicom. Application/dicom can contain the transfer syntax as a parameter. For an media that covers a period of time (video/sound), the content.creationTime is the end time. Creation time is used for tracking, organizing versions and searching.
Media.note
Definition | Comments made about the media by the performer, subject or other participants.
Control | 0..*
Type | Annotation

2.37.7 Resource Media - Mappings

URL: https://hl7.org/fhir/STU3/media-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.37.7 Resource Media - Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Patient, Practitioner

Mappings:

RIM Mapping

SNOMED CT Attribute Binding

SNOMED CT Concept Domain Binding

HL7 v2 Mapping

DICOM Tag Mapping

Mappings for the media resource.

2.37.7.1 Mappings for RIM Mapping (http://hl7.org/v3)

Media | Act[classCode="DGIMG", moodCode="EVN"]
identifier | .id
basedOn | .outboundRelationship[typeCode=FLFS].target
type | .code
subtype | .outboundRelationship[typeCode="COMP].target[classCode="LIST", moodCode="EVN"].code
view | DiagnosticImage.subjectOrientationCode
subject | .participation[typeCode="SUBJ"]???
context | .inboundRelationship(typeCode=COMP].source[classCode<=PCPR, moodCode=EVN]
occurrence[x] | .effectiveTime
operator | .participation[typeCode="PERF"]???
reasonCode | .reasonCode
bodySite | targetSiteCode
device | participation[typeCode=DEV]
height | .outboundRelationship[typeCode="COMP].target[classCode="OBS", moodCode="EVN",code="<CODE>"].value
width | .outboundRelationship[typeCode="COMP].target[classCode="OBS", moodCode="EVN",code="<CODE>"].value
frames | .outboundRelationship[typeCode="COMP].target[classCode="OBS", moodCode="EVN",code="<CODE>"].value
duration | .outboundRelationship[typeCode="COMP].target[classCode="OBS", moodCode="EVN",code="<CODE>"].value
content | .text
note | .inboundRelationship(typeCode=SUBJ].source[classCode=ANNGEN, moodCode=EVN].value[xsi:type=ST]

2.37.7.2 Mappings for SNOMED CT Attribute Binding (http://snomed.info/sct)

Attribute bindings link coded data elements in FHIR resources to a corresponding attribute in the SNOMED CT concept model. These bindings help to support:

* clarifying the intended meaning of the data element

* Quality checking the alignment between FHIR resource design and any coresponding SNOMED CT concept model

* Composition and decomposition of data instances by indicating the SNOMED CT concept model attribute whose value may be used to decompose a precoordinated concept into this data element

Media
identifier
basedOn
type
subtype
view
subject
context
occurrence[x]
operator
reasonCode
bodySite | 718497002 |Inherent location|
device | 424226004 |Using device|
height
width
frames
duration
content
note

2.37.7.3 Mappings for SNOMED CT Concept Domain Binding (http://snomed.info/conceptdomain)

Concept domain bindings link a resource or an element to a set of SNOMED CT concepts that represent the intended semantics of the instances (whether or not SNOMED CT is used to encode that data element). This set of concepts is represented using a SNOMED CT expression constraint. Note that the 'Concept domain binding' may be a superset of the 'value set binding'. These bindings help to support:

* Quality checking FHIR resources by ensuring that (a) the intended semantics of the instances matches the valid range of the corresponding SNOMED CT attribute, and (b) the intended value set is appropriate for the intended semantics of the instances

* Semantic checking of data instances by helping to detect potential inconsistencies caused by overlap between the semantics incorporated in two concept domains

Media
identifier
basedOn
type
subtype
view
subject
context
occurrence[x]
operator

reasonCode
bodySite | < 123037004 |Body structure|
device | < 49062001 |Device|
height
width
frames
duration
content
note

2.37.7.4 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

Media
identifier
basedOn
type
subtype
view
subject
context
occurrence[x]
operator
reasonCode
bodySite
device
height
width
frames
duration
content
note | NTE

2.37.7.5 Mappings for DICOM Tag Mapping (http://nema.org/dicom)

Media
identifier | 0008,0018 | ~0008,0050 | 0020,000D | 0020,000E
basedOn
type
subtype | 0008,0060 | 0008,1032
view
subject | ~0010,0020
context
occurrence[x]
operator | 0008,1060?
reasonCode
bodySite
device
height | 0028,0010
width | 0028,0011
frames
duration | ~0028,0002
content
note

2.37.8 Resource Media - Design Notes

URL: https://hl7.org/fhir/STU3/media-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.37.8 Resource Media - Design Notes

to do

2.37.9 Resource Media - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/media-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.37.9 Resource Media - Extensions & Profiles

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Media resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.37.9.1 Profiles

No Profiles defined for this resource

2.37.9.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

2.37.9.3 Search Extensions

No Search Extensions defined for this resource

2.37.10 Resource Media - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/media-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.37.10 Resource Media - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Patient, Practitioner

R2 : R3 Converson maps for Media.

Functional status for this map: 3 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid. (see documentation)

2.37.10.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/Media2to3" = "R2 to R3 Conversions for Media"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Media" alias MediaR2 as source
uses "http://hl7.org/fhir/StructureDefinition/Media" alias Media as target

imports "http://hl7.org/fhir/StructureMap/primitives2to3"
imports "http://hl7.org/fhir/StructureMap/DomainResource2to3"
imports "http://hl7.org/fhir/StructureMap/Attachment2to3"
imports "http://hl7.org/fhir/StructureMap/Identifier2to3"
imports "http://hl7.org/fhir/StructureMap/Reference2to3"
imports "http://hl7.org/fhir/StructureMap/CodeableConcept2to3"

group for type+types  Media extends DomainResource
  input src : MediaR2 as source
  input tgt : Media as target

  "Media-identifier" : for src.identifier make tgt.identifier
  "Media-type" : for src.type make tgt.type
  "Media-subtype" : for src.subtype make tgt.subtype
  "Media-view" : for src.view make tgt.view
  "Media-subject" : for src.subject make tgt.subject
  "Media-operator" : for src.operator make tgt.operator
  "Media-deviceName" : for src.deviceName as v make tgt.device as d, d.display = v
  "Media-height" : for src.height make tgt.height
  "Media-width" : for src.width make tgt.width
  "Media-frames" : for src.frames make tgt.frames
  "Media-duration" : for src.duration make tgt.duration
  "Media-content" : for src.content make tgt.content

endgroup
```

2.37.10.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/Media3to2" = "R3 to R2 Conversion for Media"

uses "http://hl7.org/fhir/StructureDefinition/Media" alias Media as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Media" alias MediaR2 as target

imports "http://hl7.org/fhir/StructureMap/primitives3to2"
imports "http://hl7.org/fhir/StructureMap/DomainResource3to2"
imports "http://hl7.org/fhir/StructureMap/Attachment3to2"
imports "http://hl7.org/fhir/StructureMap/Identifier3to2"
imports "http://hl7.org/fhir/StructureMap/Reference3to2"
imports "http://hl7.org/fhir/StructureMap/CodeableConcept3to2"

group for type+types  Media extends DomainResource
  input src : Media as source
  input tgt : MediaR2 as target

  "Media-identifier" : for src.identifier make tgt.identifier
```

```
  "Media-type" : for src.type make tgt.type
  "Media-subtype" : for src.subtype make tgt.subtype
  "Media-view" : for src.view make tgt.view
  "Media-subject" : for src.subject make tgt.subject
  "Media-operator" : for src.operator make tgt.operator
  "Media-deviceName" : for src.device as v then {
    "Media-deviceName-inner" : for v.display make tgt.deviceName
  }
  "Media-height" : for src.height make tgt.height
  "Media-width" : for src.width make tgt.width
  "Media-frames" : for src.frames make tgt.frames
  "Media-duration" : for src.duration make tgt.duration
  "Media-content" : for src.content make tgt.content

endgroup
```

2.37.10.3 R3 Validation Errors

2.38 Resource Questionnaire - Content

URL: https://hl7.org/fhir/STU3/questionnaire.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Compartments: Not linked to any defined compartments

A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

2.38.1 Scope and Usage

A Questionnaire is an organized collection of questions intended to solicit information from patients, providers or other individuals involved in the healthcare domain. They may be simple flat lists of questions or can be hierarchically organized in groups and sub-groups, each containing questions. The Questionnaire defines the questions to be asked, how they are ordered and grouped, any intervening instructional text and what the constraints are on the allowed answers. The results of a Questionnaire can be communicated using the QuestionnaireResponse resource.

Questionnaires cover the need to communicate data originating from forms used in medical history examinations, research questionnaires and sometimes full clinical specialty records. In many systems this data is collected using user-defined screens and forms. Questionnaires define specifics about data capture - exactly what questions were asked, in what order, what choices for answers were, etc. Each of these questions is part of the Questionnaire, and as such the Questionnaire is a separately identifiable Resource, whereas the individual questions are not. (Questionnaire questions can be linked to shared data elements using the Questionnaire.item.definition element.)

Examples of Questionnaires include:

* Past medical history (PMH)

* Family diseases

* Social history

* Research questionnaires/Clinical research forms (CRFs)

* Quality and evaluation forms

* Patient intake form (e.g. clipboard)

* Insurance claim form

This resource is limited in scope to support the characteristics of simple questionnaires. However, common extensions have been defined to allow more sophisticated behavior. This includes:

* Questionnaire core extensions which defines the additional descriptive characteristics for questionnaires and their groups and questions

* Element extensions which can describe additional constraints on allowed answers for questionnaires such as string length and date and numeric ranges

Additional profiles such as the Structured Data Capture Questionnaire profile may provide additional capabilities for defining more sophisticated questionnaires and forms.

2.38.2 Boundaries and Relationships

Questionnaires differ from Lists because Lists group existing resources, while Questionnaires group arbitrary questions. In theory, a Questionnaire could be expressed as a List or Composition containing DataElement resources. However, the former would disregard the "wholeness" associated with a questionnaire where questions must generally be maintained as a single structure. The latter would focus on rendering of the data elements rather than organizing the capture of information.

Questionnaires are distinct from Observations and DiagnosticReports in that both of these resources are intended to capture only certain types of information (lab, imaging, vitals, etc.) and should not be used to capture the full breadth of healthcare information (allergies, medications, care plans, etc.), while Questionnaires are able to capture any information at all. More importantly, Observation and DiagnosticReport focus on capturing the discrete information in a standardized form so that the information can be used consistently regardless of where or how it is captured. Questionnaire focuses on information capture.

The same information can be captured using a wide variety of questionnaires with differently phrased questions organized in different manners. As such, the Questionnaire resource provides a means to standardize the information gathering process (how information is captured), but not the actual information collected. Observation and DiagnosticReport standardize what information is actually captured, but not how the information is gathered.

Questionnaires are similar to the notion of "logical models" supported by the StructureDefinition resource. Both support the representation of a collection of data points with labels, data types and hierarchy. It will be common to find the two of them mapped together. The primary difference is that Questionnaire is focused on user-facing data collection. It describes specific questions and includes information such as what number/label should be displayed beside each question, conditions in which questions should be displayed (or not), what instructions should be provided to the user, etc. StructureDefinition, on the other hand, merely defines a data structure with no guidance on display or rules around capture mechanism, only what data should exist in the end. As well, logical models are not intended to capture data directly. Rather, they provide a basis for mapping between data capture structures.

2.38.3 Background and Context

Groups and questions that make up a Questionnaire can use the definition element to refer to data elements in external code systems, DataElements and StructureDefinitions. In this way, it's possible to leverage standard definitions of questions and their associated data types and answer sets across questionnaires. This also allows extraction of the data from a questionnaire response into other data structures (e.g. populating a ReferralRequest or CarePlan from information in a completed questionnaire response. It can also support other sorts of post-processing of the data contained in a questionnaire response. However, use of the definition element is not required and Questionnaires may be quite loosely defined. The section Questionnaire versus Resources below discusses the issues of collecting data in such loosely defined Questionnaires versus collecting data as well-defined separate Resources.

This resource is referenced by CarePlan, FamilyMemberHistory and QuestionnaireResponse

2.38.4 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
Questionnaire | I | | DomainResource | A structured set of questions + The link ids for groups and questions must be unique within the questionnaire
Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
url | ? | 0..1 | uri | Logical URI to reference this questionnaire (globally unique)
identifier | ? | 0..* | Identifier | Additional identifier for the questionnaire
version | ? | 0..1 | string | Business version of the questionnaire
name | ? | 0..1 | string | Name for this questionnaire (computer friendly)
title | ? | 0..1 | string | Name for this questionnaire (human friendly)
status | ?!? | 1..1 | code | draft | active | retired | unknown PublicationStatus (Required)
experimental | ?!? | 0..1 | boolean | For testing purposes, not real usage
date | ? | 0..1 | dateTime | Date this was last changed
publisher | ? | 0..1 | string | Name of the publisher (organization or individual)
description | | 0..1 | markdown | Natural language description of the questionnaire
purpose | | 0..1 | markdown | Why this questionnaire is defined
approvalDate | | 0..1 | date | When the questionnaire was approved by publisher
lastReviewDate | | 0..1 | date | When the questionnaire was last reviewed
effectivePeriod | ? | 0..1 | Period | When the questionnaire is expected to be used
useContext | ? | 0..* | UsageContext | Context the content is intended to support
jurisdiction | ? | 0..* | CodeableConcept | Intended jurisdiction for questionnaire (if applicable) Jurisdiction ValueSet (Extensible)
contact | ? | 0..* | ContactDetail | Contact details for the publisher
copyright | | 0..1 | markdown | Use and/or publishing restrictions
code | ? | 0..* | Coding | Concept that represents the overall questionnaire Questionnaire Question Codes (Example)
subjectType | ? | 0..* | code | Resource that can be subject of QuestionnaireResponse ResourceType (Required)
item | I | 0..* | BackboneElement | Questions and sections within the Questionnaire + Read-only can't be specified for "display" items + Default values can't be specified for groups or display items + Required and repeat aren't permitted for display items + Only 'choice' items can have options + A question cannot have both option and options + Display items cannot have a "code" asserted + Maximum length can only be declared for simple question types + Group items must have nested items, display items cannot have nested items
linkId | | 1..1 | string | Unique id for item in questionnaire
definition | | 0..1 | uri | ElementDefinition - details for the item
code | ?I | 0..* | Coding | Corresponding concept for this item in a terminology Questionnaire Question Codes (Example)
prefix | | 0..1 | string | E.g. "1(a)", "2.5.3"
text | ? | 0..1 | string | Primary text for the item
type | | 1..1 | code | group | display | boolean | decimal | integer | date | dateTime + QuestionnaireItemType (Required)

enableWhen | ?!?I | 0..* | BackboneElement | Only allow data when + enableWhen must contain either a 'answer' or a 'hasAnswer' element
question | | 1..1 | string | Question that determines whether item is enabled
hasAnswer | I | 0..1 | boolean | Enable when answered or not
answer[x] | I | 0..1 | | Value question must have Questionnaire Answer Codes (Example)
answerBoolean | | | boolean
answerDecimal | | | decimal
answerInteger | | | integer
answerDate | | | date
answerDateTime | | | dateTime
answerTime | | | time
answerString | | | string
answerUri | | | uri
answerAttachment | | | Attachment
answerCoding | | | Coding
answerQuantity | | | Quantity
answerReference | | | Reference(Any)
required | I | 0..1 | boolean | Whether the item must be included in data results
repeats | I | 0..1 | boolean | Whether the item may repeat
readOnly | I | 0..1 | boolean | Don't allow human editing
maxLength | I | 0..1 | integer | No more than this many characters
options | I | 0..1 | Reference(ValueSet) | Valueset containing permitted answers
option | I | 0..* | BackboneElement | Permitted answer
value[x] | | 1..1 | | Answer value Questionnaire Answer Codes (Example)
valueInteger | | | integer
valueDate | | | date
valueTime | | | time
valueString | | | string
valueCoding | | | Coding
initial[x] | I | 0..1 | | Default value when item is first rendered Questionnaire Answer Codes (Example)
initialBoolean | | | boolean
initialDecimal | | | decimal
initialInteger | | | integer
initialDate | | | date
initialDateTime | | | dateTime
initialTime | | | time
initialString | | | string
initialUri | | | uri
initialAttachment | | | Attachment
initialCoding | | | Coding
initialQuantity | | | Quantity
initialReference | | | Reference(Any)
item | I | 0..* | see item | Nested questionnaire items
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Questionnaire xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <url value="[uri]"/><!-- 0..1 Logical URI to reference this questionnaire (globally unique) -->
 <identifier><!-- 0..* Identifier Additional identifier for the questionnaire --></identifier>
 <version value="[string]"/><!-- 0..1 Business version of the questionnaire -->
 <name value="[string]"/><!-- 0..1 Name for this questionnaire (computer friendly) -->
 <title value="[string]"/><!-- 0..1 Name for this questionnaire (human friendly) -->
 <status value="[code]"/><!-- 1..1 draft | active | retired | unknown -->
 <experimental value="[boolean]"/><!-- 0..1 For testing purposes, not real usage -->
 <date value="[dateTime]"/><!-- 0..1 Date this was last changed -->
 <publisher value="[string]"/><!-- 0..1 Name of the publisher (organization or individual) -->
 <description value="[markdown]"/><!-- 0..1 Natural language description of the questionnaire -->
 <purpose value="[markdown]"/><!-- 0..1 Why this questionnaire is defined -->
 <approvalDate value="[date]"/><!-- 0..1 When the questionnaire was approved by publisher -->
 <lastReviewDate value="[date]"/><!-- 0..1 When the questionnaire was last reviewed -->
 <effectivePeriod><!-- 0..1 Period When the questionnaire is expected to be used --></effectivePeriod>
 <useContext><!-- 0..* UsageContext Context the content is intended to support --></useContext>
 <jurisdiction><!-- 0..* CodeableConcept Intended jurisdiction for questionnaire (if applicable) --></jurisdiction>
 <contact><!-- 0..* ContactDetail Contact details for the publisher --></contact>
 <copyright value="[markdown]"/><!-- 0..1 Use and/or publishing restrictions -->
 <code><!-- 0..* Coding Concept that represents the overall questionnaire --></code>
 <subjectType value="[code]"/><!-- 0..* Resource that can be subject of QuestionnaireResponse -->
 <item>  <!--  0..* Questions and sections within the Questionnaire -->
  <linkId value="[string]"/><!-- 1..1 Unique id for item in questionnaire -->
  <definition value="[uri]"/><!-- 0..1 ElementDefinition - details for the item -->
  <code><!--  0..* Coding Corresponding concept for this item in a terminology --></code>
  <prefix value="[string]"/><!-- 0..1 E.g. "1(a)", "2.5.3" -->
  <text value="[string]"/><!-- 0..1 Primary text for the item -->
  <type value="[code]"/><!-- 1..1 group | display | boolean | decimal | integer | date | dateTime + -->
  <enableWhen>  <!-- 0..* Only allow data when -->
   <question value="[string]"/><!-- 1..1 Question that determines whether item is enabled -->
```

```
   <hasAnswer value="[boolean]"/><!--  0..1 Enable when answered or not -->
   <answer[x]><!--  0..1 boolean|decimal|integer|date|dateTime|time|string|uri|
     Attachment|Coding|Quantity|Reference(Any) Value question must have --></answer[x]>
  </enableWhen>
  <required value="[boolean]"/><!--  0..1 Whether the item must be included in data results -->
  <repeats value="[boolean]"/><!--  0..1 Whether the item may repeat -->
  <readOnly value="[boolean]"/><!--  0..1 Don't allow human editing -->
  <maxLength value="[integer]"/><!--  0..1 No more than this many characters -->
  <options><!--  0..1 Reference(ValueSet) Valueset containing permitted answers --></options>
  <option>  <!--  0..* Permitted answer -->
   <value[x]><!-- 1..1 integer|date|time|string|Coding Answer value --></value[x]>
  </option>
  <initial[x]><!--  0..1 boolean|decimal|integer|date|dateTime|time|string|uri|
    Attachment|Coding|Quantity|Reference(Any) Default value when item is first rendered --></initial[x]>
  <item><!--  0..* Content as for Questionnaire.item Nested questionnaire items --></item>
 </item>
</Questionnaire>
```

JSON Template

```
{
  "resourceType" : "Questionnaire",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "url" : "<uri>", // Logical URI to reference this questionnaire (globally unique)
  "identifier" : [{ Identifier }], // Additional identifier for the questionnaire
  "version" : "<string>", // Business version of the questionnaire
  "name" : "<string>", // Name for this questionnaire (computer friendly)
  "title" : "<string>", // Name for this questionnaire (human friendly)
  "status" : "<code>", // R!  draft | active | retired | unknown
  "experimental" : <boolean>, // For testing purposes, not real usage
  "date" : "<dateTime>", // Date this was last changed
  "publisher" : "<string>", // Name of the publisher (organization or individual)
  "description" : "<markdown>", // Natural language description of the questionnaire
  "purpose" : "<markdown>", // Why this questionnaire is defined
  "approvalDate" : "<date>", // When the questionnaire was approved by publisher
  "lastReviewDate" : "<date>", // When the questionnaire was last reviewed
  "effectivePeriod" : { Period }, // When the questionnaire is expected to be used
  "useContext" : [{ UsageContext }], // Context the content is intended to support
  "jurisdiction" : [{ CodeableConcept }], // Intended jurisdiction for questionnaire (if applicable)
  "contact" : [{ ContactDetail }], // Contact details for the publisher
  "copyright" : "<markdown>", // Use and/or publishing restrictions
  "code" : [{ Coding }], // Concept that represents the overall questionnaire
  "subjectType" : ["<code>"], // Resource that can be subject of QuestionnaireResponse
  "item" : [{ // C? Questions and sections within the Questionnaire
    "linkId" : "<string>", // R!  Unique id for item in questionnaire
    "definition" : "<uri>", // ElementDefinition - details for the item
    "code" : [{ Coding }], // C? Corresponding concept for this item in a terminology
    "prefix" : "<string>", // E.g. "1(a)", "2.5.3"
    "text" : "<string>", // Primary text for the item
    "type" : "<code>", // R!  group | display | boolean | decimal | integer | date | dateTime +
    "enableWhen" : [{ // Only allow data when
      "question" : "<string>", // R!  Question that determines whether item is enabled
      "hasAnswer" : <boolean>, // C? Enable when answered or not
      // answer[x]: Value question must have. One of these 12:
      "answerBoolean" : <boolean>
      "answerDecimal" : <decimal>
      "answerInteger" : <integer>
      "answerDate" : "<date>"
      "answerDateTime" : "<dateTime>"
      "answerTime" : "<time>"
      "answerString" : "<string>"
      "answerUri" : "<uri>"
      "answerAttachment" : { Attachment }
      "answerCoding" : { Coding }
      "answerQuantity" : { Quantity }
      "answerReference" : { Reference(Any) }
    }],
    "required" : <boolean>, // C? Whether the item must be included in data results
    "repeats" : <boolean>, // C? Whether the item may repeat
    "readOnly" : <boolean>, // C? Don't allow human editing
    "maxLength" : <integer>, // C? No more than this many characters
    "options" : { Reference(ValueSet) }, // C? Valueset containing permitted answers
    "option" : [{ // C? Permitted answer
      // value[x]: Answer value. One of these 5:
      "valueInteger" : <integer>
      "valueDate" : "<date>"
      "valueTime" : "<time>"
      "valueString" : "<string>"
      "valueCoding" : { Coding }
    }],
    // initial[x]: Default value when item is first rendered. One of these 12:
    "initialBoolean" : <boolean>,
    "initialDecimal" : <decimal>,
    "initialInteger" : <integer>,
    "initialDate" : "<date>",
    "initialDateTime" : "<dateTime>",
    "initialTime" : "<time>",
    "initialString" : "<string>",
    "initialUri" : "<uri>",
```

```
    "initialAttachment" : { Attachment },
    "initialCoding" : { Coding },
    "initialQuantity" : { Quantity },
    "initialReference" : { Reference(Any) },
    "item" : [{ Content as for Questionnaire.item }] // C? Nested questionnaire items
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Questionnaire;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Questionnaire.url [ uri ]; # 0..1 Logical URI to reference this questionnaire (globally unique)
  fhir:Questionnaire.identifier [ Identifier ], ... ; # 0..* Additional identifier for the questionnaire
  fhir:Questionnaire.version [ string ]; # 0..1 Business version of the questionnaire
  fhir:Questionnaire.name [ string ]; # 0..1 Name for this questionnaire (computer friendly)
  fhir:Questionnaire.title [ string ]; # 0..1 Name for this questionnaire (human friendly)
  fhir:Questionnaire.status [ code ]; # 1..1 draft | active | retired | unknown
  fhir:Questionnaire.experimental [ boolean ]; # 0..1 For testing purposes, not real usage
  fhir:Questionnaire.date [ dateTime ]; # 0..1 Date this was last changed
  fhir:Questionnaire.publisher [ string ]; # 0..1 Name of the publisher (organization or individual)
  fhir:Questionnaire.description [ markdown ]; # 0..1 Natural language description of the questionnaire
  fhir:Questionnaire.purpose [ markdown ]; # 0..1 Why this questionnaire is defined
  fhir:Questionnaire.approvalDate [ date ]; # 0..1 When the questionnaire was approved by publisher
  fhir:Questionnaire.lastReviewDate [ date ]; # 0..1 When the questionnaire was last reviewed
  fhir:Questionnaire.effectivePeriod [ Period ]; # 0..1 When the questionnaire is expected to be used
  fhir:Questionnaire.useContext [ UsageContext ], ... ; # 0..* Context the content is intended to support
  fhir:Questionnaire.jurisdiction [ CodeableConcept ], ... ; # 0..* Intended jurisdiction for questionnaire (if
    applicable)
  fhir:Questionnaire.contact [ ContactDetail ], ... ; # 0..* Contact details for the publisher
  fhir:Questionnaire.copyright [ markdown ]; # 0..1 Use and/or publishing restrictions
  fhir:Questionnaire.code [ Coding ], ... ; # 0..* Concept that represents the overall questionnaire
  fhir:Questionnaire.subjectType [ code ], ... ; # 0..* Resource that can be subject of QuestionnaireResponse
  fhir:Questionnaire.item [ # 0..* Questions and sections within the Questionnaire
    fhir:Questionnaire.item.linkId [ string ]; # 1..1 Unique id for item in questionnaire
    fhir:Questionnaire.item.definition [ uri ]; # 0..1 ElementDefinition - details for the item
    fhir:Questionnaire.item.code [ Coding ], ... ; # 0..* Corresponding concept for this item in a terminology
    fhir:Questionnaire.item.prefix [ string ]; # 0..1 E.g. "1(a)", "2.5.3"
    fhir:Questionnaire.item.text [ string ]; # 0..1 Primary text for the item
    fhir:Questionnaire.item.type [ code ]; # 1..1 group | display | boolean | decimal | integer | date | dateTime +
    fhir:Questionnaire.item.enableWhen [ # 0..* Only allow data when
      fhir:Questionnaire.item.enableWhen.question [ string ]; # 1..1 Question that determines whether item is enabled
      fhir:Questionnaire.item.enableWhen.hasAnswer [ boolean ]; # 0..1 Enable when answered or not
      # Questionnaire.item.enableWhen.answer[x] : 0..1 Value question must have. One of these 12
        fhir:Questionnaire.item.enableWhen.answerBoolean [ boolean ]
        fhir:Questionnaire.item.enableWhen.answerDecimal [ decimal ]
        fhir:Questionnaire.item.enableWhen.answerInteger [ integer ]
        fhir:Questionnaire.item.enableWhen.answerDate [ date ]
        fhir:Questionnaire.item.enableWhen.answerDateTime [ dateTime ]
        fhir:Questionnaire.item.enableWhen.answerTime [ time ]
        fhir:Questionnaire.item.enableWhen.answerString [ string ]
        fhir:Questionnaire.item.enableWhen.answerUri [ uri ]
        fhir:Questionnaire.item.enableWhen.answerAttachment [ Attachment ]
        fhir:Questionnaire.item.enableWhen.answerCoding [ Coding ]
        fhir:Questionnaire.item.enableWhen.answerQuantity [ Quantity ]
        fhir:Questionnaire.item.enableWhen.answerReference [ Reference(Any) ]
    ], ...;
    fhir:Questionnaire.item.required [ boolean ]; # 0..1 Whether the item must be included in data results
    fhir:Questionnaire.item.repeats [ boolean ]; # 0..1 Whether the item may repeat
    fhir:Questionnaire.item.readOnly [ boolean ]; # 0..1 Don't allow human editing
    fhir:Questionnaire.item.maxLength [ integer ]; # 0..1 No more than this many characters
    fhir:Questionnaire.item.options [ Reference(ValueSet) ]; # 0..1 Valueset containing permitted answers
    fhir:Questionnaire.item.option [ # 0..* Permitted answer
      # Questionnaire.item.option.value[x] : 1..1 Answer value. One of these 5
        fhir:Questionnaire.item.option.valueInteger [ integer ]
        fhir:Questionnaire.item.option.valueDate [ date ]
        fhir:Questionnaire.item.option.valueTime [ time ]
        fhir:Questionnaire.item.option.valueString [ string ]
        fhir:Questionnaire.item.option.valueCoding [ Coding ]
    ], ...;
    # Questionnaire.item.initial[x] : 0..1 Default value when item is first rendered. One of these 12
      fhir:Questionnaire.item.initialBoolean [ boolean ]
      fhir:Questionnaire.item.initialDecimal [ decimal ]
      fhir:Questionnaire.item.initialInteger [ integer ]
      fhir:Questionnaire.item.initialDate [ date ]
      fhir:Questionnaire.item.initialDateTime [ dateTime ]
      fhir:Questionnaire.item.initialTime [ time ]
      fhir:Questionnaire.item.initialString [ string ]
      fhir:Questionnaire.item.initialUri [ uri ]
      fhir:Questionnaire.item.initialAttachment [ Attachment ]
      fhir:Questionnaire.item.initialCoding [ Coding ]
      fhir:Questionnaire.item.initialQuantity [ Quantity ]
      fhir:Questionnaire.item.initialReference [ Reference(Any) ]
    fhir:Questionnaire.item.item [ See Questionnaire.item ], ... ; # 0..* Nested questionnaire items
```

```
  ], ...;
]
```

Changes since DSTU2

Questionnaire
Questionnaire.url | Added Element
Questionnaire.name | Added Element
Questionnaire.title | Added Element
Questionnaire.status | Change value set from http://hl7.org/fhir/ValueSet/questionnaire-status to http://hl7.org/fhir/ValueSet/publication-status
Questionnaire.experimental | Added Element
Questionnaire.description | Added Element
Questionnaire.purpose | Added Element
Questionnaire.approvalDate | Added Element
Questionnaire.lastReviewDate | Added Element
Questionnaire.effectivePeriod | Added Element
Questionnaire.useContext | Added Element
Questionnaire.jurisdiction | Added Element
Questionnaire.contact | Added Element
Questionnaire.copyright | Added Element
Questionnaire.code | Added Element
Questionnaire.item | Renamed from group to item Min Cardinality changed from 1 to 0 Max Cardinality changed from 1 to *
Questionnaire.item.linkId | Min Cardinality changed from 0 to 1
Questionnaire.item.definition | Added Element
Questionnaire.item.code | Added Element
Questionnaire.item.prefix | Added Element
Questionnaire.item.type | Added Element
Questionnaire.item.enableWhen | Added Element
Questionnaire.item.enableWhen.question | Added Element
Questionnaire.item.enableWhen.hasAnswer | Added Element
Questionnaire.item.enableWhen.answer[x] | Added Element
Questionnaire.item.readOnly | Added Element
Questionnaire.item.maxLength | Added Element
Questionnaire.item.options | Added Element
Questionnaire.item.option | Added Element
Questionnaire.item.option.value[x] | Added Element
Questionnaire.item.initial[x] | Added Element
Questionnaire.item.item | Added Element
Questionnaire.telecom | deleted
Questionnaire.group.title | deleted
Questionnaire.group.concept | deleted
Questionnaire.group.group | deleted
Questionnaire.group.question | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 6 tests that all execute ok. 4 fail round-trip testing and 5 r3 resources are invalid (109 errors).).

Structure

Name | Flags | Card. | Type | Description & Constraints
Questionnaire | I | | DomainResource | A structured set of questions + The link ids for groups and questions must be unique within the questionnaire
Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
url | ? | 0..1 | uri | Logical URI to reference this questionnaire (globally unique)
identifier | ? | 0..* | Identifier | Additional identifier for the questionnaire
version | ? | 0..1 | string | Business version of the questionnaire
name | ? | 0..1 | string | Name for this questionnaire (computer friendly)
title | ? | 0..1 | string | Name for this questionnaire (human friendly)
status | ?!? | 1..1 | code | draft | active | retired | unknown PublicationStatus (Required)
experimental | ?!? | 0..1 | boolean | For testing purposes, not real usage
date | ? | 0..1 | dateTime | Date this was last changed
publisher | ? | 0..1 | string | Name of the publisher (organization or individual)
description | | 0..1 | markdown | Natural language description of the questionnaire
purpose | | 0..1 | markdown | Why this questionnaire is defined
approvalDate | | 0..1 | date | When the questionnaire was approved by publisher
lastReviewDate | | 0..1 | date | When the questionnaire was last reviewed
effectivePeriod | ? | 0..1 | Period | When the questionnaire is expected to be used
useContext | ? | 0..* | UsageContext | Context the content is intended to support
jurisdiction | ? | 0..* | CodeableConcept | Intended jurisdiction for questionnaire (if applicable) Jurisdiction ValueSet (Extensible)
contact | ? | 0..* | ContactDetail | Contact details for the publisher
copyright | | 0..1 | markdown | Use and/or publishing restrictions
code | ? | 0..* | Coding | Concept that represents the overall questionnaire Questionnaire Question Codes (Example)
subjectType | ? | 0..* | code | Resource that can be subject of QuestionnaireResponse ResourceType (Required)

item | I | 0..* | BackboneElement | Questions and sections within the Questionnaire + Read-only can't be specified for "display" items + Default values can't be specified for groups or display items + Required and repeat aren't permitted for display items + Only 'choice' items can have options + A question cannot have both option and options + Display items cannot have a "code" asserted + Maximum length can only be declared for simple question types + Group items must have nested items, display items cannot have nested items
linkId | | 1..1 | string | Unique id for item in questionnaire
definition | | 0..1 | uri | ElementDefinition - details for the item
code | ?I | 0..* | Coding | Corresponding concept for this item in a terminology Questionnaire Question Codes (Example)
prefix | | 0..1 | string | E.g. "1(a)", "2.5.3"
text | ? | 0..1 | string | Primary text for the item
type | | 1..1 | code | group | display | boolean | decimal | integer | date | dateTime + QuestionnaireItemType (Required)
enableWhen | ?!?I | 0..* | BackboneElement | Only allow data when + enableWhen must contain either a 'answer' or a 'hasAnswer' element
question | | 1..1 | string | Question that determines whether item is enabled
hasAnswer | I | 0..1 | boolean | Enable when answered or not
answer[x] | I | 0..1 | | Value question must have Questionnaire Answer Codes (Example)
answerBoolean | | | boolean
answerDecimal | | | decimal
answerInteger | | | integer
answerDate | | | date
answerDateTime | | | dateTime
answerTime | | | time
answerString | | | string
answerUri | | | uri
answerAttachment | | | Attachment
answerCoding | | | Coding
answerQuantity | | | Quantity
answerReference | | | Reference(Any)
required | I | 0..1 | boolean | Whether the item must be included in data results
repeats | I | 0..1 | boolean | Whether the item may repeat
readOnly | I | 0..1 | boolean | Don't allow human editing
maxLength | I | 0..1 | integer | No more than this many characters
options | I | 0..1 | Reference(ValueSet) | Valueset containing permitted answers
option | I | 0..* | BackboneElement | Permitted answer
value[x] | | 1..1 | | Answer value Questionnaire Answer Codes (Example)
valueInteger | | | integer
valueDate | | | date
valueTime | | | time
valueString | | | string
valueCoding | | | Coding
initial[x] | I | 0..1 | | Default value when item is first rendered Questionnaire Answer Codes (Example)
initialBoolean | | | boolean
initialDecimal | | | decimal
initialInteger | | | integer
initialDate | | | date
initialDateTime | | | dateTime
initialTime | | | time
initialString | | | string
initialUri | | | uri
initialAttachment | | | Attachment
initialCoding | | | Coding
initialQuantity | | | Quantity
initialReference | | | Reference(Any)
item | I | 0..* | see item | Nested questionnaire items
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Questionnaire xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <url value="[uri]"/><!-- 0..1 Logical URI to reference this questionnaire (globally unique) -->
 <identifier><!-- 0..* Identifier Additional identifier for the questionnaire --></identifier>
 <version value="[string]"/><!-- 0..1 Business version of the questionnaire -->
 <name value="[string]"/><!-- 0..1 Name for this questionnaire (computer friendly) -->
 <title value="[string]"/><!-- 0..1 Name for this questionnaire (human friendly) -->
 <status value="[code]"/><!-- 1..1 draft | active | retired | unknown -->
 <experimental value="[boolean]"/><!-- 0..1 For testing purposes, not real usage -->
 <date value="[dateTime]"/><!-- 0..1 Date this was last changed -->
 <publisher value="[string]"/><!-- 0..1 Name of the publisher (organization or individual) -->
 <description value="[markdown]"/><!-- 0..1 Natural language description of the questionnaire -->
 <purpose value="[markdown]"/><!-- 0..1 Why this questionnaire is defined -->
 <approvalDate value="[date]"/><!-- 0..1 When the questionnaire was approved by publisher -->
 <lastReviewDate value="[date]"/><!-- 0..1 When the questionnaire was last reviewed -->
 <effectivePeriod><!-- 0..1 Period When the questionnaire is expected to be used --></effectivePeriod>
 <useContext><!-- 0..* UsageContext Context the content is intended to support --></useContext>
 <jurisdiction><!-- 0..* CodeableConcept Intended jurisdiction for questionnaire (if applicable) --></jurisdiction>
 <contact><!-- 0..* ContactDetail Contact details for the publisher --></contact>
```

```
 <copyright value="[markdown]"/><!-- 0..1 Use and/or publishing restrictions -->
 <code><!-- 0..* Coding Concept that represents the overall questionnaire --></code>
 <subjectType value="[code]"/><!-- 0..* Resource that can be subject of QuestionnaireResponse -->
 <item>  <!--  0..* Questions and sections within the Questionnaire -->
  <linkId value="[string]"/><!-- 1..1 Unique id for item in questionnaire -->
  <definition value="[uri]"/><!-- 0..1 ElementDefinition - details for the item -->
  <code><!--  0..* Coding Corresponding concept for this item in a terminology --></code>
  <prefix value="[string]"/><!-- 0..1 E.g. "1(a)", "2.5.3" -->
  <text value="[string]"/><!-- 0..1 Primary text for the item -->
  <type value="[code]"/><!-- 1..1 group | display | boolean | decimal | integer | date | dateTime + -->
  <enableWhen>  <!-- 0..* Only allow data when -->
   <question value="[string]"/><!-- 1..1 Question that determines whether item is enabled -->
   <hasAnswer value="[boolean]"/><!--  0..1 Enable when answered or not -->
   <answer[x]><!--  0..1 boolean|decimal|integer|date|dateTime|time|string|uri|
     Attachment|Coding|Quantity|Reference(Any) Value question must have --></answer[x]>
  </enableWhen>
  <required value="[boolean]"/><!--  0..1 Whether the item must be included in data results -->
  <repeats value="[boolean]"/><!--  0..1 Whether the item may repeat -->
  <readOnly value="[boolean]"/><!--  0..1 Don't allow human editing -->
  <maxLength value="[integer]"/><!--  0..1 No more than this many characters -->
  <options><!--  0..1 Reference(ValueSet) Valueset containing permitted answers --></options>
  <option>  <!--  0..* Permitted answer -->
   <value[x]><!-- 1..1 integer|date|time|string|Coding Answer value --></value[x]>
  </option>
  <initial[x]><!--  0..1 boolean|decimal|integer|date|dateTime|time|string|uri|
    Attachment|Coding|Quantity|Reference(Any) Default value when item is first rendered --></initial[x]>
  <item><!--  0..* Content as for Questionnaire.item Nested questionnaire items --></item>
 </item>
</Questionnaire>
```

JSON Template

```
{
  "resourceType" : "Questionnaire",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "url" : "<uri>", // Logical URI to reference this questionnaire (globally unique)
  "identifier" : [{ Identifier }], // Additional identifier for the questionnaire
  "version" : "<string>", // Business version of the questionnaire
  "name" : "<string>", // Name for this questionnaire (computer friendly)
  "title" : "<string>", // Name for this questionnaire (human friendly)
  "status" : "<code>", // R!  draft | active | retired | unknown
  "experimental" : <boolean>, // For testing purposes, not real usage
  "date" : "<dateTime>", // Date this was last changed
  "publisher" : "<string>", // Name of the publisher (organization or individual)
  "description" : "<markdown>", // Natural language description of the questionnaire
  "purpose" : "<markdown>", // Why this questionnaire is defined
  "approvalDate" : "<date>", // When the questionnaire was approved by publisher
  "lastReviewDate" : "<date>", // When the questionnaire was last reviewed
  "effectivePeriod" : { Period }, // When the questionnaire is expected to be used
  "useContext" : [{ UsageContext }], // Context the content is intended to support
  "jurisdiction" : [{ CodeableConcept }], // Intended jurisdiction for questionnaire (if applicable)
  "contact" : [{ ContactDetail }], // Contact details for the publisher
  "copyright" : "<markdown>", // Use and/or publishing restrictions
  "code" : [{ Coding }], // Concept that represents the overall questionnaire
  "subjectType" : ["<code>"], // Resource that can be subject of QuestionnaireResponse
  "item" : [{ // C? Questions and sections within the Questionnaire
    "linkId" : "<string>", // R!  Unique id for item in questionnaire
    "definition" : "<uri>", // ElementDefinition - details for the item
    "code" : [{ Coding }], // C? Corresponding concept for this item in a terminology
    "prefix" : "<string>", // E.g. "1(a)", "2.5.3"
    "text" : "<string>", // Primary text for the item
    "type" : "<code>", // R!  group | display | boolean | decimal | integer | date | dateTime +
    "enableWhen" : [{ // Only allow data when
      "question" : "<string>", // R!  Question that determines whether item is enabled
      "hasAnswer" : <boolean>, // C? Enable when answered or not
      // answer[x]: Value question must have. One of these 12:
      "answerBoolean" : <boolean>
      "answerDecimal" : <decimal>
      "answerInteger" : <integer>
      "answerDate" : "<date>"
      "answerDateTime" : "<dateTime>"
      "answerTime" : "<time>"
      "answerString" : "<string>"
      "answerUri" : "<uri>"
      "answerAttachment" : { Attachment }
      "answerCoding" : { Coding }
      "answerQuantity" : { Quantity }
      "answerReference" : { Reference(Any) }
    }],
    "required" : <boolean>, // C? Whether the item must be included in data results
    "repeats" : <boolean>, // C? Whether the item may repeat
    "readOnly" : <boolean>, // C? Don't allow human editing
    "maxLength" : <integer>, // C? No more than this many characters
    "options" : { Reference(ValueSet) }, // C? Valueset containing permitted answers
    "option" : [{ // C? Permitted answer
      // value[x]: Answer value. One of these 5:
      "valueInteger" : <integer>
      "valueDate" : "<date>"
      "valueTime" : "<time>"
```

```
      "valueString" : "<string>"
      "valueCoding" : { Coding }
    }],
    // initial[x]: Default value when item is first rendered. One of these 12:
    "initialBoolean" : <boolean>,
    "initialDecimal" : <decimal>,
    "initialInteger" : <integer>,
    "initialDate" : "<date>",
    "initialDateTime" : "<dateTime>",
    "initialTime" : "<time>",
    "initialString" : "<string>",
    "initialUri" : "<uri>",
    "initialAttachment" : { Attachment },
    "initialCoding" : { Coding },
    "initialQuantity" : { Quantity },
    "initialReference" : { Reference(Any) },
    "item" : [{ Content as for Questionnaire.item }] // C? Nested questionnaire items
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Questionnaire;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Questionnaire.url [ uri ]; # 0..1 Logical URI to reference this questionnaire (globally unique)
  fhir:Questionnaire.identifier [ Identifier ], ... ; # 0..* Additional identifier for the questionnaire
  fhir:Questionnaire.version [ string ]; # 0..1 Business version of the questionnaire
  fhir:Questionnaire.name [ string ]; # 0..1 Name for this questionnaire (computer friendly)
  fhir:Questionnaire.title [ string ]; # 0..1 Name for this questionnaire (human friendly)
  fhir:Questionnaire.status [ code ]; # 1..1 draft | active | retired | unknown
  fhir:Questionnaire.experimental [ boolean ]; # 0..1 For testing purposes, not real usage
  fhir:Questionnaire.date [ dateTime ]; # 0..1 Date this was last changed
  fhir:Questionnaire.publisher [ string ]; # 0..1 Name of the publisher (organization or individual)
  fhir:Questionnaire.description [ markdown ]; # 0..1 Natural language description of the questionnaire
  fhir:Questionnaire.purpose [ markdown ]; # 0..1 Why this questionnaire is defined
  fhir:Questionnaire.approvalDate [ date ]; # 0..1 When the questionnaire was approved by publisher
  fhir:Questionnaire.lastReviewDate [ date ]; # 0..1 When the questionnaire was last reviewed
  fhir:Questionnaire.effectivePeriod [ Period ]; # 0..1 When the questionnaire is expected to be used
  fhir:Questionnaire.useContext [ UsageContext ], ... ; # 0..* Context the content is intended to support
  fhir:Questionnaire.jurisdiction [ CodeableConcept ], ... ; # 0..* Intended jurisdiction for questionnaire (if
    applicable)
  fhir:Questionnaire.contact [ ContactDetail ], ... ; # 0..* Contact details for the publisher
  fhir:Questionnaire.copyright [ markdown ]; # 0..1 Use and/or publishing restrictions
  fhir:Questionnaire.code [ Coding ], ... ; # 0..* Concept that represents the overall questionnaire
  fhir:Questionnaire.subjectType [ code ], ... ; # 0..* Resource that can be subject of QuestionnaireResponse
  fhir:Questionnaire.item [ # 0..* Questions and sections within the Questionnaire
    fhir:Questionnaire.item.linkId [ string ]; # 1..1 Unique id for item in questionnaire
    fhir:Questionnaire.item.definition [ uri ]; # 0..1 ElementDefinition - details for the item
    fhir:Questionnaire.item.code [ Coding ], ... ; # 0..* Corresponding concept for this item in a terminology
    fhir:Questionnaire.item.prefix [ string ]; # 0..1 E.g. "1(a)", "2.5.3"
    fhir:Questionnaire.item.text [ string ]; # 0..1 Primary text for the item
    fhir:Questionnaire.item.type [ code ]; # 1..1 group | display | boolean | decimal | integer | date | dateTime +
    fhir:Questionnaire.item.enableWhen [ # 0..* Only allow data when
      fhir:Questionnaire.item.enableWhen.question [ string ]; # 1..1 Question that determines whether item is enabled
      fhir:Questionnaire.item.enableWhen.hasAnswer [ boolean ]; # 0..1 Enable when answered or not
      # Questionnaire.item.enableWhen.answer[x] : 0..1 Value question must have. One of these 12
        fhir:Questionnaire.item.enableWhen.answerBoolean [ boolean ]
        fhir:Questionnaire.item.enableWhen.answerDecimal [ decimal ]
        fhir:Questionnaire.item.enableWhen.answerInteger [ integer ]
        fhir:Questionnaire.item.enableWhen.answerDate [ date ]
        fhir:Questionnaire.item.enableWhen.answerDateTime [ dateTime ]
        fhir:Questionnaire.item.enableWhen.answerTime [ time ]
        fhir:Questionnaire.item.enableWhen.answerString [ string ]
        fhir:Questionnaire.item.enableWhen.answerUri [ uri ]
        fhir:Questionnaire.item.enableWhen.answerAttachment [ Attachment ]
        fhir:Questionnaire.item.enableWhen.answerCoding [ Coding ]
        fhir:Questionnaire.item.enableWhen.answerQuantity [ Quantity ]
        fhir:Questionnaire.item.enableWhen.answerReference [ Reference(Any) ]
    ], ...;
    fhir:Questionnaire.item.required [ boolean ]; # 0..1 Whether the item must be included in data results
    fhir:Questionnaire.item.repeats [ boolean ]; # 0..1 Whether the item may repeat
    fhir:Questionnaire.item.readOnly [ boolean ]; # 0..1 Don't allow human editing
    fhir:Questionnaire.item.maxLength [ integer ]; # 0..1 No more than this many characters
    fhir:Questionnaire.item.options [ Reference(ValueSet) ]; # 0..1 Valueset containing permitted answers
    fhir:Questionnaire.item.option [ # 0..* Permitted answer
      # Questionnaire.item.option.value[x] : 1..1 Answer value. One of these 5
        fhir:Questionnaire.item.option.valueInteger [ integer ]
        fhir:Questionnaire.item.option.valueDate [ date ]
        fhir:Questionnaire.item.option.valueTime [ time ]
        fhir:Questionnaire.item.option.valueString [ string ]
        fhir:Questionnaire.item.option.valueCoding [ Coding ]
    ], ...;
    # Questionnaire.item.initial[x] : 0..1 Default value when item is first rendered. One of these 12
      fhir:Questionnaire.item.initialBoolean [ boolean ]
```

```
      fhir:Questionnaire.item.initialDecimal [ decimal ]
      fhir:Questionnaire.item.initialInteger [ integer ]
      fhir:Questionnaire.item.initialDate [ date ]
      fhir:Questionnaire.item.initialDateTime [ dateTime ]
      fhir:Questionnaire.item.initialTime [ time ]
      fhir:Questionnaire.item.initialString [ string ]
      fhir:Questionnaire.item.initialUri [ uri ]
      fhir:Questionnaire.item.initialAttachment [ Attachment ]
      fhir:Questionnaire.item.initialCoding [ Coding ]
      fhir:Questionnaire.item.initialQuantity [ Quantity ]
      fhir:Questionnaire.item.initialReference [ Reference(Any) ]
    fhir:Questionnaire.item.item [ See Questionnaire.item ], ... ; # 0..* Nested questionnaire items
  ], ...;
]
```

Changes since DSTU2

Questionnaire
Questionnaire.url | Added Element
Questionnaire.name | Added Element
Questionnaire.title | Added Element
Questionnaire.status | Change value set from http://hl7.org/fhir/ValueSet/questionnaire-status to http://hl7.org/fhir/ValueSet/publication-status
Questionnaire.experimental | Added Element
Questionnaire.description | Added Element
Questionnaire.purpose | Added Element
Questionnaire.approvalDate | Added Element
Questionnaire.lastReviewDate | Added Element
Questionnaire.effectivePeriod | Added Element
Questionnaire.useContext | Added Element
Questionnaire.jurisdiction | Added Element
Questionnaire.contact | Added Element
Questionnaire.copyright | Added Element
Questionnaire.code | Added Element
Questionnaire.item | Renamed from group to item Min Cardinality changed from 1 to 0 Max Cardinality changed from 1 to *
Questionnaire.item.linkId | Min Cardinality changed from 0 to 1
Questionnaire.item.definition | Added Element
Questionnaire.item.code | Added Element
Questionnaire.item.prefix | Added Element
Questionnaire.item.type | Added Element
Questionnaire.item.enableWhen | Added Element
Questionnaire.item.enableWhen.question | Added Element
Questionnaire.item.enableWhen.hasAnswer | Added Element
Questionnaire.item.enableWhen.answer[x] | Added Element
Questionnaire.item.readOnly | Added Element
Questionnaire.item.maxLength | Added Element
Questionnaire.item.options | Added Element
Questionnaire.item.option | Added Element
Questionnaire.item.option.value[x] | Added Element
Questionnaire.item.initial[x] | Added Element
Questionnaire.item.item | Added Element
Questionnaire.telecom | deleted
Questionnaire.group.title | deleted
Questionnaire.group.concept | deleted
Questionnaire.group.group | deleted
Questionnaire.group.question | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 6 tests that all execute ok. 4 fail round-trip testing and 5 r3 resources are invalid (109 errors).).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.38.4.1 Terminology Bindings

Path | Definition | Type | Reference
Questionnaire.status | The lifecycle status of a Value Set or Concept Map. | Required | PublicationStatus
Questionnaire.jurisdiction | Countries and regions within which this artifact is targeted for use | Extensible | Jurisdiction ValueSet
Questionnaire.code Questionnaire.item.code | Codes for questionnaires, groups and individual questions | Example | Questionnaire Question Codes
Questionnaire.subjectType | One of the resource types defined as part of FHIR. | Required | Resource Types
Questionnaire.item.type | Distinguishes groups from questions and display text and indicates data type for questions | Required | QuestionnaireItemType
Questionnaire.item.enableWhen.answer[x] Questionnaire.item.initial[x] | Allowed values to answer questions. | Example | Questionnaire Answer Codes
Questionnaire.item.option.value[x] | Allowed values to answer questions. | Example | Questionnaire Answer Codes

2.38.4.2 Constraints

* que-1: On Questionnaire.item: Group items must have nested items, display items cannot have nested items (expression on Questionnaire.item: (type='group' implies item.empty().not()) and (type.trace('type')='display' implies item.trace('item').empty()))

* que-10: On Questionnaire.item: Maximum length can only be declared for simple question types (expression on Questionnaire.item: (type in ('boolean' | 'decimal' | 'integer' | 'string' | 'text' | 'url')) or maxLength.empty())

* que-2: The link ids for groups and questions must be unique within the questionnaire (expression : descendants().linkId.isDistinct())

* que-3: On Questionnaire.item: Display items cannot have a "code" asserted (expression on Questionnaire.item: type!='display' or code.empty())

* que-4: On Questionnaire.item: A question cannot have both option and options (expression on Questionnaire.item: option.empty() or options.empty())

* que-5: On Questionnaire.item: Only 'choice' items can have options (expression on Questionnaire.item: (type ='choice' or type = 'open-choice') or (options.empty() and option.empty()))

* que-6: On Questionnaire.item: Required and repeat aren't permitted for display items (expression on Questionnaire.item: type!='display' or (required.empty() and repeats.empty()))

* que-7: On Questionnaire.item.enableWhen: enableWhen must contain either a 'answer' or a 'hasAnswer' element (expression on Questionnaire.item.enableWhen: hasAnswer.exists() xor answer.exists())

* que-8: On Questionnaire.item: Default values can't be specified for groups or display items (expression on Questionnaire.item: (type!='group' and type!='display') or initial.empty())

* que-9: On Questionnaire.item: Read-only can't be specified for "display" items (expression on Questionnaire.item: type!='display' or readOnly.empty())

2.38.5 Notes:

* Questionnaires may be used to represent predefined forms or panels, referenced using items of type "group"

* Questions may be nested. The Questionnaire resource supports nested items beneath both items of type "group" (which doesn't capture an answer of its own) as well as beneath questions

* Groups and Questions may have linkIds allowing groups and question answers captured in a QuestionnaireResponse to be associated with their corresponding group or question.

* Questionnaire allows for flexible naming and structuring of its contents to reflect the flexible and varying nature of forms and questionnaires. It explicitly does not try to standardize or streamline exchange of its contents outside its context of use, although exchanging partners may further constrain its structure and flexibility using profiles to define standardized, reusable forms.

* Because of the lack of explicit support for Questionnaires in HL7 v3 , CDA Documents frequently used named sections with Observations to model Questionnaires. Such use cases should now use the Questionnaire Resource instead.

* The order of questions within groups, groups within groups and groups within questions is relevant and must be retained for display and capture.

* Display items allow the inclusion of instructions, background information and similar content within a questionnaire.

2.38.5.1 Using Questionnaires versus using Resources

There is considerable overlap between the information covered by Questionnaires and other Resources (especially FamilyMemberHistory, MedicationStatement, Observation, Procedure, etc.). Questionnaire's flexible structure can easily be misused to capture any data, even data that should be captured as separate Resources. The choice between using Questionnaires or separate Resources may be dictated by the procedure of collection and recording; e.g. if the data is captured as a physician-agreed (electronic) form, it might be impossible or undesirable to distill separate resources from it and capturing the data in a Questionnaire would be most appropriate.

However, data captured only in Questionnaires can be difficult to query after-the-fact. Queries against other Resources will not return data captured only in Questionnaires, and querying against Questionnaires directly may not find all desired data, depending on how the questions may have been phrased or encoded over time or by different clinicians. Moreover, interoperability of such Questionnaires is limited, as interpretation of its contents is only known to the circle of parties that were involved in its definition: encoding data from such Questionnaires using more specific resources increases the availability of the information they contain.

It is entirely possible for data to exist in both QuestionnaireResponse and in other resources. For example, data may be captured in QuestionnaireResponse as part of an intake questionnaire. That data may then be propagated into the Patient resource (demographics), FamilyMemberHistory, AllergyIntolerance, MedicationStatement and Observation resources to allow the data to be queried and analyzed. The original QuestionnaireResponse instance can be retained for traceability purposes. If desired, a Provenance resource can be used to identify the Questionnaire as the data source for the other resources. For example, if a questionnaire question asks "what is your weight", an Observation with the appropriate Observation.code and the specified answer as the Observation.valueQuantity can be created.

2.38.5.2 Structure of the Questionnaire

A Questionnaire is built out of two components, Questionnaire and item:

* The main component is Questionnaire, which holds information about the Questionnaire, like the identifier, publisher, date authored, title, etc. The Questionnaire contains zero or more items which define the content of the questionnaire (zero items allows for the possibility of narrative-only questionnaires, though these provide little computable information).

* Items have one of three sub-types, distinguished by the element:

type

* display items convey text to be rendered on the form that won't capture data and which won't contain nested items. This might include copyright or authorship information, instructions or other background information.

* group items organize content of the questionnaire into sections, sub-sections, etc. Groups don't have answers associated with them directly, but generally contain child 'question' items which do.

* question items ask a specific question to which an answer may be given. There isn't a single type for question items. Instead, the type conveys the data type of the answer for the question. If an item isn't a 'display' or a 'group', then it's a question which allows a particular type of answer to be gathered. Questions may also have nested content - groups and/or other questions. This way, one can model "panels" of questions which would only be relevant (and thus would only be displayed) depending on the answers of a parent question; e.g. a question "Did the patient receive treatment in the past six months?" would contain a nested group of questions asking for further details about the treatment. See an example from the Australian New South Wales blue book

Specific controls on dynamic display of groups, questions, etc. based on the answers to other questions is outside the scope of the base resource and are handled using extensions.

2.38.5.3 Identifiers within Questionnaire

There are three different "identifying" elements within Questionnaire: identifier, id and linkId. Each serves very distinct purposes:

* The identifier element is used to reference the overall questionnaire in business terms. It is the number printed across the top of the form or listed beside the form when making a choice between alternate forms.

* The id attribute supported on each element is used for references within a resource, for example linking narrative to discrete elements. Ids are not generally displayed to end users

* The linkId element on questions and groups establishes a link between elements in a QuestionnaireResponse and their definition inside a Questionnaire. This is the only way to link between the groups and questions in a Questionnaire and QuestionnaireResponse. These are also not displayed to end users

2.38.5.4 Question Definitions

Questionnaires can be crafted using any questions the author can conceive and can be phrased in whatever manner is appropriate or convenient. However, standardization of questions and the constraints enforced on the accompanying answers increases the ability to compare data gathered across questionnaires. Items can be directly linked to an ElementDefinition using Questionnaire.item.definition which provides details for the item. If a definition is provided, then the following element values can be derived from the definition:

* concept (from ElementDefinition.code)

* type (from ElementDefinition.type)

* required (from ElementDefinition.min)

* repeats (from ElementDefinition.max)

* maxLength (from ElementDefinition.maxLength)

* options (from ElementDefinition.binding)

Any information provided in these elements overrides the information from the definition. The url refers to a an ElementDefinition in either a StructureDefinition or a DataElement, and always starts with the canonical URL for the target resource. When referring to a StructureDefinition, a fragment identifier is used to specify the element definition by its id (Element.id). E.g. http://hl7.org/fhir/StructureDefinition/Observation#Observation.value[x]. In the absence of a fragment identifier, the first/root element definition in the target is the matching element definition.

Note that LOINC codes implicitly define DataElement resources.

The definitions may also be used to automatically pre-populate answers, or extract data from a corresponding QuestionnaireResponse resource.

NOTE: Even if a standard question definition is provided , information such as the question text, data type and value set SHOULD still be declared for the question. Systems processing the questionnaire may not have access to or support the ability to look up the question definitions from external sources. If the information is not included in-line within the questionnaire, other systems may not be able to render or use the Questionnaire.

If an external definition is included along with question information such as question text, data type or value set, it is expected that the content for the question and the referenced definition would be in alignment. However, FHIR does not dictate what degree of alignment is required; e.g. Does the question text need to match exactly? Is it legitimate for a question to constrain the allowed value set of possible answers? These rules will need to be established within implementation environments.

2.38.5.5 Question types

The codes for the data type for each question are slightly different than the data types allowed in the QuestionnaireResponse resource. Where the names are the same (ignoring case), the "answer" must use the specified type. Where the names are different, the mappings are as follows:

Questionnaire AnswerFormat code | QuestionnaireResponse data type
text | string
url | uri
choice | Coding
open-choice | Coding (if choosing from one of the listed choices) or string (if a different value is provided)

2.38.5.6 Permitted values for questions

Many questionnaires place constraints on the allowed list of values for a given question. FHIR supports this notion through the item.options or the item.option element.

The "option" mechanism is simplest - all options are listed in-line with the question using the item.option element. Maintenance of the set of permitted question answers involves maintenance of the questionnaire itself.

The "options" mechanism is more sophisticated. Rather than listing the options directly, the item.options element points to a ValueSet resource. This approach adds complexity for questionnaires having a simple list of strings as choices for a question, but provides several benefits, including:

* Questionnaires that reference codes from externally defined code systems have a means of doing so

* Answer sets can be shared across questions (and there are many questionnaires where this capability is useful)

* The full capability of value sets can be brought into play, including the ability to use ConceptMap to link and translate from questionnaire-specific codes to other codes, the use of multiple display names (e.g. different languages), the ability to use coded ordinals, and the ability to allow choices from larger value sets (e.g. "all SNOMED CT procedure codes")

In many cases, the set of code choices will be specific to a given questionnaire and should be maintained as part of the questionnaire. In this case, the referenced ValueSet can be included as a contained resource. All contained ValueSets are listed together and then are referenced by the individual questions as necessary. Alternatively, the item.options element can reference the value set in a version-specific manner. This ensures that the Questionnaire will not adopt a new version of the referenced value set without revising the Questionnaire to point to that new version - putting the author of the Questionnaire in control of any changes.

2.38.5.7 Useful Value Sets

Many questions have a common set of possible codes for their answer. These value sets may be useful to help, and when referenced by full URL, do not need to be provided as part of the questionnaire:

* Yes | No | Don't Know: http://hl7.org/fhir/ValueSet/yesnodontknow

2.38.5.8 Questions with multiple answer types

In some questionnaires, it may be possible to respond to a question with multiple types of answers. For example, capturing a coded answer plus free text, capturing a coded value plus a numeric priority, etc. In FHIR, this is handled through nested questions. Each question has a single data type. However, each question can have nested child questions. These nested child questions can have text (e.g. "Please specify") or can have no text at all if the appropriate guidance is provided by the parent question or group.

2.38.5.9 Questionnaires with Math

Many questionnaires involve computations on questionnaire answers, e.g. tabulating scores. To help with associating numeric values to coded answers, there are two extensions defined - one for defining the numeric weighting of a code defined in a value set - valueset-ordinalValue and the other for defining a code that can appear within a Coding itself - iso21090-CO-value.

In addition, there are extensions for defining the dynamic value of an element usings expressions. For more information, see the Using Expressions and Documentation Template topics in the Clinical Reasoning module.

2.38.6 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
code | token | A code that corresponds to one of its items in the questionnaire | Questionnaire.item.code
date | date | The questionnaire publication date | Questionnaire.date
description | string | The description of the questionnaire | Questionnaire.description
effective | date | The time during which the questionnaire is intended to be in use | Questionnaire.effectivePeriod
identifier | token | External identifier for the questionnaire | Questionnaire.identifier
jurisdiction | token | Intended jurisdiction for the questionnaire | Questionnaire.jurisdiction
name | string | Computationally friendly name of the questionnaire | Questionnaire.name
publisher | string | Name of the publisher of the questionnaire | Questionnaire.publisher
status | token | The current status of the questionnaire | Questionnaire.status
title | string | The human-friendly name of the questionnaire | Questionnaire.title
url | uri | The uri that identifies the questionnaire | Questionnaire.url
version | token | The business version of the questionnaire | Questionnaire.version

2.38.7 Resource Questionnaire - Examples

URL: https://hl7.org/fhir/STU3/questionnaire-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.38.7 Resource Questionnaire - Examples

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Example List:

General questionnaire example | 3141 | XML | JSON | Turtle

Real-world lifelines questionnaire (fictively taken from the patient) | f201 | XML | JSON | Turtle

Neonate record from New South Wales, Australia "My Personal Health Record" example | bb | XML | JSON | Turtle

Glasgow Coma Score example form | gcs | XML | JSON | Turtle

Example instrument for assessing Zika virus exposure potential | zika-virus-exposure-assessment | XML | JSON | Turtle

LOINC US Surgeon General family history including value sets | ussg-fht | XML | JSON | Turtle

Questionnaire used to define the questions involved in the PHQ-9 health questionnaire | questionnaire-cqif-example | XML | JSON | Turtle | for Profile CQIF-Questionnaire

Questionnaire used to define the questions involved in the PHQ-9 health questionnaire | null | XML | JSON | Turtle | from Clinical Quality Improvement Framework IG

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.38.8 Resource Questionnaire - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/questionnaire-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.38.8 Resource Questionnaire - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the Questionnaire resource.

Questionnaire

Definition | A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

Control | 1..1

Requirements | To support structured, hierarchical registration of data gathered using digital forms and other questionnaires. Questionnaires provide greater control over presentation and allow capture of data in a domain-independent way (i.e. capturing information that would otherwise require multiple distinct types of resources).

Alternate Names | Form; CRF; Survey

Invariants | Defined on this element que-2: The link ids for groups and questions must be unique within the questionnaire (expression : descendants().linkId.isDistinct(), xpath: count(descendant::f:linkId/@value)=count(distinct-values(descendant::f:linkId/@value)))

Questionnaire.url

Definition | An absolute URI that is used to identify this questionnaire when it is referenced in a specification, model, design or an instance. This SHALL be a URL, SHOULD be globally unique, and SHOULD be an address at which this questionnaire is (or will be) published. The URL SHOULD include the major version of the questionnaire. For more information see Technical and Business Versions.

Control | 0..1

Type | uri

Requirements | … This is the id that will be used to link a QuestionnaireResponse to the Questionnaire the response is for.

Summary | true

Comments | Can be a urn:uuid: or a urn:oid:, but real http: addresses are preferred. Multiple instances may share the same url if they have a distinct version.

Questionnaire.identifier

Definition | A formal identifier that is used to identify this questionnaire when it is represented in other formats, or referenced in a specification, model, design or an instance.

Note | This is a business identifer, not a resource identifier (see discussion)

Control | 0..*

Type | Identifier

Requirements | Allows externally provided and/or usable business identifiers to be easily associated with the module.

Summary | true

Comments | Typically, this is used for identifiers that can go in an HL7 V3 II (instance identifier) data type, e.g., to identify this questionnaire outside of FHIR, where it is not possible to use the logical URI.

Questionnaire.version

Definition | The identifier that is used to identify this version of the questionnaire when it is referenced in a specification, model, design or instance. This is an arbitrary value managed by the questionnaire author and is not expected to be globally unique. For example, it might be a timestamp (e.g. yyyymmdd) if a managed version is not available. There is also no expectation that versions can be placed in a lexicographical sequence.

Note | This is a business versionId, not a resource version id (see discussion)

Control | 0..1

Type | string

Summary | true

Comments | There may be different questionnaire instances that have the same identifier but different versions. The version can be appended to the url in a reference to allow a refrence to a particular business version of the questionnaire with the format [url]|[version].
Questionnaire.name
Definition | A natural language name identifying the questionnaire. This name should be usable as an identifier for the module by machine processing applications such as code generation.
Control | 0..1
Type | string
Requirements | Support human navigation and code generation.
Summary | true
Comments | The name is not expected to be globally unique. The name should be a simple alpha-numeric type name to ensure that it is computable friendly.
Questionnaire.title
Definition | A short, descriptive, user-friendly title for the questionnaire.
Control | 0..1
Type | string
Summary | true
Comments | This name does not need to be machine-processing friendly and may contain punctuation, white-space, etc.
Questionnaire.status
Definition | The status of this questionnaire. Enables tracking the life-cycle of the content.
Control | 1..1
Terminology Binding | PublicationStatus (Required)
Type | code
Is Modifier | true
Summary | true
Comments | Allows filtering of questionnaires that are appropriate for use vs. not. This is labeled as "Is Modifier" because applications should not use a retired questionnaire without due consideration.
Questionnaire.experimental
Definition | A boolean value to indicate that this questionnaire is authored for testing purposes (or education/evaluation/marketing), and is not intended to be used for genuine usage.
Control | 0..1
Type | boolean
Is Modifier | true
Requirements | Enables experimental content to be developed following the same lifecycle that would be used for a production-level questionnaire.
Summary | true
Comments | Allows filtering of questionnaire that are appropriate for use vs. not. This is labeled as "Is Modifier" because applications should not use an experimental questionnaire in production.
Questionnaire.date
Definition | The date (and optionally time) when the questionnaire was published. The date must change if and when the business version changes and it must change if the status code changes. In addition, it should change when the substantive content of the questionnaire changes.
Control | 0..1
Type | dateTime
Alternate Names | Revision Date
Summary | true
Comments | Note that this is not the same as the resource last-modified-date, since the resource may be a secondary representation of the questionnaire. Additional specific dates may be added as extensions or be found by consulting Provenances associated with past versions of the resource.
Questionnaire.publisher
Definition | The name of the individual or organization that published the questionnaire.
Control | 0..1
Type | string
Requirements | Helps establish the "authority/credibility" of the questionnaire. May also allow for contact.
Summary | true
Comments | Usually an organization, but may be an individual. The publisher (or steward) of the questionnaire is the organization or individual primarily responsible for the maintenance and upkeep of the questionnaire. This is not necessarily the same individual or organization that developed and initially authored the content. The publisher is the primary point of contact for questions or issues with the questionnaire. This item SHOULD be populated unless the information is available from context.
Questionnaire.description
Definition | A free text natural language description of the questionnaire from a consumer's perspective.
Control | 0..1
Type | markdown
Comments | This description can be used to capture details such as why the questionnaire was built, comments about misuse, instructions for clinical use and interpretation, literature references, examples from the paper world, etc. It is not a rendering of the questionnaire as conveyed in the 'text' field of the resource itself. This item SHOULD be populated unless the information is available from context (e.g. the language of the profile is presumed to be the predominant language in the place the profile was created).
Questionnaire.purpose
Definition | Explaination of why this questionnaire is needed and why it has been designed as it has.
Control | 0..1
Type | markdown
Comments | This element does not describe the usage of the questionnaire Instead it provides traceability of "why" the resource is either needed or "why" it is defined as it is. This may be used to point to source materials or specifications that drove the structure of this questionnaire.
Questionnaire.approvalDate
Definition | The date on which the resource content was approved by the publisher. Approval happens once when the content is officially approved for usage.
Control | 0..1

Type | date
Comments | The 'date' element may be more recent than the approval date because of minor changes / editorial corrections.
Questionnaire.lastReviewDate
Definition | The date on which the resource content was last reviewed. Review happens periodically after approval, but doesn't change the original approval date.
Control | 0..1
Type | date
Requirements | Gives a sense of how "current" the content is. Resources that have not been reviewed in a long time may have a risk of being less appropriate/relevant.
Comments | If specified, this is usually after the approval date.
Questionnaire.effectivePeriod
Definition | The period during which the questionnaire content was or is planned to be in active use.
Control | 0..1
Type | Period
Requirements | Allows establishing a transition before a resource comes into effect and also allows for a sunsetting process when new versions of a the questionnaire are or are expected to be used instead.
Summary | true
Comments | The effective period for a questionnaire determines when the content is applicable for usage and is independent of publication and review dates. For example, a measure intended to be used for the year 2016 might be published in 2015.
Questionnaire.useContext
Definition | The content was developed with a focus and intent of supporting the contexts that are listed. These terms may be used to assist with indexing and searching for appropriate questionnaire instances.
Control | 0..*
Type | UsageContext
Requirements | Assist in searching for appropriate content.
Summary | true
Comments | When multiple useContexts are specified, there is no expectation whether all or any of the contexts apply.
Questionnaire.jurisdiction
Definition | A legal or geographic region in which the questionnaire is intended to be used.
Control | 0..*
Terminology Binding | Jurisdiction ValueSet (Extensible)
Type | CodeableConcept
Summary | true
Comments | It may be possible for the questionnaire to be used in jurisdictions other than those for which it was originally designed or intended.
Questionnaire.contact
Definition | Contact details to assist a user in finding and communicating with the publisher.
Control | 0..*
Type | ContactDetail
Summary | true
Comments | May be a web site, an email address, a telephone number, etc.
Questionnaire.copyright
Definition | A copyright statement relating to the questionnaire and/or its contents. Copyright statements are generally legal restrictions on the use and publishing of the questionnaire.
Control | 0..1
Type | markdown
Requirements | Consumers must be able to determine any legal restrictions on the use of the questionnaire and/or its content.
Alternate Names | License; Restrictions
Questionnaire.code
Definition | An identifier for this question or group of questions in a particular terminology such as LOINC.
Control | 0..*
Terminology Binding | Questionnaire Question Codes (Example)
Type | Coding
Requirements | Allows linking of the complete Questionnaire resources to formal terminologies. It's common for "panels" of questions to be identified by a code.
Summary | true
Questionnaire.subjectType
Definition | The types of subjects that can be the subject of responses created for the questionnaire.
Control | 0..*
Terminology Binding | Any defined Resource Type name
Type | code
Summary | true
Comments | If none are specified, then the subject is unlimited.
Questionnaire.item
Definition | A particular question, question grouping or display text that is part of the questionnaire.
Control | 0..*
Comments | The content of the questionnaire is constructed from an ordered, hierarchical collection of items.
Invariants | Defined on this element que-1: Group items must have nested items, display items cannot have nested items (expression : (type='group' implies item.empty().not()) and (type.trace('type')='display' implies item.trace('item').empty()), xpath: not((f:type/@value='group' and not(f:item)) or (f:type/@value='display' and f:item))) que-10: Maximum length can only be declared for simple question types (expression : (type in ('boolean' | 'decimal' | 'integer' | 'string' | 'text' | 'url')) or maxLength.empty(), xpath: f:type/@value=('boolean', 'decimal', 'integer', 'open-choice', 'string', 'text', 'url') or not(f:maxLength)) que-3: Display items cannot have a "code" asserted (expression : type!='display' or code.empty(), xpath: not(f:type/@value='display' and f:code)) que-4: A question cannot have both option and options (expression : option.empty() or options.empty(), xpath: not(f:options and f:option)) que-5: Only 'choice' items can have options (expression : (type ='choice' or type = 'open-choice') or

(options.empty() and option.empty()), xpath: f:type/@value=('choice','open-choice') or not(f:option or f:options)) que-6: Required and repeat aren't permitted for display items (expression : type!='display' or (required.empty() and repeats.empty()), xpath: not(f:type/@value='display' and (f:required or f:repeats))) que-8: Default values can't be specified for groups or display items (expression : (type!='group' and type!='display') or initial.empty(), xpath: not(f:type/@value=('group', 'display') and f:*[starts-with(local-name(.), 'initial')])) que-9: Read-only can't be specified for "display" items (expression : type!='display' or readOnly.empty(), xpath: not(f:type/@value='display' and f:readOnly)) Affect this element

Questionnaire.item.linkId

Definition | An identifier that is unique within the Questionnaire allowing linkage to the equivalent item in a QuestionnaireResponse resource.

Control | 1..1

Type | string

Requirements | QuestionnaireResponse does not require omitted items to be included and may have some items that repeat, so linkage based on position alone is not sufficient.

Comments | This "can" be a meaningful identifier (e.g. a LOINC code) but is not intended to have any meaning. GUIDs or sequential numbers are appropriate here.

Questionnaire.item.definition

Definition | A reference to an ElementDefinition that provides the details for the item. If a definition is provided, then the following element values can be inferred from the definition: code (ElementDefinition.code) type (ElementDefinition.type) required (ElementDefinition.min) repeats (ElementDefinition.max) maxLength (ElementDefinition.maxLength) options (ElementDefinition.binding) Any information provided in these elements on a Questionnaire Item overrides the information from the definition.

Control | 0..1

Type | uri

Requirements | A common pattern is to define a set of data elements and then build multiple questionnaires for different circumstances to gather the data. This element provides traceability to the common definition and allows the content for the question to come from the underlying definition.

Comments | the URI refers to an ElementDefinition in either a StructureDefinition or a DataElement, and always starts with the canonical URL for the target resource. When referring to a StructureDefinition, a fragment identifier is used to specify the element definition by its id Element.id. E.g. http://hl7.org/fhir/StructureDefinition/Observation#Observation.value[x]. In the absence of a fragment identifier, the first/root element definition in the target is the matching element definition. Note that LOINC codes implicitly define DataElement resources.

Questionnaire.item.code

Definition | A terminology code that corresponds to this group or question (e.g. a code from LOINC, which defines many questions and answers).

Control | 0..*

Terminology Binding | Questionnaire Question Codes (Example)

Type | Coding

Requirements | Allows linking of groups of questions to formal terminologies.

Summary | true

Comments | The value may come from the ElementDefinition referred to by .definition.

Invariants | Affect this element que-3: Display items cannot have a "code" asserted (expression : type!='display' or code.empty(), xpath: not(f:type/@value='display' and f:code))

Questionnaire.item.prefix

Definition | A short label for a particular group, question or set of display text within the questionnaire used for reference by the individual completing the questionnaire.

Control | 0..1

Type | string

Requirements | Separating the label from the question text allows improved rendering. Also, instructions will often refer to specific prefixes, so there's a need for the questionnaire design to have control over what labels are used.

Alternate Names | label

Comments | These are generally unique within a questionnaire, though this is not guaranteed. Some questionnaires may have multiple questions with the same label with logic to control which gets exposed. Typically these won't be used for "display" items, though such use is not prohibited. Systems SHOULD NOT generate their own prefixes if prefixes are defined for any items within a Questionnaire.

Questionnaire.item.text

Definition | The name of a section, the text of a question or text content for a display item.

Control | 0..1

Type | string

Summary | true

Questionnaire.item.type

Definition | The type of questionnaire item this is - whether text for display, a grouping of other items or a particular type of data to be captured (string, integer, coded choice, etc.).

Control | 1..1

Terminology Binding | QuestionnaireItemType (Required)

Type | code

Requirements | Defines the format in which the user is to be prompted for the answer.

Comments | Additional constraints on the type of answer can be conveyed by extensions. The value may come from the ElementDefinition referred to by .definition.

Questionnaire.item.enableWhen

Definition | A constraint indicating that this item should only be enabled (displayed/allow answers to be captured) when the specified condition is true.

Control | 0..*

Is Modifier | true

Requirements | Allows questionnaires to adapt based on answers to other questions. E.g. If physical gender is specified as a male, no need to capture pregnancy history. Also allows conditional display of instructions or groups of questions.

Summary | true

Comments | If multiple repetitions of this extension are present, the item should be enabled when the condition for any of the repetitions is true. I.e. treat "enableWhen"s as being joined by an "or" clause. This element is a modifier because if enableWhen is present for an item, "required" is ignored unless one of the enableWhen conditions is met.

Invariants | Defined on this element que-7: enableWhen must contain either a 'answer' or a 'hasAnswer' element (expression : hasAnswer.exists() xor answer.exists(), xpath: count(f:*[starts-with(local-name(.), 'answer')]|self::f:hasAnswer) = 1)

Questionnaire.item.enableWhen.question

Definition | The linkId for the question whose answer (or lack of answer) governs whether this item is enabled.
Control | 1..1
Type | string
Comments | If multiple question occurrences are present for the same question (same linkId), then this refers to the nearest question occurrence reachable by tracing first the "ancestor" axis and then the "preceding" axis and then the "following" axis.
Questionnaire.item.enableWhen.hasAnswer
Definition | An indication that this item should be enabled only if the specified question is answered (hasAnswer=true) or not answered (hasAnswer=false).
Control | 0..1
Type | boolean
Comments | If answered=false and answer values are also provided, then they are treated as "or". I.e. "Enable if the question is unanswered or the answer is one of the specified values". If answered=true and answers are present, one of the specified answers must be met. (So there's little reason to specify answered=true if answers are present.).
Invariants | Affect this element que-7: enableWhen must contain either a 'answer' or a 'hasAnswer' element (expression : hasAnswer.exists() xor answer.exists(), xpath: count(f:*[starts-with(local-name(.), 'answer')]|self::f:hasAnswer) = 1)
Questionnaire.item.enableWhen.answer[x]
Definition | An answer that the referenced question must match in order for the item to be enabled.
Control | 0..1
Terminology Binding | Questionnaire Answer Codes (Example)
Type | boolean|decimal|integer|date|dateTime|time|string|uri|Attachment|Coding|Quantity|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Comments | Multiple answers are treated as "or". E.g. Enable if question 1 = A, C or E. Components not specified in the answer do not need to match. For example, if enableWhen specifies code + system for a Coding, it is ok if the answer has a "display" element. I.e. treat the answer as a 'pattern'. The dataType of this element must be the same as the data type of the question being referenced.
Invariants | Affect this element que-7: enableWhen must contain either a 'answer' or a 'hasAnswer' element (expression : hasAnswer.exists() xor answer.exists(), xpath: count(f:*[starts-with(local-name(.), 'answer')]|self::f:hasAnswer) = 1)
Questionnaire.item.required
Definition | An indication, if true, that the item must be present in a "completed" QuestionnaireResponse. If false, the item may be skipped when answering the questionnaire.
Control | 0..1
Type | boolean
Default Value | false
Comments | Questionnaire.item.required only has meaning for elements that are conditionally enabled with enableWhen if the condition evaluates to true. If an item that contains other items is marked as required, that does not automatically make the contained elements required (though required groups must contain at least one child element). The value may come from the ElementDefinition referred to by .definition.
Invariants | Affect this element que-6: Required and repeat aren't permitted for display items (expression : type!='display' or (required.empty() and repeats.empty()), xpath: not(f:type/@value='display' and (f:required or f:repeats)))
Questionnaire.item.repeats
Definition | An indication, if true, that the item may occur multiple times in the response, collecting multiple answers answers for questions or multiple sets of answers for groups.
Control | 0..1
Type | boolean
Default Value | false
Requirements | Items may be used to create set of (related) questions that can be repeated to give multiple answers to such a set.
Comments | If a question is marked as repeats=true, then multiple answers can be provided for the question in the corresponding QuestionnaireResponse. When rendering the questionnaire, it is up to the rendering software whether to render the question text for each answer repetition or to simply list each of the answers beneath the question. (Which is most appropriate visually may depend on the type of answer as well as whether there are nested items.). The value may come from the ElementDefinition referred to by .definition.
Invariants | Affect this element que-6: Required and repeat aren't permitted for display items (expression : type!='display' or (required.empty() and repeats.empty()), xpath: not(f:type/@value='display' and (f:required or f:repeats)))
Questionnaire.item.readOnly
Definition | An indication, when true, that the value cannot be changed by a human respondent to the Questionnaire.
Control | 0..1
Type | boolean
Requirements | Allows certain information to be phrased (and rendered) as a question and an answer, while keeping users from changing it. May also be useful for preventing changes to pre-populated portions of a questionnaire, for calculated values, etc.
Comments | The value of readOnly elements can be established by asserting extensions for defaultValues, linkages that support pre-population and/or extensions that support calculation based on other answers.
Invariants | Affect this element que-9: Read-only can't be specified for "display" items (expression : type!='display' or readOnly.empty(), xpath: not(f:type/@value='display' and f:readOnly))
Questionnaire.item.maxLength
Definition | The maximum number of characters that are permitted in the answer to be considered a "valid" QuestionnaireResponse.
Control | 0..1
Type | integer
Comments | For base64binary, reflects the number of characters representing the encoded data, not the number of bytes of the binary data. The value may come from the ElementDefinition referred to by .definition.
Invariants | Affect this element que-10: Maximum length can only be declared for simple question types (expression : (type in ('boolean' | 'decimal' | 'integer' | 'string' | 'text' | 'url')) or maxLength.empty(), xpath: f:type/@value=('boolean', 'decimal', 'integer', 'open-choice', 'string', 'text', 'url') or not(f:maxLength))
Questionnaire.item.options
Definition | A reference to a value set containing a list of codes representing permitted answers for a "choice" or "open-choice" question.
Control | 0..1
Type | Reference(ValueSet)

Comments | LOINC defines many useful value sets for questionnaire responses. See LOINC Answer Lists. The value may come from the ElementDefinition referred to by .definition.
Invariants | Affect this element que-4: A question cannot have both option and options (expression : option.empty() or options.empty(), xpath: not(f:options and f:option)) que-5: Only 'choice' items can have options (expression : (type ='choice' or type = 'open-choice') or (options.empty() and option.empty()), xpath: f:type/@value=('choice','open-choice') or not(f:option or f:options))
Questionnaire.item.option
Definition | One of the permitted answers for a "choice" or "open-choice" question.
Control | 0..*
Comments | This element can be used when the value set machinery of options is deemed too cumbersome or when there's a need to capture options that are not codes.
Invariants | Affect this element que-4: A question cannot have both option and options (expression : option.empty() or options.empty(), xpath: not(f:options and f:option)) que-5: Only 'choice' items can have options (expression : (type ='choice' or type = 'open-choice') or (options.empty() and option.empty()), xpath: f:type/@value=('choice','open-choice') or not(f:option or f:options))
Questionnaire.item.option.value[x]
Definition | A potential answer that's allowed as the answer to this question.
Control | 1..1
Terminology Binding | Questionnaire Answer Codes (Example)
Type | integer|date|time|string|Coding
[x] Note | See Choice of Data Types for further information about how to use [x]
Comments | The data type of the value must agree with the item.type.
Questionnaire.item.initial[x]
Definition | The value that should be defaulted when initially rendering the questionnaire for user input.
Control | 0..1
Terminology Binding | Questionnaire Answer Codes (Example)
Type | boolean|decimal|integer|date|dateTime|time|string|uri|Attachment|Coding|Quantity|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | In some workflows, having defaults saves time.
Comments | The user is allowed to change the value and override the default (unless marked as read-only). If the user doesn't change the value, then this initial value will be persisted when the QuestionnaireResponse is initially created. Note that default values can influence results. The data type of initial[x] must agree with the item.type.
Invariants | Affect this element que-8: Default values can't be specified for groups or display items (expression : (type!='group' and type!='display') or initial.empty(), xpath: not(f:type/@value=('group', 'display') and f:*[starts-with(local-name(.), 'initial')]))
Questionnaire.item.item
Definition | Text, questions and other groups to be nested beneath a question or group.
Control | 0..*
Type | See Questionnaire.item
Requirements | Reports can consist of complex nested groups.
Comments | There is no specified limit to the depth of nesting. However, Questionnaire authors are encouraged to consider the impact on the user and user interface of overly deep nesting.
Invariants | Affect this element que-1: Group items must have nested items, display items cannot have nested items (expression : (type='group' implies item.empty().not()) and (type.trace('type')='display' implies item.trace('item').empty()), xpath: not((f:type/@value='group' and not(f:item)) or (f:type/@value='display' and f:item)))

2.38.9 Resource Questionnaire - Mappings

URL: https://hl7.org/fhir/STU3/questionnaire-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.38.9 Resource Questionnaire - Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Mappings:

RIM Mapping

HL7 v2 Mapping

Mappings for the questionnaire resource.

2.38.9.1 Mappings for RIM Mapping (http://hl7.org/v3)

Questionnaire | Observation[moodCode=DEF]
url | .identifier[scope=BUSN;reliability=ISS]
identifier | .identifier
version | N/A (to add?)
name | N/A
title | .title
status | .status
experimental | N/A
date | .participation[typeCode=AUT].time
publisher | .participation[typeCode=AUT].role
description | .text
purpose | .reasonCode.text
approvalDate | .outboundRelationship[typeCode="SUBJ"].act[classCode=CACT;moodCode=EVN;code="approval"].effectiveTime

lastReviewDate | .outboundRelationship[typeCode="SUBJ";
subsetCode="RECENT"].act[classCode=CACT;moodCode=EVN;code="review"].effectiveTime
effectivePeriod | N/A (to add?)
useContext | N/A (to add?)
jurisdiction | N/A (to add?)
contact | .participation[typeCode=CALLBCK].role
copyright | N/A (to add?)
code | .code
subjectType | .outboundRelationship[typeCode=META].target[classCode=OBS, moodCode=DEFN, isCriterion=true].participation.role.classCode
item | .outboundRelationship[typeCode=COMP].target[classCode=OBS, moodCode=DEF]
linkId | .id
definition | .outboundRelationship[typeCode=INST].target[classCode=OBS, moodCode=DEF]
code | .code
prefix | Not supported
text | .text
type | N/A - MIF rather than RIM level
enableWhen | N/A - MIF rather than RIM level
question | N/A - MIF rather than RIM level
hasAnswer | N/A - MIF rather than RIM level
answer[x] | N/A - MIF rather than RIM level
required | N/A - MIF rather than RIM level
repeats | N/A - MIF rather than RIM level
readOnly | N/A - MIF rather than RIM level
maxLength | N/A - MIF rather than RIM level
options | N/A - MIF rather than RIM level
option | N/A - MIF rather than RIM level
value[x] | N/A - MIF rather than RIM level
initial[x] | N/A - MIF rather than RIM level
item | .outboundRelationship[typeCode=COMP].target

2.38.9.2 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

Questionnaire
url
identifier
version
name
title
status
experimental
date
publisher
description
purpose
approvalDate
lastReviewDate
effectivePeriod
useContext
jurisdiction
contact
copyright
code
subjectType
item
linkId
definition
code
prefix
text
type
enableWhen
question
hasAnswer
answer[x]
required
repeats
readOnly
maxLength | N/A
options
option
value[x]
initial[x]
item

2.38.10 Resource Questionnaire - Design Notes

URL: https://hl7.org/fhir/STU3/questionnaire-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.38.10 Resource Questionnaire - Design Notes

to do

2.38.11 Resource Questionnaire - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/questionnaire-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.38.11 Resource Questionnaire - Extensions & Profiles

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Questionnaire resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.38.11.1 Profiles

CQIF-Questionnaire | Adds the ability to define behavior as part of a questionnaire. | for CQIF-Questionnaire

2.38.11.2 Extensions

11179-permitted-value-conceptmap | permitted-value-conceptmap | for ISO 11179 Element Definition Profile
11179-permitted-value-valueset | permitted-value-valueset | for ISO 11179 Element Definition Profile
cqif-optionCode | optionCode | for CQIF Extensions
entryFormat | entryFormat | for Element-definition Extensions for use by FHIR Implementers
maxDecimalPlaces | maxDecimalPlaces | for Element-definition Extensions for use by FHIR Implementers
maxSize | maxSize | for Element-definition Extensions for use by FHIR Implementers
maxValue | maxValue | for Element-definition Extensions for use by FHIR Implementers
mimeType | mimeType | for Element-definition Extensions for use by FHIR Implementers
minLength | minLength | for Element-definition Extensions for use by FHIR Implementers
minValue | minValue | for Element-definition Extensions for use by FHIR Implementers
questionnaire-allowedProfile | allowedProfile | for Core extensions for Questionnaire
questionnaire-allowedResource | allowedResource | for Core extensions for Questionnaire
questionnaire-baseType | baseType | for Core extensions for Questionnaire
questionnaire-choiceOrientation | choiceOrientation | for Core extensions for Questionnaire
questionnaire-deMap | deMap | for Core extensions for Questionnaire
questionnaire-displayCategory | displayCategory | for Core extensions for Questionnaire
questionnaire-fhirType | fhirType | for Core extensions for Questionnaire
questionnaire-hidden | hidden | for Core extensions for Questionnaire
questionnaire-itemControl | itemControl | for Core extensions for Questionnaire
questionnaire-lookupQuestionnaire | lookupQuestionnaire | for Core extensions for Questionnaire
questionnaire-maxOccurs | maxOccurs | for Core extensions for Questionnaire
questionnaire-minOccurs | minOccurs | for Core extensions for Questionnaire
questionnaire-optionExclusive | optionExclusive | for Core extensions for Questionnaire
questionnaire-optionPrefix | optionPrefix | for Core extensions for Questionnaire
questionnaire-ordinalValue | ordinalValue | for Core extensions for Questionnaire
questionnaire-referenceFilter | referenceFilter | for Core extensions for Questionnaire
questionnaire-sourceStructureMap | sourceStructureMap | for Core extensions for Questionnaire
questionnaire-studyprotocolIdentifier | studyprotocolIdentifier | for Core extensions for Questionnaire
questionnaire-supportLink | supportLink | for Core extensions for Questionnaire
questionnaire-targetStructureMap | targetStructureMap | for Core extensions for Questionnaire
questionnaire-unit | unit | for Core extensions for Questionnaire
questionnaire-usageMode | usageMode | for Core extensions for Questionnaire
regex | regex | for Element-definition Extensions for use by FHIR Implementers

Extensions that reference this resource:

procedurerequest-questionnaireRequest | questionnaireRequest | for Procedure Request HL7 Extensions

2.38.11.3 Search Extensions

No Search Extensions defined for this resource

2.38.12 Core extensions for Questionnaire

URL: https://hl7.org/fhir/STU3/questionnaire-extensions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.38.12 Core extensions for Questionnaire

(No assigned work group) | Maturity Level: N/A | Ballot Status: Informative

2.38.12.1 Scope and Usage

The core extensions provide HL7 provided extensions to the Questionnaire resource.

2.38.12.2 Content

Extensions:

questionnaire-minOccurs | minOccurs : The minimum number of times the group must appear, or the minimum number of answers for a question - when greater than 1.

questionnaire-maxOccurs | maxOccurs : The maximum number of times the group must appear, or the minimum number of answers for a question - when greater than 1 and not unlimited.

questionnaire-hidden | hidden : If true, indicates that the extended item should not be displayed to the user.

questionnaire-itemControl | itemControl : The type of data entry control or structure that should be used to render the item.

questionnaire-choiceOrientation | choiceOrientation : Identifies the desired orientation when rendering a list of choices (typically radio-box or check-box lists).

questionnaire-deMap | deMap : Identifies a map that links the questionnaire (source) to a DataElement server and identifies which questions correspond to which data elements (by linkId and local identifier, respectively).

questionnaire-allowedResource | allowedResource : Where the type for a question is "Reference", indicates a type of resource that is permitted.

questionnaire-allowedProfile | allowedProfile : Where the type for a question is "Reference", indicates a profile that the resource instances pointed to in answers to this question must be valid against.

questionnaire-referenceFilter | referenceFilter : Identifies a filter to apply when looking up candidate answers for the question.

questionnaire-displayCategory | displayCategory : Describes the intended purpose of the rendered text. For example - instructions, guidance on access control, maintenance information, etc.

questionnaire-fhirType | fhirType : For questionnaires generated from FHIR profiles, indicates the FHIR data type or resource type that corresponds to this node.

questionnaire-lookupQuestionnaire | lookupQuestionnaire : For items of type reference, the reference can be populated either by picking an existing entity or by creating a new one. In the latter case, this Questionnaire allows specifying the Questionnaire to use in creating the target instance. This can be direct (if the Reference is to a Questionnaire) or indirect via mapping if the Reference is to some other sort of resource.

questionnaire-unit | unit : Provides a computable unit of measure associated with numeric questions to support subsequent computation on responses.

questionnaire-optionPrefix | optionPrefix : The label to list in front of a code when presenting a list of possible values in a questionnaire-like fashion.

questionnaire-optionExclusive | optionExclusive : If true, indicates that if this option is selected, no other options may be selected, even if the item is a repeating question.

questionnaire-ordinalValue | ordinalValue : A numeric value that allows the comparison (less than, greater than) or other numerical manipulation of a concept (e.g. adding up components of a score).

questionnaire-studyprotocolIdentifier | studyprotocolIdentifier : Unique identifier for a study protocol.

questionnaire-usageMode | usageMode : Identifies that the specified element should only appear in certain "modes" of operation.

questionnaire-supportLink | supportLink : A URL that resolves to additional supporting information or guidance related to the question.

questionnaire-sourceStructureMap | sourceStructureMap : StructureMaps that have this Questionnaire as 'target' - i.e. that can be used to create QuestionnaireResponses that are valid against this Questionnaire.

questionnaire-targetStructureMap | targetStructureMap : StructureMaps that have this Questionnaire as 'source' - i.e. that can be used to create other artifacts from QuestionnaireResponses that are valid against this Questionnaire.

questionnaire-baseType | baseType : This identifies the underlying type in a profile, when a questionnaire is generated from a profile.

2.38.13 Resource Questionnaire - Operations

URL: https://hl7.org/fhir/STU3/questionnaire-operations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.38.13 Resource Questionnaire - Operations

FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Compartments: Not linked to any defined compartments

This resource has 3 operations associated with it:

$populate | Populate Questionnaire

$populatehtml | Generate HTML for Questionnaire

$populatelink | Generate a link to a Questionnaire completion webpage

For more information about operations, including how they are invoked, see Operations.

2.38.13.1 Populate Questionnaire

Generates a QuestionnaireResponse instance based on a specified Questionnaire, filling in answers to questions where possible based on information provided as part of the operation or already known by the server about the subject of the Questionnaire.

If the operation is not called at the instance level, one and only one of the identifier, questionnaire or questionnaireRef 'in' parameters must be provided. If called at the instance level, these parameters will be ignored.

The response will contain a QuestionnaireResponse instance based on the specified Questionnaire and/or an OperationOutcome resource with errors or warnings.

The QuestionnaireResponse instance will be populated with an unanswered set of questions following the group and question structure of the specified Questionnaire. If content parameters were specified or the local parameter was set to true, some of the questions may have answers filled in as well. In the case of repeating questions or groups, typically only one repetition will be provided unless answer values exist that would support populating multiple repetitions.

Population of the QuestionnaireResponse with appropriate data is dependent on the questions and/or groups in the Questionnaire having metadata that allows the server to recognize the questions, e.g. through Questionnaire.item.definition or through use of the ConceptMap resource.

Regardless of the mechanism used to link the questions in a questionnaire to a "known" mappable concept, solutions using this operation should ensure that the details of the question and associated linkage element are sufficiently similar as to safely allow auto-population; i.e. the question text and context must be sufficiently the same, the value set for the question must fall within the value set for the mapped element, the data types must be the same or convertible, etc.

The official URL for this operation definition is

```
http://hl7.org/fhir/OperationDefinition/Questionnaire-populate
```

Formal Definition (as a OperationDefinition).

URL: [base]/Questionnaire/$populate

URL: [base]/Questionnaire/[id]/$populate

This is an idempotent operation

In Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

identifier | 0..1 | uri | | | A logical questionnaire identifier (i.e. "Questionnaire.identifier"). The server must know the questionnaire or be able to retrieve it from other known repositories.

questionnaire | 0..1 | Questionnaire | | | The Questionnaire is provided directly as part of the request. Servers may choose not to accept questionnaires in this fashion

questionnaireRef | 0..1 | Reference(Questionnaire) | | | The Questionnaire is provided as a resource reference. Servers may choose not to accept questionnaires in this fashion or may fail if they cannot resolve or access the referenced questionnaire.

subject | 1..1 | Reference(Any) | | | The resource that is to be the QuestionnaireResponse.subject. The QuestionnaireResponse instance will reference the provided subject. In addition, if the local parameter is set to true, server information about the specified subject will be used to populate the instance.

content | 0..* | Reference(Any) | | | Resources containing information to be used to help populate the QuestionnaireResponse. These may be FHIR resources or may be binaries containing FHIR documents, CDA documents or other source materials. Servers may not support all possible source materials and may ignore materials they do not recognize. (They MAY provide warnings if ignoring submitted resources.)

local | 0..1 | boolean | | | If specified and set to 'true' (and the server is capable), the server should use what resources and other knowledge it has about the referenced subject when pre-populating answers to questions.

Out Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

questionnaire | 1..1 | QuestionnaireResponse | | | The partially (or fully)-populated set of answers for the specified Questionnaire

issues | 0..1 | OperationOutcome | | | A list of hints and warnings about problems encountered while populating the questionnaire. These might be show to the user as an advisory note. Note: if the questionnaire cannot be populated at all, then the operation should fail, and an OperationOutcome is returned directly with the failure, rather than using this parameter

While it is theoretically possible for a QuestionnaireResponse instance to be completely auto-populated and submitted without human review, the intention of this transaction is merely to reduce redundant data entry. A client SHOULD ensure that a human submitter has an opportunity to review the auto-populated answers to confirm correctness as well as to complete or expand on information provided by the auto-population process.

When creating an "empty" questionnaire, the general algorithm is to create a QuestionnaireResponse with one item for every item in the source Questionnaire, including items with "enableWhen", "display" items, etc. If a question has a default, the default answer should be populated. And the QuestionnaireResponse should point back to the originating Questionnaire. Repeating items will typically only include a single repetition. Other extensions and/or elements may also be populated if the system is aware of appropriate values.

Complex form designs with conditional logic or tight constraints on cardinalities may be challenging to auto-populate. A server MAY choose to traverse the questionnaire as if it were a human respondent, answering only those questions that are enabled based on previously answered questions. However, doing so may result in minimal population. Alternatively, systems may choose to populate all known answers, independent of dependencies and other constraints. This may cause questions to be answered that should not be answered. It will be up to the client to appropriately prune the final populated questionnaire once human review has taken place.

Invoking this operation with the "content" parameter may involve the disclosure of personally identifiable healthcare information to the system which is performing the population process. No such disclosures should be made unless the system on which the operation is being invoked is a "trusted" system and appropriate agreements are in place to protect the confidentiality of any information shared with that system.

2.38.13.1.1 Examples

Request:

```
POST [base]/Questionnnaire/$populate
[other headers]
```

```
<Parameters xmlns="http://hl7.org/fhir" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://hl7.org/fhir ../../schema/parameters.xsd">
  <parameter>
    <name value="questionnaireRef"/>
    <valueReference>
      <reference value="http://hl7.org/fhir/Questionnaire/questionnaire-sdc-profile-example-ussg-fht"/>
    </valueReference>
  </parameter>
  <parameter>
    <name value="subject"/>
    <valueReference>
      <reference value="http://hl7.org/fhir/Patient/proband"/>
    </valueReference>
  </parameter>
  <parameter>
    <name value="local"/>
    <valueBoolean value="true"/>
  </parameter>
</Parameters>
```

Response:

```
HTTP/1.1 200 OK
[other headers]

<?xml version="1.0" encoding="UTF-8"?>
<Parameters xmlns="http://hl7.org/fhir">
  <parameter>
    <name value="questionnaire"/>
    <resource>
      <QuestionnaireResponse>
        <id value="questionnaireresponse-sdc-example-ussg-fht-answers"/>
        <questionnaire>
          <reference value="Questionnaire/43127-6"/>
        </questionnaire>
        <status value="in-progress"/>
        <subject>
          <reference value="Patient/proband"/>
        </subject>
        <authored value="2008-01-17"/>
        <group xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
          <linkId value="root"/>
          <title value="US Surgeon General - Family Health Portrait"/>
          <group>
            <linkId value="0"/>
            <question>
              <linkId value="0.1"/>
              <text value="Date Done"/>
              <answer>
                <valueDate value="2008-01-17"/>
              </answer>
            </question>
          </group>
          <group>
            <linkId value="1"/>
            <title value="Your health information"/>
            <group>
              <linkId value="1.1"/>
              <question>
                <linkId value="1.1.1"/>
                <text value="Name"/>
                <answer>
                  <valueString value="Annie Proband"/>
                </answer>
              </question>
              <question>
                <linkId value="1.1.2"/>
                <text value="Gender"/>
                <answer>
                  <valueCoding>
                    <system value="http://loinc.org"/>
                    <code value="LA3-6"/>
                    <display value="Female"/>
                  </valueCoding>
                </answer>
              </question>
              <question>
                <linkId value="1.1.3"/>
                <text value="Date of Birth"/>
                <answer>
                  <valueDate value="1966-04-04"/>
                </answer>
              </question>
              <question>
                <linkId value="1.1.4"/>
                <text value="Were you born a twin?"/>
                <answer>
                  <valueCoding>
                    <system value="http://loinc.org"/>
                    <code value="LA32-8"/>
```

```
      <display value="No"/>
    </valueCoding>
  </answer>
</question>
<question>
  <linkId value="1.1.5"/>
  <text value="Were you adopted?"/>
  <answer>
    <valueCoding>
      <system value="http://loinc.org"/>
      <code value="LA32-8"/>
      <display value="No"/>
    </valueCoding>
  </answer>
</question>
<question>
  <linkId value="1.1.6"/>
  <text value="Are your parents related to each other in any way other than marriage?"/>
  <answer>
    <valueCoding>
      <system value="http://loinc.org"/>
      <code value="LA32-8"/>
      <display value="No"/>
    </valueCoding>
  </answer>
</question>
<question>
  <linkId value="1.1.7"/>
  <text value="Height"/>
  <answer>
    <valueDecimal value="63"/>
    <group>
      <linkId value="1.1.7.1"/>
      <question>
        <linkId value="1.1.7.1.1"/>
        <text value="Units"/>
        <answer>
          <valueCoding>
            <system value="http://unitsofmeasure.org"/>
            <code value="[in_i]"/>
            <display value="inches"/>
          </valueCoding>
        </answer>
      </question>
    </group>
  </answer>
</question>
<question>
  <linkId value="1.1.8"/>
  <text value="Weight"/>
  <answer>
    <valueDecimal value="127"/>
    <group>
      <linkId value="1.1.8.1"/>
      <question>
        <linkId value="1.1.8.1.1"/>
        <text value="Units"/>
        <answer>
          <valueCoding>
            <system value="http://unitsofmeasure.org"/>
            <code value="lb"/>
            <display value="pounds"/>
          </valueCoding>
        </answer>
      </question>
    </group>
  </answer>
</question>
<question>
  <linkId value="1.1.9"/>
  <text value="Body mass index (BMI) [Ratio]"/>
  <answer>
    <valueDecimal value="22.5"/>
  </answer>
</question>
<question>
  <linkId value="1.1.10"/>
  <text value="Race"/>
  <answer>
    <valueCoding>
      <system value="http://loinc.org"/>
      <code value="LA4457-3"/>
      <display value="White"/>
    </valueCoding>
  </answer>
</question>
<question>
  <linkId value="1.1.11"/>
  <text value="Ethnicity"/>
```

```
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10602-3"/>
          <display value="-- Mexican"/>
        </valueCoding>
      </answer>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10606-4"/>
          <display value="-- South American"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2"/>
  <title value="Family member health information"/>
  <group>
    <linkId value="2.1"/>
    <group>
      <linkId value="2.1.1"/>
      <question>
        <linkId value="2.1.1.1"/>
        <text value="Relationship to you"/>
        <answer>
          <valueCoding>
            <system value="http://loinc.org"/>
            <code value="LA10405-1"/>
            <display value="Daughter"/>
          </valueCoding>
        </answer>
      </question>
      <question>
        <linkId value="2.1.1.2"/>
        <text value="Name"/>
        <answer>
          <valueString value="Susan"/>
        </answer>
      </question>
      <question>
        <linkId value="2.1.1.3"/>
        <text value="Gender"/>
        <answer>
          <valueCoding>
            <system value="http://loinc.org"/>
            <code value="LA3-6"/>
            <display value="Female"/>
          </valueCoding>
        </answer>
      </question>
      <question>
        <linkId value="2.1.1.4"/>
        <text value="Living?"/>
        <answer>
          <valueCoding>
            <system value="http://loinc.org"/>
            <code value="LA33-6"/>
            <display value="Yes"/>
          </valueCoding>
          <group>
            <linkId value="2.1.1.4.2"/>
            <question>
              <linkId value="2.1.1.4.2.2"/>
              <text value="Age"/>
              <answer>
                <valueDecimal value="17"/>
              </answer>
            </question>
          </group>
        </answer>
      </question>
      <question>
        <linkId value="2.1.1.5"/>
        <text value="Was this person born a twin?"/>
        <answer>
          <valueCoding>
            <system value="http://loinc.org"/>
            <code value="LA32-8"/>
            <display value="No"/>
          </valueCoding>
        </answer>
      </question>
      <question>
        <linkId value="2.1.1.6"/>
        <text value="Was this person adopted?"/>
        <answer>
```

```
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10415-0"/>
          <display value="Brother"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Brian"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA2-8"/>
          <display value="Male"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="32"/>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
  <group>
    <linkId value="2.1.2"/>
    <title value="This family member's history of disease"/>
```

```
    <question>
      <linkId value="2.1.2.1"/>
      <text value="Disease or Condition"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10550-4"/>
          <display value="-- Other Cancer"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.2.2"/>
      <text value="Age at Diagnosis"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10397-0"/>
          <display value="30-39"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10418-4"/>
          <display value="Sister"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Janet"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA3-6"/>
          <display value="Female"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="36"/>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
```

```
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
  <group>
    <linkId value="2.1.2"/>
    <title value="This family member's history of disease"/>
    <question>
      <linkId value="2.1.2.1"/>
      <text value="Disease or Condition"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10536-3"/>
          <display value="-- Breast Cancer"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.2.2"/>
      <text value="Age at Diagnosis"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10397-0"/>
          <display value="30-39"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10419-2"/>
          <display value="Nephew"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Ian"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA2-8"/>
          <display value="Male"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="16"/>
            </answer>
```

```
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10420-0"/>
          <display value="Niece"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Helen"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA3-6"/>
          <display value="Female"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="15"/>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
```

```
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10416-8"/>
          <display value="Father"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Donald"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA2-8"/>
          <display value="Male"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="52"/>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
```

```
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10425-9"/>
          <display value="Paternal Uncle"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Eric"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA2-8"/>
          <display value="Male"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="56"/>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
```

```
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10421-8"/>
          <display value="Paternal Aunt"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Fiona"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA3-6"/>
          <display value="Female"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="57"/>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
  <group>
    <linkId value="2.1.2"/>
    <title value="This family member's history of disease"/>
    <question>
      <linkId value="2.1.2.1"/>
      <text value="Disease or Condition"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10543-9"/>
          <display value="-- Skin Cancer"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
```

```
<linkId value="2.1"/>
<group>
  <linkId value="2.1.1"/>
  <question>
    <linkId value="2.1.1.1"/>
    <text value="Relationship to you"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA10423-4"/>
        <display value="Paternal Grandfather"/>
      </valueCoding>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.2"/>
    <text value="Name"/>
    <answer>
      <valueString value="Bob"/>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.3"/>
    <text value="Gender"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA2-8"/>
        <display value="Male"/>
      </valueCoding>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.4"/>
    <text value="Living?"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA32-8"/>
        <display value="No"/>
      </valueCoding>
      <group>
        <linkId value="2.1.1.4.1"/>
        <question>
          <linkId value="2.1.1.4.1.1"/>
          <text value="Cause of Death"/>
          <answer>
            <valueCoding>
              <system value="http://loinc.org"/>
              <code value="LA10537-1"/>
              <display value="-- Colon Cancer"/>
            </valueCoding>
          </answer>
        </question>
        <question>
          <linkId value="2.1.1.4.1.2"/>
          <text value="Age at Death"/>
          <answer>
            <valueCoding>
              <system value="http://loinc.org"/>
              <code value="LA10400-2"/>
              <display value="OVER 60"/>
            </valueCoding>
          </answer>
        </question>
      </group>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.5"/>
    <text value="Was this person born a twin?"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA32-8"/>
        <display value="No"/>
      </valueCoding>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.6"/>
    <text value="Was this person adopted?"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA32-8"/>
        <display value="No"/>
      </valueCoding>
    </answer>
```

```
    </question>
  </group>
  <group>
    <linkId value="2.1.2"/>
    <title value="This family member's history of disease"/>
    <question>
      <linkId value="2.1.2.1"/>
      <text value="Disease or Condition"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10537-1"/>
          <display value="-- Colon Cancer"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.2.2"/>
      <text value="Age at Diagnosis"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10400-2"/>
          <display value="OVER 60"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10424-2"/>
          <display value="Paternal Grandmother"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Claire"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA3-6"/>
          <display value="Female"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.1"/>
          <question>
            <linkId value="2.1.1.4.1.1"/>
            <text value="Cause of Death"/>
            <answer>
              <valueCoding>
                <system value="http://loinc.org"/>
                <code value="LA10589-2"/>
                <display value="-- Other/Unexpected"/>
              </valueCoding>
              <group>
                <linkId value="2.1.1.4.1.1.1"/>
                <question>
                  <text value="Please specify"/>
                  <answer>
                    <valueString value="Lou Gehrigs"/>
                  </answer>
```

```
              </question>
            </group>
          </answer>
        </question>
        <question>
          <linkId value="2.1.1.4.1.2"/>
          <text value="Age at Death"/>
          <answer>
            <valueCoding>
              <system value="http://loinc.org"/>
              <code value="LA10400-2"/>
              <display value="OVER 60"/>
            </valueCoding>
          </answer>
        </question>
      </group>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.5"/>
    <text value="Was this person born a twin?"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA32-8"/>
        <display value="No"/>
      </valueCoding>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.6"/>
    <text value="Was this person adopted?"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA32-8"/>
        <display value="No"/>
      </valueCoding>
    </answer>
  </question>
 </group>
</group>
<group>
 <linkId value="2.1"/>
 <group>
  <linkId value="2.1.1"/>
  <question>
    <linkId value="2.1.1.1"/>
    <text value="Relationship to you"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA10417-6"/>
        <display value="Mother"/>
      </valueCoding>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.2"/>
    <text value="Name"/>
    <answer>
      <valueString value="Harriet"/>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.3"/>
    <text value="Gender"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA3-6"/>
        <display value="Female"/>
      </valueCoding>
    </answer>
  </question>
  <question>
    <linkId value="2.1.1.4"/>
    <text value="Living?"/>
    <answer>
      <valueCoding>
        <system value="http://loinc.org"/>
        <code value="LA32-8"/>
        <display value="No"/>
      </valueCoding>
      <group>
        <linkId value="2.1.1.4.1"/>
        <question>
          <linkId value="2.1.1.4.1.1"/>
          <text value="Cause of Death"/>
```

```
            <answer>
              <valueCoding>
                <system value="http://loinc.org"/>
                <code value="LA10539-7"/>
                <display value="-- Ovarian Cancer"/>
              </valueCoding>
            </answer>
          </question>
          <question>
            <linkId value="2.1.1.4.1.2"/>
            <text value="Age at Death"/>
            <answer>
              <valueCoding>
                <system value="http://loinc.org"/>
                <code value="LA10399-6"/>
                <display value="50-59"/>
              </valueCoding>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
  <group>
    <linkId value="2.1.2"/>
    <title value="This family member's history of disease"/>
    <question>
      <linkId value="2.1.2.1"/>
      <text value="Disease or Condition"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10539-7"/>
          <display value="-- Ovarian Cancer"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.2.2"/>
      <text value="Age at Diagnosis"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10398-8"/>
          <display value="40-49"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10414-3"/>
          <display value="Maternal Uncle"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
```

```
      <text value="Name"/>
      <answer>
        <valueString value="Rudy"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA2-8"/>
          <display value="Male"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="60"/>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10410-1"/>
          <display value="Maternal Aunt"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Julie"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
```

```
          <code value="LA3-6"/>
          <display value="Female"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="57"/>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10412-7"/>
          <display value="Maternal Grandfather"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Ian"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA2-8"/>
          <display value="Male"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
```

```
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.1"/>
          <question>
            <linkId value="2.1.1.4.1.1"/>
            <text value="Cause of Death"/>
            <answer>
              <valueCoding>
                <system value="http://loinc.org"/>
                <code value="LA10558-7"/>
                <display value="-- Heart Attack"/>
              </valueCoding>
            </answer>
          </question>
          <question>
            <linkId value="2.1.1.4.1.2"/>
            <text value="Age at Death"/>
            <answer>
              <valueCoding>
                <system value="http://loinc.org"/>
                <code value="LA10400-2"/>
                <display value="OVER 60"/>
              </valueCoding>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10413-5"/>
          <display value="Maternal Grandmother"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Gladys"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA3-6"/>
          <display value="Female"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
```

```
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.1"/>
          <question>
            <linkId value="2.1.1.4.1.1"/>
            <text value="Cause of Death"/>
            <answer>
              <valueCoding>
                <system value="http://loinc.org"/>
                <code value="LA10571-0"/>
                <display value="-- Other/Unknown"/>
              </valueCoding>
            </answer>
          </question>
          <question>
            <linkId value="2.1.1.4.1.2"/>
            <text value="Age at Death"/>
            <answer>
              <valueCoding>
                <system value="http://loinc.org"/>
                <code value="LA10400-2"/>
                <display value="OVER 60"/>
              </valueCoding>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
  <group>
    <linkId value="2.1.2"/>
    <title value="This family member's history of disease"/>
    <question>
      <linkId value="2.1.2.1"/>
      <text value="Disease or Condition"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10536-3"/>
          <display value="-- Breast Cancer"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.2.2"/>
      <text value="Age at Diagnosis"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10399-6"/>
          <display value="50-59"/>
        </valueCoding>
      </answer>
    </question>
  </group>
  <group>
    <linkId value="2.1.2"/>
    <title value="This family member's history of disease"/>
    <question>
      <linkId value="2.1.2.1"/>
      <text value="Disease or Condition"/>
```

```
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10564-5"/>
          <display value="-- Asthma"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.2.2"/>
      <text value="Age at Diagnosis"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10395-4"/>
          <display value="Childhood"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10411-9"/>
          <display value="Maternal Cousin"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Karren"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA3-6"/>
          <display value="Female"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="30"/>
            </answer>
          </question>
        </group>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.5"/>
      <text value="Was this person born a twin?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.6"/>
      <text value="Was this person adopted?"/>
```

```
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA32-8"/>
          <display value="No"/>
        </valueCoding>
      </answer>
    </question>
  </group>
  <group>
    <linkId value="2.1.2"/>
    <title value="This family member's history of disease"/>
    <question>
      <linkId value="2.1.2.1"/>
      <text value="Disease or Condition"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10536-3"/>
          <display value="-- Breast Cancer"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.2.2"/>
      <text value="Age at Diagnosis"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10397-0"/>
          <display value="30-39"/>
        </valueCoding>
      </answer>
    </question>
  </group>
</group>
<group>
  <linkId value="2.1"/>
  <group>
    <linkId value="2.1.1"/>
    <question>
      <linkId value="2.1.1.1"/>
      <text value="Relationship to you"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA10411-9"/>
          <display value="Maternal Cousin"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.2"/>
      <text value="Name"/>
      <answer>
        <valueString value="Mary"/>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.3"/>
      <text value="Gender"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA3-6"/>
          <display value="Female"/>
        </valueCoding>
      </answer>
    </question>
    <question>
      <linkId value="2.1.1.4"/>
      <text value="Living?"/>
      <answer>
        <valueCoding>
          <system value="http://loinc.org"/>
          <code value="LA33-6"/>
          <display value="Yes"/>
        </valueCoding>
        <group>
          <linkId value="2.1.1.4.2"/>
          <question>
            <linkId value="2.1.1.4.2.2"/>
            <text value="Age"/>
            <answer>
              <valueDecimal value="31"/>
            </answer>
          </question>
        </group>
      </answer>
```

```
              </question>
              <question>
                <linkId value="2.1.1.5"/>
                <text value="Was this person born a twin?"/>
                <answer>
                  <valueCoding>
                    <system value="http://loinc.org"/>
                    <code value="LA32-8"/>
                    <display value="No"/>
                  </valueCoding>
                </answer>
              </question>
              <question>
                <linkId value="2.1.1.6"/>
                <text value="Was this person adopted?"/>
                <answer>
                  <valueCoding>
                    <system value="http://loinc.org"/>
                    <code value="LA32-8"/>
                    <display value="No"/>
                  </valueCoding>
                </answer>
              </question>
            </group>
          </group>
        </group>
      </group>
    </QuestionnaireResponse>
  </resource>
 </parameter>
</Parameters>
```

2.38.13.2 Generate HTML for Questionnaire

Generates an HTML page as a Binary instance based on a specified Questionnaire, filling in answers to questions where possible based on information provided as part of the operation or already known by the server about the subject of the Questionnaire.

If the operation is not called at the instance level, one and only one of the identifier, questionnaire or questionnaireRef 'in' parameters must be provided. If called at the instance level, these parameters will be ignored.

The response will contain a Binary instance containing an HTML page for filling in and submitting the specified Questionnaire and/or an OperationOutcome resource with errors or warnings.

The generated HTML form instance will be populated with an unanswered set of questions following the group and question structure of the specified Questionnaire. If content parameters were specified or the local parameter was set to true, some of the questions may have answers filled in as well. In the case of repeating questions or groups, typically only one repetition will be provided unless answer values exist that would support populating multiple repetitions.

Population of the HTML form with appropriate data is dependent on the questions and/or groups in the Questionnaire having metadata that allows the server to recognize the questions, e.g. through Questionnaire.item.definition or through use of the ConceptMap resource.

Regardless of the mechanism used to link the questions in a questionnaire to a "known" mappable concept, solutions using this operation should ensure that the details of the question and associated linkage element are sufficiently similar as to safely allow auto-population; i.e. the question text and context must be sufficiently the same, the value set for the question must fall within the value set for the mapped element, the data types must be the same or convertible, etc.

The official URL for this operation definition is

```
http://hl7.org/fhir/OperationDefinition/Questionnaire-populatehtml
```

Formal Definition (as a OperationDefinition).

URL: [base]/Questionnaire/$populatehtml

URL: [base]/Questionnaire/[id]/$populatehtml

This is an idempotent operation

In Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

identifier | 0..1 | uri | | | A logical questionnaire identifier (i.e. "Questionnaire.identifier"). The server must know the questionnaire or be able to retrieve it from other known repositories.

questionnaire | 0..1 | Questionnaire | | | The Questionnaire is provided directly as part of the request. Servers may choose not to accept questionnaires in this fashion

questionnaireRef | 0..1 | Reference(Questionnaire) | | | The Questionnaire is provided as a resource reference. Servers may choose not to accept questionnaires in this fashion or may fail if they cannot resolve or access the referenced questionnaire.

content | 0..* | Reference(Any) | | | Resources containing information to be used to help populate the generated HTML form. These may be FHIR resources or may be binaries containing FHIR documents, CDA documents or other source materials. Servers may not support all possible source materials and may ignore materials they do not recognize. (They MAY provide warnings if ignoring submitted resources.)

local | 0..1 | boolean | | | If specified and set to 'true' (and the server is capable), the server should use what resources and other knowledge it has about the referenced subject when pre-populating answers to questions.

Out Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

form | 1..1 | Binary | | | The generated HTML page that supports capturing the information defined by questionnaire, possibly partially (or fully)-populated with a set of answers for the specified Questionnaire

issues | 0..1 | OperationOutcome | | | A list of hints and warnings about problems encountered while populating the questionnaire. These might be show to the user as an advisory note. Note: if the questionnaire cannot be populated at all, then the operation should fail, and an OperationOutcome is returned directly with the failure, rather than using this parameter

While it is theoretically possible for an HTML form to be completely auto-populated and submitted without human review, the intention of this transaction is merely to reduce redundant data entry. The HTML form SHOULD ensure that a human submitter has an opportunity to review the auto-populated answers to confirm correctness as well as to complete or expand on information provided by the auto-population process.

Complex form designs with conditional logic or tight constraints on cardinalities may be challenging to auto-populate. A server MAY choose to traverse the questionnaire as if it were a human respondent, answering only those questions that are enabled based on previously answered questions. However, doing so may result in minimal population. Alternatively, systems may choose to populate all known answers, independent of dependencies and other constraints. This may cause questions to be answered that should not be answered. The generated HTML form is responsible for pruning the final populated questionnaire once human review has taken place.

Invoking this operation with the "content" parameter may involve the disclosure of personally identifiable healthcare information to the system which is performing the population process. No such disclosures should be made unless the system on which the operation is being invoked is a "trusted" system and appropriate agreements are in place to protect the confidentiality of any information shared with that system.

2.38.13.2.1 Examples

Request:

```
POST [base]/Questionnnaire/$populatehtml
[other headers]

<Parameters xmlns="http://hl7.org/fhir" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://hl7.org/fhir ../../schema/parameters.xsd">
  <parameter>
    <name value="questionnaireRef"/>
    <valueReference>
      <reference value="http://hl7.org/fhir/Questionnaire/questionnaire-sdc-profile-example-ussg-fht"/>
    </valueReference>
  </parameter>
  <parameter>
    <name value="local"/>
    <valueBoolean value="true"/>
  </parameter>
</Parameters>
```

Response:

```
HTTP/1.1 200 OK
[other headers]

<?xml version="1.0" encoding="UTF-8"?>
<Parameters xmlns="http://hl7.org/fhir">
  <parameter>
    <name value="questionnaire"/>
    <resource>
      <Binary>
        <contentType value="text/html"/>
        <content><!--Base-64 encoded HTML form goes here--></content>
      </Binary>
    </resource>
  </parameter>
</Parameters>
```

2.38.13.3 Generate a link to a Questionnaire completion webpage

Generates a link to a web page to be used to answer a specified Questionnaire. The form at the specified location will be pre-filled with answers to questions where possible based on information provided as part of the operation or already known by the server about the subject of the Questionnaire.

If the operation is not called at the instance level, one and only one of the identifier, questionnaire or questionnaireRef 'in' parameters must be provided. If called at the instance level, these parameters will be ignored.

The response will contain a url for the web page to direct the user to. The page will allow the user to complete/verify the questionnaire answers and to submit the form.

The specified page will be populated with an unanswered set of questions following the group and question structure of the specified Questionnaire. If content parameters were specified or the local parameter was set to true, some of the questions may have answers filled in as well. In the case of repeating questions or groups, typically only one repetition will be provided unless answer values exist that would support populating multiple repetitions.

Population of the page with appropriate data is dependent on the questions and/or groups in the Questionnaire having metadata that allows the server to recognize the questions, e.g. through Questionnaire.item.definition or through use of the ConceptMap resource.

Regardless of the mechanism used to link the questions in a questionnaire to a "known" mappable concept, solutions using this operation should ensure that the details of the question and associated linkage element are sufficiently similar as to

safely allow auto-population; i.e. the question text and context must be sufficiently the same, the value set for the question must fall within the value set for the mapped element, the data types must be the same or convertible, etc.

The official URL for this operation definition is

```
http://hl7.org/fhir/OperationDefinition/Questionnaire-populatelink
```

Formal Definition (as a OperationDefinition).

URL: [base]/Questionnaire/$populatelink

URL: [base]/Questionnaire/[id]/$populatelink

This is an idempotent operation

In Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

identifier | 0..1 | uri | | | A logical questionnaire identifier (i.e. "Questionnaire.identifier"). The server must know the questionnaire or be able to retrieve it from other known repositories.

questionnaire | 0..1 | Questionnaire | | | The Questionnaire is provided directly as part of the request. Servers may choose not to accept questionnaires in this fashion

questionnaireRef | 0..1 | Reference(Questionnaire) | | | The Questionnaire is provided as a resource reference. Servers may choose not to accept questionnaires in this fashion or may fail if they cannot resolve or access the referenced questionnaire.

content | 0..* | Reference(Any) | | | Resources containing information to be used to help populate the generated HTML form. These may be FHIR resources or may be binaries containing FHIR documents, CDA documents or other source materials. Servers may not support all possible source materials and may ignore materials they do not recognize. (They MAY provide warnings if ignoring submitted resources.)

local | 0..1 | boolean | | | If specified and set to 'true' (and the server is capable), the server should use what resources and other knowledge it has about the referenced subject when pre-populating answers to questions.

Out Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

link | 1..1 | uri | | | The URL for the web form that supports capturing the information defined by questionnaire, possibly partially (or fully)-populated with a set of answers for the specified Questionnaire

issues | 0..1 | OperationOutcome | | | A list of hints and warnings about problems encountered while populating the questionnaire. These might be show to the user as an advisory note. Note: if the questionnaire cannot be populated at all, then the operation should fail, and an OperationOutcome is returned directly with the failure, rather than using this parameter

While it is theoretically possible for the questionnaire response to be completely auto-populated and submitted without human review, the intention of this transaction is merely to reduce redundant data entry. The web page SHOULD ensure that a human submitter has an opportunity to review the auto-populated answers to confirm correctness as well as to complete or expand on information provided by the auto-population process.

Complex form designs with conditional logic or tight constraints on cardinalities may be challenging to auto-populate. A server MAY choose to traverse the questionnaire as if it were a human respondent, answering only those questions that are enabled based on previously answered questions. However, doing so may result in minimal population. Alternatively, systems may choose to populate all known answers, independent of dependencies and other constraints. This may cause questions to be answered that should not be answered. The web form is responsible for pruning the final populated questionnaire once human review has taken place.

Invoking this operation with the "content" parameter may involve the disclosure of personally identifiable healthcare information to the system which is performing the population process. No such disclosures should be made unless the system on which the operation is being invoked is a "trusted" system and appropriate agreements are in place to protect the confidentiality of any information shared with that system.

2.38.13.3.1 Examples

Request:

```
POST [base]/Questionnnaire/$populatelink
[other headers]

<Parameters xmlns="http://hl7.org/fhir" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://hl7.org/fhir ../../schema/parameters.xsd">
  <parameter>
    <name value="questionnaireRef"/>
    <valueReference>
      <reference value="http://hl7.org/fhir/Questionnaire/questionnaire-sdc-profile-example-ussg-fht"/>
    </valueReference>
  </parameter>
  <parameter>
    <name value="local"/>
    <valueBoolean value="true"/>
  </parameter>
</Parameters>
```

Response:

```
HTTP/1.1 200 OK
[other headers]

<?xml version="1.0" encoding="UTF-8"?>
<Parameters xmlns="http://hl7.org/fhir">
  <parameter>
    <name value="link"/>
    <valueUri value="https://example.org/form/123457890a.asp"/>
  </parameter>
</Parameters>
```

2.38.14 Resource Questionnaire - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/questionnaire-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.38.14 Resource Questionnaire - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

R2 : R3 Converson maps for Questionnaire.

Functional status for this map: 6 tests that all execute ok. 4 fail round-trip testing and 5 r3 resources are invalid (109 errors). (see documentation)

2.38.14.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/Questionnaire2to3" = "R2 to R3 Conversions for Questionnaire"

conceptmap "QuestionnaireStatus" {
  prefix s = "http://hl7.org/fhir/allergy-intolerance-status"
  prefix t = "http://hl7.org/fhir/allergy-verification-status"

  s:published = t:active
  s:draft = t:draft
  s:retired = t:retired
}

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Questionnaire" alias QuestionnaireR2 as source
uses "http://hl7.org/fhir/StructureDefinition/Questionnaire" alias Questionnaire as target

imports "http://hl7.org/fhir/StructureMap/*2to3"

group for type+types  Questionnaire extends DomainResource
  input src : QuestionnaireR2 as source
  input tgt : Questionnaire as target

  "Questionnaire-identifier" : for src.identifier make tgt.identifier
  "Questionnaire-version" : for src.version make tgt.version
  "Questionnaire-status" : for src.status as v make tgt.status = translate(v, "#QuestionnaireStatus", "code")
  "Questionnaire-date" : for src.date make tgt.date
  "Questionnaire-publisher" : for src.publisher make tgt.publisher
  "Questionnaire-telecom" : for src.telecom as v make tgt.contact as d, d.telecom as v
  "Questionnaire-subjectType" : for src.subjectType make tgt.subjectType

  "Questionnaire-group" : for src.group as vs0 make tgt.item as vt0 then qstGroup(vs0, vt0)
endgroup

group qstGroup extends BackboneElement
  input src as source
  input tgt as target

  "Questionnaire.group-type" : for src make tgt.type = 'group'
  "Questionnaire.group-linkId" : for src.linkId make tgt.linkId
  "Questionnaire.group-title" : for src.title make tgt.text
  "Questionnaire.group-concept" : for src.concept make tgt.code
  "Questionnaire.group-text" : for src.text as t where src.title.exists() and src.linkId.exists() make tgt.item as i,
    i.linkId = (src.linkId + '-'+'display'), i.text = t
  "Questionnaire.group-text" : for src.text where src.title.empty() make tgt.text
  "Questionnaire.group-required" : for src.required make tgt.required
  "Questionnaire.group-repeats" : for src.repeats make tgt.repeats
  "Questionnaire.group-group" : for src.group as vs0 make tgt.item as vt0 then qstGroup(vs0, vt0)
  "Questionnaire.group-question" : for src.question as vs0 make tgt.item as vt0 then qstQuestion(vs0, vt0)
endgroup

group qstQuestion extends BackboneElement
  input src as source
  input tgt as target

  "Questionnaire.group.question-type" : for src.type make tgt.type
  "Questionnaire.group.question-linkId" : for src.linkId make tgt.linkId
  "Questionnaire.group.question-concept" : for src.concept make tgt.code
  "Questionnaire.group.question-text" : for src.text make tgt.text
  "Questionnaire.group.question-required" : for src.required make tgt.required
  "Questionnaire.group.question-repeats" : for src.repeats make tgt.repeats
  "Questionnaire.group.question-options" : for src.options make tgt.options
  "Questionnaire.group.question-option" : for src.option as v make tgt.option as o, o.value as v
  "Questionnaire.group.question-group" : for src.group as vs0 make tgt.item as vt0 then qstGroup(vs0, vt0)
endgroup
```

2.38.14.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/Questionnaire3to2" = "R3 to R2 Conversion for Questionnaire"

conceptmap "QuestionnaireStatus" {
  prefix s = "http://hl7.org/fhir/allergy-intolerance-status"
  prefix t = "http://hl7.org/fhir/allergy-verification-status"

  s:active = t:published
```

```
  s:draft = t:draft
  s:retired = t:retired
}


uses "http://hl7.org/fhir/StructureDefinition/Questionnaire" alias Questionnaire as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Questionnaire" alias QuestionnaireR2 as target

imports "http://hl7.org/fhir/StructureMap/*3to2"

group for type+types  Questionnaire extends DomainResource
  input src : Questionnaire as source
  input tgt : QuestionnaireR2 as target

  "Questionnaire-identifier" : for src.identifier make tgt.identifier
  "Questionnaire-version" : for src.version make tgt.version
  "Questionnaire-status" : for src.status as v make tgt.status = translate(v, "#QuestionnaireStatus", "code")
  "Questionnaire-date" : for src.date make tgt.date
  "Questionnaire-publisher" : for src.publisher make tgt.publisher
  "Questionnaire-telecom1" : for src.contact as v then {
    "Questionnaire-telecom-inner" : for v.telecom make tgt.telecom
  }
  "Questionnaire-subjectType" : for src.subjectType make tgt.subjectType

  "Questionnaire-group" : for src.item as vs0 where type = 'group' make tgt.group as vt0 then qstGroup(vs0, vt0)  //
    ignore root questions? (else create a holding group?)
endgroup

group qstGroup extends BackboneElement
  input src as source
  input tgt as target

  "Questionnaire.group-linkId" : for src.linkId make tgt.linkId
  "Questionnaire.group-title" : for src.text make tgt.title
  "Questionnaire.group-concept" : for src.code make tgt.concept
  "Questionnaire.group-required" : for src.required make tgt.required
  "Questionnaire.group-repeats" : for src.repeats make tgt.repeats
  "Questionnaire.group-group" : for src.item as vs0 where type = 'group' make tgt.group as vt0 then qstGroup(vs0, vt0)
  "Questionnaire.group-question" : for src.item as vs0 where type != 'group' make tgt.question as vt0 then
    qstQuestion(vs0, vt0)
endgroup

group qstQuestion extends BackboneElement
  input src as source
  input tgt as target

  "Questionnaire.group.question-type" : for src.type make tgt.type
  "Questionnaire.group.question-linkId" : for src.linkId make tgt.linkId
  "Questionnaire.group.question-concept" : for src.code make tgt.concept
  "Questionnaire.group.question-text" : for src.text make tgt.text
  "Questionnaire.group.question-required" : for src.required make tgt.required
  "Questionnaire.group.question-repeats" : for src.repeats make tgt.repeats
  "Questionnaire.group.question-options" : for src.options make tgt.options
  "Questionnaire.group.question-option" : for src.option as s then {
    "Questionnaire.group.question-option-inner" : for s.value as v where v.is(Coding) make tgt.option = v
  }
  "Questionnaire.group.question-group" : for src.item as vs0 where type = 'group' make tgt.group as vt0 then
    qstGroup(vs0, vt0)  // ignore sub- questions? (else create a holding group?)
endgroup
```

2.38.14.3 R3 Validation Errors

3141 | ERROR @ Questionnaire.item.item[2].item.item: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[2].item.item.type': minimum required = 1, but only found 0 (src = InstanceValidator)
bb | ERROR @ Questionnaire.item.item.item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[1].linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[1].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[1].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[1].item[2]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[1].item[2].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[2].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[2].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[2].item[2]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[2].item[2].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[2].item[3]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[2].item[3].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[2].item[3].item.item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[2].item[3].item.item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[2].item[3].item.item[2]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[2].item[3].item.item[2].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[2].item[4]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[2].item[4].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[2].item[4].item: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[2].item[4].item.linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[2].item[4].item.item: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item.item[2].item[4].item.item.type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item.item[2].item[5]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element

'Questionnaire.item.item.item[2].item[5].type': minimum required = 1, but only found 0 (src = InstanceValidator)
f201 | ERROR @ Questionnaire.item.item[1].item: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[1].item.type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[2].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[2].item[2].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[2].item[3].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[4]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[2].item[4].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item[3].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[3].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item[3].item[2]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[3].item[2].type': minimum required = 1, but only found 0 (src = InstanceValidator)
questionnaire-sdc-profile-example-cap | ERROR @ Questionnaire.item.item[1].item.item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[1].item[1].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[1].item[1].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[1].item[1].item[2].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[1].item[2].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[1].item[2].item[1].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[1].item[2].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[1].item[2].item[2].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[2].item.item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[2].item.item[1].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[2].item.item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[2].item.item[2].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[3].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[3].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[4].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item.item[4].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[1].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[1].item[1].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[1].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[1].item[2].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[1].item[3].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[1].item[3].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item.item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item.item.item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[2].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator)
questionnaire-sdc-profile-example-loinc | ERROR @ Questionnaire: If the resource is contained in another resource, it SHALL be referred to from elsewhere in the resource [contained.where(('#'+id in %resource.descendants().reference).not()).empty()] (src = InstanceValidator) ERROR @ Questionnaire.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-category is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/sdc-questionnaire-specialGroup is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[1].item[1].linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item[1].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-defaultValue is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item[1].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-readOnly is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[1].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[1]: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[2].item[1].type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].extension[4]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].extension[5]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-instruction is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[1].item.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[1].item.extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[1].item.extension[4]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @

Questionnaire.item.item[2].item[2].item[1].item[1].item.extension[5]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-instruction is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[1].item.item.item.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[1].item.item.item.extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[1].item.item.item.extension[4]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-deReference is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[2].item.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[2].item.extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[2].item.item.item.extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[2].item.item.item.extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-trailing is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[3].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[3].item.item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[1].item[4].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].item[1].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].item[2].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].item[3].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].item[4].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].item[5].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].item[6].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].item[7].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].item[7].item.item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[3].item[8].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[4].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[2].item[4].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[1].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[1].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[2].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[3].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[3].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[4].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[5].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[5].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[6].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[6].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[7].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[8].extension[1]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[8].extension[3]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[9].extension[2]: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-maxLength is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[10].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[3].item[11].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[4].item[1].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[4].item[1].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[4].item[2].extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-label is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[4].item[2].item.extension: The extension http://hl7.org/fhir/StructureDefinition/questionnaire-enableWhen is unknown, and not allowed here (src = InstanceValidator) ERROR @ Questionnaire.item.item[2].item[5].item: Profile http://hl7.org/fhir/StructureDefinition/Questionnaire, Element 'Questionnaire.item.item[2].item[5].item.type': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ Questionnaire.item.item[4].extension: The extension http://hl7.org/fhir/StructureDefinition/sdc-questionnaire-specialGroup is unknown, and not allowed here (src = InstanceValidator)

2.39 Resource QuestionnaireResponse - Content

URL: https://hl7.org/fhir/STU3/questionnaireresponse.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

A structured set of questions and their answers. The questions are ordered and grouped into coherent subsets, corresponding to the structure of the grouping of the questionnaire being responded to.

2.39.1 Scope and Usage

QuestionnaireResponse provides a complete or partial list of answers to a set of questions filled when responding to a questionnaire. The questions may be included directly or by reference to a Questionnaire resource that defines the questions as well as the constraints on the allowed answers. In some cases, both formal rules for editing the questionnaire (via link to Questionnaire) as well as sufficient local information to allow rendering of the questionnaire may be provided.

Each time a questionnaire is completed for a different subject or at a different time, a distinct QuestionnaireResponse is generated, though it may be possible for a previously entered set of answers to be edited or updated.

Questionnaire responses cover the need to communicate data originating from forms used in medical history examinations, research questionnaires and sometimes full clinical specialty records. In many systems this data is collected using user-defined screens and forms. Questionnaire responses record specifics about data capture - exactly what questions were asked, in what order, what answers were given, etc. Each of these questions is part of the Questionnaire, and as such the Questionnaire is a separately identifiable Resource, whereas the individual questions are not.

Examples of Questionnaires include:

* Past medical history (PMH)

* Family diseases

* Social history

* Research questionnaires and Case report forms (CRFs)

* Quality and evaluation forms

* Patient intake form (e.g. clipboard)

* Insurance claim form

QuestionnaireResponse resources can be validated against their corresponding Questionnaire to verify that required groups and questions are answered and that answers fit constraints in terms of cardinality, data type, etc.

2.39.2 Boundaries and Relationships

The QuestionnaireResponse resource captures the responses to a questionnaire, while Questionnaire represents the definition of the questionnaire form, including what questions are asked, how they're organized and the constraints on the allowed answers.

While Observation, with its nested relatedObservation structure, can create complex hierarchies of questions and answers, the focus is different. First, Observation is used primarily for capturing data elements that are "true" observations - lab measurements, vital signs, social assessments, etc., while QuestionnaireResponse can be used to capture any types of data, including data that would typically map to other resources (Procedure, Patient, MedicationStatement, etc.). Second, the focus of QuestionnaireResponse includes the specific phrasing and organization of the questions. All data must be explicitly captured as a question. With Observation, the focus is only on the meaning of the answer, not what question was asked (assuming a question was even asked at all). Additional information such as normal ranges, interpretation, date, etc., may also be captured.

This resource is referenced by ClinicalImpression, Consent, Contract, FamilyMemberHistory and Observation

2.39.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
QuestionnaireResponse | | | DomainResource | A structured set of questions and their answers Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | ? | 0..1 | Identifier | Unique id for this set of answers
basedOn | ? | 0..* | Reference(ReferralRequest | CarePlan | ProcedureRequest) | Request fulfilled by this QuestionnaireResponse
parent | ? | 0..* | Reference(Observation | Procedure) | Part of this action
questionnaire | ? | 0..1 | Reference(Questionnaire) | Form being answered
status | ?!? | 1..1 | code | in-progress | completed | amended | entered-in-error | stopped QuestionnaireResponseStatus (Required)
subject | ? | 0..1 | Reference(Any) | The subject of the questions
context | ? | 0..1 | Reference(Encounter | EpisodeOfCare) | Encounter or Episode during which questionnaire was completed
authored | ? | 0..1 | dateTime | Date the answers were gathered
author | ? | 0..1 | Reference(Device | Practitioner | Patient | RelatedPerson) | Person who received and recorded the answers

source | ? | 0..1 | Reference(Patient | Practitioner | RelatedPerson) | The person who answered the questions
item | I | 0..* | BackboneElement | Groups and questions + Nested item can't be beneath both item and answer
linkId | | 1..1 | string | Pointer to specific item from Questionnaire
definition | | 0..1 | uri | ElementDefinition - details for the item
text | | 0..1 | string | Name for group or question text
subject | | 0..1 | Reference(Any) | The subject this group's answers are about
answer | | 0..* | BackboneElement | The response(s) to the question
value[x] | | 0..1 | | Single-valued answer to the question Questionnaire Answer Codes (Example)
valueBoolean | | | boolean
valueDecimal | | | decimal
valueInteger | | | integer
valueDate | | | date
valueDateTime | | | dateTime
valueTime | | | time
valueString | | | string
valueUri | | | uri
valueAttachment | | | Attachment
valueCoding | | | Coding
valueQuantity | | | Quantity
valueReference | | | Reference(Any)
item | | 0..* | see item | Nested groups and questions
item | | 0..* | see item | Nested questionnaire response items
Documentation for this format

UML Diagram (Legend)

XML Template

```
<QuestionnaireResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..1 Identifier Unique id for this set of answers --></identifier>
 <basedOn><!-- 0..* Reference(ReferralRequest|CarePlan|ProcedureRequest) Request fulfilled by this QuestionnaireResponse
     --></basedOn>
 <parent><!-- 0..* Reference(Observation|Procedure) Part of this action --></parent>
 <questionnaire><!-- 0..1 Reference(Questionnaire) Form being answered --></questionnaire>
 <status value="[code]"/><!-- 1..1 in-progress | completed | amended | entered-in-error | stopped -->
 <subject><!-- 0..1 Reference(Any) The subject of the questions --></subject>
 <context><!-- 0..1 Reference(Encounter|EpisodeOfCare) Encounter or Episode during which questionnaire was completed
    --></context>
 <authored value="[dateTime]"/><!-- 0..1 Date the answers were gathered -->
 <author><!-- 0..1 Reference(Device|Practitioner|Patient|RelatedPerson) Person who received and recorded the answers
    --></author>
 <source><!-- 0..1 Reference(Patient|Practitioner|RelatedPerson) The person who answered the questions --></source>
 <item>  <!-- 0..* Groups and questions -->
  <linkId value="[string]"/><!-- 1..1 Pointer to specific item from Questionnaire -->
  <definition value="[uri]"/><!-- 0..1 ElementDefinition - details for the item -->
  <text value="[string]"/><!-- 0..1 Name for group or question text -->
  <subject><!-- 0..1 Reference(Any) The subject this group's answers are about --></subject>
  <answer>  <!-- 0..* The response(s) to the question -->
   <value[x]><!-- 0..1 boolean|decimal|integer|date|dateTime|time|string|uri|
     Attachment|Coding|Quantity|Reference(Any) Single-valued answer to the question --></value[x]>
   <item><!-- 0..* Content as for QuestionnaireResponse.item Nested groups and questions --></item>
  </answer>
  <item><!-- 0..* Content as for QuestionnaireResponse.item Nested questionnaire response items --></item>
 </item>
</QuestionnaireResponse>
```

JSON Template

```
{
  "resourceType" : "QuestionnaireResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : { Identifier }, // Unique id for this set of answers
  "basedOn" : [{ Reference(ReferralRequest|CarePlan|ProcedureRequest) }], // Request fulfilled by this
    QuestionnaireResponse
  "parent" : [{ Reference(Observation|Procedure) }], // Part of this action
  "questionnaire" : { Reference(Questionnaire) }, // Form being answered
  "status" : "<code>", // R!  in-progress | completed | amended | entered-in-error | stopped
  "subject" : { Reference(Any) }, // The subject of the questions
  "context" : { Reference(Encounter|EpisodeOfCare) }, // Encounter or Episode during which questionnaire was completed
  "authored" : "<dateTime>", // Date the answers were gathered
  "author" : { Reference(Device|Practitioner|Patient|RelatedPerson) }, // Person who received and recorded the answers
  "source" : { Reference(Patient|Practitioner|RelatedPerson) }, // The person who answered the questions
  "item" : [{ // Groups and questions
    "linkId" : "<string>", // R!  Pointer to specific item from Questionnaire
    "definition" : "<uri>", // ElementDefinition - details for the item
    "text" : "<string>", // Name for group or question text
    "subject" : { Reference(Any) }, // The subject this group's answers are about
    "answer" : [{ // The response(s) to the question
      // value[x]: Single-valued answer to the question. One of these 12:
      "valueBoolean" : <boolean>,
      "valueDecimal" : <decimal>,
      "valueInteger" : <integer>,
      "valueDate" : "<date>",
```

```
      "valueDateTime" : "<dateTime>",
      "valueTime" : "<time>",
      "valueString" : "<string>",
      "valueUri" : "<uri>",
      "valueAttachment" : { Attachment },
      "valueCoding" : { Coding },
      "valueQuantity" : { Quantity },
      "valueReference" : { Reference(Any) },
      "item" : [{ Content as for QuestionnaireResponse.item }] // Nested groups and questions
    }],
    "item" : [{ Content as for QuestionnaireResponse.item }] // Nested questionnaire response items
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:QuestionnaireResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:QuestionnaireResponse.identifier [ Identifier ]; # 0..1 Unique id for this set of answers
  fhir:QuestionnaireResponse.basedOn [ Reference(ReferralRequest|CarePlan|ProcedureRequest) ], ... ; # 0..* Request
    fulfilled by this QuestionnaireResponse
  fhir:QuestionnaireResponse.parent [ Reference(Observation|Procedure) ], ... ; # 0..* Part of this action
  fhir:QuestionnaireResponse.questionnaire [ Reference(Questionnaire) ]; # 0..1 Form being answered
  fhir:QuestionnaireResponse.status [ code ]; # 1..1 in-progress | completed | amended | entered-in-error | stopped
  fhir:QuestionnaireResponse.subject [ Reference(Any) ]; # 0..1 The subject of the questions
  fhir:QuestionnaireResponse.context [ Reference(Encounter|EpisodeOfCare) ]; # 0..1 Encounter or Episode during which
    questionnaire was completed
  fhir:QuestionnaireResponse.authored [ dateTime ]; # 0..1 Date the answers were gathered
  fhir:QuestionnaireResponse.author [ Reference(Device|Practitioner|Patient|RelatedPerson) ]; # 0..1 Person who received
     and recorded the answers
  fhir:QuestionnaireResponse.source [ Reference(Patient|Practitioner|RelatedPerson) ]; # 0..1 The person who answered
    the questions
  fhir:QuestionnaireResponse.item [ # 0..* Groups and questions
    fhir:QuestionnaireResponse.item.linkId [ string ]; # 1..1 Pointer to specific item from Questionnaire
    fhir:QuestionnaireResponse.item.definition [ uri ]; # 0..1 ElementDefinition - details for the item
    fhir:QuestionnaireResponse.item.text [ string ]; # 0..1 Name for group or question text
    fhir:QuestionnaireResponse.item.subject [ Reference(Any) ]; # 0..1 The subject this group's answers are about
    fhir:QuestionnaireResponse.item.answer [ # 0..* The response(s) to the question
      # QuestionnaireResponse.item.answer.value[x] : 0..1 Single-valued answer to the question. One of these 12
        fhir:QuestionnaireResponse.item.answer.valueBoolean [ boolean ]
        fhir:QuestionnaireResponse.item.answer.valueDecimal [ decimal ]
        fhir:QuestionnaireResponse.item.answer.valueInteger [ integer ]
        fhir:QuestionnaireResponse.item.answer.valueDate [ date ]
        fhir:QuestionnaireResponse.item.answer.valueDateTime [ dateTime ]
        fhir:QuestionnaireResponse.item.answer.valueTime [ time ]
        fhir:QuestionnaireResponse.item.answer.valueString [ string ]
        fhir:QuestionnaireResponse.item.answer.valueUri [ uri ]
        fhir:QuestionnaireResponse.item.answer.valueAttachment [ Attachment ]
        fhir:QuestionnaireResponse.item.answer.valueCoding [ Coding ]
        fhir:QuestionnaireResponse.item.answer.valueQuantity [ Quantity ]
        fhir:QuestionnaireResponse.item.answer.valueReference [ Reference(Any) ]
      fhir:QuestionnaireResponse.item.answer.item [ See QuestionnaireResponse.item ], ... ; # 0..* Nested groups and
    questions
    ], ...;
    fhir:QuestionnaireResponse.item.item [ See QuestionnaireResponse.item ], ... ; # 0..* Nested questionnaire response
    items
  ], ...;
]
```

Changes since DSTU2

QuestionnaireResponse
QuestionnaireResponse.basedOn | Added Element
QuestionnaireResponse.parent | Added Element
QuestionnaireResponse.context | Renamed from encounter to context Add Reference(EpisodeOfCare)
QuestionnaireResponse.item | Renamed from group to item Max Cardinality changed from 1 to *
QuestionnaireResponse.item.linkId | Min Cardinality changed from 0 to 1
QuestionnaireResponse.item.definition | Added Element
QuestionnaireResponse.item.answer | Added Element
QuestionnaireResponse.item.answer.value[x] | Added Element
QuestionnaireResponse.item.answer.item | Added Element
QuestionnaireResponse.item.item | Added Element
QuestionnaireResponse.group.title | deleted
QuestionnaireResponse.group.group | deleted
QuestionnaireResponse.group.question | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 6 tests that all execute ok. 1 fail round-trip testing and 6 r3 resources are invalid (19 errors).).

Structure

Name | Flags | Card. | Type | Description & Constraints
QuestionnaireResponse | | | DomainResource | A structured set of questions and their answers Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | ? | 0..1 | Identifier | Unique id for this set of answers
basedOn | ? | 0..* | Reference(ReferralRequest | CarePlan | ProcedureRequest) | Request fulfilled by this QuestionnaireResponse
parent | ? | 0..* | Reference(Observation | Procedure) | Part of this action
questionnaire | ? | 0..1 | Reference(Questionnaire) | Form being answered
status | ?!? | 1..1 | code | in-progress | completed | amended | entered-in-error | stopped QuestionnaireResponseStatus (Required)
subject | ? | 0..1 | Reference(Any) | The subject of the questions
context | ? | 0..1 | Reference(Encounter | EpisodeOfCare) | Encounter or Episode during which questionnaire was completed
authored | ? | 0..1 | dateTime | Date the answers were gathered
author | ? | 0..1 | Reference(Device | Practitioner | Patient | RelatedPerson) | Person who received and recorded the answers
source | ? | 0..1 | Reference(Patient | Practitioner | RelatedPerson) | The person who answered the questions
item | I | 0..* | BackboneElement | Groups and questions + Nested item can't be beneath both item and answer
linkId | | 1..1 | string | Pointer to specific item from Questionnaire
definition | | 0..1 | uri | ElementDefinition - details for the item
text | | 0..1 | string | Name for group or question text
subject | | 0..1 | Reference(Any) | The subject this group's answers are about
answer | | 0..* | BackboneElement | The response(s) to the question
value[x] | | 0..1 | | Single-valued answer to the question Questionnaire Answer Codes (Example)
valueBoolean | | | boolean
valueDecimal | | | decimal
valueInteger | | | integer
valueDate | | | date
valueDateTime | | | dateTime
valueTime | | | time
valueString | | | string
valueUri | | | uri
valueAttachment | | | Attachment
valueCoding | | | Coding
valueQuantity | | | Quantity
valueReference | | | Reference(Any)
item | | 0..* | see item | Nested groups and questions
item | | 0..* | see item | Nested questionnaire response items
Documentation for this format

UML Diagram (Legend)

XML Template

```
<QuestionnaireResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..1 Identifier Unique id for this set of answers --></identifier>
 <basedOn><!-- 0..* Reference(ReferralRequest|CarePlan|ProcedureRequest) Request fulfilled by this QuestionnaireResponse
     --></basedOn>
 <parent><!-- 0..* Reference(Observation|Procedure) Part of this action --></parent>
 <questionnaire><!-- 0..1 Reference(Questionnaire) Form being answered --></questionnaire>
 <status value="[code]"/><!-- 1..1 in-progress | completed | amended | entered-in-error | stopped -->
 <subject><!-- 0..1 Reference(Any) The subject of the questions --></subject>
 <context><!-- 0..1 Reference(Encounter|EpisodeOfCare) Encounter or Episode during which questionnaire was completed
    --></context>
 <authored value="[dateTime]"/><!-- 0..1 Date the answers were gathered -->
 <author><!-- 0..1 Reference(Device|Practitioner|Patient|RelatedPerson) Person who received and recorded the answers
    --></author>
 <source><!-- 0..1 Reference(Patient|Practitioner|RelatedPerson) The person who answered the questions --></source>
 <item>  <!-- 0..* Groups and questions -->
  <linkId value="[string]"/><!-- 1..1 Pointer to specific item from Questionnaire -->
  <definition value="[uri]"/><!-- 0..1 ElementDefinition - details for the item -->
  <text value="[string]"/><!-- 0..1 Name for group or question text -->
  <subject><!-- 0..1 Reference(Any) The subject this group's answers are about --></subject>
  <answer>  <!-- 0..* The response(s) to the question -->
   <value[x]><!-- 0..1 boolean|decimal|integer|date|dateTime|time|string|uri|
     Attachment|Coding|Quantity|Reference(Any) Single-valued answer to the question --></value[x]>
   <item><!-- 0..* Content as for QuestionnaireResponse.item Nested groups and questions --></item>
  </answer>
  <item><!-- 0..* Content as for QuestionnaireResponse.item Nested questionnaire response items --></item>
 </item>
</QuestionnaireResponse>
```

JSON Template

```
{
  "resourceType" : "QuestionnaireResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : { Identifier }, // Unique id for this set of answers
  "basedOn" : [{ Reference(ReferralRequest|CarePlan|ProcedureRequest) }], // Request fulfilled by this
    QuestionnaireResponse
  "parent" : [{ Reference(Observation|Procedure) }], // Part of this action
  "questionnaire" : { Reference(Questionnaire) }, // Form being answered
```

```
  "status" : "<code>", // R!  in-progress | completed | amended | entered-in-error | stopped
  "subject" : { Reference(Any) }, // The subject of the questions
  "context" : { Reference(Encounter|EpisodeOfCare) }, // Encounter or Episode during which questionnaire was completed
  "authored" : "<dateTime>", // Date the answers were gathered
  "author" : { Reference(Device|Practitioner|Patient|RelatedPerson) }, // Person who received and recorded the answers
  "source" : { Reference(Patient|Practitioner|RelatedPerson) }, // The person who answered the questions
  "item" : [{ // Groups and questions
    "linkId" : "<string>", // R!  Pointer to specific item from Questionnaire
    "definition" : "<uri>", // ElementDefinition - details for the item
    "text" : "<string>", // Name for group or question text
    "subject" : { Reference(Any) }, // The subject this group's answers are about
    "answer" : [{ // The response(s) to the question
      // value[x]: Single-valued answer to the question. One of these 12:
      "valueBoolean" : <boolean>,
      "valueDecimal" : <decimal>,
      "valueInteger" : <integer>,
      "valueDate" : "<date>",
      "valueDateTime" : "<dateTime>",
      "valueTime" : "<time>",
      "valueString" : "<string>",
      "valueUri" : "<uri>",
      "valueAttachment" : { Attachment },
      "valueCoding" : { Coding },
      "valueQuantity" : { Quantity },
      "valueReference" : { Reference(Any) },
      "item" : [{ Content as for QuestionnaireResponse.item }] // Nested groups and questions
    }],
    "item" : [{ Content as for QuestionnaireResponse.item }] // Nested questionnaire response items
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:QuestionnaireResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:QuestionnaireResponse.identifier [ Identifier ]; # 0..1 Unique id for this set of answers
  fhir:QuestionnaireResponse.basedOn [ Reference(ReferralRequest|CarePlan|ProcedureRequest) ], ... ; # 0..* Request
    fulfilled by this QuestionnaireResponse
  fhir:QuestionnaireResponse.parent [ Reference(Observation|Procedure) ], ... ; # 0..* Part of this action
  fhir:QuestionnaireResponse.questionnaire [ Reference(Questionnaire) ]; # 0..1 Form being answered
  fhir:QuestionnaireResponse.status [ code ]; # 1..1 in-progress | completed | amended | entered-in-error | stopped
  fhir:QuestionnaireResponse.subject [ Reference(Any) ]; # 0..1 The subject of the questions
  fhir:QuestionnaireResponse.context [ Reference(Encounter|EpisodeOfCare) ]; # 0..1 Encounter or Episode during which
    questionnaire was completed
  fhir:QuestionnaireResponse.authored [ dateTime ]; # 0..1 Date the answers were gathered
  fhir:QuestionnaireResponse.author [ Reference(Device|Practitioner|Patient|RelatedPerson) ]; # 0..1 Person who received
     and recorded the answers
  fhir:QuestionnaireResponse.source [ Reference(Patient|Practitioner|RelatedPerson) ]; # 0..1 The person who answered
    the questions
  fhir:QuestionnaireResponse.item [ # 0..* Groups and questions
    fhir:QuestionnaireResponse.item.linkId [ string ]; # 1..1 Pointer to specific item from Questionnaire
    fhir:QuestionnaireResponse.item.definition [ uri ]; # 0..1 ElementDefinition - details for the item
    fhir:QuestionnaireResponse.item.text [ string ]; # 0..1 Name for group or question text
    fhir:QuestionnaireResponse.item.subject [ Reference(Any) ]; # 0..1 The subject this group's answers are about
    fhir:QuestionnaireResponse.item.answer [ # 0..* The response(s) to the question
      # QuestionnaireResponse.item.answer.value[x] : 0..1 Single-valued answer to the question. One of these 12
        fhir:QuestionnaireResponse.item.answer.valueBoolean [ boolean ]
        fhir:QuestionnaireResponse.item.answer.valueDecimal [ decimal ]
        fhir:QuestionnaireResponse.item.answer.valueInteger [ integer ]
        fhir:QuestionnaireResponse.item.answer.valueDate [ date ]
        fhir:QuestionnaireResponse.item.answer.valueDateTime [ dateTime ]
        fhir:QuestionnaireResponse.item.answer.valueTime [ time ]
        fhir:QuestionnaireResponse.item.answer.valueString [ string ]
        fhir:QuestionnaireResponse.item.answer.valueUri [ uri ]
        fhir:QuestionnaireResponse.item.answer.valueAttachment [ Attachment ]
        fhir:QuestionnaireResponse.item.answer.valueCoding [ Coding ]
        fhir:QuestionnaireResponse.item.answer.valueQuantity [ Quantity ]
        fhir:QuestionnaireResponse.item.answer.valueReference [ Reference(Any) ]
      fhir:QuestionnaireResponse.item.answer.item [ See QuestionnaireResponse.item ], ... ; # 0..* Nested groups and
    questions
    ], ...;
    fhir:QuestionnaireResponse.item.item [ See QuestionnaireResponse.item ], ... ; # 0..* Nested questionnaire response
    items
  ], ...;
]
```

Changes since DSTU2

QuestionnaireResponse

QuestionnaireResponse.basedOn | Added Element

QuestionnaireResponse.parent | Added Element

QuestionnaireResponse.context | Renamed from encounter to context Add Reference(EpisodeOfCare)

QuestionnaireResponse.item | Renamed from group to item Max Cardinality changed from 1 to *

QuestionnaireResponse.item.linkId | Min Cardinality changed from 0 to 1
QuestionnaireResponse.item.definition | Added Element
QuestionnaireResponse.item.answer | Added Element
QuestionnaireResponse.item.answer.value[x] | Added Element
QuestionnaireResponse.item.answer.item | Added Element
QuestionnaireResponse.item.item | Added Element
QuestionnaireResponse.group.title | deleted
QuestionnaireResponse.group.group | deleted
QuestionnaireResponse.group.question | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 6 tests that all execute ok. 1 fail round-trip testing and 6 r3 resources are invalid (19 errors).).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.39.3.1 Terminology Bindings

Path | Definition | Type | Reference
QuestionnaireResponse.status | Lifecycle status of the questionnaire response. | Required | QuestionnaireResponseStatus
QuestionnaireResponse.item.answer.value[x] | Code indicating the response provided for a question. | Example | Questionnaire Answer Codes

2.39.3.2 Constraints

* qrs-1: On QuestionnaireResponse.item: Nested item can't be beneath both item and answer (expression on QuestionnaireResponse.item: (answer.exists() and item.exists()).not())

2.39.4 Notes

* QuestionnaireResponses can be authored by clinicians, patients, or patients' relatives (or even owners in the case of animals). Clinicians may author questionnaire responses, where the answers are provided by others on behalf of the patient. Additionally, information gathered on behalf of a patient may be about the patient's relatives (e.g. in family anamnesis). Therefore, QuestionnaireResponse makes a distinction between the author, the subject and the source of information.

* A QuestionnaireResponse may be stand-alone or may point to the form that defines the questions in Questionnaire. In this second case, the linkage between the questions and groups in the two resources is established using the linkId element.

* If a QuestionnaireResponse references a Questionnaire, then the QuestionnaireResponse structure must be consistent with the Questionnaire (i.e. questions must be organized into the same groups, nested questions must still be nested, etc.)

* Because of the lack of explicit support for Questionnaires in HL7 v3 , CDA Documents frequently used named sections with Observations to model questionnaires. Such use cases should now utilize the QuestionnaireResponse resource instead.

* The QuestionnaireResponse's encounter element can be used to link to the encounter when the questionnaire response was authored. This can be relevant since the encounter gives context to the answers and can be used to relate information in the QuestionnaireResponse to orders and observations that were done during the same Encounter.

* The order of questions within groups, groups within groups and groups within questions is relevant and must be retained for display and capture.

* Typically Questionnaire items of type display are not mirrored in a QuestionnaireResponse as the purpose of a QuestionnaireResponse is to reflect the information entered into the form, not the instructions provided, though questions and group headings are retained to ensure that the meaning of answers can be interpreted independent of the Questionnaire.

Refer to additional guidance provided in the Questionnaire resource dealing with the design of questionnaires.

2.39.5 Security

QuestionnaireResponse resources can have answers with values of type Attachment. These attachments will typically be selected by the user answering the questionnaire and this selection may be done in an uncontrolled environment. Systems should ensure that the attachment is of the desired type and should take precautions before rendering or executing any attached content.

2.39.6 Access Control

For most resources, the type of information that can be conveyed in the resource is determined by the resource, and the key attributes that determine the sensitivity level of the information are also known; e.g., drug, observation type, clinical trial randomization status, etc. However, for QuestionnaireResponse, the sensitivity of an instance is dependent on what type of Questionnaire it is associated with. And the data elements that determine that sensitivity could be the answers to any of the questions. This makes automatically enforcing access control rules more challenging. Designers should take these challenges into account and may need to place stricter access controls around QuestionnaireResponse to ensure that access to information is not granted improperly.

2.39.7 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
author | reference | The author of the questionnaire response | QuestionnaireResponse.author (Practitioner, Device, Patient, RelatedPerson)
authored | date | When the questionnaire response was last changed | QuestionnaireResponse.authored
based-on | reference | Plan/proposal/order fulfilled by this questionnaire response | QuestionnaireResponse.basedOn (ReferralRequest, CarePlan, ProcedureRequest)
context | reference | Encounter or episode associated with the questionnaire response | QuestionnaireResponse.context (EpisodeOfCare, Encounter)
identifier | token | The unique identifier for the questionnaire response | QuestionnaireResponse.identifier
parent | reference | Procedure or observation this questionnaire response was performed as a part of | QuestionnaireResponse.parent (Observation, Procedure)
patient | reference | The patient that is the subject of the questionnaire response | QuestionnaireResponse.subject (Patient)
questionnaire | reference | The questionnaire the answers are provided for | QuestionnaireResponse.questionnaire (Questionnaire)
source | reference | The individual providing the information reflected in the questionnaire respose | QuestionnaireResponse.source (Practitioner, Patient, RelatedPerson)
status | token | The status of the questionnaire response | QuestionnaireResponse.status
subject | reference | The subject of the questionnaire response | QuestionnaireResponse.subject (Any)

2.39.8 Resource QuestionnaireResponse - Examples

URL: https://hl7.org/fhir/STU3/questionnaireresponse-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.39.8 Resource QuestionnaireResponse - Examples

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Example List:

General questionnaire response example | 3141 | XML | JSON | Turtle
Real-world lifelines questionnaire response (fictively taken from the patient) | f201 | XML | JSON | Turtle
Real-world NSW My Personal Health Record example | bb | XML | JSON | Turtle
Glasgow Coma Score example answers | gcs | XML | JSON | Turtle
Example response to the SDC-LOINC USSG Family History questionnaire | ussg-fht-answers | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.39.9 Resource QuestionnaireResponse - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/questionnaireresponse-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.39.9 Resource QuestionnaireResponse - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Detailed Descriptions for the elements in the QuestionnaireResponse resource.

QuestionnaireResponse
Definition | A structured set of questions and their answers. The questions are ordered and grouped into coherent subsets, corresponding to the structure of the grouping of the questionnaire being responded to.
Control | 1..1
Requirements | To support structured, hierarchical reporting of data gathered using digital forms and other questionnaires.
Alternate Names | Form; QuestionnaireAnswers
Comments | The QuestionnaireResponse contains enough information about the questions asked and their organization that it can be interpreted somewhat independently from the Questionnaire it is based on. I.e. You don't need access to the Questionnaire in order to extract basic information from a QuestionnaireResponse.
QuestionnaireResponse.identifier
Definition | A business identifier assigned to a particular completed (or partially completed) questionnaire.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1
Type | Identifier
Requirements | Used for tracking, registration and other business purposes.
Summary | true
QuestionnaireResponse.basedOn
Definition | The order, proposal or plan that is fulfilled in whole or in part by this QuestionnaireResponse. For example, a ProcedureRequest seeking an intake assessment or a decision support recommendation to assess for post-partum depression.
Control | 0..*
Type | Reference(ReferralRequest | CarePlan | ProcedureRequest)
Requirements | Supports traceability of responsibility for the action and allows linkage of an action to the recommendations acted upon.
Alternate Names | order
Summary | true
QuestionnaireResponse.parent

Definition | A procedure or observation that this questionnaire was performed as part of the execution of. For example, the surgery a checklist was executed as part of.
Control | 0..*
Type | Reference(Observation | Procedure)
Summary | true
Comments | Composition of questionnaire responses will be handled by the parent questionnaire having answers that reference the child questionnaire. For relationships to referrals, and other types of requests, use basedOn.
QuestionnaireResponse.questionnaire
Definition | The Questionnaire that defines and organizes the questions for which answers are being provided.
Control | 0..1
Type | Reference(Questionnaire)
Requirements | Needed to allow editing of the questionnaire response in a manner that enforces the constraints of the original form.
Alternate Names | Form
Summary | true
Comments | If a QuestionnaireResponse references a Questionnaire, then the QuestionnaireResponse structure must be consistent with the Questionnaire (i.e. questions must be organized into the same groups, nested questions must still be nested, etc.).
QuestionnaireResponse.status
Definition | The position of the questionnaire response within its overall lifecycle.
Control | 1..1
Terminology Binding | QuestionnaireResponseStatus (Required)
Type | code
Is Modifier | true
Requirements | The information on Questionnaire resources may possibly be gathered during multiple sessions and altered after considered being finished.
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
QuestionnaireResponse.subject
Definition | The subject of the questionnaire response. This could be a patient, organization, practitioner, device, etc. This is who/what the answers apply to, but is not necessarily the source of information.
Control | 0..1
Type | Reference(Any)
Requirements | Allows linking the answers to the individual the answers describe. May also affect access control.
Alternate Names | Patient; Focus
Summary | true
Comments | If the Questionnaire declared a subjectType, the resource pointed to by this element must be an instance of one of the listed types.
QuestionnaireResponse.context
Definition | The encounter or episode of care with primary association to the questionnaire response.
Control | 0..1
Type | Reference(Encounter | EpisodeOfCare)
Requirements | Provides context for the information that was captured. May also affect access control.
Summary | true
Comments | A questionnaire that was initiated during an encounter but not fully completed during the encounter would still generally be associated with the encounter.
QuestionnaireResponse.authored
Definition | The date and/or time that this set of answers were last changed.
Control | 0..1
Type | dateTime
Requirements | Clinicians need to be able to check the date that the information in the questionnaire was collected, to derive the context of the answers.
Alternate Names | Date Created; Date published; Date Issued; Date updated
Summary | true
Comments | May be different from the lastUpdateTime of the resource itself, because that reflects when the data was known to the server, not when the data was captured. This element is optional to allow for systems that may not know the value, however it SHOULD be populated if possible.
QuestionnaireResponse.author
Definition | Person who received the answers to the questions in the QuestionnaireResponse and recorded them in the system.
Control | 0..1
Type | Reference(Device | Practitioner | Patient | RelatedPerson)
Requirements | Need to know who interpreted the subject's answers to the questions in the questionnaire, and selected the appropriate options for answers.
Alternate Names | Laboratory; Service; Practitioner; Department; Company; Performer
Summary | true
Comments | Mapping a subject's answers to multiple choice options and determining what to put in the textual answer is a matter of interpretation. Authoring by device would indicate that some portion of the questionnaire had been auto-populated.
QuestionnaireResponse.source
Definition | The person who answered the questions about the subject.
Control | 0..1
Type | Reference(Patient | Practitioner | RelatedPerson)
Requirements | When answering questions about a subject that is minor, incapable of answering or an animal, another human source may answer the questions.
Summary | true
Comments | If not specified, no inference can be made about who provided the data.
QuestionnaireResponse.item
Definition | A group or question item from the original questionnaire for which answers are provided.

Control | 0..*
Comments | Groups cannot have answers and therefore must nest directly within item. When dealing with questions, nesting must occur within each answer because some questions may have multiple answers (and the nesting occurs for each answer).
Invariants | Defined on this element qrs-1: Nested item can't be beneath both item and answer (expression : (answer.exists() and item.exists()).not(), xpath: not(exists(f:answer) and exists(f:item)))
QuestionnaireResponse.item.linkId
Definition | The item from the Questionnaire that corresponds to this item in the QuestionnaireResponse resource.
Control | 1..1
Type | string
Requirements | Items can repeat in the answers, so a direct 1..1 correspondence by position may not exist - requiring correspondence by identifier.
QuestionnaireResponse.item.definition
Definition | A reference to an ElementDefinition that provides the details for the item.
Control | 0..1
Type | uri
Requirements | A common pattern is to define a set of data elements, and then build multiple different questionnaires for different circumstances to gather the data. This element provides traceability to the common definition.
Comments | The ElementDefinition must be in a StructureDefinition or a DataElement, and must have a fragment identifier that identifies the specific data element by its id (Element.id). E.g. http://hl7.org/fhir/StructureDefinition/Observation#Observation.value[x]. There is no need for this element if the item pointed to by the linkId has a definition listed.
QuestionnaireResponse.item.text
Definition | Text that is displayed above the contents of the group or as the text of the question being answered.
Control | 0..1
Type | string
Requirements | Allows the questionnaire response to be read without access to the questionnaire.
QuestionnaireResponse.item.subject
Definition | More specific subject this section's answers are about, details the subject given in QuestionnaireResponse.
Control | 0..1
Type | Reference(Any)
Requirements | Sometimes a group of answers is about a specific participant, artifact or piece of information in the patient's care or record, e.g. a specific Problem, RelatedPerson, Allergy etc.
QuestionnaireResponse.item.answer
Definition | The respondent's answer(s) to the question.
Control | 0..*
Comments | The value is nested because we cannot have a repeating structure that has variable type.
QuestionnaireResponse.item.answer.value[x]
Definition | The answer (or one of the answers) provided by the respondent to the question.
Control | 0..1
Terminology Binding | Questionnaire Answer Codes (Example)
Type | boolean|decimal|integer|date|dateTime|time|string|uri|Attachment|Coding|Quantity|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Ability to retain a single-valued answer to a question.
Comments | More complex structures (Attachment, Resource and Quantity) will typically be limited to electronic forms that can expose an appropriate user interface to capture the components and enforce the constraints of a complex data type. Additional complex types can be introduced through extensions.
QuestionnaireResponse.item.answer.item
Definition | Nested groups and/or questions found within this particular answer.
Control | 0..*
Type | See QuestionnaireResponse.item
Requirements | It is useful to have "sub-questions", questions which normally appear when certain answers are given and which collect additional details.
QuestionnaireResponse.item.item
Definition | Questions or sub-groups nested beneath a question or group.
Control | 0..*
Type | See QuestionnaireResponse.item
Requirements | Reports can consist of complex nested groups.

2.39.10 Resource QuestionnaireResponse - Mappings

URL: https://hl7.org/fhir/STU3/questionnaireresponse-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.39.10 Resource QuestionnaireResponse - Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Mappings:

RIM Mapping

Mappings for the questionnaireresponse resource.

2.39.10.1 Mappings for RIM Mapping (http://hl7.org/v3)

QuestionnaireResponse | Observation[moodCode=EVN]

identifier | .id
basedOn | .outboundRelationship[typeCode=FLFS].target
parent | .inboundRelationship[typeCode=COMP].source[moodCode=EVN]
questionnaire | ./outboundRelationship[typeCode=INST]/target[classCode=OBS, moodCode=DEFN]
status | .statusCode (also whether there's a revisionControlAct - and possibly mood to distinguish "in-progress" from "published)
subject | .participation[typeCode=SBJ].role
context | .inboundRelationship(typeCode=COMP].source[classCode<=PCPR, moodCode=EVN]
authored | .participation[typeCode=AUT].time
author | .participation[typeCode=AUT].role
source | .participation[typeCode=INF].role
item | .outboundRelationship[typeCode=COMP].target[classCode=OBS, moodCode=EVN]
linkId | .outboundRelationship[typeCode=DEFN].target[classCode=OBS, moodCode=DEFN].id
definition | .outboundRelationship[typeCode=DEFN].target[classCode=OBS, moodCode=DEFN].code
text | .text
subject | .participation[typeCode=SBJ].role or .outboundRelationship[typeCode=SUBJ].target
answer | .value[type=LIST_ANY]
value[x] | .item
item | .outboundRelationship[typeCode=COMP].target[classCode=OBS, moodCode=EVN]
item | .outboundRelationship[typeCode=COMP].target[classCode=OBS, moodCode=EVN]

2.39.11 Resource QuestionnaireResponse - Design Notes

URL: https://hl7.org/fhir/STU3/questionnaireresponse-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.39.11 Resource QuestionnaireResponse - Design Notes

to do

2.39.12 Resource QuestionnaireResponse - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/questionnaireresponse-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.39.12 Resource QuestionnaireResponse - Extensions & Profiles

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the QuestionnaireResponse resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.39.12.1 Profiles

No Profiles defined for this resource

2.39.12.2 Extensions

questionnaireresponse-author | author | for Core extensions for QuestionnaireResponse
questionnaireresponse-note | note | for Core extensions for QuestionnaireResponse
questionnaireresponse-reason | reason | for Core extensions for QuestionnaireResponse
questionnaireresponse-reviewer | reviewer | for Core extensions for QuestionnaireResponse

Extensions that reference this resource:

No Extensions refer to this resource

2.39.12.3 Search Extensions

No Search Extensions defined for this resource

2.39.13 Core extensions for QuestionnaireResponse

URL: https://hl7.org/fhir/STU3/questionnaireresponse-extensions.html

Contains standard extensions for QuestionnaireResponse, amongst others for validation

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.39.13 Core extensions for QuestionnaireResponse

(No assigned work group) | Maturity Level: N/A | Ballot Status: Informative

2.39.13.1 Content

Extensions:

questionnaireresponse-author | author : Allows capturing, on a specific question or group of questions, exactly who was responsible for providing the answer(s).

questionnaireresponse-reviewer | reviewer : Individual responsible for ensuring that the questionnaire response have been completed appropriately and signs off on the content.

questionnaireresponse-reason | reason : The factor(s) that caused the questionnaire to be answered.

questionnaireresponse-note | note : Comments captured about the completion of the form in general or about specific groups or questions within it.

2.39.14 Resource QuestionnaireResponse - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/questionnaireresponse-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.39.14 Resource QuestionnaireResponse - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

R2 : R3 Converson maps for QuestionnaireResponse.

Functional status for this map: 6 tests that all execute ok. 1 fail round-trip testing and 6 r3 resources are invalid (19 errors). (see documentation)

2.39.14.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/QuestionnaireResponse2to3" = "R2 to R3 Conversions for QuestionnaireResponse"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/QuestionnaireResponse" alias QuestionnaireResponseR2 as source
uses "http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse" alias QuestionnaireResponse as target

imports "http://hl7.org/fhir/StructureMap/*2to3"

group for type+types  QuestionnaireResponse extends DomainResource
  input src : QuestionnaireResponseR2 as source
  input tgt : QuestionnaireResponse as target

  "QuestionnaireResponse-identifier" : for src.identifier make tgt.identifier
  "QuestionnaireResponse-questionnaire" : for src.questionnaire make tgt.questionnaire
  "QuestionnaireResponse-status" : for src.status make tgt.status
  "QuestionnaireResponse-subject" : for src.subject make tgt.subject
  "QuestionnaireResponse-author" : for src.author make tgt.author
  "QuestionnaireResponse-authored" : for src.authored make tgt.authored
  "QuestionnaireResponse-source" : for src.source make tgt.source
  "QuestionnaireResponse-encounter" : for src.encounter make tgt.context

  "QuestionnaireResponse-item" : for src.group as vs0 make tgt.item as vt0 then qrGroup(vs0, vt0)
endgroup

group qrGroup extends BackboneElement
  input src as source
  input tgt as target

  "QuestionnaireResponse.group-linkId" : for src.linkId make tgt.linkId
  "QuestionnaireResponse.group-title" : for src.title where src.text.empty() make tgt.text
  "QuestionnaireResponse.group-text" : for src.text make tgt.text
  "QuestionnaireResponse.group-subject" : for src.subject make tgt.subject
  "QuestionnaireResponse.group-group" : for src.group as vs0 make tgt.item as vt0 then qrGroup(vs0, vt0)
  "QuestionnaireResponse.group-question" : for src.question as vs0 make tgt.item as vt0 then qrQuestion(vs0, vt0)
endgroup

group qrQuestion extends BackboneElement
  input src as source
  input tgt as target

  "QuestionnaireResponse.group.question-linkId" : for src.linkId make tgt.linkId
  // drop title
  "QuestionnaireResponse.group.question-text" : for src.text make tgt.text
  "QuestionnaireResponse.group.question-answer" : for src.answer as vs0 make tgt.answer as vt0 then qrAnswer(vs0, vt0)
endgroup

group qrAnswer extends BackboneElement
  input src as source
  input tgt as target

  "QuestionnaireResponse.group.question.answer-value" : for src.value make tgt.value
  "QuestionnaireResponse.group.question.answer-group" : for src.group as vs0 make tgt.item as vt0 then qrGroup(vs0, vt0)
endgroup
```

2.39.14.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/QuestionnaireResponse3to2" = "R3 to R2 Conversion for QuestionnaireResponse"

uses "http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse" alias QuestionnaireResponse as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/QuestionnaireResponse" alias QuestionnaireResponseR2 as target

imports "http://hl7.org/fhir/StructureMap/*3to2"
```

```
group for type+types  QuestionnaireResponse extends DomainResource
  input src : QuestionnaireResponse as source
  input tgt : QuestionnaireResponseR2 as target

  "QuestionnaireResponse-identifier" : for src.identifier make tgt.identifier
  "QuestionnaireResponse-questionnaire" : for src.questionnaire make tgt.questionnaire
  "QuestionnaireResponse-status" : for src.status make tgt.status
  "QuestionnaireResponse-subject" : for src.subject make tgt.subject
  "QuestionnaireResponse-author" : for src.author make tgt.author
  "QuestionnaireResponse-authored" : for src.authored make tgt.authored
  "QuestionnaireResponse-source" : for src.source make tgt.source
  "QuestionnaireResponse-encounter" : for src.context make tgt.encounter

  "QuestionnaireResponse-item" : for src.item as vs0 make tgt.group as vt0 then qrGroup(vs0, vt0)
endgroup

group qrGroup extends BackboneElement
  input src as source
  input tgt as target

  "QuestionnaireResponse.group-linkId" : for src.linkId make tgt.linkId
  "QuestionnaireResponse.group-text" : for src.text where item.answer.empty() make tgt.title
  "QuestionnaireResponse.group-text" : for src.text where item.answer.exists() make tgt.text
  "QuestionnaireResponse.group-subject" : for src.subject make tgt.subject
  "QuestionnaireResponse.group-group" :    for src.item as vs0 where answer.empty() make tgt.group    as vt0 then
    qrGroup(vs0, vt0)
  "QuestionnaireResponse.group-question" : for src.item as vs0 where answer.exists() make tgt.question as vt0 then
    qrQuestion(vs0, vt0)
endgroup

group qrQuestion extends BackboneElement
  input src as source
  input tgt as target

  "QuestionnaireResponse.group.question-linkId" : for src.linkId make tgt.linkId
  "QuestionnaireResponse.group.question-text" : for src.text make tgt.text
  "QuestionnaireResponse.group.question-answer" : for src.answer as vs0 make tgt.answer as vt0 then qrAnswer(vs0, vt0)
endgroup

group qrAnswer extends BackboneElement
  input src as source
  input tgt as target

  "QuestionnaireResponse.group.question.answer-value" : for src.value make tgt.value
  "QuestionnaireResponse.group.question.answer-group" : for src.item as vs0 check answer.empty() make tgt.group as vt0
    then qrGroup(vs0, vt0)
endgroup
```

2.39.14.3 R3 Validation Errors

3141 | ERROR @ QuestionnaireResponse: If the resource is contained in another resource, it SHALL be referred to from elsewhere in the resource [contained.where(('#'+id in %resource.descendants().reference).not()).empty()] (src = InstanceValidator) ERROR @ QuestionnaireResponse.item: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ QuestionnaireResponse.item.item: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item.linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ QuestionnaireResponse.item.item.item: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item.item.linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ QuestionnaireResponse.item.item.item.answer.item: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item.item.answer.item.linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ QuestionnaireResponse.item.item.item.answer.item.item[1]: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item.item.answer.item.item[1].linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ QuestionnaireResponse.item.item.item.answer.item.item[2]: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item.item.answer.item.item[2].linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ QuestionnaireResponse.item.item.item.answer.item.item[3]: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item.item.answer.item.item[3].linkId': minimum required = 1, but only found 0 (src = InstanceValidator) INFORMATION @ QuestionnaireResponse: No questionnaire is identified, so no validation can be performed against the base questionnaire (src = InstanceValidator)

bb | ERROR @ QuestionnaireResponse.item.item.item[1]: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item.item[1].linkId': minimum required = 1, but only found 0 (src = InstanceValidator) ERROR @ QuestionnaireResponse.item.item.item[2].item[4].answer.item.item: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item.item[2].item[4].answer.item.item.linkId': minimum required = 1, but only found 0 (src = InstanceValidator) INFORMATION @ QuestionnaireResponse: No questionnaire is identified, so no validation can be performed against the base questionnaire (src = InstanceValidator)

f201 | INFORMATION @ QuestionnaireResponse: No questionnaire is identified, so no validation can be performed against the base questionnaire (src = InstanceValidator)

gcs | WARNING @ QuestionnaireResponse: The questionnaire could not be resolved, so no validation can be performed against the base questionnaire (src = InstanceValidator)

questionnaireresponse-sdc-example-ussg-fht-answers | ERROR @ QuestionnaireResponse.item.item[3].item[10].item.item[4].answer.item.item[1].answer.item.item: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item[3].item[10].item.item[4].answer.item.item[1].answer.item.item.linkId': minimum required = 1, but only found 0 (src = InstanceValidator) WARNING @ QuestionnaireResponse: The questionnaire could not be resolved, so no validation can be performed against the base questionnaire (src = InstanceValidator)

questionnaireresponse-sdc-profile-example | ERROR @ QuestionnaireResponse.item: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.linkId': minimum required = 1, but only found 0

(src = InstanceValidator) ERROR @ QuestionnaireResponse.item.item[2].item: Profile http://hl7.org/fhir/StructureDefinition/QuestionnaireResponse, Element 'QuestionnaireResponse.item.item[2].item.linkId': minimum required = 1, but only found 0 (src = InstanceValidator) INFORMATION @ QuestionnaireResponse: No questionnaire is identified, so no validation can be performed against the base questionnaire (src = InstanceValidator)

2.40 Resource List - Content

URL: https://hl7.org/fhir/STU3/list.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Compartments: Device, Patient, Practitioner

A set of information summarized from a list of other resources.

2.40.1 Scope and Usage

The List resource is a flat, possibly ordered collection of records. List resources are used in many places, including allergies, medications, alerts, family history, medical history, etc. List resources can be used to support patient-specific clinical lists as well as lists that manage workflows such as tracking patients, managing teaching cases, etc. Resources supported by the List resource can be homogeneous – consisting of only one type of resource (e.g. allergy lists) as well as heterogeneous – containing a variety of resources (e.g. a problem list including Conditions, AllergyIntolerances, recent Procedures, etc.).

Lists will typically include references to the resources that make up the list, however in some cases the details of the content of the list might be expressed in narrative only; e.g. a text record of a family history. The List resource is only needed if there is a need to filter the set of resources by a mechanism that cannot be accomplished via a simple query; e.g. there is no need to have a list for all AllergyIntolerances that exist on a server for a given patient. However, List is an appropriate mechanism to provide a filtered list of the subset of AllergyIntolerances that are deemed to be "current". Lists are allowed to contain other Lists, to create a nested collection of Lists.

Querying a List of resources such as AllergyIntolerance, Condition or Medication-related resources is different than querying the resource-specific endpoint. For example, a List of AllergyIntolerance resources would represent a curated point-in-time snapshot of the patient's allergies and intolerances. On the other hand, querying the AllergyIntolerance endpoint would typically produce a larger set of records as it would both be non-curated (potentially containing duplicate or out-of-date records) and current - generated based on information as of "now" rather than the last time a human manually revised the List resource instance. Which mechanism is most appropriate for data retrieval will vary by use-case. In some cases, systems may not have an appropriate curated List to query.

Note that the presence of an item in a List resource SHALL NOT change the meaning of any information that would be understood by looking at the item outside the context of the List, because items may be accessed directly outside the List by RESTful means or after a document is processed. For example, a List with a code that means "refuted conditions" cannot have items that are Condition resources that do not have a Condition.clinicalStatus of refuted.

2.40.2 Boundaries and Relationships

There are five mechanisms in FHIR for communicating collections of resources:

* This List resource - enumerates a flat collection of resources and provides features for managing the collection. While a particular List instance may represent a "snapshot", from a business process perspective the notion of "List" is dynamic – items are added and removed over time. The List resource references other resources. Lists may be curated and have specific business meaning.

* The Group resource - defines a group of specific people, animals, devices, etc. by enumerating them, or by describing qualities that group members have. The group resource refers to other resources, possibly implicitly. Groups are intended to be acted upon or observed as a whole; e.g. performing therapy on a group, calculating risk for a group, etc. This resource will commonly be used for public health (e.g. describing an at-risk population), clinical trials (e.g. defining a test subject pool) and similar purposes.

* The Composition resource - defines a set of healthcare-related information that is assembled together into a single logical document that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. The Composition resource provides the basic structure of a FHIR document. The full content of the document is expressed using a bundle. Compositions will often reference Lists as the focus of particular sections.

* The Bundle resource - is an infrastructure container for a group of resources. It does not have a narrative and is used to group collections of resources for transmission, persistence or processing (e.g. messages, documents, transactions, query responses, etc.) The content of bundles is typically algorithmically determined for a particular exchange or persistence purpose.

* The DomainResource.contained element - allows multiple resources to be nested inside any DomainResource. This is a special type of grouping where the grouped resources lose independent existence - they no longer have their own identifiers, can't easily be queried independently, etc. Use of this grouping is a technical mechanism for managing the independence of resources and has no impact on meaning. Contained, bundled, and remotely referenced resources convey the same meaning.

This resource is referenced by measurereport

2.40.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints

List | I | | DomainResource | Information summarized from a list of other resources + The deleted flag can only be used if the mode of the list is "changes" + A list can only have an emptyReason if it is empty Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | | 0..* | Identifier | Business identifier

status | ?!? | 1..1 | code | current | retired | entered-in-error ListStatus (Required)

mode | ?!? | 1..1 | code | working | snapshot | changes ListMode (Required)

title | ? | 0..1 | string | Descriptive name for the list

code | ? | 0..1 | CodeableConcept | What the purpose of this list is Example Use Codes for List (Example)

subject | ? | 0..1 | Reference(Patient | Group | Device | Location) | If all resources have the same subject

encounter | | 0..1 | Reference(Encounter) | Context in which list created

date | ? | 0..1 | dateTime | When the list was prepared

source | ? | 0..1 | Reference(Practitioner | Patient | Device) | Who and/or what defined the list contents (aka Author)

orderedBy | | 0..1 | CodeableConcept | What order the list has List Order Codes (Preferred)

note | | 0..* | Annotation | Comments about the list

entry | I | 0..* | BackboneElement | Entries in the list

flag | | 0..1 | CodeableConcept | Status/Workflow information about this item Patient Medicine Change Types (Example)

deleted | ?!I | 0..1 | boolean | If this item is actually marked as deleted

date | | 0..1 | dateTime | When item added to list

item | | 1..1 | Reference(Any) | Actual entry

emptyReason | I | 0..1 | CodeableConcept | Why list is empty List Empty Reasons (Preferred)

Documentation for this format

UML Diagram (Legend)

XML Template

```
<List xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business identifier --></identifier>
 <status value="[code]"/><!-- 1..1 current | retired | entered-in-error -->
 <mode value="[code]"/><!-- 1..1 working | snapshot | changes -->
 <title value="[string]"/><!-- 0..1 Descriptive name for the list -->
 <code><!-- 0..1 CodeableConcept What the purpose of this list is --></code>
 <subject><!-- 0..1 Reference(Patient|Group|Device|Location) If all resources have the same subject --></subject>
 <encounter><!-- 0..1 Reference(Encounter) Context in which list created --></encounter>
 <date value="[dateTime]"/><!-- 0..1 When the list was prepared -->
 <source><!-- 0..1 Reference(Practitioner|Patient|Device) Who and/or what defined the list contents (aka Author)
    --></source>
 <orderedBy><!-- 0..1 CodeableConcept What order the list has --></orderedBy>
 <note><!-- 0..* Annotation Comments about the list --></note>
 <entry>  <!--  0..* Entries in the list -->
  <flag><!-- 0..1 CodeableConcept Status/Workflow information about this item --></flag>
  <deleted value="[boolean]"/><!--  0..1 If this item is actually marked as deleted -->
  <date value="[dateTime]"/><!-- 0..1 When item added to list -->
  <item><!-- 1..1 Reference(Any) Actual entry --></item>
 </entry>
 <emptyReason><!--  0..1 CodeableConcept Why list is empty --></emptyReason>
</List>
```

JSON Template

```
{
  "resourceType" : "List",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business identifier
  "status" : "<code>", // R!  current | retired | entered-in-error
  "mode" : "<code>", // R!  working | snapshot | changes
  "title" : "<string>", // Descriptive name for the list
  "code" : { CodeableConcept }, // What the purpose of this list is
  "subject" : { Reference(Patient|Group|Device|Location) }, // If all resources have the same subject
  "encounter" : { Reference(Encounter) }, // Context in which list created
  "date" : "<dateTime>", // When the list was prepared
  "source" : { Reference(Practitioner|Patient|Device) }, // Who and/or what defined the list contents (aka Author)
  "orderedBy" : { CodeableConcept }, // What order the list has
  "note" : [{ Annotation }], // Comments about the list
  "entry" : [{ // C? Entries in the list
    "flag" : { CodeableConcept }, // Status/Workflow information about this item
```

```
    "deleted" : <boolean>, // C? If this item is actually marked as deleted
    "date" : "<dateTime>", // When item added to list
    "item" : { Reference(Any) } // R!  Actual entry
  }],
  "emptyReason" : { CodeableConcept } // C? Why list is empty
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:List;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:List.identifier [ Identifier ], ... ; # 0..* Business identifier
  fhir:List.status [ code ]; # 1..1 current | retired | entered-in-error
  fhir:List.mode [ code ]; # 1..1 working | snapshot | changes
  fhir:List.title [ string ]; # 0..1 Descriptive name for the list
  fhir:List.code [ CodeableConcept ]; # 0..1 What the purpose of this list is
  fhir:List.subject [ Reference(Patient|Group|Device|Location) ]; # 0..1 If all resources have the same subject
  fhir:List.encounter [ Reference(Encounter) ]; # 0..1 Context in which list created
  fhir:List.date [ dateTime ]; # 0..1 When the list was prepared
  fhir:List.source [ Reference(Practitioner|Patient|Device) ]; # 0..1 Who and/or what defined the list contents (aka
    Author)
  fhir:List.orderedBy [ CodeableConcept ]; # 0..1 What order the list has
  fhir:List.note [ Annotation ], ... ; # 0..* Comments about the list
  fhir:List.entry [ # 0..* Entries in the list
    fhir:List.entry.flag [ CodeableConcept ]; # 0..1 Status/Workflow information about this item
    fhir:List.entry.deleted [ boolean ]; # 0..1 If this item is actually marked as deleted
    fhir:List.entry.date [ dateTime ]; # 0..1 When item added to list
    fhir:List.entry.item [ Reference(Any) ]; # 1..1 Actual entry
  ], ...;
  fhir:List.emptyReason [ CodeableConcept ]; # 0..1 Why list is empty
]
```

Changes since DSTU2

List

List.note | Max Cardinality changed from 1 to * Type changed from string to Annotation

See the Full Difference for further information

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints

List | I | | DomainResource | Information summarized from a list of other resources + The deleted flag can only be used if the mode of the list is "changes" + A list can only have an emptyReason if it is empty Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | | 0..* | Identifier | Business identifier

status | ?!? | 1..1 | code | current | retired | entered-in-error ListStatus (Required)

mode | ?!? | 1..1 | code | working | snapshot | changes ListMode (Required)

title | ? | 0..1 | string | Descriptive name for the list

code | ? | 0..1 | CodeableConcept | What the purpose of this list is Example Use Codes for List (Example)

subject | ? | 0..1 | Reference(Patient | Group | Device | Location) | If all resources have the same subject

encounter | | 0..1 | Reference(Encounter) | Context in which list created

date | ? | 0..1 | dateTime | When the list was prepared

source | ? | 0..1 | Reference(Practitioner | Patient | Device) | Who and/or what defined the list contents (aka Author)

orderedBy | | 0..1 | CodeableConcept | What order the list has List Order Codes (Preferred)

note | | 0..* | Annotation | Comments about the list

entry | I | 0..* | BackboneElement | Entries in the list

flag | | 0..1 | CodeableConcept | Status/Workflow information about this item Patient Medicine Change Types (Example)

deleted | ?!I | 0..1 | boolean | If this item is actually marked as deleted

date | | 0..1 | dateTime | When item added to list

item | | 1..1 | Reference(Any) | Actual entry

emptyReason | I | 0..1 | CodeableConcept | Why list is empty List Empty Reasons (Preferred)

Documentation for this format

UML Diagram (Legend)

XML Template

```
<List xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business identifier --></identifier>
 <status value="[code]"/><!-- 1..1 current | retired | entered-in-error -->
 <mode value="[code]"/><!-- 1..1 working | snapshot | changes -->
 <title value="[string]"/><!-- 0..1 Descriptive name for the list -->
 <code><!-- 0..1 CodeableConcept What the purpose of this list is --></code>
 <subject><!-- 0..1 Reference(Patient|Group|Device|Location) If all resources have the same subject --></subject>
 <encounter><!-- 0..1 Reference(Encounter) Context in which list created --></encounter>
 <date value="[dateTime]"/><!-- 0..1 When the list was prepared -->
 <source><!-- 0..1 Reference(Practitioner|Patient|Device) Who and/or what defined the list contents (aka Author)
```

```
    --></source>
 <orderedBy><!-- 0..1 CodeableConcept What order the list has --></orderedBy>
 <note><!-- 0..* Annotation Comments about the list --></note>
 <entry>  <!--  0..* Entries in the list -->
  <flag><!-- 0..1 CodeableConcept Status/Workflow information about this item --></flag>
  <deleted value="[boolean]"/><!--  0..1 If this item is actually marked as deleted -->
  <date value="[dateTime]"/><!-- 0..1 When item added to list -->
  <item><!-- 1..1 Reference(Any) Actual entry --></item>
 </entry>
 <emptyReason><!--  0..1 CodeableConcept Why list is empty --></emptyReason>
</List>
```

JSON Template

```
{
  "resourceType" : "List",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business identifier
  "status" : "<code>", // R!  current | retired | entered-in-error
  "mode" : "<code>", // R!  working | snapshot | changes
  "title" : "<string>", // Descriptive name for the list
  "code" : { CodeableConcept }, // What the purpose of this list is
  "subject" : { Reference(Patient|Group|Device|Location) }, // If all resources have the same subject
  "encounter" : { Reference(Encounter) }, // Context in which list created
  "date" : "<dateTime>", // When the list was prepared
  "source" : { Reference(Practitioner|Patient|Device) }, // Who and/or what defined the list contents (aka Author)
  "orderedBy" : { CodeableConcept }, // What order the list has
  "note" : [{ Annotation }], // Comments about the list
  "entry" : [{ // C? Entries in the list
    "flag" : { CodeableConcept }, // Status/Workflow information about this item
    "deleted" : <boolean>, // C? If this item is actually marked as deleted
    "date" : "<dateTime>", // When item added to list
    "item" : { Reference(Any) } // R!  Actual entry
  }],
  "emptyReason" : { CodeableConcept } // C? Why list is empty
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:List;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:List.identifier [ Identifier ], ... ; # 0..* Business identifier
  fhir:List.status [ code ]; # 1..1 current | retired | entered-in-error
  fhir:List.mode [ code ]; # 1..1 working | snapshot | changes
  fhir:List.title [ string ]; # 0..1 Descriptive name for the list
  fhir:List.code [ CodeableConcept ]; # 0..1 What the purpose of this list is
  fhir:List.subject [ Reference(Patient|Group|Device|Location) ]; # 0..1 If all resources have the same subject
  fhir:List.encounter [ Reference(Encounter) ]; # 0..1 Context in which list created
  fhir:List.date [ dateTime ]; # 0..1 When the list was prepared
  fhir:List.source [ Reference(Practitioner|Patient|Device) ]; # 0..1 Who and/or what defined the list contents (aka
    Author)
  fhir:List.orderedBy [ CodeableConcept ]; # 0..1 What order the list has
  fhir:List.note [ Annotation ], ... ; # 0..* Comments about the list
  fhir:List.entry [ # 0..* Entries in the list
    fhir:List.entry.flag [ CodeableConcept ]; # 0..1 Status/Workflow information about this item
    fhir:List.entry.deleted [ boolean ]; # 0..1 If this item is actually marked as deleted
    fhir:List.entry.date [ dateTime ]; # 0..1 When item added to list
    fhir:List.entry.item [ Reference(Any) ]; # 1..1 Actual entry
  ], ...;
  fhir:List.emptyReason [ CodeableConcept ]; # 0..1 Why list is empty
]
```

Changes since DSTU2

List

List.note | Max Cardinality changed from 1 to * Type changed from string to Annotation

See the Full Difference for further information

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.40.3.1 Terminology Bindings

Path | Definition | Type | Reference

List.status | The current state of the list | Required | ListStatus

List.mode | The processing mode that applies to this list | Required | ListMode

List.code | What the purpose of a list is | Example | Example Use Codes for List

List.orderedBy | What order applies to the items in a list | Preferred | List Order Codes

List.entry.flag | Codes that provide further information about the reason and meaning of the item in the list | Example | Patient Medicine Change Types

List.emptyReason | If a list is empty, why it is empty | Preferred | List Empty Reasons

2.40.3.2 Constraints

* lst-1: A list can only have an emptyReason if it is empty (expression : emptyReason.empty() or entry.empty())

* lst-2: The deleted flag can only be used if the mode of the list is "changes" (expression : mode = 'changes' or entry.deleted.empty())

2.40.4 Querying Lists vs. the underlying resources

When a client system is interested in a patient's medications, allergies, problems, family history or other information typically handled via List, they have three options:

* They can query for List instances of the appropriate type; or

* They can query against the resource endpoint for the resources that make up the list (e.g. AllergyIntolerance, Condition MedicationStatement, etc.), possibly filtering by time, etc.

* They can query against the resource endpoint, requesting one of the Current resource lists

Querying directly against the clinical resource endpoints will provide an un-curated view of information. A server may contain records that were part of various clinical documents, referrals and other submission sources that may not necessarily be considered wholly accurate or current, but which must be retained "as is" to provide a record of what data was received or seen by a clinician at a particular point in time.

On the other hand, lists are almost always curated. They will include only those records deemed by the author of the list to be both current and accurate. This can be both an advantage and a disadvantage. Lists are less likely to include irrelevant content, but there's a risk that they won't be completely up-to-date (new content may have been added that's more recent than when a given list was last updated). It's also possible that the list author's notion of "current" or "relevant" may differ from the perspective of the user performing the query. Also, there's the challenge that multiple lists may exist, with different author and different perspectives

The Current resource lists get around the problem of multiple lists and make it clear which list is considered authoritative, but not all systems will necessarily support this capability, and there's still the possibility that the list won't be completely up-to-date or will exclude information that is of interest to the querying system.

There's no right and wrong way to retrieve allergy, medication and other such information. Sometimes retrieving the "current" medication list will provide the best results, sometimes querying the raw records will provide better results. Sometimes providing the contents of the list plus a filtered view of the raw records may give the most useful information. Determining the most appropriate approach will depend on the needs of the user as well as the types of data sources for information held on the server and patterns of list maintenance. Client systems may well need to adapt their behavior in different environments if they can't count on consistent server behavior.

2.40.5 List Order

All lists are considered ordered - the order in which items literally appear in the list may be an important part of the meaning of the list. Reordering the items in a list may change the meaning of the list.

While a list always contains an ordered set of items, the significance of the order may be unknown, or it may be insignificant. As an example, consider a list of patients for a practitioner to visit. The list may be in the order in which the patients are to be visited, or it may be an unsorted list of patients to be visited in any order.

The List resource has an orderedBy element that, if present, specifies the meaning of the item order. Note, however, that the meaning of the order may be known implicitly rather than specified in the orderedBy element.

Applications SHOULD NOT reorder the elements in a list unless they understand the impact of this on the meaning of the list.

2.40.6 List Mode & Item Deleted

There are several different kinds of uses for a List resource:

2.40.6.1 The processing mode that applies to this list

working	This list is the master list, maintained in an ongoing fashion with regular updates as the real world list it is tracking changes
snapshot	This list was prepared as a snapshot. It should not be assumed to be current
changes	A list that indicates where changes have been made or recommended

The most common mode is "snapshot" - a list that is accurate within the context it is used in but not current or maintained after that; e.g., medications on discharge in a discharge summary. Note that these lists usually have a status of 'current' - they were current when they were prepared. Some kinds of lists may be explicitly retired (particularly if mode = working), but most will not be maintained after creation.

A change list may include deleted items. Some examples of change lists are a reconciled list of allergies, a discharge medication list and a list with new, updated and deleted items in it - though these may not be lists that include changes (this is an implementation decision). In order to ensure that the list is safe to process, any item where the flag implies that the item has actually been deleted SHALL have the deleted element set to true.

Note that there is no implication about the status of a resource that has been deleted. The only statement that is made is that the resource has been dropped from the list. However applications should ensure that the implication of adding or deleting items from the list is consistent with the logical status of the resource and its contents.

A proper use of List.mode = "changes" with a deleted resource is in a medications list section of a discharge summary. See Example "med-list". An improper use would be if the list was a working list of patient medications in a clinical tracking system, and list item flags were used to implement version tracking history within the resource.

2.40.7 Narrative Content

The narrative portion of the List resource should contain a summary of the items in the list, their key information, along with a human-readable summary of their flags (if present). The narrative may be generated from the data content and/or narrative of the resources referred to in the list, or it may be a narrative written by a human, which is partially or completely matched by structured data in the linked resources. The human written narrative may be the only content if the list has no entries (which would equate to a narrative only section in a document).

An HTML table is the recommended approach, though this is not required. Each List.item should appear in the narrative for the resource; i.e. it SHALL NOT be necessary to retrieve the list items in order to have a human-readable rendering of the content. In addition, if the List.text.status is "generated", then the narrative should not suggest the list contains items for which there are no corresponding List.item elements. If the list has flags, the representation should make clear use of visual hints (borders, lines, bullet marks, etc.) to ensure that human readers do not get confused about which flags belong with which item on space-poor displays (e.g. to prevent wrapping from separating the flags from the items).

Note that when a List resource is used in a Document, the narrative of the list is part of the attested content of the document.

In a dynamic environment, the narrative content of a list will be limited to the version of the linked resources at the time the list was last updated. It may be even earlier if the narrative isn't updated to reflect the most recent version of all referenced resources at each update. Best practice for 'working' lists is to update the narrative to reflect the most recent content of all list elements each time the list is revised. Lists should therefore not be relied on as a real-time view of the referenced content. There are a few possible approaches to work around this issue:

* Provide minimal information about the listed resources, possibly limited to only a link. (Not recommended as this severely limits the usefulness of the narrative and is particularly problematic for things like documents where the only attested content might be the List narrative.)

* Include only "generated" narrative, so the retriever can easily generate their own "current" view of the list by retrieving the referenced resources, ignoring the fixed narrative.

* The server hosting the list can subscribe to all referenced resources and auto-update the narrative each time one of the referenced resources changes (or at least on a semi-frequent basis).

2.40.8 Empty Reason

If a list is empty, there could be several different reasons why this is so. For example:

* There are no appropriate entries for the list (i.e. the patient has no known medications/allergies/history)

* The sender (human or system) deemed that these were not related to this context of patient care (usually for privacy related reasons)

* The source system doesn't support these types of entries

* The information to populate the list wasn't gathered - i.e. "Not asked"

Given these possibilities - especially the common and significant first case - for many kinds of lists, source systems SHOULD provide an empty reason if the list is empty. Because of the importance of the first case, the special value "nil-known" should be used when there are no (significant) entries in this context of care. Note that this concept is sometimes described differently, such as "patient denies taking medications", or "patient was unable to identify any relevant medical history".

When receiving a list, systems should not assume that the list is complete (some entries may have been withheld for a variety of reasons), unless there are specific trading partner arrangements in place or, if the list is empty, that there are actually nil known, unless the "nil-known" code is present.

If a list is empty, the narrative should contain text equivalent to the empty reason.

Note that there are also many kinds of lists that can be empty with no need for an empty reason (example)

2.40.9 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
code | token | What the purpose of this list is | List.code | 8 Resources
date | date | When the list was prepared | List.date | 18 Resources
empty-reason | token | Why list is empty | List.emptyReason
encounter | reference | Context in which list created | List.encounter (Encounter) | 12 Resources
identifier | token | Business identifier | List.identifier | 26 Resources
item | reference | Actual entry | List.entry.item (Any)
notes | string | The annotation - text content | List.note.text
patient | reference | If all resources have the same subject | List.subject (Patient) | 31 Resources
source | reference | Who and/or what defined the list contents (aka Author) | List.source (Practitioner, Device, Patient)
status | token | current | retired | entered-in-error | List.status
subject | reference | If all resources have the same subject | List.subject (Group, Device, Patient, Location)

title | string | Descriptive name for the list | List.title

2.40.10 Resource List - Examples

URL: https://hl7.org/fhir/STU3/list-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.40.10 Resource List - Examples

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Patient, Practitioner

Example List:

General List Example | example | XML | JSON | Turtle
Empty List Example | example-empty | XML | JSON | Turtle
Empty List (no exception reason) | example-simple-empty | XML | JSON | Turtle
Example Medication Change List | med-list | XML | JSON | Turtle
Real-world patient example | f201 | XML | JSON | Turtle
Simple genetic family member history | genetic | XML | JSON | Turtle
Example for risk assessment | prognosis | XML | JSON | Turtle
Example of current allergies list | current-allergies | XML | JSON | Turtle
Simple genetic pedigree tree example with double cousin replationship | example-double-cousin-relationship | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.40.11 Resource List - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/list-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.40.11 Resource List - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Compartments: Device, Patient, Practitioner

Detailed Descriptions for the elements in the List resource.

List
Definition | A set of information summarized from a list of other resources.
Control | 1..1
Alternate Names | Collection; WorkingList; Organizer
Invariants | Defined on this element lst-1: A list can only have an emptyReason if it is empty (expression : emptyReason.empty() or entry.empty(), xpath: not(exists(f:emptyReason) and exists(f:entry))) lst-2: The deleted flag can only be used if the mode of the list is "changes" (expression : mode = 'changes' or entry.deleted.empty(), xpath: (f:mode/@value = 'changes') or not(exists(f:entry/f:deleted)))
List.identifier
Definition | Identifier for the List assigned for business purposes outside the context of FHIR.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
List.status
Definition | Indicates the current state of this list.
Control | 1..1
Terminology Binding | ListStatus (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
List.mode
Definition | How this list was prepared - whether it is a working list that is suitable for being maintained on an ongoing basis, or if it represents a snapshot of a list of items from another source, or whether it is a prepared list where items may be marked as added, modified or deleted.
Control | 1..1
Terminology Binding | ListMode (Required)
Type | code
Is Modifier | true
Requirements | Lists are used in various ways, and it must be known in what way it is safe to use them.
Summary | true
Comments | This element is labeled as a modifier because a change list must not be mis-understood as a complete list.
List.title
Definition | A label for the list assigned by the author.
Control | 0..1
Type | string
Requirements | Allows customization beyond just the code identifying the kind of list.
Summary | true
List.code

Definition | This code defines the purpose of the list - why it was created.
Control | 0..1
Terminology Binding | Example Use Codes for List (Example)
Type | CodeableConcept
Requirements | Lists often contain subsets of resources rather than an exhaustive list. The code identifies what type of subset is included.
Summary | true
Comments | If there is no code, the purpose of the list is implied where it is used, such as in a document section using Document.section.code.
List.subject
Definition | The common subject (or patient) of the resources that are in the list, if there is one.
Control | 0..1
Type | Reference(Patient | Group | Device | Location)
Requirements | The primary purpose of listing the subject explicitly is to help with finding the right list.
Summary | true
Comments | Some purely arbitrary lists do not have a common subject, so this is optional.
List.encounter
Definition | The encounter that is the context in which this list was created.
Control | 0..1
Type | Reference(Encounter)
List.date
Definition | The date that the list was prepared.
Control | 0..1
Type | dateTime
Requirements | Identifies how current the list is which affects relevance.
Summary | true
Comments | The actual important date is the date of currency of the resources that were summarized, but it is usually assumed that these are current when the preparation occurs.
List.source
Definition | The entity responsible for deciding what the contents of the list were. Where the list was created by a human, this is the same as the author of the list.
Control | 0..1
Type | Reference(Practitioner | Patient | Device)
Requirements | Allows follow-up as well as context.
Alternate Names | Author
Summary | true
Comments | The primary source is the entity that made the decisions what items are in the list. This may be software or user.
List.orderedBy
Definition | What order applies to the items in the list.
Control | 0..1
Terminology Binding | List Order Codes (Preferred)
Type | CodeableConcept
Requirements | Important for presentation and rendering. Lists may be sorted to place more important information first or to group related entries.
Comments | Applications SHOULD render ordered lists in the order provided, but MAY allow users to re-order based on their own preferences as well. If there is no order specified, the order is unknown, though there may still be some order.
List.note
Definition | Comments that apply to the overall list.
Control | 0..*
Type | Annotation
List.entry
Definition | Entries in this list.
Control | 0..*
Comments | If there are no entries in the list, an emptyReason SHOULD be provided.
Invariants | Affect this element lst-1: A list can only have an emptyReason if it is empty (expression : emptyReason.empty() or entry.empty(), xpath: not(exists(f:emptyReason) and exists(f:entry)))
List.entry.flag
Definition | The flag allows the system constructing the list to indicate the role and significance of the item in the list.
Control | 0..1
Terminology Binding | Patient Medicine Change Types (Example)
Type | CodeableConcept
Requirements | This field is present to support various clinical uses of lists, such as a discharge summary medication list, where flags specify whether the medication was added, modified, or deleted from the list.
Comments | The flag can only be understood in the context of the List.code. If the flag means that the entry has actually been deleted from the list, the deleted element SHALL be true. Deleted can only be used if the List.mode is "changes".
List.entry.deleted
Definition | True if this item is marked as deleted in the list.
Control | 0..1
Type | boolean
Is Modifier | true
Default Value | false
Requirements | The flag element may contain codes that an application processing the list does not understand. However there can be no ambiguity if a list item is actually marked as "deleted".
Comments | If the flag means that the entry has actually been deleted from the list, the deleted element SHALL be true. Both flag and deleted can only be used if the List.mode is "changes". A deleted entry should be displayed in narrative as deleted. This element is labeled as a modifier because it indicates that an item is (to be) no longer in the list.

Invariants | Affect this element lst-2: The deleted flag can only be used if the mode of the list is "changes" (expression : mode = 'changes' or entry.deleted.empty(), xpath: (f:mode/@value = 'changes') or not(exists(f:entry/f:deleted)))
List.entry.date
Definition | When this item was added to the list.
Control | 0..1
Type | dateTime
Requirements | The date may be significant for understanding the meaning of items in a working list.
Comments | This is only useful and meaningful when the mode is "working".
List.entry.item
Definition | A reference to the actual resource from which data was derived.
Control | 1..1
Type | Reference(Any)
List.emptyReason
Definition | If the list is empty, why the list is empty.
Control | 0..1
Terminology Binding | List Empty Reasons (Preferred)
Type | CodeableConcept
Requirements | Allows capturing things like "none exist" or "not asked" which can be important for most lists.
Comments | The various reasons for an empty list make a significant interpretation to its interpretation. Note that this code is for use when the entire list has been suppressed, and not for when individual items are omitted - implementers may consider using a text note or a flag on an entry in these cases.
Invariants | Affect this element lst-1: A list can only have an emptyReason if it is empty (expression : emptyReason.empty() or entry.empty(), xpath: not(exists(f:emptyReason) and exists(f:entry)))

2.40.12 Resource List - Mappings

URL: https://hl7.org/fhir/STU3/list-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.40.12 Resource List - Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Patient, Practitioner

Mappings:

RIM Mapping

Mappings for the list resource.

2.40.12.1 Mappings for RIM Mapping (http://hl7.org/v3)

List | Act[classCode<ORG,moodCode=EVN]
identifier | .id
status | .status[current=active;retired=obsolete;entered-in-error=nullified]
mode | .outBoundRelationship[typeCode=COMP].target[classCode=OBS"].value
title | .title
code | .code
subject | .participation[typeCode<SUB].role (and sometimes .player)
encounter | inboundRelationship[typeCode=COMP].source[classCode=ENC, moodCode=EVN]
date | .participation[typeCode<AUT].time[type=TS]
source | .participation[typeCode<AUT].role[classCode=REL].player[classCode=PSN,determinerCode=INST] or .participation[typeCode<AUT].role[classCode=REL].player[classCode=DEV,determinerCode=INST]
orderedBy | .outboundRelationship[typeCode=COMP].sequenceNumber > 1
note | .inboundRelationship[typeCode=SUBJ].act.text
entry | .outboundRelationship[typeCode=COMP] or .participation[typeCode=SBJ]
flag | .outBoundRelationship[typeCode=COMP].target[classCode=OBS"].value
deleted | added: .updateMode=("A","AR") retained: .updateMode="NC" updated: .updateMode="R" deleted: .updateMode="D"
date | .availabilityTime
item | .target or .role or .role.entity
emptyReason | .inboundRelationship[typeCode=SUBJ,code<{ListEmptyReason}].value[type=CD]

2.40.13 Resource List - Design Notes

URL: https://hl7.org/fhir/STU3/list-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.40.13 Resource List - Design Notes

to do

2.40.14 Resource List - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/list-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.40.14 Resource List - Extensions & Profiles

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the List resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.40.14.1 Profiles

No Profiles defined for this resource

2.40.14.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

2.40.14.3 Search Extensions

No Search Extensions defined for this resource

2.40.15 Resource List - Operations

URL: https://hl7.org/fhir/STU3/list-operations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.40.15 Resource List - Operations

FHIR Infrastructure Work Group | Maturity Level: 1 | Trial Use | Compartments: Device, Patient, Practitioner

This resource has 1 operation associated with it:

$find | Find a functional list

For more information about operations, including how they are invoked, see Operations.

2.40.15.1 Find a functional list

This operation allows a client to find an identified list for a particular function by its function. The operation takes two parameters, the identity of a patient, and the name of a functional list. The list of defined functional lists can be found at Current Resource Lists. Applications are not required to support all the lists, and may define additional lists of their own. If the system is able to locate a list that serves the identified purpose, it returns it as the body of the response with a 200 OK status. If the resource cannot be located, the server returns a 404 not found (optionally with an OperationOutcome resource)

The official URL for this operation definition is

```
http://hl7.org/fhir/OperationDefinition/List-find
```

Formal Definition (as a OperationDefinition).

URL: [base]/List/$find

This is an idempotent operation

In Parameters:

Name	Cardinality	Type	Binding	Profile	Documentation
patient	1..1	id			The id of a patient resource located on the server on which this operation is executed
name	1..1	code			The code for the functional list that is being found

Note that servers may support searching by a functional list, and not support this operation that allows clients to find the list directly

2.40.15.1.1 Examples

Find the current allergy list for patient 'example' (Request):

```
GET /ehr/fhir/List/$find?patient=example&name=$current-allergies
```

Return the currnet allergies list for the patient (Response):

```
HTTP/1.1 200 OK
[other headers]

<?xml version="1.0" encoding="UTF-8"?>
<List xmlns="http://hl7.org/fhir">
  <id value="current-allergies"/>
  <text>
    <status value="generated"/>
    <div xmlns="http://www.w3.org/1999/xhtml">
      <p>Patient Peter Chalmers, DOB = Dec 25, 1974, MRN = 12345 (Acme Healthcare) has the following allergies</p>
      <ul>
        <li>cashew nut allergenic extract Injectable Product (<b>High</b>)</li>
```

```
        <li>Allergenic extract, penicillin (high)</li>
      </ul>
    </div>
  </text>
  <status value="current"/>
  <mode value="working"/>
  <title value="Current Allergy List"/>
  <code>
    <coding>
      <system value="http://loinc.org"/>
      <code value="52472-8"/>
      <display value="Allergies and Adverse Drug Reactions"/>
    </coding>
    <text value="Current Allergy List"/>
  </code>
  <date value="2015-07-14T23:10:23+11:00"/>
  <source>
    <reference value="Patient/example"/>
  </source>
  <orderedBy>
    <coding>
      <system value="http://hl7.org/fhir/list-order"/>
      <code value="entry-date"/>
    </coding>
  </orderedBy>
  <entry>
    <item>
      <reference value="AllergyIntolerance/example"/>
    </item>
  </entry>
  <entry>
    <item>
      <reference value="AllergyIntolerance/medication"/>
    </item>
  </entry>
</List>
```

2.41 Resource Composition - Content

URL: https://hl7.org/fhir/STU3/composition.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 2 | Trial Use | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

A set of healthcare-related information that is assembled together into a single logical document that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. While a Composition defines the structure, it does not actually contain the content: rather the full content of a document is contained in a Bundle, of which the Composition is the first resource contained.

2.41.1 Scope and Usage

A Composition is the basic structure from which FHIR Documents - immutable bundles with attested narrative - are built. A single logical composition may be associated with a series of derived documents, each of which is a frozen copy of the composition.

Note: EN 13606 uses the term "Composition" to refer to a single commit to an EHR system, and offers some common examples: a composition containing a consultation note, a progress note, a report or a letter, an investigation report, a prescription form or a set of bedside nursing observations. Using Composition for an attested EHR commit is a valid use of the Composition resource, but for FHIR purposes, it would be usual to make more granular updates with individual provenance statements.

2.41.2 Boundaries and Relationships

Composition is a structure for grouping information for purposes of persistence and attestability. There are several other grouping structures in FHIR with distinct purposes:

* The List resource - enumerates a flat collection of resources and provides features for managing the collection. While a particular List instance may represent a "snapshot", from a business process perspective, the notion of "list" is dynamic – items are added and removed over time. The List resource references other resources. Lists may be curated and have specific business meaning.

* The Group resource - defines a group of specific people, animals, devices, etc. by enumerating them, or by describing qualities that group members have. The Group resource refers to other resources, possibly implicitly. Groups are intended to be acted upon or observed as a whole (e.g., performing therapy on a group, calculating risk for a group, etc.). This resource will commonly be used for public health (e.g., describing an at-risk population), clinical trials (e.g., defining a test subject pool) and similar purposes.

* The Bundle resource - is an infrastructure container for a group of resources. It does not have narrative and is used to group collections of resources for transmission, persistence or processing (e.g., messages, documents, transactions, query responses, etc.). The content of bundles is typically algorithmically determined for a particular exchange or persistence

purpose.

* The Composition resource - defines a set of healthcare-related information that is assembled together into a single logical document that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. The Composition resource provides the basic structure of a FHIR document. The full content of the document is expressed using a bundle containing the Composition and its entries.

The Composition resource organizes clinical and administrative content into sections, each of which contains a narrative, and references other resources for supporting data. The narrative content of the various sections in a Composition are supported by the resources referenced in the section entries. The complete set of content to make up a document includes the Composition resource together with various resources pointed to or indirectly connected to the Composition, all gathered together into a Bundle for transport and persistence. The following list of Composition references SHALL be included in the bundle:

* Composition.subject

* Composition.encounter

* Composition.author

* Composition.attester.party

* Composition.custodian

* Composition.event.detail

* Composition.section.entry

Other resources referred to by those resources may be included in the bundle at the discretion of the authoring system, or as specified by any applicable profiles.

2.41.3 Background and Context

2.41.3.1 Composition Status Codes

Every composition has a status element, which describes the status of the content of the composition, taken from this list of codes:

Code | Definition

preliminary | This is a preliminary composition (also known as initial or interim). The content may be incomplete or unverified.

final | The composition is complete and verified by an appropriate person and no further work is planned.

appended | The composition has been modified subsequent to being marked and/or released as "final" and is complete and verified by an authorized person. The modifications added new information to the composition, but did not revise existing content.

amended | The composition content or the referenced resources have been modified subsequently to being released as "final", and the composition is complete and verified by an authorized person.

retracted | The composition was originally created/issued in error and this is an amendment that marks that the entire composition and any past versions or copies should not be considered as valid.

Composition status generally only moves down through this list - it moves from preliminary to final and then it may progress to either appended or amended. Note that in many workflows, only final compositions are made available and the preliminary status is not used.

A very few compositions are created entirely in error in the workflow - usually the composition concerns the wrong patient or is written by the wrong author, and the error is only detected after the composition has been used or documents have been derived from it. To support resolution of this case, the composition is updated to be marked as "retracted" and a new derived document can be created. This means that the entire series of derived documents is now considered to be created in error and systems receiving derived documents based on retracted compositions SHOULD remove data taken from earlier documents from routine use and/or take other appropriate actions. Systems are not required to provide this workflow or support documents derived from retracted compositions, but they SHALL NOT ignore a status of retracted. Note that systems that handle compositions or derived documents and don't support the retracted status need to define some other way of handling compositions that are created in error; while this is not a common occurrence, some clinical systems have no provision for removing erroneous information from a patient's record, and there is no way for a user to know that it is not fit for use - this is not safe.

2.41.3.2 Note for CDA aware readers

Many users of this specification are familiar with the Clinical Document Architecture (CDA) and related specifications. CDA is a primary design input to the Composition resource (other principle inputs are other HL7 document specifications and EN13606). There are two important structural differences between CDA and the Composition resource:

* A composition is a logical construct- its identifier matches to the CDA ClinicalDocument.setId. Composition resources are wrapped into Document structures, for exchange of the whole package (the composition and its parts), and this wrapped, sealed entity is equivalent to a CDA document, where the Bundle.id is equivalent in function to ClinicalDocument.id (but it is not identical when interconverting, since it's a transform between them).

* The composition section defines a section (or sub-section) of the document, but unlike CDA, the section entries are actually references to other resources that hold the supporting data content for the section. This design means that the data can be reused in many other ways.

* Unlike CDA, the context defined in the Composition (the confidentiality, subject, author, event, event period and encounter) apply to the composition and do not specifically apply to the resources referenced from the section.entry. There is no context

flow model in FHIR, so each resource referenced from within a Composition expresses its own individual context. In this way, clinical content can safely be extracted from the composition.

In addition, note that both the code lists (e.g., Composition.status) and the Composition resource are mapped to HL7 v3 and/or CDA.

This resource is referenced by contract

2.41.4 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
Composition | | | DomainResource | A set of resources composed into a single coherent clinical statement with clinical attestation Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | ? | 0..1 | Identifier | Logical identifier of composition (version-independent)
status | ?!? | 1..1 | code | preliminary | final | amended | entered-in-error CompositionStatus (Required)
type | ? | 1..1 | CodeableConcept | Kind of composition (LOINC if possible) FHIR Document Type Codes (Preferred)
class | ? | 0..1 | CodeableConcept | Categorization of Composition FHIR Document Class Codes (Example)
subject | ? | 1..1 | Reference(Any) | Who and/or what the composition is about
encounter | ? | 0..1 | Reference(Encounter) | Context of the Composition
date | ? | 1..1 | dateTime | Composition editing time
author | ? | 1..* | Reference(Practitioner | Device | Patient | RelatedPerson) | Who and/or what authored the composition
title | ? | 1..1 | string | Human Readable name/title
confidentiality | ?!? | 0..1 | code | As defined by affinity domain ConfidentialityClassification (Required)
attester | ? | 0..* | BackboneElement | Attests to accuracy of composition
mode | ? | 1..* | code | personal | professional | legal | official CompositionAttestationMode (Required)
time | ? | 0..1 | dateTime | When the composition was attested
party | ? | 0..1 | Reference(Patient | Practitioner | Organization) | Who attested the composition
custodian | ? | 0..1 | Reference(Organization) | Organization which maintains the composition
relatesTo | ? | 0..* | BackboneElement | Relationships to other compositions/documents
code | ? | 1..1 | code | replaces | transforms | signs | appends DocumentRelationshipType (Required)
target[x] | ? | 1..1 | | Target of the relationship
targetIdentifier | | | Identifier
targetReference | | | Reference(Composition)
event | ? | 0..* | BackboneElement | The clinical service(s) being documented
code | ? | 0..* | CodeableConcept | Code(s) that apply to the event being documented v3 Code System ActCode (Example)
period | ? | 0..1 | Period | The period covered by the documentation
detail | ? | 0..* | Reference(Any) | The event(s) being documented
section | I | 0..* | BackboneElement | Composition is broken into sections + A section must at least one of text, entries, or sub-sections + A section can only have an emptyReason if it is empty
title | | 0..1 | string | Label for section (e.g. for ToC)
code | | 0..1 | CodeableConcept | Classification of section (recommended) Document Section Codes (Example)
text | I | 0..1 | Narrative | Text summary of the section, for human interpretation
mode | ?!? | 0..1 | code | working | snapshot | changes ListMode (Required)
orderedBy | | 0..1 | CodeableConcept | Order of section entries List Order Codes (Preferred)
entry | I | 0..* | Reference(Any) | A reference to data that supports this section
emptyReason | I | 0..1 | CodeableConcept | Why the section is empty List Empty Reasons (Preferred)
section | I | 0..* | see section | Nested Section
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Composition xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..1 Identifier Logical identifier of composition (version-independent) --></identifier>
 <status value="[code]"/><!-- 1..1 preliminary | final | amended | entered-in-error -->
 <type><!-- 1..1 CodeableConcept Kind of composition (LOINC if possible) --></type>
 <class><!-- 0..1 CodeableConcept Categorization of Composition --></class>
 <subject><!-- 1..1 Reference(Any) Who and/or what the composition is about --></subject>
 <encounter><!-- 0..1 Reference(Encounter) Context of the Composition --></encounter>
 <date value="[dateTime]"/><!-- 1..1 Composition editing time -->
 <author><!-- 1..* Reference(Practitioner|Device|Patient|RelatedPerson) Who and/or what authored the composition
    --></author>
 <title value="[string]"/><!-- 1..1 Human Readable name/title -->
 <confidentiality value="[code]"/><!-- 0..1 As defined by affinity domain -->
```

```
 <attester>  <!-- 0..* Attests to accuracy of composition -->
  <mode value="[code]"/><!-- 1..* personal | professional | legal | official -->
  <time value="[dateTime]"/><!-- 0..1 When the composition was attested -->
  <party><!-- 0..1 Reference(Patient|Practitioner|Organization) Who attested the composition --></party>
 </attester>
 <custodian><!-- 0..1 Reference(Organization) Organization which maintains the composition --></custodian>
 <relatesTo>  <!-- 0..* Relationships to other compositions/documents -->
  <code value="[code]"/><!-- 1..1 replaces | transforms | signs | appends -->
  <target[x]><!-- 1..1 Identifier|Reference(Composition) Target of the relationship --></target[x]>
 </relatesTo>
 <event>  <!-- 0..* The clinical service(s) being documented -->
  <code><!-- 0..* CodeableConcept Code(s) that apply to the event being documented --></code>
  <period><!-- 0..1 Period The period covered by the documentation --></period>
  <detail><!-- 0..* Reference(Any) The event(s) being documented --></detail>
 </event>
 <section>  <!-- 0..* Composition is broken into sections -->
  <title value="[string]"/><!-- 0..1 Label for section (e.g. for ToC) -->
  <code><!-- 0..1 CodeableConcept Classification of section (recommended) --></code>
  <text><!--  0..1 Narrative Text summary of the section, for human interpretation --></text>
  <mode value="[code]"/><!-- 0..1 working | snapshot | changes -->
  <orderedBy><!-- 0..1 CodeableConcept Order of section entries --></orderedBy>
  <entry><!--  0..* Reference(Any) A reference to data that supports this section --></entry>
  <emptyReason><!--  0..1 CodeableConcept Why the section is empty --></emptyReason>
  <section><!--  0..* Content as for Composition.section Nested Section --></section>
 </section>
</Composition>
```

JSON Template

```
{
  "resourceType" : "Composition",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : { Identifier }, // Logical identifier of composition (version-independent)
  "status" : "<code>", // R!  preliminary | final | amended | entered-in-error
  "type" : { CodeableConcept }, // R!  Kind of composition (LOINC if possible)
  "class" : { CodeableConcept }, // Categorization of Composition
  "subject" : { Reference(Any) }, // R!  Who and/or what the composition is about
  "encounter" : { Reference(Encounter) }, // Context of the Composition
  "date" : "<dateTime>", // R!  Composition editing time
  "author" : [{ Reference(Practitioner|Device|Patient|RelatedPerson) }], // R!  Who and/or what authored the composition
  "title" : "<string>", // R!  Human Readable name/title
  "confidentiality" : "<code>", // As defined by affinity domain
  "attester" : [{ // Attests to accuracy of composition
    "mode" : ["<code>"], // R!  personal | professional | legal | official
    "time" : "<dateTime>", // When the composition was attested
    "party" : { Reference(Patient|Practitioner|Organization) } // Who attested the composition
  }],
  "custodian" : { Reference(Organization) }, // Organization which maintains the composition
  "relatesTo" : [{ // Relationships to other compositions/documents
    "code" : "<code>", // R!  replaces | transforms | signs | appends
    // target[x]: Target of the relationship. One of these 2:
    "targetIdentifier" : { Identifier }
    "targetReference" : { Reference(Composition) }
  }],
  "event" : [{ // The clinical service(s) being documented
    "code" : [{ CodeableConcept }], // Code(s) that apply to the event being documented
    "period" : { Period }, // The period covered by the documentation
    "detail" : [{ Reference(Any) }] // The event(s) being documented
  }],
  "section" : [{ // Composition is broken into sections
    "title" : "<string>", // Label for section (e.g. for ToC)
    "code" : { CodeableConcept }, // Classification of section (recommended)
    "text" : { Narrative }, // C? Text summary of the section, for human interpretation
    "mode" : "<code>", // working | snapshot | changes
    "orderedBy" : { CodeableConcept }, // Order of section entries
    "entry" : [{ Reference(Any) }], // C? A reference to data that supports this section
    "emptyReason" : { CodeableConcept }, // C? Why the section is empty
    "section" : [{ Content as for Composition.section }] // C? Nested Section
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Composition;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Composition.identifier [ Identifier ]; # 0..1 Logical identifier of composition (version-independent)
  fhir:Composition.status [ code ]; # 1..1 preliminary | final | amended | entered-in-error
  fhir:Composition.type [ CodeableConcept ]; # 1..1 Kind of composition (LOINC if possible)
  fhir:Composition.class [ CodeableConcept ]; # 0..1 Categorization of Composition
  fhir:Composition.subject [ Reference(Any) ]; # 1..1 Who and/or what the composition is about
  fhir:Composition.encounter [ Reference(Encounter) ]; # 0..1 Context of the Composition
  fhir:Composition.date [ dateTime ]; # 1..1 Composition editing time
  fhir:Composition.author [ Reference(Practitioner|Device|Patient|RelatedPerson) ], ... ; # 1..* Who and/or what
    authored the composition
```

```
  fhir:Composition.title [ string ]; # 1..1 Human Readable name/title
  fhir:Composition.confidentiality [ code ]; # 0..1 As defined by affinity domain
  fhir:Composition.attester [ # 0..* Attests to accuracy of composition
    fhir:Composition.attester.mode [ code ], ... ; # 1..* personal | professional | legal | official
    fhir:Composition.attester.time [ dateTime ]; # 0..1 When the composition was attested
    fhir:Composition.attester.party [ Reference(Patient|Practitioner|Organization) ]; # 0..1 Who attested the
    composition
  ], ...;
  fhir:Composition.custodian [ Reference(Organization) ]; # 0..1 Organization which maintains the composition
  fhir:Composition.relatesTo [ # 0..* Relationships to other compositions/documents
    fhir:Composition.relatesTo.code [ code ]; # 1..1 replaces | transforms | signs | appends
    # Composition.relatesTo.target[x] : 1..1 Target of the relationship. One of these 2
      fhir:Composition.relatesTo.targetIdentifier [ Identifier ]
      fhir:Composition.relatesTo.targetReference [ Reference(Composition) ]
  ], ...;
  fhir:Composition.event [ # 0..* The clinical service(s) being documented
    fhir:Composition.event.code [ CodeableConcept ], ... ; # 0..* Code(s) that apply to the event being documented
    fhir:Composition.event.period [ Period ]; # 0..1 The period covered by the documentation
    fhir:Composition.event.detail [ Reference(Any) ], ... ; # 0..* The event(s) being documented
  ], ...;
  fhir:Composition.section [ # 0..* Composition is broken into sections
    fhir:Composition.section.title [ string ]; # 0..1 Label for section (e.g. for ToC)
    fhir:Composition.section.code [ CodeableConcept ]; # 0..1 Classification of section (recommended)
    fhir:Composition.section.text [ Narrative ]; # 0..1 Text summary of the section, for human interpretation
    fhir:Composition.section.mode [ code ]; # 0..1 working | snapshot | changes
    fhir:Composition.section.orderedBy [ CodeableConcept ]; # 0..1 Order of section entries
    fhir:Composition.section.entry [ Reference(Any) ], ... ; # 0..* A reference to data that supports this section
    fhir:Composition.section.emptyReason [ CodeableConcept ]; # 0..1 Why the section is empty
    fhir:Composition.section.section [ See Composition.section ], ... ; # 0..* Nested Section
  ], ...;
]
```

Changes since DSTU2

Composition

Composition.confidentiality | Change value set from http://hl7.org/fhir/ValueSet/v3-Confidentiality to http://hl7.org/fhir/ValueSet/v3-ConfidentialityClassification

Composition.relatesTo | Added Element

Composition.relatesTo.code | Added Element

Composition.relatesTo.target[x] | Added Element

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints

Composition | | | DomainResource | A set of resources composed into a single coherent clinical statement with clinical attestation Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | ? | 0..1 | Identifier | Logical identifier of composition (version-independent)

status | ?!? | 1..1 | code | preliminary | final | amended | entered-in-error CompositionStatus (Required)

type | ? | 1..1 | CodeableConcept | Kind of composition (LOINC if possible) FHIR Document Type Codes (Preferred)

class | ? | 0..1 | CodeableConcept | Categorization of Composition FHIR Document Class Codes (Example)

subject | ? | 1..1 | Reference(Any) | Who and/or what the composition is about

encounter | ? | 0..1 | Reference(Encounter) | Context of the Composition

date | ? | 1..1 | dateTime | Composition editing time

author | ? | 1..* | Reference(Practitioner | Device | Patient | RelatedPerson) | Who and/or what authored the composition

title | ? | 1..1 | string | Human Readable name/title

confidentiality | ?!? | 0..1 | code | As defined by affinity domain ConfidentialityClassification (Required)

attester | ? | 0..* | BackboneElement | Attests to accuracy of composition

mode | ? | 1..* | code | personal | professional | legal | official CompositionAttestationMode (Required)

time | ? | 0..1 | dateTime | When the composition was attested

party | ? | 0..1 | Reference(Patient | Practitioner | Organization) | Who attested the composition

custodian | ? | 0..1 | Reference(Organization) | Organization which maintains the composition

relatesTo | ? | 0..* | BackboneElement | Relationships to other compositions/documents

code | ? | 1..1 | code | replaces | transforms | signs | appends DocumentRelationshipType (Required)

target[x] | ? | 1..1 | | Target of the relationship

targetIdentifier | | | Identifier

targetReference | | | Reference(Composition)

event | ? | 0..* | BackboneElement | The clinical service(s) being documented

code | ? | 0..* | CodeableConcept | Code(s) that apply to the event being documented v3 Code System ActCode (Example)

period | ? | 0..1 | Period | The period covered by the documentation

detail | ? | 0..* | Reference(Any) | The event(s) being documented

section | I | 0..* | BackboneElement | Composition is broken into sections + A section must at least one of text, entries, or sub-sections + A section can only have an emptyReason if it is empty

title | | 0..1 | string | Label for section (e.g. for ToC)

code | | 0..1 | CodeableConcept | Classification of section (recommended) Document Section Codes (Example)

text | I | 0..1 | Narrative | Text summary of the section, for human interpretation

mode | ?!? | 0..1 | code | working | snapshot | changes ListMode (Required)

orderedBy | | 0..1 | CodeableConcept | Order of section entries List Order Codes (Preferred)
entry | I | 0..* | Reference(Any) | A reference to data that supports this section
emptyReason | I | 0..1 | CodeableConcept | Why the section is empty List Empty Reasons (Preferred)
section | I | 0..* | see section | Nested Section
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Composition xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..1 Identifier Logical identifier of composition (version-independent) --></identifier>
 <status value="[code]"/><!-- 1..1 preliminary | final | amended | entered-in-error -->
 <type><!-- 1..1 CodeableConcept Kind of composition (LOINC if possible) --></type>
 <class><!-- 0..1 CodeableConcept Categorization of Composition --></class>
 <subject><!-- 1..1 Reference(Any) Who and/or what the composition is about --></subject>
 <encounter><!-- 0..1 Reference(Encounter) Context of the Composition --></encounter>
 <date value="[dateTime]"/><!-- 1..1 Composition editing time -->
 <author><!-- 1..* Reference(Practitioner|Device|Patient|RelatedPerson) Who and/or what authored the composition
    --></author>
 <title value="[string]"/><!-- 1..1 Human Readable name/title -->
 <confidentiality value="[code]"/><!-- 0..1 As defined by affinity domain -->
 <attester>  <!-- 0..* Attests to accuracy of composition -->
  <mode value="[code]"/><!-- 1..* personal | professional | legal | official -->
  <time value="[dateTime]"/><!-- 0..1 When the composition was attested -->
  <party><!-- 0..1 Reference(Patient|Practitioner|Organization) Who attested the composition --></party>
 </attester>
 <custodian><!-- 0..1 Reference(Organization) Organization which maintains the composition --></custodian>
 <relatesTo>  <!-- 0..* Relationships to other compositions/documents -->
  <code value="[code]"/><!-- 1..1 replaces | transforms | signs | appends -->
  <target[x]><!-- 1..1 Identifier|Reference(Composition) Target of the relationship --></target[x]>
 </relatesTo>
 <event>  <!-- 0..* The clinical service(s) being documented -->
  <code><!-- 0..* CodeableConcept Code(s) that apply to the event being documented --></code>
  <period><!-- 0..1 Period The period covered by the documentation --></period>
  <detail><!-- 0..* Reference(Any) The event(s) being documented --></detail>
 </event>
 <section>  <!-- 0..* Composition is broken into sections -->
  <title value="[string]"/><!-- 0..1 Label for section (e.g. for ToC) -->
  <code><!-- 0..1 CodeableConcept Classification of section (recommended) --></code>
  <text><!--  0..1 Narrative Text summary of the section, for human interpretation --></text>
  <mode value="[code]"/><!-- 0..1 working | snapshot | changes -->
  <orderedBy><!-- 0..1 CodeableConcept Order of section entries --></orderedBy>
  <entry><!--  0..* Reference(Any) A reference to data that supports this section --></entry>
  <emptyReason><!--  0..1 CodeableConcept Why the section is empty --></emptyReason>
  <section><!--  0..* Content as for Composition.section Nested Section --></section>
 </section>
</Composition>
```

JSON Template

```
{
  "resourceType" : "Composition",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : { Identifier }, // Logical identifier of composition (version-independent)
  "status" : "<code>", // R!  preliminary | final | amended | entered-in-error
  "type" : { CodeableConcept }, // R!  Kind of composition (LOINC if possible)
  "class" : { CodeableConcept }, // Categorization of Composition
  "subject" : { Reference(Any) }, // R!  Who and/or what the composition is about
  "encounter" : { Reference(Encounter) }, // Context of the Composition
  "date" : "<dateTime>", // R!  Composition editing time
  "author" : [{ Reference(Practitioner|Device|Patient|RelatedPerson) }], // R!  Who and/or what authored the composition
  "title" : "<string>", // R!  Human Readable name/title
  "confidentiality" : "<code>", // As defined by affinity domain
  "attester" : [{ // Attests to accuracy of composition
    "mode" : ["<code>"], // R!  personal | professional | legal | official
    "time" : "<dateTime>", // When the composition was attested
    "party" : { Reference(Patient|Practitioner|Organization) } // Who attested the composition
  }],
  "custodian" : { Reference(Organization) }, // Organization which maintains the composition
  "relatesTo" : [{ // Relationships to other compositions/documents
    "code" : "<code>", // R!  replaces | transforms | signs | appends
    // target[x]: Target of the relationship. One of these 2:
    "targetIdentifier" : { Identifier }
    "targetReference" : { Reference(Composition) }
  }],
  "event" : [{ // The clinical service(s) being documented
    "code" : [{ CodeableConcept }], // Code(s) that apply to the event being documented
    "period" : { Period }, // The period covered by the documentation
    "detail" : [{ Reference(Any) }] // The event(s) being documented
  }],
  "section" : [{ // Composition is broken into sections
    "title" : "<string>", // Label for section (e.g. for ToC)
    "code" : { CodeableConcept }, // Classification of section (recommended)
    "text" : { Narrative }, // C? Text summary of the section, for human interpretation
    "mode" : "<code>", // working | snapshot | changes
    "orderedBy" : { CodeableConcept }, // Order of section entries
```

```
    "entry" : [{ Reference(Any) }], // C? A reference to data that supports this section
    "emptyReason" : { CodeableConcept }, // C? Why the section is empty
    "section" : [{ Content as for Composition.section }] // C? Nested Section
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Composition;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Composition.identifier [ Identifier ]; # 0..1 Logical identifier of composition (version-independent)
  fhir:Composition.status [ code ]; # 1..1 preliminary | final | amended | entered-in-error
  fhir:Composition.type [ CodeableConcept ]; # 1..1 Kind of composition (LOINC if possible)
  fhir:Composition.class [ CodeableConcept ]; # 0..1 Categorization of Composition
  fhir:Composition.subject [ Reference(Any) ]; # 1..1 Who and/or what the composition is about
  fhir:Composition.encounter [ Reference(Encounter) ]; # 0..1 Context of the Composition
  fhir:Composition.date [ dateTime ]; # 1..1 Composition editing time
  fhir:Composition.author [ Reference(Practitioner|Device|Patient|RelatedPerson) ], ... ; # 1..* Who and/or what
    authored the composition
  fhir:Composition.title [ string ]; # 1..1 Human Readable name/title
  fhir:Composition.confidentiality [ code ]; # 0..1 As defined by affinity domain
  fhir:Composition.attester [ # 0..* Attests to accuracy of composition
    fhir:Composition.attester.mode [ code ], ... ; # 1..* personal | professional | legal | official
    fhir:Composition.attester.time [ dateTime ]; # 0..1 When the composition was attested
    fhir:Composition.attester.party [ Reference(Patient|Practitioner|Organization) ]; # 0..1 Who attested the
    composition
  ], ...;
  fhir:Composition.custodian [ Reference(Organization) ]; # 0..1 Organization which maintains the composition
  fhir:Composition.relatesTo [ # 0..* Relationships to other compositions/documents
    fhir:Composition.relatesTo.code [ code ]; # 1..1 replaces | transforms | signs | appends
    # Composition.relatesTo.target[x] : 1..1 Target of the relationship. One of these 2
      fhir:Composition.relatesTo.targetIdentifier [ Identifier ]
      fhir:Composition.relatesTo.targetReference [ Reference(Composition) ]
  ], ...;
  fhir:Composition.event [ # 0..* The clinical service(s) being documented
    fhir:Composition.event.code [ CodeableConcept ], ... ; # 0..* Code(s) that apply to the event being documented
    fhir:Composition.event.period [ Period ]; # 0..1 The period covered by the documentation
    fhir:Composition.event.detail [ Reference(Any) ], ... ; # 0..* The event(s) being documented
  ], ...;
  fhir:Composition.section [ # 0..* Composition is broken into sections
    fhir:Composition.section.title [ string ]; # 0..1 Label for section (e.g. for ToC)
    fhir:Composition.section.code [ CodeableConcept ]; # 0..1 Classification of section (recommended)
    fhir:Composition.section.text [ Narrative ]; # 0..1 Text summary of the section, for human interpretation
    fhir:Composition.section.mode [ code ]; # 0..1 working | snapshot | changes
    fhir:Composition.section.orderedBy [ CodeableConcept ]; # 0..1 Order of section entries
    fhir:Composition.section.entry [ Reference(Any) ], ... ; # 0..* A reference to data that supports this section
    fhir:Composition.section.emptyReason [ CodeableConcept ]; # 0..1 Why the section is empty
    fhir:Composition.section.section [ See Composition.section ], ... ; # 0..* Nested Section
  ], ...;
]
```

Changes since DSTU2

Composition

Composition.confidentiality | Change value set from http://hl7.org/fhir/ValueSet/v3-Confidentiality to http://hl7.org/fhir/ValueSet/v3-ConfidentialityClassification

Composition.relatesTo | Added Element

Composition.relatesTo.code | Added Element

Composition.relatesTo.target[x] | Added Element

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.41.4.1 Terminology Bindings

Path | Definition | Type | Reference

Composition.status | The workflow/clinical status of the composition. | Required | CompositionStatus

Composition.type | Type of a composition. | Preferred | FHIR Document Type Codes

Composition.class | High-level kind of a clinical document at a macro level. | Example | FHIR Document Class Codes

Composition.confidentiality | Codes specifying the level of confidentiality of the composition. | Required | ConfidentialityClassification

Composition.attester.mode | The way in which a person authenticated a composition. | Required | CompositionAttestationMode

Composition.relatesTo.code | The type of relationship between documents. | Required | DocumentRelationshipType

Composition.event.code | This list of codes represents the main clinical acts being documented. | Example | v3 Code System ActCode

Composition.section.code | Classification of a section of a composition/document. | Example | Document Section Codes

Composition.section.mode | The processing mode that applies to this section. | Required | ListMode

Composition.section.orderedBy | What order applies to the items in the entry. | Preferred | List Order Codes

Composition.section.emptyReason | If a section is empty, why it is empty. | Preferred | List Empty Reasons

2.41.4.2 Constraints

* cmp-1: On Composition.section: A section must at least one of text, entries, or sub-sections (expression on Composition.section: text.exists() or entry.exists() or section.exists())

* cmp-2: On Composition.section: A section can only have an emptyReason if it is empty (expression on Composition.section: emptyReason.empty() or entry.empty())

2.41.5 Notes:

* The author and the attester are often the same person, but this may not be the case in some clinical workflows.

* The attester attests contents of the document resource, the subject resource and the resources referred to in the Composition.section.content references. Because documents are often derived Compositions and the attestation from the composition is held to apply to the document, the method for presenting a document should be used when/if attesters review the content of the composition.

* The custodian is responsible for the maintenance of the composition and any documents derived from it. With regard to the documents, they are responsible for the policy regarding persistence of the documents. Although they need not actually retain a copy of the document, they SHOULD do so.

STU Note: Feedback is welcome on two issues related to Composition:

* For many compositions, the title is the same as the text or a display name of Composition.type (e.g., a "consultation" or "progress note"). Note that CDA does not make title mandatory, but there are no known cases where it is useful for title to be omitted, so it is mandatory here during the trial use period.

* A client can ask a server to generate a fully bundled document from a Composition resource using the $generate operation. This operation definition does not resolve the question how document signatures are created. This is an open issue during the period of trial use, and feedback is requested regarding this question.

Feedback here .

2.41.6 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
attester | reference | Who attested the composition | Composition.attester.party (Practitioner, Organization, Patient)
author | reference | Who and/or what authored the composition | Composition.author (Practitioner, Device, Patient, RelatedPerson)
class | token | Categorization of Composition | Composition.class
confidentiality | token | As defined by affinity domain | Composition.confidentiality
context | token | Code(s) that apply to the event being documented | Composition.event.code
date | date | Composition editing time | Composition.date | 18 Resources
encounter | reference | Context of the Composition | Composition.encounter (Encounter) | 12 Resources
entry | reference | A reference to data that supports this section | Composition.section.entry (Any)
identifier | token | Logical identifier of composition (version-independent) | Composition.identifier | 26 Resources
patient | reference | Who and/or what the composition is about | Composition.subject (Patient) | 31 Resources
period | date | The period covered by the documentation | Composition.event.period
related-id | token | Target of the relationship | Composition.relatesTo.target.as(Identifier)
related-ref | reference | Target of the relationship | Composition.relatesTo.target.as(Reference) (Composition)
section | token | Classification of section (recommended) | Composition.section.code
status | token | preliminary | final | amended | entered-in-error | Composition.status
subject | reference | Who and/or what the composition is about | Composition.subject (Any)
title | string | Human Readable name/title | Composition.title
type | token | Kind of composition (LOINC if possible) | Composition.type | 6 Resources

2.41.7 Resource Composition - Examples

URL: https://hl7.org/fhir/STU3/composition-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.41.7 Resource Composition - Examples

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Example List:

Simple Example of a Composition | example | XML | JSON | Turtle
Example of a discharge summary | father | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.41.8 Resource Composition - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/composition-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.41.8 Resource Composition - Detailed Descriptions

Structured Documents Work Group | Maturity Level: 2 | Trial Use | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Detailed Descriptions for the elements in the Composition resource.

Composition

Definition | A set of healthcare-related information that is assembled together into a single logical document that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. While a Composition defines the structure, it does not actually contain the content: rather the full content of a document is contained in a Bundle, of which the Composition is the first resource contained.

Control | 1..1

Requirements | To support documents, and also to capture the EN13606 notion of an attested commit to the patient EHR, and to allow a set of disparate resources at the information/engineering level to be gathered into a clinical statement.

Comments | While the focus of this specification is on patient-specific clinical statements, this resource can also apply to other healthcare-related statements such as study protocol designs, healthcare invoices and other activities that are not necessarily patient-specific or clinical.

Composition.identifier

Definition | Logical identifier for the composition, assigned when created. This identifier stays constant as the composition is changed over time.

Note | This is a business identifer, not a resource identifier (see discussion)

Control | 0..1

Type | Identifier

Summary | true

Comments | See discussion in resource definition for how these relate.

Composition.status

Definition | The workflow/clinical status of this composition. The status is a marker for the clinical standing of the document.

Control | 1..1

Terminology Binding | CompositionStatus (Required)

Type | code

Is Modifier | true

Requirements | Need to be able to mark interim, amended, or withdrawn compositions or documents.

Summary | true

Comments | If a composition is marked as withdrawn, the compositions/documents in the series, or data from the composition or document series, should never be displayed to a user without being clearly marked as untrustworthy. The flag "entered-in-error" is why this element is labeled as a modifier of other elements. Some reporting work flows require that the original narrative of a final document never be altered; instead, only new narrative can be added. The composition resource has no explicit status for explicitly noting whether this business rule is in effect. This would be handled by an extension if required.

Composition.type

Definition | Specifies the particular kind of composition (e.g. History and Physical, Discharge Summary, Progress Note). This usually equates to the purpose of making the composition.

Control | 1..1

Terminology Binding | FHIR Document Type Codes (Preferred)

Type | CodeableConcept

Requirements | Key metadata element describing the composition, used in searching/filtering.

Summary | true

Comments | For Composition type, LOINC is ubiquitous and strongly endorsed by HL7. Most implementation guides will require a specific LOINC code, or use LOINC as an extensible binding.

Composition.class

Definition | A categorization for the type of the composition - helps for indexing and searching. This may be implied by or derived from the code specified in the Composition Type.

Control | 0..1

Terminology Binding | FHIR Document Class Codes (Example)

Type | CodeableConcept

Requirements | Helps humans to assess whether the composition is of interest when viewing an index of compositions or documents.

Summary | true

Comments | This is a metadata field from XDS/MHD .

Composition.subject

Definition | Who or what the composition is about. The composition can be about a person, (patient or healthcare practitioner), a device (e.g. a machine) or even a group of subjects (such as a document about a herd of livestock, or a set of patients that share a common exposure).

Control | 1..1

Type | Reference(Any)

Requirements | Essential metadata for searching for the composition. Identifies who and/or what the composition/document is about.

Summary | true

Comments | For clinical documents, this is usually the patient.

Composition.encounter

Definition | Describes the clinical encounter or type of care this documentation is associated with.

Control | 0..1

Type | Reference(Encounter)

Requirements | Provides context for the composition and supports searching.

Summary | true

Composition.date
Definition | The composition editing time, when the composition was last logically changed by the author.
Control | 1..1
Type | dateTime
Requirements | dateTime is used for tracking, organizing versions and searching.
Summary | true
Comments | The Last Modified Date on the composition may be after the date of the document was attested without being changed.
Composition.author
Definition | Identifies who is responsible for the information in the composition, not necessarily who typed it in.
Control | 1..*
Type | Reference(Practitioner | Device | Patient | RelatedPerson)
Requirements | Identifies who is responsible for the content.
Summary | true
Composition.title
Definition | Official human-readable label for the composition.
Control | 1..1
Type | string
Summary | true
Comments | For many compositions, the title is the same as the text or a display name of Composition.type (e.g. a "consultation" or "progress note"). Note that CDA does not make title mandatory, but there are no known cases where it is useful for title to be omitted, so it is mandatory here. Feedback on this requirement is welcome during the trial use period.
Composition.confidentiality
Definition | The code specifying the level of confidentiality of the Composition.
Control | 0..1
Terminology Binding | ConfidentialityClassification (Required)
Type | code
Is Modifier | true
Summary | true
Comments | The exact use of this element, and enforcement and issues related to highly sensitive documents are out of scope for the base specification, and delegated to implementation profiles (see security section). This element is labeled as a modifier because highly confidential documents must not be treated as if they are not.
Composition.attester
Definition | A participant who has attested to the accuracy of the composition/document.
Control | 0..*
Requirements | Identifies responsibility for the accuracy of the composition content.
Summary | true
Comments | Only list each attester once.
Composition.attester.mode
Definition | The type of attestation the authenticator offers.
Control | 1..*
Terminology Binding | CompositionAttestationMode (Required)
Type | code
Requirements | Indicates the level of authority of the attestation.
Summary | true
Comments | Use more than one code where a single attester has more than one mode (professional and legal are often paired).
Composition.attester.time
Definition | When the composition was attested by the party.
Control | 0..1
Type | dateTime
Requirements | Identifies when the information in the composition was deemed accurate. (Things may have changed since then.).
Summary | true
Composition.attester.party
Definition | Who attested the composition in the specified way.
Control | 0..1
Type | Reference(Patient | Practitioner | Organization)
Requirements | Identifies who has taken on the responsibility for accuracy of the composition content.
Summary | true
Composition.custodian
Definition | Identifies the organization or group who is responsible for ongoing maintenance of and access to the composition/document information.
Control | 0..1
Type | Reference(Organization)
Requirements | Identifies where to go to find the current version, where to report issues, etc.
Summary | true
Comments | This is useful when documents are derived from a composition - provides guidance for how to get the latest version of the document. This is optional because this is sometimes not known by the authoring system, and can be inferred by context. However, it is important that this information be known when working with a derived document, so providing a custodian is encouraged.
Composition.relatesTo
Definition | Relationships that this composition has with other compositions or documents that already exist.
Control | 0..*
Summary | true
Comments | A document is a version specific composition.
Composition.relatesTo.code
Definition | The type of relationship that this composition has with anther composition or document.

Control | 1..1
Terminology Binding | DocumentRelationshipType (Required)
Type | code
Summary | true
Comments | If this document appends another document, then the document cannot be fully understood without also accessing the referenced document.
Composition.relatesTo.target[x]
Definition | The target composition/document of this relationship.
Control | 1..1
Type | Identifier|Reference(Composition)
[x] Note | See Choice of Data Types for further information about how to use [x]
Summary | true
Composition.event
Definition | The clinical service, such as a colonoscopy or an appendectomy, being documented.
Control | 0..*
Requirements | Provides context for the composition and creates a linkage between a resource describing an event and the composition created describing the event.
Summary | true
Comments | The event needs to be consistent with the type element, though can provide further information if desired.
Composition.event.code
Definition | This list of codes represents the main clinical acts, such as a colonoscopy or an appendectomy, being documented. In some cases, the event is inherent in the typeCode, such as a "History and Physical Report" in which the procedure being documented is necessarily a "History and Physical" act.
Control | 0..*
Terminology Binding | v3 Code System ActCode (Example)
Type | CodeableConcept
Summary | true
Comments | An event can further specialize the act inherent in the typeCode, such as where it is simply "Procedure Report" and the procedure was a "colonoscopy". If one or more eventCodes are included, they SHALL NOT conflict with the values inherent in the classCode, practiceSettingCode or typeCode, as such a conflict would create an ambiguous situation. This short list of codes is provided to be used as key words for certain types of queries.
Composition.event.period
Definition | The period of time covered by the documentation. There is no assertion that the documentation is a complete representation for this period, only that it documents events during this time.
Control | 0..1
Type | Period
Summary | true
Composition.event.detail
Definition | The description and/or reference of the event(s) being documented. For example, this could be used to document such a colonoscopy or an appendectomy.
Control | 0..*
Type | Reference(Any)
Summary | true
Composition.section
Definition | The root of the sections that make up the composition.
Control | 0..*
Invariants | Defined on this element cmp-1: A section must at least one of text, entries, or sub-sections (expression : text.exists() or entry.exists() or section.exists(), xpath: exists(f:text) or exists(f:entry) or exists(f:section)) cmp-2: A section can only have an emptyReason if it is empty (expression : emptyReason.empty() or entry.empty(), xpath: not(exists(f:emptyReason) and exists(f:entry)))
Composition.section.title
Definition | The label for this particular section. This will be part of the rendered content for the document, and is often used to build a table of contents.
Control | 0..1
Type | string
Requirements | Section headings are often standardized for different types of documents. They give guidance to humans on how the document is organized.
Alternate Names | header; label; caption
Comments | The title identifies the section for a human reader. The title must be consistent with the narrative of the resource that is the target of the section.content reference. Generally, sections SHOULD have titles, but in some documents, it is unnecessary or inappropriate. Typically, this is where a section has subsections that have their own adequately distinguishing title, or documents that only have a single section. Most Implementation Guides will make section title to be a required element.
Composition.section.code
Definition | A code identifying the kind of content contained within the section. This must be consistent with the section title.
Control | 0..1
Terminology Binding | Document Section Codes (Example)
Type | CodeableConcept
Requirements | Provides computable standardized labels to topics within the document.
Comments | The code identifies the section for an automated processor of the document. This is particularly relevant when using profiles to control the structure of the document. If the section has content (instead of sub-sections), the section.code does not change the meaning or interpretation of the resource that is the content of the section in the comments for the section.code.
Composition.section.text
Definition | A human-readable narrative that contains the attested content of the section, used to represent the content of the resource to a human. The narrative need not encode all the structured data, but is required to contain sufficient detail to make it "clinically safe" for a human to just read the narrative.

Control | 0..1
Type | Narrative
Comments | Document profiles may define what content should be represented in the narrative to ensure clinical safety.
Invariants | Affect this element cmp-1: A section must at least one of text, entries, or sub-sections (expression : text.exists() or entry.exists() or section.exists(), xpath: exists(f:text) or exists(f:entry) or exists(f:section))
Composition.section.mode
Definition | How the entry list was prepared - whether it is a working list that is suitable for being maintained on an ongoing basis, or if it represents a snapshot of a list of items from another source, or whether it is a prepared list where items may be marked as added, modified or deleted.
Control | 0..1
Terminology Binding | ListMode (Required)
Type | code
Is Modifier | true
Requirements | Sections are used in various ways, and it must be known in what way it is safe to use the entries in them.
Summary | true
Comments | This element is labeled as a modifier because a change list must not be mis-understood as a complete list.
Composition.section.orderedBy
Definition | Specifies the order applied to the items in the section entries.
Control | 0..1
Terminology Binding | List Order Codes (Preferred)
Type | CodeableConcept
Requirements | Important for presentation and rendering. Lists may be sorted to place more important information first or to group related entries.
Comments | Applications SHOULD render ordered lists in the order provided, but MAY allow users to re-order based on their own preferences as well. If there is no order specified, the order is unknown, though there may still be some order.
Composition.section.entry
Definition | A reference to the actual resource from which the narrative in the section is derived.
Control | 0..*
Type | Reference(Any)
Comments | If there are no entries in the list, an emptyReason SHOULD be provided.
Invariants | Affect this element cmp-2: A section can only have an emptyReason if it is empty (expression : emptyReason.empty() or entry.empty(), xpath: not(exists(f:emptyReason) and exists(f:entry)))
Composition.section.emptyReason
Definition | If the section is empty, why the list is empty. An empty section typically has some text explaining the empty reason.
Control | 0..1
Terminology Binding | List Empty Reasons (Preferred)
Type | CodeableConcept
Requirements | Allows capturing things like "none exist" or "not asked" which can be important for most lists.
Comments | The various reasons for an empty section make a significant interpretation to its interpretation. Note that this code is for use when the entire section content has been suppressed, and not for when individual items are omitted - implementers may consider using a text note or a flag on an entry in these cases.
Invariants | Affect this element cmp-2: A section can only have an emptyReason if it is empty (expression : emptyReason.empty() or entry.empty(), xpath: not(exists(f:emptyReason) and exists(f:entry)))
Composition.section.section
Definition | A nested sub-section within this section.
Control | 0..*
Type | See Composition.section
Comments | Nested sections are primarily used to help human readers navigate to particular portions of the document.
Invariants | Affect this element cmp-1: A section must at least one of text, entries, or sub-sections (expression : text.exists() or entry.exists() or section.exists(), xpath: exists(f:text) or exists(f:entry) or exists(f:section))

2.41.9 Resource Composition - Mappings

URL: https://hl7.org/fhir/STU3/composition-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.41.9 Resource Composition - Mappings

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Mappings:

RIM Mapping

CDA (R2)

Mappings for the composition resource.

2.41.9.1 Mappings for RIM Mapping (http://hl7.org/v3)

Composition | Document[classCode="DOC" and moodCode="EVN" and isNormalAct()]
identifier | Document.id / Document.setId
status | interim: .completionCode="IN" & ./statusCode[isNormalDatatype()]="active"; final: .completionCode="AU" && ./statusCode[isNormalDatatype()]="complete" and not(./inboundRelationship[typeCode="SUBJ" and isNormalActRelationship()]/source[subsumesCode("ActClass#CACT") and moodCode="EVN" and domainMember("ReviseComposition", code) and isNormalAct()]); amended: .completionCode="AU" && ./statusCode[isNormalDatatype()]="complete" and ./inboundRelationship[typeCode="SUBJ" and isNormalActRelationship()]/source[subsumesCode("ActClass#CACT") and moodCode="EVN" and domainMember("ReviseComposition", code)

and isNormalAct() and statusCode="completed"]; withdrawn : .completionCode=NI && ./statusCode[isNormalDatatype()]="obsolete"
type | ./code
class | .outboundRelationship[typeCode="COMP].target[classCode="LIST", moodCode="EVN"].code
subject | .participation[typeCode="SBJ"].role[typeCode="PAT"]
encounter | unique(highest(./outboundRelationship[typeCode="SUBJ" and isNormalActRelationship()], priorityNumber)/target[moodCode="EVN" and classCode=("ENC", "PCPR") and isNormalAct])
date | .effectiveTime[type="TS"]
author | .participation[typeCode="AUT"].role[classCode="ASSIGNED"]
title | ./title
confidentiality | .confidentialityCode
attester | .participation[typeCode="AUTHEN"].role[classCode="ASSIGNED"]
mode | unique(./modeCode)
time | ./time[type="TS" and isNormalDatatype()]
party | ./role[classCode="ASSIGNED" and isNormalRole]/player[determinerCode="INST" and classCode=("DEV", "PSN") and isNormalEntity()] or ./role[classCode="ASSIGNED" and isNormalRole and not(player)]/scoper[determinerCode="INST" and classCode="ORG" and isNormalEntity()]
custodian | .participation[typeCode="RCV"].role[classCode="CUST"].scoper[classCode="ORG" and determinerCode="INST"]
relatesTo | .outboundRelationship
code | .outboundRelationship.typeCode
target[x] | .target[classCode="DOC", moodCode="EVN"].id
event | outboundRelationship[typeCode="SUBJ"].target[classCode<'ACT']
code | .code
period | .effectiveTime
detail | .outboundRelationship[typeCode="SUBJ"].target
section | ./outboundRelationship[typeCode="COMP" and isNormalActRelationship()]/target[moodCode="EVN" and classCode="DOCSECT" and isNormalAct]
title | ./title
code | ./code
text | .text
mode | .outBoundRelationship[typeCode=COMP].target[classCode=OBS"].value
orderedBy | .outboundRelationship[typeCode=COMP].sequenceNumber > 1
entry | .outboundRelationship[typeCode=COMP] or .participation[typeCode=SBJ]
emptyReason | .inboundRelationship[typeCode=SUBJ,code<{ListEmptyReason}].value[type=CD]
section | ./outboundRelationship[typeCode="COMP" and isNormalActRelationship()]/target[moodCode="EVN" and classCode="DOCSECT" and isNormalAct]

2.41.9.2 Mappings for CDA (R2) (http://hl7.org/v3/cda)

Composition | ClinicalDocument
(meta.profile) | ClinicalDocument.templateId
(language) | ClinicalDocument.languageCode
identifier | .setId
status | n/a
type | .code
class | n/a
subject | .recordTarget
encounter | .componentOf.encompassingEncounter
date | .effectiveTime
author | .author.assignedAuthor
title | .title
confidentiality | .confidentialityCode
attester | .authenticator/.legalAuthenticator
mode | implied by .authenticator/.legalAuthenticator
time | .authenticator.time
party | .authenticator.assignedEnttty
custodian | .custodian.assignedCustodian
relatesTo | .relatedDocument
code | .relatedDocument.typeCode
target[x] | .relatedDocument.id
event | .documentationOf.serviceEvent
code | .code
period | .effectiveTime
detail | n/a
section | .component.structuredBody.component.section
title | .title
code | .code
text | .text
mode | n/a
orderedBy | n/a
entry | .entry
emptyReason | n/a
section | .component.section

2.41.10 Resource Composition - Design Notes

URL: https://hl7.org/fhir/STU3/composition-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.41.10 Resource Composition - Design Notes

to do

2.41.11 Resource Composition - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/composition-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.41.11 Resource Composition - Extensions & Profiles

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Composition resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.41.11.1 Profiles

ClinicalDocument | The base Composition is a general resource for compositions or documents about any kind of subject that might be encountered in healthcare including such things as guidelines, medicines, etc. A clinical document is focused on documents related to the provision of care process, where the subject is a patient, a group of patients, or a closely related concept. A clinical document has additional reqiurements around confidentiality that do not apply in the same way to other kinds of documents | for Clinical Document Profile for Composition

2.41.11.2 Extensions

composition-clindoc-otherConfidentiality | otherConfidentiality | for Clinical Document Profile for Composition

Extensions that reference this resource:

No Extensions refer to this resource

2.41.11.3 Search Extensions

No Search Extensions defined for this resource

2.41.12 Clinical Document Profile for Composition

URL: https://hl7.org/fhir/STU3/composition-clindoc.html

The base Composition is a general resource for compositions or documents about any kind of subject that might be encountered in healthcare including such things as guidelines, medicines, etc. A clinical document is focused on documents related to the provision of care process, where the subject is a patient, a group of patients, or a closely related concept. A clinical document has additional reqiurements around confidentiality that do not apply in the same way to other kinds of documents

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.41.12 Clinical Document Profile for Composition

(No assigned work group) | Maturity Level: N/A | Ballot Status: Informative

2.41.12.1 Content

Profiles:

ClinicalDocument | The base Composition is a general resource for compositions or documents about any kind of subject that might be encountered in healthcare including such things as guidelines, medicines, etc. A clinical document is focused on documents related to the provision of care process, where the subject is a patient, a group of patients, or a closely related concept. A clinical document has additional reqiurements around confidentiality that do not apply in the same way to other kinds of documents

Extensions:

composition-clindoc-otherConfidentiality | otherConfidentiality : Carries additional confidentiality codes beyond the base fixed code specified in the CDA document.

2.41.12.2 StructureDefinition: ClinicalDocument

URL: https://hl7.org/fhir/STU3/clinicaldocument.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.41.12.2 StructureDefinition: ClinicalDocument

(No assigned work group) | Maturity Level: 1 | Informative | Use Context: Any

The official URL for this profile is:

`http://hl7.org/fhir/StructureDefinition/clinicaldocument`

The base Composition is a general resource for compositions or documents about any kind of subject that might be encountered in healthcare including such things as guidelines, medicines, etc. A clinical document is focused on documents related to the provision of care process, where the subject is a patient, a group of patients, or a closely related concept. A clinical document has additional reqiurements around confidentiality that do not apply in the same way to other kinds of documents

This profile was published on Tue, Mar 17, 2015 00:00+1100 as a draft by Health Level Seven, Inc. - Structured Documents WG.

2.41.12.2.1 Formal Views of Profile Content

Description of Profiles, Differentials, Snapshots, and how the XML and JSON presentations work.

* Text Summary

* Differential Table

* Snapshot Table

* XML Template

* JSON Template

* All

This structure is derived from Composition.

Summary

This structure is derived from Composition.

Name | Flags | Card. | Type | Description & Constraints
Composition | | 0..*
subject | | 1..1 | Reference(Patient), Reference(Practitioner), Reference(Group), Reference(Device), Reference(Location)
Documentation for this format

Name | Flags | Card. | Type | Description & Constraints
Composition | I | 0..* | | A set of resources composed into a single coherent clinical statement with clinical attestation
id | ? | 0..1 | id | Logical id of this artifact
meta | ? | 0..1 | Meta | Metadata about the resource
implicitRules | ?!? | 0..1 | uri | A set of rules under which this content was created
language | | 0..1 | code | Language of the resource content Binding: Common Languages (extensible)
text | I | 0..1 | Narrative | Text summary of the resource, for human interpretation
contained | | 0..* | Resource | Contained, inline Resources
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
identifier | ? | 0..1 | Identifier | Logical identifier of composition (version-independent)
status | ?!? | 1..1 | code | preliminary | final | amended | entered-in-error Binding: CompositionStatus (required)
type | ? | 1..1 | CodeableConcept | Kind of composition (LOINC if possible) Binding: FHIR Document Type Codes (preferred)
class | ? | 0..1 | CodeableConcept | Categorization of Composition Binding: FHIR Document Class Codes (example)
subject | ? | 1..1 | Reference(Patient), Reference(Practitioner), Reference(Group), Reference(Device), Reference(Location) | Who and/or what the composition is about
encounter | ? | 0..1 | Reference(Encounter) | Context of the Composition
date | ? | 1..1 | dateTime | Composition editing time
author | ? | 1..* | Reference(Practitioner), Reference(Device), Reference(Patient), Reference(RelatedPerson) | Who and/or what authored the composition
title | ? | 1..1 | string | Human Readable name/title
confidentiality | ?!? | 0..1 | code | As defined by affinity domain Binding: ConfidentialityClassification (required)
attester | ?I | 0..* | BackboneElement | Attests to accuracy of composition
id | | 0..1 | string | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?!? | 0..* | Extension | Extensions that cannot be ignored
mode | ? | 1..* | code | personal | professional | legal | official Binding: CompositionAttestationMode (required)
time | ? | 0..1 | dateTime | When the composition was attested
party | ? | 0..1 | Reference(Patient), Reference(Practitioner), Reference(Organization) | Who attested the composition
custodian | ? | 0..1 | Reference(Organization) | Organization which maintains the composition
relatesTo | ?I | 0..* | BackboneElement | Relationships to other compositions/documents
id | | 0..1 | string | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?!? | 0..* | Extension | Extensions that cannot be ignored
code | ? | 1..1 | code | replaces | transforms | signs | appends Binding: DocumentRelationshipType (required)
target[x] | ? | 1..1 | Identifier, Reference(Composition) | Target of the relationship
event | ?I | 0..* | BackboneElement | The clinical service(s) being documented
id | | 0..1 | string | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?!? | 0..* | Extension | Extensions that cannot be ignored

code | ? | 0..* | CodeableConcept | Code(s) that apply to the event being documented Binding: v3 Code System ActCode (example)
period | ? | 0..1 | Period | The period covered by the documentation
detail | ? | 0..* | Reference(Resource) | The event(s) being documented
section | I | 0..* | BackboneElement | Composition is broken into sections cmp-1: A section must at least one of text, entries, or sub-sections cmp-2: A section can only have an emptyReason if it is empty
id | | 0..1 | string | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?!? | 0..* | Extension | Extensions that cannot be ignored
title | | 0..1 | string | Label for section (e.g. for ToC)
code | | 0..1 | CodeableConcept | Classification of section (recommended) Binding: Document Section Codes (example)
text | I | 0..1 | Narrative | Text summary of the section, for human interpretation
mode | ?!? | 0..1 | code | working | snapshot | changes Binding: ListMode (required)
orderedBy | | 0..1 | CodeableConcept | Order of section entries Binding: List Order Codes (preferred)
entry | I | 0..* | Reference(Resource) | A reference to data that supports this section
emptyReason | I | 0..1 | CodeableConcept | Why the section is empty Binding: List Empty Reasons (preferred)
section | I | 0..* | | Unknown reference to #Composition.section Nested Section
Documentation for this format

```
<!-- Clinical Document Profile for Composition -->

<Composition xmlns="http://hl7.org/fhir"
>
  <!-- from Element: extension -->
 <id value="[id]"/><!-- 0..1 Logical id of this artifact -->
 <meta><!-- 0..1 Meta Metadata about the resource --></meta>
 <implicitRules value="[uri]"/><!-- 0..1 A set of rules under which this content was created -->
 <language value="[code]"/><!-- 0..1 Language of the resource content  -->
 <text><!-- 0..1 Narrative
     Text summary of the resource, for human interpretation --></text>
 <contained><!-- 0..* Resource Contained, inline Resources --></contained>
 <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
 <identifier><!-- 0..1 Identifier
     Logical identifier of composition (version-independent) --></identifier>
 <status value="[code]"/><!-- 1..1 preliminary | final | amended | entered-in-error  -->
 <type><!-- 1..1 CodeableConcept Kind of composition (LOINC if possible)  --></type>
 <class><!-- 0..1 CodeableConcept Categorization of Composition  --></class>
 <subject><!-- 1..1 Reference(Patient)|Reference(Practitioner)|Reference(Group)|Reference(Device)|
   Reference(Location) Who and/or what the composition is about --></subject>
 <encounter><!-- 0..1 Reference(Encounter) Context of the Composition --></encounter>
 <date value="[dateTime]"/><!-- 1..1 Composition editing time -->
 <author><!-- 1..* Reference(Practitioner)|Reference(Device)|Reference(Patient)|Reference(RelatedPerson)
     Who and/or what authored the composition --></author>
 <title value="[string]"/><!-- 1..1 Human Readable name/title -->
 <confidentiality value="[code]"/><!-- 0..1 As defined by affinity domain  -->
 <attester>  0..* BackboneElement  <!--  0..* Attests to accuracy of composition -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <mode value="[code]"/><!-- 1..* personal | professional | legal | official  -->
  <time value="[dateTime]"/><!-- 0..1 When the composition was attested -->
  <party><!-- 0..1 Reference(Patient)|Reference(Practitioner)|Reference(Organization)
      Who attested the composition --></party>
 </attester>
 <custodian><!-- 0..1 Reference(Organization)
     Organization which maintains the composition --></custodian>
 <relatesTo>  0..* BackboneElement  <!--  0..* Relationships to other compositions/documents -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <code value="[code]"/><!-- 1..1 replaces | transforms | signs | appends  -->
  <target[x]><!-- 1..1 Identifier|Reference(Composition)
      Target of the relationship --></target[x]>
 </relatesTo>
 <event>  0..* BackboneElement  <!--  0..* The clinical service(s) being documented -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <code><!-- 0..* CodeableConcept Code(s) that apply to the event being documented  --></code>
  <period><!-- 0..1 Period
      The period covered by the documentation --></period>
  <detail><!-- 0..* Reference(Resource)
      The event(s) being documented --></detail>
 </event>
 <section>  0..* BackboneElement  <!--  0..* Composition is broken into sections -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <title value="[string]"/><!-- 0..1 Label for section (e.g. for ToC) -->
  <code><!-- 0..1 CodeableConcept Classification of section (recommended)  --></code>
  <text><!-- 0..1 Narrative
      Text summary of the section, for human interpretation --></text>
  <mode value="[code]"/><!-- 0..1 working | snapshot | changes  -->
  <orderedBy><!-- 0..1 CodeableConcept Order of section entries  --></orderedBy>
  <entry><!-- 0..* Reference(Resource)
      A reference to data that supports this section --></entry>
  <emptyReason><!-- 0..1 CodeableConcept Why the section is empty  --></emptyReason>
  <section><!-- See #Composition.section  Nested Section --></section>
 </section>
</Composition>
```

```
{ // Clinical Document Profile for Composition
  // from Element: extension
    "meta" : { Meta }, //Metadata about the resource
    "implicitRules" : "<uri>", //A set of rules under which this content was created
```

```
    "language" : "<code>", //Language of the resource content
    "text" : { Narrative }, //Text summary of the resource, for human interpretation
    "contained" : [{ Resource }], //Contained, inline Resources
    "modifierExtension" : [{ Extension }], //Extensions that cannot be ignored
    "identifier" : { Identifier }, //Logical identifier of composition (version-independent)
    "status" : "<code>", // R! preliminary | final | amended | entered-in-error
    "type" : { CodeableConcept }, // R! Kind of composition (LOINC if possible)
    "class" : { CodeableConcept }, //Categorization of Composition
// value[x]: Who and/or what the composition is about. One of these 5:
    "subject" : { Reference(Patient) }, // R! Who and/or what the composition is about
    "subject" : { Reference(Practitioner) }, // R! Who and/or what the composition is about
    "subject" : { Reference(Group) }, // R! Who and/or what the composition is about
    "subject" : { Reference(Device) }, // R! Who and/or what the composition is about
    "subject" : { Reference(Location) }, // R! Who and/or what the composition is about
    "encounter" : { Reference(Encounter) }, //Context of the Composition
    "date" : "<dateTime>", // R! Composition editing time
// value[x]: Who and/or what authored the composition. One of these 4:
    "author" : [{ Reference(Practitioner) }], // R! Who and/or what authored the composition
    "author" : [{ Reference(Device) }], // R! Who and/or what authored the composition
    "author" : [{ Reference(Patient) }], // R! Who and/or what authored the composition
    "author" : [{ Reference(RelatedPerson) }] // R! Who and/or what authored the composition
    "title" : "<string>", // R! Human Readable name/title
    "confidentiality" : "<code>", //As defined by affinity domain
    "attester" : [{ BackboneElement }], // C?Attests to accuracy of composition
    "custodian" : { Reference(Organization) }, //Organization which maintains the composition
    "relatesTo" : [{ BackboneElement }], // C?Relationships to other compositions/documents
    "event" : [{ BackboneElement }], // C?The clinical service(s) being documented
    "section" : [{ BackboneElement }], // C?Composition is broken into sections
  }
```

This structure is derived from Composition.

Summary

Differential View

This structure is derived from Composition.

Name | Flags | Card. | Type | Description & Constraints
Composition | | 0..*
subject | | 1..1 | Reference(Patient), Reference(Practitioner), Reference(Group), Reference(Device), Reference(Location)
Documentation for this format

Snapshot View

Name | Flags | Card. | Type | Description & Constraints
Composition | I | 0..* | | A set of resources composed into a single coherent clinical statement with clinical attestation
id | ? | 0..1 | id | Logical id of this artifact
meta | ? | 0..1 | Meta | Metadata about the resource
implicitRules | ?!? | 0..1 | uri | A set of rules under which this content was created
language | | 0..1 | code | Language of the resource content Binding: Common Languages (extensible)
text | I | 0..1 | Narrative | Text summary of the resource, for human interpretation
contained | | 0..* | Resource | Contained, inline Resources
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
identifier | ? | 0..1 | Identifier | Logical identifier of composition (version-independent)
status | ?!? | 1..1 | code | preliminary | final | amended | entered-in-error Binding: CompositionStatus (required)
type | ? | 1..1 | CodeableConcept | Kind of composition (LOINC if possible) Binding: FHIR Document Type Codes (preferred)
class | ? | 0..1 | CodeableConcept | Categorization of Composition Binding: FHIR Document Class Codes (example)
subject | ? | 1..1 | Reference(Patient), Reference(Practitioner), Reference(Group), Reference(Device), Reference(Location) | Who and/or what the composition is about
encounter | ? | 0..1 | Reference(Encounter) | Context of the Composition
date | ? | 1..1 | dateTime | Composition editing time
author | ? | 1..* | Reference(Practitioner), Reference(Device), Reference(Patient), Reference(RelatedPerson) | Who and/or what authored the composition
title | ? | 1..1 | string | Human Readable name/title
confidentiality | ?!? | 0..1 | code | As defined by affinity domain Binding: ConfidentialityClassification (required)
attester | ?I | 0..* | BackboneElement | Attests to accuracy of composition
id | | 0..1 | string | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?!? | 0..* | Extension | Extensions that cannot be ignored
mode | ? | 1..* | code | personal | professional | legal | official Binding: CompositionAttestationMode (required)
time | ? | 0..1 | dateTime | When the composition was attested
party | ? | 0..1 | Reference(Patient), Reference(Practitioner), Reference(Organization) | Who attested the composition
custodian | ? | 0..1 | Reference(Organization) | Organization which maintains the composition
relatesTo | ?I | 0..* | BackboneElement | Relationships to other compositions/documents
id | | 0..1 | string | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?!? | 0..* | Extension | Extensions that cannot be ignored
code | ? | 1..1 | code | replaces | transforms | signs | appends Binding: DocumentRelationshipType (required)
target[x] | ? | 1..1 | Identifier, Reference(Composition) | Target of the relationship
event | ?I | 0..* | BackboneElement | The clinical service(s) being documented

id | | 0..1 | string | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?!? | 0..* | Extension | Extensions that cannot be ignored
code | ? | 0..* | CodeableConcept | Code(s) that apply to the event being documented Binding: v3 Code System ActCode (example)
period | ? | 0..1 | Period | The period covered by the documentation
detail | ? | 0..* | Reference(Resource) | The event(s) being documented
section | I | 0..* | BackboneElement | Composition is broken into sections cmp-1: A section must at least one of text, entries, or sub-sections cmp-2: A section can only have an emptyReason if it is empty
id | | 0..1 | string | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?!? | 0..* | Extension | Extensions that cannot be ignored
title | | 0..1 | string | Label for section (e.g. for ToC)
code | | 0..1 | CodeableConcept | Classification of section (recommended) Binding: Document Section Codes (example)
text | I | 0..1 | Narrative | Text summary of the section, for human interpretation
mode | ?!? | 0..1 | code | working | snapshot | changes Binding: ListMode (required)
orderedBy | | 0..1 | CodeableConcept | Order of section entries Binding: List Order Codes (preferred)
entry | I | 0..* | Reference(Resource) | A reference to data that supports this section
emptyReason | I | 0..1 | CodeableConcept | Why the section is empty Binding: List Empty Reasons (preferred)
section | I | 0..* | | Unknown reference to #Composition.section Nested Section
Documentation for this format

XML Template

```
<!-- Clinical Document Profile for Composition -->

<Composition xmlns="http://hl7.org/fhir"
>
  <!-- from Element: extension -->
 <id value="[id]"/><!-- 0..1 Logical id of this artifact -->
 <meta><!-- 0..1 Meta Metadata about the resource --></meta>
 <implicitRules value="[uri]"/><!-- 0..1 A set of rules under which this content was created -->
 <language value="[code]"/><!-- 0..1 Language of the resource content  -->
 <text><!-- 0..1 Narrative
     Text summary of the resource, for human interpretation --></text>
 <contained><!-- 0..* Resource Contained, inline Resources --></contained>
 <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
 <identifier><!-- 0..1 Identifier
     Logical identifier of composition (version-independent) --></identifier>
 <status value="[code]"/><!-- 1..1 preliminary | final | amended | entered-in-error  -->
 <type><!-- 1..1 CodeableConcept Kind of composition (LOINC if possible)  --></type>
 <class><!-- 0..1 CodeableConcept Categorization of Composition  --></class>
 <subject><!-- 1..1 Reference(Patient)|Reference(Practitioner)|Reference(Group)|Reference(Device)|
   Reference(Location) Who and/or what the composition is about --></subject>
 <encounter><!-- 0..1 Reference(Encounter) Context of the Composition --></encounter>
 <date value="[dateTime]"/><!-- 1..1 Composition editing time -->
 <author><!-- 1..* Reference(Practitioner)|Reference(Device)|Reference(Patient)|Reference(RelatedPerson)
     Who and/or what authored the composition --></author>
 <title value="[string]"/><!-- 1..1 Human Readable name/title -->
 <confidentiality value="[code]"/><!-- 0..1 As defined by affinity domain  -->
 <attester>  0..* BackboneElement  <!--  0..* Attests to accuracy of composition -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <mode value="[code]"/><!-- 1..* personal | professional | legal | official  -->
  <time value="[dateTime]"/><!-- 0..1 When the composition was attested -->
  <party><!-- 0..1 Reference(Patient)|Reference(Practitioner)|Reference(Organization)
      Who attested the composition --></party>
 </attester>
 <custodian><!-- 0..1 Reference(Organization)
     Organization which maintains the composition --></custodian>
 <relatesTo>  0..* BackboneElement  <!--  0..* Relationships to other compositions/documents -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <code value="[code]"/><!-- 1..1 replaces | transforms | signs | appends  -->
  <target[x]><!-- 1..1 Identifier|Reference(Composition)
      Target of the relationship --></target[x]>
 </relatesTo>
 <event>  0..* BackboneElement  <!--  0..* The clinical service(s) being documented -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <code><!-- 0..* CodeableConcept Code(s) that apply to the event being documented  --></code>
  <period><!-- 0..1 Period
      The period covered by the documentation --></period>
  <detail><!-- 0..* Reference(Resource)
      The event(s) being documented --></detail>
 </event>
 <section>  0..* BackboneElement  <!--  0..* Composition is broken into sections -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <title value="[string]"/><!-- 0..1 Label for section (e.g. for ToC) -->
  <code><!-- 0..1 CodeableConcept Classification of section (recommended)  --></code>
  <text><!-- 0..1 Narrative
      Text summary of the section, for human interpretation --></text>
  <mode value="[code]"/><!-- 0..1 working | snapshot | changes  -->
  <orderedBy><!-- 0..1 CodeableConcept Order of section entries  --></orderedBy>
  <entry><!-- 0..* Reference(Resource)
      A reference to data that supports this section --></entry>
  <emptyReason><!-- 0..1 CodeableConcept Why the section is empty  --></emptyReason>
  <section><!-- See #Composition.section  Nested Section --></section>
 </section>
```

```
</Composition>
```

JSON Template

```
{ // Clinical Document Profile for Composition
  // from Element: extension
    "meta" : { Meta }, //Metadata about the resource
    "implicitRules" : "<uri>", //A set of rules under which this content was created
    "language" : "<code>", //Language of the resource content
    "text" : { Narrative }, //Text summary of the resource, for human interpretation
    "contained" : [{ Resource }], //Contained, inline Resources
    "modifierExtension" : [{ Extension }], //Extensions that cannot be ignored
    "identifier" : { Identifier }, //Logical identifier of composition (version-independent)
    "status" : "<code>", // R! preliminary | final | amended | entered-in-error
    "type" : { CodeableConcept }, // R! Kind of composition (LOINC if possible)
    "class" : { CodeableConcept }, //Categorization of Composition
// value[x]: Who and/or what the composition is about. One of these 5:
    "subject" : { Reference(Patient) }, // R! Who and/or what the composition is about
    "subject" : { Reference(Practitioner) }, // R! Who and/or what the composition is about
    "subject" : { Reference(Group) }, // R! Who and/or what the composition is about
    "subject" : { Reference(Device) }, // R! Who and/or what the composition is about
    "subject" : { Reference(Location) }, // R! Who and/or what the composition is about
    "encounter" : { Reference(Encounter) }, //Context of the Composition
    "date" : "<dateTime>", // R! Composition editing time
// value[x]: Who and/or what authored the composition. One of these 4:
    "author" : [{ Reference(Practitioner) }], // R! Who and/or what authored the composition
    "author" : [{ Reference(Device) }], // R! Who and/or what authored the composition
    "author" : [{ Reference(Patient) }], // R! Who and/or what authored the composition
    "author" : [{ Reference(RelatedPerson) }] // R! Who and/or what authored the composition
    "title" : "<string>", // R! Human Readable name/title
    "confidentiality" : "<code>", //As defined by affinity domain
    "attester" : [{ BackboneElement }], // C?Attests to accuracy of composition
    "custodian" : { Reference(Organization) }, //Organization which maintains the composition
    "relatesTo" : [{ BackboneElement }], // C?Relationships to other compositions/documents
    "event" : [{ BackboneElement }], // C?The clinical service(s) being documented
    "section" : [{ BackboneElement }], // C?Composition is broken into sections
  }
```

Other representations of profile: Schematron

2.41.12.2.2 Terminology Bindings

Path	Name	Conformance	ValueSet
Composition.language	Common Languages	extensible	Common Languages
Composition.status	CompositionStatus	required	CompositionStatus
Composition.type	FHIR Document Type Codes	preferred	FHIR Document Type Codes
Composition.class	FHIR Document Class Codes	example	FHIR Document Class Codes
Composition.confidentiality	ConfidentialityClassification	required	ConfidentialityClassification
Composition.attester.mode	CompositionAttestationMode	required	CompositionAttestationMode
Composition.relatesTo.code	DocumentRelationshipType	required	DocumentRelationshipType
Composition.event.code	v3 Code System ActCode	example	v3 Code System ActCode
Composition.section.code	Document Section Codes	example	Document Section Codes
Composition.section.mode	ListMode	required	ListMode
Composition.section.orderedBy	List Order Codes	preferred	List Order Codes
Composition.section.emptyReason	List Empty Reasons	preferred	List Empty Reasons

2.41.12.2.3 Constraints

Id	Path	Details	Requirements
cmp-1	Composition.section	A section must at least one of text, entries, or sub-sections Expression : text.exists() or entry.exists() or section.exists()	
cmp-2	Composition.section	A section can only have an emptyReason if it is empty Expression : emptyReason.empty() or entry.empty()	

2.41.13 Resource Composition - Operations

URL: https://hl7.org/fhir/STU3/composition-operations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.41.13 Resource Composition - Operations

Structured Documents Work Group | Maturity Level: 2 | Trial Use | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

This resource has 1 operation associated with it:

$document	Generate a Document

For more information about operations, including how they are invoked, see Operations.

2.41.13.1 Generate a Document

A client can ask a server to generate a fully bundled document from a composition resource. The server takes the composition resource, locates all the referenced resources and other additional resources as configured or requested and either returns a full document bundle, or returns an error. Note that since this is a search operation, the document bundle is wrapped inside the search bundle. If some of the resources are located on other servers, it is at the discretion of the server

whether to retrieve them or return an error. If the correct version of the document that would be generated already exists, then the server can return the existing one.

The official URL for this operation definition is

```
http://hl7.org/fhir/OperationDefinition/Composition-document
```

Formal Definition (as a OperationDefinition).

URL: [base]/Composition/$document

URL: [base]/Composition/[id]/$document

This is an idempotent operation

In Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

persist | 0..1 | boolean | | | Whether to store the document at the bundle end-point (/Bundle) or not once it is generated. Value = true or false (default is for the server to decide). If the document is stored, it's location can be inferred from the Bundle.id, but it SHOULD be provided explicitly in the HTTP Location header in the response

Note: this operation definition does not resolve the question how document signatures are created. This is an open issue during the period of trial use, and feedback is requested regarding this question

2.41.13.1.1 Examples

Generate a document from a composition (Request):

```
GET http://fhir.healthintersections.com.au/open/Composition/180f219f-97a8-486d-99d9-ed631fe4fc57/$document?persist=true
```

Response:

```
HTTP/1.1 200 OK
[other headers]

<?xml version="1.0" encoding="UTF-8"?>

<Bundle>
 xsi:schemaLocation="http://hl7.org/fhir ../../schema/bundle.xsd"
 xmlns="http://hl7.org/fhir">

  <id value="father"/>
  <meta>
    <lastUpdated value="2013-05-28T22:12:21Z"/>
  </meta>
  <identifier>
    <system value="urn:ietf:rfc:3986"/>
    <value value="urn:uuid:0c3151bd-1cbf-4d64-b04d-cd9187a4c6e0"/>
  </identifier>
  <type value="document"/>
<!--   The Composition resource   -->
  <entry>
    <fullUrl value="http://fhir.healthintersections.com.au/open/Composition/180f219f-97a8-486d-99d9-ed631fe4fc57"/>
    <resource>
      <Composition>
        <id value="180f219f-97a8-486d-99d9-ed631fe4fc57"/>
        <meta>
          <lastUpdated value="2013-05-28T22:12:21Z"/>
        </meta>
        <status value="final"/>
        <type>
          <coding>
            <system value="http://loinc.org"/>
            <code value="28655-9"/>
          </coding>
          <text value="Discharge Summary from Responsible Clinician"/>
        </type>
        <subject>
          <reference value="http://fhir.healthintersections.com.au/open/Patient/d1"/>
          <display value="Eve Everywoman"/>
        </subject>
      <!--   The Encounter resource. Points directly to an Encounter resource. Contains the dates of admission,
    specialtyu etc.   -->
        <encounter>
          <reference value="http://fhir.healthintersections.com.au/open/Encounter/doc-example"/>
        </encounter>
        <date value="2013-02-01T12:30:02Z"/>
        <author>
          <reference value="Practitioner/example"/>
          <display value="Doctor Dave"/>
        </author>
        <title value="Discharge Summary"/>
        <confidentiality value="N"/>
        <section>
          <title value="Reason for admission"/>
          <code>
            <coding>
              <system value="http://loinc.org"/>
              <code value="29299-5"/>
              <display value="Reason for visit Narrative"/>
            </coding>
          </code>
```

```
    <text>
      <status value="additional"/>
      <div xmlns="http://www.w3.org/1999/xhtml">

        <table>

          <thead>

            <tr>

              <td>Details</td>

              <td/>

            </tr>

          </thead>

          <tbody>

            <tr>

              <td>Acute Asthmatic attack. Was wheezing for days prior to admission.</td>

              <td/>

            </tr>

          </tbody>

        </table>

      </div>
    </text>
    <entry>
      <reference value="urn:uuid:541a72a8-df75-4484-ac89-ac4923f03b81"/>
    </entry>
  </section>
<!--   Points to the  medications on discharge   -->
  <section>
    <title value="Medications on Discharge"/>
    <code>
      <coding>
        <system value="http://loinc.org"/>
        <code value="10183-2"/>
        <display value="Hospital discharge medications Narrative"/>
      </coding>
    </code>
    <text>
      <status value="additional"/>
      <div xmlns="http://www.w3.org/1999/xhtml">

        <table>

          <thead>

            <tr>

              <td>Medication</td>
              <td>Last Change</td>

              <td>Last ChangeReason</td>

            </tr>

          </thead>

          <tbody>

            <tr>

              <td>Theophylline 200mg BD after meals</td>

              <td>continued</td>

            </tr>

            <tr>

              <td>Ventolin Inhaler</td>

              <td>stopped</td>

              <td>Getting side effect of tremor</td>

            </tr>

          </tbody>
```

```
            </table>

          </div>
        </text>
        <mode value="working"/>
        <!--   This is an entry that refers to a MedicationRequest resource in this document.
               It is a new medication (as indicated by the flag)  -->
        <entry>
          <reference value="urn:uuid:124a6916-5d84-4b8c-b250-10cefb8e6e86"/>
        </entry>
        <entry>
          <reference value="urn:uuid:673f8db5-0ffd-4395-9657-6da00420bbc1"/>
        </entry>
      </section>
    <!--   Points to the  allergies   -->
      <section>
        <title value="Known allergies"/>
        <code>
          <coding>
            <system value="http://loinc.org"/>
            <code value="48765-2"/>
            <display value="Allergies and adverse reactions Document"/>
          </coding>
        </code>
        <text>
          <status value="additional"/>
          <div xmlns="http://www.w3.org/1999/xhtml">

            <table>

              <thead>

                <tr>

                  <td>Allergen</td>

                  <td>Reaction</td>

                </tr>

              </thead>

              <tbody>

                <tr>

                  <td>Doxycycline</td>

                  <td>Hives</td>

                </tr>

              </tbody>

            </table>

          </div>
        </text>
        <entry>
          <reference value="urn:uuid:47600e0f-b6b5-4308-84b5-5dec157f7637"/>
        </entry>
      </section>
    </Composition>
  </resource>
 </entry>
<!--   The Practitioner Resource. In this document they are the author of the document
   (There is a reference from the document resource). Note that, strictly, it doesn't need to be within the document as
    the
   recipient knows where to go and get it if they need it - assuming it is available on-line of course.  -->
 <entry>
   <fullUrl value="http://fhir.healthintersections.com.au/open/Practitioner/example"/>
   <resource>
     <Practitioner>
       <id value="example"/>
       <meta>
         <lastUpdated value="2013-05-05T16:13:03Z"/>
       </meta>
       <text>
         <status value="generated"/>
         <div xmlns="http://www.w3.org/1999/xhtml">

           <p>Dr Adam Careful</p>

         </div>
       </text>
       <identifier>
         <system value="http://www.acme.org/practitioners"/>
         <value value="23"/>
       </identifier>
```

```
        <name>
          <family value="Careful"/>
          <given value="Adam"/>
          <prefix value="Dr"/>
        </name>
      </Practitioner>
    </resource>
  </entry>
<!--   The Patient who is the subject of the document. Same coments as practitioner.   -->
  <entry>
    <fullUrl value="http://fhir.healthintersections.com.au/open/Patient/d1"/>
    <resource>
      <Patient>
        <id value="d1"/>
        <text>
          <status value="generated"/>
          <div xmlns="http://www.w3.org/1999/xhtml">

            <h1>Eve Everywoman</h1>

          </div>
        </text>
        <active value="true"/>
        <name>
          <text value="Eve Everywoman"/>
          <family value="Everywoman1"/>
          <given value="Eve"/>
        </name>
        <telecom>
          <system value="phone"/>
          <value value="555-555-2003"/>
          <use value="work"/>
        </telecom>
        <gender value="female"/>
        <birthDate value="1955-01-06"/>
        <address>
          <use value="home"/>
          <line value="2222 Home Street"/>
        </address>
      </Patient>
    </resource>
  </entry>
<!--   The encounter that is being documented.  -->
  <entry>
    <fullUrl value="http://fhir.healthintersections.com.au/open/Encounter/doc-example"/>
    <resource>
      <Encounter>
        <id value="doc-example"/>
        <meta>
          <lastUpdated value="2013-05-05T16:13:03Z"/>
        </meta>
        <text>
          <status value="generated"/>
          <div xmlns="http://www.w3.org/1999/xhtml"> Admitted to Orthopedics Service,
                      Middlemore Hospital between Jan 20 and Feb ist 2013 </div>
        </text>
        <identifier>
          <value value="S100"/>
        </identifier>
        <status value="finished"/>
        <class>
            <system value="http://hl7.org/fhir/v3/ActCode"/>
            <code value="IMP"/>
            <display value="inpatient encounter"/>
        </class>
        <type>
          <text value="Orthopedic Admission"/>
        </type>
        <subject>
          <reference value="Patient/d1"/>
        </subject>
        <period>
          <start value="2013-01-20T12:30:02Z"/>
          <end value="2013-02-01T12:30:02Z"/>
        </period>
        <hospitalization>
          <dischargeDisposition>
            <text value="Discharged to care of GP"/>
          </dischargeDisposition>
        </hospitalization>
      </Encounter>
    </resource>
  </entry>
  <entry>
    <fullUrl value="urn:uuid:541a72a8-df75-4484-ac89-ac4923f03b81"/>
    <resource>
      <Observation>
        <meta>
          <lastUpdated value="2013-05-05T16:13:03Z"/>
```

```
        </meta>
        <text>
          <status value="additional"/>
          <div xmlns="http://www.w3.org/1999/xhtml"> Acute Asthmatic attack. Was wheezing
                      for days prior to admission. </div>
        </text>
        <status value="final"/>
        <code>
          <coding>
            <system value="http://loinc.org"/>
            <code value="46241-6"/>
          </coding>
          <text value="Reason for admission"/>
        </code>
        <subject>
          <reference value="http://fhir.healthintersections.com.au/open/Patient/d1"/>
          <display value="Eve Everywoman"/>
        </subject>
        <context>
          <reference value="http://fhir.healthintersections.com.au/open/Encounter/doc-example"/>
        </context>
        <valueString value="Acute Asthmatic attack. Was wheezing for days prior to admission."/>
      </Observation>
    </resource>
  </entry>
<!--   The first medication in the medications list   -->
  <entry>
    <fullUrl value="urn:uuid:124a6916-5d84-4b8c-b250-10cefb8e6e86"/>
    <resource>
      <MedicationRequest>
        <meta>
          <lastUpdated value="2013-05-05T16:13:03Z"/>
        </meta>
      <!--   The Human readible version of the script   -->
        <text>
          <status value="generated"/>
          <div xmlns="http://www.w3.org/1999/xhtml">

            <p>Theophylline 200mg twice a day</p>

          </div>
        </text>
      <!--   The patient details will generally be in the Document resource in the Document bundle, but could just as
    easily
        point to a patient resource on a server  -->
        <intent value="order">
        </intent>
        <medicationCodeableConcept>
          <coding>
            <system value="http://snomed.info/sct"/>
            <code value="66493003"/>
          </coding>
          <text value="Theophylline 200mg"/>
        </medicationCodeableConcept>
     <subject>
          <reference value="http://fhir.healthintersections.com.au/open/Patient/d1"/>
          <display value="Peter Patient"/>
        </subject>
       <!--   The prescriber details could also be within the bundle, but has the same options as patient  -->
        <requester>
          <agent>
            <reference value="Practitioner/example"/>
            <display value="Peter Practitioner"/>
          </agent>
        <onBehalfOf>
          <reference value="Organization/f002"></reference>
        </onBehalfOf>
        </requester>
        <reasonCode>
          <text value="Management of Asthma"/>
        </reasonCode>
      <!--   a reference to the medication being prescribed. As described earlier, this could be contained (as is the
    example here), separately
        within the document bundle or simply a reference to a remote server. See comment in the contained resource  -->
            <dosageInstruction>
          <additionalInstruction>
            <text value="Take with Food"/>
          </additionalInstruction>
        <!--   twice a day   -->
          <timing>
            <repeat>
              <frequency value="2"/>
              <period value="1"/>
              <periodUnit value="d"/>
            </repeat>
          </timing>
        <!--   Orally   -->
          <route>
            <coding>
```

```
            <system value="http://snomed.info/sct"/>
            <code value="394899003"/>
            <display value="oral administration of treatment"/>
          </coding>
        </route>
        <doseQuantity>
          <value value="1"/>
          <unit value="tablet"/>
          <system value="http://unitsofmeasure.org"/>
          <code value="tbl"/>
        </doseQuantity>
      </dosageInstruction>
    </MedicationRequest>
  </resource>
</entry>
<!--   The second medication in the medications list   -->
<entry>
  <fullUrl value="urn:uuid:673f8db5-0ffd-4395-9657-6da00420bbc1"/>
  <resource>
    <MedicationStatement>
    <!--   The Human readible version of the medication statement  -->
      <text>
        <status value="generated"/>
        <div xmlns="http://www.w3.org/1999/xhtml">

          <p>Ventolin inhaler discontinued</p>

        </div>
      </text>
    <!--   The patient details will generally be in the Document resource in the Document bundle, but could just as
  easily
      point to a patient resource on a server  -->
  <status value="completed"/>
<!--   a reference to the medication being prescribed. As described earlier, this could be contained (as is the
  example here), separately
      within the document bundle or simply a reference to a remote server. See comment in the contained resource  -->
      <medicationCodeableConcept>
        <text value="Ventolin Inhaler"/>
      </medicationCodeableConcept>
      <dateAsserted value="2013-05-05T16:13:03Z"/>
<subject>
        <reference value="http://fhir.healthintersections.com.au/open/Patient/d1"/>
        <display value="Peter Patient"/>
      </subject>

      <taken value="n"/>
      <reasonNotTaken>
        <text value="Management of Asthma"/>
      </reasonNotTaken>
     </MedicationStatement>
  </resource>
</entry>
<!--   The Allergy.  -->
<entry>
  <fullUrl value="urn:uuid:47600e0f-b6b5-4308-84b5-5dec157f7637"/>
  <resource>
    <AllergyIntolerance>
      <meta>
        <lastUpdated value="2013-05-05T16:13:03Z"/>
      </meta>
      <text>
        <status value="generated"/>
        <div xmlns="http://www.w3.org/1999/xhtml">Sensitivity to Doxycycline :
                    Hives</div>
      </text>
      <clinicalStatus value="active"/>
  <verificationStatus value="confirmed"/>
      <type value="allergy"/>
      <criticality value="high"/>
      <code>
        <text value="Doxycycline"/>
      </code>
      <patient>
        <reference value="http://fhir.healthintersections.com.au/open/Patient/d1"/>
        <display value="Eve Everywoman"/>
      </patient>
      <assertedDate value="2012-09-17"/>
      <reaction>
        <manifestation>
          <coding>
            <system value="http://example.org/system"/>
            <code value="xxx"/>
            <display value="Hives"/>
          </coding>
          <text value="Hives"/>
        </manifestation>
      </reaction>
    </AllergyIntolerance>
  </resource>
```

</entry>
<signature>
  <type>
    <system value="urn:iso-astm:E1762-95:2013"/>
    <code value="1.2.840.10065.1.12.1.1"/>
    <display value="Author's Signature"/>
  </type>
  <when value="2015-08-31T07:42:33+10:00"/>
  <whoReference>
    <reference value="Device/software"/>
  </whoReference>
  <onBehalfOfReference>
    <reference value="Organization/example"/>
  </onBehalfOfReference>
  <!-- a real document would typically have an digital signature, but
    the publishing tools are not yet setup to produce a valid digital
    signature. For now, an image of a signature -->
  <contentType value="image/jpg"/>
  <blob value="/9j/4AAQSkZJRgABAQAAAQABAAD/2wBDAAoHBwgHBgoICAgLCgoLDhgQDg0NDh0VFhEYIx8lJCIfIiEmKzcvJik0KSEiMEExNDk7Pj4
  +JS5ESUM8SDc9Pjv/2wBDAQoLCw4NDhwQEBw7KCIoOzs7Ozs7Ozs7Ozs7Ozs7Ozs7Ozs7Ozs7Ozs7Ozs7Ozs7Ozs7Ozv/wgARCAD
  QAVkDASIAAhEBAxEB/8QAGwABAQEBAQEBAQAAAAAAAAAAAAUEBgMCAQf/xAAUAQEAAAAAAAAAAAAAAAAAAAA/9oADAMBAAIQAxAAAAG3rbTE2jE24yd
  ipeZ4zKs06VB8DpWvyPF8ZTa9pJQRPkt5+H7I2zfLMdB+8/8AhewwKh6fmfoDmPTX9mL12/ZJ0/VQmTL3wZ7W0YsFyWe22ZSMm3FtAPCT5bTwx5NxPvZ
  9Ro+/rQcppu/Bzvl+dgeGGqJfrvEqn9AfJ9A8/QAAAAAAEupLFKbSMm3FtEWtxZ0OGrQPP6+vkmxPwUb/AD/QCfQnmjQAAAB58+dIhUDaSiqRS0Alzzp
  ECqagAJdSUftKZTMm3FtOdoSeoPON7eQ+Kf4QbOfQZLsewAAMXl5GboIdwGU5qlkrFKXQ4k7bn6kQuQ/b4LcejDK1DkunKEj3jnUJeMydXw/UFCVVln5
  Tm0jJozxyJZ+vg1xNvUnL+23yNu/m6RipcpeNWiOK3P0Pg+8931ABzp0HJemcy6OthEe9k9jBj+OgOX7qbTOc7Dl/w5vVS+T4kXapynbeUMt/dCeflSX
  UMm3FrOE6OD2Z98549SRMvTzSh8c/oNtDlfs6eXze0/el+/oAAPnnTpHIbTonl6mNsE+gECxhoHqAAABLqSz8pzaRky6tZB+fbQUvrl+fP6N8cf0Bl1a
  fEpeXqPn6AAnyyhI8956VOaqjTvAAAAAAAACXUln5Tm0jJtxbQB5eoxeuiKWotqKWnl6gCfQwGbRQEudQinUT+c642AAAAAAAAAS6ksUplMybcW0AAY9
  k8/c3pnKvvz9AoM+gYto8/TBvJu6D9n5YxVQAAAAAAAABLqSz8pzKZk24toAB583r3HvNp5Dx9qXOn3S1wi/5+kc0/WuCfPReXqAAAAAAAAAJVWUflS
  ZTMm3FtAGX24kodV8/Q8PcZefuzS/N2+pN8fmkaOaq5S0AAAAAAAAABLqSxSm0jJtxbRln5CF3GoAMW3nzdP6LnzoMurzPTH4+RM6oAAAAAAAAAAAEu
  pLPynNpEPLe8jnK+wY/3WMjYMf5t/DHK6H8Mv5sGRr/TH+bBka/0x/mwY2wY2sZGwZfzYMX7rGRrGP82ZAyfpqfuQ15XobqPx6H//xAAqEAACAgIBAgc
  AAgIDAAAAAAADBAECAAUUFTQQERITIDJAIjAjJCEzNf/aAAgBAQABBQJRRayfDVzhq5w1c4aucNXHKpqhV1vvWNCCcl9wQuGrnDVzhq5w1c4aucNXOGr
  nDVzhq5w1clRSsUprSWusmOi5NezlVkr5Cik4NdIw6315G6H15M9/XWCuhZiDHFUShlLLxweoUdQqqCv8zGRDlHAUX14/fDw1c4auOLgEuC/qrifY/Bh
  ka1F1JsR129JoESWS7FCkpsLD0xSFYmYrFDDJRp0ClHXIFAzCLjRvTsuosGF7m0oblt+vVLgEts17kPRZr1KqujvX35qLmkPrdWRe/RLkwatVltfqyrN
  RqyWW6Kp7R9bFk+kwDDiu4lfVBskvp1QfDY9kr9cT7HxMWoAqUluXGryStl9dFlysmBfXrVgsMCXpagvbaJNfMKnAZAadWQzYwiFjOvE0UqASWVVoqOd
  arYsRFY+E0rNv7tj2Sv1xPsfHzJsmNg7CQESzSKIsmJCa8SNAUXoAQpwdIHW8iBCIb3f/AKIiI/FseyV+uJ9j4bAszkmAnSuss0WlKjrMecMsh14IvsH
  irwwsHweJUaq9JEv+rY9kr9cT7HL3gdFDFYIqmNWvhMxWAebzQ1o2FlRxTa+Epjs1/Re9R1JsimmI23muaxPBnYBVPhGy8/wa2CymR1FyIVZSGBijFPj
  suyU+uJ9jm1JaYRWhVa96jrdxslYnazBKbMojeuiiXsyEA7dY+R2ahxWzXUfF7/bzXn94mTavVIiYsjSGGgkiq2kv6qp+cJv7C9TJKBpZc9WQZW3o23h
  DDLR/DZdkp9cT7HC+o5sO4j5dYR8wtAYwJP5vlihCpDvKxb2c+LDogZFRpU1gye14MSaoFEaMXFNJ2F7wOi2zAJgxovrxH6dqnp4WmvYPpQas4vr9b6o
  2zZSYgL2UXHBpBC2Mr7z1EhOOjJqbGgRk2JZDmx7JX64n2NyDFAzncajUkNW62tRrzHzyFZwgzEdHAzLteG2NZYUtCrnL873YCKeSD0GfOyWBKa+tVjv
  W+EREYh7WuZdbNsaSqvrUoaopqdehcObo1TXcFCOv6hfiJUgSzNKkNPn5PVNbArTY0CnYbz3bgErU1sCIWuTU2NHD7LslPrifYrgJsJ1sf72w2vtE16w
  SZERWDbIAjQTZky4iyWmwVvG8Z9yBpVKLphfdrplosPVLUxHyOxI6WJ8CWbQJL2yOQOmPLUgHIA6q03cSAnqZHsmo2S4VTK6qtc9gUbQq/qh8LXVLF3J
  JtpTXHOoOO19GSMrqlxUaTm96oPu3GOgR7LsVPrifY5LULyhrhqCmYrE2LtYnUK+yJgixomLRYY7y2kJ2ngzsALWIu5ssGOgR/wBTQeQqrW9FWFKsGz3
  l+qjMIv8AVseyV+uJ9jMxWNUCG3SEoEdRl25YiKxjgrXqOxxL9T8qD3orR10Ex1MjVFloi0efymYjD7S+VT2RTEbbXwc3kXxnWJ2LQYxR/TseyV+uJ9j
  tKTfW6cgOIa3OPERWMmYrESMw60WvUbC4y5cYyxERWPi1sFlME3s28jViksyJUM3O3i6Yl5/DseyV+uJ9jMRaBalSlShoEVtyMQmNhe9AFfOOi7U5Kob
  YLjhY+TToE62nYt1qJLXxUrrFFiOrnol7l/x7HslfrifY/CKwMbAptgSwYeB/ybb4tXZ9Ky3+b3DWaquqpgmJa2V6D9jV3m+t/HseyV+uJ9j8jf6ruLf
  +n64934Nx6x+BkBlaE4LXGa2DD9FRUAr+PZdkr9cT7H5NB5CqRuQmLyHtoH5H+BqEsWl4JTCOUqO9KkrtWhrKr0kS/wCPY9kr9cT7H5CPfla6Ysns/wC
  IhH2ZKL0Z9QTUOPxTiKgzXVC1rpSdka2uAsT8mx7JX64n2PxveKV13mxsABouI6lb2GtTFmpajYetWamJN8veB0SjySc7HSUmmv8AzbLslPrifY/HbHg
  aqa0KKmH7oI8lTYCZX2sxFoTmwD48aJiIisbc1qgHSBC/NsuyU+uJ9j8GGBqh165GjeBh+6FY8MrukuLbY6ryRptckYa0Ydyvk5ufz7HslfrifV+N71H
  WtCbpuIiseKv/AFbX/iB3glccRsWwBQEDzPEV1YPZV/PseyV+uJ9j4MMDVDfm7Ui641Q+Lh+Mrr6zVDZ3mGMGeL3xhoSowBJsj/o2XZKfXE+xx3Y0WwW
  rk0/Eky+5hf8APustSt8ulW8B1oBG/TseyV+uBb9hdvYnsNOV1Z6nTOp0zqdM6lXOpVzqVc6nTOp0wDEUc6nTOp0zqdM6lXOp1zqdM6nTOpVzqdM6nTO
  p0zqdM6pTOp0zqdM6nTOpVzqVc6nTOp0zqdM6nTOp0zqg86pTOp0zqdM6nTOpVxlvkgWr5VywonOPXOPXOPXOPXOPXOPXOPXOPXOPXOPXONXOPXOPXOP
  XOPXOPXOPXOPXOPXOPXOPXOPXONXONXONXOPXOPXPYrnHrnHrnHrnHrnHrnHrnF9J6JmHWqpfJda1RSqb0SofBrFqSK+Xh//EABQRAQAAAAAAAAAAAAA
  AAAAAAID/2gAIAQMBAT8BD3//xAAUEQEAAAAAAAAAAAAAAAAAAACA/9oACAECAQE/AQ9//8QAQxAAAgECAwEKDAQFBAMBAAAAAQIDABEEEiExEBMiMkF
  RYXGh0RQgMzRCcnOBkbGy8CNAUpIFMGKCwSSi4fEVQ1PC/9oACAEBAAY/AoScPESYxc5BzV5tF+wV5tF+wV5tF+wV5tF+wV5tF+wVfwaIyNpGu9jU0MT
  iokQ+jCi2Hvq0kKPJIbqixi/NpQfwLCre2VJE/EbZzV5tF+wV5tF+wV5tF+wV5tF+wV5tF+wV5tF+wV5tF+wV5tF+wV5tF+wUScPCANpyCsqLh
  WY8gC0zth4gqi5/DFKEwigtewMQ2c/VRywQGxsbKNK0w8J/sFCSOCFlbYcgrwZMKjML3IiFhXBwQa7WXLDckfq6qlKYeJZY1JySRWtQlGIwrsmoRYxb3
  029/w+JnDWtvdwtgM1/eaQNBDJLvojY73a9zoRpUrBIjh1iu5y3UNes02Gi3+3kxFbqrPiv4fFHHIbJZBweupr4OP8NsoOQWJtejNNgYuG53tQg2W6qR
  pv4fABbj2HC91q82i/YK82i/YKzpBGrBl1Cj9Q3YPZr8vFu+pOxRtbqrwrFhWnNtOROqvB8Ku+Yg83oV4RiDvuKblv8qv51i7cHe9UXq91GbFT7zEvCK
  Q8apC80pW3BVyT98nxokmwG00ro4Kvxems0jX1tlXbU0OqtvOcMPhR3uRHttym9YWPfSgszPzWt/xWWKL8SSQhDl4q6an40uH3yB3dTrbi9NOGlcq3Af
  fNgv0VvkRz5ieGVsfvSo+E+9SCzqg1OW576hxDmRDL+G6xjya8luapMMn4WH3wnfPSI6KjV8PII8MwdtCXd+j30cOsngocF0Q6W1OlR4lpbEjWO1Rb7M
  OAtiFHTyU0eGAV8ujHn6aM8si9UfLW9vPlcFuGnpg/qoJw9PSvrS4WBt7XNdjz1LvIzAwsBmPCzGlAvC7ZW28WhhQzKAcwbp6auw31v69nw8RvWX6huw
  ezX5eI0r8VRehjcQNT5NDsUc/XRweGW8zDjX0QVliPhOJc62GZun/AKrfcfiN4ifioWyk7OTkrLDLAv8AeKfelEi7OForc9ZWWNddFjGgp8OvkZpWLPf
  iDNqPvnqSOCK8uFkJVD0/8GkxKWnxB4xc6L01/qZHYPHmZl0GYf8AFHe40S+3KLVnl6NnRfvrOueF7WzRHLpzVYcJ21dztY0ZDHtOYjMbE0ABYDYPFDF
  QWXYbbP57esv1Ddg9mvy8SxDJhYjsK+VPdWa13bRRTmLDvPiXJzy+hfbtrfJnTD32jDizHrNHKnhExB/El4Q9/wB3pZXRc6+ivFU9Aq8cap6otuWHOT8
  TenmbKn6moYiISpAq2G+naOjo/k6C35JvWX6huwezX5bq4OPyk+l/0ry0mFiOaS1lRRc++vCMfqx2RodBWVFCqOQCiOehfn0XlPPWTfPBUa/BHGFrd4p
  laVpZUszg8K6/0/fJusWQSX0VCL5jyVHGdqqAfzbesv1Ddg9mvy3GdjZVFzU80CXxMhtc8WNPv5VpwpDxpDtO6STYDaa8OxJyYaI/hZjas0sRjjA/BRR
  lGW+3rqcRKI440AIHKTrfd8Icu5HFUngr1fyczsFUcpNBf4fAZddXYcGuNhT8aZJUySpxhyHpG4kUptmF7825vUSZkjW8vv3bSPdv0LqavcYSNtLEXel
  OHkae1g0ch+XNWZL6GxBFiDzeM3rL9Q3YPZr8txIAmZTeST1V5KCWsTYsOm1ZnYKo5Sa/02BfrlOXsoG2FHRwqaM+C2YWPGpMDLhmCnKoeLhX5TV8PLn
  j5uasU9yFyrpz9PZ4+UcOVuLgNpp455Q/4dyEHBQ30HiTF5MmFw+mguS/2akKJvcOVd7XZz37dxVtwhCST7xROYm/JzVi8SwRgzb2Lc33amd9FjL8mwA
  mppG1kkk1P3sqEMpUhALGkwuGNpHNs52DWnxGrSMxuWsbG5valmQEK3PuPGOK8Qc9d7bq4qNmjwysqqD6dyAd1vWX6huwezX5bjkaiSYQW5Qg1bcVpJ4
  zla4twqtvvvymvwpVbo5aaB7B14ut7ryGoEKhiScqn0jst/urPEd4l/WnL189SrMuSURrcc+p1HR42QfiTckaamnxM73kI1JP+1afETeUxBzbeTk3WOH
  UNJyA082JGokP4J2Ib39/JWIy7QqZuvWmdjZVFzU+Jlzs0raAKLqv38qlmhfTeyVYdVQAJmmm1UAbfvShFsYgR8Ht/wA0cBC+WNY88sn9PR11vrR5OEQ
  OmlxTyZ3LEhg1/fs23p1iYrDGcjHZmbmqFNeLc3rO+pPFXno4o8GNYFVjfYSazNqx4q89STRMOGMtjWGwUcO/GDUhW2v93ol0yOjZHHTuN6y/UN2D2a/
  KryOqDnY2pThheUFmLNoBfTZ1Wr/W4uRyTfKp0FZpI41v+rhUFwGH3qHXLZPsU0++QGVrFH3vtvQaSDM68R8Pr7iOb/ihxSy65G4ynq3I8RHxw2X3fYp
  A7jMzZODqM3NWVMPO+l75Mo7bVaSVEPMzWrPv8eW9s2YWoYfCI6Kw1kK62va4rMeFITcE6yOeiklxnAjXVYR/+vFNht21jI5ZVULa1ztGtNvKlMMguzN
  pf75qMkuuIdbL/S3R300AmEjyjQD0QRr/AJoTYhs8uUKo/QKhwySpxuHzDr7a8HuolkIzAG9xz7Of720mDw6kC1idpa/JSQ5SpQa6VhsInCzTM0qtYMd
  dp916NtvJQxGJe0smyK2oH+KiwPBbhZ5rcnRf721IXH4cR1v0V4GgvMmIzXHONK8HwqNHJ/7JTpbo6KsWsqasx5akjjRsqbH56b1l+obsHs1+VDFYvye
  2OG+nvrGa5shyr/SNdK8Hw2UybGY7FrfXR8SW0Msg4PuvrQAFgNgoQgPK/wCmIXtRth4YvaNf5VJJLheFk1khbXrXl+/j5ZUI0KucpFRRpmybb5dD1VF
  JJnWUxjNz3tt6xz1f/wAhiMnNm1+NMzNI5YHjHtpQc8iqNFc3G29S4pR+HYRxaW0G2lkK3Zdh5vFcxw+EQyMWAB4Sk/420Eiwe9ZtMzg6dNLLipEkW92
  1JJpoAMiMCLLpWbGTtPa+UE8lSiNddOEdu0VYzxRR/qi9KooIos11OmuYk6UXxZ3+VuU61DCsaqkMW+AAcuyo974OSRW93R7qhmwyXsm07OXSsgiSL+o
  UxeQPMQOGXO34c1RrA2VXjyzNf40EhxHAbymblpd6Xhq6tnY66GvCMM29Yi1r8h66/wBdKVReTTX4UI41yquwU3rL9Q3YPZr8tzGLFc4iaYqBzDnrhAP
  IeM1Ek2A2mhvWaHDekTozf8VkQFem/G66ZZEIVRd025f6l/p6OSgQbg7DSl0ViuwkbKCyXGU3BXbuhDd3JtkTU0rSHeIf/lc328tCONcqrsH8uSL9Q06
  6jSQWZBl281QSMxG8tfTl3JJDiEXJEEsTy3o73Ij225Tf+U3rL9Q3YPZr8qJJsBtNS4xxYBrgdJoySNlVdpoSy8DCLxVvxqAAsBsG4joUV4jmzvyVmwa
  KY00fDsblSDrY1mfB4pbDX8PQUS0EgsNcuv3yUckUrNbZYVwpN6UtokIJkNRjD4dorXJfEIbn4dXLWvjam1EYLDvPY2z5brQnmZNDmETObA8myrTCF3Y
  cBIblr9XNSmQWe3CHT4xkMN2JudTVo0VBzKLfym9ZfqG7B7NflUwUcl+2hFGwLjVuQ/fJW8nTDI2VrbXf9PV3UABYDYNwkmwG01oVdG94Nb6jS4UJl4d
  8oYcnQaWDwhpZH/uvy8mm5aRFcczC9AAWA2DxrSPdv0LqaO9QJGh2O4OnfQlxDvO/9Z0+FE8GONatD+FCdsh4zerRcZnkba7m5P5JvWX6huwezX5UQRc
  HaKXNHnK8p6+WpWijkDScYxcbtplZZd+XYHS3xoWxUxlGl14Cmgi4ZHSy334k36dTV5sXodqIoHuvtrhrn6HJYdtDCxxZWEea4HJs8e8ja/pG2mMVsOh
  0UNo3v0q+NyvO2upz37KvhIo4YcvAMm3sq88wmiJu1tbA+l1aVv2Nyyyci+gvUPyjesv1Ddg9mvy8XLEii2xdgpZY775HsseN0Vm5RowvxTzbmIY/+pF
  Qe/XxsmGiuzemSLLRxEuZnBZULbct/wDv400OQqmXj2/z/irkC7vxm1JJNTwOGaBdMpUEX6dKZGAEeWx5BaoSx5Ldv5RvWX6huwezX5ePHMvFxDCOQdP
</signature>

IdzG/2fKt75bX6vFWH/6sF9209gO6MSDllXZoLe+sTHOLymTPdF23qRMLGRCq3c8tqjjjN1A28/5RvWX6huwezX5ePJF+oaddRSnaRr11Ou0yxq/VbSm
kvxlAt1X7/FiZACEJPvtpQdTdWFxuQSR/iLNIEBvz1ldQynkIpoVtnlB4PXtNRxnaqgH8o3rL9Q3YPZr8vHkw8uTNbOmX9NKygBSzWts4xpHjkSOZDdM
1teQ7a1wkasdjM2g922mfEuhPoqmwVnTqIO0HmPiWAsBI9h/cdyMEXyabbWIrJ/5Jrez1+NGQZnkPpubn8q3rL9Q3YPZr8vGzMbAVicb6B4C9P3pQij4
o2V4TDHFKzDUOL5+o8leEYUNAzbUIsD0EclBlTIF0kDch5vv/AKGMh05JdNo56N4hvWXMJEbNf3bjOxsqi5qHpUMes61P7NvlVz6bEj5f4/Lt6y/UN2D

2a/Lxt5y53m4Kra9JFy+kec08d7Z1IvQTgrDJxehubcdNkWJG+Je/G5fvqogi4O0UcFM3E1h11ZddxcMpu0zZDl5By9lAAWA2Clw8Y4c5yjW1LGNiiw/
Lt6y/UN2D2a/LxTLKbAdteH4sXJ8kObdZL2uNDzdNJMvpCsLppm0J6dPvr3FyNlljOZGty1Z1yTLx0tsp8WNVQb2h5+c/43GbbHhRb+77+X5hvWX6huw
ezX5eJmdgqjlJrO4K4dLjTT7NAAWA2DxD7R/qNYZ1TM4nW1XGnODtHXub9hpN6ntYn9QpIwLZRTS6FvRBrM999kOZ8238w3rL9Q3YPZr8t0yymwHbSXV
hAzaWGi0IohYDt8SSa18o0qK7ZiwzE9etYKPkaYH4f97hiPBlAuV+9u5nla3MOU0MVi48sSj8NOQ/mW9ZfqG7B7Nflub2n4k52IK37+IPvshHF2Zfh4y
ol1iwz3ZrcZhybkMfAKwIXP38NwZlBsbi42VYTYhOlZT/AJozEvK/6pTe35pvWX6huxxvh5booBtl76thYWVuVmtpW+GGeWbW8ht315Cbs7683m7O+vN
5uzvrzebs7683m7O+vN5uzvryE3Z315Cbs76nxMkEmaTRcttF+NebzdnfXkJuzvrzebs7683m7O+vN5uzvryE3Z315Cbs7683m7O+vN5uzvryE3Z315C
bs768hN2d9eQm7O+vITdnfXkJuzvryE3Z315vN/t7683m7O+vN5uzvrzebs7683m7O+vN5uzvryE3Z315CXs768hN2d9eQm7O+vITdnfXkJuzvrzebs7
63pYZASRqbc/X+b2fy2O95g1rHTSl4JOi3F/jXDRjddOENOurSDhCtEIvm0BGh5KOXac3L06UhsxHLc7O3d//xAApEAEAAQMDAgYCAwEAAAAAAAABEQA
hMUFRYRCBcZGhwfDxILFA0eEw/9oACAEBAAE/IUHAoisK+be1fNvavm3tXzb2r5t7VpBwo6dtqG3SQDOGrrHnsLZWSoWANPdnwq0aJMViUFjd48K+be1
fNvavm3tXzb2r5t7V829q+be1fNvavm3tXzb2oq0SgAUBxEUWlJwTAHamWR0Fa/Fad63RNOWzzQclSkmQs0UipD+qmumZBzPzUrWCAAGJhFpW7eU3gcC
RaHTMWnWrich3JYiCdy1O6UUAW2MwhOPeyiwBkdgNYx5kDpwOARbMaGfGgOfMtO5MRDUJFYnLcYzeQncwTQaYQVJeExZkh2tUEaYBZ6ExfltaKlgeUnk
drbNq+be1fNvam7lw5KIh6fLbPxITICOtIWa5qEEYG5mCU31ny5mdDgSDd89e/OumrFLiYKEBroTgtWUJ4Rdq4X0TltE02okHNmkm+cp7T9lCVuTfElB
lgSjAFZvEJ+Js+VKZDQFNnHgjT+iNbVUnDMV4C0YeVRicKMLBM2i7/KJpjGURsz7ePdW2ZFWk3QWzBaLUkLlhM4vZiLxG2NKMyNrEJi2oU0sphgGG6+o
okxEOK4iGBF3JO9OkzCyyCPEReLelDXmaBS6ElLxU9mPkSAtJeextFMBZvSyYWfDTJUMnIN8jA0W7rvS0sgV26Fa3akhoYtEt7FuP6pQ2JTXJMNW2+2a
XgylglKccR3dahu4ym1zuzHlxQxA09geAR+2mQ1oC5F2lL96SkOwluvZfPpTg+Lua/afx6Y+ny2z8FkiU548azyyNMsi42Z2ilCX+wrKpcf7PClL1xhJ
a6Lxabv7HICJAjkU0KXuVDQuYkfFmXNbsW6hAmGTtHrVjJVgGccvMFAWW00gw/GDzcxAk5SbJRsy3+9TCmyNZiwtIEnlBpUAPEOjQERox3XgLRl5Vcyg
ELG6ydn9KEqIXsjyRjyKdOo8xDTwFndzzKefm0ZYEAQB+Mn6JrpZj+B0x9Pltn4SJUqoQcX0Jj4QOGS3Xd4P6qBcaBCDAsImJ9FtVmTTIxme7G4x3qX8
FdnJLsWQIPdUWkCBEW77jLY2p69SG0fEM9FTqN/ui/dQfkDHdjE71G68NLjBwMWnn/iLBCVgNW7/D6Y+ny2zrK7VWciHifWoSjDkm4sayymtMVBAhHGP
PZ85oLiZCCidmBFmHzKVRmAOrdy3mXXW9BEAWlhZazzFtN3PNK8jLMoOdcLz1XxQvA4Rrf9UporRiQj+Z0x9PltnSSkCbBSh7/wDRQu78c79RLfc3246
mWBKMAVO7UBmbf7zBxWcSmSFLsmQxrG16SfF2dGHmdT+tMktcb2/4pczIQVhIZUwmNL+MetCC5lne+GmP7rBI4NTCbMPh0XhJZF4+d/LpxG5ZuIi2QvG
t9esp7BDyzrTcdFAWb6ZXjB3ihqwafL4U3j3takufzaYeny2zoxMEiQbjKNfS29G5HWZiIf1SXMyEFJXaQoPdcjWaYj0mVx5U8pWxdCRQWy2miixEjaX
Gb1fVLBAB62giVmPKCirhEjaZ+kju/nHlrv8ASWb8UcD/AO8CRvfxj8Gt9U9o7HjDb9hafpFkzQMDB8jok+NjIxHo+dKc0IcR4bT5035mcJzwiftTMBq
1g4sbBRR2wWWy3CwzfXFFr9M5BFCGFRbCDe+dvHBAL2UEJALLNT4Igzsx7dH3O243PKPI6lgeKG4Brlv5Xn8GmHp8ts6CO2qwlbg6o227dBCUAhfDFiU
8asZYRcI9PkUfeYmDYeGaQzMga5y86PJyU+DXBi22Jldtbmpj AVjBXDRMN6JCFBtH1UeGPydZIraV7Y3rUrNPNzSZgqIRoacbP32jqYXxp299TSaQy20
hOR3mW3aACMHEj+20VJSBNgoLIZEhiWdbUmwJxjV5NCTEcutxeyPSkPiRBaU/aPNTWcMFYIaNRC6XcrT3soDf27UUDEAIhi9Tkv3uRWBficueZHb0qzJ
QBmLdPNrbghbv+uaZwbcIchPeJ4aDBz0zJvFs0tKQcotkjeJf8pSqCCmeZjAuz0qeQ0iSOY469MfT5bZRloYgCe9WTzfsBTYDdfem+4g6+/8ARFJQHjn
wGXXSpGJLKCcrZrjfWk5JDgxBAMOsQjiMNXwYbAqZ19ynqo0itakK19CPQFC3KsSJSJvMKhw2CRcgWfGK+PABvUVbCYCjvX78qbTvRPRLxKIe18/qKHn
OQbGmpbxbeoO3G/zu4/el/wAVEAuUGXHtU4oPOgXdhMVKRqwGaLvMR8DtsOML+hFuy2YqaJychUHZHDwYpAoIhitB2996y0y5u4JaRQlONatOUEwtxRl
/JaE5AixK84omQlNQssouii+CU8SJCBlBGbHEVFFGFiwLQYaLyBzo4bbzWIr4c1jYnWJjTAbcKSLAxF28eNRCUzfIIAa3p9cWJ61Y4yPLxiorxQUS39v
IqIypTH9OPbo0w9PltlSETQyiXuIvvOvhagjTDXlszgNsWpZiRJ3Ntp8bH6ThfDGZsubTGmlGWBAEAUyJzIHDe+c+VKQsbSzPh8yoI8IFNDgDeIchxFG
apLqWojQ5wLcHwSc5cWuVB0G9WJSb0ZV+w/o5b8UNxhTYXwZ8aBsRQZqRo220qyudDNIbTjw0owQ0bdn9fioFELIOmrZ3pAxFzT5WPSgsjQRwXLmO1ET
gVIDmPOnAlh1JESzh8MRmpxTujXzbUcXt9RAicdzXNCYxRwYrrcEDnejjnEqgDGc4P14jqgyhpJ3wXzNRpkQJYBZIYyIx5zSZIcCyJK2kY70HbSLFEM7
r6XpEUkpYttxZzJtR1cld5nswEbXolsADIkagZ8Hzq+rzRB9J9KSwXJs2whm3ttWHnIFdhYOb0YgUB0KYeny2zoi5XZyMCNZUztWHFqEhDIHA/NjLAlG
AKL1J8URCGHDPrFRjIzNstvJBgjiKHZYTA43Wy/8AZRlgSDIlO1GSFXG1aR8B2XMf11R2PDPJ8qBl+JiOycM2k7eNGIFAf8ziSVJMBo9Yo0pKiQ4T3ie
9PkoJ4HuHr0imVIyUlu7QedeAtGHl/wA+mPp8tsoywJRgCkIpvJLjnj+qMQKUoBFU5zmLxj5G9GWBAEAdI2+chAGSTRsPE0GajgDEszdvxGYrfsPOL7V
dJhYJeOLe7zhgxJsCd8Uwhxd4MsODOeMVHQKwuWsgs4Q0SrF4suCLafkLJCQldWxTM4QqS2Iz6d6R/sgGyiRazS63MZGhVwZiiEsUMEL/AJEHlZYWZxM
U5aGYAnt/z6Y+ny2ypsiDsAvoVgZkgRYVjKEkuKKXZUsB4pymY1eNGWBAEAdDLAlGAKlBIkiAw1DUADEzfIX1vo1DgUkzAqMIZ4tGnQyUMwBPejLAgCA
PylPYIeWdaeg7JCDhn2FHlx4mZsNOMXpqw82IDsUvEmNEN/BbV33KgdCI3ePzB/D6Y+ny2yjLAhCRKFSexMSSSBZzFZwQU1LPK7i97cEtBATWGET4TjN
jaATZaombN9TBpiLvshONZmYFlkNIvFJyVJDQvI7F828kbpgMMawknnNQZxEEXGWZseX53ynERr7bUXU8jLi9yNcR/akxW4eOiAlnPnUpaAGFyEgPGoE
LJjLAYtNcF7YqeuCyqMRc3y/xYmHp8ts/GFBDFm7YqSBnTADV6QwX0s1GEDR5Q57Omh7DdS5PM/kTFIjOaJle39U8qnTO4wayI0hTmRx+4wmdRpM6UX3
vvgS3zHlPNL0GEEtLmopcxVyLgwR9CKmyIuwQeh/FiYeny2z8++QBYWtuf11/aQWVpgTF/G8eDt+IMTdIYnAk3B36rMAZDTCIv56aUvppWhghd5WHm9S
mNW25LMRxljtRgS4OJ3nvn+K0x9Pltn5nEkqSYDR6xTuFhtIkWfUq4aE2sJR/VeAY2JL44/FpFMbZS7Qu6Li2agtAm49DABIhF1/TFJczJQ1Z8wA0yPX
v3pTRWjEhH8Xpj6fLbPzsJDI3kl51PelpQjEaFi3amyLVZREB4Ge1HS8sIHM2VHdi0sPXOV5x3qdDmCjVBo/gpMBAgDpPzkESlpEiIb5L3utSrYBID1J
qSMl1Rn7zf+N0x9Pltn5J9cnb/KihJLRha++DzULCOoWYlX3puWDGRaNxE8M3qEBYbZdQbEk3m9MzQ5HZ/uf9pY1cHcYxEkp75ikpvlJSyZi9p6SUgTY
KJV1cLK3D5rXy26pxEQra38gaYeny2z8nvitWL+O3MUQYgSHc+bRXBaKYkirSqxfHHNkJ8Z3OlwcCD1mHK/SjLAhCRKErbPPlN4NOOJ6MeHO5trw6vWa
MsCAIAqSBZE2TtDjJmnFUbOYC5PDTD0+W2fjoQUarY5ppZqXA3jbbz565LYoZnp4hvVigmjZ1POozmslGLPEibbLb0rAJdKBo8f5U4gJMibjO8TRNGos
1Bbm42elrGBS2v2e/l/k9MfT5bZ+CXMyEFNYHjc43NE+HhRlgQBAH4/pCEWzC5tOkwUJJUGqUmBo36aV0rByc7P8AkE/IkDN9dCfKofCQIiV+T2p4aaQ
JLZkn/V/k9MfT5bZ10IKNVsc03VXpIyu/fkNq1IKdVu8/hlwsOWx2lqdeZmV/2qMxIXWUHu6ZKae246OfOG3RsGyf0prWvqDyrd9NCbafymmHp8ts6T5
2QZbuJ/rOPGpnCyLD4bWznP5JSXfaot8Cb/500kkN0W3nn05JdEtzmjqmZufqaZE4gDhtbOPL+X0x9EzbqCQigBmdjcEtSFhQZ32P3zmvoqvoavoKvrK
vrKvravoqvoqnLGiFhvuYPKvoKvoqvoKvrKvpKvoqvoqvrKvoKvoqvqqvq6vpqvrqvqqvoqvpKPrKvoKvoKvoKvqqkkEVxaoUkQ8KvrqpLnlVCY8q
r6yoEXvhkF/SkKemVK4q4q4q4q4K4K4K4K4q4q4K4q4q4q4K4q4q4q4K4q4q4Og4K4q4q4q4K4q4q4q4q4qko7Qv7XvaoBEJHzLAvtFLYxgQK+6+m9
Xd9SbNtNtu1XRpsCUbm+POoqlwERCztNKCVYEB80+vaiPT//aAAwDAQACAAAMAAAAQAAAEUkEEEIE4YYogggU8gQUAAogYAQwgwAAAgAAAAAA0AYggwgA
AAAAMAAEAMIAAEUAws4cAAAMIAkcwgIoQIAQ0AQA8skAYwAEQAccsowYYU8AQAUAMQgAAEMAwAwAAAAA0QcAAsAAAEogQAAAAAAAE8AAAEUAAEAk8AA
AAAAAAAA8AAAQsgAAo8AAAAAAAAAAA0AAAkcUkQggAAAAAAAAAU8AAMgQUQoEAAAAAAAAAAAA0AIgAAwEcgAAAAAAAAAAA0kYsU80YYYQYgEwYsMoA
wAo//xAAUEQEAAAAAAAAAAAAAAAAAAAACA/9oACAEDAQE/EA9//8QAFBEBAAAAAAAAAAAAAAAAAAAAAgP/aAAgBAgEBPxAPf//EACYQAQEBAAIBBAEFAQE
BAAAAAAERIQAxQRBRYZEgMEBxgaGxwfD/2gAIAQEAAT8QRu7MSKqar5/K1atWrSY1bV2CAUKX+YagvmMBEMZVF0c6o4XfDOkwXEB1NJ3E9UF4gokvgIO
x1+natWrVq1atWrSd3E5FVUwDzysuMxisDXBf65eJNyCrCnDxyFqwCDsKHRrbDpncT8ce4GC6O8blCVwRDDsRE8I8xMgFT/hHEdER5KqS62gaD2BQRQu
8gJEwkimq3yVWUThXNYscY6WIrB31nI0I5GkiRWFN6HbfGJCA4KkFvBIhEYyiUpge7GcESzuNAqBOeVcQwPO7kUsIBO1caDhx0iuGHVQ9tQR0cOF9nbB
KCFGlPbGi3dE11hE2qsxsgFlRdsIpZVQ6xnratd9SdLEQplOIw9nL+UBWr55IFShFDxxrH5GUQKKKDivueJdeWuUDxjidCjiHEfrxi0Eo72Ip6F6nNFw
EhPYiGHZR7pAdEdALSSigHELh2oOrkKHBdQOJ38SCKqvQHnnQtVioqA7BQ7KpjyKVm0YhokQqYnuVJVZmYw2mU92yb49nyzZaZY/TzNsqspUqw7oVKjx
rj0gAXlHs7XQnBJpiLQzSkIpJJbQNkd7gtLRkGPpeOgwrqzG4SC96hYLwFoCBi0CAkAWsOSR3CZoA4OEHuUX/ANSYBOhokUO04LH2lOvtrtPcJQC9ujv
GEJdICsxA45qotijhoqRxDxeDlyIGC8iEF09sFeltBnxjinSFQJnBmYKlXQwBiAlBzCKKvaUtkWzMQpjkhFM2kVcMJEgJKvK+NUTmwJa+oETocPpnpRQ
GEhBx7lJI3Q6IBIUDAzA4gkl10bwEBAR4YCk4FygUCYRAJG9YQjd/GB/n/KBRGMUGOhUFMAuqHPHhmVgilty6ohADt9LSBRARMOwrEF2szmoQAqlLd74
E34IGIh4owo0OkXd3rt1KKFSrLnFzcBXWBQAOiVAXpqjt5VJTPcQCvXlHVaXskHShkYolcBlcFktERIC1CRTmxakyaAWL26gkH5jPqdUDAoLomh49nwz
ZYLK/bwexiRBKtuOhHLfZ4YSVUEBWPC4WE53+dU7VNyrC5XtVUJZcMA9ilIdQkbgd/EgiAB0B4/HNSJmaU7KYzv8AYQP8f5QBHflJygSjVvVBTk6zgAG
Kla4WeUZaWCDHWCyDEIKqALY8IVSMK2qB+YDjy13mAX7rRg8SuT/Z3OBwVUH2QSJPhBAtHoCJiilZK3i3JqxYBniufE4dbIKCJQKtga7Dvhcb2ufOjYE
pClYfoN2xIgUUzyqq+Vf2cD/P+MDB+5F+9ptJDLIaAwDuxcDIl5VJV4R3EsM01bSyFrcCosJlzWBhqv8AfFZKEuQkxBH5GnMqw1tg1agJJq2q47fBXdD
wK+RC4ThbUBij7KRBe2AL0k7M8qNL7ShsSdcX9fKoKSzKfvIH+f8ACBlEN1gqw1w8cdvVAMVkDKBFbZicUR7YigpVRIOvFa1fRO/iQRVV6A88dlDAmCN
2OhV2RQQqQ2B8QBkASypYlrkmBrAmCW4QMYem7sc8hlzB7d3sE/QiLCZcwq4ah/fNs5wbMFY15dCDDwUMbKWCdBxjena3nWMRVKr3eQOoR0rw/wBHSAZ
YGiDlRFI04ExXsDAlW0hZQEHrgj+E/lFDAdFLLzLYxgQEUjyKgY9+WJwOBYVqWFxUj5QLaUR4QQPhQZS+fzQP6/wgCU4Y+yVFAURUOHh27KlzR9rfaVZ
kCIsJlzCrhqH98DakDqlSw4IBq+2hyklSp00lPhT5476+SEJLdjxd1kRTscxUQtBV0zJV5WQyQlhSIHLj1BE0Bsa6z7hG/l1EAJs2L7NF4C84h6Y1gUG
UqvRCXB/C7DwIw6AQBVahErwhqHEgjViA5KU9/SZOU+Lt2xeOHTt5mJdcxHAV7aficawMJOhRoJ3bOg7joi4MAHQyBc5uxB6shTaGcCXwBHwKgMOgWWW
Ol0Ghf1PN3tBFCKJCbXAoT7xTkuwhSYdczfCgGioKdrz6VBVBpTwoWFkw37vQH+5UzYoD3AQBoeqAT+P8ACALz1EZKGQsrUGbHEUdW00QgtBEQLsUzOgF
QSD2rWQmqmUmvFmkYq4CzU8nucebRqNiumGyuVFhnUmabCCfAsKJuUVIakowQ7Tsrbf8InTbVebU1pv43PiVAgYgZjp8Cgycoi9zzF45JdrlWEm5C2J
4pWAMFUQXIem/lgmQr2KdnXE5c9kAhBp0Rg0OBzHeE6lZq97kPEMohusFWGuHjiwD5oOwGEIXbVo8px7BCQR7BPhE8JxwvHkWIgKkQ1YM0EFvBXY9DBp
Lax0Orx2IU6lCAw0Qc2WiRUMgULLSYq66NtO1EEGDgRMRTjHAJooBOi1GYbbdMLRTfxCRCdk3iB9ER7b4FL4fKgySSpLq7BSQA0nNMP2wBmiCt765Vim
IyLrq4b1d7HWkPFoNNQiirQJZx1sDHQXyP40rK+kB/X6wJtuUiFlRsHPjk7HwMNwYtitT0NZZVwVaAp0knYNOQn1As7PakWPa9cIJc3W1HSikaireTD/
E7YCeJDOxS4bvhcAL3Sh4iATt9QwtKaxL846XkWO66SgARbZ2RiREH4u65KPuJWEZ4hrZmzTrowuPwyTdlMpLEZR345/4jk3smNnc4SBOBvIjmvKK+Tk
Er3UwUgiIg7Pa8NjcMWiMEXAnsscP4Q64gMin3YC+we3KzUo5DCCFAO3PHBnFqRCEpoAVVF8cLHrUAWk7NqmdhCOw2Ika51ErVNMTvXqCNQxWBQN7NL3
rVDrHEeyjsNTrgaObVepA4FSZVUjfFFGWR0OSo7DRV6Uix/eAjzRAQ49bOCVaoEUy5GETR9K8DBQYXzH+HkH2GLiqGCEa0bRq2GrWkJItlpp9irZK1l2
WqDU5ju7xHiRLAVFSF0OjGsmb0ss7Asl3ULGCzYHUrqDtWA1hpweMAWdmk2uhqgrieiD/AD+sBWTFACRYtEFYd0cIAQ4KW8RQBHbFI8MqyIWYBUgtXoR
u8OSkhIVpAIXeqRTgd/EgiAB0B45qqeDVQR4YKlUMqNZQVYMHzESswAxXVKMbjV8iUgKxxlWoYMKE0WKUo6zgOu2RQIIkEtIavhAcQ4IlciKCBoqZz/5
HL4Pd8c+eLi2thRGaao1FsoIwikw9KMAiBwNCNad0aX3WAF9zpR0nNLEqInHsoC9ynlv4Mc6ZiAgg0ALvadxL4O0tQAIxWnmhwKC6SjTOgEXyOMxqhCo
gEHT13yrqTnC0qUYig146x44FaIDwMIZZauyzqvEtbrMr7EompVApjIDAVDAFRlAy6IHSdF8dJeBzc67lW0DHgCrxFekmKFKF6BVcGG3lCNkfYAsrhIo
FtCjCDUaEVAiHuU0wSECVaV7cRNcMtwNDohiqAikQKqsvWBF6IaomJ2uY4EpUCGENiAC60ExhjkOQnUAzOyukFGyT2vayIsXQideCxAQ/9V1XVVfSgZ/

```
    H+EAECw3FhbKGrUzfKpwQFHoA3tQcgcJ38SCKqvQHni8OC9ULpAh6W+Q53GuTPdglVkhNU8715amG7hYdydDgd/EkiiJ2J55qUptQ1Jqhp7HG16EgxGk
    1inlHt6kmOASglolsDrSDsx3EAAJ0RhIiEyV48FiAh/6rquqq/pqtazAa1NgF/XT1wNtVKYlhgEJTDpxUL507I3rXfaPInBwgmEHCFQCF2GJOePZ8s2W
    mWP0/pwD9PrATv4kEVVegPPA2/ddoWalHAarOnwWICH/quAaqBxXnDmZJtqiL4GdnkO/iQRAA6A8ejFEqE4oEUpZaihyySXDlW0nssoMD3131AuiY3UM
    8HJ4rbuPSsa17omDwuXHiGiqNACrGAszj0/SbkWICe2qwRTjvoGjRItROwglqksrgXGmIroQXyiwsPxLtgRAoBvlUA8qct6KeopO3KnfgkPFPLmZkkQX
    Q1MWrwPzUDKrBnZrr543q8aoQa4N8v8/knbbIdFdBfEnicu25SICwGwN+P04H+H1gWtblDUt9kf646/GIJoOwntzk47BGsr0BQAXTSgQHfxIIgAdAePR
    O/iQRVV6A88Zt46nBlE7E/nlCDSapWyAZmAHSPhR0yQ6GNoQawek23IRCWB2LvzwO/iQRAA6A8flgj+E/lFDAdFLLwbRAEEpJ1A1SooDweDLKPABKsag
    RHg0skGdbgdq9BVfK8NzcWBgSUCjzHiKcQgg+GcFdAQgFKWfs4H+X1gJ38SSIiPYnji1fHpIkCgEpodTC2WW96zUaPtgdDhy5HIkIyB1a0AzhOYBkXg0
    W0VRaJHLsjpHQKKgk4Axki5KSGBYrBSF5R4IpQBXAAIQeFVrra/WIqMG6Te9wqp+flHDAqlEng6wyWwabE8JR3OCRMUagPCmeYAxKIIwi972DkViEiYw
    QgESJRhWocUMJoIDoAsKXqJUqxCdQCJ3IEr+0cGfw/nAevkCVVmGFdQe1jzPcnEo3+CV2A6ifrwI8TPlWXpImJ6eDGWQS3uhCQnh7/Lo0wEVRSgYwRt2
    VNicQdCyFEjNySFWxFY0NixU8VWIlgAgxBHRQI9ttHjxIuRKrSKJ2JtgQIbfqiUkPZIcla3YGJZ7Af1+0xzB3+H9GB910xFvhE1JNO+n/AN/y4mdUoEA
    B7FPyfjneJcJCuShjO0GCp6VmyNrUaWhQMEUCFWgNCJ0E2EOiXcpzXUCjAW4oLwoSZ0upodcS4U3M/aoHf4/0YCrWswGtTYBf109cEJUEkLwwFE+Ew64
    XE0hEETdVozy+298/7UFbt8Zn8s/BjAS0oZ/kyUZijKYbpBRjpj59I8JBD8B0YVG0ZORFhMmaUcdB/rkHHVbRgElsvldMhf18qgpLMp+1gZ/h/RgJAoV
    O5coMFjGYY8rwX+hgpIOqM8HXGvnQopmARXfTzEiG1rOGFQ07IpQjyWdzZArooDywxBHD5oKKb+AHs/soj+Bb/JBCAHQHj0SLAyEGzQF7BCBeGTzgZJM
    G81tdtrwWnFK+xAK707Cxn7aA7/D+hAw0C4obKzoWq4FVAXhu3FcCzCwjmmr6k5e5CIIt8gwXYFXvgItrjG4pKBBgjBAzegejWVAGJY1p8MIZyIZookS
    ISvBP89LpNRFhEXCA8IQXjS4ApewdAq+mUQ3WCrDXDxw0LM8pUqqqP79IBxkeTQYPzV75P3CA/X+hAD3kkpaj2U8moGMOF5o11WFLgpYHjn33KNUpZer
    xHDSJMuiAKGeN6XpMM+kwCINiRMIzOE7+JJERHsTxyLSDnYmOgpGSaBAOTuTAqdECD3EPa4HfxIIgAdAeOdxy8HtOqpV/kFj/AK+RQAsmw/cIP8f5wOs
    QA3xi8qf9WAvNRQYdyF9Cm330p6ojbgp2lp0BoiETga6q1llELAlmy8O6u0WA+sh4B2VX0AU+YNhQdIWeRRkWM9X+isGCBWCCvaeLp9ItbpWER9lPROM
    51stliM08pej9zA/x/lAiLCZcwq4ah/fLNhdgqkGzueQddg7+JBEADoDx+Pcj/wAcNRS+ip4wXri/IgwMe2AKfPois20fIjBQEQFIey4bpNMMapQtViq
    sLzqaFc4D5YVBqLTsHqaTSQhY726BRH9zAf1/jA6xADfGLyp/1YC8Pz1sgCssLqK4NHeICb5zeVP+BAD8I72cKLFSnQu2WcDdqnQXVWozfMvng3rUGAw
    fEp/B/fChhtLpS4BU6dUBg4V/EBLEy2qnwWqG8kNt3Cia1wrA10j+5Qf4/wAIHg8TB2p/rDV6DE+pqI3qorPEU+T8gfgJMqpE7Ipukp5nOwMXBNAMbE7
    vXp1leND1ToXE3hU1RNEcwTfa53zVU8GiKjw01Iibf3UD/P6VrDkgKntpyt7w0h4kK+V6PFaKe+YMbRRneldRn4f44+/otWj6jv8A89mImADWwrmOHYf
    hPvi9cfVf+/Xi0PVd9/P0uft6ffj9en7Kff5Lni549/jggIr/AByGWNEUeUhUQ1XHkMJjomvPbOMz0eue2Mgm1iel0cIh45OL0Hinj9c+L9c+P9c+H9c
    +L9c+L9cA8frinj9cV8frj7f658P658P658X658H658H64p4/XPi/XPi/XPi/XFPH64+1+uHt/rj7P658b64D4/XH2/1wPx+ufF+uLeP1z4f1z4f1z4f
    1xTx+ufH+uCDt05CIgMvgbXhSJgdQNEdlKDPfi+6kztQRTYSP43jrBIBGEBXH2a88GqaOjW4QWg9unwfWxa2hBcXPqXU4r3dySlRl7XqmoeSAen//2Q=
    ="/>
  </signature>
</Bundle>
```


2.41.14 Resource Composition - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/composition-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.41.14 Resource Composition - Detailed Descriptions

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

R2 : R3 Converson maps for Composition.

Functional status for this map: 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid. (see documentation)

2.41.14.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/Composition2to3" = "R2 to R3 Conversions for Composition"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Composition" alias CompositionR2 as source
uses "http://hl7.org/fhir/StructureDefinition/Composition" alias Composition as target

imports "http://hl7.org/fhir/StructureMap/*2to3"

group for type+types  Composition extends DomainResource
  input src : CompositionR2 as source
  input tgt : Composition as target

  "Composition-identifier" : for src.identifier make tgt.identifier
  "Composition-date" : for src.date make tgt.date
  "Composition-type" : for src.type make tgt.type
  "Composition-class" : for src.class make tgt.class
  "Composition-title" : for src.title make tgt.title
  "Composition-status" : for src.status make tgt.status
  "Composition-confidentiality" : for src.confidentiality make tgt.confidentiality
  "Composition-subject" : for src.subject make tgt.subject
  "Composition-author" : for src.author make tgt.author
  "Composition-attester" : for src.attester as vs0 make tgt.attester as vt0 then cmpAttester(vs0, vt0)
  "Composition-custodian" : for src.custodian make tgt.custodian
  "Composition-event" : for src.event as vs0 make tgt.event as vt0 then cmpEvent(vs0, vt0)
  "Composition-section" : for src.section as vs0 make tgt.section as vt0 then cmpSection(vs0, vt0)
  "Composition-encounter" : for src.encounter make tgt.encounter
endgroup

group cmpAttester extends BackboneElement
  input src as source
  input tgt as target

  "Composition.attester-mode" : for src.mode make tgt.mode
  "Composition.attester-time" : for src.time make tgt.time
  "Composition.attester-party" : for src.party make tgt.party
endgroup

group cmpEvent extends BackboneElement
  input src as source
  input tgt as target

  "Composition.event-code" : for src.code make tgt.code
  "Composition.event-period" : for src.period make tgt.period
```

```
  "Composition.event-detail" : for src.detail make tgt.detail
endgroup

group cmpSection extends BackboneElement
  input src as source
  input tgt as target

  "Composition.section-title" : for src.title make tgt.title
  "Composition.section-code" : for src.code make tgt.code
  "Composition.section-text" : for src.text make tgt.text
  "Composition.section-mode" : for src.mode make tgt.mode
  "Composition.section-orderedBy" : for src.orderedBy make tgt.orderedBy
  "Composition.section-entry" : for src.entry make tgt.entry
  "Composition.section-emptyReason" : for src.emptyReason make tgt.emptyReason
  "Composition.section-section" : for src.section as vs0 make tgt.section as vt0 then cmpSection(vs0, vt0)
endgroup
```

2.41.14.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/Composition3to2" = "R3 to R2 Conversion for Composition"

uses "http://hl7.org/fhir/StructureDefinition/Composition" alias Composition as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Composition" alias CompositionR2 as target

imports "http://hl7.org/fhir/StructureMap/*3to2"

group for type+types  Composition extends DomainResource
  input src : Composition as source
  input tgt : CompositionR2 as target

  "Composition-identifier" : for src.identifier make tgt.identifier
  "Composition-date" : for src.date make tgt.date
  "Composition-type" : for src.type make tgt.type
  "Composition-class" : for src.class make tgt.class
  "Composition-title" : for src.title make tgt.title
  "Composition-status" : for src.status make tgt.status
  "Composition-confidentiality" : for src.confidentiality make tgt.confidentiality
  "Composition-subject" : for src.subject make tgt.subject
  "Composition-author" : for src.author make tgt.author
  "Composition-attester" : for src.attester as vs0 make tgt.attester as vt0 then cmpAttester(vs0, vt0)
  "Composition-custodian" : for src.custodian make tgt.custodian
  "Composition-event" : for src.event as vs0 make tgt.event as vt0 then cmpEvent(vs0, vt0)
  "Composition-section" : for src.section as vs0 make tgt.section as vt0 then cmpSection(vs0, vt0)
  "Composition-encounter" : for src.encounter make tgt.encounter
endgroup

group cmpAttester extends BackboneElement
  input src as source
  input tgt as target

  "Composition.attester-mode" : for src.mode make tgt.mode
  "Composition.attester-time" : for src.time make tgt.time
  "Composition.attester-party" : for src.party make tgt.party
endgroup

group cmpEvent extends BackboneElement
  input src as source
  input tgt as target

  "Composition.event-code" : for src.code make tgt.code
  "Composition.event-period" : for src.period make tgt.period
  "Composition.event-detail" : for src.detail make tgt.detail
endgroup

group cmpSection extends BackboneElement
  input src as source
  input tgt as target

  "Composition.section-title" : for src.title make tgt.title
  "Composition.section-code" : for src.code make tgt.code
  "Composition.section-text" : for src.text make tgt.text
  "Composition.section-mode" : for src.mode make tgt.mode
  "Composition.section-orderedBy" : for src.orderedBy make tgt.orderedBy
  "Composition.section-entry" : for src.entry make tgt.entry
  "Composition.section-emptyReason" :   for src.emptyReason make tgt.emptyReason
  "Composition.section-section" : for src.section as vs0 make tgt.section as vt0 then cmpSection(vs0, vt0)
endgroup
```

2.41.14.3 R3 Validation Errors

2.42 Resource DocumentReference - Content

URL: https://hl7.org/fhir/STU3/documentreference.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 3 | Trial Use | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

A reference to a document.

2.42.1 Scope and Usage

A DocumentReference resource is used to describe a document that is made available to a healthcare system. A document is some sequence of bytes that is identifiable, establishes its own context (e.g., what subject, author, etc. can be displayed to the user), and has defined update management. The DocumentReference resource can be used with any document format that has a recognized mime type and that conforms to this definition.

Typically, DocumentReference resources are used in document indexing systems, such as IHE XDS , and are used to refer to:

* CDA documents in FHIR systems

* FHIR documents stored elsewhere (i.e. registry/repository following the XDS model)

* PDF documents , and even digital records of faxes where sufficient information is available

* Other kinds of documents, such as records of prescriptions

2.42.2 Boundaries and Relationships

FHIR defines both a document format and this document reference. FHIR documents are for documents that are authored and assembled in FHIR. This resource is mainly intended for general references to other documents.

The document that is a target of the reference can be a reference to a FHIR document served by another server, or the target can be stored in the special FHIR Binary Resource, or the target can be stored on some other server system. The document reference is also able to address documents that are retrieved by a service call such as an XDS.b RetrieveDocumentSet, or a DICOM exchange, or an HL7 v2 message query - though the way each of these service calls works must be specified in some external standard or other documentation.

A DocumentReference describes some other document. This means that there are two sets of provenance information relevant here: the provenance of the document, and the provenance of the document reference. Sometimes, the provenance information is closely related, as when the document producer also produces the document reference, but in other workflows, the document reference is generated later by other actors. In the DocumentReference resource, the meta content refers to the provenance of the reference itself, while the content described below concerns the document it references. Like all resources, there is overlap between the information in the resource directly, and in the general Provenance resource. This is discussed as part of the description of the Provenance resource.

This resource is referenced by AdverseEvent, Consent and Contract

2.42.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
DocumentReference | | | DomainResource | A reference to a document Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
masterIdentifier | ? | 0..1 | Identifier | Master Version Specific Identifier
identifier | ? | 0..* | Identifier | Other identifiers for the document
status | ?!? | 1..1 | code | current | superseded | entered-in-error DocumentReferenceStatus (Required)
docStatus | ? | 0..1 | code | preliminary | final | appended | amended | entered-in-error CompositionStatus (Required)
type | ? | 1..1 | CodeableConcept | Kind of document (LOINC if possible) Document Type Value Set (Preferred)
class | ? | 0..1 | CodeableConcept | Categorization of document Document Class Value Set (Example)
subject | ? | 0..1 | Reference(Patient | Practitioner | Group | Device) | Who/what is the subject of the document
created | ? | 0..1 | dateTime | Document creation time
indexed | ? | 1..1 | instant | When this document reference was created
author | ? | 0..* | Reference(Practitioner | Organization | Device | Patient | RelatedPerson) | Who and/or what authored the document
authenticator | ? | 0..1 | Reference(Practitioner | Organization) | Who/what authenticated the document
custodian | ? | 0..1 | Reference(Organization) | Organization which maintains the document
relatesTo | ?!? | 0..* | BackboneElement | Relationships to other documents
code | ? | 1..1 | code | replaces | transforms | signs | appends DocumentRelationshipType (Required)
target | ? | 1..1 | Reference(DocumentReference) | Target of the relationship
description | ? | 0..1 | string | Human-readable description (title)
securityLabel | ? | 0..* | CodeableConcept | Document security-tags All Security Labels (Extensible)
content | ? | 1..* | BackboneElement | Document referenced
attachment | ? | 1..1 | Attachment | Where to access the document
format | ? | 0..1 | Coding | Format/content rules for the document DocumentReference Format Code Set (Preferred)

context | ? | 0..1 | BackboneElement | Clinical context of document
encounter | ? | 0..1 | Reference(Encounter) | Context of the document content
event | ? | 0..* | CodeableConcept | Main clinical acts documented v3 Code System ActCode (Example)
period | ? | 0..1 | Period | Time of service that is being documented
facilityType | ? | 0..1 | CodeableConcept | Kind of facility where patient was seen Facility Type Code Value Set (Example)
practiceSetting | ? | 0..1 | CodeableConcept | Additional details about where the content was created (e.g. clinical specialty) Practice Setting Code Value Set (Example)
sourcePatientInfo | ? | 0..1 | Reference(Patient) | Patient demographics from source
related | ? | 0..* | BackboneElement | Related identifiers or resources
identifier | ? | 0..1 | Identifier | Identifier of related objects or events
ref | ? | 0..1 | Reference(Any) | Related Resource
Documentation for this format

UML Diagram (Legend)

XML Template

```
<DocumentReference xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <masterIdentifier><!-- 0..1 Identifier Master Version Specific Identifier --></masterIdentifier>
 <identifier><!-- 0..* Identifier Other identifiers for the document --></identifier>
 <status value="[code]"/><!-- 1..1 current | superseded | entered-in-error -->
 <docStatus value="[code]"/><!-- 0..1 preliminary | final | appended | amended | entered-in-error -->
 <type><!-- 1..1 CodeableConcept Kind of document (LOINC if possible) --></type>
 <class><!-- 0..1 CodeableConcept Categorization of document --></class>
 <subject><!-- 0..1 Reference(Patient|Practitioner|Group|Device) Who/what is the subject of the document --></subject>
 <created value="[dateTime]"/><!-- 0..1 Document creation time -->
 <indexed value="[instant]"/><!-- 1..1 When this document reference was created -->
 <author><!-- 0..* Reference(Practitioner|Organization|Device|Patient|
   RelatedPerson) Who and/or what authored the document --></author>
 <authenticator><!-- 0..1 Reference(Practitioner|Organization) Who/what authenticated the document --></authenticator>
 <custodian><!-- 0..1 Reference(Organization) Organization which maintains the document --></custodian>
 <relatesTo>  <!-- 0..* Relationships to other documents -->
  <code value="[code]"/><!-- 1..1 replaces | transforms | signs | appends -->
  <target><!-- 1..1 Reference(DocumentReference) Target of the relationship --></target>
 </relatesTo>
 <description value="[string]"/><!-- 0..1 Human-readable description (title) -->
 <securityLabel><!-- 0..* CodeableConcept Document security-tags --></securityLabel>
 <content>  <!-- 1..* Document referenced -->
  <attachment><!-- 1..1 Attachment Where to access the document --></attachment>
  <format><!-- 0..1 Coding Format/content rules for the document --></format>
 </content>
 <context>  <!-- 0..1 Clinical context of document -->
  <encounter><!-- 0..1 Reference(Encounter) Context of the document  content --></encounter>
  <event><!-- 0..* CodeableConcept Main clinical acts documented --></event>
  <period><!-- 0..1 Period Time of service that is being documented --></period>
  <facilityType><!-- 0..1 CodeableConcept Kind of facility where patient was seen --></facilityType>
  <practiceSetting><!-- 0..1 CodeableConcept Additional details about where the content was created (e.g. clinical
    specialty) --></practiceSetting>
  <sourcePatientInfo><!-- 0..1 Reference(Patient) Patient demographics from source --></sourcePatientInfo>
  <related>  <!-- 0..* Related identifiers or resources -->
   <identifier><!-- 0..1 Identifier Identifier of related objects or events --></identifier>
   <ref><!-- 0..1 Reference(Any) Related Resource --></ref>
  </related>
 </context>
</DocumentReference>
```

JSON Template

```
{
  "resourceType" : "DocumentReference",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "masterIdentifier" : { Identifier }, // Master Version Specific Identifier
  "identifier" : [{ Identifier }], // Other identifiers for the document
  "status" : "<code>", // R!  current | superseded | entered-in-error
  "docStatus" : "<code>", // preliminary | final | appended | amended | entered-in-error
  "type" : { CodeableConcept }, // R!  Kind of document (LOINC if possible)
  "class" : { CodeableConcept }, // Categorization of document
  "subject" : { Reference(Patient|Practitioner|Group|Device) }, // Who/what is the subject of the document
  "created" : "<dateTime>", // Document creation time
  "indexed" : "<instant>", // R!  When this document reference was created
  "author" : [{ Reference(Practitioner|Organization|Device|Patient|
   RelatedPerson) }], // Who and/or what authored the document
  "authenticator" : { Reference(Practitioner|Organization) }, // Who/what authenticated the document
  "custodian" : { Reference(Organization) }, // Organization which maintains the document
  "relatesTo" : [{ // Relationships to other documents
    "code" : "<code>", // R!  replaces | transforms | signs | appends
    "target" : { Reference(DocumentReference) } // R!  Target of the relationship
  }],
  "description" : "<string>", // Human-readable description (title)
  "securityLabel" : [{ CodeableConcept }], // Document security-tags
  "content" : [{ // R!  Document referenced
    "attachment" : { Attachment }, // R!  Where to access the document
    "format" : { Coding } // Format/content rules for the document
  }],
  "context" : { // Clinical context of document
```

```
    "encounter" : { Reference(Encounter) }, // Context of the document  content
    "event" : [{ CodeableConcept }], // Main clinical acts documented
    "period" : { Period }, // Time of service that is being documented
    "facilityType" : { CodeableConcept }, // Kind of facility where patient was seen
    "practiceSetting" : { CodeableConcept }, // Additional details about where the content was created (e.g. clinical
    specialty)
    "sourcePatientInfo" : { Reference(Patient) }, // Patient demographics from source
    "related" : [{ // Related identifiers or resources
      "identifier" : { Identifier }, // Identifier of related objects or events
      "ref" : { Reference(Any) } // Related Resource
    }]
  }
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:DocumentReference;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:DocumentReference.masterIdentifier [ Identifier ]; # 0..1 Master Version Specific Identifier
  fhir:DocumentReference.identifier [ Identifier ], ... ; # 0..* Other identifiers for the document
  fhir:DocumentReference.status [ code ]; # 1..1 current | superseded | entered-in-error
  fhir:DocumentReference.docStatus [ code ]; # 0..1 preliminary | final | appended | amended | entered-in-error
  fhir:DocumentReference.type [ CodeableConcept ]; # 1..1 Kind of document (LOINC if possible)
  fhir:DocumentReference.class [ CodeableConcept ]; # 0..1 Categorization of document
  fhir:DocumentReference.subject [ Reference(Patient|Practitioner|Group|Device) ]; # 0..1 Who/what is the subject of the
     document
  fhir:DocumentReference.created [ dateTime ]; # 0..1 Document creation time
  fhir:DocumentReference.indexed [ instant ]; # 1..1 When this document reference was created
  fhir:DocumentReference.author [ Reference(Practitioner|Organization|Device|Patient|RelatedPerson) ], ... ; # 0..* Who
    and/or what authored the document
  fhir:DocumentReference.authenticator [ Reference(Practitioner|Organization) ]; # 0..1 Who/what authenticated the
    document
  fhir:DocumentReference.custodian [ Reference(Organization) ]; # 0..1 Organization which maintains the document
  fhir:DocumentReference.relatesTo [ # 0..* Relationships to other documents
    fhir:DocumentReference.relatesTo.code [ code ]; # 1..1 replaces | transforms | signs | appends
    fhir:DocumentReference.relatesTo.target [ Reference(DocumentReference) ]; # 1..1 Target of the relationship
  ], ...;
  fhir:DocumentReference.description [ string ]; # 0..1 Human-readable description (title)
  fhir:DocumentReference.securityLabel [ CodeableConcept ], ... ; # 0..* Document security-tags
  fhir:DocumentReference.content [ # 1..* Document referenced
    fhir:DocumentReference.content.attachment [ Attachment ]; # 1..1 Where to access the document
    fhir:DocumentReference.content.format [ Coding ]; # 0..1 Format/content rules for the document
  ], ...;
  fhir:DocumentReference.context [ # 0..1 Clinical context of document
    fhir:DocumentReference.context.encounter [ Reference(Encounter) ]; # 0..1 Context of the document  content
    fhir:DocumentReference.context.event [ CodeableConcept ], ... ; # 0..* Main clinical acts documented
    fhir:DocumentReference.context.period [ Period ]; # 0..1 Time of service that is being documented
    fhir:DocumentReference.context.facilityType [ CodeableConcept ]; # 0..1 Kind of facility where patient was seen
    fhir:DocumentReference.context.practiceSetting [ CodeableConcept ]; # 0..1 Additional details about where the
    content was created (e.g. clinical specialty)
    fhir:DocumentReference.context.sourcePatientInfo [ Reference(Patient) ]; # 0..1 Patient demographics from source
    fhir:DocumentReference.context.related [ # 0..* Related identifiers or resources
      fhir:DocumentReference.context.related.identifier [ Identifier ]; # 0..1 Identifier of related objects or events
      fhir:DocumentReference.context.related.ref [ Reference(Any) ]; # 0..1 Related Resource
    ], ...;
  ];
]
```

Changes since DSTU2

DocumentReference

DocumentReference.docStatus | Type changed from CodeableConcept to code

DocumentReference.content.format | Max Cardinality changed from * to 1

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints

DocumentReference | | | DomainResource | A reference to a document Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

masterIdentifier | ? | 0..1 | Identifier | Master Version Specific Identifier

identifier | ? | 0..* | Identifier | Other identifiers for the document

status | ?!? | 1..1 | code | current | superseded | entered-in-error DocumentReferenceStatus (Required)

docStatus | ? | 0..1 | code | preliminary | final | appended | amended | entered-in-error CompositionStatus (Required)

type | ? | 1..1 | CodeableConcept | Kind of document (LOINC if possible) Document Type Value Set (Preferred)

class | ? | 0..1 | CodeableConcept | Categorization of document Document Class Value Set (Example)

subject | ? | 0..1 | Reference(Patient | Practitioner | Group | Device) | Who/what is the subject of the document

created | ? | 0..1 | dateTime | Document creation time

indexed | ? | 1..1 | instant | When this document reference was created
author | ? | 0..* | Reference(Practitioner | Organization | Device | Patient | RelatedPerson) | Who and/or what authored the document
authenticator | ? | 0..1 | Reference(Practitioner | Organization) | Who/what authenticated the document
custodian | ? | 0..1 | Reference(Organization) | Organization which maintains the document
relatesTo | ?!? | 0..* | BackboneElement | Relationships to other documents
code | ? | 1..1 | code | replaces | transforms | signs | appends DocumentRelationshipType (Required)
target | ? | 1..1 | Reference(DocumentReference) | Target of the relationship
description | ? | 0..1 | string | Human-readable description (title)
securityLabel | ? | 0..* | CodeableConcept | Document security-tags All Security Labels (Extensible)
content | ? | 1..* | BackboneElement | Document referenced
attachment | ? | 1..1 | Attachment | Where to access the document
format | ? | 0..1 | Coding | Format/content rules for the document DocumentReference Format Code Set (Preferred)
context | ? | 0..1 | BackboneElement | Clinical context of document
encounter | ? | 0..1 | Reference(Encounter) | Context of the document content
event | ? | 0..* | CodeableConcept | Main clinical acts documented v3 Code System ActCode (Example)
period | ? | 0..1 | Period | Time of service that is being documented
facilityType | ? | 0..1 | CodeableConcept | Kind of facility where patient was seen Facility Type Code Value Set (Example)
practiceSetting | ? | 0..1 | CodeableConcept | Additional details about where the content was created (e.g. clinical specialty) Practice Setting Code Value Set (Example)
sourcePatientInfo | ? | 0..1 | Reference(Patient) | Patient demographics from source
related | ? | 0..* | BackboneElement | Related identifiers or resources
identifier | ? | 0..1 | Identifier | Identifier of related objects or events
ref | ? | 0..1 | Reference(Any) | Related Resource
Documentation for this format

UML Diagram (Legend)

XML Template

```
<DocumentReference xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <masterIdentifier><!-- 0..1 Identifier Master Version Specific Identifier --></masterIdentifier>
 <identifier><!-- 0..* Identifier Other identifiers for the document --></identifier>
 <status value="[code]"/><!-- 1..1 current | superseded | entered-in-error -->
 <docStatus value="[code]"/><!-- 0..1 preliminary | final | appended | amended | entered-in-error -->
 <type><!-- 1..1 CodeableConcept Kind of document (LOINC if possible) --></type>
 <class><!-- 0..1 CodeableConcept Categorization of document --></class>
 <subject><!-- 0..1 Reference(Patient|Practitioner|Group|Device) Who/what is the subject of the document --></subject>
 <created value="[dateTime]"/><!-- 0..1 Document creation time -->
 <indexed value="[instant]"/><!-- 1..1 When this document reference was created -->
 <author><!-- 0..* Reference(Practitioner|Organization|Device|Patient|
   RelatedPerson) Who and/or what authored the document --></author>
 <authenticator><!-- 0..1 Reference(Practitioner|Organization) Who/what authenticated the document --></authenticator>
 <custodian><!-- 0..1 Reference(Organization) Organization which maintains the document --></custodian>
 <relatesTo>  <!-- 0..* Relationships to other documents -->
  <code value="[code]"/><!-- 1..1 replaces | transforms | signs | appends -->
  <target><!-- 1..1 Reference(DocumentReference) Target of the relationship --></target>
 </relatesTo>
 <description value="[string]"/><!-- 0..1 Human-readable description (title) -->
 <securityLabel><!-- 0..* CodeableConcept Document security-tags --></securityLabel>
 <content>  <!-- 1..* Document referenced -->
  <attachment><!-- 1..1 Attachment Where to access the document --></attachment>
  <format><!-- 0..1 Coding Format/content rules for the document --></format>
 </content>
 <context>  <!-- 0..1 Clinical context of document -->
  <encounter><!-- 0..1 Reference(Encounter) Context of the document  content --></encounter>
  <event><!-- 0..* CodeableConcept Main clinical acts documented --></event>
  <period><!-- 0..1 Period Time of service that is being documented --></period>
  <facilityType><!-- 0..1 CodeableConcept Kind of facility where patient was seen --></facilityType>
  <practiceSetting><!-- 0..1 CodeableConcept Additional details about where the content was created (e.g. clinical
    specialty) --></practiceSetting>
  <sourcePatientInfo><!-- 0..1 Reference(Patient) Patient demographics from source --></sourcePatientInfo>
  <related>  <!-- 0..* Related identifiers or resources -->
   <identifier><!-- 0..1 Identifier Identifier of related objects or events --></identifier>
   <ref><!-- 0..1 Reference(Any) Related Resource --></ref>
  </related>
 </context>
</DocumentReference>
```

JSON Template

```
{
  "resourceType" : "DocumentReference",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "masterIdentifier" : { Identifier }, // Master Version Specific Identifier
  "identifier" : [{ Identifier }], // Other identifiers for the document
  "status" : "<code>", // R!  current | superseded | entered-in-error
  "docStatus" : "<code>", // preliminary | final | appended | amended | entered-in-error
  "type" : { CodeableConcept }, // R!  Kind of document (LOINC if possible)
  "class" : { CodeableConcept }, // Categorization of document
  "subject" : { Reference(Patient|Practitioner|Group|Device) }, // Who/what is the subject of the document
  "created" : "<dateTime>", // Document creation time
  "indexed" : "<instant>", // R!  When this document reference was created
  "author" : [{ Reference(Practitioner|Organization|Device|Patient|
```

```
   RelatedPerson) }], // Who and/or what authored the document
  "authenticator" : { Reference(Practitioner|Organization) }, // Who/what authenticated the document
  "custodian" : { Reference(Organization) }, // Organization which maintains the document
  "relatesTo" : [{ // Relationships to other documents
    "code" : "<code>", // R!  replaces | transforms | signs | appends
    "target" : { Reference(DocumentReference) } // R!  Target of the relationship
  }],
  "description" : "<string>", // Human-readable description (title)
  "securityLabel" : [{ CodeableConcept }], // Document security-tags
  "content" : [{ // R!  Document referenced
    "attachment" : { Attachment }, // R!  Where to access the document
    "format" : { Coding } // Format/content rules for the document
  }],
  "context" : { // Clinical context of document
    "encounter" : { Reference(Encounter) }, // Context of the document  content
    "event" : [{ CodeableConcept }], // Main clinical acts documented
    "period" : { Period }, // Time of service that is being documented
    "facilityType" : { CodeableConcept }, // Kind of facility where patient was seen
    "practiceSetting" : { CodeableConcept }, // Additional details about where the content was created (e.g. clinical
    specialty)
    "sourcePatientInfo" : { Reference(Patient) }, // Patient demographics from source
    "related" : [{ // Related identifiers or resources
      "identifier" : { Identifier }, // Identifier of related objects or events
      "ref" : { Reference(Any) } // Related Resource
    }]
  }
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:DocumentReference;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:DocumentReference.masterIdentifier [ Identifier ]; # 0..1 Master Version Specific Identifier
  fhir:DocumentReference.identifier [ Identifier ], ... ; # 0..* Other identifiers for the document
  fhir:DocumentReference.status [ code ]; # 1..1 current | superseded | entered-in-error
  fhir:DocumentReference.docStatus [ code ]; # 0..1 preliminary | final | appended | amended | entered-in-error
  fhir:DocumentReference.type [ CodeableConcept ]; # 1..1 Kind of document (LOINC if possible)
  fhir:DocumentReference.class [ CodeableConcept ]; # 0..1 Categorization of document
  fhir:DocumentReference.subject [ Reference(Patient|Practitioner|Group|Device) ]; # 0..1 Who/what is the subject of the
     document
  fhir:DocumentReference.created [ dateTime ]; # 0..1 Document creation time
  fhir:DocumentReference.indexed [ instant ]; # 1..1 When this document reference was created
  fhir:DocumentReference.author [ Reference(Practitioner|Organization|Device|Patient|RelatedPerson) ], ... ; # 0..* Who
    and/or what authored the document
  fhir:DocumentReference.authenticator [ Reference(Practitioner|Organization) ]; # 0..1 Who/what authenticated the
    document
  fhir:DocumentReference.custodian [ Reference(Organization) ]; # 0..1 Organization which maintains the document
  fhir:DocumentReference.relatesTo [ # 0..* Relationships to other documents
    fhir:DocumentReference.relatesTo.code [ code ]; # 1..1 replaces | transforms | signs | appends
    fhir:DocumentReference.relatesTo.target [ Reference(DocumentReference) ]; # 1..1 Target of the relationship
  ], ...;
  fhir:DocumentReference.description [ string ]; # 0..1 Human-readable description (title)
  fhir:DocumentReference.securityLabel [ CodeableConcept ], ... ; # 0..* Document security-tags
  fhir:DocumentReference.content [ # 1..* Document referenced
    fhir:DocumentReference.content.attachment [ Attachment ]; # 1..1 Where to access the document
    fhir:DocumentReference.content.format [ Coding ]; # 0..1 Format/content rules for the document
  ], ...;
  fhir:DocumentReference.context [ # 0..1 Clinical context of document
    fhir:DocumentReference.context.encounter [ Reference(Encounter) ]; # 0..1 Context of the document  content
    fhir:DocumentReference.context.event [ CodeableConcept ], ... ; # 0..* Main clinical acts documented
    fhir:DocumentReference.context.period [ Period ]; # 0..1 Time of service that is being documented
    fhir:DocumentReference.context.facilityType [ CodeableConcept ]; # 0..1 Kind of facility where patient was seen
    fhir:DocumentReference.context.practiceSetting [ CodeableConcept ]; # 0..1 Additional details about where the
    content was created (e.g. clinical specialty)
    fhir:DocumentReference.context.sourcePatientInfo [ Reference(Patient) ]; # 0..1 Patient demographics from source
    fhir:DocumentReference.context.related [ # 0..* Related identifiers or resources
      fhir:DocumentReference.context.related.identifier [ Identifier ]; # 0..1 Identifier of related objects or events
      fhir:DocumentReference.context.related.ref [ Reference(Any) ]; # 0..1 Related Resource
    ], ...;
  ];
]
```

Changes since DSTU2

DocumentReference

DocumentReference.docStatus | Type changed from CodeableConcept to code

DocumentReference.content.format | Max Cardinality changed from * to 1

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.42.3.1 Terminology Bindings

Path | Definition | Type | Reference
DocumentReference.status | The status of the document reference. | Required | DocumentReferenceStatus
DocumentReference.docStatus | Status of the underlying document. | Required | CompositionStatus
DocumentReference.type | Precise type of clinical document. | Preferred | Document Type Value Set
DocumentReference.class | High-level kind of a clinical document at a macro level. | Example | Document Class Value Set
DocumentReference.relatesTo.code | The type of relationship between documents. | Required | DocumentRelationshipType
DocumentReference.securityLabel | Security Labels from the Healthcare Privacy and Security Classification System. | Extensible | All Security Labels
DocumentReference.content.format | Document Format Codes. | Preferred | DocumentReference Format Code Set
DocumentReference.context.event | This list of codes represents the main clinical acts being documented. | Example | v3 Code System ActCode
DocumentReference.context.facilityType | XDS Facility Type. | Example | Facility Type Code Value Set
DocumentReference.context.practiceSetting | Additional details about where the content was created (e.g. clinical specialty). | Example | Practice Setting Code Value Set

2.42.4 Implementation Notes

* The use of the .docStatus codes is discussed in the Composition description

* The resources maintain one way relationships that point backwards - e.g., the document that replaces one document points towards the document that it replaced. The reverse relationships can be followed by using indexes built from the resources. Typically, this is done using the search parameters described below. Given that documents may have other documents that replace or append them, clients should always check these relationships when accessing documents

2.42.4.1 Generating a Document Reference

A client can ask a server to generate a document reference from a document. The server reads the existing document and generates a matching DocumentReference resource, or returns one it has previously generated. Servers may be able to return or generate document references for the following types of content:

Type | Comments
FHIR Documents | The uri refers to an existing Document
CDA Document | The uri is a reference to a Binary end-point that returns either a CDA document, or some kind of CDA Package that the server knows how to process (e.g., an IHE .zip)
Other | The server can be asked to generate a document reference for other kinds of documents. For some of these documents (e.g., PDF documents) a server could only provide a document reference if it already existed or the server had special knowledge of the document.

The server either returns a search result containing a single document reference, or it returns an error. If the URI refers to another server, it is at the discretion of the server whether to retrieve it or return an error.

The operation is initiated by a named query, using _query=generate on the /DocumentReference end-point:

```
GET [service-url]/DocumentReference/?_query=generate&uri=:url&...
```

The "uri" parameter is a relative or absolute reference to one of the document types described above. Other parameters may be supplied:

Name | Meaning
persist | Whether to store the document at the document end-point (/Document) or not, once it is generated. Value = true or false (default is for the server to decide).

2.42.5 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
authenticator | reference | Who/what authenticated the document | DocumentReference.authenticator (Practitioner, Organization)
author | reference | Who and/or what authored the document | DocumentReference.author (Practitioner, Organization, Device, Patient, RelatedPerson)
class | token | Categorization of document | DocumentReference.class
created | date | Document creation time | DocumentReference.created
custodian | reference | Organization which maintains the document | DocumentReference.custodian (Organization)
description | string | Human-readable description (title) | DocumentReference.description
encounter | reference | Context of the document content | DocumentReference.context.encounter (Encounter) | 12 Resources
event | token | Main clinical acts documented | DocumentReference.context.event
facility | token | Kind of facility where patient was seen | DocumentReference.context.facilityType
format | token | Format/content rules for the document | DocumentReference.content.format
identifier | token | Master Version Specific Identifier | DocumentReference.masterIdentifier | DocumentReference.identifier | 26 Resources
indexed | date | When this document reference was created | DocumentReference.indexed
language | token | Human language of the content (BCP-47) | DocumentReference.content.attachment.language
location | uri | Uri where the data can be found | DocumentReference.content.attachment.url
patient | reference | Who/what is the subject of the document | DocumentReference.subject (Patient) | 31 Resources
period | date | Time of service that is being documented | DocumentReference.context.period
related-id | token | Identifier of related objects or events | DocumentReference.context.related.identifier
related-ref | reference | Related Resource | DocumentReference.context.related.ref (Any)
relatesto | reference | Target of the relationship | DocumentReference.relatesTo.target (DocumentReference)
relation | token | replaces | transforms | signs | appends | DocumentReference.relatesTo.code

relationship | composite | Combination of relation and relatesTo | DocumentReference.relatesTo
securitylabel | token | Document security-tags | DocumentReference.securityLabel
setting | token | Additional details about where the content was created (e.g. clinical specialty) | DocumentReference.context.practiceSetting
status | token | current | superseded | entered-in-error | DocumentReference.status
subject | reference | Who/what is the subject of the document | DocumentReference.subject (Practitioner, Group, Device, Patient)
type | token | Kind of document (LOINC if possible) | DocumentReference.type | 6 Resources

2.42.6 Resource DocumentReference - Examples

URL: https://hl7.org/fhir/STU3/documentreference-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.42.6 Resource DocumentReference - Examples

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Example List:

XDS example | xds | XML | JSON | Turtle
Generic example | example | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.42.7 Resource DocumentReference - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/documentreference-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.42.7 Resource DocumentReference - Detailed Descriptions

Structured Documents Work Group | Maturity Level: 3 | Trial Use | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Detailed Descriptions for the elements in the DocumentReference resource.

DocumentReference
Definition | A reference to a document.
Control | 1..1
Comments | Usually, this is used for documents other than those defined by FHIR.
DocumentReference.masterIdentifier
Definition | Document identifier as assigned by the source of the document. This identifier is specific to this version of the document. This unique identifier may be used elsewhere to identify this version of the document.
Control | 0..1
Type | Identifier
Requirements | The structure and format of this Id shall be consistent with the specification corresponding to the formatCode attribute. (e.g. for a DICOM standard document a 64-character numeric UID, for an HL7 CDA format a serialization of the CDA Document Id extension and root in the form "oid^extension", where OID is a 64 digits max, and the Id is a 16 UTF-8 char max. If the OID is coded without the extension then the '^' character shall not be included.).
Summary | true
Comments | CDA Document Id extension and root.
DocumentReference.identifier
Definition | Other identifiers associated with the document, including version independent identifiers.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
Summary | true
DocumentReference.status
Definition | The status of this document reference.
Control | 1..1
Terminology Binding | DocumentReferenceStatus (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This is the status of the DocumentReference object, which might be independent from the docStatus element. This element is labeled as a modifier because the status contains the codes that mark the document or reference as not currently valid.
DocumentReference.docStatus
Definition | The status of the underlying document.
Control | 0..1
Terminology Binding | CompositionStatus (Required)
Type | code
Summary | true
Comments | The document that is pointed to might be in various lifecycle states.
DocumentReference.type

Definition | Specifies the particular kind of document referenced (e.g. History and Physical, Discharge Summary, Progress Note). This usually equates to the purpose of making the document referenced.
Control | 1..1
Terminology Binding | Document Type Value Set (Preferred)
Type | CodeableConcept
Summary | true
Comments | Key metadata element describing the document, used in searching/filtering.
DocumentReference.class
Definition | A categorization for the type of document referenced - helps for indexing and searching. This may be implied by or derived from the code specified in the DocumentReference.type.
Control | 0..1
Terminology Binding | Document Class Value Set (Example)
Type | CodeableConcept
Requirements | Helps humans to assess whether the document is of interest when viewing a list of documents.
Alternate Names | kind
Summary | true
Comments | This is a metadata field from XDS/MHD .
DocumentReference.subject
Definition | Who or what the document is about. The document can be about a person, (patient or healthcare practitioner), a device (e.g. a machine) or even a group of subjects (such as a document about a herd of farm animals, or a set of patients that share a common exposure).
Control | 0..1
Type | Reference(Patient | Practitioner | Group | Device)
Summary | true
DocumentReference.created
Definition | When the document was created.
Control | 0..1
Type | dateTime
Summary | true
Comments | Creation time is used for tracking, organizing versions and searching. This is the creation time of the document, not the source material on which it is based.
DocumentReference.indexed
Definition | When the document reference was created.
Control | 1..1
Type | instant
Summary | true
Comments | Referencing/indexing time is used for tracking, organizing versions and searching.
DocumentReference.author
Definition | Identifies who is responsible for adding the information to the document.
Control | 0..*
Type | Reference(Practitioner | Organization | Device | Patient | RelatedPerson)
Summary | true
Comments | Not necessarily who did the actual data entry (i.e. typist) it in or who was the source (informant).
DocumentReference.authenticator
Definition | Which person or organization authenticates that this document is valid.
Control | 0..1
Type | Reference(Practitioner | Organization)
Summary | true
Comments | Represents a participant within the author institution who has legally authenticated or attested the document. Legal authentication implies that a document has been signed manually or electronically by the legal Authenticator.
DocumentReference.custodian
Definition | Identifies the organization or group who is responsible for ongoing maintenance of and access to the document.
Control | 0..1
Type | Reference(Organization)
Summary | true
Comments | Identifies the logical organization to go to find the current version, where to report issues, etc. This is different from the physical location of the document, which is the technical location of the document, which host may be delegated to the management of some other organization.
DocumentReference.relatesTo
Definition | Relationships that this document has with other document references that already exist.
Control | 0..*
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because documents that append to other documents are incomplete on their own.
DocumentReference.relatesTo.code
Definition | The type of relationship that this document has with anther document.
Control | 1..1
Terminology Binding | DocumentRelationshipType (Required)
Type | code
Summary | true
Comments | If this document appends another document, then the document cannot be fully understood without also accessing the referenced document.
DocumentReference.relatesTo.target
Definition | The target document of this relationship.
Control | 1..1

Type | Reference(DocumentReference)
Summary | true
DocumentReference.description
Definition | Human-readable description of the source document. This is sometimes known as the "title".
Control | 0..1
Type | string
Requirements | Helps humans to assess whether the document is of interest.
Summary | true
Comments | What the document is about, rather than a terse summary of the document. It is commonly the case that records do not have a title and are collectively referred to by the display name of Record code (e.g. a "consultation" or "progress note").
DocumentReference.securityLabel
Definition | A set of Security-Tag codes specifying the level of privacy/security of the Document. Note that DocumentReference.meta.security contains the security labels of the "reference" to the document, while DocumentReference.securityLabel contains a snapshot of the security labels on the document the reference refers to.
Control | 0..*
Terminology Binding | All Security Labels (Extensible)
Type | CodeableConcept
Requirements | Use of the Health Care Privacy/Security Classification (HCS) system of security-tag use is recommended.
Summary | true
Comments | The confidentiality codes can carry multiple vocabulary items. HL7 has developed an understanding of security and privacy tags that might be desirable in a Document Sharing environment, called HL7 Healthcare Privacy and Security Classification System (HCS). The following specification is recommended but not mandated, as the vocabulary bindings are an administrative domain responsibility. The use of this method is up to the policy domain such as the XDS Affinity Domain or other Trust Domain where all parties including sender and recipients are trusted to appropriately tag and enforce. In the HL7 Healthcare Privacy and Security Classification (HCS) there are code systems specific to Confidentiality, Sensitivity, Integrity, and Handling Caveats. Some values would come from a local vocabulary as they are related to workflow roles and special projects.
DocumentReference.content
Definition | The document and format referenced. There may be multiple content element repetitions, each with a different format.
Control | 1..*
Summary | true
DocumentReference.content.attachment
Definition | The document or URL of the document along with critical metadata to prove content has integrity.
Control | 1..1
Type | Attachment
Summary | true
DocumentReference.content.format
Definition | An identifier of the document encoding, structure, and template that the document conforms to beyond the base format indicated in the mimeType.
Control | 0..1
Terminology Binding | DocumentReference Format Code Set (Preferred)
Type | Coding
Summary | true
Comments | Note that while IHE mostly issues URNs for format types, not all documents can be identified by a URI.
DocumentReference.context
Definition | The clinical context in which the document was prepared.
Control | 0..1
Summary | true
Comments | These values are primarily added to help with searching for interesting/relevant documents.
DocumentReference.context.encounter
Definition | Describes the clinical encounter or type of care that the document content is associated with.
Control | 0..1
Type | Reference(Encounter)
Summary | true
DocumentReference.context.event
Definition | This list of codes represents the main clinical acts, such as a colonoscopy or an appendectomy, being documented. In some cases, the event is inherent in the typeCode, such as a "History and Physical Report" in which the procedure being documented is necessarily a "History and Physical" act.
Control | 0..*
Terminology Binding | v3 Code System ActCode (Example)
Type | CodeableConcept
Summary | true
Comments | An event can further specialize the act inherent in the type, such as where it is simply "Procedure Report" and the procedure was a "colonoscopy". If one or more event codes are included, they shall not conflict with the values inherent in the class or type elements as such a conflict would create an ambiguous situation.
DocumentReference.context.period
Definition | The time period over which the service that is described by the document was provided.
Control | 0..1
Type | Period
Summary | true
DocumentReference.context.facilityType
Definition | The kind of facility where the patient was seen.
Control | 0..1
Terminology Binding | Facility Type Code Value Set (Example)

Type | CodeableConcept
Summary | true
DocumentReference.context.practiceSetting
Definition | This property may convey specifics about the practice setting where the content was created, often reflecting the clinical specialty.
Control | 0..1
Terminology Binding | Practice Setting Code Value Set (Example)
Type | CodeableConcept
Requirements | This is an important piece of metadata that providers often rely upon to quickly sort and/or filter out to find specific content.
Summary | true
Comments | The value set for this content has an example binding because it is a value set decided by community policy. Other examples exist for consideration: * HITSP created the table HITSP/C80 Table 2-148 Clinical Specialty Value Set (a value set based upon SNOMED CT which is referenced by Direct (XDR and XDM for Direct Messaging Specification, Version 1), as well as Nationwide Health Information Network (NHIN). Query for Documents, Web Service Interface Specification, V 3.0, 07/27/2011 * ELGA (Austria) (ELGA CDA Implementie-rungsleitfäden Registrierung von CDA Dokumenten für ELGA mit IHE Cross-Enterprise Document Sharing: XDS Metadaten (XDSDocumentEntry), [1.2.40.0.34.7.6.3] * XDS Connect-a-thon practiceSettingCode.
DocumentReference.context.sourcePatientInfo
Definition | The Patient Information as known when the document was published. May be a reference to a version specific, or contained.
Control | 0..1
Type | Reference(Patient)
Summary | true
DocumentReference.context.related
Definition | Related identifiers or resources associated with the DocumentReference.
Control | 0..*
Summary | true
Comments | May be identifiers or resources that caused the DocumentReference or referenced Document to be created.
DocumentReference.context.related.identifier
Definition | Related identifier to this DocumentReference. If both id and ref are present they shall refer to the same thing.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1
Type | Identifier
Summary | true
Comments | Order numbers, accession numbers, XDW workflow numbers.
DocumentReference.context.related.ref
Definition | Related Resource to this DocumentReference. If both id and ref are present they shall refer to the same thing.
Control | 0..1
Type | Reference(Any)
Summary | true
Comments | Order, ProcedureRequest, Procedure, EligibilityRequest, etc.

2.42.8 Resource DocumentReference - Mappings

URL: https://hl7.org/fhir/STU3/documentreference-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.42.8 Resource DocumentReference - Mappings

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

Mappings:

RIM Mapping

HL7 v2 Mapping

XDS metadata equivalent

Mappings for the documentreference resource.

2.42.8.1 Mappings for RIM Mapping (http://hl7.org/v3)

DocumentReference | Document[classCode="DOC" and moodCode="EVN"]
masterIdentifier | .id
identifier | .id / .setId
status | interim: .completionCode="IN" & ./statusCode[isNormalDatatype()]="active"; final: .completionCode="AU" && ./statusCode[isNormalDatatype()]="complete" and not(./inboundRelationship[typeCode="SUBJ" and isNormalActRelationship()]/source[subsumesCode("ActClass#CACT") and moodCode="EVN" and domainMember("ReviseDocument", code) and isNormalAct()]); amended: .completionCode="AU" && ./statusCode[isNormalDatatype()]="complete" and ./inboundRelationship[typeCode="SUBJ" and isNormalActRelationship()]/source[subsumesCode("ActClass#CACT") and moodCode="EVN" and domainMember("ReviseDocument", code) and isNormalAct() and statusCode="completed"]; withdrawn : .completionCode=NI && ./statusCode[isNormalDatatype()]="obsolete"
docStatus | .statusCode
type | ./code
class | .outboundRelationship[typeCode="COMP].target[classCode="LIST", moodCode="EVN"].code
subject | .participation[typeCode="SBJ"].role[typeCode="PAT"]
created | .effectiveTime[type="TS"]
indexed | .availabilityTime[type="TS"]

author | .participation[typeCode="AUT"].role[classCode="ASSIGNED"]
authenticator | .participation[typeCode="AUTHEN"].role[classCode="ASSIGNED"]
custodian | .participation[typeCode="RCV"].role[classCode="CUST"].scoper[classCode="ORG" and determinerCode="INST"]
relatesTo | .outboundRelationship
code | .outboundRelationship.typeCode
target | .target[classCode="DOC", moodCode="EVN"].id
description | .outboundRelationship[typeCode="SUBJ"].target.text
securityLabel | .confidentialityCode
content | document.text
attachment | document.text
format | document.text
context | outboundRelationship[typeCode="SUBJ"].target[classCode<'ACT']
encounter | unique(highest(./outboundRelationship[typeCode="SUBJ" and isNormalActRelationship()], priorityNumber)/target[moodCode="EVN" and classCode=("ENC", "PCPR") and isNormalAct])
event | .code
period | .effectiveTime
facilityType | .participation[typeCode="LOC"].role[classCode="DSDLOC"].code
practiceSetting | .participation[typeCode="LOC"].role[classCode="DSDLOC"].code
sourcePatientInfo | .participation[typeCode="SBJ"].role[typeCode="PAT"]
related | ./outboundRelationship[typeCode="PERT" and isNormalActRelationship()] / target[isNormalAct]
identifier | ./outboundRelationship[typeCode="PERT" and isNormalActRelationship()] / target[isNormalAct] .id
ref | ./outboundRelationship[typeCode="PERT" and isNormalActRelationship()] / target[isNormalAct].text.reference

2.42.8.2 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

DocumentReference
masterIdentifier | TXA-12
identifier | TXA-16?
status | TXA-19
docStatus | TXA-17
type | TXA-2
class
subject | PID-3 (No standard way to define a Practitioner or Group subject in HL7 v2 MDM message)
created | TXA-6
indexed
author | TXA-9 (No standard way to indicate a Device in HL7 v2 MDM message)
authenticator | TXA-10
custodian
relatesTo
code
target
description | TXA-25
securityLabel | TXA-18
content
attachment | TXA-3 for mime type
format
context
encounter
event
period
facilityType
practiceSetting
sourcePatientInfo
related
identifier
ref

2.42.8.3 Mappings for XDS metadata equivalent (http://ihe.net/xds)

DocumentReference
masterIdentifier | DocumentEntry.uniqueId
identifier | DocumentEntry.entryUUID
status | DocumentEntry status
docStatus
type | DocumentEntry.type
class | DocumentEntry.class
subject | DocumentEntry.patientId
created | DocumentEntry.submissionTime
indexed | DocumentEntry.submissionTime
author | DocumentEntry.author
authenticator | DocumentEntry.legalAuthenticator
custodian
relatesTo
code | DocumentEntry Associations type

target | DocumentEntry Associations reference
description | DocumentEntry.description
securityLabel | DocumentEntry.confidentialityCode
content
attachment | DocumentEntry.mimeType DocumentEntry.languageCode DocumentEntry.URI DocumentEntry.size DocumentEntry.hash DocumentEntry.title
format | DocumentEntry.formatCode
context
encounter
event | DocumentEntry.eventCodeList
period | DocumentEntry.serviceStartTime DocumentEntry.serviceStopTime
facilityType | DocumentEntry.healthcareFacilityTypeCode
practiceSetting | DocumentEntry.practiceSettingCode
sourcePatientInfo | DocumentEntry.sourcePatientInfo DocumentEntry.sourcePatientId
related | DocumentEntry.referenceIdList
identifier
ref

2.42.9 Resource DocumentReference - Design Notes

URL: https://hl7.org/fhir/STU3/documentreference-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.42.9 Resource DocumentReference - Design Notes

to do

2.42.10 Resource DocumentReference - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/documentreference-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.42.10 Resource DocumentReference - Extensions & Profiles

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the DocumentReference resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.42.10.1 Profiles

No Profiles defined for this resource

2.42.10.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

11179-de-document-reference | document-reference | for ISO 11179 Data Element Profile

2.42.10.3 Search Extensions

No Search Extensions defined for this resource

2.42.11 Resource DocumentReference - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/documentreference-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.42.11 Resource DocumentReference - Detailed Descriptions

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Encounter, Patient, Practitioner, RelatedPerson

R2 : R3 Converson maps for DocumentReference.

Functional status for this map: 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid. (see documentation)

2.42.11.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/DocumentReference2to3" = "R2 to R3 Conversions for DocumentReference"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/DocumentReference" alias DocumentReferenceR2 as source
```

```
uses "http://hl7.org/fhir/StructureDefinition/DocumentReference" alias DocumentReference as target

imports "http://hl7.org/fhir/StructureMap/*2to3"

group for type+types  DocumentReference extends DomainResource
  input src : DocumentReferenceR2 as source
  input tgt : DocumentReference as target

  "DocumentReference-masterIdentifier" : for src.masterIdentifier make tgt.masterIdentifier
  "DocumentReference-identifier" : for src.identifier make tgt.identifier
  "DocumentReference-subject" : for src.subject make tgt.subject
  "DocumentReference-type" : for src.type make tgt.type
  "DocumentReference-class" : for src.class make tgt.class
  "DocumentReference-author" : for src.author make tgt.author
  "DocumentReference-custodian" : for src.custodian make tgt.custodian
  "DocumentReference-authenticator" : for src.authenticator make tgt.authenticator
  "DocumentReference-created" : for src.created make tgt.created
  "DocumentReference-indexed" : for src.indexed make tgt.indexed
  "DocumentReference-status" : for src.status make tgt.status
  "DocumentReference-docStatus" : for src.docStatus as v then {
    "DocumentReference-docStatus-inner" : for v.coding as v1 where v1.system = 'http://hl7.org/fhir/composition-status'
    make tgt.docStatus = (v1.code)
  }
  "DocumentReference-relatesTo" : for src.relatesTo as vs0 make tgt.relatesTo as vt0 then drRelatesTo(vs0, vt0)
  "DocumentReference-description" : for src.description make tgt.description
  "DocumentReference-securityLabel" : for src.securityLabel make tgt.securityLabel
  "DocumentReference-content" : for src.content as vs0 make tgt.content as vt0 then drContent(vs0, vt0)
  "DocumentReference-context" : for src.context as vs0 make tgt.context as vt0 then drContext(vs0, vt0)

endgroup

group drRelatesTo extends BackboneElement
  input src as source
  input tgt as target

  "DocumentReference.relatesTo-code" : for src.code make tgt.code
  "DocumentReference.relatesTo-target" : for src.target make tgt.target
endgroup

group drContent extends BackboneElement
  input src as source
  input tgt as target

  "DocumentReference.content-attachment" : for src.attachment make tgt.attachment
  "DocumentReference.content-format" : for src.format make tgt.format
endgroup

group drContext extends BackboneElement
  input src as source
  input tgt as target

  "DocumentReference.context-encounter" : for src.encounter make tgt.encounter
  "DocumentReference.context-event" : for src.event make tgt.event
  "DocumentReference.context-period" : for src.period make tgt.period
  "DocumentReference.context-facilityType" : for src.facilityType make tgt.facilityType
  "DocumentReference.context-practiceSetting" : for src.practiceSetting make tgt.practiceSetting
  "DocumentReference.context-sourcePatientInfo" : for src.sourcePatientInfo make tgt.sourcePatientInfo
  "DocumentReference.context-related" : for src.related as vs0 make tgt.related as vt0 then drrelated(vs0, vt0)
endgroup

group drrelated extends BackboneElement
  input src as source
  input tgt as target

  "DocumentReference.context.related-identifier" : for src.identifier make tgt.identifier
  "DocumentReference.context.related-ref" : for src.ref make tgt.ref
endgroup
```

2.42.11.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/DocumentReference3to2" = "R3 to R2 Conversion for DocumentReference"

uses "http://hl7.org/fhir/StructureDefinition/DocumentReference" alias DocumentReference as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/DocumentReference" alias DocumentReferenceR2 as target

imports "http://hl7.org/fhir/StructureMap/*3to2"

group for type+types  DocumentReference extends DomainResource
  input src : DocumentReference as source
  input tgt : DocumentReferenceR2 as target

  "DocumentReference-masterIdentifier" : for src.masterIdentifier make tgt.masterIdentifier
  "DocumentReference-identifier" : for src.identifier make tgt.identifier
  "DocumentReference-subject" : for src.subject make tgt.subject
  "DocumentReference-type" : for src.type make tgt.type
  "DocumentReference-class" : for src.class make tgt.class
  "DocumentReference-author" : for src.author make tgt.author
  "DocumentReference-custodian" : for src.custodian make tgt.custodian
  "DocumentReference-authenticator" : for src.authenticator make tgt.authenticator
  "DocumentReference-created" : for src.created make tgt.created
```

```
  "DocumentReference-indexed" : for src.indexed make tgt.indexed
  "DocumentReference-status" : for src.status make tgt.status
  "DocumentReference-docStatus" : for src.docStatus as v make tgt.docStatus = cc("http://hl7.org/fhir/composition-
    status", c)
  "DocumentReference-relatesTo" : for src.relatesTo as vs0 make tgt.relatesTo as vt0 then drRelatesTo(vs0, vt0)
  "DocumentReference-description" : for src.description make tgt.description
  "DocumentReference-securityLabel" : for src.securityLabel make tgt.securityLabel
  "DocumentReference-content" : for src.content as vs0 make tgt.content as vt0 then drContent(vs0, vt0)
  "DocumentReference-context" : for src.context as vs0 make tgt.context as vt0 then drContext(vs0, vt0)


endgroup

group drRelatesTo extends BackboneElement
  input src as source
  input tgt as target

  "DocumentReference.relatesTo-code" : for src.code make tgt.code
  "DocumentReference.relatesTo-target" : for src.target make tgt.target
endgroup

group drContent extends BackboneElement
  input src as source
  input tgt as target

  "DocumentReference.content-attachment" : for src.attachment make tgt.attachment
  "DocumentReference.content-format" : for src.format make tgt.format
endgroup

group drContext extends BackboneElement
  input src as source
  input tgt as target

  "DocumentReference.context-encounter" : for src.encounter make tgt.encounter
  "DocumentReference.context-event" : for src.event make tgt.event
  "DocumentReference.context-period" : for src.period make tgt.period
  "DocumentReference.context-facilityType" : for src.facilityType make tgt.facilityType
  "DocumentReference.context-practiceSetting" : for src.practiceSetting make tgt.practiceSetting
  "DocumentReference.context-sourcePatientInfo" : for src.sourcePatientInfo make tgt.sourcePatientInfo
  "DocumentReference.context-related" : for src.related as vs0 make tgt.related as vt0 then drrelated(vs0, vt0)
endgroup

group drrelated extends BackboneElement
  input src as source
  input tgt as target

  "DocumentReference.context.related-identifier" : for src.identifier make tgt.identifier
  "DocumentReference.context.related-ref" : for src.ref make tgt.ref
endgroup
```

2.42.11.3 R3 Validation Errors

2.43 Resource DocumentManifest - Content

URL: https://hl7.org/fhir/STU3/documentmanifest.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 2 | Trial Use | Compartments: Device, Patient, Practitioner, RelatedPerson

A collection of documents compiled for a purpose together with metadata that applies to the collection.

2.43.1 Scope and Usage

A document manifest gathers a set of DocumentReference resources into a single package that may be the subject of workflow such as access control, auditing, and targeted delivery.

Typically, DocumentManifest resources are used in document indexing systems, such as IHE XDS .

2.43.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints

DocumentManifest | ? | | DomainResource | A list that defines a set of documents Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
masterIdentifier | ? | 0..1 | Identifier | Unique Identifier for the set of documents
identifier | ? | 0..* | Identifier | Other identifiers for the manifest
status | ?!? | 1..1 | code | current | superseded | entered-in-error DocumentReferenceStatus (Required)
type | ? | 0..1 | CodeableConcept | Kind of document set Document Type Value Set (Preferred)
subject | ? | 0..1 | Reference(Patient | Practitioner | Group | Device) | The subject of the set of documents
created | ? | 0..1 | dateTime | When this document manifest created
author | ? | 0..* | Reference(Practitioner | Organization | Device | Patient | RelatedPerson) | Who and/or what authored the manifest
recipient | ? | 0..* | Reference(Patient | Practitioner | RelatedPerson | Organization) | Intended to get notified about this set of documents
source | ? | 0..1 | uri | The source system/application/software
description | ? | 0..1 | string | Human-readable description (title)
content | ? | 1..* | BackboneElement | The items included
p[x] | ? | 1..1 | | Contents of this set of documents
pAttachment | | | Attachment
pReference | | | Reference(Any)
related | ? | 0..* | BackboneElement | Related things
identifier | ? | 0..1 | Identifier | Identifiers of things that are related
ref | ? | 0..1 | Reference(Any) | Related Resource
Documentation for this format

UML Diagram (Legend)

XML Template

```
<DocumentManifest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <masterIdentifier><!-- 0..1 Identifier Unique Identifier for the set of documents --></masterIdentifier>
 <identifier><!-- 0..* Identifier Other identifiers for the manifest --></identifier>
 <status value="[code]"/><!-- 1..1 current | superseded | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Kind of document set --></type>
 <subject><!-- 0..1 Reference(Patient|Practitioner|Group|Device) The subject of the set of documents --></subject>
 <created value="[dateTime]"/><!-- 0..1 When this document manifest created -->
 <author><!-- 0..* Reference(Practitioner|Organization|Device|Patient|
   RelatedPerson) Who and/or what authored the manifest --></author>
 <recipient><!-- 0..* Reference(Patient|Practitioner|RelatedPerson|Organization) Intended to get notified about this set
     of documents --></recipient>
 <source value="[uri]"/><!-- 0..1 The source system/application/software -->
 <description value="[string]"/><!-- 0..1 Human-readable description (title) -->
 <content>  <!-- 1..* The items included -->
  <p[x]><!-- 1..1 Attachment|Reference(Any) Contents of this set of documents --></p[x]>
 </content>
 <related>  <!-- 0..* Related things -->
  <identifier><!-- 0..1 Identifier Identifiers of things that are related --></identifier>
  <ref><!-- 0..1 Reference(Any) Related Resource --></ref>
 </related>
</DocumentManifest>
```

JSON Template

```
{
  "resourceType" : "DocumentManifest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "masterIdentifier" : { Identifier }, // Unique Identifier for the set of documents
  "identifier" : [{ Identifier }], // Other identifiers for the manifest
  "status" : "<code>", // R!  current | superseded | entered-in-error
  "type" : { CodeableConcept }, // Kind of document set
  "subject" : { Reference(Patient|Practitioner|Group|Device) }, // The subject of the set of documents
  "created" : "<dateTime>", // When this document manifest created
  "author" : [{ Reference(Practitioner|Organization|Device|Patient|
   RelatedPerson) }], // Who and/or what authored the manifest
  "recipient" : [{ Reference(Patient|Practitioner|RelatedPerson|Organization) }], // Intended to get notified about this
     set of documents
  "source" : "<uri>", // The source system/application/software
  "description" : "<string>", // Human-readable description (title)
  "content" : [{ // R!  The items included
    // p[x]: Contents of this set of documents. One of these 2:
    "pAttachment" : { Attachment }
    "pReference" : { Reference(Any) }
  }],
  "related" : [{ // Related things
    "identifier" : { Identifier }, // Identifiers of things that are related
    "ref" : { Reference(Any) } // Related Resource
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:DocumentManifest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
```

```
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:DocumentManifest.masterIdentifier [ Identifier ]; # 0..1 Unique Identifier for the set of documents
  fhir:DocumentManifest.identifier [ Identifier ], ... ; # 0..* Other identifiers for the manifest
  fhir:DocumentManifest.status [ code ]; # 1..1 current | superseded | entered-in-error
  fhir:DocumentManifest.type [ CodeableConcept ]; # 0..1 Kind of document set
  fhir:DocumentManifest.subject [ Reference(Patient|Practitioner|Group|Device) ]; # 0..1 The subject of the set of
    documents
  fhir:DocumentManifest.created [ dateTime ]; # 0..1 When this document manifest created
  fhir:DocumentManifest.author [ Reference(Practitioner|Organization|Device|Patient|RelatedPerson) ], ... ; # 0..* Who
    and/or what authored the manifest
  fhir:DocumentManifest.recipient [ Reference(Patient|Practitioner|RelatedPerson|Organization) ], ... ; # 0..* Intended
    to get notified about this set of documents
  fhir:DocumentManifest.source [ uri ]; # 0..1 The source system/application/software
  fhir:DocumentManifest.description [ string ]; # 0..1 Human-readable description (title)
  fhir:DocumentManifest.content [ # 1..* The items included
    # DocumentManifest.content.p[x] : 1..1 Contents of this set of documents. One of these 2
      fhir:DocumentManifest.content.pAttachment [ Attachment ]
      fhir:DocumentManifest.content.pReference [ Reference(Any) ]
  ], ...;
  fhir:DocumentManifest.related [ # 0..* Related things
    fhir:DocumentManifest.related.identifier [ Identifier ]; # 0..1 Identifiers of things that are related
    fhir:DocumentManifest.related.ref [ Reference(Any) ]; # 0..1 Related Resource
  ], ...;
]
```

Changes since DSTU2

DocumentManifest

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints

DocumentManifest | ? | | DomainResource | A list that defines a set of documents Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

masterIdentifier | ? | 0..1 | Identifier | Unique Identifier for the set of documents

identifier | ? | 0..* | Identifier | Other identifiers for the manifest

status | ?!? | 1..1 | code | current | superseded | entered-in-error DocumentReferenceStatus (Required)

type | ? | 0..1 | CodeableConcept | Kind of document set Document Type Value Set (Preferred)

subject | ? | 0..1 | Reference(Patient | Practitioner | Group | Device) | The subject of the set of documents

created | ? | 0..1 | dateTime | When this document manifest created

author | ? | 0..* | Reference(Practitioner | Organization | Device | Patient | RelatedPerson) | Who and/or what authored the manifest

recipient | ? | 0..* | Reference(Patient | Practitioner | RelatedPerson | Organization) | Intended to get notified about this set of documents

source | ? | 0..1 | uri | The source system/application/software

description | ? | 0..1 | string | Human-readable description (title)

content | ? | 1..* | BackboneElement | The items included

p[x] | ? | 1..1 | | Contents of this set of documents

pAttachment | | | Attachment

pReference | | | Reference(Any)

related | ? | 0..* | BackboneElement | Related things

identifier | ? | 0..1 | Identifier | Identifiers of things that are related

ref | ? | 0..1 | Reference(Any) | Related Resource

Documentation for this format

UML Diagram (Legend)

XML Template

```
<DocumentManifest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <masterIdentifier><!-- 0..1 Identifier Unique Identifier for the set of documents --></masterIdentifier>
 <identifier><!-- 0..* Identifier Other identifiers for the manifest --></identifier>
 <status value="[code]"/><!-- 1..1 current | superseded | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Kind of document set --></type>
 <subject><!-- 0..1 Reference(Patient|Practitioner|Group|Device) The subject of the set of documents --></subject>
 <created value="[dateTime]"/><!-- 0..1 When this document manifest created -->
 <author><!-- 0..* Reference(Practitioner|Organization|Device|Patient|
   RelatedPerson) Who and/or what authored the manifest --></author>
 <recipient><!-- 0..* Reference(Patient|Practitioner|RelatedPerson|Organization) Intended to get notified about this set
     of documents --></recipient>
 <source value="[uri]"/><!-- 0..1 The source system/application/software -->
 <description value="[string]"/><!-- 0..1 Human-readable description (title) -->
 <content>  <!-- 1..* The items included -->
  <p[x]><!-- 1..1 Attachment|Reference(Any) Contents of this set of documents --></p[x]>
 </content>
 <related>  <!-- 0..* Related things -->
  <identifier><!-- 0..1 Identifier Identifiers of things that are related --></identifier>
  <ref><!-- 0..1 Reference(Any) Related Resource --></ref>
 </related>
</DocumentManifest>
```

JSON Template

```
{
  "resourceType" : "DocumentManifest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "masterIdentifier" : { Identifier }, // Unique Identifier for the set of documents
  "identifier" : [{ Identifier }], // Other identifiers for the manifest
  "status" : "<code>", // R!  current | superseded | entered-in-error
  "type" : { CodeableConcept }, // Kind of document set
  "subject" : { Reference(Patient|Practitioner|Group|Device) }, // The subject of the set of documents
  "created" : "<dateTime>", // When this document manifest created
  "author" : [{ Reference(Practitioner|Organization|Device|Patient|
   RelatedPerson) }], // Who and/or what authored the manifest
  "recipient" : [{ Reference(Patient|Practitioner|RelatedPerson|Organization) }], // Intended to get notified about this
     set of documents
  "source" : "<uri>", // The source system/application/software
  "description" : "<string>", // Human-readable description (title)
  "content" : [{ // R!  The items included
    // p[x]: Contents of this set of documents. One of these 2:
    "pAttachment" : { Attachment }
    "pReference" : { Reference(Any) }
  }],
  "related" : [{ // Related things
    "identifier" : { Identifier }, // Identifiers of things that are related
    "ref" : { Reference(Any) } // Related Resource
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:DocumentManifest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:DocumentManifest.masterIdentifier [ Identifier ]; # 0..1 Unique Identifier for the set of documents
  fhir:DocumentManifest.identifier [ Identifier ], ... ; # 0..* Other identifiers for the manifest
  fhir:DocumentManifest.status [ code ]; # 1..1 current | superseded | entered-in-error
  fhir:DocumentManifest.type [ CodeableConcept ]; # 0..1 Kind of document set
  fhir:DocumentManifest.subject [ Reference(Patient|Practitioner|Group|Device) ]; # 0..1 The subject of the set of
    documents
  fhir:DocumentManifest.created [ dateTime ]; # 0..1 When this document manifest created
  fhir:DocumentManifest.author [ Reference(Practitioner|Organization|Device|Patient|RelatedPerson) ], ... ; # 0..* Who
    and/or what authored the manifest
  fhir:DocumentManifest.recipient [ Reference(Patient|Practitioner|RelatedPerson|Organization) ], ... ; # 0..* Intended
    to get notified about this set of documents
  fhir:DocumentManifest.source [ uri ]; # 0..1 The source system/application/software
  fhir:DocumentManifest.description [ string ]; # 0..1 Human-readable description (title)
  fhir:DocumentManifest.content [ # 1..* The items included
    # DocumentManifest.content.p[x] : 1..1 Contents of this set of documents. One of these 2
      fhir:DocumentManifest.content.pAttachment [ Attachment ]
      fhir:DocumentManifest.content.pReference [ Reference(Any) ]
  ], ...;
  fhir:DocumentManifest.related [ # 0..* Related things
    fhir:DocumentManifest.related.identifier [ Identifier ]; # 0..1 Identifiers of things that are related
    fhir:DocumentManifest.related.ref [ Reference(Any) ]; # 0..1 Related Resource
  ], ...;
]
```

Changes since DSTU2

DocumentManifest

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.43.2.1 Terminology Bindings

Path	Definition	Type	Reference
DocumentManifest.status	The status of the document reference.	Required	DocumentReferenceStatus
DocumentManifest.type	Precise type of clinical document.	Preferred	Document Type Value Set

2.43.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name	Type	Description	Expression	In Common
author	reference	Who and/or what authored the manifest	DocumentManifest.author (Practitioner, Organization, Device, Patient, RelatedPerson)	
content-ref	reference	Contents of this set of documents	DocumentManifest.content.p.as(Reference) (Any)	
created	date	When this document manifest created	DocumentManifest.created	
description	string	Human-readable description (title)	DocumentManifest.description	
identifier	token	Unique Identifier for the set of documents	DocumentManifest.masterIdentifier | DocumentManifest.identifier	26 Resources

patient | reference | The subject of the set of documents | DocumentManifest.subject (Patient) | 31 Resources
recipient | reference | Intended to get notified about this set of documents | DocumentManifest.recipient (Practitioner, Organization, Patient, RelatedPerson)
related-id | token | Identifiers of things that are related | DocumentManifest.related.identifier
related-ref | reference | Related Resource | DocumentManifest.related.ref (Any)
source | uri | The source system/application/software | DocumentManifest.source
status | token | current | superseded | entered-in-error | DocumentManifest.status
subject | reference | The subject of the set of documents | DocumentManifest.subject (Practitioner, Group, Device, Patient)
type | token | Kind of document set | DocumentManifest.type | 6 Resources

2.43.4 Resource DocumentManifest - Examples

URL: https://hl7.org/fhir/STU3/documentmanifest-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.43.4 Resource DocumentManifest - Examples

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Patient, Practitioner, RelatedPerson

Example List:

Financial Supporting Documentation | 654789 | XML | JSON | Turtle
XDS SubmissionSet example | example | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.43.5 Resource DocumentManifest - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/documentmanifest-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.43.5 Resource DocumentManifest - Detailed Descriptions

Structured Documents Work Group | Maturity Level: 2 | Trial Use | Compartments: Device, Patient, Practitioner, RelatedPerson

Detailed Descriptions for the elements in the DocumentManifest resource.

DocumentManifest
Definition | A collection of documents compiled for a purpose together with metadata that applies to the collection.
Control | 1..1
Summary | true
DocumentManifest.masterIdentifier
Definition | A single identifier that uniquely identifies this manifest. Principally used to refer to the manifest in non-FHIR contexts.
Control | 0..1
Type | Identifier
Summary | true
DocumentManifest.identifier
Definition | Other identifiers associated with the document manifest, including version independent identifiers.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
Summary | true
DocumentManifest.status
Definition | The status of this document manifest.
Control | 1..1
Terminology Binding | DocumentReferenceStatus (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains the codes that mark the manifest as not currently valid.
DocumentManifest.type
Definition | Specifies the kind of this set of documents (e.g. Patient Summary, Discharge Summary, Prescription, etc.). The type of a set of documents may be the same as one of the documents in it - especially if there is only one - but it may be wider.
Control | 0..1
Terminology Binding | Document Type Value Set (Preferred)
Type | CodeableConcept
Summary | true
DocumentManifest.subject
Definition | Who or what the set of documents is about. The documents can be about a person, (patient or healthcare practitioner), a device (i.e. machine) or even a group of subjects (such as a document about a herd of farm animals, or a set of patients that share a common exposure). If the documents cross more than one subject, then more than one subject is allowed here (unusual use case).
Control | 0..1
Type | Reference(Patient | Practitioner | Group | Device)

Summary | true
DocumentManifest.created
Definition | When the document manifest was created for submission to the server (not necessarily the same thing as the actual resource last modified time, since it may be modified, replicated, etc.).
Control | 0..1
Type | dateTime
Summary | true
Comments | Creation time is used for tracking, organizing versions and searching. This is the creation time of the document set, not the documents on which it is based.
DocumentManifest.author
Definition | Identifies who is responsible for creating the manifest, and adding documents to it.
Control | 0..*
Type | Reference(Practitioner | Organization | Device | Patient | RelatedPerson)
Summary | true
Comments | Not necessarily who did the actual data entry (i.e. typist) or who was the source (informant).
DocumentManifest.recipient
Definition | A patient, practitioner, or organization for which this set of documents is intended.
Control | 0..*
Type | Reference(Patient | Practitioner | RelatedPerson | Organization)
Summary | true
Comments | How the recipient receives the document set or is notified of it is up to the implementation. This element is just a statement of intent. If the recipient is a person, and it is not known whether the person is a patient or a practitioner, RelatedPerson would be the default choice.
DocumentManifest.source
Definition | Identifies the source system, application, or software that produced the document manifest.
Control | 0..1
Type | uri
Summary | true
DocumentManifest.description
Definition | Human-readable description of the source document. This is sometimes known as the "title".
Control | 0..1
Type | string
Requirements | Helps humans to assess whether the document is of interest.
Summary | true
Comments | What the document is about, rather than a terse summary of the document. It is commonly the case that records do not have a title and are collectively referred to by the display name of Record code (e.g. a "consultation" or "progress note").
DocumentManifest.content
Definition | The list of Documents included in the manifest.
Control | 1..*
Summary | true
DocumentManifest.content.p[x]
Definition | The list of references to document content, or Attachment that consist of the parts of this document manifest. Usually, these would be document references, but direct references to Media or Attachments are also allowed.
Control | 1..1
Type | Attachment|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Summary | true
Comments | The intended focus of the DocumentManifest is for the reference to target either DocumentReference or Media Resources, and most implementation guides will restrict to these resources. The reference is to "Any" to support EN 13606 usage, where an extract is DocumentManifest that references List and Composition resources.
DocumentManifest.related
Definition | Related identifiers or resources associated with the DocumentManifest.
Control | 0..*
Summary | true
Comments | May be identifiers or resources that caused the DocumentManifest to be created.
DocumentManifest.related.identifier
Definition | Related identifier to this DocumentManifest. For example, Order numbers, accession numbers, XDW workflow numbers.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1
Type | Identifier
Summary | true
Comments | If both identifier and ref elements are present they shall refer to the same thing.
DocumentManifest.related.ref
Definition | Related Resource to this DocumentManifest. For example, Order, ProcedureRequest, Procedure, EligibilityRequest, etc.
Control | 0..1
Type | Reference(Any)
Summary | true
Comments | If both identifier and ref elements are present they shall refer to the same thing.

2.43.6 Resource DocumentManifest - Mappings

URL: https://hl7.org/fhir/STU3/documentmanifest-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.43.6 Resource DocumentManifest - Mappings

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Patient, Practitioner, RelatedPerson

Mappings:

RIM Mapping

HL7 v2 Mapping

XDS metadata equivalent

Mappings for the documentmanifest resource.

2.43.6.1 Mappings for RIM Mapping (http://hl7.org/v3)

DocumentManifest | Act[classCode=FOLDER, moodCode=EVN]
masterIdentifier | id [need a list semantic to indicate order matters]
identifier | .id / .setId
status | .statusCode
type | .code
subject | .participation[typeCode=SBJ].role
created | .participation[typeCode=AUT].time
author | .participation[typeCode=AUT].role
recipient | .participation[typeCode=IRCP].role
source | .participation[typeCode=PFM].time
description | .title
content | n/a
p[x] | .outboundRelationship[typeCode=COMP].target
related | n/a
identifier
ref

2.43.6.2 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

DocumentManifest
masterIdentifier
identifier | TXA-16-Unique Document File Name?
status
type
subject
created
author
recipient
source
description
content
p[x]
related
identifier
ref

2.43.6.3 Mappings for XDS metadata equivalent (http://ihe.net/xds)

DocumentManifest
masterIdentifier | SubmissionSet.uniqueId
identifier | SubmissionSet.entryUUID
status | SubmissionSet status
type | SubmissionSet.contentTypeCode
subject | SubmissionSet.patientId
created | SubmissionSet.submissionTime
author | SubmissionSet.author
recipient | SubmissionSet.intendedRecipient
source | SubmissionSet.sourceId
description | SubmissionSet.title
content
p[x] | SubmissionSet DocumentEntry(s)
related
identifier
ref

2.43.7 Resource DocumentManifest - Design Notes

URL: https://hl7.org/fhir/STU3/documentmanifest-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.43.7 Resource DocumentManifest - Design Notes

to do

2.43.8 Resource DocumentManifest - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/documentmanifest-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.43.8 Resource DocumentManifest - Extensions & Profiles

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the DocumentManifest resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.43.8.1 Profiles

No Profiles defined for this resource

2.43.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

2.43.8.3 Search Extensions

No Search Extensions defined for this resource

2.43.9 Resource DocumentManifest - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/documentmanifest-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.43.9 Resource DocumentManifest - Detailed Descriptions

Structured Documents Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Patient, Practitioner, RelatedPerson

R2 : R3 Converson maps for DocumentManifest.

Functional status for this map: 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid. (see documentation)

2.43.9.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/DocumentManifest2to3" = "R2 to R3 Conversions for DocumentManifest"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/DocumentManifest" alias DocumentManifestR2 as source
uses "http://hl7.org/fhir/StructureDefinition/DocumentManifest" alias DocumentManifest as target

imports "http://hl7.org/fhir/StructureMap/*2to3"

group for type+types  DocumentManifest extends DomainResource
  input src : DocumentManifestR2 as source
  input tgt : DocumentManifest as target

  "DocumentManifest-masterIdentifier" : for src.masterIdentifier make tgt.masterIdentifier
  "DocumentManifest-identifier" : for src.identifier make tgt.identifier
  "DocumentManifest-subject" : for src.subject make tgt.subject
  "DocumentManifest-recipient" : for src.recipient make tgt.recipient
  "DocumentManifest-type" : for src.type make tgt.type
  "DocumentManifest-author" : for src.author make tgt.author
  "DocumentManifest-created" : for src.created make tgt.created
  "DocumentManifest-source" : for src.source make tgt.source
  "DocumentManifest-status" : for src.status make tgt.status
  "DocumentManifest-description" : for src.description make tgt.description
  "DocumentManifest-content" : for src.content as src make tgt.content as vt0 then dmContent(src, vt0)
  "DocumentManifest-related" : for src.related as src make tgt.related as vt0 then dmRelated(src, vt0)
endgroup

group dmContent extends BackboneElement
  input src as source
  input tgt as target

  "DocumentManifest.content-p-Attachment" : for src.p make tgt.p
```

```
endgroup

group dmRelated extends BackboneElement
  input src as source
  input tgt as target

  "DocumentManifest.related-identifier" : for src.identifier make tgt.identifier
  "DocumentManifest.related-ref" : for src.ref make tgt.ref
endgroup
```

2.43.9.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/DocumentManifest3to2" = "R3 to R2 Conversion for DocumentManifest"

uses "http://hl7.org/fhir/StructureDefinition/DocumentManifest" alias DocumentManifest as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/DocumentManifest" alias DocumentManifestR2 as target

imports "http://hl7.org/fhir/StructureMap/*3to2"

group for type+types  DocumentManifest extends DomainResource
  input src : DocumentManifest as source
  input tgt : DocumentManifestR2 as target

  "DocumentManifest-masterIdentifier" : for src.masterIdentifier make tgt.masterIdentifier
  "DocumentManifest-identifier" : for src.identifier make tgt.identifier
  "DocumentManifest-subject" : for src.subject make tgt.subject
  "DocumentManifest-recipient" : for src.recipient make tgt.recipient
  "DocumentManifest-type" : for src.type make tgt.type
  "DocumentManifest-author" : for src.author make tgt.author
  "DocumentManifest-created" : for src.created make tgt.created
  "DocumentManifest-source" : for src.source make tgt.source
  "DocumentManifest-status" : for src.status make tgt.status
  "DocumentManifest-description" : for src.description make tgt.description
  "DocumentManifest-content" : for src.content as src make tgt.content as vt0 then dmContent(src, vt0)
  "DocumentManifest-related" : for src.related as src make tgt.related as vt0 then dmRelated(src, vt0)
endgroup

group dmContent extends BackboneElement
  input src as source
  input tgt as target

  "DocumentManifest.content-p-Attachment" : for src.p make tgt.p
endgroup

group dmRelated extends BackboneElement
  input src as source
  input tgt as target

  "DocumentManifest.related-identifier" : for src.identifier make tgt.identifier
  "DocumentManifest.related-ref" : for src.ref make tgt.ref
endgroup
```

2.43.9.3 R3 Validation Errors

2.44 Resource OperationOutcome - Content

URL: https://hl7.org/fhir/STU3/operationoutcome.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Compartments: Not linked to any defined compartments

A collection of error, warning or information messages that result from a system action.

2.44.1 Scope and Usage

Operation outcomes are sets of error, warning and information messages that provide detailed information about the outcome of an attempted system operation. They are provided as a direct system response or component of one and provide information about the outcome of the operation.

The OperationOutcome resource is used in the following circumstances:

* When an RESTful operation fails

* As the response on a validation operation to provide information about the outcome

* As part of a message response, usually when the message has not been processed correctly

2.44.2 Boundaries and Relationships

This resource is not used for reporting clinical or workflow issues associated with a proposed or ongoing action; these would be handled using DetectedIssue or other resources. The resource is not designed to be persisted or referenced from other parts of the workflow.

It is possible to have both OperationOutcome and DetectedIssue together, where the OperationOutcome might indicate that a requested action was rejected due to a clinical issue and the DetectedIssue provides the details of the issue.

This resource is referenced by GuidanceResponse and MessageHeader

2.44.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
OperationOutcome | ? | | DomainResource | Information about the success/failure of an action Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
issue | ? | 1..* | BackboneElement | A single issue associated with the action
severity | ?!? | 1..1 | code | fatal | error | warning | information IssueSeverity (Required)
code | ? | 1..1 | code | Error or warning code IssueType (Required)
details | ? | 0..1 | CodeableConcept | Additional details about the error Operation Outcome Codes (Example)
diagnostics | ? | 0..1 | string | Additional diagnostic information about the issue
location | ? | 0..* | string | Path of element(s) related to issue
expression | ? | 0..* | string | FHIRPath of element(s) related to issue
Documentation for this format

UML Diagram (Legend)

XML Template

```
<OperationOutcome xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <issue>  <!-- 1..* A single issue associated with the action -->
  <severity value="[code]"/><!-- 1..1 fatal | error | warning | information -->
  <code value="[code]"/><!-- 1..1 Error or warning code -->
  <details><!-- 0..1 CodeableConcept Additional details about the error --></details>
  <diagnostics value="[string]"/><!-- 0..1 Additional diagnostic information about the issue -->
  <location value="[string]"/><!-- 0..* Path of element(s) related to issue -->
  <expression value="[string]"/><!-- 0..* FHIRPath of element(s) related to issue -->
 </issue>
</OperationOutcome>
```

JSON Template

```
{
  "resourceType" : "OperationOutcome",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "issue" : [{ // R!  A single issue associated with the action
    "severity" : "<code>", // R!  fatal | error | warning | information
    "code" : "<code>", // R!  Error or warning code
    "details" : { CodeableConcept }, // Additional details about the error
    "diagnostics" : "<string>", // Additional diagnostic information about the issue
    "location" : ["<string>"], // Path of element(s) related to issue
    "expression" : ["<string>"] // FHIRPath of element(s) related to issue
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:OperationOutcome;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:OperationOutcome.issue [ # 1..* A single issue associated with the action
    fhir:OperationOutcome.issue.severity [ code ]; # 1..1 fatal | error | warning | information
    fhir:OperationOutcome.issue.code [ code ]; # 1..1 Error or warning code
    fhir:OperationOutcome.issue.details [ CodeableConcept ]; # 0..1 Additional details about the error
    fhir:OperationOutcome.issue.diagnostics [ string ]; # 0..1 Additional diagnostic information about the issue
    fhir:OperationOutcome.issue.location [ string ], ... ; # 0..* Path of element(s) related to issue
    fhir:OperationOutcome.issue.expression [ string ], ... ; # 0..* FHIRPath of element(s) related to issue
  ], ...;
]
```

Changes since DSTU2

OperationOutcome
OperationOutcome.issue.expression | Added Element

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 6 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints

OperationOutcome | ? | | DomainResource | Information about the success/failure of an action Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

issue | ? | 1..* | BackboneElement | A single issue associated with the action

severity | ?!? | 1..1 | code | fatal | error | warning | information IssueSeverity (Required)

code | ? | 1..1 | code | Error or warning code IssueType (Required)

details | ? | 0..1 | CodeableConcept | Additional details about the error Operation Outcome Codes (Example)

diagnostics | ? | 0..1 | string | Additional diagnostic information about the issue

location | ? | 0..* | string | Path of element(s) related to issue

expression | ? | 0..* | string | FHIRPath of element(s) related to issue

Documentation for this format

UML Diagram (Legend)

XML Template

```
<OperationOutcome xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <issue>  <!-- 1..* A single issue associated with the action -->
  <severity value="[code]"/><!-- 1..1 fatal | error | warning | information -->
  <code value="[code]"/><!-- 1..1 Error or warning code -->
  <details><!-- 0..1 CodeableConcept Additional details about the error --></details>
  <diagnostics value="[string]"/><!-- 0..1 Additional diagnostic information about the issue -->
  <location value="[string]"/><!-- 0..* Path of element(s) related to issue -->
  <expression value="[string]"/><!-- 0..* FHIRPath of element(s) related to issue -->
 </issue>
</OperationOutcome>
```

JSON Template

```
{
  "resourceType" : "OperationOutcome",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "issue" : [{ // R!  A single issue associated with the action
    "severity" : "<code>", // R!  fatal | error | warning | information
    "code" : "<code>", // R!  Error or warning code
    "details" : { CodeableConcept }, // Additional details about the error
    "diagnostics" : "<string>", // Additional diagnostic information about the issue
    "location" : ["<string>"], // Path of element(s) related to issue
    "expression" : ["<string>"] // FHIRPath of element(s) related to issue
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:OperationOutcome;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:OperationOutcome.issue [ # 1..* A single issue associated with the action
    fhir:OperationOutcome.issue.severity [ code ]; # 1..1 fatal | error | warning | information
    fhir:OperationOutcome.issue.code [ code ]; # 1..1 Error or warning code
    fhir:OperationOutcome.issue.details [ CodeableConcept ]; # 0..1 Additional details about the error
    fhir:OperationOutcome.issue.diagnostics [ string ]; # 0..1 Additional diagnostic information about the issue
    fhir:OperationOutcome.issue.location [ string ], ... ; # 0..* Path of element(s) related to issue
    fhir:OperationOutcome.issue.expression [ string ], ... ; # 0..* FHIRPath of element(s) related to issue
  ], ...;
]
```

Changes since DSTU2

OperationOutcome

OperationOutcome.issue.expression | Added Element

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 6 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.44.3.1 Terminology Bindings

Path | Definition | Type | Reference

OperationOutcome.issue.severity | How the issue affects the success of the action. | Required | IssueSeverity

OperationOutcome.issue.code | A code that describes the type of issue. | Required | IssueType

OperationOutcome.issue.details | A code that provides details as the exact issue. | Example | Operation Outcome Codes

2.44.4 Using Operation Outcome Resources

On the RESTful interface, operation outcome resources are only relevant when a level of computable detail is required that is more granular than that provided by the HTTP response codes. This granularity could include:

* more detail about the location of an issue

* the ability to identify multiple distinct issues

* provision of finer error codes that connect to known business failure states

Operation outcomes returned SHOULD be in alignment with the HTTP response code. For example, if the HTTP code indicates a failure (300+), at least one of the issues should have a severity of "error", indicating the reason for the failure.

2.44.5 Using the Location Element

Each issue in an operation outcome may have a location reported. Systems that create operation outcomes SHOULD populate the location of an error. A correctly propulated location can allow client systems to:

* Connect return errors with the appropriate UI widget

* Route errors to the corect application or system log

* Develop more intelligent testing applications

In order to support these kinds of usages, this applications need to use the location element consistently. Applications can use the location element to refer to a location inside a resource, or some location in the HTTP request (when appropriate).

2.44.5.1 Reporting Errors in Resources

While resources may be represented in XML, JSON, or other forms, error locations are always reported using a simplified XPath notation:

```
<location value="/f:Patient/f:identifier"/>
```

The XPath must use the FHIR standard XPath prefixes f: and h: for the FHIR and XHTML namespaces respectively.

The XPath here can be used to automatically find the relevant XML element in a resource if the resource is represented in XML. Because resources are often represented in JSON, and because applications will often process the XPath directly (e.g. to determine the relevant widget), the XPath statement must be simple. Specifically, the XPath SHALL only contain element names and repetition indicators. So this is legal:

```
<location value="/f:Patient/f:identifier[2]/f:label"/>
```

but this is not:

```
<location value="/f:Patient/f:identifier[f:system/@value='http://example.com/mrn']/f:label"/>
```

Because the Xpath is required to be simple, it can be converted to JsonPointer by dropping the namespace prefixes, and correcting for array offsets. The XPaths above have these equivalent JsonPointer representations:

```
Patient/identifier
Patient/identifier/2/label
```

Note that correcting for array offsets may require knowledge of which elements are Arrays in JSON. It is also possible to convert the XPath statements to JsonPath, though there is no single standard for JsonPath.

2.44.5.2 Reporting Errors in the HTTP Headers

Servers may also need to report errors in the HTTP headers - especially query parameters when processing searches. Errors are reported using a case sensitive location that has two parts, a fixed "http" and the header or query parameter name separated by a ".". Some examples:

Location | Description
http.name:exact | A reference to the search parameter "name" with the modifier ":exact"
http.Authorization | A reference to the Authorization header - perhaps to indicate that it is missing, and some form of authentication is required.

2.44.6 Resource OperationOutcome - Examples

URL: https://hl7.org/fhir/STU3/operationoutcome-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.44.6 Resource OperationOutcome - Examples

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Example List:

General Outcome Example | 101 | XML | JSON | Turtle
An error that might be returned when an unexpected exception happens on a server | exception | XML | JSON | Turtle
An operation outcome that would be returned after a successful operation | allok | XML | JSON | Turtle
A validator has found problems with a resource | validationfail | XML | JSON | Turtle
A search error (illegal modifier) | searchfail | XML | JSON | Turtle
A note that additional information might be available if Break-The-Glass is used | break-the-glass | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.44.7 Resource OperationOutcome - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/operationoutcome-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.44.7 Resource OperationOutcome - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: 5 | Trial Use | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the OperationOutcome resource.

OperationOutcome
Definition | A collection of error, warning or information messages that result from a system action.
Control | 1..1
Summary | true
Comments | Can result from the failure of a REST call or be part of the response message returned from a request message. If sent with extensions overriding particular issues, might even appear as part of a request message.
OperationOutcome.issue
Definition | An error, warning or information message that results from a system action.
Control | 1..*
Summary | true
OperationOutcome.issue.severity
Definition | Indicates whether the issue indicates a variation from successful processing.
Control | 1..1
Terminology Binding | IssueSeverity (Required)
Type | code
Is Modifier | true
Requirements | Indicates how relevant the issue is to the overall success of the action.
Summary | true
Comments | This is labeled as "Is Modifier" because applications should not confuse hints and warnings with errors.
OperationOutcome.issue.code
Definition | Describes the type of the issue. The system that creates an OperationOutcome SHALL choose the most applicable code from the IssueType value set, and may additional provide its own code for the error in the details element.
Control | 1..1
Terminology Binding | IssueType (Required)
Type | code
Requirements | Expresses the issue in a human and computer-friendly way, allowing the requesting system to behave differently based on the type of issue.
Summary | true
OperationOutcome.issue.details
Definition | Additional details about the error. This may be a text description of the error, or a system code that identifies the error.
Control | 0..1
Terminology Binding | Operation Outcome Codes (Example)
Type | CodeableConcept
Summary | true
Comments | A human readable description of the error issue SHOULD be placed in details.text.
OperationOutcome.issue.diagnostics
Definition | Additional diagnostic information about the issue. Typically, this may be a description of how a value is erroneous, or a stack dump to help trace the issue.
Control | 0..1
Type | string
Summary | true
Comments | Typically this field is used to provide troubleshooting information about the error.
OperationOutcome.issue.location
Definition | For resource issues, this will be a simple XPath limited to element names, repetition indicators and the default child access that identifies one of the elements in the resource that caused this issue to be raised. For HTTP errors, will be "http." + the parameter name.
Control | 0..*
Type | string
Requirements | Allows systems to highlight or otherwise guide users to elements implicated in issues to allow them to be fixed more easily.
Summary | true
Comments | The root of the XPath is the resource or bundle that generated OperationOutcome. Each XPath SHALL resolve to a single node. The XPath syntax is used whether the referenced instance is expressed in XML or JSON. Note that expression is being trialed as an alternative to XPath.
OperationOutcome.issue.expression
Definition | A simple FHIRPath limited to element names, repetition indicators and the default child access that identifies one of the elements in the resource that caused this issue to be raised.
Control | 0..*
Type | string
Requirements | Allows systems to highlight or otherwise guide users to elements implicated in issues to allow them to be fixed more easily.
Summary | true
Comments | The root of the FHIRPath is the resource or bundle that generated OperationOutcome. Each FHIRPath SHALL resolve to a single node.

2.44.8 Resource OperationOutcome - Mappings

URL: https://hl7.org/fhir/STU3/operationoutcome-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.44.8 Resource OperationOutcome - Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Mappings:

RIM Mapping

HL7 v2 Mapping

Mappings for the operationoutcome resource.

2.44.8.1 Mappings for RIM Mapping (http://hl7.org/v3)

OperationOutcome | Grouping is handled through multiple repetitions from whatever context references the outcomes (no specific grouper required)
issue | AcknowledgementDetail or Observation[classCode="ALRT" and moodCode="EVN"]
severity | ./typeCode[parent::AcknowledgmentDetail] or unique(./inboundRelationship[parent::Observation and typeCode='SUBJ' and isNormalActRelationship()]/source[classCode="OBS" and moodCode="EVN" and implies(code, ActCode#SEV and isNormalAct())/value[xsi:type="CD"]
code | ./code
details | ./code
diagnostics | ./text[parent::AcknowledgmentDetail]
location | ./location[parent::AcknowledgmentDetail]
expression | ./location[parent::AcknowledgmentDetail]

2.44.8.2 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

OperationOutcome
issue | ERR
severity | ERR-4
code | ERR-3
details | ERR-5
diagnostics | ERR-8
location | ERR-2
expression | ERR-2

2.44.9 Resource OperationOutcome - Design Notes

URL: https://hl7.org/fhir/STU3/operationoutcome-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.44.9 Resource OperationOutcome - Design Notes

to do

2.44.10 Resource OperationOutcome - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/operationoutcome-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.44.10 Resource OperationOutcome - Extensions & Profiles

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the OperationOutcome resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.44.10.1 Profiles

No Profiles defined for this resource

2.44.10.2 Extensions

operationoutcome-authority | authority | for Standard OperationOutcome Extensions
operationoutcome-detectedIssue | detectedIssue | for Standard OperationOutcome Extensions
operationoutcome-issue-source | issue-source | for Standard OperationOutcome Extensions

Extensions that reference this resource:

No Extensions refer to this resource

2.44.10.3 Search Extensions

No Search Extensions defined for this resource

2.44.11 Standard OperationOutcome Extensions

URL: https://hl7.org/fhir/STU3/operationoutcome-extensions.html

This profile describes common extensions that are used with OperationOutcomes

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.44.11 Standard OperationOutcome Extensions

(No assigned work group) | Maturity Level: N/A | Ballot Status: Informative

2.44.11.1 Content

Extensions:

operationoutcome-issue-source | issue-source : Helps a user track down the source of the problem.

operationoutcome-authority | authority : A reference to where the rule is defined (based on the authoritative URLs in the applicable conformance resources).

operationoutcome-detectedIssue | detectedIssue : A reference to a stored contraindication that is the basis for this issue. A recipient can expect that the item referenced in this extension is being retained for record keeping purposes.

2.44.12 Resource OperationOutcome - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/operationoutcome-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.44.12 Resource OperationOutcome - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

R2 : R3 Converson maps for OperationOutcome.

Functional status for this map: 6 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid. (see documentation)

2.44.12.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/OperationOutcome2to3" = "R2 to R3 Conversions for OperationOutcome"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/OperationOutcome" alias OperationOutcomeR2 as source
uses "http://hl7.org/fhir/StructureDefinition/OperationOutcome" alias OperationOutcome as target

imports "http://hl7.org/fhir/StructureMap/primitives2to3"
imports "http://hl7.org/fhir/StructureMap/DomainResource2to3"
imports "http://hl7.org/fhir/StructureMap/CodeableConcept2to3"

group for type+types  OperationOutcome extends DomainResource
  input src : OperationOutcomeR2 as source
  input tgt : OperationOutcome as target

  "OperationOutcome-issue" : for src.issue as vs0 make tgt.issue as vt0 then {
    "OperationOutcome.issue-severity" : for vs0.severity make vt0.severity
    "OperationOutcome.issue-code" : for vs0.code make vt0.code
    "OperationOutcome.issue-details" : for vs0.details make vt0.details
    "OperationOutcome.issue-diagnostics" : for vs0.diagnostics make vt0.diagnostics
    "OperationOutcome.issue-location" : for vs0.location make vt0.location
  }


endgroup
```

2.44.12.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/OperationOutcome3to2" = "R3 to R2 Conversion for OperationOutcome"

uses "http://hl7.org/fhir/StructureDefinition/OperationOutcome" alias OperationOutcome as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/OperationOutcome" alias OperationOutcomeR2 as target

imports "http://hl7.org/fhir/StructureMap/primitives3to2"
imports "http://hl7.org/fhir/StructureMap/DomainResource3to2"
imports "http://hl7.org/fhir/StructureMap/CodeableConcept3to2"

group for type+types  OperationOutcome extends DomainResource
  input src : OperationOutcome as source
  input tgt : OperationOutcomeR2 as target

  "OperationOutcome-issue" : for src.issue as vs0 make tgt.issue as vt0 then {
    "OperationOutcome.issue-severity" : for vs0.severity make vt0.severity
```

```
    "OperationOutcome.issue-code" : for vs0.code make vt0.code
    "OperationOutcome.issue-details" : for vs0.details make vt0.details
    "OperationOutcome.issue-diagnostics" : for vs0.diagnostics make vt0.diagnostics
    "OperationOutcome.issue-location" : for vs0.location make vt0.location
  }


endgroup
```

2.44.12.3 R3 Validation Errors

2.45 Parameters Resource

URL: https://hl7.org/fhir/STU3/parameters.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

http://www.hl7.org/Special/committees/fiwg/index.cfm | Maturity Level: 5 | Compartments: Not linked to any defined compartments

2.45.1 Scope and Usage

This special resource type is used to represent the operation request and response.

2.45.2 Boundaries and Relationships

This special resource has no other use than for operation parameters, and there is no RESTful end-point associated with it. For further information, see the operations page.

2.45.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* All

Structure

Name | Flags | Card. | Type | Description & Constraints

Parameters | ? | | Resource | Operation Request or Response Elements defined in Ancestors: id, meta, implicitRules, language

parameter | ?I | 0..* | BackboneElement | Operation Parameter + A parameter must have only one of (value, resource, part)

name | ? | 1..1 | string | Name from the definition

value[x] | ?I | 0..1 | * | If parameter is a data type

resource | ?I | 0..1 | Resource | If parameter is a whole resource

part | ? | 0..* | see parameter | Named part of a multi-part parameter

Documentation for this format

UML Diagram (Legend)

XML Template

```
<Parameters xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <parameter>  <!-- 0..* Operation Parameter -->
  <name value="[string]"/><!-- 1..1 Name from the definition -->
  <value[x]><!--  0..1 * If parameter is a data type --></value[x]>
  <resource><!--  0..1 Resource If parameter is a whole resource --></resource>
  <part><!-- 0..* Content as for Parameters.parameter Named part of a multi-part parameter --></part>
 </parameter>
</Parameters>
```

JSON Template

```
{
  "resourceType" : "Parameters",
  // from Resource: id, meta, implicitRules, and language
  "parameter" : [{ // Operation Parameter
    "name" : "<string>", // R!  Name from the definition
    // value[x]: If parameter is a data type. One of these 23:
    "valueInteger" : <integer>,
    "valueDecimal" : <decimal>,
    "valueDateTime" : "<dateTime>",
    "valueDate" : "<date>",
    "valueInstant" : "<instant>",
    "valueString" : "<string>",
    "valueUri" : "<uri>",
    "valueBoolean" : <boolean>,
    "valueCode" : "<code>",
    "valueBase64Binary" : "<base64Binary>",
    "valueCoding" : { Coding },
    "valueCodeableConcept" : { CodeableConcept },
    "valueAttachment" : { Attachment },
```

```
    "valueIdentifier" : { Identifier },
    "valueQuantity" : { Quantity },
    "valueRange" : { Range },
    "valuePeriod" : { Period },
    "valueRatio" : { Ratio },
    "valueHumanName" : { HumanName },
    "valueAddress" : { Address },
    "valueContactPoint" : { ContactPoint },
    "valueSchedule" : { Schedule },
    "valueReference" : { Reference },
    "resource" : { Resource }, // C? If parameter is a whole resource
    "part" : [{ Content as for Parameters.parameter }] // Named part of a multi-part parameter
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .

[
 # from Element: Element.extension
  fhir:Parameters.parameter [ # 0..* Operation Parameter
    fhir:Parameters.parameter.name [ string ]; # 1..1 Name from the definition
    # Parameters.parameter.value[x] : 0..1 If parameter is a data type. One of these 38
      fhir:Parameters.parameter.valueBase64Binary [ base64Binary ]
      fhir:Parameters.parameter.valueBoolean [ boolean ]
      fhir:Parameters.parameter.valueCode [ code ]
      fhir:Parameters.parameter.valueDate [ date ]
      fhir:Parameters.parameter.valueDateTime [ dateTime ]
      fhir:Parameters.parameter.valueDecimal [ decimal ]
      fhir:Parameters.parameter.valueId [ id ]
      fhir:Parameters.parameter.valueInstant [ instant ]
      fhir:Parameters.parameter.valueInteger [ integer ]
      fhir:Parameters.parameter.valueMarkdown [ markdown ]
      fhir:Parameters.parameter.valueOid [ oid ]
      fhir:Parameters.parameter.valuePositiveInt [ positiveInt ]
      fhir:Parameters.parameter.valueString [ string ]
      fhir:Parameters.parameter.valueTime [ time ]
      fhir:Parameters.parameter.valueUnsignedInt [ unsignedInt ]
      fhir:Parameters.parameter.valueUri [ uri ]
      fhir:Parameters.parameter.valueAddress [ Address ]
      fhir:Parameters.parameter.valueAge [ Age ]
      fhir:Parameters.parameter.valueAnnotation [ Annotation ]
      fhir:Parameters.parameter.valueAttachment [ Attachment ]
      fhir:Parameters.parameter.valueCodeableConcept [ CodeableConcept ]
      fhir:Parameters.parameter.valueCoding [ Coding ]
      fhir:Parameters.parameter.valueContactPoint [ ContactPoint ]
      fhir:Parameters.parameter.valueCount [ Count ]
      fhir:Parameters.parameter.valueDistance [ Distance ]
      fhir:Parameters.parameter.valueDuration [ Duration ]
      fhir:Parameters.parameter.valueHumanName [ HumanName ]
      fhir:Parameters.parameter.valueIdentifier [ Identifier ]
      fhir:Parameters.parameter.valueMoney [ Money ]
      fhir:Parameters.parameter.valuePeriod [ Period ]
      fhir:Parameters.parameter.valueQuantity [ Quantity ]
      fhir:Parameters.parameter.valueRange [ Range ]
      fhir:Parameters.parameter.valueRatio [ Ratio ]
      fhir:Parameters.parameter.valueReference [ Reference ]
      fhir:Parameters.parameter.valueSampledData [ SampledData ]
      fhir:Parameters.parameter.valueSignature [ Signature ]
      fhir:Parameters.parameter.valueTiming [ Timing ]
      fhir:Parameters.parameter.valueMeta [ Meta ]
    fhir:Parameters.parameter.resource [ Resource ]; # 0..1 If parameter is a whole resource
    fhir:Parameters.parameter.part [ See Parameters.parameter ], ... ; # 0..* Named part of a multi-part parameter
  ], ...;
]
```

Structure

Name	Flags	Card.	Type	Description & Constraints
Parameters	?		Resource	Operation Request or Response Elements defined in Ancestors: id, meta, implicitRules, language
parameter	?I	0..*	BackboneElement	Operation Parameter + A parameter must have only one of (value, resource, part)
name	?	1..1	string	Name from the definition
value[x]	?I	0..1	*	If parameter is a data type
resource	?I	0..1	Resource	If parameter is a whole resource
part	?	0..*	see parameter	Named part of a multi-part parameter

Documentation for this format

UML Diagram (Legend)

XML Template

```
<Parameters xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <parameter>  <!-- 0..* Operation Parameter -->
  <name value="[string]"/><!-- 1..1 Name from the definition -->
  <value[x]><!--  0..1 * If parameter is a data type --></value[x]>
  <resource><!--  0..1 Resource If parameter is a whole resource --></resource>
  <part><!-- 0..* Content as for Parameters.parameter Named part of a multi-part parameter --></part>
 </parameter>
```

```
</Parameters>
```

JSON Template

```
{
  "resourceType" : "Parameters",
  // from Resource: id, meta, implicitRules, and language
  "parameter" : [{ // Operation Parameter
    "name" : "<string>", // R!  Name from the definition
    // value[x]: If parameter is a data type. One of these 23:
    "valueInteger" : <integer>,
    "valueDecimal" : <decimal>,
    "valueDateTime" : "<dateTime>",
    "valueDate" : "<date>",
    "valueInstant" : "<instant>",
    "valueString" : "<string>",
    "valueUri" : "<uri>",
    "valueBoolean" : <boolean>,
    "valueCode" : "<code>",
    "valueBase64Binary" : "<base64Binary>",
    "valueCoding" : { Coding },
    "valueCodeableConcept" : { CodeableConcept },
    "valueAttachment" : { Attachment },
    "valueIdentifier" : { Identifier },
    "valueQuantity" : { Quantity },
    "valueRange" : { Range },
    "valuePeriod" : { Period },
    "valueRatio" : { Ratio },
    "valueHumanName" : { HumanName },
    "valueAddress" : { Address },
    "valueContactPoint" : { ContactPoint },
    "valueSchedule" : { Schedule },
    "valueReference" : { Reference },
    "resource" : { Resource }, // C? If parameter is a whole resource
    "part" : [{ Content as for Parameters.parameter }] // Named part of a multi-part parameter
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .

[
 # from Element: Element.extension
  fhir:Parameters.parameter [ # 0..* Operation Parameter
    fhir:Parameters.parameter.name [ string ]; # 1..1 Name from the definition
    # Parameters.parameter.value[x] : 0..1 If parameter is a data type. One of these 38
      fhir:Parameters.parameter.valueBase64Binary [ base64Binary ]
      fhir:Parameters.parameter.valueBoolean [ boolean ]
      fhir:Parameters.parameter.valueCode [ code ]
      fhir:Parameters.parameter.valueDate [ date ]
      fhir:Parameters.parameter.valueDateTime [ dateTime ]
      fhir:Parameters.parameter.valueDecimal [ decimal ]
      fhir:Parameters.parameter.valueId [ id ]
      fhir:Parameters.parameter.valueInstant [ instant ]
      fhir:Parameters.parameter.valueInteger [ integer ]
      fhir:Parameters.parameter.valueMarkdown [ markdown ]
      fhir:Parameters.parameter.valueOid [ oid ]
      fhir:Parameters.parameter.valuePositiveInt [ positiveInt ]
      fhir:Parameters.parameter.valueString [ string ]
      fhir:Parameters.parameter.valueTime [ time ]
      fhir:Parameters.parameter.valueUnsignedInt [ unsignedInt ]
      fhir:Parameters.parameter.valueUri [ uri ]
      fhir:Parameters.parameter.valueAddress [ Address ]
      fhir:Parameters.parameter.valueAge [ Age ]
      fhir:Parameters.parameter.valueAnnotation [ Annotation ]
      fhir:Parameters.parameter.valueAttachment [ Attachment ]
      fhir:Parameters.parameter.valueCodeableConcept [ CodeableConcept ]
      fhir:Parameters.parameter.valueCoding [ Coding ]
      fhir:Parameters.parameter.valueContactPoint [ ContactPoint ]
      fhir:Parameters.parameter.valueCount [ Count ]
      fhir:Parameters.parameter.valueDistance [ Distance ]
      fhir:Parameters.parameter.valueDuration [ Duration ]
      fhir:Parameters.parameter.valueHumanName [ HumanName ]
      fhir:Parameters.parameter.valueIdentifier [ Identifier ]
      fhir:Parameters.parameter.valueMoney [ Money ]
      fhir:Parameters.parameter.valuePeriod [ Period ]
      fhir:Parameters.parameter.valueQuantity [ Quantity ]
      fhir:Parameters.parameter.valueRange [ Range ]
      fhir:Parameters.parameter.valueRatio [ Ratio ]
      fhir:Parameters.parameter.valueReference [ Reference ]
      fhir:Parameters.parameter.valueSampledData [ SampledData ]
      fhir:Parameters.parameter.valueSignature [ Signature ]
      fhir:Parameters.parameter.valueTiming [ Timing ]
      fhir:Parameters.parameter.valueMeta [ Meta ]
    fhir:Parameters.parameter.resource [ Resource ]; # 0..1 If parameter is a whole resource
    fhir:Parameters.parameter.part [ See Parameters.parameter ], ... ; # 0..* Named part of a multi-part parameter
  ], ...;
]
```

2.45.3.1 Constraints

* inv-1: On Parameters.parameter: A parameter must have only one of (value, resource, part) (expression on Parameters.parameter: (part.exists() and value.empty() and resource.empty()) or (part.empty() and (value.exists() xor resource.exists())))

Note: for technical compatibility reasons, the Parameters resource inherits from Resource, but since the parameter exchange format has no end-point and/or persistence, it never has an id, a versionId, or a lastUpdated. The other features of Resource (tags, profiles, security labels, language etc.) may have use when operations are executed.

2.45.4 Resource Parameters - Examples

URL: https://hl7.org/fhir/STU3/parameters-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.45.4 Resource Parameters - Examples

Example List:

Parameters Example | example | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.45.5 Resource Parameters - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/parameters-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.45.5 Resource Parameters - Detailed Descriptions

Detailed Descriptions for the elements in the Parameters Resource.

Parameters
Definition | This special resource type is used to represent an operation request and response (operations.html). It has no other use, and there is no RESTful endpoint associated with it.
Control | 1..1
Summary | true
Comments | The parameters that may be used are defined by the OperationDefinition resource.
Parameters.parameter
Definition | A parameter passed to or received from the operation.
Control | 0..*
Summary | true
Invariants | Defined on this element inv-1: A parameter must have only one of (value, resource, part) (expression : (part.exists() and value.empty() and resource.empty()) or (part.empty() and (value.exists() xor resource.exists())), xpath: exists(f:value) or exists(f:resource) and not(exists(f:value) and exists(f:resource)))
Parameters.parameter.name
Definition | The name of the parameter (reference to the operation definition).
Control | 1..1
Type | string
Summary | true
Parameters.parameter.value[x]
Definition | If the parameter is a data type.
Control | 0..1
Type | *
[x] Note | See Choice of Data Types for further information about how to use [x]
Summary | true
Invariants | Affect this element inv-1: A parameter must have only one of (value, resource, part) (expression : (part.exists() and value.empty() and resource.empty()) or (part.empty() and (value.exists() xor resource.exists())), xpath: exists(f:value) or exists(f:resource) and not(exists(f:value) and exists(f:resource)))
Parameters.parameter.resource
Definition | If the parameter is a whole resource.
Control | 0..1
Type | Resource
Summary | true
Invariants | Affect this element inv-1: A parameter must have only one of (value, resource, part) (expression : (part.exists() and value.empty() and resource.empty()) or (part.empty() and (value.exists() xor resource.exists())), xpath: exists(f:value) or exists(f:resource) and not(exists(f:value) and exists(f:resource)))
Parameters.parameter.part
Definition | A named part of a multi-part parameter.
Control | 0..*
Type | See Parameters.parameter
Summary | true
Comments | Only one level of nested parameters is allowed.

2.46 Resource Subscription - Content

URL: https://hl7.org/fhir/STU3/subscription.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Compartments: Not linked to any defined compartments

The subscription resource is used to define a push based subscription from a server to another system. Once a subscription is registered with the server, the server checks every resource that is created or updated, and if the resource matches the given criteria, it sends a message on the defined "channel" so that another system is able to take an appropriate action.

2.46.1 Scope and Usage

Once a subscription is created, any newly created or updated resources that meet the criteria in the resource cause a notification to be sent using the provided channel. The criteria are Search strings that have the same interpretation as if they were appended to the base URL and submitted using the REST API. Note that the search criteria are applied to the new value of the resource. The consequence of this is that there is no notification when a resource is deleted, or when a resource is updated so that it no longer meets the criteria.

The server is able to send notifications without any information about the matching resource, or with the entire resource.

Several different types of channels are supported:

* rest-hook: A post is made to the URL identified in the Subscription resource. If the subscription requests that the whole resource is included, the URL is interpreted as the service base

* websocket: A PING message is sent to the designated URI

* email/sms: A notification is sent to the nominated email address or SMS number

* message: The resource is sent to the application identified in the URI as a message

See below for further discussion of the various channels. Note that sending the entire resource creates security concerns that must be managed by the server.

Subscriptions are active resources; a server can only accept a subscription if it will execute the specified channel for any resources subsequently received. The subscription is no longer active once it is deleted from the server.

2.46.2 Boundaries and Relationships

As an alternative to subscriptions, the RESTful API describes a polling-based subscription method using bundles and the history operation. This method of polling allows for a much tighter relationship between the client and the server that doesn't involve missing updates and/or deletes.

2.46.3 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
Subscription | ? | | DomainResource | A server push subscription criteria Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
status | ?!? | 1..1 | code | requested | active | error | off SubscriptionStatus (Required)
contact | ? | 0..* | ContactPoint | Contact details for source (e.g. troubleshooting)
end | ? | 0..1 | instant | When to automatically delete the subscription
reason | ? | 1..1 | string | Description of why this subscription was created
criteria | ? | 1..1 | string | Rule for server push criteria
error | ? | 0..1 | string | Latest error note
channel | ? | 1..1 | BackboneElement | The channel on which to report matches to the criteria
type | ? | 1..1 | code | rest-hook | websocket | email | sms | message SubscriptionChannelType (Required)
endpoint | ? | 0..1 | uri | Where the channel points to
payload | ? | 0..1 | string | Mimetype to send, or omit for no payload
header | ? | 0..* | string | Usage depends on the channel type
tag | ? | 0..* | Coding | A tag to add to matching resources SubscriptionTag (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Subscription xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
```

```
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <status value="[code]"/><!-- 1..1 requested | active | error | off -->
 <contact><!-- 0..* ContactPoint Contact details for source (e.g. troubleshooting) --></contact>
 <end value="[instant]"/><!-- 0..1 When to automatically delete the subscription -->
 <reason value="[string]"/><!-- 1..1 Description of why this subscription was created -->
 <criteria value="[string]"/><!-- 1..1 Rule for server push criteria -->
 <error value="[string]"/><!-- 0..1 Latest error note -->
 <channel>  <!-- 1..1 The channel on which to report matches to the criteria -->
  <type value="[code]"/><!-- 1..1 rest-hook | websocket | email | sms | message -->
  <endpoint value="[uri]"/><!-- 0..1 Where the channel points to -->
  <payload value="[string]"/><!-- 0..1 Mimetype to send, or omit for no payload -->
  <header value="[string]"/><!-- 0..* Usage depends on the channel type -->
 </channel>
 <tag><!-- 0..* Coding A tag to add to matching resources --></tag>
</Subscription>
```

JSON Template

```
{
  "resourceType" : "Subscription",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "status" : "<code>", // R!  requested | active | error | off
  "contact" : [{ ContactPoint }], // Contact details for source (e.g. troubleshooting)
  "end" : "<instant>", // When to automatically delete the subscription
  "reason" : "<string>", // R!  Description of why this subscription was created
  "criteria" : "<string>", // R!  Rule for server push criteria
  "error" : "<string>", // Latest error note
  "channel" : { // R!  The channel on which to report matches to the criteria
    "type" : "<code>", // R!  rest-hook | websocket | email | sms | message
    "endpoint" : "<uri>", // Where the channel points to
    "payload" : "<string>", // Mimetype to send, or omit for no payload
    "header" : ["<string>"] // Usage depends on the channel type
  },
  "tag" : [{ Coding }] // A tag to add to matching resources
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Subscription;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Subscription.status [ code ]; # 1..1 requested | active | error | off
  fhir:Subscription.contact [ ContactPoint ], ... ; # 0..* Contact details for source (e.g. troubleshooting)
  fhir:Subscription.end [ instant ]; # 0..1 When to automatically delete the subscription
  fhir:Subscription.reason [ string ]; # 1..1 Description of why this subscription was created
  fhir:Subscription.criteria [ string ]; # 1..1 Rule for server push criteria
  fhir:Subscription.error [ string ]; # 0..1 Latest error note
  fhir:Subscription.channel [ # 1..1 The channel on which to report matches to the criteria
    fhir:Subscription.channel.type [ code ]; # 1..1 rest-hook | websocket | email | sms | message
    fhir:Subscription.channel.endpoint [ uri ]; # 0..1 Where the channel points to
    fhir:Subscription.channel.payload [ string ]; # 0..1 Mimetype to send, or omit for no payload
    fhir:Subscription.channel.header [ string ], ... ; # 0..* Usage depends on the channel type
  ];
  fhir:Subscription.tag [ Coding ], ... ; # 0..* A tag to add to matching resources
]
```

Changes since DSTU2

Subscription

Subscription.channel.payload | Min Cardinality changed from 1 to 0

Subscription.channel.header | Max Cardinality changed from 1 to *

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 2 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints

Subscription | ? | | DomainResource | A server push subscription criteria Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

status | ?!? | 1..1 | code | requested | active | error | off SubscriptionStatus (Required)

contact | ? | 0..* | ContactPoint | Contact details for source (e.g. troubleshooting)

end | ? | 0..1 | instant | When to automatically delete the subscription

reason | ? | 1..1 | string | Description of why this subscription was created

criteria | ? | 1..1 | string | Rule for server push criteria

error | ? | 0..1 | string | Latest error note

channel | ? | 1..1 | BackboneElement | The channel on which to report matches to the criteria

type | ? | 1..1 | code | rest-hook | websocket | email | sms | message SubscriptionChannelType (Required)

endpoint | ? | 0..1 | uri | Where the channel points to

payload | ? | 0..1 | string | Mimetype to send, or omit for no payload

header | ? | 0..* | string | Usage depends on the channel type
tag | ? | 0..* | Coding | A tag to add to matching resources SubscriptionTag (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Subscription xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <status value="[code]"/><!-- 1..1 requested | active | error | off -->
 <contact><!-- 0..* ContactPoint Contact details for source (e.g. troubleshooting) --></contact>
 <end value="[instant]"/><!-- 0..1 When to automatically delete the subscription -->
 <reason value="[string]"/><!-- 1..1 Description of why this subscription was created -->
 <criteria value="[string]"/><!-- 1..1 Rule for server push criteria -->
 <error value="[string]"/><!-- 0..1 Latest error note -->
 <channel>  <!-- 1..1 The channel on which to report matches to the criteria -->
  <type value="[code]"/><!-- 1..1 rest-hook | websocket | email | sms | message -->
  <endpoint value="[uri]"/><!-- 0..1 Where the channel points to -->
  <payload value="[string]"/><!-- 0..1 Mimetype to send, or omit for no payload -->
  <header value="[string]"/><!-- 0..* Usage depends on the channel type -->
 </channel>
 <tag><!-- 0..* Coding A tag to add to matching resources --></tag>
</Subscription>
```

JSON Template

```
{
  "resourceType" : "Subscription",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "status" : "<code>", // R!  requested | active | error | off
  "contact" : [{ ContactPoint }], // Contact details for source (e.g. troubleshooting)
  "end" : "<instant>", // When to automatically delete the subscription
  "reason" : "<string>", // R!  Description of why this subscription was created
  "criteria" : "<string>", // R!  Rule for server push criteria
  "error" : "<string>", // Latest error note
  "channel" : { // R!  The channel on which to report matches to the criteria
    "type" : "<code>", // R!  rest-hook | websocket | email | sms | message
    "endpoint" : "<uri>", // Where the channel points to
    "payload" : "<string>", // Mimetype to send, or omit for no payload
    "header" : ["<string>"] // Usage depends on the channel type
  },
  "tag" : [{ Coding }] // A tag to add to matching resources
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Subscription;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Subscription.status [ code ]; # 1..1 requested | active | error | off
  fhir:Subscription.contact [ ContactPoint ], ... ; # 0..* Contact details for source (e.g. troubleshooting)
  fhir:Subscription.end [ instant ]; # 0..1 When to automatically delete the subscription
  fhir:Subscription.reason [ string ]; # 1..1 Description of why this subscription was created
  fhir:Subscription.criteria [ string ]; # 1..1 Rule for server push criteria
  fhir:Subscription.error [ string ]; # 0..1 Latest error note
  fhir:Subscription.channel [ # 1..1 The channel on which to report matches to the criteria
    fhir:Subscription.channel.type [ code ]; # 1..1 rest-hook | websocket | email | sms | message
    fhir:Subscription.channel.endpoint [ uri ]; # 0..1 Where the channel points to
    fhir:Subscription.channel.payload [ string ]; # 0..1 Mimetype to send, or omit for no payload
    fhir:Subscription.channel.header [ string ], ... ; # 0..* Usage depends on the channel type
  ];
  fhir:Subscription.tag [ Coding ], ... ; # 0..* A tag to add to matching resources
]
```

Changes since DSTU2

Subscription
Subscription.channel.payload | Min Cardinality changed from 1 to 0
Subscription.channel.header | Max Cardinality changed from 1 to *

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 2 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.46.3.1 Terminology Bindings

Path | Definition | Type | Reference
Subscription.status | The status of a subscription. | Required | SubscriptionStatus
Subscription.channel.type | The type of method used to execute a subscription. | Required | SubscriptionChannelType

2.46.4 Safety and Security

Executing each of the channels documented below involves the server sending a communication that will reveal information about the client and server relationship, and, if the entire resource is sent, administrative or clinical information that may be quite sensitive and/or protected under law. Servers are responsible for ensuring appropriate security is employed for each channel. The subscription resource does not address these concerns directly - it is assumed that these are administered by other configuration. For instance, a server might maintain a whitelist of acceptable servers for the rest-create/rest-update methods.

Emails should generally be secured using some technique such as Direct .

2.46.5 Managing Subscriptions and Errors

A subscription is defined by creating the Subscription resource on the server. When the subscription is created by the client, it sets the status to "requested". After POSTing the subscription, the client parses the Location header and saves the new Subscription's logical id for use in subsequent operations.

The criteria are subject to the same limitations as the client that created it, such as access to patient compartments etc. Note that the subscription remains active after the client access tokens expire.

Once the server has activated the subscription, it sets the status to "active" (note: the server can do this as it accepts the resource if it wants).

An appropriately authorized client can use search and/or history operations to see what subscriptions are currently active on the server. Once the subscription is no longer desired, the client deletes the subscription from the server.

The server may retry the notification a fixed number of times and/or refer errors to its own alert logs. If the notification fails, the server should set the status to 'error', and mark the error in the resource. If the notification succeeds, the server should update the status to "active again. If a subscription fails consistently a server may choose set the subscription status to off, and stop trying to send notifications.

If a subscription nominates a fixed end date, the server automatically deletes it at the specified time.

2.46.6 Channels

2.46.6.1 REST Hook

This uses an empty POST message to alert the subscriber that new results are available - POST to [base]/Subscription:

```
{
  "resourceType": "Subscription",
  "criteria": "Observation?name=http://loinc.org|1975-2&_format=json",
  "channel": {
    "type": "rest-hook",
    "endpoint": "https://biliwatch.com/customers/mount-auburn-miu/on-result",
    "header": "Authorization: Bearer secret-token-abc-123"
  }
}
```

When a resource is created or updated that meets the criteria, the server sends a POST request with no body to the nominated URL.

When the subscriber receives a POST to https://biliwatch.com/customers/mount-auburn-miu/on-result, it re-issues the criteria as a query to the server, appending &_since=:last (where :last is replaced by the time at which the client last checked). In this way it can fetch all new relevant Observations.

Since payload is missing, the data in the resources is only available through the REST API, which helps consolidate authorization and authentication logic. The server must append the headers, if any are given, to the POST request that it makes to the client.

Alternatively, the server can be asked to send the entire resource to a nominated FHIR end-point. This is usually appropriate for defining routing rules within a managed eco-system such as a healthcare institution.

```
{
  "channel": {
    "type": "rest-hook",
    "endpoint": "https://internal.acme.com/research/saturn",
    "payload": "application/fhir+json"
  }
}
```

This requests that a server forward a copy of any matching resource in JSON format to the nominated server as an Update operation using the nominated URL as the service base. In order to execute this channel, the server must know how to authenticate appropriately with the destination server. This can be done by the subscription resource providing an authentication header for the server to use, or alternatively, the server may be specifically configured to be able to use the nominated server.

2.46.6.2 WebSockets

Subscriptions are created exclusively via the FHIR REST API. But notifications need not occur via REST. Indeed, some subscribers may be unable to expose an outward-facing HTTP server to receive triggered notifications. For example, a pure

client-side Web app or mobile app may want to subscribe to a data feed without polling using the /history operation. This can be accomplished using a websocket notification channel.

A client can declare its intention to listen via Web Sockets:

```
{
  "channel": {
    "type": "websocket"
  }
}
```

The subscriber would then initiate a Web Socket connection to the server, at a URL advertised in the FHIR server's Capability statement (subscriptions/webSocketUrl (todo)). A simple protocol is used to listen for notifications:

* Client connects a secure Web Socket to the servers's webSocketUrl (see websocket extension in the server's CapabilityStatement).

* Client authenticates to server using a server-specified Web socket protocol (e.g. OAuth bearer token presentation).

* Client sends a bind :id message over the socket (using the logical id of the subscription). For example, the client might issue: bind 123).

* Server responds with a "bound :id" message to acknowledge.

* Server sends a "ping :id" message to notify the client each time a new result is available

2.46.6.3 Email/SMS

A client can register for its user to receive notifications by email:

```
{
  "channel": {
    "type": "email",
    "endpoint": "mailto:mt-auburn-results@direct.biliwatch.com",
    "header": "A new bilirubin result has arrived!"
  }
}
```

The server would send a new message for each matching resource. The body of the email may be empty, or it may contain a reference to the search or the matching resource. It is at the discretion of the server as to how much information to provide. The email should be secured appropriately, such as using Direct, as specified by the rules of the applicable jurisdictions.

SMS works very similarly:

```
{
  "channel": {
    "type": "sms",
    "endpoint": "tel:+1555-345-5555"
  }
}
```

Note: SMS messages are extremely limited in size, so payload should be set to false Irrespective of size, most servers will refuse to send payloads in SMS for security reasons.

2.46.6.4 Messaging

A client can register for its user to receive notifications by messaging:

```
{
  "channel": {
    "type": "message",
    "endpoint": "http://ehr.example.org/fhir/$process-message"
  }
}
```

For each matching resource, a server will send a message to the nominated end-point. Most servers will require that the end-point is white-listed prior to allowing these kinds of subscriptions.

STU Note: The details of the message - mainly the event code - are still to be resolved during the trial use period.

Feedback is welcome here .

2.46.7 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name	Type	Description	Expression	In Common
add-tag	token	A tag to be added to the resource matching the criteria	Subscription.tag	
contact	token	Contact details for the subscription	Subscription.contact	
criteria	string	The search rules used to determine when to send a notification	Subscription.criteria	
payload	string	The mime-type of the notification payload	Subscription.channel.payload	
status	token	The current state of the subscription	Subscription.status	
type	token	The type of channel for the sent notifications	Subscription.channel.type	
url	uri	The uri that will receive the notifications	Subscription.channel.endpoint	

2.46.8 Resource Subscription - Examples

URL: https://hl7.org/fhir/STU3/subscription-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.46.8 Resource Subscription - Examples

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Example List:

Example Subscription | example | XML | JSON | Turtle
Example of subscription in error status | example-error | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.46.9 Resource Subscription - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/subscription-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.46.9 Resource Subscription - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: 3 | Trial Use | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the Subscription resource.

Subscription
Definition | The subscription resource is used to define a push based subscription from a server to another system. Once a subscription is registered with the server, the server checks every resource that is created or updated, and if the resource matches the given criteria, it sends a message on the defined "channel" so that another system is able to take an appropriate action.
Control | 1..1
Alternate Names | WebHook; Hook; Routing Rule
Summary | true
Subscription.status
Definition | The status of the subscription, which marks the server state for managing the subscription.
Control | 1..1
Terminology Binding | SubscriptionStatus (Required)
Type | code
Is Modifier | true
Summary | true
Comments | A client can only submit subscription resources in the requested or off state. Only the server can move a subscription from requested to active, and then to error. Either the server or the client can turn a subscription off. This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
Subscription.contact
Definition | Contact details for a human to contact about the subscription. The primary use of this for system administrator troubleshooting.
Control | 0..*
Type | ContactPoint
Summary | true
Subscription.end
Definition | The time for the server to turn the subscription off.
Control | 0..1
Type | instant
Summary | true
Comments | The server is permitted to deviate from this time, but should observe it.
Subscription.reason
Definition | A description of why this subscription is defined.
Control | 1..1
Type | string
Summary | true
Subscription.criteria
Definition | The rules that the server should use to determine when to generate notifications for this subscription.
Control | 1..1
Type | string
Summary | true
Comments | The rules are a search criteria (without the [base] part). Like Bundle.entry.request.url, it has no leading "/".
Subscription.error
Definition | A record of the last error that occurred when the server processed a notification.
Control | 0..1
Type | string
Summary | true
Subscription.channel
Definition | Details where to send notifications when resources are received that meet the criteria.
Control | 1..1
Summary | true
Subscription.channel.type

Definition | The type of channel to send notifications on.
Control | 1..1
Terminology Binding | SubscriptionChannelType (Required)
Type | code
Summary | true
Subscription.channel.endpoint
Definition | The uri that describes the actual end-point to send messages to.
Control | 0..1
Type | uri
Summary | true
Comments | For rest-hook, and websocket, the end-point must be an http: or https: URL; for email, a mailto: url, for sms, a tel: url, and for message the endpoint can be in any form of url the server understands (usually, http: or mllp:). The URI is allowed to be relative; in which case, it is relative to the server end-point (since their may be more than one, clients should avoid using relative URIs).
Subscription.channel.payload
Definition | The mime type to send the payload in - either application/fhir+xml, or application/fhir+json. If the payload is not present, then there is no payload in the notification, just a notification.
Control | 0..1
Type | string
Summary | true
Comments | Sending the payload has obvious security implications. The server is responsible for ensuring that the content is appropriately secured.
Subscription.channel.header
Definition | Additional headers / information to send as part of the notification.
Control | 0..*
Type | string
Summary | true
Comments | Exactly what these mean depend on the channel type. They can convey additional information to the recipient and/or meet security requirements; for example, support of multiple headers in the outgoing notifications for rest-hook type subscriptions.
Subscription.tag
Definition | A tag to add to any resource that matches the criteria, after the subscription is processed.
Control | 0..*
Terminology Binding | SubscriptionTag (Example)
Type | Coding
Summary | true
Comments | So that other systems can tell which resources have been the subject of a notification.

2.46.10 Resource Subscription - Mappings

URL: https://hl7.org/fhir/STU3/subscription-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.46.10 Resource Subscription - Mappings

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Mappings:

RIM Mapping

Mappings for the subscription resource.

2.46.10.1 Mappings for RIM Mapping (http://hl7.org/v3)

Subscription | N/A

2.46.11 Resource Subscription - Design Notes

URL: https://hl7.org/fhir/STU3/subscription-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.46.11 Resource Subscription - Design Notes

to do

2.46.12 Resource Subscription - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/subscription-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.46.12 Resource Subscription - Extensions & Profiles

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Subscription resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.46.12.1 Profiles

No Profiles defined for this resource

2.46.12.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

2.46.12.3 Search Extensions

No Search Extensions defined for this resource

2.46.13 Resource Subscription - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/subscription-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.46.13 Resource Subscription - Detailed Descriptions

FHIR Infrastructure Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

R2 : R3 Converson maps for Subscription.

Functional status for this map: 2 tests that all execute ok. All tests pass round-trip testing and all r3 resources are valid. (see documentation)

2.46.13.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/Subscription2to3" = "R2 to R3 Conversions for Subscription"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Subscription" alias SubscriptionR2 as source
uses "http://hl7.org/fhir/StructureDefinition/Subscription" alias Subscription as target

imports "http://hl7.org/fhir/StructureMap/primitives2to3"
imports "http://hl7.org/fhir/StructureMap/DomainResource2to3"
imports "http://hl7.org/fhir/StructureMap/ContactPoint2to3"
imports "http://hl7.org/fhir/StructureMap/Coding2to3"

group for type+types  Subscription extends DomainResource
  input src : SubscriptionR2 as source
  input tgt : Subscription as target

  "Subscription-criteria" : for src.criteria make tgt.criteria
  "Subscription-contact" : for src.contact make tgt.contact
  "Subscription-reason" : for src.reason make tgt.reason
  "Subscription-status" : for src.status make tgt.status
  "Subscription-error" : for src.error make tgt.error
  "Subscription-channel" : for src.channel as vs0 make tgt.channel as vt0 then {
    "Subscription.channel-type" : for vs0.type make vt0.type
    "Subscription.channel-endpoint" : for vs0.endpoint make vt0.endpoint
    "Subscription.channel-payload" : for vs0.payload make vt0.payload
    "Subscription.channel-header" : for vs0.header make vt0.header
  }

  "Subscription-end" : for src.end make tgt.end
  "Subscription-tag" : for src.tag make tgt.tag

endgroup
```

2.46.13.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/Subscription3to2" = "R3 to R2 Conversion for Subscription"

uses "http://hl7.org/fhir/StructureDefinition/Subscription" alias Subscription as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Subscription" alias SubscriptionR2 as target

imports "http://hl7.org/fhir/StructureMap/primitives3to2"
imports "http://hl7.org/fhir/StructureMap/DomainResource3to2"
imports "http://hl7.org/fhir/StructureMap/ContactPoint3to2"
imports "http://hl7.org/fhir/StructureMap/Coding3to2"

group for type+types  Subscription extends DomainResource
  input src : Subscription as source
  input tgt : SubscriptionR2 as target

  "Subscription-criteria" : for src.criteria make tgt.criteria
  "Subscription-contact" : for src.contact make tgt.contact
  "Subscription-reason" : for src.reason make tgt.reason
```

```
  "Subscription-status" : for src.status make tgt.status
  "Subscription-error" : for src.error make tgt.error
  "Subscription-channel" : for src.channel as vs0 make tgt.channel as vt0 then {
    "Subscription.channel-type" : for vs0.type make vt0.type
    "Subscription.channel-endpoint" : for vs0.endpoint make vt0.endpoint
    "Subscription.channel-payload" : for vs0.payload make vt0.payload
    "Subscription.channel-header" : for vs0.header make vt0.header
  }

  "Subscription-end" : for src.end make tgt.end
  "Subscription-tag" : for src.tag make tgt.tag

endgroup
```

2.46.13.3 R3 Validation Errors

2.47 Resource MessageHeader - Content

URL: https://hl7.org/fhir/STU3/messageheader.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Infrastructure And Messaging Work Group | Maturity Level: 3 | Trial Use | Compartments: Device, Practitioner

The header for a message exchange that is either requesting or responding to an action. The reference(s) that are the subject of the action as well as other information related to the action are typically transmitted in a bundle in which the MessageHeader resource instance is the first resource in the bundle.

2.47.1 Scope and Usage

The MessageHeader resource is defined in order to support Messaging using FHIR resources. The principle usage of the MessageHeader resource is when messages are exchanged. However, as a resource that can be used with the RESTful framework, the MessageHeader resource has the normal resource end-point ([base-url]/MessageHeader), which is used to manage a set of static messages resources. This could be used to make an archive of past messages available. Creating or updating Message resources in this fashion does not represent the actual occurrence of any event, nor can it trigger any logic associated with the actual event. It is just for managing a set of message resources.

2.47.2 Resource Content

* Structure
* UML
* XML
* JSON
* Turtle
* R2 Diff
* All

Structure

Name | Flags | Card. | Type | Description & Constraints
MessageHeader | ? | | DomainResource | A resource that describes a message that is exchanged between systems Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
event | ? | 1..1 | Coding | Code for the event this message represents MessageEvent (Example)
destination | ? | 0..* | BackboneElement | Message destination application(s)
name | ? | 0..1 | string | Name of system
target | ? | 0..1 | Reference(Device) | Particular delivery destination within the destination
endpoint | ? | 1..1 | uri | Actual destination address or id
receiver | ? | 0..1 | Reference(Practitioner | Organization) | Intended "real-world" recipient for the data
sender | ? | 0..1 | Reference(Practitioner | Organization) | Real world sender of the message
timestamp | ? | 1..1 | instant | Time that the message was sent
enterer | ? | 0..1 | Reference(Practitioner) | The source of the data entry
author | ? | 0..1 | Reference(Practitioner) | The source of the decision
source | ? | 1..1 | BackboneElement | Message source application
name | ? | 0..1 | string | Name of system
software | ? | 0..1 | string | Name of software running the system
version | ? | 0..1 | string | Version of software running
contact | ? | 0..1 | ContactPoint | Human contact for problems
endpoint | ? | 1..1 | uri | Actual message source address or id
responsible | ? | 0..1 | Reference(Practitioner | Organization) | Final responsibility for event
reason | ? | 0..1 | CodeableConcept | Cause of event Example Message Reason Codes (Example)
response | ? | 0..1 | BackboneElement | If this is a reply to prior message
identifier | ? | 1..1 | id | Id of original message
code | ? | 1..1 | code | ok | transient-error | fatal-error ResponseType (Required)
details | ? | 0..1 | Reference(OperationOutcome) | Specific list of hints/warnings/errors
focus | ? | 0..* | Reference(Any) | The actual content of the message

Documentation for this format

UML Diagram (Legend)

XML Template

```
<MessageHeader xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <event><!-- 1..1 Coding Code for the event this message represents --></event>
 <destination>  <!-- 0..* Message destination application(s) -->
  <name value="[string]"/><!-- 0..1 Name of system -->
  <target><!-- 0..1 Reference(Device) Particular delivery destination within the destination --></target>
  <endpoint value="[uri]"/><!-- 1..1 Actual destination address or id -->
 </destination>
 <receiver><!-- 0..1 Reference(Practitioner|Organization) Intended "real-world" recipient for the data --></receiver>
 <sender><!-- 0..1 Reference(Practitioner|Organization) Real world sender of the message --></sender>
 <timestamp value="[instant]"/><!-- 1..1 Time that the message was sent -->
 <enterer><!-- 0..1 Reference(Practitioner) The source of the data entry --></enterer>
 <author><!-- 0..1 Reference(Practitioner) The source of the decision --></author>
 <source>  <!-- 1..1 Message source application -->
  <name value="[string]"/><!-- 0..1 Name of system -->
  <software value="[string]"/><!-- 0..1 Name of software running the system -->
  <version value="[string]"/><!-- 0..1 Version of software running -->
  <contact><!-- 0..1 ContactPoint Human contact for problems --></contact>
  <endpoint value="[uri]"/><!-- 1..1 Actual message source address or id -->
 </source>
 <responsible><!-- 0..1 Reference(Practitioner|Organization) Final responsibility for event --></responsible>
 <reason><!-- 0..1 CodeableConcept Cause of event --></reason>
 <response>  <!-- 0..1 If this is a reply to prior message -->
  <identifier value="[id]"/><!-- 1..1 Id of original message -->
  <code value="[code]"/><!-- 1..1 ok | transient-error | fatal-error -->
  <details><!-- 0..1 Reference(OperationOutcome) Specific list of hints/warnings/errors --></details>
 </response>
 <focus><!-- 0..* Reference(Any) The actual content of the message --></focus>
</MessageHeader>
```

JSON Template

```
{
  "resourceType" : "MessageHeader",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "event" : { Coding }, // R!  Code for the event this message represents
  "destination" : [{ // Message destination application(s)
    "name" : "<string>", // Name of system
    "target" : { Reference(Device) }, // Particular delivery destination within the destination
    "endpoint" : "<uri>" // R!  Actual destination address or id
  }],
  "receiver" : { Reference(Practitioner|Organization) }, // Intended "real-world" recipient for the data
  "sender" : { Reference(Practitioner|Organization) }, // Real world sender of the message
  "timestamp" : "<instant>", // R!  Time that the message was sent
  "enterer" : { Reference(Practitioner) }, // The source of the data entry
  "author" : { Reference(Practitioner) }, // The source of the decision
  "source" : { // R!  Message source application
    "name" : "<string>", // Name of system
    "software" : "<string>", // Name of software running the system
    "version" : "<string>", // Version of software running
    "contact" : { ContactPoint }, // Human contact for problems
    "endpoint" : "<uri>" // R!  Actual message source address or id
  },
  "responsible" : { Reference(Practitioner|Organization) }, // Final responsibility for event
  "reason" : { CodeableConcept }, // Cause of event
  "response" : { // If this is a reply to prior message
    "identifier" : "<id>", // R!  Id of original message
    "code" : "<code>", // R!  ok | transient-error | fatal-error
    "details" : { Reference(OperationOutcome) } // Specific list of hints/warnings/errors
  },
  "focus" : [{ Reference(Any) }] // The actual content of the message
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:MessageHeader;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:MessageHeader.event [ Coding ]; # 1..1 Code for the event this message represents
  fhir:MessageHeader.destination [ # 0..* Message destination application(s)
    fhir:MessageHeader.destination.name [ string ]; # 0..1 Name of system
    fhir:MessageHeader.destination.target [ Reference(Device) ]; # 0..1 Particular delivery destination within the
    destination
    fhir:MessageHeader.destination.endpoint [ uri ]; # 1..1 Actual destination address or id
  ], ...;
  fhir:MessageHeader.receiver [ Reference(Practitioner|Organization) ]; # 0..1 Intended "real-world" recipient for the
    data
  fhir:MessageHeader.sender [ Reference(Practitioner|Organization) ]; # 0..1 Real world sender of the message
  fhir:MessageHeader.timestamp [ instant ]; # 1..1 Time that the message was sent
```

```
  fhir:MessageHeader.enterer [ Reference(Practitioner) ]; # 0..1 The source of the data entry
  fhir:MessageHeader.author [ Reference(Practitioner) ]; # 0..1 The source of the decision
  fhir:MessageHeader.source [ # 1..1 Message source application
    fhir:MessageHeader.source.name [ string ]; # 0..1 Name of system
    fhir:MessageHeader.source.software [ string ]; # 0..1 Name of software running the system
    fhir:MessageHeader.source.version [ string ]; # 0..1 Version of software running
    fhir:MessageHeader.source.contact [ ContactPoint ]; # 0..1 Human contact for problems
    fhir:MessageHeader.source.endpoint [ uri ]; # 1..1 Actual message source address or id
  ];
  fhir:MessageHeader.responsible [ Reference(Practitioner|Organization) ]; # 0..1 Final responsibility for event
  fhir:MessageHeader.reason [ CodeableConcept ]; # 0..1 Cause of event
  fhir:MessageHeader.response [ # 0..1 If this is a reply to prior message
    fhir:MessageHeader.response.identifier [ id ]; # 1..1 Id of original message
    fhir:MessageHeader.response.code [ code ]; # 1..1 ok | transient-error | fatal-error
    fhir:MessageHeader.response.details [ Reference(OperationOutcome) ]; # 0..1 Specific list of hints/warnings/errors
  ];
  fhir:MessageHeader.focus [ Reference(Any) ], ... ; # 0..* The actual content of the message
]
```

Changes since DSTU2

MessageHeader

MessageHeader.event | No longer marked as Modifier

MessageHeader.sender | Added Element

MessageHeader.response | No longer marked as Modifier

MessageHeader.response.code | No longer marked as Modifier

MessageHeader.focus | Renamed from data to focus

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints

MessageHeader | ? | | DomainResource | A resource that describes a message that is exchanged between systems Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

event | ? | 1..1 | Coding | Code for the event this message represents MessageEvent (Example)

destination | ? | 0..* | BackboneElement | Message destination application(s)

name | ? | 0..1 | string | Name of system

target | ? | 0..1 | Reference(Device) | Particular delivery destination within the destination

endpoint | ? | 1..1 | uri | Actual destination address or id

receiver | ? | 0..1 | Reference(Practitioner | Organization) | Intended "real-world" recipient for the data

sender | ? | 0..1 | Reference(Practitioner | Organization) | Real world sender of the message

timestamp | ? | 1..1 | instant | Time that the message was sent

enterer | ? | 0..1 | Reference(Practitioner) | The source of the data entry

author | ? | 0..1 | Reference(Practitioner) | The source of the decision

source | ? | 1..1 | BackboneElement | Message source application

name | ? | 0..1 | string | Name of system

software | ? | 0..1 | string | Name of software running the system

version | ? | 0..1 | string | Version of software running

contact | ? | 0..1 | ContactPoint | Human contact for problems

endpoint | ? | 1..1 | uri | Actual message source address or id

responsible | ? | 0..1 | Reference(Practitioner | Organization) | Final responsibility for event

reason | ? | 0..1 | CodeableConcept | Cause of event Example Message Reason Codes (Example)

response | ? | 0..1 | BackboneElement | If this is a reply to prior message

identifier | ? | 1..1 | id | Id of original message

code | ? | 1..1 | code | ok | transient-error | fatal-error ResponseType (Required)

details | ? | 0..1 | Reference(OperationOutcome) | Specific list of hints/warnings/errors

focus | ? | 0..* | Reference(Any) | The actual content of the message

Documentation for this format

UML Diagram (Legend)

XML Template

```
<MessageHeader xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <event><!-- 1..1 Coding Code for the event this message represents --></event>
 <destination>  <!-- 0..* Message destination application(s) -->
  <name value="[string]"/><!-- 0..1 Name of system -->
  <target><!-- 0..1 Reference(Device) Particular delivery destination within the destination --></target>
  <endpoint value="[uri]"/><!-- 1..1 Actual destination address or id -->
 </destination>
 <receiver><!-- 0..1 Reference(Practitioner|Organization) Intended "real-world" recipient for the data --></receiver>
 <sender><!-- 0..1 Reference(Practitioner|Organization) Real world sender of the message --></sender>
 <timestamp value="[instant]"/><!-- 1..1 Time that the message was sent -->
 <enterer><!-- 0..1 Reference(Practitioner) The source of the data entry --></enterer>
 <author><!-- 0..1 Reference(Practitioner) The source of the decision --></author>
 <source>  <!-- 1..1 Message source application -->
  <name value="[string]"/><!-- 0..1 Name of system -->
```

```
  <software value="[string]"/><!-- 0..1 Name of software running the system -->
  <version value="[string]"/><!-- 0..1 Version of software running -->
  <contact><!-- 0..1 ContactPoint Human contact for problems --></contact>
  <endpoint value="[uri]"/><!-- 1..1 Actual message source address or id -->
 </source>
 <responsible><!-- 0..1 Reference(Practitioner|Organization) Final responsibility for event --></responsible>
 <reason><!-- 0..1 CodeableConcept Cause of event --></reason>
 <response>  <!-- 0..1 If this is a reply to prior message -->
  <identifier value="[id]"/><!-- 1..1 Id of original message -->
  <code value="[code]"/><!-- 1..1 ok | transient-error | fatal-error -->
  <details><!-- 0..1 Reference(OperationOutcome) Specific list of hints/warnings/errors --></details>
 </response>
 <focus><!-- 0..* Reference(Any) The actual content of the message --></focus>
</MessageHeader>
```

JSON Template

```
{
  "resourceType" : "MessageHeader",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "event" : { Coding }, // R!  Code for the event this message represents
  "destination" : [{ // Message destination application(s)
    "name" : "<string>", // Name of system
    "target" : { Reference(Device) }, // Particular delivery destination within the destination
    "endpoint" : "<uri>" // R!  Actual destination address or id
  }],
  "receiver" : { Reference(Practitioner|Organization) }, // Intended "real-world" recipient for the data
  "sender" : { Reference(Practitioner|Organization) }, // Real world sender of the message
  "timestamp" : "<instant>", // R!  Time that the message was sent
  "enterer" : { Reference(Practitioner) }, // The source of the data entry
  "author" : { Reference(Practitioner) }, // The source of the decision
  "source" : { // R!  Message source application
    "name" : "<string>", // Name of system
    "software" : "<string>", // Name of software running the system
    "version" : "<string>", // Version of software running
    "contact" : { ContactPoint }, // Human contact for problems
    "endpoint" : "<uri>" // R!  Actual message source address or id
  },
  "responsible" : { Reference(Practitioner|Organization) }, // Final responsibility for event
  "reason" : { CodeableConcept }, // Cause of event
  "response" : { // If this is a reply to prior message
    "identifier" : "<id>", // R!  Id of original message
    "code" : "<code>", // R!  ok | transient-error | fatal-error
    "details" : { Reference(OperationOutcome) } // Specific list of hints/warnings/errors
  },
  "focus" : [{ Reference(Any) }] // The actual content of the message
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:MessageHeader;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:MessageHeader.event [ Coding ]; # 1..1 Code for the event this message represents
  fhir:MessageHeader.destination [ # 0..* Message destination application(s)
    fhir:MessageHeader.destination.name [ string ]; # 0..1 Name of system
    fhir:MessageHeader.destination.target [ Reference(Device) ]; # 0..1 Particular delivery destination within the
    destination
    fhir:MessageHeader.destination.endpoint [ uri ]; # 1..1 Actual destination address or id
  ], ...;
  fhir:MessageHeader.receiver [ Reference(Practitioner|Organization) ]; # 0..1 Intended "real-world" recipient for the
    data
  fhir:MessageHeader.sender [ Reference(Practitioner|Organization) ]; # 0..1 Real world sender of the message
  fhir:MessageHeader.timestamp [ instant ]; # 1..1 Time that the message was sent
  fhir:MessageHeader.enterer [ Reference(Practitioner) ]; # 0..1 The source of the data entry
  fhir:MessageHeader.author [ Reference(Practitioner) ]; # 0..1 The source of the decision
  fhir:MessageHeader.source [ # 1..1 Message source application
    fhir:MessageHeader.source.name [ string ]; # 0..1 Name of system
    fhir:MessageHeader.source.software [ string ]; # 0..1 Name of software running the system
    fhir:MessageHeader.source.version [ string ]; # 0..1 Version of software running
    fhir:MessageHeader.source.contact [ ContactPoint ]; # 0..1 Human contact for problems
    fhir:MessageHeader.source.endpoint [ uri ]; # 1..1 Actual message source address or id
  ];
  fhir:MessageHeader.responsible [ Reference(Practitioner|Organization) ]; # 0..1 Final responsibility for event
  fhir:MessageHeader.reason [ CodeableConcept ]; # 0..1 Cause of event
  fhir:MessageHeader.response [ # 0..1 If this is a reply to prior message
    fhir:MessageHeader.response.identifier [ id ]; # 1..1 Id of original message
    fhir:MessageHeader.response.code [ code ]; # 1..1 ok | transient-error | fatal-error
    fhir:MessageHeader.response.details [ Reference(OperationOutcome) ]; # 0..1 Specific list of hints/warnings/errors
  ];
  fhir:MessageHeader.focus [ Reference(Any) ], ... ; # 0..* The actual content of the message
]
```

Changes since DSTU2

MessageHeader
MessageHeader.event | No longer marked as Modifier
MessageHeader.sender | Added Element
MessageHeader.response | No longer marked as Modifier
MessageHeader.response.code | No longer marked as Modifier
MessageHeader.focus | Renamed from data to focus

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.47.2.1 Terminology Bindings

Path | Definition | Type | Reference
MessageHeader.event | One of the message events defined as part of FHIR. | Example | Message Events
MessageHeader.reason | Reason for event occurrence | Example | Example Message Reason Codes
MessageHeader.response.code | The kind of response to a message | Required | ResponseType

2.47.3 Notes:

* The resources referenced by the enterer, author and responsible elements may all be included in the message bundle or left out on the basis that the recipient (and any intermediaries) are able to locate/resolve the resources independently. The former would be suitable for loosely coupled systems, and the latter for tightly coupled systems. The messaging Capability statement for an application may reference a Structure Definition that describes how the bundling occurs

* The actual content of the focus resource is specified for each message event (see the list on the messaging page). Any resources referenced in the focus element are always included in the bundle

* If MessageHeader.source.endpoint and MessageHeader.destination.endpoint, are literal URLs, then they SHOULD identify the addresses to which messages can be delivered. If they are logical URIs (i.e. non-dereferenceable), message delivery intermediaries must know how to deliver the message to the destination application.

* The author and the receiver are not the actual technical systems - these are the human or organizations that make use of the technical systems

* A receiver is not obligated to reject messages which do not explicitly identify it as receiver (e.g. a tracker will get messages that are destined for some other system)

* The value set MessageEvent is populated by the authors of the resources declaring the events

2.47.4 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
author | reference | The source of the decision | MessageHeader.author (Practitioner)
code | token | ok | transient-error | fatal-error | MessageHeader.response.code
destination | string | Name of system | MessageHeader.destination.name
destination-uri | uri | Actual destination address or id | MessageHeader.destination.endpoint
enterer | reference | The source of the data entry | MessageHeader.enterer (Practitioner)
event | token | Code for the event this message represents | MessageHeader.event
focus | reference | The actual content of the message | MessageHeader.focus (Any)
receiver | reference | Intended "real-world" recipient for the data | MessageHeader.receiver (Practitioner, Organization)
response-id | token | Id of original message | MessageHeader.response.identifier
responsible | reference | Final responsibility for event | MessageHeader.responsible (Practitioner, Organization)
sender | reference | Real world sender of the message | MessageHeader.sender (Practitioner, Organization)
source | string | Name of system | MessageHeader.source.name
source-uri | uri | Actual message source address or id | MessageHeader.source.endpoint
target | reference | Particular delivery destination within the destination | MessageHeader.destination.target (Device)
timestamp | date | Time that the message was sent | MessageHeader.timestamp

2.47.5 Resource MessageHeader - Examples

URL: https://hl7.org/fhir/STU3/messageheader-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.47.5 Resource MessageHeader - Examples

Infrastructure And Messaging Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Practitioner

Example List:

A typical message header | 1cbdfb97-5859-48a4-8301-d54eab818d68 | XML | JSON | Turtle

A request to link two patients | 10bb101f-a121-4264-a920-67be9cb82c74 | XML | JSON | Turtle
A response to a request to link two patients | 3a0707d3-549e-4467-b8b8-5a2ab3800efe | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.47.6 Resource MessageHeader - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/messageheader-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.47.6 Resource MessageHeader - Detailed Descriptions

Infrastructure And Messaging Work Group | Maturity Level: 3 | Trial Use | Compartments: Device, Practitioner

Detailed Descriptions for the elements in the MessageHeader resource.

MessageHeader
Definition | The header for a message exchange that is either requesting or responding to an action. The reference(s) that are the subject of the action as well as other information related to the action are typically transmitted in a bundle in which the MessageHeader resource instance is the first resource in the bundle.
Control | 1..1
Requirements | Many implementations are not prepared to use REST and need a messaging based infrastructure.
Summary | true
MessageHeader.event
Definition | Code that identifies the event this message represents and connects it with its definition. Events defined as part of the FHIR specification have the system value "http://hl7.org/fhir/message-events".
Control | 1..1
Terminology Binding | the Event List in the messaging framework
Type | Coding
Requirements | Drives the behavior associated with this message.
Summary | true
MessageHeader.destination
Definition | The destination application which the message is intended for.
Control | 0..*
Requirements | Indicates where message is to be sent for routing purposes. Allows verification of "am I the intended recipient".
Summary | true
Comments | There SHOULD be at least one destination, but in some circumstances, the source system is unaware of any particular destination system.
MessageHeader.destination.name
Definition | Human-readable name for the target system.
Control | 0..1
Type | string
Requirements | May be used for routing of response and/or to support audit.
Summary | true
MessageHeader.destination.target
Definition | Identifies the target end system in situations where the initial message transmission is to an intermediary system.
Control | 0..1
Type | Reference(Device)
Requirements | Supports multi-hop routing.
Summary | true
MessageHeader.destination.endpoint
Definition | Indicates where the message should be routed to.
Control | 1..1
Type | uri
Requirements | Identifies where to route the message.
Summary | true
Comments | The id may be a non-resolvable URI for systems that do not use standard network-based addresses.
MessageHeader.receiver
Definition | Allows data conveyed by a message to be addressed to a particular person or department when routing to a specific application isn't sufficient.
Control | 0..1
Type | Reference(Practitioner | Organization)
Requirements | Allows routing beyond just the application level.
Summary | true
MessageHeader.sender
Definition | Identifies the sending system to allow the use of a trust relationship.
Control | 0..1
Type | Reference(Practitioner | Organization)
Requirements | Allows routing beyond just the application level.
Summary | true
Comments | Use case is for where a (trusted) sending system is responsible for multiple organizations, and therefore cannot differentiate based on source endpoint / authentication alone.
MessageHeader.timestamp

Definition | The time that the message was sent.
Control | 1..1
Type | instant
Requirements | Allows limited detection of out-of-order and delayed transmission. Also supports audit.
Summary | true
MessageHeader.enterer
Definition | The person or device that performed the data entry leading to this message. When there is more than one candidate, pick the most proximal to the message. Can provide other enterers in extensions.
Control | 0..1
Type | Reference(Practitioner)
Requirements | Need to know for audit/traceback requirements and possibly for authorization.
Summary | true
Comments | Usually only for the request, but can be used in a response.
MessageHeader.author
Definition | The logical author of the message - the person or device that decided the described event should happen. When there is more than one candidate, pick the most proximal to the MessageHeader. Can provide other authors in extensions.
Control | 0..1
Type | Reference(Practitioner)
Requirements | Need to know for audit/traceback requirements and possibly for authorization.
Summary | true
Comments | Usually only for the request, but can be used in a response.
MessageHeader.source
Definition | The source application from which this message originated.
Control | 1..1
Requirements | Allows replies, supports audit.
Summary | true
MessageHeader.source.name
Definition | Human-readable name for the source system.
Control | 0..1
Type | string
Requirements | May be used to support audit.
Summary | true
MessageHeader.source.software
Definition | May include configuration or other information useful in debugging.
Control | 0..1
Type | string
Requirements | Supports audit and possibly interface engine behavior.
Summary | true
MessageHeader.source.version
Definition | Can convey versions of multiple systems in situations where a message passes through multiple hands.
Note | This is a business versionId, not a resource version id (see discussion)
Control | 0..1
Type | string
Requirements | Supports audit and possibly interface engine behavior.
Summary | true
MessageHeader.source.contact
Definition | An e-mail, phone, website or other contact point to use to resolve issues with message communications.
Control | 0..1
Type | ContactPoint
Requirements | Allows escalation of technical issues.
Summary | true
MessageHeader.source.endpoint
Definition | Identifies the routing target to send acknowledgements to.
Control | 1..1
Type | uri
Requirements | Identifies where to send responses, may influence security permissions.
Summary | true
Comments | The id may be a non-resolvable URI for systems that do not use standard network-based addresses.
MessageHeader.responsible
Definition | The person or organization that accepts overall responsibility for the contents of the message. The implication is that the message event happened under the policies of the responsible party.
Control | 0..1
Type | Reference(Practitioner | Organization)
Requirements | Need to know for audit/traceback requirements and possibly for authorization.
Summary | true
Comments | Usually only for the request, but can be used in a response.
MessageHeader.reason
Definition | Coded indication of the cause for the event - indicates a reason for the occurrence of the event that is a focus of this message.
Control | 0..1
Terminology Binding | Example Message Reason Codes (Example)
Type | CodeableConcept
Requirements | Need to be able to track why resources are being changed and report in the audit log/history of the resource. May affect authorization.

Summary | true
MessageHeader.response
Definition | Information about the message that this message is a response to. Only present if this message is a response.
Control | 0..1
Summary | true
MessageHeader.response.identifier
Definition | The MessageHeader.id of the message to which this message is a response.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 1..1
Type | id
Requirements | Allows receiver to know what message is being responded to.
Summary | true
MessageHeader.response.code
Definition | Code that identifies the type of response to the message - whether it was successful or not, and whether it should be resent or not.
Control | 1..1
Terminology Binding | ResponseType (Required)
Type | code
Requirements | Allows the sender of the acknowledge message to know if the request was successful or if action is needed.
Summary | true
Comments | This is a generic response to the request message. Specific data for the response will be found in MessageHeader.focus.
MessageHeader.response.details
Definition | Full details of any issues found in the message.
Control | 0..1
Type | Reference(OperationOutcome)
Requirements | Allows the sender of the message to determine what the specific issues are.
Summary | true
Comments | This SHALL be contained in the bundle. If any of the issues are errors, the response code SHALL be an error.
MessageHeader.focus
Definition | The actual data of the message - a reference to the root/focus class of the event.
Control | 0..*
Type | Reference(Any)
Requirements | Every message event is about actual data, a single resource, that is identified in the definition of the event, and perhaps some or all linked resources.
Summary | true
Comments | The data is defined where the transaction type is defined. The transaction data is always included in the bundle that is the full message. Only the root resource is specified. The resources it references should be contained in the bundle but are not also listed here. Multiple repetitions are allowed to cater for merges and other situations with multiple focal targets.

2.47.7 Resource MessageHeader - Mappings

URL: https://hl7.org/fhir/STU3/messageheader-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.47.7 Resource MessageHeader - Mappings

Infrastructure And Messaging Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Practitioner

Mappings:

RIM Mapping

HL7 v2 Mapping

Mappings for the messageheader resource.

2.47.7.1 Mappings for RIM Mapping (http://hl7.org/v3)

MessageHeader | Message
event | ./payload[classCode="CACT" and moodCode="EVN" and isNormalAct()]/code[isNormalDatatype()]/code
destination | ./communicationFunction[typeCode="RCV"]
name | unique(./entity[determinerCode="INST" and (classCode=("DEV", "PSN", "ORG"]/name[type='ST' and isNormalDatatype()])
target | unique(./entity[determinerCode="INST" and (classCode=("DEV", "PSN", "ORG"]
endpoint | ./telecom
receiver | Not directly supported. Could be shared using attentionLine.value with an appropriate keyWordText
sender | Not directly supported. Could be shared using attentionLine.value with an appropriate keyWordText
timestamp | ./creationTime[isNormalDatatype()]
enterer | unique(./controlAct[classCode="CACT" and classCode="EVN" and isNormalAct()]/participation[typeCode="ENT" and isNormalParticipation]/role[classCode="ASSIGNED" and isNormalRole()]/player[isNormalEntity() and classCode=("DEV", "PSN") and determinerCode="INST"])
author | unique(./controlAct[classCode="CACT" and classCode="EVN" and isNormalAct()]/participation[isHighest(priorityCode) and typeCode="AUT" and isNormalParticipation]/role[classCode="ASSIGNED" and isNormalRole()]/player[isNormalEntity() and classCode=("DEV", "PSN") and determinerCode="INST"])
source | unique(./communicationFunction[typeCode="SND"])
name | unique(./entity[determinerCode="INST" and classCode="DEV"]/name[type='ST' and isNormalDatatype()])
software | unique(./entity[determinerCode="INST" and classCode="DEV"]/softwareName[isNormalDatatype()])

version | (Not supported)
contact | unique(./entity[determinerCode="INST" and classCode="DEV"]/scopesRole[normalRole() and classCode="CON" and layer[classCode="PSN"]/telecom[isNormalDatatype()])
endpoint | ./telecom[isNormalDatatype()]
responsible | unique(./controlAct[classCode="CACT" and classCode="EVN" and isNormalAct()]/participation[isHighest(priorityCode) and typeCode="RESP" and isNormalParticipation]/role[classCode="ASSIGNED" and isNormalRole()]/player[isNormalEntity() and classCode="PSN" and determinerCode="INST"] or ./controlAct[classCode="CACT" and classCode="EVN" and isNormalAct()]/participation[isHighest(priorityCode) and typeCode="RESP" and isNormalParticipation]/role[classCode="ASSIGNED" and isNormalRole()]/scoper[isNormalEntity() and classCode="ORG" and determinerCode="INST"])
reason | unique(./controlAct[classCode="CACT" and classCode="EVN" and isNormalAct()]/reasonCode[isNormalDatatype()])
response | ./conveyedAcknowledgement
identifier | ./acknowledges.id[isNormalDatatype()]
code | ./typeCode[isNormalDatatype()]
details | AcknowledgementDetail or Observation[classCode="ALRT" and moodCode="EVN"]
focus | unique(./controlAct[classCode="CACT" and classCode="EVN" and isNormalAct()]/participation[typeCode="SUBJ" and isNormalParticipation]/role or ./controlAct[classCode="CACT" and classCode="EVN" and isNormalAct()]/outboundRelationship[typeCode="SBJ" and isNormalActRelatoinship]/target)

2.47.7.2 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

MessageHeader | MSH / MSA / ERR
event | MSH-9.2
destination
name | MSH-5
target
endpoint | MSH-25 (or MSH-6)
receiver | PRT-5:PRT-4='WAYR' / PRT-8:PRT-4='WAYR'
sender | PRT-5:PRT-4='WAYR' / PRT-8:PRT-4='WAYR'
timestamp | MSH-7
enterer | EVN-5 / ORC-10 / PRT-5:PRT-4='EP' / ROL where ROL.3 is EP or ORC.10
author | ORC-19 / PRT-5:PRT-4='AUT' / ROL where ROL.3 is IP or ORC.12
source
name | MSH-3
software | SFT-3 (+SFT-1)
version | SFT-2
contact | (MSH-22?)
endpoint | MSH-24
responsible | ORC-12 / PRT-5:PRT-4='OP' / PRT-8:PRT-4='OP' / ROL where ROL.3 is RO or ORC.11
reason | EVN.4 / ORC.16 / OBR-31-reason for study / BPO-13-BP indication for use / RXO-20-indication / RXE-27-give indication / RXD-21-indication / RXG-22-indication / RXA-19-indication
response | MSA
identifier | MSA-2
code | MSA-1
details | ERR
focus

2.47.8 Resource MessageHeader - Design Notes

URL: https://hl7.org/fhir/STU3/messageheader-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.47.8 Resource MessageHeader - Design Notes

to do

2.47.9 Resource MessageHeader - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/messageheader-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.47.9 Resource MessageHeader - Extensions & Profiles

Infrastructure And Messaging Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the MessageHeader resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.47.9.1 Profiles

No Profiles defined for this resource

2.47.9.2 Extensions

messageheader-response-request | messageheader-response-request | for Common extensions for message header

Extensions that reference this resource:

No Extensions refer to this resource

2.47.9.3 Search Extensions

No Search Extensions defined for this resource

2.47.10 Common extensions for message header

URL: https://hl7.org/fhir/STU3/messageheader-extensions.html

Defines "common" extensions for use with the messageheader resource and contained elements

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.47.10 Common extensions for message header

(No assigned work group) | Maturity Level: N/A | Ballot Status: Informative

2.47.10.1 Content

Extensions:

messageheader-response-request | messageheader-response-request : This extension enables the capability currently available through MSH-16 (Application Level acknowledgement) in HL7 Version 2 to declare at a message instance level whether a response is required or only upon error or success, or never.

2.47.11 Resource MessageHeader - Operations

URL: https://hl7.org/fhir/STU3/messageheader-operations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.47.11 Resource MessageHeader - Operations

Infrastructure And Messaging Work Group | Maturity Level: 3 | Trial Use | Compartments: Device, Practitioner

This resource has 1 operation associated with it:

$process-message | Process Message

For more information about operations, including how they are invoked, see Operations.

2.47.11.1 Process Message

This operation accepts a message, processes it according to the definition of the event in the message header, and returns a one or more response messages. This operation is described in detail on the messaging page

The official URL for this operation definition is

```
http://hl7.org/fhir/OperationDefinition/MessageHeader-process-message
```

Formal Definition (as a OperationDefinition).

URL: [base]/$process-message

This is not an idempotent operation

In Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

content | 1..1 | Bundle | | | The message to process (or, if using asynchronous messaging, it may be a response message to accept)

async | 0..1 | boolean | | | If 'true' the message is processed using the asynchronous messaging pattern

response-url | 0..1 | uri | | | A URL to submit response messages to, if asynchronous messaging is being used, and if the MessageHeader.source.endpoint is not the appropriate place to submit responses

Out Parameters:

Name | Cardinality | Type | Binding | Profile | Documentation

return | 0..1 | Bundle | | | A response message, if synchronous messaging is being used (mandatory in this case). For asynchronous messaging, there is no return value Note: as this the only out parameter, it is a resource, and it has the name 'return', the result of this operation is returned directly as a resource

This operation does not use the parameters resource; the parameters "async" and "response-url" always go in the URL, if they are used, and the message parameter is always the body of the HTTP message

2.47.11.1.1 Examples

Request to link 2 patients, and respond asynchronously (Request):

```
POST /ehr/fhir/$process-message?aync=true&response-url=http://example.org/clients/ehr-lite
[other headers]

<?xml version="1.0" encoding="UTF-8"?>

<Bundle xmlns="http://hl7.org/fhir">
  <id value="10bb101f-a121-4264-a920-67be9cb82c74"/>
```

```
<type value="message"/>
<entry>
  <fullUrl value="urn:uuid:267b18ce-3d37-4581-9baa-6fada338038b"/>
  <resource>
    <MessageHeader>
      <id value="efdd254b-0e09-4164-883e-35cf3871715f"/>
      <text>
        <status value="generated"/>
        <div xmlns="http://www.w3.org/1999/xhtml">

          <p>This message is a request to link Patient records 654321 (Patient Donald DUCK @ Acme Healthcare, Inc) and
   123456 (Patient Donald D DUCK @ Acme Healthcare, Inc)</p>

        </div>
      </text>
      <event>
        <system value="http://hl7.org/fhir/message-events"/>
        <code value="patient-link"/>
      </event>
      <timestamp value="2015-07-14T11:15:33+10:00"/>
      <source>
        <endpoint value="http://example.org/clients/ehr-lite"/>
      </source>
      <responsible>
        <reference value="http://acme.com/ehr/fhir/Practitioner/2323-33-4"/>
      </responsible>
    <!--  this message is posted to http://acme.com/ehr/fhir,
           with an event 'link' to link 2 patient records, and nominates
           2 patients on the server  -->
      <focus>
        <reference value="http://acme.com/ehr/fhir/Patient/pat1"/>
      </focus>
      <focus>
        <reference value="http://acme.com/ehr/fhir/Patient/pat12"/>
      </focus>
    </MessageHeader>
  </resource>
</entry>
<entry>
  <fullUrl value="http://acme.com/ehr/fhir/Patient/pat1"/>
  <resource>
    <Patient>
      <id value="pat1"/>
      <text>
        <status value="generated"/>
        <div xmlns="http://www.w3.org/1999/xhtml">

          <p>Patient Donald DUCK @ Acme Healthcare, Inc. MR = 654321</p>

        </div>
      </text>
      <identifier>
        <use value="usual"/>
        <type>
          <coding>
            <system value="http://hl7.org/fhir/v2/0203"/>
            <code value="MR"/>
          </coding>
        </type>
        <system value="urn:oid:0.1.2.3.4.5.6.7"/>
        <value value="654321"/>
      </identifier>
      <active value="true"/>
      <name>
        <use value="official"/>
        <family value="Donald"/>
        <given value="Duck"/>
      </name>
      <gender value="male"/>
      <contact>
        <relationship>
          <coding>
            <system value="http://hl7.org/fhir/patient-contact-relationship"/>
            <code value="E"/>
          </coding>
        </relationship>
        <organization>
          <reference value="Organization/1"/>
          <display value="Walt Disney Corporation"/>
        </organization>
      </contact>
      <managingOrganization>
        <reference value="Organization/1"/>
        <display value="ACME Healthcare, Inc"/>
      </managingOrganization>
    </Patient>
  </resource>
</entry>
<entry>
```

```
    <fullUrl value="http://acme.com/ehr/fhir/Patient/pat12"/>
    <resource>
      <Patient>
        <id value="pat2"/>
        <text>
          <status value="generated"/>
          <div xmlns="http://www.w3.org/1999/xhtml">

            <p>Patient Donald D DUCK @ Acme Healthcare, Inc. MR = 123456</p>

          </div>
        </text>
        <identifier>
          <use value="usual"/>
          <type>
            <coding>
              <system value="http://hl7.org/fhir/v2/0203"/>
              <code value="MR"/>
            </coding>
          </type>
          <system value="urn:oid:0.1.2.3.4.5.6.7"/>
          <value value="123456"/>
        </identifier>
        <active value="true"/>
        <name>
          <use value="official"/>
          <family value="Donald"/>
          <given value="Duck"/>
          <given value="D"/>
        </name>
        <gender value="other">
          <extension url="http://example.org/Profile/administrative-status">
            <valueCodeableConcept>
              <coding>
                <system value="http://hl7.org/fhir/v2/0001"/>
                <code value="A"/>
                <display value="Ambiguous"/>
              </coding>
            </valueCodeableConcept>
          </extension>
        </gender>
        <managingOrganization>
          <reference value="Organization/1"/>
          <display value="ACME Healthcare, Inc"/>
        </managingOrganization>
      </Patient>
    </resource>
  </entry>
</Bundle>
```

Response - since this is asynchronous, the response is empty (Response):

```
200 OK
[other headers]
```

Response - if the message couldn't be accepted (e.g. there'll be no asynchronous response (Response):

```
500 OK Internal Server Error
[other headers]

<?xml version="1.0" encoding="UTF-8"?>
<OperationOutcome xmlns="http://hl7.org/fhir">
  <id value="exception"/>
  <text>
    <status value="additional"/>
    <div xmlns="http://www.w3.org/1999/xhtml">
      <p>SQL Link Communication Error (dbx = 34234)</p>
    </div>
  </text>
  <issue>
    <severity value="error"/>
    <code value="exception"/>
    <details>
      <text value="SQL Link Communication Error (dbx = 34234)"/>
    </details>
  </issue>
</OperationOutcome>
```

2.47.12 Resource MessageHeader - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/messageheader-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.47.12 Resource MessageHeader - Detailed Descriptions

Infrastructure And Messaging Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Device, Practitioner

R2 : R3 Converson maps for MessageHeader.

Functional status for this map: 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid. (see documentation)

2.47.12.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/MessageHeader2to3" = "R2 to R3 Conversions for MessageHeader"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/MessageHeader" alias MessageHeaderR2 as source
uses "http://hl7.org/fhir/StructureDefinition/MessageHeader" alias MessageHeader as target

imports "http://hl7.org/fhir/StructureMap/*2to3"

group for type+types  MessageHeader extends DomainResource
  input src : MessageHeaderR2 as source
  input tgt : MessageHeader as target

  "MessageHeader-timestamp" : for src.timestamp make tgt.timestamp
  "MessageHeader-event" : for src.event make tgt.event
  "MessageHeader-response" : for src.response as vs0 make tgt.response as vt0 then mshResponse(vs0, vt0)
  "MessageHeader-source" : for src.source as vs0 make tgt.source as vt0 then mshSource(vs0, vt0)
  "MessageHeader-destination" : for src.destination as vs0 make tgt.destination as vt0 then mshDestination(vs0, vt0)

  "MessageHeader-enterer" : for src.enterer make tgt.enterer
  "MessageHeader-author" : for src.author make tgt.author
  "MessageHeader-receiver" : for src.receiver make tgt.receiver
  "MessageHeader-responsible" : for src.responsible make tgt.responsible
  "MessageHeader-reason" : for src.reason make tgt.reason
  "MessageHeader-data" : for src.data make tgt.focus

endgroup

group mshResponse extends BackboneElement
  input src as source
  input tgt as target

  "MessageHeader.response-identifier" : for src.identifier make tgt.identifier
  "MessageHeader.response-code" : for src.code make tgt.code
  "MessageHeader.response-details" : for src.details make tgt.details
endgroup

group mshSource extends BackboneElement
  input src as source
  input tgt as target

  "MessageHeader.source-name" : for src.name make tgt.name
  "MessageHeader.source-software" : for src.software make tgt.software
  "MessageHeader.source-version" : for src.version make tgt.version
  "MessageHeader.source-contact" : for src.contact make tgt.contact
  "MessageHeader.source-endpoint" : for src.endpoint make tgt.endpoint
endgroup

group mshDestination extends BackboneElement
  input src as source
  input tgt as target

  "MessageHeader.source-name" : for src.name make tgt.name
  "MessageHeader.source-target" : for src.target make tgt.target
  "MessageHeader.source-endpoint" : for src.endpoint make tgt.endpoint
endgroup
```

2.47.12.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/MessageHeader3to2" = "R3 to R2 Conversion for MessageHeader"

uses "http://hl7.org/fhir/StructureDefinition/MessageHeader" alias MessageHeader as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/MessageHeader" alias MessageHeaderR2 as target

imports "http://hl7.org/fhir/StructureMap/*3to2"

group for type+types  MessageHeader extends DomainResource
  input src : MessageHeader as source
  input tgt : MessageHeaderR2 as target

  "MessageHeader-timestamp" : for src.timestamp make tgt.timestamp
  "MessageHeader-event" : for src.event make tgt.event
  "MessageHeader-response" : for src.response as vs0 make tgt.response as vt0 then mshResponse(vs0, vt0)
  "MessageHeader-source" : for src.source as vs0 make tgt.source as vt0 then mshSource(vs0, vt0)
  "MessageHeader-destination" : for src.destination as vs0 make tgt.destination as vt0 then mshDestination(vs0, vt0)

  "MessageHeader-enterer" : for src.enterer make tgt.enterer
  "MessageHeader-author" : for src.author make tgt.author
  "MessageHeader-receiver" : for src.receiver make tgt.receiver
  "MessageHeader-responsible" : for src.responsible make tgt.responsible
  "MessageHeader-reason" : for src.reason make tgt.reason
  "MessageHeader-data" : for src.focus make tgt.data

endgroup
```

```
group mshResponse extends BackboneElement
  input src as source
  input tgt as target

  "MessageHeader.response-identifier" : for src.identifier make tgt.identifier
  "MessageHeader.response-code" : for src.code make tgt.code
  "MessageHeader.response-details" : for src.details make tgt.details
endgroup

group mshSource extends BackboneElement
  input src as source
  input tgt as target

  "MessageHeader.source-name" : for src.name make tgt.name
  "MessageHeader.source-software" : for src.software make tgt.software
  "MessageHeader.source-version" : for src.version make tgt.version
  "MessageHeader.source-contact" : for src.contact make tgt.contact
  "MessageHeader.source-endpoint" : for src.endpoint make tgt.endpoint
endgroup

group mshDestination extends BackboneElement
  input src as source
  input tgt as target

  "MessageHeader.source-name" : for src.name make tgt.name
  "MessageHeader.source-target" : for src.target make tgt.target
  "MessageHeader.source-endpoint" : for src.endpoint make tgt.endpoint
endgroup
```

2.47.12.3 R3 Validation Errors

2.48 Resource MessageDefinition - Content

URL: https://hl7.org/fhir/STU3/messagedefinition.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Infrastructure And Messaging Work Group | Maturity Level: 0 | Draft | Compartments: Not linked to any defined compartments

Defines the characteristics of a message that can be shared between systems, including the type of event that initiates the message, the content to be transmitted and what response(s), if any, are permitted.

2.48.1 Scope and Usage

Implementers should be familiar with the messaging concepts and descriptions found in Messaging using FHIR Resources before working with this resource.

This resource is referenced by capabilitystatement

2.48.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
MessageDefinition | | | DomainResource | A resource that defines a type of message that can be exchanged between systems Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
url | ? | 0..1 | uri | Logical URI to reference this message definition (globally unique)
identifier | ? | 0..1 | Identifier | Additional identifier for the message definition
version | ? | 0..1 | string | Business version of the message definition
name | ? | 0..1 | string | Name for this message definition (computer friendly)
title | ? | 0..1 | string | Name for this message definition (human friendly)
status | ?!? | 1..1 | code | draft | active | retired | unknown PublicationStatus (Required)
experimental | ?!? | 0..1 | boolean | For testing purposes, not real usage
date | ? | 1..1 | dateTime | Date this was last changed
publisher | ? | 0..1 | string | Name of the publisher (organization or individual)
contact | ? | 0..* | ContactDetail | Contact details for the publisher
description | ? | 0..1 | markdown | Natural language description of the message definition
useContext | ? | 0..* | UsageContext | Context the content is intended to support
jurisdiction | ? | 0..* | CodeableConcept | Intended jurisdiction for message definition (if applicable) Jurisdiction ValueSet (Extensible)
purpose | ? | 0..1 | markdown | Why this message definition is defined
copyright | | 0..1 | markdown | Use and/or publishing restrictions

base | ? | 0..1 | Reference(MessageDefinition) | Definition this one is based on
parent | ? | 0..* | Reference(ActivityDefinition | PlanDefinition) | Protocol/workflow this is part of
replaces | ? | 0..* | Reference(MessageDefinition) | Takes the place of
event | ? | 1..1 | Coding | Event type MessageEvent (Example)
category | ? | 0..1 | code | Consequence | Currency | Notification MessageSignificanceCategory (Required)
focus | ?I | 0..* | BackboneElement | Resource(s) that are the subject of the event + Max must be postive int or *
code | ? | 1..1 | code | Type of resource ResourceType (Required)
profile | | 0..1 | Reference(StructureDefinition) | Profile that must be adhered to by focus
min | | 0..1 | unsignedInt | Minimum number of focuses of this type
max | I | 0..1 | string | Maximum number of focuses of this type
responseRequired | | 0..1 | boolean | Is a response required?
allowedResponse | | 0..* | BackboneElement | Responses to this message
message | | 1..1 | Reference(MessageDefinition) | Reference to allowed message definition response
situation | | 0..1 | markdown | When should this response be used
Documentation for this format

UML Diagram (Legend)

XML Template

```
<MessageDefinition xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <url value="[uri]"/><!-- 0..1 Logical URI to reference this message definition (globally unique) -->
 <identifier><!-- 0..1 Identifier Additional identifier for the message definition --></identifier>
 <version value="[string]"/><!-- 0..1 Business version of the message definition -->
 <name value="[string]"/><!-- 0..1 Name for this message definition (computer friendly) -->
 <title value="[string]"/><!-- 0..1 Name for this message definition (human friendly) -->
 <status value="[code]"/><!-- 1..1 draft | active | retired | unknown -->
 <experimental value="[boolean]"/><!-- 0..1 For testing purposes, not real usage -->
 <date value="[dateTime]"/><!-- 1..1 Date this was last changed -->
 <publisher value="[string]"/><!-- 0..1 Name of the publisher (organization or individual) -->
 <contact><!-- 0..* ContactDetail Contact details for the publisher --></contact>
 <description value="[markdown]"/><!-- 0..1 Natural language description of the message definition -->
 <useContext><!-- 0..* UsageContext Context the content is intended to support --></useContext>
 <jurisdiction><!-- 0..* CodeableConcept Intended jurisdiction for message definition (if applicable) --></jurisdiction>
 <purpose value="[markdown]"/><!-- 0..1 Why this message definition is defined -->
 <copyright value="[markdown]"/><!-- 0..1 Use and/or publishing restrictions -->
 <base><!-- 0..1 Reference(MessageDefinition) Definition this one is based on --></base>
 <parent><!-- 0..* Reference(ActivityDefinition|PlanDefinition) Protocol/workflow this is part of --></parent>
 <replaces><!-- 0..* Reference(MessageDefinition) Takes the place of --></replaces>
 <event><!-- 1..1 Coding Event type --></event>
 <category value="[code]"/><!-- 0..1 Consequence | Currency | Notification -->
 <focus>  <!-- 0..* Resource(s) that are the subject of the event -->
  <code value="[code]"/><!-- 1..1 Type of resource -->
  <profile><!-- 0..1 Reference(StructureDefinition) Profile that must be adhered to by focus --></profile>
  <min value="[unsignedInt]"/><!-- 0..1 Minimum number of focuses of this type -->
  <max value="[string]"/><!--  0..1 Maximum number of focuses of this type -->
 </focus>
 <responseRequired value="[boolean]"/><!-- 0..1 Is a response required? -->
 <allowedResponse>  <!-- 0..* Responses to this message -->
  <message><!-- 1..1 Reference(MessageDefinition) Reference to allowed message definition response --></message>
  <situation value="[markdown]"/><!-- 0..1 When should this response be used -->
 </allowedResponse>
</MessageDefinition>
```

JSON Template

```
{
  "resourceType" : "MessageDefinition",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "url" : "<uri>", // Logical URI to reference this message definition (globally unique)
  "identifier" : { Identifier }, // Additional identifier for the message definition
  "version" : "<string>", // Business version of the message definition
  "name" : "<string>", // Name for this message definition (computer friendly)
  "title" : "<string>", // Name for this message definition (human friendly)
  "status" : "<code>", // R!  draft | active | retired | unknown
  "experimental" : <boolean>, // For testing purposes, not real usage
  "date" : "<dateTime>", // R!  Date this was last changed
  "publisher" : "<string>", // Name of the publisher (organization or individual)
  "contact" : [{ ContactDetail }], // Contact details for the publisher
  "description" : "<markdown>", // Natural language description of the message definition
  "useContext" : [{ UsageContext }], // Context the content is intended to support
  "jurisdiction" : [{ CodeableConcept }], // Intended jurisdiction for message definition (if applicable)
  "purpose" : "<markdown>", // Why this message definition is defined
  "copyright" : "<markdown>", // Use and/or publishing restrictions
  "base" : { Reference(MessageDefinition) }, // Definition this one is based on
  "parent" : [{ Reference(ActivityDefinition|PlanDefinition) }], // Protocol/workflow this is part of
  "replaces" : [{ Reference(MessageDefinition) }], // Takes the place of
  "event" : { Coding }, // R!  Event type
  "category" : "<code>", // Consequence | Currency | Notification
  "focus" : [{ // Resource(s) that are the subject of the event
    "code" : "<code>", // R!  Type of resource
    "profile" : { Reference(StructureDefinition) }, // Profile that must be adhered to by focus
    "min" : "<unsignedInt>", // Minimum number of focuses of this type
    "max" : "<string>" // C? Maximum number of focuses of this type
  }],
```

```
  "responseRequired" : <boolean>, // Is a response required?
  "allowedResponse" : [{ // Responses to this message
    "message" : { Reference(MessageDefinition) }, // R!  Reference to allowed message definition response
    "situation" : "<markdown>" // When should this response be used
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:MessageDefinition;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:MessageDefinition.url [ uri ]; # 0..1 Logical URI to reference this message definition (globally unique)
  fhir:MessageDefinition.identifier [ Identifier ]; # 0..1 Additional identifier for the message definition
  fhir:MessageDefinition.version [ string ]; # 0..1 Business version of the message definition
  fhir:MessageDefinition.name [ string ]; # 0..1 Name for this message definition (computer friendly)
  fhir:MessageDefinition.title [ string ]; # 0..1 Name for this message definition (human friendly)
  fhir:MessageDefinition.status [ code ]; # 1..1 draft | active | retired | unknown
  fhir:MessageDefinition.experimental [ boolean ]; # 0..1 For testing purposes, not real usage
  fhir:MessageDefinition.date [ dateTime ]; # 1..1 Date this was last changed
  fhir:MessageDefinition.publisher [ string ]; # 0..1 Name of the publisher (organization or individual)
  fhir:MessageDefinition.contact [ ContactDetail ], ... ; # 0..* Contact details for the publisher
  fhir:MessageDefinition.description [ markdown ]; # 0..1 Natural language description of the message definition
  fhir:MessageDefinition.useContext [ UsageContext ], ... ; # 0..* Context the content is intended to support
  fhir:MessageDefinition.jurisdiction [ CodeableConcept ], ... ; # 0..* Intended jurisdiction for message definition (if
     applicable)
  fhir:MessageDefinition.purpose [ markdown ]; # 0..1 Why this message definition is defined
  fhir:MessageDefinition.copyright [ markdown ]; # 0..1 Use and/or publishing restrictions
  fhir:MessageDefinition.base [ Reference(MessageDefinition) ]; # 0..1 Definition this one is based on
  fhir:MessageDefinition.parent [ Reference(ActivityDefinition|PlanDefinition) ], ... ; # 0..* Protocol/workflow this is
     part of
  fhir:MessageDefinition.replaces [ Reference(MessageDefinition) ], ... ; # 0..* Takes the place of
  fhir:MessageDefinition.event [ Coding ]; # 1..1 Event type
  fhir:MessageDefinition.category [ code ]; # 0..1 Consequence | Currency | Notification
  fhir:MessageDefinition.focus [ # 0..* Resource(s) that are the subject of the event
    fhir:MessageDefinition.focus.code [ code ]; # 1..1 Type of resource
    fhir:MessageDefinition.focus.profile [ Reference(StructureDefinition) ]; # 0..1 Profile that must be adhered to by
    focus
    fhir:MessageDefinition.focus.min [ unsignedInt ]; # 0..1 Minimum number of focuses of this type
    fhir:MessageDefinition.focus.max [ string ]; # 0..1 Maximum number of focuses of this type
  ], ...;
  fhir:MessageDefinition.responseRequired [ boolean ]; # 0..1 Is a response required?
  fhir:MessageDefinition.allowedResponse [ # 0..* Responses to this message
    fhir:MessageDefinition.allowedResponse.message [ Reference(MessageDefinition) ]; # 1..1 Reference to allowed message
     definition response
    fhir:MessageDefinition.allowedResponse.situation [ markdown ]; # 0..1 When should this response be used
  ], ...;
]
```

Changes since DSTU2

This resource did not exist in Release 2

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints
MessageDefinition | | | DomainResource | A resource that defines a type of message that can be exchanged between systems Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
url | ? | 0..1 | uri | Logical URI to reference this message definition (globally unique)
identifier | ? | 0..1 | Identifier | Additional identifier for the message definition
version | ? | 0..1 | string | Business version of the message definition
name | ? | 0..1 | string | Name for this message definition (computer friendly)
title | ? | 0..1 | string | Name for this message definition (human friendly)
status | ?!? | 1..1 | code | draft | active | retired | unknown PublicationStatus (Required)
experimental | ?!? | 0..1 | boolean | For testing purposes, not real usage
date | ? | 1..1 | dateTime | Date this was last changed
publisher | ? | 0..1 | string | Name of the publisher (organization or individual)
contact | ? | 0..* | ContactDetail | Contact details for the publisher
description | ? | 0..1 | markdown | Natural language description of the message definition
useContext | ? | 0..* | UsageContext | Context the content is intended to support
jurisdiction | ? | 0..* | CodeableConcept | Intended jurisdiction for message definition (if applicable) Jurisdiction ValueSet (Extensible)
purpose | ? | 0..1 | markdown | Why this message definition is defined
copyright | | 0..1 | markdown | Use and/or publishing restrictions
base | ? | 0..1 | Reference(MessageDefinition) | Definition this one is based on
parent | ? | 0..* | Reference(ActivityDefinition | PlanDefinition) | Protocol/workflow this is part of
replaces | ? | 0..* | Reference(MessageDefinition) | Takes the place of
event | ? | 1..1 | Coding | Event type MessageEvent (Example)
category | ? | 0..1 | code | Consequence | Currency | Notification MessageSignificanceCategory (Required)
focus | ?I | 0..* | BackboneElement | Resource(s) that are the subject of the event + Max must be postive int or *

code | ? | 1..1 | code | Type of resource ResourceType (Required)
profile | | 0..1 | Reference(StructureDefinition) | Profile that must be adhered to by focus
min | | 0..1 | unsignedInt | Minimum number of focuses of this type
max | I | 0..1 | string | Maximum number of focuses of this type
responseRequired | | 0..1 | boolean | Is a response required?
allowedResponse | | 0..* | BackboneElement | Responses to this message
message | | 1..1 | Reference(MessageDefinition) | Reference to allowed message definition response
situation | | 0..1 | markdown | When should this response be used
Documentation for this format

UML Diagram (Legend)

XML Template

```
<MessageDefinition xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <url value="[uri]"/><!-- 0..1 Logical URI to reference this message definition (globally unique) -->
 <identifier><!-- 0..1 Identifier Additional identifier for the message definition --></identifier>
 <version value="[string]"/><!-- 0..1 Business version of the message definition -->
 <name value="[string]"/><!-- 0..1 Name for this message definition (computer friendly) -->
 <title value="[string]"/><!-- 0..1 Name for this message definition (human friendly) -->
 <status value="[code]"/><!-- 1..1 draft | active | retired | unknown -->
 <experimental value="[boolean]"/><!-- 0..1 For testing purposes, not real usage -->
 <date value="[dateTime]"/><!-- 1..1 Date this was last changed -->
 <publisher value="[string]"/><!-- 0..1 Name of the publisher (organization or individual) -->
 <contact><!-- 0..* ContactDetail Contact details for the publisher --></contact>
 <description value="[markdown]"/><!-- 0..1 Natural language description of the message definition -->
 <useContext><!-- 0..* UsageContext Context the content is intended to support --></useContext>
 <jurisdiction><!-- 0..* CodeableConcept Intended jurisdiction for message definition (if applicable) --></jurisdiction>
 <purpose value="[markdown]"/><!-- 0..1 Why this message definition is defined -->
 <copyright value="[markdown]"/><!-- 0..1 Use and/or publishing restrictions -->
 <base><!-- 0..1 Reference(MessageDefinition) Definition this one is based on --></base>
 <parent><!-- 0..* Reference(ActivityDefinition|PlanDefinition) Protocol/workflow this is part of --></parent>
 <replaces><!-- 0..* Reference(MessageDefinition) Takes the place of --></replaces>
 <event><!-- 1..1 Coding Event type --></event>
 <category value="[code]"/><!-- 0..1 Consequence | Currency | Notification -->
 <focus>  <!-- 0..* Resource(s) that are the subject of the event -->
  <code value="[code]"/><!-- 1..1 Type of resource -->
  <profile><!-- 0..1 Reference(StructureDefinition) Profile that must be adhered to by focus --></profile>
  <min value="[unsignedInt]"/><!-- 0..1 Minimum number of focuses of this type -->
  <max value="[string]"/><!--  0..1 Maximum number of focuses of this type -->
 </focus>
 <responseRequired value="[boolean]"/><!-- 0..1 Is a response required? -->
 <allowedResponse>  <!-- 0..* Responses to this message -->
  <message><!-- 1..1 Reference(MessageDefinition) Reference to allowed message definition response --></message>
  <situation value="[markdown]"/><!-- 0..1 When should this response be used -->
 </allowedResponse>
</MessageDefinition>
```

JSON Template

```
{
  "resourceType" : "MessageDefinition",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "url" : "<uri>", // Logical URI to reference this message definition (globally unique)
  "identifier" : { Identifier }, // Additional identifier for the message definition
  "version" : "<string>", // Business version of the message definition
  "name" : "<string>", // Name for this message definition (computer friendly)
  "title" : "<string>", // Name for this message definition (human friendly)
  "status" : "<code>", // R!  draft | active | retired | unknown
  "experimental" : <boolean>, // For testing purposes, not real usage
  "date" : "<dateTime>", // R!  Date this was last changed
  "publisher" : "<string>", // Name of the publisher (organization or individual)
  "contact" : [{ ContactDetail }], // Contact details for the publisher
  "description" : "<markdown>", // Natural language description of the message definition
  "useContext" : [{ UsageContext }], // Context the content is intended to support
  "jurisdiction" : [{ CodeableConcept }], // Intended jurisdiction for message definition (if applicable)
  "purpose" : "<markdown>", // Why this message definition is defined
  "copyright" : "<markdown>", // Use and/or publishing restrictions
  "base" : { Reference(MessageDefinition) }, // Definition this one is based on
  "parent" : [{ Reference(ActivityDefinition|PlanDefinition) }], // Protocol/workflow this is part of
  "replaces" : [{ Reference(MessageDefinition) }], // Takes the place of
  "event" : { Coding }, // R!  Event type
  "category" : "<code>", // Consequence | Currency | Notification
  "focus" : [{ // Resource(s) that are the subject of the event
    "code" : "<code>", // R!  Type of resource
    "profile" : { Reference(StructureDefinition) }, // Profile that must be adhered to by focus
    "min" : "<unsignedInt>", // Minimum number of focuses of this type
    "max" : "<string>" // C? Maximum number of focuses of this type
  }],
  "responseRequired" : <boolean>, // Is a response required?
  "allowedResponse" : [{ // Responses to this message
    "message" : { Reference(MessageDefinition) }, // R!  Reference to allowed message definition response
    "situation" : "<markdown>" // When should this response be used
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:MessageDefinition;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:MessageDefinition.url [ uri ]; # 0..1 Logical URI to reference this message definition (globally unique)
  fhir:MessageDefinition.identifier [ Identifier ]; # 0..1 Additional identifier for the message definition
  fhir:MessageDefinition.version [ string ]; # 0..1 Business version of the message definition
  fhir:MessageDefinition.name [ string ]; # 0..1 Name for this message definition (computer friendly)
  fhir:MessageDefinition.title [ string ]; # 0..1 Name for this message definition (human friendly)
  fhir:MessageDefinition.status [ code ]; # 1..1 draft | active | retired | unknown
  fhir:MessageDefinition.experimental [ boolean ]; # 0..1 For testing purposes, not real usage
  fhir:MessageDefinition.date [ dateTime ]; # 1..1 Date this was last changed
  fhir:MessageDefinition.publisher [ string ]; # 0..1 Name of the publisher (organization or individual)
  fhir:MessageDefinition.contact [ ContactDetail ], ... ; # 0..* Contact details for the publisher
  fhir:MessageDefinition.description [ markdown ]; # 0..1 Natural language description of the message definition
  fhir:MessageDefinition.useContext [ UsageContext ], ... ; # 0..* Context the content is intended to support
  fhir:MessageDefinition.jurisdiction [ CodeableConcept ], ... ; # 0..* Intended jurisdiction for message definition (if
     applicable)
  fhir:MessageDefinition.purpose [ markdown ]; # 0..1 Why this message definition is defined
  fhir:MessageDefinition.copyright [ markdown ]; # 0..1 Use and/or publishing restrictions
  fhir:MessageDefinition.base [ Reference(MessageDefinition) ]; # 0..1 Definition this one is based on
  fhir:MessageDefinition.parent [ Reference(ActivityDefinition|PlanDefinition) ], ... ; # 0..* Protocol/workflow this is
     part of
  fhir:MessageDefinition.replaces [ Reference(MessageDefinition) ], ... ; # 0..* Takes the place of
  fhir:MessageDefinition.event [ Coding ]; # 1..1 Event type
  fhir:MessageDefinition.category [ code ]; # 0..1 Consequence | Currency | Notification
  fhir:MessageDefinition.focus [ # 0..* Resource(s) that are the subject of the event
    fhir:MessageDefinition.focus.code [ code ]; # 1..1 Type of resource
    fhir:MessageDefinition.focus.profile [ Reference(StructureDefinition) ]; # 0..1 Profile that must be adhered to by
    focus
    fhir:MessageDefinition.focus.min [ unsignedInt ]; # 0..1 Minimum number of focuses of this type
    fhir:MessageDefinition.focus.max [ string ]; # 0..1 Maximum number of focuses of this type
  ], ...;
  fhir:MessageDefinition.responseRequired [ boolean ]; # 0..1 Is a response required?
  fhir:MessageDefinition.allowedResponse [ # 0..* Responses to this message
    fhir:MessageDefinition.allowedResponse.message [ Reference(MessageDefinition) ]; # 1..1 Reference to allowed message
     definition response
    fhir:MessageDefinition.allowedResponse.situation [ markdown ]; # 0..1 When should this response be used
  ], ...;
]
```

Changes since DSTU2

This resource did not exist in Release 2

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

2.48.2.1 Terminology Bindings

Path	Definition	Type	Reference
MessageDefinition.status	The lifecycle status of a Value Set or Concept Map.	Required	PublicationStatus
MessageDefinition.jurisdiction	Countries and regions within which this artifact is targeted for use	Extensible	Jurisdiction ValueSet
MessageDefinition.event	One of the message events defined as part of FHIR.	Example	Message Events
MessageDefinition.category	The impact of the content of a message.	Required	MessageSignificanceCategory
MessageDefinition.focus.code	One of the resource types defined as part of FHIR.	Required	Resource Types

2.48.2.2 Constraints

* md-1: On MessageDefinition.focus: Max must be postive int or * (expression on MessageDefinition.focus: max='*' or (max.toInteger() > 0))

2.48.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name	Type	Description	Expression	In Common
category	token	The behavior associated with the message	MessageDefinition.category	
date	date	The message definition publication date	MessageDefinition.date	
description	string	The description of the message definition	MessageDefinition.description	
event	token	The event that triggers the message	MessageDefinition.event	
focus	token	A resource that is a permitted focus of the message	MessageDefinition.focus.code	
identifier	token	External identifier for the message definition	MessageDefinition.identifier	
jurisdiction	token	Intended jurisdiction for the message definition	MessageDefinition.jurisdiction	
name	string	Computationally friendly name of the message definition	MessageDefinition.name	
publisher	string	Name of the publisher of the message definition	MessageDefinition.publisher	
status	token	The current status of the message definition	MessageDefinition.status	
title	string	The human-friendly name of the message definition	MessageDefinition.title	

url | uri | The uri that identifies the message definition | MessageDefinition.url
version | token | The business version of the message definition | MessageDefinition.version

2.48.4 Resource MessageDefinition - Examples

URL: https://hl7.org/fhir/STU3/messagedefinition-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.48.4 Resource MessageDefinition - Examples

Infrastructure And Messaging Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Example List:

A typical message definition | example | XML | JSON | Turtle
An example of a patient link notification | patient-link-notification | XML | JSON | Turtle
An example of a patient link response | patient-link-response | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

2.48.5 Resource MessageDefinition - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/messagedefinition-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.48.5 Resource MessageDefinition - Detailed Descriptions

Infrastructure And Messaging Work Group | Maturity Level: 0 | Draft | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the MessageDefinition resource.

MessageDefinition
Definition | Defines the characteristics of a message that can be shared between systems, including the type of event that initiates the message, the content to be transmitted and what response(s), if any, are permitted.
Control | 1..1
Requirements | Allows messages to be defined once and re-used across systems.
Comments | This would be a MIF-level artifact.
MessageDefinition.url
Definition | An absolute URI that is used to identify this message definition when it is referenced in a specification, model, design or an instance. This SHALL be a URL, SHOULD be globally unique, and SHOULD be an address at which this message definition is (or will be) published. The URL SHOULD include the major version of the message definition. For more information see Technical and Business Versions.
Control | 0..1
Type | uri
Requirements | Allows the message definition to be referenced by a single globally unique identifier.
Summary | true
Comments | Can be a urn:uuid: or a urn:oid:, but real http: addresses are preferred. Multiple instances may share the same url if they have a distinct version.
MessageDefinition.identifier
Definition | A formal identifier that is used to identify this message definition when it is represented in other formats, or referenced in a specification, model, design or an instance.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1
Type | Identifier
Requirements | Allows externally provided and/or usable business identifiers to be easily associated with the module.
Summary | true
Comments | Typically, this is used for identifiers that can go in an HL7 V3 II (instance identifier) data type, e.g., to identify this message definition outside of FHIR, where it is not possible to use the logical URI.
MessageDefinition.version
Definition | The identifier that is used to identify this version of the message definition when it is referenced in a specification, model, design or instance. This is an arbitrary value managed by the message definition author and is not expected to be globally unique. For example, it might be a timestamp (e.g. yyyymmdd) if a managed version is not available. There is also no expectation that versions can be placed in a lexicographical sequence.
Note | This is a business versionId, not a resource version id (see discussion)
Control | 0..1
Type | string
Summary | true
Comments | There may be different message definition instances that have the same identifier but different versions. The version can be appended to the url in a reference to allow a refrence to a particular business version of the message definition with the format [url]|[version].
MessageDefinition.name
Definition | A natural language name identifying the message definition. This name should be usable as an identifier for the module by machine processing applications such as code generation.
Control | 0..1
Type | string

Requirements | Support human navigation and code generation.
Summary | true
Comments | The name is not expected to be globally unique. The name should be a simple alpha-numeric type name to ensure that it is computable friendly.
MessageDefinition.title
Definition | A short, descriptive, user-friendly title for the message definition.
Control | 0..1
Type | string
Summary | true
Comments | This name does not need to be machine-processing friendly and may contain punctuation, white-space, etc.
MessageDefinition.status
Definition | The status of this message definition. Enables tracking the life-cycle of the content.
Control | 1..1
Terminology Binding | PublicationStatus (Required)
Type | code
Is Modifier | true
Summary | true
Comments | Allows filtering of message definitions that are appropriate for use vs. not. This is labeled as "Is Modifier" because applications should not use a retired message definition without due consideration.
MessageDefinition.experimental
Definition | A boolean value to indicate that this message definition is authored for testing purposes (or education/evaluation/marketing), and is not intended to be used for genuine usage.
Control | 0..1
Type | boolean
Is Modifier | true
Requirements | Enables experimental content to be developed following the same lifecycle that would be used for a production-level message definition.
Summary | true
Comments | Allows filtering of message definition that are appropriate for use vs. not. This is labeled as "Is Modifier" because applications should not use an experimental message definition in production.
MessageDefinition.date
Definition | The date (and optionally time) when the message definition was published. The date must change if and when the business version changes and it must change if the status code changes. In addition, it should change when the substantive content of the message definition changes.
Control | 1..1
Type | dateTime
Alternate Names | Revision Date
Summary | true
Comments | Note that this is not the same as the resource last-modified-date, since the resource may be a secondary representation of the message definition. Additional specific dates may be added as extensions or be found by consulting Provenances associated with past versions of the resource.
MessageDefinition.publisher
Definition | The name of the individual or organization that published the message definition.
Control | 0..1
Type | string
Requirements | Helps establish the "authority/credibility" of the message definition. May also allow for contact.
Summary | true
Comments | Usually an organization, but may be an individual. The publisher (or steward) of the message definition is the organization or individual primarily responsible for the maintenance and upkeep of the message definition. This is not necessarily the same individual or organization that developed and initially authored the content. The publisher is the primary point of contact for questions or issues with the message definition. This item SHOULD be populated unless the information is available from context.
MessageDefinition.contact
Definition | Contact details to assist a user in finding and communicating with the publisher.
Control | 0..*
Type | ContactDetail
Summary | true
Comments | May be a web site, an email address, a telephone number, etc.
MessageDefinition.description
Definition | A free text natural language description of the message definition from a consumer's perspective.
Control | 0..1
Type | markdown
Summary | true
Comments | This description can be used to capture details such as why the message definition was built, comments about misuse, instructions for clinical use and interpretation, literature references, examples from the paper world, etc. It is not a rendering of the message definition as conveyed in the 'text' field of the resource itself. This item SHOULD be populated unless the information is available from context (e.g. the language of the profile is presumed to be the predominant language in the place the profile was created).
MessageDefinition.useContext
Definition | The content was developed with a focus and intent of supporting the contexts that are listed. These terms may be used to assist with indexing and searching for appropriate message definition instances.
Control | 0..*
Type | UsageContext
Requirements | Assist in searching for appropriate content.
Summary | true
Comments | When multiple useContexts are specified, there is no expectation whether all or any of the contexts apply.

MessageDefinition.jurisdiction
Definition | A legal or geographic region in which the message definition is intended to be used.
Control | 0..*
Terminology Binding | Jurisdiction ValueSet (Extensible)
Type | CodeableConcept
Summary | true
Comments | It may be possible for the message definition to be used in jurisdictions other than those for which it was originally designed or intended.
MessageDefinition.purpose
Definition | Explaination of why this message definition is needed and why it has been designed as it has.
Control | 0..1
Type | markdown
Summary | true
Comments | This element does not describe the usage of the message definition Instead it provides traceability of "why" the resource is either needed or "why" it is defined as it is. This may be used to point to source materials or specifications that drove the structure of this message definition.
MessageDefinition.copyright
Definition | A copyright statement relating to the message definition and/or its contents. Copyright statements are generally legal restrictions on the use and publishing of the message definition.
Control | 0..1
Type | markdown
Requirements | Consumers must be able to determine any legal restrictions on the use of the message definition and/or its content.
Alternate Names | License; Restrictions
MessageDefinition.base
Definition | The MessageDefinition that is the basis for the contents of this resource.
Control | 0..1
Type | Reference(MessageDefinition)
Summary | true
MessageDefinition.parent
Definition | Identifies a protocol or workflow that this MessageDefinition represents a step in.
Control | 0..*
Type | Reference(ActivityDefinition | PlanDefinition)
Summary | true
MessageDefinition.replaces
Definition | A MessageDefinition that is superseded by this definition.
Control | 0..*
Type | Reference(MessageDefinition)
Summary | true
MessageDefinition.event
Definition | A coded identifier of a supported messaging event.
Control | 1..1
Terminology Binding | the Event List in the messaging framework
Type | Coding
Summary | true
To Do | May need a profile id as well if profiles can define message events.
MessageDefinition.category
Definition | The impact of the content of the message.
Control | 0..1
Terminology Binding | MessageSignificanceCategory (Required)
Type | code
Summary | true
MessageDefinition.focus
Definition | Identifies the resource (or resources) that are being addressed by the event. For example, the Encounter for an admit message or two Account records for a merge.
Control | 0..*
Summary | true
Invariants | Defined on this element md-1: Max must be postive int or * (expression : max='*' or (max.toInteger() > 0), xpath: f:max/@value='*' or number(f:max/@value) > 0)
MessageDefinition.focus.code
Definition | The kind of resource that must be the focus for this message.
Control | 1..1
Terminology Binding | Any defined Resource Type name
Type | code
Summary | true
Comments | Multiple focuses addressing different resources may occasionally occur. E.g. to link or unlink a resource from a particular account or encounter, etc.
MessageDefinition.focus.profile
Definition | A profile that reflects constraints for the focal resource (and potentially for related resources).
Control | 0..1
Type | Reference(StructureDefinition)
Requirements | This profile allows setting boundaries for what content must appear within the message bundle vs. outside based on the declared aggregation constraints on referenced resources on this and related profiles.
Comments | This should be present for most message definitions. However, if the message focus is only a single resource and there is no need to include referenced resources or otherwise enforce the presence of particular elements, it can be omitted.

MessageDefinition.focus.min
Definition | Identifies the minimum number of resources of this type that must be pointed to by a message in order for it to be valid against this MessageDefinition.
Control | 0..1
Type | unsignedInt
Default Value | 0
MessageDefinition.focus.max
Definition | Identifies the maximum number of resources of this type that must be pointed to by a message in order for it to be valid against this MessageDefinition.
Control | 0..1
Type | string
Invariants | Affect this element md-1: Max must be postive int or * (expression : max='*' or (max.toInteger() > 0), xpath: f:max/@value='*' or number(f:max/@value) > 0)
MessageDefinition.responseRequired
Definition | Indicates whether a response is required for this message.
Control | 0..1
Type | boolean
Default Value | false
MessageDefinition.allowedResponse
Definition | Indicates what types of messages may be sent as an application-level response to this message.
Control | 0..*
Comments | This indicates an application level response to "close" a transaction implicit in a particular request message. To define a complete workflow scenario, look to the [[PlanDefinition]] resource which allows the definition of complex orchestrations, conditionality, etc.
MessageDefinition.allowedResponse.message
Definition | A reference to the message definition that must be adhered to by this supported response.
Control | 1..1
Type | Reference(MessageDefinition)
MessageDefinition.allowedResponse.situation
Definition | Provides a description of the circumstances in which this response should be used (as opposed to one of the alternative responses).
Control | 0..1
Type | markdown

2.48.6 Resource MessageDefinition - Mappings

URL: https://hl7.org/fhir/STU3/messagedefinition-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.48.6 Resource MessageDefinition - Mappings

Infrastructure And Messaging Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Mappings:

RIM Mapping

HL7 v2 Mapping

Mappings for the messagedefinition resource.

2.48.6.1 Mappings for RIM Mapping (http://hl7.org/v3)

MessageDefinition | N/A

2.48.6.2 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

MessageDefinition | N/A

2.48.7 Resource MessageDefinition - Design Notes

URL: https://hl7.org/fhir/STU3/messagedefinition-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.48.7 Resource MessageDefinition - Design Notes

to do

2.48.8 Resource MessageDefinition - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/messagedefinition-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

2.48.8 Resource MessageDefinition - Extensions & Profiles

Infrastructure And Messaging Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the MessageDefinition resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

2.48.8.1 Profiles

No Profiles defined for this resource

2.48.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

2.48.8.3 Search Extensions

No Search Extensions defined for this resource