FHIR-STU3 — Terminology Module — part 2 of 4 (sections 4.2.13.511 – 4.3.1.371)

Source: HL7 FHIR STU3 (v3.0.2). Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

4.2.13.511 HL7 Version 2 Table 0511

URL: https://hl7.org/fhir/STU3/v2/0511/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 BP Observation Status Codes Interpretation.

Summary

Name: | v2 BP Observation Status Codes Interpretation
Definition: | FHIR Value set/code system definition for HL7 v2 table 0511 (BP Observation Status Codes Interpretation)
Code System URL: | http://hl7.org/fhir/v2/0511
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0511
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 BP Observation Status Codes Interpretation

4.2.13.511.1 Code System Content

BP Observation Status Codes Interpretation

Code | Description | Comment | Version
C | Record coming over is a correction and thus replaces a final status | | added v2.5
D | Deletes the BPX record | | added v2.5
F | Final status; Can only be changed with a corrected status | | added v2.5
O | Order detail description only (no status) | | added v2.5
P | Preliminary status | | added v2.5
W | Post original as wrong, e.g. transmitted for wrong patient | | added v2.5

4.2.13.513 HL7 Version 2 Table 0513

URL: https://hl7.org/fhir/STU3/v2/0513/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Blood Product Transfusion/Disposition Status.

Summary

Name: | v2 Blood Product Transfusion/Disposition Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0513 (Blood Product Transfusion/Disposition Status)
Code System URL: | http://hl7.org/fhir/v2/0513
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0513
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Blood Product Transfusion/Disposition Status

4.2.13.513.1 Code System Content

Blood Product Transfusion/Disposition Status

Code | Description | Comment | Version
RA | Returned unused/no longer needed | | added v2.5
RL | Returned unused/keep linked to patient for possible use later | | added v2.5
TR | Transfused with adverse reaction | | added v2.5
TX | Transfused | | added v2.5
WA | Wasted (product no longer viable) | | added v2.5

4.2.13.514 HL7 Version 2 Table 0514

URL: https://hl7.org/fhir/STU3/v2/0514/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Transfusion Adverse Reaction.

Summary

Name: | v2 Transfusion Adverse Reaction
Definition: | FHIR Value set/code system definition for HL7 v2 table 0514 (Transfusion Adverse Reaction)
Code System URL: | http://hl7.org/fhir/v2/0514
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0514
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Transfusion Adverse Reaction

4.2.13.514.1 Code System Content

Transfusion Adverse Reaction

Code | Description | Comment | Version
ABOINC | ABO Incompatible Transfusion Reaction | | added v2.5
ACUTHEHTR | Acute Hemolytic Transfusion Reaction | | added v2.5
ALLERGIC1 | Allergic Reaction - First | | added v2.5
ALLERGIC2 | Allergic Reaction - Recurrent | | added v2.5
ALLERGICR | Allergic Reaction - Repeating | | added v2.5
ANAPHYLAC | Anaphylactic Reaction | | added v2.5
BACTCONTAM | Reaction to Bacterial Contamination | | added v2.5
DELAYEDHTR | Delayed Hemolytic Transfusion Reaction | | added v2.5
DELAYEDSTR | Delayed Serological Transfusion Reaction | | added v2.5
GVHD | Graft vs Host Disease - Transfusion - Associated | | added v2.5
HYPOTENS | Non-hemolytic Hypotensive Reaction | | added v2.5
NONHTR1 | Non-Hemolytic Fever Chill Transfusion Reaction - First | | added v2.5
NONHTR2 | Non-Hemolytic Fever Chill Transfusion Reaction - Recurrent | | added v2.5
NONHTRREC | Non-Hemolytic Fever Chill Transfusion Reaction - Repeating | | added v2.5
NONIMMUNE | Non-Immune Hemolysis | | added v2.5
NONSPEC | Non-Specific, Non-Hemolytic Transfusion Reaction | | added v2.5
NORXN | No Evidence of Transfusion Reaction | | added v2.5
PTP | Posttransfusion Purpura | | added v2.5
VOLOVER | Symptoms most likely due to volume overload | | added v2.5

4.2.13.516 HL7 Version 2 Table 0516

URL: https://hl7.org/fhir/STU3/v2/0516/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Error Severity.

Summary

Name: | v2 Error Severity
Definition: | FHIR Value set/code system definition for HL7 v2 table 0516 (Error Severity)
Code System URL: | http://hl7.org/fhir/v2/0516
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0516
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Error Severity

4.2.13.516.1 Code System Content

Error Severity

Code | Description | Deutsch (German) | Comment | Version
E | Error | Fehler | Transaction was unsuccessful | added v2.5
F | Fatal Error | | Message not processed due to application or network failure condition | added v2.6
I | Information | Information | Transaction was successful but includes information e.g. inform patient | added v2.5
W | Warning | Warnung | Transaction successful, but there may issues | added v2.5

4.2.13.517 HL7 Version 2 Table 0517

URL: https://hl7.org/fhir/STU3/v2/0517/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Inform Person Code.

Summary

Name: | v2 Inform Person Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0517 (Inform Person Code)
Code System URL: | http://hl7.org/fhir/v2/0517
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0517
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Inform Person Code

4.2.13.517.1 Code System Content

Inform Person Code

Code | Description | Comment | Version
HD | Inform help desk | | added v2.5
NPAT | Do NOT inform patient | | added v2.5
PAT | Inform patient | | added v2.5
USR | Inform User | | added v2.5

4.2.13.518 HL7 Version 2 Table 0518

URL: https://hl7.org/fhir/STU3/v2/0518/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Override Type.

Summary

Name: | v2 Override Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0518 (Override Type)
Code System URL: | http://hl7.org/fhir/v2/0518
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0518
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Override Type

4.2.13.518.1 Code System Content

Override Type

Code | Description | Comment | Version
EQV | Equivalence Override | Identifies an override where a service is being performed against an order that the system does not recognize as equivalent to the ordered service. | added v2.5
EXTN | Extension Override | Identifies an override where a service is being performed for longer than the ordered period of time. | added v2.5
INLV | Interval Override | Identifies an override where a repetition of service is being performed sooner than the ordered frequency. | added v2.5

4.2.13.520 HL7 Version 2 Table 0520

URL: https://hl7.org/fhir/STU3/v2/0520/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Message Waiting Priority.

Summary

Name: | v2 Message Waiting Priority
Definition: | FHIR Value set/code system definition for HL7 v2 table 0520 (Message Waiting Priority)
Code System URL: | http://hl7.org/fhir/v2/0520

Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0520
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Message Waiting Priority

4.2.13.520.1 Code System Content

Message Waiting Priority

Code | Description | Comment | Version
H | High | | added v2.6
L | Low | | added v2.6
M | Medium | | added v2.6

4.2.13.523 HL7 Version 2 Table 0523

URL: https://hl7.org/fhir/STU3/v2/0523/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Computation Type.

Summary

Name: | v2 Computation Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0523 (Computation Type)
Code System URL: | http://hl7.org/fhir/v2/0523
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0523
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Computation Type

4.2.13.523.1 Code System Content

Computation Type

Code | Description | Nederlands (Dutch) | Comment | Version
% | Indicates a percent change | Geeft een percentage aan | | added v2.5
a | Absolute Change | Absolute wijziging | | added v2.5

4.2.13.524 HL7 Version 2 Table 0524

URL: https://hl7.org/fhir/STU3/v2/0524/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Sequence condition.

Summary

Name: | v2 Sequence condition
Definition: | FHIR Value set/code system definition for HL7 v2 table 0524 (Sequence condition)
Code System URL: | http://hl7.org/fhir/v2/0524
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0524
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Sequence condition

4.2.13.524.1 Code System Content

Sequence condition

Code | Description | Comment | Version
C | Repeating cycle of orders | deprecated | added v2.5, removed after v2.6
R | Reserved for possible future use | deprecated | added v2.5, removed after v2.6
S | Sequence conditions | deprecated | added v2.5, removed after v2.6

4.2.13.527 HL7 Version 2 Table 0527

URL: https://hl7.org/fhir/STU3/v2/0527/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Calendar Alignment.

Summary

Name: | v2 Calendar Alignment
Definition: | FHIR Value set/code system definition for HL7 v2 table 0527 (Calendar Alignment)
Code System URL: | http://hl7.org/fhir/v2/0527
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0527
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Calendar Alignment

4.2.13.527.1 Code System Content

Calendar Alignment

Code | Description | Deutsch (German) | Comment | Version
DM | day of the month | Tag des Monats | | added v2.5
DW | day of the week (begins with Monday) | Tag der Woche (beginnend mit Montag) | | added v2.5
DY | day of the year | Tag des Jahres | | added v2.5
HD | hour of the day | Stunde | | added v2.5
MY | month of the year | Monat | | added v2.5
NH | minute of the hour | Minute | | added v2.5
SN | second of the minute | Sekunde | | added v2.5
WY | week of the year | Kalenderwoche | | added v2.5

4.2.13.528 HL7 Version 2 Table 0528

URL: https://hl7.org/fhir/STU3/v2/0528/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Event Related Period.

Summary

Name: | v2 Event Related Period
Definition: | FHIR Value set/code system definition for HL7 v2 table 0528 (Event Related Period)
Code System URL: | http://hl7.org/fhir/v2/0528
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0528
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Event Related Period

4.2.13.528.1 Code System Content

Event Related Period

Code | Description | Comment | Version
AC | before meal (from lat. ante cibus) | | added v2.5
ACD | before lunch (from lat. ante cibus diurnus) | | added v2.5
ACM | before breakfast (from lat. ante cibus matutinus) | | added v2.5
ACV | before dinner (from lat. ante cibus vespertinus) | | added v2.5
HS | the hour of sleep (e.g. H18-22) | | added v2.5
IC | between meals (from lat. inter cibus) | | added v2.5
ICD | between lunch and dinner | | added v2.5
ICM | between breakfast and lunch | | added v2.5
ICV | between dinner and the hour of sleep | | added v2.5
PC | after meal (from lat. post cibus) | | added v2.5
PCD | after lunch (from lat. post cibus diurnus) | | added v2.5
PCM | after breakfast (from lat. post cibus matutinus) | | added v2.5
PCV | after dinner (from lat. post cibus vespertinus) | | added v2.5

4.2.13.529 HL7 Version 2 Table 0529

URL: https://hl7.org/fhir/STU3/v2/0529/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Precision.

Summary

Name: | v2 Precision
Definition: | FHIR Value set/code system definition for HL7 v2 table 0529 (Precision)
Code System URL: | http://hl7.org/fhir/v2/0529
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0529
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Precision

4.2.13.529.1 Code System Content

Precision

Code | Description | Deutsch (German) | Comment | Version
D | day | Tag | deprecated | added v2.5, removed after v2.5.1
H | hour | Stunde | deprecated | added v2.5, removed after v2.5.1
L | month | Monat | deprecated | added v2.5, removed after v2.5.1
M | minute | Minute | deprecated | added v2.5, removed after v2.5.1
S | second | Sekunde | deprecated | added v2.5, removed after v2.5.1
Y | year | Jahr | deprecated | added v2.5, removed after v2.5.1

4.2.13.530 HL7 Version 2 Table 0530

URL: https://hl7.org/fhir/STU3/v2/0530/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Organization, Agency, Department.

Summary

Name: | v2 Organization, Agency, Department
Definition: | FHIR Value set/code system definition for HL7 v2 table 0530 (Organization, Agency, Department)
Code System URL: | http://hl7.org/fhir/v2/0530
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0530
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Organization, Agency, Department

4.2.13.530.1 Code System Content

Organization, Agency, Department

Code | Description | Comment | Version
AE | American Express | | added v2.5
DEA | Drug Enforcement Agency | The US Drug Enforcement Administration does not solely assign DEA numbers in the United States. Hospitals have the authority to issue DEA numbers to their medical residents. These DEA numbers are based upon the hospital's DEA number, but the authority res | added v2.5
DOD | Department of Defense | In some countries e.g. the US, more than one department may issue a military identifier. Hence, US is not sufficient as the Assigning Authority. | added v2.5
MC | Master Card | | added v2.5
VA | Veterans Affairs | | added v2.5
VI | Visa | | added v2.5

4.2.13.532 HL7 Version 2 Table 0532

URL: https://hl7.org/fhir/STU3/v2/0532/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Expanded Yes/no Indicator.

Summary

Name: | v2 Expanded Yes/no Indicator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0532 (Expanded Yes/no Indicator)
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0532
OID: | ??
ValueSet Resource | XML / JSON

This value set is not currently used

4.2.13.532.1 Logical Definition

Expanded Yes/no Indicator

Code | System | Description | Comment | Version
ASKU | http://hl7.org/fhir/v3/NullFlavor | asked but unknown | Information was sought but not found (e.g. patient was asked but didn't know | added v2.5
N | http://hl7.org/fhir/v2/0136 | No | | added v2.5
NA | http://hl7.org/fhir/v3/NullFlavor | not applicable | No proper value is applicable in this context (e.g. last menstrual period for a male) | added v2.5
NASK | http://hl7.org/fhir/v3/NullFlavor | not asked | This information has not been sought (e.g. patient was not asked | added v2.5
NAV | http://hl7.org/fhir/v3/NullFlavor | temporarily unavailable | Information is not available at this time but it is expected that it will be available later | added v2.5
NI | http://hl7.org/fhir/v3/NullFlavor | No Information | No information whatsoever can be inferred from this exceptional value. This is the most general exceptional value. It is also the default exceptional value | added v2.5
NP | http://hl7.org/fhir/v3/NullFlavor | not present | Obsolete as of v 2.7. | added v2.5
UNK | http://hl7.org/fhir/v3/NullFlavor | unknown | A proper value is applicable, but not known | added v2.5
Y | http://hl7.org/fhir/v2/0136 | Yes | | added v2.5

4.2.13.534 HL7 Version 2 Table 0534

URL: https://hl7.org/fhir/STU3/v2/0534/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Notify Clergy Code.

Summary

Name: | v2 Notify Clergy Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0534 (Notify Clergy Code)
Code System URL: | http://hl7.org/fhir/v2/0534
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0534
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Notify Clergy Code

4.2.13.534.1 Code System Content

Notify Clergy Code

Code | Description | Deutsch (German) | Nederlands (Dutch) | Comment | Version
L | Last Rites only | | Alleen laatste sacramenten | | added v2.5
N | No | Nein | Nee | | added v2.5
O | Other | | Anders | | added v2.5
U | Unknown | unbekannt | Onbekend | | added v2.5
Y | Yes | Ja | Ja | | added v2.5

4.2.13.535 HL7 Version 2 Table 0535

URL: https://hl7.org/fhir/STU3/v2/0535/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Signature Code.

Summary

Name: | v2 Signature Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0535 (Signature Code)
Code System URL: | http://hl7.org/fhir/v2/0535
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0535
OID: | ??

CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Signature Code

4.2.13.535.1 Code System Content

Signature Code

Code | Description | Comment | Version
C | Signed CMS-1500 claim form on file, e.g. authorization for release of any medical or other information necessary to process this claim and assignment of benefits. | | added v2.5
M | Signed authorization for assignment of benefits on file. | | added v2.5
P | Signature generated by provider because the patient was not physically present for services. | | added v2.5
S | Signed authorization for release of any medical or other information necessary to process this claim on file. | | added v2.5

4.2.13.536 HL7 Version 2 Table 0536

URL: https://hl7.org/fhir/STU3/v2/0536/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Certificate Status.

Summary

Name: | v2 Certificate Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0536 (Certificate Status)
Code System URL: | http://hl7.org/fhir/v2/0536
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0536
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Certificate Status

4.2.13.536.1 Code System Content

Certificate Status

Code | Description | Deutsch (German) | Comment | Version
E | Expired | abgelaufen | | added v2.5
I | Inactive | inaktiv | | added v2.5
P | Provisional | | | added v2.5
R | Revoked | zurückgezogen | | added v2.5
V | Active/Valid | aktiv/gültig | | added v2.5

4.2.13.538 HL7 Version 2 Table 0538

URL: https://hl7.org/fhir/STU3/v2/0538/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Institution Relationship Type.

Summary

Name: | v2 Institution Relationship Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0538 (Institution Relationship Type)
Code System URL: | http://hl7.org/fhir/v2/0538
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0538
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Institution Relationship Type

4.2.13.538.1 Code System Content

Institution Relationship Type

Code | Description | Deutsch (German) | Comment | Version
CON | Contractor | | | added v2.5

CST | Consultant | | | added v2.5
EMP | Employee | Angestellter | | added v2.5
VOL | Volunteer | | | added v2.5

4.2.13.540 HL7 Version 2 Table 0540

URL: https://hl7.org/fhir/STU3/v2/0540/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Inactive Reason Code.

Summary

Name: | v2 Inactive Reason Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0540 (Inactive Reason Code)
Code System URL: | http://hl7.org/fhir/v2/0540
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0540
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Inactive Reason Code

4.2.13.540.1 Code System Content

Inactive Reason Code

Code | Description | Nederlands (Dutch) | Comment | Version
L | Leave of Absence | Verlof | | added v2.5
R | Retired | Verlopen | | added v2.5
T | Termination | Beëindiging | | added v2.5

4.2.13.544 HL7 Version 2 Table 0544

URL: https://hl7.org/fhir/STU3/v2/0544/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Container Condition.

Summary

Name: | v2 Container Condition
Definition: | FHIR Value set/code system definition for HL7 v2 table 0544 (Container Condition)
Code System URL: | http://hl7.org/fhir/v2/0544
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0544
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Container Condition

4.2.13.544.1 Code System Content

Container Condition

Code | Description | Deutsch (German) | Nederlands (Dutch) | Comment | Version
... | No suggested values | keine Werte vorgeschlagen | geen voorgestelde waarden | deprecated | added v2.5.1, removed after v2.6
CC | Container Cracked | | | Container is cracked. | added v2.7
CL | Container Leaking | | | Container is leaking | added v2.7
CT | Container Torn | | | Container is torn | added v2.7
SB | Seal Broken | | | Container seal is broken. | added v2.7
XAMB | Not Ambient temperature | | | Failed to keep at ambient (room) temperature, approximately 22 +/- 2 degrees C. Accidental refrigeration or freezing is of little consequence | added v2.7
XC37 | Not Body temperature | | | Failed to keep at body temperature: 36 - 38 degrees C. | added v2.7
XCAMB | Not Critical ambient temperature | | | Failed to keep critical ambient. | added v2.7
XCATM | Exposed to Air | | | Exposed to atmosphere. | added v2.7
XCFRZ | Not Critical frozen temperature | | | Failed to keep critical frozen | added v2.7
XCREF | Not Critical refrigerated temperature | | | Failed to keep critical refrigerated. | added v2.7
XDFRZ | Not Deep frozen | | | Failed to keep deep frozen: -16 to -20 degree C. | added v2.7
XDRY | Not Dry | | | Failed to keep in a dry environment. | added v2.7
XFRZ | Not Frozen temperature | | | Failed to keep at frozen temperature: -4 degrees C. | added v2.7

XMTLF | Metal Exposed | | | Failed to keep container is free of heavy metals. | added v2.7
XNTR | Not Liquid nitrogen | | | Failed to keep in liquid nitrogen. | added v2.7
XPRTL | Not Protected from light | | | Failed to protect from light. | added v2.7
XPSA | Shaken | | | Shaken. | added v2.7
XPSO | Exposed to shock | | | Failed to protect from shock. | added v2.7
XREF | Not Refrigerated temperature | | | Failed to keep at refrigerated temperature: 4-8 degrees C. | added v2.7
XUFRZ | Not Ultra frozen | | | Failed to keep ultra cold frozen: ~ -75 to -85 degree C. (ultra cold freezer is typically at temperature of dry ice). | added v2.7
XUPR | Not Upright | | | Failed to keep upright. | added v2.7

4.2.13.547 HL7 Version 2 Table 0547

URL: https://hl7.org/fhir/STU3/v2/0547/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Jurisdictional Breadth.

Summary

Name: | v2 Jurisdictional Breadth
Definition: | FHIR Value set/code system definition for HL7 v2 table 0547 (Jurisdictional Breadth)
Code System URL: | http://hl7.org/fhir/v2/0547
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0547
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Jurisdictional Breadth

4.2.13.547.1 Code System Content

Jurisdictional Breadth

Code | Description | Deutsch (German) | Comment | Version
C | County/Parish | | | added v2.5
N | Country | Land | | added v2.5
S | State/Province | Bundesland | | added v2.5

4.2.13.548 HL7 Version 2 Table 0548

URL: https://hl7.org/fhir/STU3/v2/0548/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Signatory's Relationship to Subject.

Summary

Name: | v2 Signatory's Relationship to Subject
Definition: | FHIR Value set/code system definition for HL7 v2 table 0548 (Signatory's Relationship to Subject)
Code System URL: | http://hl7.org/fhir/v2/0548
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0548
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Signatory's Relationship to Subject

4.2.13.548.1 Code System Content

Signatory's Relationship to Subject

Code | Description | Deutsch (German) | Comment | Version
1 | Self | | | added v2.5
2 | Parent | Eltern | | added v2.5
3 | Next of Kin | | | added v2.5
4 | Durable Power of Attorney in Healthcare Affairs | | | added v2.5
5 | Conservator | | | added v2.5
6 | Emergent Practitioner (practitioner judging case as emergency requiring care without a consent) | | | added v2.5
7 | Non-Emergent Practitioner (i.e. medical ethics committee) | | | added v2.5

4.2.13.550 HL7 Version 2 Table 0550

URL: https://hl7.org/fhir/STU3/v2/0550/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Body Parts.

Summary

Name: | v2 Body Parts
Definition: | FHIR Value set/code system definition for HL7 v2 table 0550 (Body Parts)
Code System URL: | http://hl7.org/fhir/v2/0550
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0550
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Body Parts

4.2.13.550.1 Code System Content

Body Parts

Code | Description | Comment | Version
ACET | Acetabulum | | added v2.5
ACHIL | Achilles | | added v2.5
ADB | Abdomen | | added v2.5
ADE | Adenoids | | added v2.5
ADR | Adrenal | | added v2.5
AMN | Amniotic fluid | | added v2.5
AMS | Amniotic Sac | | added v2.5
ANAL | Anal | | added v2.5
ANKL | Ankle | | added v2.5
ANTEC | Antecubital | | added v2.5
ANTECF | Antecubital Fossa | | added v2.5
ANTR | Antrum | | added v2.5
ANUS | Anus | | added v2.5
AORTA | Aorta | | added v2.5
APDX | Appendix | | added v2.5
AR | Aortic Rim | | added v2.5
AREO | Areola | | added v2.5
ARM | Arm | | added v2.5
ARTE | Artery | | added v2.5
ASCIT | Ascites | | added v2.5
ASCT | Ascitic Fluid | | added v2.5
ATR | Atrium | | added v2.5
AURI | Auricular | | added v2.5
AV | Aortic Valve | | added v2.5
AXI | Axilla | | added v2.5
BACK | Back | | added v2.5
BARTD | Bartholin Duct | | added v2.5
BARTG | Bartholin Gland | | added v2.5
BCYS | Brain Cyst Fluid | | added v2.5
BDY | Body, Whole | | added v2.5
BID | Bile Duct | | added v2.5
BIFL | Bile fluid | | added v2.5
BLAD | Bladder | | added v2.5
BLD | Blood, Whole | | added v2.5
BLDA | Blood, Arterial | | added v2.5
BLDC | Blood, Capillary | | added v2.5
BLDV | Blood, Venous | | added v2.5
BLOOD | Blood | | added v2.5
BMAR | Bone marrow | | added v2.5
BON | Bone | | added v2.5
BOWEL | Bowel | | added v2.5
BOWLA | Bowel, Large | | added v2.5
BOWSM | Bowel, Small | | added v2.5
BPH | Basophils | | added v2.5
BRA | Brachial | | added v2.5
BRAIN | Brain | | added v2.5
BRO | Bronchial | | added v2.5
BROCH | Bronchiole/Bronchiolar | | added v2.5

BRONC | Bronchus/Bronchial | | added v2.5
BROW | Eyebrow | | added v2.5
BRST | Breast | | added v2.5
BRSTFL | Breast fluid | | added v2.5
BRTGF | Bartholin Gland Fluid | | added v2.5
BRV | Broviac | | added v2.5
BUCCA | Buccal | | added v2.5
BURSA | Bursa | | added v2.5
BURSF | Bursa Fluid | | added v2.5
BUTT | Buttocks | | added v2.5
CALF | Calf | | added v2.5
CANAL | Canal | | added v2.5
CANLI | Canaliculis | | added v2.5
CANTH | Canthus | | added v2.5
CARO | Carotid | | added v2.5
CARP | Carpal | | added v2.5
CAVIT | Cavity | | added v2.5
CBLD | Blood, Cord | | added v2.5
CDM | Cardiac Muscle | | added v2.5
CDUCT | Common Duct | | added v2.5
CECUM | Cecum/Cecal | | added v2.5
CERVUT | Cervix/Uterus | | added v2.5
CHE | Cavity, Chest | | added v2.5
CHEEK | Cheek | | added v2.5
CHES | Chest | | added v2.5
CHEST | Chest Tube | deprecated | added v2.5, removed after v2.7
CHESTÂ | Chest Tube | | added v2.7.1
CHIN | Chin | | added v2.5
CIRCU | Circumcision Site | | added v2.5
CLAVI | Clavicle/Clavicular | | added v2.5
CLIT | Clitoris | | added v2.5
CLITO | Clitoral | | added v2.5
CNL | Cannula | | added v2.5
COCCG | Coccygeal | | added v2.5
COCCY | Coccyx | | added v2.5
COLON | Colon | | added v2.5
COLOS | Colostomy | | added v2.5
CONJ | Conjunctiva | | added v2.5
COR | Cord | | added v2.5
CORAL | Coral | | added v2.5
CORD | Cord Blood | | added v2.5
CORN | Cornea | | added v2.5
COS | Colostomy Stoma | | added v2.5
CRANE | Cranium, ethmoid | | added v2.5
CRANF | Cranium, frontal | | added v2.5
CRANO | Cranium, occipital | | added v2.5
CRANP | Cranium, parietal | | added v2.5
CRANS | Cranium, sphenoid | | added v2.5
CRANT | Cranium, temporal | | added v2.5
CSF | Cerebral Spinal Fluid | | added v2.5
CUBIT | Cubitus | | added v2.5
CUFF | Cuff | | added v2.5
CULD | Cul De Sac | | added v2.5
CULDO | Culdocentesis | | added v2.5
CVX | Cervix | | added v2.5
DELT | Deltoid | | added v2.5
DEN | Dental Gingiva | | added v2.5
DENTA | Dental | | added v2.5
DIAF | Dialysis Fluid | | added v2.5
DIGIT | Digit | | added v2.5
DISC | Disc | | added v2.5
DORS | Dorsum/Dorsal | | added v2.5
DPH | Diaphragm | | added v2.5
DUFL | Duodenal Fluid | | added v2.5
DUODE | Duodenum/Duodenal | | added v2.5
DUR | Dura | | added v2.5
EAR | Ear | | added v2.5
EARBI | Ear bone, incus | | added v2.5
EARBM | Ear bone, malleus | | added v2.5
EARBS | Ear bone,stapes | | added v2.5
EARLO | Ear Lobe | | added v2.5
EC | Endocervical | | added v2.5

ELBOW | Elbow | | added v2.5
ELBOWJ | Elbow Joint | | added v2.5
ENDC | Endocardium | | added v2.5
ENDM | Endometrium | | added v2.5
EOLPH | endolpthamitis | | added v2.5
EOS | Eosinophils | | added v2.5
EPD | Epididymis | | added v2.5
EPICA | Epicardial | | added v2.5
EPICM | Epicardium | | added v2.5
EPIDU | Epidural | | added v2.5
EPIGL | Epiglottis | | added v2.5
ESO | Esophagus | | added v2.5
ESOPG | Esophageal | | added v2.5
ET | Endotracheal | | added v2.5
ETHMO | Ethmoid | | added v2.5
EUR | Endourethral | | added v2.5
EYE | Eye | | added v2.5
EYELI | Eyelid | | added v2.5
FACE | Face | | added v2.5
FALLT | Fallopian Tube | | added v2.5
FBINC | Facial bone, inferior nasal concha | | added v2.5
FBLAC | Facial bone, lacrimal | | added v2.5
FBMAX | Facial bone, maxilla | | added v2.5
FBNAS | Facial bone, nasal | | added v2.5
FBPAL | Facial bone, palatine | | added v2.5
FBVOM | Facial bone, vomer | | added v2.5
FBZYG | Facial bone, zygomatic | | added v2.5
FEMOR | Femoral | | added v2.5
FEMUR | Femur | | added v2.5
FET | Fetus | | added v2.5
FIBU | Fibula | | added v2.5
FING | Finger | | added v2.5
FINGN | Finger Nail | | added v2.5
FMH | Femoral Head | | added v2.5
FOL | Follicle | | added v2.5
FOOT | Foot | | added v2.5
FOREA | Forearm | | added v2.5
FOREH | Forehead | | added v2.5
FORES | Foreskin | | added v2.5
FOURC | Fourchette | | added v2.5
GB | Gall Bladder | | added v2.5
GEN | Genital | | added v2.5
GENC | Genital Cervix | | added v2.5
GENL | Genital Lochia | | added v2.5
GL | Genital Lesion | | added v2.5
GLAND | Gland | | added v2.5
GLANS | Glans | | added v2.5
GLUT | Gluteus | | added v2.5
GLUTE | Gluteal | | added v2.5
GLUTM | Gluteus Medius | | added v2.5
GROIN | Groin | | added v2.5
GUM | Gum | | added v2.5
GVU | Genital - Vulva | | added v2.5
HAL | Hallux | | added v2.5
HAND | Hand | | added v2.5
HAR | Hair | | added v2.5
HART | Heart | | added v2.5
HEAD | Head | | added v2.5
HEEL | Heel | | added v2.5
HEM | Hemorrhoid | | added v2.5
HIP | Hip | | added v2.5
HIPJ | Hip Joint | | added v2.5
HUMER | Humerus | | added v2.5
HV | Heart Valve | | added v2.5
HVB | Heart Valve, Bicuspid | | added v2.5
HVT | Heart Valve, Tricuspid | | added v2.5
HYMEN | Hymen | | added v2.5
ICX | Intracervical | | added v2.5
ILC | Ileal Conduit | | added v2.5
ILCON | Ilical Conduit | | added v2.5
ILCR | Iliac Crest | | added v2.5
ILE | Ileal Loop | | added v2.5

ILEOS | Ileostomy | | added v2.5
ILEUM | Ileum | | added v2.5
ILIAC | Iliac | | added v2.5
INASA | Intranasal | | added v2.5
INGUI | Inguinal | | added v2.5
INSTL | Intestine, Large | | added v2.5
INSTS | Intestine, Small | | added v2.5
INT | Intestine | | added v2.5
INTRO | Introitus | | added v2.5
INTRU | Intrauterine | | added v2.5
ISCHI | Ischium | | added v2.5
ISH | Loop, Ishial | | added v2.5
JAW | Jaw | | added v2.5
JUGI | Jugular, Internal | | added v2.5
KIDN | Kidney | deprecated | added v2.5, removed after v2.7
KIDNÂ | Kidney | | added v2.7.1
KNEE | Knee | | added v2.5
KNEEF | Knee Fluid | | added v2.5
KNEEJ | Knee Joint | | added v2.5
LABIA | Labia | | added v2.5
LABMA | Labia Majora | | added v2.5
LABMI | Labia Minora | | added v2.5
LACRI | Lacrimal | | added v2.5
LAM | Lamella | | added v2.5
LARYN | Larynx | | added v2.5
LEG | Leg | | added v2.5
LENS | Lens | | added v2.5
LING | Lingual | | added v2.5
LINGU | Lingula | | added v2.5
LIP | Lip | | added v2.5
LIVER | Liver | | added v2.5
LMN | Lumen | | added v2.5
LN | Lymph Node | | added v2.5
LNG | Lymph Node, Groin | | added v2.5
LOBE | Lobe | | added v2.5
LOCH | Lochia | | added v2.5
LUMBA | Lumbar | | added v2.5
LUNG | Lung | | added v2.5
LYM | Lymphocytes | | added v2.5
MAC | Macrophages | | added v2.5
MALLE | Malleolus | | added v2.5
MANDI | Mandible/Mandibular | | added v2.5
MAR | Marrow | | added v2.5
MAST | Mastoid | | added v2.5
MAXIL | Maxilla/Maxillary | | added v2.5
MAXS | Maxillary Sinus | | added v2.5
MEATU | Meatus | | added v2.5
MEC | Meconium | | added v2.5
MEDST | Mediastinum | | added v2.5
MEDU | Medullary | | added v2.5
METAC | Metacarpal | | added v2.5
METAT | Metatarsal | | added v2.5
MILK | Milk, Breast | | added v2.5
MITRL | Mitral Valve | | added v2.5
MOLAR | Molar | | added v2.5
MONSU | Mons Ureteris | | added v2.5
MONSV | Mons Veneris(Mons Pubis) | | added v2.5
MOU | Membrane | | added v2.5
MOUTH | Mouth | | added v2.5
MP | Mons Pubis | | added v2.5
MPB | Meninges | | added v2.5
MRSA2 | Mrsa: | | added v2.5
MYO | Myocardium | | added v2.5
NAIL | Nail | | added v2.5
NAILB | Nail Bed | | added v2.5
NAILF | Nail, Finger | | added v2.5
NAILT | Nail, Toe | | added v2.5
NARES | Nares | | added v2.5
NASL | Nasal | | added v2.5
NAVEL | Navel | | added v2.5
NECK | Neck | | added v2.5
NERVE | Nerve | | added v2.5

NIPPL | Nipple | | added v2.5
NLACR | Nasolacrimal | | added v2.5
NOS | Nose (Nasal Passage) | | added v2.5
NOSE | Nose/Nose(outside) | | added v2.5
NOSTR | Nostril | | added v2.5
NP | Nasopharyngeal/Nasopharynx | | added v2.5
NSS | Nasal Septum | | added v2.5
NTRAC | Nasotracheal | | added v2.5
OCCIP | Occipital | | added v2.5
OLECR | Olecranon | | added v2.5
OMEN | Omentum | | added v2.5
ORBIT | Orbit/Orbital | | added v2.5
ORO | Oropharynx | | added v2.5
OSCOX | Os coxa (pelvic girdle) | | added v2.5
OVARY | Ovary | | added v2.5
PAFL | Pancreatic Fluid | | added v2.5
PALAT | Palate | | added v2.5
PALM | Palm | | added v2.5
PANAL | Perianal/Perirectal | | added v2.5
PANCR | Pancreas | | added v2.5
PARAT | Paratracheal | | added v2.5
PARIE | Parietal | | added v2.5
PARON | Paronychia | | added v2.5
PAROT | Parotid/Parotid Gland | | added v2.5
PAS | Parasternal | | added v2.5
PATEL | Patella | | added v2.5
PCARD | Pericardium | | added v2.5
PCLIT | Periclitoral | | added v2.5
PELV | Pelvis | | added v2.5
PENIS | Penis | | added v2.5
PENSH | Penile Shaft | | added v2.5
PER | Peritoneal | | added v2.5
PERI | Pericardial Fluid | | added v2.5
PERIH | Perihepatic | | added v2.5
PERIN | Perineal Abscess | | added v2.5
PERIS | Perisplenic | | added v2.5
PERIT | Peritoneum | | added v2.5
PERIU | Periurethal | | added v2.5
PERIV | Perivesicular | | added v2.5
PERRA | Perirectal | | added v2.5
PERT | Peritoneal Fluid | | added v2.5
PHALA | Phalanyx | | added v2.5
PILO | Pilonidal | | added v2.5
PINNA | Pinna | | added v2.5
PLACF | Placenta (Fetal Side) | | added v2.5
PLACM | Placenta (Maternal Side) | | added v2.5
PLANT | Plantar | | added v2.5
PLATH | Palate, Hard | | added v2.5
PLATS | Palate, Soft | | added v2.5
PLC | Placenta | | added v2.5
PLEU | Pleural Fluid | | added v2.5
PLEUR | Pleura | | added v2.5
PLR | Pleural Fluid (Thoracentesis Fld) | | added v2.5
PNEAL | Perineal | | added v2.5
PNEPH | Perinephric | | added v2.5
PNM | Perineum | | added v2.5
POPLI | Popliteal | | added v2.5
PORBI | Periorbital | | added v2.5
PREAU | Preauricular | | added v2.5
PRERE | Prerenal | | added v2.5
PROS | Prostatic Fluid | | added v2.5
PRST | Prostate Gland | | added v2.5
PTONS | Peritonsillar | | added v2.5
PUBIC | Pubic | | added v2.5
PUL | Pulmonary Artery | | added v2.5
RADI | Radial | | added v2.5
RADIUS | Radius | | added v2.5
RBC | Red Blood Cells | | added v2.5
RECTL | Rectal | | added v2.5
RECTU | Rectum | | added v2.5
RENL | Renal | | added v2.5
RIB | Rib | | added v2.5

RNP | Renal Pelvis | | added v2.5
RPERI | Retroperitoneal | | added v2.5
SAC | Uterine Cul/De/Sac | | added v2.5
SACIL | Sacroiliac | | added v2.5
SACRA | Sacral | | added v2.5
SACRO | Sacrococcygeal | | added v2.5
SACRU | Sacrum | | added v2.5
SALGL | Salivary Gland | | added v2.5
SCALP | Scalp | | added v2.5
SCAPU | Scapula/Scapular | | added v2.5
SCLAV | Supraclavicle/Supraclavicular | | added v2.5
SCLER | Sclera | | added v2.5
SCLV | Sub Clavian | | added v2.5
SCROT | Scrotum/Scrotal | | added v2.5
SDP | Subdiaphramatic | | added v2.5
SEM | Seminal Fluid | | added v2.5
SEMN | Semen | | added v2.5
SEPTU | Septum/Septal | | added v2.5
SEROM | Seroma | | added v2.5
SGF | Subgaleal Fluid | | added v2.5
SHIN | Shin | | added v2.5
SHOL | Shoulder | | added v2.5
SHOLJ | Sholder Joint | | added v2.5
SIGMO | Sigmoid | | added v2.5
SINUS | Sinus | | added v2.5
SKENE | Skene's Gland | | added v2.5
SKM | Skeletal Muscle | | added v2.5
SKULL | Skull | | added v2.5
SOLE | Sole | | added v2.5
SPCOR | Spinal Cord | | added v2.5
SPHEN | Sphenoid | | added v2.5
SPLN | Spleen | | added v2.5
SPRM | Spermatozoa | | added v2.5
SPX | Supra Cervical | | added v2.5
STER | Sternum/Sternal | | added v2.5
STOM | Stoma | | added v2.5
STOMA | Stomach | | added v2.5
STOOLL | Liquid Stool | | added v2.5
STUMP | Stump | | added v2.5
SUB | Subdural | | added v2.5
SUBD | Subdural Fluid | | added v2.5
SUBM | Submandibular | | added v2.5
SUBME | Submental | | added v2.5
SUBPH | Subphrenic | | added v2.5
SUBX | Submaxillary | | added v2.5
SUPB | Suprapubic Specimen | | added v2.5
SUPRA | Suprapubic | | added v2.5
SWT | Sweat | | added v2.5
SWTG | Sweat Gland | | added v2.5
SYN | Synovial Fluid | | added v2.5
SYNOL | Synovial | | added v2.5
SYNOV | Synovium | | added v2.5
TARS | Tarsal | | added v2.5
TBRON | Transbronchial | | added v2.5
TCN | Transcarina Asp | | added v2.5
TDUCT | Tear Duct | | added v2.5
TEAR | Tears | | added v2.5
TEMPL | Temple | | added v2.5
TEMPO | Temporal | | added v2.5
TESTI | Testicle(Testis) | | added v2.5
THIGH | Thigh | | added v2.5
THM | Thymus | | added v2.5
THORA | Thorax/Thoracic/Thoracentesis | | added v2.5
THRB | Throat | | added v2.5
THUMB | Thumb | | added v2.5
THYRD | Thyroid | | added v2.5
TIBIA | Tibia | | added v2.5
TML | Temporal Lobe | | added v2.5
TNL | Thumbnail | | added v2.5
TOE | Toe | | added v2.5
TOEN | Toe Nail | | added v2.5
TONG | Tongue | | added v2.5

TONS | Tonsil | | added v2.5
TOOTH | Tooth | | added v2.5
TRCHE | Trachea/Tracheal | | added v2.5
TSK | Tooth Socket | | added v2.5
ULNA | Ulna/Ulnar | | added v2.5
UMB | Umbilical Blood | | added v2.5
UMBL | Umbilicus/Umbilical | | added v2.5
URET | Ureter | | added v2.5
URTH | Urethra | | added v2.5
USTOM | Stoma, Urinary | | added v2.5
UTER | Uterus | | added v2.5
UTERI | Uterine | | added v2.5
VAGIN | Vagina/Vaginal | | added v2.5
VAL | Valve | | added v2.5
VAS | Vas Deferens | | added v2.5
VASTL | Vastus Lateralis | | added v2.5
VAULT | Vault | | added v2.5
VCSF | Ventricular CSF | | added v2.5
VCUFF | Vaginal Cuff | | added v2.5
VEIN | Vein | | added v2.5
VENTG | Ventragluteal | | added v2.5
VERMI | Vermis Cerebelli | | added v2.5
VERTC | Vertebra, cervical | | added v2.5
VERTL | Vertebra, lumbar | | added v2.5
VERTT | Vertebra, thoracic | | added v2.5
VESCL | Vesicular | | added v2.5
VESFLD | Vesicular Fluid | | added v2.5
VESI | Vesicle | | added v2.5
VESTI | Vestibule(Genital) | | added v2.5
VGV | Vaginal Vault | | added v2.5
VITR | Vitreous Fluid | | added v2.5
VOC | Vocal Cord | | added v2.5
VULVA | Vulva | | added v2.5
WBC | Leukocytes | | added v2.5
WRIST | Wrist | | added v2.5
| External Jugular | deprecated | added v2.5, removed after v2.5
Â | External Jugular | | added v2.6

4.2.13.553 HL7 Version 2 Table 0553

URL: https://hl7.org/fhir/STU3/v2/0553/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Invoice Control Code.

Summary

Name: | v2 Invoice Control Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0553 (Invoice Control Code)
Code System URL: | http://hl7.org/fhir/v2/0553
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0553
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Invoice Control Code

4.2.13.553.1 Code System Content

Invoice Control Code

Code | Description | Comment | Version
AA | Authorization request for inpatient admission | | added v2.6
AI | Combined Authorization and Adjudication request | | added v2.6
CA | Cancel Authorization request | | added v2.6
CG | Cancel Invoice Product/Service Group | Cancel a specific Product/Service Group in an Invoice | added v2.6
CL | Cancel Invoice Product/Service Line Item | Cancel a specific Product/Service Line Item in an Invoice | added v2.6
CN | Cancel Invoice | Can be used to reverse or cancel an invoice in progress or reverse a paid invoice. Receiver may only mark Invoice as cancelled, not purge records | added v2.6
CP | Copy of Invoice | | added v2.6
CQ | Coverage Register Query | | added v2.6
EA | Authorization request for inpatient stay extension | | added v2.6

OA | Original Authorization | | added v2.6
OR | Original Invoice | | added v2.6
PA | Pre-Authorization | | added v2.6
PD | Pre-Determination Invoice | Can be used to submit an invoice through a Payer's edit and adjudication engine to determine if the invoice will be paid - does not result in payment by Payer | added v2.6
RA | Re-Assessment | Used on EHC^E04 only | added v2.6
RC | Referral Pre-Authorization | | added v2.6
RU | Referral authorization | | added v2.6
SA | Special Authorization | | added v2.6

4.2.13.554 HL7 Version 2 Table 0554

URL: https://hl7.org/fhir/STU3/v2/0554/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Invoice Reason Codes.

Summary

Name: | v2 Invoice Reason Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0554 (Invoice Reason Codes)
Code System URL: | http://hl7.org/fhir/v2/0554
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0554
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Invoice Reason Codes

4.2.13.554.1 Code System Content

Invoice Reason Codes

Code | Description | Comment | Version
LATE | Late Invoice | Over the Payer's published time limit for this invoice | added v2.6
NORM | Normal submission | | added v2.6
SUB | Subscriber coverage problem | | added v2.6

4.2.13.555 HL7 Version 2 Table 0555

URL: https://hl7.org/fhir/STU3/v2/0555/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Invoice Type.

Summary

Name: | v2 Invoice Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0555 (Invoice Type)
Code System URL: | http://hl7.org/fhir/v2/0555
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0555
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Invoice Type

4.2.13.555.1 Code System Content

Invoice Type

Code | Description | Comment | Version
BK | Block | | added v2.6
FN | Final | Final Invoice | added v2.6
FS | Fee for Service | | added v2.6
GP | Group | | added v2.6
IN | Information Only | Payee information not required for this Invoice Type | added v2.6
NP | Non Patient | Invoice without a patient; e.g. bulk invoicing for Pharmacy for a care facility. | added v2.6
PA | Partial | Partial Invoice | added v2.6
SL | Salary | | added v2.6
SS | By Session | | added v2.6

SU | Supplemental | Supplemental Invoice | added v2.6

4.2.13.556 HL7 Version 2 Table 0556

URL: https://hl7.org/fhir/STU3/v2/0556/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Benefit Group.

Summary

Name: | v2 Benefit Group
Definition: | FHIR Value set/code system definition for HL7 v2 table 0556 (Benefit Group)
Code System URL: | http://hl7.org/fhir/v2/0556
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0556
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Benefit Group

4.2.13.556.1 Code System Content

Benefit Group

Code | Description | Comment | Version
AMB | AMBULATORY CARE | | added v2.6
DENT | DENTAL | | added v2.6

4.2.13.557 HL7 Version 2 Table 0557

URL: https://hl7.org/fhir/STU3/v2/0557/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Payee Type.

Summary

Name: | v2 Payee Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0557 (Payee Type)
Code System URL: | http://hl7.org/fhir/v2/0557
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0557
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Payee Type

4.2.13.557.1 Code System Content

Payee Type

Code | Description | Comment | Version
EMPL | Employer | A legal entity that controls and directs a worker under an express or implied contract of employment and a salary or wages in compensation.<p>In worker's compensation cases, the Employer may be the "organization" responsible for paying the healthcare char | added v2.6
ORG | Payee Organization | The payee is not a person/individual/being, but an entity commonly identified as an organization. Examples could be a country healthcare payer, or an insurance company responsible for payment. | added v2.6
PERS | Person | A person/individual/being. | added v2.6
PPER | Pay Person | Person/individual/being responsible for payment. | added v2.6

4.2.13.558 HL7 Version 2 Table 0558

URL: https://hl7.org/fhir/STU3/v2/0558/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Payee Relationship to Invoice.

Summary

Name: | v2 Payee Relationship to Invoice

Definition: | FHIR Value set/code system definition for HL7 v2 table 0558 (Payee Relationship to Invoice)
Code System URL: | http://hl7.org/fhir/v2/0558
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0558
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Payee Relationship to Invoice

4.2.13.558.1 Code System Content

Payee Relationship to Invoice

Code | Description | Comment | Version
FM | Family Member | | added v2.6
GT | Guarantor | | added v2.6
PT | Patient | | added v2.6
SB | Subscriber | | added v2.6

4.2.13.559 HL7 Version 2 Table 0559

URL: https://hl7.org/fhir/STU3/v2/0559/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Product/Service Status.

Summary

Name: | v2 Product/Service Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0559 (Product/Service Status)
Code System URL: | http://hl7.org/fhir/v2/0559
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0559
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Product/Service Status

4.2.13.559.1 Code System Content

Product/Service Status

Code | Description | Comment | Version
D | Denied | | added v2.6
P | Processed | | added v2.6
R | Rejected | | added v2.6

4.2.13.561 HL7 Version 2 Table 0561

URL: https://hl7.org/fhir/STU3/v2/0561/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Product/Services Clarification Codes.

Summary

Name: | v2 Product/Services Clarification Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0561 (Product/Services Clarification Codes)
Code System URL: | http://hl7.org/fhir/v2/0561
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0561
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Product/Services Clarification Codes

4.2.13.561.1 Code System Content

Product/Services Clarification Codes

Code | Description | Comment | Version

CLCTR | Claim Center | | added v2.6
DGAPP | Diagnostic Approval Number | MSP: assigned by MSP | added v2.6
DTCTR | Data Center Number | MSP: Data Center Number associated with the Provider's Network Application ID | added v2.6
ENC | Encounter Number | | added v2.6
GFTH | Good Faith Indicator | | added v2.6
OOP | Out of Province Indicator | | added v2.6
SEQ | Sequence Number | MSP: Must be sequential by Data Center Number | added v2.6

4.2.13.562 HL7 Version 2 Table 0562

URL: https://hl7.org/fhir/STU3/v2/0562/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Processing Consideration Codes.

Summary

Name: | v2 Processing Consideration Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0562 (Processing Consideration Codes)
Code System URL: | http://hl7.org/fhir/v2/0562
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0562
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Processing Consideration Codes

4.2.13.562.1 Code System Content

Processing Consideration Codes

Code | Description | Comment | Version
DFADJ | Deferred Adjudication Processing | If permitted by Payer | added v2.6
EFORM | Electronic form to follow | E30 transaction to follow | added v2.6
FAX | Fax to follow | | added v2.6
PAPER | Paper documentation to follow | | added v2.6
PYRDELAY | Delayed by a Previous Payer | Allows Provider to explain lateness of Invoice to a subsequent Payer | added v2.6
RTADJ | Real Time Adjudication Processing | If permitted by Payer | added v2.6

4.2.13.564 HL7 Version 2 Table 0564

URL: https://hl7.org/fhir/STU3/v2/0564/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Adjustment Category Code.

Summary

Name: | v2 Adjustment Category Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0564 (Adjustment Category Code)
Code System URL: | http://hl7.org/fhir/v2/0564
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0564
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Adjustment Category Code

4.2.13.564.1 Code System Content

Adjustment Category Code

Code | Description | Comment | Version
EA | Edit/Adjudication Response | Payer adjustment | added v2.6
IN | Information | Payer adjustment | added v2.6
PA | Provider Adjustment | Provider adjustment | added v2.6
PR | Processing Result | Payer adjustment | added v2.6

4.2.13.565 HL7 Version 2 Table 0565

URL: https://hl7.org/fhir/STU3/v2/0565/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Provider Adjustment Reason Code.

Summary

Name: | v2 Provider Adjustment Reason Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0565 (Provider Adjustment Reason Code)
Code System URL: | http://hl7.org/fhir/v2/0565
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0565
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Provider Adjustment Reason Code

4.2.13.565.1 Code System Content

Provider Adjustment Reason Code

Code | Description | Comment | Version
DISP | Dispensing Fee | | added v2.6
GST | Goods and Services Tax | | added v2.6
HST | Harmonized Sales Tax | | added v2.6
MKUP | Mark up Fee | | added v2.6
PST | Provincial Sales Tax | | added v2.6

4.2.13.566 HL7 Version 2 Table 0566

URL: https://hl7.org/fhir/STU3/v2/0566/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Blood Unit Type.

Summary

Name: | v2 Blood Unit Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0566 (Blood Unit Type)
Code System URL: | http://hl7.org/fhir/v2/0566
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0566
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Blood Unit Type

4.2.13.566.1 Code System Content

Blood Unit Type

Code | Description | Comment | Version
GRN | Granulocytes | | added v2.8
LYM | Lymphocytes | | added v2.8
PLS | Plasma | | added v2.8
PLT | Platelets | | added v2.8
PSC | Peripheral Stem Cells | | added v2.8
RBC | Red Blood Cells | | added v2.8
WBL | Whole Blood | | added v2.8

4.2.13.569 HL7 Version 2 Table 0569

URL: https://hl7.org/fhir/STU3/v2/0569/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Adjustment Action.

Summary

Name: | v2 Adjustment Action
Definition: | FHIR Value set/code system definition for HL7 v2 table 0569 (Adjustment Action)

Code System URL: | http://hl7.org/fhir/v2/0569
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0569
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Adjustment Action

4.2.13.569.1 Code System Content

Adjustment Action

Code | Description | Comment | Version
EOB | Print on EOB | Instructs party to print this adjustment on the EOB (Explanation of Benefits) handed to the patient | added v2.6
PAT | Inform Patient | | added v2.6
PRO | Inform Provider | | added v2.6

4.2.13.570 HL7 Version 2 Table 0570

URL: https://hl7.org/fhir/STU3/v2/0570/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Payment Method Code.

Summary

Name: | v2 Payment Method Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0570 (Payment Method Code)
Code System URL: | http://hl7.org/fhir/v2/0570
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0570
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Payment Method Code

4.2.13.570.1 Code System Content

Payment Method Code

Code | Description | Comment | Version
CASH | Cash | | added v2.6
CCCA | Credit Card | | added v2.6
CCHK | Cashier's Check | | added v2.6
CDAC | Credit/Debit Account | | added v2.6
CHCK | Check | | added v2.6
DDPO | Direct Deposit | EFT | added v2.6
DEBC | Debit Card | | added v2.6
SWFT | Society for Worldwide Interbank Financial Telecommunications (S.W.I.F.T.) | | added v2.6
TRAC | Traveler's Check | | added v2.6
VISN | VISA Special Electronic Funds Transfer Network | | added v2.6

4.2.13.571 HL7 Version 2 Table 0571

URL: https://hl7.org/fhir/STU3/v2/0571/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Invoice Processing Results Status.

Summary

Name: | v2 Invoice Processing Results Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0571 (Invoice Processing Results Status)
Code System URL: | http://hl7.org/fhir/v2/0571
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0571
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Invoice Processing Results Status

4.2.13.571.1 Code System Content

Invoice Processing Results Status

Code | Description | Comment | Version
ACK | Acknowledge | | added v2.6
ADJ | Adjudicated with Adjustments | | added v2.6
ADJSUB | Adjudicated as Submitted | | added v2.6
ADJZER | Adjudicated to Zero | | added v2.6
PAID | Paid | | added v2.6
PEND | Pending | | added v2.6
PRED | Pre-Determination | Indicates that the IPR has been adjudicated but will not be paid. Equivalent to ADJUD (Adjudicate) | added v2.6
REJECT | Reject | | added v2.6

4.2.13.572 HL7 Version 2 Table 0572

URL: https://hl7.org/fhir/STU3/v2/0572/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Tax status.

Summary

Name: | v2 Tax status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0572 (Tax status)
Code System URL: | http://hl7.org/fhir/v2/0572
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0572
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Tax status

4.2.13.572.1 Code System Content

Tax status

Code | Description | Comment | Version
RVAT | Registered in VAT register | | added v2.6
UVAT | Unregistered in VAT register | | added v2.6

4.2.13.615 HL7 Version 2 Table 0615

URL: https://hl7.org/fhir/STU3/v2/0615/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 User Authentication Credential Type Code.

Summary

Name: | v2 User Authentication Credential Type Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0615 (User Authentication Credential Type Code)
Code System URL: | http://hl7.org/fhir/v2/0615
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0615
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 User Authentication Credential Type Code

4.2.13.615.1 Code System Content

User Authentication Credential Type Code

Code | Description | Comment | Version
KERB | Kerberos Service Ticket | Structure defined by RFC 1510 | added v2.6
SAML | Authenticated User Identity Assertion | XML structure defined by the OASIS Security Assertion Markup Language (SAML) specification | added v2.6

4.2.13.616 HL7 Version 2 Table 0616

URL: https://hl7.org/fhir/STU3/v2/0616/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Address Expiration Reason.

Summary

Name: | v2 Address Expiration Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0616 (Address Expiration Reason)
Code System URL: | http://hl7.org/fhir/v2/0616
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0616
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Address Expiration Reason

4.2.13.616.1 Code System Content

Address Expiration Reason

Code | Description | Comment | Version
C | Corrected | The address has been replaced with a corrected version | added v2.6
E | Added in error | The address was incorrect and should never have been associated with the individual | added v2.6
M | Moved | The individual associated with the address has moved and is no longer reachable at the address | added v2.6
R | On request | The associated individual requested that the address be removed from their record | added v2.6

4.2.13.617 HL7 Version 2 Table 0617

URL: https://hl7.org/fhir/STU3/v2/0617/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Address Usage.

Summary

Name: | v2 Address Usage
Definition: | FHIR Value set/code system definition for HL7 v2 table 0617 (Address Usage)
Code System URL: | http://hl7.org/fhir/v2/0617
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0617
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Address Usage

4.2.13.617.1 Code System Content

Address Usage

Code | Description | Comment | Version
C | Classification | Identifies an address used for the purpose of demographic classification or searching. Such addresses frequently contain insufficient information to be used as mailing or visit addresses. For example, they may only indicate country and postal code, with | added v2.6
M | Mailing | Identifies an address for mail correspondence from a healthcare provider as stipulated by the subject.<p>For example, under the tenets of certain privacy regulations, it is exclusive to the patient and is typically maintained at the encounter or visit lev | added v2.6
V | Visit | Identifies an address at which the individual is physically located and may be visited. | added v2.6

4.2.13.618 HL7 Version 2 Table 0618

URL: https://hl7.org/fhir/STU3/v2/0618/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Protection Code.

Summary

Name: | v2 Protection Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0618 (Protection Code)
Code System URL: | http://hl7.org/fhir/v2/0618
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0618
OID: | ??
CodeSystem Resource | XML / JSON

ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Protection Code

4.2.13.618.1 Code System Content

Protection Code

Code | Description | Comment | Version
LI | Listed | | added v2.6
UL | Unlisted (Should not appear in directories) | | added v2.6
UP | Unpublished | | added v2.6

4.2.13.625 HL7 Version 2 Table 0625

URL: https://hl7.org/fhir/STU3/v2/0625/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Item Status Codes.

Summary

Name: | v2 Item Status Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0625 (Item Status Codes)
Code System URL: | http://hl7.org/fhir/v2/0625
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0625
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Item Status Codes

4.2.13.625.1 Code System Content

Item Status Codes

Code | Description | Comment | Version
1 | Active | Item is available to be purchased or issued. | added v2.6
2 | Pending Inactive | Item is not available to be purchased, but is available to be issued. | added v2.6
3 | Inactive | Item is not available to be purchased or issued. | added v2.6

4.2.13.634 HL7 Version 2 Table 0634

URL: https://hl7.org/fhir/STU3/v2/0634/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Item Importance Codes.

Summary

Name: | v2 Item Importance Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0634 (Item Importance Codes)
Code System URL: | http://hl7.org/fhir/v2/0634
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0634
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Item Importance Codes

4.2.13.634.1 Code System Content

Item Importance Codes

Code | Description | Comment | Version
CRT | Critical | | added v2.6

4.2.13.642 HL7 Version 2 Table 0642

URL: https://hl7.org/fhir/STU3/v2/0642/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Reorder Theory Codes.

Summary

Name: | v2 Reorder Theory Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0642 (Reorder Theory Codes)
Code System URL: | http://hl7.org/fhir/v2/0642
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0642
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Reorder Theory Codes

4.2.13.642.1 Code System Content

Reorder Theory Codes

Code | Description | Comment | Version
D | DOP/DOQ | Corresponds to the theory that calculates the appropriate order point and recommends the quantity to order based on system parameters and historical trends. DOP stands for Dynamic Order Point, and DOQ stands for Dynamic Order Quantity. | added v2.6
M | MIN/MAX | Corresponds to theory - the quantity recommended is the Order Quantity, less the On Hand Quantity, and less the On Order Quantity. The Order Amount is the desired Maximum On Hand Quantity. | added v2.6
O | Override | The quantity recommended is the Order Quantity, less the On Order Quantity. The Order Amount is the amount to order when the On Hand reaches the Order Point. | added v2.6

4.2.13.651 HL7 Version 2 Table 0651

URL: https://hl7.org/fhir/STU3/v2/0651/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Labor Calculation Type.

Summary

Name: | v2 Labor Calculation Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0651 (Labor Calculation Type)
Code System URL: | http://hl7.org/fhir/v2/0651
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0651
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Labor Calculation Type

4.2.13.651.1 Code System Content

Labor Calculation Type

Code | Description | Comment | Version
CST | Cost | | added v2.6
TME | Time | | added v2.6

4.2.13.653 HL7 Version 2 Table 0653

URL: https://hl7.org/fhir/STU3/v2/0653/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Date Format.

Summary

Name: | v2 Date Format
Definition: | FHIR Value set/code system definition for HL7 v2 table 0653 (Date Format)
Code System URL: | http://hl7.org/fhir/v2/0653
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0653
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Date Format

4.2.13.653.1 Code System Content

Date Format

Code | Description | Comment | Version
1 | mm/dd/yy | USA standard | added v2.6
2 | yy.mm.dd | ANSI standard | added v2.6
3 | dd/mm/yy | Britain/France standard | added v2.6
4 | dd.mm.yy | Germany standard | added v2.6
5 | yy/mm/dd | Japan standard | added v2.6
6 | Yymmdd | ISO standard | added v2.6

4.2.13.657 HL7 Version 2 Table 0657

URL: https://hl7.org/fhir/STU3/v2/0657/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Device Type.

Summary

Name: | v2 Device Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0657 (Device Type)
Code System URL: | http://hl7.org/fhir/v2/0657
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0657
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Device Type

4.2.13.657.1 Code System Content

Device Type

Code | Description | Comment | Version
1 | EO Gas Sterilizer | | added v2.6
2 | Steam Sterilizer | | added v2.6
3 | Peracetic Acid | | added v2.6

4.2.13.659 HL7 Version 2 Table 0659

URL: https://hl7.org/fhir/STU3/v2/0659/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Lot Control.

Summary

Name: | v2 Lot Control
Definition: | FHIR Value set/code system definition for HL7 v2 table 0659 (Lot Control)
Code System URL: | http://hl7.org/fhir/v2/0659
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0659
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Lot Control

4.2.13.659.1 Code System Content

Lot Control

Code | Description | Comment | Version
1 | OR Mode Without Operator | | added v2.6
2 | OR Mode with Operator | | added v2.6
3 | CPD Mode Without Operator | | added v2.6
4 | CPD Mode With Operator | | added v2.6

5 | Offline Mode | | added v2.6

4.2.13.667 HL7 Version 2 Table 0667

URL: https://hl7.org/fhir/STU3/v2/0667/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Device Data State.

Summary

Name: | v2 Device Data State
Definition: | FHIR Value set/code system definition for HL7 v2 table 0667 (Device Data State)
Code System URL: | http://hl7.org/fhir/v2/0667
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0667
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Device Data State

4.2.13.667.1 Code System Content

Device Data State

Code | Description | Comment | Version
0 | Real Time Values | Display data | added v2.6
1 | Historic Values | Print data | added v2.6

4.2.13.669 HL7 Version 2 Table 0669

URL: https://hl7.org/fhir/STU3/v2/0669/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Load Status.

Summary

Name: | v2 Load Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0669 (Load Status)
Code System URL: | http://hl7.org/fhir/v2/0669
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0669
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Load Status

4.2.13.669.1 Code System Content

Load Status

Code | Description | Comment | Version
LCC | Load is Complete | The load is complete | added v2.6
LCN | Load Canceled | The load is canceled | added v2.6
LCP | Load In Process | The load is running | added v2.6
LLD | Building a Load | A load is being built | added v2.6

4.2.13.682 HL7 Version 2 Table 0682

URL: https://hl7.org/fhir/STU3/v2/0682/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Device Status.

Summary

Name: | v2 Device Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0682 (Device Status)
Code System URL: | http://hl7.org/fhir/v2/0682

Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0682
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Device Status

4.2.13.682.1 Code System Content

Device Status

Code | Description | Comment | Version
0 | Ready | Door Locked | added v2.6
1 | Not Ready | Door Unlocked | added v2.6

4.2.13.702 HL7 Version 2 Table 0702

URL: https://hl7.org/fhir/STU3/v2/0702/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Cycle Type.

Summary

Name: | v2 Cycle Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0702 (Cycle Type)
Code System URL: | http://hl7.org/fhir/v2/0702
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0702
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Cycle Type

4.2.13.702.1 Code System Content

Cycle Type

Code | Description | Comment | Version
2RS | Second Rinse | | added v2.6
ANR | Anesthesia/Respiratory | Special Wash cycle | added v2.6
BDP | Bedpans | | added v2.6
BWD | Bowie-Dick Test | A Bowie-Dick test cycle is a special cycle used to test the integrity of the sterilizer chamber to hold a vacuum. | added v2.6
CMW | Chemical Wash | A chemical wash cycle. | added v2.6
COD | Code | | added v2.6
CRT | Cart Wash | | added v2.6
DEC | Decontamination | | added v2.6
DRT | Dart | A dart cycle is a special cycle used to test the integrity of the sterilizer chamber to hold a vacuum. | added v2.6
DRW | Dart Warm-up Cycle | A dart warm-up cycle is used to bring the sterilizer chamber up to operating temperature in order to run a dart test cycle. | added v2.6
EOH | EO High Temperature | | added v2.6
EOL | EO Low Temperature | | added v2.6
EXP | Express | An express cycle is similar to a flash cycle but the supply item is wrapped. | added v2.6
FLS | Flash | Used to quickly sterilize instruments that were dropped during surgery. | added v2.6
GLS | Glassware | | added v2.6
GNP | Gen. Purpose | | added v2.6
GRV | Gravity | A gravity cycle is executed at atmospheric pressure. | added v2.6
GTL | Gentle | | added v2.6
ISO | Isothermal | | added v2.6
IST | Instrument Wash | | added v2.6
LKT | Leak Test | A leak test cycle tests the integrity of the sterilizer chamber to hold a vacuum over a specific period of time. | added v2.6
LQD | Liquid | A cycle specific to sterilizing liquids. | added v2.6
OPW | Optional Wash | Any Optional Wash cycle | added v2.6
PEA | Peracetic Acid | A peracetic acid cycle. | added v2.6
PLA | Plastic Goods Wash | | added v2.6
PRV | Prevac | A prevac cycle is vacuum assisted. | added v2.6
RNS | Rinse | | added v2.6
SFP | Steam Flush Pressure Pulse | An SFPP cycle uses steam pulses instead of a vacuum during the conditioning phase of the cycle when the supply item is wrapped. | added v2.6
THR | Thermal | | added v2.6
TRB | Tray/Basin | | added v2.6
UTL | Utensil Wash | | added v2.6

WFP | Wrap/Steam Flush Pressure Pulse (Wrap/SFPP) | A Wrap/SFPP cycle uses steam pulses instead of a vacuum during the conditioning phase of the cycle when the supply item is unwrapped. | added v2.6

4.2.13.717 HL7 Version 2 Table 0717

URL: https://hl7.org/fhir/STU3/v2/0717/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Access Restriction Value.

Summary

Name: | v2 Access Restriction Value
Definition: | FHIR Value set/code system definition for HL7 v2 table 0717 (Access Restriction Value)
Code System URL: | http://hl7.org/fhir/v2/0717
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0717
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Access Restriction Value

4.2.13.717.1 Code System Content

Access Restriction Value

Code | Description | Comment | Version
ALL | All | | added v2.6
DEM | All demographic data | | added v2.6
DRG | Drug | | added v2.6
HIV | HIV status and results | | added v2.6
LOC | Patient Location | | added v2.6
NO | None | | added v2.6
OI | Opt in all registries (HIPAA) | | added v2.6
OO | Opt out all registries (HIPAA) | | added v2.6
PID-17 | Religion | | added v2.6
PID-7 | Date of Birth | | added v2.6
PSY | Psychiatric Mental health | | added v2.6
SMD | Sensitive medical data | | added v2.6
STD | Sexually transmitted diseases | | added v2.6

4.2.13.719 HL7 Version 2 Table 0719

URL: https://hl7.org/fhir/STU3/v2/0719/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Access Restriction Reason Code.

Summary

Name: | v2 Access Restriction Reason Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0719 (Access Restriction Reason Code)
Code System URL: | http://hl7.org/fhir/v2/0719
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0719
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Access Restriction Reason Code

4.2.13.719.1 Code System Content

Access Restriction Reason Code

Code | Description | Comment | Version
DIA | Diagnosis-related | | added v2.6
EMP | Employee of this organization | | added v2.6
ORG | Organizational policy or requirement | | added v2.6
PAT | Patient Request | | added v2.6
PHY | Physician Request | | added v2.6
REG | Regulatory requirement | | added v2.6

VIP | Very important person or celebrity | | added v2.6

4.2.13.725 HL7 Version 2 Table 0725

URL: https://hl7.org/fhir/STU3/v2/0725/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Mood Codes.

Summary

Name: | v2 Mood Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0725 (Mood Codes)
Code System URL: | http://hl7.org/fhir/v2/0725
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0725
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Mood Codes

4.2.13.725.1 Code System Content

Mood Codes

Code | Description | Nederlands (Dutch) | Comment | Version
APT | Appointment | Afspraak | Planned act for specific time and place | added v2.6
ARQ | Appointment Request | Afspraakverzoek | Request for Booking of an Appointment | added v2.6
E.g. Use in Care Plans, | | | | added v2.8.1
EVN | Event | Event | Service actually happens or happened or is ongoing. | added v2.6
EVN.CRT | Event Criterion | Criterium voor event | Criterion applying to Events for another Service to be applied.<p>This is an Act Mood Predicate. | added v2.6
EXP | Expectation | Verwachting | Expecting that something will occur independently of deliberate intent; e.g. expect a patient will discard medications. | added v2.6
INT | Intent | Intentie | Plan to perform a service | added v2.6
PRMS | Promise | Belofte | An intent to perform a service | added v2.6
PRP | Proposal | Voorstel | Non-mandated intent to perform an act | added v2.6
RQO | Request-Order | Aanvraag-Order | Request or Order for a service | added v2.6
Similar uses of above moods ma | | | | added v2.8.1

4.2.13.728 HL7 Version 2 Table 0728

URL: https://hl7.org/fhir/STU3/v2/0728/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 CCL Value.

Summary

Name: | v2 CCL Value
Definition: | FHIR Value set/code system definition for HL7 v2 table 0728 (CCL Value)
Code System URL: | http://hl7.org/fhir/v2/0728
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0728
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 CCL Value

4.2.13.728.1 Code System Content

CCL Value

Code | Description | Comment | Version
0 | Nothing obvious | | added v2.6
1 | Low | | added v2.6
2 | Moderate | | added v2.6
3 | High | | added v2.6
4 | Very high | | added v2.6

4.2.13.731 HL7 Version 2 Table 0731

URL: https://hl7.org/fhir/STU3/v2/0731/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 DRG Diagnosis Determination Status.

Summary

Name: | v2 DRG Diagnosis Determination Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0731 (DRG Diagnosis Determination Status)
Code System URL: | http://hl7.org/fhir/v2/0731
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0731
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 DRG Diagnosis Determination Status

4.2.13.731.1 Code System Content

DRG Diagnosis Determination Status

Code | Description | Comment | Version
0 | Valid code | | added v2.6
1 | Invalid code | | added v2.6
2 | Two primary diagnosis codes | | added v2.6
3 | Invalid for this gender | | added v2.6
4 | Invalid for this age | | added v2.6

4.2.13.734 HL7 Version 2 Table 0734

URL: https://hl7.org/fhir/STU3/v2/0734/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Grouper Status.

Summary

Name: | v2 Grouper Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0734 (Grouper Status)
Code System URL: | http://hl7.org/fhir/v2/0734
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0734
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Grouper Status

4.2.13.734.1 Code System Content

Grouper Status

Code | Description | Comment | Version
0 | Normal grouping | | added v2.6
1 | Invalid or missing primary diagnosis | | added v2.6
2 | Diagnosis is not allowed to be primary | | added v2.6
3 | Data does not fulfill DRG criteria | | added v2.6
4 | Invalid age, admission date, date of birth or discharge date | | added v2.6
5 | Invalid gender | | added v2.6
6 | Invalid discharge status | | added v2.6
7 | Invalid weight ad admission | | added v2.6
8 | Invalid length of stay | | added v2.6
9 | Invalid field "same day" | | added v2.6

4.2.13.739 HL7 Version 2 Table 0739

URL: https://hl7.org/fhir/STU3/v2/0739/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 DRG Status Patient.

Summary

Name: | v2 DRG Status Patient
Definition: | FHIR Value set/code system definition for HL7 v2 table 0739 (DRG Status Patient)
Code System URL: | http://hl7.org/fhir/v2/0739
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0739
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 DRG Status Patient

4.2.13.739.1 Code System Content

DRG Status Patient

Code	Description	Comment	Version
1	Normal length of stay		added v2.6
2	Short length of stay		added v2.6
3	Long length of stay		added v2.6

4.2.13.742 HL7 Version 2 Table 0742

URL: https://hl7.org/fhir/STU3/v2/0742/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 DRG Status Financial Calculation.

Summary

Name: | v2 DRG Status Financial Calculation
Definition: | FHIR Value set/code system definition for HL7 v2 table 0742 (DRG Status Financial Calculation)
Code System URL: | http://hl7.org/fhir/v2/0742
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0742
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 DRG Status Financial Calculation

4.2.13.742.1 Code System Content

DRG Status Financial Calculation

Code	Description	Comment	Version
00	Effective weight calculated		added v2.6
01	Hospital specific contract		added v2.6
03	Eeffective weight for transfer/referral calculated		added v2.6
04	Referral from other hospital based on a cooperation (no DRG reimbursement)		added v2.6
05	Invalid length of stay		added v2.6
10	No information/entry in cost data for this DRG		added v2.6
11	No relative weight found for department (type)		added v2.6

4.2.13.749 HL7 Version 2 Table 0749

URL: https://hl7.org/fhir/STU3/v2/0749/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 DRG Grouping Status.

Summary

Name: | v2 DRG Grouping Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0749 (DRG Grouping Status)
Code System URL: | http://hl7.org/fhir/v2/0749
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0749
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 DRG Grouping Status

4.2.13.749.1 Code System Content

DRG Grouping Status

Code | Description | Comment | Version
0 | Valid code; not used for grouping | | added v2.6
1 | Valid code; used for grouping | | added v2.6
2 | Invalid code; not used for grouping | | added v2.6
3 | Invalid code; code is relevant for grouping | | added v2.6

4.2.13.755 HL7 Version 2 Table 0755

URL: https://hl7.org/fhir/STU3/v2/0755/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Status Weight At Birth.

Summary

Name: | v2 Status Weight At Birth
Definition: | FHIR Value set/code system definition for HL7 v2 table 0755 (Status Weight At Birth)
Code System URL: | http://hl7.org/fhir/v2/0755
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0755
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Status Weight At Birth

4.2.13.755.1 Code System Content

Status Weight At Birth

Code | Description | Comment | Version
0 | No weight reported at admission used for grouping | | added v2.6
1 | Weight reported at admission used for grouping | | added v2.6
2 | Default weight (>2499g) used for grouping | | added v2.6

4.2.13.757 HL7 Version 2 Table 0757

URL: https://hl7.org/fhir/STU3/v2/0757/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 DRG Status Respiration Minutes.

Summary

Name: | v2 DRG Status Respiration Minutes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0757 (DRG Status Respiration Minutes)
Code System URL: | http://hl7.org/fhir/v2/0757
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0757
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 DRG Status Respiration Minutes

4.2.13.757.1 Code System Content

DRG Status Respiration Minutes

Code | Description | Comment | Version
0 | Respiration minutes not used for grouping | | added v2.6
1 | Listed respiration minutes used for grouping | | added v2.6
2 | OPS code value used for grouping | | added v2.6

4.2.13.759 HL7 Version 2 Table 0759

URL: https://hl7.org/fhir/STU3/v2/0759/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Status Admission.

Summary

Name: | v2 Status Admission
Definition: | FHIR Value set/code system definition for HL7 v2 table 0759 (Status Admission)
Code System URL: | http://hl7.org/fhir/v2/0759
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0759
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Status Admission

4.2.13.759.1 Code System Content

Status Admission

Code | Description | Comment | Version
0 | Admission status is valid; used for grouping | | added v2.6
1 | Admission status is valid; not used for grouping | | added v2.6
2 | Admission status is invalid; not used for grouping | | added v2.6
3 | Admission status is invalid; default value used for grouping | | added v2.6

4.2.13.761 HL7 Version 2 Table 0761

URL: https://hl7.org/fhir/STU3/v2/0761/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 DRG Procedure Determination Status.

Summary

Name: | v2 DRG Procedure Determination Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0761 (DRG Procedure Determination Status)
Code System URL: | http://hl7.org/fhir/v2/0761
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0761
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 DRG Procedure Determination Status

4.2.13.761.1 Code System Content

DRG Procedure Determination Status

Code | Description | Comment | Version
0 | Valid code | | added v2.6
1 | Invalid code | | added v2.6
2 | Not used | | added v2.6
3 | Invalid for this gender | | added v2.6
4 | Invalid for this age | | added v2.6

4.2.13.763 HL7 Version 2 Table 0763

URL: https://hl7.org/fhir/STU3/v2/0763/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 DRG Procedure Relevance.

Summary

Name: | v2 DRG Procedure Relevance
Definition: | FHIR Value set/code system definition for HL7 v2 table 0763 (DRG Procedure Relevance)
Code System URL: | http://hl7.org/fhir/v2/0763
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0763

OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 DRG Procedure Relevance

4.2.13.763.1 Code System Content

DRG Procedure Relevance

Code | Description | Comment | Version
0 | Neither operation relevant nor non-operation relevant procedure | | added v2.6
1 | Operation relevant procedure | | added v2.6
2 | Non-operation relevant procedure | | added v2.6

4.2.13.776 HL7 Version 2 Table 0776

URL: https://hl7.org/fhir/STU3/v2/0776/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Item Status.

Summary

Name: | v2 Item Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0776 (Item Status)
Code System URL: | http://hl7.org/fhir/v2/0776
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0776
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Item Status

4.2.13.776.1 Code System Content

Item Status

Code | Description | Comment | Version
A | Active | Item is available to be purchased or issued. | added v2.6
I | Inactive | Item is not available to be purchased or issued. | added v2.6
P | Pending Inactive | Item is not available to be purchased, but is available to be issued. | added v2.6

4.2.13.778 HL7 Version 2 Table 0778

URL: https://hl7.org/fhir/STU3/v2/0778/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Item Type.

Summary

Name: | v2 Item Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0778 (Item Type)
Code System URL: | http://hl7.org/fhir/v2/0778
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0778
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Item Type

4.2.13.778.1 Code System Content

Item Type

Code | Description | Comment | Version
EQP | Equipment | | added v2.6
IMP | Implant | | added v2.6
MED | Medication | | added v2.6
SUP | Supply | | added v2.6

TDC | Tubes, Drains, and Catheters | | added v2.6

4.2.13.790 HL7 Version 2 Table 0790

URL: https://hl7.org/fhir/STU3/v2/0790/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Approving Regulatory Agency.

Summary

Name: | v2 Approving Regulatory Agency
Definition: | FHIR Value set/code system definition for HL7 v2 table 0790 (Approving Regulatory Agency)
Code System URL: | http://hl7.org/fhir/v2/0790
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0790
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Approving Regulatory Agency

4.2.13.790.1 Code System Content

Approving Regulatory Agency

Code | Description | Comment | Version
AMA | American Medical Association | | added v2.6
FDA | Food and Drug Administration | | added v2.6

4.2.13.793 HL7 Version 2 Table 0793

URL: https://hl7.org/fhir/STU3/v2/0793/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Ruling Act.

Summary

Name: | v2 Ruling Act
Definition: | FHIR Value set/code system definition for HL7 v2 table 0793 (Ruling Act)
Code System URL: | http://hl7.org/fhir/v2/0793
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0793
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Ruling Act

4.2.13.793.1 Code System Content

Ruling Act

Code | Description | Comment | Version
SMDA | Safe Medical Devices Act | | added v2.6

4.2.13.806 HL7 Version 2 Table 0806

URL: https://hl7.org/fhir/STU3/v2/0806/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Sterilization Type.

Summary

Name: | v2 Sterilization Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0806 (Sterilization Type)
Code System URL: | http://hl7.org/fhir/v2/0806
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0806
OID: | ??
CodeSystem Resource | XML / JSON

ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Sterilization Type

4.2.13.806.1 Code System Content

Sterilization Type

Code | Description | Comment | Version
EOG | Ethylene Oxide Gas | | added v2.6
PCA | Peracetic acid | | added v2.6
STM | Steam | | added v2.6

4.2.13.818 HL7 Version 2 Table 0818

URL: https://hl7.org/fhir/STU3/v2/0818/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Package.

Summary

Name: | v2 Package
Definition: | FHIR Value set/code system definition for HL7 v2 table 0818 (Package)
Code System URL: | http://hl7.org/fhir/v2/0818
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0818
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Package

4.2.13.818.1 Code System Content

Package

Code | Description | Comment | Version
BX | Box | | added v2.6
CS | Case | | added v2.6
EA | Each | | added v2.6
SET | Set | | added v2.6

4.2.13.834 HL7 Version 2 Table 0834

URL: https://hl7.org/fhir/STU3/v2/0834/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 MIME Types.

Summary

Name: | v2 MIME Types
Definition: | FHIR Value set/code system definition for HL7 v2 table 0834 (MIME Types)
Code System URL: | http://hl7.org/fhir/v2/0834
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0834
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 MIME Types

4.2.13.834.1 Code System Content

MIME Types

Code | Description | Comment | Version
application | Application data | | added v2.6
audio | Audio data | | added v2.6
image | Image data | | added v2.6
model | Model data | RFC 2077 | added v2.6
multipart | MIME multipart package | | added v2.6

text | Text data | | added v2.6
video | Video data | | added v2.6

4.2.13.868 HL7 Version 2 Table 0868

URL: https://hl7.org/fhir/STU3/v2/0868/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Telecommunication Expiration Reason.

Summary

Name: | v2 Telecommunication Expiration Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0868 (Telecommunication Expiration Reason)
Code System URL: | http://hl7.org/fhir/v2/0868
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0868
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Telecommunication Expiration Reason

4.2.13.868.1 Code System Content

Telecommunication Expiration Reason

Code | Description | Comment | Version
C | Corrected | The telecommunication address has been replaced with a corrected version. | added v2.6
E | Added in error | The telecommunication address was incorrect and should never have been associated with the individual. | added v2.6
M | Moved | The individual associated with the telecommunication address has moved and is no longer reachable at the address. | added v2.6
N | No longer in service | The telecommunication address is no longer connected or available | added v2.6
R | On request | The associated individual requested that the telecommunication address be removed from their record (though it may still be correct). | added v2.6

4.2.13.871 HL7 Version 2 Table 0871

URL: https://hl7.org/fhir/STU3/v2/0871/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Supply Risk Codes.

Summary

Name: | v2 Supply Risk Codes
Definition: | FHIR Value set/code system definition for HL7 v2 table 0871 (Supply Risk Codes)
Code System URL: | http://hl7.org/fhir/v2/0871
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0871
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Supply Risk Codes

4.2.13.871.1 Code System Content

Supply Risk Codes

Code | Description | Nederlands (Dutch) | Comment | Version
COR | Corrosive | Corrosief | Material is corrosive and may cause severe injury to skin, mucous membranes and eyes. Avoid any unprotected contact. | added v2.6
EXP | Explosive | Explosief | Material is an explosive mixture. Keep away from fire, sparks, and heat. | added v2.6
FLA | Flammable | Brandbaar | Material is highly flammable and in certain mixtures (with air) may lead to explosions. Keep away from fire, sparks and excessive heat. | added v2.6
INJ | Injury Hazard | Letselgevaar | Material is solid and sharp (e.g. cannulas.) Dispose in hard container. | added v2.6
RAD | Radioactive | Radioactief | Material is a source for ionizing radiation and must be handled with special care to avoid injury of those who handle it and to avoid environmental hazards. | added v2.6
TOX | Toxic | Toxisch | Material is toxic to humans and/or animals. Special care must be taken to avoid incorporation, even of small amounts. | added v2.6
UNK | Unknown | Onbekend | Material hazard level is unknown. | added v2.6

4.2.13.881 HL7 Version 2 Table 0881

URL: https://hl7.org/fhir/STU3/v2/0881/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Role Executing Physician.

Summary

Name: | v2 Role Executing Physician
Definition: | FHIR Value set/code system definition for HL7 v2 table 0881 (Role Executing Physician)
Code System URL: | http://hl7.org/fhir/v2/0881
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0881
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Role Executing Physician

4.2.13.881.1 Code System Content

Role Executing Physician

Code | Description | Comment | Version
B | Both | | added v2.6
P | Professional Part | | added v2.6
T | Technical Part | | added v2.6

4.2.13.882 HL7 Version 2 Table 0882

URL: https://hl7.org/fhir/STU3/v2/0882/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Medical Role Executing Physician.

Summary

Name: | v2 Medical Role Executing Physician
Definition: | FHIR Value set/code system definition for HL7 v2 table 0882 (Medical Role Executing Physician)
Code System URL: | http://hl7.org/fhir/v2/0882
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0882
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Medical Role Executing Physician

4.2.13.882.1 Code System Content

Medical Role Executing Physician

Code | Description | Comment | Version
E | Employed | | added v2.6
SE | Self-employed | | added v2.6

4.2.13.894 HL7 Version 2 Table 0894

URL: https://hl7.org/fhir/STU3/v2/0894/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Side of body.

Summary

Name: | v2 Side of body
Definition: | FHIR Value set/code system definition for HL7 v2 table 0894 (Side of body)
Code System URL: | http://hl7.org/fhir/v2/0894
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0894
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Side of body

4.2.13.894.1 Code System Content

Side of body

Code | Description | Comment | Version
L | Left | | added v2.6
R | Right | | added v2.6

4.2.13.895 HL7 Version 2 Table 0895

URL: https://hl7.org/fhir/STU3/v2/0895/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Present On Admission (POA) Indicator.

Summary

Name: | v2 Present On Admission (POA) Indicator
Definition: | FHIR Value set/code system definition for HL7 v2 table 0895 (Present On Admission (POA) Indicator)
Code System URL: | http://hl7.org/fhir/v2/0895
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0895
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Present On Admission (POA) Indicator

4.2.13.895.1 Code System Content

Present On Admission (POA) Indicator

Code | Description | Deutsch (German) | Nederlands (Dutch) | Comment | Version
E | Exempt | | Vrijgesteld | | added v2.6
N | No | | Nee | | added v2.6
U | Unknown | | Onbekend | | added v2.6
W | Not applicable | | Niet van toepassing | | added v2.6
Y | Yes | Ja | Ja | | added v2.6

4.2.13.904 HL7 Version 2 Table 0904

URL: https://hl7.org/fhir/STU3/v2/0904/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Security Check Scheme.

Summary

Name: | v2 Security Check Scheme
Definition: | FHIR Value set/code system definition for HL7 v2 table 0904 (Security Check Scheme)
Code System URL: | http://hl7.org/fhir/v2/0904
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0904
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Security Check Scheme

4.2.13.904.1 Code System Content

Security Check Scheme

Code | Description | Comment | Version
BCV | Bank Card Validation Number | A non-embossed number included on bank cards and used to validate authenticity of the card and the person presenting the card | added v2.7
CCS | Credit Card Security code | | added v2.7
VID | Version ID | | added v2.7

4.2.13.905 HL7 Version 2 Table 0905

URL: https://hl7.org/fhir/STU3/v2/0905/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Shipment Status.

Summary

Name: | v2 Shipment Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0905 (Shipment Status)
Code System URL: | http://hl7.org/fhir/v2/0905
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0905
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Shipment Status

4.2.13.905.1 Code System Content

Shipment Status

Code | Description | Comment | Version
INV | Inventoried | | added v2.7
ONH | On Hold | | added v2.7
PRC | Processing | | added v2.7
REJ | Rejected | | added v2.7
TRN | In Transit | | added v2.7
TTL | Triaged to Lab | | added v2.7

4.2.13.906 HL7 Version 2 Table 0906

URL: https://hl7.org/fhir/STU3/v2/0906/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 ActPriority.

Summary

Name: | v2 ActPriority
Definition: | FHIR Value set/code system definition for HL7 v2 table 0906 (ActPriority)
Code System URL: | http://hl7.org/fhir/v2/0906
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0906
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 ActPriority

4.2.13.906.1 Code System Content

ActPriority

Code | Description | Comment | Version
A | ASAP - As soon as possible, next highest priority after stat | | added v2.7
CR | Callback results - filler should contact the placer as soon as results are available, even for preliminary results | | added v2.7
CS | Callback for scheduling - Filler should contact the placer (or target) to schedule the service. | | added v2.7
CSP | Callback placer for scheduling - filler should contact the placer to schedule the service | | added v2.7
CSR | Contact recipient for scheduling - Filler should contact the service recipient (target) to schedule the service | | added v2.7
EL | Elective - Beneficial to the patient but not essential for survival. | | added v2.7
EM | Emergency - An unforeseen combination of circumstances or the resulting state that calls for immediate action | | added v2.7
P | Preop - Used to indicate that a service is to be performed prior to a scheduled surgery. When ordering a service and using the pre-op priority, a check is done to see the amount of time that must be allowed for performance of the service. When the order | | added v2.7
PRN | As needed - An "as needed" order should be accompanied by a description of what constitutes a need. This description is represented by an observation service predicate as a precondition. | | added v2.7
R | Routine - Routine service, do at usual work hours | | added v2.7
RR | Rush reporting - A report should be prepared and sent as quickly as possible | | added v2.7
S | Stat - With highest priority (e.g. emergency). | | added v2.7
T | Timing critical - It is critical to come as close as possible to the requested time (e.g. for a through antimicrobial level). | | added v2.7
UD | Use as directed - Drug is to be used as directed by the prescriber. | | added v2.7
UR | Urgent - Calls for prompt action | | added v2.7

4.2.13.907 HL7 Version 2 Table 0907

URL: https://hl7.org/fhir/STU3/v2/0907/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Confidentiality.

Summary

Name: | v2 Confidentiality
Definition: | FHIR Value set/code system definition for HL7 v2 table 0907 (Confidentiality)
Code System URL: | http://hl7.org/fhir/v2/0907
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0907
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Confidentiality

4.2.13.907.1 Code System Content

Confidentiality

Code | Description | Comment | Version
B | Business - Since the service class can represent knowledge structures that may be considered a trade or business secret, there is sometimes (though rarely) the need to flag those items as of business level confidentiality. However, no patient related inf | | added v2.7
C | Celebrity - Celebrities are people of public interest (VIP) including employees, whose information require special protection. | | added v2.7
D | Clinician - Only clinicians may see this item, billing and administration persons can not access this item without special permission. | | added v2.7
ETH | Substance abuse related - Alcohol/drug-abuse related item | | added v2.7
HIV | HIV Related - HIV and AIDS related item | | added v2.7
I | Individual - Access only to individual persons who are mentioned explicitly as actors of this service and whose actor type warrants that access (cf. to actor typed code). | | added v2.7
L | Low - No patient record item can be of low confidentiality. However, some service objects are not patient related and therefore may have low confidentiality. | | added v2.7
N | Normal - Normal confidentiality rules (according to good health care practice) apply, that is, only authorized individuals with a legitimate medical or business need may access this item. | | added v2.7
PSY | Psychiatry related - Psychiatry related item | | added v2.7
R | Restricted - Restricted access, e.g. only to providers having a current care relationship to the patient. | | added v2.7
S | Sensitive - Information for which the patient seeks heightened confidentiality. Sensitive information is not to be shared with family members. Information reported by the patient about family members is sensitive by default. Flag can be set or cleared | | added v2.7
SDV | Sexual and domestic violence related - Sexual assault / domestic violence related item | | added v2.7
T | Taboo - Information not to be disclosed or discussed with patient except through physician assigned to patient in this case. This is usually a temporary constraint only; example use is a new fatal diagnosis or finding, such as malignancy or HIV. | | added v2.7
V | Very restricted - Very restricted access as declared by the Privacy Officer of the record holder. | | added v2.7

4.2.13.909 HL7 Version 2 Table 0909

URL: https://hl7.org/fhir/STU3/v2/0909/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Patient Results Release Categorization Scheme.

Summary

Name: | v2 Patient Results Release Categorization Scheme
Definition: | FHIR Value set/code system definition for HL7 v2 table 0909 (Patient Results Release Categorization Scheme)
Code System URL: | http://hl7.org/fhir/v2/0909
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0909
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Patient Results Release Categorization Scheme

4.2.13.909.1 Code System Content

Patient Results Release Categorization Scheme

Code | Description | Comment | Version
SID | Share In1 Day -<p>Share result regardless of reference/therapeutic range after 1 or more business day as agreed to by the systems in play. | 1 day | added v2.7
SIDC | Share in 1 Day Conditionally -<p>Share result in reference ranges/therapeutic with patient after 1 or more business day as agreed to by the systems in play.<p>Withhold result out of reference/therapeutic range until physician release | 1 day<p>Withhold | added v2.7
SIMM | Share Immediately -<p>Share result with patient immediately | Immediate | added v2.7

STBD | Share To Be Determined -<p>Category to be determined | NA | added v2.7
SWNL | Share Within Normal Limits -<p>Share result in reference/therapeutic range with patient immediately<p>Share result out of reference/therapeutic ranges with patient after 1 or more business day as agreed to by the systems in play. | immediate<p>1 day | added v2.7
SWTH | Share Withhold -<p>Withhold result regardless of reference/therapeutic ranges | Withhold | added v2.7

4.2.13.912 HL7 Version 2 Table 0912

URL: https://hl7.org/fhir/STU3/v2/0912/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Participation.

Summary

Name: | v2 Participation
Definition: | FHIR Value set/code system definition for HL7 v2 table 0912 (Participation)
Code System URL: | http://hl7.org/fhir/v2/0912
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0912
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Participation

4.2.13.912.1 Code System Content

Participation

Code | Description | Comment | Version
AD | Admitting Provider | PV1-17 Admitting doctor | added v2.7
AI | Assistant/Alternate Interpreter | | added v2.7
AP | Administering Provider | RXA-10 Administering Provider | added v2.7
ARI | Assistant Result Interpreter | | added v2.7
AT | Attending Provider | PV1-7 Attending doctor | added v2.7
AUT | AUT Author/Event Initiator | ORC-19 Action By | added v2.7
CP | Consulting Provider | | added v2.7
DP | Dispensing Provider | RXD-10 Dispensing Provider | added v2.7
EP | Entering Provider (probably not the same as transcriptionist) | ORC-10 Entered By | added v2.7
EQUIP | Equipment | | added v2.7
FHCP | Family Health Care Professional | | added v2.7
MDIR | Medical Director | OBX-25 Performing Organization Medical Director | added v2.7
OP | Ordering Provider | ORC-12 Ordering Provider, OBR-16 Ordering Provider, RXO-14 Ordering Provider's DEA Number, RXE-13 Ordering Provider's DEA Number, ORC-24 Ordering Provider Address | added v2.7
OS | Outside Site(s) Where Observation May Be Performed | Replacing OM1-27 Outside Site(s) Where Observation May Be Performed | added v2.8.2
PB | Packed by | | added v2.7
PH | Pharmacist (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
PI | Primary Interpreter | | added v2.7
PO | Performing Organization | | added v2.7
POMD | Performing Organization Medical Director | | added v2.7
PP | Primary Care Provider | | added v2.7
PRI | Principal Result Interpreter | | added v2.7
RCT | Results Copies To | | added v2.7
RO | Responsible Observer | OBX-16 Responsible Observer | added v2.7
RP | Referring Provider | PV1-8 Referring doctor | added v2.7
RT | Referred to Provider | | added v2.7
SB | Send by | | added v2.7
SC | Specimen Collector | OBR-10 Collector Identifier | added v2.7
TN | Technician | | added v2.7
TR | Transcriptionist | | added v2.7
VP | Verifying Provider | ORC-11 Verified By | added v2.7
VPS | Verifying Pharmaceutical Supplier (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
VTS | Verifying Treatment Supplier (not sure how to dissect Pharmacist/Treatment Supplier's Verifier ID) | RXE-14 Pharmacist/Treatment Supplier's Verifier ID | added v2.7
WAY | Waypoint | | added v2.7
WAYR | Waypoint Recipient | | added v2.7

4.2.13.914 HL7 Version 2 Table 0914

URL: https://hl7.org/fhir/STU3/v2/0914/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Root Cause.

Summary

Name: | v2 Root Cause
Definition: | FHIR Value set/code system definition for HL7 v2 table 0914 (Root Cause)
Code System URL: | http://hl7.org/fhir/v2/0914
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0914
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Root Cause

4.2.13.914.1 Code System Content

Root Cause

Code | Description | Comment | Version
AP | Analysis Process | Enter (AP) when ANALYSIS PROCESS is the reason due to: * Product or supply failure (reagents, calibrators, QC material) * Equipment or instrumentation failure | added v2.8
IM | Information Management | Enter (IM) when INFORMATION MANAGEMENT is the reason due to:<p>â?¢ Database or Programming issues<p>â?¢ Overriding of test results<p>â?¢ Inaccurate calculations<p>â?¢ Inaccurate flagging, reference ranges, units of measure<p>â?¢ Incomplete/inaccurate tran | added v2.8
L | Laboratory | Enter (L) when LABORATORY is the reason due to:<p>â?¢ Data Entry error<p>â?¢ Testing/Technical error<p>â?¢ Repeat testing causing change to test result | added v2.8
NA | Not Applicable | Enter (NA) when NOT-APPLICABLE is the reason due to:<p>â?¢ If no revisions performed or<p>â?¢ unable to determine reason for revision<p>Note: Do not use NA if result code status is not corrected (revised) or if a preliminary release of results with a cor | added v2.8
PD | Placer Data | Enter (PD) when new or changed PLACER DATA information is the reason due to:<p>â?¢ Changed patient demographics or<p>â?¢ Result code data provided by the client on the requisition or specimen manifest that will be entered during order entry (i.e. Previous | added v2.8

4.2.13.916 HL7 Version 2 Table 0916

URL: https://hl7.org/fhir/STU3/v2/0916/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Relevant Clincial Information.

Summary

Name: | v2 Relevant Clincial Information
Definition: | FHIR Value set/code system definition for HL7 v2 table 0916 (Relevant Clincial Information)
Code System URL: | http://hl7.org/fhir/v2/0916
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0916
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Relevant Clincial Information

4.2.13.916.1 Code System Content

Relevant Clincial Information

Code | Description | Comment | Version
F | Patient was fasting prior to the procedure. | | added v2.7.1
FNA | Fasting not asked of the patient at time of procedure. | deprecated | added v2.7.1, removed after v2.7.1
NF | The patient indicated they did not fast prior to the procedure. | | added v2.7.1
NG | Not Given - Patient was not asked at the time of the procedure. | | added v2.7.1

4.2.13.917 HL7 Version 2 Table 0917

URL: https://hl7.org/fhir/STU3/v2/0917/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Bolus Type.

Summary

Name: | v2 Bolus Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0917 (Bolus Type)
Code System URL: | http://hl7.org/fhir/v2/0917
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0917
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Bolus Type

4.2.13.917.1 Code System Content

Bolus Type

Code | Description | Comment | Version
C | Supplemental | | added v2.8
L | Loading | | added v2.8

4.2.13.918 HL7 Version 2 Table 0918

URL: https://hl7.org/fhir/STU3/v2/0918/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 PCA Type.

Summary

Name: | v2 PCA Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0918 (PCA Type)
Code System URL: | http://hl7.org/fhir/v2/0918
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0918
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 PCA Type

4.2.13.918.1 Code System Content

PCA Type

Code | Description | Comment | Version
C | Continuous | | added v2.8
P | PCA Only | | added v2.8
PC | PCA + Continuous | | added v2.8

4.2.13.919 HL7 Version 2 Table 0919

URL: https://hl7.org/fhir/STU3/v2/0919/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Exclusive Test.

Summary

Name: | v2 Exclusive Test
Definition: | FHIR Value set/code system definition for HL7 v2 table 0919 (Exclusive Test)
Code System URL: | http://hl7.org/fhir/v2/0919
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0919
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Exclusive Test

4.2.13.919.1 Code System Content

Exclusive Test

Code | Description | Comment | Version

D | In some cases, this test should be only exclusively with like tests (examples are cyto or pathology) | When D is specified for this field, using field OM1-49 determines how tests must be grouped together. Tests within the same Diagnostic Service Sector may be on the same requisition, and therefore in the same message | added v2.8

N | This test can be included with any number of other tests | Default -.will be assumed when this field is empty | added v2.8

Y | This test should be exclusive | | added v2.8

4.2.13.920 HL7 Version 2 Table 0920

URL: https://hl7.org/fhir/STU3/v2/0920/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Preferred Specimen/Attribute Status.

Summary

Name: | v2 Preferred Specimen/Attribute Status

Definition: | FHIR Value set/code system definition for HL7 v2 table 0920 (Preferred Specimen/Attribute Status)

Code System URL: | http://hl7.org/fhir/v2/0920

Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0920

OID: | ??

CodeSystem Resource | XML / JSON

ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Preferred Specimen/Attribute Status

4.2.13.920.1 Code System Content

Preferred Specimen/Attribute Status

Code | Description | Comment | Version

A | Alternate | This is a specimen that is acceptable as a replacement for a preferred specimen. In the following field (OM4-17), the sequence number of the preferred specimen must be messaged. | added v2.8

P | Preferred | This specimen is Preferred for all attributes (Container and Additive) identified in the OM4 segment. | added v2.8

4.2.13.921 HL7 Version 2 Table 0921

URL: https://hl7.org/fhir/STU3/v2/0921/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Certification Type Code.

Summary

Name: | v2 Certification Type Code

Definition: | FHIR Value set/code system definition for HL7 v2 table 0921 (Certification Type Code)

Code System URL: | http://hl7.org/fhir/v2/0921

Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0921

OID: | ??

CodeSystem Resource | XML / JSON

ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Certification Type Code

4.2.13.921.1 Code System Content

Certification Type Code

Code | Description | Comment | Version

ADM | Admitting | | added v2.8

PROC | Procedure | | added v2.8

SERV | Service | | added v2.8

4.2.13.922 HL7 Version 2 Table 0922

URL: https://hl7.org/fhir/STU3/v2/0922/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Certification Category Code.

Summary

Name: | v2 Certification Category Code
Definition: | FHIR Value set/code system definition for HL7 v2 table 0922 (Certification Category Code)
Code System URL: | http://hl7.org/fhir/v2/0922
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0922
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Certification Category Code

4.2.13.922.1 Code System Content

Certification Category Code

Code | Description | Comment | Version
IR | Initial Request | | added v2.8
RA | Request for Appeal | | added v2.8
RE | Request for Extension | | added v2.8

4.2.13.923 HL7 Version 2 Table 0923

URL: https://hl7.org/fhir/STU3/v2/0923/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Process Interruption.

Summary

Name: | v2 Process Interruption
Definition: | FHIR Value set/code system definition for HL7 v2 table 0923 (Process Interruption)
Code System URL: | http://hl7.org/fhir/v2/0923
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0923
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Process Interruption

4.2.13.923.1 Code System Content

Process Interruption

Code | Description | Comment | Version
ABR | Aborted Run: Process interrupted after the Phlebotomist inserts the needle in the Donor's arm | | added v2.8
NIN | Process was not interrupted | | added v2.8
WOT | Walk Out: Process interrupted before the Phlebotomist inserts the needle in the Donor's arm | | added v2.8

4.2.13.924 HL7 Version 2 Table 0924

URL: https://hl7.org/fhir/STU3/v2/0924/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Cumulative Dosage Limit UoM.

Summary

Name: | v2 Cumulative Dosage Limit UoM
Definition: | FHIR Value set/code system definition for HL7 v2 table 0924 (Cumulative Dosage Limit UoM)
Code System URL: | http://hl7.org/fhir/v2/0924
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0924
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Cumulative Dosage Limit UoM

4.2.13.924.1 Code System Content

Cumulative Dosage Limit UoM

Code | Description | Comment | Version

A | Annual | | added v2.8
D | Per Day | | added v2.8
M | Per Month | | added v2.8
O | Duration of the Order | Not from UCUM | added v2.8
PL | Patients Lifetime | Not fromUCUM | added v2.8
WK | Per Week | | added v2.8

4.2.13.925 HL7 Version 2 Table 0925

URL: https://hl7.org/fhir/STU3/v2/0925/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Phlebotomy Issue.

Summary

Name: | v2 Phlebotomy Issue
Definition: | FHIR Value set/code system definition for HL7 v2 table 0925 (Phlebotomy Issue)
Code System URL: | http://hl7.org/fhir/v2/0925
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0925
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Phlebotomy Issue

4.2.13.925.1 Code System Content

Phlebotomy Issue

Code | Description | Comment | Version
ACN | Air Contamination | | added v2.8
CLT | Clotted | | added v2.8
COL | Collapse | | added v2.8
DAK | Defective Apheresis Kit | | added v2.8
DBG | Defective Bag | | added v2.8
DMT | Defective Instrument | | added v2.8
DND | Defective Needle | | added v2.8
INF | Infiltration | | added v2.8
IPF | Instrument Power Failure | | added v2.8
MIS | Missed / in tissue | | added v2.8
NAD | Needle adjustment (this may not end a procedure, if successful will impact component production) | | added v2.8
PFL | Poor flow | | added v2.8
VSM | Vein Spasm | | added v2.8

4.2.13.926 HL7 Version 2 Table 0926

URL: https://hl7.org/fhir/STU3/v2/0926/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Phlebotomy Status.

Summary

Name: | v2 Phlebotomy Status
Definition: | FHIR Value set/code system definition for HL7 v2 table 0926 (Phlebotomy Status)
Code System URL: | http://hl7.org/fhir/v2/0926
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0926
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Phlebotomy Status

4.2.13.926.1 Code System Content

Phlebotomy Status

Code | Description | Comment | Version
NDR | Not Drawn | | added v2.8
SUC | Successful | Successful means a complete component was drawn | added v2.8

UL5 | Unsuccessful Less than 50 ml drawn | | added v2.8

4.2.13.927 HL7 Version 2 Table 0927

URL: https://hl7.org/fhir/STU3/v2/0927/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Arm Stick.

Summary

Name: | v2 Arm Stick
Definition: | FHIR Value set/code system definition for HL7 v2 table 0927 (Arm Stick)
Code System URL: | http://hl7.org/fhir/v2/0927
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0927
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Arm Stick

4.2.13.927.1 Code System Content

Arm Stick

Code | Description | Comment | Version
B | Both Arms | | added v2.8
L | Left Arm | | added v2.8
R | Right Arm | | added v2.8

4.2.13.933 HL7 Version 2 Table 0933

URL: https://hl7.org/fhir/STU3/v2/0933/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Intended Procedure Type.

Summary

Name: | v2 Intended Procedure Type
Definition: | FHIR Value set/code system definition for HL7 v2 table 0933 (Intended Procedure Type)
Code System URL: | http://hl7.org/fhir/v2/0933
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0933
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Intended Procedure Type

4.2.13.933.1 Code System Content

Intended Procedure Type

Code | Description | Comment | Version
2RC | Double Red Cells | | added v2.8
GRN | Granulocytes | | added v2.8
HEM | Hemachromatosis | | added v2.8
HPC | Hematopoietic Progenitor Cells | Stem Cells and other cells classified as Hematopoietic | added v2.8
LYM | Lymphocytes | | added v2.8
PLS | Plasma | | added v2.8
PLT | Platelets | | added v2.8
PNP | Platelets and Plasma | | added v2.8
PNR | Platelets and Red Cells | | added v2.8
PPR | Platelets, Plasma, and Red Cells | | added v2.8
THA | Therapeutic Apheresis | | added v2.8
THW | Therapeutic Whole Blood | | added v2.8
WBL | Whole Blood | | added v2.8

4.2.13.935 HL7 Version 2 Table 0935

URL: https://hl7.org/fhir/STU3/v2/0935/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Process Interruption Reason.

Summary

Name: | v2 Process Interruption Reason
Definition: | FHIR Value set/code system definition for HL7 v2 table 0935 (Process Interruption Reason)
Code System URL: | http://hl7.org/fhir/v2/0935
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-0935
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Process Interruption Reason

4.2.13.935.1 Code System Content

Process Interruption Reason

Code | Description | Comment | Version
ASC | Apheresis Software Crash | | added v2.8
BSC | Manufacturing Software Crash | | added v2.8
CFT | Couldn't follow through with donation (scared) | | added v2.8
DBB | Bathroom | | added v2.8
DCW | Couldn't wait | | added v2.8
DNI | Phlebotomy Issue | | added v2.8
GFE | General Facility Emergency | Power outage, natural disaster (tornado, flood, hurricane, etc.), air conditioning failure, etc. | added v2.8
NRG | No reason given, donor decided to stop without giving a reason | | added v2.8
PCD | Phone Call-Donor | | added v2.8

4.2.13.4000 HL7 Version 2 Table 4000

URL: https://hl7.org/fhir/STU3/v2/4000/index.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This is a table defined as part of HL7 v2 . Related FHIR content: v2 Name/address representation.

Summary

Name: | v2 Name/address representation
Definition: | FHIR Value set/code system definition for HL7 v2 table 4000 (Name/address representation)
Code System URL: | http://hl7.org/fhir/v2/4000
Value Set URL: | http://hl7.org/fhir/ValueSet/v2-4000
OID: | ??
CodeSystem Resource | XML / JSON
ValueSet Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for v2 Name/address representation

4.2.13.4000.1 Code System Content

Name/address representation

Code | Description | Nederlands (Dutch) | Comment | Version
A | Alphabetic (i.e., Default or some single-byte) | Alfabetisch (d.w.z. standaard of bepaalde 1-byte) | deprecated | added v2.3.1, removed after v2.3.1
I | Ideographic (i.e., Kanji) | Ideografisch (d.w.z. Kanjii) | deprecated | added v2.3.1, removed after v2.3.1
P | Phonetic (i.e., ASCII, Katakana, Hiragana, etc.) | Fonetisch (d.w.z. ASCII, Katakane, Hirogana, etc.) | deprecated | added v2.3.1, removed after v2.3.1

4.2.14 HL7 v3 Namespaces (Code Systems and Value Sets)

URL: https://hl7.org/fhir/STU3/terminologies-v3.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

These namespaces are defined for use in FHIR. Code Systems are used when representing codes that were defined as part of the HL7 v3 code systems. So if you are representing the code "M" from the code system AdministrativeGender in a FHIR instance, then you would use the system "http://hl7.org/fhir/v3/AdministrativeGender" (note that the namespace is case sensitive).

Value Set namespaces are used as part of the specification itself, or in Profiles or other Value Sets where HL7 v3 code systems are used.

All of these namespaces are subject to further change.

CodeSystems

See below for value sets.

Name (URI = http://hl7.org/fhir/v3/...) | Description | OID

AcknowledgementCondition | The codes identify the conditions under which accept acknowledgements are required to be returned in response to this message. Note that accept acknowledgement address two different issues at the same time: reliable transport as well as syntactical correctness | .1.113883.5.1050

AcknowledgementDetailCode | OpenIssue: Missing description. | .1.113883.5.1100

AcknowledgementDetailType | A code identifying the specific message to be provided. Discussion: A textual value may be specified as the print name, or for non-coded messages, as the original text. Examples: 'Required attribute xxx is missing', 'System will be unavailable March 19 from 0100 to 0300' | .1.113883.5.1082

AcknowledgementType | This attribute contains an acknowledgement code as described in the HL7 message processing rules. OpenIssue: Description was copied from attribute and needs to be improved to be appropriate for a code system. | .1.113883.5.18

ActClass | **** MISSING DEFINITIONS **** | .1.113883.5.6

ActCode | A code specifying the particular kind of Act that the Act-instance represents within its class. Constraints: The kind of Act (e.g. physical examination, serum potassium, inpatient encounter, charge financial transaction, etc.) is specified with a code from one of several, typically external, coding systems. The coding system will depend on the class of Act, such as LOINC for observations, etc. Conceptually, the Act.code must be a specialization of the Act.classCode. This is why the structure of ActClass domain should be reflected in the superstructure of the ActCode domain and then individual codes or externally referenced vocabularies subordinated under these domains that reflect the ActClass structure. Act.classCode and Act.code are not modifiers of each other but the Act.code concept should really imply the Act.classCode concept. For a negative example, it is not appropriate to use an Act.code "potassium" together with and Act.classCode for "laboratory observation" to somehow mean "potassium laboratory observation" and then use the same Act.code for "potassium" together with Act.classCode for "medication" to mean "substitution of potassium". This mutually modifying use of Act.code and Act.classCode is not permitted. | .1.113883.5.4

ActExposureLevelCode | A qualitative measure of the degree of exposure to the causative agent. This includes concepts such as "low", "medium" and "high". This quantifies how the quantity that was available to be administered to the target differs from typical or background levels of the substance. | .1.113883.5.1114

ActInvoiceElementModifier | Processing consideration and clarification codes. | .1.113883.5.1051

ActMood | OpenIssue: In Ballot 2009May, a strong Negative vote was lodged against several of the concept definitions in the vocabulary used for Act.moodCode. The vote was found "Persuasive With Mod", with the understanding that M and M would undertake a detailed review of these concept definitions for a future release of the RIM. | .1.113883.5.1001

ActPriority | A set of codes (e.g., for routine, emergency), specifying the urgency under which the Act happened, can happen, is happening, is intended to happen, or is requested/demanded to happen. | .1.113883.5.7

ActReason | A set of codes specifying the motivation, cause, or rationale of an Act, when such rationale is not reasonably represented as an ActRelationship of type "has reason" linking to another Act. Examples: Example reasons that might qualify for being coded in this field might be: "routine requirement", "infectious disease reporting requirement", "on patient request", "required by law". | .1.113883.5.8

ActRelationshipCheckpoint | **** MISSING DEFINITIONS **** | .1.113883.5.10

ActRelationshipJoin | **** MISSING DEFINITIONS **** | .1.113883.5.12

ActRelationshipSplit | **** MISSING DEFINITIONS **** | .1.113883.5.13

ActRelationshipSubset | <ns1:p>Used to indicate that the target of the relationship will be a filtered subset of the total related set of targets.</ns1:p><ns1:p>Used when there is a need to limit the number of components to the first, the last, the next, the total, the average or some other filtered or calculated subset.</ns1:p> | .1.113883.5.1099

ActRelationshipType | The source is an excerpt from the target. | .1.113883.5.1002

ActSite | An anatomical location on an organism which can be the focus of an act. | .1.113883.5.1052

ActStatus | Codes representing the defined possible states of an Act, as defined by the Act class state machine. | .1.113883.5.14

ActUSPrivacyLaw | A jurisdictional mandate in the US relating to privacy. Deprecation Comment: Content moved to ActCode under _ActPrivacyLaw; use that instead. | .1.113883.5.1138

ActUncertainty | OpenIssue: Missing Description | .1.113883.5.1053

AddressPartType | Description: Code that specifies whether an address part names the street, city, country, postal code, post box, etc. Discussion: The hierarchical nature of these concepts shows composition. E.g. "Street Name" is part of "Street Address Line" | .1.113883.5.16

AddressUse | Codes that provide guidance around the circumstances in which a given address should be used. | .1.113883.5.1119

AdministrativeGender | The gender of a person used for adminstrative purposes (as opposed to clinical gender) | .1.113883.5.1

AmericanIndianAlaskaNativeLanguages | American Indian and Alaska Native languages currently being used in the United States. | .1.113883.5.1054

Calendar | **** MISSING DEFINITIONS **** | .1.113883.5.1055

CalendarCycle | Calendar cycle identifiers | .1.113883.5.9

CalendarType | **** MISSING DEFINITIONS **** | .1.113883.5.1017

Charset | Internet Assigned Numbers Authority (IANA) Charset Types | .1.113883.5.21

CodingRationale | Identifies how to interpret the instance of the code, codeSystem value in a set of translations. Since HL7 (or a government body) may mandate that codes from certain code systems be sent in conformant messages, other synonyms that are sent in the translation set need to be distinguished among the originally captured source, the HL7 specified code, or some future role. When this code is NULL, it indicates that the translation is an undefined type. When valued, this property must contain one of the following values: SRC - Source (or original) code HL7 - HL7 Specified or Mandated SH - both HL7 mandated and the original code (precoordination) There may be additional values added to this value set as we work through the use of codes in messages and determine other Use Cases requiring special interpretation of the translations. | .1.113883.5.1074

CommunicationFunctionType | Describes the type of communication function that the associated entity plays in the associated transmission. | .1.113883.5.1056

CompressionAlgorithm | **** MISSING DEFINITIONS **** | .1.113883.5.1009

Confidentiality | A set of codes specifying the security classification of acts and roles in accordance with the definition for concept domain "Confidentiality". | .1.113883.5.25

ContainerCap | The type of cap associated with a container | .1.113883.5.26

ContainerSeparator | A material in a blood collection container that facilites the separation of of blood cells from serum or plasma | .1.113883.5.27

ContentProcessingMode | Description: Identifies the order in which content should be processed. | .1.113883.5.1110

ContextControl | A code that specifies how an ActRelationship or Participation contributes to the context of an Act, and whether it may be propagated to descendent Acts whose association allows such propagation (see also attributes Participation.contextControlCode, ActRelationship.contextControlCode, ActRelationship.contextConductionInd). | .1.113883.5.1057

DataOperation | **** MISSING DEFINITIONS **** | .1.113883.5.1123

DeviceAlertLevel | Domain values for the Device.Alert_levelCode | .1.113883.5.31

DocumentCompletion | Identifies the current completion state of a clinical document. | .1.113883.5.33

DocumentStorage | Identifies the storage status of a document. | .1.113883.5.34

EducationLevel | Years of education that a person has completed | .1.113883.5.1077

EmployeeJobClass | **** MISSING DEFINITIONS **** | .1.113883.5.1059

EncounterAdmissionSource | **** MISSING DEFINITIONS **** | .1.113883.5.37

EncounterSpecialCourtesy | **** MISSING DEFINITIONS **** | .1.113883.5.40

EntityClass | Classifies the Entity class and all of its subclasses. The terminology is hierarchical. At the top is this HL7-defined domain of high-level categories (such as represented by the Entity subclasses). Each of these terms must be harmonized and is specializable. The value sets beneath are drawn from multiple, frequently external, domains that reflect much more fine-grained typing. | .1.113883.5.41

EntityCode | OpenIssue: Missing description. | .1.113883.5.1060

EntityDeterminer | EntityDeterminer in natural language grammar is the class of words that comprises articles, demonstrative pronouns, and quantifiers. In the RIM, determiner is a structural code in the Entity class to distinguish whether any given Entity object stands for some, any one, or a specific thing. | .1.113883.5.30

EntityHandling | **** MISSING DEFINITIONS **** | .1.113883.5.42

EntityNamePartQualifier | OpenIssue: Needs description | .1.113883.5.43

EntityNamePartQualifierR2 | Description: The qualifier is a set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type. For example, a given name may be flagged as a nickname, a family name may be a pseudonym or a name of public records. | .1.113883.5.1122

EntityNamePartType | **** MISSING DEFINITIONS **** | .1.113883.5.44

EntityNamePartTypeR2 | Description: Indicates whether the name part is a given name, family name, prefix, suffix, etc. | .1.113883.5.1121

EntityNameUse | **** MISSING DEFINITIONS **** | .1.113883.5.45

EntityNameUseR2 | Description: A set of codes advising a system or user which name in a set of names to select for a given purpose. | .1.113883.5.1120

EntityRisk | Kinds of risks associated with the handling of the material.. | .1.113883.5.46

EntityStatus | Codes representing the defined possible states of an Entity, as defined by the Entity class state machine. | .1.113883.5.1061

EquipmentAlertLevel | **** MISSING DEFINITIONS **** | .1.113883.5.49

Ethnicity | In the United States, federal standards for classifying data on ethnicity determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define ethnicity, and they recognize the absence of an anthropological or scientific basis for ethnicity classification. Instead, the federal standards acknowledge that ethnicity is a social-political construct in which an individual's own identification with a particular ethnicity is preferred to observer identification. The standards specify two minimum ethnicity categories: Hispanic or Latino, and Not Hispanic or Latino. The standards define a Hispanic or Latino as a person of "Mexican, Puerto Rican, Cuban, South or Central America, or other Spanish culture or origin, regardless of race." The standards stipulate that ethnicity data need not be limited to the two minimum categories, but any expansion must be collapsible to those categories. In addition, the standards stipulate that an individual can be Hispanic or Latino or can be Not Hispanic or Latino, but cannot be both. | .1.113883.5.50

ExposureMode | Code for the mechanism by which the exposure agent was exchanged or potentially exchanged by the participants involved in the exposure. | .1.113883.5.1113

GTSAbbreviation | **** MISSING DEFINITIONS **** | .1.113883.5.1022

GenderStatus | **** MISSING DEFINITIONS **** | .1.113883.5.51

HL7UpdateMode | The possible modes of updating that occur when an attribute is received by a system that already contains values for that attribute. | .1.113883.5.57

HtmlLinkType | HtmlLinkType values are drawn from HTML 4.0 and describe the relationship between the current document and the anchor that is the target of the link | .1.113883.5.58

IdentifierReliability | Specifies the reliability with which the identifier is known. This attribute MAY be used to assist with identifier matching algorithms. | .1.113883.5.1117

IdentifierScope | Description: Codes to specify the scope in which the identifier applies to the object with which it is associated, and used in the datatype property II. | .1.113883.5.1116

IntegrityCheckAlgorithm | **** MISSING DEFINITIONS **** | .1.113883.5.1010

LanguageAbilityMode | A value representing the method of expression of the language. Example: Expressed spoken, expressed written, expressed signed, received spoken, received written, received signed. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.5.60

LanguageAbilityProficiency | A value representing the level of proficiency in a language. Example: Excellent, good, fair, poor. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.5.61

LivingArrangement | A code depicting the living arrangements of a person | .1.113883.5.63

LocalMarkupIgnore | Tells a receiver to ignore just the local markup tags (local_markup, local_header, local_attr) when value="markup", or to ignore the local markup tags and all contained content when value="all" | .1.113883.5.65

LocalRemoteControlState | **** MISSING DEFINITIONS **** | .1.113883.5.66

ManagedParticipationStatus | Codes representing the defined possible states of a Managed Participation, as defined by the Managed Participation class state machine. | .1.113883.5.1062

MapRelationship | The closeness or quality of the mapping between the HL7 concept (as represented by the HL7 concept identifier) and the source coding system. The values are patterned after the similar relationships used in the UMLS Metathesaurus. Because the HL7 coding sy | .1.113883.5.67

MaritalStatus | * * * No description supplied * * * Open Issue: The specific meanings of these codes can vary somewhat by jurisdiction and implementation so caution should be used when determining equivalency. | .1.113883.5.2

MessageWaitingPriority | Indicates that the receiver has messages for the sender OpenIssue: Description does not make sense relative to name of coding system. Must be reviewed and improved. | .1.113883.5.1083

ModifyIndicator | **** MISSING DEFINITIONS **** | .1.113883.5.81

NullFlavor | A collection of codes specifying why a valid value is not present. | .1.113883.5.1008

ObservationInterpretation | One or more codes specifying a rough qualitative interpretation of the observation, such as "normal", "abnormal", "below normal", "change up", "resistant", "susceptible", etc. OpenIssue: Description copied from Concept Domain of same name. Must be verified. Note also

that this might be identical to the V2 code system of interpretation codes (formerly Abnormal Flags in older versions). | .1.113883.5.83

ObservationMethod | A code that provides additional detail about the means or technique used to ascertain the observation. Examples: Blood pressure measurement method: arterial puncture vs. sphygmomanometer (Riva-Rocci), sitting vs. supine position, etc. OpenIssue: Description copied from Concept Domain of same name. Must be verified. Note that the Domain has a full discussion about use of the attribute and constraining that is not appropriate for the code system description. Needs to be improved. | .1.113883.5.84

ObservationValue | This domain is the root domain to which all HL7-recognized value sets for the Observation.value attribute will be linked when Observation.value has a coded data type. OpenIssue: Description copied from Concept Domain of same name. Must be corrected.. | .1.113883.5.1063

ParticipationFunction | This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE). | .1.113883.5.88

ParticipationMode | A set of codes specifying the modality by which the Entity playing the Role is participating in the Act. Examples: Physically present, over the telephone, written communication. Rationale: Particularly for author (originator) participants this is used to specify whether the information represented by the act was initially provided verbally, (hand-)written, or electronically. Open Issue: There needs to be a reexamination of the hierarchies as there seems to be some muddling between ELECTRONIC and other concepts that involve electronic communication that are in other hierarchies. | .1.113883.5.1064

ParticipationSignature | A set of codes specifying whether and how the participant has attested his participation through a signature and or whether such a signature is needed. Examples: A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants. (See also: Participation.signatureText.) | .1.113883.5.89

ParticipationType | **** MISSING DEFINITIONS **** | .1.113883.5.90

PatientImportance | Patient VIP code | .1.113883.5.1075

PaymentTerms | Describes payment terms for a financial transaction, used in an invoice. This is typically expressed as a responsibility of the acceptor or payor of an invoice. | .1.113883.5.91

PersonDisabilityType | A code identifying a person's disability. | .1.113883.5.93

ProbabilityDistributionType | **** MISSING DEFINITIONS **** | .1.113883.5.1020

ProcessingID | Codes used to specify whether a message is part of a production, training, or debugging system. | .1.113883.5.100

ProcessingMode | **** MISSING DEFINITIONS **** | .1.113883.5.101

QueryParameterValue | The domain of coded values used as parameters within QueryByParameter queries. | .1.113883.5.1096

QueryPriority | **** MISSING DEFINITIONS **** | .1.113883.5.102

QueryRequestLimit | Definition: Defines the units associated with the magnitude of the maximum size limit of a query response that can be accepted by the requesting application. | .1.113883.5.1112

QueryResponse | A code classifying the general nature of the response to a given query. Includes whether or not data was found, or whether an error occurred. | .1.113883.5.1067

QueryStatusCode | A code specifying the state of the Query. | .1.113883.5.103

Race | In the United States, federal standards for classifying data on race determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define race, and they recognize the absence of an anthropological or scientific basis for racial classification. Instead, the federal standards acknowledge that race is a social-political construct in which an individual's own identification with one more race categories is preferred to observer identification. The standards use a variety of features to define five minimum race categories. Among these features are descent from "the original peoples" of a specified region or nation. The minimum race categories are American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White. The federal standards stipulate that race data need not be limited to the five minimum categories, but any expansion must be collapsible to those categories. | .1.113883.5.104

RelationalOperator | **** MISSING DEFINITIONS **** | .1.113883.5.105

RelationshipConjunction | **** MISSING DEFINITIONS **** | .1.113883.5.106

ReligiousAffiliation | Assigment of spiritual faith affiliation | .1.113883.5.1076

ResponseLevel | Specifies whether a response is expected from the addressee of this interaction and what level of detail that response should include | .1.113883.5.108

ResponseModality | Defines the timing and grouping of the response instances. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.5.109

ResponseMode | Specifies the mode, immediate versus deferred or queued, by which a receiver should communicate its receiver responsibilities. | .1.113883.5.1126

RoleClass | Codes for the Role class hierarchy. The values in this hierarchy, represent a Role which is an association or relationship between two entities - the entity that plays the role and the entity that scopes the role. Roles names are derived from the name of the playing entity in that role. The role hierarchy stems from three core concepts, or abstract domains: RoleClassOntological is an abstract domain that collects roles in which the playing entity is defined or specified by the scoping entity. RoleClassPartitive collects roles in which the playing entity is in some sense a "part" of the scoping entity. RoleClassAssociative collects all of the remaining forms of association between the playing entity and the scoping entity. This set of roles is further partitioned between: RoleClassPassive which are roles in which the playing entity is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping entity. The playing entity is passive in these roles in that the role exists without an agreement from the playing entity. RoleClassMutualRelationship which are relationships based on mutual behavior of the two entities. The basis of these relationship may be formal agreements or they may bede facto behavior. Thus, this sub-domain is further divided into: RoleClassRelationshipFormal in which the relationship is formally defined, frequently by a contract or agreement. Personal relationship which inks two people in a personal relationship. The hierarchy discussed above is represented In the current vocabulary tables as a set of abstract domains, with the exception of the "Personal relationship" which is a leaf concept. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.5.110

RoleCode | A set of codes further specifying the kind of Role; specific classification codes for further qualifying RoleClass codes. | .1.113883.5.111

RoleLinkStatus | Description: Codes representing possible states of a RoleLink, as defined by the RoleLink class state machine. | .1.113883.5.1137

RoleLinkType | **** MISSING DEFINITIONS **** | .1.113883.5.107

RoleStatus | Codes representing the defined possible states of an Role, as defined by the Role class state machine. | .1.113883.5.1068

RouteOfAdministration | The path the administered medication takes to get into the body or into contact with the body. | .1.113883.5.112

Sequencing | Specifies sequence of sort order. | .1.113883.5.113

SetOperator | **** MISSING DEFINITIONS **** | .1.113883.5.1069

SpecimenType | **** MISSING DEFINITIONS **** | .1.113883.5.129

SubstitutionCondition | Identifies what sort of change is permitted or has occurred between the item that was ordered/requested and the one that was/will be provided. | .1.113883.5.1071

TableCellHorizontalAlign | These values are defined within the XHTML 4.0 Table Model | .1.113883.5.131

TableCellScope | These values are defined within the XHTML 4.0 Table Model | .1.113883.5.132

TableCellVerticalAlign | These values are defined within the XHTML 4.0 Table Model | .1.113883.5.133

TableFrame | These values are defined within the XHTML 4.0 Table Model | .1.113883.5.134

TableRules | These values are defined within the XHTML 4.0 Table Model | .1.113883.5.136

TargetAwareness | **** MISSING DEFINITIONS **** | .1.113883.5.137

TelecommunicationCapabilities | Description: Concepts that define the telecommunication capabilities of a particular device. Used to identify the expected capabilities to be found at a particular telecommunication address. | .1.113883.5.1118

TimingEvent | **** MISSING DEFINITIONS **** | .1.113883.5.139

TransmissionRelationshipTypeCode | Description: A code specifying the meaning and purpose of every TransmissionRelationship instance. Each of its values implies specific constraints to what kinds of Transmission objects can be related and in which way. | .1.113883.5.1111

TribalEntityUS | INDIAN ENTITIES RECOGNIZED AND ELIGIBLE TO RECEIVE SERVICES FROM THE UNITED STATES BUREAU OF INDIAN AFFAIRS | .1.113883.5.140

VaccineManufacturer | The manufacturer of a vaccine. | .1.113883.5.144

hl7Realm | Description: Coded concepts representing Binding Realms (used for Context Binding of terminology in HL7 models) and/or Namespace Realms (used to help ensure unique identification of HL7 artifacts). This code system is partitioned into three sections: Affiliate realms, Binding realms and Namespace realms. All affiliate realm codes may automatically be used as both binding realms and namespace realms. Furthermore, affiliate realms are the only realms that have authority over the creation of binding realms. (Note that 'affiliate' includes the idea of both international affiliates and the HL7 International organization.) All other codes must be associated with an owning affiliate realm and must appear as a specialization of _BindingRealm or _NamespaceRealm. For affiliates whose concepts align with nations, the country codes from ISO 3166-1 2-character alpha are used for the code when possible so these codes should not be used for other realm types. It is recommended that binding realm and namespace codes submitted by affiliates use the realm code as a prefix to avoid possible collisions with ISO codes. However, tooling does not currently support namepace realm codes greater than 2 characters. Open Issue: The name of the concept property "owningAffiliate" should be changed to better reflect that the property value is the human readable name of the organizational entity that manages the Realm identified by the Realm Code. Open Issue: In spite of the inability of tooling to process codes longer than 2 characters, there is at least one realm codes ('SOA') that was added that is 3 characters in length. | .1.113883.5.1124

hl7V3Conformance | Description: Identifies allowed codes for HL7aTMs v3 conformance property. | .1.113883.5.1125

orderableDrugForm | OpenIssue: Missing description. | .1.113883.5.85

substanceAdminSubstitution | Identifies what sort of change is permitted or has occurred between the therapy that was ordered and the therapy that was/will be provided. | .1.113883.5.1070

Value Sets

Name (URI = http://hl7.org/fhir/ValueSet/v3-...) | Name | OID

AcknowledgementCondition | The codes identify the conditions under which accept acknowledgements are required to be returned in response to this message. Note that accept acknowledgement address two different issues at the same time: reliable transport as well as syntactical correctness | .1.113883.1.11.155

AcknowledgementDetailCode | OpenIssue: Missing description. | --

AcknowledgementDetailType | A code identifying the specific message to be provided. Discussion: A textual value may be specified as the print name, or for non-coded messages, as the original text. Examples: 'Required attribute xxx is missing', 'System will be unavailable March 19 from 0100 to 0300' | .1.113883.1.11.19358

AcknowledgementType | This attribute contains an acknowledgement code as described in the HL7 message processing rules. OpenIssue: Description was copied from attribute and needs to be improved to be appropriate for a code system. | .1.113883.1.11.8

ActClass | **** MISSING DEFINITIONS **** | .1.113883.1.11.11527

ActClassClinicalDocument | A clinical document is a documentation of clinical observations and services, with the following characteristics: (1) Persistence - A clinical document continues to exist in an unaltered state, for a time period defined by local and regulatory requirements; (2) Stewardship - A clinical document is maintained by a person or organization entrusted with its care; (3) Potential for authentication - A clinical document is an assemblage of information that is intended to be legally authenticated; (4) Wholeness - Authentication of a clinical document applies to the whole and does not apply to portions of the document without the full context of the document; (5) Human readability - A clinical document is human readable." | .1.113883.1.11.13948

ActClassDocument | Specialization of Act to add the characteristics unique to document management services. | .1.113883.1.11.18938

ActClassInvestigation | An formalized inquiry into the circumstances surrounding a particular unplanned event or potential event for the purposes of identifying possible causes and contributing factors for the event. This investigation could be conducted at a local institutional level or at the level of a local or national government. | .1.113883.1.11.20224

ActClassObservation | Description: An act that is intended to result in new information about a subject. The main difference between Observations and other Acts is that Observations have a value attribute. Thecode attribute of Observation and thevalue attribute of Observation must be considered in combination to determine the semantics of the observation. Discussion: Structurally, many observations are name-value-pairs, where the Observation.code (inherited from Act) is the name and the Observation.value is the value of the property. Such a construct is also known as a variable (a named feature that can assume a value) hence, the Observation class is always used to hold generic name-value-pairs or variables, even though the variable valuation may not be the result of an elaborate observation method. It may be a simple answer to a question or it may be an assertion or setting of a parameter. As with all Act statements, Observation statements describe what was done, and in the case of Observations, this includes a description of what was actually observed (results or answers); and those results or answers are part of the observation and not split off into other objects. The method of action is asserted by the Observation classCode or its subclasses at the least granular level, by the Observation.code attribute value at the medium level of granularity, and by the attribute value of observation.methodCode when a finer level of granularity is required. The method in whole or in part may also appear in the attribute value of Observation.value when using coded data types to express the value of the attribute. Relevant aspects of methodology may also be restated in value when the results themselves imply or state a methodology. An observation may consist of component observations each having their own Observation.code and Observation.value. In this case, the composite observation may not have an Observation.value for itself. For instance, a white blood cell count consists of the sub-observations for the counts of the various granulocytes, lymphocytes and other normal or abnormal blood cells (e.g., blasts). The overall white blood cell count Observation itself may therefore not have a value by itself (even though it could have one, e.g., the sum total of white blood cells). Thus, as long as an Act is essentially an Act of recognizing and noting information about a subject, it is an Observation, regardless of whether it has a simple value by itself or whether it has sub-observations. Even though observations are professional acts (see Act) and as such are intentional actions, this does not require that every possible outcome of an observation be pondered in advance of it being actually made. For instance, differential white blood cell counts (WBC) rarely show blasts, but if they do, this is part of the WBC observation even though blasts might not be predefined in the structure of a normal WBC. Clinical documents commonly have Subjective and Objective findings, both of which are kinds of Observations. In addition, clinical documents commonly contain Assessments, which are also kinds of Observations. Thus, the establishment of a diagnosis is an Observation. Examples: Recording the results of a Family History Assessment Laboratory test and associated result Physical exam test and associated result Device temperature Soil lead level | .1.113883.1.11.11529

ActClassProcedure | An Act whose immediate and primary outcome (post-condition) is the alteration of the physical condition of the subject. Examples: : Procedures may involve the disruption of some body surface (e.g. an incision in a surgical procedure), but they also include conservative procedures such as reduction of a luxated join, chiropractic treatment, massage, balneotherapy, acupuncture, shiatsu, etc. Outside of clinical medicine, procedures may be such things as alteration of environments (e.g. straightening rivers, draining swamps, building dams) or the repair or change of machinery etc. | .1.113883.1.11.19665

ActClassROI | Regions of Interest (ROI) within a subject Act. Primarily used for making secondary observations on a subset of a subject observation. The relationship between a ROI and its referenced Act is specified through an ActRelationship of type "subject" (SUBJ), which must always be present. | .1.113883.1.11.17893

ActClassSupply | Supply orders and deliveries are simple Acts that focus on the delivered product. The product is associated with the Supply Act via Participation.typeCode="product". With general Supply Acts, the precise identification of the Material (manufacturer, serial numbers, etc.) is important. Most of the detailed information about the Supply should be represented using the Material class. If delivery needs to be scheduled, tracked, and billed separately, one can associate a Transportation Act with the Supply Act. Pharmacy dispense services are represented as Supply Acts, associated with a SubstanceAdministration Act. The SubstanceAdministration class represents the administration of medication, while dispensing is supply. | .1.113883.1.11.11535

ActCode | A code specifying the particular kind of Act that the Act-instance represents within its class. Constraints: The kind of Act (e.g. physical examination, serum potassium, inpatient encounter, charge financial transaction, etc.) is specified with a code from one of several, typically external, coding systems. The coding system will depend on the class of Act, such as LOINC for observations, etc. Conceptually, the Act.code must be a specialization of the Act.classCode. This is why the structure of ActClass domain should be reflected in the superstructure of the ActCode domain and then individual codes or externally referenced vocabularies subordinated under these domains that reflect the ActClass structure. Act.classCode and Act.code are not modifiers of each other but the Act.code concept should really imply the Act.classCode concept. For a negative example, it is not appropriate to use an Act.code "potassium" together with and Act.classCode for "laboratory observation" to somehow mean "potassium laboratory observation" and then use the same Act.code for "potassium" together with Act.classCode for "medication" to mean "substitution of potassium". This mutually modifying use of Act.code and Act.classCode is not permitted. | --

ActConsentDirective | ActConsentDirective codes are used to specify the type of Consent Directive to which a Consent Directive Act conforms. | .1.113883.1.11.20425

ActConsentType | Definition: The type of consent directive, e.g., to consent or dissent to collect, access, or use in specific ways within an EHRS or for health information exchange; or to disclose health information for purposes such as research. | .1.113883.1.11.19897

ActCoverageTypeCode | Definition: Set of codes indicating the type of insurance policy or program that pays for the cost of benefits provided to covered parties. | .1.113883.1.11.19855

ActEncounterCode | Domain provides codes that qualify the ActEncounterClass (ENC) | .1.113883.1.11.13955

ActExposureLevelCode | A qualitative measure of the degree of exposure to the causative agent. This includes concepts such as "low", "medium" and "high". This quantifies how the quantity that was available to be administered to the target differs from typical or background levels of the substance. | --

ActIncidentCode | Set of codes indicating the type of incident or accident. | .1.113883.1.11.16508

ActInvoiceElementModifier | Processing consideration and clarification codes. | .1.113883.1.11.17704

ActInvoiceGroupCode | Type of invoice element that is used to assist in describing an Invoice that is either submitted for adjudication or for which is returned on adjudication results. Invoice elements of this type signify a grouping of one or more children (detail) invoice elements. They do not have intrinsic costing associated with them, but merely reflect the sum of all costing for it's immediate children invoice elements. | .1.113883.1.11.19398

ActMood | OpenIssue: In Ballot 2009May, a strong Negative vote was lodged against several of the concept definitions in the vocabulary used for Act.moodCode. The vote was found "Persuasive With Mod", with the understanding that M and M would undertake a detailed review of these concept definitions for a future release of the RIM. | .1.113883.1.11.10196

ActMoodIntent | An intention or plan to perform a service. Historical note: in previous RIM versions, the intent mood was captured as a separate class hierarchy, called Service_intent_or_order. | .1.113883.1.11.10199

ActMoodPredicate | Any of the above service moods (e.g., event, intent, or goal) can be turned into a predicate used as a criterion to express conditionals (or queries.) However, currently we allow only criteria on service events. | .1.113883.1.11.10202

ActPharmacySupplyType | Identifies types of dispensing events | .1.113883.1.11.16208

ActPriority | A set of codes (e.g., for routine, emergency), specifying the urgency under which the Act happened, can happen, is happening, is intended to happen, or is requested/demanded to happen. | --

ActReason | A set of codes specifying the motivation, cause, or rationale of an Act, when such rationale is not reasonably represented as an ActRelationship of type "has reason" linking to another Act. Examples: Example reasons that might qualify for being coded in this field might be: "routine requirement", "infectious disease reporting requirement", "on patient request", "required by law". | --

ActRelationshipCheckpoint | **** MISSING DEFINITIONS **** | .1.113883.1.11.10349

ActRelationshipConditional | Specifies under what circumstances (target Act) the source-Act may, must, must not or has occurred | .1.113883.1.11.18977

ActRelationshipFulfills | The source act fulfills (in whole or in part) the target act. Source act must be in a mood equal or more actual than the target act. | .1.113883.1.11.10342

ActRelationshipHasComponent | A collection of sub-services as steps or subtasks performed for the source service. Services may be performed sequentially or concurrently. | .1.113883.1.11.10318

ActRelationshipJoin | **** MISSING DEFINITIONS **** | .1.113883.1.11.10360

ActRelationshipPertains | This is a very unspecific relationship from one item of clinical information to another. It does not judge about the role the pertinent information plays. | .1.113883.1.11.10329

ActRelationshipSplit | **** MISSING DEFINITIONS **** | .1.113883.1.11.10355

ActRelationshipSubset | <ns1:p>Used to indicate that the target of the relationship will be a filtered subset of the total related set of targets.</ns1:p><ns1:p>Used when there is a need to limit the number of components to the first, the last, the next, the total, the average or some other filtered or calculated subset.</ns1:p> | .1.113883.1.11.19613

ActRelationshipType | The source is an excerpt from the target. | .1.113883.1.11.10317

ActSite | An anatomical location on an organism which can be the focus of an act. | --

ActStatus | Codes representing the defined possible states of an Act, as defined by the Act class state machine. | .1.113883.1.11.15933

ActSubstanceAdminSubstitutionCode | No Description Provided | .1.113883.1.11.16621

ActTaskCode | Description: A task or action that a user may perform in a clinical information system. | .1.113883.1.11.19846

ActUSPrivacyLaw | A jurisdictional mandate in the US relating to privacy. Deprecation Comment: Content moved to ActCode under _ActPrivacyLaw; use that instead. | --

ActUncertainty | OpenIssue: Missing Description | .1.113883.1.11.16899

AddressPartType | Description: Code that specifies whether an address part names the street, city, country, postal code, post box, etc. Discussion: The hierarchical nature of these concepts shows composition. E.g. "Street Name" is part of "Street Address Line" | .1.113883.1.11.10642

AddressUse | Codes that provide guidance around the circumstances in which a given address should be used. | .1.113883.1.11.190

AdministrativeGender | The gender of a person used for adminstrative purposes (as opposed to clinical gender) | .1.113883.1.11.1

AmericanIndianAlaskaNativeLanguages | American Indian and Alaska Native languages currently being used in the United States. | --

Calendar | **** MISSING DEFINITIONS **** | .1.113883.1.11.17422

CalendarCycle | Calendar cycle identifiers | --

CalendarType | **** MISSING DEFINITIONS **** | .1.113883.1.11.10682

Charset | Internet Assigned Numbers Authority (IANA) Charset Types | .1.113883.1.11.14853

CodingRationale | Identifies how to interpret the instance of the code, codeSystem value in a set of translations. Since HL7 (or a government body) may mandate that codes from certain code systems be sent in conformant messages, other synonyms that are sent in the translation set need to be distinguished among the originally captured source, the HL7 specified code, or some future role. When this code is NULL, it indicates that the translation is an undefined type. When valued, this property must contain one of the following values: SRC - Source (or original) code HL7 - HL7 Specified or Mandated SH - both HL7 mandated and the original code (precoordination) There may be additional values added to this value set as we work through the use of codes in messages and determine other Use Cases requiring special interpretation of the translations. | .1.113883.1.11.19250

CommunicationFunctionType | Describes the type of communication function that the associated entity plays in the associated transmission. | .1.113883.1.11.16031

Compartment | A named tag set for metadata used to populate a security category label field that "segments" an IT resource per policy by indicating that access and use is restricted to members of a defined community or project. (HL7 Healthcare Privacy and Security Classification System) Usage Note: This is the healthcare analog to the US Intelligence Community's concept of a Special Access Program. Compartment codes may be used in as a field value in an initiator's clearance to indicate permission to access and use an IT Resource with a security label having the same compartment value in security category label field. Map: Aligns with ISO 2382-8 definition of Compartment - "A division of data into isolated blocks with separate security controls for the purpose of reducing risk." | .1.113883.1.11.20478

CompressionAlgorithm | **** MISSING DEFINITIONS **** | .1.113883.1.11.10620

Confidentiality | A set of codes specifying the security classification of acts and roles in accordance with the definition for concept domain "Confidentiality". | --

ConfidentialityClassification | Set of codes used to value Act.Confidentiality and Role.Confidentiality attribute in accordance with the definition for concept domain "Confidentiality". | .1.113883.1.11.10228

ContainerCap | The type of cap associated with a container | --

ContainerSeparator | A material in a blood collection container that facilites the separation of of blood cells from serum or plasma | .1.113883.1.11.14054

ContentProcessingMode | Description: Identifies the order in which content should be processed. | .1.113883.1.11.19823

ContextControl | A code that specifies how an ActRelationship or Participation contributes to the context of an Act, and whether it may be propagated to descendent Acts whose association allows such propagation (see also attributes Participation.contextControlCode, ActRelationship.contextControlCode, ActRelationship.contextConductionInd). | .1.113883.1.11.16478

DataOperation | **** MISSING DEFINITIONS **** | --

DeviceAlertLevel | Domain values for the Device.Alert_levelCode | .1.113883.1.11.14066

DocumentCompletion | Identifies the current completion state of a clinical document. | .1.113883.1.11.271

DocumentSectionType | The type of document section. Possible values: review of systems, medical history, family history, microscopic findings, etc. | .1.113883.1.11.10871

DocumentStorage | Identifies the storage status of a document. | --

EducationLevel | Years of education that a person has completed | .1.113883.1.11.19175

EmployeeJobClass | **** MISSING DEFINITIONS **** | .1.113883.1.11.16036

EncounterAdmissionSource | **** MISSING DEFINITIONS **** | .1.113883.1.11.12234

EncounterSpecialCourtesy | **** MISSING DEFINITIONS **** | .1.113883.1.11.12242

EntityClass | Classifies the Entity class and all of its subclasses. The terminology is hierarchical. At the top is this HL7-defined domain of high-level categories (such as represented by the Entity subclasses). Each of these terms must be harmonized and is specializable. The value sets beneath are drawn from multiple, frequently external, domains that reflect much more fine-grained typing. | .1.113883.1.11.10882

EntityClassDevice | A subtype of ManufacturedMaterial used in an activity, without being substantially changed through that activity. The kind of device is identified by the code attribute inherited from Entity. Usage: This includes durable (reusable) medical equipment as well as disposable equipment. | .1.113883.1.11.11623

EntityClassLivingSubject | Anything that essentially has the property of life, independent of current state (a dead human corpse is still essentially a living subject.) | .1.113883.1.11.10884

EntityClassManufacturedMaterial | Corresponds to the ManufacturedMaterial class | .1.113883.1.11.13934

EntityClassOrganization | A social or legal structure formed by human beings. | .1.113883.1.11.10889

EntityClassPlace | A physicial place or site with its containing structure. May be natural or man-made. The geographic position of a place may or may not be constant. | .1.113883.1.11.10892

EntityClassRoot | Corresponds to the Entity class | .1.113883.1.11.13922

EntityCode | OpenIssue: Missing description. | --

EntityDeterminer | EntityDeterminer in natural language grammar is the class of words that comprises articles, demonstrative pronouns, and quantifiers. In the RIM, determiner is a structural code in the Entity class to distinguish whether any given Entity object stands for some, any one, or a specific thing. | .1.113883.1.11.10878

EntityDeterminerDetermined | The described determiner is used to indicate that the given Entity is taken as a general description of a kind of thing that can be taken in whole, in part, or in multiples. | .1.113883.1.11.10879

EntityHandling | **** MISSING DEFINITIONS **** | .1.113883.1.11.13988

EntityNamePartQualifier | OpenIssue: Needs description | .1.113883.1.11.15888

EntityNamePartQualifierR2 | Description: The qualifier is a set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type. For example, a given name may be flagged as a nickname, a family name may be a pseudonym or a name of public records. | .1.113883.1.11.20323

EntityNamePartType | **** MISSING DEFINITIONS **** | .1.113883.1.11.15880

EntityNamePartTypeR2 | Description: Indicates whether the name part is a given name, family name, prefix, suffix, etc. | .1.113883.1.11.20322

EntityNameUse | **** MISSING DEFINITIONS **** | .1.113883.1.11.15913

EntityNameUseR2 | Description: A set of codes advising a system or user which name in a set of names to select for a given purpose. | .1.113883.1.11.20321

EntityRisk | Kinds of risks associated with the handling of the material.. | --

EntityStatus | Codes representing the defined possible states of an Entity, as defined by the Entity class state machine. | .1.113883.1.11.16005

EquipmentAlertLevel | **** MISSING DEFINITIONS **** | .1.113883.1.11.10896

Ethnicity | In the United States, federal standards for classifying data on ethnicity determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define ethnicity, and they recognize the absence of an anthropological or scientific basis for ethnicity classification. Instead, the federal standards acknowledge that ethnicity is a social-political construct in which an individual's own identification with a particular ethnicity is preferred to observer identification. The standards specify two minimum ethnicity categories: Hispanic or Latino, and Not Hispanic or Latino. The standards define a

Hispanic or Latino as a person of "Mexican, Puerto Rican, Cuban, South or Central America, or other Spanish culture or origin, regardless of race." The standards stipulate that ethnicity data need not be limited to the two minimum categories, but any expansion must be collapsible to those categories. In addition, the standards stipulate that an individual can be Hispanic or Latino or can be Not Hispanic or Latino, but cannot be both. | --

ExposureMode | Code for the mechanism by which the exposure agent was exchanged or potentially exchanged by the participants involved in the exposure. | --

FamilyMember | A relationship between two people characterizing their "familial" relationship | .1.113883.1.11.19579

GTSAbbreviation | **** MISSING DEFINITIONS **** | --

GenderStatus | **** MISSING DEFINITIONS **** | .1.113883.1.11.11523

GeneralPurposeOfUse | Supports communication of purpose of use at a general level. | .1.113883.1.11.20449

HL7UpdateMode | The possible modes of updating that occur when an attribute is received by a system that already contains values for that attribute. | .1.113883.1.11.10018

HtmlLinkType | HtmlLinkType values are drawn from HTML 4.0 and describe the relationship between the current document and the anchor that is the target of the link | .1.113883.1.11.11017

HumanLanguage | Codes for the representation of the names of human languages. | .1.113883.1.11.11526

IdentifierReliability | Specifies the reliability with which the identifier is known. This attribute MAY be used to assist with identifier matching algorithms. | .1.113883.1.11.20277

IdentifierScope | Description: Codes to specify the scope in which the identifier applies to the object with which it is associated, and used in the datatype property II. | .1.113883.1.11.20276

InformationSensitivityPolicy | Sensitivity codes are not useful for interoperability outside of a policy domain because sensitivity policies are typically localized and vary drastically across policy domains even for the same information category because of differing organizational business rules, security policies, and jurisdictional requirements. For example, an "employee" sensitivity code would make little sense for use outside of a policy domain. "Taboo" would rarely be useful outside of a policy domain unless there are jurisdictional requirements requiring that a provider disclose sensitive information to a patient directly. Sensitivity codes may be more appropriate in a legacy system's Master Files in order to notify those who access a patient's orders and observations about the sensitivity policies that apply. Newer systems may have a security engine that uses a sensitivity policy's criteria directly. The specializable Sensitivity Act.code may be useful in some scenarious if used in combination with a sensitivity identifier and/or Act.title. | .1.113883.1.11.20428

IntegrityCheckAlgorithm | **** MISSING DEFINITIONS **** | .1.113883.1.11.17385

LanguageAbilityMode | A value representing the method of expression of the language. Example: Expressed spoken, expressed written, expressed signed, received spoken, received written, received signed. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.1.11.12249

LanguageAbilityProficiency | A value representing the level of proficiency in a language. Example: Excellent, good, fair, poor. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.1.11.12199

LivingArrangement | A code depicting the living arrangements of a person | --

LocalMarkupIgnore | Tells a receiver to ignore just the local markup tags (local_markup, local_header, local_attr) when value="markup", or to ignore the local markup tags and all contained content when value="all" | .1.113883.1.11.10975

LocalRemoteControlState | **** MISSING DEFINITIONS **** | .1.113883.1.11.10893

ManagedParticipationStatus | Codes representing the defined possible states of a Managed Participation, as defined by the Managed Participation class state machine. | .1.113883.1.11.15992

MapRelationship | The closeness or quality of the mapping between the HL7 concept (as represented by the HL7 concept identifier) and the source coding system. The values are patterned after the similar relationships used in the UMLS Metathesaurus. Because the HL7 coding sy | .1.113883.1.11.11052

MaritalStatus | * * * No description supplied * * * Open Issue: The specific meanings of these codes can vary somewhat by jurisdiction and implementation so caution should be used when determining equivalency. | --

MessageWaitingPriority | Indicates that the receiver has messages for the sender OpenIssue: Description does not make sense relative to name of coding system. Must be reviewed and improved. | --

MilitaryRoleType | Definition: A person playing the role of program eligible under a program based on military status. Discussion: This CoveredPartyRoleType.code is typically used when the CoveredPartyRole class code is either "program eligible" or "subscriber" and the person's status as a member of the military meets jurisdictional or program criteria | .1.113883.1.11.19812

ModifyIndicator | **** MISSING DEFINITIONS **** | .1.113883.1.11.395

NullFlavor | A collection of codes specifying why a valid value is not present. | .1.113883.1.11.10609

ObligationPolicy | Conveys the mandated workflow action that an information custodian, receiver, or user must perform. Examples: encrypt Usage Note: Per OASIS XACML, an obligation is an operation specified in a policy or policy that is performed in conjunction with the enforcement of an access control decision. | .1.113883.1.11.20445

ObservationInterpretation | One or more codes specifying a rough qualitative interpretation of the observation, such as "normal", "abnormal", "below normal", "change up", "resistant", "susceptible", etc. OpenIssue: Description copied from Concept Domain of same name. Must be verified. Note also that this might be identical to the V2 code system of interpretation codes (formerly Abnormal Flags in older versions). | .1.113883.1.11.78

ObservationMethod | A code that provides additional detail about the means or technique used to ascertain the observation. Examples: Blood pressure measurement method: arterial puncture vs. sphygmomanometer (Riva-Rocci), sitting vs. supine position, etc. OpenIssue: Description copied from Concept Domain of same name. Must be verified. Note that the Domain has a full discussion about use of the attribute and constraining that is not appropriate for the code system description. Needs to be improved. | .1.113883.1.11.20423

ObservationType | Identifies the kinds of observations that can be performed | .1.113883.1.11.16226

ObservationValue | This domain is the root domain to which all HL7-recognized value sets for the Observation.value attribute will be linked when Observation.value has a coded data type. OpenIssue: Description copied from Concept Domain of same name. Must be corrected.. | --

ParticipationFunction | This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE). | .1.113883.1.11.10267

ParticipationIndirectTarget | Target that is not substantially present in the act and which is not directly affected by the act, but which will be a focus of the record or documentation of the act. | .1.113883.1.11.19032

ParticipationInformationGenerator | Parties that may or should contribute or have contributed information to the Act. Such information includes information leading to the decision to perform the Act and how to perform the Act (e.g., consultant), information that the Act itself seeks to reveal (e.g., informant of clinical history), or information about what Act was performed (e.g., informant witness). | .1.113883.1.11.10251

ParticipationInformationTranscriber | An entity entering the data into the originating system. The data entry entity is collected optionally for internal quality control purposes. This includes the transcriptionist for dictated text transcribed into electronic form. | .1.113883.1.11.19676

ParticipationMode | A set of codes specifying the modality by which the Entity playing the Role is participating in the Act. Examples: Physically present, over the telephone, written communication. Rationale: Particularly for author (originator) participants this is used to specify whether the information represented by the act was initially provided verbally, (hand-)written, or electronically. Open Issue: There needs to be a reexamination of the hierarchies as there seems to be some muddling between ELECTRONIC and other concepts that involve electronic communication that are in

other hierarchies. | --

ParticipationPhysicalPerformer | A person who actually and principally carries out the action. Need not be the principal responsible actor, e.g. a surgery resident operating under supervision of attending surgeon, and may be the patient in self-care, e.g. fingerstick blood sugar. The traditional order filler is a performer. This information should accompany every service event. | .1.113883.1.11.10248

ParticipationSignature | A set of codes specifying whether and how the participant has attested his participation through a signature and or whether such a signature is needed. Examples: A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants. (See also: Participation.signatureText.) | .1.113883.1.11.10282

ParticipationTargetDirect | Target that is substantially present in the service and which is directly affected by the service action (includes consumed material, devices, etc.). | .1.113883.1.11.10286

ParticipationTargetLocation | The facility where the service is done. May be a static building (or room therein) or a moving location (e.g., ambulance, helicopter, aircraft, train, truck, ship, etc.) | .1.113883.1.11.10302

ParticipationTargetSubject | The principle target that the service acts on. E.g. the patient in physical examination, a specimen in a lab observation. May also be a patient's family member (teaching) or a device or room (cleaning, disinfecting, housekeeping). Note: not all direct targets are subjects, consumables, and devices used as tools for a service are not subjects. However, a device may be a subject of a maintenance service. | .1.113883.1.11.19584

ParticipationType | **** MISSING DEFINITIONS **** | .1.113883.1.11.10901

ParticipationVerifier | A person who verifies the correctness and appropriateness of the service (plan, order, event, etc.) and hence takes on accountability. | .1.113883.1.11.10259

PatientImportance | Patient VIP code | .1.113883.1.11.19265

PaymentTerms | Describes payment terms for a financial transaction, used in an invoice. This is typically expressed as a responsibility of the acceptor or payor of an invoice. | .1.113883.1.11.14908

PersonDisabilityType | A code identifying a person's disability. | --

PersonalRelationshipRoleType | Types of personal relationships between two living subjects. Example: Parent, sibling, unrelated friend, neighbor | .1.113883.1.11.19563

ProbabilityDistributionType | **** MISSING DEFINITIONS **** | .1.113883.1.11.10747

ProcessingID | Codes used to specify whether a message is part of a production, training, or debugging system. | .1.113883.1.11.103

ProcessingMode | **** MISSING DEFINITIONS **** | .1.113883.1.11.207

ProvenanceEventCurrentState | Specifies the state change of a target Act, such as a document or an entry, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | .1.113883.1.11.20547

ProvenanceEventCurrentState-AS | Specifies the state change of a target Act, using ActStatus codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | .1.113883.1.11.20545

ProvenanceEventCurrentState-DC | Specifies the state change of a target Act using DocuymentCompletion codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | .1.113883.1.11.20546

PurposeOfUse | Supports communication of purpose of use at a general level. | .1.113883.1.11.20448

QueryParameterValue | The domain of coded values used as parameters within QueryByParameter queries. | --

QueryPriority | **** MISSING DEFINITIONS **** | .1.113883.1.11.91

QueryRequestLimit | Definition: Defines the units associated with the magnitude of the maximum size limit of a query response that can be accepted by the requesting application. | --

QueryResponse | A code classifying the general nature of the response to a given query. Includes whether or not data was found, or whether an error occurred. | .1.113883.1.11.208

QueryStatusCode | A code specifying the state of the Query. | .1.113883.1.11.18899

Race | In the United States, federal standards for classifying data on race determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define race, and they recognize the absence of an anthropological or scientific basis for racial classification. Instead, the federal standards acknowledge that race is a social-political construct in which an individual's own identification with one more race categories is preferred to observer identification. The standards use a variety of features to define five minimum race categories. Among these features are descent from "the original peoples" of a specified region or nation. The minimum race categories are American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White. The federal standards stipulate that race data need not be limited to the five minimum categories, but any expansion must be collapsible to those categories. | --

RefrainPolicy | Conveys prohibited actions which an information custodian, receiver, or user is not permitted to perform unless otherwise authorized or permitted under specified circumstances. Examples: prohibit redisclosure without consent directive | .1.113883.1.11.20446

RelationalOperator | **** MISSING DEFINITIONS **** | .1.113883.1.11.209

RelationshipConjunction | **** MISSING DEFINITIONS **** | .1.113883.1.11.10365

ReligiousAffiliation | Assigment of spiritual faith affiliation | --

ResponseLevel | Specifies whether a response is expected from the addressee of this interaction and what level of detail that response should include | .1.113883.1.11.14761

ResponseModality | Defines the timing and grouping of the response instances. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.1.11.394

ResponseMode | Specifies the mode, immediate versus deferred or queued, by which a receiver should communicate its receiver responsibilities. | .1.113883.1.11.19650

RoleClass | Codes for the Role class hierarchy. The values in this hierarchy, represent a Role which is an association or relationship between two entities - the entity that plays the role and the entity that scopes the role. Roles names are derived from the name of the playing entity in that role. The role hierarchy stems from three core concepts, or abstract domains: RoleClassOntological is an abstract domain that collects roles in which the playing entity is defined or specified by the scoping entity. RoleClassPartitive collects roles in which the playing entity is in some sense a "part" of the scoping entity. RoleClassAssociative collects all of the remaining forms of association between the playing entity and the scoping entity. This set of roles is further partitioned between: RoleClassPassive which are roles in which the playing entity is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping entity. The playing entity is passive in these roles in that the role exists without an agreement from the playing entity. RoleClassMutualRelationship which are relationships based on mutual behavior of the two entities. The basis of these relationship may be formal agreements or they may bede facto behavior. Thus, this sub-domain is further divided into: RoleClassRelationshipFormal in which the relationship is formally defined, frequently by a contract or agreement. Personal relationship which inks two people in a personal relationship. The hierarchy discussed above is represented In the current vocabulary tables as a set of abstract domains, with the exception of the "Personal relationship" which is a leaf concept. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.1.11.11555

RoleClassAgent | An entity (player) that acts or is authorized to act on behalf of another entity (scoper). | .1.113883.1.11.14006

RoleClassAssociative | A general association between two entities that is neither partitive nor ontological. | .1.113883.1.11.19313

RoleClassManufacturedProduct | Scoped by the manufacturer | .1.113883.1.11.11580

RoleClassMutualRelationship | A relationship that is based on mutual behavior of the two Entities as being related. The basis of such relationship may be agreements (e.g., spouses, contract parties) or they may bede facto behavior (e.g. friends) or may be an incidental involvement with each other (e.g. parties over a dispute, siblings, children). | .1.113883.1.11.19316

RoleClassPartitive | An association between two Entities where the playing Entity is considered in some way "part" of the scoping Entity, e.g., as a member, component, ingredient, or content. Being "part" in the broadest sense of the word can mean anything from being an integral structural component to a mere incidental temporary association of a playing Entity with a (generally larger) scoping Entity. | .1.113883.1.11.10429

RoleClassPassive | An association for a playing Entity that is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping Entity. The playing Entity is passive in these roles (even though it may be active in other roles), in the sense that the kinds of things done to it in this role happen without an agreement from the playing Entity. | .1.113883.1.11.19105

RoleClassRelationshipFormal | A relationship between two entities that is formally recognized, frequently by a contract or similar agreement. | .1.113883.1.11.10416

RoleClassRoot | Corresponds to the Role class | .1.113883.1.11.13940

RoleClassServiceDeliveryLocation | A role played by a place at which services may be provided. | .1.113883.1.11.16927

RoleClassSpecimen | A role played by a material entity that is a specimen for an act. It is scoped by the source of the specimen. | .1.113883.1.11.11591

RoleCode | A set of codes further specifying the kind of Role; specific classification codes for further qualifying RoleClass codes. | --

RoleLinkStatus | Description: Codes representing possible states of a RoleLink, as defined by the RoleLink class state machine. | .1.113883.1.11.20413

RoleLinkType | **** MISSING DEFINITIONS **** | .1.113883.1.11.11603

RoleStatus | Codes representing the defined possible states of an Role, as defined by the Role class state machine. | .1.113883.1.11.15999

RouteOfAdministration | The path the administered medication takes to get into the body or into contact with the body. | --

SecurityControlObservationValue | Security observation values used to indicate security control metadata. V:SecurityControl is the union of V:SecurityPolicy,V:ObligationPolicy, V:RefrainPolicy, V:PurposeOfUse, and V:GeneralPurpose of Use used to populate the SecurityControlObservationValue attribute in order to convey one or more nonhierarchical security control metadata dictating handling caveats, purpose of use, dissemination controls and other refrain policies, and obligations to which a custodian or receiver is required to comply. | .1.113883.1.11.20471

SecurityIntegrityObservationValue | No Description Provided | .1.113883.1.11.20481

SecurityPolicy | Types of security policies that further specify the ActClassPolicy value set. Examples: encrypt prohibit redisclosure without consent directive | .1.113883.1.11.20444

Sequencing | Specifies sequence of sort order. | .1.113883.1.11.390

ServiceDeliveryLocationRoleType | A role of a place that further classifies the setting (e.g., accident site, road side, work site, community location) in which services are delivered. | .1.113883.1.11.17660

SetOperator | **** MISSING DEFINITIONS **** | .1.113883.1.11.17416

SeverityObservation | Potential values for observations of severity. | .1.113883.1.11.16643

SpecimenType | **** MISSING DEFINITIONS **** | --

SubstanceAdminSubstitutionReason | No Description Provided | .1.113883.1.11.19377

SubstitutionCondition | Identifies what sort of change is permitted or has occurred between the item that was ordered/requested and the one that was/will be provided. | --

TableCellHorizontalAlign | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.10981

TableCellScope | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.11012

TableCellVerticalAlign | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.10987

TableFrame | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.10992

TableRules | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.11002

TargetAwareness | **** MISSING DEFINITIONS **** | .1.113883.1.11.10310

TelecommunicationCapabilities | Description: Concepts that define the telecommunication capabilities of a particular device. Used to identify the expected capabilities to be found at a particular telecommunication address. | .1.113883.1.11.20312

TimingEvent | **** MISSING DEFINITIONS **** | .1.113883.1.11.10706

TransmissionRelationshipTypeCode | Description: A code specifying the meaning and purpose of every TransmissionRelationship instance. Each of its values implies specific constraints to what kinds of Transmission objects can be related and in which way. | .1.113883.1.11.19833

TribalEntityUS | INDIAN ENTITIES RECOGNIZED AND ELIGIBLE TO RECEIVE SERVICES FROM THE UNITED STATES BUREAU OF INDIAN AFFAIRS | --

VaccineManufacturer | The manufacturer of a vaccine. | .1.113883.1.11.227

VerificationMethod | No Description Provided | .1.113883.1.11.19707

hl7Realm | Description: Coded concepts representing Binding Realms (used for Context Binding of terminology in HL7 models) and/or Namespace Realms (used to help ensure unique identification of HL7 artifacts). This code system is partitioned into three sections: Affiliate realms, Binding realms and Namespace realms. All affiliate realm codes may automatically be used as both binding realms and namespace realms. Furthermore, affiliate realms are the only realms that have authority over the creation of binding realms. (Note that 'affiliate' includes the idea of both international affiliates and the HL7 International organization.) All other codes must be associated with an owning affiliate realm and must appear as a specialization of _BindingRealm or _NamespaceRealm. For affiliates whose concepts align with nations, the country codes from ISO 3166-1 2-character alpha are used for the code when possible so these codes should not be used for other realm types. It is recommended that binding realm and namespace codes submitted by affiliates use the realm code as a prefix to avoid possible collisions with ISO codes. However, tooling does not currently support namepace realm codes greater than 2 characters. Open Issue: The name of the concept property "owningAffiliate" should be changed to better reflect that the property value is the human readable name of the organizational entity that manages the Realm identified by the Realm Code. Open Issue: In spite of the inability of tooling to process codes longer than 2 characters, there is at least one realm codes ('SOA') that was added that is 3 characters in length. | .1.113883.1.11.20355

hl7V3Conformance | Description: Identifies allowed codes for HL7aTMs v3 conformance property. | --

orderableDrugForm | OpenIssue: Missing description. | --

substanceAdminSubstitution | Identifies what sort of change is permitted or has occurred between the therapy that was ordered and the therapy that was/will be provided. | --

xBasicConfidentialityKind | Description: Used to enumerate the typical confidentiality constraints placed upon a clinical document. Usage Note: x_BasicConfidentialityKind is a subset of Confidentiality codes that are used as metadata indicating the receiver responsibility to comply with normally applicable jurisdictional privacy law or disclosure authorization; that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject; or that the receiver may not disclose this information except as directed by the

information custodian, who may be the information subject. | .1.113883.1.11.16926

4.3 Value Sets Defined in FHIR

URL: https://hl7.org/fhir/STU3/terminologies-valuesets.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

4.3.0 Value Sets Defined in FHIR

This table contains a list of all the value sets defined as part of the FHIR specification. Some of these value sets include codes defined elsewhere, some contain their own inline code system definitions, and some do both. Any implicit code systems are case sensitive, though FHIR will never define codes that only differ by case.

* FHIR

* HL7 V3

* HL7 v2

Name | Definition | Source | Id
Namespace: http://hl7.org/fhir/ValueSet
abstract-types | A type defined by FHIR that is an abstract type | Internal | 22
account-status | Indicates whether the account is available to be used. | Internal | 714
account-type | This examples value set defines the set of codes that can be used to represent the type of an account. | V3 | 716
action-cardinality-behavior | Defines behavior for an action or a group for how many times that item may be repeated | Internal | 790
action-condition-kind | Defines the kinds of conditions that can appear on actions | Internal | 798
action-grouping-behavior | Defines organization behavior of a group | Internal | 782
action-participant-role | Either a practitioner role or a relationship type. | Other | 779
action-participant-type | The type of participant for the action | Internal | 794
action-precheck-behavior | Defines selection frequency behavior for an action or group | Internal | 788
action-relationship-type | Defines the types of relationships between actions | Internal | 796
action-required-behavior | Defines requiredness behavior for selecting an action or an action group | Internal | 786
action-selection-behavior | Defines selection behavior of a group | Internal | 784
action-type | The type of action to be performed | Internal | 792
actionlist | List of allowable action which this resource can request. | Internal | 675
activity-definition-category | High-level categorization of the type of activity | Internal | 775
activity-reason | Example codes indicating the reason for a clinical activity being performed. | SNOMED CT | 137
additional-instruction-codes | This value set includes all SNOMED CT Additional Dosage Instructions. | SNOMED CT | 88
additionalmaterials | This value set includes sample additional material type codes. | Internal | 521
address-type | The type of an address (physical / postal) | Internal | 62
address-use | The use of an address | Internal | 60
adjudication | This value set includes a smattering of Adjudication Value codes which includes codes to indicate the amounts eligible under the plan, the amount of benefit, copays etc. | Internal | 588
adjudication-error | This value set includes a smattering of adjudication codes. | Internal | 38
adjudication-reason | This value set includes smattering of Adjudication Reason codes. | Internal | 590
administration-method-codes | This value set includes some method codes from SNOMED CT - provided as an exemplar | SNOMED CT | 90
administrative-gender | The gender of a person used for administrative purposes. | Internal | 1
adverse-event-category | Overall categorization of the event, e.g. real or potential | Internal | 806
adverse-event-causality | TODO | Internal | 813
adverse-event-causality-assess | TODO | Internal | 815
adverse-event-causality-method | TODO | Internal | 817
adverse-event-causality-result | TODO | Internal | 819
adverse-event-outcome | TODO (and should this be required?) | Internal | 809
adverse-event-seriousness | Overall seriousness of this event for the patient | Internal | 811
adverse-event-type | This value set includes all SNOMED CT Clinical Findings. | SNOMED CT | 808
age-units | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes | FHIR | 19
all-languages | This value set includes all possible codes from BCP-47 (http://tools.ietf.org/html/bcp47) | Other | 20
all-types | Either an abstract type, a resource or a data type. | Internal | 24
allerg-intol-substance-exp-risk | The risk of an adverse reaction (allergy or intolerance) for this patient upon exposure to the substance (including pharmaceutical products). | Internal | 857
allergy-clinical-status | The clinical status of the allergy or intolerance. | Internal | 117
allergy-intolerance-category | Category of an identified substance. | Internal | 123
allergy-intolerance-criticality | Estimate of the potential clinical harm, or seriousness, of a reaction to an identified substance. | Internal | 119
allergy-intolerance-type | Identification of the underlying physiological mechanism for a Reaction Risk. | Internal | 121
allergy-verification-status | Assertion about certainty associated with a propensity, or potential risk, of a reaction to the identified substance. | Internal | 115
allergyintolerance-code | This value set includes concept codes for specific substances/pharmaceutical products, allergy or intolerance conditions, and negation/exclusion codes to specify the absence of specific types of allergies or intolerances. | Other, SNOMED CT | 127
animal-breeds | This example value set defines a set of codes that can be used to indicate breeds of species. | SNOMED CT | 411
animal-genderstatus | This example value set defines a set of codes that can be used to indicate the current state of the animal's reproductive organs. | Internal | 407
animal-species | This example value set defines a set of codes that can be used to indicate species of animal patients. | SNOMED CT | 409
appointmentstatus | The free/busy status of an appointment. | Internal | 477
approach-site-codes | This value set includes Anatomical Structure codes from SNOMED CT - provided as an exemplar. | SNOMED CT | 336

assert-direction-codes | The type of direction to use for assertion. | Internal | 694
assert-operator-codes | The type of operator to use for assertion. | Internal | 696
assert-response-code-types | The type of response code to use for assertion. | Internal | 698
audit-entity-type | Code for the entity type involved in the audit event. | Internal | 894
audit-event-action | Indicator for type of action performed during the event that generated the event | Internal | 445
audit-event-outcome | Indicates whether the event succeeded or failed | Internal | 447
audit-event-sub-type | More detailed code concerning the type of the audit event - defined by DICOM with some FHIR specific additions. | DICOM, Internal | 457
audit-event-type | Event Types for Audit Events - defined by DICOM with some FHIR specific additions. | DICOM, Internal | 455
audit-source-type | The type of process where the audit event originated from. | Internal | 459
basic-resource-type | This value set defines codes for resources not yet supported by (or which will never be supported by) FHIR. Many of the codes listed here will eventually be turned into official resources. However, there is no guarantee that any particular resource will be created nor that the scope will be exactly as defined by the codes presented here. Codes in this set will be deprecated if/when formal resources are defined that encompass these concepts. | Internal | 128
benefit-category | This value set includes a smattering of Benefit Category codes. | Internal | 594
benefit-network | This value set includes a smattering of Network type codes. | Internal | 600
benefit-subcategory | This value set includes a smattering of Benefit SubCategory codes. | Internal | 596
benefit-term | This value set includes a smattering of Benefit Term codes. | Internal | 604
benefit-type | This value set includes a smattering of Benefit type codes. | Internal | 598
benefit-unit | This value set includes a smattering of Unit type codes. | Internal | 602
binding-strength | Indication of the degree of conformance expectations associated with a binding. | Internal | 42
body-site | This value set includes all codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 442083009 (Anatomical or acquired body site (body structure)). | SNOMED CT | 653
bodysite-laterality | Laterality: SNOMED-CT concepts for 'left', 'right', and 'bilateral' | SNOMED CT | 281
bodysite-relative-location | SNOMED-CT concepts modifying the anatomic location | SNOMED CT | 652
bundle-type | Indicates the purpose of a bundle - how it was intended to be used. | Internal | 612
c80-doc-classcodes | This is the code specifying the high-level kind of document (e.g. Prescription, Discharge Summary, Report, etc.). The Document Class value set is reproduced from HITSP C80 Table 2-144 Document Class Value Set Definition. Note: Class code for documents comes from LOINC, and is based upon one of the following:The type of service described by the document. It is described at a very high level in Section 7.3 of the LOINC Manual. The type study performed. It was determined by identifying modalities for study reports. The section of the chart where the document is placed. It was determined from the SETs created for Claims Attachment requests. | LOINC | 46
c80-doc-typecodes | This is the code specifying the precise type of document (e.g. Pulmonary History and Physical, Discharge Summary, Ultrasound Report, etc.). The Document Type value set includes all LOINC values listed in HITSP C80 Table 2-144 Document Class Value Set Definition above used for Document Class, and all LOINC values whose SCALE is DOC in the LOINC database. | LOINC | 47
c80-facilitycodes | This is the code representing the type of organizational setting where the clinical encounter, service, interaction, or treatment occurred. The value set used for Healthcare Facility Type has been defined by HITSP to be the value set reproduced from HITSP C80 Table 2-147. | SNOMED CT | 67
c80-practice-codes | This is the code representing the clinical specialty of the clinician or provider who interacted with, treated, or provided a service to/for the patient. The value set used for clinical specialty has been limited by HITSP to the value set reproduced from HITSP C80 Table 2-149 Clinical Specialty Value Set Definition. | SNOMED CT | 72
capability-statement-kind | How a capability statement is intended to be used. | Internal | 188
care-plan-activity | Example Codes for types of activities that can appear in a care plan. | SNOMED CT | 133
care-plan-activity-category | High-level categorization of the type of activity in a care plan. | Internal | 892
care-plan-activity-outcome | Example codes indicating the outcome of a care plan activity. Note that these are in no way complete and may not even be appropriate for some uses. | SNOMED CT | 140
care-plan-activity-status | Indicates where the activity is at in its overall life cycle. | Internal | 134
care-plan-category | Example codes indicating the category a care plan falls within. Note that these are in no way complete and may not even be appropriate for some uses. | SNOMED CT | 136
care-plan-intent | Codes indicating the degree of authority/intentionality associated with a care plan | Internal | 141
care-plan-status | Indicates whether the plan is currently being acted upon, represents future intentions or is now a historical record. | Internal | 130
care-team-category | Indicates the type of care team. | Internal | 146
care-team-status | Indicates the status of the care team. | Internal | 144
chargeitem-billingcodes | Example set of codes that can be used for billing purposes | Internal | 823
chargeitem-status | Codes identifying the stage lifecycle stage of a ChargeItem | Internal | 821
choice-list-orientation | Direction in which lists of question options should be displayed | Internal | 850
chromosome-human | Chromosome number for human | Internal | 219
claim-careteamrole | This value set includes sample Claim Care Team Role codes. | Internal | 578
claim-exception | This value set includes sample Exception codes. | Internal | 572
claim-informationcategory | This value set includes sample Information Category codes. | Internal | 574
claim-modifiers | This value set includes sample Modifier type codes. | Internal | 528
claim-subtype | This value set includes sample Claim SubType codes. | Internal | 558
claim-type | This value set includes sample Claim Type codes. | Internal | 550
claim-use | Complete, proposed, exploratory, other | Internal | 536
classification-or-context | Identifies whether a useContext represents a context or classification for the element | Internal | 875
clinical-findings | This value set includes all the "Clinical finding" [SNOMED CT](http://snomed.info/sct) codes - concepts where concept is-a 404684003 (Clinical finding (finding)). | SNOMED CT | 227
clinical-impression-status | The workflow state of a clinical impression. | Internal | 149
clinicalimpression-prognosis | Example value set clinical impression prognosis | SNOMED CT | 151
codesystem-content-mode | How much of the content of the code system - the concepts and codes it defines - are represented in a code system resource | Internal | 765
codesystem-hierarchy-meaning | The meaning of the hierarchy of concepts in a code system | Internal | 767
common-tags | Common Tag Codes defined by FHIR project | Internal | 72
communication-category | Codes for general categories of communications such as alerts, instruction, etc. | Internal | 162
communication-not-done-reason | Codes for the reason why a communication was not done. | Internal | 164

compartment-type | Which compartment a compartment definition describes | Internal | 769
composite-measure-scoring | The composite scoring method of the measure | Internal | 757
composition-attestation-mode | The way in which a person authenticated a composition. | Internal | 233
composition-status | The workflow/clinical status of the composition. | Internal | 236
concept-map-equivalence | The degree of equivalence between concepts. | Internal | 17
concept-property-type | The type of a property value | Internal | 763
conceptmap-unmapped-mode | Defines which action to take if there is no match in the group. | Internal | 473
condition-category | Preferred value set for Condition Categories. | Internal | 153
condition-cause | Example value set for Cause of Condition codes | SNOMED CT | 879
condition-clinical | Preferred value set for Condition Clinical Status. | Internal | 155
condition-code | Example value set for Condition/Problem/Diagnosis codes | SNOMED CT | 152
condition-outcome | Example value set for Condition Outcomes | SNOMED CT | 881
condition-predecessor | Example value set for Condition Predecessor codes | SNOMED CT | 880
condition-severity | Preferred value set for Condition/Diagnosis severity grading | SNOMED CT | 159
condition-stage | Example value set for stages of cancer and other conditions | SNOMED CT | 161
condition-state | Enumeration indicating whether the condition is currently active, inactive, or has been resolved. | Internal | 877
condition-ver-status | The verification status to support or decline the clinical status of the condition or diagnosis. | Internal | 157
conditional-delete-status | A code that indicates how the server supports conditional delete. | Internal | 184
conditional-read-status | A code that indicates how the server supports conditional read. | Internal | 190
conformance-expectation | Indicates the degree of adherence to a specified behavior or capability expected for a system to be deemed conformant with a specification. | Internal | 838
consent-action | This value set includes sample Consent Action codes. | Internal | 737
consent-category | This value set includes sample Consent Directive Type codes, including several consent directive related LOINC codes; HL7 VALUE SET: ActConsentType(2.16.840.1.113883.1.11.19897); examples of US realm consent directive legal descriptions and references to online and/or downloadable forms such as the SSA-827 Authorization to Disclose Information to the Social Security Administration; and other anticipated consent directives related to participation in a clinical trial, medical procedures, reproductive procedures; health care directive (Living Will); advance directive, do not resuscitate (DNR); Physician Orders for Life-Sustaining Treatment (POLST) | Internal, Other, LOINC | 735
consent-content-class | This value set includes the FHIR resource types, along with some other important content class codes | Other, Internal | 745
consent-content-code | This example value set contains all LOINC code | LOINC | 746
consent-data-meaning | How a resource reference is interpreted when testing consent restrictions | Internal | 743
consent-except-type | How an exception statement is applied, such as adding additional consent or removing consent | Internal | 741
consent-state-codes | Indicates the state of the consent | Internal | 739
consistency-type | FluidConsistencyType : Codes used to represent the consistency of fluids and liquids provided to the patient. This value set includes all the [SNOMED CT](http://snomed.info/sct)(US Extension) where concept is a 435681000124103 (Dietary liquid consistency diet (regime/therapy)). It is provided as a suggestive example. | SNOMED CT | 376
constraint-severity | SHALL applications comply with this constraint? | Internal | 74
contact-point-system | Telecommunications form for contact point | Internal | 64
contact-point-use | Use of contact point | Internal | 66
contactentity-type | This example value set defines a set of codes that can be used to indicate the purpose for which you would contact a contact party. | Internal | 405
content-type | The content or mime type. | Internal | 692
contract-action | This value set includes sample Contract Action codes. | Other | 727
contract-actorrole | This value set includes sample Contract Actor Role codes. | Other | 729
contract-content-derivative | This is an example set of Content Derivative type codes, which represent the minimal content derived from the basal information source at a specific stage in its lifecycle, which is sufficient to manage that source information, for example, in a repository, registry, processes and workflows, for making access control decisions, and providing query responses. | Internal | 733
contract-signer-type | This value set includes sample Contract Signer Type codes. | Other | 725
contract-status | This value set contract specific codes for status. | Internal | 731
contract-subtype | This value set includes sample Contract Subtype codes. | Internal | 719
contract-term-subtype | This value set includes sample Contract Term SubType codes. | Internal | 723
contract-term-type | This value set includes sample Contract Term Type codes. | Internal | 721
contract-type | This value set includes sample Contract Type codes. | Internal | 717
contributor-type | The type of contributor | Internal | 86
copy-number-event | Copy Number Event | Internal | 221
coverage-level | This value set includes sample Coverage Level codes. | Internal | 517
coverage-selfpay | This value set includes Coverage SelfPay codes. | Internal | 519
coverage-type | This value set includes Coverage Type codes. | Internal, Other | 514
cpt-all | A value set that includes all CPT codes | Other | null
data-absent-reason | Used to specify why the normally expected content of the data element is missing. | Internal | 5
data-types | The type of an element - one of the FHIR data types. | Internal | 21
dataelement-sdcobjectclass | The allowed codes for identifying the ISO 11179 ObjectClass for a particular data element if intended for registration/use within the U.S. Structured Data Capture (SDC) project. | SNOMED CT, LOINC, Other | 829
dataelement-sdcobjectclassproperty | The allowed codes for identifying the ISO 11179 ObjectClass Property for a particular data element if intended for registration/use within the U.S. Structured Data Capture (SDC) project. | SNOMED CT, LOINC, Other | 830
dataelement-stringency | Indicates the degree of precision of the data element definition. | Internal | 425
days-of-week | The days of the week. | Internal | 506
defined-types | Either a resource or a data type. | Internal | 23
definition-status | Codes identifying the lifecycle stage of a definition | Internal | 98
definition-topic | High-level categorization of the definition, used for searching, sorting, and filtering | Internal | 777
designation-use | Details of how a designation would be used | SNOMED CT | 259
detectedissue-category | Kinds of issues or contraindications, such as 'drug-drug interaction', 'duplicate therapy', etc. | V3 | 194
detectedissue-mitigation-action | Kinds of mitigating actions and observations that can be associated with a detected issue or contraindication, such as 'added concurrent therapy', 'prior therapy documented', etc. | V3 | 195

detectedissue-severity | Indicates the potential degree of impact of the identified issue on the patient. | Internal | 196
device-action | Example codes indicating the change that happened to the device during the procedure. Note that these are in no way complete and may not even be appropriate for some uses. | SNOMED CT | 416
device-kind | Codes used to identify medical devices. Include codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 49062001 (Device) and is provided as a suggestive example. | SNOMED CT | 198
device-safety | Codes used to identify medical devices safety characteristics. These codes are taken from the [NCI Thesaurus](https://ncit.nci.nih.gov/ncitbrowser/pages/home.jsf) and are provided here as a suggestive example. | Other | 893
device-statement-status | A coded concept indicating the current status of a the Device Usage | Internal | 203
device-status | The availability status of the device. | Internal | 199
devicemetric-type | Codes used to identify health care device metric types and units and component types as part of the ISO/IEEE 11073-10101 Medical Device Communication Nomenclature. | Other | 895
diagnosis-role | This value set defines a set of codes that can be used to express the role of a diagnosis on the Encounter or EpisodeOfCare record. | Internal | 48
diagnostic-report-status | The status of the diagnostic report as a whole. | Internal | 230
diagnostic-service-sections | This value set includes all the codes in HL7 v2 table 0074. | V2 | 229
dicm-405-mediatype | Media Type Code | DICOM | 458
dicom-cid29 | This Value Set includes codes that may be used to identify an image or waveform acquisition modality, as used in the ImagingStudy resource, Dicom Attribute Modality (0008,0060) or HL7 v2 Table 0259 (see HL7 v2.6 Chapter 8 Section 8.8.8.47). It generally corresponds to a class of diagnostic equipment, or to a specific acquisition function or technique in a device. | DICOM | 19
diet-type | Codes that can be used to indicate the type of food being ordered for a patient. This value set is provided as a suggestive example. It nclude codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 182922004 (Dietary regime (regime/therapy)) | SNOMED CT | 372
digital-media-subtype | Detailed information about the type of the image - its kind, purpose, or the kind of equipment used to generate it. | Other, SNOMED CT, Internal | 327
digital-media-type | Whether the media is a photo, video, or audio | Internal | 325
discriminator-type | How an element value is interpreted when discrimination is evaluated | Internal | 84
doc-classcodes | LOINC codes for Document Kind, taken from the LOINC document ontology. | LOINC | 238
doc-section-codes | Document section codes (LOINC codes used in CCDA sections). | LOINC | 232
doc-typecodes | FHIR Document Codes - all LOINC codes where scale type = 'DOC'. | LOINC | 235
document-mode | Whether the application produces or consumes documents. | Internal | 176
document-reference-status | The status of the document reference. | Internal | 7
document-relationship-type | The type of relationship between documents. | Internal | 239
encounter-admit-source | This value set defines a set of codes that can be used to indicate from where the patient came in. | Internal | 252
encounter-diet | This value set defines a set of codes that can be used to indicate dietary preferences or restrictions a patient may have. | Internal | 250
encounter-discharge-disposition | This value set defines a set of codes that can be used to where the patient left the hospital. | Internal | 254
encounter-location-status | The status of the location. | Internal | 257
encounter-participant-type | This value set defines a set of codes that can be used to indicate how an individual participates in an encounter. | V3, Internal | 245
encounter-reason | This examples value set defines the set of codes that can be used to indicate reasons for an encounter. | SNOMED CT | 256
encounter-special-arrangements | This value set defines a set of codes that can be used to indicate the kinds of special arrangements in place for a patients visit. | Internal | 248
encounter-special-courtesy | This value set defines a set of codes that can be used to indicate special courtesies provided to the patient. | V3 | 247
encounter-status | Current state of the encounter | Internal | 241
encounter-type | This example value set defines a set of codes that can be used to indicate the type of encounter: a specific code indicating type of service provided. | Internal | 243
endpoint-connection-type | This is an example value set defined by the FHIR project, that could be used to represent possible connection type profile values. | Internal | 491
endpoint-payload-type | This is an example value set defined by the FHIR project, that could be used to represent possible payload document types. | Internal, Other | 489
endpoint-status | The status of the endpoint | Internal | 487
enteral-route | EnteralRouteOfAdministration: Codes specifying the route of administration of enteral formula. This value set is composed of HL7 v3 codes and is provided as a suggestive example. | V3 | 381
entformula-additive | EnteralFormulaAdditiveType: Codes for the type of modular component such as protein, carbohydrate or fiber to be provided in addition to or mixed with the base formula. This value set is provided as a suggestive example. | Internal | 379
entformula-type | EnteralFormulaType : Codes for type of enteral formula to be administered to patient. This value set is is composed of SNOMED CT (US Extension) Concepts from SCTID 470581016 (Enteral+supplement feeds hierarchy (product)) and is provided as a suggestive example. | SNOMED CT | 378
episode-of-care-status | The status of the episode of care. | Internal | 648
episodeofcare-type | This example value set defines a set of codes that can be used to express the usage type of an EpisodeOfCare record. | Internal | 650
event-capability-mode | The mode of a message capability statement. | Internal | 172
event-status | Codes identifying the stage lifecycle stage of a event | Internal | 100
event-timing | Real world event relating to the schedule. | Internal, V3 | 68
ex-diagnosisrelatedgroup | This value set includes example Diagnosis Related Group codes. | Internal | 580
ex-diagnosistype | This value set includes example Diagnosis Type codes. | Internal | 582
ex-onsettype | This value set includes sample Service Modifier codes. | Internal | 570
ex-payee-resource-type | The type of Claim payee Resource | Internal | 576
ex-paymenttype | This value set includes example Payment Type codes. | Internal | 608
ex-program-code | This value set includes sample Program Reason Span codes. | Internal | 568
ex-revenue-center | This value set includes sample Revenue Center codes. | Internal | 586
example-expansion | This is an example value set that includes all the LOINC codes for serum/plasma cholesterol from v2.36. | LOINC | null
example-extensional | This is an example value set that includes all the LOINC codes for serum/plasma cholesterol from v2.36. | LOINC | null
example-intensional | This is an example value set that includes all the LOINC codes for serum/plasma cholesterol from v2.36. | LOINC | null
explanationofbenefit-status | A code specifying the state of the resource instance. | Internal | 610

extension-context | How an extension context is interpreted. | Internal | 656
filter-operator | The kind of operation to perform as a part of a property based filter. | Internal | 471
fips-county | This value set defines FIPS codes for US counties and county equivalent entities. | Other | 41
flag-category | Example list of general categories for flagged issues. (Not complete or necessarily appropriate.) | Internal | 112
flag-code | Example list of detail codes for flagged issues. (Not complete or necessarily appropriate.) | SNOMED CT | 114
flag-priority | This value set is provided as an exemplar. The value set is driven by IHE Table B.8-4: Abnormal Flags, Alert Priority. | Internal | 867
flag-status | Indicates whether this flag is active and needs to be displayed to a user, or whether it is no longer needed or entered in error. | Internal | 110
fm-conditions | This value set includes sample Conditions codes. | Internal | 548
fm-itemtype | This value set includes sample Item Type codes. | Internal | 540
fm-status | This value set includes Status codes. | Internal | 584
focal-subject | Example VS composed from SNOMED CT and HL7 v3 codes for observation targets: donor, fetus, spouse. As use cases are discovered more values may be added. | SNOMED CT, V3 | 869
food-type | This value set represents codes for types of foods and is provided as a suggestive example. It include codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 255620007 (Foods (substance)). | SNOMED CT | 371
formatcodes | The value set is defined to be the set of format codes defined by the IHE Technical Framework, and also including additional format codes defined by the HL7. The value set is listed in HITSP C80 Table 2-153 Format Code Value Set Definition, with additions published later by IHE as published at http://wiki.ihe.net/index.php?title=IHE_Format_Codes and with additions published later by HL7 as published at http://wiki.hl7.org/index.php?title=CDA_Format_Codes_for_IHE_XDS. This is the code specifying the technical format of the document. Along with the typeCode, it should provide sufficient information to allow any potential document consumer to know if it will be able to process the document. The code shall be sufficiently specific to ensure processing/display by identifying a document encoding, structure and template. The actual list of codes here is incomplete | Other | 3
forms | This value set includes a sample set of Forms codes. | Internal | 36
fundsreserve | This value set includes sample funds reservation type codes. | Internal | 32
goal-acceptance-status | Codes indicating whether the goal has been accepted by a stakeholder | Internal | 836
goal-category | Example codes for grouping goals for filtering or presentation. | Internal | 270
goal-priority | Indicates the level of importance associated with reaching or sustaining a goal. | Internal | 268
goal-relationship-type | Types of relationships between two goals | Internal | 834
goal-start-event | Identifies types of events that might trigger the start of a goal. | SNOMED CT | 274
goal-status | Indicates whether the goal has been met and is still being targeted | Internal | 266
goal-status-reason | Example codes indicating the reason for a current status. Note that these are in no way complete and may not even be appropriate for some uses. | Internal | 272
graph-compartment-rule | How a compartment must be linked | Internal | 275
group-type | Types of resources that are part of group | Internal | 277
guidance-response-status | The status of a guidance response | Internal | 800
guide-dependency-type | How a dependency is represented when the guide is published. | Internal | 301
guide-page-kind | The kind of an included page. | Internal | 303
history-not-done-reason | Codes describing the reason why a family member history was not done. | Internal | 264
history-status | A code that identifies the status of the family history record. | Internal | 262
hl7-work-group | An HL7 administrative unit that owns artifacts in the FHIR specification | Internal | 861
http-operations | The allowable request method or HTTP operation codes. | Internal | 704
http-verb | HTTP verbs (in the HTTP command line). | Internal | 616
icd-10 | This value set includes sample ICD-10 codes. | Internal | 523
icd-10-procedures | This value set includes sample ICD-10 Procedure codes. | Internal | 566
identifier-type | A coded type for an identifier that can be used to determine which identifier to use for a specific purpose. | V2, Internal | 44
identifier-use | Identifies the purpose for this identifier, if known . | Internal | 52
identity-assuranceLevel | The level of confidence that this link represents the same actual person, based on NIST Authentication Levels. | Internal | 640
immunization-origin | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the data when the report of the immunization event is not based on information from the person, entity or organization who administered the vaccine. This value set is provided as a suggestive example. | Internal | 293
immunization-reason | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose of vaccine was administered. This value set is provided as a suggestive example. | SNOMED CT | 285
immunization-recommendation-date-criterion | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support the definition of dates relevant to recommendations for future doses of vaccines. This value set is provided as a suggestive example. | Internal | 298
immunization-recommendation-status | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the status of the patient towards perceived immunity against a vaccine preventable disease. This value set is provided as a suggestive example. | Internal | 296
immunization-recommendation-target-disease | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease targeted by a vaccination recommendation. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy. | SNOMED CT | 300
immunization-role | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the role a practitioner may play in the immunization event. This value set is provided as a suggestive example. | V2 | 295
immunization-route | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the administrative routes used during vaccination. This value set is provided as a suggestive example. | V3 | 284
immunization-site | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the body site where the vaccination occurred. This value set is provided as a suggestive example. | V3 | 283
immunization-status | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the current status of the administered dose of vaccine. | Internal | 292
implant-status | A set codes that define the functional status of an implanted device. | Internal | 865
inactive | HL7 v3 ActMood Prdicate codes, including inactive codes | V3 | null

instance-availability | Availability of the resource | DICOM | 279
intervention | This value set includes sample Intervention codes. | Internal | 524
investigation-sets | Example value set for investigation type | SNOMED CT | 148
issue-severity | How the issue affects the success of the action. | Internal | 397
issue-type | A code that describes the type of issue. | Internal | 399
item-type | Distinguishes groups from questions and display text and indicates data type for questions | Internal | 437
jurisdiction | This value set defines a base set of codes for country and region, for indicating where a resource is intended to be used | Other | 47
kos-title | The document title code of key object selection | DICOM | 282
languages | This value set includes common codes from BCP-47 (http://tools.ietf.org/html/bcp47) | Other | 891
ldlcholesterol-codes | LDL Cholesterol codes - measured or calculated | LOINC | 874
library-type | The type of knowledge asset this library contains | Internal | 747
link-type | The type of link between this patient resource and another patient resource. | Internal | 412
linkage-type | Used to distinguish different roles a resource can play within a set of linked resources | Internal | 305
list-empty-reason | General reasons for a list to be empty. Reasons are either related to a summary list (i.e. problem or medication list) or to a workflow related list (i.e. consultation list). | Internal | 313
list-example-codes | Example use codes for the List resource - typical kinds of use. | Internal | 307
list-item-flag | Example Item Flags for the List Resource. In this case, these are the kind of flags that would be used on a medication list at the end of a consultation. | Other | 311
list-mode | The processing mode that applies to this list | Internal | 309
list-order | Base values for the order of the items in a list resource. | Internal | 315
list-status | The current state of the list | Internal | 317
location-mode | Indicates whether a resource instance represents a specific location or a class of locations. | Internal | 321
location-physical-type | This example value set defines a set of codes that can be used to indicate the physical form of the Location. | Internal | 319
location-status | Indicates whether the location is still in use. | Internal | 323
manifestation-or-symptom | Example value set for Manifestation and Symptom codes. | SNOMED CT | 160
map-context-type | How to interpret the context | Internal | 665
map-group-type-mode | If this is the default rule set to apply for the source type, or this combination of types | Internal | 673
map-input-mode | Mode for this instance of data | Internal | 663
map-model-mode | How the referenced structure is used in this mapping | Internal | 661
map-source-list-mode | If field is a list, how to manage the source | Internal | 669
map-target-list-mode | If field is a list, how to manage the production | Internal | 671
map-transform | How data is copied/created | Internal | 667
marital-status | This value set defines the set of codes that can be used to indicate the marital status of a person. | V3 | 28
match-grade | A Master Patient Index (MPI) assessment of whether a candidate patient record is a match or not. | Internal | 882
measure-data-usage | The intended usage for supplemental data elements in the measure | Internal | 755
measure-population | The type of population | Internal | 749
measure-report-status | The status of the measure report | Internal | 759
measure-report-type | The type of the measure report | Internal | 761
measure-scoring | The scoring type of the measure | Internal | 751
measure-type | The type of measure (includes codes from 2.16.840.1.113883.1.11.20368) | Internal | 753
measurement-principle | Different measurement principle supported by the device. | Internal | 618
media-view | Codes defined in SNOMED CT that can be used to record Media Recording views. | SNOMED CT | 329
medication-admin-category | A coded concept describing where the medication administered is expected to occur | Internal | 337
medication-admin-status | A set of codes indicating the current status of a MedicationAdministration. | Internal | 330
medication-as-needed-reason | This value set includes all clinical findings from SNOMED CT - provided as an exemplar value set. | SNOMED CT | 89
medication-codes | This value set includes all drug or medicament substance codes and all pharmaceutical/biologic products from SNOMED CT - provided as an exemplar value set. | SNOMED CT | 360
medication-dispense-category | A code describing where the dispensed medication is expected to be consumed or administered | Internal | 341
medication-dispense-status | A coded concept specifying the state of the dispense event. | Internal | 339
medication-form-codes | This value set includes all dose form codes from SNOMED CT - provided as an exemplar. | SNOMED CT | 359
medication-package-form | A coded concept defining the kind of container a medication package is packaged in | Internal | 361
medication-request-category | A coded concept identifying where the medication ordered is expected to be consumed or administered | Internal | 348
medication-request-intent | The kind of medication order | Internal | 345
medication-request-priority | Identifies the level of importance to be assigned to actioning the request | Internal | 350
medication-request-status | A coded concept specifying the state of the prescribing event. Describes the lifecycle of the prescription | Internal | 343
medication-statement-category | A coded concept identifying where the medication included in the medicationstatement is expected to be consumed or administered | Internal | 355
medication-statement-status | A coded concept indicating the current status of a MedicationStatement. | Internal | 352
medication-statement-taken | A coded concept identifying level of certainty if patient has taken or has not taken the medication | Internal | 357
medication-status | A coded concept defining if the medication is in active use | Internal | 363
message-events | One of the message events defined as part of FHIR. | Internal | 25
message-reason-encounter | Example Message Reasons. These are the set of codes that might be used an updating an encounter using admin-update. | Internal | 365
message-significance-category | The impact of the content of a message. | Internal | 178
message-transport | The protocol used for message transport. | Internal | 174
messageheader-response-request | HL7-defined table of codes which identify conditions under which acknowledgments are required to be returned in response to a message. | Internal | 843
metric-calibration-state | Describes the state of a metric calibration. | Internal | 636
metric-calibration-type | Describes the type of a metric calibration. | Internal | 634
metric-category | Describes the category of the metric. | Internal | 632
metric-color | Describes the typical color of representation. | Internal | 638
metric-operational-status | Describes the operational status of the DeviceMetric. | Internal | 630

missing-tooth-reason | This value set includes sample Missing Tooth Reason codes. | Internal | 526
modified-foodtype | TextureModifiedFoodType: Codes for types of foods that are texture modified. This value set is composed SNOMED CT Concepts from SCTID 255620007 Foods (substance) and is provided as a suggestive example. | SNOMED CT | 375
name-assembly-order | A code that represents the preferred display order of the components of a human name | Internal, V2, V3 | 832
name-part-qualifier | A set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type | V3 | 825
name-use | The use of a human name | Internal | 58
name-v3-representation | A set of codes for each different representation of a name | V3 | 828
namingsystem-identifier-type | Identifies the style of unique identifier used to identify a namespace. | Internal | 485
namingsystem-type | Identifies the purpose of the naming system. | Internal | 483
narrative-status | The status of a resource narrative | Internal | 50
network-type | The type of network access point of this agent in the audit event | Internal | 449
nhin-purposeofuse | This value set is suitable for use with the provenance resource. It is derived from, but not compatible with, the HL7 v3 Purpose of use Code system. | Other | null
no-immunization-reason | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose of vaccine was not administered. This value set is provided as a suggestive example. | V3, SNOMED CT | 286
note-type | The presentation types of notes. | Internal | 15
nutrient-code | NutrientModifier : Codes for types of nutrient that is being modified such as carbohydrate or sodium. This value set includes codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 226355009 (Nutrients(substance)), and the concepts for Sodium, Potassium and Fluid. It is provided as a suggestive example. | SNOMED CT | 373
nutrition-request-status | Codes specifying the state of the request. Describes the lifecycle of the nutrition order. | Internal | 369
object-role | Code representing the role the entity played in the audit event | Internal | 453
observation-category | Observation Category codes. | Internal | 392
observation-codes | This value set includes all LOINC codes | LOINC | 383
observation-interpretation | This value set defines the set of codes that can be used to indicate the meaning/use of a reference range. | V2 | 386
observation-methods | Observation Method codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 272394005 (Technique (qualifier value)) or is-a 129264002 (Action (qualifier value)) or is-a 386053000 (Evaluation procedure(procedure)) | SNOMED CT | 382
observation-relationshiptypes | Codes specifying how two observations are related. | Internal | 389
observation-statistics | The statistical operation parameter -"statistic" - codes | Internal | 394
observation-status | Codes providing the status of an observation. | Internal | 387
observation-valueabsentreason | This value set defines the set of codes for identifying the reason why the expected result in Observation.value[x] is missing. | Internal | 391
observation-vitalsignresult | This value set indicates the allowed vital sign result types. The concept Vitals signs panel (85353-1) is a grouping structure for a set of vital signs and includes related links (with type=has-member) to the Observations in this set (e.g. respiratory rate, heart rate, BP). The Blood pressure panel (85354-9) is used to group the component observations Systolic blood pressure (8480-6) and Diastolic blood pressure (8462-4). | LOINC | 62
operation-kind | Whether an operation is a normal operation or a query. | Internal | 499
operation-outcome | Operation Outcome codes used by FHIR test servers (see Implementation file translations.xml) | Internal | 401
operation-parameter-use | Whether an operation parameter is an input or an output parameter. | Internal | 501
operational-status | Codes representing the current status of the device - on, off, suspended, etc. | Internal | 897
oral-prosthodontic-material | This value set includes sample Oral Prosthodontic Material type codes. | Internal | 530
organization-type | This example value set defines a set of codes that can be used to indicate a type of organization. | Internal | 403
parameter-group | Codes identifying groupings of parameters; e.g. Cardiovascular. | Internal | 901
parent-relationship-codes | The value set includes the v3 RoleCode PRN (parent), TWIN (twin) and all of their specializations. It covers the relationships needed to establish genetic pedigree relationships between family members. | V3 | 840
participant-role | Roles of Participants that may be included in a CarePlan.Participants, or in an EpisodeOfCare.CareTeam. Defined as: Is a Person, Healthcare professional (occupation) or Healthcare related organization (qualifier value). | SNOMED CT | 143
participantrequired | Is the Participant required to attend the appointment. | Internal | 481
participationstatus | The Participation status of an appointment. | Internal | 479
payeetype | This value set includes sample Payee Type codes. | Internal | 30
payment-adjustment-reason | This value set includes smattering of Payment Adjustment Reason codes. | Internal | 592
payment-status | This value set includes a sample set of Payment Status codes. | Internal | 628
payment-type | This value set includes sample Payment Type codes. | Internal | 626
performer-role | This examples value set defines the set of codes that can be used to indicate a role of procedure performer. | SNOMED CT | 424
plan-definition-type | The type of PlanDefinition | Internal | 780
policyholder-relationship | This value set includes codes for the relationship between the Policyholder and the Beneficiary (insured/covered party/patient).. | Internal | 515
postal-address-use | Uses of an address not included in Address.use | V3 | 827
practitioner-role | This example value set defines a set of codes that can be used to indicate the role of a Practitioner. | Internal | 430
practitioner-specialty | This example value set defines a set of codes that can be used to indicate the specialty of a Practitioner. | Internal | 432
probability-distribution-type | Codes specifying the type of probability distribution | V3 | 826
procedure-category | Procedure Category code: A selection of relevant SNOMED CT codes. | SNOMED CT | 421
procedure-code | Procedure Code: All SNOMED CT procedure codes. | SNOMED CT | 418
procedure-followup | Procedure follow up codes: a selection of SNOMED CT codes relevant to procedure follow up. | SNOMED CT | 420
procedure-not-performed-reason | Situation codes describing the reason that a procedure, which might otherwise be expected, was not performed, or a procedure that was started and was not completed. Consists of SNOMED CT codes, children of procedure contraindicated (183932001), procedure discontinued (416406003), procedure not done (416237000), procedure not indicated (428119001), procedure not offered (416064006), procedure not wanted (416432009), procedure refused (183944003), and procedure stopped (394908001). | SNOMED CT | 422
procedure-outcome | Procedure Outcome code: A selection of relevant SNOMED CT codes. | SNOMED CT | 419
procedure-progress-status-codes | This value set is provided as an example. The value set to instantiate this attribute should be drawn from a robust terminology code system that consists of or contains concepts to support the procedure performance process. | Internal | 863
procedure-reason | This examples value set defines the set of codes that can be used to indicate a reasons for a procedure. | SNOMED CT | 423
process-outcome | This value set includes sample Process Outcome codes. | Internal | 677
process-priority | This value set includes the financial processing priority codes. | Internal | 544

profile-code | Codes for the meaning of the defined structure. | SNOMED CT, LOINC | 658
property-representation | How a property is represented when serialized. | Internal | 80
provenance-activity-type | This value set contains representative Activity Type codes, which includes codes from the HL7 DocumentCompletion, ActStatus, and DataOperations code system, W3C PROV-DM and PROV-N concepts and display names, several HL7 Lifecycle Event codes for which there are agreed upon definitions, and non-duplicated codes from the HL7 Security and Privacy Ontology Operations codes. | V3, Other, Internal | 429
provenance-entity-role | How an entity was used in an activity. | Internal | 427
provider-qualification | This value set includes sample Provider Qualification codes. | Internal | 562
provider-taxonomy | NUCC Healthcare Provider Taxonomy codes | Other | 902
publication-status | The lifecycle status of a Value Set or Concept Map. | Internal | 3
quality-type | Type for quality report | Internal | 223
quantity-comparator | How the Quantity should be understood and represented. | Internal | 54
question-max-occurs | Flags an element as having unlimited repetitions | Internal | 846
questionnaire-answers | Example list of codes for answers to questions. (Not complete or necessarily appropriate.) | SNOMED CT | 439
questionnaire-answers-status | Lifecycle status of the questionnaire response. | Internal | 440
questionnaire-category | Example list of potential categories for questionnaires. | SNOMED CT | 845
questionnaire-display-category | Codes defining the purpose of a Questionnaire item of type 'text'. | Internal | 852
questionnaire-item-control | Starter set of user interface control/display mechanisms that might be used when rendering an item in a questionnaire. | Internal | 848
questionnaire-questions | Example list of codes for questions and groups of questions. (Not necessarily complete or appropriate.) | LOINC | 434
questionnaire-usage-mode | Identifies the modes of usage of a questionnaire that should enable a particular questionnaire item | Internal | 854
reaction-event-certainty | Statement about the degree of clinical certainty that a specific substance was the cause of the manifestation in a reaction event. | Internal | 859
reaction-event-severity | Clinical assessment of the severity of a reaction event as a whole, potentially considering multiple different manifestations. | Internal | 125
reason-medication-given-codes | This value set is provided as an example. The value set to instantiate this attribute should be drawn from a robust terminology code system that consists of or contains concepts to support the medication process. | Internal | 334
reason-medication-not-given-codes | This value set includes all medication refused, medication not administered, and non administration of necessary drug or medicine codes from SNOMED CT - provided as an exemplar value set. | SNOMED CT | 332
reason-medication-not-taken-codes | This value set includes some not taken reason codes from SNOMED CT - provided as an exemplar | SNOMED CT | 354
reference-handling-policy | A set of flags that defines how references are supported. | Internal | 192
reference-version-rules | Whether a reference needs to be version specific or version independent, or whether either can be used | Internal | 82
referencerange-appliesto | This value set defines a set of codes that can be used to indicate the a particular target population the reference range applies to. | Other, SNOMED CT | 396
referencerange-meaning | This value set defines a set of codes that can be used to indicate the meaning/use of a reference range for a particular target population. | Internal | 384
referral-type | This value set includes all SNOMED CT Patient Referral. | SNOMED CT | 503
related-artifact-type | The type of relationship to the related artifact | Internal | 92
related-claim-relationship | This value set includes sample Related Claim Relationship codes. | Internal | 560
relatedperson-relationshiptype | A set of codes that can be used to indicate the relationship between a Patient and a Related Person. | V2, V3 | 442
relationship | This value set includes the Patient to subscriber relationship codes. | Internal | 34
remittance-outcome | This value set includes a Claim Processing Outcome codes. | Internal | 13
report-action-result-codes | The results of executing an action. | Internal | 708
report-codes | This value set includes all the LOINC codes which relate to Diagnostic Observations. | LOINC | 228
report-participant-type | The type of participant. | Internal | 710
report-result-codes | The reported execution result. | Internal | 706
report-status-codes | The current status of the test report. | Internal | 712
repository-type | Type for access of external URI | Internal | 225
request-intent | Codes indicating the degree of authority/intentionality associated with a request | Internal | 104
request-priority | The clinical priority of a diagnostic order. | Internal | 106
request-status | Codes identifying the stage lifecycle stage of a request | Internal | 102
research-study-status | Codes that convey the current status of the research study | Internal | 802
research-subject-status | Indicates the progression of a study subject through a study | Internal | 804
resource-aggregation-mode | How resource references can be aggregated. | Internal | 78
resource-slicing-rules | How slices are interpreted when evaluating an instance. | Internal | 76
resource-type-link | The type of payee Resource | Internal | 606
resource-types | One of the resource types defined as part of FHIR. | Internal | 26
resource-validation-mode | Codes indicating the type of validation to perform | Internal | 108
response-code | The kind of response to a message | Internal | 367
restful-capability-mode | The mode of a RESTful capability statement. | Internal | 166
restful-security-service | Types of security services used with FHIR. | Internal | 168
risk-probability | Codes representing the likelihood of a particular outcome in a risk assessment. | Internal | 443
route-codes | This value set includes all Route codes from SNOMED CT - provided as an exemplar. | SNOMED CT | 91
search-comparator | What Search Comparator Codes are supported in search | Internal | 622
search-entry-mode | Why an entry is in the result set - whether it's included as a match or because of an _include requirement. | Internal | 614
search-modifier-code | A supported modifier for a search parameter. | Internal | 624
search-param-type | Data types allowed to be used for search parameters. | Internal | 11
search-xpath-usage | How a search parameter relates to the set of elements returned by evaluating its xpath query. | Internal | 620
security-labels | A single value set for all security labels defined by FHIR. | Other | 46
sequence-quality-method | This value set includes sequence quality method | Other | 218
sequence-quality-standardSequence | This value set includes sequence quality standard | Other | 217
sequence-referenceSeq | This value set includes all Reference codes | Other | 216

sequence-species | Codes identifying atomic results of observations when value is type codeableConcept. This value set includes all the children of SNOMED CT Concepts from SCTIDs 404684003 Clinical finding (finding), 410607006 Organism (organism),362981000 Qualifier value (qualifier value), 105590001 Substance (substance), and 123037004 Body structure (body structure). It is provided as a suggestive example | SNOMED CT | 205
sequence-type | Type if a sequence -- DNA, RNA, or amino acid sequence | Internal | 214
service-category | This value set defines an example set of codes that can be used to classify groupings of service-types/specialties. | Internal | 510
service-modifiers | This value set includes sample Service Modifier codes. | Internal | 564
service-pharmacy | This value set includes a smattering of Pharmacy Service codes. | Internal | 554
service-place | This value set includes a smattering of Service Place codes. | Internal | 556
service-product | This value set includes a smattering of Service/Product codes. | Internal | 552
service-provision-conditions | The code(s) that detail the conditions under which the healthcare service is available/offered. | Internal | 508
service-referral-method | The methods of referral can be used when referring to a specific HealthCareService resource. | Internal | 504
service-type | This value set defines an example set of codes of service-types. | Internal | 512
service-uscls | This value set includes a smattering of USCLS codes. | Internal | 534
sibling-relationship-codes | The value set includes the v3 RoleCode SIB (sibling) and all of its specializations. It covers the relationships needed to establish genetic pedigree relationships between family members. | V3 | 841
signature-type | The Digital Signature Purposes, an indication of the reason an entity signs a document. This is included in the signed information and can be used when determining accountability for various actions concerning the document. Examples include: author, transcriptionist/recorder, and witness. | Other | 56
slotstatus | The free/busy status of the slot. | Internal | 475
special-values | A set of generally useful codes defined so they can be included in value sets. | Internal | 9
specification-type | Codes for device specification types such as serial number, part number, hardware revision, software revision, etc. | Internal | 899
specimen-collection-method | This example value set defines a set of codes that can be used to indicate the method of collection of a specimen. It includes values from HL7 v2 table 0048. | SNOMED CT, V2 | 461
specimen-collection-priority | This example value set defines a set of codes that can be used to indicate the priority of collection of a specimen. | Other | 856
specimen-container-type | Containers which may hold specimens or specimen containers. Include codes SNOMED CT(http://snomed.info/sct) where concept is-a 434711009 (Specimen container (physical object)) | SNOMED CT | 463
specimen-processing-procedure | The technique that is used to perform the process or preserve the specimen. | V2 | 462
specimen-status | Codes providing the status/availability of a specimen. | Internal | 464
structure-definition-kind | Defines the type of structure that a definition is describing. | Internal | 654
subscription-channel-type | The type of method used to execute a subscription. | Internal | 493
subscription-status | The status of a subscription. | Internal | 495
subscription-tag | Tags to put on a resource after subscriptions have been sent. | Internal | 497
substance-category | Substance category codes | Internal | 469
substance-code | This value set contains concept codes for specific substances. It includes codes from [SNOMED](http://snomed.info/sct) where concept is-a 105590001 (Substance (substance)) adn where concept is-a 373873005 (Pharmaceutical / biologic product (product)) | SNOMED CT | 466
substance-status | A code to indicate if the substance is actively used | Internal | 467
supplement-type | SupplementType : Codes for nutritional supplements to be provided to the patient. This value set is is composed of SNOMED CT (US Extension) Concepts from SCTID 470581016 (Enteral+supplement feeds hierarchy (product)) and is provided as a suggestive example. | SNOMED CT | 377
supply-item | This value set includes [SNOMED CT](http://snomed.info/sct) where concept is-a 105590001 (Substance (substance)) or concept is-a 260787004 (Physical object) and provided as an example value set. | SNOMED CT | 685
supplydelivery-status | Status of the supply delivery. | Internal | 686
supplydelivery-type | This value sets refers to a specific supply item. | Internal | 688
supplyrequest-kind | This value sets refers to a Category of supply. | Internal | 679
supplyrequest-reason | Why the supply item was requested | Internal | 683
supplyrequest-status | Status of the supply request | Internal | 681
surface | This value set includes a smattering of FDI tooth surface codes. | Internal | 538
system-restful-interaction | Operations supported by REST at the system level. | Internal | 171
system-version-processing-mode | How to manage the intersection between a fixed version in a value set, and a fixed version of the system in the expansion profile | Internal | 260
task-performer-type | The type(s) of task performers allowed | Internal | 771
task-status | The current status of the task. | Internal | 773
teeth | This value set includes the FDI Teeth codes. | Internal | 542
template-status-code | The status indicates the level of maturity of the design and may be used to manage the use of the design | Other | 842
testscript-operation-codes | This value set defines a set of codes that are used to indicate the supported operations of a testing engine or tool. | Internal | 690
testscript-profile-destination-types | This value set defines a set of codes that are used to indicate the profile type of a test system when acting as the destination within a TestScript. | Internal | 702
testscript-profile-origin-types | This value set defines a set of codes that are used to indicate the profile type of a test system when acting as the origin within a TestScript. | Internal | 700
texture-code | TextureModifier: Codes for food consistency types or texture modifications to apply to foods. This value set is composed of SNOMED CT (US Extension and Core) Concepts from SCTID 229961002 Food consistency types (substance) hierarchy and is provided as a suggestive example. | SNOMED CT | 374
timing-abbreviation | Code for a known / defined timing pattern. | V3 | 71
tooth | This value set includes a smattering of FDI oral site codes. | Internal | 532
transaction-mode | A code that indicates how transactions are supported. | Internal | 182
trigger-type | The type of trigger | Internal | 96
type-derivation-rule | How a type relates to its baseDefinition. | Internal | 659
type-restful-interaction | Operations supported by REST at the type or instance level. | Internal | 170
ucum-bodylength | UCUM units for recording Body Length measures such as height and head circumference | FHIR | 873
ucum-bodytemp | UCUM units for recording Body Temperature | FHIR | 872

ucum-bodyweight | UCUM units for recording Body Weight | FHIR | 871
ucum-common | Commonly encountered UCUM units (for purposes of helping populate look ups. | FHIR | null
ucum-units | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes | FHIR | 831
ucum-vitals-common | Common UCUM units for recording Vital Signs | FHIR | 870
udi | This value set includes sample UDI codes. | Internal | 546
udi-entry-type | Codes to identify how UDI data was entered | Internal | 201
units-of-time | A unit of time (units from UCUM). | FHIR | 70
unknown-content-code | A code that indicates whether an application accepts unknown elements or extensions when reading resources. | Internal | 186
usage-context-type | A code that specifies a type of context being specified by a usage context | Internal | 94
use-context | This value set defines a base set of codes that can be used to indicate that the content in a resource was developed with a focus and intent of supporting use within particular contexts. | Other, SNOMED CT | 27
usps-state | This value set defines two letter USPS alphabetic codes. | Other | 40
vaccination-protocol-dose-status | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the validity of a dose relative to a particular recommended schedule. This value set is provided as a suggestive example. | Internal | 288
vaccination-protocol-dose-status-reason | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why an administered dose has been assigned a particular status. Often, this reason describes why a dose is considered invalid. This value set is provided as a suggestive example. | Internal | 290
vaccination-protocol-dose-target | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease targeted by a vaccine. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy. | SNOMED CT | 287
vaccine-code | This identifies the vaccine substance administered - CVX codes. | Internal, Other | 22
variant-state | Codes providing the status of the variant test result | Internal | 210
versioning-policy | How the system supports versioning for a resource. | Internal | 180
vision-base-codes | A coded concept listing the base codes. | Internal | 646
vision-eye-codes | A coded concept listing the eye codes. | Internal | 644
vision-product | This value set includes a smattering of Prescription Product codes. | Internal | 642
yesnodontknow | For Capturing simple yes-no-don't know answers | Other, Internal | null

Name (URI = http://hl7.org/fhir/ValueSet/v3-...) | Name | OID
AcknowledgementCondition | The codes identify the conditions under which accept acknowledgements are required to be returned in response to this message. Note that accept acknowledgement address two different issues at the same time: reliable transport as well as syntactical correctness | .1.113883.1.11.155
AcknowledgementDetailCode | OpenIssue: Missing description. | --
AcknowledgementDetailType | A code identifying the specific message to be provided. Discussion: A textual value may be specified as the print name, or for non-coded messages, as the original text. Examples: 'Required attribute xxx is missing', 'System will be unavailable March 19 from 0100 to 0300' | .1.113883.1.11.19358
AcknowledgementType | This attribute contains an acknowledgement code as described in the HL7 message processing rules. OpenIssue: Description was copied from attribute and needs to be improved to be appropriate for a code system. | .1.113883.1.11.8
ActClass | **** MISSING DEFINITIONS **** | .1.113883.1.11.11527
ActClassClinicalDocument | A clinical document is a documentation of clinical observations and services, with the following characteristics: (1) Persistence - A clinical document continues to exist in an unaltered state, for a time period defined by local and regulatory requirements; (2) Stewardship - A clinical document is maintained by a person or organization entrusted with its care; (3) Potential for authentication - A clinical document is an assemblage of information that is intended to be legally authenticated; (4) Wholeness - Authentication of a clinical document applies to the whole and does not apply to portions of the document without the full context of the document; (5) Human readability - A clinical document is human readable." | .1.113883.1.11.13948
ActClassDocument | Specialization of Act to add the characteristics unique to document management services. | .1.113883.1.11.18938
ActClassInvestigation | An formalized inquiry into the circumstances surrounding a particular unplanned event or potential event for the purposes of identifying possible causes and contributing factors for the event. This investigation could be conducted at a local institutional level or at the level of a local or national government. | .1.113883.1.11.20224
ActClassObservation | Description: An act that is intended to result in new information about a subject. The main difference between Observations and other Acts is that Observations have a value attribute. Thecode attribute of Observation and thevalue attribute of Observation must be considered in combination to determine the semantics of the observation. Discussion: Structurally, many observations are name-value-pairs, where the Observation.code (inherited from Act) is the name and the Observation.value is the value of the property. Such a construct is also known as a variable (a named feature that can assume a value) hence, the Observation class is always used to hold generic name-value-pairs or variables, even though the variable valuation may not be the result of an elaborate observation method. It may be a simple answer to a question or it may be an assertion or setting of a parameter. As with all Act statements, Observation statements describe what was done, and in the case of Observations, this includes a description of what was actually observed (results or answers); and those results or answers are part of the observation and not split off into other objects. The method of action is asserted by the Observation classCode or its subclasses at the least granular level, by the Observation.code attribute value at the medium level of granularity, and by the attribute value of observation.methodCode when a finer level of granularity is required. The method in whole or in part may also appear in the attribute value of Observation.value when using coded data types to express the value of the attribute. Relevant aspects of methodology may also be restated in value when the results themselves imply or state a methodology. An observation may consist of component observations each having their own Observation.code and Observation.value. In this case, the composite observation may not have an Observation.value for itself. For instance, a white blood cell count consists of the sub-observations for the counts of the various granulocytes, lymphocytes and other normal or abnormal blood cells (e.g., blasts). The overall white blood cell count Observation itself may therefore not have a value by itself (even though it could have one, e.g., the sum total of white blood cells). Thus, as long as an Act is essentially an Act of recognizing and noting information about a subject, it is an Observation, regardless of whether it has a simple value by itself or whether it has sub-observations. Even though observations are professional acts (see Act) and as such are intentional actions, this does not require that every possible outcome of an observation be pondered in advance of it being actually made. For instance, differential white blood cell counts (WBC) rarely show blasts, but if they do, this is part of the WBC observation even though blasts might not be predefined in the structure of a normal WBC. Clinical documents commonly have Subjective and Objective findings, both of which are kinds of Observations. In addition, clinical documents commonly contain Assessments, which are also kinds of Observations. Thus, the establishment of a diagnosis is an Observation. Examples: Recording the results of a Family History Assessment Laboratory test and associated result Physical exam test and associated result Device temperature Soil lead level | .1.113883.1.11.11529
ActClassProcedure | An Act whose immediate and primary outcome (post-condition) is the alteration of the physical condition of the subject. Examples: : Procedures may involve the disruption of some body surface (e.g. an incision in a surgical procedure), but they also include conservative

procedures such as reduction of a luxated join, chiropractic treatment, massage, balneotherapy, acupuncture, shiatsu, etc. Outside of clinical medicine, procedures may be such things as alteration of environments (e.g. straightening rivers, draining swamps, building dams) or the repair or change of machinery etc. | .1.113883.1.11.19665

ActClassROI | Regions of Interest (ROI) within a subject Act. Primarily used for making secondary observations on a subset of a subject observation. The relationship between a ROI and its referenced Act is specified through an ActRelationship of type "subject" (SUBJ), which must always be present. | .1.113883.1.11.17893

ActClassSupply | Supply orders and deliveries are simple Acts that focus on the delivered product. The product is associated with the Supply Act via Participation.typeCode="product". With general Supply Acts, the precise identification of the Material (manufacturer, serial numbers, etc.) is important. Most of the detailed information about the Supply should be represented using the Material class. If delivery needs to be scheduled, tracked, and billed separately, one can associate a Transportation Act with the Supply Act. Pharmacy dispense services are represented as Supply Acts, associated with a SubstanceAdministration Act. The SubstanceAdministration class represents the administration of medication, while dispensing is supply. | .1.113883.1.11.11535

ActCode | A code specifying the particular kind of Act that the Act-instance represents within its class. Constraints: The kind of Act (e.g. physical examination, serum potassium, inpatient encounter, charge financial transaction, etc.) is specified with a code from one of several, typically external, coding systems. The coding system will depend on the class of Act, such as LOINC for observations, etc. Conceptually, the Act.code must be a specialization of the Act.classCode. This is why the structure of ActClass domain should be reflected in the superstructure of the ActCode domain and then individual codes or externally referenced vocabularies subordinated under these domains that reflect the ActClass structure. Act.classCode and Act.code are not modifiers of each other but the Act.code concept should really imply the Act.classCode concept. For a negative example, it is not appropriate to use an Act.code "potassium" together with and Act.classCode for "laboratory observation" to somehow mean "potassium laboratory observation" and then use the same Act.code for "potassium" together with Act.classCode for "medication" to mean "substitution of potassium". This mutually modifying use of Act.code and Act.classCode is not permitted. | --

ActConsentDirective | ActConsentDirective codes are used to specify the type of Consent Directive to which a Consent Directive Act conforms. | .1.113883.1.11.20425

ActConsentType | Definition: The type of consent directive, e.g., to consent or dissent to collect, access, or use in specific ways within an EHRS or for health information exchange; or to disclose health information for purposes such as research. | .1.113883.1.11.19897

ActCoverageTypeCode | Definition: Set of codes indicating the type of insurance policy or program that pays for the cost of benefits provided to covered parties. | .1.113883.1.11.19855

ActEncounterCode | Domain provides codes that qualify the ActEncounterClass (ENC) | .1.113883.1.11.13955

ActExposureLevelCode | A qualitative measure of the degree of exposure to the causative agent. This includes concepts such as "low", "medium" and "high". This quantifies how the quantity that was available to be administered to the target differs from typical or background levels of the substance. | --

ActIncidentCode | Set of codes indicating the type of incident or accident. | .1.113883.1.11.16508

ActInvoiceElementModifier | Processing consideration and clarification codes. | .1.113883.1.11.17704

ActInvoiceGroupCode | Type of invoice element that is used to assist in describing an Invoice that is either submitted for adjudication or for which is returned on adjudication results. Invoice elements of this type signify a grouping of one or more children (detail) invoice elements. They do not have intrinsic costing associated with them, but merely reflect the sum of all costing for it's immediate children invoice elements. | .1.113883.1.11.19398

ActMood | OpenIssue: In Ballot 2009May, a strong Negative vote was lodged against several of the concept definitions in the vocabulary used for Act.moodCode. The vote was found "Persuasive With Mod", with the understanding that M and M would undertake a detailed review of these concept definitions for a future release of the RIM. | .1.113883.1.11.10196

ActMoodIntent | An intention or plan to perform a service. Historical note: in previous RIM versions, the intent mood was captured as a separate class hierarchy, called Service_intent_or_order. | .1.113883.1.11.10199

ActMoodPredicate | Any of the above service moods (e.g., event, intent, or goal) can be turned into a predicate used as a criterion to express conditionals (or queries.) However, currently we allow only criteria on service events. | .1.113883.1.11.10202

ActPharmacySupplyType | Identifies types of dispensing events | .1.113883.1.11.16208

ActPriority | A set of codes (e.g., for routine, emergency), specifying the urgency under which the Act happened, can happen, is happening, is intended to happen, or is requested/demanded to happen. | --

ActReason | A set of codes specifying the motivation, cause, or rationale of an Act, when such rationale is not reasonably represented as an ActRelationship of type "has reason" linking to another Act. Examples: Example reasons that might qualify for being coded in this field might be: "routine requirement", "infectious disease reporting requirement", "on patient request", "required by law". | --

ActRelationshipCheckpoint | **** MISSING DEFINITIONS **** | .1.113883.1.11.10349

ActRelationshipConditional | Specifies under what circumstances (target Act) the source-Act may, must, must not or has occurred | .1.113883.1.11.18977

ActRelationshipFulfills | The source act fulfills (in whole or in part) the target act. Source act must be in a mood equal or more actual than the target act. | .1.113883.1.11.10342

ActRelationshipHasComponent | A collection of sub-services as steps or subtasks performed for the source service. Services may be performed sequentially or concurrently. | .1.113883.1.11.10318

ActRelationshipJoin | **** MISSING DEFINITIONS **** | .1.113883.1.11.10360

ActRelationshipPertains | This is a very unspecific relationship from one item of clinical information to another. It does not judge about the role the pertinent information plays. | .1.113883.1.11.10329

ActRelationshipSplit | **** MISSING DEFINITIONS **** | .1.113883.1.11.10355

ActRelationshipSubset | <ns1:p>Used to indicate that the target of the relationship will be a filtered subset of the total related set of targets.</ns1:p><ns1:p>Used when there is a need to limit the number of components to the first, the last, the next, the total, the average or some other filtered or calculated subset.</ns1:p> | .1.113883.1.11.19613

ActRelationshipType | The source is an excerpt from the target. | .1.113883.1.11.10317

ActSite | An anatomical location on an organism which can be the focus of an act. | --

ActStatus | Codes representing the defined possible states of an Act, as defined by the Act class state machine. | .1.113883.1.11.15933

ActSubstanceAdminSubstitutionCode | No Description Provided | .1.113883.1.11.16621

ActTaskCode | Description: A task or action that a user may perform in a clinical information system. | .1.113883.1.11.19846

ActUSPrivacyLaw | A jurisdictional mandate in the US relating to privacy. Deprecation Comment: Content moved to ActCode under _ActPrivacyLaw; use that instead. | --

ActUncertainty | OpenIssue: Missing Description | .1.113883.1.11.16899

AddressPartType | Description: Code that specifies whether an address part names the street, city, country, postal code, post box, etc. Discussion: The hierarchical nature of these concepts shows composition. E.g. "Street Name" is part of "Street Address Line" | .1.113883.1.11.10642

AddressUse | Codes that provide guidance around the circumstances in which a given address should be used. | .1.113883.1.11.190

AdministrativeGender | The gender of a person used for adminstrative purposes (as opposed to clinical gender) | .1.113883.1.11.1

AmericanIndianAlaskaNativeLanguages | American Indian and Alaska Native languages currently being used in the United States. | --

Calendar | **** MISSING DEFINITIONS **** | .1.113883.1.11.17422

CalendarCycle | Calendar cycle identifiers | --

CalendarType | **** MISSING DEFINITIONS **** | .1.113883.1.11.10682

Charset | Internet Assigned Numbers Authority (IANA) Charset Types | .1.113883.1.11.14853

CodingRationale | Identifies how to interpret the instance of the code, codeSystem value in a set of translations. Since HL7 (or a government body) may mandate that codes from certain code systems be sent in conformant messages, other synonyms that are sent in the translation set need to be distinguished among the originally captured source, the HL7 specified code, or some future role. When this code is NULL, it indicates that the translation is an undefined type. When valued, this property must contain one of the following values: SRC - Source (or original) code HL7 - HL7 Specified or Mandated SH - both HL7 mandated and the original code (precoordination) There may be additional values added to this value set as we work through the use of codes in messages and determine other Use Cases requiring special interpretation of the translations. | .1.113883.1.11.19250

CommunicationFunctionType | Describes the type of communication function that the associated entity plays in the associated transmission. | .1.113883.1.11.16031

Compartment | A named tag set for metadata used to populate a security category label field that "segments" an IT resource per policy by indicating that access and use is restricted to members of a defined community or project. (HL7 Healthcare Privacy and Security Classification System) Usage Note: This is the healthcare analog to the US Intelligence Community's concept of a Special Access Program. Compartment codes may be used in as a field value in an initiator's clearance to indicate permission to access and use an IT Resource with a security label having the same compartment value in security category label field. Map: Aligns with ISO 2382-8 definition of Compartment - "A division of data into isolated blocks with separate security controls for the purpose of reducing risk." | .1.113883.1.11.20478

CompressionAlgorithm | **** MISSING DEFINITIONS **** | .1.113883.1.11.10620

Confidentiality | A set of codes specifying the security classification of acts and roles in accordance with the definition for concept domain "Confidentiality". | --

ConfidentialityClassification | Set of codes used to value Act.Confidentiality and Role.Confidentiality attribute in accordance with the definition for concept domain "Confidentiality". | .1.113883.1.11.10228

ContainerCap | The type of cap associated with a container | --

ContainerSeparator | A material in a blood collection container that facilites the separation of of blood cells from serum or plasma | .1.113883.1.11.14054

ContentProcessingMode | Description: Identifies the order in which content should be processed. | .1.113883.1.11.19823

ContextControl | A code that specifies how an ActRelationship or Participation contributes to the context of an Act, and whether it may be propagated to descendent Acts whose association allows such propagation (see also attributes Participation.contextControlCode, ActRelationship.contextControlCode, ActRelationship.contextConductionInd). | .1.113883.1.11.16478

DataOperation | **** MISSING DEFINITIONS **** | --

DeviceAlertLevel | Domain values for the Device.Alert_levelCode | .1.113883.1.11.14066

DocumentCompletion | Identifies the current completion state of a clinical document. | .1.113883.1.11.271

DocumentSectionType | The type of document section. Possible values: review of systems, medical history, family history, microscopic findings, etc. | .1.113883.1.11.10871

DocumentStorage | Identifies the storage status of a document. | --

EducationLevel | Years of education that a person has completed | .1.113883.1.11.19175

EmployeeJobClass | **** MISSING DEFINITIONS **** | .1.113883.1.11.16036

EncounterAdmissionSource | **** MISSING DEFINITIONS **** | .1.113883.1.11.12234

EncounterSpecialCourtesy | **** MISSING DEFINITIONS **** | .1.113883.1.11.12242

EntityClass | Classifies the Entity class and all of its subclasses. The terminology is hierarchical. At the top is this HL7-defined domain of high-level categories (such as represented by the Entity subclasses). Each of these terms must be harmonized and is specializable. The value sets beneath are drawn from multiple, frequently external, domains that reflect much more fine-grained typing. | .1.113883.1.11.10882

EntityClassDevice | A subtype of ManufacturedMaterial used in an activity, without being substantially changed through that activity. The kind of device is identified by the code attribute inherited from Entity. Usage: This includes durable (reusable) medical equipment as well as disposable equipment. | .1.113883.1.11.11623

EntityClassLivingSubject | Anything that essentially has the property of life, independent of current state (a dead human corpse is still essentially a living subject.) | .1.113883.1.11.10884

EntityClassManufacturedMaterial | Corresponds to the ManufacturedMaterial class | .1.113883.1.11.13934

EntityClassOrganization | A social or legal structure formed by human beings. | .1.113883.1.11.10889

EntityClassPlace | A physicial place or site with its containing structure. May be natural or man-made. The geographic position of a place may or may not be constant. | .1.113883.1.11.10892

EntityClassRoot | Corresponds to the Entity class | .1.113883.1.11.13922

EntityCode | OpenIssue: Missing description. | --

EntityDeterminer | EntityDeterminer in natural language grammar is the class of words that comprises articles, demonstrative pronouns, and quantifiers. In the RIM, determiner is a structural code in the Entity class to distinguish whether any given Entity object stands for some, any one, or a specific thing. | .1.113883.1.11.10878

EntityDeterminerDetermined | The described determiner is used to indicate that the given Entity is taken as a general description of a kind of thing that can be taken in whole, in part, or in multiples. | .1.113883.1.11.10879

EntityHandling | **** MISSING DEFINITIONS **** | .1.113883.1.11.13988

EntityNamePartQualifier | OpenIssue: Needs description | .1.113883.1.11.15888

EntityNamePartQualifierR2 | Description: The qualifier is a set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type. For example, a given name may be flagged as a nickname, a family name may be a pseudonym or a name of public records. | .1.113883.1.11.20323

EntityNamePartType | **** MISSING DEFINITIONS **** | .1.113883.1.11.15880

EntityNamePartTypeR2 | Description: Indicates whether the name part is a given name, family name, prefix, suffix, etc. | .1.113883.1.11.20322

EntityNameUse | **** MISSING DEFINITIONS **** | .1.113883.1.11.15913

EntityNameUseR2 | Description: A set of codes advising a system or user which name in a set of names to select for a given purpose. | .1.113883.1.11.20321

EntityRisk | Kinds of risks associated with the handling of the material.. | --

EntityStatus | Codes representing the defined possible states of an Entity, as defined by the Entity class state machine. | .1.113883.1.11.16005

EquipmentAlertLevel | **** MISSING DEFINITIONS **** | .1.113883.1.11.10896

Ethnicity | In the United States, federal standards for classifying data on ethnicity determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define

ethnicity, and they recognize the absence of an anthropological or scientific basis for ethnicity classification. Instead, the federal standards acknowledge that ethnicity is a social-political construct in which an individual's own identification with a particular ethnicity is preferred to observer identification. The standards specify two minimum ethnicity categories: Hispanic or Latino, and Not Hispanic or Latino. The standards define a Hispanic or Latino as a person of "Mexican, Puerto Rican, Cuban, South or Central America, or other Spanish culture or origin, regardless of race." The standards stipulate that ethnicity data need not be limited to the two minimum categories, but any expansion must be collapsible to those categories. In addition, the standards stipulate that an individual can be Hispanic or Latino or can be Not Hispanic or Latino, but cannot be both. | --

ExposureMode | Code for the mechanism by which the exposure agent was exchanged or potentially exchanged by the participants involved in the exposure. | --

FamilyMember | A relationship between two people characterizing their "familial" relationship | .1.113883.1.11.19579

GTSAbbreviation | **** MISSING DEFINITIONS **** | --

GenderStatus | **** MISSING DEFINITIONS **** | .1.113883.1.11.11523

GeneralPurposeOfUse | Supports communication of purpose of use at a general level. | .1.113883.1.11.20449

HL7UpdateMode | The possible modes of updating that occur when an attribute is received by a system that already contains values for that attribute. | .1.113883.1.11.10018

HtmlLinkType | HtmlLinkType values are drawn from HTML 4.0 and describe the relationship between the current document and the anchor that is the target of the link | .1.113883.1.11.11017

HumanLanguage | Codes for the representation of the names of human languages. | .1.113883.1.11.11526

IdentifierReliability | Specifies the reliability with which the identifier is known. This attribute MAY be used to assist with identifier matching algorithms. | .1.113883.1.11.20277

IdentifierScope | Description: Codes to specify the scope in which the identifier applies to the object with which it is associated, and used in the datatype property II. | .1.113883.1.11.20276

InformationSensitivityPolicy | Sensitivity codes are not useful for interoperability outside of a policy domain because sensitivity policies are typically localized and vary drastically across policy domains even for the same information category because of differing organizational business rules, security policies, and jurisdictional requirements. For example, an "employee" sensitivity code would make little sense for use outside of a policy domain. "Taboo" would rarely be useful outside of a policy domain unless there are jurisdictional requirements requiring that a provider disclose sensitive information to a patient directly. Sensitivity codes may be more appropriate in a legacy system's Master Files in order to notify those who access a patient's orders and observations about the sensitivity policies that apply. Newer systems may have a security engine that uses a sensitivity policy's criteria directly. The specializable Sensitivity Act.code may be useful in some scenarious if used in combination with a sensitivity identifier and/or Act.title. | .1.113883.1.11.20428

IntegrityCheckAlgorithm | **** MISSING DEFINITIONS **** | .1.113883.1.11.17385

LanguageAbilityMode | A value representing the method of expression of the language. Example: Expressed spoken, expressed written, expressed signed, received spoken, received written, received signed. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.1.11.12249

LanguageAbilityProficiency | A value representing the level of proficiency in a language. Example: Excellent, good, fair, poor. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.1.11.12199

LivingArrangement | A code depicting the living arrangements of a person | --

LocalMarkupIgnore | Tells a receiver to ignore just the local markup tags (local_markup, local_header, local_attr) when value="markup", or to ignore the local markup tags and all contained content when value="all" | .1.113883.1.11.10975

LocalRemoteControlState | **** MISSING DEFINITIONS **** | .1.113883.1.11.10893

ManagedParticipationStatus | Codes representing the defined possible states of a Managed Participation, as defined by the Managed Participation class state machine. | .1.113883.1.11.15992

MapRelationship | The closeness or quality of the mapping between the HL7 concept (as represented by the HL7 concept identifier) and the source coding system. The values are patterned after the similar relationships used in the UMLS Metathesaurus. Because the HL7 coding sy | .1.113883.1.11.11052

MaritalStatus | * * * No description supplied * * * Open Issue: The specific meanings of these codes can vary somewhat by jurisdiction and implementation so caution should be used when determining equivalency. | --

MessageWaitingPriority | Indicates that the receiver has messages for the sender OpenIssue: Description does not make sense relative to name of coding system. Must be reviewed and improved. | --

MilitaryRoleType | Definition: A person playing the role of program eligible under a program based on military status. Discussion: This CoveredPartyRoleType.code is typically used when the CoveredPartyRole class code is either "program eligible" or "subscriber" and the person's status as a member of the military meets jurisdictional or program criteria | .1.113883.1.11.19812

ModifyIndicator | **** MISSING DEFINITIONS **** | .1.113883.1.11.395

NullFlavor | A collection of codes specifying why a valid value is not present. | .1.113883.1.11.10609

ObligationPolicy | Conveys the mandated workflow action that an information custodian, receiver, or user must perform. Examples: encrypt Usage Note: Per OASIS XACML, an obligation is an operation specified in a policy or policy that is performed in conjunction with the enforcement of an access control decision. | .1.113883.1.11.20445

ObservationInterpretation | One or more codes specifying a rough qualitative interpretation of the observation, such as "normal", "abnormal", "below normal", "change up", "resistant", "susceptible", etc. OpenIssue: Description copied from Concept Domain of same name. Must be verified. Note also that this might be identical to the V2 code system of interpretation codes (formerly Abnormal Flags in older versions). | .1.113883.1.11.78

ObservationMethod | A code that provides additional detail about the means or technique used to ascertain the observation. Examples: Blood pressure measurement method: arterial puncture vs. sphygmomanometer (Riva-Rocci), sitting vs. supine position, etc. OpenIssue: Description copied from Concept Domain of same name. Must be verified. Note that the Domain has a full discussion about use of the attribute and constraining that is not appropriate for the code system description. Needs to be improved. | .1.113883.1.11.20423

ObservationType | Identifies the kinds of observations that can be performed | .1.113883.1.11.16226

ObservationValue | This domain is the root domain to which all HL7-recognized value sets for the Observation.value attribute will be linked when Observation.value has a coded data type. OpenIssue: Description copied from Concept Domain of same name. Must be corrected.. | --

ParticipationFunction | This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE). | .1.113883.1.11.10267

ParticipationIndirectTarget | Target that is not substantially present in the act and which is not directly affected by the act, but which will be a focus of the record or documentation of the act. | .1.113883.1.11.19032

ParticipationInformationGenerator | Parties that may or should contribute or have contributed information to the Act. Such information includes information leading to the decision to perform the Act and how to perform the Act (e.g., consultant), information that the Act itself seeks to reveal (e.g., informant of clinical history), or information about what Act was performed (e.g., informant witness). | .1.113883.1.11.10251

ParticipationInformationTranscriber | An entity entering the data into the originating system. The data entry entity is collected optionally for internal quality control purposes. This includes the transcriptionist for dictated text transcribed into electronic form. | .1.113883.1.11.19676

ParticipationMode | A set of codes specifying the modality by which the Entity playing the Role is participating in the Act. Examples: Physically present, over the telephone, written communication. Rationale: Particularly for author (originator) participants this is used to specify whether the information represented by the act was initially provided verbally, (hand-)written, or electronically. Open Issue: There needs to be a reexamination of the hierarchies as there seems to be some muddling between ELECTRONIC and other concepts that involve electronic communication that are in other hierarchies. | --

ParticipationPhysicalPerformer | A person who actually and principally carries out the action. Need not be the principal responsible actor, e.g. a surgery resident operating under supervision of attending surgeon, and may be the patient in self-care, e.g. fingerstick blood sugar. The traditional order filler is a performer. This information should accompany every service event. | .1.113883.1.11.10248

ParticipationSignature | A set of codes specifying whether and how the participant has attested his participation through a signature and or whether such a signature is needed. Examples: A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants. (See also: Participation.signatureText.) | .1.113883.1.11.10282

ParticipationTargetDirect | Target that is substantially present in the service and which is directly affected by the service action (includes consumed material, devices, etc.). | .1.113883.1.11.10286

ParticipationTargetLocation | The facility where the service is done. May be a static building (or room therein) or a moving location (e.g., ambulance, helicopter, aircraft, train, truck, ship, etc.) | .1.113883.1.11.10302

ParticipationTargetSubject | The principle target that the service acts on. E.g. the patient in physical examination, a specimen in a lab observation. May also be a patient's family member (teaching) or a device or room (cleaning, disinfecting, housekeeping). Note: not all direct targets are subjects, consumables, and devices used as tools for a service are not subjects. However, a device may be a subject of a maintenance service. | .1.113883.1.11.19584

ParticipationType | **** MISSING DEFINITIONS **** | .1.113883.1.11.10901

ParticipationVerifier | A person who verifies the correctness and appropriateness of the service (plan, order, event, etc.) and hence takes on accountability. | .1.113883.1.11.10259

PatientImportance | Patient VIP code | .1.113883.1.11.19265

PaymentTerms | Describes payment terms for a financial transaction, used in an invoice. This is typically expressed as a responsibility of the acceptor or payor of an invoice. | .1.113883.1.11.14908

PersonDisabilityType | A code identifying a person's disability. | --

PersonalRelationshipRoleType | Types of personal relationships between two living subjects. Example: Parent, sibling, unrelated friend, neighbor | .1.113883.1.11.19563

ProbabilityDistributionType | **** MISSING DEFINITIONS **** | .1.113883.1.11.10747

ProcessingID | Codes used to specify whether a message is part of a production, training, or debugging system. | .1.113883.1.11.103

ProcessingMode | **** MISSING DEFINITIONS **** | .1.113883.1.11.207

ProvenanceEventCurrentState | Specifies the state change of a target Act, such as a document or an entry, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | .1.113883.1.11.20547

ProvenanceEventCurrentState-AS | Specifies the state change of a target Act, using ActStatus codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | .1.113883.1.11.20545

ProvenanceEventCurrentState-DC | Specifies the state change of a target Act using DocuymentCompletion codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted". | .1.113883.1.11.20546

PurposeOfUse | Supports communication of purpose of use at a general level. | .1.113883.1.11.20448

QueryParameterValue | The domain of coded values used as parameters within QueryByParameter queries. | --

QueryPriority | **** MISSING DEFINITIONS **** | .1.113883.1.11.91

QueryRequestLimit | Definition: Defines the units associated with the magnitude of the maximum size limit of a query response that can be accepted by the requesting application. | --

QueryResponse | A code classifying the general nature of the response to a given query. Includes whether or not data was found, or whether an error occurred. | .1.113883.1.11.208

QueryStatusCode | A code specifying the state of the Query. | .1.113883.1.11.18899

Race | In the United States, federal standards for classifying data on race determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define race, and they recognize the absence of an anthropological or scientific basis for racial classification. Instead, the federal standards acknowledge that race is a social-political construct in which an individual's own identification with one more race categories is preferred to observer identification. The standards use a variety of features to define five minimum race categories. Among these features are descent from "the original peoples" of a specified region or nation. The minimum race categories are American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White. The federal standards stipulate that race data need not be limited to the five minimum categories, but any expansion must be collapsible to those categories. | --

RefrainPolicy | Conveys prohibited actions which an information custodian, receiver, or user is not permitted to perform unless otherwise authorized or permitted under specified circumstances. Examples: prohibit redisclosure without consent directive | .1.113883.1.11.20446

RelationalOperator | **** MISSING DEFINITIONS **** | .1.113883.1.11.209

RelationshipConjunction | **** MISSING DEFINITIONS **** | .1.113883.1.11.10365

ReligiousAffiliation | Assigment of spiritual faith affiliation | --

ResponseLevel | Specifies whether a response is expected from the addressee of this interaction and what level of detail that response should include | .1.113883.1.11.14761

ResponseModality | Defines the timing and grouping of the response instances. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.1.11.394

ResponseMode | Specifies the mode, immediate versus deferred or queued, by which a receiver should communicate its receiver responsibilities. | .1.113883.1.11.19650

RoleClass | Codes for the Role class hierarchy. The values in this hierarchy, represent a Role which is an association or relationship between two entities - the entity that plays the role and the entity that scopes the role. Roles names are derived from the name of the playing entity in that role. The role hierarchy stems from three core concepts, or abstract domains: RoleClassOntological is an abstract domain that collects roles in which the playing entity is defined or specified by the scoping entity. RoleClassPartitive collects roles in which the playing entity is in some sense a "part" of the scoping entity. RoleClassAssociative collects all of the remaining forms of association between the playing entity and the scoping entity. This set of roles is further partitioned between: RoleClassPassive which are roles in which the playing entity is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping entity. The playing entity is passive in these roles in that the role exists without an agreement from the playing entity. RoleClassMutualRelationship which are relationships based on mutual behavior of the two entities. The basis of these relationship may be formal agreements or they may bede facto behavior. Thus, this sub-domain is further divided into: RoleClassRelationshipFormal in which the

relationship is formally defined, frequently by a contract or agreement. Personal relationship which inks two people in a personal relationship. The hierarchy discussed above is represented In the current vocabulary tables as a set of abstract domains, with the exception of the "Personal relationship" which is a leaf concept. OpenIssue: Description copied from Concept Domain of same name. Must be verified. | .1.113883.1.11.11555

RoleClassAgent | An entity (player) that acts or is authorized to act on behalf of another entity (scoper). | .1.113883.1.11.14006

RoleClassAssociative | A general association between two entities that is neither partitive nor ontological. | .1.113883.1.11.19313

RoleClassManufacturedProduct | Scoped by the manufacturer | .1.113883.1.11.11580

RoleClassMutualRelationship | A relationship that is based on mutual behavior of the two Entities as being related. The basis of such relationship may be agreements (e.g., spouses, contract parties) or they may bede facto behavior (e.g. friends) or may be an incidental involvement with each other (e.g. parties over a dispute, siblings, children). | .1.113883.1.11.19316

RoleClassPartitive | An association between two Entities where the playing Entity is considered in some way "part" of the scoping Entity, e.g., as a member, component, ingredient, or content. Being "part" in the broadest sense of the word can mean anything from being an integral structural component to a mere incidental temporary association of a playing Entity with a (generally larger) scoping Entity. | .1.113883.1.11.10429

RoleClassPassive | An association for a playing Entity that is used, known, treated, handled, built, or destroyed, etc. under the auspices of the scoping Entity. The playing Entity is passive in these roles (even though it may be active in other roles), in the sense that the kinds of things done to it in this role happen without an agreement from the playing Entity. | .1.113883.1.11.19105

RoleClassRelationshipFormal | A relationship between two entities that is formally recognized, frequently by a contract or similar agreement. | .1.113883.1.11.10416

RoleClassRoot | Corresponds to the Role class | .1.113883.1.11.13940

RoleClassServiceDeliveryLocation | A role played by a place at which services may be provided. | .1.113883.1.11.16927

RoleClassSpecimen | A role played by a material entity that is a specimen for an act. It is scoped by the source of the specimen. | .1.113883.1.11.11591

RoleCode | A set of codes further specifying the kind of Role; specific classification codes for further qualifying RoleClass codes. | --

RoleLinkStatus | Description: Codes representing possible states of a RoleLink, as defined by the RoleLink class state machine. | .1.113883.1.11.20413

RoleLinkType | **** MISSING DEFINITIONS **** | .1.113883.1.11.11603

RoleStatus | Codes representing the defined possible states of an Role, as defined by the Role class state machine. | .1.113883.1.11.15999

RouteOfAdministration | The path the administered medication takes to get into the body or into contact with the body. | --

SecurityControlObservationValue | Security observation values used to indicate security control metadata. V:SecurityControl is the union of V:SecurityPolicy,V:ObligationPolicy, V:RefrainPolicy, V:PurposeOfUse, and V:GeneralPurpose of Use used to populate the SecurityControlObservationValue attribute in order to convey one or more nonhierarchical security control metadata dictating handling caveats, purpose of use, dissemination controls and other refrain policies, and obligations to which a custodian or receiver is required to comply. | .1.113883.1.11.20471

SecurityIntegrityObservationValue | No Description Provided | .1.113883.1.11.20481

SecurityPolicy | Types of security policies that further specify the ActClassPolicy value set. Examples: encrypt prohibit redisclosure without consent directive | .1.113883.1.11.20444

Sequencing | Specifies sequence of sort order. | .1.113883.1.11.390

ServiceDeliveryLocationRoleType | A role of a place that further classifies the setting (e.g., accident site, road side, work site, community location) in which services are delivered. | .1.113883.1.11.17660

SetOperator | **** MISSING DEFINITIONS **** | .1.113883.1.11.17416

SeverityObservation | Potential values for observations of severity. | .1.113883.1.11.16643

SpecimenType | **** MISSING DEFINITIONS **** | --

SubstanceAdminSubstitutionReason | No Description Provided | .1.113883.1.11.19377

SubstitutionCondition | Identifies what sort of change is permitted or has occurred between the item that was ordered/requested and the one that was/will be provided. | --

TableCellHorizontalAlign | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.10981

TableCellScope | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.11012

TableCellVerticalAlign | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.10987

TableFrame | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.10992

TableRules | These values are defined within the XHTML 4.0 Table Model | .1.113883.1.11.11002

TargetAwareness | **** MISSING DEFINITIONS **** | .1.113883.1.11.10310

TelecommunicationCapabilities | Description: Concepts that define the telecommunication capabilities of a particular device. Used to identify the expected capabilities to be found at a particular telecommunication address. | .1.113883.1.11.20312

TimingEvent | **** MISSING DEFINITIONS **** | .1.113883.1.11.10706

TransmissionRelationshipTypeCode | Description: A code specifying the meaning and purpose of every TransmissionRelationship instance. Each of its values implies specific constraints to what kinds of Transmission objects can be related and in which way. | .1.113883.1.11.19833

TribalEntityUS | INDIAN ENTITIES RECOGNIZED AND ELIGIBLE TO RECEIVE SERVICES FROM THE UNITED STATES BUREAU OF INDIAN AFFAIRS | --

VaccineManufacturer | The manufacturer of a vaccine. | .1.113883.1.11.227

VerificationMethod | No Description Provided | .1.113883.1.11.19707

hl7Realm | Description: Coded concepts representing Binding Realms (used for Context Binding of terminology in HL7 models) and/or Namespace Realms (used to help ensure unique identification of HL7 artifacts). This code system is partitioned into three sections: Affiliate realms, Binding realms and Namespace realms. All affiliate realm codes may automatically be used as both binding realms and namespace realms. Furthermore, affiliate realms are the only realms that have authority over the creation of binding realms. (Note that 'affiliate' includes the idea of both international affiliates and the HL7 International organization.) All other codes must be associated with an owning affiliate realm and must appear as a specialization of _BindingRealm or _NamespaceRealm. For affiliates whose concepts align with nations, the country codes from ISO 3166-1 2-character alpha are used for the code when possible so these codes should not be used for other realm types. It is recommended that binding realm and namespace codes submitted by affiliates use the realm code as a prefix to avoid possible collisions with ISO codes. However, tooling does not currently support namepace realm codes greater than 2 characters. Open Issue: The name of the concept property "owningAffiliate" should be changed to better reflect that the property value is the human readable name of the organizational entity that manages the Realm identified by the Realm Code. Open Issue: In spite of the inability of tooling to process codes longer than 2 characters, there is at least one realm codes ('SOA') that was added that is 3 characters in length. | .1.113883.1.11.20355

hl7V3Conformance | Description: Identifies allowed codes for HL7aTMs v3 conformance property. | --

orderableDrugForm | OpenIssue: Missing description. | --

substanceAdminSubstitution | Identifies what sort of change is permitted or has occurred between the therapy that was ordered and the therapy that was/will be provided. | --

xBasicConfidentialityKind | Description: Used to enumerate the typical confidentiality constraints placed upon a clinical document. Usage Note: x_BasicConfidentialityKind is a subset of Confidentiality codes that are used as metadata indicating the receiver responsibility to comply with normally applicable jurisdictional privacy law or disclosure authorization; that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject; or that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject. | .1.113883.1.11.16926

URI | Description | OID
URI (all prefixed with http://hl7.org/fhir/v2/) | ID | OID
0001 | Administrative Sex
0002 | Marital Status
0003 | Event Type
0004 | Patient Class
0005 | Race
0006 | ReligionVersion Dependent. Use one of: 2.1+ 2.4+
0007 | Admission Type
0008 | Acknowledgment code
0009 | Ambulatory Status
0012 | STOCK LOCATION
0017 | Transaction Type
0023 | Admit Source
0027 | Priority
0033 | ROUTE
0034 | SITE ADMINISTERED
0038 | Order status
0043 | Condition Code
0048 | What subject filter
0052 | Diagnosis Type
0061 | Check Digit Scheme
0062 | Event Reason
0063 | Relationship
0065 | Specimen Action Code
0066 | Employment Status
0069 | Hospital Service
0070 | Specimen Source Codes
0074 | Diagnostic Service Section ID
0076 | Message Type
0078 | Interpretation Codes
0080 | Nature of Abnormal Testing
0083 | Outlier Type
0085 | Observation Result Status Codes Interpretation
0091 | Query Priority
0092 | Re-Admission Indicator
0098 | Type of Agreement
0100 | Invocation event
0102 | Delayed acknowledgment type
0103 | Processing ID
0104 | Version ID
0105 | Source of Comment
0106 | Query/response format code
0107 | Deferred response type
0108 | Query results level
0109 | Report priority
0116 | Bed Status
0119 | Order Control Codes
0121 | Response Flag
0122 | Charge Type
0123 | Result Status
0124 | Transportation Mode
0125 | Value Type
0126 | Quantity Limited Request
0127 | Allergen Type
0128 | Allergy Severity
0130 | Visit User Code
0131 | Contact Role
0133 | Procedure Practitioner Identifier Code Type
0135 | Assignment of Benefits
0136 | Yes/no Indicator
0137 | Mail Claim Party
0140 | Military Service
0141 | Military Rank/Grade
0142 | Military Status
0144 | Eligibility Source
0145 | Room Type

0146 | Amount Type
0147 | Policy Type
0148 | Money or Percentage Indicator
0149 | Day Type
0150 | Certification Patient Type
0153 | Value Code
0155 | Accept/Application Acknowledgment Conditions
0156 | Which date/time qualifier
0157 | Which date/time status qualifier
0158 | Date/time selection qualifier
0159 | Diet Code Specification Type
0160 | Tray Type
0161 | Allow Substitution
0162 | Route of Administration
0163 | Body Site
0164 | Administration Device
0165 | Administration Method
0166 | RX Component Type
0167 | Substitution Status
0168 | Processing Priority
0169 | Reporting Priority
0170 | Derived Specimen
0173 | Coordination of Benefits
0174 | Nature of Service/Test/Observation
0175 | Master File Identifier Code
0177 | Confidentiality Code
0178 | File Level Event Code
0179 | Response Level
0180 | Record-level Event Code
0181 | MFN Record-level Error Return
0183 | Active/Inactive
0185 | Preferred Method of Contact
0187 | Provider Billing
0189 | Ethnic Group
0190 | Address Type
0191 | Type of Referenced Data
0193 | Amount Class
0200 | Name Type
0201 | Telecommunication Use Code
0202 | Telecommunication Equipment Type
0203 | Identifier Type
0204 | Organizational Name Type
0205 | Price Type
0206 | Segment Action Code
0207 | Processing Mode
0208 | Query Response Status
0209 | Relational Operator
0210 | Relational Conjunction
0211 | Alternate Character Sets
0213 | Purge Status Code
0214 | Special Program Code
0215 | Publicity Code
0216 | Patient Status Code
0217 | Visit Priority Code
0220 | Living Arrangement
0223 | Living Dependency
0224 | Transport Arranged
0225 | Escort Required
0227 | Manufacturers of Vaccines (code=MVX)
0228 | Diagnosis Classification
0229 | DRG Payor
0230 | Procedure Functional Type
0231 | Student Status
0232 | - Insurance Company Contact Reason
0234 | Report Timing
0235 | Report Source
0236 | Event Reported To
0237 | Event Qualification
0238 | Event Seriousness
0239 | Event Expected
0240 | Event Consequence
0241 | Patient Outcome

0242 | Primary Observer's Qualification
0243 | Identity May Be Divulged
0247 | Status of Evaluation
0248 | Product Source
0250 | Relatedness Assessment
0251 | Action Taken in Response to the Event
0252 | Causality Observations
0253 | Indirect Exposure Mechanism
0254 | Kind of Quantity
0255 | Duration Categories
0256 | Time Delay Post Challenge
0257 | Nature of Challenge
0258 | Relationship Modifier
0259 | Modality
0260 | Patient Location Type
0261 | Location Equipment
0262 | Privacy Level
0263 | Level of Care
0265 | Specialty Type
0267 | Days of the Week
0268 | Override
0269 | Charge On Indicator
0270 | Document Type
0271 | Document Completion Status
0272 | Document Confidentiality Status
0273 | Document Availability Status
0275 | Document Storage Status
0276 | Appointment reason codes
0277 | Appointment Type Codes
0278 | Filler status codes
0279 | Allow Substitution Codes
0280 | Referral Priority
0281 | Referral Type
0282 | Referral Disposition
0283 | Referral Status
0284 | Referral Category
0286 | Provider Role
0287 | Problem/Goal Action Code
0290 | MIME base64 encoding characters
0291 | Subtype of Referenced Data
0292 | Vaccines Administered (code = CVX) (parenteral, un
0294 | Time Selection Criteria Parameter Class Codes
0298 | CP Range Type
0299 | Encoding
0301 | Universal ID Type
0305 | Person Location Type
0309 | Coverage Type
0311 | Job Status
0315 | Living Will Code
0316 | Organ Donor Code
0317 | Annotations
0321 | Dispense Method
0322 | Completion Status
0323 | Action Code
0324 | Location Characteristic ID
0325 | Location Relationship ID
0326 | Visit Indicator
0329 | Quantity Method
0330 | Marketing Basis
0331 | Facility Type
0332 | Source Type
0334 | Disabled Person Code
0335 | Repeat Pattern
0336 | Referral Reason
0337 | Certification Status
0338 | Practitioner ID Number Type
0339 | Advanced Beneficiary Notice Code
0344 | Patient's Relationship to Insured
0350 | Occurrence Code
0351 | Occurrence Span
0353 | CWE statuses
0354 | Message Structure

0355 | Primary Key Value Type
0356 | Alternate Character Set Handling Scheme
0357 | Message Error Condition Codes
0359 | Diagnosis Priority
0360 | Degree/License/CertificateVersion Dependent. Use one of: 2.3.1+ 2.7+
0363 | Assigning Authority
0364 | Comment Type
0365 | Equipment State
0366 | Local/Remote Control State
0367 | Alert Level
0368 | Remote Control Command
0369 | Specimen Role
0370 | Container Status
0371 | Additive/Preservative
0372 | Specimen Component
0373 | Treatment
0374 | System Induced Contaminants
0375 | Artificial Blood
0376 | Special Handling Code
0377 | Other Environmental Factors
0383 | Substance Status
0384 | Substance Type
0387 | Command Response
0388 | Processing Type
0389 | Analyte Repeat Status
0391 | Segment GroupVersion Dependent. Use one of: 2.4+ 2.6+
0392 | Match Reason
0393 | Match Algorithms
0394 | Response Modality
0395 | Modify Indicator
0396 | Coding System
0397 | Sequencing
0398 | Continuation Style Code
0401 | Government Reimbursement Program
0402 | School Type
0403 | Language Ability
0404 | Language Proficiency
0406 | Organization Unit Type
0409 | Application Change Type
0411 | Supplemental Service Information Values
0415 | Transfer Type
0416 | Procedure DRG Type
0417 | Tissue Type Code
0418 | Procedure Priority
0421 | Severity of Illness Code
0422 | Triage Code
0423 | Case Category Code
0424 | Gestation Category Code
0425 | Newborn Code
0426 | Blood Product Code
0427 | Risk Management Incident Code
0428 | Incident Type Code
0429 | Production Class Code
0430 | Mode of Arrival Code
0431 | Recreational Drug Use Code
0432 | Admission Level of Care Code
0433 | Precaution Code
0434 | Patient Condition Code
0435 | Advance Directive Code
0436 | Sensitivity to Causative Agent Code
0437 | Alert Device Code
0438 | Allergy Clinical Status
0440 | Data Types
0441 | Immunization Registry Status
0442 | Location Service Code
0443 | Provider Role
0444 | Name Assembly Order
0445 | Identity Reliability Code
0450 | Event Type
0455 | Type of Bill Code
0456 | Revenue code
0457 | Overall Claim Disposition Code

0459 | Reimbursement Action Code
0460 | Denial or Rejection Code
0465 | Name/Address Representation
0466 | Ambulatory Payment Classification Code
0468 | Payment Adjustment Code
0469 | Packaging Status Code
0470 | - Reimbursement Type Code
0472 | TQ Conjunction ID
0473 | Formulary Status
0474 | Organization Unit Type
0475 | Charge Type Reason
0477 | Controlled Substance Schedule
0478 | Formulary Status
0480 | Pharmacy Order Types
0482 | Order Type
0483 | Authorization Mode
0484 | Dispense Type
0485 | Extended Priority Codes
0487 | Specimen Type
0488 | Specimen Collection Method
0489 | Risk Codes
0490 | Specimen Reject Reason
0491 | Specimen Quality
0492 | Specimen Appropriateness
0493 | Specimen Condition
0494 | Specimen Child Role
0495 | Body Site Modifier
0496 | Consent Type
0497 | Consent Mode
0498 | Consent Status
0499 | Consent Bypass Reason
0500 | Consent Disclosure Level
0501 | Consent Non-Disclosure Reason
0502 | Non-Subject Consenter Reason
0503 | Sequence/Results Flag
0504 | Sequence Condition Code
0505 | Cyclic Entry/Exit Indicator
0506 | Service Request Relationship
0507 | Observation Result Handling
0508 | Blood Product Processing Requirements
0510 | Blood Product Dispense Status
0511 | BP Observation Status Codes Interpretation
0513 | Blood Product Transfusion/Disposition Status
0514 | Transfusion Adverse Reaction
0516 | Error Severity
0517 | Inform Person Code
0518 | Override Type
0520 | Message Waiting Priority
0523 | Computation Type
0524 | Sequence condition
0527 | Calendar Alignment
0528 | Event Related Period
0529 | Precision
0530 | Organization, Agency, Department
0532 | Expanded Yes/no Indicator
0534 | Notify Clergy Code
0535 | Signature Code
0536 | Certificate Status
0538 | Institution Relationship Type
0540 | Inactive Reason Code
0544 | Container Condition
0547 | Jurisdictional Breadth
0548 | Signatory's Relationship to Subject
0550 | Body Parts
0553 | Invoice Control Code
0554 | Invoice Reason Codes
0555 | Invoice Type
0556 | Benefit Group
0557 | Payee Type
0558 | Payee Relationship to Invoice
0559 | Product/Service Status
0561 | Product/Services Clarification Codes

0562 | Processing Consideration Codes
0564 | Adjustment Category Code
0565 | Provider Adjustment Reason Code
0566 | Blood Unit Type
0569 | Adjustment Action
0570 | Payment Method Code
0571 | Invoice Processing Results Status
0572 | Tax status
0615 | User Authentication Credential Type Code
0616 | Address Expiration Reason
0617 | Address Usage
0618 | Protection Code
0625 | Item Status Codes
0634 | Item Importance Codes
0642 | Reorder Theory Codes
0651 | Labor Calculation Type
0653 | Date Format
0657 | Device Type
0659 | Lot Control
0667 | Device Data State
0669 | Load Status
0682 | Device Status
0702 | Cycle Type
0717 | Access Restriction Value
0719 | Access Restriction Reason Code
0725 | Mood Codes
0728 | CCL Value
0731 | DRG Diagnosis Determination Status
0734 | Grouper Status
0739 | DRG Status Patient
0742 | DRG Status Financial Calculation
0749 | DRG Grouping Status
0755 | Status Weight At Birth
0757 | DRG Status Respiration Minutes
0759 | Status Admission
0761 | DRG Procedure Determination Status
0763 | DRG Procedure Relevance
0776 | Item Status
0778 | Item Type
0790 | Approving Regulatory Agency
0793 | Ruling Act
0806 | Sterilization Type
0818 | Package
0834 | MIME Types
0868 | Telecommunication Expiration Reason
0871 | Supply Risk Codes
0881 | Role Executing Physician
0882 | Medical Role Executing Physician
0894 | Side of body
0895 | Present On Admission (POA) Indicator
0904 | Security Check Scheme
0905 | Shipment Status
0906 | ActPriority
0907 | Confidentiality
0909 | Patient Results Release Categorization Scheme
0912 | Participation
0914 | Root Cause
0916 | Relevant Clincial Information
0917 | Bolus Type
0918 | PCA Type
0919 | Exclusive Test
0920 | Preferred Specimen/Attribute Status
0921 | Certification Type Code
0922 | Certification Category Code
0923 | Process Interruption
0924 | Cumulative Dosage Limit UoM
0925 | Phlebotomy Issue
0926 | Phlebotomy Status
0927 | Arm Stick
0933 | Intended Procedure Type
0935 | Process Interruption Reason
4000 | Name/address representation

4.3.1.1 Value Set http://hl7.org/fhir/ValueSet/administrative-gender

URL: https://hl7.org/fhir/STU3/valueset-administrative-gender.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/administrative-gender
Name: | AdministrativeGender
Definition: | The gender of a person used for administrative purposes.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.1 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AdministrativeGender

* This value set has translations in the ConceptMap v2 map for AdministrativeGender

* This value set has translations in the ConceptMap v3 map for AdministrativeGender

* RelatedPerson.gender (Required)

* Practitioner.gender (Required)

* Person.gender (Required)

* FamilyMemberHistory.gender (Required)

* StructureDefinition FamilyMemberHistory-Genetic: FamilyMemberHistory.gender ((Required))

* Patient.gender (Required)

* Patient.contact.gender (Required)

4.3.1.1.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/administrative-gender

4.3.1.1.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/administrative-gender version 3.0.2

All codes from system http://hl7.org/fhir/administrative-gender

Code | Display | Definition
male | Male | Male
female | Female | Female
other | Other | Other
unknown | Unknown | Unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.3 Value Set http://hl7.org/fhir/ValueSet/formatcodes

URL: https://hl7.org/fhir/STU3/valueset-formatcodes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/formatcodes

Name: | DocumentReference Format Code Set

Definition: | The value set is defined to be the set of format codes defined by the IHE Technical Framework, and also including additional format codes defined by the HL7. The value set is listed in HITSP C80 Table 2-153 Format Code Value Set Definition, with additions published later by IHE as published at http://wiki.ihe.net/index.php?title=IHE_Format_Codes and with additions published later by HL7 as published at http://wiki.hl7.org/index.php?title=CDA_Format_Codes_for_IHE_XDS. This is the code specifying the technical format of the document. Along with the typeCode, it should provide sufficient information to allow any potential document consumer to know if it will be able to process the document. The code shall be sufficiently specific to ensure processing/display by identifying a document encoding, structure and template. The actual list of codes here is incomplete

Committee: | Structured Documents Work Group

OID: | 1.3.6.1.4.1.19376.1.2.3 (for OID based terminology systems)

Copyright: | Some content from IHE® Copyright © 2015 IHE International, Inc. This content is from the IHE Technical Frameworks and Supplements, available for free download and use at http://www.ihe.net/Technical_Frameworks/

Source Resource | XML / JSON

This value set is used in the following places:

* DocumentReference.content.format (Preferred)

4.3.1.3.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

urn:oid:1.3.6.1.4.1.19376.1.2.3

Code	Display
urn:ihe:pcc:handp:2008	History and Physical Specification
urn:ihe:pcc:xphr:2007	HL7 CCD Document
urn:ihe:pcc:aps:2007	IHE Antepartum Summary
urn:ihe:pcc:xds-ms:2007	XDS Medical Summaries
urn:ihe:pcc:xphr:2007	Personal Health Records
urn:ihe:pcc:edr:2007	Emergency Department Referral (EDR)
urn:ihe:pcc:edes:2007	Emergency Department Encounter Summary (EDES)
urn:ihe:pcc:apr:handp:2008	Antepartum Record (APR) - History and Physical
urn:ihe:pcc:apr:lab:2008	Antepartum Record (APR) - Laboratory
urn:ihe:pcc:apr:edu:2008	Antepartum Record (APR) - Education
urn:ihe:pcc:irc:2008	Immunization Registry Content (IRC)
urn:ihe:pcc:crc:2008	Cancer Registry Content (CRC)
urn:ihe:pcc:cm:2008	Care Management (CM)
urn:ihe:pcc:ic:2009	Immunization Content (IC)
urn:ihe:pcc:tn:2007	PCC TN
urn:ihe:pcc:nn:2007	PCC NN
urn:ihe:pcc:ctn:2007	PCC CTN
urn:ihe:pcc:edpn:2007	PCC EDPN
urn:ihe:pcc:hp:2008	PCC HP
urn:ihe:pcc:ldhp:2009	PCC LDHP
urn:ihe:pcc:lds:2009	PCC LDS
urn:ihe:pcc:mds:2009	PCC MDS
urn:ihe:pcc:nds:2010	PCC NDS
urn:ihe:pcc:ppvs:2010	PCC PPVS
urn:ihe:pcc:trs:2011	PCC TRS
urn:ihe:pcc:ets:2011	PCC ETS
urn:ihe:pcc:its:2011	PCC ITS
urn:ihe:iti:bppc:2007	Basic Patient Privacy Consents
urn:ihe:iti:bppc-sd:2007	Basic Patient Privacy Consents with Scanned Document
urn:ihe:iti:xdw:2011:workflowDoc	XDW Workflow Document
urn:ihe:iti:dsg:detached:2014	DSG Detached Document
urn:ihe:iti:dsg:enveloping:2014	DSG Enveloping Document
urn:ihe:iti:xds-sd:pdf:2008	PDF embedded in CDA per XDS-SD profile
urn:ihe:iti:xds-sd:text:2008	Text embedded in CDA per XDS-SD profile
urn:ihe:lab:xd-lab:2008	CDA Laboratory Report
urn:ihe:rad:TEXT	Radiology XDS-I Text
urn:ihe:rad:PDF	Radiology XDS-I PDF
urn:ihe:rad:CDA:ImagingReportStructuredHeadings:2013	Radiology XDS-I Structured CDA
urn:ihe:card:imaging:2011	Cardiac Imaging Report
urn:ihe:card:CRC:2012	Cardiology CRC
urn:ihe:card:EPRC-IE:2014	Cardiology EPRC-IE
urn:ihe:dent:TEXT	Dental Text
urn:ihe:dent:PDF	Dental PDF
urn:ihe:dent:CDA:ImagingReportStructuredHeadings:2013	Dental CDA
urn:ihe:pat:apsr:all:2010	Anatomic Pathology Structured Report All
urn:ihe:pat:apsr:cancer:all:2010	Anatomic Pathology Structured Report Cancer All
urn:ihe:pat:apsr:cancer:breast:2010	Anatomic Pathology Structured Report Cancer Breast
urn:ihe:pat:apsr:cancer:colon:2010	Anatomic Pathology Structured Report Cancer Colon
urn:ihe:pat:apsr:cancer:prostate:2010	Anatomic Pathology Structured Report Cancer Prostate

urn:ihe:pat:apsr:cancer:thyroid:2010 | Anatomic Pathology Structured Report Cancer Thyroid
urn:ihe:pat:apsr:cancer:lung:2010 | Anatomic Pathology Structured Report Cancer Lung
urn:ihe:pat:apsr:cancer:skin:2010 | Anatomic Pathology Structured Report Cancer Skin
urn:ihe:pat:apsr:cancer:kidney:2010 | Anatomic Pathology Structured Report Cancer Kidney
urn:ihe:pat:apsr:cancer:cervix:2010 | Anatomic Pathology Structured Report Cancer Cervix
urn:ihe:pat:apsr:cancer:endometrium:2010 | Anatomic Pathology Structured Report Cancer Endometrium
urn:ihe:pat:apsr:cancer:ovary:2010 | Anatomic Pathology Structured Report Cancer Ovary
urn:ihe:pat:apsr:cancer:esophagus: 2010 | Anatomic Pathology Structured Report Cancer Esophagus
urn:ihe:pat:apsr:cancer:stomach: 2010 | Anatomic Pathology Structured Report Cancer Stomach
urn:ihe:pat:apsr:cancer:liver:2010 | Anatomic Pathology Structured Report Cancer Liver
urn:ihe:pat:apsr:cancer:pancreas: 2010 | Anatomic Pathology Structured Report Cancer Pancreas
urn:ihe:pat:apsr:cancer:testis:2010 | Anatomic Pathology Structured Report Cancer Testis
urn:ihe:pat:apsr:cancer:urinary_bladder:2010 | Anatomic Pathology Structured Report Cancer Urinary Bladder
urn:ihe:pat:apsr:cancer:lip_oral_cavity:2010 | Anatomic Pathology Structured Report Cancer Lip Oral Cavity
urn:ihe:pat:apsr:cancer:pharynx:2010 | Anatomic Pathology Structured Report Cancer Pharynx
urn:ihe:pat:apsr:cancer:salivary_gland:2010 | Anatomic Pathology Structured Report Cancer Salivary Gland
urn:ihe:pat:apsr:cancer:larynx:2010 | Anatomic Pathology Structured Report Cancer Larynx
urn:ihe:pharm:pre:2010 | Pharmacy Pre
urn:ihe:pharm:padv:2010 | Pharmacy PADV
urn:ihe:pharm:dis:2010 | Pharmacy DIS
urn:ihe:pharm:pml:2013 | Pharmacy PML
urn:hl7-org:sdwg:ccda-structuredBody:1.1 | For documents following C-CDA 1.1 constraints using a structured body.
urn:hl7-org:sdwg:ccda-nonXMLBody:1.1 | For documents following C-CDA 1.1 constraints using a non structured body.
urn:hl7-org:sdwg:ccda-structuredBody:2.1 | For documents following C-CDA 2.1 constraints using a structured body.
urn:hl7-org:sdwg:ccda-nonXMLBody:2.1 | For documents following C-CDA 2.1 constraints using a non structured body.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.5 Value Set http://hl7.org/fhir/ValueSet/data-absent-reason

URL: https://hl7.org/fhir/STU3/valueset-data-absent-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/data-absent-reason
Name: | DataAbsentReason
Definition: | Used to specify why the normally expected content of the data element is missing.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.5 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DataAbsentReason

* This value set has translations in the ConceptMap v3 map for DataAbsentReason

* Extension http://hl7.org/fhir/StructureDefinition/data-absent-reason: Data Absent Reason ((Required))

4.3.1.5.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/data-absent-reason

4.3.1.5.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/data-absent-reason version 3.0.2

All codes from system http://hl7.org/fhir/data-absent-reason

Code | Display | Definition

unknown | Unknown | The value is not known.
asked | Asked | The source human does not know the value.
temp | Temp | There is reason to expect (from the workflow) that the value may become known.
not-asked | Not Asked | The workflow didn't lead to this value being known.
masked | Masked | The information is not available due to security, privacy or related reasons.
unsupported | Unsupported | The source system wasn't capable of supporting this element.
astext | As Text | The content of the data is represented in the resource narrative.
error | Error | Some system or workflow process error means that the information is not available.
NaN | Not a Number | NaN, standing for not a number, is a numeric data type value representing an undefined or unrepresentable value.
not-performed | Not Performed | The value is not available because the observation procedure (test, etc.) was not performed.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.7 Value Set http://hl7.org/fhir/ValueSet/document-reference-status

URL: https://hl7.org/fhir/STU3/valueset-document-reference-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/document-reference-status
Name: | DocumentReferenceStatus
Definition: | The status of the document reference.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.7 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DocumentReferenceStatus

* This value set has translations in the ConceptMap v3 map for DocumentReferenceStatus

* DocumentManifest.status (Required)

* DocumentReference.status (Required)

4.3.1.7.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/document-reference-status

4.3.1.7.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/document-reference-status version 3.0.2

All codes from system http://hl7.org/fhir/document-reference-status

Code | Display | Definition
current | Current | This is the current reference for this document.
superseded | Superseded | This reference has been superseded by another reference.
entered-in-error | Entered in Error | This reference was created in error.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.9 Value Set http://hl7.org/fhir/ValueSet/special-values

URL: https://hl7.org/fhir/STU3/valueset-special-values.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/special-values
Name: | SpecialValues
Definition: | A set of generally useful codes defined so they can be included in value sets.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.9 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SpecialValues

* This value set is used implicitly when searching boolean values

4.3.1.9.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/special-values

4.3.1.9.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/special-values version 3.0.2

All codes from system http://hl7.org/fhir/special-values

Code | Display | Definition
true | true | Boolean true.
false | false | Boolean false.
trace | Trace Amount Detected | The content is greater than zero, but too small to be quantified.
sufficient | Sufficient Quantity | The specific quantity is not known, but is known to be non-zero and is not specified because it makes up the bulk of the material.
withdrawn | Value Withdrawn | The value is no longer available.
nil-known | Nil Known | The are no known applicable values in this context.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.11 Value Set http://hl7.org/fhir/ValueSet/search-param-type

URL: https://hl7.org/fhir/STU3/valueset-search-param-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 4 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/search-param-type
Name: | SearchParamType
Definition: | Data types allowed to be used for search parameters.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.11 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SearchParamType

* CapabilityStatement.rest.resource.searchParam.type (Required)

* SearchParameter.type (Required)

* OperationDefinition.parameter.searchType (Required)

4.3.1.11.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/search-param-type

4.3.1.11.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/search-param-type version 3.0.2

All codes from system http://hl7.org/fhir/search-param-type

Code | Display | Definition
number | Number | Search parameter SHALL be a number (a whole number, or a decimal).
date | Date/DateTime | Search parameter is on a date/time. The date format is the standard XML format, though other formats may be supported.
string | String | Search parameter is a simple string, like a name part. Search is case-insensitive and accent-insensitive. May match just the start of a string. String parameters may contain spaces.
token | Token | Search parameter on a coded element or identifier. May be used to search through the text, displayname, code and code/codesystem (for codes) and label, system and key (for identifier). Its value is either a string or a pair of namespace and value, separated by a "|", depending on the modifier used.
reference | Reference | A reference to another resource.
composite | Composite | A composite search parameter that combines a search on two values together.
quantity | Quantity | A search parameter that searches on a quantity.
uri | URI | A search parameter that searches on a URI (RFC 3986).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.13 Value Set http://hl7.org/fhir/ValueSet/remittance-outcome

URL: https://hl7.org/fhir/STU3/valueset-remittance-outcome.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/remittance-outcome
Name: | Claim Processing Codes
Definition: | This value set includes a Claim Processing Outcome codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.13 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Claim Processing Codes

* ExplanationOfBenefit.outcome (Example)

* ClaimResponse.outcome (Example)

4.3.1.13.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/remittance-outcome

4.3.1.13.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/remittance-outcome version 3.0.2

All codes from system http://hl7.org/fhir/remittance-outcome

Code | Display | Definition
complete | Processing Complete | The processing has completed without errors
error | Error | One or more errors have been detected in the Claim
partial | Partial Processing | No errors have been detected in the Claim and some of the adjudication has been performed.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.15 Value Set http://hl7.org/fhir/ValueSet/note-type

URL: https://hl7.org/fhir/STU3/valueset-note-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/note-type
Name: | NoteType
Definition: | The presentation types of notes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.15 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for NoteType

* ExplanationOfBenefit.processNote.type (Required)

* ClaimResponse.processNote.type (Required)

* PaymentReconciliation.processNote.type (Required)

* ProcessResponse.processNote.type (Required)

4.3.1.15.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/note-type

4.3.1.15.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/note-type version 3.0.2

All codes from system http://hl7.org/fhir/note-type

Code | Display | Definition
display | Display | Display the note.
print | Print (Form) | Print the note on the form.
printoper | Print (Operator) | Print the note for the operator.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.17 Value Set http://hl7.org/fhir/ValueSet/concept-map-equivalence

URL: https://hl7.org/fhir/STU3/valueset-concept-map-equivalence.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/concept-map-equivalence
Name: | ConceptMapEquivalence
Definition: | The degree of equivalence between concepts.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.17 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConceptMapEquivalence

* ConceptMap.group.element.target.equivalence (Required)

* Extension http://hl7.org/fhir/StructureDefinition/elementdefinition-equivalence: equivalence ((Required))

4.3.1.17.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/concept-map-equivalence

4.3.1.17.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/concept-map-equivalence version 3.0.2

All codes from system http://hl7.org/fhir/concept-map-equivalence

Code | Display | Definition
relatedto | Related To | The concepts are related to each other, and have at least some overlap in meaning, but the exact relationship is not known
equivalent | Equivalent | The definitions of the concepts mean the same thing (including when structural implications of meaning are considered) (i.e. extensionally identical).
equal | Equal | The definitions of the concepts are exactly the same (i.e. only grammatical differences) and structural implications of meaning are identical or irrelevant (i.e. intentionally identical).
wider | Wider | The target mapping is wider in meaning than the source concept.
subsumes | Subsumes | The target mapping subsumes the meaning of the source concept (e.g. the source is-a target).
narrower | Narrower | The target mapping is narrower in meaning than the source concept. The sense in which the mapping is narrower SHALL be described in the comments in this case, and applications should be careful when attempting to use these mappings operationally.
specializes | Specializes | The target mapping specializes the meaning of the source concept (e.g. the target is-a source).
inexact | Inexact | The target mapping overlaps with the source concept, but both source and target cover additional meaning, or the definitions are imprecise and it is uncertain whether they have the same boundaries to their meaning. The sense in which the mapping is narrower SHALL be described in the comments in this case, and applications should be careful when attempting to use these mappings operationally.
unmatched | Unmatched | There is no match for this concept in the destination concept system.
disjoint | Disjoint | This is an explicit assertion that there is no mapping between the source and target concept.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.19 Value Set http://hl7.org/fhir/ValueSet/age-units

URL: https://hl7.org/fhir/STU3/valueset-age-units.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/age-units

Name: | UCUM Codes
Definition: | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.19 (for OID based terminology systems)
Copyright: | The UCUM codes, UCUM table (regardless of format), and UCUM Specification are copyright © 1999-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved.
Source Resource | XML / JSON

This value set is not currently used

4.3.1.19.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://unitsofmeasure.org

Code	Display
min	minutes
h	hours
d	days
wk	weeks
mo	months
a	years

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.20 Value Set http://hl7.org/fhir/ValueSet/all-languages

URL: https://hl7.org/fhir/STU3/valueset-all-languages.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/all-languages
Name: | All Languages
Definition: | This value set includes all possible codes from BCP-47 (http://tools.ietf.org/html/bcp47)
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.20 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Max: Resource.language (Extensible)
* Max: Practitioner.communication (Extensible)
* Max: ExpansionProfile.designation.include.designation.language (Extensible)
* Max: ExpansionProfile.designation.exclude.designation.language (Extensible)
* Max: ExpansionProfile.displayLanguage (Extensible)
* Max: DeviceComponent.languageCode (Extensible)
* Max: ExplanationOfBenefit.processNote.language (Extensible)
* Max: ValueSet.compose.include.concept.designation.language (Extensible)
* Max: CodeSystem.concept.designation.language (Extensible)
* Max: ClaimResponse.processNote.language (Extensible)
* Max: Patient.communication.language (Extensible)
* Max: Attachment.language (Extensible)

4.3.1.20.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in urn:ietf:bcp:47

4.3.1.20.2 Expansion

This expansion generated 19 Apr 2017

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.21 Value Set http://hl7.org/fhir/ValueSet/data-types

URL: https://hl7.org/fhir/STU3/valueset-data-types.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/data-types
Name: | DataType
Definition: | The type of an element - one of the FHIR data types.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.21 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DataType

* Extension http://hl7.org/fhir/StructureDefinition/questionnaire-baseType: baseType ((Required))

4.3.1.21.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/data-types

4.3.1.21.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 54 concepts

Expansion based on http://hl7.org/fhir/data-types version 3.0.2

All codes from system http://hl7.org/fhir/data-types

Code | Display | Definition
Address | Address | An address expressed using postal conventions (as opposed to GPS or other location definition formats). This data type may be used to convey addresses for use in delivering mail as well as for visiting locations which might not be valid for mail delivery. There are a variety of postal address formats defined around the world.
Age | Age | A duration of time during which an organism (or a process) has existed.
Annotation | Annotation | A text note which also contains information about who made the statement and when.
Attachment | Attachment | For referring to data content defined in other formats.
BackboneElement | BackboneElement | Base definition for all elements that are defined inside a resource - but not those in a data type.
CodeableConcept | CodeableConcept | A concept that may be defined by a formal reference to a terminology or ontology or may be provided by text.
Coding | Coding | A reference to a code defined by a terminology system.
ContactDetail | ContactDetail | Specifies contact information for a person or organization.
ContactPoint | ContactPoint | Details for all kinds of technology mediated contact points for a person or organization, including telephone, email, etc.
Contributor | Contributor | A contributor to the content of a knowledge asset, including authors, editors, reviewers, and endorsers.
Count | Count | A measured amount (or an amount that can potentially be measured). Note that measured amounts include amounts that are not precisely quantified, including amounts involving arbitrary units and floating currencies.
DataRequirement | DataRequirement | Describes a required data item for evaluation in terms of the type of data, and optional code or date-based filters of the data.
Distance | Distance | A length - a value with a unit that is a physical distance.
Dosage | Dosage | Indicates how the medication is/was taken or should be taken by the patient.
Duration | Duration | A length of time.

Element | Element | Base definition for all elements in a resource.
ElementDefinition | ElementDefinition | Captures constraints on each element within the resource, profile, or extension.
Extension | Extension | Optional Extension Element - found in all resources.
HumanName | HumanName | A human's name with the ability to identify parts and usage.
Identifier | Identifier | A technical identifier - identifies some entity uniquely and unambiguously.
Meta | Meta | The metadata about a resource. This is content in the resource that is maintained by the infrastructure. Changes to the content may not always be associated with version changes to the resource.
Money | Money | An amount of economic utility in some recognized currency.
Narrative | Narrative | A human-readable formatted text, including images.
ParameterDefinition | ParameterDefinition | The parameters to the module. This collection specifies both the input and output parameters. Input parameters are provided by the caller as part of the $evaluate operation. Output parameters are included in the GuidanceResponse.
Period | Period | A time period defined by a start and end date and optionally time.
Quantity | Quantity | A measured amount (or an amount that can potentially be measured). Note that measured amounts include amounts that are not precisely quantified, including amounts involving arbitrary units and floating currencies.
Range | Range | A set of ordered Quantities defined by a low and high limit.
Ratio | Ratio | A relationship of two Quantity values - expressed as a numerator and a denominator.
Reference | Reference | A reference from one resource to another.
RelatedArtifact | RelatedArtifact | Related artifacts such as additional documentation, justification, or bibliographic references.
SampledData | SampledData | A series of measurements taken by a device, with upper and lower limits. There may be more than one dimension in the data.
Signature | Signature | A digital signature along with supporting context. The signature may be electronic/cryptographic in nature, or a graphical image representing a hand-written signature, or a signature process. Different signature approaches have different utilities.
SimpleQuantity | SimpleQuantity
Timing | Timing | Specifies an event that may occur multiple times. Timing schedules are used to record when things are planned, expected or requested to occur. The most common usage is in dosage instructions for medications. They are also used when planning care of various kinds, and may be used for reporting the schedule to which past regular activities were carried out.
TriggerDefinition | TriggerDefinition | A description of a triggering event.
UsageContext | UsageContext | Specifies clinical/business/etc metadata that can be used to retrieve, index and/or categorize an artifact. This metadata can either be specific to the applicable population (e.g., age category, DRG) or the specific context of care (e.g., venue, care setting, provider of care).
base64Binary | base64Binary | A stream of bytes
boolean | boolean | Value of "true" or "false"
code | code | A string which has at least one character and no leading or trailing whitespace and where there is no whitespace other than single spaces in the contents
date | date | A date or partial date (e.g. just year or year + month). There is no time zone. The format is a union of the schema types gYear, gYearMonth and date. Dates SHALL be valid dates.
dateTime | dateTime | A date, date-time or partial date (e.g. just year or year + month). If hours and minutes are specified, a time zone SHALL be populated. The format is a union of the schema types gYear, gYearMonth, date and dateTime. Seconds must be provided due to schema type constraints but may be zero-filled and may be ignored. Dates SHALL be valid dates.
decimal | decimal | A rational number with implicit precision
id | id | Any combination of letters, numerals, "-" and ".", with a length limit of 64 characters. (This might be an integer, an unprefixed OID, UUID or any other identifier pattern that meets these constraints.) Ids are case-insensitive.
instant | instant | An instant in time - known at least to the second
integer | integer | A whole number
markdown | markdown | A string that may contain markdown syntax for optional processing by a mark down presentation engine
oid | oid | An OID represented as a URI
positiveInt | positiveInt | An integer with a value that is positive (e.g. >0)
string | string | A sequence of Unicode characters
time | time | A time during the day, with no date specified
unsignedInt | unsignedInt | An integer with a value that is not negative (e.g. >= 0)
uri | uri | String of characters used to identify a name or a resource
uuid | uuid | A UUID, represented as a URI
xhtml | XHTML | XHTML format, as defined by W3C, but restricted usage (mainly, no active content)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.22 Value Set http://hl7.org/fhir/ValueSet/abstract-types

URL: https://hl7.org/fhir/STU3/valueset-abstract-types.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/abstract-types
Name: | AbstractType
Definition: | A type defined by FHIR that is an abstract type
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.22 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AbstractType

4.3.1.22.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/abstract-types

4.3.1.22.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/abstract-types version 3.0.2

All codes from system http://hl7.org/fhir/abstract-types

Code | Display | Definition
Type | Type | A place holder that means any kind of data type
Any | Any | A place holder that means any kind of resource

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.23 Value Set http://hl7.org/fhir/ValueSet/defined-types

URL: https://hl7.org/fhir/STU3/valueset-defined-types.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/defined-types
Name: | FHIRDefinedType
Definition: | Either a resource or a data type.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.23 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* StructureDefinition.type (Extensible)
* TestScript.setup.action.operation.resource (Required)
* TestScript.setup.action.assert.resource (Required)
* ElementDefinition.type.code (Extensible)

4.3.1.23.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/data-types
* Include all codes defined in http://hl7.org/fhir/resource-types

4.3.1.23.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 173 concepts

Expansion based on http://hl7.org/fhir/resource-types version 3.0.2, http://hl7.org/fhir/data-types version 3.0.2

Code | System | Display | Definition

Address | http://hl7.org/fhir/data-types | Address | An address expressed using postal conventions (as opposed to GPS or other location definition formats). This data type may be used to convey addresses for use in delivering mail as well as for visiting locations which might not be valid for mail delivery. There are a variety of postal address formats defined around the world.

Age | http://hl7.org/fhir/data-types | Age | A duration of time during which an organism (or a process) has existed.

Annotation | http://hl7.org/fhir/data-types | Annotation | A text note which also contains information about who made the statement and when.

Attachment | http://hl7.org/fhir/data-types | Attachment | For referring to data content defined in other formats.

BackboneElement | http://hl7.org/fhir/data-types | BackboneElement | Base definition for all elements that are defined inside a resource - but not those in a data type.

CodeableConcept | http://hl7.org/fhir/data-types | CodeableConcept | A concept that may be defined by a formal reference to a terminology or ontology or may be provided by text.

Coding | http://hl7.org/fhir/data-types | Coding | A reference to a code defined by a terminology system.

ContactDetail | http://hl7.org/fhir/data-types | ContactDetail | Specifies contact information for a person or organization.

ContactPoint | http://hl7.org/fhir/data-types | ContactPoint | Details for all kinds of technology mediated contact points for a person or organization, including telephone, email, etc.

Contributor | http://hl7.org/fhir/data-types | Contributor | A contributor to the content of a knowledge asset, including authors, editors, reviewers, and endorsers.

Count | http://hl7.org/fhir/data-types | Count | A measured amount (or an amount that can potentially be measured). Note that measured amounts include amounts that are not precisely quantified, including amounts involving arbitrary units and floating currencies.

DataRequirement | http://hl7.org/fhir/data-types | DataRequirement | Describes a required data item for evaluation in terms of the type of data, and optional code or date-based filters of the data.

Distance | http://hl7.org/fhir/data-types | Distance | A length - a value with a unit that is a physical distance.

Dosage | http://hl7.org/fhir/data-types | Dosage | Indicates how the medication is/was taken or should be taken by the patient.

Duration | http://hl7.org/fhir/data-types | Duration | A length of time.

Element | http://hl7.org/fhir/data-types | Element | Base definition for all elements in a resource.

ElementDefinition | http://hl7.org/fhir/data-types | ElementDefinition | Captures constraints on each element within the resource, profile, or extension.

Extension | http://hl7.org/fhir/data-types | Extension | Optional Extension Element - found in all resources.

HumanName | http://hl7.org/fhir/data-types | HumanName | A human's name with the ability to identify parts and usage.

Identifier | http://hl7.org/fhir/data-types | Identifier | A technical identifier - identifies some entity uniquely and unambiguously.

Meta | http://hl7.org/fhir/data-types | Meta | The metadata about a resource. This is content in the resource that is maintained by the infrastructure. Changes to the content may not always be associated with version changes to the resource.

Money | http://hl7.org/fhir/data-types | Money | An amount of economic utility in some recognized currency.

Narrative | http://hl7.org/fhir/data-types | Narrative | A human-readable formatted text, including images.

ParameterDefinition | http://hl7.org/fhir/data-types | ParameterDefinition | The parameters to the module. This collection specifies both the input and output parameters. Input parameters are provided by the caller as part of the $evaluate operation. Output parameters are included in the GuidanceResponse.

Period | http://hl7.org/fhir/data-types | Period | A time period defined by a start and end date and optionally time.

Quantity | http://hl7.org/fhir/data-types | Quantity | A measured amount (or an amount that can potentially be measured). Note that measured amounts include amounts that are not precisely quantified, including amounts involving arbitrary units and floating currencies.

Range | http://hl7.org/fhir/data-types | Range | A set of ordered Quantities defined by a low and high limit.

Ratio | http://hl7.org/fhir/data-types | Ratio | A relationship of two Quantity values - expressed as a numerator and a denominator.

Reference | http://hl7.org/fhir/data-types | Reference | A reference from one resource to another.

RelatedArtifact | http://hl7.org/fhir/data-types | RelatedArtifact | Related artifacts such as additional documentation, justification, or bibliographic references.

SampledData | http://hl7.org/fhir/data-types | SampledData | A series of measurements taken by a device, with upper and lower limits. There may be more than one dimension in the data.

Signature | http://hl7.org/fhir/data-types | Signature | A digital signature along with supporting context. The signature may be electronic/cryptographic in nature, or a graphical image representing a hand-written signature, or a signature process. Different signature approaches have different utilities.

SimpleQuantity | http://hl7.org/fhir/data-types | SimpleQuantity

Timing | http://hl7.org/fhir/data-types | Timing | Specifies an event that may occur multiple times. Timing schedules are used to record when things are planned, expected or requested to occur. The most common usage is in dosage instructions for medications. They are also used when planning care of various kinds, and may be used for reporting the schedule to which past regular activities were carried out.

TriggerDefinition | http://hl7.org/fhir/data-types | TriggerDefinition | A description of a triggering event.

UsageContext | http://hl7.org/fhir/data-types | UsageContext | Specifies clinical/business/etc metadata that can be used to retrieve, index and/or categorize an artifact. This metadata can either be specific to the applicable population (e.g., age category, DRG) or the specific context of care (e.g., venue, care setting, provider of care).

base64Binary | http://hl7.org/fhir/data-types | base64Binary | A stream of bytes

boolean | http://hl7.org/fhir/data-types | boolean | Value of "true" or "false"

code | http://hl7.org/fhir/data-types | code | A string which has at least one character and no leading or trailing whitespace and where there is no whitespace other than single spaces in the contents

date | http://hl7.org/fhir/data-types | date | A date or partial date (e.g. just year or year + month). There is no time zone. The format is a union of the schema types gYear, gYearMonth and date. Dates SHALL be valid dates.

dateTime | http://hl7.org/fhir/data-types | dateTime | A date, date-time or partial date (e.g. just year or year + month). If hours and minutes are specified, a time zone SHALL be populated. The format is a union of the schema types gYear, gYearMonth, date and dateTime. Seconds must be provided due to schema type constraints but may be zero-filled and may be ignored. Dates SHALL be valid dates.

decimal | http://hl7.org/fhir/data-types | decimal | A rational number with implicit precision

id | http://hl7.org/fhir/data-types | id | Any combination of letters, numerals, "-" and ".", with a length limit of 64 characters. (This might be an integer, an unprefixed OID, UUID or any other identifier pattern that meets these constraints.) Ids are case-insensitive.

instant | http://hl7.org/fhir/data-types | instant | An instant in time - known at least to the second

integer | http://hl7.org/fhir/data-types | integer | A whole number

markdown | http://hl7.org/fhir/data-types | markdown | A string that may contain markdown syntax for optional processing by a mark down presentation engine

oid | http://hl7.org/fhir/data-types | oid | An OID represented as a URI

positiveInt | http://hl7.org/fhir/data-types | positiveInt | An integer with a value that is positive (e.g. >0)

string | http://hl7.org/fhir/data-types | string | A sequence of Unicode characters

time | http://hl7.org/fhir/data-types | time | A time during the day, with no date specified

unsignedInt | http://hl7.org/fhir/data-types | unsignedInt | An integer with a value that is not negative (e.g. >= 0)

uri | http://hl7.org/fhir/data-types | uri | String of characters used to identify a name or a resource

uuid | http://hl7.org/fhir/data-types | uuid | A UUID, represented as a URI

xhtml | http://hl7.org/fhir/data-types | XHTML | XHTML format, as defined by W3C, but restricted usage (mainly, no active content)

Account | http://hl7.org/fhir/resource-types | Account | A financial tool for tracking value accrued for a particular purpose. In the healthcare field, used to track charges for a patient, cost centers, etc.

ActivityDefinition | http://hl7.org/fhir/resource-types | ActivityDefinition | This resource allows for the definition of some activity to be performed, independent of a particular patient, practitioner, or other performance context.

AdverseEvent | http://hl7.org/fhir/resource-types | AdverseEvent | Actual or potential/avoided event causing unintended physical injury resulting from or contributed to by medical care, a research study or other healthcare setting factors that requires additional monitoring, treatment, or hospitalization, or that results in death.

AllergyIntolerance | http://hl7.org/fhir/resource-types | AllergyIntolerance | Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance.

Appointment | http://hl7.org/fhir/resource-types | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).

AppointmentResponse | http://hl7.org/fhir/resource-types | AppointmentResponse | A reply to an appointment request for a patient and/or practitioner(s), such as a confirmation or rejection.

AuditEvent | http://hl7.org/fhir/resource-types | AuditEvent | A record of an event made for purposes of maintaining a security log. Typical uses include detection of intrusion attempts and monitoring for inappropriate usage.

Basic | http://hl7.org/fhir/resource-types | Basic | Basic is used for handling concepts not yet defined in FHIR, narrative-only resources that don't map to an existing resource, and custom resources not appropriate for inclusion in the FHIR specification.

Binary | http://hl7.org/fhir/resource-types | Binary | A binary resource can contain any content, whether text, image, pdf, zip archive, etc.

BodySite | http://hl7.org/fhir/resource-types | BodySite | Record details about the anatomical location of a specimen or body part. This resource may be used when a coded concept does not provide the necessary detail needed for the use case.

Bundle | http://hl7.org/fhir/resource-types | Bundle | A container for a collection of resources.

CapabilityStatement | http://hl7.org/fhir/resource-types | CapabilityStatement | A Capability Statement documents a set of capabilities (behaviors) of a FHIR Server that may be used as a statement of actual server functionality or a statement of required or desired server implementation.

CarePlan | http://hl7.org/fhir/resource-types | CarePlan | Describes the intention of how one or more practitioners intend to deliver care for a particular patient, group or community for a period of time, possibly limited to care for a specific condition or set of conditions.

CareTeam | http://hl7.org/fhir/resource-types | CareTeam | The Care Team includes all the people and organizations who plan to participate in the coordination and delivery of care for a patient.

ChargeItem | http://hl7.org/fhir/resource-types | ChargeItem | The resource ChargeItem describes the provision of healthcare provider products for a certain patient, therefore referring not only to the product, but containing in addition details of the provision, like date, time, amounts and participating organizations and persons. Main Usage of the ChargeItem is to enable the billing process and internal cost allocation.

Claim | http://hl7.org/fhir/resource-types | Claim | A provider issued list of services and products provided, or to be provided, to a patient which is provided to an insurer for payment recovery.

ClaimResponse | http://hl7.org/fhir/resource-types | ClaimResponse | This resource provides the adjudication details from the processing of a Claim resource.

ClinicalImpression | http://hl7.org/fhir/resource-types | ClinicalImpression | A record of a clinical assessment performed to determine what problem(s) may affect the patient and before planning the treatments or management strategies that are best to manage a patient's condition. Assessments are often 1:1 with a clinical consultation / encounter, but this varies greatly depending on the clinical workflow. This resource is called "ClinicalImpression" rather than "ClinicalAssessment" to avoid confusion with the recording of assessment tools such as Apgar score.

CodeSystem | http://hl7.org/fhir/resource-types | CodeSystem | A code system resource specifies a set of codes drawn from one or more code systems.

Communication | http://hl7.org/fhir/resource-types | Communication | An occurrence of information being transmitted; e.g. an alert that was sent to a responsible provider, a public health agency was notified about a reportable condition.

CommunicationRequest | http://hl7.org/fhir/resource-types | CommunicationRequest | A request to convey information; e.g. the CDS system proposes that an alert be sent to a responsible provider, the CDS system proposes that the public health agency be notified about a reportable condition.

CompartmentDefinition | http://hl7.org/fhir/resource-types | CompartmentDefinition | A compartment definition that defines how resources are accessed on a server.

Composition | http://hl7.org/fhir/resource-types | Composition | A set of healthcare-related information that is assembled together into a single logical document that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. While a Composition defines the structure, it does not actually contain the content: rather the full content of a document is contained in a Bundle, of which the Composition is the first resource contained.

ConceptMap | http://hl7.org/fhir/resource-types | ConceptMap | A statement of relationships from one set of concepts to one or more other concepts - either code systems or data elements, or classes in class models.

Condition | http://hl7.org/fhir/resource-types | Condition | A clinical condition, problem, diagnosis, or other event, situation, issue, or clinical concept that has risen to a level of concern.

Consent | http://hl7.org/fhir/resource-types | Consent | A record of a healthcare consumer’s policy choices, which permits or denies identified recipient(s) or recipient role(s) to perform one or more actions within a given policy context, for specific purposes and periods of time.

Contract | http://hl7.org/fhir/resource-types | Contract | A formal agreement between parties regarding the conduct of business, exchange of information or other matters.

Coverage | http://hl7.org/fhir/resource-types | Coverage | Financial instrument which may be used to reimburse or pay for health care products and services.

DataElement | http://hl7.org/fhir/resource-types | DataElement | The formal description of a single piece of information that can be gathered and reported.

DetectedIssue | http://hl7.org/fhir/resource-types | DetectedIssue | Indicates an actual or potential clinical issue with or between one or more active or proposed clinical actions for a patient; e.g. Drug-drug interaction, Ineffective treatment frequency, Procedure-condition conflict, etc.

Device | http://hl7.org/fhir/resource-types | Device | This resource identifies an instance or a type of a manufactured item that is used in the provision of healthcare without being substantially changed through that activity. The device may be a medical or non-medical device. Medical devices include durable (reusable) medical equipment, implantable devices, as well as disposable equipment used for diagnostic, treatment, and research for healthcare and public health. Non-medical devices may include items such as a machine, cellphone, computer, application, etc.

DeviceComponent | http://hl7.org/fhir/resource-types | DeviceComponent | The characteristics, operational status and capabilities of a medical-related component of a medical device.

DeviceMetric | http://hl7.org/fhir/resource-types | DeviceMetric | Describes a measurement, calculation or setting capability of a medical device.

DeviceRequest | http://hl7.org/fhir/resource-types | DeviceRequest | Represents a request for a patient to employ a medical device. The device may be an implantable device, or an external assistive device, such as a walker.

DeviceUseStatement | http://hl7.org/fhir/resource-types | DeviceUseStatement | A record of a device being used by a patient where the record is the result of a report from the patient or another clinician.

DiagnosticReport | http://hl7.org/fhir/resource-types | DiagnosticReport | The findings and interpretation of diagnostic tests performed on patients, groups of patients, devices, and locations, and/or specimens derived from these. The report includes clinical context such as requesting and provider information, and some mix of atomic results, images, textual and coded interpretations, and formatted representation of diagnostic reports.

DocumentManifest | http://hl7.org/fhir/resource-types | DocumentManifest | A collection of documents compiled for a purpose together with metadata that applies to the collection.

DocumentReference | http://hl7.org/fhir/resource-types | DocumentReference | A reference to a document.

DomainResource | http://hl7.org/fhir/resource-types | DomainResource | A resource that includes narrative, extensions, and contained resources.

EligibilityRequest | http://hl7.org/fhir/resource-types | EligibilityRequest | The EligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an EligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.

EligibilityResponse | http://hl7.org/fhir/resource-types | EligibilityResponse | This resource provides eligibility and plan details from the processing of an Eligibility resource.

Encounter | http://hl7.org/fhir/resource-types | Encounter | An interaction between a patient and healthcare provider(s) for the purpose of providing healthcare service(s) or assessing the health status of a patient.

Endpoint | http://hl7.org/fhir/resource-types | Endpoint | The technical details of an endpoint that can be used for electronic services, such as for web services providing XDS.b or a REST endpoint for another FHIR server. This may include any security context information.

EnrollmentRequest | http://hl7.org/fhir/resource-types | EnrollmentRequest | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.

EnrollmentResponse | http://hl7.org/fhir/resource-types | EnrollmentResponse | This resource provides enrollment and plan details from the processing of an Enrollment resource.

EpisodeOfCare | http://hl7.org/fhir/resource-types | EpisodeOfCare | An association between a patient and an organization / healthcare provider(s) during which time encounters may occur. The managing organization assumes a level of responsibility for the patient during this time.

ExpansionProfile | http://hl7.org/fhir/resource-types | ExpansionProfile | Resource to define constraints on the Expansion of a FHIR ValueSet.

ExplanationOfBenefit | http://hl7.org/fhir/resource-types | ExplanationOfBenefit | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

FamilyMemberHistory | http://hl7.org/fhir/resource-types | FamilyMemberHistory | Significant health events and conditions for a person related to the patient relevant in the context of care for the patient.

Flag | http://hl7.org/fhir/resource-types | Flag | Prospective warnings of potential issues when providing care to the patient.

Goal | http://hl7.org/fhir/resource-types | Goal | Describes the intended objective(s) for a patient, group or organization care, for example, weight loss, restoring an activity of daily living, obtaining herd immunity via immunization, meeting a process improvement objective, etc.

GraphDefinition | http://hl7.org/fhir/resource-types | GraphDefinition | A formal computable definition of a graph of resources - that is, a coherent set of resources that form a graph by following references. The Graph Definition resource defines a set and makes rules about the set.

Group | http://hl7.org/fhir/resource-types | Group | Represents a defined collection of entities that may be discussed or acted upon collectively but which are not expected to act collectively and are not formally or legally recognized; i.e. a collection of entities that isn't an Organization.

GuidanceResponse | http://hl7.org/fhir/resource-types | GuidanceResponse | A guidance response is the formal response to a guidance request, including any output parameters returned by the evaluation, as well as the description of any proposed actions to be taken.

HealthcareService | http://hl7.org/fhir/resource-types | HealthcareService | The details of a healthcare service available at a location.

ImagingManifest | http://hl7.org/fhir/resource-types | ImagingManifest | A text description of the DICOM SOP instances selected in the ImagingManifest; or the reason for, or significance of, the selection.

ImagingStudy | http://hl7.org/fhir/resource-types | ImagingStudy | Representation of the content produced in a DICOM imaging study. A study comprises a set of series, each of which includes a set of Service-Object Pair Instances (SOP Instances - images or other data) acquired or produced in a common context. A series is of only one modality (e.g. X-ray, CT, MR, ultrasound), but a study may have multiple series of different modalities.

Immunization | http://hl7.org/fhir/resource-types | Immunization | Describes the event of a patient being administered a vaccination or a record of a vaccination as reported by a patient, a clinician or another party and may include vaccine reaction information and what vaccination protocol was followed.

ImmunizationRecommendation | http://hl7.org/fhir/resource-types | ImmunizationRecommendation | A patient's point-in-time immunization and recommendation (i.e. forecasting a patient's immunization eligibility according to a published schedule) with optional supporting justification.

ImplementationGuide | http://hl7.org/fhir/resource-types | ImplementationGuide | A set of rules of how FHIR is used to solve a particular problem. This resource is used to gather all the parts of an implementation guide into a logical whole and to publish a computable definition of all the parts.

Library | http://hl7.org/fhir/resource-types | Library | The Library resource is a general-purpose container for knowledge asset definitions. It can be used to describe and expose existing knowledge assets such as logic libraries and information model descriptions, as well as to describe a collection of knowledge assets.

Linkage | http://hl7.org/fhir/resource-types | Linkage | Identifies two or more records (resource instances) that are referring to the same real-world "occurrence".

List | http://hl7.org/fhir/resource-types | List | A set of information summarized from a list of other resources.

Location | http://hl7.org/fhir/resource-types | Location | Details and position information for a physical place where services are provided and resources and participants may be stored, found, contained or accommodated.

Measure | http://hl7.org/fhir/resource-types | Measure | The Measure resource provides the definition of a quality measure.

MeasureReport | http://hl7.org/fhir/resource-types | MeasureReport | The MeasureReport resource contains the results of evaluating a measure.

Media | http://hl7.org/fhir/resource-types | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.

Medication | http://hl7.org/fhir/resource-types | Medication | This resource is primarily used for the identification and definition of a medication. It covers the ingredients and the packaging for a medication.

MedicationAdministration | http://hl7.org/fhir/resource-types | MedicationAdministration | Describes the event of a patient consuming or otherwise being administered a medication. This may be as simple as swallowing a tablet or it may be a long running infusion. Related resources tie this event to the authorizing prescription, and the specific encounter between patient and health care practitioner.

MedicationDispense | http://hl7.org/fhir/resource-types | MedicationDispense | Indicates that a medication product is to be or has been dispensed for a named person/patient. This includes a description of the medication product (supply) provided and the instructions for administering the

medication. The medication dispense is the result of a pharmacy system responding to a medication order.

MedicationRequest | http://hl7.org/fhir/resource-types | MedicationRequest | An order or request for both supply of the medication and the instructions for administration of the medication to a patient. The resource is called "MedicationRequest" rather than "MedicationPrescription" or "MedicationOrder" to generalize the use across inpatient and outpatient settings, including care plans, etc., and to harmonize with workflow patterns.

MedicationStatement | http://hl7.org/fhir/resource-types | MedicationStatement | A record of a medication that is being consumed by a patient. A MedicationStatement may indicate that the patient may be taking the medication now, or has taken the medication in the past or will be taking the medication in the future. The source of this information can be the patient, significant other (such as a family member or spouse), or a clinician. A common scenario where this information is captured is during the history taking process during a patient visit or stay. The medication information may come from sources such as the patient's memory, from a prescription bottle, or from a list of medications the patient, clinician or other party maintains The primary difference between a medication statement and a medication administration is that the medication administration has complete administration information and is based on actual administration information from the person who administered the medication. A medication statement is often, if not always, less specific. There is no required date/time when the medication was administered, in fact we only know that a source has reported the patient is taking this medication, where details such as time, quantity, or rate or even medication product may be incomplete or missing or less precise. As stated earlier, the medication statement information may come from the patient's memory, from a prescription bottle or from a list of medications the patient, clinician or other party maintains. Medication administration is more formal and is not missing detailed information.

MessageDefinition | http://hl7.org/fhir/resource-types | MessageDefinition | Defines the characteristics of a message that can be shared between systems, including the type of event that initiates the message, the content to be transmitted and what response(s), if any, are permitted.

MessageHeader | http://hl7.org/fhir/resource-types | MessageHeader | The header for a message exchange that is either requesting or responding to an action. The reference(s) that are the subject of the action as well as other information related to the action are typically transmitted in a bundle in which the MessageHeader resource instance is the first resource in the bundle.

NamingSystem | http://hl7.org/fhir/resource-types | NamingSystem | A curated namespace that issues unique symbols within that namespace for the identification of concepts, people, devices, etc. Represents a "System" used within the Identifier and Coding data types.

NutritionOrder | http://hl7.org/fhir/resource-types | NutritionOrder | A request to supply a diet, formula feeding (enteral) or oral nutritional supplement to a patient/resident.

Observation | http://hl7.org/fhir/resource-types | Observation | Measurements and simple assertions made about a patient, device or other subject.

OperationDefinition | http://hl7.org/fhir/resource-types | OperationDefinition | A formal computable definition of an operation (on the RESTful interface) or a named query (using the search interaction).

OperationOutcome | http://hl7.org/fhir/resource-types | OperationOutcome | A collection of error, warning or information messages that result from a system action.

Organization | http://hl7.org/fhir/resource-types | Organization | A formally or informally recognized grouping of people or organizations formed for the purpose of achieving some form of collective action. Includes companies, institutions, corporations, departments, community groups, healthcare practice groups, etc.

Parameters | http://hl7.org/fhir/resource-types | Parameters | This special resource type is used to represent an operation request and response (operations.html). It has no other use, and there is no RESTful endpoint associated with it.

Patient | http://hl7.org/fhir/resource-types | Patient | Demographics and other administrative information about an individual or animal receiving care or other health-related services.

PaymentNotice | http://hl7.org/fhir/resource-types | PaymentNotice | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

PaymentReconciliation | http://hl7.org/fhir/resource-types | PaymentReconciliation | This resource provides payment details and claim references supporting a bulk payment.

Person | http://hl7.org/fhir/resource-types | Person | Demographics and administrative information about a person independent of a specific health-related context.

PlanDefinition | http://hl7.org/fhir/resource-types | PlanDefinition | This resource allows for the definition of various types of plans as a sharable, consumable, and executable artifact. The resource is general enough to support the description of a broad range of clinical artifacts such as clinical decision support rules, order sets and protocols.

Practitioner | http://hl7.org/fhir/resource-types | Practitioner | A person who is directly or indirectly involved in the provisioning of healthcare.

PractitionerRole | http://hl7.org/fhir/resource-types | PractitionerRole | A specific set of Roles/Locations/specialties/services that a practitioner may perform at an organization for a period of time.

Procedure | http://hl7.org/fhir/resource-types | Procedure | An action that is or was performed on a patient. This can be a physical intervention like an operation, or less invasive like counseling or hypnotherapy.

ProcedureRequest | http://hl7.org/fhir/resource-types | ProcedureRequest | A record of a request for diagnostic investigations, treatments, or operations to be performed.

ProcessRequest | http://hl7.org/fhir/resource-types | ProcessRequest | This resource provides the target, request and response, and action details for an action to be performed by the target on or about existing resources.

ProcessResponse | http://hl7.org/fhir/resource-types | ProcessResponse | This resource provides processing status, errors and notes from the processing of a resource.

Provenance | http://hl7.org/fhir/resource-types | Provenance | Provenance of a resource is a record that describes entities and processes involved in producing and delivering or otherwise influencing that resource. Provenance provides a critical foundation for assessing authenticity, enabling trust, and allowing reproducibility. Provenance assertions are a form of contextual metadata and can themselves become important records with their own provenance. Provenance statement indicates clinical significance in terms of confidence in authenticity, reliability, and trustworthiness, integrity, and stage in lifecycle (e.g. Document Completion - has the artifact been legally authenticated), all of which may impact security, privacy, and trust policies.

Questionnaire | http://hl7.org/fhir/resource-types | Questionnaire | A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

QuestionnaireResponse | http://hl7.org/fhir/resource-types | QuestionnaireResponse | A structured set of questions and their answers. The questions are ordered and grouped into coherent subsets, corresponding to the structure of the grouping of the questionnaire being responded to.

ReferralRequest | http://hl7.org/fhir/resource-types | ReferralRequest | Used to record and send details about a request for referral service or transfer of a patient to the care of another provider or provider organization.

RelatedPerson | http://hl7.org/fhir/resource-types | RelatedPerson | Information about a person that is involved in the care for a patient, but who is not the target of healthcare, nor has a formal responsibility in the care process.

RequestGroup | http://hl7.org/fhir/resource-types | RequestGroup | A group of related requests that can be used to capture intended activities that have inter-dependencies such as "give this medication after that one".

ResearchStudy | http://hl7.org/fhir/resource-types | ResearchStudy | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

ResearchSubject | http://hl7.org/fhir/resource-types | ResearchSubject | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

Resource | http://hl7.org/fhir/resource-types | Resource | This is the base resource type for everything.

RiskAssessment | http://hl7.org/fhir/resource-types | RiskAssessment | An assessment of the likely outcome(s) for a patient or other subject as well as the likelihood of each outcome.

Schedule | http://hl7.org/fhir/resource-types | Schedule | A container for slots of time that may be available for booking appointments.

SearchParameter | http://hl7.org/fhir/resource-types | SearchParameter | A search parameter that defines a named search item that can be used to search/filter on a resource.

Sequence | http://hl7.org/fhir/resource-types | Sequence | Raw data describing a biological sequence.

ServiceDefinition | http://hl7.org/fhir/resource-types | ServiceDefinition | The ServiceDefinition describes a unit of decision support functionality that is made available as a service, such as immunization modules or drug-drug interaction checking.

Slot | http://hl7.org/fhir/resource-types | Slot | A slot of time on a schedule that may be available for booking appointments.

Specimen | http://hl7.org/fhir/resource-types | Specimen | A sample to be used for analysis.

StructureDefinition | http://hl7.org/fhir/resource-types | StructureDefinition | A definition of a FHIR structure. This resource is used to describe the underlying resources, data types defined in FHIR, and also for describing extensions and constraints on resources and data types.

StructureMap | http://hl7.org/fhir/resource-types | StructureMap | A Map of relationships between 2 structures that can be used to transform data.

Subscription | http://hl7.org/fhir/resource-types | Subscription | The subscription resource is used to define a push based subscription from a server to another system. Once a subscription is registered with the server, the server checks every resource that is created or updated, and if the resource matches the given criteria, it sends a message on the defined "channel" so that another system is able to take an appropriate action.

Substance | http://hl7.org/fhir/resource-types | Substance | A homogeneous material with a definite composition.

SupplyDelivery | http://hl7.org/fhir/resource-types | SupplyDelivery | Record of delivery of what is supplied.

SupplyRequest | http://hl7.org/fhir/resource-types | SupplyRequest | A record of a request for a medication, substance or device used in the healthcare setting.

Task | http://hl7.org/fhir/resource-types | Task | A task to be performed.

TestReport | http://hl7.org/fhir/resource-types | TestReport | A summary of information based on the results of executing a TestScript.

TestScript | http://hl7.org/fhir/resource-types | TestScript | A structured set of tests against a FHIR server implementation to determine compliance against the FHIR specification.

ValueSet | http://hl7.org/fhir/resource-types | ValueSet | A value set specifies a set of codes drawn from one or more code systems.

VisionPrescription | http://hl7.org/fhir/resource-types | VisionPrescription | An authorization for the supply of glasses and/or contact lenses to a patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.24 Value Set http://hl7.org/fhir/ValueSet/all-types

URL: https://hl7.org/fhir/STU3/valueset-all-types.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 4 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/all-types

Name: | FHIRAllTypes

Definition: | Either an abstract type, a resource or a data type.

Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.24 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* OperationDefinition.parameter.type (Required)

* DataRequirement.type (Required)

* ParameterDefinition.type (Required)

4.3.1.24.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/data-types

* Include all codes defined in http://hl7.org/fhir/resource-types

* Include all codes defined in http://hl7.org/fhir/abstract-types

4.3.1.24.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 175 concepts

Expansion based on http://hl7.org/fhir/resource-types version 3.0.2, http://hl7.org/fhir/abstract-types version 3.0.2, http://hl7.org/fhir/data-types version 3.0.2

Code | System | Display | Definition

Address | http://hl7.org/fhir/data-types | Address | An address expressed using postal conventions (as opposed to GPS or other location definition formats). This data type may be used to convey addresses for use in delivering mail as well as for visiting locations which might not be valid for mail delivery. There are a variety of postal address formats defined around the world.

Age | http://hl7.org/fhir/data-types | Age | A duration of time during which an organism (or a process) has existed.

Annotation | http://hl7.org/fhir/data-types | Annotation | A text note which also contains information about who made the statement and when.

Attachment | http://hl7.org/fhir/data-types | Attachment | For referring to data content defined in other formats.

BackboneElement | http://hl7.org/fhir/data-types | BackboneElement | Base definition for all elements that are defined inside a resource - but not those in a data type.

CodeableConcept | http://hl7.org/fhir/data-types | CodeableConcept | A concept that may be defined by a formal reference to a terminology or ontology or may be provided by text.

Coding | http://hl7.org/fhir/data-types | Coding | A reference to a code defined by a terminology system.

ContactDetail | http://hl7.org/fhir/data-types | ContactDetail | Specifies contact information for a person or organization.

ContactPoint | http://hl7.org/fhir/data-types | ContactPoint | Details for all kinds of technology mediated contact points for a person or organization, including telephone, email, etc.

Contributor | http://hl7.org/fhir/data-types | Contributor | A contributor to the content of a knowledge asset, including authors, editors, reviewers, and endorsers.

Count | http://hl7.org/fhir/data-types | Count | A measured amount (or an amount that can potentially be measured). Note that measured amounts include amounts that are not precisely quantified, including amounts involving arbitrary units and floating currencies.

DataRequirement | http://hl7.org/fhir/data-types | DataRequirement | Describes a required data item for evaluation in terms of the type of data, and optional code or date-based filters of the data.

Distance | http://hl7.org/fhir/data-types | Distance | A length - a value with a unit that is a physical distance.

Dosage | http://hl7.org/fhir/data-types | Dosage | Indicates how the medication is/was taken or should be taken by the patient.

Duration | http://hl7.org/fhir/data-types | Duration | A length of time.

Element | http://hl7.org/fhir/data-types | Element | Base definition for all elements in a resource.

ElementDefinition | http://hl7.org/fhir/data-types | ElementDefinition | Captures constraints on each element within the resource, profile, or extension.

Extension | http://hl7.org/fhir/data-types | Extension | Optional Extension Element - found in all resources.

HumanName | http://hl7.org/fhir/data-types | HumanName | A human's name with the ability to identify parts and usage.

Identifier | http://hl7.org/fhir/data-types | Identifier | A technical identifier - identifies some entity uniquely and unambiguously.

Meta | http://hl7.org/fhir/data-types | Meta | The metadata about a resource. This is content in the resource that is maintained by the infrastructure. Changes to the content may not always be associated with version changes to the resource.

Money | http://hl7.org/fhir/data-types | Money | An amount of economic utility in some recognized currency.

Narrative | http://hl7.org/fhir/data-types | Narrative | A human-readable formatted text, including images.

ParameterDefinition | http://hl7.org/fhir/data-types | ParameterDefinition | The parameters to the module. This collection specifies both the input and output parameters. Input parameters are provided by the caller as part of the $evaluate operation. Output parameters are included in the GuidanceResponse.

Period | http://hl7.org/fhir/data-types | Period | A time period defined by a start and end date and optionally time.

Quantity | http://hl7.org/fhir/data-types | Quantity | A measured amount (or an amount that can potentially be measured). Note that measured amounts include amounts that are not precisely quantified, including amounts involving arbitrary units and floating currencies.

Range | http://hl7.org/fhir/data-types | Range | A set of ordered Quantities defined by a low and high limit.

Ratio | http://hl7.org/fhir/data-types | Ratio | A relationship of two Quantity values - expressed as a numerator and a denominator.

Reference | http://hl7.org/fhir/data-types | Reference | A reference from one resource to another.

RelatedArtifact | http://hl7.org/fhir/data-types | RelatedArtifact | Related artifacts such as additional documentation, justification, or bibliographic references.

SampledData | http://hl7.org/fhir/data-types | SampledData | A series of measurements taken by a device, with upper and lower limits. There may be more than one dimension in the data.

Signature | http://hl7.org/fhir/data-types | Signature | A digital signature along with supporting context. The signature may be electronic/cryptographic in nature, or a graphical image representing a hand-written signature, or a signature process. Different signature approaches have different utilities.

SimpleQuantity | http://hl7.org/fhir/data-types | SimpleQuantity

Timing | http://hl7.org/fhir/data-types | Timing | Specifies an event that may occur multiple times. Timing schedules are used to record when things are planned, expected or requested to occur. The most common usage is in dosage instructions for medications. They are also used when planning care of various kinds, and may be used for reporting the schedule to which past regular activities were carried out.

TriggerDefinition | http://hl7.org/fhir/data-types | TriggerDefinition | A description of a triggering event.

UsageContext | http://hl7.org/fhir/data-types | UsageContext | Specifies clinical/business/etc metadata that can be used to retrieve, index and/or categorize an artifact. This metadata can either be specific to the applicable population (e.g., age category, DRG) or the specific context of care (e.g., venue, care setting, provider of care).

base64Binary | http://hl7.org/fhir/data-types | base64Binary | A stream of bytes

boolean | http://hl7.org/fhir/data-types | boolean | Value of "true" or "false"

code | http://hl7.org/fhir/data-types | code | A string which has at least one character and no leading or trailing whitespace and where there is no whitespace other than single spaces in the contents

date | http://hl7.org/fhir/data-types | date | A date or partial date (e.g. just year or year + month). There is no time zone. The format is a union of the schema types gYear, gYearMonth and date. Dates SHALL be valid dates.

dateTime | http://hl7.org/fhir/data-types | dateTime | A date, date-time or partial date (e.g. just year or year + month). If hours and minutes are specified, a time zone SHALL be populated. The format is a union of the schema types gYear, gYearMonth, date and dateTime. Seconds must be provided due to schema type constraints but may be zero-filled and may be ignored. Dates SHALL be valid dates.

decimal | http://hl7.org/fhir/data-types | decimal | A rational number with implicit precision

id | http://hl7.org/fhir/data-types | id | Any combination of letters, numerals, "-" and ".", with a length limit of 64 characters. (This might be an integer, an unprefixed OID, UUID or any other identifier pattern that meets these constraints.) Ids are case-insensitive.

instant | http://hl7.org/fhir/data-types | instant | An instant in time - known at least to the second

integer | http://hl7.org/fhir/data-types | integer | A whole number

markdown | http://hl7.org/fhir/data-types | markdown | A string that may contain markdown syntax for optional processing by a mark down presentation engine

oid | http://hl7.org/fhir/data-types | oid | An OID represented as a URI

positiveInt | http://hl7.org/fhir/data-types | positiveInt | An integer with a value that is positive (e.g. >0)

string | http://hl7.org/fhir/data-types | string | A sequence of Unicode characters

time | http://hl7.org/fhir/data-types | time | A time during the day, with no date specified

unsignedInt | http://hl7.org/fhir/data-types | unsignedInt | An integer with a value that is not negative (e.g. >= 0)

uri | http://hl7.org/fhir/data-types | uri | String of characters used to identify a name or a resource

uuid | http://hl7.org/fhir/data-types | uuid | A UUID, represented as a URI

xhtml | http://hl7.org/fhir/data-types | XHTML | XHTML format, as defined by W3C, but restricted usage (mainly, no active content)

Account | http://hl7.org/fhir/resource-types | Account | A financial tool for tracking value accrued for a particular purpose. In the healthcare field, used to track charges for a patient, cost centers, etc.

ActivityDefinition | http://hl7.org/fhir/resource-types | ActivityDefinition | This resource allows for the definition of some activity to be performed, independent of a particular patient, practitioner, or other performance context.

AdverseEvent | http://hl7.org/fhir/resource-types | AdverseEvent | Actual or potential/avoided event causing unintended physical injury resulting from or contributed to by medical care, a research study or other healthcare setting factors that requires additional monitoring, treatment, or hospitalization, or that results in death.

AllergyIntolerance | http://hl7.org/fhir/resource-types | AllergyIntolerance | Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance.

Appointment | http://hl7.org/fhir/resource-types | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).

AppointmentResponse | http://hl7.org/fhir/resource-types | AppointmentResponse | A reply to an appointment request for a patient and/or practitioner(s), such as a confirmation or rejection.

AuditEvent | http://hl7.org/fhir/resource-types | AuditEvent | A record of an event made for purposes of maintaining a security log. Typical uses include detection of intrusion attempts and monitoring for inappropriate usage.

Basic | http://hl7.org/fhir/resource-types | Basic | Basic is used for handling concepts not yet defined in FHIR, narrative-only resources that don't map to an existing resource, and custom resources not appropriate for inclusion in the FHIR specification.

Binary | http://hl7.org/fhir/resource-types | Binary | A binary resource can contain any content, whether text, image, pdf, zip archive, etc.

BodySite | http://hl7.org/fhir/resource-types | BodySite | Record details about the anatomical location of a specimen or body part. This resource may be used when a coded concept does not provide the necessary detail needed for the use case.

Bundle | http://hl7.org/fhir/resource-types | Bundle | A container for a collection of resources.

CapabilityStatement | http://hl7.org/fhir/resource-types | CapabilityStatement | A Capability Statement documents a set of capabilities (behaviors) of a FHIR Server that may be used as a statement of actual server functionality or a statement of required or desired server implementation.

CarePlan | http://hl7.org/fhir/resource-types | CarePlan | Describes the intention of how one or more practitioners intend to deliver care for a particular patient, group or community for a period of time, possibly limited to care for a specific condition or set of conditions.

CareTeam | http://hl7.org/fhir/resource-types | CareTeam | The Care Team includes all the people and organizations who plan to participate in the coordination and delivery of care for a patient.

ChargeItem | http://hl7.org/fhir/resource-types | ChargeItem | The resource ChargeItem describes the provision of healthcare provider products for a certain patient, therefore referring not only to the product, but containing in addition details of the provision, like date, time, amounts and participating organizations and persons. Main Usage of the ChargeItem is to enable the billing process and internal cost allocation.

Claim | http://hl7.org/fhir/resource-types | Claim | A provider issued list of services and products provided, or to be provided, to a patient which is provided to an insurer for payment recovery.

ClaimResponse | http://hl7.org/fhir/resource-types | ClaimResponse | This resource provides the adjudication details from the processing of a Claim resource.

ClinicalImpression | http://hl7.org/fhir/resource-types | ClinicalImpression | A record of a clinical assessment performed to determine what problem(s) may affect the patient and before planning the treatments or management strategies that are best to manage a patient's condition. Assessments are often 1:1 with a clinical consultation / encounter, but this varies greatly depending on the clinical workflow. This resource is called "ClinicalImpression" rather than "ClinicalAssessment" to avoid confusion with the recording of assessment tools such as Apgar score.

CodeSystem | http://hl7.org/fhir/resource-types | CodeSystem | A code system resource specifies a set of codes drawn from one or more code systems.

Communication | http://hl7.org/fhir/resource-types | Communication | An occurrence of information being transmitted; e.g. an alert that was sent to a responsible provider, a public health agency was notified about a reportable condition.

CommunicationRequest | http://hl7.org/fhir/resource-types | CommunicationRequest | A request to convey information; e.g. the CDS system proposes that an alert be sent to a responsible provider, the CDS system proposes that the public health agency be notified about a reportable condition.

CompartmentDefinition | http://hl7.org/fhir/resource-types | CompartmentDefinition | A compartment definition that defines how resources are accessed on a server.

Composition | http://hl7.org/fhir/resource-types | Composition | A set of healthcare-related information that is assembled together into a single logical document that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. While a Composition defines the structure, it does not actually contain the content: rather the full content of a document is contained in a Bundle, of which the Composition is the first resource contained.

ConceptMap | http://hl7.org/fhir/resource-types | ConceptMap | A statement of relationships from one set of concepts to one or more other concepts - either code systems or data elements, or classes in class models.

Condition | http://hl7.org/fhir/resource-types | Condition | A clinical condition, problem, diagnosis, or other event, situation, issue, or clinical concept that has risen to a level of concern.

Consent | http://hl7.org/fhir/resource-types | Consent | A record of a healthcare consumer’s policy choices, which permits or denies identified recipient(s) or recipient role(s) to perform one or more actions within a given policy context, for specific purposes and periods of time.

Contract | http://hl7.org/fhir/resource-types | Contract | A formal agreement between parties regarding the conduct of business, exchange of information or other matters.

Coverage | http://hl7.org/fhir/resource-types | Coverage | Financial instrument which may be used to reimburse or pay for health care products and services.

DataElement | http://hl7.org/fhir/resource-types | DataElement | The formal description of a single piece of information that can be gathered and reported.

DetectedIssue | http://hl7.org/fhir/resource-types | DetectedIssue | Indicates an actual or potential clinical issue with or between one or more active or proposed clinical actions for a patient; e.g. Drug-drug interaction, Ineffective treatment frequency, Procedure-condition conflict, etc.

Device | http://hl7.org/fhir/resource-types | Device | This resource identifies an instance or a type of a manufactured item that is used in the provision of healthcare without being substantially changed through that activity. The device may be a medical or non-medical device. Medical devices include durable (reusable) medical equipment, implantable devices, as well as disposable equipment used for diagnostic, treatment, and research for healthcare and public health. Non-medical devices may include items such as a machine, cellphone, computer, application, etc.

DeviceComponent | http://hl7.org/fhir/resource-types | DeviceComponent | The characteristics, operational status and capabilities of a medical-related component of a medical device.

DeviceMetric | http://hl7.org/fhir/resource-types | DeviceMetric | Describes a measurement, calculation or setting capability of a medical device.

DeviceRequest | http://hl7.org/fhir/resource-types | DeviceRequest | Represents a request for a patient to employ a medical device. The device may be an implantable device, or an external assistive device, such as a walker.

DeviceUseStatement | http://hl7.org/fhir/resource-types | DeviceUseStatement | A record of a device being used by a patient where the record is the result of a report from the patient or another clinician.

DiagnosticReport | http://hl7.org/fhir/resource-types | DiagnosticReport | The findings and interpretation of diagnostic tests performed on patients, groups of patients, devices, and locations, and/or specimens derived from these. The report includes clinical context such as requesting and provider information, and some mix of atomic results, images, textual and coded interpretations, and formatted representation of diagnostic reports.

DocumentManifest | http://hl7.org/fhir/resource-types | DocumentManifest | A collection of documents compiled for a purpose together with metadata that applies to the collection.

DocumentReference | http://hl7.org/fhir/resource-types | DocumentReference | A reference to a document.

DomainResource | http://hl7.org/fhir/resource-types | DomainResource | A resource that includes narrative, extensions, and contained resources.

EligibilityRequest | http://hl7.org/fhir/resource-types | EligibilityRequest | The EligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an EligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.

EligibilityResponse | http://hl7.org/fhir/resource-types | EligibilityResponse | This resource provides eligibility and plan details from the processing of an Eligibility resource.

Encounter | http://hl7.org/fhir/resource-types | Encounter | An interaction between a patient and healthcare provider(s) for the purpose of providing healthcare service(s) or assessing the health status of a patient.

Endpoint | http://hl7.org/fhir/resource-types | Endpoint | The technical details of an endpoint that can be used for electronic services, such as for web services providing XDS.b or a REST endpoint for another FHIR server. This may include any security context information.

EnrollmentRequest | http://hl7.org/fhir/resource-types | EnrollmentRequest | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.

EnrollmentResponse | http://hl7.org/fhir/resource-types | EnrollmentResponse | This resource provides enrollment and plan details from the processing of an Enrollment resource.

EpisodeOfCare | http://hl7.org/fhir/resource-types | EpisodeOfCare | An association between a patient and an organization / healthcare provider(s) during which time encounters may occur. The managing organization assumes a level of responsibility for the patient during this time.

ExpansionProfile | http://hl7.org/fhir/resource-types | ExpansionProfile | Resource to define constraints on the Expansion of a FHIR ValueSet.

ExplanationOfBenefit | http://hl7.org/fhir/resource-types | ExplanationOfBenefit | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

FamilyMemberHistory | http://hl7.org/fhir/resource-types | FamilyMemberHistory | Significant health events and conditions for a person related to the patient relevant in the context of care for the patient.

Flag | http://hl7.org/fhir/resource-types | Flag | Prospective warnings of potential issues when providing care to the patient.

Goal | http://hl7.org/fhir/resource-types | Goal | Describes the intended objective(s) for a patient, group or organization care, for example, weight loss, restoring an activity of daily living, obtaining herd immunity via immunization, meeting a process improvement objective, etc.

GraphDefinition | http://hl7.org/fhir/resource-types | GraphDefinition | A formal computable definition of a graph of resources - that is, a coherent set of resources that form a graph by following references. The Graph Definition resource defines a set and makes rules about the set.

Group | http://hl7.org/fhir/resource-types | Group | Represents a defined collection of entities that may be discussed or acted upon collectively but which are not expected to act collectively and are not formally or legally recognized; i.e. a collection of entities that isn't an Organization.

GuidanceResponse | http://hl7.org/fhir/resource-types | GuidanceResponse | A guidance response is the formal response to a guidance request, including any output parameters returned by the evaluation, as well as the description of any proposed actions to be taken.

HealthcareService | http://hl7.org/fhir/resource-types | HealthcareService | The details of a healthcare service available at a location.

ImagingManifest | http://hl7.org/fhir/resource-types | ImagingManifest | A text description of the DICOM SOP instances selected in the ImagingManifest; or the reason for, or significance of, the selection.

ImagingStudy | http://hl7.org/fhir/resource-types | ImagingStudy | Representation of the content produced in a DICOM imaging study. A study comprises a set of series, each of which includes a set of Service-Object Pair Instances (SOP Instances - images or other data) acquired or produced in a common context. A series is of only one modality (e.g. X-ray, CT, MR, ultrasound), but a study may have multiple series of different modalities.

Immunization | http://hl7.org/fhir/resource-types | Immunization | Describes the event of a patient being administered a vaccination or a record of a vaccination as reported by a patient, a clinician or another party and may include vaccine reaction information and what vaccination protocol was followed.

ImmunizationRecommendation | http://hl7.org/fhir/resource-types | ImmunizationRecommendation | A patient's point-in-time immunization and recommendation (i.e. forecasting a patient's immunization eligibility according to a published schedule) with optional supporting justification.

ImplementationGuide | http://hl7.org/fhir/resource-types | ImplementationGuide | A set of rules of how FHIR is used to solve a particular problem. This resource is used to gather all the parts of an implementation guide into a logical whole and to publish a computable definition of all the parts.

Library | http://hl7.org/fhir/resource-types | Library | The Library resource is a general-purpose container for knowledge asset definitions. It can be used to describe and expose existing knowledge assets such as logic libraries and information model descriptions, as well as to describe a collection of knowledge assets.

Linkage | http://hl7.org/fhir/resource-types | Linkage | Identifies two or more records (resource instances) that are referring to the same real-world "occurrence".

List | http://hl7.org/fhir/resource-types | List | A set of information summarized from a list of other resources.

Location | http://hl7.org/fhir/resource-types | Location | Details and position information for a physical place where services are provided and resources and participants may be stored, found, contained or accommodated.

Measure | http://hl7.org/fhir/resource-types | Measure | The Measure resource provides the definition of a quality measure.

MeasureReport | http://hl7.org/fhir/resource-types | MeasureReport | The MeasureReport resource contains the results of evaluating a measure.

Media | http://hl7.org/fhir/resource-types | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.

Medication | http://hl7.org/fhir/resource-types | Medication | This resource is primarily used for the identification and definition of a medication. It covers the ingredients and the packaging for a medication.

MedicationAdministration | http://hl7.org/fhir/resource-types | MedicationAdministration | Describes the event of a patient consuming or otherwise being administered a medication. This may be as simple as swallowing a tablet or it may be a long running infusion. Related resources tie this event to the authorizing prescription, and the specific encounter between patient and health care practitioner.

MedicationDispense | http://hl7.org/fhir/resource-types | MedicationDispense | Indicates that a medication product is to be or has been dispensed for a named person/patient. This includes a description of the medication product (supply) provided and the instructions for administering the medication. The medication dispense is the result of a pharmacy system responding to a medication order.

MedicationRequest | http://hl7.org/fhir/resource-types | MedicationRequest | An order or request for both supply of the medication and the instructions for administration of the medication to a patient. The resource is called "MedicationRequest" rather than "MedicationPrescription" or "MedicationOrder" to generalize the use across inpatient and outpatient settings, including care plans, etc., and to harmonize with workflow patterns.

MedicationStatement | http://hl7.org/fhir/resource-types | MedicationStatement | A record of a medication that is being consumed by a patient. A MedicationStatement may indicate that the patient may be taking the medication now, or has taken the medication in the past or will be taking the medication in the future. The source of this information can be the patient, significant other (such as a family member or spouse), or a clinician. A common scenario where this information is captured is during the history taking process during a patient visit or stay. The medication information may come from sources such as the patient's memory, from a prescription bottle, or from a list of medications the patient, clinician or other party maintains The primary difference between a medication statement and a medication administration is that the medication administration has complete administration information and is based on actual administration information from the person who administered the medication. A medication statement is often, if not always, less specific. There is no required date/time when the medication was administered, in fact we only know that a source has reported the patient is taking this medication, where details such as time, quantity, or rate or even medication product may be incomplete or missing or less precise. As stated earlier, the medication statement information may come from the patient's memory, from a prescription bottle or from a list of medications the patient, clinician or other party maintains. Medication administration is more formal and is not missing detailed information.

MessageDefinition | http://hl7.org/fhir/resource-types | MessageDefinition | Defines the characteristics of a message that can be shared between systems, including the type of event that initiates the message, the content to be transmitted and what response(s), if any, are permitted.

MessageHeader | http://hl7.org/fhir/resource-types | MessageHeader | The header for a message exchange that is either requesting or responding to an action. The reference(s) that are the subject of the action as well as other information related to the action are typically transmitted in a bundle in which the MessageHeader resource instance is the first resource in the bundle.

NamingSystem | http://hl7.org/fhir/resource-types | NamingSystem | A curated namespace that issues unique symbols within that namespace for the identification of concepts, people, devices, etc. Represents a "System" used within the Identifier and Coding data types.

NutritionOrder | http://hl7.org/fhir/resource-types | NutritionOrder | A request to supply a diet, formula feeding (enteral) or oral nutritional supplement to a patient/resident.

Observation | http://hl7.org/fhir/resource-types | Observation | Measurements and simple assertions made about a patient, device or other subject.

OperationDefinition | http://hl7.org/fhir/resource-types | OperationDefinition | A formal computable definition of an operation (on the RESTful interface) or a named query (using the search interaction).

OperationOutcome | http://hl7.org/fhir/resource-types | OperationOutcome | A collection of error, warning or information messages that result from a system action.

Organization | http://hl7.org/fhir/resource-types | Organization | A formally or informally recognized grouping of people or organizations formed for the purpose of achieving some form of collective action. Includes companies, institutions, corporations, departments, community groups, healthcare practice groups, etc.

Parameters | http://hl7.org/fhir/resource-types | Parameters | This special resource type is used to represent an operation request and response (operations.html). It has no other use, and there is no RESTful endpoint associated with it.

Patient | http://hl7.org/fhir/resource-types | Patient | Demographics and other administrative information about an individual or animal receiving care or other health-related services.

PaymentNotice | http://hl7.org/fhir/resource-types | PaymentNotice | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

PaymentReconciliation | http://hl7.org/fhir/resource-types | PaymentReconciliation | This resource provides payment details and claim references supporting a bulk payment.

Person | http://hl7.org/fhir/resource-types | Person | Demographics and administrative information about a person independent of a specific health-related context.

PlanDefinition | http://hl7.org/fhir/resource-types | PlanDefinition | This resource allows for the definition of various types of plans as a sharable, consumable, and executable artifact. The resource is general enough to support the description of a broad range of clinical artifacts such as clinical decision support rules, order sets and protocols.

Practitioner | http://hl7.org/fhir/resource-types | Practitioner | A person who is directly or indirectly involved in the provisioning of healthcare.

PractitionerRole | http://hl7.org/fhir/resource-types | PractitionerRole | A specific set of Roles/Locations/specialties/services that a practitioner may perform at an organization for a period of time.

Procedure | http://hl7.org/fhir/resource-types | Procedure | An action that is or was performed on a patient. This can be a physical intervention like an operation, or less invasive like counseling or hypnotherapy.

ProcedureRequest | http://hl7.org/fhir/resource-types | ProcedureRequest | A record of a request for diagnostic investigations, treatments, or operations to be performed.

ProcessRequest | http://hl7.org/fhir/resource-types | ProcessRequest | This resource provides the target, request and response, and action details for an action to be performed by the target on or about existing resources.

ProcessResponse | http://hl7.org/fhir/resource-types | ProcessResponse | This resource provides processing status, errors and notes from the processing of a resource.

Provenance | http://hl7.org/fhir/resource-types | Provenance | Provenance of a resource is a record that describes entities and processes involved in producing and delivering or otherwise influencing that resource. Provenance provides a critical foundation for assessing authenticity, enabling trust, and allowing reproducibility. Provenance assertions are a form of contextual metadata and can themselves become important records with their own provenance. Provenance statement indicates clinical significance in terms of confidence in authenticity, reliability, and trustworthiness, integrity, and stage in lifecycle (e.g. Document Completion - has the artifact been legally authenticated), all of which may impact security, privacy, and trust policies.

Questionnaire | http://hl7.org/fhir/resource-types | Questionnaire | A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

QuestionnaireResponse | http://hl7.org/fhir/resource-types | QuestionnaireResponse | A structured set of questions and their answers. The questions are ordered and grouped into coherent subsets, corresponding to the structure of the grouping of the questionnaire being responded to.

ReferralRequest | http://hl7.org/fhir/resource-types | ReferralRequest | Used to record and send details about a request for referral service or transfer of a patient to the care of another provider or provider organization.

RelatedPerson | http://hl7.org/fhir/resource-types | RelatedPerson | Information about a person that is involved in the care for a patient, but who is not the target of healthcare, nor has a formal responsibility in the care process.

RequestGroup | http://hl7.org/fhir/resource-types | RequestGroup | A group of related requests that can be used to capture intended activities that have inter-dependencies such as "give this medication after that one".

ResearchStudy | http://hl7.org/fhir/resource-types | ResearchStudy | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

ResearchSubject | http://hl7.org/fhir/resource-types | ResearchSubject | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

Resource | http://hl7.org/fhir/resource-types | Resource | This is the base resource type for everything.

RiskAssessment | http://hl7.org/fhir/resource-types | RiskAssessment | An assessment of the likely outcome(s) for a patient or other subject as well as the likelihood of each outcome.

Schedule | http://hl7.org/fhir/resource-types | Schedule | A container for slots of time that may be available for booking appointments.

SearchParameter | http://hl7.org/fhir/resource-types | SearchParameter | A search parameter that defines a named search item that can be used to search/filter on a resource.

Sequence | http://hl7.org/fhir/resource-types | Sequence | Raw data describing a biological sequence.

ServiceDefinition | http://hl7.org/fhir/resource-types | ServiceDefinition | The ServiceDefinition describes a unit of decision support functionality that is made available as a service, such as immunization modules or drug-drug interaction checking.

Slot | http://hl7.org/fhir/resource-types | Slot | A slot of time on a schedule that may be available for booking appointments.

Specimen | http://hl7.org/fhir/resource-types | Specimen | A sample to be used for analysis.

StructureDefinition | http://hl7.org/fhir/resource-types | StructureDefinition | A definition of a FHIR structure. This resource is used to describe the underlying resources, data types defined in FHIR, and also for describing extensions and constraints on resources and data types.

StructureMap | http://hl7.org/fhir/resource-types | StructureMap | A Map of relationships between 2 structures that can be used to transform data.

Subscription | http://hl7.org/fhir/resource-types | Subscription | The subscription resource is used to define a push based subscription from a server to another system. Once a subscription is registered with the server, the server checks every resource that is created or updated, and if the resource matches the given criteria, it sends a message on the defined "channel" so that another system is able to take an appropriate action.

Substance | http://hl7.org/fhir/resource-types | Substance | A homogeneous material with a definite composition.

SupplyDelivery | http://hl7.org/fhir/resource-types | SupplyDelivery | Record of delivery of what is supplied.

SupplyRequest | http://hl7.org/fhir/resource-types | SupplyRequest | A record of a request for a medication, substance or device used in the healthcare setting.

Task | http://hl7.org/fhir/resource-types | Task | A task to be performed.

TestReport | http://hl7.org/fhir/resource-types | TestReport | A summary of information based on the results of executing a TestScript.

TestScript | http://hl7.org/fhir/resource-types | TestScript | A structured set of tests against a FHIR server implementation to determine compliance against the FHIR specification.

ValueSet | http://hl7.org/fhir/resource-types | ValueSet | A value set specifies a set of codes drawn from one or more code systems.

VisionPrescription | http://hl7.org/fhir/resource-types | VisionPrescription | An authorization for the supply of glasses and/or contact lenses to a patient.

Type | http://hl7.org/fhir/abstract-types | Type | A place holder that means any kind of data type

Any | http://hl7.org/fhir/abstract-types | Any | A place holder that means any kind of resource

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.25 Value Set http://hl7.org/fhir/ValueSet/message-events

URL: https://hl7.org/fhir/STU3/valueset-message-events.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Infrastructure And Messaging Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/message-events

Name: | MessageEvent

Definition: | One of the message events defined as part of FHIR.

Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.25 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MessageEvent

* MessageDefinition.event (Example)

* CapabilityStatement.messaging.event.code (Example)

* MessageHeader.event (Example)

4.3.1.25.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/message-events

4.3.1.25.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 12 concepts

Expansion based on http://hl7.org/fhir/message-events version 3.0.2

All codes from system http://hl7.org/fhir/message-events

Code | Display | Definition

CodeSystem-expand | CodeSystem-expand | The definition of a code system is used to create a simple collection of codes suitable for use for data entry or validation. An expanded code system will be returned, or an error message.

MedicationAdministration-Complete | MedicationAdministration-Complete | Change the status of a Medication Administration to show that it is complete.

MedicationAdministration-Nullification | MedicationAdministration-Nullification | Someone wishes to record that the record of administration of a medication is in error and should be ignored.

MedicationAdministration-Recording | MedicationAdministration-Recording | Indicates that a medication has been recorded against the patient's record.

MedicationAdministration-Update | MedicationAdministration-Update | Update a Medication Administration record.

admin-notify | admin-notify | Notification of a change to an administrative resource (either create or update). Note that there is no delete, though some administrative resources have status or period elements for this use.

communication-request | communication-request | Notification to convey information.

diagnosticreport-provide | diagnosticreport-provide | Provide a diagnostic report, or update a previously provided diagnostic report.

observation-provide | observation-provide | Provide a simple observation or update a previously provided simple observation.

patient-link | patient-link | Notification that two patient records actually identify the same patient.

patient-unlink | patient-unlink | Notification that previous advice that two patient records concern the same patient is now considered incorrect.

valueset-expand | valueset-expand | The definition of a value set is used to create a simple collection of codes suitable for use for data entry or validation. An expanded value set will be returned, or an error message.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.26 Value Set http://hl7.org/fhir/ValueSet/resource-types

URL: https://hl7.org/fhir/STU3/valueset-resource-types.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 4 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-types

Name: | ResourceType

Definition: | One of the resource types defined as part of FHIR.

Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.26 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ResourceType

* MessageDefinition.focus.code (Required)

* CapabilityStatement.rest.resource.type (Required)

* CapabilityStatement.messaging.event.focus (Required)

* GraphDefinition.start (Required)
* GraphDefinition.link.target.type (Required)
* ImplementationGuide.global.type (Required)
* ImplementationGuide.page.type (Required)
* SearchParameter.base (Required)
* SearchParameter.target (Required)
* ActivityDefinition.kind (Required)
* Questionnaire.subjectType (Required)
* OperationDefinition.resource (Required)
* CompartmentDefinition.resource.code (Required)
* Extension http://hl7.org/fhir/StructureDefinition/questionnaire-allowedResource: allowedResource ((Required))

4.3.1.26.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/resource-types

4.3.1.26.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 119 concepts

Expansion based on http://hl7.org/fhir/resource-types version 3.0.2

All codes from system http://hl7.org/fhir/resource-types

Code | Display | Definition

Account | Account | A financial tool for tracking value accrued for a particular purpose. In the healthcare field, used to track charges for a patient, cost centers, etc.

ActivityDefinition | ActivityDefinition | This resource allows for the definition of some activity to be performed, independent of a particular patient, practitioner, or other performance context.

AdverseEvent | AdverseEvent | Actual or potential/avoided event causing unintended physical injury resulting from or contributed to by medical care, a research study or other healthcare setting factors that requires additional monitoring, treatment, or hospitalization, or that results in death.

AllergyIntolerance | AllergyIntolerance | Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance.

Appointment | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).

AppointmentResponse | AppointmentResponse | A reply to an appointment request for a patient and/or practitioner(s), such as a confirmation or rejection.

AuditEvent | AuditEvent | A record of an event made for purposes of maintaining a security log. Typical uses include detection of intrusion attempts and monitoring for inappropriate usage.

Basic | Basic | Basic is used for handling concepts not yet defined in FHIR, narrative-only resources that don't map to an existing resource, and custom resources not appropriate for inclusion in the FHIR specification.

Binary | Binary | A binary resource can contain any content, whether text, image, pdf, zip archive, etc.

BodySite | BodySite | Record details about the anatomical location of a specimen or body part. This resource may be used when a coded concept does not provide the necessary detail needed for the use case.

Bundle | Bundle | A container for a collection of resources.

CapabilityStatement | CapabilityStatement | A Capability Statement documents a set of capabilities (behaviors) of a FHIR Server that may be used as a statement of actual server functionality or a statement of required or desired server implementation.

CarePlan | CarePlan | Describes the intention of how one or more practitioners intend to deliver care for a particular patient, group or community for a period of time, possibly limited to care for a specific condition or set of conditions.

CareTeam | CareTeam | The Care Team includes all the people and organizations who plan to participate in the coordination and delivery of care for a patient.

ChargeItem | ChargeItem | The resource ChargeItem describes the provision of healthcare provider products for a certain patient, therefore referring not only to the product, but containing in addition details of the provision, like date, time, amounts and participating organizations and persons. Main Usage of the ChargeItem is to enable the billing process and internal cost allocation.

Claim | Claim | A provider issued list of services and products provided, or to be provided, to a patient which is provided to an insurer for payment recovery.

ClaimResponse | ClaimResponse | This resource provides the adjudication details from the processing of a Claim resource.

ClinicalImpression | ClinicalImpression | A record of a clinical assessment performed to determine what problem(s) may affect the patient and before planning the treatments or management strategies that are best to manage a patient's condition. Assessments are often 1:1 with a clinical consultation / encounter, but this varies greatly depending on the clinical workflow. This resource is called "ClinicalImpression" rather than "ClinicalAssessment" to avoid confusion with the recording of assessment tools such as Apgar score.

CodeSystem | CodeSystem | A code system resource specifies a set of codes drawn from one or more code systems.

Communication | Communication | An occurrence of information being transmitted; e.g. an alert that was sent to a responsible provider, a public health agency was notified about a reportable condition.

CommunicationRequest | CommunicationRequest | A request to convey information; e.g. the CDS system proposes that an alert be sent to a responsible provider, the CDS system proposes that the public health agency be notified about a reportable condition.

CompartmentDefinition | CompartmentDefinition | A compartment definition that defines how resources are accessed on a server.

Composition | Composition | A set of healthcare-related information that is assembled together into a single logical document that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. While a Composition defines the structure, it does not actually contain the content: rather the full content of a document is contained in a Bundle, of which the

Composition is the first resource contained.

ConceptMap | ConceptMap | A statement of relationships from one set of concepts to one or more other concepts - either code systems or data elements, or classes in class models.

Condition | Condition | A clinical condition, problem, diagnosis, or other event, situation, issue, or clinical concept that has risen to a level of concern.

Consent | Consent | A record of a healthcare consumer's policy choices, which permits or denies identified recipient(s) or recipient role(s) to perform one or more actions within a given policy context, for specific purposes and periods of time.

Contract | Contract | A formal agreement between parties regarding the conduct of business, exchange of information or other matters.

Coverage | Coverage | Financial instrument which may be used to reimburse or pay for health care products and services.

DataElement | DataElement | The formal description of a single piece of information that can be gathered and reported.

DetectedIssue | DetectedIssue | Indicates an actual or potential clinical issue with or between one or more active or proposed clinical actions for a patient; e.g. Drug-drug interaction, Ineffective treatment frequency, Procedure-condition conflict, etc.

Device | Device | This resource identifies an instance or a type of a manufactured item that is used in the provision of healthcare without being substantially changed through that activity. The device may be a medical or non-medical device. Medical devices include durable (reusable) medical equipment, implantable devices, as well as disposable equipment used for diagnostic, treatment, and research for healthcare and public health. Non-medical devices may include items such as a machine, cellphone, computer, application, etc.

DeviceComponent | DeviceComponent | The characteristics, operational status and capabilities of a medical-related component of a medical device.

DeviceMetric | DeviceMetric | Describes a measurement, calculation or setting capability of a medical device.

DeviceRequest | DeviceRequest | Represents a request for a patient to employ a medical device. The device may be an implantable device, or an external assistive device, such as a walker.

DeviceUseStatement | DeviceUseStatement | A record of a device being used by a patient where the record is the result of a report from the patient or another clinician.

DiagnosticReport | DiagnosticReport | The findings and interpretation of diagnostic tests performed on patients, groups of patients, devices, and locations, and/or specimens derived from these. The report includes clinical context such as requesting and provider information, and some mix of atomic results, images, textual and coded interpretations, and formatted representation of diagnostic reports.

DocumentManifest | DocumentManifest | A collection of documents compiled for a purpose together with metadata that applies to the collection.

DocumentReference | DocumentReference | A reference to a document.

DomainResource | DomainResource | A resource that includes narrative, extensions, and contained resources.

EligibilityRequest | EligibilityRequest | The EligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an EligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.

EligibilityResponse | EligibilityResponse | This resource provides eligibility and plan details from the processing of an Eligibility resource.

Encounter | Encounter | An interaction between a patient and healthcare provider(s) for the purpose of providing healthcare service(s) or assessing the health status of a patient.

Endpoint | Endpoint | The technical details of an endpoint that can be used for electronic services, such as for web services providing XDS.b or a REST endpoint for another FHIR server. This may include any security context information.

EnrollmentRequest | EnrollmentRequest | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.

EnrollmentResponse | EnrollmentResponse | This resource provides enrollment and plan details from the processing of an Enrollment resource.

EpisodeOfCare | EpisodeOfCare | An association between a patient and an organization / healthcare provider(s) during which time encounters may occur. The managing organization assumes a level of responsibility for the patient during this time.

ExpansionProfile | ExpansionProfile | Resource to define constraints on the Expansion of a FHIR ValueSet.

ExplanationOfBenefit | ExplanationOfBenefit | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

FamilyMemberHistory | FamilyMemberHistory | Significant health events and conditions for a person related to the patient relevant in the context of care for the patient.

Flag | Flag | Prospective warnings of potential issues when providing care to the patient.

Goal | Goal | Describes the intended objective(s) for a patient, group or organization care, for example, weight loss, restoring an activity of daily living, obtaining herd immunity via immunization, meeting a process improvement objective, etc.

GraphDefinition | GraphDefinition | A formal computable definition of a graph of resources - that is, a coherent set of resources that form a graph by following references. The Graph Definition resource defines a set and makes rules about the set.

Group | Group | Represents a defined collection of entities that may be discussed or acted upon collectively but which are not expected to act collectively and are not formally or legally recognized; i.e. a collection of entities that isn't an Organization.

GuidanceResponse | GuidanceResponse | A guidance response is the formal response to a guidance request, including any output parameters returned by the evaluation, as well as the description of any proposed actions to be taken.

HealthcareService | HealthcareService | The details of a healthcare service available at a location.

ImagingManifest | ImagingManifest | A text description of the DICOM SOP instances selected in the ImagingManifest; or the reason for, or significance of, the selection.

ImagingStudy | ImagingStudy | Representation of the content produced in a DICOM imaging study. A study comprises a set of series, each of which includes a set of Service-Object Pair Instances (SOP Instances - images or other data) acquired or produced in a common context. A series is of only one modality (e.g. X-ray, CT, MR, ultrasound), but a study may have multiple series of different modalities.

Immunization | Immunization | Describes the event of a patient being administered a vaccination or a record of a vaccination as reported by a patient, a clinician or another party and may include vaccine reaction information and what vaccination protocol was followed.

ImmunizationRecommendation | ImmunizationRecommendation | A patient's point-in-time immunization and recommendation (i.e. forecasting a patient's immunization eligibility according to a published schedule) with optional supporting justification.

ImplementationGuide | ImplementationGuide | A set of rules of how FHIR is used to solve a particular problem. This resource is used to gather all the parts of an implementation guide into a logical whole and to publish a computable definition of all the parts.

Library | Library | The Library resource is a general-purpose container for knowledge asset definitions. It can be used to describe and expose existing knowledge assets such as logic libraries and information model descriptions, as well as to describe a collection of knowledge assets.

Linkage | Linkage | Identifies two or more records (resource instances) that are referring to the same real-world "occurrence".

List | List | A set of information summarized from a list of other resources.

Location | Location | Details and position information for a physical place where services are provided and resources and participants may be stored, found, contained or accommodated.

Measure | Measure | The Measure resource provides the definition of a quality measure.

MeasureReport | MeasureReport | The MeasureReport resource contains the results of evaluating a measure.

Media | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.

Medication | Medication | This resource is primarily used for the identification and definition of a medication. It covers the ingredients and the packaging for a medication.

MedicationAdministration | MedicationAdministration | Describes the event of a patient consuming or otherwise being administered a medication. This may be as simple as swallowing a tablet or it may be a long running infusion. Related resources tie this event to the authorizing prescription, and the specific encounter between patient and health care practitioner.

MedicationDispense | MedicationDispense | Indicates that a medication product is to be or has been dispensed for a named person/patient. This includes a description of the medication product (supply) provided and the instructions for administering the medication. The medication dispense is the result of a pharmacy system responding to a medication order.

MedicationRequest | MedicationRequest | An order or request for both supply of the medication and the instructions for administration of the medication to a patient. The resource is called "MedicationRequest" rather than "MedicationPrescription" or "MedicationOrder" to generalize the use across inpatient and outpatient settings, including care plans, etc., and to harmonize with workflow patterns.

MedicationStatement | MedicationStatement | A record of a medication that is being consumed by a patient. A MedicationStatement may indicate that the patient may be taking the medication now, or has taken the medication in the past or will be taking the medication in the future. The source of this information can be the patient, significant other (such as a family member or spouse), or a clinician. A common scenario where this information is captured is during the history taking process during a patient visit or stay. The medication information may come from sources such as the patient's memory, from a prescription bottle, or from a list of medications the patient, clinician or other party maintains The primary difference between a medication statement and a medication administration is that the medication administration has complete administration information and is based on actual administration information from the person who administered the medication. A medication statement is often, if not always, less specific. There is no required date/time when the medication was administered, in fact we only know that a source has reported the patient is taking this medication, where details such as time, quantity, or rate or even medication product may be incomplete or missing or less precise. As stated earlier, the medication statement information may come from the patient's memory, from a prescription bottle or from a list of medications the patient, clinician or other party maintains. Medication administration is more formal and is not missing detailed information.

MessageDefinition | MessageDefinition | Defines the characteristics of a message that can be shared between systems, including the type of event that initiates the message, the content to be transmitted and what response(s), if any, are permitted.

MessageHeader | MessageHeader | The header for a message exchange that is either requesting or responding to an action. The reference(s) that are the subject of the action as well as other information related to the action are typically transmitted in a bundle in which the MessageHeader resource instance is the first resource in the bundle.

NamingSystem | NamingSystem | A curated namespace that issues unique symbols within that namespace for the identification of concepts, people, devices, etc. Represents a "System" used within the Identifier and Coding data types.

NutritionOrder | NutritionOrder | A request to supply a diet, formula feeding (enteral) or oral nutritional supplement to a patient/resident.

Observation | Observation | Measurements and simple assertions made about a patient, device or other subject.

OperationDefinition | OperationDefinition | A formal computable definition of an operation (on the RESTful interface) or a named query (using the search interaction).

OperationOutcome | OperationOutcome | A collection of error, warning or information messages that result from a system action.

Organization | Organization | A formally or informally recognized grouping of people or organizations formed for the purpose of achieving some form of collective action. Includes companies, institutions, corporations, departments, community groups, healthcare practice groups, etc.

Parameters | Parameters | This special resource type is used to represent an operation request and response (operations.html). It has no other use, and there is no RESTful endpoint associated with it.

Patient | Patient | Demographics and other administrative information about an individual or animal receiving care or other health-related services.

PaymentNotice | PaymentNotice | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

PaymentReconciliation | PaymentReconciliation | This resource provides payment details and claim references supporting a bulk payment.

Person | Person | Demographics and administrative information about a person independent of a specific health-related context.

PlanDefinition | PlanDefinition | This resource allows for the definition of various types of plans as a sharable, consumable, and executable artifact. The resource is general enough to support the description of a broad range of clinical artifacts such as clinical decision support rules, order sets and protocols.

Practitioner | Practitioner | A person who is directly or indirectly involved in the provisioning of healthcare.

PractitionerRole | PractitionerRole | A specific set of Roles/Locations/specialties/services that a practitioner may perform at an organization for a period of time.

Procedure | Procedure | An action that is or was performed on a patient. This can be a physical intervention like an operation, or less invasive like counseling or hypnotherapy.

ProcedureRequest | ProcedureRequest | A record of a request for diagnostic investigations, treatments, or operations to be performed.

ProcessRequest | ProcessRequest | This resource provides the target, request and response, and action details for an action to be performed by the target on or about existing resources.

ProcessResponse | ProcessResponse | This resource provides processing status, errors and notes from the processing of a resource.

Provenance | Provenance | Provenance of a resource is a record that describes entities and processes involved in producing and delivering or otherwise influencing that resource. Provenance provides a critical foundation for assessing authenticity, enabling trust, and allowing reproducibility. Provenance assertions are a form of contextual metadata and can themselves become important records with their own provenance. Provenance statement indicates clinical significance in terms of confidence in authenticity, reliability, and trustworthiness, integrity, and stage in lifecycle (e.g. Document Completion - has the artifact been legally authenticated), all of which may impact security, privacy, and trust policies.

Questionnaire | Questionnaire | A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

QuestionnaireResponse | QuestionnaireResponse | A structured set of questions and their answers. The questions are ordered and grouped into coherent subsets, corresponding to the structure of the grouping of the questionnaire being responded to.

ReferralRequest | ReferralRequest | Used to record and send details about a request for referral service or transfer of a patient to the care of another provider or provider organization.

RelatedPerson | RelatedPerson | Information about a person that is involved in the care for a patient, but who is not the target of healthcare, nor has a formal responsibility in the care process.

RequestGroup | RequestGroup | A group of related requests that can be used to capture intended activities that have inter-dependencies such as "give this medication after that one".

ResearchStudy | ResearchStudy | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

ResearchSubject | ResearchSubject | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about

medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

Resource | Resource | This is the base resource type for everything.

RiskAssessment | RiskAssessment | An assessment of the likely outcome(s) for a patient or other subject as well as the likelihood of each outcome.

Schedule | Schedule | A container for slots of time that may be available for booking appointments.

SearchParameter | SearchParameter | A search parameter that defines a named search item that can be used to search/filter on a resource.

Sequence | Sequence | Raw data describing a biological sequence.

ServiceDefinition | ServiceDefinition | The ServiceDefinition describes a unit of decision support functionality that is made available as a service, such as immunization modules or drug-drug interaction checking.

Slot | Slot | A slot of time on a schedule that may be available for booking appointments.

Specimen | Specimen | A sample to be used for analysis.

StructureDefinition | StructureDefinition | A definition of a FHIR structure. This resource is used to describe the underlying resources, data types defined in FHIR, and also for describing extensions and constraints on resources and data types.

StructureMap | StructureMap | A Map of relationships between 2 structures that can be used to transform data.

Subscription | Subscription | The subscription resource is used to define a push based subscription from a server to another system. Once a subscription is registered with the server, the server checks every resource that is created or updated, and if the resource matches the given criteria, it sends a message on the defined "channel" so that another system is able to take an appropriate action.

Substance | Substance | A homogeneous material with a definite composition.

SupplyDelivery | SupplyDelivery | Record of delivery of what is supplied.

SupplyRequest | SupplyRequest | A record of a request for a medication, substance or device used in the healthcare setting.

Task | Task | A task to be performed.

TestReport | TestReport | A summary of information based on the results of executing a TestScript.

TestScript | TestScript | A structured set of tests against a FHIR server implementation to determine compliance against the FHIR specification.

ValueSet | ValueSet | A value set specifies a set of codes drawn from one or more code systems.

VisionPrescription | VisionPrescription | An authorization for the supply of glasses and/or contact lenses to a patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.27 Value Set http://hl7.org/fhir/ValueSet/use-context

URL: https://hl7.org/fhir/STU3/valueset-use-context.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/use-context

Name: | Context of Use ValueSet

Definition: | This value set defines a base set of codes that can be used to indicate that the content in a resource was developed with a focus and intent of supporting use within particular contexts.

Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.27 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* UsageContext.value[x] (Example)

* Extension http://hl7.org/fhir/StructureDefinition/elementdefinition-bestpractice: bestpractice ((Extensible))

4.3.1.27.1 Content Logical Definition

This value set includes codes from the following code systems:

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/usps-state

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/practitioner-specialty

* Include codes from http://snomed.info/sct where concept is-a 394733009 (Medical specialties)

* Include all codes defined in urn:iso:std:iso:3166

* Include all codes defined in urn:iso:std:iso:3166

* Include codes from http://unstats.un.org/unsd/methods/m49/m49.htm where class = region

* Include codes from http://snomed.info/sct where concept is-a 387961004 (Kingdom Animalia)

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/administrative-gender

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/condition-code

* Include all codes defined in http://nucc.org/provider-taxonomy

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/v3-ActEncounterCode

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/v3-ActTaskCode

4.3.1.27.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

Code | System | Display | Definition
AK | https://www.usps.com/ | Alaska
AL | https://www.usps.com/ | Alabama
AR | https://www.usps.com/ | Arkansas
AS | https://www.usps.com/ | American Samoa
AZ | https://www.usps.com/ | Arizona
CA | https://www.usps.com/ | California
CO | https://www.usps.com/ | Colorado
CT | https://www.usps.com/ | Connecticut
DC | https://www.usps.com/ | District of Columbia
DE | https://www.usps.com/ | Delaware
FL | https://www.usps.com/ | Florida
FM | https://www.usps.com/ | Federated States of Micronesia
GA | https://www.usps.com/ | Georgia
GU | https://www.usps.com/ | Guam
HI | https://www.usps.com/ | Hawaii
IA | https://www.usps.com/ | Iowa
ID | https://www.usps.com/ | Idaho
IL | https://www.usps.com/ | Illinois
IN | https://www.usps.com/ | Indiana
KS | https://www.usps.com/ | Kansas
KY | https://www.usps.com/ | Kentucky
LA | https://www.usps.com/ | Louisiana
MA | https://www.usps.com/ | Massachusetts
MD | https://www.usps.com/ | Maryland
ME | https://www.usps.com/ | Maine
MH | https://www.usps.com/ | Marshall Islands
MI | https://www.usps.com/ | Michigan
MN | https://www.usps.com/ | Minnesota
MO | https://www.usps.com/ | Missouri
MP | https://www.usps.com/ | Northern Mariana Islands
MS | https://www.usps.com/ | Mississippi
MT | https://www.usps.com/ | Montana
NC | https://www.usps.com/ | North Carolina
ND | https://www.usps.com/ | North Dakota
NE | https://www.usps.com/ | Nebraska
NH | https://www.usps.com/ | New Hampshire
NJ | https://www.usps.com/ | New Jersey
NM | https://www.usps.com/ | New Mexico
NV | https://www.usps.com/ | Nevada
NY | https://www.usps.com/ | New York
OH | https://www.usps.com/ | Ohio
OK | https://www.usps.com/ | Oklahoma
OR | https://www.usps.com/ | Oregon
PA | https://www.usps.com/ | Pennsylvania
PR | https://www.usps.com/ | Puerto Rico
PW | https://www.usps.com/ | Palau
RI | https://www.usps.com/ | Rhode Island
SC | https://www.usps.com/ | South Carolina
SD | https://www.usps.com/ | South Dakota
TN | https://www.usps.com/ | Tennessee
TX | https://www.usps.com/ | Texas
UM | https://www.usps.com/ | U.S. Minor Outlying Islands
UT | https://www.usps.com/ | Utah
VA | https://www.usps.com/ | Virginia
VI | https://www.usps.com/ | Virgin Islands of the U.S.
VT | https://www.usps.com/ | Vermont
WA | https://www.usps.com/ | Washington

WI | https://www.usps.com/ | Wisconsin
WV | https://www.usps.com/ | West Virginia
WY | https://www.usps.com/ | Wyoming
cardio | http://hl7.org/fhir/practitioner-specialty | Cardiologist
dent | http://hl7.org/fhir/practitioner-specialty | Dentist
dietary | http://hl7.org/fhir/practitioner-specialty | Dietary consultant
midw | http://hl7.org/fhir/practitioner-specialty | Midwife
sysarch | http://hl7.org/fhir/practitioner-specialty | Systems architect
394537008 | http://snomed.info/sct | Pediatrics
394538003 | http://snomed.info/sct | Pediatric neurology
394578005 | http://snomed.info/sct | Audiological medicine
394579002 | http://snomed.info/sct | Cardiology
394580004 | http://snomed.info/sct | Clinical genetics
394582007 | http://snomed.info/sct | Dermatology
394583002 | http://snomed.info/sct | Endocrinology
394584008 | http://snomed.info/sct | Gastroenterology
394589003 | http://snomed.info/sct | Nephrology
394590007 | http://snomed.info/sct | Thoracic medicine
394591006 | http://snomed.info/sct | Neurology
394593009 | http://snomed.info/sct | Medical oncology
394600006 | http://snomed.info/sct | Clinical pharmacology
394601005 | http://snomed.info/sct | Clinical physiology
394602003 | http://snomed.info/sct | Rehabilitation - specialty
394649004 | http://snomed.info/sct | Nuclear medicine - specialty
394802001 | http://snomed.info/sct | General medicine
394803006 | http://snomed.info/sct | Clinical hematology
394804000 | http://snomed.info/sct | Clinical cytogenetics and molecular genetics
394805004 | http://snomed.info/sct | Clinical immunology/allergy
394806003 | http://snomed.info/sct | Palliative medicine
394807007 | http://snomed.info/sct | Infectious diseases (specialty)
394808002 | http://snomed.info/sct | Genito-urinary medicine
394809005 | http://snomed.info/sct | Clinical neuro-physiology
394810000 | http://snomed.info/sct | Rheumatology
394811001 | http://snomed.info/sct | Geriatric medicine
394812008 | http://snomed.info/sct | Dental medicine specialties
394813003 | http://snomed.info/sct | Medical ophthalmology
408439002 | http://snomed.info/sct | Allergy - specialty
408440000 | http://snomed.info/sct | Public health medicine
408442008 | http://snomed.info/sct | Hemophilia - specialty
408445005 | http://snomed.info/sct | Neonatology
408447002 | http://snomed.info/sct | Respite care - specialty
408448007 | http://snomed.info/sct | Tropical medicine
408450004 | http://snomed.info/sct | Sleep studies - specialty
408459003 | http://snomed.info/sct | Pediatric cardiology
408472002 | http://snomed.info/sct | Hepatology
408475000 | http://snomed.info/sct | Diabetic medicine
408478003 | http://snomed.info/sct | Critical care medicine
408480009 | http://snomed.info/sct | Clinical immunology
409967009 | http://snomed.info/sct | Toxicology
409968004 | http://snomed.info/sct | Preventive medicine
410001006 | http://snomed.info/sct | Military medicine
410005002 | http://snomed.info/sct | Dive medicine
416304004 | http://snomed.info/sct | Osteopathic manipulative medicine
417887005 | http://snomed.info/sct | Pediatric otolaryngology
418002000 | http://snomed.info/sct | Pediatric oncology
418058008 | http://snomed.info/sct | Pediatric gastroenterology
418112009 | http://snomed.info/sct | Pulmonary medicine
418535003 | http://snomed.info/sct | Pediatric immunology
418652005 | http://snomed.info/sct | Pediatric hematology
418862001 | http://snomed.info/sct | Pediatric infectious diseases
419043006 | http://snomed.info/sct | Urological oncology
419170002 | http://snomed.info/sct | Pediatric pulmonology
419192003 | http://snomed.info/sct | Internal medicine
419215006 | http://snomed.info/sct | Pediatric intensive care
419365004 | http://snomed.info/sct | Pediatric nephrology
419472004 | http://snomed.info/sct | Pediatric rheumatology
419610006 | http://snomed.info/sct | Pediatric endocrinology
419677000 | http://snomed.info/sct | Pediatric neurology oncology
419772000 | http://snomed.info/sct | Family practice
419917007 | http://snomed.info/sct | Pediatric emergency medicine
419983000 | http://snomed.info/sct | Pediatric ophthalmology
420112009 | http://snomed.info/sct | Pediatric bone marrow transplantation

420208008 | http://snomed.info/sct | Pediatric genetics
445715009 | http://snomed.info/sct | Blood and marrow transplantation
715184008 | http://snomed.info/sct | Aerospace medicine
718359001 | http://snomed.info/sct | Regenerative medicine
AD | urn:iso:std:iso:3166 | Andorra
AE | urn:iso:std:iso:3166 | United Arab Emirates (the)
AF | urn:iso:std:iso:3166 | Afghanistan
AG | urn:iso:std:iso:3166 | Antigua and Barbuda
AI | urn:iso:std:iso:3166 | Anguilla
AL | urn:iso:std:iso:3166 | Albania
AM | urn:iso:std:iso:3166 | Armenia
AN | urn:iso:std:iso:3166 | Netherlands Antilles
AO | urn:iso:std:iso:3166 | Angola
AQ | urn:iso:std:iso:3166 | Antarctica
AR | urn:iso:std:iso:3166 | Argentina
AS | urn:iso:std:iso:3166 | American Samoa
AT | urn:iso:std:iso:3166 | Austria
AU | urn:iso:std:iso:3166 | Australia
AW | urn:iso:std:iso:3166 | Aruba
AX | urn:iso:std:iso:3166 | Åland Islands
AZ | urn:iso:std:iso:3166 | Azerbaijan
BA | urn:iso:std:iso:3166 | Bosnia and Herzegovina
BB | urn:iso:std:iso:3166 | Barbados
BD | urn:iso:std:iso:3166 | Bangladesh
BE | urn:iso:std:iso:3166 | Belgium
BF | urn:iso:std:iso:3166 | Burkina Faso
BG | urn:iso:std:iso:3166 | Bulgaria
BH | urn:iso:std:iso:3166 | Bahrain
BI | urn:iso:std:iso:3166 | Burundi
BJ | urn:iso:std:iso:3166 | Benin
BL | urn:iso:std:iso:3166 | Saint Barthélemy
BM | urn:iso:std:iso:3166 | Bermuda
BN | urn:iso:std:iso:3166 | Brunei Darussalam
BO | urn:iso:std:iso:3166 | Bolivia (Plurinational State of)
BQ | urn:iso:std:iso:3166 | Bonaire, Sint Eustatius and Saba
BR | urn:iso:std:iso:3166 | Brazil
BS | urn:iso:std:iso:3166 | Bahamas (the)
BT | urn:iso:std:iso:3166 | Bhutan
BU | urn:iso:std:iso:3166 | Burma
BV | urn:iso:std:iso:3166 | Bouvet Island
BW | urn:iso:std:iso:3166 | Botswana
BY | urn:iso:std:iso:3166 | Belarus
BZ | urn:iso:std:iso:3166 | Belize
CA | urn:iso:std:iso:3166 | Canada
CC | urn:iso:std:iso:3166 | Cocos (Keeling) Islands (the)
CD | urn:iso:std:iso:3166 | Congo (the Democratic Republic of the)
CF | urn:iso:std:iso:3166 | Central African Republic (the)
CG | urn:iso:std:iso:3166 | Congo (the)
CH | urn:iso:std:iso:3166 | Switzerland
CI | urn:iso:std:iso:3166 | Côte d'Ivoire
CK | urn:iso:std:iso:3166 | Cook Islands (the)
CL | urn:iso:std:iso:3166 | Chile
CM | urn:iso:std:iso:3166 | Cameroon
CN | urn:iso:std:iso:3166 | China
CO | urn:iso:std:iso:3166 | Colombia
CR | urn:iso:std:iso:3166 | Costa Rica
CS | urn:iso:std:iso:3166 | Serbia and Montenegro
CT | urn:iso:std:iso:3166 | Canton and Enderbury Islands
CU | urn:iso:std:iso:3166 | Cuba
CV | urn:iso:std:iso:3166 | Cabo Verde
CW | urn:iso:std:iso:3166 | Curaçao
CX | urn:iso:std:iso:3166 | Christmas Island
CY | urn:iso:std:iso:3166 | Cyprus
CZ | urn:iso:std:iso:3166 | Czech Republic (the)
DD | urn:iso:std:iso:3166 | German Democratic Republic
DE | urn:iso:std:iso:3166 | Germany
DJ | urn:iso:std:iso:3166 | Djibouti
DK | urn:iso:std:iso:3166 | Denmark
DM | urn:iso:std:iso:3166 | Dominica
DO | urn:iso:std:iso:3166 | Dominican Republic (the)
DY | urn:iso:std:iso:3166 | Dahomey
DZ | urn:iso:std:iso:3166 | Algeria

EC | urn:iso:std:iso:3166 | Ecuador
EE | urn:iso:std:iso:3166 | Estonia
EG | urn:iso:std:iso:3166 | Egypt
EH | urn:iso:std:iso:3166 | Western Sahara*
ER | urn:iso:std:iso:3166 | Eritrea
ES | urn:iso:std:iso:3166 | Spain
ET | urn:iso:std:iso:3166 | Ethiopia
FI | urn:iso:std:iso:3166 | Finland
FJ | urn:iso:std:iso:3166 | Fiji
FK | urn:iso:std:iso:3166 | Falkland Islands (the) [Malvinas]
FM | urn:iso:std:iso:3166 | Micronesia (Federated States of)
FO | urn:iso:std:iso:3166 | Faroe Islands (the)
FQ | urn:iso:std:iso:3166 | French Southern and Antarctic Territories
FR | urn:iso:std:iso:3166 | France
GA | urn:iso:std:iso:3166 | Gabon
GB | urn:iso:std:iso:3166 | United Kingdom of Great Britain and Northern Ireland (the)
GD | urn:iso:std:iso:3166 | Grenada
GE | urn:iso:std:iso:3166 | Georgia
GF | urn:iso:std:iso:3166 | French Guiana
GG | urn:iso:std:iso:3166 | Guernsey
GH | urn:iso:std:iso:3166 | Ghana
GI | urn:iso:std:iso:3166 | Gibraltar
GL | urn:iso:std:iso:3166 | Greenland
GM | urn:iso:std:iso:3166 | Gambia (the)
GN | urn:iso:std:iso:3166 | Guinea
GP | urn:iso:std:iso:3166 | Guadeloupe
GQ | urn:iso:std:iso:3166 | Equatorial Guinea
GR | urn:iso:std:iso:3166 | Greece
GS | urn:iso:std:iso:3166 | South Georgia and the South Sandwich Islands
GT | urn:iso:std:iso:3166 | Guatemala
GU | urn:iso:std:iso:3166 | Guam
GW | urn:iso:std:iso:3166 | Guinea-Bissau
GY | urn:iso:std:iso:3166 | Guyana
HK | urn:iso:std:iso:3166 | Hong Kong
HM | urn:iso:std:iso:3166 | Heard Island and McDonald Islands
HN | urn:iso:std:iso:3166 | Honduras
HR | urn:iso:std:iso:3166 | Croatia
HT | urn:iso:std:iso:3166 | Haiti
HU | urn:iso:std:iso:3166 | Hungary
HV | urn:iso:std:iso:3166 | Upper Volta
ID | urn:iso:std:iso:3166 | Indonesia
IE | urn:iso:std:iso:3166 | Ireland
IL | urn:iso:std:iso:3166 | Israel
IM | urn:iso:std:iso:3166 | Isle of Man
IN | urn:iso:std:iso:3166 | India
IO | urn:iso:std:iso:3166 | British Indian Ocean Territory (the)
IQ | urn:iso:std:iso:3166 | Iraq
IR | urn:iso:std:iso:3166 | Iran (Islamic Republic of)
IS | urn:iso:std:iso:3166 | Iceland
IT | urn:iso:std:iso:3166 | Italy
JE | urn:iso:std:iso:3166 | Jersey
JM | urn:iso:std:iso:3166 | Jamaica
JO | urn:iso:std:iso:3166 | Jordan
JP | urn:iso:std:iso:3166 | Japan
JT | urn:iso:std:iso:3166 | Johnston Island
KE | urn:iso:std:iso:3166 | Kenya
KG | urn:iso:std:iso:3166 | Kyrgyzstan
KH | urn:iso:std:iso:3166 | Cambodia
KI | urn:iso:std:iso:3166 | Kiribati
KM | urn:iso:std:iso:3166 | Comoros (the)
KN | urn:iso:std:iso:3166 | Saint Kitts and Nevis
KP | urn:iso:std:iso:3166 | Korea (the Democratic People's Republic of)
KR | urn:iso:std:iso:3166 | Korea (the Republic of)
KW | urn:iso:std:iso:3166 | Kuwait
KY | urn:iso:std:iso:3166 | Cayman Islands (the)
KZ | urn:iso:std:iso:3166 | Kazakhstan
LA | urn:iso:std:iso:3166 | Lao People's Democratic Republic (the)
LB | urn:iso:std:iso:3166 | Lebanon
LC | urn:iso:std:iso:3166 | Saint Lucia
LI | urn:iso:std:iso:3166 | Liechtenstein
LK | urn:iso:std:iso:3166 | Sri Lanka
LR | urn:iso:std:iso:3166 | Liberia

LS | urn:iso:std:iso:3166 | Lesotho
LT | urn:iso:std:iso:3166 | Lithuania
LU | urn:iso:std:iso:3166 | Luxembourg
LV | urn:iso:std:iso:3166 | Latvia
LY | urn:iso:std:iso:3166 | Libya
MA | urn:iso:std:iso:3166 | Morocco
MC | urn:iso:std:iso:3166 | Monaco
MD | urn:iso:std:iso:3166 | Moldova (the Republic of)
ME | urn:iso:std:iso:3166 | Montenegro
MF | urn:iso:std:iso:3166 | Saint Martin (French part)
MG | urn:iso:std:iso:3166 | Madagascar
MH | urn:iso:std:iso:3166 | Marshall Islands (the)
MI | urn:iso:std:iso:3166 | Midway Islands
MK | urn:iso:std:iso:3166 | Macedonia (the former Yugoslav Republic of)
ML | urn:iso:std:iso:3166 | Mali
MM | urn:iso:std:iso:3166 | Myanmar
MN | urn:iso:std:iso:3166 | Mongolia
MO | urn:iso:std:iso:3166 | Macao
MP | urn:iso:std:iso:3166 | Northern Mariana Islands (the)
MQ | urn:iso:std:iso:3166 | Martinique
MR | urn:iso:std:iso:3166 | Mauritania
MS | urn:iso:std:iso:3166 | Montserrat
MT | urn:iso:std:iso:3166 | Malta
MU | urn:iso:std:iso:3166 | Mauritius
MV | urn:iso:std:iso:3166 | Maldives
MW | urn:iso:std:iso:3166 | Malawi
MX | urn:iso:std:iso:3166 | Mexico
MY | urn:iso:std:iso:3166 | Malaysia
MZ | urn:iso:std:iso:3166 | Mozambique
NA | urn:iso:std:iso:3166 | Namibia
NC | urn:iso:std:iso:3166 | New Caledonia
NE | urn:iso:std:iso:3166 | Niger (the)
NF | urn:iso:std:iso:3166 | Norfolk Island
NG | urn:iso:std:iso:3166 | Nigeria
NH | urn:iso:std:iso:3166 | New Hebrides
NI | urn:iso:std:iso:3166 | Nicaragua
NL | urn:iso:std:iso:3166 | Netherlands (the)
NO | urn:iso:std:iso:3166 | Norway
NP | urn:iso:std:iso:3166 | Nepal
NQ | urn:iso:std:iso:3166 | Dronning Maud Land
NR | urn:iso:std:iso:3166 | Nauru
NT | urn:iso:std:iso:3166 | Neutral Zone
NU | urn:iso:std:iso:3166 | Niue
NZ | urn:iso:std:iso:3166 | New Zealand
OM | urn:iso:std:iso:3166 | Oman
PA | urn:iso:std:iso:3166 | Panama
PC | urn:iso:std:iso:3166 | Pacific Islands (Trust Territory)
PE | urn:iso:std:iso:3166 | Peru
PF | urn:iso:std:iso:3166 | French Polynesia
PG | urn:iso:std:iso:3166 | Papua New Guinea
PH | urn:iso:std:iso:3166 | Philippines (the)
PK | urn:iso:std:iso:3166 | Pakistan
PL | urn:iso:std:iso:3166 | Poland
PM | urn:iso:std:iso:3166 | Saint Pierre and Miquelon
PN | urn:iso:std:iso:3166 | Pitcairn
PR | urn:iso:std:iso:3166 | Puerto Rico
PS | urn:iso:std:iso:3166 | Palestine, State of
PT | urn:iso:std:iso:3166 | Portugal
PU | urn:iso:std:iso:3166 | United States Miscellaneous Pacific Islands
PW | urn:iso:std:iso:3166 | Palau
PY | urn:iso:std:iso:3166 | Paraguay
PZ | urn:iso:std:iso:3166 | Panama Canal Zone
QA | urn:iso:std:iso:3166 | Qatar
RE | urn:iso:std:iso:3166 | Réunion
RH | urn:iso:std:iso:3166 | Southern Rhodesia
RO | urn:iso:std:iso:3166 | Romania
RS | urn:iso:std:iso:3166 | Serbia
RU | urn:iso:std:iso:3166 | Russian Federation (the)
RW | urn:iso:std:iso:3166 | Rwanda
SA | urn:iso:std:iso:3166 | Saudi Arabia
SB | urn:iso:std:iso:3166 | Solomon Islands
SC | urn:iso:std:iso:3166 | Seychelles

SD | urn:iso:std:iso:3166 | Sudan (the)
SE | urn:iso:std:iso:3166 | Sweden
SG | urn:iso:std:iso:3166 | Singapore
SH | urn:iso:std:iso:3166 | Saint Helena, Ascension and Tristan da Cunha
SI | urn:iso:std:iso:3166 | Slovenia
SJ | urn:iso:std:iso:3166 | Svalbard and Jan Mayen
SK | urn:iso:std:iso:3166 | Slovakia
SL | urn:iso:std:iso:3166 | Sierra Leone
SM | urn:iso:std:iso:3166 | San Marino
SN | urn:iso:std:iso:3166 | Senegal
SO | urn:iso:std:iso:3166 | Somalia
SR | urn:iso:std:iso:3166 | Suriname
SS | urn:iso:std:iso:3166 | South Sudan
ST | urn:iso:std:iso:3166 | Sao Tome and Principe
SU | urn:iso:std:iso:3166 | USSR
SV | urn:iso:std:iso:3166 | El Salvador
SX | urn:iso:std:iso:3166 | Sint Maarten (Dutch part)
SY | urn:iso:std:iso:3166 | Syrian Arab Republic
SZ | urn:iso:std:iso:3166 | Swaziland
TC | urn:iso:std:iso:3166 | Turks and Caicos Islands (the)
TD | urn:iso:std:iso:3166 | Chad
TF | urn:iso:std:iso:3166 | French Southern Territories (the)
TG | urn:iso:std:iso:3166 | Togo
TH | urn:iso:std:iso:3166 | Thailand
TJ | urn:iso:std:iso:3166 | Tajikistan
TK | urn:iso:std:iso:3166 | Tokelau
TL | urn:iso:std:iso:3166 | Timor-Leste
TM | urn:iso:std:iso:3166 | Turkmenistan
TN | urn:iso:std:iso:3166 | Tunisia
TO | urn:iso:std:iso:3166 | Tonga
TP | urn:iso:std:iso:3166 | East Timor
TR | urn:iso:std:iso:3166 | Turkey
TT | urn:iso:std:iso:3166 | Trinidad and Tobago
TV | urn:iso:std:iso:3166 | Tuvalu
TW | urn:iso:std:iso:3166 | Taiwan (Province of China)
TZ | urn:iso:std:iso:3166 | Tanzania, United Republic of
UA | urn:iso:std:iso:3166 | Ukraine
UG | urn:iso:std:iso:3166 | Uganda
UM | urn:iso:std:iso:3166 | United States Minor Outlying Islands (the)
US | urn:iso:std:iso:3166 | United States of America (the)
UY | urn:iso:std:iso:3166 | Uruguay
UZ | urn:iso:std:iso:3166 | Uzbekistan
VA | urn:iso:std:iso:3166 | Holy See (the)
VC | urn:iso:std:iso:3166 | Saint Vincent and the Grenadines
VD | urn:iso:std:iso:3166 | Viet-Nam, Democratic Republic of
VE | urn:iso:std:iso:3166 | Venezuela (Bolivarian Republic of)
VG | urn:iso:std:iso:3166 | Virgin Islands (British)
VI | urn:iso:std:iso:3166 | Virgin Islands (U.S.)
VN | urn:iso:std:iso:3166 | Viet Nam
VU | urn:iso:std:iso:3166 | Vanuatu
WF | urn:iso:std:iso:3166 | Wallis and Futuna
WK | urn:iso:std:iso:3166 | Wake Island
WS | urn:iso:std:iso:3166 | Samoa
YD | urn:iso:std:iso:3166 | Yemen, Democratic
YE | urn:iso:std:iso:3166 | Yemen
YT | urn:iso:std:iso:3166 | Mayotte
YU | urn:iso:std:iso:3166 | Yugoslavia
ZA | urn:iso:std:iso:3166 | South Africa
ZM | urn:iso:std:iso:3166 | Zambia
ZR | urn:iso:std:iso:3166 | Zaire
ZW | urn:iso:std:iso:3166 | Zimbabwe
001 | http://unstats.un.org/unsd/methods/m49/m49.htm | World
002 | http://unstats.un.org/unsd/methods/m49/m49.htm | Africa
014 | http://unstats.un.org/unsd/methods/m49/m49.htm | Eastern Africa
017 | http://unstats.un.org/unsd/methods/m49/m49.htm | Middle Africa
015 | http://unstats.un.org/unsd/methods/m49/m49.htm | Northern Africa
018 | http://unstats.un.org/unsd/methods/m49/m49.htm | Southern Africa
011 | http://unstats.un.org/unsd/methods/m49/m49.htm | Western Africa
019 | http://unstats.un.org/unsd/methods/m49/m49.htm | Americas
419 | http://unstats.un.org/unsd/methods/m49/m49.htm | Latin America and the Caribbean
029 | http://unstats.un.org/unsd/methods/m49/m49.htm | Caribbean
013 | http://unstats.un.org/unsd/methods/m49/m49.htm | Central America

005 | http://unstats.un.org/unsd/methods/m49/m49.htm | South America
021 | http://unstats.un.org/unsd/methods/m49/m49.htm | Northern America a/
142 | http://unstats.un.org/unsd/methods/m49/m49.htm | Asia
143 | http://unstats.un.org/unsd/methods/m49/m49.htm | Central Asia
030 | http://unstats.un.org/unsd/methods/m49/m49.htm | Eastern Asia
034 | http://unstats.un.org/unsd/methods/m49/m49.htm | Southern Asia
035 | http://unstats.un.org/unsd/methods/m49/m49.htm | South-Eastern Asia
145 | http://unstats.un.org/unsd/methods/m49/m49.htm | Western Asia
150 | http://unstats.un.org/unsd/methods/m49/m49.htm | Europe
151 | http://unstats.un.org/unsd/methods/m49/m49.htm | Eastern Europe
154 | http://unstats.un.org/unsd/methods/m49/m49.htm | Northern Europe
039 | http://unstats.un.org/unsd/methods/m49/m49.htm | Southern Europe
155 | http://unstats.un.org/unsd/methods/m49/m49.htm | Western Europe
009 | http://unstats.un.org/unsd/methods/m49/m49.htm | Oceania
053 | http://unstats.un.org/unsd/methods/m49/m49.htm | Australia and New Zealand
054 | http://unstats.un.org/unsd/methods/m49/m49.htm | Melanesia
057 | http://unstats.un.org/unsd/methods/m49/m49.htm | Micronesia
061 | http://unstats.un.org/unsd/methods/m49/m49.htm | Polynesia
101009 | http://snomed.info/sct | Quilonia ethiopica
112009 | http://snomed.info/sct | Bembrops anatirostris
117003 | http://snomed.info/sct | Rhipicephalus sanguineus
118008 | http://snomed.info/sct | Black buffalo weaver
132005 | http://snomed.info/sct | Serraniculus pumilio
173006 | http://snomed.info/sct | Micrognathus crinitus
194009 | http://snomed.info/sct | Notropis whipplei
201002 | http://snomed.info/sct | Oligopus claudei
207003 | http://snomed.info/sct | European edible frog
209000 | http://snomed.info/sct | Plover
218003 | http://snomed.info/sct | Ophidion holbrooki
226006 | http://snomed.info/sct | Aedes luteocephalus
229004 | http://snomed.info/sct | Accipiter gentilis
234000 | http://snomed.info/sct | Cyrnea colini
260004 | http://snomed.info/sct | Indigo bunting
268006 | http://snomed.info/sct | Lycosa tarentula
275007 | http://snomed.info/sct | Noturus placidus
277004 | http://snomed.info/sct | Antbird
300004 | http://snomed.info/sct | Miniature schnauzer
305009 | http://snomed.info/sct | Malaclemys
332004 | http://snomed.info/sct | Sphyrna lewini
338000 | http://snomed.info/sct | Black-headed oriole
347008 | http://snomed.info/sct | Rufous tinamou
350006 | http://snomed.info/sct | Percina crassa
376006 | http://snomed.info/sct | Micrurus
381002 | http://snomed.info/sct | Mansonia pertubans
386007 | http://snomed.info/sct | Poecilia formosa
390009 | http://snomed.info/sct | Ophidion beani
399005 | http://snomed.info/sct | Blaberus craniifer
400003 | http://snomed.info/sct | Pinzgauer cattle
404007 | http://snomed.info/sct | Brama japonica
410007 | http://snomed.info/sct | Atheta occidentalis
411006 | http://snomed.info/sct | Anopheles cruzii
416001 | http://snomed.info/sct | Nymphalis
421003 | http://snomed.info/sct | Baltimore oriole
423000 | http://snomed.info/sct | Oochoristica ratti
428009 | http://snomed.info/sct | Northern flat-head snake
451009 | http://snomed.info/sct | Lichanura trivirgata
453007 | http://snomed.info/sct | Aedes dorsalis
466007 | http://snomed.info/sct | Francolin
502008 | http://snomed.info/sct | Aspidogaster conchicola
507002 | http://snomed.info/sct | Standard poodle
516003 | http://snomed.info/sct | Beetle larvae
537006 | http://snomed.info/sct | Haemonchus similis
546000 | http://snomed.info/sct | Heterandria formosa
562006 | http://snomed.info/sct | Noddy
564007 | http://snomed.info/sct | Bathyagonus alascanus
572009 | http://snomed.info/sct | Athesmia
573004 | http://snomed.info/sct | Amphistichus koelzi
579000 | http://snomed.info/sct | Argas africolumbae
583000 | http://snomed.info/sct | Wirehaired vizsla
592002 | http://snomed.info/sct | Ixodes pacificus
598003 | http://snomed.info/sct | Vespa crabro
606003 | http://snomed.info/sct | Terrier

644007 | http://snomed.info/sct | Toucan barbet
653000 | http://snomed.info/sct | Latrodectus dahli
679009 | http://snomed.info/sct | Pituophis
684003 | http://snomed.info/sct | Pygmy goat
689008 | http://snomed.info/sct | Anopheles sundaicus
706008 | http://snomed.info/sct | Archigetes
708009 | http://snomed.info/sct | Bunostomum phlebotomum
719007 | http://snomed.info/sct | Emblemaria bahamensis
725006 | http://snomed.info/sct | Mobula hypostoma
740008 | http://snomed.info/sct | Ophichthus ophis
744004 | http://snomed.info/sct | Avitellina ratia
763003 | http://snomed.info/sct | Monodon monoceros
769004 | http://snomed.info/sct | Helmetbird
778005 | http://snomed.info/sct | Gobionellus stigmalophius
782007 | http://snomed.info/sct | Maxx rat
797005 | http://snomed.info/sct | New Zealand white rabbit
833002 | http://snomed.info/sct | Domesticated Japanese quail
846007 | http://snomed.info/sct | Thaumetopoea processionea
848008 | http://snomed.info/sct | Burrowing toad
854009 | http://snomed.info/sct | Hybognathus argyritis
861008 | http://snomed.info/sct | Couesius plumbeus
864000 | http://snomed.info/sct | Anopheles multicolor
868002 | http://snomed.info/sct | Fundulus heteroclitus
869005 | http://snomed.info/sct | Camelostrongylus mentulatus
872003 | http://snomed.info/sct | Notocotylus attenuatus
887008 | http://snomed.info/sct | Chirolophis ascanii
898009 | http://snomed.info/sct | Ptychocheilus umpquae
927005 | http://snomed.info/sct | Rainbow snake
929008 | http://snomed.info/sct | Scarus taeniopterus
944009 | http://snomed.info/sct | Brown Welsh cattle
946006 | http://snomed.info/sct | Nandayus nenday
952007 | http://snomed.info/sct | Filicollis
958006 | http://snomed.info/sct | Trachinotus falcatus
997003 | http://snomed.info/sct | Haematosiphon
1006005 | http://snomed.info/sct | Percheron horse
1014004 | http://snomed.info/sct | Bembrops gobioides
1053008 | http://snomed.info/sct | Pontinus rathbuni
1064006 | http://snomed.info/sct | Hemiurus
1067004 | http://snomed.info/sct | Nesotriatoma flavida
1082009 | http://snomed.info/sct | Apogon townsendi
1095004 | http://snomed.info/sct | Notropis atrocaudalis
1109001 | http://snomed.info/sct | Varanus salvator
1118004 | http://snomed.info/sct | Viking horse
1142000 | http://snomed.info/sct | Ceratophyllus
1147006 | http://snomed.info/sct | Anarrhichthys ocellatus
1153006 | http://snomed.info/sct | Tragelaphus angasi
1154000 | http://snomed.info/sct | Nealotus tripes
1158002 | http://snomed.info/sct | Triaenophorus
1161001 | http://snomed.info/sct | Chrysolophus pictus
1162008 | http://snomed.info/sct | Micrurus nigrocinctus
1177000 | http://snomed.info/sct | Pongo pygmaeus
1191006 | http://snomed.info/sct | Bungarus flaviceps
1200006 | http://snomed.info/sct | Liopropoma mowbrayi
1213000 | http://snomed.info/sct | Gaigeria pachyscelis
1215007 | http://snomed.info/sct | Tetractinomyxon
1220007 | http://snomed.info/sct | Trimeresurus tokarensis
1242008 | http://snomed.info/sct | Heterakis meleagridis
1247002 | http://snomed.info/sct | Clydesdale horse
1254008 | http://snomed.info/sct | Black-footed penguin
1265003 | http://snomed.info/sct | Anopheles earlei
1268001 | http://snomed.info/sct | Cyclura cornuta
1270005 | http://snomed.info/sct | Percina squamata
1281008 | http://snomed.info/sct | Notropis scabriceps
1288002 | http://snomed.info/sct | Anopheles punctipennis
1303005 | http://snomed.info/sct | Parafasciolopsis fasciolaemorpha
1330000 | http://snomed.info/sct | Crax alector
1369006 | http://snomed.info/sct | Protospirura muricola
1382003 | http://snomed.info/sct | Selar crumenophthalmus
1392006 | http://snomed.info/sct | Halichoeres bivittatus
1420005 | http://snomed.info/sct | German longhaired pointer
1446009 | http://snomed.info/sct | Skrjabinagia dagestanica
1452005 | http://snomed.info/sct | Chirothrips

1460006 | http://snomed.info/sct | Argas radiatus
1461005 | http://snomed.info/sct | Eremichthys acros
1464002 | http://snomed.info/sct | Jack rabbit
1465001 | http://snomed.info/sct | Verdin
1480007 | http://snomed.info/sct | Pan troglodytes
1504003 | http://snomed.info/sct | Selene peruviana
1509008 | http://snomed.info/sct | Biomphalaria heliophila
1510003 | http://snomed.info/sct | Triodontophorus tenuicollis
1514007 | http://snomed.info/sct | Bedlington terrier
1543004 | http://snomed.info/sct | Ascarops
1547003 | http://snomed.info/sct | Old World vulture
1564000 | http://snomed.info/sct | Megalocottus platycephalus
1587008 | http://snomed.info/sct | Indian darter
1618000 | http://snomed.info/sct | Notropis mekistocholas
1625007 | http://snomed.info/sct | Nematobibothroides
1629001 | http://snomed.info/sct | Arum frog
1632003 | http://snomed.info/sct | Gyrfalcon
1635001 | http://snomed.info/sct | Lungless salamander
1665006 | http://snomed.info/sct | Gadus macrocephalus
1688007 | http://snomed.info/sct | Cottus echinatus
1697006 | http://snomed.info/sct | Megapode
1700005 | http://snomed.info/sct | Coryphopterus lipernes
1733000 | http://snomed.info/sct | Corallus
1751004 | http://snomed.info/sct | Golden-crowned kinglet
1783005 | http://snomed.info/sct | Monkey-eating eagle
1789009 | http://snomed.info/sct | Trakehner horse
1790000 | http://snomed.info/sct | Neoechinorhynchus carpiodi
1802008 | http://snomed.info/sct | Acanthurus coeruleus
1809004 | http://snomed.info/sct | Rex
1817007 | http://snomed.info/sct | Myrophis punctatus
1846000 | http://snomed.info/sct | Opisthorchis felineus
1851006 | http://snomed.info/sct | Anisotremus virginicus
1864007 | http://snomed.info/sct | Gyraulus prashadi
1867000 | http://snomed.info/sct | Amblyopsis rosae
1873004 | http://snomed.info/sct | Musca larvipara
1894001 | http://snomed.info/sct | Notropis formosus
1900001 | http://snomed.info/sct | Chromis cyaneus
1920000 | http://snomed.info/sct | Clay-colored sparrow
1928007 | http://snomed.info/sct | Coryphaena hippurus
1935004 | http://snomed.info/sct | Chickadee
1974006 | http://snomed.info/sct | Retriever
1984007 | http://snomed.info/sct | House wren
2005006 | http://snomed.info/sct | Cypselurus hubbsi
2025005 | http://snomed.info/sct | Antennarius radiosus
2034000 | http://snomed.info/sct | White turkey
2035004 | http://snomed.info/sct | Notropis blennius
2056002 | http://snomed.info/sct | Thunnus atlanticus
2062007 | http://snomed.info/sct | Dachshund
2074006 | http://snomed.info/sct | Heterakis indica
2086009 | http://snomed.info/sct | Mastigoproctus giganteus
2090006 | http://snomed.info/sct | Culicoides
2093008 | http://snomed.info/sct | Bathygobius soporator
2105009 | http://snomed.info/sct | Microfilaria
2106005 | http://snomed.info/sct | Monodelphis
2112000 | http://snomed.info/sct | Dionda episcopa
2118001 | http://snomed.info/sct | Toxorhynchites splendens
2124007 | http://snomed.info/sct | Rambouillet sheep
2135002 | http://snomed.info/sct | Gnathostoma hispidum
2139008 | http://snomed.info/sct | Pulex simulans
2146004 | http://snomed.info/sct | Calotes
2155001 | http://snomed.info/sct | Cylicocyclus elongatus
2173003 | http://snomed.info/sct | Canis aureus
2187003 | http://snomed.info/sct | Estrilda caerulescens
2200008 | http://snomed.info/sct | Cylicodontophorus euproctus
2206002 | http://snomed.info/sct | Ectobius pallidus
2207006 | http://snomed.info/sct | Moxostoma poecilurum
2211000 | http://snomed.info/sct | Zalophotrema
2222001 | http://snomed.info/sct | Glossina fuscipes
2223006 | http://snomed.info/sct | Dicrocoelium hospes
2230000 | http://snomed.info/sct | Hystrichis tricolor
2253004 | http://snomed.info/sct | Marans chicken
2265000 | http://snomed.info/sct | Caulolatilus princeps

2269006 | http://snomed.info/sct | Syngnathus leptorhynchus
2271006 | http://snomed.info/sct | Menticirrhus americanus
2273009 | http://snomed.info/sct | Ginglymostoma cirratum
2274003 | http://snomed.info/sct | Cyprinodon nevadensis
2310001 | http://snomed.info/sct | Acuaria spiralis
2313004 | http://snomed.info/sct | Lycodes diapterus
2333000 | http://snomed.info/sct | Japanese chicken
2340004 | http://snomed.info/sct | Gobionellus longicaudus
2350003 | http://snomed.info/sct | Cyclura
2353001 | http://snomed.info/sct | Lymnaea cubensis
2361006 | http://snomed.info/sct | Sebastolobus alascanus
2378002 | http://snomed.info/sct | Iguana iguana
2380008 | http://snomed.info/sct | Echinostoma malayanum
2394009 | http://snomed.info/sct | Trogloglanis pattersoni
2417004 | http://snomed.info/sct | Nygmia phaeorrhoea
2422004 | http://snomed.info/sct | Acanthurus randalli
2449004 | http://snomed.info/sct | Lesser bird of paradise
2479006 | http://snomed.info/sct | Strongyloides cebus
2485004 | http://snomed.info/sct | White peafowl
2493004 | http://snomed.info/sct | Hollardia meadi
2512008 | http://snomed.info/sct | Gnathagnus egregius
2519004 | http://snomed.info/sct | Viviparus javanicus
2525000 | http://snomed.info/sct | Lissemys
2540003 | http://snomed.info/sct | Anopheles hyrcanus sinensis
2545008 | http://snomed.info/sct | Raja inornata
2551003 | http://snomed.info/sct | Angiostrongylus mackerrasae
2561005 | http://snomed.info/sct | Eastern kingbird
2572000 | http://snomed.info/sct | Trichuris
2578001 | http://snomed.info/sct | Spotted-tailed dasyure
2587005 | http://snomed.info/sct | Eastern mud snake
2588000 | http://snomed.info/sct | Bivitellobilharzia loxodontae
2590004 | http://snomed.info/sct | Leiperenia
2604009 | http://snomed.info/sct | Golden-crested bowerbird
2605005 | http://snomed.info/sct | Dermanyssus gallinae
2623002 | http://snomed.info/sct | Phlebotomus orientalis
2627001 | http://snomed.info/sct | Echinoparyphium dunni
2631007 | http://snomed.info/sct | Goniocotes
2633005 | http://snomed.info/sct | Phlebotomus argentipes
2650007 | http://snomed.info/sct | Notropis candidus
2684006 | http://snomed.info/sct | Triatoma maculata
2711004 | http://snomed.info/sct | Bulinus (Bulinus) coulboisi
2715008 | http://snomed.info/sct | Tragelaphus euryceros
2723005 | http://snomed.info/sct | Concinnum ten
2727006 | http://snomed.info/sct | Microthoracius
2747003 | http://snomed.info/sct | Smooth newt
2755005 | http://snomed.info/sct | Holocentrus ascensionis
2756006 | http://snomed.info/sct | Raillietina madagascariensis
2766003 | http://snomed.info/sct | Liopropoma rubre
2768002 | http://snomed.info/sct | Amia calva
2773008 | http://snomed.info/sct | Lizard
2797004 | http://snomed.info/sct | Lythrypnus nesiotes
2798009 | http://snomed.info/sct | Bicaulus sagittatus
2800002 | http://snomed.info/sct | Oesophagostomum radiatum
2817009 | http://snomed.info/sct | Microcottus sellaris
2865005 | http://snomed.info/sct | Hirundichthys affinis
2873001 | http://snomed.info/sct | Lepisosteus oculatus
2874007 | http://snomed.info/sct | Taenia parva
2882007 | http://snomed.info/sct | Hymenolepis fraterna
2896001 | http://snomed.info/sct | Pseudodiscus collinsi
2921003 | http://snomed.info/sct | Dorosoma petenense
2926008 | http://snomed.info/sct | Scomber japonicus
2930006 | http://snomed.info/sct | Cacique
2939007 | http://snomed.info/sct | Gobiosoma ginsburgi
2976005 | http://snomed.info/sct | Makaira indica
2983003 | http://snomed.info/sct | Etheostoma fricksium
2984009 | http://snomed.info/sct | Ixodes rugosus
2987002 | http://snomed.info/sct | Mastophorus muris
2997006 | http://snomed.info/sct | Martes zibellina
3012009 | http://snomed.info/sct | Epicrates
3064003 | http://snomed.info/sct | Strongylus equinus
3065002 | http://snomed.info/sct | Anopheles gambiae
3069008 | http://snomed.info/sct | Notropis amabilis

3079005 | http://snomed.info/sct | Echinorhynchus
3099004 | http://snomed.info/sct | Romney marsh sheep
3106001 | http://snomed.info/sct | Cricket frog
3111004 | http://snomed.info/sct | Phoneutria
3124004 | http://snomed.info/sct | Cyathostomum catinatum
3132007 | http://snomed.info/sct | Strongyloides cati
3146007 | http://snomed.info/sct | Noeschoengastia
3147003 | http://snomed.info/sct | Membras martinica
3152008 | http://snomed.info/sct | Lycodes rossi
3173008 | http://snomed.info/sct | Caranx bartholomaei
3176000 | http://snomed.info/sct | Hirundichthys rondeleti
3179007 | http://snomed.info/sct | Selene setapinnis
3181009 | http://snomed.info/sct | Branta canadensis
3195007 | http://snomed.info/sct | Notropis perpallidus
3203001 | http://snomed.info/sct | Anopheles pattoni
3206009 | http://snomed.info/sct | Strongyloides canis
3213009 | http://snomed.info/sct | Rhinichthys evermanni
3216001 | http://snomed.info/sct | Lincoln red cattle
3220002 | http://snomed.info/sct | Laughing gull
3231005 | http://snomed.info/sct | Etheostoma neopterum
3237009 | http://snomed.info/sct | Opisthorchis noverca
3240009 | http://snomed.info/sct | Haemonchus lawrenci
3244000 | http://snomed.info/sct | Biomphalaria tenagophila
3260001 | http://snomed.info/sct | Duroc pig
3284009 | http://snomed.info/sct | Trimeresurus monticola
3294004 | http://snomed.info/sct | Schistosoma haematobium
3329004 | http://snomed.info/sct | Trichostrongylus skrjabini
3347005 | http://snomed.info/sct | Dandie dinmont terrier
3354004 | http://snomed.info/sct | Havana brown cat
3356002 | http://snomed.info/sct | Ptychocheilus grandis
3363002 | http://snomed.info/sct | Chromis punctipinnis
3375007 | http://snomed.info/sct | Fundulus lineolatus
3410009 | http://snomed.info/sct | Chloroscombrus chrysurus
3412001 | http://snomed.info/sct | Kaupichthys nuchalis
3429003 | http://snomed.info/sct | Gurltia
3433005 | http://snomed.info/sct | Holocentrus bullisi
3435003 | http://snomed.info/sct | Fat dormouse
3454003 | http://snomed.info/sct | Thelazia bubalis
3475006 | http://snomed.info/sct | Red-billed chough
3486008 | http://snomed.info/sct | Xererpes fucorum
3510006 | http://snomed.info/sct | Raillietina echinobothridia
3536004 | http://snomed.info/sct | Anopheles grabhanii
3565005 | http://snomed.info/sct | Equetus lanceolatus
3566006 | http://snomed.info/sct | Southdown sheep
3568007 | http://snomed.info/sct | Coryphopterus thrix
3569004 | http://snomed.info/sct | Coleonyx
3574007 | http://snomed.info/sct | Bitis
3600006 | http://snomed.info/sct | Anopheles d'thali
3613000 | http://snomed.info/sct | Chaetodon sedentarius
3619001 | http://snomed.info/sct | Pimephales promelas
3632006 | http://snomed.info/sct | Brosmophycis marginata
3653002 | http://snomed.info/sct | Balinese cat
3656005 | http://snomed.info/sct | Golden-rumped tinkerbird
3668001 | http://snomed.info/sct | Stenotomus caprinus
3671009 | http://snomed.info/sct | Notropis coccogenis
3674001 | http://snomed.info/sct | Siberian huskie
3676004 | http://snomed.info/sct | Cyprinus carpio
3682001 | http://snomed.info/sct | Mycteroperca xenarcha
3685004 | http://snomed.info/sct | Spring peeper
3706005 | http://snomed.info/sct | Anisakis simplex
3721004 | http://snomed.info/sct | Minivet
3725008 | http://snomed.info/sct | Hydrosaurus
3732004 | http://snomed.info/sct | Anthias gordensis
3741009 | http://snomed.info/sct | Citharichthys cornutus
3767004 | http://snomed.info/sct | Toxascaris leonina
3782009 | http://snomed.info/sct | Catostomus commersoni
3795004 | http://snomed.info/sct | Anatrichosoma cynomolgi
3809005 | http://snomed.info/sct | Alopias superciliosus
3817002 | http://snomed.info/sct | Notropis chrosomus
3824001 | http://snomed.info/sct | Dracunculus medinensis
3856008 | http://snomed.info/sct | Enophrys bison
3857004 | http://snomed.info/sct | Decapterus macarellus

3871007 | http://snomed.info/sct | Schistosoma chestermani
3872000 | http://snomed.info/sct | Beltsville white turkey
3905003 | http://snomed.info/sct | Gerrhonotus
3912007 | http://snomed.info/sct | Corucia zebrata
3919003 | http://snomed.info/sct | Musca amica
3921008 | http://snomed.info/sct | Airedale terrier
3933003 | http://snomed.info/sct | Melodious blackbird
3934009 | http://snomed.info/sct | Lymnaea volutata
3940002 | http://snomed.info/sct | Spinetail
3946008 | http://snomed.info/sct | Northern shrike
3965000 | http://snomed.info/sct | Micrometrus aurora
3995008 | http://snomed.info/sct | Manx
3997000 | http://snomed.info/sct | Pony
4011008 | http://snomed.info/sct | Cottus princeps
4020004 | http://snomed.info/sct | Margaropus wileyi
4031007 | http://snomed.info/sct | Hybopsis gracilis
4033005 | http://snomed.info/sct | Physaloptera abbreviata
4042003 | http://snomed.info/sct | Somali cat
4049007 | http://snomed.info/sct | Java wart snake
4050007 | http://snomed.info/sct | Cottus marginatus
4056001 | http://snomed.info/sct | Haemogamasus
4095000 | http://snomed.info/sct | Notropis ariommus
4108005 | http://snomed.info/sct | Micrurus surinamensis
4123000 | http://snomed.info/sct | Pila conica
4166007 | http://snomed.info/sct | Hippoglossus hippoglossus
4171000 | http://snomed.info/sct | Diplozoon
4209008 | http://snomed.info/sct | Tetrameres confusa
4216009 | http://snomed.info/sct | Diplostomum phoxini
4228001 | http://snomed.info/sct | Rhipicephalus decoloratus
4233002 | http://snomed.info/sct | Pomphorhynchus bulbocolli
4236005 | http://snomed.info/sct | Hemitragus
4245006 | http://snomed.info/sct | Ailurus fulgens
4246007 | http://snomed.info/sct | Gadus ogac
4250000 | http://snomed.info/sct | Cichlasoma octofasciatum
4261008 | http://snomed.info/sct | Trichuris sylvilagi
4274002 | http://snomed.info/sct | Etheostoma kanawhae
4277009 | http://snomed.info/sct | Hexanchus griseus
4288003 | http://snomed.info/sct | Thoroughbred horse
4297004 | http://snomed.info/sct | Sebastes variegatus
4302001 | http://snomed.info/sct | Taenia antarctica
4309005 | http://snomed.info/sct | Capillaria megrelica
4315005 | http://snomed.info/sct | Aedes communis
4329006 | http://snomed.info/sct | Cooperia spatulata
4366000 | http://snomed.info/sct | Ornithonyssus sylviarum
4384003 | http://snomed.info/sct | Porrocaecum aridae
4395009 | http://snomed.info/sct | Noturus gyrinus
4396005 | http://snomed.info/sct | Red-backed pelican
4417003 | http://snomed.info/sct | Eptatretus deani
4431003 | http://snomed.info/sct | Anopheles pseudopunctipennis franciscanus
4446005 | http://snomed.info/sct | Pallasina barbata
4453001 | http://snomed.info/sct | Heterodera
4482000 | http://snomed.info/sct | Lepomis gibbosus
4498007 | http://snomed.info/sct | Platybelone argalus
4514008 | http://snomed.info/sct | Menidia menidia
4571006 | http://snomed.info/sct | Anguilla anguilla
4574003 | http://snomed.info/sct | Shropshire sheep
4595008 | http://snomed.info/sct | Standard platinum fox
4597000 | http://snomed.info/sct | Scorpaenodes caribbaeus
4599002 | http://snomed.info/sct | Hybognathus hankinsoni
4608006 | http://snomed.info/sct | Petaurus
4609003 | http://snomed.info/sct | Capillaria tuberculata
4622006 | http://snomed.info/sct | Parasimulium
4630007 | http://snomed.info/sct | Lactophrys quadricornis
4650006 | http://snomed.info/sct | Chrysomya chloropyga
4679004 | http://snomed.info/sct | Careproctus melanurus
4680001 | http://snomed.info/sct | Ostertagia pinnata
4682009 | http://snomed.info/sct | Hyalomma turnicum
4726001 | http://snomed.info/sct | Lepomis marginattus
4742008 | http://snomed.info/sct | Etheostoma simoterum
4747002 | http://snomed.info/sct | Haemaphysalis longicornis
4767006 | http://snomed.info/sct | River turtle
4781008 | http://snomed.info/sct | Auxis thazard

4790001 | http://snomed.info/sct | Secretarybird
4796007 | http://snomed.info/sct | Leontopithecus rosalia
4801002 | http://snomed.info/sct | Microphallus
4802009 | http://snomed.info/sct | Trimeresurus elegans
4875007 | http://snomed.info/sct | Apogon lachneri
4880003 | http://snomed.info/sct | Piedmontese cattle
4883001 | http://snomed.info/sct | Anopheles minimus flavirostris
4893008 | http://snomed.info/sct | Common newt
4911005 | http://snomed.info/sct | Aquila chrysaetos
4912003 | http://snomed.info/sct | Boselaphus tragocamelus
4923004 | http://snomed.info/sct | Blue-headed pionus
4931009 | http://snomed.info/sct | Lycaon pictus
4960000 | http://snomed.info/sct | Peruvian Paso horse
4971004 | http://snomed.info/sct | Ixodes persulcatus
4978005 | http://snomed.info/sct | Epinephelus morio
4982007 | http://snomed.info/sct | Grass warbler
4988006 | http://snomed.info/sct | Painted bunting
4990007 | http://snomed.info/sct | Antennarius ocellatus
4991006 | http://snomed.info/sct | Phyllodactylus
5005003 | http://snomed.info/sct | Thrips tabaci
5011000 | http://snomed.info/sct | Jordania zonope
5013002 | http://snomed.info/sct | Anisakid nematode
5058008 | http://snomed.info/sct | Hyalomma truncatum
5107008 | http://snomed.info/sct | Scorpaena plumieri
5111002 | http://snomed.info/sct | Chlorophthalmus agassizi
5114005 | http://snomed.info/sct | Fayoumi chicken
5116007 | http://snomed.info/sct | Plectranthias garrupellus
5129007 | http://snomed.info/sct | Platycercus icterotis
5138009 | http://snomed.info/sct | Gazella granti
5146005 | http://snomed.info/sct | Whistler
5164003 | http://snomed.info/sct | Montdale sheep
5211009 | http://snomed.info/sct | Anopheles maculipennis messeae
5227002 | http://snomed.info/sct | Oxford sandy block pig
5238002 | http://snomed.info/sct | Lemur coronatus
5249008 | http://snomed.info/sct | Schistosoma japonicum
5260004 | http://snomed.info/sct | Haemadipsa
5263002 | http://snomed.info/sct | Gyraulus convexiusculus
5265009 | http://snomed.info/sct | Tragelaphus strepsiceros
5271003 | http://snomed.info/sct | Bothrops
5278009 | http://snomed.info/sct | Eopsetta jordani
5281004 | http://snomed.info/sct | Cottus asper
5284007 | http://snomed.info/sct | Holacanthus ciliaris
5293008 | http://snomed.info/sct | Prosthogonimus cuneatus
5297009 | http://snomed.info/sct | Hurter's spadefoot toad
5306005 | http://snomed.info/sct | Manchester terrier
5344001 | http://snomed.info/sct | Paralichthys albigutta
5345000 | http://snomed.info/sct | Santa Gertrudis cattle
5350006 | http://snomed.info/sct | Rhode Island red chicken
5355001 | http://snomed.info/sct | Dirofilaria corynodes
5365007 | http://snomed.info/sct | Symphurus urospilus
5378007 | http://snomed.info/sct | Trichuris trichiura
5390009 | http://snomed.info/sct | Weevil
5416001 | http://snomed.info/sct | Diphyllobothrium dalliae
5424006 | http://snomed.info/sct | Nuthatch
5436000 | http://snomed.info/sct | Stripe-headed creeper
5437009 | http://snomed.info/sct | Sebastes mystinus
5438004 | http://snomed.info/sct | French alpine goat
5443006 | http://snomed.info/sct | Cephenemyia
5445004 | http://snomed.info/sct | Sarcoptes scabiei var. ovis
5449005 | http://snomed.info/sct | Dendrobates
5466007 | http://snomed.info/sct | Avitellina chalmersi
5475009 | http://snomed.info/sct | Louisiana waterthrush
5522007 | http://snomed.info/sct | Kingbird
5550007 | http://snomed.info/sct | Holanthias martinicensis
5581003 | http://snomed.info/sct | Syngnathus pelagicus
5588009 | http://snomed.info/sct | Ternidens
5620005 | http://snomed.info/sct | Gnathophis catalinensis
5630001 | http://snomed.info/sct | Syphacia eutamii
5634005 | http://snomed.info/sct | Euscorpius
5635006 | http://snomed.info/sct | Prionotus roseus
5652005 | http://snomed.info/sct | Cheilotrema saturnum
5654006 | http://snomed.info/sct | Ornithodoros compactus

5673005 | http://snomed.info/sct | Prophila
5674004 | http://snomed.info/sct | Physaloptera caucasica
5678001 | http://snomed.info/sct | Oxyuranus
5680007 | http://snomed.info/sct | Aulostomus maculatus
5684003 | http://snomed.info/sct | Chrysolophus amherstiae
5698006 | http://snomed.info/sct | Pimephales vigilax
5706008 | http://snomed.info/sct | Coregonus hoyi
5707004 | http://snomed.info/sct | Spadefoot toad
5711005 | http://snomed.info/sct | Lepomis gulosus
5730005 | http://snomed.info/sct | Icelus spiniger
5732002 | http://snomed.info/sct | Amphiuma
5735000 | http://snomed.info/sct | Bulinus (Physopsis) jousseaunsei
5749009 | http://snomed.info/sct | Calamus arctifrons
5752001 | http://snomed.info/sct | Bulinus (Bulinus) forskalii
5756003 | http://snomed.info/sct | Ophionyssus naticis
5763003 | http://snomed.info/sct | Zebrina detrita
5766006 | http://snomed.info/sct | Capillaria brevipes
5773001 | http://snomed.info/sct | Pneumonyssus simicola
5782007 | http://snomed.info/sct | Capillaria hepatica
5833002 | http://snomed.info/sct | Rhinoestrus
5848008 | http://snomed.info/sct | Ambloplites ariommus
5891003 | http://snomed.info/sct | Ornithonyssus
5904002 | http://snomed.info/sct | Hemipteronotus splendens
5916008 | http://snomed.info/sct | Dalmatian dog
5970005 | http://snomed.info/sct | Oligocottus rubellio
5990001 | http://snomed.info/sct | Diplogonoporus grandis
6017005 | http://snomed.info/sct | Xenopsylla brasiliensis
6018000 | http://snomed.info/sct | Tree swallow
6037009 | http://snomed.info/sct | Ornithobilharzia turkestanicum
6039007 | http://snomed.info/sct | Rhinocricus latespagor
6053007 | http://snomed.info/sct | DK pig 33
6094004 | http://snomed.info/sct | Long-nosed snake
6103004 | http://snomed.info/sct | Jack Russell terrier dog breed
6112002 | http://snomed.info/sct | Meusse-Rhine-Ijssel cattle
6114001 | http://snomed.info/sct | Artediellus scaber
6144003 | http://snomed.info/sct | Cyanoliseus patagonus
6152000 | http://snomed.info/sct | Buthacus
6167001 | http://snomed.info/sct | Rocky Mountain pika
6173000 | http://snomed.info/sct | Taractichthys longipinnis
6196000 | http://snomed.info/sct | White-cheeked laughing thrush
6220006 | http://snomed.info/sct | Galiceno horse
6239001 | http://snomed.info/sct | Eurycea
6278002 | http://snomed.info/sct | Merluccius bilinearis
6290000 | http://snomed.info/sct | Anarhichas lupus
6311004 | http://snomed.info/sct | Trinectes maculatus
6340001 | http://snomed.info/sct | Prionotus ophryas
6345006 | http://snomed.info/sct | Paragonimus africanus
6372003 | http://snomed.info/sct | Sparisoma atomarium
6376000 | http://snomed.info/sct | Acronicta oblinata
6407006 | http://snomed.info/sct | Isoparorchis
6418006 | http://snomed.info/sct | Platysaurus
6420009 | http://snomed.info/sct | Musca sorbens
6431001 | http://snomed.info/sct | Leicester sheep
6435005 | http://snomed.info/sct | Apis cerana
6447004 | http://snomed.info/sct | Acanthemblemaria aspera
6453004 | http://snomed.info/sct | Musca convexifrons
6482003 | http://snomed.info/sct | Arilus cristatus
6489007 | http://snomed.info/sct | Culex pseudovishnui
6498005 | http://snomed.info/sct | Armillifer armillatus
6512005 | http://snomed.info/sct | Amphelikturus dendriticus
6518009 | http://snomed.info/sct | Epomidiostomum vogelsangi
6540000 | http://snomed.info/sct | Echis carinatus
6549004 | http://snomed.info/sct | Knemidocoptes pilae
6560008 | http://snomed.info/sct | Spilopsylla
6569009 | http://snomed.info/sct | Scomberomorus regalis
6581008 | http://snomed.info/sct | Enophrys diceraus
6583006 | http://snomed.info/sct | Diorchis
6591002 | http://snomed.info/sct | Rosy-billed pochard
6597003 | http://snomed.info/sct | Apogon pseudomaculatus
6610006 | http://snomed.info/sct | Acarus siro
6613008 | http://snomed.info/sct | Corniger spinosus
6630005 | http://snomed.info/sct | Leach's storm petrel

6632002 | http://snomed.info/sct | Ornithodoros crossi
6638003 | http://snomed.info/sct | Ostertagia occidentalis
6653006 | http://snomed.info/sct | Lampetra richardsoni
6674007 | http://snomed.info/sct | Cylicostephanus calicatus
6683002 | http://snomed.info/sct | Polypera beringiana
6693009 | http://snomed.info/sct | Argas persicus
6697005 | http://snomed.info/sct | Gibbonsia erythra

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.28 Value Set http://hl7.org/fhir/ValueSet/marital-status

URL: https://hl7.org/fhir/STU3/valueset-marital-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 5 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/marital-status
Name: | Marital Status Codes
Definition: | This value set defines the set of codes that can be used to indicate the marital status of a person.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.28 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Marital Status Codes

* Patient.maritalStatus (Extensible)

4.3.1.28.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/v3/MaritalStatus

* Include these codes as defined in

http://hl7.org/fhir/v3/NullFlavor

Code | Display
UNK | unknown | Description:A proper value is applicable, but not known. Usage Notes: This means the actual value is not known. If the only thing that is unknown is how to properly express the value in the necessary constraints (value set, datatype, etc.), then the OTH or UNC flavor should be used. No properties should be included for a datatype with this property unless: Those properties themselves directly translate to a semantic of "unknown". (E.g. a local code sent as a translation that conveys 'unknown') Those properties further qualify the nature of what is unknown. (E.g. specifying a use code of "H" and a URL prefix of "tel:" to convey that it is the home phone number that is unknown.)

4.3.1.28.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 11 concepts

Expansion based on http://hl7.org/fhir/v3/NullFlavor version 2016-11-11, http://hl7.org/fhir/v3/MaritalStatus version 2016-11-11

Code | System | Display | Definition
A | http://hl7.org/fhir/v3/MaritalStatus | Annulled | Marriage contract has been declared null and to not have existed
D | http://hl7.org/fhir/v3/MaritalStatus | Divorced | Marriage contract has been declared dissolved and inactive
I | http://hl7.org/fhir/v3/MaritalStatus | Interlocutory | Subject to an Interlocutory Decree.
L | http://hl7.org/fhir/v3/MaritalStatus | Legally Separated | Legally Separated
M | http://hl7.org/fhir/v3/MaritalStatus | Married | A current marriage contract is active
P | http://hl7.org/fhir/v3/MaritalStatus | Polygamous | More than 1 current spouse
S | http://hl7.org/fhir/v3/MaritalStatus | Never Married | No marriage contract has ever been entered
T | http://hl7.org/fhir/v3/MaritalStatus | Domestic partner | Person declares that a domestic partner relationship exists.
U | http://hl7.org/fhir/v3/MaritalStatus | unmarried | Currently not in a marriage contract.
W | http://hl7.org/fhir/v3/MaritalStatus | Widowed | The spouse has died

UNK | http://hl7.org/fhir/v3/NullFlavor | unknown | Description:A proper value is applicable, but not known. Usage Notes: This means the actual value is not known. If the only thing that is unknown is how to properly express the value in the necessary constraints (value set, datatype, etc.), then the OTH or UNC flavor should be used. No properties should be included for a datatype with this property unless: Those properties themselves directly translate to a semantic of "unknown". (E.g. a local code sent as a translation that conveys 'unknown') Those properties further qualify the nature of what is unknown. (E.g. specifying a use code of "H" and a URL prefix of "tel:" to convey that it is the home phone number that is unknown.)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.30 Value Set http://hl7.org/fhir/ValueSet/payeetype

URL: https://hl7.org/fhir/STU3/valueset-payeetype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/payeetype
Name: | Claim Payee Type Codes
Definition: | This value set includes sample Payee Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.30 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Claim Payee Type Codes

* ExplanationOfBenefit.payee.type (Example)

* ClaimResponse.payeeType (Example)

* Claim.payee.type (Example)

4.3.1.30.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/payeetype

4.3.1.30.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/payeetype version 3.0.2

All codes from system http://hl7.org/fhir/payeetype

Code | Display | Definition
subscriber | Subscriber | The subscriber (policy holder) will be reimbursed.
provider | Provider | Any benefit payable will be paid to the provider (Assignment of Benefit).
other | Provider | Any benefit payable will be paid to a third party such as a guarrantor.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.32 Value Set http://hl7.org/fhir/ValueSet/fundsreserve

URL: https://hl7.org/fhir/STU3/valueset-fundsreserve.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/fundsreserve
Name: | Funds Reservation Codes
Definition: | This value set includes sample funds reservation type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.32 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Funds Reservation Codes

* ClaimResponse.reserved (Example)

* Claim.fundsReserve (Example)

4.3.1.32.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/fundsreserve

4.3.1.32.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/fundsreserve version 3.0.2

All codes from system http://hl7.org/fhir/fundsreserve

Code | Display | Definition
patient | Patient | The payor is requested to reserve funds for the provision of the named services by any provider for settlement of future claims related to this request.
provider | Provider | The payor is requested to reserve funds solely for the named provider for settlement of future claims related to this request.
none | None | The payor is not being requested to reserve any funds for the settlement of future claims.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.34 Value Set http://hl7.org/fhir/ValueSet/relationship

URL: https://hl7.org/fhir/STU3/valueset-relationship.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/relationship
Name: | Beneficiary Relationship Codes
Definition: | This value set includes the Patient to subscriber relationship codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.34 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Beneficiary Relationship Codes

4.3.1.34.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/relationship

4.3.1.34.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/relationship version 3.0.2

All codes from system http://hl7.org/fhir/relationship

Code	Display	Definition
1	Self	The patient is the subscriber (policy holder)
2	Spouse	The patient is the spouse or equivalent of the subscriber (policy holder)
3	Child	The patient is the child of the subscriber (policy holder)
4	Common Law Spouse	The patient is the common law spouse of the subscriber (policy holder)
5	Other	The patient has some other relationship, such as parent, to the subscriber (policy holder)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.36 Value Set http://hl7.org/fhir/ValueSet/forms

URL: https://hl7.org/fhir/STU3/valueset-forms.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/forms
Name: | Form Codes
Definition: | This value set includes a sample set of Forms codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.36 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Form Codes
* ExplanationOfBenefit.form (Example)
* EligibilityResponse.form (Example)
* ClaimResponse.form (Example)
* PaymentReconciliation.form (Example)
* ProcessResponse.form (Example)

4.3.1.36.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/forms-codes

4.3.1.36.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/forms-codes version 3.0.2

All codes from system http://hl7.org/fhir/forms-codes

Code	Display	Definition
1	Form #1	Example: The #1 form to be used when printing this information.
2	Form #1	Example: The #2 form to be used when printing this information.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.38 Value Set http://hl7.org/fhir/ValueSet/adjudication-error

URL: https://hl7.org/fhir/STU3/valueset-adjudication-error.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adjudication-error
Name: | Adjudication Error Codes
Definition: | This value set includes a smattering of adjudication codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.38 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Adjudication Error Codes

* EligibilityResponse.error.code (Example)

* ClaimResponse.error.code (Example)

* ProcessResponse.error (Example)

4.3.1.38.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adjudication-error

4.3.1.38.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/adjudication-error version 3.0.2

All codes from system http://hl7.org/fhir/adjudication-error

Code | Display | Definition
a001 | Missing Identifier | Missing Identifier
a002 | Missing Creation Date | Missing Creation Date

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.40 Value Set http://hl7.org/fhir/ValueSet/usps-state

URL: https://hl7.org/fhir/STU3/valueset-usps-state.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/usps-state
Name: | USPS Two Letter Alphabetic Codes

Definition: | This value set defines two letter USPS alphabetic codes.
Committee: | US Realm Taskforce Work Group
OID: | 2.16.840.1.113883.4.642.3.40 (for OID based terminology systems)
Copyright: | On July 1, 1963, the Post Office Department implemented the five-digit ZIP Code, which was placed after the state name in the last line of an address. To provide room for the ZIP Code, the Department issued two-letter abbreviations for all states and territories. Publication 59, Abbreviations for Use with ZIP Code, issued by the Department in October 1963. Currently there is no copyright restriction on this value set.
Source Resource | XML / JSON

This value set is not currently used

4.3.1.40.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

https://www.usps.com/

Code | Display
AK | Alaska
AL | Alabama
AR | Arkansas
AS | American Samoa
AZ | Arizona
CA | California
CO | Colorado
CT | Connecticut
DC | District of Columbia
DE | Delaware
FL | Florida
FM | Federated States of Micronesia
GA | Georgia
GU | Guam
HI | Hawaii
IA | Iowa
ID | Idaho
IL | Illinois
IN | Indiana
KS | Kansas
KY | Kentucky
LA | Louisiana
MA | Massachusetts
MD | Maryland
ME | Maine
MH | Marshall Islands
MI | Michigan
MN | Minnesota
MO | Missouri
MP | Northern Mariana Islands
MS | Mississippi
MT | Montana
NC | North Carolina
ND | North Dakota
NE | Nebraska
NH | New Hampshire
NJ | New Jersey
NM | New Mexico
NV | Nevada
NY | New York
OH | Ohio
OK | Oklahoma
OR | Oregon
PA | Pennsylvania
PR | Puerto Rico
PW | Palau
RI | Rhode Island
SC | South Carolina
SD | South Dakota
TN | Tennessee
TX | Texas
UM | U.S. Minor Outlying Islands
UT | Utah
VA | Virginia
VI | Virgin Islands of the U.S.
VT | Vermont

WA | Washington
WI | Wisconsin
WV | West Virginia
WY | Wyoming

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.41 Value Set http://hl7.org/fhir/ValueSet/fips-county

URL: https://hl7.org/fhir/STU3/valueset-fips-county.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/fips-county
Name: | US counties and county equivalent entities codes
Definition: | This value set defines FIPS codes for US counties and county equivalent entities.
Committee: | US Realm Taskforce Work Group
OID: | 2.16.840.1.113883.4.642.3.41 (for OID based terminology systems)
Copyright: | [Federal Information Processing Standards (FIPS)](https://www.nist.gov/information-technology-laboratory/fips-general-information) are publicly announced standards developed by the United States federal government for use in computer systems by non-military government agencies and government contractors.
Source Resource | XML / JSON

This value set is not currently used

4.3.1.41.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

https://www.census.gov/geo/reference/

Code | Display
45001 | Abbeville, SC
22001 | Acadia, LA
51001 | Accomack, VA
16001 | Ada, ID
19001 | Adair, IA
21001 | Adair, KY
29001 | Adair, MO
40001 | Adair, OK
39001 | Adams, OH
31001 | Adams, NE
28001 | Adams, MS
38001 | Adams, ND
42001 | Adams, PA
17001 | Adams, IL
18001 | Adams, IN
19003 | Adams, IA
16003 | Adams, ID
08001 | Adams, CO
53001 | Adams, WA
55001 | Adams, WI
50001 | Addison, VT
72001 | Adjuntas, PR
72003 | Aguada, PR
72005 | Aguadilla, PR
72007 | Aguas Buenas, PR
72009 | Aibonito, PR
45003 | Aiken, SC
68007 | Ailinginae, MH
68010 | Ailinglaplap, MH

68030 | Ailuk, MH
70002 | Aimeliik, PW
70004 | Airai, PW
27001 | Aitkin, MN
12001 | Alachua, FL
37001 | Alamance, NC
06001 | Alameda, CA
08003 | Alamosa, CO
36001 | Albany, NY
56001 | Albany, WY
51003 | Albemarle, VA
26001 | Alcona, MI
28003 | Alcorn, MS
02013 | Aleutians East, AK
02016 | Aleutians West (CA), AK
17003 | Alexander, IL
37003 | Alexander, NC
51510 | Alexandria (city), VA
40003 | Alfalfa, OK
26003 | Alger, MI
19005 | Allamakee, IA
26005 | Allegan, MI
24001 | Allegany, MD
36003 | Allegany, NY
37005 | Alleghany, NC
51005 | Alleghany, VA
42003 | Allegheny, PA
39003 | Allen, OH
18003 | Allen, IN
22003 | Allen, LA
21003 | Allen, KY
20001 | Allen, KS
45005 | Allendale, SC
26007 | Alpena, MI
06003 | Alpine, CA
06005 | Amador, CA
51007 | Amelia, VA
51009 | Amherst, VA
28005 | Amite, MS
72011 | Anasco, PR
02020 | Anchorage, AK
20003 | Anderson, KS
21005 | Anderson, KY
45007 | Anderson, SC
47001 | Anderson, TN
48001 | Anderson, TX
29003 | Andrew, MO
48003 | Andrews, TX
23001 | Androscoggin, ME
70010 | Angaur, PW
48005 | Angelina, TX
24003 | Anne Arundel, MD
27003 | Anoka, MN
37007 | Anson, NC
31003 | Antelope, NE
26009 | Antrim, MI
04001 | Apache, AZ
19007 | Appanoose, IA
13001 | Appling, GA
51011 | Appomattox, VA
48007 | Aransas, TX
08005 | Arapahoe, CO
48009 | Archer, TX
08007 | Archuleta, CO
72013 | Arecibo, PR
26011 | Arenac, MI
05001 | Arkansas, AR
51013 | Arlington, VA
42005 | Armstrong, PA
48011 | Armstrong, TX
68040 | Arno, MH
23003 | Aroostook, ME

72015 | Arroyo, PR
31005 | Arthur, NE
22005 | Ascension, LA
37009 | Ashe, NC
39005 | Ashland, OH
55003 | Ashland, WI
05003 | Ashley, AR
39007 | Ashtabula, OH
53003 | Asotin, WA
22007 | Assumption, LA
48013 | Atascosa, TX
20005 | Atchison, KS
29005 | Atchison, MO
39009 | Athens, OH
13003 | Atkinson, GA
34001 | Atlantic, NJ
40005 | Atoka, OK
28007 | Attala, MS
29007 | Audrain, MO
19009 | Audubon, IA
39011 | Auglaize, OH
51015 | Augusta, VA
68050 | Aur, MH
46003 | Aurora, SD
48015 | Austin, TX
01001 | Autauga, AL
37011 | Avery, NC
22009 | Avoyelles, LA
08009 | Baca, CO
13005 | Bacon, GA
48017 | Bailey, TX
13007 | Baker, GA
12003 | Baker, FL
41001 | Baker, OR
74050 | Baker Island, UM
13009 | Baldwin, GA
01003 | Baldwin, AL
21007 | Ballard, KY
24005 | Baltimore, MD
24510 | Baltimore (city), MD
45009 | Bamberg, SC
48019 | Bandera, TX
13011 | Banks, GA
31007 | Banner, NE
16005 | Bannock, ID
26013 | Baraga, MI
20007 | Barber, KS
01005 | Barbour, AL
54001 | Barbour, WV
72017 | Barceloneta, PR
38003 | Barnes, ND
25001 | Barnstable, MA
45011 | Barnwell, SC
72019 | Barranquitas, PR
21009 | Barren, KY
55005 | Barron, WI
13013 | Barrow, GA
26015 | Barry, MI
29009 | Barry, MO
18005 | Bartholomew, IN
20009 | Barton, KS
29011 | Barton, MO
13015 | Bartow, GA
48021 | Bastrop, TX
29013 | Bates, MO
21011 | Bath, KY
51017 | Bath, VA
05005 | Baxter, AR
12005 | Bay, FL
26017 | Bay, MI
72021 | Bayamon, PR
55007 | Bayfield, WI

48023 | Baylor, TX
46005 | Beadle, SD
16007 | Bear Lake, ID
45013 | Beaufort, SC
37013 | Beaufort, NC
22011 | Beauregard, LA
40007 | Beaver, OK
42007 | Beaver, PA
49001 | Beaver, UT
30001 | Beaverhead, MT
27005 | Becker, MN
40009 | Beckham, OK
42009 | Bedford, PA
51019 | Bedford, VA
47003 | Bedford, TN
51515 | Bedford (city), VA
48025 | Bee, TX
33001 | Belknap, NH
21013 | Bell, KY
48027 | Bell, TX
39013 | Belmont, OH
27007 | Beltrami, MN
13017 | Ben Hill, GA
16009 | Benewah, ID
46007 | Bennett, SD
50003 | Bennington, VT
38005 | Benson, ND
08011 | Bent, CO
05007 | Benton, AR
19011 | Benton, IA
27009 | Benton, MN
18007 | Benton, IN
29015 | Benton, MO
28009 | Benton, MS
41003 | Benton, OR
53005 | Benton, WA
47005 | Benton, TN
26019 | Benzie, MI
34003 | Bergen, NJ
45015 | Berkeley, SC
54003 | Berkeley, WV
42011 | Berks, PA
25003 | Berkshire, MA
35001 | Bernalillo, NM
26021 | Berrien, MI
13019 | Berrien, GA
37015 | Bertie, NC
02050 | Bethel (CA), AK
48029 | Bexar, TX
01007 | Bibb, AL
13021 | Bibb, GA
22013 | Bienville, LA
30003 | Big Horn, MT
56003 | Big Horn, WY
27011 | Big Stone, MN
68060 | Bikar, MH
68070 | Bikini, MH
38007 | Billings, ND
16011 | Bingham, ID
19013 | Black Hawk, IA
18009 | Blackford, IN
37017 | Bladen, NC
30005 | Blaine, MT
31009 | Blaine, NE
40011 | Blaine, OK
16013 | Blaine, ID
42013 | Blair, PA
48031 | Blanco, TX
51021 | Bland, VA
13023 | Bleckley, GA
47007 | Bledsoe, TN
01009 | Blount, AL

47009 | Blount, TN
27013 | Blue Earth, MN
16015 | Boise, ID
68073 | Bokak, MH
28011 | Bolivar, MS
29017 | Bollinger, MO
46009 | Bon Homme, SD
17005 | Bond, IL
16017 | Bonner, ID
16019 | Bonneville, ID
19015 | Boone, IA
05009 | Boone, AR
17007 | Boone, IL
21015 | Boone, KY
18011 | Boone, IN
29019 | Boone, MO
31011 | Boone, NE
54005 | Boone, WV
48033 | Borden, TX
48035 | Bosque, TX
22015 | Bossier, LA
51023 | Botetourt, VA
38009 | Bottineau, ND
08013 | Boulder, CO
16021 | Boundary, ID
21017 | Bourbon, KY
20011 | Bourbon, KS
48037 | Bowie, TX
38011 | Bowman, ND
31013 | Box Butte, NE
49003 | Box Elder, UT
31015 | Boyd, NE
21019 | Boyd, KY
21021 | Boyle, KY
21023 | Bracken, KY
12007 | Bradford, FL
42015 | Bradford, PA
05011 | Bradley, AR
47011 | Bradley, TN
26023 | Branch, MI
13025 | Brantley, GA
54007 | Braxton, WV
48039 | Brazoria, TX
48041 | Brazos, TX
21025 | Breathitt, KY
21027 | Breckinridge, KY
19017 | Bremer, IA
12009 | Brevard, FL
48043 | Brewster, TX
48045 | Briscoe, TX
25005 | Bristol, MA
44001 | Bristol, RI
51520 | Bristol (city), VA
02060 | Bristol Bay, AK
30007 | Broadwater, MT
36005 | Bronx, NY
54009 | Brooke, WV
46011 | Brookings, SD
13027 | Brooks, GA
48047 | Brooks, TX
36007 | Broome, NY
08014 | Broomfield, CO
12011 | Broward, FL
18013 | Brown, IN
27015 | Brown, MN
20013 | Brown, KS
17009 | Brown, IL
46013 | Brown, SD
31017 | Brown, NE
39015 | Brown, OH
48049 | Brown, TX
55009 | Brown, WI

46015 | Brule, SD
37019 | Brunswick, NC
51025 | Brunswick, VA
40013 | Bryan, OK
13029 | Bryan, GA
19019 | Buchanan, IA
29021 | Buchanan, MO
51027 | Buchanan, VA
51029 | Buckingham, VA
42017 | Bucks, PA
19021 | Buena Vista, IA
51530 | Buena Vista (city), VA
46017 | Buffalo, SD
31019 | Buffalo, NE
55011 | Buffalo, WI
21029 | Bullitt, KY
13031 | Bulloch, GA
01011 | Bullock, AL
37021 | Buncombe, NC
17011 | Bureau, IL
13033 | Burke, GA
37023 | Burke, NC
38013 | Burke, ND
38015 | Burleigh, ND
48051 | Burleson, TX
34005 | Burlington, NJ
48053 | Burnet, TX
55013 | Burnett, WI
31021 | Burt, NE
31023 | Butler, NE
39017 | Butler, OH
29023 | Butler, MO
42019 | Butler, PA
19023 | Butler, IA
01013 | Butler, AL
21031 | Butler, KY
20015 | Butler, KS
06007 | Butte, CA
16023 | Butte, ID
46019 | Butte, SD
13035 | Butts, GA
37025 | Cabarrus, NC
54011 | Cabell, WV
72023 | Cabo Rojo, PR
49005 | Cache, UT
40015 | Caddo, OK
22017 | Caddo, LA
72025 | Caguas, PR
06009 | Calaveras, CA
22019 | Calcasieu, LA
22021 | Caldwell, LA
21033 | Caldwell, KY
37027 | Caldwell, NC
29025 | Caldwell, MO
48055 | Caldwell, TX
50005 | Caledonia, VT
28013 | Calhoun, MS
45017 | Calhoun, SC
17013 | Calhoun, IL
26025 | Calhoun, MI
01015 | Calhoun, AL
05013 | Calhoun, AR
13037 | Calhoun, GA
19025 | Calhoun, IA
12013 | Calhoun, FL
48057 | Calhoun, TX
54013 | Calhoun, WV
48059 | Callahan, TX
29027 | Callaway, MO
21035 | Calloway, KY
55015 | Calumet, WI
24009 | Calvert, MD

16025 | Camas, ID
42021 | Cambria, PA
29029 | Camden, MO
37029 | Camden, NC
34007 | Camden, NJ
13039 | Camden, GA
22023 | Cameron, LA
42023 | Cameron, PA
48061 | Cameron, TX
48063 | Camp, TX
46021 | Campbell, SD
21037 | Campbell, KY
47013 | Campbell, TN
51031 | Campbell, VA
56005 | Campbell, WY
72027 | Camuy, PR
40017 | Canadian, OK
13043 | Candler, GA
47015 | Cannon, TN
72029 | Canovanas, PR
16027 | Canyon, ID
29031 | Cape Girardeau, MO
34009 | Cape May, NJ
30009 | Carbon, MT
42025 | Carbon, PA
49007 | Carbon, UT
56007 | Carbon, WY
16029 | Caribou, ID
21039 | Carlisle, KY
27017 | Carlton, MN
72031 | Carolina, PR
24011 | Caroline, MD
51033 | Caroline, VA
24013 | Carroll, MD
18015 | Carroll, IN
21041 | Carroll, KY
17015 | Carroll, IL
13045 | Carroll, GA
19027 | Carroll, IA
05015 | Carroll, AR
33003 | Carroll, NH
29033 | Carroll, MO
28015 | Carroll, MS
39019 | Carroll, OH
51035 | Carroll, VA
47017 | Carroll, TN
48065 | Carson, TX
32510 | Carson City (city), NV
40019 | Carter, OK
29035 | Carter, MO
30011 | Carter, MT
21043 | Carter, KY
47019 | Carter, TN
37031 | Carteret, NC
27019 | Carver, MN
30013 | Cascade, MT
21045 | Casey, KY
17017 | Cass, IL
27021 | Cass, MN
26027 | Cass, MI
18017 | Cass, IN
19029 | Cass, IA
38017 | Cass, ND
29037 | Cass, MO
31025 | Cass, NE
48067 | Cass, TX
16031 | Cassia, ID
48069 | Castro, TX
37033 | Caswell, NC
22025 | Catahoula, LA
72033 | Catano, PR
37035 | Catawba, NC

13047 | Catoosa, GA
35003 | Catron, NM
36009 | Cattaraugus, NY
38019 | Cavalier, ND
72035 | Cayey, PR
36011 | Cayuga, NY
24015 | Cecil, MD
19031 | Cedar, IA
29039 | Cedar, MO
31027 | Cedar, NE
72037 | Ceiba, PR
42027 | Centre, PA
19033 | Cerro Gordo, IA
08015 | Chaffee, CO
01017 | Chambers, AL
48071 | Chambers, TX
17019 | Champaign, IL
39021 | Champaign, OH
29041 | Chariton, MO
24017 | Charles, MD
51036 | Charles City, VA
46023 | Charles Mix, SD
45019 | Charleston, SC
26029 | Charlevoix, MI
12015 | Charlotte, FL
51037 | Charlotte, VA
51540 | Charlottesville (city), VA
13049 | Charlton, GA
20017 | Chase, KS
31029 | Chase, NE
37037 | Chatham, NC
13051 | Chatham, GA
13053 | Chattahoochee, GA
13055 | Chattooga, GA
20019 | Chautauqua, KS
36013 | Chautauqua, NY
35005 | Chaves, NM
47021 | Cheatham, TN
26031 | Cheboygan, MI
53007 | Chelan, WA
36015 | Chemung, NY
36017 | Chenango, NY
45021 | Cherokee, SC
40021 | Cherokee, OK
37039 | Cherokee, NC
20021 | Cherokee, KS
13057 | Cherokee, GA
19035 | Cherokee, IA
01019 | Cherokee, AL
48073 | Cherokee, TX
31031 | Cherry, NE
51550 | Chesapeake (city), VA
33005 | Cheshire, NH
45023 | Chester, SC
42029 | Chester, PA
47023 | Chester, TN
45025 | Chesterfield, SC
51041 | Chesterfield, VA
31033 | Cheyenne, NE
08017 | Cheyenne, CO
20023 | Cheyenne, KS
19037 | Chickasaw, IA
28017 | Chickasaw, MS
05017 | Chicot, AR
48075 | Childress, TX
01021 | Chilton, AL
26033 | Chippewa, MI
27023 | Chippewa, MN
55017 | Chippewa, WI
27025 | Chisago, MN
50007 | Chittenden, VT
01023 | Choctaw, AL

28019 | Choctaw, MS
40023 | Choctaw, OK
30015 | Chouteau, MT
37041 | Chowan, NC
29043 | Christian, MO
21047 | Christian, KY
17021 | Christian, IL
32001 | Churchill, NV
64002 | Chuuk, FM
72039 | Ciales, PR
35006 | Cibola, NM
72041 | Cidra, PR
40025 | Cimarron, OK
12017 | Citrus, FL
41005 | Clackamas, OR
28021 | Claiborne, MS
22027 | Claiborne, LA
47025 | Claiborne, TN
53009 | Clallam, WA
26035 | Clare, MI
45027 | Clarendon, SC
42031 | Clarion, PA
32003 | Clark, NV
46025 | Clark, SD
29045 | Clark, MO
39023 | Clark, OH
18019 | Clark, IN
17023 | Clark, IL
21049 | Clark, KY
20025 | Clark, KS
16033 | Clark, ID
05019 | Clark, AR
53011 | Clark, WA
55019 | Clark, WI
01025 | Clarke, AL
13059 | Clarke, GA
19039 | Clarke, IA
28023 | Clarke, MS
51043 | Clarke, VA
41007 | Clatsop, OR
46027 | Clay, SD
28025 | Clay, MS
29047 | Clay, MO
37043 | Clay, NC
31035 | Clay, NE
19041 | Clay, IA
13061 | Clay, GA
12019 | Clay, FL
01027 | Clay, AL
05021 | Clay, AR
20027 | Clay, KS
21051 | Clay, KY
17025 | Clay, IL
18021 | Clay, IN
27027 | Clay, MN
47027 | Clay, TN
48077 | Clay, TX
54015 | Clay, WV
13063 | Clayton, GA
19043 | Clayton, IA
08019 | Clear Creek, CO
42033 | Clearfield, PA
16035 | Clearwater, ID
27029 | Clearwater, MN
05023 | Cleburne, AR
01029 | Cleburne, AL
39025 | Clermont, OH
40027 | Cleveland, OK
37045 | Cleveland, NC
05025 | Cleveland, AR
13065 | Clinch, GA
19045 | Clinton, IA

26037 | Clinton, MI
18023 | Clinton, IN
17027 | Clinton, IL
21053 | Clinton, KY
29049 | Clinton, MO
39027 | Clinton, OH
42035 | Clinton, PA
36019 | Clinton, NY
20029 | Cloud, KS
28027 | Coahoma, MS
40029 | Coal, OK
72043 | Coamo, PR
13067 | Cobb, GA
04003 | Cochise, AZ
48079 | Cochran, TX
47029 | Cocke, TN
04005 | Coconino, AZ
46029 | Codington, SD
01031 | Coffee, AL
13069 | Coffee, GA
47031 | Coffee, TN
20031 | Coffey, KS
48081 | Coke, TX
01033 | Colbert, AL
29051 | Cole, MO
48083 | Coleman, TX
17029 | Coles, IL
31037 | Colfax, NE
35007 | Colfax, NM
45029 | Colleton, SC
12021 | Collier, FL
48085 | Collin, TX
48087 | Collingsworth, TX
51570 | Colonial Heights (city), VA
48089 | Colorado, TX
13071 | Colquitt, GA
13073 | Columbia, GA
12023 | Columbia, FL
05027 | Columbia, AR
36021 | Columbia, NY
41009 | Columbia, OR
42037 | Columbia, PA
55021 | Columbia, WI
53013 | Columbia, WA
39029 | Columbiana, OH
37047 | Columbus, NC
06011 | Colusa, CA
48091 | Comal, TX
20033 | Comanche, KS
40031 | Comanche, OK
48093 | Comanche, TX
72045 | Comerio, PR
48095 | Concho, TX
22029 | Concordia, LA
01035 | Conecuh, AL
08021 | Conejos, CO
06013 | Contra Costa, CA
56009 | Converse, WY
05029 | Conway, AR
13075 | Cook, GA
27031 | Cook, MN
17031 | Cook, IL
48097 | Cooke, TX
29053 | Cooper, MO
41011 | Coos, OR
33007 | Coos, NH
01037 | Coosa, AL
28029 | Copiah, MS
72047 | Corozal, PR
46031 | Corson, SD
36023 | Cortland, NY
48099 | Coryell, TX

39031 | Coshocton, OH
08023 | Costilla, CO
48101 | Cottle, TX
40033 | Cotton, OK
27033 | Cottonwood, MN
01039 | Covington, AL
28031 | Covington, MS
51580 | Covington (city), VA
13077 | Coweta, GA
20035 | Cowley, KS
53015 | Cowlitz, WA
40035 | Craig, OK
51045 | Craig, VA
05031 | Craighead, AR
48103 | Crane, TX
37049 | Craven, NC
29055 | Crawford, MO
39033 | Crawford, OH
42039 | Crawford, PA
05033 | Crawford, AR
13079 | Crawford, GA
19047 | Crawford, IA
20037 | Crawford, KS
17033 | Crawford, IL
26039 | Crawford, MI
18025 | Crawford, IN
55023 | Crawford, WI
40037 | Creek, OK
01041 | Crenshaw, AL
13081 | Crisp, GA
05035 | Crittenden, AR
21055 | Crittenden, KY
48105 | Crockett, TX
47033 | Crockett, TN
41013 | Crook, OR
56011 | Crook, WY
48107 | Crosby, TX
05037 | Cross, AR
27035 | Crow Wing, MN
08025 | Crowley, CO
48109 | Culberson, TX
72049 | Culebra, PR
01043 | Cullman, AL
51047 | Culpeper, VA
21057 | Cumberland, KY
17035 | Cumberland, IL
42041 | Cumberland, PA
34011 | Cumberland, NJ
23005 | Cumberland, ME
37051 | Cumberland, NC
51049 | Cumberland, VA
47035 | Cumberland, TN
31039 | Cuming, NE
37053 | Currituck, NC
35009 | Curry, NM
41015 | Curry, OR
46033 | Custer, SD
31041 | Custer, NE
40039 | Custer, OK
30017 | Custer, MT
08027 | Custer, CO
16037 | Custer, ID
39035 | Cuyahoga, OH
29057 | Dade, MO
13083 | Dade, GA
49009 | Daggett, UT
27037 | Dakota, MN
31043 | Dakota, NE
01045 | Dale, AL
48111 | Dallam, TX
01047 | Dallas, AL
05039 | Dallas, AR

19049 | Dallas, IA
29059 | Dallas, MO
48113 | Dallas, TX
55025 | Dane, WI
30019 | Daniels, MT
51590 | Danville (city), VA
37055 | Dare, NC
39037 | Darke, OH
45031 | Darlington, SC
42043 | Dauphin, PA
37057 | Davidson, NC
47037 | Davidson, TN
37059 | Davie, NC
29061 | Daviess, MO
18027 | Daviess, IN
21059 | Daviess, KY
19051 | Davis, IA
49011 | Davis, UT
46035 | Davison, SD
31045 | Dawes, NE
31047 | Dawson, NE
30021 | Dawson, MT
13085 | Dawson, GA
48115 | Dawson, TX
46037 | Day, SD
35011 | De Baca, NM
22031 | De Soto, LA
17039 | De Witt, IL
48117 | Deaf Smith, TX
18029 | Dearborn, IN
18031 | Decatur, IN
20039 | Decatur, KS
19053 | Decatur, IA
13087 | Decatur, GA
47039 | Decatur, TN
30023 | Deer Lodge, MT
39039 | Defiance, OH
29063 | DeKalb, MO
13089 | DeKalb, GA
01049 | DeKalb, AL
17037 | DeKalb, IL
18033 | DeKalb, IN
47041 | DeKalb, TN
06015 | Del Norte, CA
19055 | Delaware, IA
18035 | Delaware, IN
39041 | Delaware, OH
40041 | Delaware, OK
42045 | Delaware, PA
36025 | Delaware, NY
26041 | Delta, MI
08029 | Delta, CO
48119 | Delta, TX
02068 | Denali, AK
29065 | Dent, MO
48121 | Denton, TX
08031 | Denver, CO
19057 | Des Moines, IA
41017 | Deschutes, OR
05041 | Desha, AR
12027 | DeSoto, FL
28033 | DeSoto, MS
31049 | Deuel, NE
46039 | Deuel, SD
46041 | Dewey, SD
40043 | Dewey, OK
48123 | DeWitt, TX
48125 | Dickens, TX
51051 | Dickenson, VA
38021 | Dickey, ND
19059 | Dickinson, IA
26043 | Dickinson, MI

20041 | Dickinson, KS
47043 | Dickson, TN
02070 | Dillingham (CA), AK
45033 | Dillon, SC
48127 | Dimmit, TX
51053 | Dinwiddie, VA
11001 | District of Columbia, DC
38023 | Divide, ND
12029 | Dixie, FL
31051 | Dixon, NE
54017 | Doddridge, WV
31053 | Dodge, NE
13091 | Dodge, GA
27039 | Dodge, MN
55027 | Dodge, WI
08033 | Dolores, CO
35013 | Dona Ana, NM
20043 | Doniphan, KS
48129 | Donley, TX
13093 | Dooly, GA
55029 | Door, WI
72051 | Dorado, PR
45035 | Dorchester, SC
24019 | Dorchester, MD
13095 | Dougherty, GA
13097 | Douglas, GA
08035 | Douglas, CO
27041 | Douglas, MN
20045 | Douglas, KS
17041 | Douglas, IL
32005 | Douglas, NV
41019 | Douglas, OR
46043 | Douglas, SD
31055 | Douglas, NE
29067 | Douglas, MO
55031 | Douglas, WI
53017 | Douglas, WA
05043 | Drew, AR
18037 | Dubois, IN
19061 | Dubuque, IA
49013 | Duchesne, UT
25007 | Dukes, MA
31057 | Dundy, NE
29069 | Dunklin, MO
38025 | Dunn, ND
55033 | Dunn, WI
17043 | DuPage, IL
37061 | Duplin, NC
37063 | Durham, NC
36027 | Dutchess, NY
12031 | Duval, FL
48131 | Duval, TX
47045 | Dyer, TN
08037 | Eagle, CO
13099 | Early, GA
22033 | East Baton Rouge, LA
22035 | East Carroll, LA
22037 | East Feliciana, LA
60010 | Eastern, AS
48133 | Eastland, TX
26045 | Eaton, MI
55035 | Eau Claire, WI
68080 | Ebon, MH
13101 | Echols, GA
48135 | Ector, TX
38027 | Eddy, ND
35015 | Eddy, NM
17045 | Edgar, IL
37065 | Edgecombe, NC
45037 | Edgefield, SC
21061 | Edmonson, KY
46045 | Edmunds, SD

20047 | Edwards, KS
17047 | Edwards, IL
48137 | Edwards, TX
17049 | Effingham, IL
13103 | Effingham, GA
06017 | El Dorado, CA
08041 | El Paso, CO
48141 | El Paso, TX
08039 | Elbert, CO
13105 | Elbert, GA
20049 | Elk, KS
42047 | Elk, PA
18039 | Elkhart, IN
32007 | Elko, NV
21063 | Elliott, KY
20051 | Ellis, KS
40045 | Ellis, OK
48139 | Ellis, TX
20053 | Ellsworth, KS
16039 | Elmore, ID
01051 | Elmore, AL
13107 | Emanuel, GA
49015 | Emery, UT
19063 | Emmet, IA
26047 | Emmet, MI
38029 | Emmons, ND
51595 | Emporia (city), VA
68090 | Enewetak, MH
48143 | Erath, TX
39043 | Erie, OH
42049 | Erie, PA
36029 | Erie, NY
68100 | Erikub, MH
12033 | Escambia, FL
01053 | Escambia, AL
32009 | Esmeralda, NV
36031 | Essex, NY
34013 | Essex, NJ
25009 | Essex, MA
51057 | Essex, VA
50009 | Essex, VT
21065 | Estill, KY
01055 | Etowah, AL
32011 | Eureka, NV
22039 | Evangeline, LA
13109 | Evans, GA
02090 | Fairbanks North Star, AK
51059 | Fairfax, VA
51600 | Fairfax (city), VA
09001 | Fairfield, CT
45039 | Fairfield, SC
39045 | Fairfield, OH
72053 | Fajardo, PR
46047 | Fall River, SD
30025 | Fallon, MT
48145 | Falls, TX
51610 | Falls Church (city), VA
13111 | Fannin, GA
48147 | Fannin, TX
27043 | Faribault, MN
46049 | Faulk, SD
05045 | Faulkner, AR
51061 | Fauquier, VA
01057 | Fayette, AL
13113 | Fayette, GA
19065 | Fayette, IA
21067 | Fayette, KY
18041 | Fayette, IN
17051 | Fayette, IL
42051 | Fayette, PA
39047 | Fayette, OH
48149 | Fayette, TX

47047 | Fayette, TN
54019 | Fayette, WV
47049 | Fentress, TN
30027 | Fergus, MT
53019 | Ferry, WA
31059 | Fillmore, NE
27045 | Fillmore, MN
20055 | Finney, KS
48151 | Fisher, TX
12035 | Flagler, FL
30029 | Flathead, MT
21069 | Fleming, KY
45041 | Florence, SC
55037 | Florence, WI
72054 | Florida, PR
21071 | Floyd, KY
18043 | Floyd, IN
13115 | Floyd, GA
19067 | Floyd, IA
51063 | Floyd, VA
48153 | Floyd, TX
51065 | Fluvanna, VA
48155 | Foard, TX
55039 | Fond du Lac, WI
17053 | Ford, IL
20057 | Ford, KS
42053 | Forest, PA
55041 | Forest, WI
28035 | Forrest, MS
37067 | Forsyth, NC
13117 | Forsyth, GA
48157 | Fort Bend, TX
38031 | Foster, ND
18045 | Fountain, IN
18047 | Franklin, IN
17055 | Franklin, IL
20059 | Franklin, KS
21073 | Franklin, KY
22041 | Franklin, LA
25011 | Franklin, MA
13119 | Franklin, GA
12037 | Franklin, FL
19069 | Franklin, IA
16041 | Franklin, ID
01059 | Franklin, AL
05047 | Franklin, AR
37069 | Franklin, NC
28037 | Franklin, MS
29071 | Franklin, MO
31061 | Franklin, NE
23007 | Franklin, ME
39049 | Franklin, OH
42055 | Franklin, PA
36033 | Franklin, NY
48159 | Franklin, TX
47051 | Franklin, TN
53021 | Franklin, WA
50011 | Franklin, VT
51067 | Franklin, VA
51620 | Franklin (city), VA
24021 | Frederick, MD
51069 | Frederick, VA
51630 | Fredericksburg (city), VA
27047 | Freeborn, MN
48161 | Freestone, TX
08043 | Fremont, CO
16043 | Fremont, ID
19071 | Fremont, IA
56013 | Fremont, WY
06019 | Fresno, CA
48163 | Frio, TX
31063 | Frontier, NE

39051 | Fulton, OH
36035 | Fulton, NY
42057 | Fulton, PA
05049 | Fulton, AR
13121 | Fulton, GA
21075 | Fulton, KY
17057 | Fulton, IL
18049 | Fulton, IN
31065 | Furnas, NE
12039 | Gadsden, FL
31067 | Gage, NE
48165 | Gaines, TX
51640 | Galax (city), VA
30031 | Gallatin, MT
17059 | Gallatin, IL
21077 | Gallatin, KY
39053 | Gallia, OH
48167 | Galveston, TX
31069 | Garden, NE
31071 | Garfield, NE
40047 | Garfield, OK
30033 | Garfield, MT
08045 | Garfield, CO
49017 | Garfield, UT
53023 | Garfield, WA
05051 | Garland, AR
21079 | Garrard, KY
24023 | Garrett, MD
40049 | Garvin, OK
48169 | Garza, TX
29073 | Gasconade, MO
37071 | Gaston, NC
37073 | Gates, NC
20061 | Geary, KS
39055 | Geauga, OH
16045 | Gem, ID
26049 | Genesee, MI
36037 | Genesee, NY
01061 | Geneva, AL
29075 | Gentry, MO
28039 | George, MS
45043 | Georgetown, SC
18051 | Gibson, IN
47053 | Gibson, TN
04007 | Gila, AZ
12041 | Gilchrist, FL
47055 | Giles, TN
51071 | Giles, VA
48171 | Gillespie, TX
41021 | Gilliam, OR
13123 | Gilmer, GA
54021 | Gilmer, WV
08047 | Gilpin, CO
30035 | Glacier, MT
12043 | Glades, FL
26051 | Gladwin, MI
13125 | Glascock, GA
48173 | Glasscock, TX
06021 | Glenn, CA
34015 | Gloucester, NJ
51073 | Gloucester, VA
13127 | Glynn, GA
26053 | Gogebic, MI
30037 | Golden Valley, MT
38033 | Golden Valley, ND
48175 | Goliad, TX
48177 | Gonzales, TX
51075 | Goochland, VA
27049 | Goodhue, MN
16047 | Gooding, ID
13129 | Gordon, GA
56015 | Goshen, WY

31073 | Gosper, NE
20063 | Gove, KS
13131 | Grady, GA
40051 | Grady, OK
33009 | Grafton, NH
37075 | Graham, NC
04009 | Graham, AZ
20065 | Graham, KS
47057 | Grainger, TN
08049 | Grand, CO
49019 | Grand, UT
38035 | Grand Forks, ND
50013 | Grand Isle, VT
26055 | Grand Traverse, MI
30039 | Granite, MT
38037 | Grant, ND
40053 | Grant, OK
31075 | Grant, NE
35017 | Grant, NM
46051 | Grant, SD
41023 | Grant, OR
27051 | Grant, MN
22043 | Grant, LA
20067 | Grant, KS
21081 | Grant, KY
18053 | Grant, IN
05053 | Grant, AR
53025 | Grant, WA
55043 | Grant, WI
54023 | Grant, WV
37077 | Granville, NC
26057 | Gratiot, MI
21083 | Graves, KY
20069 | Gray, KS
48179 | Gray, TX
53027 | Grays Harbor, WA
21085 | Grayson, KY
51077 | Grayson, VA
48181 | Grayson, TX
20071 | Greeley, KS
31077 | Greeley, NE
21087 | Green, KY
55045 | Green, WI
55047 | Green Lake, WI
54025 | Greenbrier, WV
18055 | Greene, IN
17061 | Greene, IL
05055 | Greene, AR
01063 | Greene, AL
13133 | Greene, GA
19073 | Greene, IA
39057 | Greene, OH
37079 | Greene, NC
28041 | Greene, MS
29077 | Greene, MO
36039 | Greene, NY
42059 | Greene, PA
51079 | Greene, VA
47059 | Greene, TN
04011 | Greenlee, AZ
51081 | Greensville, VA
21089 | Greenup, KY
45045 | Greenville, SC
45047 | Greenwood, SC
20073 | Greenwood, KS
40055 | Greer, OK
48183 | Gregg, TX
46053 | Gregory, SD
28043 | Grenada, MS
38039 | Griggs, ND
48185 | Grimes, TX
29079 | Grundy, MO

17063 | Grundy, IL
19075 | Grundy, IA
47061 | Grundy, TN
35019 | Guadalupe, NM
48187 | Guadalupe, TX
66010 | Guam, GU
72055 | Guanica, PR
72057 | Guayama, PR
72059 | Guayanilla, PR
72061 | Guaynabo, PR
39059 | Guernsey, OH
37081 | Guilford, NC
12045 | Gulf, FL
08051 | Gunnison, CO
72063 | Gurabo, PR
19077 | Guthrie, IA
13135 | Gwinnett, GA
46055 | Haakon, SD
13137 | Habersham, GA
02100 | Haines, AK
01065 | Hale, AL
48189 | Hale, TX
37083 | Halifax, NC
51083 | Halifax, VA
31079 | Hall, NE
13139 | Hall, GA
48191 | Hall, TX
47063 | Hamblen, TN
12047 | Hamilton, FL
19079 | Hamilton, IA
18057 | Hamilton, IN
17065 | Hamilton, IL
20075 | Hamilton, KS
31081 | Hamilton, NE
39061 | Hamilton, OH
36041 | Hamilton, NY
47065 | Hamilton, TN
48193 | Hamilton, TX
46057 | Hamlin, SD
25013 | Hampden, MA
25015 | Hampshire, MA
54027 | Hampshire, WV
45049 | Hampton, SC
51650 | Hampton (city), VA
39063 | Hancock, OH
23009 | Hancock, ME
28045 | Hancock, MS
21091 | Hancock, KY
17067 | Hancock, IL
18059 | Hancock, IN
19081 | Hancock, IA
13141 | Hancock, GA
47067 | Hancock, TN
54029 | Hancock, WV
46059 | Hand, SD
51085 | Hanover, VA
48195 | Hansford, TX
46061 | Hanson, SD
13143 | Haralson, GA
12049 | Hardee, FL
48197 | Hardeman, TX
47069 | Hardeman, TN
19083 | Hardin, IA
17069 | Hardin, IL
21093 | Hardin, KY
39065 | Hardin, OH
47071 | Hardin, TN
48199 | Hardin, TX
35021 | Harding, NM
46063 | Harding, SD
54031 | Hardy, WV
24025 | Harford, MD

21095 | Harlan, KY
31083 | Harlan, NE
40057 | Harmon, OK
37085 | Harnett, NC
41025 | Harney, OR
40059 | Harper, OK
20077 | Harper, KS
13145 | Harris, GA
48201 | Harris, TX
19085 | Harrison, IA
21097 | Harrison, KY
18061 | Harrison, IN
39067 | Harrison, OH
28047 | Harrison, MS
29081 | Harrison, MO
48203 | Harrison, TX
54033 | Harrison, WV
51660 | Harrisonburg (city), VA
21099 | Hart, KY
13147 | Hart, GA
09003 | Hartford, CT
48205 | Hartley, TX
20079 | Harvey, KS
20081 | Haskell, KS
40061 | Haskell, OK
48207 | Haskell, TX
72065 | Hatillo, PR
70050 | Hatobohei, PW
15001 | Hawaii, HI
47073 | Hawkins, TN
31085 | Hayes, NE
48209 | Hays, TX
37087 | Haywood, NC
47075 | Haywood, TN
13149 | Heard, GA
48211 | Hemphill, TX
05057 | Hempstead, AR
17071 | Henderson, IL
21101 | Henderson, KY
37089 | Henderson, NC
48213 | Henderson, TX
47077 | Henderson, TN
18063 | Hendricks, IN
12051 | Hendry, FL
27053 | Hennepin, MN
51087 | Henrico, VA
18065 | Henry, IN
17073 | Henry, IL
21103 | Henry, KY
13151 | Henry, GA
19087 | Henry, IA
01067 | Henry, AL
29083 | Henry, MO
39069 | Henry, OH
51089 | Henry, VA
47079 | Henry, TN
36043 | Herkimer, NY
12053 | Hernando, FL
37091 | Hertford, NC
38041 | Hettinger, ND
21105 | Hickman, KY
47081 | Hickman, TN
29085 | Hickory, MO
35023 | Hidalgo, NM
48215 | Hidalgo, TX
39071 | Highland, OH
51091 | Highland, VA
12055 | Highlands, FL
30041 | Hill, MT
48217 | Hill, TX
33011 | Hillsborough, NH
12057 | Hillsborough, FL

26059 | Hillsdale, MI
28049 | Hinds, MS
08053 | Hinsdale, CO
31087 | Hitchcock, NE
39073 | Hocking, OH
48219 | Hockley, TX
20083 | Hodgeman, KS
37093 | Hoke, NC
28051 | Holmes, MS
39075 | Holmes, OH
12059 | Holmes, FL
31089 | Holt, NE
29087 | Holt, MO
15003 | Honolulu, HI
48221 | Hood, TX
41027 | Hood River, OR
31091 | Hooker, NE
02105 | Hoonah-Angoon (CA), AK
51670 | Hopewell (city), VA
21107 | Hopkins, KY
48223 | Hopkins, TX
72067 | Hormigueros, PR
45051 | Horry, SC
05059 | Hot Spring, AR
56017 | Hot Springs, WY
26061 | Houghton, MI
27055 | Houston, MN
01069 | Houston, AL
13153 | Houston, GA
48225 | Houston, TX
47083 | Houston, TN
19089 | Howard, IA
05061 | Howard, AR
24027 | Howard, MD
18067 | Howard, IN
31093 | Howard, NE
29089 | Howard, MO
48227 | Howard, TX
29091 | Howell, MO
74100 | Howland Island, UM
27057 | Hubbard, MN
34017 | Hudson, NJ
48229 | Hudspeth, TX
08055 | Huerfano, CO
40063 | Hughes, OK
46065 | Hughes, SD
72069 | Humacao, PR
32013 | Humboldt, NV
06023 | Humboldt, CA
19091 | Humboldt, IA
28053 | Humphreys, MS
47085 | Humphreys, TN
48231 | Hunt, TX
34019 | Hunterdon, NJ
42061 | Huntingdon, PA
18069 | Huntington, IN
26063 | Huron, MI
39077 | Huron, OH
46067 | Hutchinson, SD
48233 | Hutchinson, TX
46069 | Hyde, SD
37095 | Hyde, NC
22045 | Iberia, LA
22047 | Iberville, LA
19093 | Ida, IA
16049 | Idaho, ID
06025 | Imperial, CA
05063 | Independence, AR
12061 | Indian River, FL
42063 | Indiana, PA
26065 | Ingham, MI
06027 | Inyo, CA

26067 | Ionia, MI
26069 | Iosco, MI
19095 | Iowa, IA
55049 | Iowa, WI
37097 | Iredell, NC
48235 | Irion, TX
29093 | Iron, MO
26071 | Iron, MI
55051 | Iron, WI
49021 | Iron, UT
17075 | Iroquois, IL
13155 | Irwin, GA
72071 | Isabela, PR
26073 | Isabella, MI
27059 | Isanti, MN
53029 | Island, WA
51093 | Isle of Wight, VA
28055 | Issaquena, MS
27061 | Itasca, MN
28057 | Itawamba, MS
05065 | Izard, AR
68110 | Jabat, MH
48237 | Jack, TX
22049 | Jackson, LA
27063 | Jackson, MN
26075 | Jackson, MI
17077 | Jackson, IL
18071 | Jackson, IN
21109 | Jackson, KY
20085 | Jackson, KS
05067 | Jackson, AR
01071 | Jackson, AL
08057 | Jackson, CO
13157 | Jackson, GA
12063 | Jackson, FL
19097 | Jackson, IA
28059 | Jackson, MS
29095 | Jackson, MO
37099 | Jackson, NC
39079 | Jackson, OH
40065 | Jackson, OK
41029 | Jackson, OR
46071 | Jackson, SD
48239 | Jackson, TX
47087 | Jackson, TN
55053 | Jackson, WI
54035 | Jackson, WV
68120 | Jaluit, MH
51095 | James City, VA
74150 | Jarvis Island, UM
18073 | Jasper, IN
17079 | Jasper, IL
19099 | Jasper, IA
13159 | Jasper, GA
45053 | Jasper, SC
29097 | Jasper, MO
28061 | Jasper, MS
48241 | Jasper, TX
18075 | Jay, IN
72073 | Jayuya, PR
13161 | Jeff Davis, GA
48243 | Jeff Davis, TX
13163 | Jefferson, GA
12065 | Jefferson, FL
19101 | Jefferson, IA
16051 | Jefferson, ID
08059 | Jefferson, CO
01073 | Jefferson, AL
05069 | Jefferson, AR
18077 | Jefferson, IN
17081 | Jefferson, IL
20087 | Jefferson, KS

21111 | Jefferson, KY
22051 | Jefferson, LA
41031 | Jefferson, OR
36045 | Jefferson, NY
42065 | Jefferson, PA
28063 | Jefferson, MS
29099 | Jefferson, MO
30043 | Jefferson, MT
40067 | Jefferson, OK
39081 | Jefferson, OH
31095 | Jefferson, NE
48245 | Jefferson, TX
47089 | Jefferson, TN
53031 | Jefferson, WA
55055 | Jefferson, WI
54037 | Jefferson, WV
28065 | Jefferson Davis, MS
22053 | Jefferson Davis, LA
68130 | Jemo, MH
13165 | Jenkins, GA
18079 | Jennings, IN
46073 | Jerauld, SD
16053 | Jerome, ID
17083 | Jersey, IL
21113 | Jessamine, KY
20089 | Jewell, KS
48247 | Jim Hogg, TX
48249 | Jim Wells, TX
17085 | Jo Daviess, IL
17087 | Johnson, IL
18081 | Johnson, IN
20091 | Johnson, KS
21115 | Johnson, KY
19103 | Johnson, IA
13167 | Johnson, GA
05071 | Johnson, AR
29101 | Johnson, MO
31097 | Johnson, NE
48251 | Johnson, TX
47091 | Johnson, TN
56019 | Johnson, WY
40069 | Johnston, OK
37101 | Johnston, NC
74200 | Johnston Atoll, UM
37103 | Jones, NC
28067 | Jones, MS
13169 | Jones, GA
19105 | Jones, IA
46075 | Jones, SD
48253 | Jones, TX
41033 | Josephine, OR
49023 | Juab, UT
72075 | Juana Diaz, PR
30045 | Judith Basin, MT
72077 | Juncos, PR
02110 | Juneau, AK
55057 | Juneau, WI
42067 | Juniata, PA
26077 | Kalamazoo, MI
15005 | Kalawao, HI
26079 | Kalkaska, MI
27065 | Kanabec, MN
54039 | Kanawha, WV
27067 | Kandiyohi, MN
17089 | Kane, IL
49025 | Kane, UT
17091 | Kankakee, IL
48255 | Karnes, TX
15007 | Kauai, HI
48257 | Kaufman, TX
40071 | Kay, OK
70100 | Kayangel, PW

31099 | Kearney, NE
20093 | Kearny, KS
31101 | Keith, NE
28069 | Kemper, MS
02122 | Kenai Peninsula, AK
17093 | Kendall, IL
48259 | Kendall, TX
48261 | Kenedy, TX
23011 | Kennebec, ME
55059 | Kenosha, WI
44003 | Kent, RI
10001 | Kent, DE
26081 | Kent, MI
24029 | Kent, MD
48263 | Kent, TX
21117 | Kenton, KY
19107 | Keokuk, IA
06029 | Kern, CA
48265 | Kerr, TX
45055 | Kershaw, SC
02130 | Ketchikan Gateway, AK
55061 | Kewaunee, WI
26083 | Keweenaw, MI
31103 | Keya Paha, NE
38043 | Kidder, ND
68140 | Kili, MH
31105 | Kimball, NE
48267 | Kimble, TX
48269 | King, TX
53033 | King, WA
51097 | King and Queen, VA
51099 | King George, VA
51101 | King William, VA
40073 | Kingfisher, OK
20095 | Kingman, KS
74250 | Kingman Reef, UM
06031 | Kings, CA
36047 | Kings, NY
46077 | Kingsbury, SD
48271 | Kinney, TX
40075 | Kiowa, OK
08061 | Kiowa, CO
20097 | Kiowa, KS
08063 | Kit Carson, CO
53035 | Kitsap, WA
53037 | Kittitas, WA
27069 | Kittson, MN
41035 | Klamath, OR
48273 | Kleberg, TX
53039 | Klickitat, WA
21119 | Knott, KY
21121 | Knox, KY
18083 | Knox, IN
17095 | Knox, IL
39083 | Knox, OH
31107 | Knox, NE
23013 | Knox, ME
29103 | Knox, MO
48275 | Knox, TX
47093 | Knox, TN
02150 | Kodiak Island, AK
27071 | Koochiching, MN
16055 | Kootenai, ID
70150 | Koror, PW
18085 | Kosciusko, IN
64005 | Kosrae, FM
19109 | Kossuth, IA
68150 | Kwajalein, MH
55063 | La Crosse, WI
04012 | La Paz, AZ
08067 | La Plata, CO
22059 | La Salle, LA

17099 | La Salle, IL
48283 | La Salle, TX
20099 | Labette, KS
27073 | Lac qui Parle, MN
42069 | Lackawanna, PA
29105 | Laclede, MO
68160 | Lae, MH
22055 | Lafayette, LA
05073 | Lafayette, AR
12067 | Lafayette, FL
29107 | Lafayette, MO
28071 | Lafayette, MS
55065 | Lafayette, WI
22057 | Lafourche, LA
18087 | LaGrange, IN
72079 | Lajas, PR
41037 | Lake, OR
30047 | Lake, MT
39085 | Lake, OH
18089 | Lake, IN
17097 | Lake, IL
27075 | Lake, MN
26085 | Lake, MI
12069 | Lake, FL
08065 | Lake, CO
06033 | Lake, CA
47095 | Lake, TN
46079 | Lake, SD
02164 | Lake and Peninsula, AK
27077 | Lake of the Woods, MN
01075 | Lamar, AL
13171 | Lamar, GA
28073 | Lamar, MS
48277 | Lamar, TX
48279 | Lamb, TX
50015 | Lamoille, VT
38045 | LaMoure, ND
48281 | Lampasas, TX
31109 | Lancaster, NE
42071 | Lancaster, PA
45057 | Lancaster, SC
51103 | Lancaster, VA
32015 | Lander, NV
41039 | Lane, OR
20101 | Lane, KS
55067 | Langlade, WI
13173 | Lanier, GA
26087 | Lapeer, MI
18091 | LaPorte, IN
56021 | Laramie, WY
72081 | Lares, PR
08069 | Larimer, CO
21123 | Larue, KY
08071 | Las Animas, CO
72083 | Las Marias, PR
72085 | Las Piedras, PR
06035 | Lassen, CA
16057 | Latah, ID
40077 | Latimer, OK
28075 | Lauderdale, MS
01077 | Lauderdale, AL
47097 | Lauderdale, TN
21125 | Laurel, KY
13175 | Laurens, GA
45059 | Laurens, SC
48285 | Lavaca, TX
42073 | Lawrence, PA
28077 | Lawrence, MS
29109 | Lawrence, MO
39087 | Lawrence, OH
01079 | Lawrence, AL
05075 | Lawrence, AR

21127 | Lawrence, KY
18093 | Lawrence, IN
17101 | Lawrence, IL
47099 | Lawrence, TN
46081 | Lawrence, SD
40079 | Le Flore, OK
27079 | Le Sueur, MN
35025 | Lea, NM
28079 | Leake, MS
20103 | Leavenworth, KS
42075 | Lebanon, PA
45061 | Lee, SC
28081 | Lee, MS
37105 | Lee, NC
21129 | Lee, KY
17103 | Lee, IL
05077 | Lee, AR
01081 | Lee, AL
13177 | Lee, GA
12071 | Lee, FL
19111 | Lee, IA
48287 | Lee, TX
51105 | Lee, VA
26089 | Leelanau, MI
28083 | Leflore, MS
42077 | Lehigh, PA
16059 | Lemhi, ID
26091 | Lenawee, MI
37107 | Lenoir, NC
12073 | Leon, FL
48289 | Leon, TX
21131 | Leslie, KY
21133 | Letcher, KY
12075 | Levy, FL
16061 | Lewis, ID
21135 | Lewis, KY
29111 | Lewis, MO
36049 | Lewis, NY
47101 | Lewis, TN
53041 | Lewis, WA
54041 | Lewis, WV
30049 | Lewis and Clark, MT
45063 | Lexington, SC
51678 | Lexington (city), VA
68170 | Lib, MH
12077 | Liberty, FL
13179 | Liberty, GA
30051 | Liberty, MT
48291 | Liberty, TX
39089 | Licking, OH
68180 | Likiep, MH
01083 | Limestone, AL
48293 | Limestone, TX
05079 | Lincoln, AR
08073 | Lincoln, CO
13181 | Lincoln, GA
16063 | Lincoln, ID
22061 | Lincoln, LA
27081 | Lincoln, MN
21137 | Lincoln, KY
20105 | Lincoln, KS
40081 | Lincoln, OK
35027 | Lincoln, NM
23015 | Lincoln, ME
31111 | Lincoln, NE
30053 | Lincoln, MT
37109 | Lincoln, NC
29113 | Lincoln, MO
28085 | Lincoln, MS
32017 | Lincoln, NV
41041 | Lincoln, OR
47103 | Lincoln, TN

46083 | Lincoln, SD
53043 | Lincoln, WA
55069 | Lincoln, WI
54043 | Lincoln, WV
56023 | Lincoln, WY
41043 | Linn, OR
29115 | Linn, MO
20107 | Linn, KS
19113 | Linn, IA
48295 | Lipscomb, TX
09005 | Litchfield, CT
05081 | Little River, AR
48297 | Live Oak, TX
21139 | Livingston, KY
17105 | Livingston, IL
26093 | Livingston, MI
22063 | Livingston, LA
29117 | Livingston, MO
36051 | Livingston, NY
48299 | Llano, TX
38047 | Logan, ND
31113 | Logan, NE
40083 | Logan, OK
39091 | Logan, OH
17107 | Logan, IL
21141 | Logan, KY
20109 | Logan, KS
05083 | Logan, AR
08075 | Logan, CO
54045 | Logan, WV
72087 | Loiza, PR
13183 | Long, GA
05085 | Lonoke, AR
39093 | Lorain, OH
35028 | Los Alamos, NM
06037 | Los Angeles, CA
47105 | Loudon, TN
51107 | Loudoun, VA
19115 | Louisa, IA
51109 | Louisa, VA
31115 | Loup, NE
40085 | Love, OK
48301 | Loving, TX
28087 | Lowndes, MS
13185 | Lowndes, GA
01085 | Lowndes, AL
48303 | Lubbock, TX
19117 | Lucas, IA
39095 | Lucas, OH
26095 | Luce, MI
13187 | Lumpkin, GA
35029 | Luna, NM
51111 | Lunenburg, VA
72089 | Luquillo, PR
42079 | Luzerne, PA
42081 | Lycoming, PA
46085 | Lyman, SD
51680 | Lynchburg (city), VA
48305 | Lynn, TX
32019 | Lyon, NV
19119 | Lyon, IA
27083 | Lyon, MN
20111 | Lyon, KS
21143 | Lyon, KY
26097 | Mackinac, MI
26099 | Macomb, MI
17115 | Macon, IL
13193 | Macon, GA
01087 | Macon, AL
29121 | Macon, MO
37113 | Macon, NC
47111 | Macon, TN

17117 | Macoupin, IL
06039 | Madera, CA
01089 | Madison, AL
05087 | Madison, AR
13195 | Madison, GA
12079 | Madison, FL
19121 | Madison, IA
16065 | Madison, ID
17119 | Madison, IL
18095 | Madison, IN
21151 | Madison, KY
22065 | Madison, LA
37115 | Madison, NC
30057 | Madison, MT
29123 | Madison, MO
28089 | Madison, MS
31119 | Madison, NE
39097 | Madison, OH
36053 | Madison, NY
47113 | Madison, TN
48313 | Madison, TX
51113 | Madison, VA
21153 | Magoffin, KY
19123 | Mahaska, IA
27087 | Mahnomen, MN
39099 | Mahoning, OH
40093 | Major, OK
68190 | Majuro, MH
41045 | Malheur, OR
68300 | Maloelap, MH
51683 | Manassas (city), VA
51685 | Manassas Park (city), VA
12081 | Manatee, FL
72091 | Manati, PR
26101 | Manistee, MI
55071 | Manitowoc, WI
60020 | Manu'a, AS
55073 | Marathon, WI
01091 | Marengo, AL
72093 | Maricao, PR
04013 | Maricopa, AZ
29125 | Maries, MO
06041 | Marin, CA
55075 | Marinette, WI
01093 | Marion, AL
05089 | Marion, AR
12083 | Marion, FL
13197 | Marion, GA
19125 | Marion, IA
18097 | Marion, IN
17121 | Marion, IL
21155 | Marion, KY
20115 | Marion, KS
29127 | Marion, MO
28091 | Marion, MS
39101 | Marion, OH
45067 | Marion, SC
41047 | Marion, OR
48315 | Marion, TX
47115 | Marion, TN
54049 | Marion, WV
06043 | Mariposa, CA
45069 | Marlboro, SC
26103 | Marquette, MI
55077 | Marquette, WI
27089 | Marshall, MN
20117 | Marshall, KS
21157 | Marshall, KY
17123 | Marshall, IL
18099 | Marshall, IN
01095 | Marshall, AL
19127 | Marshall, IA

40095 | Marshall, OK
28093 | Marshall, MS
47117 | Marshall, TN
46091 | Marshall, SD
54051 | Marshall, WV
37117 | Martin, NC
12085 | Martin, FL
18101 | Martin, IN
21159 | Martin, KY
27091 | Martin, MN
48317 | Martin, TX
51690 | Martinsville (city), VA
26105 | Mason, MI
21161 | Mason, KY
17125 | Mason, IL
53045 | Mason, WA
48319 | Mason, TX
54053 | Mason, WV
17127 | Massac, IL
48321 | Matagorda, TX
02170 | Matanuska-Susitna, AK
51115 | Mathews, VA
15009 | Maui, HI
72095 | Maunabo, PR
47119 | Maury, TN
48323 | Maverick, TX
72097 | Mayaguez, PR
40097 | Mayes, OK
40087 | McClain, OK
30055 | McCone, MT
46087 | McCook, SD
45065 | McCormick, SC
21145 | McCracken, KY
21147 | McCreary, KY
48307 | McCulloch, TX
40089 | McCurtain, OK
29119 | McDonald, MO
17109 | McDonough, IL
37111 | McDowell, NC
54047 | McDowell, WV
13189 | McDuffie, GA
17111 | McHenry, IL
38049 | McHenry, ND
38051 | McIntosh, ND
40091 | McIntosh, OK
13191 | McIntosh, GA
42083 | McKean, PA
38053 | McKenzie, ND
35031 | McKinley, NM
38055 | McLean, ND
17113 | McLean, IL
21149 | McLean, KY
48309 | McLennan, TX
27085 | McLeod, MN
47107 | McMinn, TN
48311 | McMullen, TX
47109 | McNairy, TN
20113 | McPherson, KS
31117 | McPherson, NE
46089 | McPherson, SD
20119 | Meade, KS
21163 | Meade, KY
46093 | Meade, SD
30059 | Meagher, MT
37119 | Mecklenburg, NC
51117 | Mecklenburg, VA
26107 | Mecosta, MI
39103 | Medina, OH
48325 | Medina, TX
27093 | Meeker, MN
39105 | Meigs, OH
47121 | Meigs, TN

68310 | Mejit, MH
70212 | Melekeok, PW
46095 | Mellette, SD
17129 | Menard, IL
48327 | Menard, TX
06045 | Mendocino, CA
21165 | Menifee, KY
26109 | Menominee, MI
55078 | Menominee, WI
06047 | Merced, CA
21167 | Mercer, KY
17131 | Mercer, IL
42085 | Mercer, PA
39107 | Mercer, OH
34021 | Mercer, NJ
38057 | Mercer, ND
29129 | Mercer, MO
54055 | Mercer, WV
13199 | Meriwether, GA
31121 | Merrick, NE
33013 | Merrimack, NH
08077 | Mesa, CO
21169 | Metcalfe, KY
20121 | Miami, KS
18103 | Miami, IN
39109 | Miami, OH
12086 | Miami-Dade, FL
09007 | Middlesex, CT
25017 | Middlesex, MA
34023 | Middlesex, NJ
51119 | Middlesex, VA
26111 | Midland, MI
48329 | Midland, TX
74300 | Midway Islands, UM
42087 | Mifflin, PA
48331 | Milam, TX
68320 | Mili, MH
49027 | Millard, UT
27095 | Mille Lacs, MN
05091 | Miller, AR
13201 | Miller, GA
29131 | Miller, MO
19129 | Mills, IA
48333 | Mills, TX
55079 | Milwaukee, WI
46097 | Miner, SD
08079 | Mineral, CO
30061 | Mineral, MT
32021 | Mineral, NV
54057 | Mineral, WV
54059 | Mingo, WV
16067 | Minidoka, ID
46099 | Minnehaha, SD
26113 | Missaukee, MI
05093 | Mississippi, AR
29133 | Mississippi, MO
30063 | Missoula, MT
37121 | Mitchell, NC
19131 | Mitchell, IA
13205 | Mitchell, GA
20123 | Mitchell, KS
48335 | Mitchell, TX
01097 | Mobile, AL
72099 | Moca, PR
06049 | Modoc, CA
08081 | Moffat, CO
04015 | Mohave, AZ
29135 | Moniteau, MO
34025 | Monmouth, NJ
06051 | Mono, CA
19133 | Monona, IA
54061 | Monongalia, WV

19135 | Monroe, IA
13207 | Monroe, GA
12087 | Monroe, FL
01099 | Monroe, AL
05095 | Monroe, AR
21171 | Monroe, KY
18105 | Monroe, IN
17133 | Monroe, IL
26115 | Monroe, MI
39111 | Monroe, OH
29137 | Monroe, MO
28095 | Monroe, MS
42089 | Monroe, PA
36055 | Monroe, NY
54063 | Monroe, WV
47123 | Monroe, TN
55081 | Monroe, WI
48337 | Montague, TX
26117 | Montcalm, MI
06053 | Monterey, CA
08083 | Montezuma, CO
05097 | Montgomery, AR
01101 | Montgomery, AL
13209 | Montgomery, GA
19137 | Montgomery, IA
24031 | Montgomery, MD
17135 | Montgomery, IL
18107 | Montgomery, IN
21173 | Montgomery, KY
20125 | Montgomery, KS
36057 | Montgomery, NY
42091 | Montgomery, PA
28097 | Montgomery, MS
29139 | Montgomery, MO
37123 | Montgomery, NC
39113 | Montgomery, OH
48339 | Montgomery, TX
47125 | Montgomery, TN
51121 | Montgomery, VA
26119 | Montmorency, MI
42093 | Montour, PA
08085 | Montrose, CO
46101 | Moody, SD
37125 | Moore, NC
47127 | Moore, TN
48341 | Moore, TX
35033 | Mora, NM
22067 | Morehouse, LA
21175 | Morgan, KY
18109 | Morgan, IN
17137 | Morgan, IL
08087 | Morgan, CO
01103 | Morgan, AL
13211 | Morgan, GA
39115 | Morgan, OH
29141 | Morgan, MO
47129 | Morgan, TN
49029 | Morgan, UT
54065 | Morgan, WV
72101 | Morovis, PR
31123 | Morrill, NE
34027 | Morris, NJ
20127 | Morris, KS
48343 | Morris, TX
27097 | Morrison, MN
39117 | Morrow, OH
41049 | Morrow, OR
38059 | Morton, ND
20129 | Morton, KS
48345 | Motley, TX
17139 | Moultrie, IL
38061 | Mountrail, ND

27099 | Mower, MN
21177 | Muhlenberg, KY
41051 | Multnomah, OR
40099 | Murray, OK
27101 | Murray, MN
13213 | Murray, GA
19139 | Muscatine, IA
13215 | Muscogee, GA
26121 | Muskegon, MI
39119 | Muskingum, OH
40101 | Muskogee, OK
30065 | Musselshell, MT
48347 | Nacogdoches, TX
72103 | Naguabo, PR
68330 | Namorik, MH
68340 | Namu, MH
31125 | Nance, NE
25019 | Nantucket, MA
06055 | Napa, CA
72105 | Naranjito, PR
37127 | Nash, NC
36059 | Nassau, NY
12089 | Nassau, FL
22069 | Natchitoches, LA
56025 | Natrona, WY
04017 | Navajo, AZ
48349 | Navarro, TX
74350 | Navassa Island, UM
21179 | Nelson, KY
38063 | Nelson, ND
51125 | Nelson, VA
31127 | Nemaha, NE
20131 | Nemaha, KS
20133 | Neosho, KS
28099 | Neshoba, MS
20135 | Ness, KS
06057 | Nevada, CA
05099 | Nevada, AR
10003 | New Castle, DE
37129 | New Hanover, NC
09009 | New Haven, CT
51127 | New Kent, VA
09011 | New London, CT
29143 | New Madrid, MO
36061 | New York, NY
26123 | Newaygo, MI
45071 | Newberry, SC
44005 | Newport, RI
51700 | Newport News (city), VA
29145 | Newton, MO
28101 | Newton, MS
18111 | Newton, IN
05101 | Newton, AR
13217 | Newton, GA
48351 | Newton, TX
16069 | Nez Perce, ID
70214 | Ngaraard, PW
70218 | Ngarchelong, PW
70222 | Ngardmau, PW
70224 | Ngatpang, PW
70226 | Ngchesar, PW
70227 | Ngeremlengui, PW
70228 | Ngiwal, PW
36063 | Niagara, NY
21181 | Nicholas, KY
54067 | Nicholas, WV
27103 | Nicollet, MN
56027 | Niobrara, WY
18113 | Noble, IN
40103 | Noble, OK
39121 | Noble, OH
27105 | Nobles, MN

29147 | Nodaway, MO
48353 | Nolan, TX
02180 | Nome (CA), AK
25021 | Norfolk, MA
51710 | Norfolk (city), VA
27107 | Norman, MN
02185 | North Slope, AK
37131 | Northampton, NC
42095 | Northampton, PA
51131 | Northampton, VA
69085 | Northern Islands, MP
42097 | Northumberland, PA
51133 | Northumberland, VA
02188 | Northwest Arctic, AK
20137 | Norton, KS
51720 | Norton (city), VA
51135 | Nottoway, VA
40105 | Nowata, OK
28103 | Noxubee, MS
31129 | Nuckolls, NE
48355 | Nueces, TX
32023 | Nye, NV
26125 | Oakland, MI
47131 | Obion, TN
19141 | O'Brien, IA
34029 | Ocean, NJ
26127 | Oceana, MI
48357 | Ochiltree, TX
13219 | Oconee, GA
45073 | Oconee, SC
55083 | Oconto, WI
26129 | Ogemaw, MI
17141 | Ogle, IL
13221 | Oglethorpe, GA
18115 | Ohio, IN
21183 | Ohio, KY
54069 | Ohio, WV
12091 | Okaloosa, FL
53047 | Okanogan, WA
12093 | Okeechobee, FL
40107 | Okfuskee, OK
40109 | Oklahoma, OK
40111 | Okmulgee, OK
28105 | Oktibbeha, MS
21185 | Oldham, KY
48359 | Oldham, TX
38065 | Oliver, ND
27109 | Olmsted, MN
16071 | Oneida, ID
36065 | Oneida, NY
55085 | Oneida, WI
36067 | Onondaga, NY
37133 | Onslow, NC
36069 | Ontario, NY
26131 | Ontonagon, MI
18117 | Orange, IN
12095 | Orange, FL
06059 | Orange, CA
36071 | Orange, NY
37135 | Orange, NC
50017 | Orange, VT
51137 | Orange, VA
48361 | Orange, TX
45075 | Orangeburg, SC
29149 | Oregon, MO
36073 | Orleans, NY
22071 | Orleans, LA
50019 | Orleans, VT
72107 | Orocovis, PR
29151 | Osage, MO
40113 | Osage, OK
20139 | Osage, KS

20141 | Osborne, KS
26133 | Osceola, MI
12097 | Osceola, FL
19143 | Osceola, IA
26135 | Oscoda, MI
36075 | Oswego, NY
35035 | Otero, NM
08089 | Otero, CO
31131 | Otoe, NE
36077 | Otsego, NY
26137 | Otsego, MI
26139 | Ottawa, MI
20143 | Ottawa, KS
40115 | Ottawa, OK
39123 | Ottawa, OH
27111 | Otter Tail, MN
22073 | Ouachita, LA
05103 | Ouachita, AR
08091 | Ouray, CO
55087 | Outagamie, WI
47133 | Overton, TN
21187 | Owen, KY
18119 | Owen, IN
21189 | Owsley, KY
16073 | Owyhee, ID
23017 | Oxford, ME
29153 | Ozark, MO
55089 | Ozaukee, WI
02201 | P. of Wales-O. Ketchikan (CA), AK
53049 | Pacific, WA
19145 | Page, IA
51139 | Page, VA
12099 | Palm Beach, FL
74400 | Palmyra Atoll, UM
19147 | Palo Alto, IA
48363 | Palo Pinto, TX
37137 | Pamlico, NC
28107 | Panola, MS
48365 | Panola, TX
30067 | Park, MT
08093 | Park, CO
56029 | Park, WY
18121 | Parke, IN
48367 | Parker, TX
48369 | Parmer, TX
12101 | Pasco, FL
37139 | Pasquotank, NC
34031 | Passaic, NJ
72109 | Patillas, PR
51141 | Patrick, VA
39125 | Paulding, OH
13223 | Paulding, GA
20145 | Pawnee, KS
40117 | Pawnee, OK
31133 | Pawnee, NE
16075 | Payette, ID
40119 | Payne, OK
13225 | Peach, GA
28109 | Pearl River, MS
48371 | Pecos, TX
70350 | Peleliu, PW
38067 | Pembina, ND
29155 | Pemiscot, MO
53051 | Pend Oreille, WA
37141 | Pender, NC
21191 | Pendleton, KY
54071 | Pendleton, WV
27113 | Pennington, MN
46103 | Pennington, SD
23019 | Penobscot, ME
72111 | Penuelas, PR
17143 | Peoria, IL

55091 | Pepin, WI
31135 | Perkins, NE
46105 | Perkins, SD
37143 | Perquimans, NC
29157 | Perry, MO
28111 | Perry, MS
39127 | Perry, OH
42099 | Perry, PA
17145 | Perry, IL
18123 | Perry, IN
21193 | Perry, KY
05105 | Perry, AR
01105 | Perry, AL
47135 | Perry, TN
32027 | Pershing, NV
37145 | Person, NC
51730 | Petersburg (city), VA
30069 | Petroleum, MT
29159 | Pettis, MO
29161 | Phelps, MO
31137 | Phelps, NE
42101 | Philadelphia, PA
30071 | Phillips, MT
05107 | Phillips, AR
08095 | Phillips, CO
20147 | Phillips, KS
17147 | Piatt, IL
39129 | Pickaway, OH
45077 | Pickens, SC
01107 | Pickens, AL
13227 | Pickens, GA
47137 | Pickett, TN
13229 | Pierce, GA
31139 | Pierce, NE
38069 | Pierce, ND
55093 | Pierce, WI
53053 | Pierce, WA
29163 | Pike, MO
28113 | Pike, MS
39131 | Pike, OH
42103 | Pike, PA
13231 | Pike, GA
01109 | Pike, AL
05109 | Pike, AR
17149 | Pike, IL
18125 | Pike, IN
21195 | Pike, KY
04019 | Pima, AZ
04021 | Pinal, AZ
27115 | Pine, MN
12103 | Pinellas, FL
27117 | Pipestone, MN
23021 | Piscataquis, ME
08097 | Pitkin, CO
37147 | Pitt, NC
40121 | Pittsburg, OK
51143 | Pittsylvania, VA
49031 | Piute, UT
06061 | Placer, CA
22075 | Plaquemines, LA
31141 | Platte, NE
29165 | Platte, MO
56031 | Platte, WY
54073 | Pleasants, WV
06063 | Plumas, CA
19149 | Plymouth, IA
25023 | Plymouth, MA
19151 | Pocahontas, IA
54075 | Pocahontas, WV
64040 | Pohnpei, FM
05111 | Poinsett, AR
22077 | Pointe Coupee, LA

27119 | Polk, MN
05113 | Polk, AR
19153 | Polk, IA
12105 | Polk, FL
13233 | Polk, GA
29167 | Polk, MO
37149 | Polk, NC
31143 | Polk, NE
41053 | Polk, OR
55095 | Polk, WI
47139 | Polk, TN
48373 | Polk, TX
72113 | Ponce, PR
30073 | Pondera, MT
28115 | Pontotoc, MS
40123 | Pontotoc, OK
05115 | Pope, AR
27121 | Pope, MN
17151 | Pope, IL
51735 | Poquoson (city), VA
39133 | Portage, OH
55097 | Portage, WI
18127 | Porter, IN
51740 | Portsmouth (city), VA
18129 | Posey, IN
20149 | Pottawatomie, KS
40125 | Pottawatomie, OK
19155 | Pottawattamie, IA
42105 | Potter, PA
48375 | Potter, TX
46107 | Potter, SD
30075 | Powder River, MT
30077 | Powell, MT
21197 | Powell, KY
16077 | Power, ID
19157 | Poweshiek, IA
51145 | Powhatan, VA
05117 | Prairie, AR
30079 | Prairie, MT
20151 | Pratt, KS
39135 | Preble, OH
28117 | Prentiss, MS
48377 | Presidio, TX
26141 | Presque Isle, MI
54077 | Preston, WV
55099 | Price, WI
51147 | Prince Edward, VA
51149 | Prince George, VA
24033 | Prince George's, MD
51153 | Prince William, VA
44007 | Providence, RI
08099 | Prowers, CO
08101 | Pueblo, CO
05119 | Pulaski, AR
13235 | Pulaski, GA
21199 | Pulaski, KY
18131 | Pulaski, IN
17153 | Pulaski, IL
29169 | Pulaski, MO
51155 | Pulaski, VA
40127 | Pushmataha, OK
39137 | Putnam, OH
29171 | Putnam, MO
36079 | Putnam, NY
17155 | Putnam, IL
18133 | Putnam, IN
13237 | Putnam, GA
12107 | Putnam, FL
47141 | Putnam, TN
54079 | Putnam, WV
35037 | Quay, NM
72115 | Quebradillas, PR

24035 | Queen Anne's, MD
36081 | Queens, NY
28119 | Quitman, MS
13239 | Quitman, GA
13241 | Rabun, GA
55101 | Racine, WI
51750 | Radford (city), VA
48379 | Rains, TX
54081 | Raleigh, WV
29173 | Ralls, MO
38071 | Ramsey, ND
27123 | Ramsey, MN
48381 | Randall, TX
18135 | Randolph, IN
17157 | Randolph, IL
13243 | Randolph, GA
05121 | Randolph, AR
01111 | Randolph, AL
37151 | Randolph, NC
29175 | Randolph, MO
54083 | Randolph, WV
28121 | Rankin, MS
38073 | Ransom, ND
22079 | Rapides, LA
51157 | Rappahannock, VA
30081 | Ravalli, MT
20153 | Rawlins, KS
29177 | Ray, MO
48383 | Reagan, TX
48385 | Real, TX
27125 | Red Lake, MN
22081 | Red River, LA
48387 | Red River, TX
31145 | Red Willow, NE
27127 | Redwood, MN
48389 | Reeves, TX
48391 | Refugio, TX
20155 | Reno, KS
36083 | Rensselaer, NY
38075 | Renville, ND
27129 | Renville, MN
20157 | Republic, KS
29179 | Reynolds, MO
47143 | Rhea, TN
20159 | Rice, KS
27131 | Rice, MN
49033 | Rich, UT
31147 | Richardson, NE
39139 | Richland, OH
38077 | Richland, ND
30083 | Richland, MT
45079 | Richland, SC
22083 | Richland, LA
17159 | Richland, IL
55103 | Richland, WI
13245 | Richmond, GA
36085 | Richmond, NY
37153 | Richmond, NC
51159 | Richmond, VA
51760 | Richmond (city), VA
20161 | Riley, KS
72117 | Rincon, PR
19159 | Ringgold, IA
35039 | Rio Arriba, NM
08103 | Rio Blanco, CO
08105 | Rio Grande, CO
72119 | Rio Grande, PR
29181 | Ripley, MO
18137 | Ripley, IN
54085 | Ritchie, WV
06065 | Riverside, CA
54087 | Roane, WV

47145 | Roane, TN
51161 | Roanoke, VA
51770 | Roanoke (city), VA
46109 | Roberts, SD
48393 | Roberts, TX
21201 | Robertson, KY
48395 | Robertson, TX
47147 | Robertson, TN
37155 | Robeson, NC
31149 | Rock, NE
27133 | Rock, MN
55105 | Rock, WI
17161 | Rock Island, IL
51163 | Rockbridge, VA
21203 | Rockcastle, KY
13247 | Rockdale, GA
37157 | Rockingham, NC
33015 | Rockingham, NH
51165 | Rockingham, VA
36087 | Rockland, NY
48397 | Rockwall, TX
40129 | Roger Mills, OK
40131 | Rogers, OK
38079 | Rolette, ND
68350 | Rongelap, MH
68360 | Rongrik, MH
20163 | Rooks, KS
30085 | Roosevelt, MT
35041 | Roosevelt, NM
26143 | Roscommon, MI
60030 | Rose Island, AS
27135 | Roseau, MN
30087 | Rosebud, MT
39141 | Ross, OH
69100 | Rota, MP
08107 | Routt, CO
21205 | Rowan, KY
37159 | Rowan, NC
48399 | Runnels, TX
20165 | Rush, KS
18139 | Rush, IN
48401 | Rusk, TX
55107 | Rusk, WI
20167 | Russell, KS
21207 | Russell, KY
01113 | Russell, AL
51167 | Russell, VA
37161 | Rutherford, NC
47149 | Rutherford, TN
50021 | Rutland, VT
72121 | Sabana Grande, PR
22085 | Sabine, LA
48403 | Sabine, TX
19161 | Sac, IA
06067 | Sacramento, CA
23023 | Sagadahoc, ME
26145 | Saginaw, MI
08109 | Saguache, CO
69110 | Saipan, MP
34033 | Salem, NJ
51775 | Salem (city), VA
72123 | Salinas, PR
31151 | Saline, NE
29195 | Saline, MO
05125 | Saline, AR
20169 | Saline, KS
17165 | Saline, IL
49035 | Salt Lake, UT
45081 | Saluda, SC
37163 | Sampson, NC
48405 | San Augustine, TX
06069 | San Benito, CA

06071 | San Bernardino, CA
06073 | San Diego, CA
06075 | San Francisco, CA
72125 | San German, PR
48407 | San Jacinto, TX
06077 | San Joaquin, CA
08111 | San Juan, CO
72127 | San Juan, PR
35045 | San Juan, NM
49037 | San Juan, UT
53055 | San Juan, WA
72129 | San Lorenzo, PR
06079 | San Luis Obispo, CA
06081 | San Mateo, CA
08113 | San Miguel, CO
35047 | San Miguel, NM
48409 | San Patricio, TX
48411 | San Saba, TX
72131 | San Sebastian, PR
46111 | Sanborn, SD
30089 | Sanders, MT
35043 | Sandoval, NM
39143 | Sandusky, OH
17167 | Sangamon, IL
26151 | Sanilac, MI
49039 | Sanpete, UT
06083 | Santa Barbara, CA
06085 | Santa Clara, CA
06087 | Santa Cruz, CA
04023 | Santa Cruz, AZ
35049 | Santa Fe, NM
72133 | Santa Isabel, PR
12113 | Santa Rosa, FL
12115 | Sarasota, FL
36091 | Saratoga, NY
38081 | Sargent, ND
31153 | Sarpy, NE
55111 | Sauk, WI
31155 | Saunders, NE
55113 | Sawyer, WI
36093 | Schenectady, NY
48413 | Schleicher, TX
13249 | Schley, GA
36095 | Schoharie, NY
26153 | Schoolcraft, MI
17169 | Schuyler, IL
36097 | Schuyler, NY
29197 | Schuyler, MO
42107 | Schuylkill, PA
39145 | Scioto, OH
29199 | Scotland, MO
37165 | Scotland, NC
29201 | Scott, MO
28123 | Scott, MS
17171 | Scott, IL
18143 | Scott, IN
20171 | Scott, KS
21209 | Scott, KY
27139 | Scott, MN
19163 | Scott, IA
05127 | Scott, AR
47151 | Scott, TN
51169 | Scott, VA
31157 | Scotts Bluff, NE
13251 | Screven, GA
48415 | Scurry, TX
05129 | Searcy, AR
05131 | Sebastian, AR
08115 | Sedgwick, CO
20173 | Sedgwick, KS
13253 | Seminole, GA
12117 | Seminole, FL

40133 | Seminole, OK
39147 | Seneca, OH
36099 | Seneca, NY
47153 | Sequatchie, TN
40135 | Sequoyah, OK
05133 | Sevier, AR
47155 | Sevier, TN
49041 | Sevier, UT
20175 | Seward, KS
31159 | Seward, NE
48417 | Shackelford, TX
29203 | Shannon, MO
46113 | Shannon, SD
28125 | Sharkey, MS
05135 | Sharp, AR
06089 | Shasta, CA
55115 | Shawano, WI
20177 | Shawnee, KS
55117 | Sheboygan, WI
21211 | Shelby, KY
18145 | Shelby, IN
17173 | Shelby, IL
01117 | Shelby, AL
19165 | Shelby, IA
29205 | Shelby, MO
39149 | Shelby, OH
47157 | Shelby, TN
48419 | Shelby, TX
51171 | Shenandoah, VA
27141 | Sherburne, MN
20179 | Sheridan, KS
31161 | Sheridan, NE
38083 | Sheridan, ND
30091 | Sheridan, MT
56033 | Sheridan, WY
31163 | Sherman, NE
41055 | Sherman, OR
20181 | Sherman, KS
48421 | Sherman, TX
26155 | Shiawassee, MI
16079 | Shoshone, ID
27143 | Sibley, MN
06091 | Sierra, CA
35051 | Sierra, NM
30093 | Silver Bow, MT
28127 | Simpson, MS
21213 | Simpson, KY
19167 | Sioux, IA
38085 | Sioux, ND
31165 | Sioux, NE
06093 | Siskiyou, CA
02220 | Sitka, AK
53057 | Skagit, WA
02230 | Skagway, AK
53059 | Skamania, WA
38087 | Slope, ND
28129 | Smith, MS
20183 | Smith, KS
48423 | Smith, TX
47159 | Smith, TN
51173 | Smyth, VA
53061 | Snohomish, WA
42109 | Snyder, PA
35053 | Socorro, NM
06095 | Solano, CA
24039 | Somerset, MD
34035 | Somerset, NJ
23025 | Somerset, ME
42111 | Somerset, PA
48425 | Somervell, TX
06097 | Sonoma, CA
70370 | Sonsorol, PW

51175 | Southampton, VA
02240 | Southeast Fairbanks (CA), AK
13255 | Spalding, GA
45083 | Spartanburg, SC
21215 | Spencer, KY
18147 | Spencer, IN
46115 | Spink, SD
53063 | Spokane, WA
51177 | Spotsylvania, VA
22087 | St. Bernard, LA
22089 | St. Charles, LA
29183 | St. Charles, MO
29185 | St. Clair, MO
26147 | St. Clair, MI
17163 | St. Clair, IL
01115 | St. Clair, AL
55109 | St. Croix, WI
78010 | St. Croix, VI
05123 | St. Francis, AR
29187 | St. Francois, MO
22091 | St. Helena, LA
22093 | St. James, LA
78020 | St. John, VI
22095 | St. John the Baptist, LA
12109 | St. Johns, FL
26149 | St. Joseph, MI
18141 | St. Joseph, IN
22097 | St. Landry, LA
36089 | St. Lawrence, NY
29189 | St. Louis, MO
27137 | St. Louis, MN
29510 | St. Louis (city), MO
12111 | St. Lucie, FL
22099 | St. Martin, LA
22101 | St. Mary, LA
24037 | St. Mary's, MD
22103 | St. Tammany, LA
78030 | St. Thomas, VI
20185 | Stafford, KS
51179 | Stafford, VA
06099 | Stanislaus, CA
46117 | Stanley, SD
37167 | Stanly, NC
31167 | Stanton, NE
20187 | Stanton, KS
17175 | Stark, IL
39151 | Stark, OH
38089 | Stark, ND
18149 | Starke, IN
48427 | Starr, TX
51790 | Staunton (city), VA
29186 | Ste. Genevieve, MO
27145 | Stearns, MN
27147 | Steele, MN
38091 | Steele, ND
40137 | Stephens, OK
13257 | Stephens, GA
48429 | Stephens, TX
17177 | Stephenson, IL
48431 | Sterling, TX
18151 | Steuben, IN
36101 | Steuben, NY
20189 | Stevens, KS
27149 | Stevens, MN
53065 | Stevens, WA
13259 | Stewart, GA
47161 | Stewart, TN
30095 | Stillwater, MT
29207 | Stoddard, MO
37169 | Stokes, NC
29209 | Stone, MO
28131 | Stone, MS

05137 | Stone, AR
48433 | Stonewall, TX
32029 | Storey, NV
19169 | Story, IA
33017 | Strafford, NH
38093 | Stutsman, ND
56035 | Sublette, WY
36103 | Suffolk, NY
25025 | Suffolk, MA
51800 | Suffolk (city), VA
18153 | Sullivan, IN
36105 | Sullivan, NY
42113 | Sullivan, PA
33019 | Sullivan, NH
29211 | Sullivan, MO
47163 | Sullivan, TN
46119 | Sully, SD
54089 | Summers, WV
39153 | Summit, OH
08117 | Summit, CO
49043 | Summit, UT
20191 | Sumner, KS
47165 | Sumner, TN
01119 | Sumter, AL
13261 | Sumter, GA
12119 | Sumter, FL
45085 | Sumter, SC
28133 | Sunflower, MS
37171 | Surry, NC
51181 | Surry, VA
42115 | Susquehanna, PA
34037 | Sussex, NJ
10005 | Sussex, DE
51183 | Sussex, VA
06101 | Sutter, CA
48435 | Sutton, TX
12121 | Suwannee, FL
37173 | Swain, NC
60040 | Swains Island, AS
30097 | Sweet Grass, MT
56037 | Sweetwater, WY
27151 | Swift, MN
48437 | Swisher, TX
18155 | Switzerland, IN
24041 | Talbot, MD
13263 | Talbot, GA
13265 | Taliaferro, GA
01121 | Talladega, AL
28135 | Tallahatchie, MS
01123 | Tallapoosa, AL
19171 | Tama, IA
29213 | Taney, MO
22105 | Tangipahoa, LA
35055 | Taos, NM
48439 | Tarrant, TX
28137 | Tate, MS
13267 | Tattnall, GA
13269 | Taylor, GA
12123 | Taylor, FL
19173 | Taylor, IA
21217 | Taylor, KY
48441 | Taylor, TX
55119 | Taylor, WI
54091 | Taylor, WV
17179 | Tazewell, IL
51185 | Tazewell, VA
06103 | Tehama, CA
13271 | Telfair, GA
08119 | Teller, CO
22107 | Tensas, LA
22109 | Terrebonne, LA
13273 | Terrell, GA

48443 | Terrell, TX
48445 | Terry, TX
16081 | Teton, ID
30099 | Teton, MT
56039 | Teton, WY
29215 | Texas, MO
40139 | Texas, OK
31169 | Thayer, NE
31171 | Thomas, NE
13275 | Thomas, GA
20193 | Thomas, KS
48447 | Throckmorton, TX
31173 | Thurston, NE
53067 | Thurston, WA
13277 | Tift, GA
41057 | Tillamook, OR
40141 | Tillman, OK
69120 | Tinian, MP
36107 | Tioga, NY
42117 | Tioga, PA
28139 | Tippah, MS
18157 | Tippecanoe, IN
18159 | Tipton, IN
47167 | Tipton, TN
28141 | Tishomingo, MS
48449 | Titus, TX
72135 | Toa Alta, PR
72137 | Toa Baja, PR
21219 | Todd, KY
27153 | Todd, MN
46121 | Todd, SD
68385 | Toke, MH
09013 | Tolland, CT
48451 | Tom Green, TX
36109 | Tompkins, NY
49045 | Tooele, UT
30101 | Toole, MT
13279 | Toombs, GA
35057 | Torrance, NM
38095 | Towner, ND
13281 | Towns, GA
38097 | Traill, ND
37175 | Transylvania, NC
27155 | Traverse, MN
48453 | Travis, TX
30103 | Treasure, MT
20195 | Trego, KS
55121 | Trempealeau, WI
13283 | Treutlen, GA
21221 | Trigg, KY
21223 | Trimble, KY
06105 | Trinity, CA
48455 | Trinity, TX
46123 | Tripp, SD
13285 | Troup, GA
47169 | Trousdale, TN
72139 | Trujillo Alto, PR
39155 | Trumbull, OH
54093 | Tucker, WV
06107 | Tulare, CA
40143 | Tulsa, OK
28143 | Tunica, MS
06109 | Tuolumne, CA
13287 | Turner, GA
46125 | Turner, SD
01125 | Tuscaloosa, AL
39157 | Tuscarawas, OH
26157 | Tuscola, MI
13289 | Twiggs, GA
16083 | Twin Falls, ID
48457 | Tyler, TX
54095 | Tyler, WV

37177 | Tyrrell, NC
56041 | Uinta, WY
49047 | Uintah, UT
68390 | Ujae, MH
68400 | Ujelang, MH
36111 | Ulster, NY
41059 | Umatilla, OR
47171 | Unicoi, TN
41061 | Union, OR
42119 | Union, PA
45087 | Union, SC
37179 | Union, NC
28145 | Union, MS
39159 | Union, OH
35059 | Union, NM
34039 | Union, NJ
22111 | Union, LA
21225 | Union, KY
18161 | Union, IN
17181 | Union, IL
19175 | Union, IA
13291 | Union, GA
12125 | Union, FL
05139 | Union, AR
47173 | Union, TN
46127 | Union, SD
48459 | Upshur, TX
54097 | Upshur, WV
13293 | Upson, GA
48461 | Upton, TX
49049 | Utah, UT
68410 | Utrik, MH
72141 | Utuado, PR
48463 | Uvalde, TX
48465 | Val Verde, TX
02261 | Valdez-Cordova (CA), AK
35061 | Valencia, NM
31175 | Valley, NE
30105 | Valley, MT
16085 | Valley, ID
19177 | Van Buren, IA
05141 | Van Buren, AR
26159 | Van Buren, MI
47175 | Van Buren, TN
39161 | Van Wert, OH
48467 | Van Zandt, TX
37181 | Vance, NC
18163 | Vanderburgh, IN
72143 | Vega Alta, PR
72145 | Vega Baja, PR
42121 | Venango, PA
06111 | Ventura, CA
17183 | Vermilion, IL
22113 | Vermilion, LA
18165 | Vermillion, IN
22115 | Vernon, LA
29217 | Vernon, MO
55123 | Vernon, WI
48469 | Victoria, TX
72147 | Vieques, PR
18167 | Vigo, IN
55125 | Vilas, WI
72149 | Villalba, PR
39163 | Vinton, OH
51810 | Virginia Beach (city), VA
12127 | Volusia, FL
18169 | Wabash, IN
17185 | Wabash, IL
27157 | Wabasha, MN
20197 | Wabaunsee, KS
02270 | Wade Hampton (CA), AK
27159 | Wadena, MN

40145 | Wagoner, OK
53069 | Wahkiakum, WA
37183 | Wake, NC
74450 | Wake Island, UM
12129 | Wakulla, FL
23027 | Waldo, ME
13295 | Walker, GA
01127 | Walker, AL
48471 | Walker, TX
53071 | Walla Walla, WA
20199 | Wallace, KS
48473 | Waller, TX
41063 | Wallowa, OR
38099 | Walsh, ND
28147 | Walthall, MS
13297 | Walton, GA
12131 | Walton, FL
46129 | Walworth, SD
55127 | Walworth, WI
19179 | Wapello, IA
38101 | Ward, ND
48475 | Ward, TX
13299 | Ware, GA
13301 | Warren, GA
19181 | Warren, IA
21227 | Warren, KY
17187 | Warren, IL
18171 | Warren, IN
37185 | Warren, NC
28149 | Warren, MS
29219 | Warren, MO
34041 | Warren, NJ
39165 | Warren, OH
36113 | Warren, NY
42123 | Warren, PA
47177 | Warren, TN
51187 | Warren, VA
18173 | Warrick, IN
49051 | Wasatch, UT
41065 | Wasco, OR
27161 | Waseca, MN
56043 | Washakie, WY
55129 | Washburn, WI
27163 | Washington, MN
22117 | Washington, LA
24043 | Washington, MD
18175 | Washington, IN
17189 | Washington, IL
21229 | Washington, KY
20201 | Washington, KS
19183 | Washington, IA
16087 | Washington, ID
13303 | Washington, GA
12133 | Washington, FL
01129 | Washington, AL
05143 | Washington, AR
08121 | Washington, CO
41067 | Washington, OR
36115 | Washington, NY
42125 | Washington, PA
44009 | Washington, RI
39167 | Washington, OH
40147 | Washington, OK
23029 | Washington, ME
31177 | Washington, NE
29221 | Washington, MO
28151 | Washington, MS
37187 | Washington, NC
55131 | Washington, WI
49053 | Washington, UT
50023 | Washington, VT
51191 | Washington, VA

47179 | Washington, TN
48477 | Washington, TX
40149 | Washita, OK
32031 | Washoe, NV
26161 | Washtenaw, MI
37189 | Watauga, NC
27165 | Watonwan, MN
55133 | Waukesha, WI
55135 | Waupaca, WI
55137 | Waushara, WI
26163 | Wayne, MI
21231 | Wayne, KY
17191 | Wayne, IL
18177 | Wayne, IN
13305 | Wayne, GA
19185 | Wayne, IA
37191 | Wayne, NC
28153 | Wayne, MS
29223 | Wayne, MO
39169 | Wayne, OH
31179 | Wayne, NE
42127 | Wayne, PA
36117 | Wayne, NY
49055 | Wayne, UT
47181 | Wayne, TN
54099 | Wayne, WV
51820 | Waynesboro (city), VA
47183 | Weakley, TN
48479 | Webb, TX
49057 | Weber, UT
31181 | Webster, NE
29225 | Webster, MO
28155 | Webster, MS
19187 | Webster, IA
13307 | Webster, GA
21233 | Webster, KY
22119 | Webster, LA
54101 | Webster, WV
08123 | Weld, CO
18179 | Wells, IN
38103 | Wells, ND
22121 | West Baton Rouge, LA
22123 | West Carroll, LA
22125 | West Feliciana, LA
36119 | Westchester, NY
60050 | Western, AS
42129 | Westmoreland, PA
51193 | Westmoreland, VA
56045 | Weston, WY
54103 | Wetzel, WV
26165 | Wexford, MI
48481 | Wharton, TX
53073 | Whatcom, WA
30107 | Wheatland, MT
31183 | Wheeler, NE
41069 | Wheeler, OR
13309 | Wheeler, GA
48483 | Wheeler, TX
13311 | White, GA
05145 | White, AR
18181 | White, IN
17193 | White, IL
47185 | White, TN
32033 | White Pine, NV
17195 | Whiteside, IL
13313 | Whitfield, GA
18183 | Whitley, IN
21235 | Whitley, KY
53075 | Whitman, WA
30109 | Wibaux, MT
20203 | Wichita, KS
48485 | Wichita, TX

24045 | Wicomico, MD
48487 | Wilbarger, TX
13315 | Wilcox, GA
01131 | Wilcox, AL
13317 | Wilkes, GA
37193 | Wilkes, NC
27167 | Wilkin, MN
13319 | Wilkinson, GA
28157 | Wilkinson, MS
17197 | Will, IL
48489 | Willacy, TX
38105 | Williams, ND
39171 | Williams, OH
45089 | Williamsburg, SC
51830 | Williamsburg (city), VA
17199 | Williamson, IL
48491 | Williamson, TX
47187 | Williamson, TN
20205 | Wilson, KS
37195 | Wilson, NC
47189 | Wilson, TN
48493 | Wilson, TX
51840 | Winchester (city), VA
09015 | Windham, CT
50025 | Windham, VT
50027 | Windsor, VT
48495 | Winkler, TX
22127 | Winn, LA
17201 | Winnebago, IL
19189 | Winnebago, IA
55139 | Winnebago, WI
19191 | Winneshiek, IA
27169 | Winona, MN
01133 | Winston, AL
28159 | Winston, MS
54105 | Wirt, WV
51195 | Wise, VA
48497 | Wise, TX
21237 | Wolfe, KY
39173 | Wood, OH
48499 | Wood, TX
55141 | Wood, WI
54107 | Wood, WV
19193 | Woodbury, IA
21239 | Woodford, KY
17203 | Woodford, IL
05147 | Woodruff, AR
40151 | Woods, OK
20207 | Woodson, KS
40153 | Woodward, OK
24047 | Worcester, MD
25027 | Worcester, MA
19195 | Worth, IA
13321 | Worth, GA
29227 | Worth, MO
68420 | Wotho, MH
68430 | Wotje, MH
02280 | Wrangell-Petersburg (CA), AK
19197 | Wright, IA
27171 | Wright, MN
29229 | Wright, MO
39175 | Wyandot, OH
20209 | Wyandotte, KS
36121 | Wyoming, NY
42131 | Wyoming, PA
54109 | Wyoming, WV
51197 | Wythe, VA
72151 | Yabucoa, PR
37197 | Yadkin, NC
53077 | Yakima, WA
02282 | Yakutat, AK
28161 | Yalobusha, MS

41071 | Yamhill, OR
37199 | Yancey, NC
46135 | Yankton, SD
64060 | Yap, FM
36123 | Yates, NY
72153 | Yauco, PR
04025 | Yavapai, AZ
28163 | Yazoo, MS
05149 | Yell, AR
27173 | Yellow Medicine, MN
30111 | Yellowstone, MT
48501 | Yoakum, TX
06113 | Yolo, CA
31185 | York, NE
23031 | York, ME
45091 | York, SC
42133 | York, PA
51199 | York, VA
48503 | Young, TX
06115 | Yuba, CA
02290 | Yukon-Koyukuk (CA), AK
04027 | Yuma, AZ
08125 | Yuma, CO
48505 | Zapata, TX
48507 | Zavala, TX
46137 | Ziebach, SD

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.42 Value Set http://hl7.org/fhir/ValueSet/binding-strength

URL: https://hl7.org/fhir/STU3/valueset-binding-strength.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 4 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/binding-strength
Name: | BindingStrength
Definition: | Indication of the degree of conformance expectations associated with a binding.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.42 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for BindingStrength

* OperationDefinition.parameter.binding.strength (Required)

* ElementDefinition.binding.strength (Required)

4.3.1.42.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/binding-strength

4.3.1.42.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/binding-strength version 3.0.2

All codes from system http://hl7.org/fhir/binding-strength

Code | Display | Definition

required | Required | To be conformant, the concept in this element SHALL be from the specified value set

extensible | Extensible | To be conformant, the concept in this element SHALL be from the specified value set if any of the codes within the value set can apply to the concept being communicated. If the value set does not cover the concept (based on human review), alternate codings (or, data type allowing, text) may be included instead.

preferred | Preferred | Instances are encouraged to draw from the specified codes for interoperability purposes but are not required to do so to be considered conformant.

example | Example | Instances are not expected or even encouraged to draw from the specified value set. The value set merely provides examples of the types of concepts intended to be included.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.44 Value Set http://hl7.org/fhir/ValueSet/identifier-type

URL: https://hl7.org/fhir/STU3/valueset-identifier-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/identifier-type

Name: | Identifier Type Codes

Definition: | A coded type for an identifier that can be used to determine which identifier to use for a specific purpose.

Committee: | ??

OID: | 2.16.840.1.113883.4.642.3.44 (for OID based terminology systems)

Source Resource | XML / JSON

Note for Implementer:

Types are for general categories of identifiers. See the identifier registry for a list of common identifier systems

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Identifier Type Codes

* NamingSystem.type (Extensible)

* Identifier.type (Extensible)

4.3.1.44.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v2/0203

Code | Display

DL | Driver's license number

PPN | Passport number

BRN | Breed Registry Number

MR | Medical record number

MCN | Microchip Number

EN | Employer number

TAX | Tax ID number

NIIP | National Insurance Payor Identifier (Payor)

PRN | Provider number

MD | Medical License number

DR | Donor Registration Number

ACSN | Accession ID

* Include all codes defined in http://hl7.org/fhir/identifier-type

4.3.1.44.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 17 concepts

Expansion based on http://hl7.org/fhir/v2/0203 version 2.8.2, http://hl7.org/fhir/identifier-type version 3.0.2

Code | System | Display | Definition
DL | http://hl7.org/fhir/v2/0203 | Driver's license number
PPN | http://hl7.org/fhir/v2/0203 | Passport number
BRN | http://hl7.org/fhir/v2/0203 | Breed Registry Number
MR | http://hl7.org/fhir/v2/0203 | Medical record number
MCN | http://hl7.org/fhir/v2/0203 | Microchip Number
EN | http://hl7.org/fhir/v2/0203 | Employer number
TAX | http://hl7.org/fhir/v2/0203 | Tax ID number
NIIP | http://hl7.org/fhir/v2/0203 | National Insurance Payor Identifier (Payor)
PRN | http://hl7.org/fhir/v2/0203 | Provider number
MD | http://hl7.org/fhir/v2/0203 | Medical License number
DR | http://hl7.org/fhir/v2/0203 | Donor Registration Number
ACSN | http://hl7.org/fhir/v2/0203 | Accession ID
UDI | http://hl7.org/fhir/identifier-type | Universal Device Identifier | A identifier assigned to a device using the Universal Device Identifier framework as defined by FDA (http://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/UniqueDeviceIdentification/).
SNO | http://hl7.org/fhir/identifier-type | Serial Number | An identifier affixed to an item by the manufacturer when it is first made, where each item has a different identifier.
SB | http://hl7.org/fhir/identifier-type | Social Beneficiary Identifier | An identifier issued by a governmental organization to an individual for the purpose of the receipt of social services and benefits.
PLAC | http://hl7.org/fhir/identifier-type | Placer Identifier | The identifier associated with the person or service that requests or places an order.
FILL | http://hl7.org/fhir/identifier-type | Filler Identifier | The Identifier associated with the person, or service, who produces the observations or fulfills the order requested by the requestor.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.46 Value Set http://hl7.org/fhir/ValueSet/c80-doc-classcodes

URL: https://hl7.org/fhir/STU3/valueset-c80-doc-classcodes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/c80-doc-classcodes
Name: | Document Class Value Set
Definition: | This is the code specifying the high-level kind of document (e.g. Prescription, Discharge Summary, Report, etc.). The Document Class value set is reproduced from HITSP C80 Table 2-144 Document Class Value Set Definition. Note: Class code for documents comes from LOINC, and is based upon one of the following:The type of service described by the document. It is described at a very high level in Section 7.3 of the LOINC Manual. The type study performed. It was determined by identifying modalities for study reports. The section of the chart where the document is placed. It was determined from the SETs created for Claims Attachment requests.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.3.88.12.80.46 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* DocumentReference.class (Example)

4.3.1.46.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://loinc.org

Code | Display
11369-6 | History of Immunization
11485-0 | Anesthesia records
11486-8 | Chemotherapy records
11488-4 | Consult Note
11506-3 | Provider-unspecified progress note
11543-6 | Nursery records
15508-5 | Labor and delivery records

18726-0 | Radiology studies (set)
18761-7 | Provider-unspecified transfer summary
18842-5 | Discharge summary
26436-6 | Laboratory Studies (set)
26441-6 | Cardiology studies (set)
26442-4 | Obstetrical studies (set)
27895-2 | Gastroenterology endoscopy studies (set)
27896-0 | Pulmonary studies (set)
27897-8 | Neuromuscular electrophysiology studies (set)
27898-6 | Pathology studies (set)
28570-0 | Provider-unspecified procedure note
28619-5 | Ophthalmology/optometry studies (set)
28634-4 | Miscellaneous studies (set)
29749-9 | Dialysis records
29750-7 | Neonatal intensive care records
29751-5 | Critical care records
29752-3 | Perioperative records
34109-9 | Evaluation and management note
34117-2 | Provider-unspecified, History and physical note
34121-4 | Interventional procedure note
34122-2 | Pathology procedure note
34133-9 | Summarization of episode note
34140-4 | Transfer of care referral note
34748-4 | Telephone encounter note
34775-7 | General surgery Pre-operative evaluation and management note
47039-3 | Inpatient Admission history and physical note
47042-7 | Counseling note
47045-0 | Study report Document
47046-8 | Summary of death
47049-2 | Non-patient Communication
57017-6 | Privacy Policy Organization Document
57016-8 | Privacy Policy Acknowledgment Document
56445-0 | Medication Summary Document
53576-5 | Personal health monitoring report Document
56447-6 | Plan of care note
18748-4 | Diagnostic imaging study
11504-8 | Surgical operation note
57133-1 | Referral note

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.47 Value Set http://hl7.org/fhir/ValueSet/c80-doc-typecodes

URL: https://hl7.org/fhir/STU3/valueset-c80-doc-typecodes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/c80-doc-typecodes
Name: | Document Type Value Set
Definition: | This is the code specifying the precise type of document (e.g. Pulmonary History and Physical, Discharge Summary, Ultrasound Report, etc.). The Document Type value set includes all LOINC values listed in HITSP C80 Table 2-144 Document Class Value Set Definition above used for Document Class, and all LOINC values whose SCALE is DOC in the LOINC database.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.3.88.12.80.47 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* DocumentManifest.type (Preferred)

* DocumentReference.type (Preferred)

4.3.1.47.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://loinc.org

Code | Display
55107-7 | Addendum Document
74155-3 | ADHD action plan
51851-4 | Administrative note
67851-6 | Admission evaluation note
34744-3 | Nurse Admission evaluation note
34873-0 | Surgery Admission evaluation note
68552-9 | Emergency medicine Emergency department Admission evaluation note
67852-4 | Hospital Admission evaluation note
68471-2 | Cardiology Hospital Admission evaluation note
68483-7 | Cardiology Medical student Hospital Admission evaluation note
64058-1 | Critical Care Medicine Hospital Admission evaluation note
64070-6 | Critical care medicine Medical student Hospital Admission evaluation note
64053-2 | General medicine Hospital Admission evaluation note
64054-0 | General medicine Medical student Hospital Admission evaluation note
34862-3 | General medicine Physician attending Hospital Admission evaluation note
64062-3 | Pulmonary Hospital Admission evaluation note
64078-9 | Pulmonary Medical student Hospital Admission evaluation note
64066-4 | Surgery Medical student Hospital Admission evaluation note
64060-7 | Thoracic surgery Hospital Admission evaluation note
64074-8 | Thoracic surgery Medical student Hospital Admission evaluation note
51849-8 | Admission history and physical note
34763-3 | General medicine Admission history and physical note
47039-3 | Hospital Admission history and physical note
34094-3 | Cardiology Hospital Admission history and physical note
57830-2 | Admission request Document
48765-2 | Allergies and adverse reactions Document
74152-0 | Anaphylaxis action plan
61359-6 | Patient Anesthesia consent
57055-6 | Antepartum summary note
56446-8 | Appointment summary Document
51848-0 | Assessment note
68814-3 | Pediatrics Assessment note
64064-9 | Pastoral care Hospital Assessment note
51847-2 | Assessment + Plan note
69981-9 | Asthma action plan
74154-6 | Autism action plan
71230-7 | Birth certificate Document
72134-0 | Cancer event report
55108-5 | Clinical presentation Document
73568-8 | Communication of critical results [Description] Document
74144-7 | Complex medical conditions action plan
55109-3 | Complications Document
34095-0 | Comprehensive history and physical note
34096-8 | Nursing facility Comprehensive history and physical note
63485-7 | Computer generated recommendation Document
55110-1 | Conclusions Document
34098-4 | Conference note
34097-6 | Nursing facility Conference note
47040-1 | Consultation 2nd opinion
47041-9 | Hospital Consultation 2nd opinion
59284-0 | Patient Consent
11488-4 | Consult note
34099-2 | Cardiology Consult note
34756-7 | Dentistry Consult note
34758-3 | Dermatology Consult note
34760-9 | Diabetology Consult note
34879-7 | Endocrinology Consult note
34761-7 | Gastroenterology Consult note
34764-1 | General medicine Consult note
34776-5 | Geriatric medicine Consult note
34779-9 | Hematology+Medical Oncology Consult note
34781-5 | Infectious disease Consult note
72555-6 | Interventional radiology Consult note

34783-1 | Kinesiotherapy Consult note
34785-6 | Mental health Consult note
34795-5 | Nephrology Consult note
34798-9 | Neurological surgery Consult note
34797-1 | Neurology Consult note
34800-3 | Nutrition and dietetics Consult note
34777-3 | Obstetrics and Gynecology Consult note
34803-7 | Occupational medicine Consult note
34855-7 | Occupational therapy Consult note
34805-2 | Oncology Consult note
34807-8 | Ophthalmology Consult note
34810-2 | Optometry Consult note
34812-8 | Oral and Maxillofacial Surgery Consult note
34814-4 | Orthopaedic surgery Consult note
34816-9 | Otolaryngology Consult note
34820-1 | Pharmacy Consult note
34822-7 | Physical medicine and rehabilitation Consult note
34824-3 | Physical therapy Consult note
34826-8 | Plastic surgery Consult note
34828-4 | Podiatry Consult note
34788-0 | Psychiatry Consult note
34791-4 | Psychology Consult note
34103-2 | Pulmonary Consult note
34831-8 | Radiation oncology Consult note
73575-3 | Radiology Consult note
34833-4 | Recreational therapy Consult note
34837-5 | Respiratory therapy Consult note
34839-1 | Rheumatology Consult note
34841-7 | Social work Consult note
34845-8 | Speech-language pathology+Audiology Consult note
34847-4 | Surgery Consult note
34849-0 | Thoracic surgery Consult note
34851-6 | Urology Consult note
34853-2 | Vascular surgery Consult note
51846-4 | Emergency department Consult note
34104-0 | Hospital Consult note
68619-6 | Adolescent medicine Hospital Consult note
68633-7 | Allergy and immunology Hospital Consult note
68639-4 | Audiology Hospital Consult note
68486-0 | Cardiology Medical student Hospital Consult note
68648-5 | Child and adolescent psychiatry Hospital Consult note
68651-9 | Clinical biochemical genetics Hospital Consult note
68661-8 | Clinical genetics Hospital Consult note
64072-2 | Critical care medicine Medical student Hospital Consult note
68551-1 | Dermatology Hospital Consult note
68670-9 | Developmental-behavioral pediatrics Hospital Consult note
64056-5 | General medicine Medical student Hospital Consult note
68681-6 | Multi-specialty program Hospital Consult note
68685-7 | Neonatal perinatal medicine Hospital Consult note
68694-9 | Neurological surgery Hospital Consult note
68705-3 | Neurology with special qualifications in child neurology Hospital Consult note
68566-9 | Obstetrics and Gynecology Hospital Consult note
68570-1 | Occupational therapy Hospital Consult note
68575-0 | Ophthalmology Hospital Consult note
68716-0 | Pain medicine Hospital Consult note
68469-6 | Pastoral care Hospital Consult note
68727-7 | Pediatric cardiology Hospital Consult note
68892-9 | Pediatric dermatology Hospital Consult note
68897-8 | Pediatric endocrinology Hospital Consult note
68746-7 | Pediatric gastroenterology Hospital Consult note
68757-4 | Pediatric hematology-oncology Hospital Consult note
68765-7 | Pediatric infectious diseases Hospital Consult note
68869-7 | Pediatric nephrology Hospital Consult note
68874-7 | Pediatric otolaryngology Hospital Consult note
68787-1 | Pediatric pulmonology Hospital Consult note
68879-6 | Pediatric rheumatology Hospital Consult note
68802-8 | Pediatric surgery Hospital Consult note
68864-8 | Pediatric transplant hepatology Hospital Consult note
68812-7 | Pediatric urology Hospital Consult note
68821-8 | Pediatrics Hospital Consult note
68586-7 | Pharmacy Hospital Consult note
68590-9 | Physical therapy Hospital Consult note

68597-4 | Plastic surgery Hospital Consult note
68837-4 | Primary care Hospital Consult note
34102-4 | Psychiatry Hospital Consult note
64080-5 | Pulmonary Medical student Hospital Consult note
68846-5 | Speech-language pathology Hospital Consult note
64068-0 | Surgery Medical student Hospital Consult note
64076-3 | Thoracic surgery Medical student Hospital Consult note
68852-3 | Transplant surgery Hospital Consult note
34100-8 | Intensive care unit Consult note
51854-8 | Long term care facility Consult note
51845-6 | Outpatient Consult note
34749-2 | Anesthesiology Outpatient Consult note
34101-6 | General medicine Outpatient Consult note
47042-7 | Counseling note
34864-9 | Mental health Counseling note
34869-8 | Pharmacy Counseling note
34865-6 | Psychiatry Counseling note
34866-4 | Psychology Counseling note
34872-2 | Social work Counseling note
55111-9 | Current imaging procedure descriptions Document
74148-8 | Cystic fibrosis action plan
64297-5 | Death certificate
74208-0 | Demographic information + History of occupation Document
51899-3 | Details Document
74150-4 | Diabetes type I action plan
74151-2 | Diabetes type II action plan
47048-4 | Diagnostic interventional study report Interventional radiology
70004-7 | Diagnostic study note
68611-3 | Adolescent medicine Diagnostic study note
68625-3 | Allergy and immunology Diagnostic study note
68635-2 | Audiology Diagnostic study note
68641-0 | Child and adolescent psychiatry Diagnostic study note
68652-7 | Clinical genetics Diagnostic study note
68673-3 | Multi-specialty program Diagnostic study note
68687-3 | Neurological surgery Diagnostic study note
68556-0 | Neurology Diagnostic study note
68696-4 | Neurology with special qualifications in child neurology Diagnostic study note
68557-8 | Obstetrics and Gynecology Diagnostic study note
68577-6 | Orthopaedic surgery Diagnostic study note
68708-7 | Pain medicine Diagnostic study note
68718-6 | Pediatric cardiology Diagnostic study note
68748-3 | Pediatric hematology-oncology Diagnostic study note
68767-3 | Pediatric nephrology Diagnostic study note
68778-0 | Pediatric pulmonology Diagnostic study note
68794-7 | Pediatric surgery Diagnostic study note
68855-6 | Pediatric transplant hepatology Diagnostic study note
68804-4 | Pediatric urology Diagnostic study note
68604-8 | Radiology Diagnostic study note
68640-2 | Audiology Hospital Diagnostic study note
68706-1 | Neurology with special qualifications in child neurology Hospital Diagnostic study note
68788-9 | Pediatric pulmonology Hospital Diagnostic study note
68822-6 | Pediatrics Hospital Diagnostic study note
74213-0 | Discharge instructions
60280-5 | Emergency department Discharge instructions
8653-8 | Hospital Discharge instructions
18842-5 | Discharge summary
68612-1 | Adolescent medicine Discharge summary
68626-1 | Allergy and immunology Discharge summary
68642-8 | Child and adolescent psychiatry Discharge summary
68653-5 | Clinical genetics Discharge summary
68663-4 | Developmental-behavioral pediatrics Discharge summary
68674-1 | Multi-specialty program Discharge summary
68688-1 | Neurological surgery Discharge summary
68697-2 | Neurology with special qualifications in child neurology Discharge summary
34745-0 | Nurse Discharge summary
68558-6 | Obstetrics and Gynecology Discharge summary
68572-7 | Ophthalmology Discharge summary
68578-4 | Orthopaedic surgery Discharge summary
68709-5 | Pain medicine Discharge summary
68719-4 | Pediatric cardiology Discharge summary
68733-5 | Pediatric endocrinology Discharge summary
68738-4 | Pediatric gastroenterology Discharge summary

68749-1 | Pediatric hematology-oncology Discharge summary
68768-1 | Pediatric nephrology Discharge summary
68773-1 | Pediatric otolaryngology Discharge summary
68779-8 | Pediatric pulmonology Discharge summary
68795-4 | Pediatric surgery Discharge summary
68856-4 | Pediatric transplant hepatology Discharge summary
68805-1 | Pediatric urology Discharge summary
68815-0 | Pediatrics Discharge summary
68591-7 | Plastic surgery Discharge summary
68831-7 | Primary care Discharge summary
59259-2 | Psychiatry Discharge summary
68841-6 | Speech-language pathology Discharge summary
59258-4 | Emergency department Discharge summary
34105-7 | Hospital Discharge summary
68823-4 | Pediatrics Hospital Discharge summary
34106-5 | Physician Hospital Discharge summary
55112-7 | Document summary
34895-3 | Education note
34897-9 | Diabetology Education note
67854-0 | Geriatric medicine Education note
68477-9 | Nurse Hospital Education note
68605-5 | Recreational therapy Hospital Education note
67855-7 | Outpatient Education note
34902-7 | Geriatric medicine Outpatient Education note
34107-3 | Patient's home Education note
34856-5 | Evaluation and management of anticoagulation note
34859-9 | Evaluation and management of hyperlipidemia
34860-7 | Evaluation and management of hypertension
70005-4 | Evaluation and management of smoking cessation
64142-3 | Hospital Evaluation and management of smoking cessation
34857-3 | Evaluation and management of substance abuse note
72267-8 | Evaluation of mental and physical incapacity certificate Document
47420-5 | Functional status assessment note
47043-5 | Group counseling note
34787-2 | Mental health Group counseling note
34790-6 | Psychiatry Group counseling note
34793-0 | Psychology Group counseling note
34843-3 | Social work Group counseling note
34114-9 | Hospital Group counseling note
64290-0 | Health insurance card
64291-8 | Health insurance-related form
57024-2 | Health Quality Measure document
64289-2 | Health record cover sheet
51897-7 | Healthcare Associated Infection report Document
56444-3 | Healthcare communication Document
74146-2 | Heart disease action plan
34117-2 | History and physical note
68614-7 | Adolescent medicine History and physical note
68622-0 | Advanced heart failure and transplant cardiology History and physical note
68628-7 | Allergy and immunology History and physical note
68637-8 | Audiology History and physical note
68644-4 | Child and adolescent psychiatry History and physical note
68655-0 | Clinical genetics History and physical note
68665-9 | Developmental-behavioral pediatrics History and physical note
68676-6 | Multi-specialty program History and physical note
68683-2 | Neonatal perinatal medicine History and physical note
68690-7 | Neurological surgery History and physical note
68699-8 | Neurology with special qualifications in child neurology History and physical note
68560-2 | Obstetrics and Gynecology History and physical note
68573-5 | Ophthalmology History and physical note
68580-0 | Orthopaedic surgery History and physical note
68711-1 | Pain medicine History and physical note
68721-0 | Pediatric cardiology History and physical note
68731-9 | Pediatric dermatology History and physical note
68735-0 | Pediatric endocrinology History and physical note
68740-0 | Pediatric gastroenterology History and physical note
68751-7 | Pediatric hematology-oncology History and physical note
68760-8 | Pediatric infectious diseases History and physical note
68770-7 | Pediatric nephrology History and physical note
68775-6 | Pediatric otolaryngology History and physical note
68781-4 | Pediatric pulmonology History and physical note
68791-3 | Pediatric rheumatology History and physical note

68797-0 | Pediatric surgery History and physical note
68858-0 | Pediatric transplant hepatology History and physical note
68807-7 | Pediatric urology History and physical note
68817-6 | Pediatrics History and physical note
28626-0 | Physician History and physical note
68592-5 | Plastic surgery History and physical note
68833-3 | Primary care History and physical note
68599-0 | Psychiatry History and physical note
68843-2 | Speech-language pathology History and physical note
34774-0 | Surgery History and physical note
68849-9 | Transplant surgery History and physical note
11492-6 | Provider-unspecifed, History and physical note
34115-6 | Medical student Hospital History and physical note
68825-9 | Pediatrics Hospital History and physical note
67856-5 | Nursing facility History and physical note
34116-4 | Physician Nursing facility History and physical note
74264-3 | HIV summary registry report Document
74149-6 | Inflammatory bowel disease action plan
28636-9 | Provider-unspecified Initial assessment
28581-7 | Chiropractic medicine Initial assessment note
68553-7 | Hematology+Medical Oncology Initial assessment note
18740-1 | Speech-language pathology Initial assessment note
47044-3 | Hospital Initial assessment note
64065-6 | Case manager Hospital Initial assessment note
68470-4 | Respiratory therapy Hospital Initial assessment note
34119-8 | Nursing facility Initial assessment note
34120-6 | Outpatient Initial assessment note
34118-0 | Patient's home Initial assessment note
74209-8 | Injury event summary Document
74188-4 | InterRAI Acute Care (AC) Hospital Document
74194-2 | InterRAI Community Health Assessment (CHA) Document
74191-8 | InterRAI Community Health Assessment - Assisted Living Supplement (CHA-AL) Document
74190-0 | InterRAI Community Health Assessment - Deafblind Supplement (CHA-Db) Document
74193-4 | InterRAI Community Health Assessment - Functional Supplement (CHA-FS) Document
74192-6 | InterRAI Community Health Assessment - Mental Health Supplement (CHA-MH) Document
74197-5 | InterRAI Contact Assessment (CA) Document
74187-6 | InterRAI Emergency Screener for Psychiatry (ESP) Document
74196-7 | InterRAI Home Care (HC) Document
74195-9 | InterRAI Long Term Care Facility (LTCF) Document
74189-2 | InterRAI Palliative Care (PC) Document
34121-4 | Interventional procedure note
34896-1 | Cardiology Interventional procedure note
34899-5 | Gastroenterology Interventional procedure note
55113-5 | Key images Document Radiology
57056-4 | Labor and delivery admission history and physical note
57057-2 | Labor and delivery summary note
64299-1 | Legal document
51852-2 | Letter
68684-0 | Neonatal perinatal medicine Letter
68866-3 | Pediatric nephrology Letter
68593-3 | Plastic surgery Letter
68609-7 | Hospital Letter
68620-4 | Adolescent medicine Hospital Letter
68624-6 | Advanced heart failure and transplant cardiology Hospital Letter
68634-5 | Allergy and immunology Hospital Letter
68649-3 | Child and adolescent psychiatry Hospital Letter
68662-6 | Clinical genetics Hospital Letter
68671-7 | Developmental-behavioral pediatrics Hospital Letter
68555-2 | Hematology+Medical Oncology Hospital Letter
68682-4 | Multi-specialty program Hospital Letter
68686-5 | Neonatal perinatal medicine Hospital Letter
68695-6 | Neurological surgery Hospital Letter
68707-9 | Neurology with special qualifications in child neurology Hospital Letter
68567-7 | Obstetrics and Gynecology Hospital Letter
68571-9 | Occupational therapy Hospital Letter
68576-8 | Ophthalmology Hospital Letter
68585-9 | Orthopaedic surgery Hospital Letter
68717-8 | Pain medicine Hospital Letter
68728-5 | Pediatric cardiology Hospital Letter
68893-7 | Pediatric dermatology Hospital Letter
68898-6 | Pediatric endocrinology Hospital Letter
68747-5 | Pediatric gastroenterology Hospital Letter

68758-2 | Pediatric hematology-oncology Hospital Letter
68766-5 | Pediatric infectious diseases Hospital Letter
68870-5 | Pediatric nephrology Hospital Letter
68875-4 | Pediatric otolaryngology Hospital Letter
68789-7 | Pediatric pulmonology Hospital Letter
68880-4 | Pediatric rheumatology Hospital Letter
68803-6 | Pediatric surgery Hospital Letter
68865-5 | Pediatric transplant hepatology Hospital Letter
68813-5 | Pediatric urology Hospital Letter
68826-7 | Pediatrics Hospital Letter
68598-2 | Plastic surgery Hospital Letter
68838-2 | Primary care Hospital Letter
68847-3 | Speech-language pathology Hospital Letter
68853-1 | Transplant surgery Hospital Letter
57058-0 | Maternal discharge summary note
64285-0 | Medical history screening form
60590-7 | Medication dispensed.brief Document
60593-1 | Medication dispensed.extended Document
70006-2 | Medication management note
68587-5 | Pharmacy Hospital Medication management note
61357-0 | Medication pharmaceutical advice.brief Document
61356-2 | Medication pharmaceutical advice.extended Document
56445-0 | Medication summary Document
74145-4 | Multiple sclerosis action plan
74147-0 | Muscular dystrophy action plan
59268-3 | Neonatal care report
34109-9 | Note
68615-4 | Adolescent medicine Note
68621-2 | Advanced heart failure and transplant cardiology Note
68629-5 | Allergy and immunology Note
34750-0 | Anesthesiology Note
68636-0 | Audiology Note
34752-6 | Cardiology Note
68645-1 | Child and adolescent psychiatry Note
68650-1 | Clinical biochemical genetics Note
68656-8 | Clinical genetics Note
34754-2 | Critical Care Medicine Note
28618-7 | Dentistry Note
34759-1 | Dermatology Note
68666-7 | Developmental-behavioral pediatrics Note
34861-5 | Diabetology Note
34878-9 | Emergency medicine Note
34898-7 | Endocrinology Note
34762-5 | Gastroenterology Note
34765-8 | General medicine Note
34767-4 | General medicine Medical student Note
34768-2 | General medicine Nurse Note
34769-0 | General medicine Physician attending Note
34780-7 | Hematology+Medical Oncology Note
34782-3 | Infectious disease Note
34794-8 | Interdisciplinary Note
34784-9 | Kinesiotherapy Note
34786-4 | Mental health Note
68677-4 | Multi-specialty program Note
34796-3 | Nephrology Note
34799-7 | Neurological surgery Note
34905-0 | Neurology Note
68700-4 | Neurology with special qualifications in child neurology Note
34746-8 | Nurse Note
34801-1 | Nutrition and dietetics Note
34778-1 | Obstetrics and Gynecology Note
34802-9 | Occupational medicine Note
28578-3 | Occupational therapy Note
34806-0 | Oncology Note
34808-6 | Ophthalmology Note
34811-0 | Optometry Note
34813-6 | Oral and Maxillofacial Surgery Note
34815-1 | Orthopaedic surgery Note
34817-7 | Otolaryngology Note
34858-1 | Pain medicine Note
34906-8 | Pastoral care Note
51855-5 | Patient Note

68722-8 | Pediatric cardiology Note
68889-5 | Pediatric dermatology Note
68894-5 | Pediatric endocrinology Note
68741-8 | Pediatric gastroenterology Note
68752-5 | Pediatric hematology-oncology Note
68761-6 | Pediatric infectious diseases Note
68867-1 | Pediatric nephrology Note
68871-3 | Pediatric otolaryngology Note
68782-2 | Pediatric pulmonology Note
68854-9 | Pediatric rehabilitation medicine Note
68876-2 | Pediatric rheumatology Note
68881-2 | Pediatric surgery Note
68859-8 | Pediatric transplant hepatology Note
68882-0 | Pediatric urology Note
68818-4 | Pediatrics Note
34821-9 | Pharmacy Note
34823-5 | Physical medicine and rehabilitation Note
28579-1 | Physical therapy Note
34827-6 | Plastic surgery Note
34829-2 | Podiatry Note
68834-1 | Primary care Note
28628-6 | Psychiatry Note
34792-2 | Psychology Note
34830-0 | Pulmonary Note
34832-6 | Radiation oncology Note
34834-2 | Recreational therapy Note
68839-0 | Research Note
34838-3 | Respiratory therapy Note
34840-9 | Rheumatology Note
28653-4 | Social work Note
28571-8 | Speech-language pathology Note
34846-6 | Speech-language pathology+Audiology Note
34848-2 | Surgery Note
34773-2 | Surgery Physician attending Note
68848-1 | Transplant surgery Note
34852-4 | Urology Note
34111-5 | Emergency department Note
57053-1 | Nurse Emergency department Note
34112-3 | Hospital Note
64069-8 | Critical care medicine Physician attending Hospital Note
68827-5 | Pediatrics Hospital Note
64077-1 | Pulmonary Physician attending Hospital Note
64073-0 | Thoracic surgery Physician attending Hospital Note
34113-1 | Nursing facility Note
34108-1 | Outpatient Note
34753-4 | Cardiology Outpatient Note
34110-7 | Diabetology Outpatient Note
34766-6 | General medicine Outpatient Note
68601-4 | Psychiatry Outpatient Note
34850-8 | Thoracic surgery Outpatient Note
34854-0 | Vascular surgery Outpatient Note
68672-5 | Geriatric medicine Skilled nursing facility Note
34748-4 | Telephone encounter Note
34139-6 | Nurse Telephone encounter Note
34844-1 | Social work Telephone encounter Note
74166-0 | Occupational summary note
74156-1 | Oncology treatment plan and summary Document
64300-7 | Organ donation consent
60591-5 | Patient summary Document
60592-3 | Patient summary.unexpected contact Document
57834-4 | Patient transportation request Document
48768-6 | Payment sources Document
53576-5 | Personal health monitoring report Document
64296-7 | Personal health monitoring report Automated
72170-4 | Photographic image Unspecified body region Document
56447-6 | Plan of care note
64295-9 | Nurse Plan of care note
51900-9 | Population Summary note
67860-7 | Postoperative evaluation and management note
67861-5 | Ophthalmology Postoperative evaluation and management note
34875-5 | Surgery Postoperative evaluation and management note
34880-5 | Surgery Nurse Postoperative evaluation and management note

68610-5 | Hospital Postoperative evaluation and management note
68606-3 | Surgery Hospital Postoperative evaluation and management note
34867-2 | Ophthalmology Outpatient Postoperative evaluation and management note
64298-3 | Power of attorney
74207-2 | Prehospital summary Document
67862-3 | Preoperative evaluation and management note
68616-2 | Adolescent medicine Preoperative evaluation and management note
68623-8 | Advanced heart failure and transplant cardiology Preoperative evaluation and management note
34751-8 | Anesthesiology Preoperative evaluation and management note
68638-6 | Audiology Preoperative evaluation and management note
68657-6 | Clinical genetics Preoperative evaluation and management note
68550-3 | Dermatology Preoperative evaluation and management note
68678-2 | Multi-specialty program Preoperative evaluation and management note
68691-5 | Neurological surgery Preoperative evaluation and management note
68701-2 | Neurology with special qualifications in child neurology Preoperative evaluation and management note
34747-6 | Nurse Preoperative evaluation and management note
68562-8 | Obstetrics and Gynecology Preoperative evaluation and management note
34809-4 | Ophthalmology Preoperative evaluation and management note
68581-8 | Orthopaedic surgery Preoperative evaluation and management note
68713-7 | Pain medicine Preoperative evaluation and management note
68723-6 | Pediatric cardiology Preoperative evaluation and management note
68732-7 | Pediatric dermatology Preoperative evaluation and management note
68736-8 | Pediatric endocrinology Preoperative evaluation and management note
68742-6 | Pediatric gastroenterology Preoperative evaluation and management note
68753-3 | Pediatric hematology-oncology Preoperative evaluation and management note
68762-4 | Pediatric infectious diseases Preoperative evaluation and management note
68771-5 | Pediatric nephrology Preoperative evaluation and management note
68776-4 | Pediatric otolaryngology Preoperative evaluation and management note
68783-0 | Pediatric pulmonology Preoperative evaluation and management note
68792-1 | Pediatric rheumatology Preoperative evaluation and management note
68798-8 | Pediatric surgery Preoperative evaluation and management note
68860-6 | Pediatric transplant hepatology Preoperative evaluation and management note
68808-5 | Pediatric urology Preoperative evaluation and management note
68819-2 | Pediatrics Preoperative evaluation and management note
68594-1 | Plastic surgery Preoperative evaluation and management note
68835-8 | Primary care Preoperative evaluation and management note
68844-0 | Speech-language pathology Preoperative evaluation and management note
34876-3 | Surgery Preoperative evaluation and management note
34881-3 | Surgery Nurse Preoperative evaluation and management note
68850-7 | Transplant surgery Preoperative evaluation and management note
34123-0 | Anesthesiology Hospital Preoperative evaluation and management note
68828-3 | Pediatrics Hospital Preoperative evaluation and management note
57832-8 | Prescription for diagnostic or specialist care Document
64288-4 | Prescription for eyewear
57829-4 | Prescription for medical equipment or product Document
57833-6 | Prescription for medication Document
57831-0 | Prescription for rehabilitation Document
57828-6 | Prescription list Document
73709-8 | Prescription request Pharmacy Document from Pharmacist
55114-3 | Prior imaging procedure descriptions Document
57017-6 | Privacy policy Organization Document
57016-8 | Privacy policy acknowledgment Document
64293-4 | Procedure consent
68630-3 | Allergy and immunology procedure note
68658-4 | Clinical genetics procedure note
68667-5 | Developmental-behavioral pediatrics procedure note
68692-3 | Neurological surgery procedure note
68702-0 | Neurology with special qualifications in child neurology procedure note
68563-6 | Obstetrics and Gynecology procedure note
68714-5 | Pain medicine procedure note
68724-4 | Pediatric cardiology procedure note
68890-3 | Pediatric dermatology procedure note
68895-2 | Pediatric endocrinology procedure note
68743-4 | Pediatric gastroenterology procedure note
68754-1 | Pediatric hematology-oncology procedure note
68868-9 | Pediatric nephrology procedure note
68872-1 | Pediatric otolaryngology procedure note
68784-8 | Pediatric pulmonology procedure note
68877-0 | Pediatric rheumatology procedure note
68799-6 | Pediatric surgery procedure note
68861-4 | Pediatric transplant hepatology procedure note
68809-3 | Pediatric urology procedure note

68820-0 | Pediatrics procedure note
68836-6 | Primary care procedure note
68851-5 | Transplant surgery procedure note
68729-3 | Pediatric critical care medicine Hospital procedure note
68829-1 | Pediatrics Hospital procedure note
68607-1 | Progress letter
11506-3 | Provider-unspecified Progress note
68617-0 | Adolescent medicine Progress note
68631-1 | Allergy and immunology Progress note
68646-9 | Child and adolescent psychiatry Progress note
28580-9 | Chiropractic medicine Progress note
68659-2 | Clinical genetics Progress note
28617-9 | Dentistry Progress note
68668-3 | Developmental-behavioral pediatrics Progress note
34900-1 | General medicine Progress note
68554-5 | Hematology+Medical Oncology Progress note
72556-4 | Interventional radiology Progress note
34904-3 | Mental health Progress note
68679-0 | Multi-specialty program Progress note
68693-1 | Neurological surgery Progress note
68703-8 | Neurology with special qualifications in child neurology Progress note
28623-7 | Nurse Progress note
28575-9 | Nurse practitioner Progress note
68564-4 | Obstetrics and Gynecology Progress note
11507-1 | Occupational therapy Progress note
68574-3 | Ophthalmology Progress note
68582-6 | Orthopaedic surgery Progress note
68725-1 | Pediatric cardiology Progress note
68891-1 | Pediatric dermatology Progress note
68896-0 | Pediatric endocrinology Progress note
68744-2 | Pediatric gastroenterology Progress note
68755-8 | Pediatric hematology-oncology Progress note
68763-2 | Pediatric infectious diseases Progress note
68873-9 | Pediatric otolaryngology Progress note
68785-5 | Pediatric pulmonology Progress note
68878-8 | Pediatric rheumatology Progress note
68800-2 | Pediatric surgery Progress note
68862-2 | Pediatric transplant hepatology Progress note
68810-1 | Pediatric urology Progress note
11508-9 | Physical therapy Progress note
18733-6 | Physician attending Progress note
28569-2 | Physician consulting Progress note
68595-8 | Plastic surgery Progress note
11509-7 | Podiatry Progress note
28627-8 | Psychiatry Progress note
11510-5 | Psychology Progress note
68840-8 | Research Progress note
28656-7 | Social work Progress note
11512-1 | Speech-language pathology Progress note
15507-7 | Provider-unspecified ED Progress note
34130-5 | Hospital Progress note
68472-0 | Cardiology Hospital Progress note
68485-2 | Cardiology Medical student Hospital Progress note
68484-5 | Cardiology Physician attending Hospital Progress note
64059-9 | Critical Care Medicine Hospital Progress note
64071-4 | Critical care medicine Medical student Hospital Progress note
68473-8 | Critical care medicine Physician attending Hospital Progress note
64055-7 | General medicine Medical student Hospital Progress note
68475-3 | General medicine Physician attending Hospital Progress note
68830-9 | Pediatrics Hospital Progress note
64063-1 | Pulmonary Hospital Progress note
64079-7 | Pulmonary Medical student Hospital Progress note
68478-7 | Pulmonary Physician attending Hospital Progress note
68479-5 | Respiratory therapy Hospital Progress note
64057-3 | Surgery Hospital Progress note
64067-2 | Surgery Medical student Hospital Progress note
68480-3 | Surgery Physician attending Hospital Progress note
64061-5 | Thoracic surgery Hospital Progress note
64075-5 | Thoracic surgery Medical student Hospital Progress note
68481-1 | Thoracic surgery Physician attending Hospital Progress note
70238-1 | Transplant surgery Hospital Progress note
34126-3 | Intensive care unit Progress note

34131-3 | Outpatient Progress note
34124-8 | Cardiology Outpatient Progress note
34128-9 | Dentistry Outpatient Progress note
34127-1 | Dentistry Hygienist Outpatient Progress note
34901-9 | General medicine Outpatient Progress note
34132-1 | Pharmacy Outpatient Progress note
34129-7 | Patient's home Progress note
34125-5 | Case manager Patient's home Progress note
74468-0 | Questionnaire form definition section Document
74465-6 | Questionnaire response section Document
73569-6 | Radiation exposure and protection information [Description] Document Diagnostic imaging
64294-2 | Readiness for duty letter
64284-3 | Readiness for duty assessment
57133-1 | Referral note
57170-3 | Cardiology Referral note
57178-6 | Critical Care Medicine Referral note
57134-9 | Dentistry Referral note
57135-6 | Dermatology Referral note
57136-4 | Diabetology Referral note
57137-2 | Endocrinology Referral note
69438-0 | Referral note Forensic medicine
57138-0 | Gastroenterology Referral note
57139-8 | General medicine Referral note
57171-1 | Geriatric medicine Referral note
57172-9 | Hematology+Medical Oncology Referral note
57141-4 | Infectious disease Referral note
57142-2 | Kinesiotherapy Referral note
57143-0 | Mental health Referral note
57144-8 | Nephrology Referral note
57146-3 | Neurological surgery Referral note
57145-5 | Neurology Referral note
57173-7 | Nutrition and dietetics Referral note
57179-4 | Obstetrics and Gynecology Referral note
57147-1 | Occupational medicine Referral note
57148-9 | Occupational therapy Referral note
57149-7 | Oncology Referral note
57150-5 | Ophthalmology Referral note
57151-3 | Optometry Referral note
57174-5 | Oral and Maxillofacial Surgery Referral note
57175-2 | Orthopaedic surgery Referral note
57176-0 | Otolaryngology Referral note
57152-1 | Pharmacy Referral note
57153-9 | Physical medicine and rehabilitation Referral note
57154-7 | Physical therapy Referral note
57155-4 | Plastic surgery Referral note
57156-2 | Podiatry Referral note
57157-0 | Psychiatry Referral note
57158-8 | Psychology Referral note
57177-8 | Pulmonary Referral note
57159-6 | Radiation oncology Referral note
57160-4 | Recreational therapy Referral note
57162-0 | Respiratory therapy Referral note
57163-8 | Rheumatology Referral note
57164-6 | Social work Referral note
57165-3 | Speech-language pathology Referral note
57166-1 | Surgery Referral note
57167-9 | Thoracic surgery Referral note
57168-7 | Urology Referral note
57169-5 | Vascular surgery Referral note
64292-6 | Release of information consent
55115-0 | Requested imaging studies information Document
70007-0 | Restraint note
68476-1 | Nurse Hospital Restraint note
68474-6 | Physician Hospital Restraint note
71482-4 | Risk assessment Document
51898-5 | Risk factors Document
74153-8 | Seizure disorder action plan
59282-4 | Stress cardiac echo study report US
47045-0 | Study report
68608-9 | Summary note
61143-4 | Nurse Summary note
68602-2 | Radiation oncology Summary note

68603-0 | Radiation oncology Hospital Summary note
47046-8 | Summary of death note
34133-9 | Summary of episode note
74211-4 | Summary of episode note Emergency department+Hospital
48764-5 | Summary purpose CCD Document
47047-6 | Supervisory note
67865-6 | Outpatient Supervisory note
34135-4 | Cardiology Physician attending Outpatient Supervisory note
34136-2 | Gastroenterology Physician attending Outpatient Supervisory note
34134-7 | Physician attending Outpatient Supervisory note
61358-8 | Patient Surgical operation consent
11504-8 | Provider-unspecified Operation note
34868-0 | Orthopaedic surgery Surgical operation note
34818-5 | Otolaryngology Surgical operation note
34870-6 | Plastic surgery Surgical operation note
28624-5 | Podiatry Operation note
34874-8 | Surgery Surgical operation note
34877-1 | Urology Surgical operation note
34137-0 | Outpatient Surgical operation note
34138-8 | Targeted history and physical note
18761-7 | Provider-unspecified Transfer summary
68618-8 | Adolescent medicine Transfer summary note
68632-9 | Allergy and immunology Transfer summary note
68647-7 | Child and adolescent psychiatry Transfer summary note
68660-0 | Clinical genetics Transfer summary note
34755-9 | Critical care medicine Transfer summary note
68669-1 | Developmental-behavioral pediatrics Transfer summary note
34770-8 | General medicine Transfer summary note
68680-8 | Multi-specialty program Transfer summary note
68704-6 | Neurology with special qualifications in child neurology Transfer summary note
68565-1 | Obstetrics and Gynecology Transfer summary note
68569-3 | Occupational therapy Transfer summary note
68887-9 | Ophthalmology Transfer summary note
68583-4 | Orthopaedic surgery Transfer summary note
68715-2 | Pain medicine Transfer summary note
68726-9 | Pediatric cardiology Transfer summary note
68737-6 | Pediatric endocrinology Transfer summary note
68745-9 | Pediatric gastroenterology Transfer summary note
68756-6 | Pediatric hematology-oncology Transfer summary note
68764-0 | Pediatric infectious diseases Transfer summary note
68772-3 | Pediatric nephrology Transfer summary note
68777-2 | Pediatric otolaryngology Transfer summary note
68786-3 | Pediatric pulmonology Transfer summary note
68793-9 | Pediatric rheumatology Transfer summary note
68801-0 | Pediatric surgery Transfer summary note
68863-0 | Pediatric transplant hepatology Transfer summary note
68811-9 | Pediatric urology Transfer summary note
68883-8 | Pediatrics Transfer summary note
68596-6 | Plastic surgery Transfer summary note
68482-9 | Nurse Hospital Transfer summary note
68884-6 | Pediatrics Hospital Transfer summary note
59281-6 | Transthoracic cardiac echo study report US
74198-3 | Trauma summary registry report Document
54094-8 | Emergency department Triage note
57054-9 | Nurse Emergency department Triage+care note
38932-0 | VA Compensation and Pension (C and P) examination acromegaly
38933-8 | VA Compensation and Pension (C and P) examination aid and attendance/housebound
38934-6 | VA Compensation and Pension (C and P) examination arrhythmias
38936-1 | VA Compensation and Pension (C and P) examination audio
38937-9 | VA Compensation and Pension (C and P) examination bones fractures/bone disease
38938-7 | VA Compensation and Pension (C and P) examination brain/spinal cord
38939-5 | VA Compensation and Pension (C and P) examination chronic fatigue syndrome
38940-3 | VA Compensation and Pension (C and P) examination cold injury protocol
38941-1 | VA Compensation and Pension (C and P) examination cranial nerves
38942-9 | VA Compensation and Pension (C and P) examination Cushings syndrome
38943-7 | VA Compensation and Pension (C and P) examination dental/oral
38944-5 | VA Compensation and Pension (C and P) examination diabetes mellitus
38956-9 | VA Compensation and Pension (C and P) examination disability in gulf war veterans
38946-0 | VA Compensation and Pension (C and P) examination ear disease
38949-4 | VA Compensation and Pension (C and P) examination epilepsy/narcolepsy
38950-2 | VA Compensation and Pension (C and P) examination esophagus/hiatal hernia
38966-8 | VA Compensation and Pension (C and P) examination extremity joints

38951-0 | VA Compensation and Pension (C and P) examination eye
38952-8 | VA Compensation and Pension (C and P) examination feet
38953-6 | VA Compensation and Pension (C and P) examination fibromyalgia
38954-4 | VA Compensation and Pension (C and P) examination general medical
38969-2 | VA Compensation and Pension (C and P) examination general mental disorders
38955-1 | VA Compensation and Pension (C and P) examination genitourinary
38957-7 | VA Compensation and Pension (C and P) examination gynecological conditions/disorders of the breast
38958-5 | VA Compensation and Pension (C and P) examination hand/thumb/fingers
38959-3 | VA Compensation and Pension (C and P) examination heart
38960-1 | VA Compensation and Pension (C and P) examination hemic disorders
38961-9 | VA Compensation and Pension (C and P) examination HIV-related illness
38962-7 | VA Compensation and Pension (C and P) examination hypertension
38963-5 | VA Compensation and Pension (C and P) examination infectious/immune/nutritional disabilities
38964-3 | VA Compensation and Pension (C and P) examination initial evaluation post-traumatic stress disorder
38965-0 | VA Compensation and Pension (C and P) examination large/small intestines
38967-6 | VA Compensation and Pension (C and P) examination liver/gall bladder/pancreas
38968-4 | VA Compensation and Pension (C and P) examination lymphatic disorders
38947-8 | VA Compensation and Pension (C and P) examination mental health eating disorders
38935-3 | VA Compensation and Pension (C and P) examination miscellaneous arteries/veins
38945-2 | VA Compensation and Pension (C and P) examination miscellaneous digestive conditions
38948-6 | VA Compensation and Pension (C and P) examination miscellaneous endocrine diseases
38972-6 | VA Compensation and Pension (C and P) examination miscellaneous neurological disorders
38980-9 | VA Compensation and Pension (C and P) examination miscellaneous respiratory diseases
38970-0 | VA Compensation and Pension (C and P) examination mouth/lips/tongue
38971-8 | VA Compensation and Pension (C and P) examination muscles
38973-4 | VA Compensation and Pension (C and P) examination nose/sinus/larynx/pharynx
38979-1 | VA Compensation and Pension (C and P) examination obstructive/restrictive/interstitial respiratory diseases
38974-2 | VA Compensation and Pension (C and P) examination peripheral nerves
38975-9 | VA Compensation and Pension (C and P) examination prisoner of war protocol
38976-7 | VA Compensation and Pension (C and P) examination pulmonary tuberculosis/mycobacterial diseases
38977-5 | VA Compensation and Pension (C and P) examination rectum/anus
38978-3 | VA Compensation and Pension (C and P) examination residuals of amputations
38981-7 | VA Compensation and Pension (C and P) examination review evaluation post-traumatic stress disorder
38982-5 | VA Compensation and Pension (C and P) examination scars
38983-3 | VA Compensation and Pension (C and P) examination sense of smell/taste
38984-1 | VA Compensation and Pension (C and P) examination skin diseases other than scars
38985-8 | VA Compensation and Pension (C and P) examination social/industrial survey
38986-6 | VA Compensation and Pension (C and P) examination spine
38987-4 | VA Compensation and Pension (C and P) examination stomach/duodenum/peritoneal adhesions
38988-2 | VA Compensation and Pension (C and P) examination thyroid/parathyroid diseases
59283-2 | Well child visit note
52027-0 | Abortion consent
24754-4 | Administration of vasodilator into catheter of Vein
26376-4 | Administration of vasodilator into catheter of Vein - bilateral
26377-2 | Administration of vasodilator into catheter of Vein - left
26378-0 | Administration of vasodilator into catheter of Vein - right
53243-2 | Advanced beneficiary notice
11485-0 | Anesthesia records
30649-8 | Peripheral artery Fluoroscopic angiogram Additional angioplasty W contrast IA
30641-5 | Vein Fluoroscopic angiogram Additional angioplasty W contrast IV
36760-7 | AV shunt Fluoroscopic angiogram Angioplasty W contrast
36762-3 | Extremity vessel Fluoroscopic angiogram Angioplasty W contrast
69067-7 | Unspecified body region Fluoroscopic angiogram Angioplasty W contrast
24543-1 | Aorta Fluoroscopic angiogram Angioplasty W contrast IA
24580-3 | Brachiocephalic artery Fluoroscopic angiogram Angioplasty W contrast IA
26368-1 | Brachiocephalic artery - left Fluoroscopic angiogram Angioplasty W contrast IA
26369-9 | Brachiocephalic artery - right Fluoroscopic angiogram Angioplasty W contrast IA
24614-0 | Carotid artery extracranial Fluoroscopic angiogram Angioplasty W contrast IA
24615-7 | Carotid artery intracranial Fluoroscopic angiogram Angioplasty W contrast IA
35881-2 | Extremity artery Fluoroscopic angiogram Angioplasty W contrast IA
24698-3 | Femoral artery Fluoroscopic angiogram Angioplasty W contrast IA
36763-1 | Femoral artery and Popliteal artery Fluoroscopic angiogram Angioplasty W contrast IA
24766-8 | Iliac artery Fluoroscopic angiogram Angioplasty W contrast IA
26370-7 | Iliac artery - bilateral Fluoroscopic angiogram Angioplasty W contrast IA
26371-5 | Iliac artery - left Fluoroscopic angiogram Angioplasty W contrast IA
26372-3 | Iliac artery - right Fluoroscopic angiogram Angioplasty W contrast IA
24832-8 | Mesenteric artery Fluoroscopic angiogram Angioplasty W contrast IA
30648-0 | Peripheral artery Fluoroscopic angiogram Angioplasty W contrast IA
25081-1 | Renal vessel Fluoroscopic angiogram Angioplasty W contrast IA
25012-6 | Tibial artery Fluoroscopic angiogram Angioplasty W contrast IA
26373-1 | Tibial artery - bilateral Fluoroscopic angiogram Angioplasty W contrast IA
26374-9 | Tibial artery - left Fluoroscopic angiogram Angioplasty W contrast IA

26375-6 | Tibial artery - right Fluoroscopic angiogram Angioplasty W contrast IA
43793-9 | Tibioperoneal arteries Fluoroscopic angiogram Angioplasty W contrast IA
43794-7 | Tibioperoneal arteries - bilateral Fluoroscopic angiogram Angioplasty W contrast IA
43795-4 | Tibioperoneal arteries - left Fluoroscopic angiogram Angioplasty W contrast IA
43792-1 | Tibioperoneal arteries - right Fluoroscopic angiogram Angioplasty W contrast IA
25064-7 | Vessel Fluoroscopic angiogram Angioplasty W contrast IA
30836-1 | Visceral artery Fluoroscopic angiogram Angioplasty W contrast IA
37426-4 | Lower extremity vein Fluoroscopic angiogram Angioplasty W contrast IV
30640-7 | Vein Fluoroscopic angiogram Angioplasty W contrast IV
35882-0 | Inferior vena cava Fluoroscopic angiogram Angioplasty W contrast IV
52032-0 | Appeal denial letter
36764-9 | Femoral vessel and Popliteal artery Fluoroscopic angiogram Atherectomy W contrast
69135-2 | Iliac artery Fluoroscopic angiogram Atherectomy W contrast
69253-3 | Renal vessels Fluoroscopic angiogram Atherectomy W contrast
36765-6 | Vessel Fluoroscopic angiogram Atherectomy W contrast
35883-8 | Aorta Fluoroscopic angiogram Atherectomy W contrast IA
36766-4 | Coronary arteries Fluoroscopic angiogram Atherectomy W contrast IA
24568-8 | AV fistula Fluoroscopic angiogram Atherectomy W contrast IV
28615-3 | Audiology study
52065-0 | Automobile liability
18743-5 | Autopsy report
36761-5 | Biliary ducts Fluoroscopy Balloon dilatation W contrast
33720-4 | Blood bank consult
52041-1 | Blood glucose monitors
38268-9 | Skeletal system DXA Bone density
43562-8 | Skeletal system.axial Scan Bone density
43563-6 | Skeletal system.peripheral Scan Bone density
48807-2 | Bone marrow aspiration report
24631-4 | Unspecified body region Fluoroscopy Central vein catheter placement check
53242-4 | Charge ticket or encounter form
54095-5 | Chemotherapy effectiveness panel [Identifier] - Blood or Tissue
11486-8 | Chemotherapy records
71428-7 | CMS - history of present illness panel
71421-2 | CMS - past family - social history panel
71388-3 | CMS - physical exam panel
71406-3 | CMS - review of systems panel
25062-1 | Unspecified body region X-ray Comparison view
24611-6 | Outpatient Consultation 2nd opinion
60570-9 | Pathology Consult note
60571-7 | Pathology Consult note.synoptic
52042-9 | Continuous positive airway pressure (CPAP)
25038-1 | Unspecified body region Courtesy consultation
29751-5 | Critical care records
50007-4 | Cytology report of Bronchoalveolar lavage Cyto stain
47523-6 | Cytology report of Body fluid Cyto stain
47530-1 | Cytology report of Breast ductal lavage Cyto stain
47521-0 | Cytology report of Breast fine needle aspirate Cyto stain
50971-1 | Cytology report of Bronchial brush Cyto stain
47528-5 | Cytology report of Cervical or vaginal smear or scraping Cyto stain
47527-7 | Cytology report of Cervical or vaginal smear or scraping Cyto stain.thin prep
47522-8 | Cytology report of Nipple discharge Cyto stain
47520-2 | Cytology report of Sputum Cyto stain
47524-4 | Cytology report of Thyroid fine needle aspirate Cyto stain
47529-3 | Cytology report of Tissue Other stain
33718-8 | Cytology report of Tissue fine needle aspirate Cyto stain
47525-1 | Cytology report of Urine Cyto stain
47526-9 | Cytology report of Unspecified specimen Cyto stain
52040-3 | Dental X-rays and other images (not DICOM)
29749-9 | Dialysis records
28622-9 | Nurse Discharge assessment
28574-2 | Discharge note
29761-4 | Dentist Discharge summary
11490-0 | Physician Discharge summary
28655-9 | Physician attending Discharge summary
53245-7 | Driver license image
53247-3 | Eligibility acknowledgement
24684-3 | Extracranial vessels Fluoroscopic angiogram Embolectomy W contrast IA
24887-2 | Pulmonary artery Fluoroscopic angiogram Embolectomy W contrast IA
24553-0 | Vessel intracranial Fluoroscopic angiogram Embolectomy W contrast IV
24554-8 | Artery Fluoroscopic angiogram Embolization W contrast IA
52071-8 | Employee assistance program
67796-3 | EMS patient care report - version 3.1 Document NEMSIS

52043-7 | Enteral nutrition
30600-1 | Small bowel CT Views Enteroclysis W contrast PO via duodenal intubation
24923-5 | Small bowel Fluoroscopy Views Enteroclysis W contrast PO via duodenal intubation
52030-4 | Explanation of benefits
52031-2 | Explanation of benefits to subscriber
52044-5 | External infusion pump
29272-2 | Eye ultrasound study
52064-3 | First report of injury
57129-9 | Full newborn screening summary report for display or printing
52045-2 | Gait trainers
52033-8 | General correspondence
51969-4 | Genetic analysis summary report in Blood or Tissue Document by Molecular genetics method
46365-3 | CT Guidance for ablation of tissue of Celiac plexus
44228-5 | CT Guidance for ablation of tissue of Kidney
44156-8 | US Guidance for ablation of tissue of Kidney
44101-4 | CT Guidance for ablation of tissue of Liver
44155-0 | US Guidance for ablation of tissue of Liver
58747-7 | CT Guidance for ablation of tissue of Unspecified body region
58743-6 | US Guidance for ablation of tissue of Unspecified body region
35884-6 | CT Guidance for abscess drainage of Abdomen
42280-8 | CT Guidance for abscess drainage of Appendix
42705-4 | US Guidance for abscess drainage of Appendix
42281-6 | CT Guidance for abscess drainage of Chest
42285-7 | CT Guidance for abscess drainage of Kidney
44167-5 | US Guidance for abscess drainage of Kidney
42282-4 | CT Guidance for abscess drainage of Liver
42133-9 | US Guidance for abscess drainage of Liver
39361-1 | Fluoroscopy Guidance for abscess drainage of Liver
69120-4 | Fluoroscopy Guidance for abscess drainage of Neck
69122-0 | Fluoroscopy Guidance for abscess drainage of Pancreas
42286-5 | CT Guidance for abscess drainage of Pelvis
44168-3 | US Guidance for abscess drainage of Pelvis
44169-1 | US Guidance for abscess drainage of Peritoneal space
42284-0 | CT Guidance for abscess drainage of Pleural space
69123-8 | Fluoroscopy Guidance for abscess drainage of Pleural space
43502-4 | CT Guidance for abscess drainage of Subphrenic space
44166-7 | US Guidance for abscess drainage of Subphrenic space
30578-9 | CT Guidance for abscess drainage of Unspecified body region
39451-0 | US Guidance for abscess drainage of Unspecified body region
35885-3 | Fluoroscopy Guidance for abscess drainage of Unspecified body region
39620-0 | Scan Guidance for abscess localization limited
39623-4 | Scan Guidance for abscess localization whole body
39622-6 | SPECT Guidance for abscess localization whole body
39621-8 | SPECT Guidance for abscess localization
72533-3 | US Guidance for ambulatory phlebectomy of Extremity vein - left
72532-5 | US Guidance for ambulatory phlebectomy of Extremity vein - right
24623-1 | CT Guidance for anesthetic block injection of Celiac plexus
42688-2 | CT Guidance for anesthetic block injection of Spine
35886-1 | CT Guidance for aspiration of Breast
24598-5 | Mammogram Guidance for aspiration of Breast
43756-6 | US Guidance for aspiration of Breast
69278-0 | US Guidance for aspiration of Breast - bilateral
69292-1 | US Guidance for aspiration of Breast - left
69296-2 | US Guidance for aspiration of Breast - right
35888-7 | Fluoroscopy Guidance for aspiration of Hip
24771-8 | Fluoroscopy Guidance for aspiration of Joint space
48434-5 | US Guidance for aspiration of Kidney
24811-2 | CT Guidance for aspiration of Liver
24822-9 | CT Guidance for aspiration of Lung
69287-1 | US Guidance for aspiration of Lymph node
24837-7 | CT Guidance for aspiration of Neck
39452-8 | US Guidance for aspiration of Ovary
24856-7 | CT Guidance for aspiration of Pancreas
24863-3 | CT Guidance for aspiration of Pelvis
30703-3 | US Guidance for aspiration of Pericardial space
37491-8 | CT Guidance for aspiration of Pleural space
24662-9 | US Guidance for aspiration of Pleural space
37887-7 | Fluoroscopy Guidance for aspiration of Pleural space
24973-0 | Fluoroscopy Guidance for aspiration of Spine Lumbar Space
42134-7 | US Guidance for aspiration of Thyroid
25043-1 | CT Guidance for aspiration of Unspecified body region
30878-3 | US Guidance for aspiration of Unspecified body region

36926-4 | CT Guidance for aspiration and placement of drainage tube of Abdomen
37210-2 | CT Guidance for aspiration of cyst of Abdomen
69306-9 | Fluoroscopy Guidance for aspiration of cyst of Bone
24594-4 | Mammogram Guidance for aspiration of cyst of Breast
69192-3 | MRI Guidance for aspiration of cyst of Breast
30653-0 | US Guidance for aspiration of cyst of Breast
26343-4 | Mammogram Guidance for aspiration of cyst of Breast - bilateral
38012-1 | US Guidance for aspiration of cyst of Breast - bilateral
26344-2 | Mammogram Guidance for aspiration of cyst of Breast - left
42450-7 | US Guidance for aspiration of cyst of Breast - left
26345-9 | Mammogram Guidance for aspiration of cyst of Breast - right
42458-0 | US Guidance for aspiration of cyst of Breast - right
38126-9 | US Guidance for aspiration of cyst of Kidney
69121-2 | Fluoroscopy Guidance for aspiration of cyst of Ovary
38133-5 | US Guidance for aspiration of cyst of Pancreas
42447-3 | US Guidance for aspiration of cyst of Thyroid
35887-9 | CT Guidance for aspiration of cyst of Unspecified body region
30698-5 | US Guidance for aspiration of cyst of Unspecified body region
24671-0 | Fluoroscopy Guidance for aspiration of cyst of Unspecified body region
25042-3 | CT Guidance for aspiration or biopsy of Unspecified body region
25041-5 | CT Guidance for aspiration or biopsy of Unspecified body region-- W contrast IV
46281-2 | CT Guidance for aspiration or injection of cyst of Unspecified body region
46282-0 | US Guidance for aspiration or injection of cyst of Unspecified body region
30602-7 | CT Guidance for fine needle aspiration of Abdomen
44107-1 | CT Guidance for fine needle aspiration of Abdomen retroperitoneum
44108-9 | CT Guidance for fine needle aspiration of Adrenal gland
46387-7 | Mammogram Guidance for fine needle aspiration of Breast
44160-0 | US Guidance for fine needle aspiration of Breast
46284-6 | Mammogram Guidance for fine needle aspiration of Breast - left
38026-1 | US Guidance for fine needle aspiration of Breast - left
46283-8 | Mammogram Guidance for fine needle aspiration of Breast - right
38033-7 | US Guidance for fine needle aspiration of Breast - right
38135-0 | US Guidance for fine needle aspiration of Deep tissue
44221-0 | Fluoroscopy Guidance for fine needle aspiration of Deep tissue
43757-4 | CT Guidance for fine needle aspiration of Kidney
44159-2 | US Guidance for fine needle aspiration of Kidney
44217-8 | Fluoroscopy Guidance for fine needle aspiration of Kidney
30608-4 | CT Guidance for fine needle aspiration of Kidney - bilateral
30603-5 | CT Guidance for fine needle aspiration of Liver
44158-4 | US Guidance for fine needle aspiration of Liver
44220-2 | Fluoroscopy Guidance for fine needle aspiration of Liver
30595-3 | CT Guidance for fine needle aspiration of Lung
44103-0 | CT Guidance for fine needle aspiration of Lymph node
44219-4 | Fluoroscopy Guidance for fine needle aspiration of Lymph node
44104-8 | CT Guidance for fine needle aspiration of Mediastinum
44105-5 | CT Guidance for fine needle aspiration of Muscle
30605-0 | CT Guidance for fine needle aspiration of Pancreas
44157-6 | US Guidance for fine needle aspiration of Pancreas
44218-6 | Fluoroscopy Guidance for fine needle aspiration of Pancreas
30606-8 | CT Guidance for fine needle aspiration of Pelvis
44106-3 | CT Guidance for fine needle aspiration of Prostate
38017-0 | US Guidance for fine needle aspiration of Prostate
30610-0 | CT Guidance for fine needle aspiration of Spleen
38136-8 | US Guidance for fine needle aspiration of Superficial tissue
69124-6 | Fluoroscopy Guidance for fine needle aspiration of Superficial tissue
38019-6 | US Guidance for fine needle aspiration of Thyroid
44216-0 | Fluoroscopy Guidance for fine needle aspiration of Thyroid
30580-5 | CT Guidance for fine needle aspiration of Unspecified body region
38018-8 | US Guidance for fine needle aspiration of Unspecified body region
44215-2 | Fluoroscopy Guidance for fine needle aspiration of Unspecified body region
24755-1 | Fluoroscopic angiogram Guidance for atherectomy of Vein-- W contrast IV
26298-0 | Fluoroscopic angiogram Guidance for atherectomy of Vein - bilateral-- W contrast IV
26299-8 | Fluoroscopic angiogram Guidance for atherectomy of Vein - left-- W contrast IV
26300-4 | Fluoroscopic angiogram Guidance for atherectomy of Vein - right-- W contrast IV
30601-9 | CT Guidance for biopsy of Abdomen
37913-1 | US Guidance for biopsy of Abdomen
35890-3 | Fluoroscopy Guidance for biopsy of Abdomen
44117-0 | CT Guidance for biopsy of Abdomen retroperitoneum
44162-6 | US Guidance for biopsy of Abdomen retroperitoneum
36767-2 | CT Guidance for biopsy of Adrenal gland
35891-1 | CT Guidance for biopsy of Bone
69076-8 | Fluoroscopy Guidance for biopsy of Bone

37211-0 | CT Guidance for biopsy of Bone marrow
35893-7 | CT Guidance for biopsy of Breast
24602-5 | Mammogram Guidance for biopsy of Breast
37914-9 | US Guidance for biopsy of Breast
26337-6 | Mammogram Guidance for biopsy of Breast - bilateral
69169-1 | MRI Guidance for biopsy of Breast - bilateral
37912-3 | US Guidance for biopsy of Breast - bilateral
26338-4 | Mammogram Guidance for biopsy of Breast - left
69203-8 | MRI Guidance for biopsy of Breast - left
42449-9 | US Guidance for biopsy of Breast - left
26339-2 | Mammogram Guidance for biopsy of Breast - right
69213-7 | MRI Guidance for biopsy of Breast - right
42457-2 | US Guidance for biopsy of Breast - right
35895-2 | CT Guidance for biopsy of Chest
37915-6 | US Guidance for biopsy of Chest
35894-5 | Fluoroscopy Guidance for biopsy of Chest
37492-6 | CT Guidance for biopsy of Chest.pleura
42333-5 | US Guidance for biopsy of Chest.pleura
43567-7 | CT Guidance for biopsy of Deep bone
43565-1 | US Guidance for biopsy of Deep bone
44109-7 | CT Guidance for biopsy of Deep muscle
42463-0 | US Guidance for biopsy of Endomyocardium
37212-8 | CT Guidance for biopsy of Epididymis
69387-9 | US Guidance for biopsy of Epididymis
36927-2 | CT Guidance for biopsy of Facial bones and Maxilla
35892-9 | CT Guidance for biopsy of Head
42136-2 | CT Guidance for biopsy of Heart
42279-0 | CT Guidance for biopsy of Kidney
24772-6 | US Guidance for biopsy of Kidney
35899-4 | Fluoroscopy Guidance for biopsy of Kidney
38766-2 | US Guidance for biopsy of Kidney transplant
30607-6 | CT Guidance for biopsy of Kidney - bilateral
26340-0 | US Guidance for biopsy of Kidney - bilateral
26341-8 | US Guidance for biopsy of Kidney - left
26342-6 | US Guidance for biopsy of Kidney - right
24812-0 | CT Guidance for biopsy of Liver
24816-1 | US Guidance for biopsy of Liver
35900-0 | Fluoroscopy Guidance for biopsy of Liver
38765-4 | US Guidance for biopsy of Liver transplant
35896-0 | CT Guidance for biopsy of Lower extremity
24823-7 | CT Guidance for biopsy of Lung
44161-8 | US Guidance for biopsy of Lung
30634-0 | Fluoroscopy Guidance for biopsy of Lung
35901-8 | CT Guidance for biopsy of Lymph node
39522-8 | US Guidance for biopsy of Lymph node
37213-6 | CT Guidance for biopsy of Mediastinum
42137-0 | US Guidance for biopsy of Mediastinum
36768-0 | CT Guidance for biopsy of Muscle
37917-2 | US Guidance for biopsy of Muscle
24838-5 | CT Guidance for biopsy of Neck
37918-0 | US Guidance for biopsy of Neck
30604-3 | CT Guidance for biopsy of Pancreas
37919-8 | US Guidance for biopsy of Pancreas
35902-6 | Fluoroscopy Guidance for biopsy of Pancreas
24864-1 | CT Guidance for biopsy of Pelvis
69074-3 | Fluoroscopy Guidance for biopsy of Pelvis
35903-4 | CT Guidance for biopsy of Prostate
24883-1 | US Guidance for biopsy of Prostate
41802-0 | Fluoroscopy Guidance for biopsy of Prostate
35898-6 | CT Guidance for biopsy of Salivary gland
37920-6 | US Guidance for biopsy of Salivary gland
69075-0 | Fluoroscopy Guidance for biopsy of Salivary gland
38132-7 | US Guidance for biopsy of Scrotum and Testicle
69396-0 | US Guidance for biopsy of Spinal cord
24986-2 | CT Guidance for biopsy of Spine
35904-2 | CT Guidance for biopsy of Spine Cervical
35905-9 | CT Guidance for biopsy of Spine Lumbar
35906-7 | CT Guidance for biopsy of Spine Thoracic
30609-2 | CT Guidance for biopsy of Spleen
35907-5 | Fluoroscopy Guidance for biopsy of Spleen
42265-9 | CT Guidance for biopsy of Superficial bone
42135-4 | US Guidance for biopsy of Superficial bone

38154-1 | Fluoroscopy Guidance for biopsy of Superficial bone
43797-0 | US Guidance for biopsy of Superficial lymph node
43564-4 | US Guidance for biopsy of Superficial muscle
37214-4 | CT Guidance for biopsy of Superficial tissue
35908-3 | CT Guidance for biopsy of Thyroid
25009-2 | US Guidance for biopsy of Thyroid
35897-8 | CT Guidance for biopsy of Upper extremity
25044-9 | CT Guidance for biopsy of Unspecified body region
25059-7 | US Guidance for biopsy of Unspecified body region
25069-6 | Fluoroscopy Guidance for biopsy of Unspecified body region
24670-2 | US Guidance for biopsy of cyst of Unspecified body region
30651-4 | US Guidance for core needle biopsy of Breast
24813-8 | CT Guidance for core needle biopsy of Liver
69279-8 | US Guidance for core needle biopsy of Lymph node
46285-3 | US Guidance for core needle biopsy of Thyroid
38024-6 | US Guidance for core needle biopsy of Unspecified body region
69073-5 | Fluoroscopy Guidance for core needle biopsy of Unspecified body region
42448-1 | US Guidance for excisional biopsy of Breast
30652-2 | US Guidance for fine needle biopsy of Breast
42288-1 | CT Guidance for needle biopsy of Abdomen
69224-4 | Fluoroscopy Guidance for needle biopsy of Abdomen
46367-9 | CT Guidance for needle biopsy of Adrenal gland
46368-7 | CT Guidance for needle biopsy of Breast
46286-1 | Mammogram Guidance for needle biopsy of Breast
38028-7 | US Guidance for needle biopsy of Breast
41803-8 | Fluoroscopy Guidance for needle biopsy of Breast
43462-1 | US Guidance for needle biopsy of Breast - left
43447-2 | Mammogram Guidance for needle biopsy of Breast - right
69290-5 | US Guidance for needle biopsy of Breast - right
38029-5 | US Guidance for needle biopsy of Chest
69225-1 | Fluoroscopy Guidance for needle biopsy of Chest
69099-0 | CT Guidance for needle biopsy of Chest.pleura
44171-7 | US Guidance for needle biopsy of Chest.pleura
69127-9 | Fluoroscopy Guidance for needle biopsy of Chest.pleura
43568-5 | CT Guidance for needle biopsy of Deep bone
42289-9 | CT Guidance for needle biopsy of Kidney
38027-9 | US Guidance for needle biopsy of Kidney - bilateral
69097-4 | CT Guidance for needle biopsy of Liver
69197-2 | MRI Guidance for needle biopsy of Liver
44170-9 | US Guidance for needle biopsy of Liver
69125-3 | Fluoroscopy Guidance for needle biopsy of Liver
42267-5 | CT Guidance for needle biopsy of Lymph node
37916-4 | US Guidance for needle biopsy of Lymph node
69098-2 | CT Guidance for needle biopsy of Muscle
69198-0 | MRI Guidance for needle biopsy of Muscle
69288-9 | US Guidance for needle biopsy of Muscle
69226-9 | Fluoroscopy Guidance for needle biopsy of Muscle
46369-5 | US Guidance for needle biopsy of Ovary
42290-7 | CT Guidance for needle biopsy of Pancreas
69199-8 | MRI Guidance for needle biopsy of Pancreas
69289-7 | US Guidance for needle biopsy of Pancreas
69126-1 | Fluoroscopy Guidance for needle biopsy of Pancreas
46370-3 | US Guidance for needle biopsy of Pelvis
69200-4 | MRI Guidance for needle biopsy of Pleura
69227-7 | Fluoroscopy Guidance for needle biopsy of Pleura
46288-7 | US Guidance for needle biopsy of Prostate
69228-5 | Fluoroscopy Guidance for needle biopsy of Prostate
69100-6 | CT Guidance for needle biopsy of Salivary gland
69201-2 | MRI Guidance for needle biopsy of Salivary gland
69291-3 | US Guidance for needle biopsy of Salivary gland
69128-7 | Fluoroscopy Guidance for needle biopsy of Salivary gland
43571-9 | CT Guidance for needle biopsy of Soft bone
69401-8 | US Guidance for needle biopsy of Spinal cord
38030-3 | US Guidance for needle biopsy of Spleen
42266-7 | CT Guidance for needle biopsy of Superficial bone
69101-4 | CT Guidance for needle biopsy of Thyroid
69202-0 | MRI Guidance for needle biopsy of Thyroid
38031-1 | US Guidance for needle biopsy of Thyroid
69129-5 | Fluoroscopy Guidance for needle biopsy of Thyroid
46287-9 | CT Guidance for needle biopsy of Unspecified body region
30700-9 | US Guidance for needle biopsy of Unspecified body region
44225-1 | Fluoroscopy Guidance for needle biopsy of Liver-- W contrast IV

24718-9 | Fluoroscopy Guidance for transjugular biopsy of Liver-- W contrast IV
35910-9 | CT Guidance for biopsy of Chest-- W and WO contrast IV
46289-5 | CT Guidance for biopsy of Unspecified body region-- W and WO contrast IV
35909-1 | CT Guidance for biopsy of Chest-- W contrast IV
69093-3 | CT Guidance for biopsy of Pelvis-- W contrast IV
42260-0 | CT Guidance for biopsy of Unspecified body region-- W contrast IV
46366-1 | SPECT Guidance for biopsy of Bone
46384-4 | SPECT Guidance for biopsy of Superficial bone
69083-4 | CT Guidance for biopsy of Abdomen-- WO contrast
35911-7 | CT Guidance for biopsy of Chest-- WO contrast
69092-5 | CT Guidance for biopsy of Liver-- WO contrast
69094-1 | CT Guidance for biopsy of Pelvis-- WO contrast
46290-3 | CT Guidance for biopsy of Unspecified body region-- WO contrast
35889-5 | Fluoroscopy Guidance for bronchoscopy of Chest
64998-8 | Fluoroscopy Guidance for catheterization of Fallopian tube - left-- transcervical
64999-6 | Fluoroscopy Guidance for catheterization of Fallopian tube -right-- transcervical
30818-9 | Fluoroscopy Guidance for catheterization of Fallopian tubes-- transcervical
30892-4 | Fluoroscopy Guidance for catheterization of Biliary ducts and Pancreatic duct-- W contrast retrograde
24624-9 | Fluoroscopic angiogram Guidance for change of central catheter in Central vein-- W contrast IV
26331-9 | Fluoroscopic angiogram Guidance for change of central catheter in Central vein - bilateral-- W contrast IV
26332-7 | Fluoroscopic angiogram Guidance for change of central catheter in Central vein - left-- W contrast IV
26333-5 | Fluoroscopic angiogram Guidance for change of central catheter in Central vein - right-- W contrast IV
43558-6 | Fluoroscopy Guidance for change of dialysis catheter in Unspecified body region-- W contrast IV
36769-8 | CT Guidance for change of nephrostomy tube in Kidney
24781-7 | Fluoroscopy Guidance for change of percutaneous nephrostomy tube in Kidney - bilateral-- W contrast
46371-1 | X-ray Guidance for change of percutaneous tube in Unspecified body region-- W contrast
30646-4 | Fluoroscopy Guidance for change of tube in Sinus tract-- W contrast
69400-0 | US Guidance for chorionic villus sampling
69391-1 | US Guidance for cordocentesis
38127-7 | US Guidance for CSF aspiration of Spine
70915-4 | US Guidance for CSF aspiration of Spine Cervical
70916-2 | US Guidance for CSF aspiration of Spine Lumbar
70917-0 | US Guidance for CSF aspiration of Spine Thoracic
24680-1 | Fluoroscopy Guidance for dilation of Esophagus
35913-3 | CT Guidance for drainage of Abdomen
42287-3 | CT Guidance for drainage of Abdomen retroperitoneum
41809-5 | US Guidance for drainage of Abdomen retroperitoneum
35914-1 | CT Guidance for drainage of Anus
35915-8 | CT Guidance for drainage of Appendix
36770-6 | CT Guidance for drainage of Biliary ducts and Gallbladder
35916-6 | CT Guidance for drainage of Chest
69078-4 | Fluoroscopy Guidance for drainage of Chest
24692-6 | US Guidance for drainage of Extremity
26325-1 | US Guidance for drainage of Extremity - bilateral
26326-9 | US Guidance for drainage of Extremity - left
26327-7 | US Guidance for drainage of Extremity - right
35917-4 | CT Guidance for drainage of Gallbladder
69133-7 | Fluoroscopy Guidance for drainage of Hip
35918-2 | CT Guidance for drainage of Kidney
24896-3 | US Guidance for drainage of Kidney
26328-5 | US Guidance for drainage of Kidney - bilateral
26329-3 | US Guidance for drainage of Kidney - left
26330-1 | US Guidance for drainage of Kidney - right
35919-0 | CT Guidance for drainage of Liver
35920-8 | CT Guidance for drainage of Lymph node
42283-2 | CT Guidance for drainage of Pancreas
44172-5 | US Guidance for drainage of Pancreas
35921-6 | CT Guidance for drainage of Pelvis
24868-2 | US Guidance for drainage of Pelvis
41800-4 | Fluoroscopy Guidance for drainage of Pharynx
41798-0 | US Guidance for drainage of Prostate
35922-4 | CT Guidance for drainage of Unspecified body region
30699-3 | US Guidance for drainage of Unspecified body region
43537-0 | Fluoroscopy Guidance for drainage of Unspecified body region
42478-8 | US Guidance for drainage of cyst of Kidney
46291-1 | CT Guidance for drainage of Unspecified body region-- W and WO contrast IV
35923-2 | CT Guidance for drainage of Chest-- W contrast IV
46292-9 | CT Guidance for drainage of Unspecified body region-- W contrast IV
35924-0 | CT Guidance for drainage of Chest-- WO contrast
46293-7 | CT Guidance for drainage of Unspecified body region-- WO contrast
35925-7 | Fluoroscopy Guidance for endoscopy of Stomach
43478-7 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 1.5 hours post contrast retrograde

43474-6 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 15 minutes post contrast retrograde
43477-9 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 1 hour post contrast retrograde
43473-8 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 2 hours post contrast retrograde
43475-3 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 30 minutes post contrast retrograde
43476-1 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- 45 minutes post contrast retrograde
72248-8 | Abdomen MRCP with and without contrast IV
44214-5 | Fluoroscopy Guidance for endoscopy of Biliary ducts-- W contrast retrograde
30815-5 | Fluoroscopy Guidance for endoscopy of Biliary ducts and Pancreatic duct-- W contrast retrograde
44213-7 | Fluoroscopy Guidance for endoscopy of Pancreatic duct-- W contrast retrograde
58740-2 | Abdomen MRCP WO contrast
72541-6 | Fluoroscopy Guidance for facet joint denervation of Spine Cervical
72542-4 | Fluoroscopy Guidance for facet joint denervation of Spine Lumbar
72540-8 | Fluoroscopy Guidance for facet joint denervation of Spine
35926-5 | Fluoroscopy Guidance for gastrostomy of Stomach
30638-1 | Fluoroscopy Guidance for injection of Hip
24769-2 | CT Guidance for injection of Joint space
42334-3 | Fluoroscopy Guidance for injection of Mammary artery.internal - left
42706-2 | US Guidance for injection of Pleural space
24901-1 | CT Guidance for injection of Sacroiliac Joint
35927-3 | Fluoroscopy Guidance for injection of Sacroiliac Joint
26319-4 | CT Guidance for injection of Sacroiliac joint - bilateral
26320-2 | CT Guidance for injection of Sacroiliac joint - left
26321-0 | CT Guidance for injection of Sacroiliac joint - right
48435-2 | Fluoroscopy Guidance for injection of Salivary gland - bilateral
46392-7 | Fluoroscopy Guidance for injection of Sinuses
37427-2 | Fluoroscopy Guidance for injection of Spine
30579-7 | CT Guidance for injection of Spine facet joint
24931-8 | Fluoroscopy Guidance for injection of Spine facet joint
26322-8 | Fluoroscopy Guidance for injection of Spine facet joint - bilateral
26323-6 | Fluoroscopy Guidance for injection of Spine facet joint - left
26324-4 | Fluoroscopy Guidance for injection of Spine facet joint - right
70918-8 | Fluoroscopy Guidance for injection of Spine Cervical
30812-2 | Fluoroscopy Guidance for injection of Spine Cervical Facet Joint
37493-4 | CT Guidance for injection of Spine.disc.cervical
70919-6 | Fluoroscopy Guidance for injection of Spine Lumbar
30817-1 | Fluoroscopy Guidance for injection of Spine Lumbar Facet Joint
70920-4 | Fluoroscopy Guidance for injection of Spine Thoracic
30814-8 | Fluoroscopy Guidance for injection of Spine Thoracic Facet Joint
30702-5 | US Guidance for injection of Thyroid
72530-9 | US Guidance for injection of Joint
36771-4 | Fluoroscopy Guidance for injection of Joint
37494-2 | Fluoroscopy Guidance for injection of Tendon
72537-4 | US Guidance for injection of sclerosing agent of Extremity vein - bilateral
72645-5 | US Guidance for injection of sclerosing agent of Extremity vein - left
72644-8 | US Guidance for injection of sclerosing agent of Extremity vein - right
72536-6 | US Guidance for injection of sclerosing agent of Extremity veins - bilateral
72643-0 | US Guidance for injection of sclerosing agent of Extremity veins - left
72642-2 | US Guidance for injection of sclerosing agent of Extremity veins - right
72543-2 | Fluoroscopy Guidance for intercostal nerve devervation of Spine Thoracic
72552-3 | Fluoroscopy Guidance for kyphoplasty of Spine Lumbar
72553-1 | Fluoroscopy Guidance for kyphoplasty of Spine Thoracic
72535-8 | US Guidance for laser ablation of vein(s) of Extremity vein - left
72534-1 | US Guidance for laser ablation of vein(s) of Extremity vein - right
48735-5 | Mammogram Guidance for localization of Breast
43759-0 | US Guidance for localization of Breast - bilateral
35928-1 | CT Guidance for localization of Breast - left
42296-4 | Mammogram Guidance for localization of Breast - left
43758-2 | US Guidance for localization of Breast - left
35929-9 | CT Guidance for localization of Breast - right
42297-2 | Mammogram Guidance for localization of Breast - right
43760-8 | US Guidance for localization of Breast - right
37608-7 | US Guidance for localization of foreign body of Eye
42701-3 | CT Guidance for localization of placenta of Uterus
39760-4 | Scan Guidance for localization of tumor limited
39759-6 | SPECT Guidance for localization of tumor limited
39761-2 | Scan Guidance for localization of tumor limited-- W Tc-99m Sestamibi IV
39953-5 | Scan Guidance for localization of tumor multiple areas
39763-8 | Scan Guidance for localization of tumor
39762-0 | SPECT Guidance for localization of tumor
39758-8 | Scan Guidance for localization of tumor of Breast
44110-5 | CT Guidance for needle localization of Breast
24600-9 | US Guidance for needle localization of Breast

69068-5 | Mammogram Guidance for needle localization of Breast - bilateral
26313-7 | US Guidance for needle localization of Breast - bilateral
26314-5 | US Guidance for needle localization of Breast - left
26318-6 | US Guidance for needle localization of Breast - right
37921-4 | US Guidance for needle localization of Chest
42021-6 | CT Guidance for needle localization of Spine Cervical
42020-8 | CT Guidance for needle localization of Spine Lumbar
39026-0 | CT Guidance for needle localization of Unspecified body region
39028-6 | MRI Guidance for needle localization of Unspecified body region
38032-9 | US Guidance for needle localization of Unspecified body region
39027-8 | Fluoroscopy Guidance for needle localization of Unspecified body region
24595-1 | Mammogram Guidance for needle localization of mass of Breast
26315-2 | Mammogram Guidance for needle localization of mass of Breast - bilateral
26316-0 | Mammogram Guidance for needle localization of mass of Breast - left
26317-8 | Mammogram Guidance for needle localization of mass of Breast - right
44118-8 | CT Guidance for needle localization of Breast-- W and WO contrast IV
35930-7 | CT Guidance for nerve block of Abdomen
35931-5 | CT Guidance for nerve block of Pelvis
70921-2 | CT Guidance for nerve block of Spine Cervical
35932-3 | CT Guidance for nerve block of Spine Lumbar
70922-0 | CT Guidance for nerve block of Spine Thoracic
69240-0 | Fluoroscopy Guidance for percutaneous biopsy of Abdomen
42139-6 | US Guidance for percutaneous biopsy of Muscle
24609-0 | Mammogram Guidance for core needle percutaneous biopsy of Breast
26334-3 | Mammogram Guidance for core needle percutaneous biopsy of Breast - bilateral
26335-0 | Mammogram Guidance for core needle percutaneous biopsy of Breast - left
38023-8 | US Guidance for core needle percutaneous biopsy of Breast - left
26336-8 | Mammogram Guidance for core needle percutaneous biopsy of Breast - right
38025-3 | US Guidance for core needle percutaneous biopsy of Breast - right
44121-2 | Mammogram Guidance for percutaneous needle biopsy of Breast
69245-9 | Fluoroscopy Guidance for percutaneous needle biopsy of Kidney
69246-7 | Fluoroscopy Guidance for percutaneous needle biopsy of Liver
44204-6 | Fluoroscopy Guidance for percutaneous needle biopsy of Lung
69247-5 | Fluoroscopy Guidance for percutaneous needle biopsy of Salivary gland
46372-9 | Fluoroscopy Guidance for percutaneous drainage of Biliary ducts
62494-0 | US Guidance for percutaneous drainage of Cavity
24621-5 | Fluoroscopy Guidance for percutaneous drainage of Cavity
69241-8 | Fluoroscopy Guidance for percutaneous drainage of abscess of Abdomen
69242-6 | Fluoroscopy Guidance for percutaneous drainage of abscess of Appendix
42422-6 | Fluoroscopy Guidance for percutaneous drainage of abscess of Breast
43444-9 | CT Guidance for percutaneous drainage of abscess of Cavity
42423-4 | Fluoroscopy Guidance for percutaneous drainage of abscess of Chest
69243-4 | Fluoroscopy Guidance for percutaneous drainage of abscess of Lung
44223-6 | Fluoroscopy Guidance for percutaneous drainage of abscess of Ovary
69244-2 | Fluoroscopy Guidance for percutaneous drainage of abscess of Pelvis
42421-8 | Fluoroscopy Guidance for percutaneous drainage of abscess of Unspecified body region
35933-1 | CT Guidance for percutaneous vertebroplasty of Spine
35936-4 | Fluoroscopy Guidance for percutaneous vertebroplasty of Spine
70923-8 | Fluoroscopy Guidance for percutaneous vertebroplasty of Spine Cervical
35934-9 | CT Guidance for percutaneous vertebroplasty of Spine Lumbar
70924-6 | Fluoroscopy Guidance for percutaneous vertebroplasty of Spine Lumbar
35935-6 | CT Guidance for percutaneous vertebroplasty of Spine Thoracic
70925-3 | Fluoroscopy Guidance for percutaneous vertebroplasty of Spine Thoracic
72539-0 | Fluoroscopy Guidance for peripheral nerve denervation of Unspecified body region
30643-1 | US Guidance for placement of catheter in Central vein
35912-5 | Fluoroscopy Guidance for placement of catheter in Unspecified body region
25028-2 | Fluoroscopic angiogram Guidance for placement of catheter for adminstration of thrombolytic in Vessel
25029-0 | Fluoroscopic angiogram Guidance for placement of catheter for vasoconstrictor infusion in Vessels
24613-2 | Fluoroscopic angiogram Guidance for placement of catheter in artery in Central cardiovascular artery
30644-9 | US Guidance for placement of catheter in Central vein-- Tunneled
25077-9 | Fluoroscopic angiogram Guidance for placement of catheter in Hepatic artery-- W contrast IA
24625-6 | Fluoroscopic angiogram Guidance for placement of catheter in Central vein-- W contrast IV
26310-3 | Fluoroscopic angiogram Guidance for placement of catheter in Central vein - bilateral-- W contrast IV
26311-1 | Fluoroscopic angiogram Guidance for placement of catheter in Central vein - left-- W contrast IV
26312-9 | Fluoroscopic angiogram Guidance for placement of catheter in Central vein - right-- W contrast IV
41801-2 | Fluoroscopic angiogram Guidance for placement of catheter in Portal vein-- W contrast IV
24716-3 | Fluoroscopy Guidance for placement of decompression tube in Gastrointestine
62491-6 | Fluoroscopic angiogram Guidance for placement of ilio-iliac tube endoprosthesis in Iliac artery - left-- W contrast IA
62492-4 | Fluoroscopic angiogram Guidance for placement of ilio-iliac tube endoprosthesis in Iliac artery - right-- W contrast IA
25072-0 | Guidance for placement of infusion port in Unspecified body region
62450-2 | Fluoroscopic angiogram Guidance for placement of intraperitoneal catheter in Abdomen
25026-6 | Fluoroscopic angiogram Guidance for placement of IVC filter in Inferior vena cava-- W contrast IV

25027-4 | Guidance for placement of large bore catheter into vessel in Central vein
26307-9 | Guidance for placement of large bore catheter into vessel in Central vein - bilateral
26308-7 | Guidance for placement of large bore catheter into vessel in Central vein - left
26309-5 | Guidance for placement of large bore catheter into vessel in Central vein - right
25024-1 | Fluoroscopic angiogram Guidance for placement of longterm peripheral catheter in Central vein
26304-6 | Fluoroscopic angiogram Guidance for placement of longterm peripheral catheter in Central vein - bilateral
26305-3 | Fluoroscopic angiogram Guidance for placement of longterm peripheral catheter in Central vein - left
26306-1 | Fluoroscopic angiogram Guidance for placement of longterm peripheral catheter in Central vein - right
64993-9 | US Guidance for placement of needle in Unspecified body region
42456-4 | US Guidance for placement of needle wire in Breast
36772-2 | CT Guidance for placement of nephrostomy tube in Kidney
24779-1 | Fluoroscopy Guidance for placement of percutaneous nephrostomy in Kidney - bilateral-- W contrast via tube
24782-5 | Fluoroscopy Guidance for placement of percutaneous nephroureteral stent in Kidney - bilateral
35937-2 | CT Guidance for placement of radiation therapy fields in Unspecified body region
43487-8 | US Guidance for placement of radiation therapy fields in Unspecified body region
65797-3 | Fluoroscopic angiogram Guidance for placement of stent in Artery - left
65798-1 | Fluoroscopic angiogram Guidance for placement of stent in Artery - right
69134-5 | Fluoroscopic angiogram Guidance for placement of stent in Iliac artery
25078-7 | Fluoroscopy Guidance for placement of stent in Intrahepatic portal system
24756-9 | Fluoroscopic angiogram Guidance for placement of stent in Vein
26301-2 | Fluoroscopic angiogram Guidance for placement of stent in Vein - bilateral
26302-0 | Fluoroscopic angiogram Guidance for placement of stent in Vein - left
26303-8 | Fluoroscopic angiogram Guidance for placement of stent in Vein - right
24555-5 | Fluoroscopic angiogram Guidance for placement of stent in Artery
51391-1 | Fluoroscopic angiogram Guidance for placement of transjugular intrahepatic portosystemic shunt in Portal vein and Hepatic vein
35938-0 | CT Guidance for placement of tube in Chest
42140-4 | US Guidance for placement of tube in Chest
39362-9 | Fluoroscopy Guidance for placement of tube in Chest
30637-3 | Fluoroscopy Guidance for placement of tube in Gastrointestine
41799-8 | Fluoroscopy Guidance for placement of tube in Liver
24995-3 | Fluoroscopy Guidance for placement of tube in Stomach
44224-4 | Fluoroscopy Guidance for placement of tube in Unspecified body region
46373-7 | SPECT Guidance for placement of tube in Chest
44102-2 | CT Guidance for procedure of Joint space
44222-8 | Fluoroscopy Guidance for procedure of Joint space
30629-0 | Fluoroscopy Guidance for procedure of Unspecified body region
30581-3 | CT Guidance for radiation treatment of Unspecified body region-- W contrast IV
30664-7 | MRI Guidance for radiation treatment of Unspecified body region-- W contrast IV
30582-1 | CT Guidance for radiation treatment of Unspecified body region-- WO contrast
30665-4 | MRI Guidance for radiation treatment of Unspecified body region-- WO contrast
25053-0 | CT Guidance for radiosurgery of Unspecified body region
25054-8 | CT Guidance for radiosurgery of Unspecified body region-- W contrast IV
24537-3 | US Guidance for removal of amniotic fluid from Uterus
42141-2 | US Guidance for removal of catheter from Central vein-- Tunneled
72549-9 | Fluoroscopy Guidance for removal of catheter from Central vein-- Tunneled
72548-1 | Fluoroscopic angiogram Guidance for removal of catheter from Central vein-- W contrast IV
72547-3 | Fluoroscopy Guidance for removal of CVA device obstruction from Central vein
72546-5 | Fluoroscopy Guidance for removal of CVA lumen obstruction from Central vein
41810-3 | CT Guidance for removal of fluid from Abdomen
24559-7 | US Guidance for removal of fluid from Abdomen
38142-6 | US Guidance for removal of fluid from Chest
30628-2 | Fluoroscopy Guidance for removal of foreign body from Unspecified body region
72538-2 | Fluoroscopic angiogram Guidance for removal of longterm peripheral catheter from Central vein
72544-0 | Fluoroscopy Guidance for removal of percutaneous nephrostomy tube from Kidney - bilateral-- W contrast
24885-6 | US Guidance for repair of Pseudoaneurysm/AV fistula
72550-7 | Fluoroscopy Guidance for repair of CVA catheter with port or pump of Central vein
72551-5 | Fluoroscopy Guidance for repair of CVA catheter without port or pump of Central vein
42017-4 | Fluoroscopy Guidance for replacement of percutaneous cholecystostomy in Abdomen
52790-3 | CT Guidance for replacement of percutaneous drainage tube in Abdomen
72545-7 | Fluoroscopy Guidance for replacement of percutaneous drainage tube in Biliary ducts and Gallbladder
52791-1 | CT Guidance for replacement of percutaneous drainage tube in Pelvis
46294-5 | Fluoroscopy Guidance for replacement of percutaneous drainage tube in Stomach
24996-1 | Fluoroscopy Guidance for replacement of percutaneous gastrostomy in Stomach
24626-4 | Fluoroscopic angiogram Guidance for reposition of catheter in Central vein-- W contrast IV
26295-6 | Fluoroscopic angiogram Guidance for reposition of catheter in Central vein - bilateral-- W contrast IV
26296-4 | Fluoroscopic angiogram Guidance for reposition of catheter in Central vein - left-- W contrast IV
26297-2 | Fluoroscopic angiogram Guidance for reposition of catheter in Central vein - right-- W contrast IV
48740-5 | Mammogram Guidance for sentinel lymph node injection of Breast
48736-3 | Mammogram Guidance for sentinel lymph node injection of Breast - left
48739-7 | Mammogram Guidance for sentinel lymph node injection of Breast - right
24570-4 | Fluoroscopy Guidance for stone removal of Biliary duct common-- W contrast intra biliary duct
43763-2 | Fluoroscopic angiogram Guidance for thrombectomy of Vein-- W contrast IV

43761-6 | Fluoroscopic angiogram Guidance for thrombectomy of Vein - bilateral-- W contrast IV
43762-4 | Fluoroscopic angiogram Guidance for thrombectomy of Vein - left-- W contrast IV
43764-0 | Fluoroscopic angiogram Guidance for thrombectomy of Vein - right-- W contrast IV
72554-9 | Fluoroscopy Guidance for trigger point injection of Muscle
39138-3 | Fluoroscopic angiogram Guidance for vascular access of Vessel
39139-1 | US Guidance for vascular access of Unspecified body region
36936-3 | MRI Guidance.stereotactic for biopsy of Brain
24603-3 | Mammogram Guidance.stereotactic for biopsy of Breast
26292-3 | Mammogram Guidance.stereotactic for biopsy of Breast - bilateral
26293-1 | Mammogram Guidance.stereotactic for biopsy of Breast - left
26294-9 | Mammogram Guidance.stereotactic for biopsy of Breast - right
36928-0 | CT Guidance.stereotactic for biopsy of Head
46296-0 | Mammogram Guidance.stereotactic for core needle biopsy of Breast
46295-2 | Mammogram Guidance.stereotactic for core needle biopsy of Breast - left
42433-3 | Mammogram Guidance.stereotactic for core needle biopsy of Breast - right
69160-0 | Mammogram Guidance.stereotactic for needle biopsy of Breast
24585-2 | CT Guidance.stereotactic for biopsy of Head-- W contrast IV
36929-8 | CT Guidance.stereotactic for biopsy of Head-- WO contrast
44122-0 | MRI Guidance.stereotactic for localization in Brain-- W and WO contrast IV
30656-3 | MRI Guidance.stereotactic for localization in Brain-- W contrast IV
30800-7 | MRI Guidance.stereotactic for localization in Brain-- WO contrast
28632-8 | Heterophoria study
46264-8 | History of medical device use
47519-4 | History of Procedures Document
47245-6 | HIV treatment form Document
52035-3 | Home health claims
52036-1 | Home health prior authorization
52046-0 | Hospital beds
18841-7 | Hospital consultations Document
52028-8 | Hysterectomy consent
24655-3 | Chest Fluoroscopy Image intensifier during surgery
52047-8 | Immunosuppressive drugs
65806-2 | Inhalation challenge test report Document --W methacholine inhaled
11500-6 | Occupational therapy Initial assessment note at First encounter
11495-9 | Physical therapy Initial assessment note at First encounter
11494-2 | Physician Initial assessment note at First encounter
11496-7 | Podiatry Initial assessment note at First encounter
11497-5 | Psychology Initial assessment note at First encounter
11498-3 | Social work Initial assessment note at First encounter
28572-6 | Dentist Initial assessment note
28621-1 | Nurse practitioner Initial assessment note
29753-1 | Nurse Initial assessment note
18734-4 | Occupational therapy Initial assessment note
18735-1 | Physical therapy Initial assessment note
18736-9 | Physician Initial assessment note
28654-2 | Physician attending Initial assessment note
18763-3 | Physician consulting Initial assessment note
18737-7 | Podiatry Initial assessment note
28635-1 | Psychiatry Initial assessment note
18738-5 | Psychology Initial assessment note
18739-3 | Social work Initial assessment note
46214-3 | Intracardiac ablation study
15508-5 | Labor and delivery records
11502-2 | Laboratory report
24717-1 | Ileal conduit X-ray Loopogram
52048-6 | Lymphedema pumps
52049-4 | Manual wheelchair
55186-1 | Measure Document
55185-3 | Measure set Document
11503-0 | Medical records
52037-9 | Member ID card copy
24672-8 | Diaphragm US Motion
30632-4 | Diaphragm Fluoroscopy Motion
52050-2 | Motorized wheelchair
35990-1 | Fetal MRI
41806-1 | Abdomen CT
24556-3 | Abdomen MRI
24558-9 | Abdomen US
30762-9 | Abdomen X-ray tomograph
24566-2 | Abdomen retroperitoneum CT
24531-6 | Abdomen retroperitoneum US
24532-4 | Abdomen RUQ US

44115-4 | Abdomen and Pelvis CT
36781-3 | Abdominal veins MRI angiogram
30864-3 | Abdominal veins and IVC MRI angiogram
36791-2 | Abdominal vessels MRI angiogram
24534-0 | Abdominal vessels US.doppler
39494-0 | Abdominal wall US
36930-6 | Adrenal gland CT
36931-4 | Adrenal gland MRI
69277-2 | Adrenal gland US
36792-0 | Adrenal vessels MRI angiogram
35940-6 | Ankle CT
24538-1 | Ankle MRI
35939-8 | Ankle X-ray tomograph
35941-4 | Ankle - bilateral CT
26208-9 | Ankle - bilateral MRI
35942-2 | Ankle - left CT
26209-7 | Ankle - left MRI
35943-0 | Ankle - left X-ray tomograph
35944-8 | Ankle - right CT
26210-5 | Ankle - right MRI
37674-9 | Ankle - right X-ray tomograph
37222-7 | Ankle and Foot MRI
24542-3 | Anus US
35945-5 | Aorta CT
35947-1 | Aorta MRI
35946-3 | Aorta MRI angiogram
24547-2 | Aorta US
46388-5 | Aorta US.doppler
35948-9 | Aorta abdominal CT
35949-7 | Aorta abdominal MRI
69276-4 | Aorta abdominal US
37216-9 | Aorta.endograft CT
24544-9 | Aorta thoracic CT
35950-5 | Aorta thoracic MRI
24660-3 | Aorta thoracic MRI angiogram
30863-5 | Abdominal Aorta and Arteries MRI angiogram
35951-3 | Aortic arch MRI angiogram
30861-9 | Aortic arch and Neck vessels MRI angiogram
35952-1 | Appendix CT
24548-0 | Appendix US
39040-1 | AV fistula US
43508-1 | Axilla - left MRI
72529-1 | Axilla - left US
43510-7 | Axilla - right MRI
72528-3 | Axilla - right US
37219-3 | Biliary ducts MRI
38021-2 | Biliary ducts and Gallbladder US
37220-1 | Biliary ducts and Pancreatic duct MRI
39039-3 | Brachiocephalic artery US.doppler
24590-2 | Brain MRI
58748-5 | Brain Functional MRI
44138-6 | Brain PET
37217-7 | Brain Stem and Nerves.cranial MRI
37218-5 | Brain.temporal MRI
43772-3 | Brain and Internal auditory canal MRI
42385-5 | Brain and Pituitary and Sella turcica MRI
30794-2 | Breast MRI
24601-7 | Breast US
69165-9 | Breast implant - bilateral MRI
38057-6 | Breast implant - left MRI
38058-4 | Breast implant - right MRI
24596-9 | Breast specimen US
69397-8 | Breast vessels US.doppler
30795-9 | Breast - bilateral MRI
26214-7 | Breast - bilateral US
35954-7 | Breast - left MRI
26215-4 | Breast - left US
35955-4 | Breast - right MRI
26216-2 | Breast - right US
46299-4 | Breast - unilateral MRI
36010-7 | Calcaneus CT
36011-5 | Calcaneus X-ray tomograph

24616-5 | Carotid artery US
42146-1 | Carotid artery US.doppler
26217-0 | Carotid artery - bilateral US
43765-7 | Carotid artery - bilateral US.doppler
26218-8 | Carotid artery - left US
39427-0 | Carotid artery - left US.doppler
26219-6 | Carotid artery - right US
39437-9 | Carotid artery - right US.doppler
43552-9 | Carotid artery - unilateral US
36793-8 | Carotid vessel MRI angiogram
30859-3 | Carotid vessels and Neck Vessels MRI angiogram
30865-0 | Celiac vessels and Superior mesenteric Vessels MRI angiogram
46374-5 | Cerebral artery US
24627-2 | Chest CT
24629-8 | Chest MRI
24630-6 | Chest US
24657-9 | Chest X-ray tomograph
30862-7 | Chest vessels MRI angiogram
38016-2 | Chest wall US
37235-9 | Circle of Willis MRI angiogram
35960-4 | Clavicle CT
35961-2 | Clavicle MRI
35959-6 | Clavicle X-ray tomograph
44120-4 | Colon CT
24757-7 | Coronary arteries CT fast
35962-0 | Elbow CT
24674-4 | Elbow MRI
35963-8 | Elbow X-ray tomograph
35965-3 | Elbow - bilateral CT
26220-4 | Elbow - bilateral MRI
35964-6 | Elbow - bilateral X-ray tomograph
35966-1 | Elbow - left CT
26221-2 | Elbow - left MRI
35967-9 | Elbow - left X-ray tomograph
35968-7 | Elbow - right CT
26222-0 | Elbow - right MRI
37688-9 | Elbow - right X-ray tomograph
35969-5 | Esophagus CT
57823-7 | Esophagus PET
24690-0 | Extremity CT
69193-1 | Extremity MRI
24693-4 | Extremity US
35970-3 | Extremity X-ray tomograph
39042-7 | Extremity artery US.doppler
39031-0 | Extremity artery - bilateral US.doppler
69293-9 | Extremity artery - left US
39428-8 | Extremity artery - left US.doppler
69297-0 | Extremity artery - right US
39439-5 | Extremity artery - right US.doppler
39449-4 | Extremity vein US.doppler
39418-9 | Extremity vein - bilateral US.doppler
42145-3 | Extremity vein - left US
39429-6 | Extremity vein - left US.doppler
42144-6 | Extremity vein - right US
39440-3 | Extremity vein - right US.doppler
30876-7 | Extremity veins MRI angiogram
69283-0 | Extremity veins - bilateral US.doppler
41835-0 | Extremity veins - left US
41816-0 | Extremity veins - right US
36794-6 | Extremity vessels MRI angiogram
43771-5 | Extremity vessels US.doppler
39495-7 | Extremity vessels - bilateral US.doppler
69398-6 | Extremity vessels Left US.doppler
39503-8 | Extremity vessels - right US.doppler
26224-6 | Extremity - bilateral CT
26223-8 | Extremity - bilateral US
26226-1 | Extremity - left CT
26225-3 | Extremity - left US
26231-1 | Extremity - right CT
26230-3 | Extremity - right US
24853-4 | Eye+Orbit - bilateral US
35953-9 | Face MRI

41808-7 | Facial bones and Maxilla CT
24696-7 | Facial bones and Sinuses CT
69389-5 | Femoral artery and Popliteal artery US
69399-4 | Femoral vein and Popliteal vein US
30871-8 | Femoral vessels MRI angiogram
38134-3 | Femoral vessels US
38128-5 | Femoral vessels - bilateral US
39498-1 | Femoral vessels - left US.doppler
39504-6 | Femoral vessels - right US.doppler
35984-4 | Femur CT
35985-1 | Femur X-ray tomograph
35986-9 | Femur - bilateral X-ray tomograph
35987-7 | Femur - left CT
38037-8 | Femur - left US
35988-5 | Femur - left X-ray tomograph
35989-3 | Femur - right CT
38048-5 | Femur - right US
38768-8 | Femur - right X-ray tomograph
24705-6 | Finger MRI
26238-6 | Finger - bilateral MRI
26239-4 | Finger - left MRI
26240-2 | Finger - right MRI
37221-9 | Fistula CT
35991-9 | Foot CT
24707-2 | Foot MRI
35992-7 | Foot X-ray tomograph
30872-6 | Foot vessels MRI angiogram
46362-0 | Foot vessels US.doppler
35993-5 | Foot - bilateral CT
26241-0 | Foot - bilateral MRI
35994-3 | Foot - left CT
26242-8 | Foot - left MRI
35995-0 | Foot - left X-ray tomograph
35996-8 | Foot - right CT
26243-6 | Foot - right MRI
37706-9 | Foot - right X-ray tomograph
35997-6 | Forearm CT
24710-6 | Forearm MRI
30873-4 | Forearm vessels MRI angiogram
35998-4 | Forearm - bilateral CT
26244-4 | Forearm - bilateral MRI
35999-2 | Forearm - left CT
26245-1 | Forearm - left MRI
36000-8 | Forearm - right CT
26246-9 | Forearm - right MRI
24711-4 | Gallbladder US
36001-6 | Gallbladder X-ray tomograph
39415-5 | Gastrointestine US
39416-3 | Genitourinary system US
37236-7 | Great vessel MRI
24719-7 | Groin US
36002-4 | Hand CT
24720-5 | Hand MRI
36003-2 | Hand X-ray tomograph
46382-8 | Hand vessels US.doppler
36004-0 | Hand - bilateral CT
26247-7 | Hand - bilateral MRI
36005-7 | Hand - left CT
26248-5 | Hand - left MRI
36006-5 | Hand - left X-ray tomograph
36007-3 | Hand - right CT
26249-3 | Hand - right MRI
37717-6 | Hand - right X-ray tomograph
24725-4 | Head CT
24728-8 | Head CT cine
24731-2 | Head US
58741-0 | Head to thigh PET
30858-5 | Head veins MRI angiogram
30856-9 | Head vessels MRI angiogram
24733-8 | Head vessels US.doppler
42304-6 | Head vessels and Neck vessels MRI angiogram
30880-9 | Head vessels and Neck vessels US.doppler

30655-5 | Head Cistern MRI
24746-0 | Head Sagittal Sinus MRI
58742-8 | Head and Neck PET
44164-2 | Head and Neck US
58744-4 | Heart CT
24748-6 | Heart MRI
36009-9 | Heart MRI angiogram
44137-8 | Heart PET
42148-7 | Heart US
36014-9 | Hip CT
36013-1 | Hip MRI
24760-1 | Hip US
36012-3 | Hip X-ray tomograph
36016-4 | Hip - bilateral CT
36017-2 | Hip - bilateral MRI
26250-1 | Hip - bilateral US
36015-6 | Hip - bilateral X-ray tomograph
36018-0 | Hip - left CT
36020-6 | Hip - left MRI
26251-9 | Hip - left US
36019-8 | Hip - left X-ray tomograph
36021-4 | Hip - right CT
36022-2 | Hip - right MRI
26252-7 | Hip - right US
37735-8 | Hip - right X-ray tomograph
43566-9 | Hip and Thigh US
36024-8 | Humerus X-ray tomograph
39425-4 | Iliac artery US.doppler
42147-9 | Iliac graft US.doppler
39497-3 | Iliac vessels US.doppler
38129-3 | Iliac vessels - bilateral US
38137-6 | Iliac vessels - left US
38141-8 | Iliac vessels - right US
35958-8 | Internal auditory canal CT
35956-2 | Internal auditory canal MRI
24767-6 | Internal auditory canal X-ray tomograph
26253-5 | Internal auditory canal - bilateral X-ray tomograph
35957-0 | Internal auditory canal - left CT
26254-3 | Internal auditory canal - left X-ray tomograph
38767-0 | Internal auditory canal - right CT
26255-0 | Internal auditory canal - right X-ray tomograph
24735-3 | Internal auditory canal and Posterior fossa MRI
36033-9 | Kidney MRI
38036-0 | Kidney US
36032-1 | Kidney X-ray tomograph
39032-8 | Kidney transplant US
42477-0 | Kidney vessels transplant US.doppler
43767-3 | Kidney - bilateral CT
36034-7 | Kidney - bilateral MRI
43774-9 | Kidney - bilateral US
24789-0 | Kidney - bilateral X-ray tomograph
69402-6 | Kidney Bilateral and Bladder US
36035-4 | Kidney - left MRI
38038-6 | Kidney - left US
69113-9 | Kidney - right CT
36036-2 | Kidney - right MRI
38049-3 | Kidney - right US
36037-0 | Knee CT
24802-1 | Knee MRI
36038-8 | Knee X-ray tomograph
36799-5 | Knee vessels MRI angiogram
36800-1 | Knee vessels - left MRI angiogram
36801-9 | Knee vessels - right MRI angiogram
36040-4 | Knee - bilateral CT
26256-8 | Knee - bilateral MRI
36039-6 | Knee - bilateral X-ray tomograph
36041-2 | Knee - left CT
26257-6 | Knee - left MRI
36042-0 | Knee - left X-ray tomograph
36043-8 | Knee - right CT
26258-4 | Knee - right MRI
37760-6 | Knee - right X-ray tomograph

36045-3 | Larynx MRI
36044-6 | Larynx X-ray tomograph
24814-6 | Liver CT
36046-1 | Liver MRI
28614-6 | Liver US
39454-4 | Liver transplant US
24818-7 | Liver and Diaphragm US
35971-1 | Lower extremity CT
30692-8 | Lower extremity MRI
30709-0 | Lower extremity US
35972-9 | Lower extremity X-ray tomograph
48693-6 | Lower extremity artery US
39434-6 | Lower extremity artery US.doppler
38130-1 | Lower extremity artery - bilateral US
39421-3 | Lower extremity artery - bilateral US.doppler
41834-3 | Lower extremity artery - left US
39499-9 | Lower extremity artery - left US.doppler
41815-2 | Lower extremity artery - right US
39505-3 | Lower extremity artery - right US.doppler
46363-8 | Lower extremity vein US
30881-7 | Lower extremity vein US.doppler
46364-6 | Lower extremity vein - bilateral US
39420-5 | Lower extremity vein - bilateral US.doppler
48692-8 | Lower extremity vein - left US
39432-0 | Lower extremity vein - left US.doppler
48691-0 | Lower extremity vein - right US
39443-7 | Lower extremity vein - right US.doppler
36079-2 | Lower extremity veins MRI angiogram
69385-3 | Lower extremity veins - bilateral US
36784-7 | Lower extremity veins - left MRI angiogram
69392-9 | Lower extremity veins - left US
36785-4 | Lower extremity veins - right MRI angiogram
42461-4 | Lower extremity vessel graft - left US.doppler
42462-2 | Lower extremity vessel graft - right US.doppler
30874-2 | Lower extremity vessels MRI angiogram
44174-1 | Lower extremity vessels US.doppler
35974-5 | Lower extremity vessels - bilateral MRI angiogram
39422-1 | Lower extremity vessels - bilateral US.doppler
36795-3 | Lower extremity vessels - left MRI angiogram
39431-2 | Lower extremity vessels - left US.doppler
36796-1 | Lower extremity vessels - right MRI angiogram
39442-9 | Lower extremity vessels - right US.doppler
35973-7 | Lower extremity - bilateral CT
35975-2 | Lower extremity - bilateral MRI
38013-9 | Lower extremity - bilateral US
24687-6 | Lower Extremity Joint MRI
26227-9 | Lower extremity joint - bilateral MRI
26228-7 | Lower extremity joint - left MRI
26229-5 | Lower extremity joint - right MRI
35976-0 | Lower extremity - left CT
35978-6 | Lower extremity - left MRI
38040-2 | Lower extremity - left US
35977-8 | Lower extremity - left X-ray tomograph
35979-4 | Lower extremity - right CT
35980-2 | Lower extremity - right MRI
38051-9 | Lower extremity - right US
37766-3 | Lower extremity - right X-ray tomograph
36074-3 | Lower leg CT
24821-1 | Lower leg MRI
43513-1 | Lower leg vessels - left MRI angiogram
43556-0 | Lower leg vessels - right MRI angiogram
42696-5 | Lower leg - bilateral MRI
36075-0 | Lower leg - left MRI
36076-8 | Lower leg - right MRI
30866-8 | Lumbar plexus MRI
57822-9 | Lung PET
36047-9 | Mandible CT
36048-7 | Mandible X-ray tomograph
38043-6 | Mastoid US
36776-3 | Mastoid X-ray tomograph
46298-6 | Mastoid - bilateral CT
36050-3 | Maxilla CT

36049-5 | Maxilla and Mandible CT
37234-2 | Mediastinum MRI
38044-4 | Mediastinum US
37233-4 | Mediastinum X-ray tomograph
69394-5 | Mesenteric artery US
69211-1 | Nasal bones MRI
37606-1 | Nasal bones X-ray tomograph
30860-1 | Nasopharynx MRI
24835-1 | Nasopharynx and Neck CT
36051-1 | Neck CT
24839-3 | Neck MRI
24842-7 | Neck US
36788-8 | Neck veins MRI angiogram
36085-9 | Neck vessels MRI angiogram
44175-8 | Neck vessels US.doppler
30857-7 | Nerves cranial MRI
41807-9 | Orbit CT
36777-1 | Orbit MRI
36802-7 | Orbit vessels MRI angiogram
24848-4 | Orbit - bilateral CT
37611-1 | Orbit - bilateral X-ray tomograph
38836-3 | Orbit - left MRI
36778-9 | Orbit - right MRI
42303-8 | Orbit and Face MRI
43530-5 | Orbit and Face and Neck MRI
43455-5 | Oropharynx MRI
39502-0 | Ovarian vessels US.doppler
36779-7 | Ovary MRI
69390-3 | Ovary US
43506-5 | Ovary - bilateral MRI
24857-5 | Pancreas CT
36052-9 | Pancreas MRI
24859-1 | Pancreas US
39509-5 | Pancreas transplant US
36053-7 | Parathyroid MRI
38045-1 | Parathyroid US
37223-5 | Parotid gland CT
37224-3 | Parotid gland MRI
38138-4 | Parotid gland US
24865-8 | Pelvis CT
24867-4 | Pelvis MRI
24869-0 | Pelvis US
37632-7 | Pelvis X-ray tomograph
36789-6 | Pelvis veins MRI angiogram
30867-6 | Pelvis vessels MRI angiogram
24870-8 | Pelvis vessels US.doppler
24872-4 | Pelvis and Hip MRI
26259-2 | Pelvis and Hip - bilateral MRI
26260-0 | Pelvis and Hip - left MRI
26261-8 | Pelvis and Hip - right MRI
38140-0 | Penis US
38139-2 | Penis vessels US
24877-3 | Petrous bone CT
36932-2 | Pituitary and Sella turcica CT
24880-7 | Pituitary and Sella turcica MRI
24881-5 | Popliteal space US
26262-6 | Popliteal space - bilateral US
26263-4 | Popliteal space - left US
26264-2 | Popliteal space - right US
36077-6 | Portal vein MRI angiogram
69284-8 | Portal vein and Hepatic vein US.doppler
36055-2 | Posterior fossa CT
36056-0 | Posterior fossa MRI
36057-8 | Prostate CT
30675-3 | Prostate MRI
24884-9 | Prostate US
43445-6 | Pulmonary system CT
43454-8 | Pulmonary system MRI
36803-5 | Pulmonary vessels MRI angiogram
24892-2 | Rectum US
69294-7 | Renal artery US
39435-3 | Renal artery US.doppler

36078-4 | Renal vein MRI angiogram
30868-4 | Renal vessels MRI angiogram
69295-4 | Renal vessels US
39426-2 | Renal vessels US.doppler
36804-3 | Renal vessels - bilateral MRI angiogram
39419-7 | Renal vessels - bilateral US.doppler
30619-1 | Sacroiliac Joint CT
36031-3 | Sacroiliac Joint MRI
36058-6 | Sacrum CT
36059-4 | Sacrum MRI
38053-5 | Sacrum US
37653-3 | Sacrum X-ray tomograph
69116-2 | Sacrum and Coccyx CT
36060-2 | Sacrum and Coccyx MRI
36933-0 | Salivary gland MRI
69298-8 | Salivary gland US
69117-0 | Scapula CT
36061-0 | Scapula MRI
36073-5 | Scrotum and Testicle MRI
25002-7 | Scrotum and Testicle US
48742-1 | Scrotum and Testicle US.doppler
26271-7 | Scrotum and Testicle - bilateral US
26272-5 | Scrotum and Testicle - left US
26273-3 | Scrotum and Testicle - right US
42437-4 | Sella turcica X-ray tomograph
36062-8 | Shoulder CT
24905-2 | Shoulder MRI
24907-8 | Shoulder US
37850-5 | Shoulder X-ray tomograph
36805-0 | Shoulder vessels MRI angiogram
36806-8 | Shoulder vessels - left MRI angiogram
36807-6 | Shoulder vessels - right MRI angiogram
36063-6 | Shoulder - bilateral CT
26266-7 | Shoulder - bilateral MRI
26265-9 | Shoulder - bilateral US
36064-4 | Shoulder - left CT
26268-3 | Shoulder - left MRI
26267-5 | Shoulder - left US
36065-1 | Shoulder - left X-ray tomograph
36066-9 | Shoulder - right CT
26270-9 | Shoulder - right MRI
26269-1 | Shoulder - right US
37811-7 | Shoulder - right X-ray tomograph
30588-8 | Sinuses CT
24914-4 | Sinuses MRI
37866-1 | Sinuses X-ray tomograph
37874-5 | Skull X-ray tomograph
37495-9 | Skull.base CT
28566-8 | Spine CT
36067-7 | Spine MRI
24926-8 | Spine US
37497-5 | Spine vessels MRI angiogram
24932-6 | Spine Cervical CT
24935-9 | Spine Cervical MRI
70926-1 | Spine Cervical US
36068-5 | Spine Cervical X-ray tomograph
43457-1 | Spine Cervical and Spine Thoracic MRI
42698-1 | Spine Cervical and Thoracic and Lumbar MRI
24963-1 | Spine Lumbar CT
24968-0 | Spine Lumbar MRI
69393-7 | Spine Lumbar US
36069-3 | Spine Lumbar X-ray tomograph
37232-6 | Spine Lumbosacral Junction CT
24978-9 | Spine Thoracic CT
24980-5 | Spine Thoracic MRI
70927-9 | Spine Thoracic US
37911-5 | Spine Thoracic X-ray tomograph
49565-5 | Thoracic Spine vessels MRI angiogram
24988-8 | Spleen CT
36070-1 | Spleen MRI
24990-4 | Spleen US
37225-0 | Sternoclavicular Joint CT

36071-9 | Sternum CT
36072-7 | Sternum MRI
37885-1 | Sternum X-ray tomograph
36782-1 | Subclavian artery MRI angiogram
38131-9 | Subclavian vessels - bilateral US
46359-6 | Superior mesenteric vessels MRI angiogram
44235-0 | Superior mesenteric vessels US.doppler
42468-9 | Surgical specimen US
38059-2 | Talus CT
36773-0 | Temporal bone CT
37226-8 | Temporomandibular joint CT
24999-5 | Temporomandibular joint MRI
30719-9 | Temporomandibular joint X-ray tomograph
37228-4 | Temporomandibular joint - bilateral MRI
37227-6 | Temporomandibular joint - bilateral X-ray tomograph
37230-0 | Temporomandibular joint - left MRI
37229-2 | Temporomandibular joint - left X-ray tomograph
37231-8 | Temporomandibular joint - right MRI
37819-0 | Temporomandibular joint - right X-ray tomograph
39446-0 | Testicle vessels US.doppler
24702-3 | Thigh MRI
26235-2 | Thigh - bilateral MRI
26236-0 | Thigh - left MRI
26237-8 | Thigh - right MRI
36054-5 | Thoracic outlet CT
24582-9 | Thoracic outlet MRI
44163-4 | Thoracic outlet US
26211-3 | Thoracic outlet - bilateral MRI
26212-1 | Thoracic outlet - left MRI
26213-9 | Thoracic outlet - right MRI
43507-3 | Thymus gland MRI
42300-4 | Thyroid MRI
25010-0 | Thyroid US
37898-4 | Tibia and Fibula X-ray tomograph
30888-2 | Tibioperoneal vessels MRI angiogram
36780-5 | Toe MRI
69285-5 | Umbilical artery US.doppler
39508-7 | Umbilical vessels US.doppler
36023-0 | Upper arm CT
36025-5 | Upper arm MRI
36026-3 | Upper arm - bilateral CT
69180-8 | Upper arm - bilateral MRI
36027-1 | Upper arm - left CT
36028-9 | Upper arm - left MRI
36029-7 | Upper arm - right CT
36030-5 | Upper arm - right MRI
35981-0 | Upper extremity CT
24688-4 | Upper extremity MRI
30710-8 | Upper extremity US
37923-0 | Upper extremity X-ray tomograph
48448-5 | Upper extremity artery US
39447-8 | Upper extremity artery US.doppler
38014-7 | Upper extremity artery - bilateral US
39423-9 | Upper extremity artery - bilateral US.doppler
41833-5 | Upper extremity artery - left US
39500-4 | Upper extremity artery - left US.doppler
41814-5 | Upper extremity artery - right US
39506-1 | Upper extremity artery - right US.doppler
30882-5 | Upper extremity vein US.doppler
48690-2 | Upper extremity vein - bilateral US
39496-5 | Upper extremity vein - bilateral US.doppler
48689-4 | Upper extremity vein - left US
39501-2 | Upper extremity vein - left US.doppler
48688-6 | Upper extremity vein - right US
39507-9 | Upper extremity vein - right US.doppler
36080-0 | Upper extremity veins MRI angiogram
69395-2 | Upper extremity veins US
36786-2 | Upper extremity veins - left MRI angiogram
36787-0 | Upper extremity veins - right MRI angiogram
46385-1 | Upper extremity vessel graft US.doppler
44236-8 | Upper extremity vessel graft - bilateral US.doppler
42475-4 | Upper extremity vessel graft - left US.doppler

42476-2 | Upper extremity vessel graft - right US.doppler
36084-2 | Upper extremity vessels MRI angiogram
39448-6 | Upper extremity vessels US.doppler
46379-4 | Upper extremity vessels - bilateral US.doppler
36797-9 | Upper extremity vessels - left MRI angiogram
39433-8 | Upper extremity vessels - left US.doppler
36798-7 | Upper extremity vessels - right MRI angiogram
39444-5 | Upper extremity vessels - right US.doppler
26232-9 | Upper extremity - bilateral MRI
30875-9 | Upper extremity .joint MRI
36774-8 | Upper extremity joint - left MRI
36775-5 | Upper extremity joint - right MRI
35982-8 | Upper extremity - left CT
26233-7 | Upper extremity - left MRI
38041-0 | Upper extremity - left US
35983-6 | Upper extremity - right CT
26234-5 | Upper extremity - right MRI
38052-7 | Upper extremity - right US
25019-1 | Urinary bladder US
42301-2 | Uterus MRI
30705-8 | Uterus and Fallopian tubes US
39036-9 | Vein US
39525-1 | Vein US.doppler
39030-2 | Vein - bilateral US
36783-9 | Veins MRI angiogram
69222-8 | Vena cava MRI
36081-8 | Vena cava MRI angiogram
36083-4 | Inferior vena cava MRI
36082-6 | Inferior vena cava MRI angiogram
36790-4 | Vena cava.inferior and Lower extremity veins MRI angiogram
39445-2 | Vessels US.doppler
38054-3 | Visceral artery US
37428-0 | Wrist CT
25033-2 | Wrist MRI
25036-5 | Wrist US
37932-1 | Wrist X-ray tomograph
37430-6 | Wrist - bilateral CT
26277-4 | Wrist - bilateral MRI
26278-2 | Wrist - bilateral US
37429-8 | Wrist - bilateral X-ray tomograph
37431-4 | Wrist - left CT
26279-0 | Wrist - left MRI
26280-8 | Wrist - left US
37432-2 | Wrist - left X-ray tomograph
69209-5 | Wrist - left and Hand - left MRI
37433-0 | Wrist - right CT
26281-6 | Wrist - right MRI
26282-4 | Wrist - right US
37644-2 | Wrist - right X-ray tomograph
69219-4 | Wrist - right and Hand - right MRI
36008-1 | Wrist and Hand MRI
25045-6 | Unspecified body region CT
25040-7 | Unspecified body region CT 3D
25056-3 | Unspecified body region MRI
44136-0 | Unspecified body region PET
25061-3 | Unspecified body region US
25071-2 | Unspecified body region X-ray tomograph
46375-2 | Artery US
39523-6 | Artery US.doppler
44229-3 | Bones CT
28576-7 | Joint MRI
39453-6 | Tendon US
36957-9 | Facial bones and Maxilla CT and 3D reconstruction
37294-6 | Head CT and 3D reconstruction
41804-6 | Unspecified body region CT and 3D reconstruction
39043-5 | Unspecified body region MRI and 3D reconstruction
44165-9 | Unspecified body region US and 3D reconstruction
58745-1 | Coronary arteries CT angiogram and 3D reconstruction W contrast IV
59255-0 | Left atrium and Pulmonary veins CT angiogram and 3D reconstruction W contrast IV
69082-6 | Head CT and 3D reconstruction WO contrast
37295-3 | Femur and Hip CT and anteversion measurement
72830-3 | Extremity arteries - bilateral US.doppler Multisection and physiologic artery study

72832-9 | Extremity arteries - bilateral US.doppler Multisection and physiologic artery study at rest and with exercise
39879-2 | Bone SPECT 1 phase
39881-8 | Bone SPECT 3 phase whole body
30760-3 | Kidney - bilateral X-ray tomograph 3 views W contrast IV
25055-5 | Unspecified body region MRI additional sequence
39408-0 | Spine Thoracic X-ray tomograph AP
39862-8 | Heart SPECT blood pool at rest and W radionuclide IV
47378-5 | Liver SPECT blood pool
37435-5 | Temporomandibular joint MRI cine
42693-2 | Urinary Bladder and Urethra MRI cine
39140-9 | Heart MRI cine for blood flow velocity mapping
44126-1 | Heart MRI cine for blood flow velocity mapping W contrast IV
42386-3 | Brain MRI cine for CSF flow
42387-1 | Unspecified body region MRI cine for CSF flow
37434-8 | Heart MRI cine for function
46300-0 | Sinuses CT coronal
72139-9 | Breast - bilateral FFD mammogram-tomosynthesis diagnostic
72138-1 | Breast - left FFD mammogram-tomosynthesis diagnostic
72137-3 | Breast - right FFD mammogram-tomosynthesis diagnostic
37436-3 | Brain MRI diffusion weighted
43555-2 | Ankle - left MRI dynamic W contrast IV
43449-8 | Ankle - right MRI dynamic W contrast IV
37437-1 | Breast MRI dynamic W contrast IV
36114-7 | Breast - bilateral MRI dynamic W contrast IV
43450-6 | Elbow - left MRI dynamic W contrast IV
43451-4 | Elbow - right MRI dynamic W contrast IV
46394-3 | Head CT dynamic W contrast IV
43452-2 | Knee - left MRI dynamic W contrast IV
43453-0 | Knee - right MRI dynamic W contrast IV
37438-9 | Pituitary and Sella turcica CT dynamic W contrast IV
43527-1 | Unspecified body region CT dynamic W contrast IV
39637-4 | Brain SPECT flow
43655-0 | Liver SPECT flow
43652-7 | Liver and Spleen SPECT flow
69235-0 | Scrotum and Testicle SPECT flow
43670-9 | Spleen SPECT flow
43673-3 | Thyroid SPECT flow
43662-6 | Renal vessels SPECT flow W Tc-99m glucoheptonate IV
39684-6 | SPECT for abscess W GA-67 IV
39811-5 | SPECT for abscess
39141-7 | Bone marrow MRI for blood flow
39656-4 | Heart SPECT for infarct
39654-9 | Heart SPECT for infarct W Tc-99m PYP IV
39655-6 | Heart SPECT for infarct W Tc-99m Sestamibi IV
39675-4 | SPECT for infection W GA-67 IV
11525-3 | US Pelvis and Fetus for pregnancy
72251-2 | Chest vessels CT Multisection for pulmonary embolus
24889-8 | Pylorus US for pyloric stenosis
36934-8 | Heart CT for scoring
36935-5 | Heart CT for scoring W contrast IV
43446-4 | CT for tumor whole body
69237-6 | SPECT for tumor whole body
39678-8 | SPECT for tumor W GA-67 IV
39748-9 | SPECT for tumor W Tc-99m Sestamibi IV
42292-3 | SPECT for tumor W Tl-201 IV
46395-0 | Heart SPECT gated and ejection fraction at rest and W stress and W radionuclide IV
39913-9 | Heart SPECT gated and ejection fraction
39918-8 | Heart SPECT gated and wall motion
46396-8 | Heart SPECT gated at rest and W Tc-99m Sestamibi IV
39916-2 | Heart SPECT gated
39930-3 | Heart SPECT gated W stress and W radionuclide IV
37439-7 | Chest CT high resolution
37440-5 | Chest CT high resolution W contrast IV
37441-3 | Chest CT high resolution WO contrast
39409-8 | Spine Thoracic X-ray tomograph lateral
36086-7 | Abdomen CT limited
30704-1 | Abdomen US limited
38047-7 | Abdomen retroperitoneum US limited
43572-7 | Abdominal vessels US.doppler limited
38011-3 | Aorta US limited
69280-6 | Bladder US limited
24599-3 | Breast US limited

26286-5 | Breast - bilateral US limited
26288-1 | Breast - left US limited
26290-7 | Breast - right US limited
38015-4 | Carotid artery US limited
42149-5 | Carotid artery - left US limited
42151-1 | Carotid artery - right US limited
36089-1 | Chest CT limited
69281-4 | Chest US limited
36090-9 | Extremity CT limited
39526-9 | Extremity US limited
46301-8 | Extremity vein - bilateral US.doppler limited
39424-7 | Extremity vessels US.doppler limited
62451-0 | Extremity - left US limited
62452-8 | Extremity - right US limited
69286-3 | Eye US limited
36937-1 | Facial bones and Maxilla CT limited
38020-4 | Gallbladder US limited
36087-5 | Head CT limited
38034-5 | Head US limited
36808-4 | Head vessels MRI angiogram limited
39044-3 | Head vessels US.doppler limited
36091-7 | Heart MRI limited
42707-0 | Heart US limited
36092-5 | Hip CT limited
43776-4 | Iliac artery US.doppler limited
42150-3 | Iliac graft US.doppler limited
36088-3 | Internal auditory canal MRI limited
38035-2 | Kidney US limited
69300-2 | Kidney transplant US limited
41812-9 | Lower extremity artery US limited
38042-8 | Lower extremity artery US.doppler limited
39430-4 | Lower extremity vessels - left US.doppler limited
39441-1 | Lower extremity vessels - right US.doppler limited
36093-3 | Lower Extremity Joint MRI limited
38039-4 | Lower extremity - left US limited
38050-1 | Lower extremity - right US limited
44116-2 | Mandible CT limited
48461-8 | Neck MRI limited
69212-9 | Pelvis MRI limited
38046-9 | Pelvis US limited
42152-9 | Pelvis vessels US.doppler limited
44173-3 | Peripheral artery US limited
39436-1 | Renal vessels US.doppler limited
69299-6 | Scrotum and Testicle US limited
24913-6 | Sinuses CT limited
41813-7 | Upper extremity artery US limited
38143-4 | Upper extremity artery US.doppler limited
46302-6 | Upper extremity artery - bilateral US.doppler limited
44237-6 | Upper extremity vessel graft - bilateral US.doppler limited
46303-4 | Upper extremity vessels US.doppler limited
36094-1 | Upper extremity .joint MRI limited
39045-0 | Vein US limited
39524-4 | Vein US.doppler limited
25039-9 | Unspecified body region CT limited
48460-0 | Unspecified body region MRI limited
69282-2 | Unspecified body region US.doppler limited
72831-1 | Extremity arteries - bilateral US.doppler Multisection limited and physiologic artery study
44127-9 | Heart MRI limited cine for function
39046-8 | Pelvis CT limited pelvimetry WO contrast
36102-2 | Abdomen CT limited W and WO contrast IV
36095-8 | Abdomen CT limited W contrast IV
36096-6 | Brain MRI limited W contrast IV
69096-6 | Chest CT limited W contrast IV
36098-2 | Pelvis CT limited W contrast IV
36099-0 | Spine Cervical CT limited W contrast IV
36100-6 | Spine Lumbar MRI limited W contrast IV
36101-4 | Spine Thoracic MRI limited W contrast IV
36097-4 | Upper extremity CT limited W contrast IV
39681-2 | SPECT limited W GA-67 IV
39813-1 | Bone SPECT limited
39821-4 | Bone marrow SPECT limited
36103-0 | Abdomen CT limited WO contrast

36105-5 | Brain MRI limited WO contrast
47366-0 | Chest CT limited WO contrast
36938-9 | Facial bones and Maxilla CT limited WO contrast
36104-8 | Head CT limited WO contrast
36106-3 | Lower extremity CT limited WO contrast
36107-1 | Lower extremity joint - left MRI limited WO contrast
38769-6 | Lower extremity joint - right MRI limited WO contrast
36108-9 | Pelvis CT limited WO contrast
46304-2 | Sinuses CT limited WO contrast
36109-7 | Spine Cervical CT limited WO contrast
36110-5 | Spine Lumbar CT limited WO contrast
36111-3 | Spine Lumbar MRI limited WO contrast
36112-1 | Spine Thoracic MRI limited WO contrast
39905-5 | Bone SPECT multiple areas
39906-3 | Bone marrow SPECT multiple areas
39527-7 | Unspecified body region US of foreign body
49569-7 | Heart SPECT perfusion and wall motion at rest and W stress and W Tl-201 IV and W Tc-99m Sestamibi IV
43659-2 | Heart SPECT perfusion qualitative at rest and W radionuclide IV
39725-7 | Heart SPECT perfusion at rest and W adenosine and W Tl-201 IV
39718-2 | Heart SPECT perfusion at rest and W radionuclide IV
39724-0 | Heart SPECT perfusion at rest and W stress and W radionuclide IV
39723-2 | Heart SPECT perfusion at rest and W stress and W Tl-201 IV
49568-9 | Heart SPECT perfusion at rest and W stress and W Tl-201 IV and W Tc-99m Sestamibi IV
39729-9 | Heart SPECT perfusion at rest and W Tl-201 IV
39700-0 | Heart SPECT perfusion W adenosine and W radionuclide IV
49567-1 | Heart SPECT perfusion W adenosine and W Tc-99m Sestamibi IV
39142-5 | Head CT perfusion W contrast IV
39712-5 | Heart SPECT perfusion
39734-9 | Heart SPECT perfusion W stress and W radionuclide IV
39736-4 | Heart SPECT perfusion W stress and W Tc-99m Sestamibi IV
39710-9 | Heart SPECT perfusion W Tc-99m Sestamibi IV
39711-7 | Heart SPECT perfusion W Tl-201 IV
38060-0 | Spine.lumbosacral+Cervical+Thoracic MRI sagittal
25052-2 | Unspecified body region CT sagittal and coronal
25050-6 | Unspecified body region CT 3D sagittal and coronal disarticulation
42132-1 | Breast US screening
72142-3 | Breast - bilateral FFD mammogram-tomosynthesis screening
72141-5 | Breast - left FFD mammogram-tomosynthesis screening
72140-7 | Breast - right FFD mammogram-tomosynthesis screening
37442-1 | Brain MRI spectroscopy
37443-9 | Unspecified body region MRI spectroscopy
36939-7 | Spine CT stereotactic
70929-5 | Spine Cervical CT stereotactic
70928-7 | Spine Lumbar CT stereotactic
70930-3 | Spine Thoracic CT stereotactic
36940-5 | Unspecified body region CT stereotactic
42455-6 | Pelvis US transabdominal and transvaginal
24677-7 | Pelvis US transvaginal
42390-5 | Transvaginal MRI
39838-8 | Lung SPECT ventilation and perfusion W radionuclide inhaled and W radionuclide IV
39898-2 | Lung SPECT ventilation W radionuclide aerosol inhaled
39872-7 | Heart SPECT wall motion
46305-9 | CT whole body
46358-8 | MRI whole body
44139-4 | PET whole body
46306-7 | CT whole body W contrast IV
39680-4 | SPECT whole body W GA-67 IV
39816-4 | Bone SPECT whole body
39825-5 | Bone marrow SPECT whole body
41837-6 | SPECT whole body W Tc-99m Arcitumomab IV
39658-0 | Heart SPECT at rest and W radionuclide IV
39662-2 | Heart SPECT at rest and W stress and W Tc-99m Sestamibi IV
49566-3 | Heart SPECT at rest and W Tc-99m Sestamibi IV
30711-6 | Hip US developmental joint assessment
24732-0 | Head US during surgery
30706-6 | Liver US during surgery
30701-7 | Unspecified body region US during surgery
69388-7 | Urinary bladder US post void
69086-7 | Aorta CT W and WO contrast
69108-9 | Pulmonary vessels CT angiogram W and WO contrast
69085-9 | Renal vessels CT angiogram W and WO contrast
69207-9 | Hip - left MRI W and WO contrast intraarticular

69217-8 | Hip - right MRI W and WO contrast intraarticular
69208-7 | Shoulder - left MRI W and WO contrast intraarticular
69218-6 | Shoulder - right MRI W and WO contrast intraarticular
48442-8 | Spine CT W and WO contrast IT
48450-1 | Spine Cervical MRI W and WO contrast IT
44114-7 | Spine Lumbar CT W and WO contrast IT
48452-7 | Spine Lumbar MRI W and WO contrast IT
44113-9 | Spine Thoracic CT W and WO contrast IT
48441-0 | Spine Thoracic MRI W and WO contrast IT
36267-3 | Abdomen CT W and WO contrast IV
24557-1 | Abdomen MRI W and WO contrast IV
48743-9 | Abdomen retroperitoneum CT W and WO contrast IV
42274-1 | Abdomen and Pelvis CT W and WO contrast IV
36846-4 | Abdominal veins MRI angiogram W and WO contrast IV
30805-6 | Abdominal vessels CT angiogram W and WO contrast IV
36855-5 | Abdominal vessels MRI angiogram W and WO contrast IV
36950-4 | Adrenal gland CT W and WO contrast IV
36951-2 | Adrenal gland MRI W and WO contrast IV
36268-1 | Ankle CT W and WO contrast IV
24539-9 | Ankle MRI W and WO contrast IV
26187-5 | Ankle - bilateral MRI W and WO contrast IV
36269-9 | Ankle - left CT W and WO contrast IV
26188-3 | Ankle - left MRI W and WO contrast IV
36270-7 | Ankle - right CT W and WO contrast IV
26189-1 | Ankle - right MRI W and WO contrast IV
44131-1 | Aorta MRI angiogram W and WO contrast IV
36271-5 | Aorta abdominal CT W and WO contrast IV
36273-1 | Aorta abdominal MRI W and WO contrast IV
36272-3 | Aorta abdominal MRI angiogram W and WO contrast IV
36274-9 | Aorta thoracic MRI angiogram W and WO contrast IV
30806-4 | Aorta and Femoral artery - bilateral CT angiogram W and WO contrast IV
46360-4 | Aortic arch MRI angiogram W and WO contrast IV
43509-9 | Axilla - left MRI W and WO contrast IV
43511-5 | Axilla - right MRI W and WO contrast IV
36944-7 | Biliary ducts and Pancreatic duct MRI W and WO contrast IV
24587-8 | Brain MRI W and WO contrast IV
48694-4 | Brain.temporal MRI W and WO contrast IV
43769-9 | Brain and Internal auditory canal MRI W and WO contrast IV
42392-1 | Brain and Pituitary and Sella turcica MRI W and WO contrast IV
36276-4 | Breast MRI W and WO contrast IV
69189-9 | Breast implant MRI W and WO contrast IV
69166-7 | Breast implant - bilateral MRI W and WO contrast IV
38870-2 | Breast implant - left MRI W and WO contrast IV
38062-6 | Breast implant - right MRI W and WO contrast IV
36277-2 | Breast - bilateral MRI W and WO contrast IV
36278-0 | Breast - left MRI W and WO contrast IV
36279-8 | Breast - right MRI W and WO contrast IV
43528-9 | Breast - unilateral MRI W and WO contrast IV
36358-0 | Calcaneus CT W and WO contrast IV
36280-6 | Calcaneus - left CT W and WO contrast IV
36281-4 | Calcaneus - right CT W and WO contrast IV
36856-3 | Carotid vessel MRI angiogram W and WO contrast IV
30598-7 | Chest CT W and WO contrast IV
36283-0 | Chest MRI W and WO contrast IV
36848-0 | Chest veins MRI angiogram W and WO contrast IV
30804-9 | Chest vessels CT angiogram W and WO contrast IV
36420-8 | Chest vessels MRI angiogram W and WO contrast IV
42277-4 | Chest and Abdomen CT W and WO contrast IV
36284-8 | Chest and Abdomen MRI W and WO contrast IV
72252-0 | Chest and Abdomen and Pelvis CT W and WO contrast IV
69161-8 | Circle of Willis MRI angiogram W and WO contrast IV
42299-8 | Clavicle MRI W and WO contrast IV
48455-0 | Clavicle - left MRI W and WO contrast IV
48454-3 | Clavicle - right MRI W and WO contrast IV
36285-5 | Elbow CT W and WO contrast IV
24675-1 | Elbow MRI W and WO contrast IV
26193-3 | Elbow - bilateral MRI W and WO contrast IV
36286-3 | Elbow - left CT W and WO contrast IV
26194-1 | Elbow - left MRI W and WO contrast IV
36287-1 | Elbow - right CT W and WO contrast IV
26195-8 | Elbow - right MRI W and WO contrast IV
42268-3 | Extremity CT W and WO contrast IV

24694-2 | Face MRI W and WO contrast IV
30803-1 | Facial bones and Maxilla CT W and WO contrast IV
36338-2 | Femur CT W and WO contrast IV
36339-0 | Femur - left CT W and WO contrast IV
36340-8 | Femur - right CT W and WO contrast IV
69194-9 | Finger MRI W and WO contrast IV
69204-6 | Finger - left MRI W and WO contrast IV
69214-5 | Finger - right MRI W and WO contrast IV
36341-6 | Foot CT W and WO contrast IV
30682-9 | Foot MRI W and WO contrast IV
36342-4 | Foot - bilateral MRI W and WO contrast IV
36343-2 | Foot - left CT W and WO contrast IV
36344-0 | Foot - left MRI W and WO contrast IV
36345-7 | Foot - right CT W and WO contrast IV
36346-5 | Foot - right MRI W and WO contrast IV
36347-3 | Forearm CT W and WO contrast IV
30684-5 | Forearm MRI W and WO contrast IV
69174-1 | Forearm - bilateral MRI W and WO contrast IV
36348-1 | Forearm - left CT W and WO contrast IV
36349-9 | Forearm - left MRI W and WO contrast IV
36350-7 | Forearm - right CT W and WO contrast IV
36351-5 | Forearm - right MRI W and WO contrast IV
36352-3 | Hand CT W and WO contrast IV
30686-0 | Hand MRI W and WO contrast IV
69177-4 | Hand - bilateral MRI W and WO contrast IV
36353-1 | Hand - left CT W and WO contrast IV
36354-9 | Hand - left MRI W and WO contrast IV
36355-6 | Hand - right CT W and WO contrast IV
36356-4 | Hand - right MRI W and WO contrast IV
24726-2 | Head CT W and WO contrast IV
24729-6 | Head CT cine W and WO contrast IV
36847-2 | Head veins MRI angiogram W and WO contrast IV
30593-8 | Head vessels CT angiogram W and WO contrast IV
36857-1 | Head vessels MRI angiogram W and WO contrast IV
36357-2 | Heart MRI W and WO contrast IV
36359-8 | Hip CT W and WO contrast IV
30688-6 | Hip MRI W and WO contrast IV
36360-6 | Hip - bilateral CT W and WO contrast IV
36361-4 | Hip - bilateral MRI W and WO contrast IV
36362-2 | Hip - left CT W and WO contrast IV
36363-0 | Hip - left MRI W and WO contrast IV
36364-8 | Hip - right CT W and WO contrast IV
36365-5 | Hip - right MRI W and WO contrast IV
36282-2 | Internal auditory canal CT W and WO contrast IV
30659-7 | Internal auditory canal MRI W and WO contrast IV
24740-3 | Internal auditory canal and Posterior fossa MRI W and WO contrast IV
43768-1 | Kidney CT W and WO contrast IV
43775-6 | Kidney MRI W and WO contrast IV
36377-0 | Kidney - bilateral CT W and WO contrast IV
36378-8 | Kidney - bilateral MRI W and WO contrast IV
24784-1 | Kidney - bilateral X-ray tomograph W and WO contrast IV
36379-6 | Knee CT W and WO contrast IV
24803-9 | Knee MRI W and WO contrast IV
38837-1 | Knee vessels - left MRI angiogram W and WO contrast IV
36862-1 | Knee vessels - right MRI angiogram W and WO contrast IV
26199-0 | Knee - bilateral MRI W and WO contrast IV
36380-4 | Knee - left CT W and WO contrast IV
26200-6 | Knee - left MRI W and WO contrast IV
36381-2 | Knee - right CT W and WO contrast IV
26201-4 | Knee - right MRI W and WO contrast IV
36382-0 | Larynx MRI W and WO contrast IV
30612-6 | Liver CT W and WO contrast IV
30670-4 | Liver MRI W and WO contrast IV
36288-9 | Lower extremity CT W and WO contrast IV
39291-0 | Lower extremity MRI W and WO contrast IV
36416-6 | Lower extremity veins MRI angiogram W and WO contrast IV
36849-8 | Lower extremity veins - left MRI angiogram W and WO contrast IV
36850-6 | Lower extremity veins - right MRI angiogram W and WO contrast IV
30807-2 | Lower extremity vessels CT angiogram W and WO contrast IV
44128-7 | Lower extremity vessels MRI angiogram W and WO contrast IV
46308-3 | Lower extremity vessels - left CT angiogram W and WO contrast IV
36858-9 | Lower extremity vessels - left MRI angiogram W and WO contrast IV

46307-5 | Lower extremity vessels - right CT angiogram W and WO contrast IV
36859-7 | Lower extremity vessels - right MRI angiogram W and WO contrast IV
36289-7 | Lower extremity - bilateral MRI W and WO contrast IV
36371-3 | Lower Extremity Joint MRI W and WO contrast IV
36372-1 | Lower extremity joint - left MRI W and WO contrast IV
36373-9 | Lower extremity joint - right MRI W and WO contrast IV
36290-5 | Lower extremity - left CT W and WO contrast IV
36291-3 | Lower extremity - left MRI W and WO contrast IV
36292-1 | Lower extremity - right CT W and WO contrast IV
36333-3 | Lower extremity - right MRI W and WO contrast IV
36408-3 | Lower leg CT W and WO contrast IV
30870-0 | Lower leg MRI W and WO contrast IV
42697-3 | Lower leg - bilateral MRI W and WO contrast IV
36409-1 | Lower leg - left CT W and WO contrast IV
36410-9 | Lower leg - left MRI W and WO contrast IV
36411-7 | Lower leg - right CT W and WO contrast IV
36412-5 | Lower leg - right MRI W and WO contrast IV
36383-8 | Mandible CT W and WO contrast IV
37272-2 | Mediastinum MRI W and WO contrast IV
48443-6 | Nasopharynx CT W and WO contrast IV
36384-6 | Nasopharynx MRI W and WO contrast IV
30586-2 | Neck CT W and WO contrast IV
24840-1 | Neck MRI W and WO contrast IV
36853-0 | Neck veins MRI angiogram W and WO contrast IV
30594-6 | Neck vessels CT angiogram W and WO contrast IV
36423-2 | Neck vessels MRI angiogram W and WO contrast IV
48451-9 | Orbit CT W and WO contrast IV
36842-3 | Orbit MRI W and WO contrast IV
43458-9 | Orbit vessels MRI angiogram W and WO contrast IV
24849-2 | Orbit - bilateral CT W and WO contrast IV
24851-8 | Orbit - bilateral MRI W and WO contrast IV
36843-1 | Orbit - left MRI W and WO contrast IV
36844-9 | Orbit - right MRI W and WO contrast IV
39029-4 | Orbit and Face MRI W and WO contrast IV
46310-9 | Orbit and Face and Neck MRI W and WO contrast IV
36845-6 | Ovary MRI W and WO contrast IV
30614-2 | Pancreas CT W and WO contrast IV
36385-3 | Pancreas MRI W and WO contrast IV
46311-7 | Parotid gland CT W and WO contrast IV
37265-6 | Parotid gland MRI W and WO contrast IV
30616-7 | Pelvis CT W and WO contrast IV
30674-6 | Pelvis MRI W and WO contrast IV
36854-8 | Pelvis veins MRI angiogram W and WO contrast IV
30623-3 | Pelvis vessels CT angiogram W and WO contrast IV
36863-9 | Pelvis vessels MRI angiogram W and WO contrast IV
30672-0 | Pelvis and Hip MRI W and WO contrast IV
36835-7 | Petrous bone CT W and WO contrast IV
24904-5 | Pituitary and Sella turcica CT W and WO contrast IV
24879-9 | Pituitary and Sella turcica MRI W and WO contrast IV
36414-1 | Portal vein MRI angiogram W and WO contrast IV
36387-9 | Posterior fossa CT W and WO contrast IV
36388-7 | Posterior fossa MRI W and WO contrast IV
36389-5 | Prostate MRI W and WO contrast IV
36275-6 | Renal artery MRI angiogram W and WO contrast IV
36415-8 | Renal vein MRI angiogram W and WO contrast IV
44134-5 | Renal vessels MRI angiogram W and WO contrast IV
36375-4 | Sacroiliac Joint CT W and WO contrast IV
36376-2 | Sacroiliac Joint MRI W and WO contrast IV
36390-3 | Sacrum CT W and WO contrast IV
36391-1 | Sacrum MRI W and WO contrast IV
36392-9 | Sacrum and Coccyx MRI W and WO contrast IV
36393-7 | Scapula - left MRI W and WO contrast IV
36394-5 | Scapula - right MRI W and WO contrast IV
36406-7 | Scrotum and Testicle MRI W and WO contrast IV
36395-2 | Shoulder CT W and WO contrast IV
24906-0 | Shoulder MRI W and WO contrast IV
36864-7 | Shoulder vessels - left MRI angiogram W and WO contrast IV
36865-4 | Shoulder vessels - right MRI angiogram W and WO contrast IV
26202-2 | Shoulder - bilateral MRI W and WO contrast IV
36396-0 | Shoulder - left CT W and WO contrast IV
26203-0 | Shoulder - left MRI W and WO contrast IV
36397-8 | Shoulder - right CT W and WO contrast IV

26204-8 | Shoulder - right MRI W and WO contrast IV
36398-6 | Sinuses CT W and WO contrast IV
30663-9 | Sinuses MRI W and WO contrast IV
44111-3 | Skull.base CT W and WO contrast IV
69220-2 | Skull.base MRI W and WO contrast IV
37277-1 | Spinal vein MRI angiogram W and WO contrast IV
36399-4 | Spine CT W and WO contrast IV
36400-0 | Spine MRI W and WO contrast IV
37505-5 | Spine vessels MRI angiogram W and WO contrast IV
36401-8 | Spine Cervical CT W and WO contrast IV
24937-5 | Spine Cervical MRI W and WO contrast IV
37506-3 | Cervical Spine vessels MRI angiogram W and WO contrast IV
43456-3 | Spine Cervical and Spine Thoracic MRI W and WO contrast IV
30855-1 | Spine Cervical and Thoracic and Lumbar MRI W and WO contrast IV
36402-6 | Spine Lumbar CT W and WO contrast IV
24967-2 | Spine Lumbar MRI W and WO contrast IV
37507-1 | Lumbar Spine vessels MRI angiogram W and WO contrast IV
36403-4 | Spine Thoracic CT W and WO contrast IV
24981-3 | Spine Thoracic MRI W and WO contrast IV
37508-9 | Thoracic Spine vessels MRI angiogram W and WO contrast IV
24989-6 | Spleen CT W and WO contrast IV
36404-2 | Spleen MRI W and WO contrast IV
37266-4 | Sternoclavicular Joint CT W and WO contrast IV
36405-9 | Sternum CT W and WO contrast IV
44231-9 | Superior mesenteric vessels MRI angiogram W and WO contrast IV
36837-3 | Temporal bone CT W and WO contrast IV
37267-2 | Temporomandibular joint CT W and WO contrast IV
37268-0 | Temporomandibular joint MRI W and WO contrast IV
37269-8 | Temporomandibular joint - bilateral MRI W and WO contrast IV
37270-6 | Temporomandibular joint - left MRI W and WO contrast IV
37271-4 | Temporomandibular joint - right MRI W and WO contrast IV
24703-1 | Thigh MRI W and WO contrast IV
26196-6 | Thigh - bilateral MRI W and WO contrast IV
26197-4 | Thigh - left MRI W and WO contrast IV
26198-2 | Thigh - right MRI W and WO contrast IV
24583-7 | Thoracic outlet MRI W and WO contrast IV
26190-9 | Thoracic outlet - bilateral MRI W and WO contrast IV
26191-7 | Thoracic outlet - left MRI W and WO contrast IV
26192-5 | Thoracic outlet - right MRI W and WO contrast IV
36407-5 | Thyroid MRI W and WO contrast IV
72241-3 | Toes - left MRI W and WO contrast IV
72238-9 | Toes - right MRI W and WO contrast IV
36366-3 | Upper arm CT W and WO contrast IV
30690-2 | Upper arm MRI W and WO contrast IV
69181-6 | Upper arm - bilateral MRI W and WO contrast IV
36367-1 | Upper arm - left CT W and WO contrast IV
36368-9 | Upper arm - left MRI W and WO contrast IV
36369-7 | Upper arm - right CT W and WO contrast IV
36370-5 | Upper arm - right MRI W and WO contrast IV
36334-1 | Upper extremity CT W and WO contrast IV
39034-4 | Upper extremity MRI W and WO contrast IV
36417-4 | Upper extremity veins MRI angiogram W and WO contrast IV
36851-4 | Upper extremity veins - left MRI angiogram W and WO contrast IV
36852-2 | Upper extremity veins - right MRI angiogram W and WO contrast IV
36421-6 | Upper extremity vessels CT angiogram W and WO contrast IV
36422-4 | Upper extremity vessels MRI angiogram W and WO contrast IV
46312-5 | Upper extremity vessels - left CT angiogram W and WO contrast IV
36860-5 | Upper extremity vessels - left MRI angiogram W and WO contrast IV
46309-1 | Upper extremity vessels - right CT angiogram W and WO contrast IV
36861-3 | Upper extremity vessels - right MRI angiogram W and WO contrast IV
69186-5 | Upper extremity - bilateral MRI W and WO contrast IV
36374-7 | Upper extremity .joint MRI W and WO contrast IV
36840-7 | Upper extremity joint - left MRI W and WO contrast IV
36841-5 | Upper extremity joint - right MRI W and WO contrast IV
36335-8 | Upper extremity - left CT W and WO contrast IV
38831-4 | Upper extremity - left MRI W and WO contrast IV
36336-6 | Upper extremity - right CT W and WO contrast IV
36337-4 | Upper extremity - right MRI W and WO contrast IV
36413-3 | Uterus MRI W and WO contrast IV
36418-2 | Inferior vena cava MRI W and WO contrast IV
36419-0 | Superior vena cava MRI W and WO contrast IV
37457-9 | Wrist CT W and WO contrast IV

25035-7 | Wrist MRI W and WO contrast IV
26205-5 | Wrist - bilateral MRI W and WO contrast IV
37458-7 | Wrist - left CT W and WO contrast IV
26206-3 | Wrist - left MRI W and WO contrast IV
38802-5 | Wrist - right CT W and WO contrast IV
26207-1 | Wrist - right MRI W and WO contrast IV
42298-0 | Unspecified body region MRI W and WO contrast IV
24588-6 | Brain MRI W and WO contrast IV and W anesthesia
72244-7 | Pelvis MRI W and WO contrast IV and W endorectal coil
43448-0 | Liver MRI W and WO ferumoxides IV
46318-2 | Abdomen CT W and WO reduced contrast volume IV
46317-4 | Chest CT W and WO reduced contrast volume IV
46315-8 | Facial bones and Maxilla CT W and WO reduced contrast volume IV
46316-6 | Head CT W and WO reduced contrast volume IV
46314-1 | Internal auditory canal CT W and WO reduced contrast volume IV
46313-3 | Pelvis CT W and WO reduced contrast volume IV
60515-4 | Rectum and Colon CT 3D W air contrast PR
24586-0 | Brain MRI W anesthesia
24936-7 | Spine Cervical MRI W anesthesia
24977-1 | Spine Lumbar MRI W anesthesia
25046-4 | Unspecified body region CT W anesthesia
38022-0 | Gallbladder US W cholecystokinin
25047-2 | Unspecified body region CT W conscious sedation
25057-1 | Unspecified body region MRI W conscious sedation
30599-5 | Abdomen CT W contrast
24567-0 | Abdomen retroperitoneum CT W contrast
38055-0 | Unspecified body region US W contrast
36809-2 | Hepatic artery CT angiogram W contrast IA
69162-6 | Pulmonary artery - bilateral MRI angiogram W contrast IA
69238-4 | Urinary Bladder and Urethra SPECT W contrast intra bladder during voiding
30853-6 | Breast duct US W contrast intra duct
36941-3 | Salivary gland CT W contrast intra salivary duct
37237-5 | Sinus tract CT W contrast intra sinus tract
36115-4 | Ankle MRI W contrast intraarticular
69102-2 | Ankle - left CT W contrast intraarticular
36116-2 | Ankle - left MRI W contrast intraarticular
69109-7 | Ankle - right CT W contrast intraarticular
36117-0 | Ankle - right MRI W contrast intraarticular
46319-0 | Elbow MRI W contrast intraarticular
69103-0 | Elbow - left CT W contrast intraarticular
36118-8 | Elbow - left MRI W contrast intraarticular
69110-5 | Elbow - right CT W contrast intraarticular
36119-6 | Elbow - right MRI W contrast intraarticular
36120-4 | Hip MRI W contrast intraarticular
69105-5 | Hip - left CT W contrast intraarticular
36121-2 | Hip - left MRI W contrast intraarticular
69112-1 | Hip - right CT W contrast intraarticular
36122-0 | Hip - right MRI W contrast intraarticular
36124-6 | Knee CT W contrast intraarticular
36125-3 | Knee MRI W contrast intraarticular
69106-3 | Knee - left CT W contrast intraarticular
36126-1 | Knee - left MRI W contrast intraarticular
69114-7 | Knee - right CT W contrast intraarticular
36127-9 | Knee - right MRI W contrast intraarticular
37238-3 | Lower Extremity Joint CT W contrast intraarticular
69210-3 | Lower Extremity Joint MRI W contrast intraarticular
36123-8 | Sacroiliac Joint CT W contrast intraarticular
36128-7 | Shoulder CT W contrast intraarticular
36129-5 | Shoulder MRI W contrast intraarticular
38828-0 | Shoulder - left CT W contrast intraarticular
36130-3 | Shoulder - left MRI W contrast intraarticular
36131-1 | Shoulder - right CT W contrast intraarticular
36132-9 | Shoulder - right MRI W contrast intraarticular
36810-0 | Upper Joint CT W contrast intraarticular
37444-7 | Wrist MRI W contrast intraarticular
69107-1 | Wrist - left CT W contrast intraarticular
37445-4 | Wrist - left MRI W contrast intraarticular
69115-4 | Wrist - right CT W contrast intraarticular
37446-2 | Wrist - right MRI W contrast intraarticular
36811-8 | Joint CT W contrast intraarticular
36812-6 | Joint MRI W contrast intraarticular
39322-3 | Spine CT W contrast intradisc

37496-7 | Spine Cervical CT W contrast intradisc
37509-7 | Spine Lumbar CT W contrast intradisc
70931-1 | Spine Thoracic CT W contrast intradisc
24734-6 | Head Cistern CT W contrast IT
47985-7 | Spine CT W contrast IT
24934-2 | Spine Cervical CT W contrast IT
48447-7 | Spine Cervical MRI W contrast IT
24965-6 | Spine Lumbar CT W contrast IT
48436-0 | Spine Lumbar MRI W contrast IT
30596-1 | Spine Thoracic CT W contrast IT
48439-4 | Spine Thoracic MRI W contrast IT
36134-5 | Abdomen MRI W contrast IV
36813-4 | Abdomen and Pelvis CT W contrast IV
36828-2 | Abdominal vessels CT angiogram W contrast IV
24533-2 | Abdominal vessels MRI angiogram W contrast IV
69908-2 | Abdominal vessels and Pelvis vessels CT angiogram W contrast IV
36943-9 | Adrenal gland CT W contrast IV
44124-6 | Adrenal gland MRI W contrast IV
36135-2 | Ankle CT W contrast IV
36136-0 | Ankle MRI W contrast IV
69163-4 | Ankle - bilateral MRI W contrast IV
36137-8 | Ankle - left CT W contrast IV
36138-6 | Ankle - left MRI W contrast IV
36139-4 | Ankle - right CT W contrast IV
36140-2 | Ankle - right MRI W contrast IV
36142-8 | Aorta CT W contrast IV
36141-0 | Aorta CT angiogram W contrast IV
36143-6 | Aorta abdominal CT W contrast IV
24545-6 | Aorta thoracic CT W contrast IV
72255-3 | Aorta and Femoral artery - bilateral CT angiogram W contrast IV
43503-2 | Aorta and Lower extremity vessels CT angiogram W contrast IV
36144-4 | Aortic arch CT angiogram W contrast IV
37499-1 | Aortic stent CT angiogram W contrast IV
36145-1 | Appendix CT W contrast IV
43504-0 | Axilla - left MRI W contrast IV
43505-7 | Axilla - right MRI W contrast IV
44125-3 | Biliary ducts and Pancreatic duct MRI W contrast IV
69095-8 | Bladder CT W contrast IV
24589-4 | Brain MRI W contrast IV
48444-4 | Brain.temporal MRI W contrast IV
37239-1 | Brain and Internal auditory canal MRI W contrast IV
37215-1 | Brain and Larynx MRI W contrast IV
42391-3 | Brain and Pituitary and Sella turcica MRI W contrast IV
36149-3 | Breast MRI W contrast IV
69190-7 | Breast implant MRI W contrast IV
69167-5 | Breast implant - bilateral MRI W contrast IV
36150-1 | Breast - bilateral MRI W contrast IV
36151-9 | Breast - left MRI W contrast IV
36152-7 | Breast - right MRI W contrast IV
46323-2 | Breast - unilateral MRI W contrast IV
36198-0 | Calcaneus CT W contrast IV
36153-5 | Calcaneus - left CT W contrast IV
36154-3 | Calcaneus - right CT W contrast IV
36146-9 | Carotid artery CT angiogram W contrast IV
36829-0 | Carotid vessel MRI angiogram W contrast IV
24628-0 | Chest CT W contrast IV
36156-8 | Chest MRI W contrast IV
36266-5 | Chest vessels CT angiogram W contrast IV
24659-5 | Chest vessels MRI angiogram W contrast IV
42275-8 | Chest and Abdomen CT W contrast IV
36942-1 | Chest and Abdomen MRI W contrast IV
72254-6 | Chest and Abdomen and Pelvis CT W contrast IV
37254-0 | Circle of Willis MRI angiogram W contrast IV
42694-0 | Clavicle MRI W contrast IV
48457-6 | Clavicle - left MRI W contrast IV
48456-8 | Clavicle - right MRI W contrast IV
36157-6 | Elbow CT W contrast IV
36158-4 | Elbow MRI W contrast IV
69170-9 | Elbow - bilateral MRI W contrast IV
36159-2 | Elbow - left CT W contrast IV
36160-0 | Elbow - left MRI W contrast IV
36161-8 | Elbow - right CT W contrast IV

36162-6 | Elbow - right MRI W contrast IV
24691-8 | Extremity CT W contrast IV
26184-2 | Extremity - bilateral CT W contrast IV
26185-9 | Extremity - left CT W contrast IV
26186-7 | Extremity - right CT W contrast IV
36148-5 | Face MRI W contrast IV
30801-5 | Facial bones and Maxilla CT W contrast IV
24697-5 | Facial bones and Sinuses CT W contrast IV
36172-5 | Femur CT W contrast IV
69172-5 | Femur - bilateral MRI W contrast IV
36174-1 | Femur - left CT W contrast IV
36176-6 | Femur - right CT W contrast IV
69195-6 | Finger MRI W contrast IV
69205-3 | Finger - left MRI W contrast IV
69215-2 | Finger - right MRI W contrast IV
36178-2 | Foot CT W contrast IV
36179-0 | Foot MRI W contrast IV
36180-8 | Foot - bilateral MRI W contrast IV
36181-6 | Foot - left CT W contrast IV
36182-4 | Foot - left MRI W contrast IV
36183-2 | Foot - right CT W contrast IV
36184-0 | Foot - right MRI W contrast IV
36185-7 | Forearm CT W contrast IV
36186-5 | Forearm MRI W contrast IV
69175-8 | Forearm - bilateral MRI W contrast IV
36187-3 | Forearm - left CT W contrast IV
36188-1 | Forearm - left MRI W contrast IV
36189-9 | Forearm - right CT W contrast IV
36190-7 | Forearm - right MRI W contrast IV
36191-5 | Hand CT W contrast IV
36192-3 | Hand MRI W contrast IV
69178-2 | Hand - bilateral MRI W contrast IV
36193-1 | Hand - left CT W contrast IV
36194-9 | Hand - left MRI W contrast IV
36195-6 | Hand - right CT W contrast IV
36196-4 | Hand - right MRI W contrast IV
24727-0 | Head CT W contrast IV
36814-2 | Head arteries CT angiogram W contrast IV
36826-6 | Head veins MRI angiogram W contrast IV
36830-8 | Head vessels CT angiogram W contrast IV
24593-6 | Head vessels MRI angiogram W contrast IV
37498-3 | Head vessels and Neck vessels CT angiogram W contrast IV
24747-8 | Head Sagittal Sinus MRI angiogram W contrast IV
36197-2 | Heart MRI W contrast IV
36200-4 | Hip CT W contrast IV
36199-8 | Hip MRI W contrast IV
36201-2 | Hip - bilateral CT W contrast IV
36202-0 | Hip - bilateral MRI W contrast IV
36203-8 | Hip - left CT W contrast IV
36204-6 | Hip - left MRI W contrast IV
36205-3 | Hip - right CT W contrast IV
36206-1 | Hip - right MRI W contrast IV
30583-9 | Internal auditory canal CT W contrast IV
36155-0 | Internal auditory canal MRI W contrast IV
46322-4 | Kidney CT W contrast IV
36113-9 | Kidney MRI W contrast IV
43766-5 | Kidney - bilateral CT W contrast IV
36219-4 | Kidney - bilateral MRI W contrast IV
24790-8 | Kidney - bilateral X-ray tomograph W contrast IV
36220-2 | Kidney - left MRI W contrast IV
36221-0 | Kidney - right MRI W contrast IV
36222-8 | Knee CT W contrast IV
36223-6 | Knee MRI W contrast IV
69088-3 | Knee - bilateral CT W contrast IV
36224-4 | Knee - bilateral MRI W contrast IV
36225-1 | Knee - left CT W contrast IV
36226-9 | Knee - left MRI W contrast IV
36227-7 | Knee - right CT W contrast IV
36228-5 | Knee - right MRI W contrast IV
36229-3 | Larynx CT W contrast IV
36230-1 | Larynx MRI W contrast IV
24815-3 | Liver CT W contrast IV

36231-9 | Liver MRI W contrast IV
30624-1 | Lower extremity CT W contrast IV
39293-6 | Lower extremity MRI W contrast IV
36824-1 | Lower extremity veins - left CT W contrast IV
36825-8 | Lower extremity veins - right CT W contrast IV
36831-6 | Lower extremity vessels CT angiogram W contrast IV
46324-0 | Lower extremity vessels MRI angiogram W contrast IV
44135-2 | Lower extremity vessels - bilateral MRI angiogram W contrast IV
50755-8 | Lower extremity - bilateral CT W contrast IV
36163-4 | Lower extremity - bilateral MRI W contrast IV
36213-7 | Lower Extremity Joint MRI W contrast IV
36214-5 | Lower extremity joint - left MRI W contrast IV
36215-2 | Lower extremity joint - right MRI W contrast IV
36164-2 | Lower extremity - left CT W contrast IV
36165-9 | Lower extremity - left MRI W contrast IV
36166-7 | Lower extremity - right CT W contrast IV
36167-5 | Lower extremity - right MRI W contrast IV
36258-2 | Lower leg CT W contrast IV
36259-0 | Lower leg MRI W contrast IV
24820-3 | Lower leg vessels MRI angiogram W contrast IV
43512-3 | Lower leg vessels - bilateral MRI angiogram W contrast IV
42695-7 | Lower leg - bilateral MRI W contrast IV
36260-8 | Lower leg - left CT W contrast IV
36261-6 | Lower leg - left MRI W contrast IV
36262-4 | Lower leg - right CT W contrast IV
36263-2 | Lower leg - right MRI W contrast IV
36232-7 | Mandible CT W contrast IV
48446-9 | Nasopharynx CT W contrast IV
36233-5 | Nasopharynx MRI W contrast IV
24836-9 | Nasopharynx and Neck CT W contrast IV
36235-0 | Neck CT W contrast IV
24841-9 | Neck MRI W contrast IV
36827-4 | Neck veins MRI angiogram W contrast IV
36234-3 | Neck vessels CT angiogram W contrast IV
24844-3 | Neck vessels MRI angiogram W contrast IV
48449-3 | Orbit CT W contrast IV
36820-9 | Orbit MRI W contrast IV
36832-4 | Orbit vessels MRI angiogram W contrast IV
24850-0 | Orbit - bilateral CT W contrast IV
24852-6 | Orbit - bilateral MRI W contrast IV
36821-7 | Orbit - left MRI W contrast IV
36822-5 | Orbit - right MRI W contrast IV
46320-8 | Orbit and Face CT W contrast IV
39038-5 | Orbit and Face MRI W contrast IV
46321-6 | Orbit and Face and Neck MRI W contrast IV
36823-3 | Ovary MRI W contrast IV
24858-3 | Pancreas CT W contrast IV
36236-8 | Pancreas MRI W contrast IV
37240-9 | Parotid gland CT W contrast IV
37241-7 | Parotid gland MRI W contrast IV
24866-6 | Pelvis CT W contrast IV
36237-6 | Pelvis MRI W contrast IV
42294-9 | Pelvis vessels CT angiogram W contrast IV
24873-2 | Pelvis vessels MRI angiogram W contrast IV
24878-1 | Petrous bone CT W contrast IV
30590-4 | Pituitary and Sella turcica CT W contrast IV
36238-4 | Pituitary and Sella turcica MRI W contrast IV
36242-6 | Posterior fossa CT W contrast IV
36243-4 | Posterior fossa MRI W contrast IV
36244-2 | Prostate MRI W contrast IV
36147-7 | Pulmonary artery CT angiogram W contrast IV
36833-2 | Renal vessels CT angiogram W contrast IV
30887-4 | Renal vessels MRI angiogram W contrast IV
36217-8 | Sacroiliac Joint CT W contrast IV
36218-6 | Sacroiliac Joint MRI W contrast IV
36245-9 | Sacrum CT W contrast IV
36246-7 | Sacrum MRI W contrast IV
36247-5 | Sacrum and Coccyx MRI W contrast IV
36248-3 | Scapula - left MRI W contrast IV
36249-1 | Scapula - right MRI W contrast IV
69221-0 | Scrotum and Testicle MRI W contrast IV
36250-9 | Shoulder CT W contrast IV

36251-7 | Shoulder MRI W contrast IV
69184-0 | Shoulder - bilateral MRI W contrast IV
36252-5 | Shoulder - left CT W contrast IV
38830-6 | Shoulder - left MRI W contrast IV
36253-3 | Shoulder - right CT W contrast IV
36254-1 | Shoulder - right MRI W contrast IV
36255-8 | Sinuses CT W contrast IV
24915-1 | Sinuses MRI W contrast IV
48440-2 | Skull.base MRI W contrast IV
37253-2 | Soft tissue MRI W contrast IV
24987-0 | Spine CT W contrast IV
36256-6 | Spine MRI W contrast IV
37500-6 | Spine vessels MRI angiogram W contrast IV
24933-4 | Spine Cervical CT W contrast IV
24938-3 | Spine Cervical MRI W contrast IV
37501-4 | Cervical Spine vessels MRI angiogram W contrast IV
38061-8 | Spine Cervical and Spine Thoracic and Spine Lumbar and Sacrum MRI W contrast IV
24964-9 | Spine Lumbar CT W contrast IV
30678-7 | Spine Lumbar MRI W contrast IV
37502-2 | Lumbar Spine vessels MRI angiogram W contrast IV
24979-7 | Spine Thoracic CT W contrast IV
24982-1 | Spine Thoracic MRI W contrast IV
37503-0 | Thoracic Spine vessels MRI angiogram W contrast IV
30622-5 | Spleen CT W contrast IV
37242-5 | Sternoclavicular Joint CT W contrast IV
36257-4 | Sternum CT W contrast IV
36815-9 | Temporal bone CT W contrast IV
38835-5 | Temporal bone - left CT W contrast IV
36816-7 | Temporal bone - right CT W contrast IV
37243-3 | Temporomandibular joint CT W contrast IV
37244-1 | Temporomandibular joint MRI W contrast IV
37245-8 | Temporomandibular joint - bilateral MRI W contrast IV
37246-6 | Temporomandibular joint - left CT W contrast IV
37247-4 | Temporomandibular joint - left MRI W contrast IV
37248-2 | Temporomandibular joint - right CT W contrast IV
37249-0 | Temporomandibular joint - right MRI W contrast IV
36173-3 | Thigh MRI W contrast IV
25003-5 | Thigh vessels MRI angiogram W contrast IV
36175-8 | Thigh - left MRI W contrast IV
36177-4 | Thigh - right MRI W contrast IV
36239-2 | Thoracic outlet MRI W contrast IV
24584-5 | Thoracic outlet vessels MRI angiogram W contrast IV
26181-8 | Thoracic outlet vessels - bilateral MRI angiogram W contrast IV
26182-6 | Thoracic outlet vessels - left MRI angiogram W contrast IV
26183-4 | Thoracic outlet vessels - right MRI angiogram W contrast IV
36240-0 | Thoracic outlet - left MRI W contrast IV
36241-8 | Thoracic outlet - right MRI W contrast IV
72243-9 | Toes - left MRI W contrast IV
72240-5 | Toes - right MRI W contrast IV
36207-9 | Upper arm CT W contrast IV
36208-7 | Upper arm MRI W contrast IV
69182-4 | Upper arm - bilateral MRI W contrast IV
36209-5 | Upper arm - left CT W contrast IV
36210-3 | Upper arm - left MRI W contrast IV
36211-1 | Upper arm - right CT W contrast IV
36212-9 | Upper arm - right MRI W contrast IV
30626-6 | Upper extremity CT W contrast IV
39037-7 | Upper extremity MRI W contrast IV
42295-6 | Upper extremity vessels CT angiogram W contrast IV
24549-8 | Upper extremity vessels MRI angiogram W contrast IV
36168-3 | Upper extremity - bilateral CT W contrast IV
69187-3 | Upper extremity - bilateral MRI W contrast IV
36216-0 | Upper extremity .joint MRI W contrast IV
36817-5 | Upper extremity joint - bilateral MRI W contrast IV
36818-3 | Upper extremity joint - left MRI W contrast IV
36819-1 | Upper extremity joint - right MRI W contrast IV
36169-1 | Upper extremity - left CT W contrast IV
38829-8 | Upper extremity - left MRI W contrast IV
36170-9 | Upper extremity - right CT W contrast IV
36171-7 | Upper extremity - right MRI W contrast IV
36264-0 | Uterus CT W contrast IV
36265-7 | Uterus MRI W contrast IV

36834-0 | Vessel CT angiogram W contrast IV
37447-0 | Wrist CT W contrast IV
37448-8 | Wrist MRI W contrast IV
69091-7 | Wrist - bilateral CT W contrast IV
37449-6 | Wrist - bilateral MRI W contrast IV
37450-4 | Wrist - left CT W contrast IV
37451-2 | Wrist - left MRI W contrast IV
37452-0 | Wrist - right CT W contrast IV
37453-8 | Wrist - right MRI W contrast IV
24753-6 | Unspecified body region CT W contrast IV
49507-7 | Unspecified body region MRI W contrast IV
25058-9 | Unspecified body region MRI angiogram W contrast IV
72531-7 | Rectum and Colon CT 3D W contrast IV and W air contrast PR
39450-2 | Gastrointestine US W contrast PO
72246-2 | Abdomen and Pelvis MRI W contrast PO and W and WO contrast IV
72250-4 | Abdomen and Pelvis CT W contrast PO and W contrast IV
72247-0 | Abdomen and Pelvis MRI W contrast PO and WO contrast IV
72245-4 | Pelvis MRI W contrast PR at rest and maxmal sphincter contraction during straining and defecation
39648-1 | Heart SPECT W dipyridamole and W radionuclide IV
44154-3 | Heart SPECT W dipyridamole and W Tc-99m Sestamibi IV
42389-7 | Pelvis MRI W endorectal coil
42388-9 | Prostate MRI W endorectal coil
42270-9 | Spine Cervical MRI W flexion and W extension
39682-0 | SPECT W GA-67 IV
39638-2 | Brain SPECT W I-123 IV
39755-4 | Thyroid SPECT W I-131 IV
39839-6 | SPECT W I-131 MIBG IV
39844-6 | SPECT W In-111 Satumomab IV
41838-4 | Prostate SPECT W In-111 Satumomab IV
41772-5 | Bone SPECT W In-111 tagged WBC IV
46297-8 | SPECT
39823-0 | Bone marrow SPECT
24578-7 | Bones SPECT
39632-5 | Brain SPECT
39644-0 | Breast SPECT
39770-3 | Gastrointestine SPECT
39649-9 | Heart SPECT
42310-3 | Kidney SPECT
39852-9 | Kidney - bilateral SPECT
39692-9 | Liver SPECT
39876-8 | Liver and Spleen SPECT
39628-3 | Meckels diverticulum SPECT
39740-6 | Parathyroid SPECT
43526-3 | Unspecified body region SPECT
39938-6 | Joint SPECT
46330-7 | Abdomen CT W reduced contrast volume IV
46327-3 | Chest CT W reduced contrast volume IV
46326-5 | Facial bones and Maxilla CT W reduced contrast volume IV
46328-1 | Head CT W reduced contrast volume IV
46325-7 | Internal auditory canal CT W reduced contrast volume IV
46329-9 | Pelvis CT W reduced contrast volume IV
42143-8 | Uterus and Fallopian tubes US W saline intrauterine
58750-1 | Heart MRI W stress
58749-3 | Heart MRI W stress and W and WO contrast IV
39668-9 | Heart SPECT W stress and W radionuclide IV
44152-7 | Brain SPECT W Tc-99m bicisate IV
39743-0 | Prostate SPECT W Tc-99m capromab pendatide IV
39640-8 | Brain SPECT W Tc-99m DTPA IV
39641-6 | Brain SPECT W Tc-99m glucoheptonate IV
44153-5 | Kidney SPECT W Tc-99m glucoheptonate IV
39631-7 | Brain SPECT W Tc-99m HMPAO IV
24817-9 | Liver SPECT W Tc-99m IV
39851-1 | Kidney - bilateral SPECT W Tc-99m Mertiatide IV
69229-3 | Liver SPECT W Tc-99m SC IV
44151-9 | Heart SPECT W Tc-99m Sestamibi IV
39691-1 | Liver SPECT W Tc-99m tagged RBC IV
69234-3 | Spleen SPECT W Tc-99m tagged RBC IV
39647-3 | Heart SPECT W Tc-99m Tetrofosmin IV
39639-0 | Brain SPECT W Tl-201 IV
42377-2 | Brain CT W Xe-133 inhaled
46393-5 | Liver CT W Xe-133 inhaled
42394-7 | Pulmonary system CT W Xe-133 inhaled

36424-0 | Abdomen CT WO contrast
30668-8 | Abdomen MRI WO contrast
42291-5 | Abdomen retroperitoneum CT WO contrast
36952-0 | Abdomen and Pelvis CT WO contrast
36878-7 | Abdominal vessels MRI angiogram WO contrast
36496-8 | Acromioclavicular Joint MRI WO contrast
36953-8 | Adrenal gland CT WO contrast
36954-6 | Adrenal gland MRI WO contrast
36425-7 | Ankle CT WO contrast
30680-3 | Ankle MRI WO contrast
36879-5 | Ankle vessels MRI angiogram WO contrast
69087-5 | Ankle - bilateral CT WO contrast
69164-2 | Ankle - bilateral MRI WO contrast
36426-5 | Ankle - left CT WO contrast
36427-3 | Ankle - left MRI WO contrast
36428-1 | Ankle - right CT WO contrast
36429-9 | Ankle - right MRI WO contrast
36430-7 | Aorta CT WO contrast
44132-9 | Aorta MRI angiogram WO contrast
36431-5 | Aorta abdominal CT WO contrast
36432-3 | Aorta abdominal MRI angiogram WO contrast
69119-6 | Aorta thoracic CT angiogram WO contrast
36433-1 | Aorta thoracic MRI angiogram WO contrast
44130-3 | Aortic arch MRI angiogram WO contrast
36434-9 | Appendix CT WO contrast
44123-8 | Biliary ducts and Pancreatic duct MRI WO contrast
30657-1 | Brain MRI WO contrast
48453-5 | Brain.temporal MRI WO contrast
37278-9 | Brain and Internal auditory canal MRI WO contrast
37279-7 | Brain and Larynx MRI WO contrast
42393-9 | Brain and Pituitary and Sella turcica MRI WO contrast
36436-4 | Breast MRI WO contrast
69191-5 | Breast implant MRI WO contrast
69168-3 | Breast implant - bilateral MRI WO contrast
38064-2 | Breast implant - left MRI WO contrast
38817-3 | Breast implant - right MRI WO contrast
44119-6 | Breast - bilateral CT WO contrast
36437-2 | Breast - bilateral MRI WO contrast
36438-0 | Breast - left MRI WO contrast
36439-8 | Breast - right MRI WO contrast
46333-1 | Breast - unilateral MRI WO contrast
36483-6 | Calcaneus CT WO contrast
36440-6 | Calcaneus - left CT WO contrast
36441-4 | Calcaneus - right CT WO contrast
36880-3 | Carotid vessel MRI angiogram WO contrast
29252-4 | Chest CT WO contrast
36442-2 | Chest MRI WO contrast
69084-2 | Chest vessels CT angiogram WO contrast
36547-8 | Chest vessels MRI angiogram WO contrast
42276-6 | Chest and Abdomen CT WO contrast
72253-8 | Chest and Abdomen and Pelvis CT WO contrast
42302-0 | Clavicle MRI WO contrast
48459-2 | Clavicle - left MRI WO contrast
48458-4 | Clavicle - right MRI WO contrast
36443-0 | Elbow CT WO contrast
30796-7 | Elbow MRI WO contrast
36444-8 | Elbow - bilateral CT WO contrast
69171-7 | Elbow - bilateral MRI WO contrast
36445-5 | Elbow - left CT WO contrast
36446-3 | Elbow - left MRI WO contrast
36447-1 | Elbow - right CT WO contrast
36448-9 | Elbow - right MRI WO contrast
42278-2 | Extremity CT WO contrast
69104-8 | Extremity - left CT WO contrast
69111-3 | Extremity - right CT WO contrast
36435-6 | Face MRI WO contrast
30802-3 | Facial bones and Maxilla CT WO contrast
72249-6 | Facial bones and Sinuses CT WO contrast
36460-4 | Femur CT WO contrast
69173-3 | Femur - bilateral MRI WO contrast
36462-0 | Femur - left CT WO contrast
36464-6 | Femur - right CT WO contrast

69196-4 | Finger MRI WO contrast
69206-1 | Finger - left MRI WO contrast
69216-0 | Finger - right MRI WO contrast
36466-1 | Foot CT WO contrast
30681-1 | Foot MRI WO contrast
36467-9 | Foot - bilateral MRI WO contrast
36468-7 | Foot - left CT WO contrast
36469-5 | Foot - left MRI WO contrast
36470-3 | Foot - right CT WO contrast
36471-1 | Foot - right MRI WO contrast
36472-9 | Forearm CT WO contrast
30683-7 | Forearm MRI WO contrast
69176-6 | Forearm - bilateral MRI WO contrast
36473-7 | Forearm - left CT WO contrast
36474-5 | Forearm - left MRI WO contrast
36475-2 | Forearm - right CT WO contrast
36476-0 | Forearm - right MRI WO contrast
36477-8 | Hand CT WO contrast
30685-2 | Hand MRI WO contrast
69179-0 | Hand - bilateral MRI WO contrast
36478-6 | Hand - left CT WO contrast
36479-4 | Hand - left MRI WO contrast
36480-2 | Hand - right CT WO contrast
36481-0 | Hand - right MRI WO contrast
30799-1 | Head CT WO contrast
36876-1 | Head veins MRI angiogram WO contrast
42293-1 | Head vessels CT angiogram WO contrast
36881-1 | Head vessels MRI angiogram WO contrast
36482-8 | Heart MRI WO contrast
36484-4 | Hip CT WO contrast
30687-8 | Hip MRI WO contrast
36485-1 | Hip - bilateral CT WO contrast
36486-9 | Hip - bilateral MRI WO contrast
36487-7 | Hip - left CT WO contrast
36488-5 | Hip - left MRI WO contrast
36489-3 | Hip - right CT WO contrast
36490-1 | Hip - right MRI WO contrast
30584-7 | Internal auditory canal CT WO contrast
30658-9 | Internal auditory canal MRI WO contrast
43770-7 | Kidney CT WO contrast
43773-1 | Kidney MRI WO contrast
36503-1 | Kidney - bilateral CT WO contrast
36504-9 | Kidney - bilateral MRI WO contrast
39359-5 | Kidney - bilateral X-ray tomograph WO contrast
36505-6 | Knee CT WO contrast
30691-0 | Knee MRI WO contrast
69089-1 | Knee - bilateral CT WO contrast
36506-4 | Knee - bilateral MRI WO contrast
36507-2 | Knee - left CT WO contrast
36508-0 | Knee - left MRI WO contrast
36509-8 | Knee - right CT WO contrast
36510-6 | Knee - right MRI WO contrast
36511-4 | Larynx CT WO contrast
48445-1 | Larynx MRI WO contrast
30611-8 | Liver CT WO contrast
30669-6 | Liver MRI WO contrast
30625-8 | Lower extremity CT WO contrast
39292-8 | Lower extremity MRI WO contrast
44129-5 | Lower extremity vessels MRI angiogram WO contrast
36450-5 | Lower extremity vessels - bilateral MRI angiogram WO contrast
36882-9 | Lower extremity vessels - left MRI angiogram WO contrast
38773-8 | Lower extremity vessels - right MRI angiogram WO contrast
36449-7 | Lower extremity - bilateral CT WO contrast
36451-3 | Lower extremity - bilateral MRI WO contrast
36497-6 | Lower Extremity Joint MRI WO contrast
36498-4 | Lower extremity joint - left MRI WO contrast
36499-2 | Lower extremity joint - right MRI WO contrast
36452-1 | Lower extremity - left CT WO contrast
36453-9 | Lower extremity - left MRI WO contrast
36454-7 | Lower extremity - right CT WO contrast
36455-4 | Lower extremity - right MRI WO contrast
36537-9 | Lower leg CT WO contrast

30869-2 | Lower leg MRI WO contrast
69185-7 | Lower leg - bilateral MRI WO contrast
36538-7 | Lower leg - left CT WO contrast
36539-5 | Lower leg - left MRI WO contrast
36540-3 | Lower leg - right CT WO contrast
36541-1 | Lower leg - right MRI WO contrast
36512-2 | Mandible CT WO contrast
36513-0 | Nasopharynx MRI WO contrast
30585-4 | Nasopharynx and Neck CT WO contrast
36514-8 | Neck CT WO contrast
30660-5 | Neck MRI WO contrast
36877-9 | Neck veins MRI angiogram WO contrast
36549-4 | Neck vessels MRI angiogram WO contrast
46331-5 | Orbit CT WO contrast
36872-0 | Orbit MRI WO contrast
30587-0 | Orbit - bilateral CT WO contrast
30661-3 | Orbit - bilateral MRI WO contrast
36873-8 | Orbit - left MRI WO contrast
36874-6 | Orbit - right MRI WO contrast
36956-1 | Orbit and Face MRI WO contrast
46332-3 | Orbit and Face and Neck MRI WO contrast
36875-3 | Ovary MRI WO contrast
30613-4 | Pancreas CT WO contrast
36515-5 | Pancreas MRI WO contrast
37280-5 | Parotid gland CT WO contrast
37281-3 | Parotid gland MRI WO contrast
30615-9 | Pelvis CT WO contrast
30673-8 | Pelvis MRI WO contrast
36883-7 | Pelvis vessels MRI angiogram WO contrast
30671-2 | Pelvis and Hip MRI WO contrast
30589-6 | Petrous bone CT WO contrast
30591-2 | Pituitary and Sella turcica CT WO contrast
30666-2 | Pituitary and Sella turcica MRI WO contrast
36543-7 | Portal vein MRI angiogram WO contrast
36517-1 | Posterior fossa CT WO contrast
36518-9 | Posterior fossa MRI WO contrast
36519-7 | Prostate MRI WO contrast
36544-5 | Renal vein MRI angiogram WO contrast
44133-7 | Renal vessels MRI angiogram WO contrast
36501-5 | Sacroiliac Joint CT WO contrast
36502-3 | Sacroiliac Joint MRI WO contrast
36520-5 | Sacrum CT WO contrast
36521-3 | Sacrum MRI WO contrast
36522-1 | Sacrum and Coccyx MRI WO contrast
69118-8 | Scapula CT WO contrast
36523-9 | Scapula - left MRI WO contrast
38770-4 | Scapula - right MRI WO contrast
36535-3 | Scrotum and Testicle MRI WO contrast
36524-7 | Shoulder CT WO contrast
30693-6 | Shoulder MRI WO contrast
69090-9 | Shoulder - bilateral CT WO contrast
36525-4 | Shoulder - bilateral MRI WO contrast
36526-2 | Shoulder - left CT WO contrast
38834-8 | Shoulder - left MRI WO contrast
36527-0 | Shoulder - right CT WO contrast
36528-8 | Shoulder - right MRI WO contrast
36529-6 | Sinuses CT WO contrast
30662-1 | Sinuses MRI WO contrast
44112-1 | Skull.base CT WO contrast
48687-8 | Skull.base MRI WO contrast
37293-8 | Soft tissue MRI WO contrast
36530-4 | Spine CT WO contrast
36531-2 | Spine MRI WO contrast
37510-5 | Spine vessels MRI angiogram WO contrast
30592-0 | Spine Cervical CT WO contrast
30667-0 | Spine Cervical MRI WO contrast
37511-3 | Cervical Spine vessels MRI angiogram WO contrast
30854-4 | Spine Cervical and Thoracic and Lumbar MRI WO contrast
30620-9 | Spine Lumbar CT WO contrast
30679-5 | Spine Lumbar MRI WO contrast
37994-1 | Lumbar Spine vessels MRI angiogram WO contrast
37288-8 | Spine Lumbosacral Junction CT WO contrast

30597-9 | Spine Thoracic CT WO contrast
36532-0 | Spine Thoracic MRI WO contrast
37512-1 | Thoracic Spine vessels MRI angiogram WO contrast
30621-7 | Spleen CT WO contrast
36533-8 | Spleen MRI WO contrast
37282-1 | Sternoclavicular Joint CT WO contrast
36534-6 | Sternum CT WO contrast
44230-1 | Superior mesenteric vessels MRI angiogram WO contrast
36866-2 | Temporal bone CT WO contrast
36867-0 | Temporal bone - left CT WO contrast
36868-8 | Temporal bone - right CT WO contrast
37283-9 | Temporomandibular joint CT WO contrast
37284-7 | Temporomandibular joint MRI WO contrast
37285-4 | Temporomandibular joint - bilateral MRI WO contrast
37286-2 | Temporomandibular joint - left MRI WO contrast
37287-0 | Temporomandibular joint - right MRI WO contrast
36461-2 | Thigh MRI WO contrast
43514-9 | Thigh vessels - left MRI angiogram WO contrast
43515-6 | Thigh vessels - right MRI angiogram WO contrast
36463-8 | Thigh - left MRI WO contrast
36465-3 | Thigh - right MRI WO contrast
30654-8 | Thoracic outlet MRI WO contrast
38833-0 | Thoracic outlet - left MRI WO contrast
36516-3 | Thoracic outlet - right MRI WO contrast
36955-3 | Thyroid CT WO contrast
36536-1 | Thyroid MRI WO contrast
72242-1 | Toes - left MRI WO contrast
72239-7 | Toes - right MRI WO contrast
36491-9 | Upper arm CT WO contrast
30689-4 | Upper arm MRI WO contrast
69183-2 | Upper arm - bilateral MRI WO contrast
36492-7 | Upper arm - left CT WO contrast
36493-5 | Upper arm - left MRI WO contrast
36494-3 | Upper arm - right CT WO contrast
36495-0 | Upper arm - right MRI WO contrast
30627-4 | Upper extremity CT WO contrast
39033-6 | Upper extremity MRI WO contrast
36548-6 | Upper extremity vessels MRI angiogram WO contrast
36456-2 | Upper extremity - bilateral CT WO contrast
69188-1 | Upper extremity - bilateral MRI WO contrast
36500-7 | Upper extremity .joint MRI WO contrast
36869-6 | Upper extremity joint - left MRI WO contrast
36870-4 | Upper extremity joint - right MRI WO contrast
36457-0 | Upper extremity - left CT WO contrast
38832-2 | Upper extremity - left MRI WO contrast
36458-8 | Upper extremity - right CT WO contrast
36459-6 | Upper extremity - right MRI WO contrast
36542-9 | Uterus MRI WO contrast
36545-2 | Inferior vena cava MRI WO contrast
36546-0 | Superior vena cava MRI WO contrast
37459-5 | Wrist CT WO contrast
37460-3 | Wrist MRI WO contrast
43516-4 | Wrist vessels - left MRI angiogram WO contrast
43517-2 | Wrist vessels - right MRI angiogram WO contrast
37461-1 | Wrist - bilateral CT WO contrast
37462-9 | Wrist - bilateral MRI WO contrast
37463-7 | Wrist - left CT WO contrast
37464-5 | Wrist - left MRI WO contrast
37465-2 | Wrist - right CT WO contrast
37466-0 | Wrist - right MRI WO contrast
43525-5 | Unspecified body region CT WO contrast
69223-6 | Unspecified body region MRI WO contrast
36871-2 | Joint MRI WO contrast
24787-4 | Kidney - bilateral X-ray tomograph WO contrast and 10M post contrast IV
30712-4 | Hip US WO developmental joint assessment
25051-4 | Unspecified body region CT Multisectional sagittal
29750-7 | Neonatal intensive care records
25060-5 | Unspecified body region US No charge
52072-6 | Non-emergency transportation
53246-5 | Non-medical services
46210-1 | Case manager Note
34819-3 | Pathology Evaluation and management note

46215-0 | Wound care management Note
28568-4 | Physician Emergency department Note
11536-0 | Nurse Notes
52066-8 | Notice of Discharge Medicare Appeal Rights (NODMAR) form
53244-0 | Notice of privacy practices receipt
11543-6 | Nursery records
46208-5 | Nursing notes
52051-0 | Orthotics/Prosthetics
52052-8 | Osteogenesis stimulators
52053-6 | Oxygen
52054-4 | Parenteral
52067-6 | Past filing limit justification
24620-7 | Catheter Fluoroscopy Patency check W contrast via catheter
33721-2 | Bone marrow Pathology biopsy report
34122-2 | Pathology procedure note
55188-7 | Patient data Document
55750-4 | Patient safety report Event Document
52034-6 | Payer letter
24882-3 | Popliteal artery Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IA
69252-5 | Pulmonary artery Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IA
69248-3 | Renal artery Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IA
42018-2 | Vein Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IA
69301-0 | Upper extremity vein Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IV
28629-4 | Perimetry study
74030-8 | Periodontal service attachment
29752-3 | Perioperative records
24875-7 | Peripheral vessel US.doppler Peripheral plane
51965-2 | Pharmacogenetic analysis report in Blood or Tissue Document by Molecular genetics method
51850-6 | Physical findings of Head and Ears and Eyes and Nose and Throat
24998-7 | Placement check of gastrostomy tube W contrast via GI tube
52055-1 | Power operated vehicles
52063-5 | Prescription for durable medical equipment (DME)
18836-7 | Cardiac stress study Procedure
28570-0 | Provider-unspecified Procedure note
28577-5 | Dentist procedure note
11505-5 | Physician procedure note
28625-2 | Podiatry procedure note
52068-4 | Property and casualty state mandated forms
46209-3 | Provider orders
55751-2 | Public health case report Document
52075-9 | Purchase invoice
55184-6 | Quality Reporting Document Architecture calculated summary report population Document
55182-0 | Quality Reporting Document Architecture incidence report Document
55183-8 | Quality Reporting Document Architecture patient list report population Document
62385-0 | Recommendation [interpretation] Document
11514-7 | Chiropractic Records total Encounter
11521-2 | Occupational therapy Records total Encounter
11515-4 | Physical therapy Records total Encounter
11516-2 | Physician Records total Encounter
11517-0 | Podiatry Records total Encounter
11518-8 | Psychology Records total Encounter
11519-6 | Social service Records total Encounter
11520-4 | Speech therapy Records total Encounter
44226-9 | Colon Fluoroscopy Reduction W views W barium contrast PR
30636-5 | Colon Fluoroscopy Reduction W views W contrast PR
18823-5 | Alcohol and/or substance abuse service attachment
18824-3 | Cardiac service attachment
18825-0 | Medical social services attachment
18826-8 | Occupational therapy service attachment
19002-5 | Physical therapy service attachment
18594-2 | Psychiatric service attachment
52184-9 | Pulmonary therapy service attachment
19003-3 | Respiratory therapy service attachment
19004-1 | Skilled nursing service attachment
29206-0 | Speech therapy service attachment
25073-8 | Vessel Fluoroscopic angiogram Removal of foreign body from vascular space
52056-9 | Repair of durable medical equipment
25015-9 | Upper GI tract Replacement of percutaneous gastrojejunostomy
60569-1 | Report addendum.synoptic Document
55187-9 | Reporting parameters Document
52057-7 | Seat lift mechanism
52058-5 | Seating systems

52039-5 | Skilled Nursing Facility (SNF) record
52059-3 | Speech generating device
52060-1 | Standers/standing frames
52029-6 | Sterilization consent
55228-1 | Cytogenetics study
18752-6 | Exercise stress test study
29755-6 | Nerve conduction study
11526-1 | Pathology study
28633-6 | Polysomnography (sleep) study
11527-9 | Psychiatry study
58477-1 | Pulmonary function report
11529-5 | Surgical pathology study
55230-7 | Immunophenotyping study
11523-8 | EEG study
11541-0 | MRI Brain study
29757-2 | Colposcopy study
33717-0 | Cytology Cervical or vaginal smear or scraping study
18745-0 | Cardiac catheterization study
11524-6 | EKG study
18750-0 | Electrophysiology study
18754-2 | Holter monitor study
18746-8 | Colonoscopy study
18753-4 | Flexible sigmoidoscopy study
29756-4 | Peritoneoscopy study
18744-3 | Bronchoscopy study
18759-1 | Spirometry study
38269-7 | Study report Skeletal system DXA
18756-7 | MRI Spine study
17787-3 | Thyroid Scan Study report
55229-9 | Immune stain study
18751-8 | Endoscopy study
18742-7 | Arthroscopy study
33716-2 | Non-gynecological cytology method study
18748-4 | Diagnostic imaging study
18749-2 | Electromyogram study
33719-6 | Flow cytometry study
29754-9 | Nystagmogram study
52038-7 | Subscriber Information including retroactive and presumptive eligibility
52061-9 | Support surfaces
28583-3 | Dentist Operation note
28573-4 | Physician, Operation note
60568-3 | Synoptic report
52069-2 | Tax ID number - IRS form W9
11534-5 | Temperature charts
46213-5 | Tilt table study
28630-2 | Tonometry study
52062-7 | Transcutaneous electrical neural stimulation (TENS)
28651-8 | Nurse Transfer note
28616-1 | Physician Transfer note
69409-1 | U.S. standard certificate of death - 2003 revision
24783-3 | Kidney - bilateral Fluoroscopy Urodynamics
25065-4 | Unspecified body region Fluoroscopy 15 minutes
25068-8 | Unspecified body region Fluoroscopy 1 hour
43471-2 | Unspecified body region Fluoroscopy 2 hour
25066-2 | Unspecified body region Fluoroscopy 30 minutes
25067-0 | Unspecified body region Fluoroscopy 45 minutes
43472-0 | Unspecified body region Fluoroscopy 90 minutes
42702-1 | Unspecified body region Fluoroscopy Greater than 1 hour
42703-9 | Unspecified body region Fluoroscopy Less than 1 hour
36550-2 | Abdomen X-ray Single view
36551-0 | Ankle X-ray Single view
69307-7 | Ankle - left X-ray Single view
69314-3 | Ankle - right X-ray Single view
46335-6 | Breast - bilateral Mammogram Single view
46336-4 | Breast - left Mammogram Single view
46337-2 | Breast - right Mammogram Single view
46338-0 | Breast - unilateral Mammogram Single view
36564-3 | Calcaneus X-ray Single view
69311-9 | Calcaneus - left X-ray Single view
69319-2 | Calcaneus - right X-ray Single view
36554-4 | Chest X-ray Single view
42699-9 | Chest and Abdomen X-ray Single view

36555-1 | Clavicle X-ray Single view
36556-9 | Elbow X-ray Single view
69308-5 | Elbow - left X-ray Single view
69315-0 | Elbow - right X-ray Single view
42153-7 | Extremity X-ray Single view
36559-3 | Femur X-ray Single view
36560-1 | Femur - left X-ray Single view
37689-7 | Femur - right X-ray Single view
36561-9 | Foot X-ray Single view
69309-3 | Foot - left X-ray Single view
69316-8 | Foot - right X-ray Single view
36563-5 | Hand X-ray Single view
69310-1 | Hand - left X-ray Single view
69318-4 | Hand - right X-ray Single view
24761-9 | Hip X-ray Single view
26400-2 | Hip - bilateral X-ray Single view
26401-0 | Hip - left X-ray Single view
26402-8 | Hip - right X-ray Single view
36565-0 | Humerus X-ray Single view
69312-7 | Humerus - left X-ray Single view
69320-0 | Humerus - right X-ray Single view
36566-8 | Knee - bilateral X-ray Single view
36567-6 | Knee - left X-ray Single view
37741-6 | Knee - right X-ray Single view
36557-7 | Lower extremity - bilateral X-ray Single view
36558-5 | Lower extremity - left X-ray Single view
37764-8 | Lower extremity - right X-ray Single view
37614-5 | Patella X-ray Single view
69152-7 | Patella - left X-ray Single view
69260-8 | Patella - right X-ray Single view
37616-0 | Pelvis X-ray Single view
69317-6 | Radius - right and Ulna - right X-ray Single view
42313-7 | Ribs - left X-ray Single view
42314-5 | Ribs - right X-ray Single view
37654-1 | Scapula X-ray Single view
30748-8 | Shoulder X-ray Single view
36568-4 | Shoulder - bilateral X-ray Single view
36569-2 | Shoulder - left X-ray Single view
37792-9 | Shoulder - right X-ray Single view
37851-3 | Sinuses X-ray Single view
24917-7 | Skull X-ray Single view
48695-1 | Skull.base X-ray Single view
37875-2 | Spine X-ray Single view
24940-9 | Spine Cervical X-ray Single view
30773-6 | Spine Lumbar X-ray Single view
37904-0 | Spine Thoracic X-ray Single view
38121-0 | Spine Thoracic and Lumbar X-ray Single view
69313-5 | Tibia - left and Fibula - left X-ray Single view
69321-8 | Tibia - right and Fibula - right X-ray Single view
37894-3 | Tibia and Fibula X-ray Single view
37924-8 | Wrist X-ray Single view
42419-2 | Wrist - bilateral X-ray Single view
36570-0 | Wrist - left X-ray Single view
37825-7 | Wrist - right X-ray Single view
30642-3 | Unspecified body region Fluoroscopy Single view
30787-6 | Joint X-ray Single view
44176-6 | Hip X-ray Single view portable
41775-8 | Pelvis X-ray Single view portable
30749-6 | Shoulder X-ray Single view portable
30722-3 | Skull X-ray Single view portable
30724-9 | Spine Cervical X-ray Single view portable
30774-4 | Spine Lumbar X-ray Single view portable
70932-9 | Spine Thoracic X-ray Single view portable
25063-9 | Vessel Fluoroscopic angiogram Single view W contrast IA
69268-1 | Breast duct Mammogram Single view W contrast intra duct
49510-1 | Breast duct - left Mammogram Single view W contrast intra duct
49509-3 | Breast duct - right Mammogram Single view W contrast intra duct
24715-5 | Gastrointestine upper Fluoroscopy Single view W contrast PO
37513-9 | Tibia - bilateral X-ray 10 degree caudal angle
37514-7 | Tibia - left X-ray 10 degree caudal angle
38806-6 | Tibia - right X-ray 10 degree caudal angle
37467-8 | Acromioclavicular Joint X-ray 10 degree cephalic angle

37468-6 | Shoulder - bilateral X-ray 30 degree caudal angle
42431-7 | Knee - right X-ray 30 degree standing
69079-2 | Clavicle X-ray 45 degree cephalic angle
37469-4 | Clavicle - bilateral X-ray 45 degree cephalic angle
37470-2 | Clavicle - left X-ray 45 degree cephalic angle
38803-3 | Clavicle - right X-ray 45 degree cephalic angle
24799-9 | Abdomen X-ray AP single view
36583-3 | Acromioclavicular joint - left X-ray AP single view
37662-4 | Acromioclavicular joint - right X-ray AP single view
36571-8 | Ankle X-ray AP single view
36572-6 | Chest X-ray AP single view
36573-4 | Clavicle X-ray AP single view
36575-9 | Femur X-ray AP single view
36576-7 | Finger fifth X-ray AP single view
36577-5 | Finger fourth X-ray AP single view
36578-3 | Finger third X-ray AP single view
36579-1 | Foot X-ray AP single view
36580-9 | Foot - bilateral X-ray AP single view
36581-7 | Hip X-ray AP single view
36582-5 | Hip - left X-ray AP single view
37726-7 | Hip - right X-ray AP single view
36584-1 | Knee X-ray AP single view
36585-8 | Knee - bilateral X-ray AP single view
48462-6 | Knee - left X-ray AP single view
48463-4 | Knee - right X-ray AP single view
36574-2 | Lower extremity X-ray AP single view
42439-0 | Neck X-ray AP single view
37622-8 | Pelvis X-ray AP single view
39050-0 | Ribs X-ray AP single view
36958-7 | Ribs - bilateral X-ray AP single view
36959-5 | Ribs - left X-ray AP single view
37783-8 | Ribs - right X-ray AP single view
39048-4 | Scapula X-ray AP single view
37842-2 | Shoulder X-ray AP single view
36586-6 | Shoulder - bilateral X-ray AP single view
36587-4 | Shoulder - left X-ray AP single view
37798-6 | Shoulder - right X-ray AP single view
69269-9 | Skull X-ray AP single view
37877-8 | Spine X-ray AP single view
30725-6 | Spine Cervical X-ray AP single view
24948-2 | Spine Cervical Odontoid and Cervical axis X-ray AP single view
30777-7 | Spine Lumbar X-ray AP single view
30752-0 | Spine Thoracic X-ray AP single view
39049-2 | Spine Thoracic and Lumbar X-ray AP single view
37880-2 | Sternoclavicular Joint X-ray AP single view
37890-1 | Thumb X-ray AP single view
37897-6 | Tibia and Fibula X-ray AP single view
39402-3 | Shoulder X-ray AP (W internal rotation and W external rotation)
37634-3 | Pelvis X-ray AP 20 degree cephalic angle
30734-8 | Chest X-ray AP lateral-decubitus
30735-5 | Chest X-ray AP lateral-decubitus portable
24561-3 | Abdomen X-ray AP left lateral-decubitus
24637-1 | Chest X-ray AP left lateral-decubitus
24560-5 | Abdomen X-ray AP left lateral-decubitus portable
24636-3 | Chest X-ray AP left lateral-decubitus portable
36588-2 | Abdomen X-ray AP portable single view
36589-0 | Chest X-ray AP portable single view
30727-2 | Spine Cervical X-ray AP portable single view
30729-8 | Spine Cervical Odontoid and Cervical axis X-ray AP portable single view
30755-3 | Spine Thoracic X-ray AP portable single view
24563-9 | Abdomen X-ray AP right lateral-decubitus
43466-2 | Chest X-ray AP right lateral-decubitus
24652-0 | Chest X-ray AP right lateral-decubitus portable
43778-0 | Chest X-ray AP supine portable
24564-7 | Abdomen X-ray AP upright portable
36960-3 | Chest X-ray AP upright portable
24807-0 | Knee X-ray AP single view standing
26358-2 | Knee - bilateral X-ray AP single view standing
26359-0 | Knee - left X-ray AP single view standing
26360-8 | Knee - right X-ray AP single view standing
44177-4 | Lower extremity - bilateral X-ray AP single view standing
38849-6 | Lower extremity - left X-ray AP single view standing

37733-3 | Lower extremity - right X-ray AP single view standing
42420-0 | Pelvis X-ray AP single view standing
42378-0 | Spine Lumbar X-ray AP single view W left bending
39410-6 | Spine Thoracic X-ray AP single view W left bending
42379-8 | Spine Lumbar X-ray AP single view W right bending
39411-4 | Spine Thoracic X-ray AP single view W right bending
24723-9 | Hand X-ray arthritis
26355-8 | Hand - bilateral X-ray arthritis
26356-6 | Hand - left X-ray arthritis
26357-4 | Hand - right X-ray arthritis
42395-4 | Foot sesamoid bones - bilateral X-ray axial
42396-2 | Foot sesamoid bones - left X-ray axial
36962-9 | Breast Mammogram axillary
37849-7 | Shoulder X-ray axillary
36963-7 | Shoulder - bilateral X-ray axillary
36964-5 | Shoulder - left X-ray axillary
37800-0 | Shoulder - right X-ray axillary
36965-2 | Hand X-ray Ball Catcher
37471-0 | Hand - bilateral X-ray Bora
37472-8 | Hand - left X-ray Bora
38804-1 | Hand - right X-ray Bora
36966-0 | Hand - bilateral X-ray Brewerton
36967-8 | Hand - left X-ray Brewerton
38775-3 | Hand - right X-ray Brewerton
37928-9 | Wrist X-ray Brewerton
37857-0 | Sinuses X-ray Caldwell
69132-9 | Hip X-ray Danelius Miller
69141-0 | Hip - left X-ray Danelius Miller
39514-5 | Hip - right X-ray Danelius Miller
37625-1 | Pelvis X-ray Ferguson
37650-9 | Sacroiliac Joint X-ray Ferguson
65799-9 | Kidney - bilateral Fluoroscopy View for cyst examination
65800-5 | Kidney - left Fluoroscopy View for cyst examination
65801-3 | Kidney - right Fluoroscopy View for cyst examination
37297-9 | Abdomen and Fetus X-ray View for fetal age
39149-0 | Gastrointestinal system and Respiratory system X-ray for foreign body
36973-6 | Hip X-ray Friedman
37843-0 | Shoulder X-ray Garth
36974-4 | Shoulder - left X-ray Garth
37801-8 | Shoulder - right X-ray Garth
37844-8 | Shoulder X-ray Grashey
37035-3 | Shoulder - bilateral X-ray Grashey
37473-6 | Shoulder - left X-ray Grashey
38805-8 | Shoulder - right X-ray Grashey
36975-1 | Calcaneus - bilateral X-ray Harris
36977-7 | Calcaneus - left X-ray Harris
38776-1 | Calcaneus - right X-ray Harris
36976-9 | Foot X-ray Harris
36978-5 | Knee X-ray Holmblad
37628-5 | Pelvis X-ray inlet
36979-3 | Elbow X-ray Jones
36980-1 | Elbow - left X-ray Jones
38777-9 | Elbow - right X-ray Jones
36981-9 | Hip X-ray Judet
36982-7 | Hip - bilateral X-ray Judet
36983-5 | Hip - left X-ray Judet
37732-5 | Hip - right X-ray Judet
36620-3 | Chest X-ray left anterior oblique
36591-6 | Abdomen X-ray lateral
36592-4 | Ankle X-ray lateral
39051-8 | Chest X-ray lateral
36593-2 | Femur X-ray lateral
36594-0 | Finger fifth X-ray lateral
36595-7 | Finger fourth X-ray lateral
36596-5 | Finger second X-ray lateral
36597-3 | Finger third X-ray lateral
36598-1 | Foot - left X-ray lateral
37703-6 | Foot - right X-ray lateral
36599-9 | Hand X-ray lateral
36600-5 | Hand - bilateral X-ray lateral
36601-3 | Hand - left X-ray lateral
37712-7 | Hand - right X-ray lateral

36602-1 | Hip X-ray lateral
36603-9 | Hip - left X-ray lateral
37730-9 | Hip - right X-ray lateral
36604-7 | Knee X-ray lateral
36605-4 | Knee - bilateral X-ray lateral
36606-2 | Knee - left X-ray lateral
37751-5 | Knee - right X-ray lateral
24843-5 | Neck X-ray lateral
37629-3 | Pelvis X-ray lateral
39053-4 | Ribs X-ray lateral
38857-9 | Ribs - left X-ray lateral
37784-6 | Ribs - right X-ray lateral
37858-8 | Sinuses X-ray lateral
24920-1 | Skull X-ray lateral
39052-6 | Spine X-ray lateral
24943-3 | Spine Cervical X-ray lateral
24969-8 | Spine Lumbar X-ray lateral
30756-1 | Spine Thoracic X-ray lateral
37891-9 | Thumb X-ray lateral
37893-5 | Tibia and Fibula X-ray lateral
37930-5 | Wrist X-ray lateral
36984-3 | Abdomen X-ray lateral crosstable
36985-0 | Hip X-ray lateral crosstable
36986-8 | Hip - bilateral X-ray lateral crosstable
36987-6 | Hip - left X-ray lateral crosstable
37727-5 | Hip - right X-ray lateral crosstable
36988-4 | Knee X-ray lateral crosstable
37872-9 | Skull X-ray lateral crosstable
37878-6 | Spine X-ray lateral crosstable
36989-2 | Spine Cervical X-ray lateral crosstable
36990-0 | Spine Lumbar X-ray lateral crosstable
37903-2 | Spine Thoracic X-ray lateral crosstable
36991-8 | Spine Cervical X-ray lateral crosstable portable
36992-6 | Spine Lumbar X-ray lateral crosstable portable
30786-8 | Hip X-ray lateral frog
36993-4 | Hip - bilateral X-ray lateral frog
36994-2 | Hip - left X-ray lateral frog
37729-1 | Hip - right X-ray lateral frog
37626-9 | Pelvis X-ray lateral frog
36999-1 | Knee - bilateral X-ray lateral hyperextension
37000-7 | Knee - left X-ray lateral hyperextension
37750-7 | Knee - right X-ray lateral hyperextension
37909-9 | Spine Thoracic X-ray lateral hyperextension
41774-1 | Neck X-ray lateral portable
30757-9 | Spine Thoracic X-ray lateral portable
37515-4 | Spine Lumbosacral Junction X-ray lateral spot
37516-2 | Spine Lumbosacral Junction X-ray lateral spot standing
38066-7 | Hip - left X-ray lateral during surgery
38819-9 | Hip - right X-ray lateral during surgery
37001-5 | Foot X-ray lateral standing
37002-3 | Knee - left X-ray lateral standing
37754-9 | Knee - right X-ray lateral standing
42442-4 | Spine X-ray lateral standing
37003-1 | Spine Lumbar X-ray lateral standing
37910-7 | Spine Thoracic X-ray lateral standing
36997-5 | Spine Cervical X-ray lateral W extension
36971-0 | Wrist - left X-ray lateral W extension
37833-1 | Wrist - right X-ray lateral W extension
36998-3 | Spine Cervical X-ray lateral W flexion
36972-8 | Wrist - left X-ray lateral W flexion
37834-9 | Wrist - right X-ray lateral W flexion
37004-9 | Knee X-ray Laurin
36995-9 | Abdomen X-ray left lateral
30737-1 | Chest X-ray left lateral
30738-9 | Chest X-ray left lateral portable
24639-7 | Chest X-ray left lateral upright
24638-9 | Chest X-ray left lateral upright portable
37008-0 | Chest X-ray left oblique
37009-8 | Spine Lumbar X-ray left oblique
24641-3 | Chest X-ray left oblique portable
24640-5 | Chest X-ray lordotic
38069-1 | Abdomen X-ray left posterior oblique

37005-6 | Breast - left Mammogram magnification
37773-9 | Breast - right Mammogram magnification
42441-6 | Neck X-ray magnification
24801-3 | Knee X-ray Merchants
26283-2 | Knee - bilateral X-ray Merchants
26284-0 | Knee - left X-ray Merchants
26285-7 | Knee - right X-ray Merchants
37006-4 | Breast - bilateral Mammogram MLO
37007-2 | Ankle X-ray Mortise
37475-1 | Ankle - left X-ray Mortise W manual stress
37671-5 | Ankle - right X-ray Mortise W manual stress
38067-5 | Breast - bilateral Mammogram nipple profile
36607-0 | Abdomen X-ray oblique single view
36609-6 | Femur X-ray oblique single view
36610-4 | Finger fifth X-ray oblique single view
36611-2 | Finger fourth X-ray oblique single view
36612-0 | Finger second X-ray oblique single view
36613-8 | Finger third X-ray oblique single view
36614-6 | Foot X-ray oblique single view
36615-3 | Foot - left X-ray oblique single view
37704-4 | Foot - right X-ray oblique single view
36616-1 | Hand X-ray oblique single view
36617-9 | Hip X-ray oblique single view
36618-7 | Hip - bilateral X-ray oblique single view
42689-0 | Spine X-ray oblique single view
30778-5 | Spine Lumbar X-ray oblique single view
30758-7 | Spine Thoracic X-ray oblique single view
37892-7 | Thumb X-ray oblique single view
44178-2 | Spine Lumbar X-ray oblique view and (views W right bending and W left bending)
37545-1 | Hip - left X-ray oblique crosstable
37728-3 | Hip - right X-ray oblique crosstable
30759-5 | Spine Thoracic X-ray oblique portable
37631-9 | Pelvis X-ray outlet
37845-5 | Shoulder X-ray outlet
37012-2 | Shoulder - bilateral X-ray outlet
37013-0 | Shoulder - left X-ray outlet
37802-6 | Shoulder - right X-ray outlet
36621-1 | Hand X-ray PA
36622-9 | Hand - bilateral X-ray PA
36623-7 | Hand - left X-ray PA
37714-3 | Hand - right X-ray PA
69270-7 | Skull X-ray PA
37931-3 | Wrist X-ray PA
36624-5 | Wrist - bilateral X-ray PA
37015-5 | Abdomen X-ray PA prone
24648-8 | Chest X-ray PA upright
37014-8 | Knee - left X-ray PA standing
37755-6 | Knee - right X-ray PA standing
37477-7 | Knee X-ray PA standing and W 45 degree flexion
37476-9 | Knee X-ray PA W 45 degree flexion
39324-9 | Wrist - left X-ray PA W clenched fist
69263-2 | Wrist - right X-ray PA W clenched fist
24828-6 | Mandible X-ray panorex
24871-6 | Pelvis X-ray pelvimetry
37998-2 | Elbow X-ray radial head capitellar
37999-0 | Elbow - bilateral X-ray radial head capitellar
38000-6 | Elbow - left X-ray radial head capitellar
38006-3 | Elbow - right X-ray radial head capitellar
38068-3 | Chest X-ray right anterior oblique
36996-7 | Abdomen X-ray right lateral
37010-6 | Chest X-ray right oblique
37011-4 | Spine Lumbar X-ray right oblique
37018-9 | Knee X-ray Rosenberg standing
37020-5 | Knee - bilateral X-ray Rosenberg standing
37019-7 | Knee - left X-ray Rosenberg standing
37752-3 | Knee - right X-ray Rosenberg standing
39323-1 | Abdomen X-ray right posterior oblique
49511-9 | Femoral artery Fluoroscopic angiogram runoff W and WO contrast IA
24699-1 | Femoral artery Fluoroscopic angiogram runoff W contrast IA
26178-4 | Femoral artery - bilateral Fluoroscopic angiogram runoff W contrast IA
26179-2 | Femoral artery - left Fluoroscopic angiogram runoff W contrast IA
26180-0 | Femoral artery - right Fluoroscopic angiogram runoff W contrast IA

42812-8 | Wrist X-ray scaphoid single view
42813-6 | Wrist - bilateral X-ray scaphoid single view
42814-4 | Wrist - left X-ray scaphoid single view
42811-0 | Wrist - right X-ray scaphoid single view
44206-1 | Spine Thoracic and Lumbar X-ray scoliosis single view
30714-0 | Spine Thoracic and Lumbar X-ray scoliosis AP
42426-7 | Spine Thoracic and Lumbar X-ray scoliosis AP sitting
37659-0 | Spine Thoracic and Lumbar X-ray scoliosis AP standing
42428-3 | Spine Thoracic and Lumbar X-ray scoliosis AP standing and in brace
42429-1 | Spine Thoracic and Lumbar X-ray scoliosis AP standing and W right bending
42427-5 | Spine Thoracic and Lumbar X-ray scoliosis lateral sitting
37660-8 | Spine Thoracic and Lumbar X-ray scoliosis lateral standing
37846-3 | Sternoclavicular Joint X-ray Serendipity
37298-7 | Sternoclavicular joint - bilateral X-ray Serendipity
37299-5 | Sternoclavicular joint - left X-ray Serendipity
37808-3 | Sternoclavicular joint - right X-ray Serendipity
43671-7 | Thyroid Scan spot
42471-3 | Pelvis X-ray stereo
42474-7 | Skull X-ray stereo
39516-0 | Shoulder X-ray Stryker Notch
37024-7 | Shoulder - bilateral X-ray Stryker Notch
37025-4 | Shoulder - left X-ray Stryker Notch
37791-1 | Shoulder - right X-ray Stryker Notch
39517-8 | Shoulder X-ray Stryker Notch and West Point
37861-2 | Sinuses X-ray submentovertex
37026-2 | Skull X-ray submentovertex
43780-6 | Knee X-ray Sunrise
37027-0 | Knee - bilateral X-ray Sunrise
43779-8 | Knee - left X-ray Sunrise
69256-6 | Knee - right X-ray Sunrise
69239-2 | Patella X-ray Sunrise
69069-3 | Patella - bilateral X-ray Sunrise
69064-4 | Knee - bilateral X-ray Sunrise and (views standing)
69149-3 | Knee - left X-ray Sunrise and (views standing)
42432-5 | Knee - right X-ray Sunrise and (views standing)
24944-1 | Spine Cervical X-ray Swimmers
37028-8 | Breast Mammogram tangential
37029-6 | Breast - bilateral Mammogram tangential
37030-4 | Breast - left Mammogram tangential
37770-5 | Breast - right Mammogram tangential
37870-3 | Skull X-ray Towne
24668-6 | Colon Fluoroscopy transit Post solid contrast
37031-2 | Humerus X-ray transthoracic
37032-0 | Humerus - bilateral X-ray transthoracic
37033-8 | Humerus - left X-ray transthoracic
38007-1 | Humerus - right X-ray transthoracic
37034-6 | Shoulder - left X-ray transthoracic
38779-5 | Shoulder - right X-ray transthoracic
37300-1 | Spine Lumbosacral Junction X-ray true AP
37037-9 | Breast Mammogram true lateral
37038-7 | Breast - bilateral Mammogram true lateral
38855-3 | Breast - left Mammogram true lateral
37771-3 | Breast - right Mammogram true lateral
37039-5 | Hip X-ray true lateral
37040-3 | Hip - left X-ray true lateral
38772-0 | Hip - right X-ray true lateral
30790-0 | Knee X-ray tunnel
37041-1 | Knee - bilateral X-ray tunnel
37042-9 | Knee - left X-ray tunnel
37761-4 | Knee - right X-ray tunnel
38842-1 | Wrist - left X-ray tunnel.carpal
37677-2 | Wrist - right X-ray tunnel.carpal
37043-7 | Knee - left X-ray tunnel standing
37756-4 | Knee - right X-ray tunnel standing
37044-5 | Wrist - left X-ray ulnar deviation
37645-9 | Wrist - right X-ray ulnar deviation
37045-2 | Wrist - bilateral X-ray ulnar variance
37046-0 | Abdomen X-ray upright
37047-8 | Shoulder - bilateral X-ray Velpeau axillary
37048-6 | Shoulder - left X-ray Velpeau axillary
38780-3 | Shoulder - right X-ray Velpeau axillary
37049-4 | Hip X-ray Von rossen

37613-7 | Orbit - bilateral X-ray Waters
37863-8 | Sinuses X-ray Waters
24921-9 | Skull X-ray Waters
42473-9 | Sinuses X-ray Waters stereo
38117-8 | Sinuses X-ray Waters upright
30751-2 | Shoulder X-ray West Point
37050-2 | Shoulder - bilateral X-ray West Point
37051-0 | Shoulder - left X-ray West Point
37809-1 | Shoulder - right X-ray West Point
42680-9 | Breast Mammogram XCCL
37052-8 | Breast - bilateral Mammogram XCCL
37053-6 | Breast - left Mammogram XCCL
37772-1 | Breast - right Mammogram XCCL
37656-6 | Scapula X-ray Y
37055-1 | Scapula - bilateral X-ray Y
37054-4 | Scapula - left X-ray Y
37790-3 | Scapula - right X-ray Y
37847-1 | Shoulder X-ray Y
38858-7 | Shoulder - left X-ray Y
37805-9 | Shoulder - right X-ray Y
37848-9 | Acromioclavicular Joint X-ray Zanca
37056-9 | Acromioclavicular joint - bilateral X-ray Zanca
37057-7 | Acromioclavicular joint - left X-ray Zanca
37810-9 | Acromioclavicular joint - right X-ray Zanca
41793-1 | Abdomen X-ray during surgery
41790-7 | Chest X-ray during surgery
24656-1 | Chest Fluoroscopy during surgery
39047-6 | Hip Fluoroscopy during surgery
38065-9 | Hip - left X-ray during surgery
38818-1 | Hip - right X-ray during surgery
42008-3 | Humerus X-ray during surgery
24893-0 | Rectum Fluoroscopy post contrast PR during defecation
37058-5 | Calcaneus - bilateral X-ray standing
37059-3 | Hip - bilateral X-ray standing
37207-8 | Hip - left X-ray standing
37731-7 | Hip - right X-ray standing
44205-3 | Lower extremity - bilateral X-ray standing
38850-4 | Lower extremity - left X-ray standing
37734-1 | Lower extremity - right X-ray standing
37633-5 | Pelvis X-ray standing
39144-1 | Gastrointestine upper Fluoroscopy W air contrast PO
41795-6 | Upper Gastrointestine and Small bowel Fluoroscopy W air contrast PO
69302-8 | Wrist X-ray W clenched fist
36968-6 | Wrist - bilateral X-ray W clenched fist
30639-9 | Vessel Fluoroscopic angiogram W contrast
42470-5 | Gastrointestine upper and Gallbladder Fluoroscopy W contrast PO
30809-8 | Upper Gastrointestine and Small bowel Fluoroscopy W contrast PO
42469-7 | Gastrointestine upper and Small bowel and Gallbladder Fluoroscopy W contrast PO
38001-4 | Chest X-ray W expiration
38002-2 | Chest X-ray W inspiration
37060-1 | Fetal X-ray
37636-8 | Abdomen X-ray
46341-4 | Abdomen Fluoroscopy
24535-7 | Acetabulum X-ray
26133-9 | Acetabulum - bilateral X-ray
26134-7 | Acetabulum - left X-ray
26135-4 | Acetabulum - right X-ray
24536-5 | Acromioclavicular Joint X-ray
26136-2 | Acromioclavicular joint - bilateral X-ray
26137-0 | Acromioclavicular joint - left X-ray
26138-8 | Acromioclavicular joint - right X-ray
24541-5 | Ankle X-ray
26097-6 | Ankle - bilateral X-ray
26098-4 | Ankle - left X-ray
51395-2 | Ankle - left and Foot.left X-ray
26099-2 | Ankle - right X-ray
51394-5 | Ankle - right and Foot - right X-ray
36625-2 | Breast Mammogram
46342-2 | Breast FFD mammogram
38070-9 | Breast implant Mammogram
38071-7 | Breast implant - bilateral Mammogram
38072-5 | Breast implant - left Mammogram

38820-7 | Breast implant - right Mammogram
46380-2 | Breast Implant - unilateral Mammogram
24597-7 | Breast specimen Mammogram
38079-0 | Breast specimen - bilateral Mammogram
38080-8 | Breast specimen - left Mammogram
38821-5 | Breast specimen - right Mammogram
36626-0 | Breast - bilateral Mammogram
36627-8 | Breast - left Mammogram
37774-7 | Breast - right Mammogram
46339-8 | Breast - unilateral Mammogram
24612-4 | Calcaneus X-ray
26100-8 | Calcaneus - bilateral X-ray
26101-6 | Calcaneus - left X-ray
26102-4 | Calcaneus - right X-ray
30745-4 | Chest X-ray
30631-6 | Chest Fluoroscopy
42269-1 | Chest and Abdomen X-ray
24664-5 | Clavicle X-ray
26106-5 | Clavicle - bilateral X-ray
26107-3 | Clavicle - left X-ray
26108-1 | Clavicle - right X-ray
30883-3 | Coccyx X-ray
24676-9 | Elbow X-ray
26109-9 | Elbow - bilateral X-ray
26110-7 | Elbow - left X-ray
26111-5 | Elbow - right X-ray
46381-0 | Elbow+Radius+Ulna X-ray
37637-6 | Extremity X-ray
24695-9 | Facial bones X-ray
37303-5 | Facial bones and Zygomatic arch X-ray
24704-9 | Femur X-ray
26118-0 | Femur - bilateral X-ray
26120-6 | Femur - left X-ray
26122-2 | Femur - right X-ray
24706-4 | Finger X-ray
26124-8 | Finger - bilateral X-ray
30783-5 | Finger fifth X-ray
37517-0 | Finger fifth - bilateral X-ray
37518-8 | Finger fifth - left X-ray
38147-5 | Finger fifth - right X-ray
30782-7 | Finger fourth X-ray
37519-6 | Finger fourth - bilateral X-ray
37520-4 | Finger fourth - left X-ray
38146-7 | Finger fourth - right X-ray
26125-5 | Finger - left X-ray
26126-3 | Finger - right X-ray
30780-1 | Finger second X-ray
37521-2 | Finger second - bilateral X-ray
37522-0 | Finger second - left X-ray
38144-2 | Finger second - right X-ray
30781-9 | Finger third X-ray
37523-8 | Finger third - bilateral X-ray
37524-6 | Finger third - left X-ray
38145-9 | Finger third - right X-ray
24709-8 | Foot X-ray
26127-1 | Foot - bilateral X-ray
26128-9 | Foot - left X-ray
26129-7 | Foot - right X-ray
42399-6 | Foot sesamoid bones X-ray
42400-2 | Foot sesamoid bones - bilateral X-ray
43641-0 | Foot sesamoid bones - left X-ray
42434-1 | Foot sesamoid bones - right X-ray
37532-9 | Great toe - bilateral X-ray
37533-7 | Great toe - left X-ray
38152-5 | Great toe - right X-ray
28582-5 | Hand X-ray
36629-4 | Hand - bilateral X-ray
36630-2 | Hand - left X-ray
37716-8 | Hand - right X-ray
24752-8 | Heart Fluoroscopy video
24762-7 | Hip X-ray
26130-5 | Hip - bilateral X-ray

26131-3 | Hip - left X-ray
26132-1 | Hip - right X-ray
28567-6 | Humerus X-ray
37319-1 | Humerus bicipital groove X-ray
37321-7 | Humerus bicipital groove - bilateral X-ray
37320-9 | Humerus bicipital groove - left X-ray
38797-7 | Humerus bicipital groove - right X-ray
37062-7 | Humerus - bilateral X-ray
36632-8 | Humerus - left X-ray
37738-2 | Humerus - right X-ray
36628-6 | Internal auditory canal X-ray
28565-0 | Knee X-ray
36635-1 | Knee - bilateral X-ray
36636-9 | Knee - left X-ray
37758-0 | Knee - right X-ray
48465-9 | Larynx Fluoroscopy
24686-8 | Lower extremity X-ray
26112-3 | Lower extremity - bilateral X-ray
26113-1 | Lower extremity - left X-ray
26114-9 | Lower extremity - right X-ray
24829-4 | Mandible X-ray
48745-4 | Mandible - left X-ray
43533-9 | Mandible - right X-ray
24830-2 | Mastoid X-ray
26139-6 | Mastoid - bilateral X-ray
26140-4 | Mastoid - left X-ray
26141-2 | Mastoid - right X-ray
36637-7 | Maxilla X-ray
24834-4 | Nasal bones X-ray
37639-2 | Neck X-ray
37332-4 | Olecranon - left X-ray
38798-5 | Olecranon - right X-ray
24846-8 | Optic foramen X-ray
26142-0 | Optic foramen - bilateral X-ray
26143-8 | Optic foramen - left X-ray
26144-6 | Optic foramen - right X-ray
36886-0 | Orbit X-ray
24854-2 | Orbit - bilateral X-ray
36887-8 | Orbit - left X-ray
38774-6 | Orbit - right X-ray
43529-7 | Orbit + Facial bones X-ray
24855-9 | Oropharynx Fluoroscopy video
30791-8 | Patella X-ray
36638-5 | Patella - bilateral X-ray
36639-3 | Patella - left X-ray
37777-0 | Patella - right X-ray
28561-9 | Pelvis X-ray
30885-8 | Pelvis symphysis pubis X-ray
30767-8 | Pelvis and Hip X-ray
30768-6 | Pelvis and Hip - bilateral X-ray
36631-0 | Pelvis and Hip - left X-ray
38771-2 | Pelvis and Hip - right X-ray
47984-0 | Pelvis and Spine Lumbar X-ray
24745-2 | Petrous bone X-ray
26146-1 | Radius - bilateral and Ulna - bilateral X-ray
26148-7 | Radius - left and Ulna.left X-ray
26150-3 | Radius - right and Ulna - right X-ray
24891-4 | Radius and Ulna X-ray
24899-7 | Ribs X-ray
37937-0 | Ribs anterior X-ray
38073-3 | Ribs anterior - bilateral X-ray
38074-1 | Ribs anterior - left X-ray
37963-6 | Ribs anterior - right X-ray
38868-6 | Ribs anterior and posterior - left X-ray
37962-8 | Ribs anterior and posterior - right X-ray
26151-1 | Ribs - bilateral X-ray
69071-9 | Ribs - bilateral and Chest X-ray
26152-9 | Ribs - left X-ray
39326-4 | Ribs - left and Chest X-ray
38866-0 | Ribs lower - left X-ray
39489-0 | Ribs lower posterior X-ray
42381-4 | Ribs lower posterior - left X-ray

39493-2 | Ribs lower posterior - right X-ray
37960-2 | Ribs lower - right X-ray
37938-8 | Ribs posterior X-ray
39352-0 | Ribs posterior - bilateral X-ray
38869-4 | Ribs posterior - left X-ray
37964-4 | Ribs posterior - right X-ray
26153-7 | Ribs - right X-ray
39351-2 | Ribs upper anterior and posterior - left X-ray
39491-6 | Ribs upper anterior and posterior - right X-ray
38867-8 | Ribs upper - left X-ray
39353-8 | Ribs upper posterior - left X-ray
39492-4 | Ribs upper posterior - right X-ray
37961-0 | Ribs upper - right X-ray
24900-3 | Sacroiliac Joint X-ray
36633-6 | Sacroiliac joint - bilateral X-ray
36634-4 | Sacroiliac joint - left X-ray
37786-1 | Sacroiliac joint - right X-ray
30884-1 | Sacrum X-ray
24665-2 | Sacrum and Coccyx X-ray
39058-3 | Salivary gland X-ray
24903-7 | Scapula X-ray
26154-5 | Scapula - bilateral X-ray
26155-2 | Scapula - left X-ray
26156-0 | Scapula - right X-ray
42159-4 | Sella turcica X-ray
24909-4 | Shoulder X-ray
26157-8 | Shoulder - bilateral X-ray
26158-6 | Shoulder - left X-ray
26159-4 | Shoulder - right X-ray
42160-2 | Shunt X-ray
24911-0 | Shunt Fluoroscopy
24916-9 | Sinuses X-ray
28564-3 | Skull X-ray
48697-7 | Skull.base X-ray
37338-1 | Skull and Facial bones and Mandible X-ray
28613-8 | Spine X-ray
24946-6 | Spine Cervical X-ray
36640-1 | Spine Cervical Fluoroscopy
43538-8 | Spine Cervical Fluoroscopy video
37481-9 | Spine Cervical and Spine Thoracic X-ray
38008-9 | Spine Cervical and Thoracic and Lumbar X-ray
43781-4 | Spine Cervicothoracic Junction X-ray
24972-2 | Spine Lumbar X-ray
43536-2 | Spine Lumbar Fluoroscopy video
24975-5 | Spine.lumbar and Sacroiliac joint - bilateral X-ray
37340-7 | Spine Lumbar and Sacrum X-ray
37341-5 | Spine Lumbar and Sacrum and Coccyx X-ray
37342-3 | Spine Lumbar and Sacrum and Sacroiliac Joint and Coccyx X-ray
46340-6 | Spine Lumbosacral Junction X-ray
24983-9 | Spine Thoracic X-ray
42692-4 | Spine Thoracic and Lumbar X-ray
37975-0 | Spine Thoracolumbar Junction X-ray
37323-3 | Sternoclavicular joint - bilateral X-ray
37324-1 | Sternoclavicular joint - left X-ray
37965-1 | Sternoclavicular joint - right X-ray
24993-8 | Sternoclavicular Joints X-ray
24994-6 | Sternum X-ray
72876-6 | Surgical specimen X-ray
25000-1 | Temporomandibular joint X-ray
37325-8 | Temporomandibular joint - bilateral X-ray
30889-0 | Temporomandibular joint - left X-ray
30890-8 | Temporomandibular joint - right X-ray
25006-8 | Thumb X-ray
26160-2 | Thumb - bilateral X-ray
26161-0 | Thumb - left X-ray
26162-8 | Thumb - right X-ray
26163-6 | Tibia - bilateral and Fibula - bilateral X-ray
26164-4 | Tibia - left and Fibula - left X-ray
26165-1 | Tibia - right and Fibula - right X-ray
25011-8 | Tibia and Fibula X-ray
37530-3 | Toe fifth - left X-ray
38151-7 | Toe fifth - right X-ray

37531-1 | Toe fourth - left X-ray
38150-9 | Toe fourth - right X-ray
37534-5 | Toe second - left X-ray
38148-3 | Toe second - right X-ray
37535-2 | Toe third - left X-ray
38149-1 | Toe third - right X-ray
25013-4 | Toes X-ray
26166-9 | Toes - bilateral X-ray
26167-7 | Toes - left X-ray
26168-5 | Toes - right X-ray
44238-4 | Trachea X-ray
48464-2 | Trachea Fluoroscopy
24689-2 | Upper extremity X-ray
26115-6 | Upper extremity - bilateral X-ray
26116-4 | Upper extremity - left X-ray
26117-2 | Upper extremity - right X-ray
24619-9 | Wrist X-ray
26169-3 | Wrist - bilateral X-ray
26170-1 | Wrist - left X-ray
51392-9 | Wrist - left and Hand - left X-ray
26171-9 | Wrist - right X-ray
51388-7 | Wrist - right and Hand - right X-ray
43468-8 | Unspecified body region X-ray
49512-7 | Unspecified body region Fluoroscopy
25074-6 | Zygomatic arch X-ray
26172-7 | Zygomatic arch - bilateral X-ray
26173-5 | Zygomatic arch - left X-ray
26174-3 | Zygomatic arch - right X-ray
51387-9 | Knee - bilateral X-ray and (AP view standing)
39370-2 | Ankle - right X-ray and (view W manual stress)
30635-7 | Gastrointestine upper Fluoroscopy and AP W contrast PO
42162-8 | Gastrointestine upper Fluoroscopy and AP W water soluble contrast PO
39400-7 | Wrist - right X-ray and carpal tunnel
69131-1 | Hip X-ray and Danelius Miller
69140-2 | Hip - left X-ray and Danelius Miller
39513-7 | Hip - right X-ray and Danelius Miller
39360-3 | Pelvis X-ray and inlet and outlet
69059-4 | Hip - bilateral X-ray and lateral crosstable
69139-4 | Hip - left X-ray and lateral crosstable
39377-7 | Hip - right X-ray and lateral crosstable
37583-2 | Pelvis and Hip - bilateral X-ray and lateral frog
39372-8 | Ankle - right X-ray and Mortise
39373-6 | Elbow - right X-ray and oblique
39390-0 | Knee - right X-ray and oblique
39511-1 | Pelvis X-ray and oblique
39376-9 | Radius - right and Ulna - right X-ray and oblique
42164-4 | Spine Cervical X-ray and oblique
42163-6 | Spine Lumbar X-ray and oblique
39414-8 | Spine Thoracic X-ray and oblique
39398-3 | Tibia - right and Fibula - right X-ray and oblique
69056-0 | Elbow - bilateral X-ray and obliques
41811-1 | Ribs - bilateral and Chest X-ray and PA chest
41832-7 | Ribs - left and Chest X-ray and PA chest
42010-9 | Ribs - right and Chest X-ray and PA chest
42165-1 | Ribs and Chest X-ray and PA chest
46389-3 | Elbow - bilateral X-ray and radial head capitellar
39391-8 | Knee - right X-ray and Sunrise
39412-2 | Spine Thoracic X-ray and Swimmers
69148-5 | Knee - left X-ray and tunnel
39389-2 | Knee - right X-ray and tunnel
30694-4 | Thyroid Scan and uptake.single
42271-7 | Thyroid Scan and uptake W I-123 IV
60527-9 | Thyroid Scan and uptake W I-123 PO
25008-4 | Thyroid Scan and uptake W I-131 IV
69236-8 | Thyroid Scan and uptake W I-131 PO
43672-5 | Thyroid Scan and uptake
44147-7 | Thyroid Scan and uptake W Tc-99m pertechnetate IV
42405-1 | Knee X-ray (AP^standing) and (lateral^W hyperextension)
42401-0 | Spine Lumbar X-ray (AP W R-bending and W L-bending and WO bending) and Lateral
42411-9 | Spine Lumbar X-ray (AP^W R-bending and W L-bending) and (lateral^W flexion and W extension)
39392-6 | Shoulder - right X-ray (W internal rotation and W external rotation) and axillary
44199-8 | Facial bones X-ray 1 or 2 views

44198-0 | Knee X-ray 1 or 2 views
47373-6 | Knee - left X-ray 1 or 2 views
47375-1 | Knee - right X-ray 1 or 2 views
43521-4 | Mandible X-ray 1 or 2 views
47983-2 | Mastoid - bilateral X-ray 1 or 2 views
48489-9 | Mastoid - left X-ray 1 or 2 views
48488-1 | Mastoid - right X-ray 1 or 2 views
43522-2 | Pelvis X-ray 1 or 2 views
48467-5 | Sacroiliac Joint X-ray 1 or 2 views
43523-0 | Sinuses X-ray 1 or 2 views
44202-0 | Knee X-ray 1 or 2 views portable
44201-2 | Pelvis X-ray 1 or 2 views portable
36641-9 | Abdomen X-ray 2 views
37064-3 | Acetabulum - left X-ray 2 views
37664-0 | Acetabulum - right X-ray 2 views
36665-8 | Acromioclavicular joint - left X-ray 2 views
37661-6 | Acromioclavicular joint - right X-ray 2 views
24540-7 | Ankle X-ray 2 views
26385-5 | Ankle - bilateral X-ray 2 views
26386-3 | Ankle - left X-ray 2 views
26387-1 | Ankle - right X-ray 2 views
36642-7 | Breast - left Mammogram 2 views
37768-9 | Breast - right Mammogram 2 views
36661-7 | Calcaneus X-ray 2 views
48433-7 | Calcaneus - bilateral X-ray 2 views
36662-5 | Calcaneus - left X-ray 2 views
37718-4 | Calcaneus - right X-ray 2 views
36643-5 | Chest X-ray 2 views
36644-3 | Chest Fluoroscopy 2 views
36645-0 | Clavicle X-ray 2 views
36646-8 | Clavicle - left X-ray 2 views
37679-8 | Clavicle - right X-ray 2 views
36647-6 | Coccyx X-ray 2 views
36648-4 | Elbow X-ray 2 views
36649-2 | Elbow - bilateral X-ray 2 views
36650-0 | Elbow - left X-ray 2 views
37681-4 | Elbow - right X-ray 2 views
36652-6 | Femur X-ray 2 views
36653-4 | Femur - bilateral X-ray 2 views
36654-2 | Femur - left X-ray 2 views
37690-5 | Femur - right X-ray 2 views
36655-9 | Finger X-ray 2 views
36656-7 | Finger - left X-ray 2 views
37694-7 | Finger - right X-ray 2 views
30784-3 | Foot X-ray 2 views
36657-5 | Foot - bilateral X-ray 2 views
38846-2 | Foot - left X-ray 2 views
37697-0 | Foot - right X-ray 2 views
24721-3 | Hand X-ray 2 views
26388-9 | Hand - bilateral X-ray 2 views
26389-7 | Hand - left X-ray 2 views
26390-5 | Hand - right X-ray 2 views
36663-3 | Hip X-ray 2 views
69058-6 | Hip - bilateral X-ray 2 views
36664-1 | Hip - left X-ray 2 views
37721-8 | Hip - right X-ray 2 views
24765-0 | Humerus X-ray 2 views
26391-3 | Humerus - bilateral X-ray 2 views
26392-1 | Humerus - left X-ray 2 views
26393-9 | Humerus - right X-ray 2 views
24806-2 | Knee X-ray 2 views
26394-7 | Knee - bilateral X-ray 2 views
26395-4 | Knee - left X-ray 2 views
26396-2 | Knee - right X-ray 2 views
36651-8 | Lower extremity X-ray 2 views
69257-4 | Lower extremity - right X-ray 2 views
24861-7 | Patella X-ray 2 views
26397-0 | Patella - bilateral X-ray 2 views
26398-8 | Patella - left X-ray 2 views
26399-6 | Patella - right X-ray 2 views
37617-8 | Pelvis X-ray 2 views
42685-8 | Pelvis and Hip - left X-ray 2 views

42686-6 | Pelvis and Hip - right X-ray 2 views
36659-1 | Radius - bilateral and Ulna - bilateral X-ray 2 views
36660-9 | Radius - left and Ulna.left X-ray 2 views
37707-7 | Radius - right and Ulna - right X-ray 2 views
36658-3 | Radius and Ulna X-ray 2 views
39060-9 | Ribs X-ray 2 views
42687-4 | Ribs - bilateral X-ray 2 views
37066-8 | Ribs - left X-ray 2 views
37780-4 | Ribs - right X-ray 2 views
37651-7 | Sacrum X-ray 2 views
44179-0 | Sacrum and Coccyx X-ray 2 views
37655-8 | Scapula X-ray 2 views
36666-6 | Scapula - left X-ray 2 views
37787-9 | Scapula - right X-ray 2 views
42435-8 | Sella turcica X-ray 2 views
37840-6 | Shoulder X-ray 2 views
36667-4 | Shoulder - bilateral X-ray 2 views
36668-2 | Shoulder - left X-ray 2 views
37793-7 | Shoulder - right X-ray 2 views
37853-9 | Sinuses X-ray 2 views
37867-9 | Skull X-ray 2 views
37879-4 | Spine X-ray 2 views
36669-0 | Spine Cervical X-ray 2 views
43784-8 | Spine Cervical and Thoracic and Lumbar X-ray 2 views
36670-8 | Spine Lumbar X-ray 2 views
37905-7 | Spine Thoracic X-ray 2 views
24984-7 | Spine Thoracic and Lumbar X-ray 2 views
69273-1 | Spine Thoracolumbar Junction X-ray 2 views
37883-6 | Sternum X-ray 2 views
36671-6 | Tibia - bilateral and Fibula - bilateral X-ray 2 views
36672-4 | Tibia - left and Fibula - left X-ray 2 views
37815-8 | Tibia - right and Fibula - right X-ray 2 views
37895-0 | Tibia and Fibula X-ray 2 views
37902-4 | Toes X-ray 2 views
37348-0 | Toes - bilateral X-ray 2 views
36673-2 | Toes - left X-ray 2 views
37821-6 | Toes - right X-ray 2 views
37922-2 | Upper extremity X-ray 2 views
37925-5 | Wrist X-ray 2 views
37482-7 | Wrist - bilateral X-ray 2 views
37483-5 | Wrist - left X-ray 2 views
37826-5 | Wrist - right X-ray 2 views
69305-1 | Zygomatic arch X-ray 2 views
42430-9 | Knee - right X-ray 2 views and (views standing)
42009-1 | Chest X-ray 2 views and apical
39378-5 | Knee - right X-ray 2 views and oblique
48468-3 | Ribs - bilateral and Chest X-ray 2 views and PA chest
43467-0 | Chest X-ray 2 views and right oblique and left oblique
69060-2 | Knee - bilateral X-ray 2 views and Sunrise
69142-8 | Knee - left X-ray 2 views and Sunrise
39379-3 | Knee - right X-ray 2 views and Sunrise
39380-1 | Knee - right X-ray 2 views and Sunrise and tunnel
69061-0 | Knee - bilateral X-ray 2 views and tunnel
41819-4 | Knee - left X-ray 2 views and tunnel
39381-9 | Knee - right X-ray 2 views and tunnel
69143-6 | Knee - left X-ray 2 views and tunnel standing
39382-7 | Knee - right X-ray 2 views and tunnel standing
38118-6 | Neck X-ray 2 views lateral
38844-7 | Elbow - left X-ray 2 views Oblique
37686-3 | Elbow - right X-ray 2 views Oblique
38871-0 | Knee - left X-ray 2 views Oblique
38108-7 | Knee - right X-ray 2 views Oblique
38874-4 | Tibia - left and Fibula - left X-ray 2 views Oblique
38114-5 | Tibia - right and Fibula - right X-ray 2 views Oblique
44181-6 | Sacroiliac Joint X-ray 2 or 3 views
43539-6 | Spine Cervical X-ray 2 or 3 views
48469-1 | Spine Lumbar X-ray 2 or 3 views
39880-0 | Bone Scan 2 views phase
44184-0 | Elbow X-ray 2 views portable
44182-4 | Hand X-ray 2 views portable
44183-2 | Radius and Ulna X-ray 2 views portable
36674-0 | Spine Lumbar X-ray 2 views portable

37658-2 | Spine Thoracic and Lumbar X-ray 2 views scoliosis
38843-9 | Wrist - left X-ray 2 views tunnel.carpal
37678-0 | Wrist - right X-ray 2 views tunnel.carpal
42166-9 | Heart Scan 2 views at rest and W Tl-201 IV
38841-3 | Ankle - left X-ray 2 views standing
37675-6 | Ankle - right X-ray 2 views standing
37068-4 | Foot - bilateral X-ray 2 views standing
37069-2 | Foot - left X-ray 2 views standing
37698-8 | Foot - right X-ray 2 views standing
36945-4 | Knee - bilateral X-ray 2 views standing
38851-2 | Knee - left X-ray 2 views standing
37762-2 | Knee - right X-ray 2 views standing
36946-2 | Spine Lumbar X-ray 2 views standing
69274-9 | Spine Thoracic X-ray 2 views standing
38840-5 | Ankle - left X-ray 2 views W manual stress
37672-3 | Ankle - right X-ray 2 views W manual stress
37067-6 | Chest X-ray 2 views W nipple markers
36293-9 | Abdomen X-ray 3 views
37635-0 | Acetabulum X-ray 3 views
36294-7 | Ankle X-ray 3 views
36295-4 | Ankle - bilateral X-ray 3 views
36296-2 | Ankle - left X-ray 3 views
37665-7 | Ankle - right X-ray 3 views
36298-8 | Chest X-ray 3 views
36299-6 | Elbow X-ray 3 views
36300-2 | Elbow - bilateral X-ray 3 views
36301-0 | Elbow - left X-ray 3 views
37682-2 | Elbow - right X-ray 3 views
36297-0 | Facial bones X-ray 3 views
36302-8 | Femur X-ray 3 views
36303-6 | Finger X-ray 3 views
36304-4 | Finger - left X-ray 3 views
37695-4 | Finger - right X-ray 3 views
36305-1 | Foot X-ray 3 views
36306-9 | Foot - bilateral X-ray 3 views
36307-7 | Foot - left X-ray 3 views
37699-6 | Foot - right X-ray 3 views
24722-1 | Hand X-ray 3 views
26379-8 | Hand - bilateral X-ray 3 views
26380-6 | Hand - left X-ray 3 views
26381-4 | Hand - right X-ray 3 views
36308-5 | Hip - bilateral X-ray 3 views
36309-3 | Hip - left X-ray 3 views
37722-6 | Hip - right X-ray 3 views
30788-4 | Knee X-ray 3 views
36310-1 | Knee - bilateral X-ray 3 views
36311-9 | Knee - left X-ray 3 views
37742-4 | Knee - right X-ray 3 views
36312-7 | Mandible X-ray 3 views
36838-1 | Mastoid X-ray 3 views
48470-9 | Mastoid - left X-ray 3 views
48471-7 | Mastoid - right X-ray 3 views
37604-6 | Nasal bones X-ray 3 views
69261-6 | Patella - right X-ray 3 views
30766-0 | Pelvis X-ray 3 views
37256-5 | Pelvis and Spine Lumbar X-ray 3 views
39062-5 | Ribs X-ray 3 views
36313-5 | Ribs - bilateral X-ray 3 views
36314-3 | Ribs - left X-ray 3 views
37781-2 | Ribs - right X-ray 3 views
37648-3 | Sacroiliac Joint X-ray 3 views
39061-7 | Sacrum and Coccyx X-ray 3 views
24908-6 | Shoulder X-ray 3 views
26382-2 | Shoulder - bilateral X-ray 3 views
26383-0 | Shoulder - left X-ray 3 views
26384-8 | Shoulder - right X-ray 3 views
37854-7 | Sinuses X-ray 3 views
24918-5 | Skull X-ray 3 views
24941-7 | Spine Cervical X-ray 3 views
30775-1 | Spine Lumbar X-ray 3 views
37257-3 | Spine Lumbar and Sacroiliac Joint X-ray 3 views
37259-9 | Spine Lumbar and Sacrum X-ray 3 views

37260-7 | Spine Lumbar and Sacrum and Coccyx X-ray 3 views
37261-5 | Spine Lumbar and Sacrum and Sacroiliac Joint and Coccyx X-ray 3 views
37906-5 | Spine Thoracic X-ray 3 views
37881-0 | Sternoclavicular Joint X-ray 3 views
37888-5 | Thumb X-ray 3 views
36315-0 | Thumb - left X-ray 3 views
37812-5 | Thumb - right X-ray 3 views
36316-8 | Toes - left X-ray 3 views
37820-8 | Toes - right X-ray 3 views
37926-3 | Wrist X-ray 3 views
37454-6 | Wrist - bilateral X-ray 3 views
48738-9 | Wrist - bilateral and Hand - bilateral X-ray 3 views
37455-3 | Wrist - left X-ray 3 views
37827-3 | Wrist - right X-ray 3 views
48737-1 | Wrist and Hand X-ray 3 views
37933-9 | Zygomatic arch X-ray 3 views
69154-3 | Shoulder - left X-ray 3 views and axillary
39393-4 | Shoulder - right X-ray 3 views and axillary
39399-1 | Wrist - right X-ray 3 views and carpal tunnel
39364-5 | Wrist - right X-ray 3 views and radial deviation
39404-9 | Sinuses X-ray 3 views and submentovertex
39383-5 | Knee - right X-ray 3 views and Sunrise
48472-5 | Spine Thoracic X-ray 3 views and Swimmers
39365-2 | Wrist - right X-ray 3 views and ulnar deviation
69155-0 | Shoulder - left X-ray 3 views and Y
39394-2 | Shoulder - right X-ray 3 views and Y
43499-3 | Foot - left X-ray 3 or 4 views
43483-7 | Foot - right X-ray 3 or 4 views
39901-4 | Bone Scan 3 views phase multiple areas
39902-2 | Bone Scan 3 views phase single area
39882-6 | Bone Scan 3 views phase whole body
39883-4 | Bone Scan 3 views phase
30776-9 | Spine Lumbar X-ray 3 views portable
69151-9 | Wrist - left X-ray 3 views scaphoid
24778-3 | Kidney - bilateral X-ray 3 views serial W and WO contrast IV
69138-6 | Ankle - left X-ray 3 views standing
69254-1 | Ankle - right X-ray 3 views standing
36947-0 | Foot - bilateral X-ray 3 views standing
36948-8 | Foot - left X-ray 3 views standing
37700-2 | Foot - right X-ray 3 views standing
36949-6 | Spine Lumbar X-ray 3 views standing
42443-2 | Spine Thoracic X-ray 3 views standing
36317-6 | Ankle X-ray 4 views
36319-2 | Breast Mammogram 4 views
36320-0 | Chest X-ray 4 views
36321-8 | Chest Fluoroscopy 4 views
36322-6 | Elbow - bilateral X-ray 4 views
36323-4 | Elbow - left X-ray 4 views
37683-0 | Elbow - right X-ray 4 views
36318-4 | Facial bones X-ray 4 views
36324-2 | Femur - left X-ray 4 views
37691-3 | Femur - right X-ray 4 views
30789-2 | Knee X-ray 4 views
36325-9 | Knee - bilateral X-ray 4 views
36326-7 | Knee - left X-ray 4 views
37743-2 | Knee - right X-ray 4 views
36327-5 | Mandible X-ray 4 views
43534-7 | Mandible - left X-ray 4 views
43535-4 | Mandible - right X-ray 4 views
36839-9 | Mastoid X-ray 4 views
37609-5 | Optic foramen X-ray 4 views
37612-9 | Orbit - bilateral X-ray 4 views
36328-3 | Ribs - bilateral X-ray 4 views
69265-7 | Shoulder X-ray 4 views
36329-1 | Shoulder - bilateral X-ray 4 views
36330-9 | Shoulder - left X-ray 4 views
37794-5 | Shoulder - right X-ray 4 views
37855-4 | Sinuses X-ray 4 views
37868-7 | Skull X-ray 4 views
37876-0 | Spine X-ray 4 views
36331-7 | Spine Cervical X-ray 4 views
36332-5 | Spine Lumbar X-ray 4 views

48473-3 | Spine Lumbar and Sacrum X-ray 4 views
37907-3 | Spine Thoracic X-ray 4 views
37882-8 | Sternoclavicular Joint X-ray 4 views
38155-8 | Wrist X-ray 4 views
37070-0 | Wrist - bilateral X-ray 4 views
37071-8 | Wrist - left X-ray 4 views
37828-1 | Wrist - right X-ray 4 views
37934-7 | Zygomatic arch X-ray 4 views
69144-4 | Knee - left X-ray 4 views and AP standing
39384-3 | Knee - right X-ray 4 views and AP standing
39385-0 | Knee - right X-ray 4 views and oblique
39413-0 | Spine Thoracic X-ray 4 views and oblique
39099-7 | Ribs - bilateral and Chest X-ray 4 views and PA chest
69063-6 | Knee - bilateral X-ray 4 views and Sunrise and tunnel
39387-6 | Knee - right X-ray 4 views and Sunrise and tunnel
69145-1 | Knee - left X-ray 4 views and tunnel
39386-8 | Knee - right X-ray 4 views and tunnel
69062-8 | Knee - bilateral X-ray 4 views standing
38852-0 | Knee - left X-ray 4 views standing
37763-0 | Knee - right X-ray 4 views standing
36675-7 | Facial bones X-ray 5 views
36676-5 | Knee - left X-ray 5 views
37744-0 | Knee - right X-ray 5 views
36890-2 | Mastoid X-ray 5 views
37351-4 | Pelvis and Spine Lumbar X-ray 5 views
30750-4 | Shoulder X-ray 5 views
36677-3 | Shoulder - left X-ray 5 views
37795-2 | Shoulder - right X-ray 5 views
37856-2 | Sinuses X-ray 5 views
24922-7 | Skull X-ray 5 views
24939-1 | Spine Cervical X-ray 5 views
30797-5 | Spine Lumbar X-ray 5 views
37353-0 | Spine Lumbar and Sacroiliac Joint X-ray 5 views
37355-5 | Spine Lumbar and Sacrum X-ray 5 views
37356-3 | Spine Lumbar and Sacrum and Coccyx X-ray 5 views
37357-1 | Spine Lumbar and Sacrum and Sacroiliac Joint and Coccyx X-ray 5 views
37350-6 | Temporomandibular joint - bilateral X-ray 5 views
37072-6 | Wrist - left X-ray 5 views
37829-9 | Wrist - right X-ray 5 views
39407-2 | Spine Thoracic X-ray 5 views and oblique
69081-8 | Spine Cervical X-ray 5 views and Swimmers
37073-4 | Spine Lumbar X-ray 5 views standing
69080-0 | Spine Cervical X-ray 5 views W flexion and W extension
39063-3 | Spine Lumbar X-ray 5 views W flexion and W extension
42273-3 | Ankle - bilateral X-ray 6 views
36678-1 | Knee - bilateral X-ray 6 views
36679-9 | Shoulder - left X-ray 6 views
37796-0 | Shoulder - right X-ray 6 views
42691-6 | Spine Cervical X-ray 6 views
38156-6 | Wrist X-ray 6 views
37074-2 | Wrist - left X-ray 6 views
37830-7 | Wrist - right X-ray 6 views
36680-7 | Spine Cervical X-ray 7 views
36681-5 | Spine Lumbar X-ray 7 views
36682-3 | Knee - bilateral X-ray 8 views
36683-1 | Wrist - left X-ray 8 views
37831-5 | Wrist - right X-ray 8 views
42412-7 | Shoulder - left X-ray 90 degree abduction
39064-1 | Ribs X-ray anterior and lateral
69070-1 | Ribs - bilateral X-ray anterior and lateral
38856-1 | Ribs - left X-ray anterior and lateral
37782-0 | Ribs - right X-ray anterior and lateral
24796-5 | Abdomen X-ray AP and AP left lateral-decubitus
24792-4 | Abdomen X-ray AP and AP left lateral-decubitus portable
24653-8 | Chest X-ray AP and AP right lateral-decubitus
24654-6 | Chest X-ray AP and AP right lateral-decubitus portable
37080-9 | Shoulder - bilateral X-ray AP and axillary
37081-7 | Shoulder - bilateral X-ray AP and axillary and outlet
37082-5 | Shoulder - left X-ray AP and axillary and outlet
38781-1 | Shoulder - right X-ray AP and axillary and outlet
39339-7 | Shoulder - bilateral X-ray AP and axillary and outlet and 30 degree caudal angle
37083-3 | Shoulder - left X-ray AP and axillary and outlet and Zanca

38782-9 | Shoulder - right X-ray AP and axillary and outlet and Zanca
37126-0 | Shoulder - bilateral X-ray AP and axillary and Y
37084-1 | Shoulder - left X-ray AP and axillary and Y
38783-7 | Shoulder - right X-ray AP and axillary and Y
39512-9 | Hip - right X-ray AP and Danelius Miller
39401-5 | Shoulder X-ray AP and Grashey and axillary
69153-5 | Shoulder - left X-ray AP and Grashey and axillary
69262-4 | Shoulder - right X-ray AP and Grashey and axillary
37618-6 | Pelvis X-ray AP and inlet
37623-6 | Pelvis X-ray AP and inlet and outlet
39065-8 | Pelvis X-ray AP and inlet and outlet and oblique
37619-4 | Pelvis X-ray AP and Judet
24794-0 | Abdomen X-ray AP and lateral
30779-3 | Ankle X-ray AP and lateral
36684-9 | Ankle - bilateral X-ray AP and lateral
36685-6 | Ankle - left X-ray AP and lateral
37667-3 | Ankle - right X-ray AP and lateral
36686-4 | Calcaneus - bilateral X-ray AP and lateral
36701-1 | Calcaneus - left X-ray AP and lateral
37719-2 | Calcaneus - right X-ray AP and lateral
36687-2 | Chest X-ray AP and lateral
39066-6 | Chest Fluoroscopy AP and lateral
36688-0 | Coccyx X-ray AP and lateral
36689-8 | Elbow X-ray AP and lateral
36690-6 | Elbow - bilateral X-ray AP and lateral
36691-4 | Elbow - left X-ray AP and lateral
37684-8 | Elbow - right X-ray AP and lateral
36693-0 | Femur X-ray AP and lateral
36694-8 | Femur - bilateral X-ray AP and lateral
36695-5 | Femur - left X-ray AP and lateral
37692-1 | Femur - right X-ray AP and lateral
39069-0 | Foot X-ray AP and lateral
36696-3 | Foot - bilateral X-ray AP and lateral
36697-1 | Foot - left X-ray AP and lateral
37701-0 | Foot - right X-ray AP and lateral
42409-3 | Foot sesamoid bones X-ray AP and lateral
69130-3 | Hand X-ray AP and lateral
48474-1 | Hand - bilateral X-ray AP and lateral
38847-0 | Hand - left X-ray AP and lateral
37710-1 | Hand - right X-ray AP and lateral
36702-9 | Hip X-ray AP and lateral
36703-7 | Hip - bilateral X-ray AP and lateral
36704-5 | Hip - left X-ray AP and lateral
37725-9 | Hip - right X-ray AP and lateral
36706-0 | Humerus X-ray AP and lateral
36707-8 | Humerus - bilateral X-ray AP and lateral
36708-6 | Humerus - left X-ray AP and lateral
37736-6 | Humerus - right X-ray AP and lateral
36709-4 | Knee X-ray AP and lateral
36590-8 | Knee - bilateral X-ray AP and lateral
36710-2 | Knee - left X-ray AP and lateral
37745-7 | Knee - right X-ray AP and lateral
36692-2 | Lower extremity X-ray AP and lateral
69258-2 | Lower extremity - right X-ray AP and lateral
36711-0 | Mandible X-ray AP and lateral
42438-2 | Neck X-ray AP and lateral
36712-8 | Patella - bilateral X-ray AP and lateral
36713-6 | Patella - left X-ray AP and lateral
37776-2 | Patella - right X-ray AP and lateral
37620-2 | Pelvis X-ray AP and lateral
36705-2 | Pelvis and Hip X-ray AP and lateral
36699-7 | Radius - bilateral and Ulna - bilateral X-ray AP and lateral
36700-3 | Radius - left and Ulna.left X-ray AP and lateral
37708-5 | Radius - right and Ulna - right X-ray AP and lateral
36698-9 | Radius and Ulna X-ray AP and lateral
37652-5 | Sacrum X-ray AP and lateral
36714-4 | Scapula - bilateral X-ray AP and lateral
36715-1 | Scapula - left X-ray AP and lateral
37788-7 | Scapula - right X-ray AP and lateral
37841-4 | Shoulder X-ray AP and lateral
36716-9 | Shoulder - bilateral X-ray AP and lateral
24919-3 | Skull X-ray AP and lateral

24928-4 | Spine X-ray AP and lateral
24942-5 | Spine Cervical X-ray AP and lateral
37361-3 | Spine Cervical and Spine Thoracic X-ray AP and lateral
39067-4 | Spine Cervical and Thoracic and Lumbar X-ray AP and lateral
43785-5 | Spine Cervicothoracic Junction X-ray AP and lateral
24970-6 | Spine Lumbar X-ray AP and lateral
30753-8 | Spine Thoracic X-ray AP and lateral
38123-6 | Spine Thoracic and Lumbar X-ray AP and lateral
37974-3 | Spine Thoracolumbar Junction X-ray AP and lateral
37889-3 | Thumb X-ray AP and lateral
36717-7 | Tibia - bilateral and Fibula - bilateral X-ray AP and lateral
36718-5 | Tibia - left and Fibula - left X-ray AP and lateral
37816-6 | Tibia - right and Fibula - right X-ray AP and lateral
37896-8 | Tibia and Fibula X-ray AP and lateral
36719-3 | Toes - left X-ray AP and lateral
37822-4 | Toes - right X-ray AP and lateral
30793-4 | Wrist X-ray AP and lateral
38860-3 | Wrist - left X-ray AP and lateral
37832-3 | Wrist - right X-ray AP and lateral
37839-8 | Shoulder X-ray AP and lateral and axillary
39070-8 | Chest X-ray AP and lateral and lordotic
42404-4 | Hip - left X-ray AP and lateral and measurement
39071-6 | Knee X-ray AP and lateral and Merchants
37095-7 | Ankle X-ray AP and lateral and Mortise
37096-5 | Ankle - bilateral X-ray AP and lateral and Mortise
37097-3 | Ankle - left X-ray AP and lateral and Mortise
37666-5 | Ankle - right X-ray AP and lateral and Mortise
39072-4 | Ankle X-ray AP and lateral and oblique
36720-1 | Ankle - bilateral X-ray AP and lateral and oblique
36721-9 | Ankle - left X-ray AP and lateral and oblique
37668-1 | Ankle - right X-ray AP and lateral and oblique
36731-8 | Calcaneus X-ray AP and lateral and oblique
36722-7 | Elbow X-ray AP and lateral and oblique
36723-5 | Elbow - bilateral X-ray AP and lateral and oblique
36724-3 | Elbow - left X-ray AP and lateral and oblique
37685-5 | Elbow - right X-ray AP and lateral and oblique
36725-0 | Finger X-ray AP and lateral and oblique
36726-8 | Finger - bilateral X-ray AP and lateral and oblique
36727-6 | Finger - left X-ray AP and lateral and oblique
37696-2 | Finger - right X-ray AP and lateral and oblique
36728-4 | Foot X-ray AP and lateral and oblique
36729-2 | Foot - bilateral X-ray AP and lateral and oblique
36730-0 | Foot - left X-ray AP and lateral and oblique
37702-8 | Foot - right X-ray AP and lateral and oblique
69057-8 | Hand - bilateral X-ray AP and lateral and oblique
38848-8 | Hand - left X-ray AP and lateral and oblique
37711-9 | Hand - right X-ray AP and lateral and oblique
36732-6 | Knee - bilateral X-ray AP and lateral and oblique
36733-4 | Knee - left X-ray AP and lateral and oblique
37748-1 | Knee - right X-ray AP and lateral and oblique
37624-4 | Pelvis X-ray AP and lateral and oblique
36734-2 | Spine Cervical X-ray AP and lateral and oblique
36735-9 | Spine Lumbar X-ray AP and lateral and oblique
37908-1 | Spine Thoracic X-ray AP and lateral and oblique
36736-7 | Thumb - left X-ray AP and lateral and oblique
37813-3 | Thumb - right X-ray AP and lateral and oblique
37927-1 | Wrist X-ray AP and lateral and oblique
37099-9 | Spine Cervical X-ray AP and lateral and oblique and odontoid
38083-2 | Spine Cervical X-ray AP and lateral and oblique and odontoid and swimmer
37101-3 | Spine Lumbar X-ray AP and lateral and oblique and spot
42410-1 | Spine Lumbar X-ray AP and lateral and oblique and spot standing
37102-1 | Knee - bilateral X-ray AP and lateral and oblique and Sunrise
37118-7 | Knee - bilateral X-ray AP and lateral and oblique and Sunrise and tunnel
37115-3 | Knee X-ray AP and lateral and oblique and tunnel
69137-8 | Ankle - left X-ray AP and lateral and oblique standing
39371-0 | Ankle - right X-ray AP and lateral and oblique standing
39334-8 | Foot - left X-ray AP and lateral and oblique standing
39375-1 | Foot - right X-ray AP and lateral and oblique standing
42417-6 | Ankle - bilateral X-ray AP and lateral and oblique W manual stress
42418-4 | Ankle - left X-ray AP and lateral and oblique W manual stress
39369-4 | Ankle - right X-ray AP and lateral and oblique W manual stress
37103-9 | Spine Cervical X-ray AP and lateral and odontoid

37079-1 | Spine Cervical X-ray AP and lateral and odontoid portable
39074-0 | Chest X-ray AP and lateral and right oblique and left oblique
39073-2 | Knee X-ray AP and lateral and right oblique and left oblique
69147-7 | Knee - left X-ray AP and lateral and right oblique and left oblique
39388-4 | Knee - right X-ray AP and lateral and right oblique and left oblique
37105-4 | Spine Lumbar X-ray AP and lateral and spot
37106-2 | Knee X-ray AP and lateral and Sunrise
37107-0 | Knee - bilateral X-ray AP and lateral and Sunrise
37108-8 | Knee - left X-ray AP and lateral and Sunrise
37749-9 | Knee - right X-ray AP and lateral and Sunrise
37109-6 | Patella - bilateral X-ray AP and lateral and Sunrise
37110-4 | Patella - left X-ray AP and lateral and Sunrise
38786-0 | Patella - right X-ray AP and lateral and Sunrise
37111-2 | Knee X-ray AP and lateral and Sunrise and tunnel
37116-1 | Knee - bilateral X-ray AP and lateral and Sunrise and tunnel
37117-9 | Knee - left X-ray AP and lateral and Sunrise and tunnel
37740-8 | Knee - right X-ray AP and lateral and Sunrise and tunnel
38009-7 | Spine Thoracic X-ray AP and lateral and Swimmers
37112-0 | Knee X-ray AP and lateral and tunnel
37113-8 | Knee - bilateral X-ray AP and lateral and tunnel
37114-6 | Knee - left X-ray AP and lateral and tunnel
37747-3 | Knee - right X-ray AP and lateral and tunnel
69065-1 | Abdomen X-ray AP and lateral crosstable
37086-6 | Hip X-ray AP and lateral crosstable
37087-4 | Hip - left X-ray AP and lateral crosstable
37723-4 | Hip - right X-ray AP and lateral crosstable
37090-8 | Knee X-ray AP and lateral crosstable
69146-9 | Knee - left X-ray AP and lateral crosstable
37089-0 | Pelvis and Hip X-ray AP and lateral crosstable
37088-2 | Pelvis and Hip - left X-ray AP and lateral crosstable
38784-5 | Pelvis and Hip - right X-ray AP and lateral crosstable
30763-7 | Abdomen X-ray AP and lateral crosstable portable
37077-5 | Hip X-ray AP and lateral crosstable portable
37091-6 | Hip X-ray AP and lateral frog
37092-4 | Hip - bilateral X-ray AP and lateral frog
37093-2 | Hip - left X-ray AP and lateral frog
37724-2 | Hip - right X-ray AP and lateral frog
30770-2 | Pelvis and Hip X-ray AP and lateral frog
42167-7 | Pelvis and Hip - bilateral X-ray AP and lateral frog
37094-0 | Pelvis and Hip - left X-ray AP and lateral frog
38785-2 | Pelvis and Hip - right X-ray AP and lateral frog
41776-6 | Pelvis and Hip - right X-ray AP and lateral frog portable
24793-2 | Abdomen X-ray AP and lateral portable
44185-7 | Femur X-ray AP and lateral portable
44186-5 | Foot X-ray AP and lateral portable
41817-8 | Hip - left X-ray AP and lateral portable
41777-4 | Hip - right X-ray AP and lateral portable
30726-4 | Spine Cervical X-ray AP and lateral portable
37078-3 | Spine Lumbar X-ray AP and lateral portable
30754-6 | Spine Thoracic X-ray AP and lateral portable
39330-6 | Ankle - bilateral X-ray AP and lateral standing
42380-6 | Ankle - left X-ray AP and lateral standing
39368-6 | Ankle - right X-ray AP and lateral standing
39068-2 | Foot X-ray AP and lateral standing
39331-4 | Foot - bilateral X-ray AP and lateral standing
39332-2 | Foot - left X-ray AP and lateral standing
39374-4 | Foot - right X-ray AP and lateral standing
24805-4 | Knee X-ray AP and lateral standing
26364-0 | Knee - bilateral X-ray AP and lateral standing
26365-7 | Knee - left X-ray AP and lateral standing
26366-5 | Knee - right X-ray AP and lateral standing
39333-0 | Spine Lumbar X-ray AP and lateral standing
38084-0 | Abdomen X-ray AP and left posterior oblique
37119-5 | Abdomen X-ray AP and oblique
39076-5 | Foot X-ray AP and oblique
37621-0 | Pelvis X-ray AP and oblique
37649-1 | Sacroiliac Joint X-ray AP and oblique
39075-7 | Toes X-ray AP and oblique
37098-1 | Spine Cervical X-ray AP and oblique and lateral W flexion and W extension
44187-3 | Spine Cervical X-ray AP and oblique and odontoid and lateral portable W flexion and W extension
37100-5 | Spine Cervical X-ray AP and oblique and odontoid and lateral W flexion and W extension
24797-3 | Abdomen X-ray AP and oblique prone

37120-3 | Spine Cervical X-ray AP and odontoid and lateral crosstable
37104-7 | Spine Cervical X-ray AP and odontoid and lateral W flexion and W extension
42011-7 | Chest and Abdomen X-ray AP and PA chest
24642-1 | Chest X-ray AP and PA upright
24808-8 | Knee X-ray AP and PA standing
26361-6 | Knee - bilateral X-ray AP and PA standing
26362-4 | Knee - left X-ray AP and PA standing
26363-2 | Knee - right X-ray AP and PA standing
37121-1 | Clavicle - left X-ray AP and Serendipity
37680-6 | Clavicle - right X-ray AP and Serendipity
37122-9 | Shoulder - left X-ray AP and Stryker Notch
37797-8 | Shoulder - right X-ray AP and Stryker Notch
37485-0 | Humerus X-ray AP and transthoracic
39077-3 | Shoulder X-ray AP and transthoracic
46349-7 | Shoulder - bilateral X-ray AP and transthoracic
38082-4 | Shoulder - left X-ray AP and transthoracic
38822-3 | Shoulder - right X-ray AP and transthoracic
37123-7 | Shoulder - left X-ray AP and West Point
38787-8 | Shoulder - right X-ray AP and West Point
36961-1 | Shoulder - left X-ray AP and West Point and outlet
37799-4 | Shoulder - right X-ray AP and West Point and outlet
37124-5 | Scapula - left X-ray AP and Y
37789-5 | Scapula - right X-ray AP and Y
69266-5 | Shoulder X-ray AP and Y
37125-2 | Shoulder - left X-ray AP and Y
38788-6 | Shoulder - right X-ray AP and Y
24562-1 | Abdomen X-ray AP (left lateral-decubitus and right lateral-decubitus)
24650-4 | Chest X-ray AP (right lateral-decubitus and left lateral-decubitus)
24649-6 | Chest X-ray AP (right lateral-decubitus and left lateral-decubitus) portable
37085-8 | Abdomen X-ray AP (supine and lateral-decubitus)
37076-7 | Abdomen X-ray AP (supine and lateral-decubitus) portable
24798-1 | Abdomen X-ray AP (supine and upright)
43463-9 | Chest and Abdomen X-ray AP (supine and upright) and PA chest
24795-7 | Abdomen X-ray AP (supine and upright) portable
42019-0 | Abdomen X-ray AP (upright and left lateral decubitus)
39329-8 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation)
39328-0 | Shoulder - left X-ray AP (W internal rotation and W external rotation)
39395-9 | Shoulder - right X-ray AP (W internal rotation and W external rotation)
39321-5 | Shoulder X-ray AP (W internal rotation and W external rotation) and axillary
39336-3 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation) and axillary
39335-5 | Shoulder - left X-ray AP (W internal rotation and W external rotation) and axillary
39337-1 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation) and axillary and outlet
39344-7 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation) and axillary and Y
39338-9 | Shoulder - left X-ray AP (W internal rotation and W external rotation) and axillary and Y
39397-5 | Shoulder - right X-ray AP (W internal rotation and W external rotation) and West Point
39343-9 | Shoulder - bilateral X-ray AP (W internal rotation and W external rotation) and Y
39348-8 | Shoulder - left X-ray AP (W internal rotation and W external rotation) and Y
39325-6 | Shoulder - left X-ray AP (W internal rotation) and Grashey and axillary and outlet
39346-2 | Shoulder - bilateral X-ray AP (W internal rotation) and West Point
39347-0 | Shoulder - left X-ray AP (W internal rotation) and West Point
39396-7 | Shoulder - right X-ray AP (W internal rotation) and West Point
24632-2 | Chest X-ray AP portable
37075-9 | Hip X-ray AP portable
43561-0 | Chest and Abdomen X-ray AP upright and AP chest
38003-0 | Foot - left X-ray AP standing
38815-7 | Foot - right X-ray AP standing
42406-9 | Spine Lumbar X-ray AP W and WO left bending
42407-7 | Spine Lumbar X-ray AP W and WO right bending
42445-7 | Spine Thoracic X-ray AP W left bending and WO bending
37484-3 | Knee - left X-ray AP W manual stress
37746-5 | Knee - right X-ray AP W manual stress
42403-6 | Spine Lumbar X-ray AP W right bending and W left bending
42408-5 | Spine Lumbar X-ray AP W right bending and W left bending and WO bending
42444-0 | Spine Thoracic X-ray AP W right bending and W left bending and WO bending
42446-5 | Spine Thoracic X-ray AP W right bending and WO bending
39403-1 | Shoulder X-ray axillary and transcapular
37127-8 | Shoulder - bilateral X-ray axillary and Y
37128-6 | Shoulder - left X-ray axillary and Y
37807-5 | Shoulder - right X-ray axillary and Y
46386-9 | Teeth X-ray bitewing
39884-2 | Bone Scan blood pool
39861-0 | Heart Scan blood pool

42709-6 | Liver Scan blood pool
39860-2 | Heart Scan blood pool W stress and W radionuclide IV
26352-5 | Wrist - bilateral and Hand - bilateral X-ray bone age
26353-3 | Wrist - left and Hand - left X-ray bone age
26354-1 | Wrist - right and Hand - right X-ray bone age
24724-7 | Wrist and Hand X-ray bone age
37362-1 | Bones X-ray bone age
24591-0 | Brain Scan brain death protocol W Tc-99m HMPAO IV
37996-6 | Calcaneus X-ray Broden
37995-8 | Calcaneus - bilateral X-ray Broden
37997-4 | Calcaneus - left X-ray Broden
38814-0 | Calcaneus - right X-ray Broden
37486-8 | Ankle X-ray Broden W manual stress
37852-1 | Sinuses X-ray Caldwell and Waters
39859-4 | Brain Scan delayed static
39875-0 | Scan delayed W GA-67 IV
39840-4 | Scan delayed W I-131 MIBG IV
39842-0 | Scan delayed W In-111 Satumomab IV
39874-3 | Head Cistern Scan delayed W radionuclide IT
39819-8 | Bone Scan delayed
39741-4 | Parathyroid Scan delayed
24605-8 | Breast Mammogram diagnostic
39152-4 | Breast FFD mammogram diagnostic
69158-4 | Breast implant X-ray diagnostic
48475-8 | Breast implant - bilateral Mammogram diagnostic
69150-1 | Breast implant - left Mammogram diagnostic
69259-0 | Breast implant - right Mammogram diagnostic
26346-7 | Breast - bilateral Mammogram diagnostic
39154-0 | Breast - bilateral FFD mammogram diagnostic
26347-5 | Breast - left Mammogram diagnostic
42169-3 | Breast - left FFD mammogram diagnostic
26348-3 | Breast - right Mammogram diagnostic
42168-5 | Breast - right FFD mammogram diagnostic
46350-5 | Breast - unilateral Mammogram diagnostic
24604-1 | Breast Mammogram diagnostic limited
26349-1 | Breast - bilateral Mammogram diagnostic limited
26350-9 | Breast - left Mammogram diagnostic limited
26351-7 | Breast - right Mammogram diagnostic limited
46351-3 | Breast implant - bilateral Mammogram displacement
39895-8 | Gallbladder Scan ejection fraction W Tc-99m DISIDA IV
39887-5 | Heart Scan first pass and ejection fraction at rest and W radionuclide IV
39889-1 | Heart Scan first pass and ejection fraction
39885-9 | Heart Scan first pass and ventricular volume
39910-5 | Heart Scan first pass and wall motion and ejection fraction
39912-1 | Heart Scan first pass and wall motion and ventricular volume and ejection fraction
39909-7 | Heart Scan first pass and wall motion and ventricular volume and ejection fraction W stress and W radionuclide IV
39908-9 | Heart Scan first pass and wall motion and ventricular volume W stress and W radionuclide IV
39886-7 | Heart Scan first pass and wall motion at rest and W radionuclide IV
39890-9 | Heart Scan first pass and wall motion
39888-3 | Heart Scan first pass and wall motion W stress and W radionuclide IV
39867-7 | Heart Scan first pass at rest and W radionuclide IV
39863-6 | Heart Scan first pass at rest and W stress and W radionuclide IV
39866-9 | Heart Scan first pass at rest and W Tc-99m Sestamibi IV
39864-4 | Heart Scan first pass
39865-1 | Left ventricle Scan first pass
39869-3 | Heart Scan first pass W stress and W radionuclide IV
39868-5 | Heart Scan first pass W stress and W Tc-99m Sestamibi IV
39893-3 | Heart Scan flow for shunt detection
43644-4 | Brain Scan flow limited
39858-6 | Bone Scan flow
39636-6 | Brain Scan flow
39871-9 | Heart Scan flow
42261-8 | Kidney - bilateral Scan flow
42262-6 | Liver Scan flow
43653-5 | Liver and Spleen Scan flow
39847-9 | Parotid gland Scan flow
39899-0 | Salivary gland Scan flow
42308-7 | Scrotum and Testicle Scan flow
42263-4 | Spleen Scan flow
39856-0 | Thyroid Scan flow
43500-8 | Vessel Scan flow
44148-5 | Brain Scan flow W Tc-99m bicisate IV

43642-8 | Brain Scan flow W Tc-99m DTPA IV
43664-2 | Renal vessels Scan flow W Tc-99m DTPA IV
43643-6 | Brain Scan flow W Tc-99m glucoheptonate IV
43666-7 | Kidney - bilateral and Renal vessels Scan flow W Tc-99m glucoheptonate IV
43663-4 | Renal vessels Scan flow W Tc-99m glucoheptonate IV
43665-9 | Renal vessels Scan flow W Tc-99m Mertiatide IV
39870-1 | Heart Scan flow W Tc-99m pertechnetate IV
43654-3 | Liver Scan flow W Tc-99m tagged RBC IV
39685-3 | Scan for abscess W GA-67 IV
39940-2 | Lung Scan Clearance W Tc-99m DTPA aerosol inhaled
43787-1 | Skull and Facial bones and Mandible X-ray for dental measurement
43648-5 | Scan for endocrine tumor multiple areas W I-131 MIBG IV
43649-3 | Scan for endocrine tumor multiple areas W In-111 pentetreotide IV
39827-1 | Scan for endocrine tumor whole body W I-131 MIBG IV
39828-9 | Scan for endocrine tumor whole body W In-111 pentetreotide IV
39327-2 | Abdomen and Fetus X-ray for fetal age
44208-7 | Orbit X-ray for foreign body
30720-7 | Orbit - bilateral X-ray for foreign body
42311-1 | Orbit - left X-ray for foreign body
42312-9 | Orbit - right X-ray for foreign body
39768-7 | Stomach Scan for gastric emptying W Tc-99m SC PO
39767-9 | Stomach Scan for gastric emptying liquid phase W radionuclide PO
24997-9 | Stomach Scan for gastric emptying solid phase W Tc-99m SC PO
39769-5 | Stomach Scan for gastric emptying W radionuclide PO
39892-5 | Heart Scan for infarct and first pass
39891-7 | Heart Scan for infarct and first pass W Tc-99m PYP IV
43646-9 | Heart Scan for infarct qualitative and quantitative
43645-1 | Heart Scan for infarct qualitative
43647-7 | Heart Scan for infarct quantitative
39653-1 | Heart Scan for infarct
39657-2 | Heart Scan for infarct W Tc-99m PYP IV
39933-7 | Scan for infection multiple areas W GA-67 IV
39830-5 | Scan for infection whole body W GA-67 IV
39677-0 | Scan for infection W GA-67 IV
39490-8 | Femur - right and Tibia - right X-ray for leg length
24700-7 | Femur and Tibia X-ray for leg length
39686-1 | Scan for lymphoma W GA-67 IV
42170-1 | Scan for lymphoma
39672-1 | Esophagus Scan for motility W radionuclide PO
72256-1 | Abdomen X-ray for motility with radioopaque markers
24571-2 | Biliary ducts and Gallbladder Scan for patency of biliary structures and ejection fraction W sincalide and W radionuclide IV
24572-0 | Biliary ducts and Gallbladder Scan for patency of biliary structures W Tc-99m IV
43788-9 | Tube Fluoroscopy for patency W contrast via tube
43789-7 | Liver and Biliary ducts and Gallbladder Scan for patency W Tc-99m IV
39673-9 | Esophagus Scan for reflux W radionuclide PO
30650-6 | Unspecified body region Fluoroscopy for shunt
39665-5 | Heart Scan for shunt detection
39664-8 | Heart Scan for shunt detection W Tc-99m MAA IV
39848-7 | Peritoneovenous shunt Scan for patency W In-111 IT
39849-5 | Peritoneovenous shunt Scan for patency W radionuclide IT
24876-5 | Peritoneovenous shunt Scan for patency W Tc-99m DTPA IT
44149-3 | Peritoneovenous shunt Scan for patency W Tc-99m MAA inj
39954-3 | Vein Scan for thrombosis
44140-2 | Abdomen and Pelvis Scan for tumor
39831-3 | Scan for tumor limited W GA-67 IV
39951-9 | Scan for tumor multiple area W Tc-99m Sestamibi IV
39934-5 | Scan for tumor multiple areas W GA-67 IV
39829-7 | Scan for tumor whole body W GA-67 IV
42171-9 | Scan for tumor whole body
39749-7 | Scan for tumor whole body W Tc-99m Sestamibi IV
39679-6 | Scan for tumor W GA-67 IV
39750-5 | Scan for tumor W Tc-99m Sestamibi IV
42305-3 | Scan for tumor W Tl-201 IV
42397-0 | Chest X-ray frontal stereo
39923-8 | Heart Scan gated and ejection fraction at rest and W radionuclide IV
39917-0 | Heart Scan gated and ejection fraction
39919-6 | Heart Scan gated and first pass
39925-3 | Heart Scan gated and wall motion and ejection fraction at rest and W radionuclide IV
39931-1 | Heart Scan gated and wall motion and ejection fraction
42306-1 | Heart Scan gated and wall motion
39929-5 | Heart Scan gated and wall motion W stress and W radionuclide IV
39921-2 | Heart Scan gated at rest and W radionuclide IV

39924-6 | Heart Scan gated at rest and W stress and W radionuclide IV
39922-0 | Heart Scan gated at rest and W Tc-99m pertechnetate IV
39920-4 | Heart Scan gated at rest and W Tc-99m Sestamibi IV
39915-4 | Heart Scan gated
39928-7 | Heart Scan gated W stress and W radionuclide IV
39927-9 | Heart Scan gated W stress and W Tc-99m pertechnetate IV
39914-7 | Heart Scan gated W Tc-99m Sestamibi IV
46348-9 | Chest X-ray GE 2 and PA and Lateral views
44210-3 | Ankle X-ray GE 3 views
48480-8 | Ankle - bilateral X-ray GE 3 views
46390-1 | Ankle - left X-ray GE 3 views
46347-1 | Ankle - right X-ray GE 3 views
48481-6 | Elbow - bilateral X-ray GE 3 views
46344-8 | Elbow - left X-ray GE 3 views
46345-5 | Elbow - right X-ray GE 3 views
48479-0 | Facial bones X-ray GE 3 views
43492-8 | Finger fifth - left X-ray GE 3 views
43497-7 | Finger fifth - right X-ray GE 3 views
43491-0 | Finger fourth - left X-ray GE 3 views
43496-9 | Finger fourth - right X-ray GE 3 views
43489-4 | Finger second - left X-ray GE 3 views
43494-4 | Finger second - right X-ray GE 3 views
43490-2 | Finger third - left X-ray GE 3 views
43495-1 | Finger third - right X-ray GE 3 views
44188-1 | Foot X-ray GE 3 views
48478-2 | Foot - bilateral X-ray GE 3 views
48477-4 | Foot - left X-ray GE 3 views
48476-6 | Foot - right X-ray GE 3 views
47370-2 | Hand - left X-ray GE 3 views
47371-0 | Hand - right X-ray GE 3 views
43498-5 | Knee - left X-ray GE 3 views
43482-9 | Knee - right X-ray GE 3 views
47381-9 | Mastoid X-ray GE 3 views
43543-8 | Pelvis X-ray GE 3 views
44189-9 | Sacroiliac Joint X-ray GE 3 views
48746-2 | Sacroiliac joint - bilateral X-ray GE 3 views
43486-0 | Sinuses X-ray GE 3 views
46377-8 | Skull X-ray GE 3 views
48482-4 | Sternoclavicular Joints X-ray GE 3 views
43488-6 | Thumb - left X-ray GE 3 views
43493-6 | Thumb - right X-ray GE 3 views
44190-7 | Wrist X-ray GE 3 views
48483-2 | Wrist - bilateral X-ray GE 3 views
46346-3 | Wrist - left X-ray GE 3 views
46343-0 | Wrist - right X-ray GE 3 views
48485-7 | Ribs - bilateral and Chest X-ray GE 3 and PA Chest views
48486-5 | Ribs - left and Chest X-ray GE 3 and PA Chest views
48484-0 | Ribs - right and Chest X-ray GE 3 and PA Chest views
44191-5 | Ribs and Chest X-ray GE 3 and PA Chest views
44239-2 | Ribs - unilateral and Chest X-ray Ge 3 and PA Chest Portable views
44193-1 | Hand X-ray GE 3 Portable views
44192-3 | Pelvis X-ray GE 3 Portable views
44211-1 | Chest X-ray GE 4 views
47367-8 | Chest Fluoroscopy GE 4 views
47374-4 | Knee - left X-ray GE 4 views
47376-9 | Knee - right X-ray GE 4 views
47379-3 | Mandible X-ray GE 4 views
48747-0 | Orbit - bilateral X-ray GE 4 views
48487-3 | Skull X-ray GE 4 views
44212-9 | Spine Cervical X-ray GE 4 views
47382-7 | Spine Lumbar X-ray GE 4 views
47368-6 | Chest X-ray GE 4 and Pa and Lateral views
44194-9 | Spine X-ray GE 4 views W right bending and W left bending
44195-6 | Knee X-ray GE 5 views
43524-8 | Skull X-ray GE 5 views
44197-2 | Knee - bilateral X-ray GE 5 views standing
44196-4 | Spine Lumbar X-ray GE 5 views W right bending and W left bending
49570-5 | Ankle - bilateral X-ray GE 6 views
37160-9 | Shoulder - left X-ray Grashey and axillary
38793-6 | Shoulder - right X-ray Grashey and axillary
37158-3 | Shoulder - left X-ray Grashey and axillary and outlet
37806-7 | Shoulder - right X-ray Grashey and axillary and outlet

37161-7 | Shoulder - bilateral X-ray Grashey and axillary and outlet and Zanca
69267-3 | Shoulder X-ray Grashey and axillary and Y
37538-6 | Shoulder - left X-ray Grashey and axillary and Y
38789-4 | Shoulder - right X-ray Grashey and axillary and Y
37157-5 | Shoulder - left X-ray Grashey and outlet
38791-0 | Shoulder - right X-ray Grashey and outlet
39350-4 | Shoulder - bilateral X-ray Grashey and outlet and Serendipity
37162-5 | Shoulder - left X-ray Grashey and outlet and Serendipity
38794-4 | Shoulder - right X-ray Grashey and outlet and Serendipity
37167-4 | Shoulder - left X-ray Grashey and West Point
38795-1 | Shoulder - right X-ray Grashey and West Point
69156-8 | Shoulder - left X-ray Grashey and Y
43790-5 | Shoulder - right X-ray Grashey and Y
38004-8 | Shoulder - left X-ray Grashey W and WO weight
38816-5 | Shoulder - right X-ray Grashey W and WO weight
37539-4 | Breast Mammogram grid
37540-2 | Knee - bilateral X-ray Holmblad standing
30771-0 | Pelvis X-ray inlet and outlet
37627-7 | Pelvis X-ray inlet and outlet and oblique
37164-1 | Facial bones X-ray lateral and Caldwell and Waters
37864-6 | Sinuses X-ray lateral and Caldwell and Waters
37165-8 | Facial bones X-ray lateral and Caldwell and Waters and submentovertex
37166-6 | Facial bones X-ray lateral and Caldwell and Waters and submentovertex and Towne
37871-1 | Skull X-ray lateral and Caldwell and Waters and Towne
37134-4 | Ankle - bilateral X-ray lateral and Mortise
37135-1 | Ankle - left X-ray lateral and Mortise
37670-7 | Ankle - right X-ray lateral and Mortise
42382-2 | Ankle - left X-ray lateral and Mortise and Broden W manual stress
39366-0 | Scapula X-ray lateral and outlet
43464-7 | Ribs - bilateral and Chest X-ray lateral and PA chest
37603-8 | Ribs - left and Chest X-ray lateral and PA chest
39100-3 | Ribs - right and Chest X-ray lateral and PA chest
39101-1 | Ribs and Chest X-ray lateral and PA chest
39341-3 | Chest X-ray lateral and PA W inspiration and expiration
39406-4 | Sternum X-ray lateral and right anterior oblique
39405-6 | Sternum X-ray lateral and right oblique and left oblique
42436-6 | Sella turcica X-ray lateral and Towne
37869-5 | Skull X-ray lateral and Towne
37605-3 | Nasal bones X-ray lateral and Waters
37862-0 | Sinuses X-ray lateral and Waters
37136-9 | Shoulder - left X-ray lateral and Y
37803-4 | Shoulder - right X-ray lateral and Y
39340-5 | Spine Lumbar X-ray lateral standing and W flexion and W extension
37133-6 | Spine Cervical X-ray lateral W flexion and W extension
37132-8 | Spine Lumbar X-ray lateral W flexion and W extension
38010-5 | Spine Thoracic X-ray lateral W flexion and W extension
37929-7 | Wrist X-ray lateral W flexion and W extension
69157-6 | Wrist - left X-ray lateral W flexion and W extension
39515-2 | Wrist - right X-ray lateral W flexion and W extension
37474-4 | Ankle - left X-ray lateral W manual stress
37669-9 | Ankle - right X-ray lateral W manual stress
43480-3 | Joint X-ray lateral W manual stress
37541-0 | Mastoid - bilateral X-ray law and Mayer and Stenver and Towne
47380-1 | Mandible X-ray LE 3 views
43470-4 | Skull X-ray LE 3 views
47377-7 | Knee - right X-ray LE 4 views
24610-8 | Breast Mammogram limited
26287-3 | Breast - bilateral Mammogram limited
26289-9 | Breast - left Mammogram limited
26291-5 | Breast - right Mammogram limited
41826-9 | Elbow - left X-ray limited
41785-7 | Elbow - right X-ray limited
36737-5 | Facial bones X-ray limited
41830-1 | Hand - left X-ray limited
41789-9 | Hand - right X-ray limited
36738-3 | Mandible X-ray limited
36893-6 | Mastoid X-ray limited
42007-5 | Mastoid - bilateral X-ray limited
37646-7 | Sacroiliac Joint X-ray limited
44209-5 | Sinuses X-ray limited
48466-7 | Skull X-ray limited
42710-4 | Spine Cervical X-ray limited

36739-1 | Wrist - bilateral X-ray limited
38838-9 | Wrist - left X-ray limited
37642-6 | Wrist - right X-ray limited
41797-2 | Colon Fluoroscopy limited W air and barium contrast PR
42335-0 | Spine Cervical Fluoroscopy limited W contrast IT
38125-1 | Spine Cervical and Thoracic and Lumbar Fluoroscopy limited W contrast IT
38120-2 | Spine Thoracic Fluoroscopy limited W contrast IT
37137-7 | Kidney X-ray limited W contrast IV
39687-9 | Scan limited W GA-67 IV
39754-7 | Thyroid Scan limited W I-131 IV
49571-3 | Scan limited W I-131 MIBG IV
39843-8 | Scan limited W In-111 Satumomab IV
41836-8 | Bone Scan limited W In-111 tagged WBC IV
39627-5 | Bone Scan limited
39822-2 | Bone marrow Scan limited
39645-7 | Breast Scan limited
39695-2 | Lung Scan limited
39936-0 | Joint Scan limited
37542-8 | Breast Mammogram magnification
37543-6 | Breast - bilateral Mammogram magnification
37554-3 | Breast - bilateral Mammogram magnification and spot
38854-6 | Breast - left Mammogram magnification and spot
37769-7 | Breast - right Mammogram magnification and spot
30769-4 | Pelvis and Hip - bilateral X-ray max abduction
38086-5 | Knee X-ray Merchants 30 and 45 and 60 degrees
39935-2 | Scan multiple areas W GA-67 IV
39949-3 | Scan multiple areas W In-111 Satumomab IV
39904-8 | Bone Scan multiple areas
39907-1 | Bone marrow Scan multiple areas
39937-8 | Joint Scan multiple areas
39950-1 | Prostate Scan multiple areas W Tc-99m capromab pendatide IV
36608-8 | Elbow X-ray oblique
36740-9 | Elbow - bilateral X-ray oblique
36741-7 | Elbow - left X-ray oblique
37687-1 | Elbow - right X-ray oblique
36744-1 | Humerus - left X-ray oblique
37737-4 | Humerus - right X-ray oblique
36619-5 | Knee X-ray oblique
36745-8 | Knee - bilateral X-ray oblique
36746-6 | Knee - left X-ray oblique
37757-2 | Knee - right X-ray oblique
36747-4 | Mandible X-ray oblique
37630-1 | Pelvis X-ray oblique
36742-5 | Radius - bilateral and Ulna - bilateral X-ray oblique
36743-3 | Radius - left and Ulna.left X-ray oblique
37709-3 | Radius - right and Ulna - right X-ray oblique
48748-8 | Spine X-ray oblique
36748-2 | Spine Cervical X-ray oblique
43791-3 | Spine Lumbar X-ray oblique
48749-6 | Spine Thoracic X-ray oblique
36749-0 | Tibia - left and Fibula - left X-ray oblique
37817-4 | Tibia - right and Fibula - right X-ray oblique
36894-4 | Tibia and Fibula X-ray oblique
37544-4 | Wrist - bilateral X-ray oblique
38839-7 | Wrist - left X-ray oblique
37643-4 | Wrist - right X-ray oblique
42398-8 | Foot X-ray oblique and (AP and lateral) standing
37139-3 | Spine Cervical X-ray oblique and lateral W flexion and W extension
37154-2 | Knee X-ray oblique and Sunrise
37155-9 | Knee X-ray oblique and Sunrise and tunnel
43469-6 | Unspecified body region X-ray of foreign body
37063-5 | Unspecified body region Fluoroscopy of foreign body
37546-9 | Temporomandibular joint - bilateral X-ray open and closed mouth
48491-5 | Temporomandibular joint - left X-ray open and closed mouth
48490-7 | Temporomandibular joint - right X-ray open and closed mouth
48699-3 | Temporomandibular Joint - unilateral X-ray open and closed mouth
37152-6 | Shoulder - bilateral X-ray outlet and Y
37140-1 | Shoulder - left X-ray outlet and Y
37804-2 | Shoulder - right X-ray outlet and Y
36750-8 | Chest X-ray PA and AP lateral-decubitus
42272-5 | Chest X-ray PA and lateral
36751-6 | Chest Fluoroscopy PA and lateral

36752-4 | Hand - bilateral X-ray PA and lateral
36753-2 | Hand - left X-ray PA and lateral
37713-5 | Hand - right X-ray PA and lateral
36754-0 | Mandible X-ray PA and lateral
30721-5 | Sinuses X-ray PA and lateral
37547-7 | Wrist - bilateral X-ray PA and lateral
37548-5 | Wrist - left X-ray PA and lateral
37835-6 | Wrist - right X-ray PA and lateral
37143-5 | Chest X-ray PA and lateral and AP lateral-decubitus
37144-3 | Chest X-ray PA and lateral and AP left lateral-decubitus
37145-0 | Chest X-ray PA and lateral and AP right lateral-decubitus
37142-7 | Hand - bilateral X-ray PA and lateral and Ball Catcher
37860-4 | Sinuses X-ray PA and lateral and Caldwell and Waters
37146-8 | Chest X-ray PA and lateral and left oblique
30741-3 | Chest X-ray PA and lateral and lordotic upright
39078-1 | Finger X-ray PA and lateral and oblique
36755-7 | Hand X-ray PA and lateral and oblique
36756-5 | Hand - bilateral X-ray PA and lateral and oblique
36757-3 | Hand - left X-ray PA and lateral and oblique
37715-0 | Hand - right X-ray PA and lateral and oblique
37884-4 | Sternum X-ray PA and lateral and oblique
37549-3 | Wrist - bilateral X-ray PA and lateral and oblique
37550-1 | Wrist - left X-ray PA and lateral and oblique
37836-4 | Wrist - right X-ray PA and lateral and oblique
36758-1 | Chest X-ray PA and lateral and oblique and lordotic
37148-4 | Mandible X-ray PA and lateral and oblique and Towne
37147-6 | Chest X-ray PA and lateral and right oblique
30742-1 | Chest X-ray PA and lateral and right oblique and left oblique
30743-9 | Chest X-ray PA and lateral and right oblique and left oblique portable
30744-7 | Chest X-ray PA and lateral and right or-left oblique
24643-9 | Chest X-ray PA and lateral and right or-left oblique upright
37149-2 | Patella - left X-ray PA and lateral and Sunrise
38790-2 | Patella - right X-ray PA and lateral and Sunrise
37859-6 | Sinuses X-ray PA and lateral and Waters
69271-5 | Skull X-ray PA and lateral and Waters and Towne
24647-0 | Chest X-ray PA and lateral upright
24644-7 | Chest X-ray PA and lateral upright portable
36759-9 | Chest X-ray PA and lordotic
39079-9 | Hand X-ray PA and oblique
37141-9 | Chest X-ray PA and right lateral
39519-4 | Skull X-ray PA and right lateral and left lateral
39521-0 | Skull X-ray PA and right lateral and left lateral and Caldwell and Towne
39520-2 | Skull X-ray PA and right lateral and left lateral and Towne
24646-2 | Chest X-ray PA and right lateral and right oblique and left oblique upright
24645-4 | Chest X-ray PA and right lateral and right oblique and left oblique upright portable
37150-0 | Chest X-ray PA and right oblique and left oblique
24635-5 | Chest X-ray PA upright W inspiration and expiration
46378-6 | Knee - bilateral X-ray PA standing and W flexion
43660-0 | Heart Scan perfusion qualitative at rest and W radionuclide IV
43661-8 | Heart Scan perfusion quantitative at rest and W radionuclide IV
43658-4 | Heart Scan perfusion quantitative
43656-8 | Lung Scan perfusion quantitative
39719-0 | Heart Scan perfusion at rest and W adenosine and W radionuclide IV
43777-2 | Heart Scan perfusion at rest and W adenosine and W Tl-201 IV
39722-4 | Heart Scan perfusion at rest and W dipyridamole and W radionuclide IV
39720-8 | Heart Scan perfusion at rest and W dipyridamole and W Tc-99m Sestamibi IV
39728-1 | Heart Scan perfusion at rest and W radionuclide IV
39726-5 | Heart Scan perfusion at rest and W stress and W radionuclide IV
39727-3 | Heart Scan perfusion at rest and W stress and W Tc-99m Sestamibi IV
39699-4 | Heart Scan perfusion at rest and W Tc-99m Sestamibi IV
39701-8 | Heart Scan perfusion W adenosine and W radionuclide IV
39731-5 | Heart Scan perfusion W adenosine and W Tc-99m Sestamibi IV
39735-6 | Heart Scan perfusion W adenosine and W Tl-201 IV
39708-3 | Heart Scan perfusion W dipyridamole and W radionuclide IV
39709-1 | Heart Scan perfusion W dipyridamole and W Tc-99m IV
39705-9 | Heart Scan perfusion W dipyridamole and W Tc-99m Sestamibi IV
39707-5 | Heart Scan perfusion W dipyridamole and W Tl-201 IV
39703-4 | Heart Scan perfusion W dobutamine and W radionuclide IV
39702-6 | Heart Scan perfusion W dobutamine and W Tc-99m Sestamibi IV
39733-1 | Heart Scan perfusion W dobutamine and W Tl-201 IV
39941-0 | Lung Scan perfusion W particulate radionuclide IV
39833-9 | Lung Scan perfusion W radionuclide gaseous inhaled

39716-6 | Heart Scan perfusion
39697-8 | Lung Scan perfusion
39730-7 | Heart Scan perfusion W stress and W radionuclide IV
39732-3 | Heart Scan perfusion W stress and W Tc-99m Sestamibi IV
39715-8 | Heart Scan perfusion W stress and W Tl-201 IV
39704-2 | Heart Scan perfusion W Tc-99m Sestamibi IV
39714-1 | Heart Scan perfusion W Tl-201 IV
39713-3 | Heart Scan perfusion W Tl-201 IV and Tc-99m Tetrofosmin IV
30765-2 | Acetabulum X-ray portable
30764-5 | Acetabulum - bilateral X-ray portable
41823-6 | Ankle - left X-ray portable
41782-4 | Ankle - right X-ray portable
30746-2 | Chest X-ray portable
41827-7 | Elbow - left X-ray portable
41786-5 | Elbow - right X-ray portable
41773-3 | Facial bones X-ray portable
41818-6 | Femur - left X-ray portable
41778-2 | Femur - right X-ray portable
43570-1 | Hand X-ray portable
41829-3 | Hand - left X-ray portable
41788-1 | Hand - right X-ray portable
37168-2 | Hip X-ray portable
37169-0 | Hip - left X-ray portable
38796-9 | Hip - right X-ray portable
37170-8 | Humerus X-ray portable
41825-1 | Humerus - left X-ray portable
41784-0 | Humerus - right X-ray portable
41820-2 | Knee - left X-ray portable
41779-0 | Knee - right X-ray portable
30792-6 | Patella X-ray portable
30772-8 | Pelvis X-ray portable
30747-0 | Ribs X-ray portable
41831-9 | Ribs - left X-ray portable
41791-5 | Ribs - right X-ray portable
46391-9 | Shoulder X-ray portable
41824-4 | Shoulder - left X-ray portable
41783-2 | Shoulder - right X-ray portable
30723-1 | Skull X-ray portable
37171-6 | Spine Cervical X-ray portable
44203-8 | Spine Cervical and Thoracic and Lumbar X-ray portable
37172-4 | Spine Lumbar X-ray portable
41828-5 | Wrist - left X-ray portable
41787-3 | Wrist - right X-ray portable
37151-8 | Unspecified body region Fluoroscopy portable
30731-4 | Zygomatic arch X-ray portable
30730-6 | Zygomatic arch - bilateral X-ray portable
24634-8 | Chest X-ray portable W inspiration and expiration
24824-5 | Lung Scan portable
42402-8 | Unspecified body region X-ray post mortem
43657-6 | Lung Scan quantitative
30733-0 | Chest X-ray right and left oblique portable
37131-0 | Abdomen X-ray right lateral and left lateral
37138-5 | Abdomen X-ray right oblique and left oblique
41792-3 | Chest X-ray right oblique and left oblique
24651-2 | Chest X-ray right oblique and left oblique upright
42414-3 | Chest X-ray right oblique and left oblique W nipple markers
37016-3 | Breast - bilateral Mammogram roll
37017-1 | Breast - left Mammogram roll
37775-4 | Breast - right Mammogram roll
30740-5 | Chest X-ray right or-left oblique
30739-7 | Chest X-ray right or-left oblique portable
43479-5 | Aorta abdominal Fluoroscopic angiogram runoff W contrast IA
30838-7 | Aorta and Femoral artery - bilateral Fluoroscopic angiogram runoff W contrast IA
37364-7 | Aorta and Femoral artery - left Fluoroscopic angiogram runoff W contrast IA
38799-3 | Aorta and Femoral artery - right Fluoroscopic angiogram runoff W contrast IA
38107-9 | Wrist X-ray scaphoid
37304-3 | Wrist - bilateral X-ray scaphoid
37302-7 | Wrist - left X-ray scaphoid
38115-2 | Wrist - right X-ray scaphoid
24930-0 | Spine Thoracic and Lumbar X-ray scoliosis
30715-7 | Spine Thoracic and Lumbar X-ray scoliosis AP and lateral
42424-2 | Spine Thoracic and Lumbar X-ray scoliosis AP and lateral sitting

39367-8 | Spine Thoracic and Lumbar X-ray scoliosis AP and lateral standing
42472-1 | Spine Thoracic and Lumbar X-ray scoliosis AP in traction
42425-9 | Spine Thoracic and Lumbar X-ray scoliosis AP standing and W right bending and W left bending and WO bending
43569-3 | Spine Thoracic and Lumbar X-ray scoliosis AP upright and supine
30716-5 | Spine Thoracic and Lumbar X-ray scoliosis lateral
30717-3 | Spine Thoracic and Lumbar X-ray scoliosis standing
24929-2 | Spine Thoracic and Lumbar X-ray scoliosis W flexion and W extension
24606-6 | Breast Mammogram screening
39153-2 | Breast FFD mammogram screening
69159-2 | Breast implant X-ray screening
48492-3 | Breast implant - bilateral Mammogram screening
26175-0 | Breast - bilateral Mammogram screening
42174-3 | Breast - bilateral FFD mammogram screening
26176-8 | Breast - left Mammogram screening
46355-4 | Breast - left FFD mammogram screening
26177-6 | Breast - right Mammogram screening
46354-7 | Breast - right FFD mammogram screening
46356-2 | Breast - unilateral Mammogram screening
37022-1 | Calcaneus X-ray ski jump
37021-3 | Calcaneus - bilateral X-ray ski jump
37023-9 | Calcaneus - left X-ray ski jump
38778-7 | Calcaneus - right X-ray ski jump
37551-9 | Breast Mammogram spot
37552-7 | Breast - bilateral Mammogram spot
38807-4 | Breast - right Mammogram spot
37553-5 | Breast - left Mammogram spot compression
43550-3 | Brain Scan static and flow
39952-7 | Scrotum and Testicle Scan static and flow
39676-2 | Scan static for infection W GA-67 IV
39894-1 | Heart Scan static for shunt detection
39896-6 | Scan static for tumor W GA-67 IV
39814-9 | Bone Scan static limited
39634-1 | Brain Scan static limited
39903-0 | Bone Scan static multiple areas
39817-2 | Bone Scan static whole body
39815-6 | Bone Scan static
39824-8 | Bone marrow Scan static
39633-3 | Brain Scan static
39853-7 | Kidney - bilateral Scan static
39832-1 | Liver Scan static
39878-4 | Liver and Spleen Scan static
39900-6 | Salivary gland Scan static
39855-2 | Scrotum and Testicle Scan static
43501-6 | Vessel Scan static
44150-1 | Brain Scan static W Tc-99m bicisate IV
39854-5 | Kidney - bilateral Scan static W Tc-99m DMSA IV
37153-4 | Mastoid X-ray Stenver and Arcelin
69136-0 | Knee X-ray Sunrise and tunnel
37163-3 | Knee - bilateral X-ray Sunrise and tunnel
37156-7 | Knee - left X-ray Sunrise and tunnel
37759-8 | Knee - right X-ray Sunrise and tunnel
39345-4 | Knee - left X-ray Sunrise and tunnel standing
69255-8 | Knee - right X-ray Sunrise and tunnel standing
38088-1 | Knee - bilateral X-ray Sunrise 20 and 40 and 60 degrees
38087-3 | Knee - left X-ray Sunrise 20 and 40 and 60 degrees
38824-9 | Knee - right X-ray Sunrise 20 and 40 and 60 degrees
24579-5 | Bones long X-ray survey
43518-0 | Bones X-ray survey
37365-4 | Bones X-ray survey for metastasis
39518-6 | Bones long X-ray survey limited
43519-8 | Bones X-ray survey limited
38089-9 | Bones X-ray survey limited for metastasis
37159-1 | Foot - left X-ray tarsal
38792-8 | Foot - right X-ray tarsal
43796-2 | Wrist - bilateral X-ray tunnel.carpal
69304-4 | Wrist X-ray ulnar deviation
69303-6 | Wrist X-ray ulnar deviation and radial deviation
69072-7 | Wrist - bilateral X-ray ulnar deviation and radial deviation
37555-0 | Wrist - left X-ray ulnar deviation and radial deviation
38808-2 | Wrist - right X-ray ulnar deviation and radial deviation
43532-1 | Chest and Abdomen X-ray upright and PA chest
39944-4 | Lung Scan ventilation and equilibrium and washout W radionuclide inhaled

39948-5 | Lung Scan ventilation and equilibrium and washout W radionuclide inhaled single breath
39947-7 | Lung Scan ventilation and equilibrium W radionuclide inhaled single breath
39946-9 | Lung Scan ventilation and perfusion and differential W radionuclide inhaled and W radionuclide IV
39943-6 | Lung Scan ventilation and perfusion W radionuclide inhaled and W particulate radionuclide IV
30697-7 | Pulmonary system Scan ventilation and perfusion W radionuclide inhaled and W radionuclide IV
39942-8 | Lung Scan ventilation and perfusion W radionuclide inhaled single breath and W particulate radionuclide IV
24888-0 | Pulmonary system Scan ventilation and perfusion W Xe-133 inhaled and W Tc-99m MAA IV
39835-4 | Lung Scan ventilation W radionuclide aerosol inhaled
39836-2 | Lung Scan ventilation W radionuclide gaseous inhaled
39945-1 | Lung Scan ventilation W radionuclide gaseous inhaled single breath
39837-0 | Lung Scan ventilation W radionuclide inhaled
39834-7 | Lung Scan ventilation W Tc-99m DTPA aerosol inhaled
46361-2 | Lung Scan ventilation W Xe-133 inhaled
39932-9 | Heart Scan wall motion and ejection fraction
39873-5 | Heart Scan wall motion
39683-8 | Scan whole body W GA-67 IV
39698-6 | Scan whole body W I-131 MIBG IV
39845-3 | Scan whole body W In-111 Satumomab IV
42711-2 | Scan whole body W In-111 tagged WBC IV
42175-0 | Scan whole body
39818-0 | Bone Scan whole body
39826-3 | Bone marrow Scan whole body
39669-7 | Scan whole body W Tc-99m Arcitumomab IV
24713-0 | Gallbladder X-ray 48 hours post contrast PO
39660-6 | Heart Scan at rest and W dipyridamole and W radionuclide IV
39661-4 | Heart Scan at rest and W dobutamine and W radionuclide IV
39663-0 | Heart Scan at rest and W stress and W radionuclide IV
42309-5 | Heart Scan at rest and W stress and W Tl-201 IV
24750-2 | Heart Scan at rest and W Tl-201 IV
43459-7 | Brain Scan during electroconvulsive shock treatment
24577-9 | Bone X-ray during surgery
47372-8 | Hip X-ray during surgery
25070-4 | Unspecified body region Fluoroscopy during surgery
24574-6 | Biliary ducts and Gallbladder Fluoroscopy during surgery W contrast biliary duct
46352-1 | Breast duct Mammogram during surgery W contrast intra duct
43485-2 | Kidney X-ray during surgery W contrast retrograde
39150-8 | Breast FFD mammogram Post Localization
69251-7 | Breast Mammogram Post Wire Placement
42415-0 | Breast - bilateral Mammogram Post Wire Placement
42416-8 | Breast - left Mammogram Post Wire Placement
37201-1 | Ankle X-ray standing
37202-9 | Ankle - bilateral X-ray standing
37203-7 | Ankle - left X-ray standing
37676-4 | Ankle - right X-ray standing
37205-2 | Calcaneus X-ray standing
37206-0 | Calcaneus - left X-ray standing
37720-0 | Calcaneus - right X-ray standing
38845-4 | Femur - left X-ray standing
37693-9 | Femur - right X-ray standing
24708-0 | Foot X-ray standing
26094-3 | Foot - bilateral X-ray standing
26095-0 | Foot - left X-ray standing
26096-8 | Foot - right X-ray standing
37584-0 | Great toe - left X-ray standing
38810-8 | Great toe - right X-ray standing
24809-6 | Knee X-ray standing
26085-1 | Knee - bilateral X-ray standing
26086-9 | Knee - left X-ray standing
26087-7 | Knee - right X-ray standing
37204-5 | Lower extremity X-ray standing
69264-0 | Sacrum X-ray standing
37208-6 | Spine Lumbar X-ray standing
69275-6 | Spine Thoracic X-ray standing
38124-4 | Spine Thoracic and Lumbar X-ray standing
37899-2 | Tibia and Fibula X-ray standing
37209-4 | Toes - left X-ray standing
37823-2 | Toes - right X-ray standing
44233-5 | Kidney - bilateral Scan W and WO Tc-99m DTPA IV
44232-7 | Kidney - bilateral Scan W and WO Tc-99m Mertiatide IV
37579-0 | Acromioclavicular Joint X-ray W and WO weight
37580-8 | Acromioclavicular joint - bilateral X-ray W and WO weight
37581-6 | Acromioclavicular joint - left X-ray W and WO weight

37663-2 | Acromioclavicular joint - right X-ray W and WO weight
39651-5 | Heart Scan W adenosine and W Tl-201 IV
38090-7 | Breast - bilateral Mammogram W air
38091-5 | Breast - left Mammogram W air
39059-1 | Gastrointestine upper Fluoroscopy W air and barium contrast PO
24666-0 | Colon Fluoroscopy W air and barium contrast PR
46357-0 | Colon Fluoroscopy W air contrast PR
30633-2 | Esophagus Fluoroscopy W barium contrast PO
42683-3 | Gastrointestine upper Fluoroscopy W barium contrast PO
43574-3 | Upper Gastrointestine and Small bowel Fluoroscopy W barium contrast PO
44227-7 | Colon Fluoroscopy W barium contrast PR
37565-9 | Unspecified body region Fluoroscopy W barium contrast via fistula
38092-3 | Urinary bladder Fluoroscopy W chain and contrast intra bladder
41770-9 | Gallbladder Scan W cholecystokinin and W radionuclide IV
43650-1 | Liver and Biliary ducts and Gallbladder Scan W cholecystokinin and W radionuclide IV
30630-8 | Head Cistern Fluoroscopy video W contrast
30824-7 | Intercranial vessel and Neck Vessel Fluoroscopic angiogram W contrast
37585-7 | Jejunum Fluoroscopy W contrast
38853-8 | Lower extremity vessels - left Fluoroscopic angiogram W contrast
37765-5 | Lower extremity vessels - right Fluoroscopic angiogram W contrast
37615-2 | Pelvis vessels Fluoroscopic angiogram W contrast
37936-2 | Peripheral vessels Fluoroscopic angiogram W contrast
37640-0 | Renal vessels Fluoroscopic angiogram W contrast
64140-7 | Renal vessels - left Fluoroscopic angiogram W contrast
64141-5 | Renal vessels - right Fluoroscopic angiogram W contrast
38094-9 | Spine.cavity Fluoroscopy W contrast
37973-5 | Testicle vessels Fluoroscopy W contrast
25005-0 | Three vessels Fluoroscopic angiogram W contrast
25014-2 | Two vessels Fluoroscopic angiogram W contrast
37976-8 | Upper extremity vessels Fluoroscopic angiogram W contrast
42014-1 | Urinary Bladder and Urethra Fluoroscopy W contrast
37980-0 | Vertebral vessels Fluoroscopic angiogram W contrast
37981-8 | Visceral vessels Fluoroscopic angiogram W contrast
37575-8 | Gallbladder X-ray W contrast and fatty meal PO
38101-2 | Kidney X-ray W contrast antegrade
46376-0 | Kidney - bilateral Fluoroscopy W contrast antegrade
38100-4 | Urinary Bladder and Urethra Fluoroscopy W contrast antegrade
38102-0 | Kidney X-ray W contrast antegrade via pyelostomy
25030-8 | Abdominal Arteries Fluoroscopic angiogram W contrast IA
30832-0 | Adrenal artery Fluoroscopic angiogram W contrast IA
30831-2 | Adrenal artery - bilateral Fluoroscopic angiogram W contrast IA
37387-8 | Adrenal artery - left Fluoroscopic angiogram W contrast IA
37939-6 | Adrenal artery - right Fluoroscopic angiogram W contrast IA
38861-1 | Ankle arteries - left Fluoroscopic angiogram W contrast IA
37941-2 | Ankle arteries - right Fluoroscopic angiogram W contrast IA
24658-7 | Aorta Fluoroscopic angiogram W contrast IA
30837-9 | Aorta abdominal Fluoroscopic angiogram W contrast IA
24546-4 | Aorta arch and Neck Fluoroscopic angiogram W contrast IA
37366-2 | Abdominal Aorta and Arteries Fluoroscopic angiogram W contrast IA
69054-5 | Aortic arch Fluoroscopic angiogram W contrast IA
37380-3 | Aortic arch and Brachial artery Fluoroscopic angiogram W contrast IA
37381-1 | Aortic arch and Carotid artery Fluoroscopic angiogram W contrast IA
37587-3 | Aortic arch and Carotid artery - bilateral and Vertebral artery - bilateral Fluoroscopic angiogram W contrast IA
37588-1 | Aortic arch and Carotid artery.common - bilateral Fluoroscopic angiogram W contrast IA
37589-9 | Aortic arch and Carotid artery.common - left Fluoroscopic angiogram W contrast IA
37590-7 | Aortic arch and Carotid artery.common - right Fluoroscopic angiogram W contrast IA
37591-5 | Aortic arch and Carotid artery.external - bilateral Fluoroscopic angiogram W contrast IA
37592-3 | Aortic arch and Carotid artery.external - left Fluoroscopic angiogram W contrast IA
37593-1 | Aortic arch and Carotid artery.external - right Fluoroscopic angiogram W contrast IA
37594-9 | Aortic arch and Carotid artery and Vertebral artery Fluoroscopic angiogram W contrast IA
37382-9 | Aortic arch and Subclavian artery Fluoroscopic angiogram W contrast IA
37383-7 | Aortic arch and Subclavian artery - left Fluoroscopic angiogram W contrast IA
38800-9 | Aortic arch and Subclavian artery - right Fluoroscopic angiogram W contrast IA
37379-5 | Aortic arch and Upper Extremity artery Fluoroscopic angiogram W contrast IA
37384-5 | Aortic arch and Vertebral artery Fluoroscopic angiogram W contrast IA
37385-2 | Aortic arch and Vertebral artery - left Fluoroscopic angiogram W contrast IA
37386-0 | Aortic arch and Vertebral artery - right Fluoroscopic angiogram W contrast IA
24551-4 | AV fistula Fluoroscopic angiogram W contrast IA
30828-8 | Brachial artery Fluoroscopic angiogram W contrast IA
37388-6 | Brachial artery - bilateral Fluoroscopic angiogram W contrast IA
24581-1 | Brachial artery and Subclavian artery Fluoroscopic angiogram W contrast IA
69077-6 | Brachiocephalic artery Fluoroscopic angiogram W contrast IA

37389-4 | Bronchial artery Fluoroscopic angiogram W contrast IA
24617-3 | Carotid artery Fluoroscopic angiogram W contrast IA
26079-4 | Carotid artery - bilateral Fluoroscopic angiogram W contrast IA
39097-1 | Carotid artery - bilateral and Cerebral artery - bilateral Fluoroscopic angiogram W contrast IA
39094-8 | Carotid artery.cervical Fluoroscopic angiogram W contrast IA
39098-9 | Carotid artery.cervical - bilateral Fluoroscopic angiogram W contrast IA
38863-7 | Carotid artery.cervical - left Fluoroscopic angiogram W contrast IA
37945-3 | Carotid artery.cervical - right Fluoroscopic angiogram W contrast IA
30821-3 | Carotid artery.external Fluoroscopic angiogram W contrast IA
30820-5 | Carotid artery.external - bilateral Fluoroscopic angiogram W contrast IA
37390-2 | Carotid artery.external - left Fluoroscopic angiogram W contrast IA
37948-7 | Carotid artery.external - right Fluoroscopic angiogram W contrast IA
38864-5 | Carotid artery.internal - left Fluoroscopic angiogram W contrast IA
37952-9 | Carotid artery.internal - right Fluoroscopic angiogram W contrast IA
26080-2 | Carotid artery - left Fluoroscopic angiogram W contrast IA
26081-0 | Carotid artery - right Fluoroscopic angiogram W contrast IA
39095-5 | Carotid artery and Cerebral artery Fluoroscopic angiogram W contrast IA
38865-2 | Carotid artery and Cerebral artery internal - left Fluoroscopic angiogram W contrast IA
37953-7 | Carotid artery and Cerebral artery internal - right Fluoroscopic angiogram W contrast IA
38862-9 | Carotid artery and Cerebral artery - left Fluoroscopic angiogram W contrast IA
37944-6 | Carotid artery and Cerebral artery - right Fluoroscopic angiogram W contrast IA
37391-0 | Carotid artery and Vertebral artery Fluoroscopic angiogram W contrast IA
37392-8 | Carotid artery and Vertebral artery - bilateral Fluoroscopic angiogram W contrast IA
37393-6 | Carotid artery+Vertebral artery - left Fluoroscopic angiogram W contrast IA
37943-8 | Carotid artery+Vertebral artery - right Fluoroscopic angiogram W contrast IA
24622-3 | Celiac artery Fluoroscopic angiogram W contrast IA
37403-3 | Celiac artery and Gastric artery - left and Superior mesenteric artery Fluoroscopic angiogram W contrast IA
37394-4 | Celiac artery and Superior mesenteric artery and Inferior mesenteric artery Fluoroscopic angiogram W contrast IA
37173-2 | Cerebral artery Fluoroscopic angiogram W contrast IA
30891-6 | Cervicocerebral artery Fluoroscopic angiogram W contrast IA
37174-0 | Coronary arteries Fluoroscopic angiogram W contrast IA
37595-6 | Coronary graft Fluoroscopic angiogram W contrast IA
30848-6 | Extremity arteries Fluoroscopic angiogram W contrast IA
30849-4 | Extremity arteries - bilateral Fluoroscopic angiogram W contrast IA
37395-1 | Extremity arteries - left Fluoroscopic angiogram W contrast IA
37949-5 | Extremity arteries - right Fluoroscopic angiogram W contrast IA
37175-7 | Femoral artery Fluoroscopic angiogram W contrast IA
37176-5 | Femoral artery and Popliteal artery Fluoroscopic angiogram W contrast IA
37397-7 | Gastric artery Fluoroscopic angiogram W contrast IA
37398-5 | Gastric artery - left Fluoroscopic angiogram W contrast IA
38801-7 | Gastric artery - right Fluoroscopic angiogram W contrast IA
37399-3 | Gastroduodenal artery Fluoroscopic angiogram W contrast IA
30822-1 | Head artery - bilateral and Neck artery - bilateral Fluoroscopic angiogram W contrast IA
62448-6 | Head artery.left+Neck artery.left Fluoroscopic angiogram W contrast IA
62449-4 | Head artery.right+Neck artery.right Fluoroscopic angiogram W contrast IA
30823-9 | Head artery and Neck artery Fluoroscopic angiogram W contrast IA
25076-1 | Hepatic artery Fluoroscopic angiogram W contrast IA
43782-2 | Iliac artery Fluoroscopic angiogram W contrast IA
37177-3 | Iliac artery - bilateral Fluoroscopic angiogram W contrast IA
24862-5 | Iliac artery Internal Fluoroscopic angiogram W contrast IA
37178-1 | Iliac artery - left Fluoroscopic angiogram W contrast IA
37739-0 | Iliac artery - right Fluoroscopic angiogram W contrast IA
37179-9 | Inferior mesenteric artery Fluoroscopic angiogram W contrast IA
25079-5 | Kidney arteries Fluoroscopic angiogram W contrast IA
37487-6 | Lower extremity arteries Fluoroscopic angiogram W contrast IA
47986-5 | Lower extremity arteries - left Fluoroscopic angiogram W contrast IA
47987-3 | Lower extremity arteries - right Fluoroscopic angiogram W contrast IA
30829-6 | Internal mammary artery Fluoroscopic angiogram W contrast IA
64995-4 | Mammary artery.internal - left Fluoroscopic angiogram W contrast IA
65000-2 | Mammary artery.internal - right Fluoroscopic angiogram W contrast IA
37401-7 | Maxillary artery.internal Fluoroscopic angiogram W contrast IA
24833-6 | Mesenteric artery Fluoroscopic angiogram W contrast IA
24860-9 | Pancreatic artery Fluoroscopic angiogram W contrast IA
30833-8 | Pelvis arteries Fluoroscopic angiogram W contrast IA
37935-4 | Pelvis arteries and Lower extremity arteries - bilateral Fluoroscopic angiogram W contrast IA
24874-0 | Peripheral arteries Fluoroscopic angiogram W contrast IA
44240-0 | Peripheral arteries - bilateral Fluoroscopic angiogram W contrast IA
69249-1 | Popliteal artery Fluoroscopic angiogram W contrast IA
37181-5 | Popliteal artery - left Fluoroscopic angiogram W contrast IA
37778-8 | Popliteal artery - right Fluoroscopic angiogram W contrast IA
37404-1 | Pudendal artery.internal Fluoroscopic angiogram W contrast IA
39057-5 | Pulmonary artery Fluoroscopic angiogram W contrast IA

30830-4 | Pulmonary artery - bilateral Fluoroscopic angiogram W contrast IA
37182-3 | Pulmonary artery - left Fluoroscopic angiogram W contrast IA
37779-6 | Pulmonary artery - right Fluoroscopic angiogram W contrast IA
30834-6 | Renal artery - bilateral Fluoroscopic angiogram W contrast IA
62446-0 | Renal artery - left Fluoroscopic angiogram W contrast IA
62447-8 | Renal artery - right Fluoroscopic angiogram W contrast IA
24925-0 | Spinal artery Fluoroscopic angiogram W contrast IA
26082-8 | Spinal artery - bilateral Fluoroscopic angiogram W contrast IA
26083-6 | Spinal artery - left Fluoroscopic angiogram W contrast IA
26084-4 | Spinal artery - right Fluoroscopic angiogram W contrast IA
24992-0 | Splenic artery Fluoroscopic angiogram W contrast IA
24991-2 | Splenic vein and Portal vein Fluoroscopic angiogram W contrast IA
37886-9 | Subclavian artery Fluoroscopic angiogram W contrast IA
37405-8 | Subclavian artery - bilateral Fluoroscopic angiogram W contrast IA
37406-6 | Subclavian artery - left Fluoroscopic angiogram W contrast IA
37966-9 | Subclavian artery - right Fluoroscopic angiogram W contrast IA
37180-7 | Superior mesenteric artery Fluoroscopic angiogram W contrast IA
37402-5 | Superior mesenteric artery and Inferior mesenteric artery Fluoroscopic angiogram W contrast IA
38119-4 | Thoracic artery Fluoroscopic angiogram W contrast IA
37900-8 | Tibial artery Fluoroscopic angiogram W contrast IA
37489-2 | Tibioperoneal arteries Fluoroscopic angiogram W contrast IA
37977-6 | Upper extremity arteries Fluoroscopic angiogram W contrast IA
37396-9 | Upper extremity arteries - bilateral Fluoroscopic angiogram W contrast IA
37488-4 | Upper extremity arteries - left Fluoroscopic angiogram W contrast IA
37967-7 | Upper extremity arteries - right Fluoroscopic angiogram W contrast IA
24576-1 | Urinary bladder arteries Fluoroscopic angiogram W contrast IA
37979-2 | Uterine artery Fluoroscopic angiogram W contrast IA
37407-4 | Vertebral artery - bilateral Fluoroscopic angiogram W contrast IA
37490-0 | Vertebral artery - left Fluoroscopic angiogram W contrast IA
37968-5 | Vertebral artery - right Fluoroscopic angiogram W contrast IA
42156-0 | Vessels Fluoroscopic angiogram W contrast IA
25017-5 | Urinary Bladder and Urethra Fluoroscopy W contrast intra bladder
43559-4 | Urinary Bladder and Urethra Fluoroscopy W contrast intra bladder during voiding
37586-5 | Penis Fluoroscopy W contrast intra corpus cavernosum
39054-2 | Breast duct Mammogram W contrast intra duct
38095-6 | Breast duct - bilateral Mammogram W contrast intra duct
38096-4 | Breast duct - left Mammogram W contrast intra duct
38825-6 | Breast duct - right Mammogram W contrast intra duct
30810-6 | Lacrimal duct Fluoroscopy W contrast intra lacrimal duct
38098-0 | Lacrimal duct - bilateral Fluoroscopy W contrast intra lacrimal duct
38099-8 | Lacrimal duct - left Fluoroscopy W contrast intra lacrimal duct
38827-2 | Lacrimal duct - right Fluoroscopy W contrast intra lacrimal duct
24845-0 | Neck Fluoroscopy W contrast intra larynx
30850-2 | Extremity lymphatics Fluoroscopy W contrast intra lymphatic
30851-0 | Extremity lymphatics - bilateral Fluoroscopy W contrast intra lymphatic
37599-8 | Extremity lymphatics - left Fluoroscopy W contrast intra lymphatic
38812-4 | Extremity lymphatics - right Fluoroscopy W contrast intra lymphatic
24827-8 | Lymphatics Fluoroscopy W contrast intra lymphatic
30839-5 | Lymphatics abdominal Fluoroscopy W contrast intra lymphatic
30840-3 | Lymphatics abdominal - bilateral Fluoroscopy W contrast intra lymphatic
37597-2 | Lymphatics abdominal and Lymphatics pelvic Fluoroscopy W contrast intra lymphatic
37598-0 | Lymphatics abdominal and Lymphatics pelvic - bilateral Fluoroscopy W contrast intra lymphatic
37596-4 | Lymphatics abdominal and Lymphatics pelvic - left Fluoroscopy W contrast intra lymphatic
38811-6 | Lymphatics abdominal and Lymphatics pelvic - right Fluoroscopy W contrast intra lymphatic
37600-4 | Lymphatics - left Fluoroscopy W contrast intra lymphatic
39510-3 | Lymphatics pelvic Fluoroscopy W contrast intra lymphatic
37601-2 | Lymphatics pelvic - bilateral Fluoroscopy W contrast intra lymphatic
38813-2 | Lymphatics - right Fluoroscopy W contrast intra lymphatic
39148-2 | Breast duct Mammogram W contrast intra multiple ducts
39146-6 | Breast duct - bilateral Mammogram W contrast intra multiple ducts
39145-8 | Breast duct - left Mammogram W contrast intra multiple ducts
39147-4 | Breast duct - right Mammogram W contrast intra multiple ducts
24661-1 | Pleural space Fluoroscopy W contrast intra pleural space
38116-0 | Parotid gland Fluoroscopy W contrast intra salivary duct
38097-2 | Parotid gland - left Fluoroscopy W contrast intra salivary duct
38826-4 | Parotid gland - right Fluoroscopy W contrast intra salivary duct
24902-9 | Salivary gland Fluoroscopy W contrast intra salivary duct
26067-9 | Salivary gland - bilateral Fluoroscopy W contrast intra salivary duct
26068-7 | Salivary gland - left Fluoroscopy W contrast intra salivary duct
26069-5 | Salivary gland - right Fluoroscopy W contrast intra salivary duct
38153-3 | Submandibular gland Fluoroscopy W contrast intra salivary duct
48698-5 | Submandibular gland - bilateral Fluoroscopy W contrast intra salivary duct

42460-6 | Submandibular gland - left Fluoroscopy W contrast intra salivary duct
48696-9 | Submandibular gland - right Fluoroscopy W contrast intra salivary duct
24912-8 | Sinus tract Fluoroscopy W contrast intra sinus tract
24552-2 | Stent Fluoroscopy W contrast intra stent
25016-7 | Urethra Fluoroscopy W contrast intra urethra
39151-6 | Vas deferens Fluoroscopy W contrast intra vas deferens
37183-1 | Ankle Fluoroscopy W contrast intraarticular
37184-9 | Ankle - bilateral Fluoroscopy W contrast intraarticular
37185-6 | Ankle - left Fluoroscopy W contrast intraarticular
37942-0 | Ankle - right Fluoroscopy W contrast intraarticular
37186-4 | Elbow Fluoroscopy W contrast intraarticular
37187-2 | Elbow - bilateral Fluoroscopy W contrast intraarticular
37188-0 | Elbow - left Fluoroscopy W contrast intraarticular
37947-9 | Elbow - right Fluoroscopy W contrast intraarticular
24764-3 | Hip Fluoroscopy W contrast intraarticular
26070-3 | Hip - bilateral Fluoroscopy W contrast intraarticular
26071-1 | Hip - left Fluoroscopy W contrast intraarticular
26072-9 | Hip - right Fluoroscopy W contrast intraarticular
24800-5 | Knee Fluoroscopy W contrast intraarticular
26073-7 | Knee - bilateral Fluoroscopy W contrast intraarticular
26074-5 | Knee - left Fluoroscopy W contrast intraarticular
26075-2 | Knee - right Fluoroscopy W contrast intraarticular
37647-5 | Sacroiliac Joint Fluoroscopy W contrast intraarticular
37189-8 | Sacroiliac joint - bilateral Fluoroscopy W contrast intraarticular
37190-6 | Sacroiliac joint - left Fluoroscopy W contrast intraarticular
37785-3 | Sacroiliac joint - right Fluoroscopy W contrast intraarticular
24910-2 | Shoulder Fluoroscopy W contrast intraarticular
26076-0 | Shoulder - bilateral Fluoroscopy W contrast intraarticular
26077-8 | Shoulder - left Fluoroscopy W contrast intraarticular
26078-6 | Shoulder - right Fluoroscopy W contrast intraarticular
37901-6 | Temporomandibular joint Fluoroscopy W contrast intraarticular
37409-0 | Temporomandibular joint - bilateral Fluoroscopy W contrast intraarticular
37410-8 | Temporomandibular joint - left Fluoroscopy W contrast intraarticular
37818-2 | Temporomandibular joint - right Fluoroscopy W contrast intraarticular
25034-0 | Wrist Fluoroscopy W contrast intraarticular
37570-9 | Wrist - bilateral Fluoroscopy W contrast intraarticular
37571-7 | Wrist - left Fluoroscopy W contrast intraarticular
37641-8 | Wrist - right Fluoroscopy W contrast intraarticular
37191-4 | Joint Fluoroscopy W contrast intraarticular
24825-2 | Lung X-ray W contrast intrabronchial
30813-0 | Lung - bilateral X-ray W contrast intrabronchial
64996-2 | Lung - left X-ray W contrast intrabronchial
64997-0 | Lung - right X-ray W contrast intrabronchial
24927-6 | Spine Fluoroscopy W contrast intradisc
37192-2 | Spine Cervical Fluoroscopy W contrast intradisc
37193-0 | Spine Lumbar Fluoroscopy W contrast intradisc
70933-7 | Spine Thoracic Fluoroscopy W contrast intradisc
25022-5 | Uterus and Fallopian tubes Fluoroscopy W contrast intrauterine
30811-4 | Posterior fossa Fluoroscopy W contrast IT
37572-5 | Spine Fluoroscopy W contrast IT
24947-4 | Spine Cervical Fluoroscopy W contrast IT
38103-8 | Spine Cervical and Spine Lumbar Fluoroscopy W contrast IT
30808-0 | Spine Cervical and Thoracic and Lumbar Fluoroscopy W contrast IT
38104-6 | Spine.epidural space Fluoroscopy W contrast IT
24974-8 | Spine Lumbar Fluoroscopy W contrast IT
24985-4 | Spine Thoracic Fluoroscopy W contrast IT
69066-9 | Abdominal vessels Fluoroscopic angiogram W contrast IV
30843-7 | Adrenal vein Fluoroscopic angiogram W contrast IV
37602-0 | Adrenal vein left Fluoroscopic angiogram W contrast IV
30844-5 | Adrenal vein - bilateral Fluoroscopic angiogram W contrast IV
37940-4 | Adrenal vein - right Fluoroscopic angiogram W contrast IV
58746-9 | AV fistula Fluoroscopic angiogram W contrast IV
24569-6 | AV shunt Fluoroscopic angiogram W contrast IV
37411-6 | Azygos vein Fluoroscopic angiogram W contrast IV
24573-8 | Biliary ducts and Gallbladder X-ray W contrast IV
37195-5 | Cerebral vein Fluoroscopic angiogram W contrast IV
30819-7 | Epidural veins Fluoroscopic angiogram W contrast IV
39055-9 | Extremity veins Fluoroscopic angiogram W contrast IV
37412-4 | Extremity veins - bilateral Fluoroscopic angiogram W contrast IV
37413-2 | Extremity veins - left Fluoroscopic angiogram W contrast IV
37950-3 | Extremity veins - right Fluoroscopic angiogram W contrast IV
42157-8 | Extremity vessels Fluoroscopic angiogram W contrast IV

37416-5 | Femoral vein Fluoroscopic angiogram W contrast IV
39093-0 | Hepatic veins Fluoroscopic angiogram W contrast IV
37421-5 | Inferior mesenteric vein Fluoroscopic angiogram W contrast IV
37419-9 | Intraosseous veins Fluoroscopic angiogram W contrast IV
37197-1 | Jugular vein Fluoroscopic angiogram W contrast IV
37420-7 | Jugular vein - left Fluoroscopic angiogram W contrast IV
37954-5 | Jugular vein - right Fluoroscopic angiogram W contrast IV
37607-9 | Kidney X-ray W contrast IV
24788-2 | Kidney - bilateral X-ray W contrast IV
37414-0 | Lower extremity veins - bilateral Fluoroscopic angiogram W contrast IV
37196-3 | Lower extremity veins - left Fluoroscopic angiogram W contrast IV
37767-1 | Lower extremity veins - right Fluoroscopic angiogram W contrast IV
37574-1 | Lower extremity vessels Fluoroscopic angiogram W contrast IV
30825-4 | Orbit veins Fluoroscopic angiogram W contrast IV
37422-3 | Orbit veins - left Fluoroscopic angiogram W contrast IV
37958-6 | Orbit veins - right Fluoroscopic angiogram W contrast IV
30852-8 | Peripheral veins - bilateral Fluoroscopic angiogram W contrast IV
24685-0 | Peripheral veins Fluoroscopic angiogram W contrast IV
69250-9 | Portal vein Fluoroscopic angiogram W contrast IV
30847-8 | Renal vein Fluoroscopic angiogram W contrast IV
30846-0 | Renal vein - bilateral Fluoroscopic angiogram W contrast IV
37423-1 | Renal vein - left Fluoroscopic angiogram W contrast IV
37959-4 | Renal vein - right Fluoroscopic angiogram W contrast IV
30827-0 | Sagittal sinus vein Fluoroscopic angiogram W contrast IV
65803-9 | Sagittal sinus vein - left Fluoroscopic angiogram W contrast IV
65802-1 | Sagittal sinus and Jugular veins - left Fluoroscopic angiogram W contrast IV
65804-7 | Sagittal sinus vein - right Fluoroscopic angiogram W contrast IV
65805-4 | Sagittal sinus and Jugular veins - right Fluoroscopic angiogram W contrast IV
30826-2 | Sagittal sinus and Jugular veins Fluoroscopic angiogram W contrast IV
37969-3 | Sinus vein Fluoroscopic angiogram W contrast IV
37970-1 | Splenic vein Fluoroscopic angiogram W contrast IV
37971-9 | Subclavian vein Fluoroscopic angiogram W contrast IV
37972-7 | Superior mesenteric vein Fluoroscopic angiogram W contrast IV
24550-6 | Upper extremity veins Fluoroscopic angiogram W contrast IV
37415-7 | Upper extremity veins - bilateral Fluoroscopic angiogram W contrast IV
38859-5 | Upper extremity veins - left Fluoroscopic angiogram W contrast IV
37824-0 | Upper extremity veins - right Fluoroscopic angiogram W contrast IV
25023-3 | Vein Fluoroscopic angiogram W contrast IV
26064-6 | Vein - bilateral Fluoroscopic angiogram W contrast IV
26065-3 | Vein - left Fluoroscopic angiogram W contrast IV
26066-1 | Vein - right Fluoroscopic angiogram W contrast IV
25025-8 | Vena cava Fluoroscopic angiogram W contrast IV
30845-2 | Inferior vena cava Fluoroscopic angiogram W contrast IV
30645-6 | Superior vena cava Fluoroscopic angiogram W contrast IV
43554-5 | vessels - left Fluoroscopic angiogram W contrast IV
39096-3 | Hepatic veins Fluoroscopic angiogram W contrast IV and W hemodynamics
43783-0 | Renal vein Fluoroscopic angiogram W contrast IV and W renin sampling
25080-3 | Renal vein - bilateral Fluoroscopic angiogram W contrast IV and W renin sampling
30816-3 | Peritoneum Fluoroscopic angiogram W contrast percutaneous
24575-3 | Biliary ducts and Gallbladder Fluoroscopy W contrast percutaneous transhepatic
37200-3 | Chest X-ray W contrast PO
37199-7 | Chest Fluoroscopy W contrast PO
37198-9 | Esophagus X-ray W contrast PO
24678-5 | Esophagus Fluoroscopy W contrast PO
24712-2 | Gallbladder X-ray W contrast PO
42459-8 | Gastrointestine upper Fluoroscopy W contrast PO
24924-3 | Small bowel Fluoroscopy W contrast PO
24673-6 | Duodenum Fluoroscopy W contrast PO and hypotonic agent per ng
24681-9 | Esophagus and Hypopharynx Fluoroscopy video W contrast PO during swallowing
24667-8 | Colon Fluoroscopy W contrast PR
24894-8 | Rectum and Urinary bladder Fluoroscopy W contrast PR and intra bladder during defecation and voiding
39363-7 | Fistula Fluoroscopy W contrast retrograde
38105-3 | Kidney X-ray W contrast retrograde
39349-6 | Kidney - bilateral Fluoroscopy W contrast retrograde
30761-1 | Kidney - bilateral Fluoroscopy W contrast retrograde via urethra
38873-6 | Kidney - left and Collecting system Fluoroscopy W contrast retrograde via urethra
38113-7 | Kidney - right and Collecting system Fluoroscopy W contrast retrograde via urethra
25020-9 | Urinary Bladder and Urethra Fluoroscopy W contrast retrograde via urethra
30841-1 | Portal vein Fluoroscopic angiogram W contrast transhepatic
30842-9 | Portal vein Fluoroscopic angiogram W contrast transhepatic and W hemodynamics
37566-7 | Unspecified body region Fluoroscopy W contrast via catheter
37567-5 | Colon Fluoroscopy W contrast via colostomy

37568-3 | Unspecified body region Fluoroscopy W contrast via fistula
69272-3 | Small bowel Fluoroscopy W contrast via ileostomy
24780-9 | Kidney - bilateral Fluoroscopy W contrast via nephrostomy tube
38872-8 | Kidney - left and Collecting system Fluoroscopy W contrast via nephrostomy tube
38112-9 | Kidney - right and Collecting system Fluoroscopy W contrast via nephrostomy tube
37569-1 | Urinary bladder Fluoroscopy W contrast via suprapubic tube
30647-2 | Biliary ducts and Gallbladder Fluoroscopy W contrast via T-tube
39696-0 | Lung Scan W depreotide and W radionuclide IV
42161-0 | Heart Scan W dobutamine and W radionuclide IV
39652-3 | Heart Scan W dobutamine and W Tl-201 IV
42383-0 | Gallbladder X-ray W double dose contrast PO
42690-8 | Spine X-ray W flexion and W extension
24945-8 | Spine Cervical X-ray W flexion and W extension
24971-4 | Spine Lumbar X-ray W flexion and W extension
43481-1 | Joint X-ray W flexion and W extension
30785-0 | Foot X-ray W forced dorsiflexion
43461-3 | Kidney - bilateral Scan W furosemide and W radionuclide IV
39688-7 | Scan W GA-67 IV
24679-3 | Esophagus Fluoroscopy W gastrografin PO
42684-1 | Gastrointestine upper Fluoroscopy W gastrografin PO
42681-7 | Colon Fluoroscopy W gastrografin PR
37576-6 | Unspecified body region Fluoroscopy W gastrografin via fistula
39850-3 | Kidney - bilateral Scan W I-131 IV
25007-6 | Thyroid Scan W I-131 IV
39841-2 | Scan W I-131 MIBG IV
39857-8 | Adrenal gland Scan W I-131 MIBG IV
39624-2 | Adrenal gland Scan W I-131 NP59 IV
24770-0 | Joint Scan W In-111 intrajoint
39846-1 | Scan W In-111 Satumomab IV
39738-0 | Abdomen Scan W In-111 Satumomab IV
25032-4 | Bone Scan W In-111 tagged WBC IV
42708-8 | Scan W In-111 tiuxetan IV
30736-3 | Chest X-ray W inspiration and expiration
24682-7 | Esophagus and Hypopharynx Fluoroscopy video W liquid and paste contrast PO during swallowing
37556-8 | Ankle X-ray W manual stress
37557-6 | Ankle - bilateral X-ray W manual stress
37558-4 | Ankle - left X-ray W manual stress
37673-1 | Ankle - right X-ray W manual stress
37559-2 | Foot - left X-ray W manual stress
37705-1 | Foot - right X-ray W manual stress
37560-0 | Knee X-ray W manual stress
37561-8 | Knee - bilateral X-ray W manual stress
37562-6 | Knee - left X-ray W manual stress
37753-1 | Knee - right X-ray W manual stress
37563-4 | Thumb - bilateral X-ray W manual stress
37564-2 | Thumb - left X-ray W manual stress
37814-1 | Thumb - right X-ray W manual stress
39056-7 | Unspecified body region X-ray W manual stress
38093-1 | Chest X-ray W nipple markers
39670-5 | Lacrimal duct Scan W radionuclide intra lacrimal duct
64051-6 | Breast lymphatics - left Scan W radionuclide intra lymphatic
64052-4 | Breast lymphatics - right Scan W radionuclide intra lymphatic
24826-0 | Lymphatics Scan W radionuclide intra lymphatic
24663-7 | Head Cistern Scan W radionuclide IT
42158-6 | Adrenal gland Scan
42776-5 | AV shunt Scan
25031-6 | Bone Scan
24730-4 | Brain Scan
39643-2 | Brain veins Scan
39646-5 | Breast Scan
39650-7 | Heart Scan
24776-7 | Kidney - bilateral Scan
30877-5 | Kidney - bilateral and Renal vessels Scan
24804-7 | Knee Scan
26088-5 | Knee - bilateral Scan
26089-3 | Knee - left Scan
26090-1 | Knee - right Scan
39693-7 | Liver Scan
39694-5 | Liver transplant Scan
43557-8 | Liver and Biliary ducts and Gallbladder Scan
39897-4 | Liver and Lung Scan
39877-6 | Liver and Spleen Scan

39629-1 | Meckels diverticulum Scan
39737-2 | Neck Scan
39739-8 | Pancreas Scan
39742-2 | Parathyroid Scan
39619-2 | Pulmonary system Scan
43669-1 | Renal vessels Scan
39747-1 | Salivary gland Scan
30696-9 | Scrotum and Testicle Scan
39751-3 | Spleen Scan
30695-1 | Thyroid Scan
25018-3 | Urinary bladder Scan
39626-7 | Vein - bilateral Scan
49118-3 | Unspecified body region Scan
39939-4 | Joint Scan
39671-3 | Rectum Scan W radionuclide PO
39752-1 | Spleen Scan W radionuclide tagged heat damaged RBC IV
24773-4 | Kidney - bilateral Scan W radionuclide transplant scan
30713-2 | Spine X-ray W right bending and W left bending
42413-5 | Spine Lumbar X-ray W right bending and W left bending
43651-9 | Liver and Biliary ducts and Gallbladder Scan W sincalide and W radionuclide IV
39820-6 | Bone Scan W SM153 IV
39666-3 | Heart Scan W stress and W 201 Th IV
39667-1 | Heart Scan W stress and W radionuclide IV
69231-9 | Heart Scan W stress and W Tc-99m IV
69232-7 | Heart Scan W stress and W Tc-99m Sestamibi IV
24819-5 | Liver and Spleen Scan W Tc-99m calcium colloid IV
39744-8 | Prostate Scan W Tc-99m capromab pendatide IV
39674-7 | Gallbladder Scan W Tc-99m DISIDA IV
41771-7 | Kidney - bilateral Scan W Tc-99m DMSA IV
39625-9 | Artery Scan W Tc-99m DTPA IA
39745-5 | Kidney - bilateral Scan W Tc-99m DTPA IV
43667-5 | Kidney - bilateral and Renal vessels Scan W Tc-99m DTPA IV
39753-9 | Scrotum and Testicle Scan W Tc-99m DTPA IV
39765-3 | Vein Scan W Tc-99m DTPA IV
39642-4 | Brain Scan W Tc-99m glucoheptonate IV
44234-3 | Kidney - bilateral Scan W Tc-99m glucoheptonate IV
39766-1 | Vein Scan W Tc-99m HDP IV
39812-3 | Bone Scan W Tc-99m HMPAO IV
39630-9 | Brain Scan W Tc-99m HMPAO IV
39757-0 | Thyroid Scan W Tc-99m IV
24831-0 | Meckels diverticulum Scan W Tc-99m M04 IV
44141-0 | Liver and Spleen Scan W Tc-99m MAA IV
44142-8 | Bone Scan W Tc-99m medronate IV
39746-3 | Kidney - bilateral Scan W Tc-99m Mertiatide IV
69233-5 | Parotid gland Scan W Tc-99m pertechnetate IV
25001-9 | Scrotum and Testicle Scan W Tc-99m pertechnetate IV
26091-9 | Scrotum and Testicle - bilateral Scan W Tc-99m pertechnetate IV
26092-7 | Scrotum and Testicle - left Scan W Tc-99m pertechnetate IV
26093-5 | Scrotum and Testicle - right Scan W Tc-99m pertechnetate IV
44146-9 | Bone marrow Scan W Tc-99m SC IV
39689-5 | Gastrointestine Scan W Tc-99m SC IV
69230-1 | Liver Scan W Tc-99m SC IV
39764-6 | Vein Scan W Tc-99m SC IV
24683-5 | Esophagus and Stomach Scan W Tc-99m SC PO
44145-1 | Parathyroid Scan W Tc-99m Sestamibi IV
39756-2 | Thyroid Scan W Tc-99m Sestamibi IV
24714-8 | Gastrointestine Scan W Tc-99m tagged RBC IV
44143-6 | Heart Scan W Tc-99m tagged RBC IV
39690-3 | Liver Scan W Tc-99m tagged RBC IV
42700-5 | Bone Scan W Tc-99m tagged WBC IV
24751-0 | Parathyroid Scan W TI-201 subtraction Tc-99m IV
39635-8 | Brain Scan W TI-201 IV
51389-5 | Breast Scan W TI-201 IV
42012-5 | Gastrointestine upper Fluoroscopy W water soluble contrast PO
24669-4 | Colon Fluoroscopy W water soluble contrast PR
37577-4 | Acromioclavicular Joint X-ray W weight
37578-2 | Acromioclavicular joint - bilateral X-ray W weight
44144-4 | Liver Scan W Xe-133 inhaled
37582-4 | Acromioclavicular Joint X-ray WO weight
69055-2 | Acromioclavicular joint - bilateral X-ray WO weight
52073-4 | Vision attachment
28631-0 | Visual acuity study

46242-4 | Fetal Document Vital signs measurements
52070-0 | Workers compensation
74282-5 | Individual counseling note
71683-7 | FDA package insert PMI - Stop taking and call your doctor section
71685-2 | FDA package insert PMI - Tell your doctor before taking section
34086-9 | FDA package insert Abuse section
60555-0 | FDA package insert Accessories
34084-4 | FDA package insert Adverse reactions section
69761-5 | FDA package insert Alarms
70946-9 | Ancillary eye tests Narrative
34091-9 | FDA package insert Animal pharmacology/toxicology section
48767-8 | Annotation comment Narrative
60556-8 | FDA package insert Assembly or installation instructions
35519-8 | Clinical trial protocol Assessment of safety section
35517-2 | Clinical trial protocol Assessment section
35511-5 | Clinical trial protocol Background information section
34066-1 | FDA package insert Boxed warning section
60557-6 | FDA package insert Calibration instructions
72135-7 | Cancer diagnosis Narrative
34083-6 | FDA package insert Carcinogenesis and mutagenesis and impairment of fertility section
60684-8 | FDA product label Cellular therapy
60558-4 | FDA package insert Cleaning, disinfecting, and sterilization instructions
34090-1 | FDA package insert Clinical pharmacology section
34092-7 | FDA package insert Clinical studies section
35528-9 | Clinical trial protocol Clinical trial protocol
69760-7 | FDA package insert Compatible accessories
60559-2 | FDA package insert Components
70940-2 | Confrontation visual field Narrative
34070-3 | FDA package insert Contraindications section
34085-1 | FDA package insert Controlled substance section
57826-0 | Co-payment amount Narrative
57025-9 | Data criteria Narrative
35524-8 | Clinical trial protocol Data handling and record keeping section
34087-7 | FDA package insert Dependence section
34089-3 | FDA package insert Description section
69758-1 | FDA package insert Diagram of device
35521-4 | Clinical trial protocol Direct access to source data+documents section
69763-1 | FDA package insert Disposal and waste handling
34068-7 | FDA package insert Dosage and administration section
43678-2 | FDA package insert Dosage forms and strengths section
34074-5 | FDA package insert Drug/laboratory test interactions section
42227-9 | FDA package insert Drug abuse and dependence section
34073-7 | FDA package insert Drug interactions section
35518-0 | Clinical trial protocol Efficacy assessment section
35523-0 | Clinical trial protocol Ethics section
61147-5 | Expected outcomes Narrative
70943-6 | Eye anterior segment Narrative
70941-0 | Eye external Narrative
70944-4 | Eye posterior segment Narrative
35525-5 | Clinical trial protocol Financing and insurance section
35510-7 | Clinical trial protocol General information section
34072-9 | FDA package insert General precautions section
71743-9 | FDA product label Generic drug facility identification submission
34082-8 | FDA package insert Geriatric use section
61146-7 | Goals Narrative
71744-7 | FDA package insert Health care provider letter
69719-3 | FDA product label Health claim section
69670-8 | Health quality measure supplemental data Narrative
34069-5 | FDA package insert How supplied section
72090-4 | FDA product label Identification of CBER-regulated generic drug facility
64123-3 | FDA package insert Indexing - adverse reaction
71446-9 | FDA package insert Indexing - billing unit
60685-5 | FDA package insert Indexing - pharmacologic class
73815-3 | FDA package insert Indexing - product concept
64124-1 | FDA package insert Indexing - substance
34067-9 | FDA package insert Indications and usage section
34076-0 | FDA package insert Information for patients section
69730-0 | Instructions [Text] Narrative
59845-8 | FDA package insert Instructions for use section
60560-0 | FDA package insert Intended use of the device
62387-6 | Interventions Narrative
34079-4 | FDA package insert Labor and delivery section

34075-2 | FDA package insert Laboratory tests section
70945-1 | Lacrimal Narrative
70939-4 | Lensometry measurements Narrative
66105-8 | FDA package insert Lot distribution data
74045-6 | Measure description Narrative
57027-5 | Measure observations Narrative
43679-0 | FDA package insert Mechanism of action section
49489-8 | FDA package insert Microbiology section
43680-8 | FDA package insert Nonclinical toxicology section
34078-6 | FDA package insert Nonteratogenic effects section
34080-2 | FDA package insert Nursing mothers section
61149-1 | Objective Narrative
70942-8 | Ocular alignment and motility Narrative
70934-5 | Ocular history Narrative
70948-5 | Ocular physical exam Narrative
70935-2 | Ophthalmic medications Narrative
60561-8 | FDA package insert Other safety information
34088-5 | FDA package insert Overdosage section
51941-3 | FDA product label Back panel of package
51947-0 | FDA product label Bottom panel of package
51948-8 | FDA product label Flap panel of package
51945-4 | FDA product label Principal display panel of package
51944-7 | FDA product label Side panel of package
51943-9 | FDA product label Side panel of package Left
51942-1 | FDA product label Side panel of package Right
51946-2 | FDA product label Top panel of package
34081-0 | FDA package insert Pediatric use section
43681-6 | FDA package insert Pharmacodynamics section
66106-6 | FDA package insert Pharmacogenomics section
43682-4 | FDA package insert Pharmacokinetics section
59772-4 | Planned procedure Narrative
60683-0 | FDA product label Plasma derivative
71681-1 | FDA package insert PMI - Common side effects section
71684-5 | FDA package insert PMI - Directions for use section
71686-0 | FDA package insert PMI - Do not take section
71682-9 | FDA package insert PMI - Get emergency medical help section
71687-8 | FDA package insert PMI - Important information section
71688-6 | FDA package insert PMI - Uses section
57026-7 | Population criteria Narrative
69669-0 | Population stratification description Narrative
59769-0 | Postprocedure diagnosis Narrative
42232-9 | FDA package insert Precautions section
42228-7 | FDA package insert Pregnancy section
57059-8 | Pregnancy visit summary note Narrative
59774-0 | Procedure anesthesia Narrative
59775-7 | Procedure disposition Narrative
59770-8 | Procedure estimated blood loss Narrative
59776-5 | Procedure findings Narrative
59771-6 | Procedure implants Narrative
59768-2 | Procedure indications Narrative
59773-2 | Procedure specimens taken Narrative
35526-3 | Clinical trial protocol Publication policy section
35522-2 | Clinical trial protocol Quality control and quality assurance section
57827-8 | Reason for co-payment exemption Narrative
43683-2 | FDA package insert Recent major changes section
34093-5 | FDA package insert References section
70938-6 | Refractive measurements Narrative
69759-9 | FDA package insert Risks
48779-3 | FDA package insert Structured product labelling indexing data elements section
48780-1 | FDA package insert Structured product labelling listing data elements section
42231-1 | FDA package insert Structured product labelling medguide section
42230-3 | FDA package insert Structured product laballing patient package insert section
38056-8 | FDA package insert Structured product laballing supplemental patient material
42229-5 | FDA package insert Structured patient labelling unclassified section
69718-5 | FDA product label Statement of identity section
35520-6 | Clinical trial protocol Statistics section
44425-7 | FDA package insert Storage and handling section
35515-6 | Clinical trial protocol Subject participation + epochs section
35514-9 | Clinical trial protocol Subject selection and withdrawal section
61150-9 | Subjective Narrative
35527-1 | Clinical trial protocol Supplements section
55122-6 | Surgical operation note implants Narrative

34077-8 | FDA package insert Teratogenic effects section
35516-4 | Clinical trial protocol Treatment of subjects + epochs section
35513-1 | Clinical trial protocol Trial design section
42796-3 | Clinical trial protocol Trial name
35512-3 | Clinical trial protocol Trial objectives and purpose section
69762-3 | FDA package insert Troubleshooting
43684-0 | FDA package insert Use in specific populations section
54433-8 | FDA package insert User safety warnings section
70936-0 | Vision testing Narrative
43685-7 | FDA package insert Warnings and precautions section
34071-1 | FDA package insert Warnings section
74477-1 | Clinical document Kind of document from LOINC Document Ontology
74479-7 | Clinical document Role from LOINC Document Ontology
74476-3 | Clinical document Setting from LOINC Document Ontology
74480-5 | Clinical document Subject matter domain from LOINC Document Ontology
74478-9 | Clinical document Type of service from LOINC Document Ontology
42566-0 | Contributing Factor communication/Documentation MERSTH
21862-8 | Source of document used to abstract Cancer
69764-9 | Document type
48766-0 | Information source
70949-3 | Pathology report.section heading
60572-5 | Report template ID
60573-3 | Report template source
60574-1 | Report template version ID
73983-9 | Report.section heading Unspecified body region
40811-2 | 11-Deoxycorticosterone [Presence] in Serum or Plasma
29112-0 | Photo documentation Eye - left
29111-2 | Photo documentation Eye - right
72169-6 | Permission to release immunization data from school record
44943-9 | Self management
11206-0 | 18-Hydroxydeoxycorticosterone [Mass/volume] in Serum or Plasma
26988-6 | 18-Hydroxydeoxycorticosterone [Mass/time] in 24 hour Urine
50081-9 | 18-Hydroxydeoxycorticosterone [Moles/volume] in Serum or Plasma
57553-0 | 18-Hydroxydeoxycorticosterone [Moles/volume] in Serum or Plasma --1 hour post dose corticotropin
57552-2 | 18-Hydroxydeoxycorticosterone [Moles/volume] in Serum or Plasma --30 minutes post dose corticotropin
57551-4 | 18-Hydroxydeoxycorticosterone [Moles/volume] in Serum or Plasma --pre dose corticotropin
53347-1 | 11-Deoxycorticosterone [Mass/volume] in Dried blood spot
1656-8 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma
42855-7 | 11-Deoxycorticosterone [Mass/volume] in Urine
16110-9 | 11-Deoxycorticosterone [Mass/time] in 24 hour Urine
40818-7 | 11-Deoxycorticosterone [Moles/volume] in 24 hour Urine
53348-9 | 11-Deoxycorticosterone [Moles/volume] in Dried blood spot
25561-2 | 11-Deoxycorticosterone [Moles/volume] in Serum or Plasma
55808-0 | 11-Deoxycorticosterone [Moles/time] in 24 hour Urine
56611-7 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --1.5 hours post XXX challenge
56608-3 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --15 minutes post XXX challenge
57493-9 | 11-Deoxycorticosterone [Moles/volume] in Serum or Plasma --1 hour post 250 ug corticotropin
40816-1 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --1 hour post XXX challenge
56602-6 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --1st specimen post XXX challenge
56613-3 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --2.5 hours post XXX challenge
56609-1 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --20 minutes post XXX challenge
56612-5 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --2 hours post XXX challenge
56603-4 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --2nd specimen post XXX challenge
57492-1 | 11-Deoxycorticosterone [Moles/volume] in Serum or Plasma --30 minutes post 250 ug corticotropin
56556-4 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --30 minutes post XXX challenge
56604-2 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --3rd specimen post XXX challenge
56610-9 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --40 minutes post XXX challenge
56605-9 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --4th specimen post XXX challenge
59987-8 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --5th specimen post XXX challenge
59986-0 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --6th specimen post XXX challenge
59985-2 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --7th specimen post XXX challenge
59984-5 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --8th specimen post XXX challenge
56555-6 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --baseline
16294-1 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --post XXX challenge
57491-3 | 11-Deoxycorticosterone [Moles/volume] in Serum or Plasma --pre 250 ug corticotropin
56606-7 | 11-Deoxycorticosterone [Mass/volume] in Serum or Plasma --pre XXX challenge
13480-9 | 18-Hydroxydeoxycortisol/Creatinine [Mass Ratio] in Urine
44729-2 | Progesterone/11-Deoxycorticosterone [Mass Ratio] in Serum or Plasma
69799-5 | 21-Deoxycorticosterone [Moles/volume] in Serum or Plasma
57562-1 | 21-Deoxycorticosterone [Moles/volume] in Serum or Plasma --1 hour post dose corticotropin
57561-3 | 21-Deoxycorticosterone [Moles/volume] in Serum or Plasma --30 minutes post dose corticotropin
57560-5 | 21-Deoxycorticosterone [Moles/volume] in Serum or Plasma --pre dose corticotropin

72510-1 | Performance rate Reporting period population Calculated
72509-3 | Reporting rate Reporting period population Calculated

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.48 Value Set http://hl7.org/fhir/ValueSet/diagnosis-role

URL: https://hl7.org/fhir/STU3/valueset-diagnosis-role.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/diagnosis-role
Name: | DiagnosisRole
Definition: | This value set defines a set of codes that can be used to express the role of a diagnosis on the Encounter or EpisodeOfCare record.
Committee: | ??
OID: | 2.16.840.1.113883.4.642.3.48 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DiagnosisRole

* Encounter.diagnosis.role (Preferred)

* EpisodeOfCare.diagnosis.role (Preferred)

4.3.1.48.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/diagnosis-role

4.3.1.48.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/diagnosis-role version 3.0.2

All codes from system http://hl7.org/fhir/diagnosis-role

Code | Display | Definition
AD | Admission diagnosis
DD | Discharge diagnosis
CC | Chief complaint
CM | Comorbidity diagnosis
pre-op | pre-op diagnosis
post-op | post-op diagnosis
billing | Billing

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.50 Value Set http://hl7.org/fhir/ValueSet/narrative-status

URL: https://hl7.org/fhir/STU3/valueset-narrative-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/narrative-status
Name: | NarrativeStatus
Definition: | The status of a resource narrative
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.50 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for NarrativeStatus

* Narrative.status (Required)

4.3.1.50.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/narrative-status

4.3.1.50.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/narrative-status version 3.0.2

All codes from system http://hl7.org/fhir/narrative-status

Code | Display | Definition
generated | Generated | The contents of the narrative are entirely generated from the structured data in the content.
extensions | Extensions | The contents of the narrative are entirely generated from the structured data in the content and some of the content is generated from extensions
additional | Additional | The contents of the narrative may contain additional information not found in the structured data. Note that there is no computable way to determine what the extra information is, other than by human inspection
empty | Empty | The contents of the narrative are some equivalent of "No human-readable text provided in this case"

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.52 Value Set http://hl7.org/fhir/ValueSet/identifier-use

URL: https://hl7.org/fhir/STU3/valueset-identifier-use.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/identifier-use
Name: | IdentifierUse
Definition: | Identifies the purpose for this identifier, if known .
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.52 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for IdentifierUse

* Identifier.use (Required)

4.3.1.52.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/identifier-use

4.3.1.52.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/identifier-use version 3.0.2

All codes from system http://hl7.org/fhir/identifier-use

Code | Display | Definition
usual | Usual | The identifier recommended for display and use in real-world interactions.
official | Official | The identifier considered to be most trusted for the identification of this item.
temp | Temp | A temporary identifier.
secondary | Secondary | An identifier that was assigned in secondary use - it serves to identify the object in a relative context, but cannot be consistently assigned to the same object again in a different context.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.54 Value Set http://hl7.org/fhir/ValueSet/quantity-comparator

URL: https://hl7.org/fhir/STU3/valueset-quantity-comparator.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/quantity-comparator
Name: | QuantityComparator
Definition: | How the Quantity should be understood and represented.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.54 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for QuantityComparator
* StructureDefinition VitalSigns: Observation.valueQuantity.comparator ((Required))
* StructureDefinition VitalSigns: Observation.component.valueQuantity.comparator ((Required))
* StructureDefinition BodyWeight: Observation.valueQuantity.comparator ((Required))
* StructureDefinition BodyWeight: Observation.component.valueQuantity.comparator ((Required))
* StructureDefinition RespRate: Observation.valueQuantity.comparator ((Required))
* StructureDefinition RespRate: Observation.component.valueQuantity.comparator ((Required))
* StructureDefinition HeartRate: Observation.valueQuantity.comparator ((Required))
* StructureDefinition HeartRate: Observation.component.valueQuantity.comparator ((Required))
* StructureDefinition BodyTemp: Observation.valueQuantity.comparator ((Required))
* StructureDefinition BodyTemp: Observation.component.valueQuantity.comparator ((Required))
* StructureDefinition BodyHeight: Observation.valueQuantity.comparator ((Required))
* StructureDefinition BodyHeight: Observation.component.valueQuantity.comparator ((Required))
* StructureDefinition BodyLength: Observation.valueQuantity.comparator ((Required))
* StructureDefinition BodyLength: Observation.component.valueQuantity.comparator ((Required))
* StructureDefinition HeadCircum: Observation.valueQuantity.comparator ((Required))
* StructureDefinition HeadCircum: Observation.component.valueQuantity.comparator ((Required))
* StructureDefinition OxygenSat: Observation.valueQuantity.comparator ((Required))
* StructureDefinition OxygenSat: Observation.component.valueQuantity.comparator ((Required))
* StructureDefinition BMI: Observation.valueQuantity.comparator ((Required))

* StructureDefinition BMI: Observation.component.valueQuantity.comparator ((Required))

* StructureDefinition BP: Observation.valueQuantity.comparator ((Required))

* StructureDefinition BP: Observation.component.valueQuantity.comparator ((Required))

* StructureDefinition BP: Observation.component.valueQuantity.comparator ((Required))

* StructureDefinition VitalsPanel: Observation.valueQuantity.comparator ((Required))

* StructureDefinition VitalsPanel: Observation.component.valueQuantity.comparator ((Required))

* StructureDefinition Cholesterol: Observation.valueQuantity.comparator ((Required))

* Quantity.comparator (Required)

4.3.1.54.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/quantity-comparator

4.3.1.54.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/quantity-comparator version 3.0.2

All codes from system http://hl7.org/fhir/quantity-comparator

Code | Display | Definition
< | Less than | The actual value is less than the given value.
<= | Less or Equal to | The actual value is less than or equal to the given value.
>= | Greater or Equal to | The actual value is greater than or equal to the given value.
> | Greater than | The actual value is greater than the given value.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.56 Value Set http://hl7.org/fhir/ValueSet/signature-type

URL: https://hl7.org/fhir/STU3/valueset-signature-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.astm.org/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/signature-type
Name: | Signature Type Codes
Definition: | The Digital Signature Purposes, an indication of the reason an entity signs a document. This is included in the signed information and can be used when determining accountability for various actions concerning the document. Examples include: author, transcriptionist/recorder, and witness.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.56 (for OID based terminology systems)
Copyright: | These codes are excerpted from ASTM Standard, E1762-95(2013) - Standard Guide for Electronic Authentication of Health Care Information, Copyright by ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428. Copies of this standard are available through the ASTM Web Site at www.astm.org.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Signature Type Codes

* Signature.type (Preferred)

4.3.1.56.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in urn:iso-astm:E1762-95:2013

4.3.1.56.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 18 concepts

Expansion based on urn:iso-astm:E1762-95:2013 version 3.0.2

All codes from system urn:iso-astm:E1762-95:2013

Code | Display | Definition

1.2.840.10065.1.12.1.1 | Author's Signature | the signature of the primary or sole author of a health information document. There can be only one primary author of a health information document.

1.2.840.10065.1.12.1.2 | Coauthor's Signature | the signature of a health information document coauthor. There can be multiple coauthors of a health information document.

1.2.840.10065.1.12.1.3 | Co-participant's Signature | the signature of an individual who is a participant in the health information document but is not an author or coauthor. (Example a surgeon who is required by institutional, regulatory, or legal rules to sign an operative report, but who was not involved in the authorship of that report.)

1.2.840.10065.1.12.1.4 | Transcriptionist/Recorder Signature | the signature of an individual who has transcribed a dictated document or recorded written text into a digital machine readable format.

1.2.840.10065.1.12.1.5 | Verification Signature | a signature verifying the information contained in a document. (Example a physician is required to countersign a verbal order that has previously been recorded in the medical record by a registered nurse who has carried out the verbal order.)

1.2.840.10065.1.12.1.6 | Validation Signature | a signature validating a health information document for inclusion in the patient record. (Example a medical student or resident is credentialed to perform history or physical examinations and to write progress notes. The attending physician signs the history and physical examination to validate the entry for inclusion in the patient's medical record.)

1.2.840.10065.1.12.1.7 | Consent Signature | the signature of an individual consenting to what is described in a health information document.

1.2.840.10065.1.12.1.8 | Signature Witness Signature | the signature of a witness to any other signature.

1.2.840.10065.1.12.1.9 | Event Witness Signature | the signature of a witness to an event. (Example the witness has observed a procedure and is attesting to this fact.)

1.2.840.10065.1.12.1.10 | Identity Witness Signature | the signature of an individual who has witnessed another individual who is known to them signing a document. (Example the identity witness is a notary public.)

1.2.840.10065.1.12.1.11 | Consent Witness Signature | the signature of an individual who has witnessed the health care provider counselling a patient.

1.2.840.10065.1.12.1.12 | Interpreter Signature | the signature of an individual who has translated health care information during an event or the obtaining of consent to a treatment.

1.2.840.10065.1.12.1.13 | Review Signature | the signature of a person, device, or algorithm that has reviewed or filtered data for inclusion into the patient record. (Examples: (1) a medical records clerk who scans a document for inclusion in the medical record, enters header information, or catalogues and classifies the data, or a combination thereof; (2) a gateway that receives data from another computer system and interprets that data or changes its format, or both, before entering it into the patient record.)

1.2.840.10065.1.12.1.14 | Source Signature | the signature of an automated data source. (Examples: (1) the signature for an image that is generated by a device for inclusion in the patient record; (2) the signature for an ECG derived by an ECG system for inclusion in the patient record; (3) the data from a biomedical monitoring device or system that is for inclusion in the patient record.)

1.2.840.10065.1.12.1.15 | Addendum Signature | the signature on a new amended document of an individual who has corrected, edited, or amended an original health information document. An addendum signature can either be a signature type or a signature sub-type (see 8.1). Any document with an addendum signature shall have a companion document that is the original document with its original, unaltered content, and original signatures. The original document shall be referenced via an attribute in the new document, which contains, for example, the digest of the old document. Whether the original, unaltered, document is always displayed with the addended document is a local matter, but the original, unaltered, document must remain as part of the patient record and be retrievable on demand.

1.2.840.10065.1.12.1.16 | Modification Signature | the signature on an original document of an individual who has generated a new amended document. This (original) document shall reference the new document via an additional signature purpose. This is the inverse of an addendum signature and provides a pointer from the original to the amended document.

1.2.840.10065.1.12.1.17 | Administrative (Error/Edit) Signature | the signature of an individual who is certifying that the document is invalidated by an error(s), or is placed in the wrong chart. An administrative (error/edit) signature must include an addendum to the document and therefore shall have an addendum signature sub-type (see 8.1). This signature is reserved for the highest health information system administrative classification, since it is a statement that the entire document is invalidated by the error and that the document should no longer be used for patient care, although for legal reasons the document must remain part of the permanent patient record.

1.2.840.10065.1.12.1.18 | Timestamp Signature | the signature by an entity or device trusted to provide accurate timestamps. This timestamp might be provided, for example, in the signature time attribute.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.58 Value Set http://hl7.org/fhir/ValueSet/name-use

URL: https://hl7.org/fhir/STU3/valueset-name-use.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/name-use
Name: | NameUse
Definition: | The use of a human name
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.58 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for NameUse

* This value set has translations in the ConceptMap v2 map for NameUse

* This value set has translations in the ConceptMap v3 map for NameUse

* HumanName.use (Required)

4.3.1.58.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/name-use

4.3.1.58.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/name-use version 3.0.2

All codes from system http://hl7.org/fhir/name-use

Code | Display | Definition
usual | Usual | Known as/conventional/the one you normally use
official | Official | The formal name as registered in an official (government) registry, but which name might not be commonly used. May be called "legal name".
temp | Temp | A temporary name. Name.period can provide more detailed information. This may also be used for temporary names assigned at birth or in emergency situations.
nickname | Nickname | A name that is used to address the person in an informal manner, but is not part of their formal or usual name
anonymous | Anonymous | Anonymous assigned name, alias, or pseudonym (used to protect a person's identity for privacy reasons)
old | Old | This name is no longer in use (or was never correct, but retained for records)
maiden | Name changed for Marriage | A name used prior to changing name because of marriage. This name use is for use by applications that collect and store names that were used prior to a marriage. Marriage naming customs vary greatly around the world, and are constantly changing. This term is not gender specific. The use of this term does not imply any particular history for a person's name

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.60 Value Set http://hl7.org/fhir/ValueSet/address-use

URL: https://hl7.org/fhir/STU3/valueset-address-use.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/address-use
Name: | AddressUse
Definition: | The use of an address
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.60 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AddressUse

* This value set has translations in the ConceptMap v3 map for AddressUse

* This value set has translations in the ConceptMap v2 map for AddressUse

* Address.use (Required)

4.3.1.60.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/address-use

4.3.1.60.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/address-use version 3.0.2

All codes from system http://hl7.org/fhir/address-use

Code	Display	Definition
home	Home	A communication address at a home.
work	Work	An office address. First choice for business related contacts during business hours.
temp	Temporary	A temporary address. The period can provide more detailed information.
old	Old / Incorrect	This address is no longer in use (or was never correct, but retained for records).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.62 Value Set http://hl7.org/fhir/ValueSet/address-type

URL: https://hl7.org/fhir/STU3/valueset-address-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/address-type
Name:	AddressType
Definition:	The type of an address (physical / postal)
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.62 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AddressType

* This value set has translations in the ConceptMap v3 map for AddressType

* Address.type (Required)

4.3.1.62.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/address-type

4.3.1.62.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/address-type version 3.0.2

All codes from system http://hl7.org/fhir/address-type

Code	Display	Definition
postal	Postal	Mailing addresses - PO Boxes and care-of addresses.
physical	Physical	A physical address that can be visited.
both	Postal & Physical	An address that is both physical and postal.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.64 Value Set http://hl7.org/fhir/ValueSet/contact-point-system

URL: https://hl7.org/fhir/STU3/valueset-contact-point-system.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contact-point-system
Name: | ContactPointSystem
Definition: | Telecommunications form for contact point
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.64 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ContactPointSystem

* This value set has translations in the ConceptMap v2 map for ContactPointSystem

* ContactPoint.system (Required)

4.3.1.64.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contact-point-system

4.3.1.64.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/contact-point-system version 3.0.2

All codes from system http://hl7.org/fhir/contact-point-system

Code | Display | Definition
phone | Phone | The value is a telephone number used for voice calls. Use of full international numbers starting with + is recommended to enable automatic dialing support but not required.
fax | Fax | The value is a fax machine. Use of full international numbers starting with + is recommended to enable automatic dialing support but not required.
email | Email | The value is an email address.
pager | Pager | The value is a pager number. These may be local pager numbers that are only usable on a particular pager system.
url | URL | A contact that is not a phone, fax, pager or email address and is expressed as a URL. This is intended for various personal contacts including blogs, Skype, Twitter, Facebook, etc. Do not use for email addresses.
sms | SMS | A contact that can be used for sending an sms message (e.g. mobide phones, some landlines)
other | Other | A contact that is not a phone, fax, page or email address and is not expressible as a URL. E.g. Internal mail address. This SHOULD NOT be used for contacts that are expressible as a URL (e.g. Skype, Twitter, Facebook, etc.) Extensions may be used to distinguish "other" contact types.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.66 Value Set http://hl7.org/fhir/ValueSet/contact-point-use

URL: https://hl7.org/fhir/STU3/valueset-contact-point-use.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contact-point-use
Name: | ContactPointUse
Definition: | Use of contact point
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.66 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ContactPointUse

* This value set has translations in the ConceptMap v3 map for ContactPointUse

* This value set has translations in the ConceptMap v2 map for ContactPointUse

* ContactPoint.use (Required)

4.3.1.66.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contact-point-use

4.3.1.66.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/contact-point-use version 3.0.2

All codes from system http://hl7.org/fhir/contact-point-use

Code | Display | Definition
home | Home | A communication contact point at a home; attempted contacts for business purposes might intrude privacy and chances are one will contact family or other household members instead of the person one wishes to call. Typically used with urgent cases, or if no other contacts are available.
work | Work | An office contact point. First choice for business related contacts during business hours.
temp | Temp | A temporary contact point. The period can provide more detailed information.
old | Old | This contact point is no longer in use (or was never correct, but retained for records).
mobile | Mobile | A telecommunication device that moves and stays with its owner. May have characteristics of all other use codes, suitable for urgent matters, not the first choice for routine business.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.67 Value Set http://hl7.org/fhir/ValueSet/c80-facilitycodes

URL: https://hl7.org/fhir/STU3/valueset-c80-facilitycodes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/c80-facilitycodes
Name: | Facility Type Code Value Set
Definition: | This is the code representing the type of organizational setting where the clinical encounter, service, interaction, or treatment occurred. The value set used for Healthcare Facility Type has been defined by HITSP to be the value set reproduced from HITSP C80 Table 2-147.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.3.88.12.80.67 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* DocumentReference.context.facilityType (Example)

4.3.1.67.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
82242000	Hospital-children's
225732001	Hospital-community
79993009	Hospital-government
32074000	Hospital-long term care
4322002	Hospital-military field
224687002	Hospital-prison
62480006	Hospital-psychiatric
80522000	Hospital-rehabilitation
36125001	Hospital-trauma center
48311003	Hospital-Veterans' Administration
284546000	Hospice facility
42665001	Nursing home
45618002	Skilled nursing facility
418518002	Dialysis unit--hospital
73770003	Emergency department--hospital
69362002	Hospital ambulatory surgery facility
52668009	Hospital birthing center
360957003	Hospital outpatient allergy clinic
10206005	Hospital outpatient dental clinic
37550003	Hospital outpatient dermatology clinic
73644007	Hospital outpatient endocrinology clinic
31628002	Hospital outpatient family medicine clinic
58482006	Hospital outpatient gastroenterology clinic
90484001	Hospital outpatient general surgery clinic
1814000	Hospital outpatient geriatric health center
22549003	Hospital outpatient gynecology clinic
56293002	Hospital outpatient hematology clinic
360966004	Hospital outpatient immunology clinic
2849009	Hospital outpatient infectious disease clinic
14866005	Hospital outpatient mental health center
38238005	Hospital outpatient neurology clinic
56189001	Hospital outpatient obstetrical clinic
89972002	Hospital outpatient oncology clinic
78088001	Hospital outpatient ophthalmology clinic
78001009	Hospital outpatient orthopedics clinic
23392004	Hospital outpatient otorhinolaryngology clinic
36293008	Hospital outpatient pain clinic
3729002	Hospital outpatient pediatric clinic
5584006	Hospital outpatient peripheral vascular clinic
37546005	Hospital outpatient rehabilitation clinic
57159002	Hospital outpatient respiratory disease clinic
331006	Hospital outpatient rheumatology clinic
50569004	Hospital outpatient urology clinic
79491001	Hospital radiology facility
33022008	Hospital-based outpatient clinic or department--OTHER-NOT LISTED
19602009	Fee-for-service private physicians' group office
39350007	Private physicians' group office
83891005	Solo practice private office
394759007	Independent ambulatory care provider site--OTHER--NOT LISTED
405607001	Ambulatory surgery center
309900005	Care of the elderly day hospital
275576008	Elderly assessment clinic
10531005	Free-standing ambulatory surgery facility
91154008	Free-standing birthing center
41844007	Free-standing geriatric health center
45899008	Free-standing laboratory facility
51563005	Free-standing mental health center
1773006	Free-standing radiology facility
72311000	Health maintenance organization
6827000	Local community health center
309898008	Psychogeriatric day hospital
39913001	Residential school infirmary
77931003	Rural health center
25681007	Sexually transmitted disease health center
20078004	Substance abuse treatment center

46224007 | Vaccination clinic
81234003 | Walk-in clinic
35971002 | Ambulatory care site--OTHER--NOT LISTED
11424001 | Ambulance-based care
409519008 | Contained casualty setting
901005 | Helicopter-based care
2081004 | Hospital ship
59374000 | Traveler's aid clinic
413456002 | Adult day care center
413817003 | Child day care center
310205006 | Private residential home
419955002 | Residential institution
272501009 | Sports facility
394777002 | Health encounter site--NOT LISTED

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.68 Value Set http://hl7.org/fhir/ValueSet/event-timing

URL: https://hl7.org/fhir/STU3/valueset-event-timing.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/event-timing
Name: | EventTiming
Definition: | Real world event relating to the schedule.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.68 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for EventTiming

* Timing.repeat.when (Required)

4.3.1.68.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/event-timing

* Include these codes as defined in

http://hl7.org/fhir/v3/TimingEvent

Code | Display | Definition
HS | HS | event occurs [offset] before the hour of sleep (or trying to)
WAKE | WAKE | event occurs [offset] after waking
C | C | event occurs at a meal (from the Latin cibus)
CM | CM | event occurs at breakfast (from the Latin cibus matutinus)
CD | CD | event occurs at lunch (from the Latin cibus diurnus)
CV | CV | event occurs at dinner (from the Latin ante cibus vespertinus)
AC | AC | event occurs [offset] before a meal (from the Latin ante cibus)
ACM | ACM | event occurs [offset] before breakfast (from the Latin ante cibus matutinus)
ACD | ACD | event occurs [offset] before lunch (from the Latin ante cibus diurnus)
ACV | ACV | event occurs [offset] before dinner (from the Latin ante cibus vespertinus)
PC | PC | event occurs [offset] after a meal (from the Latin post cibus)
PCM | PCM | event occurs [offset] after breakfast (from the Latin post cibus matutinus)
PCD | PCD | event occurs [offset] after lunch (from the Latin post cibus diurnus)
PCV | PCV | event occurs [offset] after dinner (from the Latin post cibus vespertinus)

4.3.1.68.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 19 concepts

Expansion based on http://hl7.org/fhir/event-timing version 3.0.2, http://hl7.org/fhir/v3/TimingEvent version 2016-11-11

Code | System | Display | Definition
MORN | http://hl7.org/fhir/event-timing | Morning | event occurs during the morning
AFT | http://hl7.org/fhir/event-timing | Afternoon | event occurs during the afternoon
EVE | http://hl7.org/fhir/event-timing | Evening | event occurs during the evening
NIGHT | http://hl7.org/fhir/event-timing | Night | event occurs during the night
PHS | http://hl7.org/fhir/event-timing | After Sleep | event occurs [offset] after subject goes to sleep
HS | http://hl7.org/fhir/v3/TimingEvent | HS | Description: Prior to beginning a regular period of extended sleep (this would exclude naps). Note that this might occur at different times of day depending on a person's regular sleep schedule.
WAKE | http://hl7.org/fhir/v3/TimingEvent | WAKE | Description: Upon waking up from a regular period of sleep, in order to start regular activities (this would exclude waking up from a nap or temporarily waking up during a period of sleep) Usage Notes: e.g. Take pulse rate on waking in management of thyrotoxicosis. Take BP on waking in management of hypertension Take basal body temperature on waking in establishing date of ovulation
C | http://hl7.org/fhir/v3/TimingEvent | C | Description: meal (from lat. ante cibus)
CM | http://hl7.org/fhir/v3/TimingEvent | CM | Description: breakfast (from lat. cibus matutinus)
CD | http://hl7.org/fhir/v3/TimingEvent | CD | Description: lunch (from lat. cibus diurnus)
CV | http://hl7.org/fhir/v3/TimingEvent | CV | Description: dinner (from lat. cibus vespertinus)
AC | http://hl7.org/fhir/v3/TimingEvent | AC | before meal (from lat. ante cibus)
ACM | http://hl7.org/fhir/v3/TimingEvent | ACM | before breakfast (from lat. ante cibus matutinus)
ACD | http://hl7.org/fhir/v3/TimingEvent | ACD | before lunch (from lat. ante cibus diurnus)
ACV | http://hl7.org/fhir/v3/TimingEvent | ACV | before dinner (from lat. ante cibus vespertinus)
PC | http://hl7.org/fhir/v3/TimingEvent | PC | after meal (from lat. post cibus)
PCM | http://hl7.org/fhir/v3/TimingEvent | PCM | after breakfast (from lat. post cibus matutinus)
PCD | http://hl7.org/fhir/v3/TimingEvent | PCD | after lunch (from lat. post cibus diurnus)
PCV | http://hl7.org/fhir/v3/TimingEvent | PCV | after dinner (from lat. post cibus vespertinus)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.70 Value Set http://hl7.org/fhir/ValueSet/units-of-time

URL: https://hl7.org/fhir/STU3/valueset-units-of-time.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/units-of-time
Name: | UnitsOfTime
Definition: | A unit of time (units from UCUM).
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.70 (for OID based terminology systems)
Copyright: | These codes are excerpted from UCUM (THE UNIFIED CODE FOR UNITS OF MEASURE). UCUM is Copyright © 1989-2013 Regenstrief Institute, Inc. and The UCUM Organization, Indianapolis, IN. All rights reserved. See http://unitsofmeasure.org/trac//wiki/TermsOfUse for details.
Source Resource | XML / JSON

This value set is used in the following places:

* Timing.repeat.durationUnit (Required)

* Timing.repeat.periodUnit (Required)

* Extension http://hl7.org/fhir/StructureDefinition/observation-eventTiming: eventTiming ((Required))

4.3.1.70.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://unitsofmeasure.org

Code | Display | Definition
s | second | second
min | minute | minute

h | hour | hour
d | day | day
wk | week | week
mo | month | month
a | year | year

Additional Language Displays

Code | ?? (Chinese, zh)
s | ?
min | ??
h | ??
d | ?
wk | ??
mo | ?
a | ?

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.71 Value Set http://hl7.org/fhir/ValueSet/timing-abbreviation

URL: https://hl7.org/fhir/STU3/valueset-timing-abbreviation.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/timing-abbreviation
Name: | TimingAbbreviation
Definition: | Code for a known / defined timing pattern.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.71 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Timing.code (Preferred)

4.3.1.71.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/GTSAbbreviation

Code | Display | Definition
BID | BID | Two times a day at institution specified time
TID | TID | Three times a day at institution specified time
QID | QID | Four times a day at institution specified time
AM | AM | Every morning at institution specified times
PM | PM | Every afternoon at institution specified times
QD | QD | Every Day at institution specified times
QOD | QOD | Every Other Day at institution specified times
Q4H | Q4H | Every 4 hours at institution specified times
Q6H | Q6H | Every 6 Hours at institution specified times

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.72 Value Set http://hl7.org/fhir/ValueSet/c80-practice-codes

URL: https://hl7.org/fhir/STU3/valueset-c80-practice-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/c80-practice-codes

Name: | Practice Setting Code Value Set

Definition: | This is the code representing the clinical specialty of the clinician or provider who interacted with, treated, or provided a service to/for the patient. The value set used for clinical specialty has been limited by HITSP to the value set reproduced from HITSP C80 Table 2-149 Clinical Specialty Value Set Definition.

Committee: | Structured Documents Work Group

OID: | 2.16.840.1.113883.3.88.12.80.72 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* Appointment.specialty (Preferred)

* ReferralRequest.serviceRequested (Example)

* DocumentReference.context.practiceSetting (Example)

* PractitionerRole.specialty (Preferred)

* Slot.specialty (Preferred)

* HealthcareService.specialty (Preferred)

* Schedule.specialty (Preferred)

4.3.1.72.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
408467006	Adult mental illness
394577000	Anesthetics
394578005	Audiological medicine
421661004	Blood banking and transfusion medicine
408462000	Burns care
394579002	Cardiology
394804000	Clinical cytogenetics and molecular genetics
394580004	Clinical genetics
394803006	Clinical hematology
408480009	Clinical immunology
408454008	Clinical microbiology
394809005	Clinical neuro-physiology
394592004	Clinical oncology
394600006	Clinical pharmacology
394601005	Clinical physiology
394581000	Community medicine
408478003	Critical care medicine
394812008	Dental medicine specialties
408444009	Dental-General dental practice
394582007	Dermatology
408475000	Diabetic medicine
410005002	Dive medicine
394583002	Endocrinology
419772000	Family practice
394584008	Gastroenterology
408443003	General medical practice
394802001	General medicine
394915009	General pathology
394814009	General practice
394808002	Genito-urinary medicine
394811001	Geriatric medicine

408446006 | Gynecological oncology
394586005 | Gynecology
394916005 | Hematopathology
408472002 | Hepatology
394597005 | Histopathology
394598000 | Immunopathology
394807007 | Infectious diseases
419192003 | Internal medicine
408468001 | Learning disability
394593009 | Medical oncology
394813003 | Medical ophthalmology
410001006 | Military medicine
394589003 | Nephrology
394591006 | Neurology
394599008 | Neuropathology
394649004 | Nuclear medicine
408470005 | Obstetrics
394585009 | Obstetrics and gynecology
394821009 | Occupational medicine
422191005 | Ophthalmic surgery
394594003 | Ophthalmology
416304004 | Osteopathic manipulative medicine
418960008 | Otolaryngology
394882004 | Pain management
394806003 | Palliative medicine
394588006 | Pediatric (Child and adolescent) psychiatry
408459003 | Pediatric cardiology
394607009 | Pediatric dentistry
419610006 | Pediatric endocrinology
418058008 | Pediatric gastroenterology
420208008 | Pediatric genetics
418652005 | Pediatric hematology
418535003 | Pediatric immunology
418862001 | Pediatric infectious diseases
419365004 | Pediatric nephrology
418002000 | Pediatric oncology
419983000 | Pediatric ophthalmology
419170002 | Pediatric pulmonology
419472004 | Pediatric rheumatology
394539006 | Pediatric surgery
420112009 | Pediatric surgery-bone marrow transplantation
409968004 | Preventive medicine
394587001 | Psychiatry
394913002 | Psychotherapy
408440000 | Public health medicine
418112009 | Pulmonary medicine
419815003 | Radiation oncology
394914008 | Radiology
408455009 | Radiology-Interventional radiology
394602003 | Rehabilitation
408447002 | Respite care
394810000 | Rheumatology
408450004 | Sleep studies
408476004 | Surgery-Bone and marrow transplantation
408469009 | Surgery-Breast surgery
408466002 | Surgery-Cardiac surgery
408471009 | Surgery-Cardiothoracic transplantation
408464004 | Surgery-Colorectal surgery
408441001 | Surgery-Dental-Endodontics
408465003 | Surgery-Dental-Oral and maxillofacial surgery
394605001 | Surgery-Dental-Oral surgery
394608004 | Surgery-Dental-Orthodontics
408461007 | Surgery-Dental-Periodontal surgery
408460008 | Surgery-Dental-Prosthetic dentistry (Prosthodontics)
408460008 | Surgery-Dental-surgical-Prosthodontics
394606000 | Surgery-Dentistry-Restorative dentistry
408449004 | Surgery-Dentistry--surgical
394608004 | Surgery-Dentistry-surgical-Orthodontics
418018006 | Surgery-Dermatologic surgery
394604002 | Surgery-Ear, nose and throat surgery
394609007 | Surgery-general
408474001 | Surgery-Hepatobiliary and pancreatic surgery

394610002 | Surgery-Neurosurgery
394611003 | Surgery-Plastic surgery
408477008 | Surgery-Transplantation surgery
394801008 | Surgery-Trauma and orthopedics
408463005 | Surgery-Vascular
419321007 | Surgical oncology
394576009 | Surgical-Accident & emergency
394590007 | Thoracic medicine
409967009 | Toxicology
408448007 | Tropical medicine
419043006 | Urological oncology
394612005 | Urology
394733009 | Medical specialty--OTHER--NOT LISTED
394732004 | Surgical specialty--OTHER-NOT LISTED

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.74 Value Set http://hl7.org/fhir/ValueSet/constraint-severity

URL: https://hl7.org/fhir/STU3/valueset-constraint-severity.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/constraint-severity
Name: | ConstraintSeverity
Definition: | SHALL applications comply with this constraint?
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.74 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConstraintSeverity

* ElementDefinition.constraint.severity (Required)

4.3.1.74.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/constraint-severity

4.3.1.74.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/constraint-severity version 3.0.2

All codes from system http://hl7.org/fhir/constraint-severity

Code | Display | Definition
error | Error | If the constraint is violated, the resource is not conformant.
warning | Warning | If the constraint is violated, the resource is conformant, but it is not necessarily following best practice.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.76 Value Set http://hl7.org/fhir/ValueSet/resource-slicing-rules

URL: https://hl7.org/fhir/STU3/valueset-resource-slicing-rules.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-slicing-rules
Name: | SlicingRules
Definition: | How slices are interpreted when evaluating an instance.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.76 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SlicingRules

* ElementDefinition.slicing.rules (Required)

4.3.1.76.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/resource-slicing-rules

4.3.1.76.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/resource-slicing-rules version 3.0.2

All codes from system http://hl7.org/fhir/resource-slicing-rules

Code | Display | Definition
closed | Closed | No additional content is allowed other than that described by the slices in this profile.
open | Open | Additional content is allowed anywhere in the list.
openAtEnd | Open at End | Additional content is allowed, but only at the end of the list. Note that using this requires that the slices be ordered, which makes it hard to share uses. This should only be done where absolutely required.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.78 Value Set http://hl7.org/fhir/ValueSet/resource-aggregation-mode

URL: https://hl7.org/fhir/STU3/valueset-resource-aggregation-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-aggregation-mode
Name: | AggregationMode
Definition: | How resource references can be aggregated.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.78 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AggregationMode

* ElementDefinition.type.aggregation (Required)

4.3.1.78.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/resource-aggregation-mode

4.3.1.78.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/resource-aggregation-mode version 3.0.2

All codes from system http://hl7.org/fhir/resource-aggregation-mode

Code	Display	Definition
contained	Contained	The reference is a local reference to a contained resource.
referenced	Referenced	The reference to a resource that has to be resolved externally to the resource that includes the reference.
bundled	Bundled	The resource the reference points to will be found in the same bundle as the resource that includes the reference.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.80 Value Set http://hl7.org/fhir/ValueSet/property-representation

URL: https://hl7.org/fhir/STU3/valueset-property-representation.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/property-representation
Name:	PropertyRepresentation
Definition:	How a property is represented when serialized.
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.80 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for PropertyRepresentation

* ElementDefinition.representation (Required)

4.3.1.80.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/property-representation

4.3.1.80.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/property-representation version 3.0.2

All codes from system http://hl7.org/fhir/property-representation

Code	Display	Definition
xmlAttr	XML Attribute	In XML, this property is represented as an attribute not an element.
xmlText	XML Text	This element is represented using the XML text attribute (primitives only)
typeAttr	Type Attribute	The type of this element is indicated using xsi:type
cdaText	CDA Text Format	Use CDA narrative instead of XHTML
xhtml	XHTML	The property is represented using XHTML

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.82 Value Set http://hl7.org/fhir/ValueSet/reference-version-rules

URL: https://hl7.org/fhir/STU3/valueset-reference-version-rules.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reference-version-rules
Name: | ReferenceVersionRules
Definition: | Whether a reference needs to be version specific or version independent, or whether either can be used
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.82 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ReferenceVersionRules

* ElementDefinition.type.versioning (Required)

4.3.1.82.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/reference-version-rules

4.3.1.82.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/reference-version-rules version 3.0.2

All codes from system http://hl7.org/fhir/reference-version-rules

Code | Display | Definition
either | Either Specific or independent | The reference may be either version independent or version specific
independent | Version independent | The reference must be version independent
specific | Version Specific | The reference must be version specific

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.84 Value Set http://hl7.org/fhir/ValueSet/discriminator-type

URL: https://hl7.org/fhir/STU3/valueset-discriminator-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/discriminator-type
Name: | DiscriminatorType
Definition: | How an element value is interpreted when discrimination is evaluated
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.84 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DiscriminatorType

* ElementDefinition.slicing.discriminator.type (Required)

4.3.1.84.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/discriminator-type

4.3.1.84.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/discriminator-type version 3.0.2

All codes from system http://hl7.org/fhir/discriminator-type

Code	Display	Definition
value	Value	The slices have different values in the nominated element
exists	Exists	The slices are differentiated by the presence or absence of the nominated element
pattern	Pattern	The slices have different values in the nominated element, as determined by testing them against the applicable ElementDefinition.pattern[x]
type	Type	The slices are differentiated by type of the nominated element to a specifed profile
profile	Profile	The slices are differentiated by conformance of the nominated element to a specifed profile

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.86 Value Set http://hl7.org/fhir/ValueSet/contributor-type

URL: https://hl7.org/fhir/STU3/valueset-contributor-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/contributor-type
Name:	ContributorType
Definition:	The type of contributor
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.86 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ContributorType

* Contributor.type (Required)

4.3.1.86.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contributor-type

4.3.1.86.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/contributor-type version 3.0.2

All codes from system http://hl7.org/fhir/contributor-type

Code	Display	Definition
author	Author	An author of the content of the module
editor	Editor	An editor of the content of the module
reviewer	Reviewer	A reviewer of the content of the module

endorser | Endorser | An endorser of the content of the module

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.88 Value Set http://hl7.org/fhir/ValueSet/additional-instruction-codes

URL: https://hl7.org/fhir/STU3/valueset-additional-instruction-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/additional-instruction-codes
Name: | SNOMED CT Additional Dosage Instructions
Definition: | This value set includes all SNOMED CT Additional Dosage Instructions.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.88 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is not currently used

4.3.1.88.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 419492006 (Additional dosage instructions)

4.3.1.88.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 40 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
311501008 | Half to one hour before food
311504000 | With or after food
417929005 | Times
417980006 | Contains aspirin
417995008 | Dissolve or mix with water before taking
418071006 | Warning. Causes drowsiness which may continue the next day. If affected do not drive or operate machinery. Avoid alcoholic drink
418194009 | Contains an aspirin-like medicine
418281004 | Do not take anything containing aspirin while taking this medicine
418443006 | Do not take more than . . . in 24 hours or . . . in any one week
418521000 | Avoid exposure of skin to direct sunlight or sun lamps
418577003 | Take at regular intervals. Complete the prescribed course unless otherwise directed
418637003 | Do not take with any other paracetamol products
418639000 | Warning. May cause drowsiness
418693002 | Swallowed whole, not chewed
418849000 | Warning. Follow the printed instructions you have been given with this medicine
418850000 | Contains aspirin and paracetamol. Do not take with any other paracetamol products
418914006 | Warning. May cause drowsiness. If affected do not drive or operate machinery. Avoid alcoholic drink
418954008 | Warning. May cause drowsiness. If affected do not drive or operate machinery
418991002 | Sucked or chewed
419111009 | Allow to dissolve under the tongue. Do not transfer from this container. Keep tightly closed. Discard eight weeks after opening
419115000 | Do not take milk, indigestion remedies, or medicines containing iron or zinc at the same time of day as this medicine
419303009 | With plenty of water
419437002 | Do not take more than 2 at any one time. Do not take more than 8 in 24 hours
419439004 | Caution flammable: keep away from fire or flames
419444006 | Do not stop taking this medicine except on your doctor's advice
419473009 | Each
419529008 | Dissolved under the tongue

419822006 | Warning. Avoid alcoholic drink
419974005 | This medicine may color the urine
420003005 | Do not take more than . . . in 24 hours
420082003 | Do not take indigestion remedies or medicines containing iron or zinc at the same time of day as this medicine
420110001 | Do not take indigestion remedies at the same time of day as this medicine
420162004 | To be spread thinly
420652005 | Until gone
421484000 | Then discontinue
421769005 | Follow directions
421984009 | Until finished
422327006 | Then stop
428579001 | Use with caution
717154004 | Take on an empty stomach

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.89 Value Set http://hl7.org/fhir/ValueSet/medication-as-needed-reason

URL: https://hl7.org/fhir/STU3/valueset-medication-as-needed-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-as-needed-reason
Name: | SNOMED CT Medication As Needed Reason Codes
Definition: | This value set includes all clinical findings from SNOMED CT - provided as an exemplar value set.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.89 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* ProcedureRequest.asNeeded[x] (Example)

* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.asNeeded[x] ((Example))

4.3.1.89.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.3.1.89.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Gonococcal meningitis
162004 | Severe manic bipolar I disorder without psychotic features

165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy
175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae
179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Injury of intercostal artery
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease
195005 | Illegal abortion with endometritis
198007 | Disease due to Filoviridae
199004 | Decreased lactation
208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction
223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Epilepsia partialis continua
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Poisoning by oxytocin
279001 | Senile myocarditis
281004 | Dementia associated with alcoholism
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Boil of penis
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture of trapezoidal bone of wrist
358004 | Poisoning by smallpox vaccine
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident

450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection

805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding
845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea
1027000 | Alkaline reflux disease
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis

1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc
1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis
1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica
1343000 | Deep transverse arrest
1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction
1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy

1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting
1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction

1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites

2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans
2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block

2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG
2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia
2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region
2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease

2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint
2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia
2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus

3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Discoloration of skin
3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis

3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission
3531009 | Intrapsychic conflict
3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis

3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia
3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina
3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted abortion with acute yellow atrophy of liver
3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis

4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired
4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | Ocular hypertension
4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose
4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee

4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome
4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Lithium nephropathy
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction
4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.90 Value Set http://hl7.org/fhir/ValueSet/administration-method-codes

URL: https://hl7.org/fhir/STU3/valueset-administration-method-codes.html

Pharmacy Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/administration-method-codes
Name: | SNOMED CT Administration Method Codes
Definition: | This value set includes some method codes from SNOMED CT - provided as an exemplar
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.90 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement
Source Resource | XML / JSON

This value set is used in the following places:

* MedicationAdministration.dosage.method (Example)

4.3.1.90.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 422096002 (Dosing instruction fragment)

4.3.1.90.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 58 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
417924000	Apply	
418283001	Administer	
419385000	Use	
419582001	Give	
419652001	Take	
419747000	Chew	
420045007	Suck	
420246001	At	
420247005	Dosing instruction imperative	
420295001	Only	
420341009	Constant	
420360002	Sniff	
420484009	Subtract - dosing instruction fragment	
420503003	As	
420561004	Or	
420604000	Finish	
420606003	Shampoo	
420620005	Push	
420652005	Until gone	
420771004	Upon	
420806001	Per	
420883007	Sparingly	
420942008	Call	
420974001	When	
421035004	To	
421066005	Place	
421067001	Then	
421134003	Inhale	
421139008	Hold	
421206002	Multiply	
421257003	Insert	
421286000	Discontinue	
421298005	Swish and swallow	
421399004	Dilute	
421463005	With	
421484000	Then discontinue	
421521009	Swallow	
421538008	Instill	
421548005	Until	
421612001	Every	
421682005	Dissolve	
421718005	Before	
421723005	Now	
421769005	Follow directions	

421803000 | If
421805007 | Swish
421829000 | And
421832002 | Twice
421939007 | Follow
421984009 | Until finished
421994004 | During
422033008 | Divide
422106007 | Add
422114001 | Once
422145002 | Inject
422152000 | Wash
422219000 | Sprinkle
422327006 | Then stop

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.91 Value Set http://hl7.org/fhir/ValueSet/route-codes

URL: https://hl7.org/fhir/STU3/valueset-route-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/route-codes
Name: | SNOMED CT Route Codes
Definition: | This value set includes all Route codes from SNOMED CT - provided as an exemplar.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.91 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* AllergyIntolerance.reaction.exposureRoute (Example)

* MedicationAdministration.dosage.route (Example)

4.3.1.91.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 284009009 (Route of administration values)

4.3.1.91.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 148 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
6064005 | Topical route
10547007 | Otic route
12130007 | Intra-articular route
16857009 | Per vagina
26643006 | Oral route
34206005 | Subcutaneous route
37161004 | Per rectum
37737002 | Intraluminal route
37839007 | Sublingual route
38239002 | Intraperitoneal route
45890007 | Transdermal route

46713006 | Nasal route
47625008 | Intravenous route
54471007 | Buccal route
54485002 | Ophthalmic route
58100008 | Intra-arterial route
60213007 | Intramedullary route
62226000 | Intrauterine route
72607000 | Intrathecal route
78421000 | Intramuscular route
90028008 | Urethral route
127490009 | Gastrostomy route
127491008 | Jejunostomy route
127492001 | Nasogastric route
372449004 | Dental use
372450004 | Endocervical use
372451000 | Endosinusial use
372452007 | Endotracheopulmonary use
372453002 | Extra-amniotic use
372454008 | Gastroenteral use
372457001 | Gingival use
372458006 | Intraamniotic use
372459003 | Intrabursal use
372460008 | Intracardiac use
372461007 | Intracavernous use
372463005 | Intracoronary use
372464004 | Intradermal use
372465003 | Intradiscal use
372466002 | Intralesional use
372467006 | Intralymphatic use
372468001 | Intraocular use
372469009 | Intrapleural use
372470005 | Intrasternal use
372471009 | Intravesical use
372473007 | Oromucosal use
372474001 | Periarticular use
372475000 | Perineural use
372476004 | Subconjunctival use
404815008 | Transmucosal route
404818005 | Intratracheal route
404819002 | Intrabiliary route
404820008 | Epidural route
416174007 | Suborbital route
417070009 | Caudal route
417255000 | Intraosseous route
417950001 | Intrathoracic route
417985001 | Enteral route
417989007 | Intraductal route
418091004 | Intratympanic route
418114005 | Intravenous central route
418133000 | Intramyometrial route
418136008 | Gastro-intestinal stoma route
418162004 | Colostomy route
418204005 | Periurethral route
418287000 | Intracoronal route
418321004 | Retrobulbar route
418331006 | Intracartilaginous route
418401004 | Intravitreal route
418418000 | Intraspinal route
418441008 | Orogastric route
418511008 | Transurethral route
418586008 | Intratendinous route
418608002 | Intracorneal route
418664002 | Oropharyngeal route
418722009 | Peribulbar route
418730005 | Nasojejunal route
418743005 | Fistula route
418813001 | Surgical drain route
418821007 | Intracameral route
418851001 | Paracervical route
418877009 | Intrasynovial route
418887008 | Intraduodenal route
418892005 | Intracisternal route

418947002 | Intratesticular route
418987007 | Intracranial route
419021003 | Tumor cavity route
419165009 | Paravertebral route
419231003 | Intrasinal route
419243002 | Transcervical route
419320008 | Subtendinous route
419396008 | Intraabdominal route
419601003 | Subgingival route
419631009 | Intraovarian route
419684008 | Ureteral route
419762003 | Peritendinous route
419778001 | Intrabronchial route
419810008 | Intraprostatic route
419874009 | Submucosal route
419894000 | Surgical cavity route
419954003 | Ileostomy route
419993007 | Intravenous peripheral route
420047004 | Periosteal route
420163009 | Esophagostomy route
420168000 | Urostomy route
420185003 | Laryngeal route
420201002 | Intrapulmonary route
420204005 | Mucous fistula route
420218003 | Nasoduodenal route
420254004 | Body cavity route
420287000 | Intraventricular route - cardiac
420719007 | Intracerebroventricular route
428191002 | Percutaneous route
429817007 | Interstitial route
445752009 | Intraesophageal route
445754005 | Intragingival route
445755006 | Intravascular route
445756007 | Intradural route
445767008 | Intrameningeal route
445768003 | Intragastric route
445769006 | Intracorpus cavernosum route
445771006 | Intrapericardial route
445913005 | Intralingual route
445941009 | Intrahepatic route
446105004 | Conjunctival route
446407004 | Intraepicardial route
446435000 | Transendocardial route
446442000 | Transplacental route
446540005 | Intracerebral route
447026006 | Intraileal route
447052000 | Periodontal route
447080003 | Peridural route
447081004 | Lower respiratory tract route
447121004 | Intramammary route
447122006 | Intratumor route
447227007 | Transtympanic route
447229005 | Transtracheal route
447694001 | Respiratory tract route
447964005 | Digestive tract route
448077001 | Intraepidermal route
448491004 | Intrajejunal route
448492006 | Intracolonic route
448598008 | Cutaneous route
697971008 | Arteriovenous fistula route
711360002 | Intraneural route
711378007 | Intramural route
714743009 | Extracorporeal route
718329006 | Infiltration route
1611000175109 | Sublesional route

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.92 Value Set http://hl7.org/fhir/ValueSet/related-artifact-type

URL: https://hl7.org/fhir/STU3/valueset-related-artifact-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/related-artifact-type
Name: | RelatedArtifactType
Definition: | The type of relationship to the related artifact
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.92 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for RelatedArtifactType

* RelatedArtifact.type (Required)

4.3.1.92.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/related-artifact-type

4.3.1.92.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/related-artifact-type version 3.0.2

All codes from system http://hl7.org/fhir/related-artifact-type

Code | Display | Definition
documentation | Documentation | Additional documentation for the knowledge resource. This would include additional instructions on usage as well as additional information on clinical context or appropriateness
justification | Justification | A summary of the justification for the knowledge resource including supporting evidence, relevant guidelines, or other clinically important information. This information is intended to provide a way to make the justification for the knowledge resource available to the consumer of interventions or results produced by the knowledge resource
citation | Citation | Bibliographic citation for papers, references, or other relevant material for the knowledge resource. This is intended to allow for citation of related material, but that was not necessarily specifically prepared in connection with this knowledge resource
predecessor | Predecessor | The previous version of the knowledge resource
successor | Successor | The next version of the knowledge resource
derived-from | Derived From | The knowledge resource is derived from the related artifact. This is intended to capture the relationship in which a particular knowledge resource is based on the content of another artifact, but is modified to capture either a different set of overall requirements, or a more specific set of requirements such as those involved in a particular institution or clinical setting
depends-on | Depends On | The knowledge resource depends on the given related artifact
composed-of | Composed Of | The knowledge resource is composed of the given related artifact

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.94 Value Set http://hl7.org/fhir/ValueSet/usage-context-type

URL: https://hl7.org/fhir/STU3/valueset-usage-context-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/usage-context-type
Name: | UsageContextType
Definition: | A code that specifies a type of context being specified by a usage context
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.94 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for UsageContextType

* UsageContext.code (Extensible)

4.3.1.94.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/usage-context-type

4.3.1.94.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/usage-context-type version 3.0.2

All codes from system http://hl7.org/fhir/usage-context-type

Code | Display | Definition
gender | Gender | The gender of the patient. For this context type, the value should be a code taken from the http://hl7.org/fhir/ValueSet/administrative-gender value set
age | Age Range | The age of the patient. For this context type, the value should be a range the specifies the applicable ages or a code from the MeSH value set http://hl7.org/fhir/ValueSet/v3-AgeGroupObservationValue
focus | Clinical Focus | The clinical concept(s) addressed by the artifact. For example, disease, diagnostic test interpretation, medication ordering as in http://hl7.org/fhir/ValueSet/condition-code.
user | User Type | The clinical specialty of the context in which the patient is being treated - For example, PCP, Patient, Cardiologist, Behavioral Professional, Oral Health Professional, Prescriber, etc... taken from the NUCC Health Care provider taxonomy value set http://hl7.org/fhir/ValueSet/provider-taxonomy.
workflow | Workflow Setting | The settings in which the artifact is intended for use. For example, admission, pre-op, etc. For example, the ActEncounterCode value set http://hl7.org/fhir/ValueSet/v3-ActEncounterCode
task | Workflow Task | The context for the clinical task(s) represented by this artifact. Can be any task context represented by the HL7 ActTaskCode value set http://hl7.org/fhir/ValueSet/v3-ActTaskCode. General categories include: order entry, patient documentation and patient information review.
venue | Clinical Venue | The venue in which an artifact could be used. For example, Outpatient, Inpatient, Home, Nursing home. The code value may originate from either the HL7 ActEncounterCode http://hl7.org/fhir/ValueSet/v3-ActEncounterCode or NUCC non-individual provider codes http://hl7.org/fhir/ValueSet/provider-taxonomy
species | Species | The species to which an artifact applies. For example, SNOMED - 387961004 | Kingdom Animalia (organism).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.96 Value Set http://hl7.org/fhir/ValueSet/trigger-type

URL: https://hl7.org/fhir/STU3/valueset-trigger-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/trigger-type
Name: | TriggerType
Definition: | The type of trigger
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.96 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TriggerType

* TriggerDefinition.type (Required)

4.3.1.96.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/trigger-type

4.3.1.96.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/trigger-type version 3.0.2

All codes from system http://hl7.org/fhir/trigger-type

Code	Display	Definition
named-event	Named Event	The trigger occurs in response to a specific named event
periodic	Periodic	The trigger occurs at a specific time or periodically as described by a timing or schedule
data-added	Data Added	The trigger occurs whenever data of a particular type is added
data-modified	Data Modified	The trigger occurs whenever data of a particular type is modified
data-removed	Data Removed	The trigger occurs whenever data of a particular type is removed
data-accessed	Data Accessed	The trigger occurs whenever data of a particular type is accessed
data-access-ended	Data Access Ended	The trigger occurs whenever access to data of a particular type is completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.98 Value Set http://hl7.org/fhir/ValueSet/definition-status

URL: https://hl7.org/fhir/STU3/valueset-definition-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/definition-status
Name:	DefinitionStatus
Definition:	Codes identifying the lifecycle stage of a definition
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.98 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DefinitionStatus

4.3.1.98.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/definition-status

4.3.1.98.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/definition-status version 3.0.2

All codes from system http://hl7.org/fhir/definition-status

Code	Display	Definition
draft	Draft	The definition is in the design stage and is not yet considered to be "ready for use"
active	Active	The definition is considered ready for use
withdrawn	Withdrawn	The definition should no longer be used
unknown	Unknown	The authoring system does not know which of the status values currently applies for this request. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, it's just not known which one.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.100 Value Set http://hl7.org/fhir/ValueSet/event-status

URL: https://hl7.org/fhir/STU3/valueset-event-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/event-status
Name: | EventStatus
Definition: | Codes identifying the stage lifecycle stage of a event
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.100 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for EventStatus

* Communication.status (Required)

* Procedure.status (Required)

4.3.1.100.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/event-status

4.3.1.100.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/event-status version 3.0.2

All codes from system http://hl7.org/fhir/event-status

Code | Display | Definition
preparation | Preparation | The core event has not started yet, but some staging activities have begun (e.g. surgical suite preparation). Preparation stages may be tracked for billing purposes.
in-progress | In Progress | The event is currently occurring
suspended | Suspended | The event has been temporarily stopped but is expected to resume in the future
aborted | Aborted | The event was prior to the full completion of the intended actions
completed | Completed | The event has now concluded
entered-in-error | Entered in Error | This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".)
unknown | Unknown | The authoring system does not know which of the status values currently applies for this request. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, it's just not known which one.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.102 Value Set http://hl7.org/fhir/ValueSet/request-status

URL: https://hl7.org/fhir/STU3/valueset-request-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/request-status
Name: | RequestStatus
Definition: | Codes identifying the stage lifecycle stage of a request
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.102 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for RequestStatus

* ReferralRequest.status (Required)

* RequestGroup.status (Required)

* DeviceRequest.status (Required)

* ProcedureRequest.status (Required)

* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.status ((Required))

* CommunicationRequest.status (Required)

4.3.1.102.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/request-status

4.3.1.102.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/request-status version 3.0.2

All codes from system http://hl7.org/fhir/request-status

Code | Display | Definition
draft | Draft | The request has been created but is not yet complete or ready for action
active | Active | The request is ready to be acted upon
suspended | Suspended | The authorization/request to act has been temporarily withdrawn but is expected to resume in the future
cancelled | Cancelled | The authorization/request to act has been terminated prior to the full completion of the intended actions. No further activity should occur.
completed | Completed | Activity against the request has been sufficiently completed to the satisfaction of the requester
entered-in-error | Entered in Error | This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".)
unknown | Unknown | The authoring system does not know which of the status values currently applies for this request. Note: This concept is not to be used for "other" . One of the listed statuses is presumed to apply, but the system creating the request doesn't know.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.104 Value Set http://hl7.org/fhir/ValueSet/request-intent

URL: https://hl7.org/fhir/STU3/valueset-request-intent.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/request-intent
Name: | RequestIntent
Definition: | Codes indicating the degree of authority/intentionality associated with a request

Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.104 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for RequestIntent
* ReferralRequest.intent (Required)
* RequestGroup.intent (Required)
* Task.intent (Required)
* ProcedureRequest.intent (Required)
* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.intent ((Required))

4.3.1.104.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/request-intent

4.3.1.104.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/request-intent version 3.0.2

All codes from system http://hl7.org/fhir/request-intent

Code | Display | Definition
proposal | Proposal | The request is a suggestion made by someone/something that doesn't have an intention to ensure it occurs and without providing an authorization to act
plan | Plan | The request represents an intension to ensure something occurs without providing an authorization for others to act
order | Order | The request represents a request/demand and authorization for action
original-order | Original Order | The request represents an original authorization for action
reflex-order | Reflex Order | The request represents an automatically generated supplemental authorization for action based on a parent authorization together with initial results of the action taken against that parent authorization
filler-order | Filler Order | The request represents the view of an authorization instantiated by a fulfilling system representing the details of the fulfiller's intention to act upon a submitted order
instance-order | Instance Order | An order created in fulfillment of a broader order that represents the authorization for a single activity occurrence. E.g. The administration of a single dose of a drug.
option | Option | The request represents a component or option for a RequestGroup that establishes timing, conditionality and/or other constraints among a set of requests. Refer to [[[RequestGroup]]] for additional information on how this status is used

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.106 Value Set http://hl7.org/fhir/ValueSet/request-priority

URL: https://hl7.org/fhir/STU3/valueset-request-priority.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/request-priority
Name: | RequestPriority
Definition: | The clinical priority of a diagnostic order.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.106 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for RequestPriority
* ReferralRequest.priority (Required)
* SupplyRequest.priority (Required)

* RequestGroup.priority (Required)
* DeviceRequest.priority (Required)
* Task.priority (Required)
* ProcedureRequest.priority (Required)
* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.priority ((Required))
* CommunicationRequest.priority (Required)

4.3.1.106.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/request-priority

4.3.1.106.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/request-priority version 3.0.2

All codes from system http://hl7.org/fhir/request-priority

Code	Display	Definition
routine	Routine	The request has normal priority
urgent	Urgent	The request should be actioned promptly - higher priority than routine
asap	ASAP	The request should be actioned as soon as possible - higher priority than urgent
stat	STAT	The request should be actioned immediately - highest possible priority. E.g. an emergency

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.108 Value Set http://hl7.org/fhir/ValueSet/resource-validation-mode

URL: https://hl7.org/fhir/STU3/valueset-resource-validation-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/resource-validation-mode
Name:	ResourceValidationMode
Definition:	Codes indicating the type of validation to perform
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.108 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ResourceValidationMode
* Operation Parameter $validate.mode ((Required))

4.3.1.108.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/resource-validation-mode

4.3.1.108.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/resource-validation-mode version 3.0.2

All codes from system http://hl7.org/fhir/resource-validation-mode

Code	Display	Definition

create | Validate for Create | The server checks the content, and then checks that the content would be acceptable as a create (e.g. that the content would not violate any uniqueness constraints).
update | Validate for Update | The server checks the content, and then checks that it would accept it as an update against the nominated specific resource (e.g. that there are no changes to immutable fields the server does not allow to change, and checking version integrity if appropriate).
delete | Validate for Delete | The server ignores the content, and checks that the nominated resource is allowed to be deleted (e.g. checking referential integrity rules).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.110 Value Set http://hl7.org/fhir/ValueSet/flag-status

URL: https://hl7.org/fhir/STU3/valueset-flag-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/flag-status
Name: | FlagStatus
Definition: | Indicates whether this flag is active and needs to be displayed to a user, or whether it is no longer needed or entered in error.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.110 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for FlagStatus

* Flag.status (Required)

4.3.1.110.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/flag-status

4.3.1.110.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/flag-status version 3.0.2

All codes from system http://hl7.org/fhir/flag-status

Code | Display | Definition
active | Active | A current flag that should be displayed to a user. A system may use the category to determine which roles should view the flag.
inactive | Inactive | The flag does not need to be displayed any more.
entered-in-error | Entered in Error | The flag was added in error, and should no longer be displayed.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.112 Value Set http://hl7.org/fhir/ValueSet/flag-category

URL: https://hl7.org/fhir/STU3/valueset-flag-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/flag-category
Name: | Flag Category
Definition: | Example list of general categories for flagged issues. (Not complete or necessarily appropriate.)
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.112 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Flag Category

* Flag.category (Example)

4.3.1.112.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/flag-category

4.3.1.112.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/flag-category version 3.0.2

All codes from system http://hl7.org/fhir/flag-category

Code | Display | Definition
diet | Diet | Flags related to the subject's dietary needs.
drug | Drug | Flags related to the patient's medications.
lab | Lab | Flags related to performing laboratory tests and related processes (e.g. phlebotomy).
admin | Administrative | Flags related to administrative and financial processes.
contact | Subject contact | Flags related to coming into contact with the patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.114 Value Set http://hl7.org/fhir/ValueSet/flag-code

URL: https://hl7.org/fhir/STU3/valueset-flag-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/flag-code
Name: | Flag Code
Definition: | Example list of detail codes for flagged issues. (Not complete or necessarily appropriate.)
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.114 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Flag.code (Example)

4.3.1.114.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.3.1.114.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
109006	Anxiety disorder of childhood OR adolescence	
122003	Choroidal hemorrhage	
127009	Spontaneous abortion with laceration of cervix	
129007	Homoiothermia	
134006	Decreased hair growth	
140004	Chronic pharyngitis	
144008	Normal peripheral vision	
147001	Superficial foreign body of scrotum without major open wound but with infection	
150003	Abnormal bladder continence	
151004	Gonococcal meningitis	
162004	Severe manic bipolar I disorder without psychotic features	
165002	Accident-prone	
168000	Typhlolithiasis	
171008	Injury of ascending right colon without open wound into abdominal cavity	
172001	Endometritis following molar AND/OR ectopic pregnancy	
175004	Supraorbital neuralgia	
177007	Poisoning by sawfly larvae	
179005	Apraxia of dressing	
181007	Hemorrhagic bronchopneumonia	
183005	Autoimmune pancytopenia	
184004	Withdrawal arrhythmia	
188001	Injury of intercostal artery	
192008	Congenital syphilitic hepatomegaly	
193003	Benign hypertensive renal disease	
195005	Illegal abortion with endometritis	
198007	Disease due to Filoviridae	
199004	Decreased lactation	
208008	Neurocutaneous melanosis sequence	
216004	Delusion of persecution	
219006	Alcohol user	
222008	Acute epiglottitis with obstruction	
223003	Tumor of body of uterus affecting pregnancy	
228007	Lucio phenomenon	
241006	Epilepsia partialis continua	
242004	Noninfectious jejunitis	
253005	Sycosis	
257006	Acne rosacea, erythematous telangiectatic type	
258001	Pseudoknuckle pad	
264008	Blind hypertensive eye	
276008	Poisoning by oxytocin	
279001	Senile myocarditis	
281004	Dementia associated with alcoholism	
282006	Acute myocardial infarction of basal-lateral wall	
290006	Melnick-Fraser syndrome	
292003	EEG finding	
297009	Acute myringitis	
299007	Paraffinoma of skin	
303002	Apoplectic pancreatitis	
308006	Pearly penile papules	
310008	Boil of penis	
313005	Déjà vu	
317006	Reactive hypoglycemia	
320003	Cervical dilatation, 1cm	
324007	Plaster ulcer	
330007	Occipital headache	
335002	Pylorospasm	
341009	ABO incompatibility reaction	
349006	Absent tendon reflex	
355001	Hemorrhagic shock	
357009	Closed fracture of trapezoidal bone of wrist	
358004	Poisoning by smallpox vaccine	
359007	Kernicterus due to isoimmunization	
360002	Acute radiation disease	
364006	Acute left-sided heart failure	

366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue

714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding
845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea
1027000 | Alkaline reflux disease
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula

1038000 | Disaccharidurіa
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc
1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis
1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica
1343000 | Deep transverse arrest
1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction

1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting
1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder

1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction
1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions

1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans
2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm

2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG
2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia
2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region

2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint
2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia
2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea

2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus
3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Discoloration of skin
3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis

3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission
3531009 | Intrapsychic conflict
3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity

3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia
3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina
3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted abortion with acute yellow atrophy of liver
3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis

3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired
4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | Ocular hypertension
4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose

4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome
4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Lithium nephropathy
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction
4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation

4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.115 Value Set http://hl7.org/fhir/ValueSet/allergy-verification-status

URL: https://hl7.org/fhir/STU3/valueset-allergy-verification-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergy-verification-status
Name: | AllergyIntoleranceVerificationStatus
Definition: | Assertion about certainty associated with a propensity, or potential risk, of a reaction to the identified substance.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.115 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AllergyIntoleranceVerificationStatus

* AllergyIntolerance.verificationStatus (Required)

4.3.1.115.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/allergy-verification-status

4.3.1.115.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/allergy-verification-status version 3.0.2

All codes from system http://hl7.org/fhir/allergy-verification-status

Code | Display | Definition
unconfirmed | Unconfirmed | A low level of certainty about the propensity for a reaction to the identified substance.
confirmed | Confirmed | A high level of certainty about the propensity for a reaction to the identified substance, which may include clinical evidence by testing or rechallenge.
refuted | Refuted | A propensity for a reaction to the identified substance has been disproven with a high level of clinical certainty, which may include testing or rechallenge, and is refuted.
entered-in-error | Entered In Error | The statement was entered in error and is not valid.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.117 Value Set http://hl7.org/fhir/ValueSet/allergy-clinical-status

URL: https://hl7.org/fhir/STU3/valueset-allergy-clinical-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergy-clinical-status
Name: | AllergyIntoleranceClinicalStatus
Definition: | The clinical status of the allergy or intolerance.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.117 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AllergyIntoleranceClinicalStatus

* AllergyIntolerance.clinicalStatus (Required)

4.3.1.117.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/allergy-clinical-status

4.3.1.117.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/allergy-clinical-status version 3.0.2

All codes from system http://hl7.org/fhir/allergy-clinical-status

Code | Display | Definition
active | Active | An active record of a risk of a reaction to the identified substance.
inactive | Inactive | An inactivated record of a risk of a reaction to the identified substance.
resolved | Resolved | A reaction to the identified substance has been clinically reassessed by testing or re-exposure and considered to be resolved.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.119 Value Set http://hl7.org/fhir/ValueSet/allergy-intolerance-criticality

URL: https://hl7.org/fhir/STU3/valueset-allergy-intolerance-criticality.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergy-intolerance-criticality
Name: | AllergyIntoleranceCriticality
Definition: | Estimate of the potential clinical harm, or seriousness, of a reaction to an identified substance.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.119 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AllergyIntoleranceCriticality

* AllergyIntolerance.criticality (Required)

4.3.1.119.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/allergy-intolerance-criticality

4.3.1.119.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/allergy-intolerance-criticality version 3.0.2

All codes from system http://hl7.org/fhir/allergy-intolerance-criticality

Code | Display | Definition
low | Low Risk | Worst case result of a future exposure is not assessed to be life-threatening or having high potential for organ system failure.
high | High Risk | Worst case result of a future exposure is assessed to be life-threatening or having high potential for organ system failure.
unable-to-assess | Unable to Assess Risk | Unable to assess the worst case result of a future exposure.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.121 Value Set http://hl7.org/fhir/ValueSet/allergy-intolerance-type

URL: https://hl7.org/fhir/STU3/valueset-allergy-intolerance-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergy-intolerance-type
Name: | AllergyIntoleranceType
Definition: | Identification of the underlying physiological mechanism for a Reaction Risk.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.121 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AllergyIntoleranceType

* AllergyIntolerance.type (Required)

4.3.1.121.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/allergy-intolerance-type

4.3.1.121.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/allergy-intolerance-type version 3.0.2

All codes from system http://hl7.org/fhir/allergy-intolerance-type

Code | Display | Definition
allergy | Allergy | A propensity for hypersensitivity reaction(s) to a substance. These reactions are most typically type I hypersensitivity, plus other "allergy-like" reactions, including pseudoallergy.
intolerance | Intolerance | A propensity for adverse reactions to a substance that is not judged to be allergic or "allergy-like". These reactions are typically (but not necessarily) non-immune. They are to some degree idiosyncratic and/or individually specific (i.e. are not a reaction that is expected to occur with most or all patients given similar circumstances).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.123 Value Set http://hl7.org/fhir/ValueSet/allergy-intolerance-category

URL: https://hl7.org/fhir/STU3/valueset-allergy-intolerance-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergy-intolerance-category
Name: | AllergyIntoleranceCategory
Definition: | Category of an identified substance.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.123 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AllergyIntoleranceCategory

* AllergyIntolerance.category (Required)

4.3.1.123.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/allergy-intolerance-category

4.3.1.123.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/allergy-intolerance-category version 3.0.2

All codes from system http://hl7.org/fhir/allergy-intolerance-category

Code | Display | Definition
food | Food | Any substance consumed to provide nutritional support for the body.
medication | Medication | Substances administered to achieve a physiological effect.
environment | Environment | Any substances that are encountered in the environment, including any substance not already classified as food, medication, or biologic.
biologic | Biologic | A preparation that is synthesized from living organisms or their products, especially a human or animal protein, such as a hormone or antitoxin, that is used as a diagnostic, preventive, or therapeutic agent. Examples of biologic medications include: vaccines; allergenic extracts, which are used for both diagnosis and treatment (for example, allergy shots); gene therapies; cellular therapies. There are other biologic products, such as tissues, that are not typically associated with allergies.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.125 Value Set http://hl7.org/fhir/ValueSet/reaction-event-severity

URL: https://hl7.org/fhir/STU3/valueset-reaction-event-severity.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reaction-event-severity
Name: | AllergyIntoleranceSeverity
Definition: | Clinical assessment of the severity of a reaction event as a whole, potentially considering multiple different manifestations.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.125 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AllergyIntoleranceSeverity

* AllergyIntolerance.reaction.severity (Required)

4.3.1.125.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/reaction-event-severity

4.3.1.125.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/reaction-event-severity version 3.0.2

All codes from system http://hl7.org/fhir/reaction-event-severity

Code | Display | Definition
mild | Mild | Causes mild physiological effects.
moderate | Moderate | Causes moderate physiological effects.
severe | Severe | Causes severe physiological effects.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.127 Value Set http://hl7.org/fhir/ValueSet/allergyintolerance-code

URL: https://hl7.org/fhir/STU3/valueset-allergyintolerance-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allergyintolerance-code
Name: | AllergyIntolerance Substance/Product, Condition and Negation Codes
Definition: | This value set includes concept codes for specific substances/pharmaceutical products, allergy or intolerance conditions, and negation/exclusion codes to specify the absence of specific types of allergies or intolerances.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.127 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* AllergyIntolerance.code (Example)

4.3.1.127.1 Content Logical Definition

This value set includes codes from the following code systems:

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/substance-code
* Include codes from http://snomed.info/sct where concept is-a 418038007 (Propensity to adverse reactions to substance)
* Include codes from http://snomed.info/sct where concept is-a 267425008 (Lactose intolerance)
* Include codes from http://snomed.info/sct where concept is-a 29736007 (Syndrome of carbohydrate intolerance)
* Include codes from http://snomed.info/sct where concept is-a 340519003 (Lysine intolerance)
* Include codes from http://snomed.info/sct where concept is-a 190753003 (Sucrose intolerance)
* Include codes from http://snomed.info/sct where concept is-a 413427002 (Acquired fructose intolerance)
* Include codes from http://snomed.info/sct where concept is-a 716186003 (No known allergy)

4.3.1.127.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
102002 | Hemoglobin Okaloosa
120006 | Ornithine racemase
125001 | Ferrous sulfate Fe^59^
126000 | Galactosyl-N-acetylglucosaminylgalactosylglucosylceramide alpha-galactosyltransferase
130002 | Hemoglobin Hopkins-II
131003 | Dolichyl-phosphate mannosyltransferase
159002 | Ferrocyanide salt
164003 | Phosphoenolpyruvate-protein phosphotransferase
178002 | Uridine diphosphate galactose
186002 | HLA-Cw9 antigen
187006 | Cyanocobalamin Co^57^
200001 | Berberine
217008 | Blood group antigen IH
231008 | 3-Hydroxyisobutyrate dehydrogenase
238002 | Heptachlor
261000 | Codeine phosphate
296000 | Coumachlor
322006 | Octylphenoxy P.H. ethanol
327000 | ^76^Arsenic
329002 | ^127^Antimony
336001 | Fibrinogen Tokyo II
340005 | Enzyme variant
363000 | Fibrinogen San Juan
370000 | beta>2S< Glycoprotein
371001 | Acylcarnitine hydrolase
377002 | Sparteine
392001 | ^151^Gadolinium
395004 | Immunoglobulin pentamer
412004 | Ribose-5-phosphate isomerase
424006 | Citramalyl-CoA lyase
425007 | Hemoglobin Nagoya
432003 | Carminic acid
438004 | 2-Hydroxyglutarate dehydrogenase
462009 | Urease (ATP-hydrolysing)
472007 | Vegetable textile fiber
476005 | Lymphocyte antigen CD1b
498001 | Nitrilase
501001 | Blood group antibody Sf^a^
505005 | Blood group antibody M'
506006 | 3-Oxosteroid delta^1^-dehydrogenase
515004 | Blood group antigen Giaigue
519005 | Free protein S
521000 | ^197^Mercury
529003 | Guanosine
538001 | 2,3-Dihydroxybenzoate 3,4-dioxygenase
566009 | Acrosin
576007 | Blood group antibody Duck
578008 | Hemoglobin Jianghua
584006 | Blood group antibody Wr^b^
585007 | Substance P
591009 | 2-Oxoisovalerate dehydrogenase (acylating)
593007 | Blood group antibody Holmes
594001 | 2-Oxoglutarate synthase
597008 | ^247^Californium
604000 | Plant sapogenin glycoside
611001 | Hippurate hydrolase
620005 | Trichlorophenol
648005 | Oil of calamus
662003 | Aeromonas proteolytica aminopeptidase
668004 | ^185^Osmium
683009 | Mercuric acetate
686001 | Plastoquinol-plastocyanin reductase
693002 | Trichothecenes
698006 | Erythromycin lactobionate
699003 | Coal tar extract
704006 | Blood group antigen Rx
732002 | N-valeraldehyde
735000 | Blood group antigen Jobbins
747006 | Oxamniquine
773001 | Hemoglobin M-Iwate
785009 | Dextranase

804003 | Creosotic acid
819002 | Lytic antibody
850000 | Stizolobate synthase
859004 | Peptide-N^4^-(N-acetyl-b-glucosaminyl) asparagine amidase
860009 | Immunoglobulin, aggregated
873008 | Urethan
876000 | Blood group antigen D
877009 | Carboxypeptidase A
889006 | (Acetyl-CoA carboxylase) kinase
896008 | Ice
905001 | o-Dihydroxycoumarin O^7^-glucosyltransferase
923009 | Complement component C2
925002 | Sodium iodipamide
963005 | Pyridoxine 4-dehydrogenase
974001 | Adenosylmethionine decarboxylase
979006 | Carbamate kinase
993004 | Palladium compound
1002007 | Mannotetraose 2-alpha-N-acetylglucosaminyltransferase
1010008 | N-Acetylneuraminate monooxygenase
1018001 | Nornicotine
1025008 | ^93^Molybdenum
1047008 | Guanine deaminase
1050006 | Melilotate 3-monooxygenase
1057009 | Phosphate salt
1065007 | E. coli periplasmic proteinase
1080001 | ^202^Thallium
1091008 | Coagulation factor inhibitor
1097007 | Blood group antigen M^A^
1105007 | Isochorismate synthase
1113008 | Pancreatic ribonuclease
1137008 | ^240^Uranium
1149009 | Hemoglobin Barcelona
1160000 | Blood group antibody Lutheran
1166006 | Titanium
1169004 | Hemoglobin Gower-2
1171004 | Fibrinogen Kawaguchi
1185009 | Hemoglobin Roseau-Pointe à Pitre
1189003 | Hemoglobin F-M-Osaka
1190007 | Mephenoxalone
1219001 | Diethyl xanthogen disulfide
1223009 | Blood group antigen Marks
1244009 | Fibrinogen Madrid I
1248007 | Leucostoma neutral proteinase
1269009 | Amikacin sulfate
1272002 | Pteridine oxidase
1273007 | Blood group antibody Evelyn
1313002 | Nitrate reductase (cytochrome)
1319003 | Blood group antibody K18
1320009 | Hemoglobin Manitoba
1325004 | Metocurine iodide
1331001 | Methamidophos
1334009 | Estradiol receptor
1336006 | 21-Hydroxyprogesterone
1341003 | Hemoglobin Ta-li
1346008 | Blue shade eosin
1355006 | Antihemophilic factor B Oxford 3 variant
1368003 | ^131^Iodine
1371006 | Blood group antigen Big
1373009 | ^93^Zirconium
1381005 | ^126^Iodine
1394007 | Iron pentacarbonyl
1396009 | Actinium
1405004 | Blood group antibody M^e^
1408002 | Blood group antibody 1123K
1416006 | Radium compound
1450002 | Methylparafynol
1466000 | Cyclomaltodextrinase
1471007 | Elastin
1472000 | Adenosine-phosphate deaminase
1476002 | Codeine sulfate
1477006 | Hemoglobin Yatsushiro
1496005 | Proto-oncogene

1506001 | Blood group antigen Ch^a^
1517000 | HLA-B21 antigen
1530004 | 6-Carboxyhexanoate-CoA ligase
1535009 | Nitrogen fluoride
1536005 | Pargyline hydrochloride
1540001 | Tellurium radioisotope
1545006 | Uridine phosphorylase
1557002 | Talc
1565004 | Blood group antibody Buckalew
1575001 | Maltose tetrapalmitate
1603001 | Cobalt isotope
1607000 | Homoserine kinase
1609002 | N-octyl isosafrole sulfoxide
1634002 | Blood group antigen Ven
1649005 | Blood group antigen Sul
1656004 | Hemoglobin Shaare Zedek
1660001 | Plant seeds
1668008 | Ceforanide
1672007 | Ligase
1673002 | Xylenol
1675009 | ^86^Rubidium
1676005 | Blood group antibody LW^ab^
1681001 | Blood group antibody BLe^b^
1696002 | 12-Hydroperoxy eicosatetraenoic acid
1701009 | ^191^Gold
1710001 | Uric acid
1726000 | Diamond
1727009 | Deoxylimonate A-ring-lactonase
1740004 | Deoxy cytidine triphosphate
1764003 | Saccharopine dehydrogenase (NADP^+^,L-glutamate-forming)
1768000 | Sucrose phosphorylase
1786002 | Leucine-tRNA ligase
1793003 | Sodium trichloroacetate
1795005 | Glyodin
1798007 | Hemoglobin Hammersmith
1799004 | L-Lysine oxidase
1823002 | Hemoglobin Tochigi
1827001 | Ribonuclease T>1<
1886008 | Verdohemoglobin
1904005 | Galactoside 3-fucosyltransferase
1914001 | von Willebrand factor inhibitor
1916004 | Boroglycerin
1940007 | Immunoglobulin, GM>21< allotype
1944003 | Coagulation factor X Patient variant
1956002 | Buclizine hydrochloride
1971003 | Loxapine hydrochloride
1975007 | Blood group antibody Niemetz
1978009 | Site-specific methyltransferase (cytosine-specific)
1985008 | Vomitus
1991005 | Lignins
2000001 | Heavy nitrogen
2006007 | Inosine diphosphate
2008008 | ^67^Gallium
2009000 | Cobalt carbonyl
2017008 | DNA topoisomerase
2027002 | Alternaria serine proteinase
2029004 | Fibrinogen Oslo II
2038002 | Blood group antibody Bg^b^
2039005 | sym-Norspermidine synthase
2050008 | Choloylglycine hydrolase
2064008 | L-Xylulokinase
2082006 | Lymphocyte antigen CD51
2085008 | Oncogene protein TCL
2088005 | Page blue G-90
2096000 | NAD^+^ ADP-ribosyltransferase
2100004 | Sulfonethylmethane
2101000 | Yeast proteinase B
2125008 | Betazole
2130007 | Cyclohexane-1,2-diol dehydrogenase
2141009 | Hydrogen
2147008 | Blood group antigen Paular
2151005 | Pyridoxamine-pyruvate aminotransferase

2154002 | Tagaturonate reductase
2159007 | Azorubin S
2163000 | Dicofol
2168009 | Bisphosphoglycerate mutase
2179004 | Malonate-semialdehyde dehydratase
2189000 | Hemoglobin F-Dammam
2194000 | ^101^Rhodium
2195004 | Tocainide hydrochloride
2197007 | Boric acid topical preparation
2201007 | Bacteriopurpurin
2208001 | Phenylserine aldolase
2212007 | Fibrinogen Bethesda II
2215009 | Azuresin
2240002 | Guanidinobutyrase
2249001 | Gentamicin sulfate
2254005 | Orotic acid
2260005 | HLA-DRw18 antigen
2262002 | Cellulose polysulfatase
2264001 | Selenium isotope
2309006 | Gold
2311002 | Prostacyclin synthase
2329007 | Blood group antibody Vel
2331003 | Carbohydrate
2338009 | Plant roots
2343002 | Guthion
2346005 | Vascormone
2354007 | 3'-Nucleotidase
2358005 | Glass fragment
2369008 | Indole-3-acetate beta-glucosyltransferase
2370009 | UDP-N-acetylmuramate-alanine ligase
2376003 | Mercury compound
2384004 | ^230^Uranium
2404002 | Blood group antibody St^a^
2405001 | b- Propiolactone
2414006 | Prolactin receptor
2430003 | Silicon radioisotope
2431004 | Blood group antibody Friedberg
2441001 | Mercury radioisotope
2444009 | HLA-Dw25 antigen
2450004 | Mannosamine
2462000 | Glucose dehydrogenase (NADP^+^)
2466002 | Chloride peroxidase
2500009 | Lymphocyte antigen CDw41b
2509005 | D-Glutamate oxidase
2516006 | Metallic sulfide compound
2522002 | Extravascular blood
2529006 | Hemoglobin Wood
2537003 | Antituberculosis agent
2568004 | Blood group antigen McAuley
2573005 | Immunoglobulin, GM>13< allotype
2575003 | Zinc alpha>2< glycoprotein
2595009 | ^119m^Tellurium
2597001 | Alpha-1 globulin
2611008 | Blood group antibody La Fave
2637006 | Indium isotope
2648004 | Bile vomitus
2649007 | Azo dye
2660003 | Sodium dehydrocholate
2671002 | 3-Methyl-2-oxobutanoate hydroxy-methyltransferase
2674005 | ^128^Cesium
2676007 | C3(H20)
2678008 | Hemoglobin New Mexico
2680002 | Anti-factor XIII
2698003 | Natural gas
2705002 | ^72^Arsenic
2706001 | Blood group antigen Vennera
2719002 | Tartrate dehydratase
2721007 | Blood group antigen McC^f^
2728001 | Antigen in Lewis (Le) blood group system
2753003 | Blood group antibody M>1<
2754009 | Hemoglobin F-Kennestone
2765004 | Blood group antigen Sc3

2778004 | Pleural fluid
2796008 | Methanthelinium
2799001 | Methylbenzethonium chloride
2823004 | Hemoglobin Bristol
2832002 | Molybdenum compound
2846002 | Hemoglobin Saitama
2869004 | Ethanoic acid
2878005 | Isonipecaine hydrochloride
2880004 | Calcium sulfate
2883002 | Exopolygalacturonate lyase
2913009 | Immunoglobulin Epsilon chain
2916001 | ^22^Neon
2925007 | Fluorometholone
2927004 | Rescinnamine
2938004 | Pyrazole
2942001 | Carbon^14^ D-xylose
2950005 | Hemoglobin L-Persian Gulf
2958003 | Zinc caprylate
2964005 | Dimethoxyamphetamine
2974008 | Trichophyton schoenleinii collagenase
2988007 | HLA-Aw antigen
2991007 | Mecamylamine hydrochloride
2995003 | Arecoline
3027009 | ^133^Barium
3031003 | Dihydroxyaluminum sodium carbonate
3040004 | Technetium Tc^99m^ disofenin
3045009 | Nitrochlorobenzene
3052006 | Ornithine-oxo-acid aminotransferase
3066001 | Triiodothyroacetic acid
3070009 | Aspartate-ammonia ligase
3087006 | Oil of male fern
3107005 | Hemoglobin Shuangfeng
3108000 | Aspergillus deoxyribonuclease K>1<
3131000 | Blood group antigen Middel
3136005 | Cefoperazone sodium
3142009 | Azacyclonol
3145006 | Penicillic acid
3150000 | Sialate O-acetylesterase
3151001 | Left upper lobe mucus
3155005 | 3-Phosphoglyceroyl-phosphate-polyphosphate phosphotransferase
3161008 | 3-Methyl histidine
3167007 | Hard coal
3187008 | Blood group antigen Nielsen
3193000 | alpha-1,4-Glucan-protein synthase (UDP-forming)
3197004 | Inosine monophosphate
3209002 | Pancuronium sodium
3212004 | Manganese sulfate
3225007 | Fibrinogen Seattle I
3232003 | o-Benzyl-parachlorophenol
3271000 | Hemoglobin Southampton
3273002 | Tyrosine-ester sulfotransferase
3300001 | Euphorbain
3318003 | Vaginal secretions
3325005 | Lipopolysaccharide
3339005 | (R)-20-Hydroxysteroid dehydrogenase
3340007 | alpha-Amylase
3342004 | Copper isotope
3346001 | Hemoglobin Brest
3378009 | Imipramine hydrochloride
3379001 | Thimerosal
3392003 | Aldehyde dehydrogenase (acceptor)
3405005 | 2-Hydroxy-3-oxoadipate synthase
3411008 | bis-(Dimethylthiocarbamyl) disulfide
3437006 | Hydroxymethylglutaryl-CoA hydrolase
3440006 | Biotin carboxylase
3455002 | Discontinued pesticide
3463001 | L-Amino-acid dehydrogenase
3465008 | DNA topoisomerase (ATP-hydrolysing)
3466009 | Dimethylamine
3492002 | Galactinol-sucrose galactosyltransferase
3493007 | Smegma clitoridis
3495000 | Cystyl-aminopeptidase

3501003 | Isoxsuprine hydrochloride
3523004 | Hemoglobin Q-India
3532002 | Laryngeal mucus
3555004 | Blood group antigen Morrison
3579002 | ^129^Cesium
3581000 | Glucose-6-phosphatase
3587001 | Malate dehydrogenase (decarboxylating)
3588006 | Complement enzyme
3592004 | Short-acting thyroid stimulator
3597005 | Acebutolol hydrochloride
3601005 | Ether
3602003 | Warm antibody
3610002 | Epoxide hydrolase
3617004 | ^79^Selenium
3648007 | Glucocorticoid receptor
3655009 | Hemoglobin Constant Springs
3672002 | Fibrinogen Caracas
3684000 | Phenylacetic acid
3689005 | Hemoglobin Mizushi
3692009 | Sodium sulfite
3693004 | Fibrinogen Dusard
3702007 | CDPglycerol glycerophosphotransferase
3710008 | Prostaglandin synthase
3718001 | Cow's milk
3726009 | Valine-tRNA ligase
3727000 | Hemoglobin F-Port Royal
3730007 | Blood group antigen Tr^a^
3737005 | Nitrate reductase (NADH)
3742002 | Extracellular crystal
3757009 | Gossypol
3771001 | Neuromelanin
3775005 | Choline dehydrogenase
3776006 | Xanthine dehydrogenase
3792001 | Arachidonic acid
3793006 | Soluble barium compound
3800009 | Acetate kinase
3807007 | Blood group antigen c
3811001 | Magnesium-protoporphyrin methyltransferase
3812008 | Beryllium isotope
3816006 | Vanadium isotope
3823007 | Prochlorperazine edisylate
3829006 | Iron
3834005 | CMP-N-acetylneuraminate-(alpha-N-acetyl-neuraminyl-2,3-beta-galactosyl-1,3)-N-acetyl-galactosaminide alpha-2,6-sialyltransferase
3836007 | Glutaminase
3844007 | Protoaphin-aglucone dehydratase (cyclizing)
3848005 | Nitrotoluene
3849002 | Carbon black
3854006 | bis-Chloro methyl ether
3874004 | Hydrocodone bitartrate
3892007 | Thymidine
3896005 | p-Hydroxybenzoate ester
3897001 | Blood group antigen 'N'
3906002 | Rectified birch tar oil
3920009 | Hemoglobin Atago
3930000 | Manufactured gas
3932008 | ^64^Copper
3941003 | Metronidazole hydrochloride
3945007 | Tin isotope
3958008 | ^245^Californium
3961009 | Blood group antigen Ritherford
3976001 | Blood group antigen HEMPAS
3982003 | Oxaloacetate decarboxylase
3983008 | N,-N-dimethyltryptamine
3990003 | Alkaline phosphatase isoenzyme, bone fraction
3994007 | Hemoglobin Tampa
4014000 | Sulfisomidine
4024008 | Soft metal
4025009 | Captodiamine
4043008 | Etidocaine hydrochloride
4047009 | cis-1,2-Dihydrobenzene-1,2-diol dehydrogenase
4048004 | 1,1,2,2-Tetrachloro-1,2- difluoroethane
4067000 | Chorismate mutase

4076007 | Parathyroid hormone
4077003 | Dihydrolipoamide succinyltransferase
4080002 | Hemoglobin Grady, Dakar
4091009 | Enteropeptidase
4097008 | Apo-SAA complex
4104007 | Chondroitin sulfate
4105008 | Adenylate cyclase
4115002 | Blood group antibody Norlander
4137009 | sec-Butyl acetate
4153007 | Long-chain-enoyl-CoA hydratase
4167003 | Lymphocyte antigen CD31
4169000 | Blood group antibody Le^bH^
4177001 | Hemoglobin Long Island-Marseille
4182008 | CDPdiacylglycerol-serine O-phosphatidyl-transferase
4188007 | Fibrinogen Sydney II
4200007 | Neriifolin
4201006 | 6-Aminohexanoate-dimer hydrolase
4203009 | Imipramine pamoate
4207005 | Cortisone beta-reductase
4217000 | Fluorosilicate salt
4218005 | Immunoglobulin, GM>23< allotype
4231000 | Gallium isotope
4239003 | Glycerol dehydrogenase
4255005 | ^241^Americium
4289006 | Keyhole-limpet hemocyanin
4290002 | Linamarin synthase
4314009 | Blood group antibody Allchurch
4334005 | Tar oil
4342006 | 2-Aminopyridine
4353000 | Dibutyl phthalate
4355007 | Coagulation factor IX San Dimas variant
4362003 | 4-Coumarate-CoA ligase
4370008 | Acetone
4393002 | Blood group antigen Fedor
4401009 | Blood group antibody H>T<
4413004 | Benzypyrinium
4422003 | Blood group antigen
4423008 | Fibrinogen New York II
4425001 | Blood group antibody Binge
4435007 | Sulfuryl fluoride
4437004 | ^127^Cesium
4471008 | ^244^Californium
4479005 | Hemoglobin Brockton
4480008 | Sulfaethidole
4509009 | Plant phenanthrene toxin
4518006 | Buthenal
4534009 | ^208^Bismuth
4540002 | ADP deaminase
4546008 | Aliphatic carboxylic acid, C14:0
4555006 | Blood group antibody Rils
4560005 | Hemoglobin Mizuho
4561009 | Arginine decarboxylase
4564001 | Blood group antibody Sisson
4567008 | Galactose-1-phosphate thymidylyltransferase
4582003 | Blood group antigen N^A^
4591004 | Blood group antigen Kam
4610008 | Senile cardiac protein
4616002 | Triclobisonium chloride
4629002 | Hypoglycin B
4635002 | Arterial blood
4643007 | Calf thymus ribonuclease H
4656000 | Alcian blue 8GX
4674009 | 2,3-Dihydroxybenzoate serine ligase
4681002 | Potassium permanganate
4693006 | Chromium^51^ albumin
4700006 | Beef insulin
4706000 | Chlorine monoxide
4714006 | ^183m^Osmium
4728000 | Scopulariopsis proteinase
4731004 | Aluminum pyro powder
4732006 | Oncogene protein P55, V-MYC
4746006 | Hemoglobin Mito

4761007 | Lymphocyte antigen CD30
4762000 | Platelet antigen HPA-3b
4777008 | Fluroxene
4780009 | Secobutobarbitone sodium
4786003 | beta-1,4-Mannosyl-glycoprotein beta-1,4-N-acetylglucosaminyltransferase
4789005 | Blood group antibody Bultar
4793004 | Azobenzene reductase
4814001 | Valethamate
4824009 | Amine oxidase (flavin-containing)
4825005 | Peptidyl-glycinamidase
4831008 | Arabinose-5-phosphate isomerase
4832001 | Technetium Tc^99m^ mebrofenin
4833006 | Glucan endo-1,3-alpha-glucosidase
4844003 | 3,3' Diiodothyronine
4864008 | Adenylic acid
4872005 | Glucosulfone
4878009 | HLA-Dw3 antigen
4882006 | Ichthyoallyeinotoxin
4889002 | Xylulokinase
4901003 | Pyruvate oxidase (CoA-acetylating)
4925006 | Oncogene protein V-ABC
4933007 | Lymphocyte antigen CD15
4940008 | Tattoo dye
4955004 | Neoplastic structural gene
4962008 | Tree bark
4963003 | Neutral amino acid
4965005 | Glutathione reductase (NAD(P)H)
4968007 | Acumentin
4986005 | Magnesium borate
5003005 | Hemoglobin Swan River
5004004 | Blood group antibody Panzar
5007006 | Papain
5024000 | Fresh water
5031001 | 3-3'Dichlorobenzidine
5040002 | Cesium
5043000 | Erythrosin Y
5045007 | Oncogene protein TCL4
5059000 | ^97^Technetium
5060005 | ^132^Cesium
5061009 | Protein-methionine-S-oxide reductase
5064001 | Blood group antibody D 1276
5081005 | Blood group antigen hr^B^
5086000 | Gelsolin
5094007 | Blood group antigen Rios
5098005 | Fennel oil
5109006 | Methylated-DNA-protein-cysteine methyltransferase
5142007 | Coagulation factor II Houston variant
5160007 | Metallic compound
5163009 | Scombrotoxin
5167005 | Zinc chloride fumes
5172001 | Coagulation factor Xa
5179005 | Connective tissue fiber
5200001 | trans-Epoxysuccinate hydrolase
5206007 | Cyanate compound
5220000 | Bacitracin
5226006 | Flavone O^7^-beta-glucosyltransferase
5250008 | Thymus-independent antigen
5252000 | Hafnium radioisotope
5253005 | Hemoglobin Woodville
5259009 | Blood group antigen Braden
5289002 | Scilliroside
5303002 | Hemoglobin Hoshida
5305009 | Polynucleotide
5307001 | Blood group antigen Hamet
5312000 | ^65^Zinc
5323001 | Uridine diphosphate glucuronic acid
5330007 | Actin-binding protein
5339008 | L-Glycol dehydrogenase
5340005 | Blood group antigen Swietlik
5392001 | Propylene glycol monomethyl ether
5395004 | Pyridoxamine-phosphate oxidase
5404007 | Lymphocyte antigen CD45RA

5405008 | ^60^Cobalt
5406009 | beta-L-Arabinosidase
5420002 | Accessory sinus mucus
5439007 | Blood group antibody Do^a^
5442001 | Page blue 83
5453007 | Iridium isotope
5471000 | Hemoglobin G-Coushatta
5474008 | Propionate-CoA ligase
5477001 | Ferric subsulfate
5483003 | Oxalate CoA-transferase
5504009 | Blood group antigen Fuerhart
5511008 | Inosinate nucleosidase
5513006 | Immunoglobulin, Alpha chain
5515004 | Rhodium fumes
5533005 | Blood group antibody Kp^a^
5537006 | Immunoglobulin, Delta chain
5540006 | Calcium
5547009 | ^233^Plutonium
5548004 | 2-Dehydro-3-deoxy-D-pentonate aldolase
5568005 | Hemoglobin Hijiyama
5573004 | Blood group antigen Oca
5589001 | Licodione O^2'^-methyltransferase
5590005 | Beryllium radioisotope
5628003 | Hemoglobin I-High Wycombe
5629006 | Cytidylic acid
5637003 | HLA-DQw6 antigen
5641004 | Valproate semisodium
5647000 | Griseofulvin ultramicrosize
5656008 | ^116m^Antimony
5657004 | Coal tar topical solution
5659001 | Hemoglobin J-Tongariki
5670008 | Gold isotope
5681006 | Ceftizoxime sodium
5691000 | Absorbable gelatin sponge
5692007 | Cyanocobalamin Co^58^
5699003 | Somatomedin C
5700002 | Blood group antibody Gomez
5702005 | ^106m^Silver
5704006 | Galactokinase
5705007 | 1,3-Propanediol dehydrogenase
5739006 | Stramonium
5746002 | ^118m^Antimony
5757007 | HLA-Cw8 antigen
5762008 | Heterogeneous nuclear RNA
5764009 | ^242^Plutonium
5767002 | Sulfamerazine
5774007 | White petrolatum
5800007 | tRNA (5-methylaminomethyl-2-thiouridylate)-methyltransferase
5813001 | Malate dehydrogenase
5826002 | Ethyl-4-bis-(hydroxypropyl)-1-aminobenzoate
5827006 | Crotonaldehyde
5829009 | Hemoglobin Vaasa
5830004 | Hemoglobin Bart
5840001 | Blood group antibody Wj
5858007 | ^110m^Indium
5863006 | Vitexin beta-glucosyltransferase
5896008 | Hellebrin
5899001 | Bacterial structural gene
5907009 | Quinidine polygalacturonate
5910002 | Oncogene protein PP60, V-SRC
5915007 | Blood group antigen Gladding
5927005 | Lactaldehyde dehydrogenase
5931004 | Technetium Tc^99m^ sulfur colloid
5932006 | Cysteine
5950004 | 3',5'-Cyclic-nucleotide phosphodiesterase
5955009 | Diethylene glycol
5977008 | Blood group antigen Bullock
5989005 | Immunoglobulin, GM>17< allotype
5991002 | D-Fuconate dehydratase
6021003 | ^88^Yttrium
6038004 | Oxygen radioisotope
6043006 | Bone cement

6044000 | Carbon disulfide
6054001 | Doxylamine succinate
6056004 | Blood group antibody Wk^a^
6068008 | Blood group antigen Mil
6083003 | Hydroxylysine
6085005 | Synovial fluid
6088007 | Benzfetamine hydrochloride
6089004 | Lochia alba
6091007 | Blood group antibody L Harris
6107003 | Asparagusate reductase (NADH)
6109000 | Aromatic-amino-acid aminotransferase
6115000 | Blood group antibody Anuszewska
6135004 | Blood group antigen Duck
6138002 | Blood group antigen Le Provost
6162007 | Meclocycline
6170002 | Heat labile antibody
6172005 | Fatty-acid methyltransferase
6178009 | Lymphocyte antigen CD63
6179001 | o-Methy-bufotenine
6182006 | Chloroacetone
6197009 | Blood group antigen Zd
6237004 | Bemegride
6249003 | Potassium metabisulfite
6256009 | Ribose isomerase
6257000 | Sodium chloride Na^22^
6260007 | Protokylol
6261006 | Indoklon
6263009 | Plant residue
6264003 | Diazinon
6287006 | Methidathion
6291001 | N-Acetylglucosamine-1-phosphodiester N-acetylglucosaminidase
6301006 | ^178^Tantalum
6310003 | Particulate antigen
6314007 | Phenol beta-glucosyltransferase
6333002 | Squill extract
6338006 | Imidazolonepropionase
6356006 | Chlorodiallylacetamide
6360009 | Kallidin II
6367007 | ^95m^Technetium
6386004 | N-Acetylneuraminate O^4^-acetyltransferase
6394006 | Phentermine hydrochloride
6401007 | Lichenase
6409009 | Morpholine
6411000 | Interleukin-12
6422001 | HLA-DRw14 antigen
6451002 | Chlorobenzilate
6455006 | Chloroprene
6469006 | delta^1^-Piperideine-2-carboxylate reductase
6478000 | 6-Phosphofructokinase
6495008 | Fibrinogen Montreal II
6507009 | Blood group antigen Much
6513000 | Flumethiazide
6516008 | Indium^111^-Fe(OH)>3<
6524003 | Distilled spirits
6529008 | Blood group antigen Cl^a^
6532006 | Macrophage activating factor
6590001 | Galactosylceramidase
6592009 | HLA-Dw12 antigen
6602005 | Aminoacridine
6611005 | Diethylaminoethanol
6612003 | Chloramphenicol sodium succinate
6619007 | Bilirubin Y transport protein
6642000 | Opsonin
6644004 | Homoserine dehydrogenase
6671004 | Blood group antigen Caw
6672006 | Phosphoadenylate 3'-nucleotidase
6699008 | Titanium radioisotope
6701008 | Lissamine fast red B
6702001 | Ethyl mercaptoethyl diethyl thiophosphate
6709005 | Gentamicin 2"-nucleotidyltransferase
6710000 | Nitric oxide
6713003 | ^91^Yttrium

6717002 | Nifuroxime
6725000 | Methylene blue
6730001 | ^234^Uranium
6741004 | Anti DNA antibody
6755007 | TL antigen
6786001 | Silver difluoride
6790004 | Aminopterin
6792007 | Veratrine
6808006 | Ferrous iron compound
6809003 | Phomopsin
6814004 | Discadenine synthase
6817006 | Oxidized glutathione
6826009 | Sterol hormone
6837005 | Dextropropoxyphene napsylate
6854002 | ^188^Platinum
6865007 | Theophylline calcium salicylate
6873003 | Cefapirin sodium
6879004 | 5,8,11-Eicosatrienoic acid
6881002 | Magnesium fumes
6884005 | (S)-3-Amino-2-methylpropionate aminotransferase
6890009 | 3-Deoxy-manno-octulosonate-8-phosphatase
6896003 | Thiopurine methyltransferase
6910009 | Sodium fluoride
6911008 | Deoxycytidylate methyltransferase
6916003 | Bowieine
6924008 | Exopolyphosphatase
6925009 | Leucine acetyltransferase
6927001 | ^121^Tin
6937006 | Thymidylate synthase
6945001 | Blood group antigen Le^bH^
6952004 | ^121m^Tin
6958000 | Blood group antibody Frando
6961004 | Lysolecithin acylmutase
6970001 | 4-Hydroxyproline epimerase
6973004 | Chromium^51^ chloride
6983000 | Acrylamide
6992002 | Triflupromazine hydrochloride
6993007 | Seminal fluid
6999006 | Ammonium compound
7008002 | beta-Carotene 15,15'-dioxygenase
7018007 | Malate-CoA ligase
7029006 | Blood group antigen Greenlee
7030001 | Globoside
7034005 | Diclofenac
7045008 | Lycorine
7047000 | Asphyxiant atmosphere
7049002 | Pyruvate carboxylase
7054006 | Hemoglobin Poissy
7056008 | 3-Propylmalate synthase
7059001 | N-Acylneuraminate-9-phosphatase
7061005 | Anthocyanidin O^3^-glucosyltransferase
7070008 | Convallamarin
7084003 | Fibrinogen Buenos Aires II
7110002 | ^69^Germanium
7120007 | Antigen
7132006 | ^73^Gallium
7139002 | Acid-CoA ligase (GDP-forming)
7146006 | Cyclohexene oxide
7152007 | Chlorthion
7156005 | Phosphorus isotope
7158006 | HLA-Dw19 antigen
7161007 | Complement component C2a
7179006 | Prekallikrein
7191002 | Methenyltetrahydrofolate cyclohydrolase
7208009 | Thiol oxidase
7211005 | Blood group antibody Haakestad
7237008 | Galactonate dehydratase
7243005 | Methyl isocyanate
7269004 | Thorium
7271004 | Mixed dust
7280004 | dTDP4-dehydrorhamnose reductase
7281000 | Technetium Tc^99m^ lidofenin

7284008 | Mercaptan compound
7294003 | tert-Butyl acetate
7302008 | Ambuphylline
7318002 | Bacteriochlorophyll
7321000 | Pyrimidine
7325009 | Calcium hydroxide
7327001 | Sulfurous acid
7328006 | Red petrolatum
7330008 | Shellac
7337006 | Blood group antibody Tr^a^
7348004 | Coagulation factor II
7382005 | Aminoalcohol ester
7401000 | Heme-hemopexin complex
7411007 | Blood group antibody HLA-B8
7427000 | Sepiapterin reductase
7434003 | Erythrosin B
7446004 | Ruthenium
7451005 | Tobramycin ophthalmic preparation
7460002 | ^127^Tellurium
7470000 | p-tert-Butyltoluene
7489000 | Homocytotropic antibody
7503004 | ^72^Gallium
7509000 | Mannitol hexanitrate
7515000 | Hepatotoxic mycotoxin
7537007 | Stizolobinate synthase
7547005 | Hemoglobin Lincoln Park
7549008 | Fibrinogen Bethesda I
7588005 | Blood group antibody Sk^a^
7608003 | Triethylene glycol
7616007 | Blood group antibody Pruitt
7648006 | HLA-Bw70 antigen
7661006 | Fish bone
7670009 | Aminobutyraldehyde dehydrogenase
7675004 | Blood group antigen Towey
7679005 | Strong oxidizing compound
7685003 | Blood group antibody Bg^c^
7696006 | Ferrovanadium dust
7716001 | Isovaleryl-CoA dehydrogenase
7737009 | Chlortetracycline hydrochloride
7738004 | HLA-B49 antigen
7761002 | ^111^Silver
7770004 | ^89^Strontium
7774008 | Neo-b-vitamin A>1<
7779003 | ^103^Ruthenium
7785005 | Sphingomyelin phosphodiesterase D
7790008 | 1-Monoacylglycerol
7791007 | Soy protein
7795003 | Oxalate oxidase
7801007 | Tetrahydroxypteridine cycloisomerase
7816005 | Antazoline hydrochloride
7834009 | Acetyl digitoxin
7846008 | Sphingomyelin phosphodiesterase
7848009 | 1-Phosphatidylinositol phosphodiesterase
7868003 | beta-Cyclopiazonate dehydrogenase
7879008 | ^218^Radon
7900007 | Hemoglobin Presbyterian
7904003 | Deanol
7909008 | Arginine carboxypeptidase
7924004 | Diflorasone
7938006 | D-Arabinitol dehydrogenase
7945006 | Orsellinate-depside hydrolase
7948008 | Reed-Sternberg antibody
7953003 | Thioneb
7957002 | Phosphatidate cytidylyltransferase
7961008 | Hemoglobin F-Shanghai
7970006 | Allograft
7974002 | Blood group antibody Dalman
7975001 | Amiphenazole
7979007 | 3'-Phosphoadenylylsulfate 3'-phosphatase
7983007 | Sodium rhodanide
7985000 | Sulfur isotope
7997004 | Butyl mercaptan

8000007 | Cucurbitacin delta^23^-reductase
8002004 | Blood group antibody Fleming
8025003 | Blood group antibody Gibson
8029009 | Allyl glycidyl ether
8030004 | Polyethylene glycol
8035009 | Cholestenol delta-isomerase
8048008 | Blood group antigen Th
8054009 | Orotate reductase (NADPH)
8055005 | Galactoside acetyltransferase
8105004 | Hemoglobin Leiden
8108002 | Undecaprenyl-diphosphatase
8123007 | Blood group antibody Schuppenhauer
8132009 | Magnesium acetylsalicylate
8143001 | Diosmin
8153000 | Homoproline
8156008 | Immunoglobulin, Fd fragment
8164002 | Lymphocyte antigen CD67
8168004 | Uracil-5-carboxylate decarboxylase
8179009 | Cevadilline
8184003 | Convallamarogenin
8190004 | Diaminopimelate epimerase
8202008 | ^43^Potassium
8203003 | Human menopausal gonadotropin
8204009 | Polyester
8222007 | Coagulation factor II Padua variant
8227001 | ^106^Ruthenium
8230008 | Streptococcal cysteine proteinase
8237006 | Strobane
8252004 | Chlorothiazide sodium
8257005 | Abnormal hemoglobin
8261004 | Potassium thiosulfate
8268005 | Blood group antibody Hildebrandt
8270001 | tRNA adenylyltransferase
8275006 | Methionine-S-oxide reductase
8295000 | Uromucoid protein
8300003 | Cyclohexanol
8310007 | Hemoglobin Madrid
8313009 | RNA-directed DNA polymerase
8340009 | Procollagen-lysine,2-oxoglutarate 5-dioxygenase
8342001 | Brilliant cresyl blue
8343006 | Blood group antibody Re^a^
8354001 | Manganese ethylene bis-dithiocarbamate
8355000 | Hafnium isotope
8362009 | Blood group antibody c
8365006 | Oil of pennyroyal-European
8368008 | Xylan 1,44-beta-xylosidase
8376005 | Duffy blood group antibody
8385005 | Glucan 1,4-alpha-glucosidase
8397006 | Nicotine resin complex
8406008 | Nitroethane oxidase
8429000 | Brilliant orange
8450009 | Oil of lemon grass
8452001 | Blood group antigen Sisson
8456003 | Methyl ethyl ketone peroxide
8460000 | Blood group antibody Vg^a^
8473001 | Homocysteine methyltransferase
8474007 | Lead oleate
8484008 | Blood group antigen Mur
8485009 | Oncogene protein P210, BCR-ABL
8486005 | HLA-DRw15 antigen
8487001 | ^48^Vanadium
8491006 | Complement inhibitor
8492004 | Allantoicase
8498000 | Short neurotoxin venom
8507001 | Cyclohexane
8514004 | Ornithine
8520003 | Hemoglobin Machida
8525008 | ^183^Osmium
8529002 | Urinary protein of low molecular weight
8534003 | ^110^Tin
8537005 | Solution
8578007 | Potassium cyanate

8591008 | Dichlorodifluoromethane
8612007 | Tumor necrosis factor
8620009 | Oncogene protein TCL6
8631001 | Potassium chloride
8653004 | Rubijervine
8660005 | Complement component C3c
8687009 | Gum arabic
8689007 | Kanamycin sulfate
8701002 | Sulfachlorpyridazine
8705006 | 4-Hydroxybenzoate decarboxylase
8731008 | Blood group antibody Austin
8740007 | C3(H20)Bb
8761000 | Adenylylsulfate kinase
8767001 | Santonin
8785008 | Chlorine dioxide
8786009 | Blood group antigen Wd^a^
8795001 | Hemoglobin F
8817004 | LH receptor site
8818009 | Blood group antibody Tri W
8822004 | Linoleic acid
8830003 | Nitrate reductase (NAD(P)H)
8836009 | Gallocyanine
8844009 | Hydroxybutyrate-dimer hydrolase
8858006 | Strontium nitrate Sr^85^
8865003 | Natural graphite
8878003 | Blood group antigen Evelyn
8882001 | 3-Hydroxybenzoate 6-monooxygenase
8886003 | Flecainide acetate
8908003 | Blood group antibody I^T^
8914005 | Endolymph
8919000 | Biotin
8926000 | Azur B
8945009 | Phosphopantothenate-cysteine ligase
8953001 | 2,3-Dihydroxyindole 2,3-dioxygenase
8963009 | N-Acetylmuramoyl-L-alanine amidase
8969008 | Bulbourethral secretions
8977007 | Blood group antibody Tarplee
8982000 | Oleate hydratase
8987006 | Cycle-phase specific agent
8991001 | Ribulokinase
9010006 | Methyl blue
9013008 | Dephospho-CoA kinase
9021002 | Carbaryl
9024005 | Glucose-6-phosphate dehydrogenase
9045003 | Radon radioisotope
9052001 | Allspice oil
9054000 | Blood group antigen HLA-B15
9103003 | Retinol fatty-acyltransferase
9110009 | Mercuric compound
9125009 | Sempervirine
9159008 | Triacetate-lactonase
9172009 | Blood group antibody Alda
9174005 | Fibrinogen Poitiers
9183000 | beta-N-Acetylgalactosaminidase
9189001 | CMP-N-acetylneuraminate-lactosylceramide alpha-2,3-sialyltransferase
9195000 | Immunoglobulin gene INV allotype
9197008 | Apiose reductase
9205004 | Hemoglobin Tarrant
9220005 | Plant phenol oil
9223007 | Borneol dehydrogenase
9234005 | Chlorobutanol
9246009 | ^118^Tellurium
9253000 | HLA-DRw16 antigen
9270008 | Catecholamine receptor
9271007 | Fibrinogen Pontoise

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.128 Value Set http://hl7.org/fhir/ValueSet/basic-resource-type

URL: https://hl7.org/fhir/STU3/valueset-basic-resource-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/basic-resource-type

Name: | Basic Resource Types

Definition: | This value set defines codes for resources not yet supported by (or which will never be supported by) FHIR. Many of the codes listed here will eventually be turned into official resources. However, there is no guarantee that any particular resource will be created nor that the scope will be exactly as defined by the codes presented here. Codes in this set will be deprecated if/when formal resources are defined that encompass these concepts.

Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.128 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Basic Resource Types

* Basic.code (Example)

4.3.1.128.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/basic-resource-type

4.3.1.128.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 16 concepts

Expansion based on http://hl7.org/fhir/basic-resource-type version 3.0.2

All codes from system http://hl7.org/fhir/basic-resource-type

Code | Display | Definition

consent | Consent | An assertion of permission for an activity or set of activities to occur, possibly subject to particular limitations; e.g. surgical consent, information disclosure consent, etc.

referral | Referral | A request that care of a particular type be provided to a patient. Could involve the transfer of care, a consult, etc.

advevent | Adverse Event | An undesired reaction caused by exposure to some agent (e.g. a medication, immunization, food, or environmental agent).

aptmtreq | Appointment Request | A request that a time be scheduled for a type of service for a specified patient, potentially subject to other constraints

transfer | Transfer | The transition of a patient or set of material from one location to another

diet | Diet | The specification of a set of food and/or other nutritional material to be delivered to a patient.

adminact | Administrative Activity | An occurrence of a non-care-related event in the healthcare domain, such as approvals, reviews, etc.

exposure | Exposure | Record of a situation where a subject was exposed to a substance. Usually of interest to public health.

investigation | Investigation | A formalized inquiry into the circumstances surrounding a particular unplanned event or potential event for the purposes of identifying possible causes and contributing factors for the event

account | Account | A financial instrument used to track costs, charges or other amounts.

invoice | Invoice | A request for payment for goods and/or services. Includes the idea of a healthcare insurance claim.

adjudicat | Invoice Adjudication | The determination of what will be paid against a particular invoice based on coverage, plan rules, etc.

predetreq | Pre-determination Request | A request for a pre-determination of the cost that would be paid under an insurance plan for a hypothetical claim for goods or services

predetermine | Predetermination | An adjudication of what would be paid under an insurance plan for a hypothetical claim for goods or services

study | Study | An investigation to determine information about a particular therapy or product

protocol | Protocol | A set of (possibly conditional) steps to be taken to achieve some aim. Includes study protocols, treatment protocols, emergency protocols, etc.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.130 Value Set http://hl7.org/fhir/ValueSet/care-plan-status

URL: https://hl7.org/fhir/STU3/valueset-care-plan-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-plan-status
Name: | CarePlanStatus
Definition: | Indicates whether the plan is currently being acted upon, represents future intentions or is now a historical record.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.130 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CarePlanStatus

* CarePlan.status (Required)

4.3.1.130.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/care-plan-status

4.3.1.130.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/care-plan-status version 3.0.2

All codes from system http://hl7.org/fhir/care-plan-status

Code | Display | Definition
draft | Pending | The plan is in development or awaiting use but is not yet intended to be acted upon.
active | Active | The plan is intended to be followed and used as part of patient care.
suspended | Suspended | The plan has been temporarily stopped but is expected to resume in the future.
completed | Completed | The plan is no longer in use and is not expected to be followed or used in patient care.
entered-in-error | Entered In Error | The plan was entered in error and voided.
cancelled | Cancelled | The plan has been terminated prior to reaching completion (though it may have been replaced by a new plan).
unknown | Unknown | The authoring system doesn't know the current state of the care plan.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.133 Value Set http://hl7.org/fhir/ValueSet/care-plan-activity

URL: https://hl7.org/fhir/STU3/valueset-care-plan-activity.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-plan-activity
Name: | Care Plan Activity
Definition: | Example Codes for types of activities that can appear in a care plan.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.133 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* CarePlan.activity.detail.code (Example)

4.3.1.133.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 71388002 (Procedure)

4.3.1.133.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
104001	Excision of lesion of patella	
115006	Removable appliance therapy	
119000	Thoracoscopic partial lobectomy of lung	
121005	Retrobulbar injection of therapeutic agent	
128004	Hand microscope examination of skin	
133000	Percutaneous implantation of neurostimulator electrodes into neuromuscular component	
135007	Arthrotomy of wrist joint with exploration and biopsy	
142007	Excision of tumor from shoulder area, deep, intramuscular	
146005	Repair of nonunion of metatarsal with bone graft	
153001	Cystourethroscopy with resection of ureterocele	
160007	Removal of foreign body of tendon and/or tendon sheath	
166001	Behavioral therapy	
170009	Special potency disk identification, vancomycin test	
174000	Harrison-Richardson operation on vagina	
176003	Anastomosis of rectum	
189009	Excision of lesion of artery	
197002	Mold to yeast conversion test	
230009	Miller operation, urethrovesical suspension	
243009	Replacement of cerebral ventricular tube	
245002	Division of nerve ganglion	
262007	Percutaneous aspiration of renal pelvis	
267001	Anal fistulectomy, multiple	
285008	Incision and drainage of vulva	
294002	Excisional biopsy of joint structure of spine	
295001	Nonexcisional destruction of cyst of ciliary body	
306005	Echography of kidney	
316002	Partial dacryocystectomy	
334003	Panorex examination of mandible	
342002	Amobarbital interview	
346004	Periodontal scaling and root planing, per quadrant	
348003	Radionuclide dynamic function study	
351005	Urinary undiversion of ureteral anastomosis	
352003	Reagent RBC, preparation antibody sensitized pool	
353008	IV/irrigation monitoring	
374009	Costosternoplasty for pectus excavatum repair	
388008	Blepharorrhaphy	
389000	Tobramycin measurement	
401004	Distal subtotal pancreatectomy	
406009	Fulguration of stomach lesion	
417005	Hospital re-admission	
435001	Pulmonary inhalation study	
445004	Repair of malunion of tibia	
456004	Total abdominal colectomy with ileostomy	
459006	Closed condylotomy of mandible	
463004	Closed reduction of coxofemoral joint dislocation with splint	
468008	Glutathione measurement	
474008	Esophagoenteric anastomosis, intrathoracic	
489004	Ferritin measurement	
493005	Urobilinogen measurement, 48-hour, feces	
494004	Excision of lesion of tonsil	
497006	Replacement of cochlear prosthesis, multiple channels	
503003	Corneal gluing	

531007 | Open pulmonary valve commissurotomy with inflow occlusion
533005 | Repair of vesicocolic fistula
535003 | Closure of ureterovesicovaginal fistula
540006 | Antibody to single and double stranded DNA measurement
543008 | Choledochostomy with transduodenal sphincteroplasty
545001 | Operative procedure on lower leg
549007 | Incision of intracranial vein
550007 | Excision of lesion of adenoids
559008 | Excision of varicose vein
570001 | Vaccination for arthropod-borne viral encephalitis
574005 | Benzodiazepine measurement
603006 | Synchondrotomy
617002 | Bone graft to mandible
618007 | Frontal sinusectomy
625000 | Removal of supernumerary digit
628003 | Steinman test
629006 | Lysis of adhesions of urethra
633004 | Chart review by physician
637003 | Lysis of adhesions of nose
642006 | Cerebral thermography
645008 | Diagnostic procedure on vitreous
647000 | Excision of cervix by electroconization
657004 | Operation on bursa
665001 | Partial meniscectomy of temporomandibular joint
670008 | Electrosurgical epilation of eyebrow
671007 | Transplantation of testis
673005 | Indirect laryngoscopy
674004 | Abduction test
676002 | Peritoneal dialysis including cannulation
680007 | Radiation physics consultation
687005 | Albumin/Globulin ratio
695009 | Destructive procedure of lesion on skin of trunk
697001 | Hepatitis A virus antibody measurement
710006 | Thromboendarterectomy with graft of mesenteric artery
712003 | Closed chest suction
721002 | Medical procedure on periurethral tissue
722009 | Fine needle biopsy of thymus
726007 | Pathology consultation, comprehensive, records and specimen with report
730005 | Incision of subcutaneous tissue
741007 | Operation on prostate
746002 | Chiropractic adjustment of coccyx subluxation
753006 | Manipulation of ankle AND foot
754000 | Total urethrectomy
759005 | Intracerebral electroencephalogram
762008 | Computerized axial tomography of cervical spine with contrast
764009 | Arthrodesis of interphalangeal joint of great toe
767002 | White blood cell count
789003 | Cranial decompression, subtemporal, supratentorial
791006 | Dressing and fixation procedure
807005 | Excision of brain
814007 | Electrophoresis measurement
817000 | Excision of cyst of spleen
831000 | Drawer test
851001 | Root canal therapy, molar, excluding final restoration
853003 | Fecal fat measurement, 72-hour collection
867007 | Facial-hypoglossal nerve anastomosis
870006 | Carbamazepine measurement
879007 | Special blood coagulation test, explain by report
881009 | Cyclodialysis
893000 | Tumor antigen measurement
897004 | Radical maxillary antrotomy
910002 | MHPG measurement, urine
911003 | Removal of subarachnoid-ureteral shunt
913000 | Chiropractic patient education and instruction
926001 | Embolectomy with catheter of radial artery by arm incision
935008 | Excision of bulbourethral gland
941001 | Endoscopy of pituitary gland
945005 | Excision of tibia and fibula for graft
948007 | Phlebectomy of intracranial varicose vein
951000 | Ultrasonic guidance for endomyocardial biopsy
956005 | Anesthesia for procedure on thoracic esophagus
967006 | Medication education

969009 | Incision and exploration of larynx
971009 | Prosthetic construction and fitting
1001000 | Cauterization of Bartholin's gland
1008006 | Operation on nerve ganglion
1019009 | Removal of corneal epithelium
1021004 | Repair of scrotum
1029002 | Fetoscopy
1032004 | Enucleation of parotid gland cyst
1035002 | Minimum bactericidal concentration test, microdilution method
1036001 | Insertion of intravascular device in common iliac vein, complete
1041009 | Debridement of open fracture of phalanges of foot
1042002 | Paternity testing
1043007 | Doppler color flow velocity mapping
1044001 | Diagnostic ultrasound of abdomen and retroperitoneum
1048003 | Capillary specimen collection
1054002 | Incision of sphincter of Oddi
1071001 | Proximal splenorenal anastomosis
1084005 | Excision of perinephric cyst
1093006 | Excision of abdominal varicose vein
1103000 | Transcrural mobilization of stapes
1104006 | Triad knee repair
1115001 | Decortication
1119007 | Closed reduction of dislocation of foot and toe
1121002 | Kinetic activities for range of motion
1127003 | Interstitial radium application
1133007 | Removal of intact mammary implant, bilateral
1163003 | Ureteroenterostomy
1176009 | Incision of inguinal region
1181000 | Excision of tendon for graft
1186005 | Anesthesia for procedure on bony pelvis
1198000 | Excisional biopsy of bone of scapula
1209007 | Arthroscopy of knee with lateral meniscus repair
1225002 | Radiography of humerus
1227005 | Incision of subvalvular tissue for discrete subvalvular aortic stenosis
1235008 | Muscle transfer
1237000 | Application of cast, sugar tong
1238005 | Epiphyseal arrest by stapling of distal radius
1251000 | Incisional biopsy of testis
1253002 | Refusion of spine
1258006 | Excision of meniscus of wrist
1266002 | Closure of fistula of ear drum
1267006 | Electrocoagulation of lesion of vagina
1278003 | Open reduction of closed shoulder dislocation with fracture of greater tuberosity
1279006 | Repair of cardiac pacemaker pocket in skin AND/OR subcutaneous tissue
1292009 | Magnetic resonance imaging of urinary bladder
1299000 | Excision of appendiceal stump
1315009 | Reconstruction of eyebrow
1316005 | Upper partial denture, cast metal base without resin saddles, including any conventional clasps, rests and teeth
1324000 | Cerebrospinal fluid IgG ratio and IgG index
1327007 | Procedure on Meckel's diverticulum
1328002 | Ilioiliac shunt
1329005 | Division of congenital web of larynx
1337002 | Colosigmoidostomy
1339004 | Removal of impacted feces
1347004 | Medical procedure on palate
1352009 | Anterior spinal rhizotomy
1358008 | Anti-human globulin test, enzyme technique, titer
1366004 | Inhalation therapy procedure
1385001 | Echography, scan B-mode for fetal age determination
1390003 | Laparoscopic-assisted sigmoid colectomy
1398005 | Direct thrombectomy of iliac vein by leg incision
1399002 | Incision and exploration of ureter
1407007 | Application of long leg cast, brace type
1410000 | Anesthesia for tympanotomy
1411001 | Operation on papillary muscle of heart
1413003 | Penetrating keratoplasty with homograft
1414009 | Angiography of arteriovenous shunt
1417002 | Operation on face
1431002 | Fixation
1440003 | Repair with resection-recession
1449002 | Epilation
1453000 | Biofeedback, galvanic skin response

1455007 | Cerclage
1457004 | Truncal vagotomy with pyloroplasty and gastrostomy
1494008 | Osmolarity measurement
1500007 | Bilateral epididymovasostomy with anastomosis of epididymis to vas deferens
1501006 | Altemeier operation, perineal rectal pull-through
1505002 | Hospital admission for isolation
1529009 | Aspiration of soft tissue
1533002 | Ureteroplication
1550000 | Amikacin measurement
1555005 | Brief group psychotherapy
1559004 | IL-2 assay
1576000 | Repair of uteroenteric fistula
1577009 | Implantation of cardiac single-chamber device replacement, rate-responsive
1578004 | Reconstruction of ossicles with stapedectomy
1583007 | Tractotomy of mesencephalon
1585000 | Lengthening of gastrocnemius muscle
1596008 | Anesthesia for total elbow replacement
1597004 | Skeletal X-ray of ankle and foot
1602006 | Social service interview with planning
1614003 | Bilateral repair of inguinal hernia, direct
1615002 | Reline upper partial denture, chairside
1616001 | Galactosylceramide beta-galactosidase measurement, leukocytes
1636000 | Injection of sclerosing agent in varicose vein
1638004 | Cineplasty with cineplastic prosthesis of extremity
1640009 | History and physical examination, insurance
1645004 | Transduodenal sphincterotomy
1651009 | Excision of tendon sheath
1653007 | Internal fixation of bone without fracture reduction
1669000 | Making occupied bed
1677001 | Haagensen test
1678006 | Endoscopic procedure of nerve
1680000 | Secondary chemoprophylaxis
1683003 | Direct closure of laceration of conjunctiva
1689004 | Local excision of ovary
1691007 | Drainage of abscess of tonsil
1699009 | Special dosimetry
1702002 | Labial veneer, resin laminate, laboratory
1704001 | Repair of congenital pseudoarthrosis of tibia
1709006 | Breast reconstruction, bilateral, with bilateral pedicle TRAM flaps
1712009 | Immunoglobulin typing, IgG
1713004 | Hypothermia, total body, induction and maintenance
1730002 | Suture of skin wound of hindfoot
1746005 | Scleral buckling with implant
1747001 | Replacement of skeletal muscle stimulator
1753001 | Resection of uveal tissue
1757000 | Arthroscopy of wrist with partial synovectomy
1759002 | Assessment of nutritional status
1770009 | Mitral valvotomy
1774000 | Nasopharyngeal rehabilitation
1775004 | Submaxillary incision with drainage
1784004 | Fecal stercobilin, qualitative
1787006 | Ultrasonic guidance for pericardiocentesis
1788001 | Blood unit collection for directed donation, donor
1801001 | Endoscopic biopsy of duodenum
1805005 | Surgical closure of stoma
1811008 | Aspiration of bursa of hand
1813006 | Cryotherapy of genital warts
1820004 | Alcohol measurement, breath
1830008 | Open reduction of open sacral fracture
1836002 | Excision of diverticulum of ventricle of heart
1844002 | Plication of ligament
1854003 | Incision of nose
1859008 | Removal of foreign body from tendon of hand
1861004 | Anesthesia for closed procedure on humerus and elbow
1862006 | Thoracic phlebectomy
1866009 | Bilateral nephrectomy
1868005 | Removal of foreign body from brain
1870001 | Insertion of halo device of skull with synchronous skeletal traction
1871002 | Repair of aneurysm of coronary artery
1872009 | Suture of male perineum
1876007 | Recession of prognathic jaw
1879000 | Fluorescent antigen measurement

1889001 | Patient transfer, in-hospital, unit-to-unit
1906007 | Insertion of prosthesis or prosthetic device of arm, bioelectric or cineplastic
1907003 | Bifurcation of bone
1917008 | Patient discharge, deceased, medicolegal case
1924009 | Hepaticotomy with drainage
1950008 | Drainage of abscess of nasal septum
1958001 | Grafting of bone of thumb with transfer of skin flap
1966005 | Central block anesthesia
1983001 | Total urethrectomy including cystostomy in female
1995001 | Stripping of cerebral meninges
1999007 | Psychologic test
2002009 | Construction of subcutaneous tunnel without esophageal anastomosis
2021001 | Internal fixation of radius and ulna without fracture reduction
2051007 | Red cell iron utilization study
2054004 | Barbiturates measurement, quantitative and qualitative
2067001 | Implantation of electromagnetic hearing aid
2069003 | Dental subperiosteal implant
2078009 | Puncture of bursa of hand
2079001 | Reimplantation of anomalous pulmonary artery
2080003 | Angiectomy with anastomosis of lower limb artery
2098004 | Open reduction of open mandibular fracture with external fixation
2115003 | Dental prophylaxis, children
2119009 | Repair of blood vessel
2127000 | Reduction of closed sacral fracture
2137005 | Excision of pericardial tumor
2153008 | Cardiac catheterization education
2161003 | Operation on vulva
2164006 | Injection of aorta
2166008 | Bicuspidization of aortic valve
2171001 | Excision of tonsil tags
2178007 | Ureterocentesis
2181002 | Operation for bone injury of tarsals and metatarsals
2188008 | Suture of tendon to skeletal attachment
2193006 | Repair of ruptured aneurysm with graft of celiac artery
2196003 | Gas liquid chromatography, electron capture type
2199005 | Excision of lesion of cul-de-sac
2214008 | Curette test of skin
2220009 | Complement component assay
2225004 | Sensititer system test
2234009 | Proctosigmoidopexy
2238007 | Stone operation, anoplasty
2242005 | Reconstruction of eyelid
2244006 | Arthroscopy of wrist with internal fixation for instability
2250001 | Resection of ascending aorta with anastomosis
2252009 | Hospital admission, urgent, 48 hours
2266004 | Venography of adrenal, bilateral
2267008 | Changing tracheostomy tube
2270007 | Repair of cleft hand
2276001 | Exploration of popliteal artery
2278000 | Urinalysis, automated
2279008 | Antibody detection, RBC, enzyme, 1 stage technique, including anti-human globulin
2290003 | Microbial culture, anaerobic, initial isolation
2315006 | Operation on cerebral meninges
2318008 | Anesthesia for cast procedure on forearm, wrist or hand
2321005 | Delivery by Ritgen maneuver
2322003 | Suture of recent wound of eyelid, direct closure, full-thickness
2337004 | Adductor tenotomy of hip
2344008 | Complicated cystorrhaphy
2347001 | Diagnostic model construction
2364003 | Radical resection of tumor of soft tissue of wrist area
2371008 | Tympanoplasty type II with graft against incus or malleus
2373006 | Buffy coat smear evaluation
2382000 | Application of manual or electric breast pump
2386002 | Reduction of closed patellar dislocation
2393003 | Ligation of vein of lower limb
2406000 | Periodontic dental consultation and report
2407009 | Excision of mediastinal tumor
2408004 | Hexosaminidase A and total hexosaminidase measurement, serum
2409007 | Reattachment of extremity of foot
2425002 | Epstein-Barr virus serologic test
2442008 | Incision of lacrimal canaliculus
2448007 | Cell count of synovial fluid with differential count

2455009 | Revision of lumbosubarachnoid shunt
2457001 | Blind rehabilitation therapy
2458006 | Educational therapy
2459003 | Destructive procedure of artery of upper extremity
2461007 | Tennis elbow test
2474001 | Repair of malunion of metatarsal bones
2475000 | Urine specimen collection, 24 hours
2480009 | Debridement of skin, subcutaneous tissue, muscle and bone
2486003 | Destruction of tissue of breast
2488002 | Prescription, fitting and dispensing of contact lens
2494005 | Nursing conference
2498008 | Rebase of upper partial denture
2507007 | 5' Nucleotidase measurement
2508002 | Retrograde urography with KUB
2514009 | Reduction of closed humeral supracondylar fracture with manipulation and traction
2517002 | Stroke rehabilitation
2530001 | Chiropractic visit
2531002 | Mononuclear cell function assay
2535006 | Pulpectomy
2536007 | Injection of medication in anterior chamber of eye
2547000 | Excision of keloid
2552005 | Incision of cerebral subarachnoid space
2564002 | Creation of lumbar shunt including laminectomy
2566000 | Osteoplasty of radius
2567009 | Resection of rib by transaxillary approach
2580007 | Transplant of hair follicles to scalp
2598006 | Open heart surgery
2601001 | Removal of bone flap of skull
2607002 | Operation on uterus supporting structures
2613006 | Implantation of prosthesis or prosthetic device of joint of hand
2614000 | Removal of ligature from fallopian tube
2616003 | Repair of bifid digit of hand
2619005 | Psychiatric interpretation to family or parents of patient
2629003 | Intracranial/cerebral perfusion pressure monitoring
2632000 | Incision and drainage of infected bursa of upper arm
2642003 | Prefabricated post and core in addition to crown
2643008 | Ligation of varicose vein of head and neck
2644002 | Cauterization of liver
2645001 | Intelligence test/WB1
2646000 | Incision and exploration of vas deferens
2658000 | Social service interview of patient
2659008 | Suture of ligament of lower extremity
2668005 | Recementation of space maintainer
2670001 | Diagnostic procedure on cornea
2673004 | Incision and drainage of masticator space by extraoral approach
2677003 | Stripping
2690005 | Magnetic resonance imaging of pelvis
2693007 | Stool fat, quantitative measurement
2696004 | Hepatic venography with hemodynamic evaluation
2697008 | Stripping and ligation of saphenous vein
2716009 | Dermal-fat-fascia graft
2722000 | IL-3 assay
2731000 | Serologic test for influenza virus A
2732007 | Recession of tendon of hand
2737001 | Exploratory craniotomy, infratentorial
2742009 | Destruction of Bartholin's gland or cyst
2743004 | Operative endoscopy of ileum
2745006 | Omentopexy
2752008 | Incudopexy
2780005 | Osteoplasty of facial bones
2794006 | Cauterization of navel
2802005 | Manual dilation and stretching
2811005 | Cineradiography of pharynx
2813008 | Nephroureterocystectomy
2837008 | Transposition of ulnar nerve at elbow
2842000 | Gas chromatography measurement
2843005 | Revision of urinary conduit
2847006 | Cervical myelography
2851008 | Arthrotomy for synovectomy of sternoclavicular joint
2854000 | Bursectomy of hand
2857007 | Pinealectomy
2866006 | Obliteration of lymphatic structure

2875008 | Implantation of prosthesis or prosthetic device of elbow joint
2876009 | Hospital admission, type unclassified, explain by report
2885009 | Intradermal skin test
2891006 | Arthroscopy of elbow with partial synovectomy
2898000 | DNA analysis, antenatal, blood
2903001 | Diagnostic procedure on anterior chamber of eye
2908005 | Destruction of hemorrhoids by cryotherapy
2914003 | Anterior sclerotomy
2915002 | Suture of capsule of ankle
2933008 | Pneumogynecography
2945004 | Suprapubic diverticulectomy of bladder
2947007 | Therapeutic compound measurement
2960001 | Repair of fistula of cervix
2968008 | Craniectomy with treatment of penetrating wound of brain
2970004 | Metacarpal lengthening and transfer of local flap
2971000 | Closure of urethrovaginal fistula
2977001 | Thrombectomy of lower limb vein
3001009 | Total lobectomy with bronchoplasty
3010001 | Removal of silastic tubes from ear
3016007 | Removal of Crutchfield tongs from skull
3025001 | Calcitonin measurement
3026000 | Tibiotalar arthrodesis
3029007 | Peripheral nervous system disease rehabilitation
3041000 | Repair of stomach
3047001 | Kowa fundus photography
3060007 | Forequarter amputation, right
3061006 | Complete avulsion of nail
3063009 | Gastroscopy through artificial stoma
3075004 | Nonoperative removal of prosthesis of bile duct
3078002 | Embolectomy with catheter of renal artery by abdominal incision
3083005 | Removal of device from thorax
3088001 | Anesthesia for endoscopic procedure on upper extremity
3090000 | Aneurysmectomy with graft replacement of lower limb artery
3112006 | Restraint removal
3116009 | Blood coagulation panel
3130004 | Monitoring of cardiac output by ECG
3133002 | Patient discharge, deceased, autopsy
3137001 | Reimplantation
3143004 | Visual field examination and evaluation, intermediate
3162001 | Gadolinium measurement
3164000 | Open reduction of closed mandibular fracture with interdental fixation
3165004 | Irrigation of muscle of hand
3166003 | Repair of salivary gland fistula
3177009 | Internal obstetrical version
3183007 | Closure of colostomy
3186004 | Excision of Skene's gland
3190002 | Epilation by forceps
3204007 | Destructive procedure of nerve
3241008 | Correction of chordee with mobilization of urethra
3249005 | Surgical construction of filtration bleb
3251009 | Mayo operation, herniorrhaphy
3256004 | Cervical lymphangiogram
3257008 | Empty and measure peritoneal dialysis fluid
3258003 | Arteriography of cerebral arteries
3268008 | Transplantation of tissue of pelvic region
3270004 | Implantation of neurostimulator in spine
3278006 | Lysis of adhesions of bursa of hand
3287002 | Cholecystogastrostomy
3320000 | Autotransfusion
3324009 | Laser beam photocoagulation
3326006 | Excision of bunionette
3328007 | Incision of vein of head and neck
3333006 | Application of short arm splint, forearm to hand, static
3338002 | Open reduction of open radial shaft fracture
3352000 | Parathyroid hormone measurement
3357006 | Iron kinetics study
3360004 | Anastomosis of bile ducts
3390006 | Verification routine
3399007 | Reduction of torsion of omentum
3407002 | Creation of lesion of spinal cord by percutaneous method
3413006 | Blood cell morphology
3418002 | Chondrectomy of spine

3432000 | Preventive dental service
3443008 | Pulp cap, direct, excluding final restoration
3448004 | Fixation of contralateral testis
3450007 | Lymphocytes, T & B cell evaluation
3457005 | Patient referral
3479000 | Removal of heart assist system with replacement
3498003 | Total excision of pituitary gland by transsphenoidal approach
3499006 | Aspiration of vitreous with replacement
3509001 | Streptococcus vaccination
3512003 | Angiography of arteries of extremity
3515001 | Replacement of electronic heart device, pulse generator
3517009 | Removal of foreign body of pelvis from subcutaneous tissue
3518004 | Aversive psychotherapy
3527003 | Antibody measurement
3546002 | Aortocoronary artery bypass graft with saphenous vein graft
3559005 | Insertion of ureteral stent with ureterotomy
3562008 | Rodney Smith operation, radical subtotal pancreatectomy
3564009 | Removal of foreign body from fallopian tube
3575008 | Repair of fascia with graft of fascia
3580004 | Removal of calculus of pharynx
3605001 | Reduction of ciliary body
3607009 | Transplantation of mesenteric tissue
3620007 | Red cell survival study with hepatic sequestration
3625002 | Anesthesia for brachial arteriograms, retrograde
3651000 | Morphometric analysis, nerve
3654008 | Lingulectomy of lung
3659003 | Incision of inner ear
3664004 | Repair of scleral fistula
3666002 | Peripheral neurorrhaphy
3669009 | Fitting of prosthesis or prosthetic device of upper arm
3673007 | Leadbetter urethral reconstruction
3683006 | Selenium measurement, urine
3686003 | Zancolli operation for tendon transfer of biceps
3688002 | Anesthesia for lens surgery
3690001 | Shunt of left subclavian to descending aorta by Blalock-Park operation
3691002 | Wedge osteotomy of tarsals and metatarsals
3697003 | Tissue processing technique, routine, embed, cut and stain, per autopsy
3700004 | Erysiphake extraction of cataract by intracapsular approach
3701000 | Removal of foreign body of hip from subcutaneous tissue
3713005 | Release for de Quervain's tenosynovitis of hand
3717006 | Dilute Russell viper venom time
3734003 | Partial-thickness skin graft
3735002 | Coproporphyrin III measurement
3740005 | Removal of foreign body of canthus by incision
3748003 | Biopsy of perirenal tissue
3749006 | Reduction of closed ischial fracture
3758004 | Thrombectomy with catheter of subclavian artery by neck incision
3770000 | Ward urine dip stick testing
3778007 | Manipulation of scrotal tissue
3780001 | Routine patient disposition, no follow-up planned
3784005 | Delayed hypersensitivity skin test for SK-SD
3786007 | Excision of lesion of pharynx
3787003 | Ultrasonic guidance for needle biopsy
3794000 | Pregnanetriol measurement
3796003 | Excision of redundant mucosa from jejunostomy
3799005 | Radiography of adenoids
3802001 | Dental application of desensitizing medicament
3819004 | Embolization of thoracic artery
3826004 | Blepharotomy with drainage of abscess of eyelid
3828003 | Open biopsy of vertebral body of thoracic region
3831002 | Chiropractic application of ice
3843001 | Removal of foreign body from fascia
3858009 | Echography of thyroid, A-mode
3861005 | Aneurysmectomy with anastomosis of lower limb artery
3862003 | Total vital capacity measurement
3864002 | Excisional biopsy of scrotum
3880007 | Excision of lesion of fibula
3881006 | Incision and drainage of submental space by extraoral approach
3887005 | Ligation of wart
3889008 | Suture of lip
3891000 | Comprehensive orthodontic treatment, permanent dentition, for class I malocclusion
3895009 | Application of dressing

3907006 | Incision and drainage of retroperitoneal abscess
3911000 | Muscle transplantation
3915009 | Excision of artery of thorax and abdomen
3917001 | Excisional biopsy of phalanges of foot
3918006 | Plastic repair with lengthening
3926003 | Lactic acid measurement
3929005 | Patient transfer, in-hospital, bed-to-bed
3936006 | Making Foster bed
3938007 | Cerclage for retinal reattachment
3942005 | Cystopexy
3955006 | Antibody elution, RBC
3957003 | Arteriectomy of thoracoabdominal aorta
3963007 | Operation on submaxillary gland
3967008 | Fluorescence polarization immunoassay
3968003 | Facetectomy of vertebra
3969006 | Removal of osteocartilagenous loose body from joint structures
3971006 | Duchenne muscular dystrophy carrier detection
3980006 | Subtotal resection of esophagus
3981005 | Carrier detection, molecular genetics
3985001 | Anesthesia for procedure on arteries of lower leg with bypass graft
3991004 | Magnetic resonance imaging of pelvis, prostate and bladder
3998005 | Bone imaging of limited area
4007002 | Anti-human globulin test, indirect, titer, non-gamma
4008007 | Phlebography of neck
4010009 | Oophorectomy of remaining ovary with tube
4027001 | Implantation of electronic stimulator into phrenic nerve
4034004 | Closed reduction of facial fracture, except mandible
4035003 | Restoration, resin, two surfaces, posterior, permanent
4036002 | Arthroscopy of elbow with extensive debridement
4037006 | Removal of vascular graft or prosthesis
4044002 | Permanent colostomy
4045001 | Drainage of cerebral ventricle by incision
4052004 | Percutaneous aspiration of spinal cord cyst
4064007 | Specimen aliquoting
4068005 | Removal of ventricular reservoir with synchronous replacement
4083000 | Fitting of prosthesis or prosthetic device of lower arm
4084006 | Repair of tendon of hand by graft or implant of muscle
4090005 | Replacement of transvenous atrial and ventricular pacemaker electrode leads
4094001 | Reduction of retroversion of uterus by suppository
4101004 | Revision of spinal pleurothecal shunt
4102006 | Root canal therapy, anterior, excluding final restoration
4114003 | Parenteral chemotherapy for malignant neoplasm
4116001 | Fenestration procedure
4119008 | Intracranial phlebectomy with anastomosis
4131005 | Implantation into pelvic region
4134002 | Operative block anesthesia
4139007 | Posterior spinal cordotomy
4143006 | Injection of anterior chamber of eye
4149005 | Bone histomorphometry, aluminum stain
4154001 | Incision and drainage of penis
4165006 | Delayed hypersensitivity skin test for staphage lysate
4176005 | Fothergill operation on uterus
4192000 | Toxicology testing for organophosphate insecticide
4213001 | Implantation of Ommaya reservoir
4214007 | Intracardiac injection for cardiac resuscitation
4226002 | Excision of lesion of thoracic vein
4252008 | Aneurysmectomy with graft replacement by interposition
4263006 | Biopsy of soft tissue of elbow area, superficial
4266003 | Patient referral for drug addiction rehabilitation
4285000 | Insertion of bone growth stimulator into femur
4293000 | Reduction of intussusception by laparotomy
4304000 | Excision of cusp of tricuspid valve
4319004 | Rebase of complete lower denture
4321009 | Angiography of lower extremity arteries, bilateral
4323007 | Destruction of lesion of sclera
4331002 | Anesthesia for hernia repair in lower abdomen
4333004 | Incision and drainage of perisplenic space
4336007 | Lloyd-Davies operation, abdominoperineal resection
4337003 | Homogentisic acid measurement
4339000 | Repair of nasolabial fistula
4341004 | Complete submucous resection of turbinate
4344007 | Cryopexy

4348005 | Musculoplasty of hand
4350002 | Removal of implant of cornea
4363008 | Endoscopic brush biopsy of trachea
4365001 | Surgical repair
4380007 | Transposition of vulvar tissue
4387005 | Valvuloplasty of pulmonary valve in total repair of tetralogy of Fallot
4388000 | Repair of splenocolic fistula
4407008 | Slitting of lacrimal canaliculus for passage of tube
4411002 | Removal of device from female genital tract
4420006 | Incision and drainage of parapharyngeal abscess by external approach
4424002 | Making orthopedic bed
4436008 | MCP receptor measurement
4438009 | Venography of vena cava
4443002 | Decortication of ovary
4447001 | Autopsy, gross and microscopic examination, stillborn or newborn without CNS
4449003 | Manipulation of spinal meninges
4450003 | Application of Kirschner wire
4455008 | Open reduction of open elbow dislocation
4457000 | Insertion of mold into vagina
4466001 | Exploration of artery of upper limb
4467005 | Excision of tumor of ankle area, deep, intramuscular
4475004 | Cyanide measurement
4487006 | Norepinephrine measurement, supine
4489009 | Neurolysis of trigeminal nerve
4496006 | Special care of mouth
4503005 | Removal of foreign body of sclera without use of magnet
4504004 | Potter's obstetrical version with extraction
4505003 | Tenolysis of flexor tendon of forearm
4507006 | Decompression fasciotomy of wrist, flexor and extensor compartment
4511000 | Restoration, inlay, composite/resin, one surface, laboratory processed
4516005 | Iridencleisis and iridotasis
4520009 | Anastomosis of esophagus, antesternal or antethoracic, with insertion of prosthesis
4525004 | Emergency department patient visit
4533003 | Ligation of artery of lower limb
4535005 | Incision of pelvirectal tissue
4539004 | Excision of bronchogenic cyst
4542005 | Closed reduction of fracture of foot
4544006 | Excision of subcutaneous tumor of extremities
4558008 | Anterior resection of rectum
4563007 | Hospital admission, transfer from other hospital or health care facility
4570007 | Chemopallidectomy
4579008 | Creation of ventriculo-atrial shunt
4581005 | Coreoplasty
4585001 | Decompression of tendon of hand
4587009 | Epiphysiodesis of distal radius
4589007 | Medical procedure related to reproduction
4593001 | Cauterization of sclera with iridectomy
4594007 | Coproporphyrin isomers, series I & III, urine
4613005 | Radioimmunoassay
4625008 | Apical pulse taking
4626009 | Take-down of arterial anastomosis
4636001 | Denker operation for radical maxillary antrotomy
4640005 | Ligation of fallopian tubes by abdominal approach
4642002 | Removal of inflatable penile prosthesis, with pump, reservoir and cylinders
4660002 | Diagnostic procedure on phalanges of foot
4670000 | Catheterization of bronchus
4671001 | Excision of lesion from sphenoid sinus
4672008 | Medical procedure on the nervous system
4691008 | Identification of rotavirus antigen in feces
4692001 | Transplantation of artery of upper extremity
4694000 | Percutaneous needle biopsy of muscle
4699005 | Alpha naphthyl butyrate stain method, blood or bone marrow
4701005 | Colony forming unit-granulocyte-monocyte-erythroid-megakaryocyte assay
4707009 | Partial excision of calcaneus
4712005 | Removal of Gardner Wells tongs from skull
4713000 | Endoscopy and photography
4719001 | Psychologic cognitive testing and assessment
4727005 | Lipoprotein electrophoresis
4734007 | Irrigation of wound catheter of integument
4737000 | Mycobacteria culture
4756005 | Cryotherapy of subcutaneous tissue
4758006 | Incudostapediopexy

4764004 | Jet ventilation procedure
4765003 | Insertion of ocular implant following or secondary to enucleation
4770005 | Colporrhaphy for repair of urethrocele
4772002 | Reduction of torsion of spermatic cord
4784000 | Operation on sublingual gland
4804005 | Microbial identification test
4811009 | Reconstruction of diaphragm
4815000 | Antibody identification, RBC antibody panel, enzyme, 2 stage technique including anti-human globulin
4820000 | Incision of labial frenum
4827002 | Shower hydrotherapy
4829004 | Excision of small intestine for interposition
4847005 | Anesthesia for cesarean section
4849008 | Biopsy of ovary
4862007 | Revision of anastomosis of large intestine
4877004 | Extracapsular extraction of lens with iridectomy
4891005 | Proctostomy
4895001 | Construction of sigmoid bladder
4902005 | Ethchlorvynol measurement
4903000 | Serum protein electrophoresis
4904006 | Dilation of anal sphincter under nonlocal anesthesia
4914002 | Treatment planning for teletherapy
4929000 | Local perfusion of kidney
4930005 | Repair of thoracogastric fistula
4934001 | Salpingography
4957007 | Cervical spinal fusion for pseudoarthrosis
4966006 | Extracorporeal perfusion
4970003 | Venography
4974007 | Operation on liver
4976009 | Anesthesia for endoscopic procedure on lower extremity
4987001 | Osteoplasty of cranium with flap of bone
4992004 | Cardiac catheterization, left heart, retrograde, percutaneous
4993009 | Ischemic limb exercise with EMG and lactic acid determination
5016005 | Pontic, resin with high noble metal
5019003 | Direct laryngoscopy with biopsy
5021008 | Aldosterone measurement, standing, normal salt diet
5022001 | Lysergic acid diethylamide measurement
5025004 | Semen analysis, presence and motility of sperm
5032008 | Labial veneer, porcelain laminate, laboratory
5034009 | Graft to hair-bearing skin
5048009 | External cephalic version with tocolysis
5055006 | Uniscept system test
5057003 | Radical orbitomaxillectomy
5065000 | Reduction of closed traumatic hip dislocation with anesthesia
5091004 | Peripheral vascular disease study
5105000 | Endoscopy of renal pelvis
5110001 | Ultrasound peripheral imaging, real time scan
5113004 | T4 free measurement
5119000 | Epiglottidectomy
5121005 | Wedge osteotomy of pelvic bone
5123008 | Anesthesia for procedure on pericardium with pump oxygenator
5130002 | Extraction of primary membranous cataract by discission
5131003 | Radiography of chest wall
5135007 | Diagnostic procedure on scapula
5147001 | Excision of lesion of ankle joint
5151004 | Manual reduction of hemorrhoids
5154007 | Speech therapy
5161006 | Specialty clinic admission
5162004 | Excision of pressure ulcer
5165002 | Division of thoracic artery
5176003 | Thromboendarterectomy with graft of renal artery
5182000 | Total body perfusion
5184004 | Osteotomy of shaft of femur with fixation
5186002 | Arthrotomy for synovectomy of glenohumeral joint
5190000 | Cell fusion
5191001 | Surgical treatment of missed abortion of second trimester
5212002 | Excision of lesion of lacrimal gland by frontal approach
5216004 | Three dimensional ultrasound imaging of heart
5233006 | Lateral fasciotomy
5243009 | Suture of adenoid fossa
5245002 | Transplantation of peripheral vein
5246001 | Breakpoint cluster region analysis
5264008 | Total bile acids measurement

5267001 | Ligation of adrenal artery
5270002 | Bilateral destruction of fallopian tubes
5273000 | Reduction of closed fracture of proximal end of ulna with manipulation
5282006 | Operation on oropharynx
5290006 | Incision and drainage of Ludwig's angina
5298004 | Incision and drainage of deep hematoma of thigh region
5304008 | Deep radiation therapy, 200-300 KVP
5316002 | Closed osteotomy of mandibular ramus
5317006 | Radical amputation of penis with bilateral pelvic lymphadenectomy
5326009 | Administration of dermatologic formulation
5328005 | Shortening of Achilles tendon
5337005 | Trocar biopsy
5338000 | Nicotine measurement
5342002 | Prophylactic treatment of tibia with methyl methacrylate
5348003 | Repair of endocardial cushion defect
5357009 | Leukocyte poor blood preparation
5373003 | Stress breaker
5384005 | Excision of part of frontal cortex
5391008 | Artificial voice rehabilitation
5393006 | Exploration of parathyroid with mediastinal exploration by sternal split approach
5402006 | Manipulation of thoracic artery
5407000 | Injection of fallopian tube
5415002 | Destruction of lesion of liver
5419008 | Lysis of adhesions of tendon of hand
5422005 | Amylase measurement, peritoneal fluid
5429001 | Diagnostic procedure on nipple
5431005 | Percutaneous transluminal angioplasty
5433008 | Skeletal X-ray of lower limb
5446003 | Excision of cervical rib for outlet compression syndrome with sympathectomy
5447007 | Transfusion
5452002 | Core needle biopsy of thymus
5456004 | Graft of lymphatic structure
5457008 | Serologic test for Rickettsia conorii
5460001 | Removal of prosthesis from fallopian tube
5479003 | Select picture audiometry
5482008 | Serologic test for Blastomyces
5486006 | Delayed suture of tendon of hand
5489004 | Diagnostic procedure on radius
5506006 | Incision and exploration of abdominal wall
5517007 | Restoration, inlay, porcelain/ceramic, per tooth, in addition to inlay
5521000 | Open reduction of fracture of phalanges of foot
5536002 | Arthrodesis of carpometacarpal joint of digits, other than thumb
5545001 | Repair of carotid body
5551006 | Direct laryngoscopy with arytenoidectomy with operating microscope
5556001 | Manually assisted spontaneous delivery
5570001 | Arthrotomy for infection with exploration and drainage of carpometacarpal joint
5571002 | Excision of lesion of aorta with end-to-end anastomosis
5572009 | Incision of kidney pelvis
5586008 | Aminolevulinic acid dehydratase measurement
5608002 | Excretion measurement
5616006 | Osteoplasty of tibia
5621009 | Excision of malignant lesion of skin of extremities
5632009 | Open biopsy of bronchus
5636007 | Fistulectomy of bone
5638008 | Carbohydrate measurement
5648005 | Surgical repair and revision of shunt
5651003 | Arylsulfatase A measurement
5663008 | Phlebectomy of varicose vein of head and neck
5669007 | Portable electroencephalogram awake and asleep with stimulation
5671007 | Magnet extraction of foreign body from ciliary body
5687005 | Removal of foreign body from ovary
5690004 | Incision of seminal vesicle
5694008 | Crisis intervention with follow-up
5721002 | Repair of eyebrow
5722009 | Surgical reanastomosis of colon
5726007 | Removal of epicardial electrodes
5728008 | Anoscopy for removal of foreign body
5731009 | Hemosiderin, quantitative measurement
5733007 | Fluorescent identification of anti-nuclear antibody
5738003 | Biopsy of cul-de-sac
5745003 | Excision ampulla of Vater with reimplantation of common duct
5760000 | Osteoplasty of radius and ulna, shortening

5771004 | Blepharotomy
5777000 | Flexorplasty of elbow
5781000 | Operation on nasal septum
5785009 | Forensic autopsy
5787001 | Elevation of bone fragments of orbit of skull with debridement
5789003 | Lysis of adhesions of intestines
5796001 | Excision of external thrombotic hemorrhoid
5806001 | Revision of tracheostomy scar
5807005 | Fenestration of inner ear, initial
5809008 | Selective vagotomy with pyloroplasty and gastrostomy
5812006 | Laboratory reporting, fax
5818005 | Flocculation test
5821007 | Ligation, division and complete stripping of long and short saphenous veins
5823005 | Diagnostic radiography, left
5832007 | Partial ostectomy of thorax, ribs or sternum
5845006 | Emulsification procedure
5846007 | Diagnostic radiography of toes
5857002 | Complement mediated cytotoxicity assay
5865004 | Open reduction of dislocation of toe
5870006 | Tertiary closure of abdominal wall
5880005 | Clinical examination
5892005 | Mastoid antrotomy
5894006 | Methyl red test
5897004 | Removal of Scribner shunt
5902003 | History and physical examination, complete
5925002 | Incision and drainage of hematoma of wrist
5930003 | Cardiac monitor removal
5947002 | Consultation for hearing and/or speech problem
5961007 | Division of blood vessels of cornea
5966002 | Removal of foreign body from elbow area, deep
5971009 | Incision and drainage of axilla
5983006 | Repair of spermatic cord
5986003 | Non-sensitized spontaneous sheep erythrocyte binding, E-rosette
5992009 | Midtarsal arthrodesis, multiple
5995006 | Gas liquid chromatography, flame photometric type
5997003 | Drainage of cerebral subarachnoid space by aspiration
5998008 | Radical dissection of groin
6005008 | Transplantation of vitreous by anterior approach
6007000 | Magnetic resonance imaging of chest
6019008 | Endoscopy of large intestine
6025007 | Laparoscopic appendectomy
6026008 | Removal of coronary artery obstruction by percutaneous transluminal balloon with thrombolytic agent
6029001 | Augmentation of outflow tract of pulmonary valve
6035001 | Chart abstracting
6063004 | Kanamycin measurement
6069000 | Panniculotomy
6082008 | Perforation of footplate
6092000 | Aspiration of nasal sinus by puncture
6100001 | Fenestration of stapes footplate with vein graft
6108008 | Subdural tap through fontanel, infant, initial
6119006 | Local destruction of lesion of bony palate
6125005 | Change of gastrostomy tube
6126006 | Fitzgerald factor assay
6127002 | Diagnostic radiography of abdomen, oblique standard
6130009 | Surgical exposure of impacted or unerupted tooth to aid eruption
6133006 | Lymphokine assay
6143009 | Diabetic education
6146001 | Repair of heart septum with prosthesis
6148000 | Chondrectomy of semilunar cartilage of knee
6157006 | Endoscopic retrograde cholangiopancreatography with biopsy
6159009 | Galactose measurement
6161000 | Excision of lesion of capsule of toes
6164008 | Osteoclasis of clavicle
6166005 | Nephropyeloureterostomy
6177004 | Southern blot assay
6187000 | Repair of aneurysm with graft of common femoral artery
6188005 | Arthrotomy of knee
6189002 | Excision of aberrant tissue of breast
6190006 | Colopexy
6195001 | Transurethral drainage of prostatic abscess
6198004 | Repair of fracture with Sofield type procedure
6200005 | Excision of lesion of female perineum

6205000 | Fluorescent antigen, titer
6213004 | Prescribing corneoscleral contact lens
6221005 | Suture of colon
6225001 | Antibody detection, RBC, enzyme, 2 stage technique, including anti-human globulin
6226000 | Visual rehabilitation, eye motion defect
6227009 | Relationship psychotherapy
6231003 | Graft of palate
6238009 | Diagnostic radiography of sacroiliac joints
6240004 | Operative procedure on knee
6255008 | Resection of abdominal artery with replacement
6271008 | Echography, immersion B-scan
6274000 | Excision of aural glomus tumor, extended, extratemporal
6286002 | Destructive procedure on ovaries and fallopian tubes
6289009 | White blood cell histogram evaluation
6295005 | Sequestrectomy of pelvic bone
6307005 | Keratophakia
6309008 | Fecal fat differential, quantitative
6319002 | Beta lactamase, chromogenic cephalosporin susceptibility test
6337001 | Ligation of aortic arch
6339003 | Conditioning play audiometry
6343004 | Forensic bite mark comparison technique
6353003 | Mitsuda reaction to lepromin
6354009 | Sedimentation rate, Westergren
6355005 | Removal of internal fixation device of radius
6358007 | Capsulorrhaphy of joint
6361008 | Anesthesia for popliteal thromboendarterectomy
6363006 | Dilation of lacrimal punctum with irrigation
6370006 | Chemosurgery of stomach lesion
6384001 | Removal of device from digestive system
6385000 | Exploration of disc space
6388003 | TdT stain
6396008 | Galactokinase measurement
6397004 | Muscular strength development exercise
6399001 | Division of arteriovenous fistula with ligation
6402000 | Excision of common bile duct
6403005 | Lengthening of muscle of hand
6419003 | Excision of tumor from elbow area, deep, subfascial
6429005 | Heteroautogenous transplantation
6433003 | Closed heart valvotomy of mitral valve
6434009 | Seminal fluid detection
6438007 | Exploration of ciliary body
6439004 | Destruction of lesion of peripheral nerve
6443000 | Pontic, porcelain fused to predominantly base metal
6444006 | Enlargement of eye socket
6465000 | Arthrotomy of glenohumeral joint for infection with drainage
6466004 | Administration of Rh immune globulin
6470007 | Laparoamnioscopy
6473009 | Suture of old obstetrical laceration of uterus
6480006 | Urinary bladder residual urine study
6486000 | Curettage of sclera
6487009 | Hand tendon pulley reconstruction with tendon prosthesis
6491004 | Protein S, free assay
6499002 | Tsuge operation on finger for macrodactyly repair
6502003 | Complete lower denture
6506000 | Placing a patient on a bedpan
6519001 | Operation on multiple extraocular muscles with temporary detachment from globe
6521006 | Polytomography
6527005 | Uchida fimbriectomy with tubal ligation by endoscopy
6535008 | Excision of cyst of hand
6536009 | Implantation of tricuspid valve with tissue graft
6543003 | Complicated catheterization of bladder
6547002 | Repair with closure of non-surgical wound
6555009 | Insertion of infusion pump beneath skin
6556005 | Reticulin antibody measurement
6562000 | Destruction of lesion of tongue
6563005 | Transposition of muscle of hand
6567006 | Pulmonary valve commissurotomy by transvenous balloon method
6568001 | Diagnostic procedure on eyelid
6585004 | Closed reduction of fracture of tarsal or metatarsal
6589005 | Antibody titration, high protein
6601003 | Removal of foreign body from skin of axilla
6614002 | Antibody to single stranded DNA measurement

6615001 | Electroretinography with medical evaluation
6622009 | Add clasp to existing partial denture
6634001 | Destruction of hemorrhoids, internal
6639006 | Replacement of obstructed valve in shunt system
6650009 | Radionuclide lacrimal flow study
6656003 | Acoustic stimulation test
6657007 | Maintenance drug therapy for mental disorder
6658002 | Removal of foreign body from alveolus
6661001 | King-Steelquist hindquarter operation
6665005 | Restoration, crown, porcelain fused to noble metal
6668007 | Fibrinogen assay, quantitative
6670003 | Closure of external fistula of trachea

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.134 Value Set http://hl7.org/fhir/ValueSet/care-plan-activity-status

URL: https://hl7.org/fhir/STU3/valueset-care-plan-activity-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-plan-activity-status
Name: | CarePlanActivityStatus
Definition: | Indicates where the activity is at in its overall life cycle.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.134 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CarePlanActivityStatus

* CarePlan.activity.detail.status (Required)

4.3.1.134.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/care-plan-activity-status

4.3.1.134.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/care-plan-activity-status version 3.0.2

All codes from system http://hl7.org/fhir/care-plan-activity-status

Code | Display | Definition
not-started | Not Started | Activity is planned but no action has yet been taken.
scheduled | Scheduled | Appointment or other booking has occurred but activity has not yet begun.
in-progress | In Progress | Activity has been started but is not yet complete.
on-hold | On Hold | Activity was started but has temporarily ceased with an expectation of resumption at a future time.
completed | Completed | The activities have been completed (more or less) as planned.
cancelled | Cancelled | The activities have been ended prior to completion (perhaps even before they were started).
unknown | Unknown | The authoring system doesn't know the current state of the activity.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.136 Value Set http://hl7.org/fhir/ValueSet/care-plan-category

URL: https://hl7.org/fhir/STU3/valueset-care-plan-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-plan-category

Name: | Care Plan Category

Definition: | Example codes indicating the category a care plan falls within. Note that these are in no way complete and may not even be appropriate for some uses.

Committee: | Patient Care Work Group

OID: | 2.16.840.1.113883.4.642.3.136 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* CarePlan.category (Example)

4.3.1.136.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 278448002 (Care plan)

4.3.1.136.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 19 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
288832002	CPA care plan	
395082007	Cancer care plan	
401276009	Mental health crisis plan	
412774003	Clinical management plan	
412775002	Asthma clinical management plan	
412776001	Chronic obstructive pulmonary disease clinical management plan	
412777005	Diabetes clinical management plan	
412778000	Hyperlipidemia clinical management plan	
412779008	Hypertension clinical management plan	
412780006	Hypothyroidism clinical management plan	
412781005	Coronary heart disease risk clinical management plan	
414672009	Mental health personal health plan	
415213008	Psychiatry care plan	
698358001	Angina self management plan	
698359009	Ankle brachial pressure index management plan	
698360004	Diabetes self management plan	
698361000	Heart failure self management plan	
704127004	Transient ischemic attack clinical management plan	
3911000175103	Patient written birth plan	

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.137 Value Set http://hl7.org/fhir/ValueSet/activity-reason

URL: https://hl7.org/fhir/STU3/valueset-activity-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/activity-reason
Name: | Activity Reason
Definition: | Example codes indicating the reason for a clinical activity being performed.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.137 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* CarePlan.activity.detail.reasonCode (Example)

4.3.1.137.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.3.1.137.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
109006	Anxiety disorder of childhood OR adolescence	
122003	Choroidal hemorrhage	
127009	Spontaneous abortion with laceration of cervix	
129007	Homoiothermia	
134006	Decreased hair growth	
140004	Chronic pharyngitis	
144008	Normal peripheral vision	
147001	Superficial foreign body of scrotum without major open wound but with infection	
150003	Abnormal bladder continence	
151004	Gonococcal meningitis	
162004	Severe manic bipolar I disorder without psychotic features	
165002	Accident-prone	
168000	Typhlolithiasis	
171008	Injury of ascending right colon without open wound into abdominal cavity	
172001	Endometritis following molar AND/OR ectopic pregnancy	
175004	Supraorbital neuralgia	
177007	Poisoning by sawfly larvae	
179005	Apraxia of dressing	
181007	Hemorrhagic bronchopneumonia	
183005	Autoimmune pancytopenia	
184004	Withdrawal arrhythmia	
188001	Injury of intercostal artery	
192008	Congenital syphilitic hepatomegaly	
193003	Benign hypertensive renal disease	
195005	Illegal abortion with endometritis	
198007	Disease due to Filoviridae	
199004	Decreased lactation	
208008	Neurocutaneous melanosis sequence	
216004	Delusion of persecution	
219006	Alcohol user	
222008	Acute epiglottitis with obstruction	
223003	Tumor of body of uterus affecting pregnancy	
228007	Lucio phenomenon	
241006	Epilepsia partialis continua	
242004	Noninfectious jejunitis	
253005	Sycosis	
257006	Acne rosacea, erythematous telangiectatic type	

258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Poisoning by oxytocin
279001 | Senile myocarditis
281004 | Dementia associated with alcoholism
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Boil of penis
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture of trapezoidal bone of wrist
358004 | Poisoning by smallpox vaccine
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder

599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding
845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction

904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea
1027000 | Alkaline reflux disease
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidiuria
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc
1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis

1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis
1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica
1343000 | Deep transverse arrest
1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction
1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting
1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives

1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction
1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose

1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans
2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis

2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG
2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia
2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder

2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region
2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint
2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy

2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia
2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus
3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum
3105002 | Intron
3109008 | Secondary dysthymia early onset

3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Discoloration of skin
3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea

3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission
3531009 | Intrapsychic conflict
3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia
3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia

3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina
3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted abortion with acute yellow atrophy of liver
3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired
4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome

4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | Ocular hypertension
4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose
4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome
4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Lithium nephropathy

4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction
4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.140 Value Set http://hl7.org/fhir/ValueSet/care-plan-activity-outcome

URL: https://hl7.org/fhir/STU3/valueset-care-plan-activity-outcome.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-plan-activity-outcome
Name: | Care Plan Activity Outcome
Definition: | Example codes indicating the outcome of a care plan activity. Note that these are in no way complete and may not even be appropriate for some uses.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.140 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* CarePlan.activity.outcomeCodeableConcept (Example)

4.3.1.140.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 397640006 (Healthcare knowledge finding)

4.3.1.140.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 42 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
54777007 | Deficient knowledge
129862009 | Deficient knowledge: diagnostic test
129863004 | Deficient knowledge of dietary regimen
129864005 | Deficient knowledge: disease process
129865006 | Deficient knowledge of fluid volume management
129866007 | Deficient knowledge: medication regimen
129867003 | Deficient knowledge of safety precautions
129868008 | Deficient knowledge: therapeutic regimen
182891003 | Patient misunderstood treatment instructions
397588000 | Demonstrates knowledge of expected responses to operative procedure
397598006 | Demonstrates knowledge of nutritional requirements related to operative procedure
397675006 | Demonstrates knowledge of wound healing process
397699006 | Demonstrates knowledge of medication management
397724004 | Demonstrates knowledge of pain management
408364003 | Patient does not understand why taking all medication
423875000 | Deficient knowledge of family planning methods
424537004 | Deficient knowledge of preconception health practices
704375003 | Deficient knowledge of breast feeding
704377006 | Deficient knowledge of peritoneal dialysis
704379009 | Deficient knowledge of sexual behavior
704381006 | Deficient knowledge of oral hygiene
704383009 | Deficient knowledge of child development
704400005 | Deficient knowledge of community services
704402002 | Deficient knowledge of physical therapy
704403007 | Deficient knowledge of fall prevention
704404001 | Deficient knowledge of pain management
704406004 | Deficient knowledge of symptom
704446005 | Deficient knowledge of exercise
704491001 | Deficient knowledge of traditional therapy
704680001 | Deficient knowledge of behavior change process
705086000 | Deficient knowledge of patient controlled analgesia
706869001 | Deficient knowledge of medication
708571001 | Demonstrates knowledge of who to contact in medical emergency
713398008 | Deficient knowledge of travel health
713447003 | Deficient knowledge of parenting
713448008 | Deficient knowledge of infant feeding
713449000 | Deficient knowledge of infant care
713451001 | Deficient knowledge of childbirth
713452008 | Deficient knowledge of foetal development
714670007 | Deficient knowledge of pregnancy
716391009 | Able to adapt to sensory changes in body part
716438000 | Able to recognize need for pressure area care

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.141 Value Set http://hl7.org/fhir/ValueSet/care-plan-intent

URL: https://hl7.org/fhir/STU3/valueset-care-plan-intent.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-plan-intent
Name: | CarePlanIntent
Definition: | Codes indicating the degree of authority/intentionality associated with a care plan
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.141 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CarePlanIntent

* CarePlan.intent (Required)

4.3.1.141.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/care-plan-intent

4.3.1.141.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/care-plan-intent version 3.0.2

All codes from system http://hl7.org/fhir/care-plan-intent

Code | Display | Definition

proposal | Proposal | The care plan is a suggestion made by someone/something that doesn't have an intention to ensure it occurs and without providing an authorization to act

plan | Plan | The care plan represents an intention to ensure something occurs without providing an authorization for others to act

order | Order | The care plan represents a request/demand and authorization for action

option | Option | The care plan represents a component or option for a RequestGroup that establishes timing, conditionality and/or other constraints among a set of requests. Refer to [[[RequestGroup]]] for additional information on how this status is used

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.143 Value Set http://hl7.org/fhir/ValueSet/participant-role

URL: https://hl7.org/fhir/STU3/valueset-participant-role.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/participant-role

Name: | Participant Roles

Definition: | Roles of Participants that may be included in a CarePlan.Participants, or in an EpisodeOfCare.CareTeam. Defined as: Is a Person, Healthcare professional (occupation) or Healthcare related organization (qualifier value).

Committee: | Patient Care Work Group

OID: | 2.16.840.1.113883.4.642.3.143 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* CareTeam.participant.role (Example)

* DeviceRequest.performerType (Example)

* ProcedureRequest.performerType (Example)

* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.performerType ((Example))

4.3.1.143.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 125676002 (Person)

* Include codes from http://snomed.info/sct where concept is-a 223366009 (Healthcare professional)

* Include codes from http://snomed.info/sct where concept is-a 394730007 (Healthcare related organisation)

4.3.1.143.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 914 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
270002	Female first cousin	
375005	Sibling	
444000	Legal sibling	
609005	Adoptive father	
1354005	Orphan female	
2272004	Half-sister	
2316007	Adoptive son	
2368000	Great-great grand-mother	
2481008	Working mother	
2959006	Female cousin	
3425009	Oldest daughter	
3851003	Surrogate daughter	
4577005	First cousin	
6676009	Youngest daughter	
8458002	Foster father	
8674003	Step son	
9306000	Legal parent	
9947008	Natural father	
10896006	Identical twin sibling	
10960006	Working father	
11286003	Twin sibling	
11393001	Great-great grand child	
11434005	Male second cousin	
11773006	Legal brother	
11993008	Male first cousin	
12241003	Foster son	
12629003	Single mother	
13038009	Older brother	
13157002	Older sibling	
13443008	Second cousin	
13646006	Natural parent	
14469008	Legal child	
15130002	Surrogate parent	
17219007	Male fiance	
17925003	Adoptive brother	
17945006	Natural grand-mother	
18205005	Wesleyan methodist	
18906004	Foster sibling	
19343003	Twin sister	
19686009	Younger sister	
21093007	Half-sibling	
21464003	Adoptive mother	
21506002	Female second cousin	
22387007	Surrogate child	
22573006	Step daughter	
22609000	Adoptive grand-parent	
22963000	Legal sister	
25211005	Aunt	
27508009	Surrogate mother	
27733009	Sister	
28010004	Shiite muslim	
29539002	Younger sibling	
29644004	Fraternal twin sister	
29787005	Foster brother	
30578000	Step-father	
31656007	Adoptive grand-mother	
31831004	Foster daughter	
33969000	Great grand-parent	
34581001	Niece	
34871008	Grand-father	
34972000	Only daughter	
38048003	Uncle	
38248007	Oldest son	
38265003	Foster mother	
38312007	Grand-parent	
39062003	Foster child	
40683002	Parent	

41057000 | Surrogate son
41795004 | Legal son
41953004 | Adoptive parent
44181008 | Grand daughter
45929001 | Half-brother
46363003 | Step sister
47801002 | Male cousin
48385004 | Acquaintance
48673000 | Adoptive child
50058005 | Identical twin sister
50261002 | Great grand-father
51616000 | Sephardic Jew
53201003 | Older sister
54056000 | Trustee
55538000 | Cousin
58293006 | Foster sister
58626002 | Legal guardian
60614009 | Natural brother
62090008 | Legal mother
62296006 | Natural grand-father
64988008 | Sunni muslim
65412001 | Step-mother
65616008 | Son
65656005 | Natural mother
65853000 | Student
66089001 | Daughter
66839005 | Father
67005001 | Adoptive daughter
67147004 | Legal father
67822003 | Child
68021009 | Great-great grand-parent
70578009 | Grand son
70862002 | Contact person
70924004 | Brother
72012000 | Great grand child
72705000 | Mother
73678001 | Natural sister
74128007 | Step parent
74489007 | Younger child
75226009 | Natural child
75615008 | Surrogate father
76022008 | Adoptive sister
76087000 | Step brother
78194006 | Identical twin brother
78272007 | Natural grand-parent
78652007 | Great grand-mother
78872000 | Orphan male
79508001 | Adoptive sibling
79756005 | Boyfriend
80386000 | Great-great grand-father
80587008 | Jehovah's Witness
81173009 | Only son
81276006 | Twin brother
81467001 | Fraternal twin brother
81706006 | Ashkenazi Jew
82101005 | Natural sibling
83408003 | Working parent
83420006 | Natural daughter
83559000 | Nephew
84390006 | Girlfriend
85058002 | Adoptive grandfather
85411004 | Younger brother
85683001 | Single father
86372007 | Grand child
86764008 | Step child
88510002 | Step sibling
89681006 | Youngest son
90921004 | Foster parent
105428002 | Homosexual parents
105429005 | Elderly parents
105431001 | Adopted person
105436006 | Elderly person

105437002 | Elderly man
105438007 | Elderly woman
105449001 | Sick relative
105450001 | Alcoholic relative
105451002 | Demented relative
105452009 | Diabetic relative
105453004 | Schizophrenic relative
105454005 | Disabled relative
105455006 | Donor for medical or surgical procedure
105456007 | Live donor
105457003 | Cadaver donor
105458008 | Candidate donor
105459000 | Accepted donor
105460005 | Rejected donor
105461009 | Organ donor
105462002 | Donor of kidney for transplant
105463007 | Donor for liver transplant
105464001 | Eye donor for corneal transplant
105465000 | Donor for heart transplant
105466004 | Donor for lung transplant
105467008 | Donor for heart-lung transplant
105468003 | Tissue donor
105469006 | Bone tissue donor
105470007 | Blood donor
105471006 | Bone marrow donor
105472004 | Sperm donor for artificial insemination
105473009 | Husband sperm donor for artificial insemination
105474003 | Related sperm donor for artificial insemination
113157001 | Grand-mother
113158006 | Fraternal twin sibling
113159003 | Legal daughter
113160008 | Natural son
113161007 | Female fiance
113163005 | Friend
116153009 | Donor of control material
116154003 | Patient
125677006 | Relative
125678001 | First degree blood relative
125679009 | Blood relative
127848009 | Spouse
127849001 | Husband
127850001 | Wife
127851002 | Fiance
133931009 | Infant
133932002 | Caregiver
133933007 | Newborn
133936004 | Adult
133937008 | Adolescent
160234004 | Salvation Army member
160498000 | School child
160505009 | Common-law husband
160506005 | Common-law wife
160540005 | Roman Catholic
160542002 | Atheist
160543007 | Jew
160544001 | Christian Science Church
160545000 | Hindu
160549006 | Christian
160557009 | Baptist
160558004 | Methodist
160560002 | Presbyterian
160562005 | Pentecostal
160563000 | Evangelist
160566008 | Christadelphian
160567004 | Agnostic
160772005 | Voluntary worker
161158003 | Immigrant
224080001 | Committed Christian
224526002 | Woman
224527006 | Person in the work environment
224528001 | Employee
224619008 | Migrant

224627004 | General categories of people
248544006 | Rastafarian
255409004 | Pregnant woman
257497009 | Animal rider
257498004 | Rider of motorcycle
257499007 | Pedal cyclist
257500003 | Passenger
257501004 | Occupant of motor vehicle
257502006 | Occupant of tram
257503001 | Pillion passenger
257504007 | Person riding on outside of vehicle
257505008 | Person travelling on outside of train
257506009 | Front seat passenger
257508005 | Back seat passenger
257509002 | Occupant of animal-drawn vehicle
257510007 | Passenger on commercial watercraft
257511006 | Passenger on station
257512004 | Passenger on train
257513009 | Member of public
257514003 | Member of public involved incidentally
257516001 | Member of public on ground
257517005 | Occupant of nonmotor vehicle
257518000 | Pedestrian
257519008 | Person trespassing on railway line
257521003 | Railway employee on train
257522005 | Recreational watercraft user
257523000 | Swimmer
257524006 | User of animal-drawn vehicle
257525007 | Watercraft dweller
257526008 | Waterskier
262043009 | Partner in relationship
266943008 | Single parent
268557009 | Sportsman
271448006 | Anglican
276035002 | Voluntary helper
276036001 | Voluntary visitor
276037005 | Volunteer helper
276119007 | Nonconformist
303069001 | Person in the transport environment
303071001 | Family member
303072008 | Person in the home environment
303073003 | Person in the religious environment
303118004 | Person in the healthcare environment
303119007 | Person in the community environment
303120001 | Person in the recreational environment
303121002 | Person in the educational environment
303122009 | Crewmember
303977004 | Occupant of railway vehicle
303980003 | Driver of motor vehicle
303981004 | Driver of animal-drawn vehicle
303983001 | Passenger of animal-drawn vehicle
303984007 | Passenger on pedal cycle
303985008 | Occupant of watercraft
303986009 | Occupant of aircraft
303987000 | Horse rider
303988005 | Passenger on aircraft
303989002 | Crewmember on aircraft
303990006 | Passenger of motor vehicle
303991005 | Trespasser
303992003 | Car passenger
303993008 | Coach passenger
309456003 | Clergy
309687009 | Buddhist
309884000 | Muslim
309885004 | Protestant
309886003 | Quaker
310543008 | Graduate
313415001 | Identical twin
313416000 | Heterozygous twin
314712007 | Parachutist
314767008 | Bird fancier
339947000 | Man

360852005 | Bum
360863008 | Beggar
360984002 | Hasidic Jew
366740002 | Sikh
373864002 | Outpatient
373929005 | Orphan child
385435006 | Individual
390790000 | Asylum seeker
394566006 | Great-grandson
394567002 | Great-granddaughter
394568007 | Extended family member
394571004 | Employer
394619001 | Guardian
394738000 | Other related persons
394854006 | Immediate family member
394855007 | Non-immediate family member
394856008 | Paternal grand-father
394857004 | Maternal grand-father
394858009 | Paternal grand-mother
394859001 | Maternal grand-mother
394860006 | Distant relative
394861005 | Great-uncle
394862003 | Great-aunt
394863008 | Non-family member
394921008 | Cohabitee
407542009 | Informal carer
407543004 | Primary carer
410597007 | Person categorized by religious affiliation
410598002 | Person categorized by age
410599005 | Minor
410600008 | Pre-teen
410601007 | Child
410602000 | Preschool child
410603005 | Person in the legal environment
410604004 | Subject of record
413327003 | Student in full time education
414043009 | Domestic partner
416034003 | Primary screener
416035002 | Secondary screener
416625007 | Family reunion immigrant
416800000 | Inpatient
418119000 | Infant child
419358007 | Subject of record or other provider of history
420058008 | Provider of history other than subject
420158005 | Performer of method
427568008 | Neighbor
427729003 | Elim Pentecostalist, follower of religion
427754003 | Liberal Jew
427755002 | Lutheran, follower of religion
427874000 | Congregationalist, follower of religion
427950002 | Haredi Jew
427963008 | Advaitin Hindu, follower of religion
427981006 | Zen Buddhist
428024001 | Clinical trial participant
428315004 | Anabaptist, follower of religion
428347009 | Arya Samaj Hindu
428373004 | Coptic Orthodox, follower of religion
428376007 | Eastern Catholic
428378008 | Ethiopian Orthodox Tewahedo, follower of religion
428407001 | Theravada Buddhist
428408006 | Wiccan
428410008 | Shakti Hindu
428496003 | Tibetan Buddhist, follower of religion
428503004 | Orthodox Christian
428504005 | Christian Spiritualist, follower of religion
428506007 | Druid, follower of religion
428620006 | Smarta Hindu
428666001 | Nichiren Buddhist
428792000 | Case contact
428801007 | Ismaili Muslim
428815009 | Ahmadi, follower of religion
428816005 | Armenian Catholic

428820009 | Pure Land Buddhist, follower of religion
428821008 | Seventh Day Adventist
429158002 | Greek Orthodox
429171004 | Spiritualist
429379008 | Shiva Hindu, follower of religion
429509008 | Reform Jew, follower of religion
429511004 | Vaishnava Hindu
429527006 | New Kadampa Tradition Buddhist
429533002 | Mahayana Buddhist
429534008 | Masorti Jew, follower of religion
429539003 | Calvinist
429543004 | Taoist, follower of religion
429544005 | Russian Orthodox, follower of religion
429545006 | Sanatana Dharma follower
429547003 | Shinto
429577009 | Patient advocate
429644000 | Orthodox Jew, follower of religion
429708003 | Unitarian, follower of religion
429732005 | Baha'i
429787006 | Jain, follower of religion
429790000 | Zoroastrian, follower of religion
430098004 | Donor for intestine transplant
430101000 | Whole blood donor
430792005 | Stem cell donor
430882007 | Egg donor
431549007 | Female child
433152004 | Boy
433475001 | Human oocyte donor, age 35 and older
438347000 | Person categorized by affiliation with belief system
441463002 | Sperm donor
441465009 | Stranger is sperm donor for artificial insemination
441468006 | Unrelated known sperm donor for artificial insemination
444018008 | Person with characteristic related to subject of record
444052006 | Spouse of subject
444053001 | Husband of subject
444054007 | Wife of subject
444055008 | Uncle of subject
444145006 | Partner in relationship with subject
444146007 | Boyfriend of subject
444147003 | Girlfriend of subject
444148008 | Person in family of subject
444168002 | Homemaker
444169005 | House husband
444191003 | Aunt of subject
444192005 | Child of subject
444193000 | First degree blood relative of subject
444194006 | Daughter of subject
444199001 | Friend of subject
444210007 | Cohabitee in relationship with subject
444211006 | Common law husband of subject
444212004 | Common law wife of subject
444213009 | Domestic partner of subject
444241008 | Son of subject
444242001 | Grandparent of subject
444243006 | Maternal grandfather of subject
444244000 | Maternal grandmother of subject
444278006 | Fiance of subject
444279003 | Female fiance of subject
444280000 | Male fiance of subject
444292000 | Paternal grandfather of subject
444293005 | Paternal grandmother of subject
444294004 | Parent of subject
444295003 | Father of subject
444301002 | Mother of subject
444302009 | Sibling of subject
444303004 | Brother of subject
444304005 | Sister of subject
444464007 | Recipient of biological material from subject
444870008 | Apostolic Pentecostalist, follower of religion
446654005 | Refugee
450768005 | International student
699110007 | Second degree blood relative

699111006 | Second degree blood relative of subject
713176007 | Cadaver donor for lung transplant
713177003 | Cadaver donor for heart transplant
713178008 | Cadaver donor for liver transplant
713179000 | Cadaver donor for corneal transplant
713183000 | Cadaver donor for kidney transplant
713184006 | Blood product donor
713352007 | Skin donor
713353002 | Live related liver donor
713369009 | Live related kidney donor
715167002 | Open Episcopal Church follower of religion
471000122100 | Multi-organ donor
1421009 | Specialized surgeon
3430008 | Radiation therapist
3842006 | Chiropractor
4162009 | Dental assistant
5275007 | Auxiliary nurse
6816002 | Specialized nurse
6868009 | Hospital administrator
8724009 | Plastic surgeon
11661002 | Neuropathologist
11911009 | Nephrologist
11935004 | Obstetrician
13580004 | School dental assistant
14698002 | Medical microbiologist
17561000 | Cardiologist
18803008 | Dermatologist
18850004 | Laboratory hematologist
19244007 | Gerodontist
20145008 | Removable prosthodontist
21365001 | Specialized dentist
21450003 | Neuropsychiatrist
22515006 | Medical assistant
22731001 | Orthopedic surgeon
22983004 | Thoracic surgeon
23278007 | Community health physician
24430003 | Physical medicine specialist
24590004 | Urologist
25961008 | Electroencephalography specialist
26042002 | Dental hygienist
26369006 | Public health nurse
28229004 | Optometrist
28411006 | Neonatologist
28544002 | Medical biochemist
36682004 | Physiotherapist
37154003 | Periodontist
37504001 | Orthodontist
39677007 | Internal medicine specialist
40127002 | Dietitian (general)
40204001 | Hematologist
40570005 | Interpreter
41672002 | Respiratory disease specialist
41904004 | Medical X-ray technician
43702002 | Occupational health nurse
44652006 | Pharmaceutical assistant
45419001 | Masseur
45440000 | Rheumatologist
45544007 | Neurosurgeon
45956004 | Sanitarian
46255001 | Pharmacist
48740002 | Philologist
49203003 | Dispensing optician
49993003 | Oral surgeon
50149000 | Endodontist
54503009 | Faith healer
56397003 | Neurologist
56466003 | Public health physician
56542007 | Medical record administrator
56545009 | Cardiovascular surgeon
57654006 | Fixed prosthodontist
59058001 | General physician
59169001 | Orthopedic technician

59944000 | Psychologist
60008001 | Public health nutritionist
61207006 | Medical pathologist
61246008 | Laboratory medicine specialist
61345009 | Otorhinolaryngologist
61894003 | Endocrinologist
62247001 | Family medicine specialist
63098009 | Clinical immunologist
66476003 | Oral pathologist
66862007 | Radiologist
68867008 | Public health dentist
68950000 | Prosthodontist
69280009 | Specialized physician
71838004 | Gastroenterologist
73265009 | Nursing aid
75271001 | Professional midwife
76166008 | Practical aid (pharmacy)
76231001 | Osteopath
76899008 | Infectious disease specialist
78703002 | General surgeon
78729002 | Diagnostic radiologist
79898004 | Auxiliary midwife
80409005 | Translator
80546007 | Occupational therapist
80584001 | Psychiatrist
80933006 | Nuclear medicine specialist
81464008 | Clinical pathologist
82296001 | Pediatrician
83189004 | Other professional nurse
83273008 | Anatomic pathologist
83685006 | Gynecologist
85733003 | General pathologist
88189002 | Anesthesiologist
88475002 | Other dietitians and public health nutritionists
90201008 | Pedodontist
90655003 | Geriatrics specialist
106289002 | Dentist
106291005 | Dietician AND/OR public health nutritionist
106292003 | Professional nurse
106293008 | Nursing personnel
106294002 | Midwifery personnel
106296000 | Physiotherapist AND/OR occupational therapist
106330007 | Philologist, translator AND/OR interpreter
112247003 | Medical doctor
158965000 | Medical practitioner
158966004 | Medical administrator - national
158967008 | Consultant physician
158968003 | Consultant surgeon
158969006 | Consultant gynecology and obstetrics
158970007 | Anesthetist
158971006 | Hospital registrar
158972004 | House officer
158973009 | Occupational physician
158974003 | Clinical medical officer
158975002 | Medical practitioner - teaching
158977005 | Dental administrator
158978000 | Dental consultant
158979008 | Dental general practitioner
158980006 | Dental practitioner - teaching
158983008 | Nurse administrator - national
158984002 | Nursing officer - region
158985001 | Nursing officer - district
158986000 | Nursing administrator - professional body
158987009 | Nursing officer - division
158988004 | Nurse education director
158989007 | Occupational health nursing officer
158990003 | Nursing officer
158992006 | Midwifery sister
158993001 | Nursing sister (theatre)
158994007 | Staff nurse
158995008 | Staff midwife
158996009 | State enrolled nurse

158997000 | District nurse
158998005 | Private nurse
158999002 | Community midwife
159001001 | Clinic nurse
159002008 | Practice nurse
159003003 | School nurse
159004009 | Nurse - teaching
159005005 | Student nurse
159006006 | Dental nurse
159007002 | Community pediatric nurse
159010009 | Hospital pharmacist
159011008 | Retail pharmacist
159012001 | Industrial pharmacist
159013006 | Pharmaceutical officer H.A.
159014000 | Trainee pharmacist
159016003 | Medical radiographer
159017007 | Diagnostic radiographer
159018002 | Therapeutic radiographer
159019005 | Trainee radiographer
159021000 | Ophthalmic optician
159022007 | Trainee optician
159025009 | Remedial gymnast
159026005 | Speech and language therapist
159027001 | Orthoptist
159028006 | Trainee remedial therapist
159033005 | Dietician
159034004 | Podiatrist
159035003 | Dental auxiliary
159036002 | ECG technician
159037006 | EEG technician
159038001 | Artificial limb fitter
159039009 | AT - Audiology technician
159040006 | Pharmacy technician
159041005 | Trainee medical technician
159141008 | Geneticist
159972006 | Surgical corset fitter
160008000 | Dental technician
224529009 | Clinical assistant
224530004 | Senior registrar
224531000 | Registrar
224532007 | Senior house officer
224533002 | MO - Medical officer
224534008 | Health visitors, nurses and midwives
224535009 | Registered nurse
224536005 | Midwifery tutor
224537001 | Accident and Emergency nurse
224538006 | Triage nurse
224540001 | Community nurse
224541002 | Nursing continence advisor
224542009 | Coronary care nurse
224543004 | Diabetic nurse
224544005 | Family planning nurse
224545006 | Care of the elderly nurse
224546007 | ICN - Infection control nurse
224547003 | Intensive therapy nurse
224548008 | Learning disabilities nurse
224549000 | Neonatal nurse
224550000 | Neurology nurse
224551001 | Industrial nurse
224552008 | Oncology nurse
224553003 | Macmillan nurse
224554009 | Marie Curie nurse
224555005 | Pain control nurse
224556006 | Palliative care nurse
224557002 | Chemotherapy nurse
224558007 | Radiotherapy nurse
224559004 | Recovery nurse
224560009 | Stomatherapist
224561008 | Theatre nurse
224562001 | Pediatric nurse
224563006 | Psychiatric nurse
224564000 | Community mental health nurse

224565004 | Renal nurse
224566003 | Hemodialysis nurse
224567007 | Wound care nurse
224569005 | Nurse grade
224570006 | Clinical nurse specialist
224571005 | Nurse practitioner
224572003 | Nursing sister
224573008 | CN - Charge nurse
224574002 | Ward manager
224575001 | Nursing team leader
224576000 | Nursing assistant
224577009 | HCA - Healthcare assistant
224578004 | Nursery nurse
224579007 | Healthcare service manager
224580005 | Occupational health service manager
224581009 | Community nurse manager
224583007 | Behavior therapist
224584001 | Behavior therapy assistant
224585000 | Drama therapist
224586004 | Domiciliary occupational therapist
224587008 | Occupational therapy helper
224588003 | Psychotherapist
224589006 | Community-based physiotherapist
224590002 | Play therapist
224591003 | Play specialist
224592005 | Play leader
224593000 | Community-based speech and language therapist
224594006 | Speech and language assistant
224595007 | Professional counselor
224596008 | Marriage guidance counselor
224597004 | Trained nurse counselor
224598009 | Trained social worker counselor
224599001 | Trained personnel counselor
224600003 | Psychoanalyst
224601004 | Assistant psychologist
224602006 | Community-based podiatrist
224603001 | Foot care worker
224604007 | Audiometrician
224605008 | Audiometrist
224606009 | Technical healthcare occupation
224607000 | Occupational therapy technical instructor
224608005 | Administrative healthcare staff
224609002 | Complementary health worker
224610007 | Supporting services personnel
224614003 | Research associate
224615002 | Research nurse
224620002 | Human aid to communication
224621003 | Palantypist
224622005 | Note taker
224623000 | Cuer
224624006 | Lipspeaker
224625007 | Interpreter for British sign language
224626008 | Interpreter for Signs supporting English
224936003 | General practitioner locum
225726006 | Lactation consultant
225727002 | Midwife counselor
265937000 | Nursing occupation
265939002 | Medical/dental technicians
283875005 | Parkinson's disease nurse
302211009 | Specialist registrar
303124005 | Member of mental health review tribunal
303129000 | Hospital manager
303133007 | Responsible medical officer
303134001 | Independent doctor
304291006 | Bereavement counselor
304292004 | Surgeon
307988006 | Medical technician
308002005 | Remedial therapist
309294001 | Casualty doctor
309295000 | Clinical oncologist
309296004 | Family planning doctor
309322005 | Associate general practitioner

309323000 | Partner of general practitioner
309324006 | Assistant GP
309326008 | Deputizing general practitioner
309327004 | General practitioner registrar
309328009 | Ambulatory pediatrician
309329001 | Community pediatrician
309330006 | Pediatric cardiologist
309331005 | Pediatric endocrinologist
309332003 | Pediatric gastroenterologist
309333008 | Pediatric nephrologist
309334002 | Pediatric neurologist
309335001 | Pediatric rheumatologist
309336000 | Pediatric oncologist
309337009 | Pain management specialist
309338004 | Intensive care specialist
309339007 | Adult intensive care specialist
309340009 | Pediatric intensive care specialist
309341008 | Blood transfusion doctor
309342001 | Histopathologist
309343006 | Physician
309345004 | Chest physician
309346003 | Thoracic physician
309347007 | Clinical hematologist
309348002 | Clinical neurophysiologist
309349005 | Clinical physiologist
309350005 | Diabetologist
309351009 | Andrologist
309352002 | Neuroendocrinologist
309353007 | Reproductive endocrinologist
309354001 | Thyroidologist
309355000 | Clinical geneticist
309356004 | Clinical cytogeneticist
309357008 | Clinical molecular geneticist
309358003 | Genitourinary medicine physician
309359006 | Palliative care physician
309360001 | Rehabilitation physician
309361002 | Child and adolescent psychiatrist
309362009 | Forensic psychiatrist
309363004 | Liaison psychiatrist
309364005 | Psychogeriatrician
309365006 | Psychiatrist for mental handicap
309366007 | Rehabilitation psychiatrist
309367003 | Obstetrician and gynecologist
309368008 | Breast surgeon
309369000 | Cardiothoracic surgeon
309371000 | Cardiac surgeon
309372007 | Ear, nose and throat surgeon
309373002 | Endocrine surgeon
309374008 | Thyroid surgeon
309375009 | Pituitary surgeon
309376005 | Gastrointestinal surgeon
309377001 | General gastrointestinal surgeon
309378006 | Upper gastrointestinal surgeon
309379003 | Colorectal surgeon
309380000 | Hand surgeon
309381001 | Hepatobiliary surgeon
309382008 | Ophthalmic surgeon
309383003 | Pediatric surgeon
309384009 | Pancreatic surgeon
309385005 | Transplant surgeon
309386006 | Trauma surgeon
309388007 | Vascular surgeon
309389004 | Medical practitioner grade
309390008 | Hospital consultant
309391007 | Visiting specialist registrar
309392000 | Research registrar
309393005 | General practitioner grade
309394004 | General practitioner principal
309395003 | Hospital specialist
309396002 | Associate specialist
309397006 | Research fellow
309398001 | Profession allied to medicine

309399009 | Hospital dietitian
309400002 | Domiciliary physiotherapist
309401003 | GP-based physiotherapist
309402005 | Hospital-based physiotherapist
309403000 | Private physiotherapist
309404006 | Physiotherapy helper
309409001 | Hospital-based speech and language therapist
309410006 | Arts therapist
309411005 | Dance therapist
309412003 | Music therapist
309413008 | Renal dietitian
309414002 | Liver dietitian
309415001 | Oncology dietitian
309416000 | Pediatric dietitian
309417009 | Diabetes dietitian
309418004 | Audiologist
309419007 | Hearing therapist
309420001 | Audiological scientist
309421002 | Hearing aid dispenser
309422009 | Community-based occupational therapist
309423004 | Hospital occupational therapist
309427003 | Social services occupational therapist
309428008 | Orthotist
309429000 | Surgical fitter
309434001 | Hospital-based podiatrist
309435000 | Podiatry assistant
309436004 | Lymphedema nurse
309437008 | Community learning disabilities nurse
309439006 | Clinical nurse teacher
309440008 | Community practice nurse teacher
309441007 | Nurse tutor
309442000 | Nurse teacher practitioner
309443005 | Nurse lecturer practitioner
309444004 | Outreach nurse
309445003 | Anesthetic nurse
309446002 | Nurse manager
309450009 | Nurse administrator
309452001 | Midwifery grade
309453006 | Registered midwife
309454000 | Student midwife
309455004 | Parentcraft sister
309459005 | Healthcare professional grade
309460000 | Restorative dentist
310170009 | Pediatric audiologist
310171008 | Immunopathologist
310172001 | Audiological physician
310173006 | Clinical pharmacologist
310174000 | Private doctor
310175004 | Agency nurse
310176003 | Behavioral therapist nurse
310177007 | Cardiac rehabilitation nurse
310178002 | Genitourinary nurse
310179005 | Rheumatology nurse specialist
310180008 | Continence nurse
310181007 | Contact tracing nurse
310182000 | General nurse
310183005 | Nurse for the mentally handicapped
310184004 | Liaison nurse
310185003 | Diabetic liaison nurse
310186002 | Nurse psychotherapist
310187006 | Company nurse
310188001 | Hospital midwife
310189009 | Genetic counselor
310190000 | Mental health counselor
310191001 | Clinical psychologist
310192008 | Educational psychologist
310193003 | Coroner
310194009 | Appliance officer
310512001 | Medical oncologist
311441001 | School medical officer
312485001 | Integrated midwife
372102007 | RN First Assist

387619007 | Optician
394572006 | Medical secretary
394618009 | Hospital nurse
397824005 | Consultant anesthetist
397897005 | Paramedic
397903001 | Staff grade obstetrician
397908005 | Staff grade practitioner
398130009 | Medical student
398238009 | Acting obstetric registrar
404940000 | Physiotherapist technical instructor
405277009 | Resident physician
405278004 | Certified registered nurse anesthetist
405279007 | Attending physician
405623001 | Assigned practitioner
405684005 | Professional initiating surgical case
405685006 | Professional providing staff relief during surgical procedure
408798009 | Consultant pediatrician
408799001 | Consultant neonatologist
409974004 | Health educator
409975003 | Certified health education specialist
413854007 | Circulating nurse
415075003 | Perioperative nurse
415506007 | Scrub nurse
416160000 | Fellow of American Academy of Osteopathy
420409002 | Oculoplastic surgeon
420678001 | Retinal surgeon
421841007 | Admitting physician
422140007 | Medical ophthalmologist
422234006 | Ophthalmologist
432100008 | Health coach
442867008 | Respiratory therapist
443090005 | Podiatric surgeon
444912007 | Hypnotherapist
445313000 | Asthma nurse specialist
445451001 | Nurse case manager
446050000 | PCP - Primary care physician
446701002 | Addiction medicine specialist
449161006 | PA - physician assistant
471302004 | Government midwife
3981000175106 | Nurse complex case manager
394745000 | General practice (organisation)
394746004 | Regional office
394747008 | Health Authority
394748003 | Primary Care Group
394749006 | Primary Care Trust
394751005 | Special Health Authority
394757009 | Hospice - independent
394758004 | Independent provider
394760002 | GP practice
394762005 | GDP practice
394763000 | MoD practice
394764006 | MoD hospital
394765007 | Prison practice
398154004 | Quality Improvement Template Task Force
398255008 | Association of anesthesia clinical directors

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.144 Value Set http://hl7.org/fhir/ValueSet/care-team-status

URL: https://hl7.org/fhir/STU3/valueset-care-team-status.html

Patient Care Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-team-status
Name: | CareTeamStatus
Definition: | Indicates the status of the care team.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.144 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CareTeamStatus

* CareTeam.status (Required)

4.3.1.144.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/care-team-status

4.3.1.144.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/care-team-status version 3.0.2

All codes from system http://hl7.org/fhir/care-team-status

Code | Display | Definition
proposed | Proposed | The care team has been drafted and proposed, but not yet participating in the coordination and delivery of care.
active | Active | The care team is currently participating in the coordination and delivery of care.
suspended | Suspended | The care team is temporarily on hold or suspended and not participating in the coordination and delivery of care.
inactive | Inactive | The care team was, but is no longer, participating in the coordination and delivery of care.
entered-in-error | Entered In Error | The care team should have never existed.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.146 Value Set http://hl7.org/fhir/ValueSet/care-team-category

URL: https://hl7.org/fhir/STU3/valueset-care-team-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-team-category
Name: | CareTeamCategory
Definition: | Indicates the type of care team.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.146 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CareTeamCategory

* CareTeam.category (Example)

4.3.1.146.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/care-team-category

4.3.1.146.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/care-team-category version 3.0.2

All codes from system http://hl7.org/fhir/care-team-category

Code | Display | Definition

event | Event | This type of team focuses on one specific type of incident, which is non-patient specific. The incident is determined by the context of use. For example, code team (code red, code blue, medical emergency treatment) or the PICC line team.

encounter | Encounter | This type of team focuses on one specific encounter. The encounter is determined by the context of use. For example, during an inpatient encounter, the nutrition support care team

episode | Episode | This type of team focuses on one specific episode of care with a defined time period or self-limiting process (e.g. 10 visits). The episode of care is determined by the context of use. For example, a maternity care team over 9 months.

longitudinal | Longitudinal Care Coordination | This type of team focuses on overall care coordination managing one or more conditions across the continuum of care ensuring there are smooth transitions of care. The members of the team are determined or selected by an individual or organization. When determined by an organization, the team may be assigned or based on the person's enrollment in a particular program. For example, disease management team or patient centered medical home team.

condition | Condition | This type of team focuses on one specific condition. The condition is determined by the context of use. For example, a disease management team focused on one condition (e.g. diabetes).

clinical-research | Clinical Research | This type of team is responsible for establishing, conducting, coordinating and monitoring the outcomes of clinical trials. The team focuses on research, clinical care and education.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.148 Value Set http://hl7.org/fhir/ValueSet/investigation-sets

URL: https://hl7.org/fhir/STU3/valueset-investigation-sets.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/investigation-sets

Name: | Investigation Type

Definition: | Example value set for investigation type

Committee: | Patient Care Work Group

OID: | 2.16.840.1.113883.4.642.3.148 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* ClinicalImpression.investigation.code (Example)

4.3.1.148.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display

271336007 | Examination / signs

160237006 | History/symptoms

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.149 Value Set http://hl7.org/fhir/ValueSet/clinical-impression-status

URL: https://hl7.org/fhir/STU3/valueset-clinical-impression-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/clinical-impression-status
Name: | ClinicalImpressionStatus
Definition: | The workflow state of a clinical impression.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.149 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ClinicalImpressionStatus

* ClinicalImpression.status (Required)

4.3.1.149.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/clinical-impression-status

4.3.1.149.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/clinical-impression-status version 3.0.2

All codes from system http://hl7.org/fhir/clinical-impression-status

Code | Display | Definition
draft | In progress | The assessment is still on-going and results are not yet final.
completed | Completed | The assessment is done and the results are final.
entered-in-error | Entered in Error | This assessment was never actually done and the record is erroneous (e.g. Wrong patient).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.151 Value Set http://hl7.org/fhir/ValueSet/clinicalimpression-prognosis

URL: https://hl7.org/fhir/STU3/valueset-clinicalimpression-prognosis.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/clinicalimpression-prognosis
Name: | Clinical Impression Prognosis
Definition: | Example value set clinical impression prognosis
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.151 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* ClinicalImpression.prognosisCodeableConcept (Example)

4.3.1.151.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 365858006 (Prognosis/outlook finding)

4.3.1.151.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
60484009	Conditional prognosis	
65872000	Fair prognosis	
67334001	Guarded prognosis	
170968001	Prognosis good	
170969009	Prognosis bad	
170970005	Prognosis uncertain	

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.152 Value Set http://hl7.org/fhir/ValueSet/condition-code

URL: https://hl7.org/fhir/STU3/valueset-condition-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-code

Name: | Condition/Problem/Diagnosis Codes

Definition: | Example value set for Condition/Problem/Diagnosis codes

Committee: | Patient Care Work Group

OID: | 2.16.840.1.113883.4.642.3.152 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* FamilyMemberHistory.condition.code (Example)
* StructureDefinition FamilyMemberHistory-Genetic: FamilyMemberHistory.condition.code ((Example))
* DeviceRequest.reasonCode (Example)
* Procedure.complication (Example)
* MedicationRequest.reasonCode (Example)
* MedicationStatement.reasonCode (Example)
* Condition.code (Example)
* ClinicalImpression.finding.item[x] (Example)
* PlanDefinition.goal.addresses (Example)

4.3.1.152.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)
* Include these codes as defined in

http://snomed.info/sct

Code | Display
160245001 | No current problems or disability

4.3.1.152.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Gonococcal meningitis
162004 | Severe manic bipolar I disorder without psychotic features
165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy
175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae
179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Injury of intercostal artery
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease
195005 | Illegal abortion with endometritis
198007 | Disease due to Filoviridae
199004 | Decreased lactation
208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction
223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Epilepsia partialis continua
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Poisoning by oxytocin
279001 | Senile myocarditis
281004 | Dementia associated with alcoholism
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Boil of penis
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture of trapezoidal bone of wrist

358004 | Poisoning by smallpox vaccine
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine

682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding
845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea

1027000 | Alkaline reflux disease
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidiuria
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc
1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis
1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica

1343000 | Deep transverse arrest
1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction
1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting
1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure

1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction
1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis

1963002 | Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans
2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins

2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG
2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia
2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy

2589008 | Acute dacryoadenitis
2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region
2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint
2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia
2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis

2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus
3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder

3253007 | Discoloration of skin
3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission

3531009 | Intrapsychic conflict
3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia
3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina
3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury

3873005 | Failed attempted abortion with acute yellow atrophy of liver
3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired
4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs

4210003 | Ocular hypertension
4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose
4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome
4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Lithium nephropathy
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction
4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin

4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.153 Value Set http://hl7.org/fhir/ValueSet/condition-category

URL: https://hl7.org/fhir/STU3/valueset-condition-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-category
Name: | Condition Category Codes
Definition: | Preferred value set for Condition Categories.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.153 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Condition Category Codes

* Condition.category (Example)

4.3.1.153.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/condition-category

4.3.1.153.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/condition-category version 3.0.2

All codes from system http://hl7.org/fhir/condition-category

Code | Display | Definition
problem-list-item | Problem List Item | An item on a problem list which can be managed over time and can be expressed by a practitioner (e.g. physician, nurse), patient, or related person.
encounter-diagnosis | Encounter Diagnosis | A point in time diagnosis (e.g. from a physician or nurse) in context of an encounter.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.155 Value Set http://hl7.org/fhir/ValueSet/condition-clinical

URL: https://hl7.org/fhir/STU3/valueset-condition-clinical.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-clinical
Name: | Condition Clinical Status Codes
Definition: | Preferred value set for Condition Clinical Status.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.155 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Condition Clinical Status Codes

* Condition.clinicalStatus (Required)

4.3.1.155.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/condition-clinical

4.3.1.155.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/condition-clinical version 3.0.2

All codes from system http://hl7.org/fhir/condition-clinical

Code | Display | Definition
active | Active | The subject is currently experiencing the symptoms of the condition or there is evidence of the condition.
recurrence | Recurrence | The subject is having a relapse or re-experiencing the condition after a period of remission or presumed resolution.
inactive | Inactive | The subject is no longer experiencing the symptoms of the condition or there is no longer evidence of the condition.
remission | Remission | The subject is no longer experiencing the symptoms of the condition, but there is a risk of the symptoms returning.
resolved | Resolved | The subject is no longer experiencing the symptoms of the condition and there is a negligible perceived risk of the symptoms returning.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.157 Value Set http://hl7.org/fhir/ValueSet/condition-ver-status

URL: https://hl7.org/fhir/STU3/valueset-condition-ver-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-ver-status
Name: | ConditionVerificationStatus
Definition: | The verification status to support or decline the clinical status of the condition or diagnosis.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.157 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConditionVerificationStatus

* Condition.verificationStatus (Required)

4.3.1.157.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/condition-ver-status

4.3.1.157.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/condition-ver-status version 3.0.2

All codes from system http://hl7.org/fhir/condition-ver-status

Code | Display | Definition
provisional | Provisional | This is a tentative diagnosis - still a candidate that is under consideration.
differential | Differential | One of a set of potential (and typically mutually exclusive) diagnoses asserted to further guide the diagnostic process and preliminary treatment.
confirmed | Confirmed | There is sufficient diagnostic and/or clinical evidence to treat this as a confirmed condition.
refuted | Refuted | This condition has been ruled out by diagnostic and clinical evidence.
entered-in-error | Entered In Error | The statement was entered in error and is not valid.
unknown | Unknown | The condition status is unknown. Note that "unknown" is a value of last resort and every attempt should be made to provide a meaningful value other than "unknown".

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.159 Value Set http://hl7.org/fhir/ValueSet/condition-severity

URL: https://hl7.org/fhir/STU3/valueset-condition-severity.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-severity
Name: | Condition/Diagnosis Severity
Definition: | Preferred value set for Condition/Diagnosis severity grading
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.159 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Condition.severity (Preferred)

* Extension http://hl7.org/fhir/StructureDefinition/familymemberhistory-severity: severity ((Example))

4.3.1.159.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
24484000 | Severe
6736007 | Moderate
255604002 | Mild

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.160 Value Set http://hl7.org/fhir/ValueSet/manifestation-or-symptom

URL: https://hl7.org/fhir/STU3/valueset-manifestation-or-symptom.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/manifestation-or-symptom
Name: | Manifestation and Symptom Codes
Definition: | Example value set for Manifestation and Symptom codes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.160 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Condition.evidence.code (Example)

4.3.1.160.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.3.1.160.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
109006	Anxiety disorder of childhood OR adolescence	
122003	Choroidal hemorrhage	
127009	Spontaneous abortion with laceration of cervix	
129007	Homoiothermia	
134006	Decreased hair growth	
140004	Chronic pharyngitis	
144008	Normal peripheral vision	
147001	Superficial foreign body of scrotum without major open wound but with infection	
150003	Abnormal bladder continence	
151004	Gonococcal meningitis	
162004	Severe manic bipolar I disorder without psychotic features	
165002	Accident-prone	
168000	Typhlolithiasis	
171008	Injury of ascending right colon without open wound into abdominal cavity	
172001	Endometritis following molar AND/OR ectopic pregnancy	
175004	Supraorbital neuralgia	
177007	Poisoning by sawfly larvae	
179005	Apraxia of dressing	
181007	Hemorrhagic bronchopneumonia	
183005	Autoimmune pancytopenia	
184004	Withdrawal arrhythmia	
188001	Injury of intercostal artery	
192008	Congenital syphilitic hepatomegaly	
193003	Benign hypertensive renal disease	
195005	Illegal abortion with endometritis	
198007	Disease due to Filoviridae	
199004	Decreased lactation	
208008	Neurocutaneous melanosis sequence	
216004	Delusion of persecution	
219006	Alcohol user	
222008	Acute epiglottitis with obstruction	
223003	Tumor of body of uterus affecting pregnancy	
228007	Lucio phenomenon	
241006	Epilepsia partialis continua	
242004	Noninfectious jejunitis	
253005	Sycosis	
257006	Acne rosacea, erythematous telangiectatic type	

258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Poisoning by oxytocin
279001 | Senile myocarditis
281004 | Dementia associated with alcoholism
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Boil of penis
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture of trapezoidal bone of wrist
358004 | Poisoning by smallpox vaccine
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder

599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding
845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction

904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea
1027000 | Alkaline reflux disease
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidiuria
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc
1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis

1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis
1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica
1343000 | Deep transverse arrest
1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction
1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting
1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives

1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction
1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose

1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans
2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis

2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG
2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia
2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder

2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region
2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint
2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy

2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia
2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus
3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum
3105002 | Intron
3109008 | Secondary dysthymia early onset

3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Discoloration of skin
3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea

3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission
3531009 | Intrapsychic conflict
3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia
3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia

3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina
3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted abortion with acute yellow atrophy of liver
3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired
4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome

4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | Ocular hypertension
4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose
4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome
4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Lithium nephropathy

4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction
4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.161 Value Set http://hl7.org/fhir/ValueSet/condition-stage

URL: https://hl7.org/fhir/STU3/valueset-condition-stage.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-stage
Name: | Condition Stage
Definition: | Example value set for stages of cancer and other conditions
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.161 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Condition.stage.summary (Example)

4.3.1.161.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 385356007 (Tumour stage finding)

4.3.1.161.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
786005 | Clinical stage I B
1523005 | Clinical stage IV B
2640006 | Clinical stage IV
2786004 | Epithelial ovarian tumor, FIGO stage III
5701003 | Lymphoma stage IIe
5856006 | N3 stage
6123003 | pT4 stage
6534007 | Epithelial ovarian tumor, FIGO stage IIA
13104003 | Clinical stage I
14410001 | T3 stage
14926007 | pM1 stage
14927003 | FIGO VC stage II
15076001 | pN2 stage
15540006 | International Federation of Gynecology and Obstetrics cervical cancer (FIGO CC) stage I
15542003 | Clinical stage I C
17076002 | pMX stage
17691001 | Clinical stage I S
17816005 | Clinical stage II B
19408000 | pM0 stage
21917009 | pN0 stage
22079002 | N4 stage
22364004 | FIGO VC stage III
23351008 | T1 stage
25654007 | International Federation of Gynecology and Obstetrics cervical cancer (FIGO CC) stage Ib
27167007 | MX stage
30382004 | FIGO EC stage II
30440004 | Lymphoma stage I
30893008 | M0 stage
31747005 | Modified Dukes stage B1
33177002 | Clinical stage IV C
33907000 | Clinical stage III E
34537009 | FIGO EC stage IV
35440002 | Clinical stage I D
36018006 | Epithelial ovarian tumor, FIGO stage IA
37415008 | Epithelial ovarian tumor, FIGO stage IC
39617003 | Clinical stage II C
39880006 | pT0 stage
43189003 | pTX stage
44255004 | Lymphoma stage IIIe
44401000 | Tis stage
45552005 | pN1 stage
46059003 | N2 stage
46333007 | Clinical stage I A
46756001 | FIGO EC stage I A
48105005 | Clinical stage III C
49182004 | pN3 stage
49219005 | International Federation of Gynecology and Obstetrics cervical cancer (FIGO CC) stage Ia
50237009 | FIGO EC stage I
50283003 | Clinical stage III
52708004 | FIGO CC stage III
52774001 | Clinical stage II A
52865009 | Clinical stage IV D
53173007 | Modified Dukes stage B2
53623008 | N1 stage
53786006 | pT1 stage
54452005 | pNX stage
54498006 | Modified Dukes stage C1
55336000 | Clinical stage III D
55440008 | M1 stage
56380009 | Clinical stage I E
56587006 | FIGO VC stage I
56769006 | Modified Dukes stage A
56944001 | Lymphoma stage III
57306005 | Modified Dukes stage C2
57605004 | Modified Dukes stage D
58790005 | T0 stage
60275007 | FIGO EC stage I B
60333009 | Clinical stage II
62455006 | N0 stage
64062008 | Clinical stage III B

64202001 | Clinical stage IV E
64574000 | Epithelial ovarian tumor, FIGO stage IIB
64737002 | Epithelial ovarian tumor, FIGO stage IB
64877001 | Clinical stage III S
65235001 | Epithelial ovarian tumor, FIGO stage I
65306007 | FIGO VM stage II
65536004 | FIGO VM stage III
65565005 | T4 stage
66445009 | Lymphoma stage IV
67101007 | TX stage
67673008 | T2 stage
68240008 | FIGO CC stage II
69605008 | Clinical stage II E
70046009 | FIGO VM stage I
70664003 | Clinical stage IV S
71725004 | Clinical stage IV A
72780008 | FIGO VC stage IV
73055006 | FIGO VM stage V
73082003 | Clinical stage III A
73511008 | Epithelial ovarian tumor, FIGO stage IV
74053007 | Lymphoma stage IIIs
75339006 | Lymphoma stage III 2
76422004 | Lymphoma stage II
78199001 | Epithelial ovarian tumor, FIGO stage IIC
78607009 | Epithelial ovarian tumor, FIGO stage II
79420006 | NX stage
80588003 | FIGO VM stage IV
80663004 | pN4 stage
80898003 | pT2 stage
80975007 | FIGO EC stage III
81822003 | FIGO CC stage IV
84633001 | Lymphoma stage IIIse
84921008 | pTis stage
87977001 | International Federation of Gynecology and Obstetrics cervical cancer stage Ib occ
89487002 | Lymphoma stage Ie
90321006 | Clinical stage II S
90402004 | pT3 stage
112240001 | Clinical stage II D
112241002 | Lymphoma stage III 1
258297005 | Metastasis stage M2
258298000 | Metastasis stage M3
258299008 | Metastasis stage M4
261646003 | Tumor stage T1a
261647007 | Tumor stage T1a1
261648002 | Tumor stage T1a2
261649005 | Tumor stage T1b
261650005 | Tumor stage T1c
261651009 | Tumor stage T2a
261652002 | Tumor stage T2b
261653007 | Tumor stage T2c
261654001 | Tumor stage T3a
261655000 | Tumor stage T3b
261656004 | Tumor stage T3bi
261657008 | Tumor stage T3bii
261658003 | Tumor stage T3c
261659006 | Tumor stage T4a
261660001 | Tumor stage T4b
261661002 | Tumor stage T4c
261662009 | Tumor stage T4d
261927002 | Metastasis stage M1a
261928007 | Metastasis stage M1b
261929004 | Metastasis stage M1c
261967001 | Node stage N2a
261968006 | Node stage N2b
261969003 | Node stage N2c
277672002 | Node stage N1a
277674001 | Node stage N1b
277744001 | Metastasis stage pM1
277772008 | Node stage N1bi
277776006 | Node stage N1bii
277777002 | Node stage N1biii
277778007 | Node stage N1biv

313108002 | Tumor stage T1mic
313110000 | Tumor stage T1b1
313111001 | Tumor stage T1b2
313145008 | Tumor stage Tis pu
313146009 | Tumor stage Tis pd
369793000 | Tis (--): Carcinoma in situ (endometrium / uterine cervix)
369794006 | T1 (I): Cervical carcinoma confined to uterus
369795007 | T1a (IA): Invasive carcinoma of uterine cervix diagnosed by microscopy only
369796008 | T1a1 (IA1): Tumor of uterine cervix with stromal invasion < 3.0 mm in depth and horizontal spread < 7.0 mm
369797004 | T1a2 (IA2): Tumor of uterine cervix with stromal invasion > 3.0 mm but < 5.0 mm in depth and horizontal spread < 7.0 mm
369798009 | T1b (IB): Tumor of uterine cervix with clinically visible lesion confined to the cervix or microscopic lesion greater than T1a2/IA2
369799001 | T1b1 (IB1): Tumor of uterine cervix, clinically visible lesion < 4.0 mm in greatest dimension
369800002 | T1b2 (IB2): Tumor of uterine cervix, clinically visible lesion > 4.0 mm in greatest dimension
369801003 | T2 (II): Tumor of uterine cervix invades beyond the uterus but not to pelvic wall or to lower third of vagina
369802005 | T2a (IIA): Tumor of uterine cervix, T2 without parametrial invasion
369803000 | T2b (IIB): Tumor of uterine cervix, T2 with parametrial invasion
369804006 | T3 (III): Tumor of uterine cervix extends to the pelvic wall and/or involves the lower third of the vagina and/or causes hydronephrosis or nonfunctioning kidney
369805007 | T3a (IIIA): Tumor of uterine cervix involves lower third of vagina, but not pelvic wall
369806008 | T4 (IVA): Tumor of uterine cervix/vagina invades mucosa of bladder or rectum and/or extends beyond true pelvis
369807004 | T1 (I): Endometrial tumor confined to corpus uteri
369808009 | T1a (IA): Tumor limited to endometrium
369809001 | T1b (IB): Endometrial tumor invades up to or less than one half of the endometrium
369810006 | T1c (IC): Endometrial tumor invades to more than one half of the endometrium
369811005 | T2 (II): Endometrial tumor invades cervix, but does not extend beyond uterus
369812003 | T2a (IIA): Endometrial tumor with endocervical glandular involvement
369813008 | T2b (IIB): Endometrial tumor with cervical stromal invasion
369814002 | T3 (III): Endometrial tumor with local and/or regional spread as specified in T3a, b, N1 and FIGO IIIA, B, and C below or adnexa (direct extension or metastasis) and/or cancer cells in ascites or peritoneal washings
369815001 | T3b (IIIB): Endometrial tumor with vaginal involvement (direct extension or metastasis)
369816000 | T4 (IVA): Endometrial tumor invades bladder mucosa and/or bowel mucosa
369817009 | T1 (I): Tumor confined to vagina
369818004 | T2 (II): Vaginal tumor invades paravaginal tissues but not to pelvic wall
369819007 | T3 (III): Vaginal tumor extends to pelvic wall
369820001 | T1 (I): Tumor limited to fallopian tube(s)
369821002 | T1a (IA): Tumor limited to one fallopian tube without penetrating the serosal surface, no ascites
369822009 | T1b (IB): Tumor limited to both tubes without penetrating the serosal surface: no ascites
369823004 | T1c (IC): Tumor limited to one or both tube(s) with extension into or through the tubal serosa; or with malignant cells in ascites or peritoneal washings: FALLOPIAN TUBE: Salpingectomy
369824005 | T2 (II): Fallopian tube tumor involves one or both tube(s) with pelvic extension
369825006 | T2a (IIA): Fallopian tube tumor with extension and/or metastasis to the uterus and/or ovaries
369826007 | T2b (IIB): Fallopian tube/ovarian tumor with extension to other pelvic structures
369827003 | T2c (IIC): Fallopian tube/ovarian tumor with pelvic extension (T2a or b) with malignant cells in ascites or peritoneal washings
369828008 | T3 and/or N1 (III): Fallopian tube tumor involves one or both tube(s) with peritoneal implants outside the pelvis and/or regional lymph node metastasis
369829000 | T3a (IIIA): Fallopian tube/ovarian tumor with microscopic peritoneal metastasis beyond pelvis
369830005 | T3b (IIIB): Fallopian tube/ovarian tumor with macroscopic peritoneal metastasis beyond pelvis < 2 cm in greatest dimension
369831009 | T3c (IIIC): Fallopian tube/ovarian tumor with peritoneal metastasis beyond pelvis > 2 cm in greatest dimension and/or regional lymph node metastasis
369832002 | T1: Clinically inapparent prostate tumor not palpable or visible by imaging
369833007 | T1a: Prostate tumor incidental histologic finding in 5% or less of tissue resected
369834001 | T1b: Prostate tumor incidental histologic finding in > 5% of tissue resected
369835000 | T1c: Tumor identified by needle biopsy because of elevated PSA: PROSTATE: Biopsy/TURP: PROSTATE: Resection
369836004 | T2a: Prostate tumor involves one lobe
369837008 | T3: Prostate tumor extends through the prostatic capsule
369838003 | T3a: Prostate tumor with extracapsular extension (unilateral or bilateral)
369839006 | T3b: Prostate tumor invades the seminal vesicle(s)
369840008 | T2: Aerodigestive tract tumor causing bone erosion or destruction, except for the posterior antral wall, including extension into hard palate and/or middle nasal meatus
369841007 | T1: Aerodigestive tract tumor < 2 cm in greatest dimension
369842000 | T1: Aerodigestive tract tumor confined to ethmoid with or without bone erosion
369843005 | T1: Aerodigestive tract tumor confined to nasopharynx
369844004 | T1: Tumor limited to one subsite of hypo-pharynx and < 2 cm in greatest dimension
369845003 | T1: Tumor limited to one subsite of supraglottis with normal vocal cord mobility
369846002 | T1: Tumor limited to subglottis
369847006 | T1: Tumor limited to the antral mucosa with no erosion or destruction of bone
369848001 | T1: Tumor limited to vocal cord(s) (may involve anterior or posterior commissure) with normal mobility
369849009 | T1a: Tumor limited to one vocal cord
369850009 | T1b: Tumor involves both vocal cords
369851008 | T2: Aerodigestive tract tumor > 2 cm but < 4 cm in greatest dimension
369852001 | T2: Aerodigestive tract tumor > 2 cm but < 4 cm in greatest dimension without extraparenchymal extension
369853006 | T2: Aerodigestive tract tumor extends into nasal cavity
369854000 | T2: Aerodigestive tract tumor extends to soft tissue of oropharynx and/or nasal fossa

369855004 | T2: Aerodigestive tract tumor extends to supraglottis and/or subglottis, and/or with impaired vocal cord mobility
369856003 | T2: Aerodigestive tract tumor extends to vocal cord(s) with normal or impaired mobility
369857007 | T2: Aerodigestive tract tumor invades more than one subsite of hypopharynx or an adjacent site, or measures > 2 cm but < 4 cm in greatest dimension, without fixation of hemilarynx
369858002 | T2: Aerodigestive tract tumor invades mucosa of >1 adjacent subsite of supraglottis/glottis/region outside supraglottis, (mucosa of base of tongue/vallecula/medial wall of piriform sinus) without fixation of larynx
369859005 | T2a: Aerodigestive tract tumor without parapharyngeal extension
369860000 | T2b: Aerodigestive tract tumor with parapharyngeal extension
369861001 | T3: Aerodigestive tract tumor > 4 cm in greatest dimension
369862008 | T3: Aerodigestive tract tumor extends to anterior orbit and/or maxillary sinus
369863003 | T3: Aerodigestive tract tumor having extraparenchymal extension without seventh nerve involvement, and/or > 4 cm but < 6 cm in greatest dimension
369864009 | T3: Aerodigestive tract tumor invades any of the following: bone of posterior wall of maxillary sinus, subcutaneous tissues, skin of cheek, floor or medial wall of orbit, infratemporal fossa, pterygoid plates, ethmoid sinuses
369865005 | T3: Aerodigestive tumor invades bony structures and/or paranasal sinuses
369866006 | T3: Aerodigestive tract tumor limited to larynx with vocal cord fixation
369867002 | T3: Aerodigestive tract tumor limited to larynx with vocal cord fixation and/or invades any of the following: postcricoid area, pre-epiglottic tissues, deep base of tongue
369868007 | T3: Aerodigestive tract tumor measures > 4 cm in greatest dimension, or with fixation of hemilarynx
369869004 | T4: Lip: Tumor invades adjacent structures (cortical bone, inferior alveolar nerve, floor of mouth, skin of face)
369870003 | T4: Oral Cavity: Tumor invades adjacent structures (cortical bone, deep (extrinsic) muscle of tongue, maxillary sinus, skin)
369871004 | T4: Aerodigestive tract tumor invades adjacent structures (pterygoid muscles, mandible, hard palate, deep muscle of tongue, larynx)
369872006 | T4: Aerodigestive tract tumor invades adjacent structures (thyroid/cricoid cartilage, carotid artery, soft tissues of neck, prevertebral fascia/muscles, thyroid and/or esophagus)
369873001 | T4: Aerodigestive tumor invades base of skull, seventh nerve, and/or exceeds 6 cm in greatest dimension
369874007 | T4: Aerodigestive tract tumor invades orbital contents beyond the floor or medial wall including apex and/or any of the following: cribriform plate, base of skull, nasopharynx, sphenoid sinus, frontal sinus
369875008 | T4: Tumor invades through cricoid or thyroid cartilage and/or extends into other tissues beyond the larynx (trachea, soft tissues of neck, thyroid, esophagus)
369876009 | T4: Tumor invades through thyroid cartilage and/or extends to other tissues beyond the larynx (trachea, soft tissues of neck, pharynx)
369877000 | T4: Tumor invades through thyroid cartilage, and/or extends into soft tissues of the neck, thyroid, and/or esophagus
369878005 | T4: Aerodigestive tract tumor with intracranial extension and/or involvement of cranial nerves, infratemporal fossa, hypopharynx or orbit
369879002 | T4: Aerodigestive tract tumor with intracranial extension, orbital extension including apex, involving sphenoid and/or frontal sinus and/or skin of nose
369880004 | T1: Lung tumor 3 cm or less in greatest dimension, surrounded by lung or visceral pleura, without bronchoscopic evidence of invasion more proximal than the lobar bronchus
369881000 | T2:Lung tumor with any of these features:>3cm in greatest dimension, involves main bronchus >2cm distal to carina; invades visceral pleura; assoc with atelectasis/obstructive pneumonitis extends to hilar region, does not involve entire lung
369882007 | T3: Lung tumor of any size associated atelectasis or obstructive pneumonitis of the entire lung
369883002 | T3: Lung tumor of any size in the main bronchus < 2 cm distal to the carina but without involvement of the carina
369884008 | T3: Lung tumor of any size that directly invades any of the following: chest wall (including superior sulcus tumors); diaphragm; mediastinal pleura; parietal pericardium
369885009 | T4: Lung tumor of any size that invades any of the following: mediastinum; heart; great vessels; trachea; esophagus; vertebral body; carina
369886005 | T4: Lung tumor of any size with a malignant pleural effusion
369887001 | T4: Lung tumor of any size with separate tumor nodule(s) in same lobe
369888006 | T1: Kidney tumor < 7.0 cm in greatest dimension limited to the kidney
369889003 | T2: Renal tumor > 7.0 cm in greatest dimension limited to the kidney
369890007 | T3: Renal tumor extends into major veins or invades the adrenal gland or perinephric tissues but not beyond Gerota's fascia
369891006 | T3a: Renal tumor invades the adrenal gland or perinephric tissues but not beyond Gerota's fascia
369892004 | T3b: Renal tumor grossly extends into the renal vein(s) or vena cava below the diaphragm
369893009 | T3c: Renal tumor grossly extends into the vena cava above the diaphragm
369894003 | T4: Renal tumor invades beyond Gerota's fascia
369895002 | T1: Breast tumor <= 2 cm in greatest dimension
369896001 | T1mic: Microinvasion <= 0.1 cm in greatest dimension: BREAST: Complete excision less than total mastectomy, total mastectomy, modified radical mastectomy, radical mastectomy
369897005 | T1a: Breast tumor >0.1 cm but <= 0.5 cm in greatest dimension
369898000 | T1b: Breast tumor >0.5 cm but <= 1 cm in greatest dimension
369899008 | T1c: >1 cm but <= 2 cm in greatest dimension: BREAST: Complete excision less than total mastectomy, total mastectomy, modified radical mastectomy, radical mastectomy
369900003 | T2: Breast tumor > 2 cm but <= 5 cm in greatest dimension
369901004 | T3: Breast tumor >5 cm in greatest dimension
369902006 | T4: Breast tumor of any size with direct extension to chest wall or skin
369903001 | T4a: Breast tumor with extension to chest wall
369904007 | T4b: Edema (including peau d'orange) or ulceration of the skin of the breast or satellite skin nodules confined to the same breast
369905008 | T4c: Breast tumor, both T4a and T4b
369906009 | T4d: Inflammatory carcinoma (breast)
369907000 | Tis: Carcinoma in situ, breast: Intraductal carcinoma, lobular carcinoma in situ, or Paget's disease of the nipple with no tumor
369909002 | T1: Tumor invades lamina propria or submucosa
369910007 | T1a: Esophagus/stomach tumor invades lamina propria
369911006 | T1b: Esophagus/stomach tumor invades submucosa
369912004 | T2: Tumor invades muscularis propria
369913009 | T3: Esophageal tumor invades adventitia
369914003 | T4: Tumor directly invades adjacent structures

369915002 | T2: Stomach tumor invades muscularis propria or subserosa
369916001 | T2a: Stomach tumor invades muscularis propria
369917005 | T2b: Stomach tumor invades subserosa
369918000 | T3: Stomach tumor penetrates serosa without invasion of adjacent structures
369919008 | T4a: Colon/rectum tumor directly invades other organs or structures
369920002 | T1: Tumor invades submucosa (colon/rectum)
369921003 | T3: Colon/rectum tumor invades through the muscularis propria into the subserosa or the nonperitonealized pericolic or perirectal soft tissues
369922005 | T4b: Colon/rectum tumor penetrates the visceral peritoneum
369923000 | Tis (0): Carcinoma in situ (vagina)
369924006 | Tis (0): Carcinoma in situ (limited to fallopian tube mucosa)
369925007 | Tis: Epithelium only (carcinoma in situ, no invasion)
369926008 | T1: Tumor limited to ampulla of Vater or sphincter of Oddi
369927004 | T2: Ampulla tumor invades duodenal wall
369928009 | T3: Ampulla tumor invades 2 cm or less into pancreas
369929001 | T4: Ampulla tumor invades >2 cm into pancreas and/or into other adjacent organs
369930006 | T1: Tumor limited to pancreas and < 2 cm in greatest dimension
369931005 | T2: Tumor limited to pancreas and > 2 cm in greatest dimension
369932003 | T3: Pancreatic tumor extends directly to any of the following: duodenum; bile duct; peripancreatic tissues
369933008 | T4: Pancreas tumor extends directly to any of the following: stomach; spleen; colon; adjacent large vessels
369934002 | Tis: Carcinoma in situ ("flat tumor" of urinary bladder)
369935001 | T1: Urinary tract tumor invades subepithelial connective tissue
369936000 | T2: Urinary bladder tumor invades muscle
369937009 | T2: Renal pelvis/ureter tumor invades the muscularis
369938004 | T2a: Urinary bladder tumor invades superficial muscle (inner half)
369939007 | T2b: Urinary bladder tumor invades deep muscle (outer half)
369940009 | T3: Ureteral tumor invades beyond muscularis into periureteric fat
369941008 | T3: Renal pelvis tumor invades beyond muscularis peripelvic fat or the renal parenchyma
369942001 | T3: Urinary bladder tumor invades perivesical tissue
369943006 | T3a: Bladder tumor invades perivesical tissue microscopically
369944000 | T3b: Bladder tumor invades perivesical tissue macroscopically (extravesicular mass)
369945004 | T4: Urinary bladder tumor invades any of the following: prostate, uterus, vagina, pelvic wall abdominal wall
369946003 | T4: Renal pelvis/ureter tumor invades adjacent organs, or through the kidney into the perinephric fat
369947007 | T4a: Bladder tumor invades prostate or uterus or vagina
369948002 | T4b: Bladder tumor invades pelvic wall or abdominal wall
369949005 | Ta: Noninvasive papillary carcinoma (urinary tract)
369950005 | Tis: Intratubular germ cell neoplasia (carcinoma in situ, testis)
369951009 | T1: Testicular tumor limited to the testis and epididymis without vascular/lymphatic invasion (tumor may invade tunica albuginea but not tunica vaginalis)
369952002 | T2: Testicular tumor limited to the testis and epididymis with vascular/lymphatic invasion or tumor extending through tunica albuginea with involvement of tunica vaginalis
369953007 | T3: Testicular tumor invades spermatic cord with or without vascular/lymphatic invasion
369954001 | T4: Testicular tumor invades scrotum with or without vascular/lymphatic invasion
369955000 | T1 (I): Trophoblastic disease confined to uterus
369956004 | T1 (IA): Trophoblastic disease confined to uterus with no risk factors
369957008 | T1 (IB): Trophoblastic disease confined to uterus with one risk factor
369958003 | T1 (IC): Trophoblastic disease confined to uterus with two risk factors
369959006 | T2 (II): Trophoblast: GTT extends outside of the uterus but is limited to the genital structures (adnexa, vagina, broad ligament)
369960001 | T2 (IIA): Trophoblast: GTT involving genital structure without risk factors
369961002 | T2 (IIB): Trophoblast: GTT extends outside of the uterus but limited to genital structures with one risk factor
369962009 | T2 (IIC): Trophoblast: GTT extends outside of the uterus but limited to genital structures with two risk factors
369963004 | T1: Tumor limited to ipsilateral parietal and/or visceral pleura
369964005 | T2: Pleural tumor invades any of the following: ipsilateral lung, endothoracic fascia, diaphragm, or pericardium
369965006 | T3: Pleural tumor invades any of the following: ipsilateral chest wall muscle, ribs, or media-stinal organs or tissues
369966007 | T4: Pleural tumor directly extends to any of the following: contralateral pleura, contralateral lung, peritoneum, intra-abdominal organs, cervical tissues
369967003 | T1: Tumor size < 1 cm, limited to thyroid
369968008 | T2: Tumor > 1 cm but < 4 cm, limited to thyroid
369969000 | T3: Thyroid tumor > 4 cm, limited to thyroid
369970004 | T4: Thyroid tumor of any size extending beyond the thyroid capsule
369971000 | T1a (IA): Tumor limited to one ovary, capsule intact, no tumor on ovarian surface
369972007 | T1b (IB): Tumor limited to both ovaries: capsule intact, no tumor on ovarian surface
369973002 | T1c (IC): Tumor limited to one or both ovaries with any of the following: capsule ruptured, tumor on ovarian surface, malignant cells in ascites or peritoneal washings: OVARY: Resection
369974008 | T2: Ovarian tumor involves one or both ovaries with pelvic extension
369975009 | T2a (IIA): Ovarian tumor with extension and/or implants on uterus and/or tube(s)
369976005 | T3 and/or N1 (III): Ovarian tumor involves one or both ovaries with microscopically confirmed peritoneal metastasis outside the pelvis and/or regional lymph node metastasis
369977001 | T3b (IIIB): Tumor of uterine cervix extends to pelvic wall and/or causes hydronephrosis or nonfunctioning kidney
369978006 | T2: Tumor confined within the prostate
369979003 | T1: Aerodigestive tract tumor < 2 cm in greatest dimension without extraparenchymal extension
369980000 | Tis: Tumor invades lamina propria (gastrointestinal tumor)
369981001 | Tis: Tumor invades muscularis mucosae (colon/rectum)

369982008 | T1: Solitary liver tumor < 2 cm; no vascular invasion
369983003 | N1: Metastasis to movable ipsilateral axillary lymph node(s)
369984009 | N1a: Only micrometastasis, none > 0.2 cm in greatest dimension
369985005 | N1b: Metastasis to lymph node(s), any > 0.2 cm in greatest dimension
369986006 | N1bi: Metastasis in 1 to 3 lymph nodes, any > 0.2 cm and all < 2 cm in greatest dimension
369987002 | N1bii: Metastasis in 4 or more lymph nodes, any > 0.2 cm and all < 2 cm in greatest dimension
369988007 | N1biii: Extension of tumor beyond the capsule of a lymph node metastasis, < 2 cm in greatest dimension
369989004 | N1biv: Metastasis to a lymph node > 2 cm in greatest dimension
369990008 | N2: Metastasis to ipsilateral axillary lymph node(s) fixed to one another or to other structures
369991007 | N3: Metastasis to ipsilateral internal mammary lymph node(s)
369992000 | N1: Metastasis in 1-3 lymph nodes
369993005 | N2: Metastasis in 4 or more lymph nodes
369994004 | N1a: 1-3 nodes involved
369995003 | N1b: 4-7 nodes involved
369996002 | N1c: >7 nodes involved
369997006 | N1: Metastasis in 1-6 perigastric lymph nodes
369998001 | N2: Metastasis in 7-15 perigastric lymph nodes
369999009 | N3: Metastasis in >15 perigastric lymph nodes
370000006 | N1: Metastasis in a single lymph node, < 2 cm in greatest dimension
370001005 | N1: Metastasis in a single lymph node, <= 2 cm in greatest dimension
370002003 | N2: Metastasis in a single lymph node, > 2 cm but <= 5 cm in greatest dimension, or multiple lymph nodes, none > 5 cm in greatest dimension
370003008 | N3: Metastasis in a lymph node > 5 cm in greatest dimension
370004002 | N1: Metastasis in a single ipsilateral lymph node, < 3 cm in greatest dimension
370005001 | N1: Unilateral metastasis in lymph node(s) > 6 cm in greatest dimension, above supraclavicular fossa
370006000 | N2: Metastasis in a single ipsilat lymph node >3cm but <6cm in greatest dimension; or in multiple ipsilat lymph nodes, none >6cm in greatest dimension; or in bilat or contralat lymph nodes, none >6cm in greatest dimension
370007009 | N2: Bilateral metastasis in lymph node(s) > 6 cm in greatest dimension, above supraclavicular fossa
370008004 | N2a: Metastasis in a single ipsilateral lymph node, > 3 cm but < 6 cm in greatest dimension
370009007 | N2b: Metastasis in multiple ipsilateral lymph nodes, none > 6 cm in greatest dimension
370010002 | N2c: Metastasis in bilateral or contralateral lymph nodes, none > 6 cm in greatest dimension
370011003 | N3: Metastasis in lymph node(s)
370012005 | N3a: > 6 cm in dimension
370013000 | N3b: extension to supraclavicular fossa
370014006 | N3: Metastasis in a lymph node > 6 cm in greatest dimension
370015007 | N1: Metastasis in ipsilateral peribronchial and/or ipsilateral hilar lymph nodes, including intrapulmonary nodes involved by direct extension of the primary tumor
370016008 | N2: Metastasis in ipsilateral mediastinal and/or subcarinal lymph node(s)
370017004 | N3: Metastasis in contralateral mediastinal, contralateral hilar, ipsilateral or contralateral scalene or supraclavicular lymph node(s)
370018009 | N1: Metastasis in a single lymph node
370019001 | N2: Metastasis in more than one regional lymph node
370020007 | N1: Metastasis with a lymph node mass < 2 cm in greatest dimension and 5 or fewer positive nodes, none > 2 cm in greatest dimension
370021006 | N2: Metastasis with a lymph node mass >2 cm but <= 5 cm in greatest dimension, or more than 5 nodes positive, none > 5 cm; or evidence of extranodal extension of tumor
370022004 | N3: Metastasis with a lymph node mass > 5 cm in greatest dimension
370023009 | N1: Metastasis in regional lymph node or nodes
370024003 | N1: Pelvic or inguinal lymph node metastasis
370025002 | N1a: Metastasis in ipsilateral cervical lymph node(s)
370026001 | N1b: Metastasis in bilateral, midline, or contralateral cervical or mediastinal lymph node(s)
370027005 | N1a: Metastasis in single regional lymph node
370028000 | N1b: Metastasis in multiple regional lymph nodes
370029008 | M1 (IV): Distant metastasis
370030003 | M1 (IVB): Distant metastasis
370031004 | M1: Distant metastasis [includes metastasis to ipsilateral supraclavicular lymph nodes]
370032006 | M1: Distant metastasis, includes separate tumor nodule(s) in a different lobe (ipsilateral or contralateral)
370033001 | M1a: Non-regional lymph node or pulmonary metastasis
370034007 | M1a: non-regional lymph node metastasis
370035008 | M1a (III): GTT extends to the lungs with or without genital tract involvement
370036009 | M1a (IIIA): GTT extends to the lungs with or without genital tract involvement without risk factors
370037000 | M1a (IIIB): GTT extends to the lungs with or without genital tract involvement with one risk factor
370038005 | M1a (IIIC): GTT extends to the lungs with or without genital tract involvement with two risk factors
370039002 | M1b (IV): All other metastatic sites
370040000 | M1b (IVA): All other metastatic sites without risk factors
370041001 | M1b (IVB): All other metastatic sites with one risk factor
370042008 | M1b (IVC): All other metastatic sites with two risk factors
370043003 | M1b: Bone(s)
370044009 | M1b: Distant metastasis other than to non-regional lymph nodes and lungs
370045005 | M1c: Other site(s)
370046006 | T3a,b: Colon/rectum tumor invades <=5 mm beyond the border of the muscularis propria
370047002 | T3c,d: Colon/rectum tumor invades >5 mm beyond the border of the muscularis propria
370072002 | Direct invasion of adrenal (T3a)
370123006 | N1: Regional lymph node metastasis
372436009 | N1: Metastasis in perirectal lymph node or nodes

372437000 | N2: Metastasis to unilateral internal iliac and/or inguinal lymph node(s)
373150000 | pNX: Regional lymph nodes cannot be assessed (e.g., previously removed, or not removed for pathologic study) (breast)
373151001 | pN0: No regional lymph node metastasis histologically (i.e., none greater than 0.2 mm), no additional examination for isolated tumor cells (breast)
373156006 | pN1: Metastasis in 1 to 3 axillary lymph nodes, and/or in internal mammary nodes with microscopic disease detected by sentinel lymph node dissection but not clinically apparent (breast)
373157002 | pN1mi: Micrometastasis (greater than 0.2 mm, none greater than 2.0 mm) (breast)
373158007 | pN1mi(i+): Micrometastasis detected only by IHC (breast)
373159004 | pN1a: Metastasis in 1 to 3 axillary lymph nodes (breast)
373160009 | pN1b: Metastasis in internal mammary lymph nodes with microscopic disease detected by sentinel lymph node dissection but not clinically apparent (breast)
373161008 | pN1c: Metastasis in 1 to 3 axillary lymph nodes and in internal mammary lymph nodes with microscopic disease detected by sentinel lymph node dissection but not clinically apparent (breast)
373162001 | pN2: Metastasis in 4 to 9 axillary lymph nodes, or in clinically apparent internal mammary lymph nodes in the absence of axillary lymph node metastasis (breast)
373163006 | pN2a: Metastasis in 4 to 9 axillary lymph nodes (at least one tumor deposit greater than 2.0 mm) (breast)
373164000 | pN2b: Metastasis in clinically apparent internal mammary lymph nodes in the absence of axillary lymph node metastasis (breast)
373165004 | pN3a: Metastasis in 10 or more axillary lymph nodes (at least one tumor deposit greater than 2.0 mm), or metastasis to infraclavicular lymph nodes (breast)
373166003 | pN3c: Metastasis in ipsilateral supraclavicular lymph nodes (breast)
373167007 | pN3b: Tumor of breast with metastasis as per AJCC 6th Edition definition (breast)
373169005 | pM0: No distant metastasis from breast tumor
373170006 | pMX: Distant metastasis cannot be assessed (breast)
373171005 | pM1: Distant metastasis (breast)
373172003 | pT1: Tumor 2 cm or less in greatest dimension (breast)
373173008 | pTX: Primary tumor cannot be assessed (breast)
373174002 | pT0: No evidence of primary tumor (breast)
373175001 | pTis: Carcinoma in situ (breast)
373176000 | pTis: Ductal carcinoma in situ (breast)
373177009 | pTis: Lobular carcinoma in situ (breast)
373178004 | pTis: Paget's disease of the nipple with no tumor
373179007 | pT1mic: Microinvasion <= 0.1 cm in greatest dimension (breast)
373180005 | pT1a: Tumor >0.1 cm but <= 0.5 cm in greatest dimension (breast)
373182002 | pT2: Tumor > 2 cm but <= 5 cm in greatest dimension (breast)
373183007 | pT1c: Tumor more than 1 cm but not more than 2 cm in greatest dimension (breast)
373184001 | pT3: Tumor >5 cm in greatest dimension (breast)
373185000 | pT4: Tumor of any size with direct extension to chest wall or skin (breast)
373186004 | pT4a: Tumor of any size with extension to chest wall, not including pectoralis muscle (breast)
373187008 | pT4b: Tumor of any size with edema (including peau d'orange) or ulceration of the skin of the breast or satellite skin nodules confined to the same breast
373189006 | pT4c: Tumor of any size with direct extension to chest wall (not including pectoralis muscle) and edema (including peau d'orange) or ulceration of the skin of the breast or satellite skin nodules confined to the same breast
373190002 | pT4d: Inflammatory carcinoma (breast)
373199001 | pTis: Tumor invades muscularis mucosae (colon/rectum)
373200003 | pT1: Tumor invades submucosa (colon/rectum)
373201004 | pTis: Tumor invades lamina propria (colon/rectum)
373204007 | pT1b: Tumor >0.5 cm but <= 1 cm in greatest dimension (breast)
384612007 | pT4a: Tumor directly invades other organs or structures (colon/rectum)
384613002 | pT4b: Tumor penetrates visceral peritoneum (colon/rectum)
384748000 | pM1: Distant metastasis, includes separate tumor nodule(s) in a different lobe (ipsilateral or contralateral) (lung)
384749008 | pN1: Metastasis in ipsilateral peribronchial and/or ipsilateral hilar lymph nodes, including intrapulmonary nodes involved by direct extension of the primary tumor (lung)
384750008 | pN2: Metastasis to ipsilateral mediastinal and/or subcarinal lymph nodes(s) (lung)
384751007 | pN3: Metastasis to contralateral mediastinal, contralateral hilar, ipsilateral or contralateral scalene, or supraclavicular lymph nodes(s) (lung)
384753005 | pT1: Tumor 3 cm or less in greatest dimension, surrounded by lung or visceral pleura, without bronchoscopic evidence of invasion more proximal than the lobar bronchus (i.e., not in the main bronchus) (lung)
384754004 | pT2: Tumor of lung as per AJCC 6th Edition definition (lung)
384755003 | pT3:Tumor directly invades any of following:chest wall,diaphragm,mediastinal pleura,parietal pericardium;or tumor in main bronchus<2 cm distal to carina(not involving it);or assoc atelectasis or obstructive pneumonitis of whole lung
384756002 | pT4: Tumor of lung as per AJCC 6th Edition definition (lung)
384757006 | pTX: Primary tumor cannot be assessed, or tumor proven by the presence of malignant cells in sputum or bronchial washings but not visualized by imaging or bronchoscopy (lung)
384983005 | pT2: Organ confined (prostate)
384984004 | pT2a: Unilateral, one-half of one lobe or less (prostate)
384985003 | pT2b: Unilateral, involving more than one-half of lobe but not both lobes (prostate)
384986002 | pT2c: Bilateral disease (prostate)
384987006 | pT3: Extraprostatic extension (prostate)
384988001 | pT3a: Extraprostatic extension (prostate)
384989009 | pT3b: Seminal vesicle invasion (prostate)
384990000 | pT4: Invasion of bladder AND/OR rectum (prostate)
385301007 | pT1: Tumor 2 cm or less in greatest dimension (anal canal)
385302000 | pT2: Tumor more than 2 cm but not more than 5 cm in greatest dimension (anal canal)

385303005 | pT3: Tumor more than 5 cm in greatest dimension (anal canal)
385304004 | pT4: Tumor of any size invades adjacent organ(s), e.g., vagina, urethra, bladder (anal canal)
385306002 | pN1: Metastasis in perirectal lymph node(s) (anal canal)
385307006 | pN2: Metastasis in unilateral internal iliac AND/OR inguinal lymph node(s) (anal canal)
385308001 | pN3: Metastasis in perirectal and inguinal lymph nodes AND/OR bilateral internal iliac AND/OR inguinal lymph nodes (anal canal)
385316005 | pT1: Tumor invades lamina propria or submucosa (stomach)
385317001 | pT1a: Tumor invades lamina propria (stomach)
385318006 | pT1b: Tumor invades submucosa (stomach)
385319003 | pT2: Tumor invades muscularis propria or subserosa (stomach)
385320009 | pT2a: Tumor invades muscularis propria (stomach)
385321008 | pT2b: Tumor invades subserosa (stomach)
385322001 | pT3: Tumor penetrates serosa (visceral peritoneum) without invasion of adjacent structures (stomach)
385323006 | pT4: Tumor invades adjacent structures (stomach)
385324000 | pN1: Metastasis in 1 to 6 regional (perigastric) lymph nodes (stomach)
385325004 | pN2: Metastasis in 7 to 15 regional (perigastric) lymph nodes (stomach)
385326003 | pN3: Metastasis in more than 15 regional (perigastric) lymph nodes (stomach)
385358008 | Dukes stage finding
385360005 | Modified Dukes stage finding
385362002 | FIGO stage finding for gynecological malignancy
385364001 | FIGO ovarian tumor stage finding
385366004 | FIGO stage finding for epithelial tumor of ovary
385368003 | FIGO stage finding for cervical carcinoma
385370007 | FIGO stage finding for vulvar carcinoma
385372004 | FIGO stage finding for vulvar melanoma
385374003 | FIGO uterine tumor stage finding
385376001 | FIGO stage finding for endometrial carcinoma
385378000 | pM category finding
385379008 | TNM tumor staging finding
385380006 | Metastasis stage finding
385381005 | pN category finding
385382003 | Node stage finding
385385001 | pT category finding
385389007 | Lymphoma stage finding
385392006 | Colon/rectum TNM finding
385415005 | Anal canal TNM finding
385416006 | Prostate TNM finding
385417002 | Breast TNM finding
385418007 | Lung TNM finding
394939004 | Dukes stage A
394940002 | Dukes stage B
394941003 | Dukes stage C1
394942005 | Dukes stage C2
394943000 | Dukes stage D
395705003 | pTis: Carcinoma in situ, intraepithelial (colon/rectum)
395706002 | pT2: Tumor invades muscularis propria (colon/rectum)
395707006 | pT3: Tumor invades through the muscularis propria into the subserosa or into non-peritonealized pericolic or perirectal tissues (colon/rectum)
395708001 | pT3a,b: Tumor invades through the muscularis propria into the subserosa or into non-peritonealized pericolic or perirectal tissues, invades 5 mm or less beyond the border of the muscularis propria (colon/rectum)
395709009 | pT3c,d: Tumor invades through the muscularis propria into the subserosa or into non-peritonealized pericolic or perirectal tissues, invades greater than 5 mm beyond the border of the muscularis propria (colon/rectum)
395710004 | pT4: Tumor directly invades other organs or structures and/or perforates visceral peritoneum (colon/rectum)
395711000 | pN1: Metastasis in 1 to 3 regional lymph nodes (colon/rectum)
395712007 | pN2: Metastasis in 4 or more regional lymph nodes (colon/rectum)
396082002 | pT1: Tumor 7 cm or less in greatest dimension, limited to the kidney (kidney)
396083007 | Kidney TNM finding
396084001 | pT1a: Tumor 4 cm or less in greatest dimension, limited to the kidney (kidney)
396085000 | pT1b: Tumor more than 4 cm but not more than 7 cm in greatest dimension, limited to the kidney (kidney)
396086004 | pT2: Tumor more than 7 cm in greatest dimension, limited to the kidney (kidney)
396087008 | pT3: Tumor extends into major veins or invades adrenal gland or perirenal and/or renal sinus fat but not beyond Gerota's fascia (kidney)
396088003 | pT3a: Tumor directly invades adrenal gland or perirenal and/or renal sinus fat but not beyond Gerota's fascia (kidney)
396089006 | pT3b: Tumor grossly extends into the renal vein or its segmental (muscle-containing) branches, or vena cava below the diaphragm (kidney)
396090002 | pT3c: Tumor grossly extends into vena cava above diaphragm or invades the wall of the vena cava (kidney)
396091003 | pT4: Tumor invades beyond Gerota's fascia (kidney)
396092005 | pN1: Metastasis in a single regional lymph node (kidney)
396093000 | pN2: Metastasis in more than one regional lymph node (kidney)
396094006 | Ampulla of Vater TNM finding
396095007 | pT1: Tumor limited to ampulla of Vater or sphincter of Oddi (ampulla of Vater)
396096008 | pT2: Tumor invades duodenal wall (ampulla of Vater)
396097004 | pT3: Tumor invades pancreas (ampulla of Vater)
396098009 | pT4: Tumor invades peripancreatic soft tissues or other adjacent organs or structures (ampulla of Vater)
396099001 | Liver TNM finding

396100009 | pT1: Solitary tumor without vascular invasion (liver, including intrahepatic bile ducts)
396101008 | pT2: Solitary tumor with vascular invasion or multiple tumors none more than 5 cm (liver, including intrahepatic bile ducts)
396102001 | pT3: Multiple tumors more than 5 cm or tumor involving a major branch of the portal or hepatic vein(s) (liver, including intrahepatic bile ducts)
396103006 | pT4: Tumor(s) with direct invasion of adjacent organs other than the gallbladder or with perforation of visceral peritoneum (liver, including intrahepatic bile ducts)
396282005 | Uterine cervix TNM finding
396283000 | pT1 (I): Cervical carcinoma confined to uterus (extension to corpus should be disregarded) (TNM category and FIGO stage) (uterine cervix)
396287004 | pT1a (IA): Invasive carcinoma diagnosed only by microscopy. All macroscopically visible lesions (even with superficial invasion) are pT1b/IB (TNM category and FIGO stage) (uterine cervix)
396288009 | pT1a1 (IA1): Measured stromal invasion 3.0 mm or less in depth and 7.0 mm or less in horizontal spread (TNM category and FIGO stage) (uterine cervix)
396289001 | pT1a2 (IA2): Measured stromal invasion more than 3.0 mm and not more than 5.0 mm in depth and 7.0 mm or less horizontal spread (TNM category and FIGO stage) (uterine cervix)
396290005 | pT1b (IB): Clinically visible lesion confined to the cervix or microscopic lesion greater than T1a2/IA2 (TNM category and FIGO stage) (uterine cervix)
396291009 | pT1b1 (IB1): Clinically visible lesion 4.0 cm or less in greatest dimension (TNM category and FIGO stage) (uterine cervix)
396292002 | pT1b2 (IB2): Clinically visible lesion more than 4.0 cm in greatest dimension (TNM category and FIGO stage) (uterine cervix)
396294001 | pT2 (II): Cervical carcinoma invades beyond uterus but not to pelvic wall or to lower third of vagina (TNM category and FIGO stage) (uterine cervix)
396297008 | pT2a (IIA): Tumor without parametrial invasion (TNM category and FIGO stage) (uterine cervix)
396298003 | pT2b (IIB): Tumor with parametrial invasion (TNM category and FIGO stage) (uterine cervix)
396299006 | pT3 (III): Tumor extends to pelvic wall and/or involves lower third of vagina and/or causes hydronephrosis or non-functioning kidney (TNM category and FIGO stage) (uterine cervix)
396300003 | pT3a (IIIA): Tumor involves lower third of vagina, no extension to pelvic wall (TNM category and FIGO stage) (uterine cervix)
396301004 | pT3b (IIIB): Tumor extends to pelvic wall and/or causes hydronephrosis or non-functioning kidney (TNM category and FIGO stage) (uterine cervix)
396302006 | pT4 (IVA): Tumor invades mucosa of bladder or rectum and/or extends beyond true pelvis (bullous edema is not sufficient evidence to classify a tumor as pT4) (TNM category and FIGO stage) (uterine cervix)
396303001 | pM1 (IVB): Distant metastasis (TNM category and FIGO stage) (corpus uteri)
396311006 | Corpus uteri TNM finding
396312004 | pT1 (I): Tumor confined to corpus uteri (TNM category and FIGO stage) (corpus uteri)
396313009 | pT1a (IA): Tumor limited to endometrium (TNM category and FIGO stage) (corpus uteri)
396314003 | pT1b (IB): Tumor invades less than one-half of the myometrium (TNM category and FIGO stage) (corpus uteri)
396315002 | pT1c (IC): Tumor invades one-half or more of the myometrium (TNM category and FIGO stage) (corpus uteri)
396316001 | pT2 (II): Tumor invades cervix but does not extend beyond uterus (TNM category and FIGO stage) (corpus uteri)
396317005 | pT2a (IIA): Tumor limited to the glandular epithelium of the endocervix. There is no evidence of connective tissue stromal invasion (TNM category and FIGO stage) (corpus uteri)
396318000 | pT2b (IIB): Invasion of the stromal connective tissue of the cervix (TNM category and FIGO stage) (corpus uteri)
396319008 | pT3 (III): Local and/or regional spread as specified in pT3a, pT3b, pN1, and FIGO IIIA, IIIB, and IIIC (TNM category and FIGO stage) (corpus uteri)
396320002 | pT3a (IIIA): Tumor involves serosa, AND/OR adnexa (direct extension or metastasis) AND/OR cancer cells in ascites or peritoneal washings (TNM category and FIGO stage) (corpus uteri)
396321003 | pT3b (IIIB): Involvement of vagina (direct extension or metastasis), rectal or bladder wall (without mucosal involvement), or pelvic wall(s) (frozen pelvis) (TNM category and FIGO stage) (corpus uteri)
396322005 | pT4 (IVA): Tumor invades bladder mucosa and/or bowel mucosa (TNM category and FIGO stage) (corpus uteri)
396323000 | pN1 (IIIC): Regional lymph node metastasis (TNM category and FIGO stage) (corpus uteri)
396368008 | Skin melanoma TNM finding
396369000 | pTis: Melanoma in situ (melanoma of the skin)
396370004 | pT1: Melanoma 1.0 mm or less in thickness, with or without ulceration (melanoma of the skin)
396371000 | pT1a: Melanoma 1.0 mm or less in thickness and level II or III, no ulceration (melanoma of the skin)
396372007 | pT1b: Melanoma 1.0 mm or less in thickness and level IV or V or with ulceration (melanoma of the skin)
396373002 | pT2: Melanoma 1.01 to 2.0 mm in thickness, with or without ulceration (melanoma of the skin)
396374008 | pT2a: Melanoma 1.01 to 2.0 mm in thickness, no ulceration (melanoma of the skin)
396375009 | pT2b: Melanoma 1.01 to 2.0 mm in thickness, with ulceration (melanoma of the skin)
396376005 | pT3: Melanoma 2.01 to 4.0 mm in thickness, with or without ulceration (melanoma of the skin)
396377001 | pT3a: Melanoma 2.01 to 4.0 mm in thickness, no ulceration (melanoma of the skin)
396378006 | pT3b: Melanoma 2.01 to 4.0 mm in thickness, with ulceration (melanoma of the skin)
396379003 | pT4: Melanoma greater than 4.0 mm in thickness, with or without ulceration (melanoma of the skin)
396380000 | pT4a: Melanoma greater than 4.0 mm in thickness, no ulceration (melanoma of the skin)
396381001 | pT4b: Melanoma greater than 4.0 mm in thickness, with ulceration (melanoma of the skin)
396382008 | pN1: Metastasis in one regional lymph node (melanoma of the skin)
396383003 | pN1a: Clinically occult (microscopic) metastasis (melanoma of the skin)
396384009 | pN1b: Clinically apparent (macroscopic) metastasis (melanoma of the skin)
396385005 | pN2: Metastasis in 2 to 3 regional nodes or intralymphatic regional metastasis without nodal metastasis (melanoma of the skin)
396386006 | pN2a: Clinically occult (microscopic) metastasis (melanoma of the skin)
396387002 | pN2b: Clinically apparent (macroscopic) metastasis (melanoma of the skin)
396388007 | pN2c: Satellite or in-transit metastasis without nodal metastasis (melanoma of the skin)
396389004 | pN3: Metastasis in four or more regional nodes, or matted metastatic nodes, or in-transit metastasis or satellite(s) with metastasis in regional node(s) (melanoma of the skin)
396390008 | pM1a: Metastasis to skin, subcutaneous tissues, or distant lymph nodes (melanoma of the skin)
396391007 | pM1b: Metastasis to lung (melanoma of the skin)

396392000 | pM1c: Metastasis to visceral site other than lung or distant metastasis at any site associated with an elevated serum lactic dehydrogenase (LDH) (melanoma of the skin)
396492004 | Carcinoma of skin (excluding eyelid, vulva, penis, and melanomas) TNM finding
396493009 | pT1: Tumor 2 cm or less in greatest dimension (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396494003 | pT1a: Tumor 2 cm or less in greatest dimension, limited to dermis or 2 mm or less in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396495002 | pT1b: Tumor 2 cm or less in greatest dimension, limited to dermis and greater than 2 mm in thickness, but not more than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396496001 | pT1c: Tumor 2 cm or less in greatest dimension, invading the subcutis and/or greater than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396497005 | pT2: Tumor more than 2 cm, but not more than 5 cm, in greatest dimension (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396498000 | pT2a: Tumor more than 2 cm, but not more than 5 cm, in greatest dimension, limited to dermis or greater than 2 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396499008 | pT2b: Tumor more than 2 cm, but not more than 5 cm, in greatest dimension, limited to dermis and greater than 2 mm in thickness, but not more than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396500004 | pT2c: Tumor more than 2 cm, but not more than 5 cm, in greatest dimension, invading the subcutis and/or greater than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396501000 | pT3: Tumor more than 5 cm in greatest dimension (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396502007 | pT3a: Tumor more than 5 cm in greatest dimension, limited to dermis or not more than 2 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396503002 | pT3b: Tumor more than 5 cm in greatest dimension, limited to dermis and greater than 2 mm in thickness, but not more than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396504008 | pT3c: Tumor more than 5 cm in greatest dimension, invading the subcutis and/or greater than 6 mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396506005 | pT4: Tumor invades deep extradermal structures (i.e. cartilage, skeletal muscle, or bone) (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396507001 | pT4b: Tumor invades deep extradermal structures (i.e. cartilage, skeletal muscle, or bone) greater than 6mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396508006 | pT4a: Tumor invades deep extradermal structures (i.e. cartilage, skeletal muscle, or bone) not more than 6mm in thickness (carcinoma of skin excluding eyelid, vulva, penis, and melanomas)
396532004 | Stage I: Tumor confined to gland, 5 cm or less (adrenal cortical carcinoma)
396533009 | Stage II: Tumor confined to gland, greater than 5 cm (adrenal cortical carcinoma)
396534003 | Stage III: Extraglandular extension of tumor without other organ involvement (adrenal cortical carcinoma)
396535002 | Stage IV: Distant metastasis or extension into other organs (adrenal cortical carcinoma)
396566008 | Oropharynx TNM finding
396567004 | pT1: Tumor 2 cm or less in greatest dimension (oropharynx)
396568009 | Upper aerodigestive tract TNM finding
396569001 | pT2: Tumor more than 2 cm but not more than 4 cm in greatest dimension (oropharynx)
396570000 | pT3: Tumor more than 4 cm in greatest dimension (oropharynx)
396571001 | pT4a: Tumor invades the larynx, deep/extrinsic muscle of tongue, medial pterygoid muscle, hard palate, or mandible (oropharynx)
396572008 | pT4b: Tumor invades lateral pterygoid muscle, pterygoid plates, lateral nasopharynx, or skull base or encases carotid artery (oropharynx)
396573003 | Lip and oral cavity TNM finding
396574009 | pT2: Tumor more than 2 cm but not more than 4 cm in greatest dimension (lip and oral cavity)
396575005 | pT1: Tumor 2 cm or less in greatest dimension (lip and oral cavity)
396576006 | pT1: Tumor 2 cm or less in greatest dimension
396577002 | pT3: Tumor more than 4 cm in greatest dimension (lip and oral cavity)
396578007 | pT4a: Tumor invades through cortical bone, inferior alveolar nerve, floor of mouth, or skin of face, i.e., chin or nose (lip)
396579004 | pT4a: Tumor invades through cortical bone, into deep (extrinsic) muscle of tongue (genioglossus, hyoglossus, palatoglossus, and styloglossus), maxillary sinus, or skin of face (oral cavity)
396580001 | pT4b: Tumor involves masticator space, pterygoid plates, or skull base and/or encases internal carotid artery (lip and oral cavity)
396581002 | Hypopharyngeal TNM finding
396582009 | Nasopharynx TNM finding
396583004 | pT1: Tumor confined to the nasopharynx (nasopharynx)
396584005 | pT2a: Tumor extends to the soft tissues of the oropharnyx and/or nasal cavity without parapharyngeal extension (nasopharynx)
396585006 | pT2: Tumor extends to the soft tissues (nasopharynx)
396586007 | pT2b: Tumor extends to the soft tissues of the oropharnyx and/or nasal cavity with parapharyngeal extension (nasopharynx)
396587003 | pT3: Tumor involves bony structures and/or paranasal sinuses (nasopharynx)
396588008 | pT4: Tumor with intracranial extension, and/or involvement of cranial nerves, infratemporal fossa, hypopharynx, orbit, or masticator space (nasopharynx)
396589000 | pT1: Tumor limited to one subsite of hypopharynx and 2 cm or less in greatest dimension (hypopharynx)
396590009 | pT2: Tumor invades more than one subsite of hypopharynx or an adjacent site, or measures more than 2 cm but not more than 4 cm in greatest diameter without fixation of hemilarynx (hypopharynx)
396591008 | pT3: Tumor measures more than 4 cm in greatest dimension or with fixation of hemilarynx (hypopharynx)
396592001 | pT4a: Tumor invades thyroid/cricoid cartilage, hyoid bone, thyroid gland, esophagus or central compartment of soft tissue (hypopharynx)
396593006 | pT4b: Tumor invades prevertebral fascia, encases carotid artery, or involves mediastinal structures (hypopharynx)
396594000 | Supraglottis TNM finding
396595004 | pT1: Tumor limited to one subsite of supraglottis with normal vocal cord mobility (larynx, supraglottis)
396596003 | pT2: Tumor invades mucosa of more than one adjacent subsite of supraglottis or glottis or region outside the supraglottis (e.g., mucosa of base of tongue, vallecula, medial wall of pyriform sinus) without fixation of the larynx
396597007 | pT3: Tumor limited to the larynx with vocal cord fixation and/or invades any of the following: postcrocoid area, pre-epiglottic tissues, paraglottic space, and/or minor thyroid cartilage erosion (e.g., inner cortex) (larynx, supraglottis)

396598002 | pT4a: Tumor invades through the thyroid cartilage and/or invades tissues beyond the larynx (e.g., trachea, soft tissues of the neck including deep extrinsic muscle of the tongue, strap muscles, thyroid, or esophagus) (larynx, supraglottis)
396599005 | pT4b: Tumor invades prevertebral space, encases carotid artery, or invades mediastinal structures (larynx, supraglottis)
396600008 | Glottis TNM finding
396601007 | pT1: Tumor limited to the vocal cord(s) (may involve anterior or posterior commissure) with normal mobility (larynx, glottis)
396602000 | pT1a: Tumor limited to one vocal cord (may involve anterior or posterior commissure) with normal mobility (larynx, glottis)
396603005 | pT1b: Tumor involves both vocal cords (may involve anterior or posterior commissure) with normal mobility (larynx, glottis)
396604004 | pT2: Tumor extends to the supraglottis AND/OR subglottis, AND/OR with impaired vocal cord mobility (larynx, glottis)
396605003 | pT3: Tumor limited to the larynx with vocal cord fixation, and/or invades the paraglottic space, and/or minor thyroid cartilage erosion (larynx, glottis)
396606002 | pT4a: Tumor invades through thyroid cartilage and/or invades tissues beyond the larynx (e.g., trachea, soft tissues of the neck including deep intrinsic muscle of the tongue, strap muscles, thyroid, or esophagus) (larynx, glottis)
396607006 | pT4b: Tumor invades prevertebral space, encases carotid artery, or invades mediastinal structures (larynx, glottis)
396608001 | Subglottis TNM finding
396609009 | pT1: Tumor limited to the subglottis (larynx, subglottis)
396610004 | pT2: Tumor extends to vocal cord(s) with normal or impaired mobility (larynx, subglottis)
396611000 | pT3: Tumor limited to larynx with vocal cord fixation (larynx, subglottis)
396612007 | pT4a: Tumor invades cricoid or thyroid cartilage and/or invades tissues beyond the larynx (e.g., trachea, soft tissues of the neck including deep extrinsic muscle of the tongue, strap muscles, thyroid, or esophagus) (larynx, subglottis)
396613002 | pT4b: Tumor invades prevertebral space, encases carotid artery, or invades mediastinal structures (larynx, subglottis)
396614008 | Maxillary sinus TNM finding
396615009 | pT1: Tumor limited to the maxillary sinus mucosa with no erosion or destruction of bone (maxillary sinus)
396616005 | pT2: Tumor causing bone erosion or destruction including extension into the hard palate and/or middle nasal meatus, except extension to posterior wall of maxillary sinus and pterygoid plates (maxillary sinus)
396617001 | pT3: Tumor invades any of the following: bone of the posterior wall of maxillary sinus, subcutaneous tissues, floor or medial wall of orbit, pterygoid fossa, ethmoid sinuses (maxillary sinus)
396618006 | pT4a: Tumor invades anterior orbital contents, skin of cheek, pterygoid plates, infratemporal fossa, cribriform plate, sphenoid or frontal sinuses (maxillary sinus)
396619003 | pT4b: Tumor invades any of the following: orbital apex, dura, brain, middle cranial fossa, cranial nerves other than maxillary division of trigeminal nerve, nasopharynx, or clivus (maxillary sinus)
396621008 | Nasal cavity and ethmoid sinus TNM finding
396622001 | pT1: Tumor restricted to any one subsite, with or without bony invasion (nasal cavity and ethmoid sinus)
396623006 | pT2: Tumor invading two subsites in a single region or extending to involve an adjacent region within the nasoethmoidal complex, with or without bony invasion (nasal cavity and ethmoid sinus)
396624000 | pT3: Tumor extends to invade the medial wall or floor of the orbit, maxillary sinus, palate, or cribriform plate (nasal cavity and ethmoid sinus)
396625004 | pT4a: Tumor invades any of the following: anterior orbital contents, skin of nose or cheek, minimal extension to anterior cranial fossa, pterygoid plates, sphenoid or frontal sinuses (nasal cavity and ethmoid sinus)
396626003 | pT4b: Tumor invades any of the following: orbital apex, dura, brain, middle cranial fossa, cranial nerves other than maxillary division of trigeminal nerve, nasopharynx, or clivus (nasal cavity and ethmoid sinus)
396632008 | pN1: Metastasis in a single ipsilateral lymph node, 3 cm or less in greatest dimension (upper aerodigestive tract)
396633003 | pN2a: Metastasis in a single ipsilateral lymph node, more than 3 cm but not more than 6 cm in greatest dimension (upper aerodigestive tract)
396634009 | pN2c: Metastasis in bilateral or contralateral lymph nodes, none more than 6 cm in greatest dimension (upper aerodigestive tract)
396635005 | pN2b: Metastasis in multiple ipsilateral lymph nodes, none more than 6 cm in greatest dimension (upper aerodigestive tract)
396636006 | pN3: Metastasis in a lymph node, more than 6 cm in greatest dimension (upper aerodigestive tract)
396637002 | pN1: Unilateral metastasis in lymph node(s), 6 cm or less in greatest dimension, above the supraclavicular fossa (nasopharynx)
396638007 | pN2: Bilateral metastasis in lymph node(s), 6 cm or less in greatest dimension, above the supraclavicular fossa (nasopharynx)
396639004 | pN3: Metastasis in a lymph node(s), more than 6 cm in dimension, and/or to supraclavicular fossa (nasopharynx)
396640002 | pN3a: Metastasis in a lymph node(s), more than 6 cm in dimension (nasopharynx)
396641003 | pN3b: Metastasis in lymph node(s) residing wholly or in part in the supraclavicular fossa (nasopharynx)
396648009 | Major salivary gland TNM finding
396650001 | pT1: Tumor 2 cm or less in greatest dimension without extraparenchymal extension (major salivary glands)
396651002 | pT2: Tumor more than 2 cm but not more than 4 cm in greatest dimension without extraparenchymal extension (major salivary glands)
396653004 | pT3: Tumor more than 4 cm and/or tumor having extraparenchymal extension (major salivary glands)
396657003 | pT4a: Tumor invades skin, mandible, ear canal, and/or facial nerve (major salivary glands)
396658008 | pT4b: Tumor invades skull base and/or pterygoid plates and/or encases carotid artery (major salivary glands)
396666004 | Urinary bladder, ureter, or renal pelvis TNM finding
396667008 | pTa: Non-invasive papillary carcinoma (urinary bladder, ureter, renal pelvis)
396668003 | pTis: Flat carcinoma in situ (urinary bladder, ureter, renal pelvis)
396669006 | pT1: Tumor invades subepithelial connective tissue (urinary bladder, ureter, renal pelvis)
396670007 | pT2: Tumor invades muscularis propria (urinary bladder, ureter, renal pelvis)
396671006 | pT2a: Tumor invades superficial muscle (inner half) (urinary bladder)
396672004 | pT2b: Tumor invades deep muscle (outer half) (urinary bladder)
396673009 | pT3: Tumor invades perivesical tissue (urinary bladder)
396674003 | pT3a: Tumor invades perivesical tissue microscopically (urinary bladder)
396675002 | pT3b: Tumor invades perivesical tissue macroscopically (extravesical mass) (urinary bladder)
396676001 | pT4: Tumor invades any of the following: prostate, uterus, vagina, pelvic wall, abdominal wall (urinary bladder)
396677005 | pT4a: Tumor invades prostate or uterus or vagina (urinary bladder)
396678000 | pT4b: Tumor invades pelvic wall or abdominal wall (urinary bladder)
396679008 | pN1: Metastasis in a single lymph node, 2 cm or less in greatest dimension (urinary bladder, ureter, renal pelvis)
396680006 | pN2: Metastasis in a single lymph node, more than 2 cm but not more than 5 cm in greatest dimension; or multiple lymph nodes, none more than 5 cm in greatest dimension (urinary bladder, ureter, renal pelvis)

396681005 | pT3: Tumor invades beyond muscularis into periureteric fat or renal parenchyma (renal pelvis)
396682003 | pT4: Tumor invades adjacent organs, or through the kidney into the perinephric fat (renal pelvis and ureter)
396683008 | pT3: Tumor invades beyond muscularis into periureteric fat (ureter)
396684002 | pT2: Tumor invades muscularis (renal pelvis and ureter)
396726006 | Testis TNM finding
396727002 | pTis: Intratubular germ cell neoplasia (carcinoma in situ) (testis)
396728007 | pT1: Tumor limited to the testis and epididymis without vascular/lymphatic invasion; tumor may invade into the tunica albuginea but not the tunica vaginalis (testis)
396729004 | pT2: Tumor limited to the testis and epididymis with vascular/lymphatic invasion, or tumor extending through the tunica albuginea with involvement of the tunica vaginalis (testis)
396730009 | pT3: Tumor invades the spermatic cord with or without vascular/lymphatic invasion (testis)
396731008 | pT4: Tumor invades the scrotum with or without vascular/lymphatic invasion (testis)
396732001 | pN1: Metastasis with a lymph node mass 2 cm or less in greatest dimension and less than or equal to 5 nodes positive, none more than 2 cm in greatest dimension (testis)
396733006 | pN2: Metastasis with a lymph node mass more than 2 cm but not more than 5 cm in greatest dimension; or more than 5 nodes positive, none more than 5 cm; or evidence of extranodal extension of tumor (testis)
396734000 | pN3: Metastasis with a lymph node mass more than 5 cm in greatest dimension (testis)
396735004 | pM1a: Non-regional nodal or pulmonary metastasis (testis)
396736003 | pM1b: Distant metastasis other than to non-regional lymph nodes and lungs (testis)
396797009 | Exocrine pancreas TNM finding
396798004 | pT1: Tumor limited to the pancreas, 2 cm or less in greatest dimension (exocrine pancreas)
396799007 | pT2: Tumor limited to the pancreas, more than 2 cm in greatest dimension (exocrine pancreas)
396800006 | pT3: Tumor extends beyond the pancreas but without involvement of the celiac axis or the superior mesenteric artery (exocrine pancreas)
396801005 | pN1a: Metastasis in single regional lymph node (exocrine pancreas)
396802003 | pN1b: Metastasis in multiple regional lymph node(s) (exocrine pancreas)
396803008 | pT4: Tumor involves the celiac axis or the superior mesenteric artery (exocrine pancreas)
396907008 | Thymic epithelial neoplasm stage finding
396908003 | Stage I: Grossly and microscopically encapsulated (thymus gland)
396909006 | Stage IIa: Microscopic transcapsular invasion (thymus gland)
396910001 | Stage IIb: Macroscopic capsular invasion into thymic or surrounding fat, or grossly adherent to, but not breaking through, mediastinal pleura or pericardium (thymus gland)
396911002 | Stage III: Macroscopic invasion of neighboring organs (thymus gland)
396912009 | Stage IVa: Pleural or pericardial dissemination (thymus gland)
396913004 | Stage IVb: Hematogenous or lymphatic dissemination (thymus gland)
396960007 | Retinoblastoma TNM finding
396961006 | pT1: Tumor confined to the retina, vitreous, or subretinal space. No optic nerve or choroidal invasion (retinoblastoma)
396962004 | pT2: Minimal invasion of the optic nerve and/or optic coats (retinoblastoma)
396963009 | pT2a: Tumor invades optic nerve up to, but not through, the level of the lamina cribrosa (retinoblastoma)
396964003 | pT2b: Tumor invades choroid focally (retinoblastoma)
396965002 | pT2c: Tumor invades optic nerve up to, but not through, the level of the lamina cribrosa and invades the choroid focally (retinoblastoma)
396966001 | pT3: Significant invasion of the optic nerve and/or optic coats (retinoblastoma)
396967005 | pT3a: Tumor invades optic nerve through the level of the lamina cribrosa but not to the line of resection (retinoblastoma)
396968000 | pT3b: Tumor massively invades the choroid (retinoblastoma)
396969008 | pT3c: Tumor invades the optic nerve through the level of the lamina cribrosa but not to the line of resection and massively invades the choroid (retinoblastoma)
396970009 | pT4: Extraocular tumor extension which includes sites as per AJCC 6th Edition definition (retinoblastoma)
396971008 | pM1a: Distant metastasis to bone marrow (retinoblastoma)
396972001 | pM1b: Distant metastasis to sites other than bone marrow (retinoblastoma)
397025005 | Stomach TNM finding
397026006 | pT1: Tumor invades lamina propria or submucosa (esophagus)
397027002 | Esophagus TNM finding
397029004 | pT1a: Tumor invades lamina propria (esophagus)
397030009 | pT1b: Tumor invades submucosa (esophagus)
397031008 | pT2: Tumor invades muscularis propria (esophagus)
397032001 | pT3: Tumor invades adventitia (esophagus)
397033006 | pT4: Tumor invades adjacent structures (esophagus)
397036003 | pN1a: Metastasis in 1 to 3 regional lymph nodes (esophagus)
397037007 | pN1b: Metastasis in 4 to 7 regional lymph nodes (esophagus)
397038002 | pN1c: Metastasis in more than 7 regional lymph nodes (esophagus)
397039005 | pM1a: Metastasis in celiac lymph nodes (lower thoracic esophagus)
397040007 | pM1a: Distant metastasis not applicable (midthoracic esophagus)
397041006 | pM1a: Metastasis in cervical nodes (upper thoracic esophagus)
397042004 | pM1b: Distant metastasis to site other than celiac lymph nodes (lower thoracic esophagus)
397043009 | pM1b: Nonregional lymph nodes AND/OR other distant metastasis (midthoracic esophagus)
397044003 | pM1b: Distant metastasis to site other than cervical nodes (upper thoracic esophagus)
397058001 | Small intestine TNM finding
397059009 | pT1: Tumor invades lamina propria or submucosa (small intestine)
397088005 | pT2: Tumor invades muscularis propria (small intestine)
397089002 | pT3: Tumor invades through the muscularis propria into the subserosa or into the nonperitonealized perimuscular tissue (mesentery or retroperitoneum) with extension 2 cm or less (small intestine)
397090006 | pT4: Tumor perforates the visceral peritoneum or directly invades other organs or structures (small intestine)
397092003 | Gallbladder TNM finding

397093008 | pT1: Tumor invades lamina propria or muscle layer (gallbladder)
397094002 | pT1a: Tumor invades lamina propria (gallbladder)
397095001 | pT1b: Tumor invades muscle layer (gallbladder)
397096000 | pT2: Tumor invades perimuscular connective tissue; no extension beyond serosa or into liver (gallbladder)
397097009 | pT3: Tumor perforates the serosa (visceral peritoneum) and/or directly invades the liver and/or one other adjacent organ or structure, such as the stomach, duodenum, colon, pancreas, omentum, or extrahepatic bile ducts (gallbladder)
397098004 | pT4: Tumor invades main portal vein or hepatic artery or invades two or more extrahepatic organs or structures (gallbladder)
397101000 | Vagina TNM finding
397102007 | pT1 (I): Tumor confined to vagina (TNM category and FIGO stage) (vagina)
397103002 | pT2 (II): Tumor invades paravaginal tissues but not to pelvic wall (TNM category and FIGO stage) (vagina)
397104008 | pT3 (III): Tumor extends to pelvic wall (TNM category and FIGO stage) (vagina)
397105009 | pT4 (IVA): Tumor invades mucosa of the bladder or rectum and/or extends beyond the true pelvis (bullous edema is not sufficient evidence to classify a tumor as T4) (TNM category and FIGO stage) (vagina)
397106005 | pM1 (IVB): Distant metastasis (TNM category and FIGO stage) (vagina)
397107001 | pN1: Pelvic or inguinal lymph node metastasis (vagina)
397119009 | Vulva TNM finding
397120003 | pT1 (I): Tumor confined to the vulva or vulva and perineum, 2 cm or less in greatest dimension (TNM category and FIGO stage) (vulva)
397121004 | pT1a (IA): Tumor confined to the vulva or vulva and perineum, 2 cm or less in greatest dimension, and with stromal invasion no greater than 1 mm (TNM category and FIGO stage) (vulva)
397122006 | pT1b (IB): Tumor confined to the vulva or vulva and perineum, 2 cm or less in greatest dimension, and with stromal invasion greater than 1 mm (TNM category and FIGO stage) (vulva)
397123001 | pT2 (II): Tumor confined to the vulva or vulva and perineum, more than 2 cm in greatest dimension (TNM category and FIGO stage) (vulva)
397124007 | pT3 (III): Tumor of any size with contiguous spread to the lower urethra and/or vagina or anus (TNM category and FIGO stage) (vulva)
397125008 | pT4 (IVA): Tumor invades any of the following: upper urethra, bladder mucosa, rectal mucosa, or is fixed to the pubic bone (TNM category and FIGO stage) (vulva)
397126009 | pN1: Unilateral regional lymph node metastasis (vulva)
397127000 | pN2: Bilateral regional lymph node metastasis (vulva)
397146004 | Extrahepatic bile ducts TNM finding
397147008 | pT1: Tumor confined to the bile duct histologically (extrahepatic bile ducts)
397148003 | pT2: Tumor invades beyond the wall of bile duct (extrahepatic bile ducts)
397149006 | pT3: Tumor invades the liver, gallbladder, pancreas, and/or ipsilateral branches of the portal vein (right or left) or hepatic artery (right or left) (extrahepatic bile ducts)
397150006 | pT4: Tumor invades any of the following: main portal vein or its branches bilaterally, common hepatic artery, or other adjacent structures, such as the colon, stomach, duodenum, or abdominal wall (extrahepatic bile ducts)
397213002 | pM1a: Distant metastasis to non-regional lymph node(s) (prostate)
397214008 | pM1b: Distant metastasis to bone(s) (prostate)
397215009 | pM1c: Distant metastasis site other than bone or non-regional lymph node(s) (prostate)
397316007 | Ovary TNM finding
397317003 | pM1 (IV): Distant metastasis (TNM category and FIGO stage) (ovary)
397360007 | pT3a (IIIA): Tumor involves serosa, AND/OR adnexa (direct extension or metastasis) (TNM category and FIGO stage) (corpus uteri)
397367005 | pN1 (III): Pelvic or inguinal lymph node metastasis (pT1-pT3) (TNM category and FIGO stage) (vagina)
397368000 | pN1 (IVA): Pelvic or inguinal lymph node metastasis (pT4) (TNM category and FIGO stage) (vagina)
397369008 | pN1 (IVB): Pelvic or inguinal lymph node metastasis (pT1-pT4, pM1) (TNM category and FIGO stage) (vagina)
397370009 | pN1 (III): Unilateral regional lymph node metastasis (pT1-pT3) (TNM category and FIGO stage) (vulva)
397371008 | pN1 (IVA): Unilateral regional lymph node metastasis (pT4) (TNM category and FIGO stage) (vulva)
397372001 | pN1 (IVB): Unilateral regional lymph node metastasis (pT1-pT4, pM1) (TNM category and FIGO stage) (vulva)
397373006 | pN2 (IVA): Bilateral regional lymph node metastasis (pT1-pT4) (TNM category and FIGO stage) (vulva)
397374000 | pN2 (IVB): Bilateral regional lymph node metastasis (pT1-pT4, pM1) (TNM category and FIGO stage) (vulva)
397375004 | pM1 (IVB): Distant metastasis (including pelvic lymph node metastasis) (TNM category and FIGO stage) (vulva)
397385003 | Thoracic mesothelioma TNM finding
397386002 | pT1: Tumor involves ipsilateral parietal pleura, with or without focal involvement of visceral pleura (thoracic mesothelioma)
397387006 | pT1a: Tumor involves ipsilateral parietal (mediastinal, diaphragmatic) pleura. No involvement of the visceral pleura (thoracic mesothelioma)
397388001 | pT1b: Tumor involves ipsilateral parietal (mediastinal, diaphragmatic) pleura, with focal involvement of the visceral pleura (thoracic mesothelioma)
397389009 | pT2: Tumor involves any of the ipsilateral pleural surfaces with at least one of the following: confluent visceral pleural tumor (including fissure), invasion of diaphragmatic muscle, invasion of lung parenchyma (thoracic mesothelioma)
397390000 | pN1: Metastasis in the ipsilateral bronchopulmonary and/or hilar lymph node(s) (thoracic mesothelioma)
397391001 | pN2: Metastasis in the subcarinal lymph node(s) and/or the ipsilateral internal mammary or mediastinal lymph node(s) (thoracic mesothelioma)
397392008 | pN3: Metastasis in the contralateral mediastinal, internal mammary, or hilar lymph node(s), and/or the ipsilateral or contralateral supraclavicular or scalene lymph node(s) (thoracic mesothelioma)
397393003 | pT3: Tumor involves any of the ipsilateral pleural surfaces plus additional sites as by AJCC 6th Edition definition (thoracic mesothelioma)
397465003 | pT4: Tumor involves any of the ipsilateral pleural surfaces plus additional sites as by AJCC 6th Edition definition (thoracic mesothelioma)
397470005 | Gestational trophoblast TNM finding
397471009 | pT1 (I): Tumor confined to uterus (TNM category and FIGO stage) (gestational trophoblast)
397472002 | pT2 (II): Tumor extends outside of uterus but limited to genital structures (ovary, tube, vagina, broad ligaments) (TNM category and FIGO stage) (gestational trophoblast)
397473007 | pM1a (III): Tumor extends to the lungs with or without genital tract involvement (TNM category and FIGO stage) (gestational trophoblast)
397474001 | pM1b (IV): Distant metastasis other than lung (TNM category and FIGO stage) (gestational trophoblast)

397489005 | pT1 (I): Tumor limited to ovaries (one or both) (TNM category and FIGO stage) (ovary)
397490001 | pT1a (IA): Tumor limited to one ovary; capsule intact, no tumor on ovarian surface. No malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397491002 | pT1b (IB): Tumor limited to both ovaries; capsule intact, no tumor on ovarian surface. No malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397492009 | pT1c (IC): Tumor limited to one or both ovaries with any of the following: capsule ruptured, tumor on ovarian surface, malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397493004 | pT2 (II): Tumor involves one or both ovaries with pelvic extension AND/OR implants (TNM category and FIGO stage) (ovary)
397494005 | pT2a (IIA): Extension to AND/OR implants on uterus AND/OR tube(s). No malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397495006 | pT2b (IIB): Extension to AND/OR implants on other pelvic tissues. No malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397496007 | pT2c (IIC): Pelvic extension AND/OR implants (T2a or T2b/IIA or IIB) with malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (ovary)
397497003 | pT3 and/or N1 (III): Tumor involves one or both ovaries with microscopically confirmed peritoneal metastasis outside the pelvis (including liver capsule metastasis) and/or regional lymph node metastasis (TNM category and FIGO stage) (ovary)
397498008 | pT3a (IIIA): Microscopic peritoneal metastasis beyond pelvis (no macroscopic tumor) (TNM category and FIGO stage) (ovary)
397499000 | pT3b (IIIB): Macroscopic peritoneal metastasis beyond pelvis 2 cm or less in greatest dimension (TNM category and FIGO stage) (ovary)
397500009 | pT3c AND/OR N1 (IIIC): Peritoneal metastasis beyond pelvis more than 2 cm in greatest dimension AND/OR regional lymph node metastasis (TNM category and FIGO stage) (ovary)
397501008 | Any T/any N and M1 (IV): Growth involving one or both ovaries with distant metastasis. (TNM category and FIGO stage) (ovary)
399378007 | pT2a (IIA): Tumor involves one or both fallopian tubes with extension and/or metastasis to the uterus and/or ovaries (TNM category and FIGO stage) (fallopian tube)
399393006 | pT3: Tumor more than 4 cm in greatest dimension limited to the thyroid or any tumor with minimal extrathyroid extension (e.g., extension to sternothyroid muscle or perithyroid soft tissues) (thyroid)
399397007 | pT2: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 and 10 mm in maximum height (thickness) (ciliary body and choroid) (uveal melanoma)
399400003 | pT3: Tumor having extraparenchymal extension, and/or more than 4 cm but not more than 6 cm in greatest dimension, without seventh nerve involvement (major salivary glands)
399401004 | Insufficient tissue to assess highest pT category
399404007 | pT3b (IIIB): Tumor involves one or both fallopian tubes, with macroscopic peritoneal metastasis outside the pelvis 2 cm or less in greatest dimension (TNM category and FIGO stage) (fallopian tube)
399410007 | pT3c (IIIC): Tumor involves one or both fallopian tubes, with peritoneal metastasis outside the pelvis more than 2 cm in diameter (TNM category and FIGO stage) (fallopian tube)
399413009 | Thyroid TNM finding
399425007 | pT1a (IA): Tumor limited to one fallopian tube, without penetrating the serosal surface; no ascites (TNM category and FIGO stage) (fallopian tube)
399439007 | pT1: Tumor 2 cm or less in greatest dimension limited to the thyroid (thyroid)
399446003 | pT4b: Tumor invades prevertebral fascia or encases carotid artery or mediastinal vessels (thyroid)
399448002 | pT1: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness) (ciliary body and choroid) (uveal melanoma)
399452002 | pM1b: Distant metastasis (esophagus)
399453007 | No pT1 category, insufficient tissue (prostate)
399454001 | pT1c (IC): Tumor limited to one or both tubes with extension onto or through the tubal serosa, or with malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (fallopian tube)
399461002 | pT1b: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness) with microscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399474008 | pT2a: Tumor confluent with or extending into the ciliary body and/or choroid with melanomalytic glaucoma (iris) (uveal melanoma)
399478006 | pT1 (I): Tumor limited to the fallopian tube(s) (TNM category and FIGO stage) (fallopian tube)
399481001 | pN1a: Metastasis to level VI (pretracheal, paratracheal, and prelaryngeal/Delphian lymph nodes) (thyroid)
399493005 | pT1c: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness) with macroscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399501001 | pT1: Tumor limited to the iris (iris) (uveal melanoma)
399508007 | pT4b: Extrathyroidal anaplastic carcinoma - surgically unresectable (anaplastic carcinoma) (thyroid)
399511008 | pT1b: Tumor limited to the iris (more than 3 clock hours in size) (iris) (uveal melanoma)
399516003 | pT1a: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness) without microscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399517007 | Tumor stage cannot be determined
399518002 | pT2: Tumor more than 2 cm but not more than 4 cm in greatest dimension limited to the thyroid (thyroid)
399519005 | pT2a: Tumor 10 mm to 16 mm in greatest basal diameter and between 2.5 and 10 mm in maximum height (thickness) without microscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399543008 | pT2c: Tumor 10 mm to 16 mm in greatest basal diameter and between 2.5 and 10 mm in maximum height (thickness) with macroscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399553009 | pN3: Metastasis in a lymph node, more than 5 cm in greatest dimension (urinary bladder, ureter, renal pelvis)
399557005 | pT3: Tumor confluent with or extending into the ciliary body and/or choroid with scleral extension (iris) (uveal melanoma)
399575006 | pT4a: Intrathyroidal anaplastic carcinoma - surgically resectable (anaplastic carcinoma) (thyroid)
399594001 | pM1a: Distant metastasis (esophagus)
399597008 | pT1a: Tumor limited to the iris (not more than 3 clock hours in size) (iris) (uveal melanoma)
399602001 | pT1c: Tumor limited to the iris with melanomalytic glaucoma (iris) (uveal melanoma)
399605004 | FIGO stage finding for fallopian tube tumor
399610000 | pT3: Tumor more than 16 mm in greatest diameter and/or greater than 10 mm in maximum height (thickness) without extraocular extension (ciliary body and choroid) (uveal melanoma)
399615005 | pT2: Tumor confluent with or extending into the ciliary body and/or choroid (iris) (uveal melanoma)

399616006 | pT2b: Tumor 10 mm to 16 mm in greatest basal diameter and between 2.5 and 10 mm in maximum height (thickness) with microscopic extraocular extension (ciliary body and choroid) (uveal melanoma)
399621009 | pT3a (IIIA): Tumor involves one or both fallopian tubes, with microscopic peritoneal metastasis outside the pelvis (TNM category and FIGO stage) (fallopian tube)
399623007 | pT4a: Tumor of any size extending beyond the thyroid capsule to invade subcutaneous soft tissues, larynx, trachea, esophagus, or recurrent laryngeal nerve (thyroid)
399630001 | pT category not identified
399636007 | pT3c and/or N1 (IIIC): Tumor involves one or both fallopian tubes, with peritoneal metastasis outside the pelvis more than 2 cm in diameter AND/OR regional lymph node metastasis (TNM category and FIGO stage) (fallopian tube)
399641004 | pT2 (II): Tumor involves one or both fallopian tubes with pelvic extension (TNM category and FIGO stage) (fallopian tube)
399674004 | pT3a: Tumor confluent with or extending into the ciliary body and/or choroid with scleral extension and melanomalytic glaucoma (iris) (uveal melanoma)
399678001 | pT3 (III): Tumor involves one or both fallopian tubes, with peritoneal implants outside the pelvis (TNM category and FIGO stage) (fallopian tube)
399679009 | pT4: Tumor with extraocular extension (iris) (uveal melanoma)
399688000 | Fallopian tube TNM finding
399690004 | pT2b (IIB): Tumor involves one or both fallopian tubes with extension to other pelvic structures (TNM category and FIGO stage) (fallopian tube)
399696005 | pT3 and/or N1 (III): Tumor involves one or both fallopian tubes, with peritoneal implants outside the pelvis AND/OR regional lymph node metastasis (TNM category and FIGO stage) (fallopian tube)
399697001 | pT2c (IIC): Tumor involves one or both fallopian tubes with pelvic extension with malignant cells in ascites or peritoneal washings (TNM category and FIGO stage) (fallopian tube)
399704006 | pN1b: Metastasis to unilateral, bilateral, or contralateral cervical or superior mediastinal lymph nodes (thyroid)
399705007 | Uveal melanoma TNM finding
399729000 | pT4: Tumor more than 16 mm in greatest diameter and/or greater than 10 mm in maximum height (thickness) with extraocular extension (ciliary body and choroid) (uveal melanoma)
399736004 | pT1b (IB): Tumor limited to both tubes, without penetrating the serosal surface; no ascites (TNM category and FIGO stage) (fallopian tube)
399749009 | Any T/Any N and M1 (IV): Distant metastasis including presence of malignant cells in pleural fluid or parenchymal hepatic metastasis (TNM category and FIGO stage) (fallopian tube)
404180008 | pT3: Tumor invades beyond muscularis into peripelvic fat or renal parenchyma (renal pelvis)
404181007 | pM1 (IV): Distant metastasis (TNM category and FIGO stage) (fallopian tube)
404182000 | pM1 (IVB): Distant metastasis (TNM category and FIGO stage) (uterine cervix)
405917009 | Intergroup rhabdomyosarcoma study post-surgical clinical group finding
405918004 | Intergroup rhabdomyosarcoma study post-surgical clinical group not applicable
405919007 | Intergroup rhabdomyosarcoma study post-surgical clinical group cannot be assessed
405957007 | Intergroup rhabdomyosarcoma study post-surgical clinical group IA: localized tumor, confined to site of origin, completely resected
405958002 | Intergroup rhabdomyosarcoma study post-surgical clinical group IB: localized tumor, infiltrating beyond site of origin, completely resected
405959005 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIA: localized tumor, gross total resection, but with microscopic residual disease
405960000 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIB: Locally extensive tumor (spread to regional lymph nodes), completely resected
405961001 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIC: Locally extensive tumor (spread to regional lymph nodes), gross total resection, but microscopic residual disease
405962008 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIIA: Localized or locally extensive tumor, gross residual disease after biopsy only
405963003 | Intergroup rhabdomyosarcoma study post-surgical clinical group IIIB: Localized or locally extensive tumor, gross residual disease after major resection (greater than 50% debulking)
405964009 | Intergroup rhabdomyosarcoma study post-surgical clinical group IV: Any size primary tumor, with or without regional lymph node involvement, with distant metastases, without respect to surgical approach to primary tumor
405992004 | pN1 (IIIC): Regional lymph node metastasis (TNM category and FIGO stage) (ovary)
406001009 | pT4b: Tumor invades lateral pterygoid muscle, pterygoid plates, lateral nasopharynx, or skull base or encases internal carotid artery (oropharynx)
406088001 | pN0(i-): No regional lymph node metastasis histologically, negative morphologic findings for isolated tumor cells (breast)
406089009 | pN0(i+): No regional lymph node metastasis histologically, positive morphologic findings for isolated tumor cells, no cluster greater than 0.2 mm (breast)
406090000 | pN0(mol-): No regional lymph node metastasis histologically, negative nonmorphologic (molecular) findings for isolated tumor cells (breast)
406091001 | pN0(mol+): No regional lymph node metastasis histologically, positive nonmorphologic (molecular) findings for isolated tumor cells (breast)
406092008 | pN1 (IIIC): Regional lymph node metastasis (TNM category and FIGO stage) (fallopian tube)
409721000 | International neuroblastoma staging system stage finding
409722007 | International neuroblastoma staging system stage 1
409723002 | International neuroblastoma staging system stage 2A
409724008 | International neuroblastoma staging system stage 2B
409725009 | International neuroblastoma staging system stage 3
409726005 | International neuroblastoma staging system stage 4
409727001 | International neuroblastoma staging system stage 4S
409747009 | pT1a: Tumor 5 cm or less in greatest dimension, superficial tumor (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409748004 | pT1: Tumor 5 cm or less in greatest dimension (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409749007 | pT1b: Tumor 5 cm or less in greatest dimension, deep tumor (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409750007 | pT2: Tumor more than 5 cm in greatest dimension (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409751006 | pT2a: Tumor more than 5 cm in greatest dimension, superficial tumor (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)

409752004 | pT2b: Tumor more than 5 cm in greatest dimension, deep tumor (extraosseous primitive neuroectodermal tumor/Ewing's sarcoma)
409753009 | pT1: Tumor 8 cm or less in greatest dimension (osseous primitive neuroectodermal tumor/Ewing's sarcoma)
409754003 | pT2: Tumor more than 8 cm in greatest dimension (osseous primitive neuroectodermal tumor/Ewing's sarcoma)
409755002 | pT3: Discontinuous tumors in the primary bone site (osseous primitive neuroectodermal tumor/Ewing's sarcoma)
409756001 | Primitive neuroectodermal tumor/Ewing's sarcoma TNM finding
409758000 | pM1a: Distant metastasis to lung (primitive neuroectodermal tumor/Ewing's sarcoma)
409759008 | pM1b: Distant metastasis to site other than lung (primitive neuroectodermal tumor/Ewing's sarcoma)
422375001 | Carcinoma of colon, stage III
422399001 | Infiltrating ductal carcinoma of breast, stage 1
422479008 | Infiltrating ductal carcinoma of breast, stage 2
422581008 | Carcinoma of colon, stage II
422679002 | Seminoma of testis, stage 3
422807001 | pT4: Tumor directly invades other organs or structures and/or perforates visceral peritoneum (appendix)
422901001 | pTis: Carcinoma in situ, intraepithelial (appendix)
422985007 | Carcinoma of colon, stage IV
423003009 | pT3: Tumor invades through the muscularis propria into the subserosa or into mesoappendix (appendix)
423055005 | pTis: Carcinoma in situ, invasion of lamina propria (appendix)
423114009 | Infiltrating ductal carcinoma of breast, stage 3
423274005 | Carcinoma of ovary, stage 4
423480004 | Carcinoma of ovary, stage 3
423645007 | Seminoma of testis, stage 2
423697000 | Seminoma of testis, stage 4
423816008 | Seminoma of testis, stage 1
424078005 | Adenocarcinoma of lung, stage I
424229006 | Infiltrating ductal carcinoma of breast, stage 4
424454009 | Adenocarcinoma of lung, stage III
424486004 | Carcinoma of ovary, stage 2
424600001 | Carcinoma of ovary, stage 1
424632001 | Adenocarcinoma of lung, stage II
424842001 | pT1: Tumor invades submucosa (appendix)
424993006 | Adenocarcinoma of lung, stage IV
425008003 | pT2: Tumor invades muscularis propria (appendix)
425037004 | Low grade lymphoma, stage 1
425213009 | Carcinoma of colon, stage I
425566006 | pT1b: Tumor 5 cm or less in greatest dimension, deep tumor (soft tissue)
426288003 | pM1b: Distant metastasis to site other than lung (bone)
426554005 | pT2b: Tumor more than 5 cm in greatest dimension, deep tumor (soft tissue)
426561009 | Bone TNM finding
426613005 | pT2a: Tumor more than 5 cm in greatest dimension, superficial tumor (soft tissue)
426616002 | pT2: Tumor more than 8 cm in greatest dimension (bone)
426897009 | pT1: Tumor 8 cm or less in greatest dimension (bone)
426917009 | pM1a: Distant metastasis to lung (bone)
427209003 | pT3: Discontinuous tumors in the primary bone site (bone)
427495001 | pT1a: Tumor 5 cm or less in greatest dimension, superficial tumor (soft tissue)
427535001 | Soft tissue TNM finding
443335006 | pN0(i-) category
443357004 | pT1a category
443452006 | pN2b category
443479005 | pT3d category
443486002 | pN0(i+) category
443505003 | pT4d category
443506002 | pT1b category
443599002 | pN1b category
443600004 | pT1mic category
443604008 | pT4a category
443606005 | pT3a category
443642002 | pT1c category
443674009 | pT3c category
443716008 | pN1a category
443721006 | pT4c category
443736009 | pT4b category
443743003 | pN1c category
443784000 | pT3c,d category
443812002 | pT2a category
443815000 | pT3a,b category
443817008 | pT3b category
443823003 | pN3c category
443824009 | pN1mi category
443839005 | pM1c category
443840007 | pM1b category
443841006 | pM1a category
443866005 | pN3a category

443867001 | pN2a category
443875007 | pN0(mol+) category
443893008 | pN2c category

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.162 Value Set http://hl7.org/fhir/ValueSet/communication-category

URL: https://hl7.org/fhir/STU3/valueset-communication-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/communication-category
Name: | CommunicationCategory
Definition: | Codes for general categories of communications such as alerts, instruction, etc.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.162 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CommunicationCategory

* Communication.category (Example)

* CommunicationRequest.category (Example)

4.3.1.162.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/communication-category

4.3.1.162.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/communication-category version 3.0.2

All codes from system http://hl7.org/fhir/communication-category

Code | Display | Definition
alert | Alert | The communication conveys an alert.
notification | Notification | The communication conveys a notification.
reminder | Reminder | The communication conveys a reminder.
instruction | Instruction | The communication conveys instruction.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.164 Value Set http://hl7.org/fhir/ValueSet/communication-not-done-reason

URL: https://hl7.org/fhir/STU3/valueset-communication-not-done-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/communication-not-done-reason
Name: | CommunicationNotDoneReason
Definition: | Codes for the reason why a communication was not done.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.164 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CommunicationNotDoneReason

* Communication.notDoneReason (Example)

4.3.1.164.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/communication-not-done-reason

4.3.1.164.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/communication-not-done-reason version 3.0.2

All codes from system http://hl7.org/fhir/communication-not-done-reason

Code | Display | Definition
unknown | Unknown | The communication was not done due to an unknown reason.
system-error | System Error | The communication was not done due to a system error.
invalid-phone-number | Invalid Phone Number | The communication was not done due to an invalid phone number.
recipient-unavailable | Recipient Unavailable | The communication was not done due to the recipient being unavailable.
family-objection | Family Objection | The communication was not done due to a family objection.
patient-objection | Patient Objection | The communication was not done due to a patient objection.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.166 Value Set http://hl7.org/fhir/ValueSet/restful-capability-mode

URL: https://hl7.org/fhir/STU3/valueset-restful-capability-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/restful-capability-mode
Name: | RestfulCapabilityMode
Definition: | The mode of a RESTful capability statement.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.166 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for RestfulCapabilityMode

* CapabilityStatement.rest.mode (Required)

4.3.1.166.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/restful-capability-mode

4.3.1.166.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/restful-capability-mode version 3.0.2

All codes from system http://hl7.org/fhir/restful-capability-mode

Code	Display	Definition
client	Client	The application acts as a client for this resource.
server	Server	The application acts as a server for this resource.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.168 Value Set http://hl7.org/fhir/ValueSet/restful-security-service

URL: https://hl7.org/fhir/STU3/valueset-restful-security-service.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/restful-security-service
Name:	RestfulSecurityService
Definition:	Types of security services used with FHIR.
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.168 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for RestfulSecurityService

* CapabilityStatement.rest.security.service (Extensible)

4.3.1.168.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/restful-security-service

4.3.1.168.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/restful-security-service version 3.0.2

All codes from system http://hl7.org/fhir/restful-security-service

Code	Display	Definition
OAuth	OAuth	Oauth (unspecified version see oauth.net).
SMART-on-FHIR	SMART-on-FHIR	OAuth2 using SMART-on-FHIR profile (see http://docs.smarthealthit.org/).
NTLM	NTLM	Microsoft NTLM Authentication.
Basic	Basic	Basic authentication defined in HTTP specification.
Kerberos	Kerberos	see http://www.ietf.org/rfc/rfc4120.txt.
Certificates	Certificates	SSL where client must have a certificate registered with the server.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.170 Value Set http://hl7.org/fhir/ValueSet/type-restful-interaction

URL: https://hl7.org/fhir/STU3/valueset-type-restful-interaction.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/type-restful-interaction
Name: | TypeRestfulInteraction
Definition: | Operations supported by REST at the type or instance level.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.170 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* CapabilityStatement.rest.resource.interaction.code (Required)

4.3.1.170.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/restful-interaction

Code | Display
read | read | Read the current state of the resource.
vread | vread | Read the state of a specific version of the resource.
update | update | Update an existing resource by its id (or create it if it is new).
patch | patch | Update an existing resource by posting a set of changes to it.
delete | delete | Delete a resource.
history-instance | history-instance | Retrieve the change history for a particular resource.
history-type | history-type | Retrieve the change history for all resources of a particular type.
create | create | Create a new resource with a server assigned id.
search-type | search-type | Search all resources of the specified type based on some filter criteria.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.171 Value Set http://hl7.org/fhir/ValueSet/system-restful-interaction

URL: https://hl7.org/fhir/STU3/valueset-system-restful-interaction.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/system-restful-interaction
Name: | SystemRestfulInteraction
Definition: | Operations supported by REST at the system level.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.171 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* CapabilityStatement.rest.interaction.code (Required)

4.3.1.171.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/restful-interaction

Code	Display	
transaction	transaction	Update, create or delete a set of resources as a single transaction.
batch	batch	perform a set of a separate interactions in a single http operation
search-system	search-system	Search all resources based on some filter criteria.
history-system	history-system	Retrieve the change history for all resources on a system.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.172 Value Set http://hl7.org/fhir/ValueSet/event-capability-mode

URL: https://hl7.org/fhir/STU3/valueset-event-capability-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/event-capability-mode
Name:	EventCapabilityMode
Definition:	The mode of a message capability statement.
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.172 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for EventCapabilityMode

* CapabilityStatement.messaging.supportedMessage.mode (Required)

* CapabilityStatement.messaging.event.mode (Required)

4.3.1.172.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/event-capability-mode

4.3.1.172.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/event-capability-mode version 3.0.2

All codes from system http://hl7.org/fhir/event-capability-mode

Code	Display	Definition
sender	Sender	The application sends requests and receives responses.
receiver	Receiver	The application receives requests and sends responses.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.174 Value Set http://hl7.org/fhir/ValueSet/message-transport

URL: https://hl7.org/fhir/STU3/valueset-message-transport.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/message-transport
Name: | MessageTransport
Definition: | The protocol used for message transport.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.174 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MessageTransport

* CapabilityStatement.messaging.endpoint.protocol (Extensible)

4.3.1.174.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/message-transport

4.3.1.174.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/message-transport version 3.0.2

All codes from system http://hl7.org/fhir/message-transport

Code | Display | Definition
http | HTTP | The application sends or receives messages using HTTP POST (may be over http: or https:).
ftp | FTP | The application sends or receives messages using File Transfer Protocol.
mllp | MLLP | The application sends or receives messages using HL7's Minimal Lower Level Protocol.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.176 Value Set http://hl7.org/fhir/ValueSet/document-mode

URL: https://hl7.org/fhir/STU3/valueset-document-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/document-mode
Name: | DocumentMode
Definition: | Whether the application produces or consumes documents.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.176 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DocumentMode

* CapabilityStatement.document.mode (Required)

4.3.1.176.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/document-mode

4.3.1.176.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/document-mode version 3.0.2

All codes from system http://hl7.org/fhir/document-mode

Code | Display | Definition
producer | Producer | The application produces documents of the specified type.
consumer | Consumer | The application consumes documents of the specified type.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.178 Value Set http://hl7.org/fhir/ValueSet/message-significance-category

URL: https://hl7.org/fhir/STU3/valueset-message-significance-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Infrastructure And Messaging Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/message-significance-category
Name: | MessageSignificanceCategory
Definition: | The impact of the content of a message.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.178 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MessageSignificanceCategory

* MessageDefinition.category (Required)

* CapabilityStatement.messaging.event.category (Required)

4.3.1.178.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/message-significance-category

4.3.1.178.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/message-significance-category version 3.0.2

All codes from system http://hl7.org/fhir/message-significance-category

Code | Display | Definition
Consequence | Consequence | The message represents/requests a change that should not be processed more than once; e.g., making a booking for an appointment.
Currency | Currency | The message represents a response to query for current information. Retrospective processing is wrong and/or wasteful.
Notification | Notification | The content is not necessarily intended to be current, and it can be reprocessed, though there may be version issues created by processing old notifications.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.180 Value Set http://hl7.org/fhir/ValueSet/versioning-policy

URL: https://hl7.org/fhir/STU3/valueset-versioning-policy.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/versioning-policy
Name: | ResourceVersionPolicy
Definition: | How the system supports versioning for a resource.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.180 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ResourceVersionPolicy

* CapabilityStatement.rest.resource.versioning (Required)

4.3.1.180.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/versioning-policy

4.3.1.180.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/versioning-policy version 3.0.2

All codes from system http://hl7.org/fhir/versioning-policy

Code | Display | Definition
no-version | No VersionId Support | VersionId meta-property is not supported (server) or used (client).
versioned | Versioned | VersionId meta-property is supported (server) or used (client).
versioned-update | VersionId tracked fully | VersionId must be correct for updates (server) or will be specified (If-match header) for updates (client).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.182 Value Set http://hl7.org/fhir/ValueSet/transaction-mode

URL: https://hl7.org/fhir/STU3/valueset-transaction-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/transaction-mode
Name: | TransactionMode
Definition: | A code that indicates how transactions are supported.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.182 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TransactionMode

4.3.1.182.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/transaction-mode

4.3.1.182.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/transaction-mode version 3.0.2

All codes from system http://hl7.org/fhir/transaction-mode

Code | Display | Definition
not-supported | None | Neither batch or transaction is supported.
batch | Batches supported | Batches are supported.
transaction | Transactions Supported | Transactions are supported.
both | Batches & Transactions | Both batches and transactions are supported.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.184 Value Set http://hl7.org/fhir/ValueSet/conditional-delete-status

URL: https://hl7.org/fhir/STU3/valueset-conditional-delete-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/conditional-delete-status
Name: | ConditionalDeleteStatus
Definition: | A code that indicates how the server supports conditional delete.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.184 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConditionalDeleteStatus

* CapabilityStatement.rest.resource.conditionalDelete (Required)

4.3.1.184.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/conditional-delete-status

4.3.1.184.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/conditional-delete-status version 3.0.2

All codes from system http://hl7.org/fhir/conditional-delete-status

Code | Display | Definition
not-supported | Not Supported | No support for conditional deletes.
single | Single Deletes Supported | Conditional deletes are supported, but only single resources at a time.
multiple | Multiple Deletes Supported | Conditional deletes are supported, and multiple resources can be deleted in a single interaction.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.186 Value Set http://hl7.org/fhir/ValueSet/unknown-content-code

URL: https://hl7.org/fhir/STU3/valueset-unknown-content-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/unknown-content-code
Name: | UnknownContentCode
Definition: | A code that indicates whether an application accepts unknown elements or extensions when reading resources.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.186 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for UnknownContentCode

* CapabilityStatement.acceptUnknown (Required)

4.3.1.186.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/unknown-content-code

4.3.1.186.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/unknown-content-code version 3.0.2

All codes from system http://hl7.org/fhir/unknown-content-code

Code | Display | Definition
no | Neither Elements or Extensions | The application does not accept either unknown elements or extensions.
extensions | Unknown Extensions | The application accepts unknown extensions, but not unknown elements.
elements | Unknown Elements | The application accepts unknown elements, but not unknown extensions.
both | Unknown Elements and Extensions | The application accepts unknown elements and extensions.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.188 Value Set http://hl7.org/fhir/ValueSet/capability-statement-kind

URL: https://hl7.org/fhir/STU3/valueset-capability-statement-kind.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/capability-statement-kind
Name: | CapabilityStatementKind
Definition: | How a capability statement is intended to be used.

Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.188 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CapabilityStatementKind

* CapabilityStatement.kind (Required)

4.3.1.188.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/capability-statement-kind

4.3.1.188.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/capability-statement-kind version 3.0.2

All codes from system http://hl7.org/fhir/capability-statement-kind

Code | Display | Definition
instance | Instance | The CapabilityStatement instance represents the present capabilities of a specific system instance. This is the kind returned by OPTIONS for a FHIR server end-point.
capability | Capability | The CapabilityStatement instance represents the capabilities of a system or piece of software, independent of a particular installation.
requirements | Requirements | The CapabilityStatement instance represents a set of requirements for other systems to meet; e.g. as part of an implementation guide or 'request for proposal'.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.190 Value Set http://hl7.org/fhir/ValueSet/conditional-read-status

URL: https://hl7.org/fhir/STU3/valueset-conditional-read-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/conditional-read-status
Name: | ConditionalReadStatus
Definition: | A code that indicates how the server supports conditional read.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.190 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConditionalReadStatus

* CapabilityStatement.rest.resource.conditionalRead (Required)

4.3.1.190.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/conditional-read-status

4.3.1.190.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/conditional-read-status version 3.0.2

All codes from system http://hl7.org/fhir/conditional-read-status

Code | Display | Definition
not-supported | Not Supported | No support for conditional deletes.
modified-since | If-Modified-Since | Conditional reads are supported, but only with the If-Modified-Since HTTP Header.
not-match | If-None-Match | Conditional reads are supported, but only with the If-None-Match HTTP Header.
full-support | Full Support | Conditional reads are supported, with both If-Modified-Since and If-None-Match HTTP Headers.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.192 Value Set http://hl7.org/fhir/ValueSet/reference-handling-policy

URL: https://hl7.org/fhir/STU3/valueset-reference-handling-policy.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reference-handling-policy
Name: | ReferenceHandlingPolicy
Definition: | A set of flags that defines how references are supported.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.192 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ReferenceHandlingPolicy

* CapabilityStatement.rest.resource.referencePolicy (Required)

4.3.1.192.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/reference-handling-policy

4.3.1.192.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/reference-handling-policy version 3.0.2

All codes from system http://hl7.org/fhir/reference-handling-policy

Code | Display | Definition
literal | Literal References | The server supports and populates Literal references where they are known (this code does not guarantee that all references are literal; see 'enforced')
logical | Logical References | The server allows logical references
resolves | Resolves References | The server will attempt to resolve logical references to literal references (if resolution fails, the server may still accept resources; see logical)
enforced | Reference Integrity Enforced | The server enforces that references have integrity - e.g. it ensures that references can always be resolved. This is typically the case for clinical record systems, but often not the case for middleware/proxy systems
local | Local References Only | The server does not support references that point to other servers

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.194 Value Set http://hl7.org/fhir/ValueSet/detectedissue-category

URL: https://hl7.org/fhir/STU3/valueset-detectedissue-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/detectedissue-category
Name: | Detected Issue Category
Definition: | Kinds of issues or contraindications, such as 'drug-drug interaction', 'duplicate therapy', etc.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.194 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* DetectedIssue.category (Preferred)

4.3.1.194.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://hl7.org/fhir/v3/ActCode where concept is-a _AdministrationDetectedIssueCode

* Include codes from http://hl7.org/fhir/v3/ActCode where concept is-a _ActSuppliedItemDetectedIssueCode

* Include codes from http://hl7.org/fhir/v3/ActCode where concept is-a _SupplyDetectedIssueCode

4.3.1.194.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 27 concepts

Expansion based on http://hl7.org/fhir/v3/ActCode version 2016-11-11

All codes from system http://hl7.org/fhir/v3/ActCode

Code | Display | Definition
FOOD | Food Interaction Alert | Proposed therapy may interact with certain foods
TPROD | Therapeutic Product Alert | Proposed therapy may interact with an existing or recent therapeutic product
DRG | Drug Interaction Alert | Proposed therapy may interact with an existing or recent drug therapy
NHP | Natural Health Product Alert | Proposed therapy may interact with existing or recent natural health product therapy
NONRX | Non-Prescription Interaction Alert | Proposed therapy may interact with a non-prescription drug (e.g. alcohol, tobacco, Aspirin)
PREVINEF | previously ineffective | Definition:The same or similar treatment has previously been attempted with the patient without achieving a positive effect.
DACT | drug action detected issue | Description:Proposed therapy may be contraindicated or ineffective based on an existing or recent drug therapy.
TIME | timing detected issue | Description:Proposed therapy may be inappropriate or ineffective based on the proposed start or end time.
ALRTENDLATE | end too late alert | Definition:Proposed therapy may be inappropriate or ineffective because the end of administration is too close to another planned therapy.
ALRTSTRTLATE | start too late alert | Definition:Proposed therapy may be inappropriate or ineffective because the start of administration is too late after the onset of the condition.
ENDLATE | End Too Late Alert | Proposed therapy may be inappropriate or ineffective because the end of administration is too close to another planned therapy
STRTLATE | Start Too Late Alert | Proposed therapy may be inappropriate or ineffective because the start of administration is too late after the onset of the condition
ALLDONE | already performed | Definition:The requested action has already been performed and so this request has no effect
FULFIL | fulfillment alert | Definition:The therapy being performed is in some way out of alignment with the requested therapy.
NOTACTN | no longer actionable | Definition:The status of the request being fulfilled has changed such that it is no longer actionable. This may be because the request has expired, has already been completely fulfilled or has been otherwise stopped or disabled. (Not used for 'suspended' orders.)
NOTEQUIV | not equivalent alert | Definition:The therapy being performed is not sufficiently equivalent to the therapy which was requested.
NOTEQUIVGEN | not generically equivalent alert | Definition:The therapy being performed is not generically equivalent (having the identical biological action) to the therapy which was requested.
NOTEQUIVTHER | not therapeutically equivalent alert | Definition:The therapy being performed is not therapeutically equivalent (having the same overall patient effect) to the therapy which was requested.
TIMING | event timing incorrect alert | Definition:The therapy is being performed at a time which diverges from the time the therapy was requested
INTERVAL | outside requested time | Definition:The therapy action is being performed outside the bounds of the time period requested
MINFREQ | too soon within frequency based on the usage | Definition:The therapy action is being performed too soon after the previous occurrence based on the requested frequency
HELD | held/suspended alert | Definition:There should be no actions taken in fulfillment of a request that has been held or suspended.
TOOLATE | Refill Too Late Alert | The patient is receiving a subsequent fill significantly later than would be expected based on the amount previously supplied and the therapy dosage instructions
TOOSOON | Refill Too Soon Alert | The patient is receiving a subsequent fill significantly earlier than would be expected based on the amount previously supplied and the therapy dosage instructions
HISTORIC | record recorded as historical | Description: While the record was accepted in the repository, there is a more recent version of a record of this type.
PATPREF | violates stated preferences | Definition:The proposed therapy goes against preferences or consent constraints recorded in the patient's record.

PATPREFALT | violates stated preferences, alternate available | Definition:The proposed therapy goes against preferences or consent constraints recorded in the patient's record. An alternate therapy meeting those constraints is available.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.195 Value Set http://hl7.org/fhir/ValueSet/detectedissue-mitigation-action

URL: https://hl7.org/fhir/STU3/valueset-detectedissue-mitigation-action.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/detectedissue-mitigation-action
Name: | Detected Issue Mitigation Action
Definition: | Kinds of mitigating actions and observations that can be associated with a detected issue or contraindication, such as 'added concurrent therapy', 'prior therapy documented', etc.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.195 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* DetectedIssue.mitigation.action (Preferred)

4.3.1.195.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://hl7.org/fhir/v3/ActCode where concept is-a _ActDetectedIssueManagementCode

4.3.1.195.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 24 concepts

Expansion based on http://hl7.org/fhir/v3/ActCode version 2016-11-11

All codes from system http://hl7.org/fhir/v3/ActCode

Code | Display | Definition
_ActDetectedIssueManagementCode | ActDetectedIssueManagementCode | Codes dealing with the management of Detected Issue observations
_ActAdministrativeDetectedIssueManagementCode | ActAdministrativeDetectedIssueManagementCode | Codes dealing with the management of Detected Issue observations for the administrative and patient administrative acts domains.
_AuthorizationIssueManagementCode | Authorization Issue Management Code | Authorization Issue Management Code
EMAUTH | emergency authorization override | Used to temporarily override normal authorization rules to gain access to data in a case of emergency. Use of this override code will typically be monitored, and a procedure to verify its proper use may be triggered when used.
21 | authorization confirmed | Description: Indicates that the permissions have been externally verified and the request should be processed.
1 | Therapy Appropriate | Confirmed drug therapy appropriate
19 | Consulted Supplier | Consulted other supplier/pharmacy, therapy confirmed
2 | Assessed Patient | Assessed patient, therapy is appropriate
22 | appropriate indication or diagnosis | Description: The patient has the appropriate indication or diagnosis for the action to be taken.
23 | prior therapy documented | Description: It has been confirmed that the appropriate pre-requisite therapy has been tried.
3 | Patient Explanation | Patient gave adequate explanation
4 | Consulted Other Source | Consulted other supply source, therapy still appropriate
5 | Consulted Prescriber | Consulted prescriber, therapy confirmed
6 | Prescriber Declined Change | Consulted prescriber and recommended change, prescriber declined
7 | Interacting Therapy No Longer Active/Planned | Concurrent therapy triggering alert is no longer on-going or planned
14 | Supply Appropriate | Confirmed supply action appropriate
15 | Replacement | Patient's existing supply was lost/wasted
16 | Vacation Supply | Supply date is due to patient vacation
17 | Weekend Supply | Supply date is intended to carry patient over weekend
18 | Leave of Absence | Supply is intended for use during a leave of absence from an institution.

20 | additional quantity on separate dispense | Description: Supply is different than expected as an additional quantity has been supplied in a separate dispense.
8 | Other Action Taken | Order is performed as issued, but other action taken to mitigate potential adverse effects
10 | Provided Patient Education | Provided education or training to the patient on appropriate therapy use
11 | Added Concurrent Therapy | Instituted an additional therapy to mitigate potential negative effects
12 | Temporarily Suspended Concurrent Therapy | Suspended existing therapy that triggered interaction for the duration of this therapy
13 | Stopped Concurrent Therapy | Aborted existing therapy that triggered interaction.
9 | Instituted Ongoing Monitoring Program | Arranged to monitor patient for adverse effects

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.196 Value Set http://hl7.org/fhir/ValueSet/detectedissue-severity

URL: https://hl7.org/fhir/STU3/valueset-detectedissue-severity.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/detectedissue-severity
Name: | DetectedIssueSeverity
Definition: | Indicates the potential degree of impact of the identified issue on the patient.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.196 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DetectedIssueSeverity

* This value set has translations in the ConceptMap v3 map for DetectedIssueSeverity

* DetectedIssue.severity (Required)

4.3.1.196.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/detectedissue-severity

4.3.1.196.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/detectedissue-severity version 3.0.2

All codes from system http://hl7.org/fhir/detectedissue-severity

Code | Display | Definition
high | High | Indicates the issue may be life-threatening or has the potential to cause permanent injury.
moderate | Moderate | Indicates the issue may result in noticeable adverse consequences but is unlikely to be life-threatening or cause permanent injury.
low | Low | Indicates the issue may result in some adverse consequences but is unlikely to substantially affect the situation of the subject.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.198 Value Set http://hl7.org/fhir/ValueSet/device-kind

URL: https://hl7.org/fhir/STU3/valueset-device-kind.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-kind
Name: | FHIR Device Types
Definition: | Codes used to identify medical devices. Include codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 49062001 (Device) and is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.198 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* DeviceComponent.type (Preferred)

* DeviceRequest.code[x] (Example)

* Procedure.usedCode (Example)

* Device.type (Example)

4.3.1.198.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 49062001 (Device)

4.3.1.198.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
156009	Spine board	
271003	Bone plate	
287000	Air receiver	
291005	Atomizer	
678001	Epilator	
739006	Bicycle ergometer	
793009	Mechanical power press	
882002	Diagnostic implant	
972002	Air filter	
989005	Linen cloth	
994005	Brush	
1211003	Treadmill	
1333003	Emesis basin	
1422002	Plastic mold	
1579007	Surgical drill	
1766001	Toboggan	
1941006	Silk cloth	
1962007	Dike	
2248009	Endotracheal tube cuff	
2282003	Breast prosthesis	
2287009	Nail file	
2468001	Breath analyzer	
2478003	Glass eye	
2491002	Intra-aortic balloon catheter	
3201004	Tent	
3319006	Artificial liver	
4408003	Endoscopic camera	
4632004	Hair cloth	
4816004	Metal device	
5041003	Adhesive strip	
5042005	Patient scale	
5159002	Physiologic monitoring system	

5679009 | Bed sheet
6012004 | Hearing aid
6097006 | T-tube
6822006 | Microwave oven
6919005 | Protective clothing material
6972009 | Lithotripter
7007007 | Radiographic-fluoroscopic unit
7402007 | Probe
7406005 | Crib
7704007 | Stabilizing appliance
7733008 | Hydrocephalic shunt catheter
7968002 | Three-wheeled all-terrain vehicle
7971005 | Fogarty catheter
8060009 | Denture
8118007 | Crane
8170008 | Adhesive
8384009 | Band saw
8407004 | Bile collection bag
8434001 | Jail
8451008 | Intramedullary rod
8615009 | Blood electrolyte analyzer
8643000 | Mortising machine
8682003 | Protective shield
9017009 | Ventricular intracranial catheter
9096001 | Support
9129003 | Feeding catheter
9419002 | Bobsled
9458007 | Elastic bandage
9611009 | Dermatotome
9883003 | Cargo handling gear
10244001 | Needle guide
10371004 | Electrostimulating analgesia unit
10507000 | Toeboard
10826000 | Industrial saw
10850003 | Radiographic-therapeutic unit
10906003 | Vein stripper
11141007 | Bone growth stimulator
11158002 | Electromyographic monitor and recorder
11358008 | Prosthetic valve
11987000 | Clinical chemistry analyzer
12150006 | Cannula
12183004 | Arm prosthesis
12198002 | Ice skate
12953007 | File
13118005 | Wool cloth
13219008 | Gastroscope
13288007 | Monitor
13459008 | Temporary artificial heart prosthesis
13764006 | Uterine sound
13855007 | Pillow
13905003 | Tennis ball
14106009 | Cardiac pacemaker
14108005 | Cage
14116001 | Analgesia unit
14208000 | Oil well
14288003 | Nasal septum button
14339000 | Button
14364002 | Camera
14423008 | Adhesive bandage
14519003 | Aspirator
14548009 | Harrington rod
14762000 | Alloy steel chain sling
14789005 | Prosthetic implant
15000008 | Air-conditioner
15340005 | Wood's light
15447007 | Joint prosthesis
15644007 | Anesthesia unit
15869005 | Dosimeter
15873008 | Boiler
15922004 | Gown
16056004 | Boots
16349000 | Orthopedic device

16417001 | Commercial breathing supply hoses diving operation
16470007 | Electrode
16497000 | Electric clipper
16524003 | Cotton cloth
16540000 | Umbrella catheter
16650009 | Splint
17102003 | Nasogastric tube
17107009 | Mitral valve prosthesis
17207004 | Mattress
17306006 | Hernia belt
17404008 | Cardiac compression board
17472008 | Knife
18151003 | Punch
18153000 | Fluorescence immunoassay analyzer
18411005 | Chisel
18666004 | Finespun glass
19257004 | Defibrillator
19328000 | Blanket
19443004 | Radioactive implant
19627002 | Leather
19762002 | Leather belt
19817005 | Fan blade
19892000 | Scale
19923001 | Catheter
20195009 | Leg prosthesis
20235003 | Toothbrush
20273004 | Industrial machine
20359006 | Contraceptive diaphragm
20406008 | Back rests
20428008 | Oxygen tent
20513005 | Power tool
20568009 | Urinary catheter
20613002 | Cystoscope
20861007 | Plug pack
20867006 | Experimental implant
20873007 | Plastic cloth-like material
20997002 | Hand tool
21079000 | Carbon monoxide analyzer
21546008 | Refrigerator
21870002 | Transluminal extraction catheter
21944004 | Abdominal binder
22251003 | Timer
22283009 | Artificial membrane
22566001 | Cytology brush
22662007 | Retaining harness
22679001 | Handcuffs
22744006 | Artificial hair wig
22852002 | Therapeutic implant
23228005 | Arthroscope
23366006 | Motorized wheelchair device
23699001 | Baseball
23785007 | Arthroscopic irrigation/distension pump
23973005 | Indwelling urinary catheter
24073000 | Artificial cardiac valve prosthesis
24110008 | Anoscope
24174009 | Bronchoscope
24230000 | Vibrator
24290003 | Biologic cardiac valve prosthesis
24402003 | Stepladder
24470005 | Wrench
24513003 | Plastic boots
24697008 | Ostomy belt
24767007 | Eustachian tube prosthesis
25005004 | Snare
25062003 | Feeding tube
25152007 | Squeeze cage
25510005 | Cardiac valve prosthesis
25632005 | Hockey puck
25680008 | Scaffold
25742001 | Orthodontic appliance
25937001 | Neurostimulator
26128008 | Bougie

26239002 | Soccer ball
26334009 | Dockboard
26397000 | Breathing bag
26412008 | Endotracheal tube
26579007 | Holter valve
26719000 | Celestin tube
26882005 | Rongeur
27042007 | Needle adapter
27065002 | Surgical suture
27091001 | Dumbwaiter
27126002 | Power belt
27229001 | Spray booth
27606000 | Dental prosthesis
27785006 | Athletic supporter
27812008 | Electric heating pad
27976001 | Woodworking machinery
27991004 | Thermometer
28026003 | Hairbrush
29292008 | Fur garment
29319002 | Forceps
29396008 | Resuscitator
30012001 | Elevator
30070001 | Multistage suspension scaffolding
30115002 | Shield
30176005 | Baseball bat
30234008 | Medical laboratory analyzer
30610008 | Epidural catheter
30661003 | Cosmetic prosthesis
30929000 | Ligator
30968007 | Drainage bag
31030004 | Peritoneal catheter
31031000 | Orthopedic internal fixation system
31174004 | Lumbosacral belt
31791005 | Traction belt
31878003 | Surgical scissors
32033000 | Arterial pressure monitor
32356002 | Machine guarding
32504006 | Screwdriver
32634007 | Fixed ladder
32667006 | Oropharyngeal airway device
32711007 | Ostomy collection bag
32712000 | Drain
32871007 | Tweezer
33194000 | Welding equipment
33352006 | Ax
33388001 | Carbon dioxide analyzer
33482001 | Rubber boots
33686008 | Stylet
33690005 | Sharp instrument
33802005 | Enema bag
33894003 | Experimental device
33918000 | Rubberized cloth
34164001 | Plaster cast
34188004 | Straightjacket
34234003 | Plastic tube
34263000 | Medical balloon
34362008 | Vascular device
34759008 | Urethral catheter
35398009 | Ostomy appliance
35593004 | Wire ligature
35870000 | Cerebrospinal catheter
36365007 | Ice-pick
36370000 | Aspirator trap bottle
36645008 | Stimulator
36761001 | Natural hair wig
36965003 | Hemodialysis machine
36977008 | Peripheral neurostimulator
37189001 | Magnetic detector
37270008 | Endoscope
37284003 | Bag
37311003 | Stone retrieval basket
37347002 | Dildo

37360008 | Patient isolator
37503007 | Protective blind
37759000 | Surgical instrument
37874008 | Continuing positive airway pressure unit
37953008 | Bedside rails
38126007 | Protective glasses
38141007 | Tourniquet
38277008 | Protective device
38806006 | Hockey stick
38862006 | Brake
38871002 | Metallic cloth
39590006 | Air compressor
39690000 | Sphygmomanometer
39768008 | Rasp
39790008 | Non-electric heating pad
39802000 | Tongue blade
39821008 | Positron emission tomography unit
39849001 | Nasal oxygen catheter
39869006 | Alarm
40388003 | Implant
40519001 | Binder
41157002 | Immobilizer
41323003 | Urinary collection bag
41525006 | Artificial structure
41684000 | Industrial tool
42152006 | Metal tube
42305009 | Ambulation device
42380001 | Ear plug
42451009 | Blood warmer
42716000 | Wool
42882002 | Hypodermic spray
43001000 | Phlebotomy kit
43192004 | Bone pencil
43252007 | Cochlear prosthesis
43725001 | Airway device
43734006 | Blood administration set
43770009 | Doppler device
43983001 | Shoes
44056008 | Caliper
44396004 | Magnet
44492001 | Industrial robot
44668000 | Pump
44738004 | Laryngoscope
44806002 | Esophageal bougie
44845007 | Golf ball
44907005 | Four-wheeled all-terrain vehicle
44959004 | Angioplasty balloon catheter
45633005 | Peritoneal dialyzer
45901004 | Penrose drain
46181005 | Automatic fire extinguisher system
46265007 | Artificial lashes
46299005 | Sanitary belt
46364009 | Clamp
46440007 | Basketball
46625003 | Suppository
46666003 | Chain
46949002 | Deck machinery
47162009 | Mirror
47326004 | Electrical utilization equipment
47424002 | Apgar scoring timer
47528002 | Ureteral catheter
47731004 | Birthing chair
47734007 | Catgut suture
47776004 | Hand mitt
47942000 | Proctoscope
48066006 | Circular portable saw
48096001 | Bathtub rails
48240003 | Training equipment
48246009 | Studgun
48295009 | Vascular filter
48473008 | Protective body armor
48822005 | Bilirubin light

48990009 | Strap
49448001 | Razor
49890001 | Hospital cart
50121007 | Glasses
50457005 | Workover rig service to oil well
50483000 | Oil well rig
50851003 | Penile tumescence monitor
51016001 | Hammer
51086006 | Shower curtain
51324004 | Stripper
51685009 | Roller skate
51791000 | Measuring tape
51832004 | Valved tube
51883004 | Sling
52124006 | Central venous catheter
52161002 | Molten lava
52291003 | Glove
52520009 | Ladder
52537002 | Aspirator collection canister
52624007 | Radiofrequency generator
52773007 | Ski
52809000 | Nasopharyngeal catheter
52893008 | Blood gas/pH analyzer
53167006 | Platform suspended boom
53177008 | Nasal balloon
53217009 | Artificial lung
53350007 | Prosthesis
53535004 | Retractor
53639001 | Stethoscope
53671008 | Gastric balloon
53996008 | Penile prosthesis
54234007 | Cryogenic analgesia unit
54638004 | Towel
54953005 | Computerized axial tomography scanner
55091003 | Blood coagulation analyzer
55206006 | Suture button
55216003 | Amnioscope
55337009 | Auscultoscope
55567004 | Bassinet
55658008 | Hot object
55986002 | Tong
56144002 | Back braces
56353002 | Staple
56547001 | Trephine
56896002 | Pacemaker catheter
56961003 | Cardiac transvenous pacemaker
57118008 | Perfusion pump
57134006 | Instrument
57368009 | Contact lenses
57395004 | Physical restraint equipment
57730005 | Abrasive grinding
58153004 | Android
58253008 | Suction catheter
58514003 | Infant scale
58878002 | Protective vest
58938008 | WC - Wheelchair
59102007 | Ice bag
59127000 | Apnea alarm
59153008 | Barge
59160002 | Chipguard
59181002 | Oxygen analyzer
59432006 | Ligature
59746007 | Needle holder
59772003 | Culdoscope
59782002 | Speculum
59833007 | Collapsible balloon
60054005 | Seat belt
60110001 | Wig
60150003 | Skipole
60161006 | Acupuncture needle
60185003 | Carbon dioxide absorber
60311007 | Leather boots

60773001 | Injector
60806001 | Whirlpool bath
60957001 | Otoscope
61330002 | Nasopharyngeal airway device
61512008 | Tennis racket
61835000 | Dilator
61968008 | Syringe
61979003 | Antiembolic device
62336005 | Electric cable
62495008 | Gamma counter
62614002 | Overhead and gantry crane
62980002 | Tubular bandage
63112008 | Bone wire
63173005 | Hat band
63289001 | Metal nail
63336000 | Bone plug
63548003 | Derrick
63562005 | Cervical collar
63619003 | Fiberoptic cable
63653004 | Medical device
63797009 | Traction unit
63839002 | Electroejaculator
63995005 | Bandage
64174005 | Snowmobile
64255007 | Esophageal balloon
64565002 | Air tool
64571008 | Hair clipper
64883003 | Inhalation analgesia unit
64973003 | Scissors
64989000 | Escalator
65053001 | Electrical battery
65105002 | Surgical drapes
65268008 | Chart recorder
65473004 | Microscope
65577000 | X-ray shield
65818007 | Stent
66222000 | Hospital robot
66415006 | Audiometric testing equipment
66435007 | Electric bed
66494009 | Face cloth
67270000 | Hip prosthesis
67387001 | Coronary perfusion catheter
67670006 | Radiographic-tomographic unit
67777003 | Moving walk
67829007 | Esophagoscope
67920005 | Aerial lift
67966000 | Enema tube
68080007 | Radiographic unit
68181008 | Vibrating electric heating pad
68183006 | Bone screw
68276009 | Bottle
68325009 | Sound
68597009 | Support belt
68685003 | Household robot
68842005 | Gastroduodenoscope
69670004 | Patient utensil kit
69805005 | Insulin pump
69922008 | Tracheostomy button
70080007 | Bayonet
70300000 | Skull tongs
70303003 | Freezer
70453008 | Sled
70665002 | Blood pressure cuff
70793005 | Recreation equipment
70872004 | Wash basin
71384000 | Warmer
71483007 | Diving stage
71545009 | Humidifier
71601002 | Proctosigmoidoscope
71667001 | Bone wax
71948003 | Autoclave
72070000 | Ring

72188006 | Tissue expander
72302000 | Lead cable
72506001 | Implantable defibrillator
72742007 | Aspirator collection bottle
73027007 | Infant incubator
73534004 | Artificial skin
73562006 | Transilluminator
73571002 | Intravenous analgesia unit
73618007 | Power saw
73878004 | Hand saw
73985004 | Face protection in construction industry
74094004 | Belt
74108008 | Recorder
74300007 | Sanitary pad
74444006 | Limb prosthesis
74566002 | Crutch
74884005 | Boatswain's chair
75075000 | Shoring and bracing (masonry and woodwork)
75187009 | Local anesthesia kit
75192006 | Arterial cannula
75751006 | Manual respirator
75780002 | Artificial kidney
75963008 | Skateboard
76091005 | Stainless steel wire suture
76123001 | Glass tube
76428000 | Elbow prosthesis
76433001 | Apron
76664007 | Artificial pancreas
76705002 | Applicator stick
76825006 | Abrasive wheel machinery
76937009 | Guillotine
77444004 | Bone pin
77541009 | Band
77720000 | Clip
77755003 | Chemical fiber cloth
77777004 | Bone staple
78279003 | Nail clipper
78498003 | Testicular prosthesis
78641001 | Nylon suture
78886001 | Electronic monitor
79051006 | Greenfield filter
79068005 | Needle
79218005 | Vehicle-mounted work platform
79287008 | Tampon
79401009 | Chute
79438009 | Foot protection
79481007 | Swing or sliding cut-off saw
79593001 | Transvenous electrode
79618001 | Storage tank
79811009 | Electric blanket
79834000 | Hickman catheter
79952001 | Swan-Ganz catheter, device
80278003 | Pediatric bed
80404000 | Chain fall
80617005 | Analyzer
80664005 | Motor home
80853009 | Reflex hammer
80950008 | Oven
81293006 | Cloth
81317009 | Socket wrench
81320001 | Enzyme immunoassay analyzer
81826000 | All-terrain vehicle
81892008 | Radial saw
82379000 | Hemostat
82449006 | Peripheral intravenous catheter
82657000 | Bony tissue forceps
82830000 | Robotic arm
82879008 | Safety belt
83059008 | Tube
83315005 | Audio analgesia unit
83320005 | Dip tank
83369007 | Plastic shoes

83517001 | Robot
83903000 | Man lift
84023008 | Ski tow
84330009 | Pliers
84444002 | Chain saw
84546002 | Barricade
84599008 | Detonating cord
84610002 | Implantable dental prosthesis
84683006 | Aortic valve prosthesis
84756000 | Adhesive tape
85106006 | Boring machine
85329008 | Abortion pump
85455005 | Cart
85684007 | Engraving press
86056006 | Golf club
86174004 | Laparoscope
86184003 | Electrocardiographic monitor and recorder
86407004 | Table
86453006 | Defibrillator paddle
86572008 | Arteriovenous shunt catheter
86768006 | Balloon pump
86816008 | Diving ladder
86967005 | Tool
87088005 | Soldering iron
87140005 | Clothing material
87405001 | Cane
87710003 | Physical restraint structure
87717000 | Tester
87851008 | Blood cell counter and analyzer
88063004 | Footwear
88168006 | Maximum security cell
88208003 | Intravenous anesthesia administration set
88765001 | Artificial tissue
88959008 | Hypodermic needle
89149003 | Stretcher
89236003 | Leather shoes
89509004 | Blood culture analyzer
90003000 | Magnetic resonance imaging unit
90035000 | Alcohol sponge
90082007 | Cast cutter
90134004 | Metal periosteal implant
90412006 | Colonoscope
90504001 | Ear prosthesis
90913005 | Rubber shoes
90948003 | Abrasive blast by cleaning nozzles
91294003 | Thomas collar
91318002 | Hyperbaric chamber
91535004 | Basin
91537007 | Hospital bed
102303004 | Vascular prosthesis
102304005 | Measuring ruler
102305006 | Intramedullary reamer
102306007 | Reamer
102307003 | Surgical knife
102308008 | Scalpel
102309000 | Surgical saw
102310005 | Gigli's wire saw
102311009 | Starck dilator
102312002 | Atherectomy device
102313007 | Rotational atherectomy device
102314001 | Embolization coil
102315000 | Embolization ball
102316004 | Embolization particulate
102317008 | Guiding catheter
102318003 | Implantable venous catheter
102319006 | Percutaneous transluminal angioplasty balloon
102320000 | Detachable balloon
102321001 | Operating microscope
102322008 | External prosthesis for sonographic procedure
102323003 | Water bag prosthesis for imaging procedure
102324009 | Saline bag prosthesis for imaging procedure
102325005 | Gel prosthesis for imaging procedure

102326006 | Dagger
102327002 | Dirk
102328007 | Sword
102384007 | Motor vehicle airbag
102385008 | Front airbag
102386009 | Front driver airbag
102387000 | Front passenger airbag
102388005 | Side airbag
102402008 | Snowboard
102403003 | Water ski
105784003 | Life support equipment
105785002 | Adhesive, bandage AND/OR suture
105787005 | Belt AND/OR binder
105788000 | Probe, sound, bougie AND/OR airway
105789008 | Cannula, tube AND/OR catheter
105790004 | Bag, balloon AND/OR bottle
105791000 | Pump, injector AND/OR aspirator
105792007 | Analgesia AND/OR anesthesia unit
105793002 | Monitor, alarm AND/OR stimulator
105794008 | Scope AND/OR camera
105809003 | Physical restraint equipment AND/OR structure
108874005 | Silicone plug
109184000 | Pregnancy test kit
109226007 | Dental pin
109227003 | Hand joint prosthesis
109228008 | Knee joint prosthesis
111041008 | Artificial nails
111042001 | Artificial organ
111043006 | Medical tuning fork
111044000 | Bone tap
111045004 | Exerciser
111047007 | Urethral bougie
111048002 | Rhinoscope
111052002 | Protective breast plate
111060001 | Industrial sewing machine
111062009 | Food waste disposal equipment
115961006 | Soft Cast
115962004 | Fiberglass cast
116146000 | Blood product unit
116204000 | Catheter tip
116205004 | Blood bag
116206003 | Plasma bag
116250002 | Filter
116251003 | Wick
118294000 | Solid-state laser
118295004 | Gas laser
118296003 | Chemical laser
118297007 | Excimer laser
118298002 | Dye laser
118299005 | Diode laser device
118301003 | Nd:YVO>4< laser
118302005 | Nd:YLF laser
118303000 | Nd:Glass laser
118304006 | Chromium sapphire laser device
118305007 | Er:Glass laser
118306008 | Er:YAG laser
118307004 | Ho:YLF laser
118308009 | Ho:YAG laser
118309001 | Ti:sapphire laser device
118310006 | Alexandrite laser
118311005 | Argon ion laser
118312003 | CO>2< laser
118313008 | He laser
118314002 | Helium cadmium laser
118315001 | HeNe laser
118316000 | Krypton gas laser
118317009 | Neon gas laser
118318004 | Nitrogen gas laser
118319007 | Xenon gas laser
118320001 | Copper vapor laser
118321002 | Gold vapor laser
118322009 | DF laser

118323004 | DF-CO>2< laser device
118324005 | HF laser
118325006 | ArF laser
118326007 | KrF laser
118327003 | KrCl laser
118328008 | XeCl laser
118329000 | XeFl laser
118330005 | Free electron laser
118331009 | Tunable dye laser
118332002 | Tunable dye argon laser
118333007 | Gallium arsenide laser
118334001 | Gallium aluminum arsenide laser
118335000 | Lead-salt laser
118336004 | Rhodamine 6G dye laser
118337008 | Coumarin C30 dye laser
118338003 | Coumarin 102 dye laser
118342000 | Diode pumped laser
118343005 | Flashlamp pumped laser device
118346002 | Pulsed dye laser
118347006 | QS laser
118348001 | Flashlamp pulsed dye laser
118349009 | CW CO>2< laser
118350009 | High energy pulsed CO>2< laser
118351008 | Frequency doubled Nd:YAG laser
118354000 | Continuous wave laser
118355004 | Pulsed laser
118356003 | Metal vapor laser
118357007 | KTP laser
118371004 | Ion laser
118372006 | Plastic implant
118373001 | Silastic implant
118374007 | Silicone implant
118375008 | Cardiac septum prosthesis
118376009 | Thermocouple
118377000 | Biopsy needle
118378005 | Pacemaker pulse generator
118379002 | Automatic implantable cardioverter sensing electrodes
118380004 | Implantable defibrillator leads
118381000 | Implantable cardioverter leads
118382007 | Neuropacemaker device
118383002 | External fixation device
118384008 | Long arm splint
118385009 | Short arm splint
118386005 | Figure of eight plaster cast
118387001 | Halo cast
118388006 | Body cast, shoulder to hips
118389003 | Body cast, shoulder to hips including head, Minerva type
118390007 | Body cast, shoulder to hips including one thigh
118391006 | Body cast, shoulder to hips including both thighs
118392004 | Shoulder cast
118393009 | Full arm cast
118394003 | Below elbow cast
118396001 | Cylinder cast, thigh to ankle
118397005 | Long leg cast
118398000 | Long leg cast, walker or ambulatory type
118399008 | Long leg cast, brace type
118400001 | Short leg cast below knee to toes
118401002 | Short leg cast below knee to toes, walking or ambulatory type
118402009 | Clubfoot cast
118403004 | Clubfoot cast, short leg
118404005 | Clubfoot cast, long leg
118405006 | Spica cast
118406007 | Hip spica cast, both legs
118407003 | Hip spica cast, one leg
118408008 | Hip spica cast, one and one-half spica
118409000 | Patellar tendon bearing cast
118410005 | Boot cast
118411009 | Sugar tong cast
118412002 | Gauntlet cast
118413007 | Body cast
118414001 | Pressure dressing
118415000 | Packing material

118416004 | Wound packing material
118418003 | Trocar
118419006 | Umbrella device
118420000 | Atrial septal umbrella
118421001 | King-Mills umbrella device
118422008 | Mobitz-Uddin umbrella device
118423003 | Rashkind umbrella device
118424009 | Reservoir device
118425005 | Ventricular reservoir
118426006 | Ommaya reservoir
118427002 | Rickham reservoir
118428007 | Flexible fiberoptic endoscope
118429004 | Flexible fiberoptic laryngoscope with strobe
118643004 | Cast
122456005 | Laser
123636009 | Silk suture
126064005 | Gastrostomy tube
126065006 | Jejunostomy tube
128981007 | Baffle
129113006 | Intra-aortic balloon pump
129121000 | Tracheostomy tube
129247000 | Fine biopsy needle
129248005 | Core biopsy needle
129460009 | Compression paddle
129462001 | Catheter guide wire
129463006 | J wire
129464000 | Medical administrative equipment
129465004 | Medical record
129466003 | Patient chart
129467007 | Identification plate
134823007 | Sterile absorbent dressing pad
134963007 | Wound drainage pouch dressing
170615005 | Home nebulizer
182562006 | Plaster jacket
182563001 | Shoulder spica
182564007 | Humeral U-slab
182565008 | Long arm slab
182566009 | Humeral hanging slab
182567000 | Forearm slab
182568005 | Scaphoid cast
182569002 | Bennett cast
182570001 | Hip spica
182571002 | Long leg spica
182572009 | Below knee non-weight-bearing cast
182573004 | Below knee weight-bearing cast
182574005 | Plaster stripper
182576007 | Humeral brace
182577003 | Functional elbow brace
182578008 | Forearm brace
182579000 | Hip brace
182580002 | Femoral brace
182581003 | Tibial brace
182587004 | Body support
182588009 | Spinal frame
182589001 | Corset support
182590005 | Cardiac bed
182591009 | Water bed
182592002 | High air loss bed
182839003 | Automated drug microinjector
183116000 | Dental aid
183125006 | Ear fitting hearing aid
183135000 | Mobility aids
183141007 | Inshoe orthosis
183143005 | Surgical stockings
183144004 | Antiembolic stockings
183146002 | ZF - Zimmer frame
183147006 | Tripod
183148001 | RGO - Reciprocating gait orthosis
183149009 | Hip guidance orthosis
183150009 | Standing frame
183152001 | Hip abduction orthosis
183153006 | Hip-knee-ankle-foot orthosis

183154000 | Knee-ankle-foot orthosis
183155004 | Flexible knee support
183156003 | Collateral ligament brace
183157007 | Anterior cruciate ligament brace
183158002 | Posterior cruciate ligament brace
183159005 | Ground reaction orthosis
183160000 | Rigid ankle-foot orthosis
183161001 | Flexible ankle-foot orthosis
183162008 | Double below-knee iron
183164009 | Inside iron
183165005 | Outside iron
183166006 | Inside T-strap
183170003 | Hindquarter prosthesis
183171004 | Hip disarticulation prosthesis
183172006 | Above knee prosthesis
183173001 | Through knee prosthesis
183174007 | Below knee prosthesis
183175008 | Syme's prosthesis
183176009 | Midfoot amputation prosthesis
183177000 | Shoe filler
183183002 | Milwaukee brace
183184008 | Boston brace
183185009 | Jewett brace
183187001 | Halo device
183188006 | Four poster brace
183189003 | Rigid collar
183190007 | Flexible collar
183192004 | Shoulder abduction brace
183193009 | Elbow brace
183194003 | Passive wrist extension splint
183195002 | Active wrist extension splint
183196001 | Passive finger extension splint
183197005 | Active finger extension splint
183198000 | Kleinert traction
183199008 | Passive thumb splint
183200006 | Active thumb splint
183202003 | Shin splint
183204002 | Excretory control aid
183235008 | Facial non-surgical prosthesis
183236009 | Breast non-surgical prosthesis
183240000 | Self-propelled wheelchair
183241001 | Pedal powered wheelchair
183248007 | Attendant powered wheelchair
183249004 | Wheelchair seating
183250004 | Molded wheelchair seat
183251000 | Matrix seat
201706006 | Intracranial pressure transducer
223394001 | Equipment for positioning
224684009 | Top security prison
224685005 | Category B prison
224686006 | Low security prison
224823002 | Street lighting
224824008 | Sign posting
224825009 | Street name sign
224826005 | Building name sign
224827001 | Pedestrian direction sign
224828006 | Traffic sign
224898003 | Orthotic device
224899006 | Walking aid
224900001 | Communication aid
228167008 | Corset
228235002 | Slippers
228236001 | Mules
228237005 | Slippersox
228239008 | Trainers
228240005 | Plimsolls
228241009 | Sandals
228242002 | Gum boots
228243007 | Chappel
228259007 | Fastenings
228260002 | Velcro
228261003 | Buckle

228262005 | Zipper
228264006 | Small button
228265007 | Medium button
228266008 | Large button
228267004 | Press stud
228268009 | Hook and eye
228270000 | Laces
228271001 | Shoe laces
228731007 | Radiotherapy equipment and appliances
228732000 | Beam direction shell
228733005 | Head and neck beam direction shell
228734004 | Body beam direction shell
228735003 | Beam modifier
228736002 | Surface bolus
228737006 | Surface compensator
228738001 | Cutout
228739009 | Shielding block
228740006 | Lung block
228741005 | Humerus block
228742003 | Scrotal block
228743008 | Kidney block
228744002 | Eye block
228745001 | Bite block
228746000 | Wedge filter
228747009 | Kilovoltage grid
228748004 | Brachytherapy implant
228749007 | Single plane implant
228750007 | Two plane implant
228751006 | Semicircular implant
228752004 | Regular volume implant
228753009 | Irregular volume implant
228754003 | Brachytherapy surface mold
228755002 | Two plane mold
228756001 | Single plane mold
228757005 | Cylinder mold
228759008 | Adhesive felt mold
228760003 | Elastoplast mold
228761004 | Collimator
228762006 | Multileaf collimator
228763001 | Asymmetric jaws collimator
228765008 | Standard collimator
228766009 | Form of brachytherapy source
228767000 | Wire source
228768005 | Seeds source
228770001 | Hairpins source
228771002 | Needles source
228772009 | Pellets source
228773004 | Capsules source
228774005 | Trains source
228775006 | Tubes source
228776007 | Rods source
228777003 | Grains source
228778008 | Plaque source
228869008 | Manual wheelchair
229772003 | Bed
229839006 | Functional foot orthosis
229840008 | Non-functional foot orthosis
229841007 | Detachable pad for the foot
229842000 | Detachable toe prop
229843005 | Detachable horseshoe pad
243135003 | Spacer
243719003 | Near low vision aid - integral spectacle magnifier
243720009 | Near low vision aid - clip-on spectacle magnifier
243722001 | Near low vision aid - integral spectacle telescope
243723006 | Near low vision aid - clip-on spectacle telescope
255296002 | Wedge
255712000 | Television
255716002 | Latex rubber gloves
256245006 | Textiles
256246007 | Cotton - textile
256247003 | Flax
256562002 | Cotton wool

256563007 | Cotton wool roll
256564001 | Cotton wool pledget
256589007 | Dental rubber dam
256590003 | Endodontic sponge
256593001 | Orthodontic elastic
256641009 | Ribbon gauze
256642002 | Wet ribbon gauze
256643007 | Dry ribbon gauze
257192006 | Aid to vision
257193001 | Loupes
257194007 | Video
257211007 | Cylinder cutter
257212000 | Rotary cutter
257213005 | Rotary cutter with steel blades
257214004 | Rotary cutter with plastic blades
257215003 | Nail instrument
257216002 | Flexible endoscope
257217006 | Rigid endoscope
257218001 | Flexible cystoscope
257219009 | Rigid cystoscope
257220003 | Hysteroscope
257221004 | Flexible hysteroscope
257222006 | Rigid hysteroscope
257223001 | Contact hysteroscope
257224007 | Panoramic hysteroscope
257225008 | Flexible bronchoscope
257226009 | Rigid bronchoscope
257227000 | Anesthetic laryngoscope
257228005 | Fiberlight anesthetic laryngoscope
257229002 | Pharyngeal mirror
257230007 | Obstetric forceps
257231006 | Barnes forceps

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.199 Value Set http://hl7.org/fhir/ValueSet/device-status

URL: https://hl7.org/fhir/STU3/valueset-device-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-status
Name: | FHIRDeviceStatus
Definition: | The availability status of the device.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.199 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for FHIRDeviceStatus

* Device.status (Required)

4.3.1.199.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/device-status

4.3.1.199.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/device-status version 3.0.2

All codes from system http://hl7.org/fhir/device-status

Code | Display | Definition
active | Active | The Device is available for use. Note: This means for *implanted devices* the device is implanted in the patient.
inactive | Inactive | The Device is no longer available for use (e.g. lost, expired, damaged). Note: This means for *implanted devices* the device has been removed from the patient.
entered-in-error | Entered in Error | The Device was entered in error and voided.
unknown | Unknown | The status of the device has not been determined.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.201 Value Set http://hl7.org/fhir/ValueSet/udi-entry-type

URL: https://hl7.org/fhir/STU3/valueset-udi-entry-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/udi-entry-type
Name: | UDIEntryType
Definition: | Codes to identify how UDI data was entered
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.201 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for UDIEntryType

* Device.udi.entryType (Required)

4.3.1.201.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/udi-entry-type

4.3.1.201.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/udi-entry-type version 3.0.2

All codes from system http://hl7.org/fhir/udi-entry-type

Code | Display | Definition
barcode | BarCode | A Barcode scanner captured the data from the device label
rfid | RFID | An RFID chip reader captured the data from the device label
manual | Manual | The data was read from the label by a person and manually entered. (e.g. via a keyboard)
card | Card | The data originated from a patient's implant card and read by an operator.
self-reported | Self Reported | The data originated from a patient source and not directly scanned or read from a label or card.
unknown | Unknown | The method of data capture has not been determined

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.203 Value Set http://hl7.org/fhir/ValueSet/device-statement-status

URL: https://hl7.org/fhir/STU3/valueset-device-statement-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-statement-status
Name: | DeviceUseStatementStatus
Definition: | A coded concept indicating the current status of a the Device Usage
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.203 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DeviceUseStatementStatus

* DeviceUseStatement.status (Required)

4.3.1.203.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/device-statement-status

4.3.1.203.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/device-statement-status version 3.0.2

All codes from system http://hl7.org/fhir/device-statement-status

Code | Display | Definition
active | Active | The device is still being used.
completed | Completed | The device is no longer being used.
entered-in-error | Entered in Error | The statement was recorded incorrectly.
intended | Intended | The device may be used at some time in the future.
stopped | Stopped | Actions implied by the statement have been permanently halted, before all of them occurred.
on-hold | On Hold | Actions implied by the statement have been temporarily halted, but are expected to continue later. May also be called "suspended".

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.205 Value Set http://hl7.org/fhir/ValueSet/sequence-species

URL: https://hl7.org/fhir/STU3/valueset-sequence-species.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequence-species
Name: | SNOMED CT Codes for species
Definition: | Codes identifying atomic results of observations when value is type codeableConcept. This value set includes all the children of SNOMED CT Concepts from SCTIDs 404684003 Clinical finding (finding), 410607006 Organism (organism),362981000 Qualifier value (qualifier value), 105590001 Substance (substance), and 123037004 Body structure (body structure). It is provided as a suggestive example
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.205 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement

Source Resource | XML / JSON

This value set is not currently used

4.3.1.205.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://snomed.info/sct

4.3.1.205.2 Expansion

This expansion generated 19 Apr 2017

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.210 Value Set http://hl7.org/fhir/ValueSet/variant-state

URL: https://hl7.org/fhir/STU3/valueset-variant-state.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/variant-state

Name: | sequenceStatus

Definition: | Codes providing the status of the variant test result

Committee: | Clinical Genomics Work Group

OID: | 2.16.840.1.113883.4.642.3.210 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for sequenceStatus

4.3.1.210.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/variant-state

4.3.1.210.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/variant-state version 3.0.2

All codes from system http://hl7.org/fhir/variant-state

Code | Display | Definition

positive | positive | the variant is detected

negative | negative | no variant is detected

absent | absent | result of the variant is missing

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.214 Value Set http://hl7.org/fhir/ValueSet/sequence-type

URL: https://hl7.org/fhir/STU3/valueset-sequence-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Genomics Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequence-type
Name: | sequenceType
Definition: | Type if a sequence -- DNA, RNA, or amino acid sequence
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.214 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for sequenceType

* Sequence.type (Example)

4.3.1.214.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/sequence-type

4.3.1.214.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/sequence-type version 3.0.2

All codes from system http://hl7.org/fhir/sequence-type

Code	Display	Definition
aa	AA Sequence	Amino acid sequence
dna	DNA Sequence	DNA Sequence
rna	RNA Sequence	RNA Sequence

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.216 Value Set http://hl7.org/fhir/ValueSet/sequence-referenceSeq

URL: https://hl7.org/fhir/STU3/valueset-sequence-referenceSeq.html

This value set could not be expanded by the publication tooling: Unable to provide support for code system http://www.ensembl.org

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Genomics Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequence-referenceSeq
Name: | ENSEMBL
Definition: | This value set includes all Reference codes
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.216 (for OID based terminology systems)

Copyright: | (ENSEMBL)Ensembl imposes no restrictions on access to, or use of, the data provided and the software used to analyse and present it. Ensembl data generated by members of the project are available without restriction || (NCBI) NCBI itself places no restrictions on the use or distribution of the data contained therein. Nor do we accept data when the submitter has requested restrictions on reuse or redistribution. However, some submitters of the original data (or the country of origin of such data) may claim patent, copyright, or other intellectual property rights in all or a portion of the data (that has been submitted). NCBI is not in a position to assess the validity of such claims and since there is no transfer of rights from submitters to NCBI, NCBI has no rights to transfer to a third party. Therefore, NCBI cannot provide comment or unrestricted permission concerning the use, copying, or distribution of the information contained in the molecular databases.

Source Resource | XML / JSON

This value set is used in the following places:

* Sequence.referenceSeq.referenceSeqId (Example)

4.3.1.216.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://www.ensembl.org

* Include all codes defined in http://www.ncbi.nlm.nih.gov/nuccore

4.3.1.216.2 Expansion

This expansion generated 19 Apr 2017

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.217 Value Set http://hl7.org/fhir/ValueSet/sequence-quality-standardSequence

URL: https://hl7.org/fhir/STU3/valueset-sequence-quality-standardSequence.html

This value set could not be expanded by the publication tooling: Unable to provide support for code system https://precision.fda.gov/files/

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Genomics Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequence-quality-standardSequence

Name: | FDA-StandardSequence

Definition: | This value set includes sequence quality standard

Committee: | Clinical Genomics Work Group

OID: | 2.16.840.1.113883.4.642.3.217 (for OID based terminology systems)

Copyright: | Unless otherwise noted, the contents of the FDA website (www.fda.gov)—both text and graphics—are not copyrighted. They are in the public domain and may be republished, reprinted and otherwise used freely by anyone without the need to obtain permission from FDA. Credit to the U.S. Food and Drug Administration as the source is appreciated but not required. FDA appreciates being informed about the use of website materials. Contact FDA, HFI-50, Rockville, MD 20857 or email webmail@oc.fda.gov.

Source Resource | XML / JSON

This value set is used in the following places:

* Sequence.quality.standardSequence (Example)

4.3.1.217.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in https://precision.fda.gov/files/

4.3.1.217.2 Expansion

This expansion generated 19 Apr 2017

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.218 Value Set http://hl7.org/fhir/ValueSet/sequence-quality-method

URL: https://hl7.org/fhir/STU3/valueset-sequence-quality-method.html

This value set could not be expanded by the publication tooling: Unable to provide support for code system https://precision.fda.gov/apps/

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Genomics Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sequence-quality-method
Name: | FDA-Method
Definition: | This value set includes sequence quality method
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.218 (for OID based terminology systems)
Copyright: | Unless otherwise noted, the contents of the FDA website (www.fda.gov)—both text and graphics—are not copyrighted. They are in the public domain and may be republished, reprinted and otherwise used freely by anyone without the need to obtain permission from FDA. Credit to the U.S. Food and Drug Administration as the source is appreciated but not required. FDA appreciates being informed about the use of website materials. Contact FDA, HFI-50, Rockville, MD 20857 or email webmail@oc.fda.gov.
Source Resource | XML / JSON

This value set is used in the following places:

* Sequence.quality.method (Example)

4.3.1.218.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in https://precision.fda.gov/apps/

* Include all codes defined in https://precision.fda.gov/jobs/

4.3.1.218.2 Expansion

This expansion generated 19 Apr 2017

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.219 Value Set http://hl7.org/fhir/ValueSet/chromosome-human

URL: https://hl7.org/fhir/STU3/valueset-chromosome-human.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Genomics Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/chromosome-human
Name: | chromosome-human
Definition: | Chromosome number for human
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.219 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for chromosome-human

* Sequence.referenceSeq.chromosome (Example)

4.3.1.219.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/chromosome-human

4.3.1.219.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 24 concepts

Expansion based on http://hl7.org/fhir/chromosome-human version 3.0.2

All codes from system http://hl7.org/fhir/chromosome-human

Code | Display | Definition
1 | chromosome 1 | chromosome 1
2 | chromosome 2 | chromosome 2
3 | chromosome 3 | chromosome 3
4 | chromosome 4 | chromosome 4
5 | chromosome 5 | chromosome 5
6 | chromosome 6 | chromosome 6
7 | chromosome 7 | chromosome 7
8 | chromosome 8 | chromosome 8
9 | chromosome 9 | chromosome 9
10 | chromosome 10 | chromosome 10
11 | chromosome 11 | chromosome 11
12 | chromosome 12 | chromosome 12
13 | chromosome 13 | chromosome 13
14 | chromosome 14 | chromosome 14
15 | chromosome 15 | chromosome 15
16 | chromosome 16 | chromosome 16
17 | chromosome 17 | chromosome 17
18 | chromosome 18 | chromosome 18
19 | chromosome 19 | chromosome 19
20 | chromosome 20 | chromosome 20
21 | chromosome 21 | chromosome 21
22 | chromosome 22 | chromosome 22
X | chromosome X | chromosome X
Y | chromosome Y | chromosome Y

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.221 Value Set http://hl7.org/fhir/ValueSet/copy-number-event

URL: https://hl7.org/fhir/STU3/valueset-copy-number-event.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/copy-number-event
Name: | CopyNumberEvent
Definition: | Copy Number Event
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.221 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CopyNumberEvent

4.3.1.221.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/copy-number-event

4.3.1.221.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/copy-number-event version 3.0.2

All codes from system http://hl7.org/fhir/copy-number-event

Code	Display	Definition
amp	amplificaiton	amplificaiton
del	deletion	deletion
lof	loss of function	loss of function

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.223 Value Set http://hl7.org/fhir/ValueSet/quality-type

URL: https://hl7.org/fhir/STU3/valueset-quality-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Genomics Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/quality-type
Name: | qualityType
Definition: | Type for quality report
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.223 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for qualityType

* Sequence.quality.type (Required)

4.3.1.223.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/quality-type

4.3.1.223.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/quality-type version 3.0.2

All codes from system http://hl7.org/fhir/quality-type

Code	Display	Definition
indel	INDEL Comparison	INDEL Comparison
snp	SNP Comparison	SNP Comparison
unknown	UNKNOWN Comparison	UNKNOWN Comparison

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.225 Value Set http://hl7.org/fhir/ValueSet/repository-type

URL: https://hl7.org/fhir/STU3/valueset-repository-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Genomics Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/repository-type
Name: | repositoryType
Definition: | Type for access of external URI
Committee: | Clinical Genomics Work Group
OID: | 2.16.840.1.113883.4.642.3.225 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for repositoryType

* Sequence.repository.type (Required)

4.3.1.225.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/repository-type

4.3.1.225.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/repository-type version 3.0.2

All codes from system http://hl7.org/fhir/repository-type

Code | Display | Definition
directlink | Click and see | When URL is clicked, the resource can be seen directly (by webpage or by download link format)
openapi | The URL is the RESTful or other kind of API that can access to the result. | When the API method (e.g. [base_url]/[parameter]) related with the URL of the website is executed, the resource can be seen directly (usually in JSON or XML format)
login | Result cannot be access unless an account is logged in | When logged into the website, the resource can be seen.
oauth | Result need to be fetched with API and need LOGIN(or cookies are required when visiting the link of resource) | When logged in and follow the API in the website related with URL, the resource can be seen.
other | Some other complicated or particular way to get resource from URL. | Some other complicated or particular way to get resource from URL.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.227 Value Set http://hl7.org/fhir/ValueSet/clinical-findings

URL: https://hl7.org/fhir/STU3/valueset-clinical-findings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/clinical-findings
Name: | SNOMED CT Clinical Findings
Definition: | This value set includes all the "Clinical finding" [SNOMED CT](http://snomed.info/sct) codes - concepts where concept is-a 404684003 (Clinical finding (finding)).
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.227 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* ReferralRequest.reasonCode (Example)
* Goal.description (Example)
* Goal.outcomeCode (Example)
* CareTeam.reasonCode (Example)
* FamilyMemberHistory.reasonCode (Example)
* StructureDefinition FamilyMemberHistory-Genetic: FamilyMemberHistory.reasonCode ((Example))
* Communication.reasonCode (Example)
* AllergyIntolerance.reaction.manifestation (Example)
* DiagnosticReport.codedDiagnosis (Example)
* StructureDefinition LipidProfile: DiagnosticReport.codedDiagnosis ((Example))
* StructureDefinition DiagnosticReport-Genetics: DiagnosticReport.codedDiagnosis ((Example))
* StructureDefinition HLAResult: DiagnosticReport.codedDiagnosis ((Example))
* PlanDefinition.goal.description (Example)

4.3.1.227.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.3.1.227.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
109006	Anxiety disorder of childhood OR adolescence	
122003	Choroidal hemorrhage	
127009	Spontaneous abortion with laceration of cervix	
129007	Homoiothermia	
134006	Decreased hair growth	
140004	Chronic pharyngitis	
144008	Normal peripheral vision	
147001	Superficial foreign body of scrotum without major open wound but with infection	
150003	Abnormal bladder continence	
151004	Gonococcal meningitis	
162004	Severe manic bipolar I disorder without psychotic features	
165002	Accident-prone	
168000	Typhlolithiasis	
171008	Injury of ascending right colon without open wound into abdominal cavity	
172001	Endometritis following molar AND/OR ectopic pregnancy	
175004	Supraorbital neuralgia	
177007	Poisoning by sawfly larvae	
179005	Apraxia of dressing	
181007	Hemorrhagic bronchopneumonia	
183005	Autoimmune pancytopenia	
184004	Withdrawal arrhythmia	
188001	Injury of intercostal artery	
192008	Congenital syphilitic hepatomegaly	
193003	Benign hypertensive renal disease	
195005	Illegal abortion with endometritis	
198007	Disease due to Filoviridae	
199004	Decreased lactation	
208008	Neurocutaneous melanosis sequence	
216004	Delusion of persecution	
219006	Alcohol user	
222008	Acute epiglottitis with obstruction	
223003	Tumor of body of uterus affecting pregnancy	
228007	Lucio phenomenon	
241006	Epilepsia partialis continua	
242004	Noninfectious jejunitis	

253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Poisoning by oxytocin
279001 | Senile myocarditis
281004 | Dementia associated with alcoholism
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Boil of penis
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture of trapezoidal bone of wrist
358004 | Poisoning by smallpox vaccine
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose

590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding
845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow

899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea
1027000 | Alkaline reflux disease
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidiuria
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc

1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis
1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica
1343000 | Deep transverse arrest
1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction
1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting
1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B

1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction
1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve

1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans
2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production

2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG
2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia

2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region
2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint
2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans

2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia
2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus
3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum

3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Discoloration of skin
3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury

3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission
3531009 | Intrapsychic conflict
3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia
3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement

3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina
3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted abortion with acute yellow atrophy of liver
3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired

4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | Ocular hypertension
4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose
4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome
4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia

4386001 | Bronchospasm
4390004 | Lithium nephropathy
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction
4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.228 Value Set http://hl7.org/fhir/ValueSet/report-codes

URL: https://hl7.org/fhir/STU3/valueset-report-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/report-codes
Name: | LOINC Diagnostic Report Codes
Definition: | This value set includes all the LOINC codes which relate to Diagnostic Observations.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.228 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* DiagnosticReport.code (Preferred)

* StructureDefinition LipidProfile: DiagnosticReport.code ((Preferred))

* StructureDefinition DiagnosticReport-Genetics: DiagnosticReport.code ((Preferred))

* StructureDefinition HLAResult: DiagnosticReport.code ((Preferred))

4.3.1.228.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://loinc.org

4.3.1.228.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://loinc.org

Code | Display
1-8 | Acyclovir [Susceptibility]
10-9 | Amdinocillin [Susceptibility] by Serum bactericidal titer
100-8 | Cefoperazone [Susceptibility] by Minimum inhibitory concentration (MIC)
1000-9 | DBG Ab [Presence] in Serum or Plasma from Blood product unit
10000-8 | R wave duration in lead AVR
10001-6 | R wave duration in lead I
10002-4 | R wave duration in lead II
10003-2 | R wave duration in lead III
10004-0 | R wave duration in lead V1
10005-7 | R wave duration in lead V2
10006-5 | R wave duration in lead V3
10007-3 | R wave duration in lead V4
10008-1 | R wave duration in lead V5
10009-9 | R wave duration in lead V6
1001-7 | DBG Ab [Presence] in Serum or Plasma from donor
10010-7 | R' wave amplitude in lead AVF
10011-5 | R' wave amplitude in lead AVL
10012-3 | R' wave amplitude in lead AVR
10013-1 | R' wave amplitude in lead I
10014-9 | R' wave amplitude in lead II
10015-6 | R' wave amplitude in lead III
10016-4 | R' wave amplitude in lead V1
10017-2 | R' wave amplitude in lead V2
10018-0 | R' wave amplitude in lead V3
10019-8 | R' wave amplitude in lead V4
1002-5 | DBG Ab [Presence] in Serum or Plasma
10020-6 | R' wave amplitude in lead V5
10021-4 | R' wave amplitude in lead V6
10022-2 | R' wave duration in lead AVF
10023-0 | R' wave duration in lead AVL
10024-8 | R' wave duration in lead AVR
10025-5 | R' wave duration in lead I
10026-3 | R' wave duration in lead II
10027-1 | R' wave duration in lead III
10028-9 | R' wave duration in lead V1
10029-7 | R' wave duration in lead V2
1003-3 | Indirect antiglobulin test.complement specific reagent [Presence] in Serum or Plasma
10030-5 | R' wave duration in lead V3
10031-3 | R' wave duration in lead V4
10032-1 | R' wave duration in lead V5
10033-9 | R' wave duration in lead V6
10034-7 | S wave amplitude in lead AVF
10035-4 | S wave amplitude in lead AVL
10036-2 | S wave amplitude in lead AVR
10037-0 | S wave amplitude in lead I
10038-8 | S wave amplitude in lead II
10039-6 | S wave amplitude in lead III
1004-1 | Direct antiglobulin test.complement specific reagent [Presence] on Red Blood Cells
10040-4 | S wave amplitude in lead V1
10041-2 | S wave amplitude in lead V2
10042-0 | S wave amplitude in lead V3
10043-8 | S wave amplitude in lead V4
10044-6 | S wave amplitude in lead V5
10045-3 | S wave amplitude in lead V6
10046-1 | S wave duration in lead AVF
10047-9 | S wave duration in lead AVL
10048-7 | S wave duration in lead AVR
10049-5 | S wave duration in lead I
1005-8 | Indirect antiglobulin test.IgG specific reagent [Presence] in Serum or Plasma
10050-3 | S wave duration in lead II
10051-1 | S wave duration in lead III
10052-9 | S wave duration in lead V1
10053-7 | S wave duration in lead V2
10054-5 | S wave duration in lead V3

10055-2 | S wave duration in lead V4
10056-0 | S wave duration in lead V5
10057-8 | S wave duration in lead V6
10058-6 | S' wave amplitude in lead AVF
10059-4 | S' wave amplitude in lead AVL
1006-6 | Direct antiglobulin test.IgG specific reagent [Interpretation] on Red Blood Cells
10060-2 | S' wave amplitude in lead AVR
10061-0 | S' wave amplitude in lead I
10062-8 | S' wave amplitude in lead II
10063-6 | S' wave amplitude in lead III
10064-4 | S' wave amplitude in lead V1
10065-1 | S' wave amplitude in lead V2
10066-9 | S' wave amplitude in lead V3
10067-7 | S' wave amplitude in lead V4
10068-5 | S' wave amplitude in lead V5
10069-3 | S' wave amplitude in lead V6
1007-4 | Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10070-1 | S' wave duration in lead AVF
10071-9 | S' wave duration in lead AVL
10072-7 | S' wave duration in lead AVR
10073-5 | S' wave duration in lead I
10074-3 | S' wave duration in lead II
10075-0 | S' wave duration in lead III
10076-8 | S' wave duration in lead V1
10077-6 | S' wave duration in lead V2
10078-4 | S' wave duration in lead V3
10079-2 | S' wave duration in lead V4
1008-2 | Indirect antiglobulin test.poly specific reagent [Presence] in Serum or Plasma
10080-0 | S' wave duration in lead V5
10081-8 | S' wave duration in lead V6
10082-6 | ST initial amplitude 6 ms in lead AVF
10083-4 | ST initial amplitude 6 ms in lead AVL
10084-2 | ST initial amplitude 6 ms in lead AVR
10085-9 | ST initial amplitude 6 ms in lead I
10086-7 | ST initial amplitude 6 ms in lead II
10087-5 | ST initial amplitude 6 ms in lead III
10088-3 | ST initial amplitude 6 ms in lead V1
10089-1 | ST initial amplitude 6 ms in lead V2
1009-0 | Deprecated Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10090-9 | ST initial amplitude 6 ms in lead V3
10091-7 | ST initial amplitude 6 ms in lead V4
10092-5 | ST initial amplitude 6 ms in lead V5
10093-3 | ST initial amplitude 6 ms in lead V6
10094-1 | ST slope in lead AVF
10095-8 | ST slope in lead AVL
10096-6 | ST slope in lead AVR
10097-4 | ST slope in lead I
10098-2 | ST slope in lead II
10099-0 | ST slope in lead III
101-6 | Cefoperazone [Susceptibility] by Disk diffusion (KB)
1010-8 | Ew Ab [Presence] in Serum or Plasma from Blood product unit
10100-6 | ST slope in lead V1
10101-4 | ST slope in lead V2
10102-2 | ST slope in lead V3
10103-0 | ST slope in lead V4
10104-8 | ST slope in lead V5
10105-5 | ST slope in lead V6
10106-3 | ST wave end displacement in lead AVF
10107-1 | ST wave end displacement in lead AVL
10108-9 | ST wave end displacement in lead AVR
10109-7 | ST wave end displacement in lead I
1011-6 | Ew Ab [Presence] in Serum or Plasma from donor
10110-5 | ST wave end displacement in lead II
10111-3 | ST wave end displacement in lead III
10112-1 | ST wave end displacement in lead V1
10113-9 | ST wave end displacement in lead V2
10114-7 | ST wave end displacement in lead V3
10115-4 | ST wave end displacement in lead V4
10116-2 | ST wave end displacement in lead V5
10117-0 | ST wave end displacement in lead V6
10118-8 | ST wave mid displacement in lead AVF
10119-6 | ST wave mid displacement in lead AVL

1012-4 | Ew Ab [Presence] in Serum or Plasma
10120-4 | ST wave mid displacement in lead AVR
10121-2 | ST wave mid displacement in lead I
10122-0 | ST wave mid displacement in lead II
10123-8 | ST wave mid displacement in lead III
10124-6 | ST wave mid displacement in lead V1
10125-3 | ST wave mid displacement in lead V2
10126-1 | ST wave mid displacement in lead V3
10127-9 | ST wave mid displacement in lead V4
10128-7 | ST wave mid displacement in lead V5
10129-5 | ST wave mid displacement in lead V6
1013-2 | Ew Ag [Presence] on Red Blood Cells from Blood product unit
10130-3 | T' wave amplitude in lead AVF
10131-1 | T' wave amplitude in lead AVL
10132-9 | T' wave amplitude in lead AVR
10133-7 | T' wave amplitude in lead I
10134-5 | T' wave amplitude in lead II
10135-2 | T' wave amplitude in lead III
10136-0 | T' wave amplitude in lead V1
10137-8 | T' wave amplitude in lead V2
10138-6 | T' wave amplitude in lead V3
10139-4 | T' wave amplitude in lead V4
1014-0 | Ew Ag [Presence] on Red Blood Cells from donor
10140-2 | T' wave amplitude in lead V5
10141-0 | T' wave amplitude in lead V6
10142-8 | T wave amplitude in lead AVF
10143-6 | T wave amplitude in lead AVL
10144-4 | T wave amplitude in lead AVR
10145-1 | T wave amplitude in lead I
10146-9 | T wave amplitude in lead II
10147-7 | T wave amplitude in lead III
10148-5 | T wave amplitude in lead V1
10149-3 | T wave amplitude in lead V2
1015-7 | Ew Ag [Presence] on Red Blood Cells
10150-1 | T wave amplitude in lead V3
10151-9 | T wave amplitude in lead V4
10152-7 | T wave amplitude in lead V5
10153-5 | T wave amplitude in lead V6
10154-3 | Chief complaint Narrative - Reported
10155-0 | History of allergies, reported
10156-8 | History of Childhood diseases Narrative
10157-6 | History of family member diseases Narrative
10158-4 | History of Functional status Narrative
10159-2 | History of Industrial exposure Narrative
1016-5 | E Ab [Presence] in Serum or Plasma from Blood product unit
10160-0 | History of Medication use Narrative
10161-8 | History of Occupational exposure Narrative
10162-6 | History of pregnancies Narrative
10163-4 | History of pregnancies
10164-2 | History of Present illness Narrative
10165-9 | Deprecated History of psychiatric symptoms and diseases Narrative
10166-7 | History of Social function Narrative
10167-5 | History of Surgical procedures Narrative
10168-3 | History of Cardiovascular system disorders Narrative
10169-1 | History of Ear disorders Narrative
1017-3 | E Ab [Presence] in Serum or Plasma from donor
10170-9 | History of Endocrine system disorders Narrative
10171-7 | History of Eyes disorders Narrative
10172-5 | History of Hematologic system disorders Narrative
10173-3 | History of Musculoskeletal system disorders Narrative
10174-1 | History of Nose disorders Narrative
10175-8 | History of Oral cavity disorders Narrative
10176-6 | History of Reproductive system disorders Narrative
10177-4 | History of Respiratory system disorders Narrative
10178-2 | History of Skin disorders Narrative
10179-0 | History of Throat and Neck disorders Narrative
1018-1 | E Ab [Presence] in Serum or Plasma
10180-8 | History of Throat and Neck disorders
10181-6 | History of Urinary tract disorders Narrative
10182-4 | History of Travel Narrative
10183-2 | Hospital discharge medications Narrative
10184-0 | Hospital discharge physical findings Narrative

10185-7 | Hospital discharge procedures Narrative
10186-5 | Identifying information Narrative Observed
10187-3 | Review of systems Narrative - Reported
10188-1 | Review of systems overview Narrative - Reported
10189-9 | Review of systems overview - Reported
1019-9 | E Ag [Presence] on Red Blood Cells from Blood product unit
10190-7 | Mental status Narrative
10191-5 | Physical findings of Abdomen Narrative
10192-3 | Physical findings of Back Narrative
10193-1 | Physical findings of Breasts Narrative
10194-9 | Physical findings of Neurologic deep tendon reflexes Narrative
10195-6 | Physical findings of Ear Narrative
10196-4 | Physical findings of Extremities Narrative
10197-2 | Physical findings of Eye Narrative
10198-0 | Physical findings of Genitourinary tract Narrative
10199-8 | Physical findings of Head Narrative
102-4 | Cefoperazone [Susceptibility] by Serum bactericidal titer
1020-7 | E Ag [Presence] on Red Blood Cells from donor
10200-4 | Physical findings of Heart Narrative
10201-2 | Physical findings of Mouth and Throat and Teeth Narrative
10202-0 | Physical findings of Nervous system Narrative
10203-8 | Physical findings of Nose Narrative
10204-6 | Physical findings of Pelvis Narrative
10205-3 | Physical findings of Rectum Narrative
10206-1 | Physical findings of Skin Narrative
10207-9 | Physical findings of Thorax and Lungs Narrative
10208-7 | Physical findings of Vessels Narrative
10209-5 | Physical findings of Neurologic balance and Coordination Narrative
1021-5 | E Ag [Presence] on Red Blood Cells
10210-3 | Physical findings of General status Narrative
10211-1 | Physical findings of Sense of touch Narrative
10212-9 | Physical findings of Strength Narrative
10213-7 | Surgical operation note anesthesia Narrative
10214-5 | Surgical operation note anesthesia duration
10215-2 | Surgical operation note findings Narrative
10216-0 | Surgical operation note fluids Narrative
10217-8 | Surgical operation note indications [Interpretation] Narrative
10218-6 | Surgical operation note postoperative diagnosis Narrative
10219-4 | Surgical operation note preoperative diagnosis Narrative
1022-3 | Fy sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10220-2 | Surgical operation note prep time duration
10221-0 | Surgical operation note specimens taken Narrative
10222-8 | Surgical operation note surgical complications [Interpretation] Narrative
10223-6 | Surgical operation note surgical procedure Narrative
10224-4 | Hemodynamic method special circumstances
10225-1 | Cardiac measurement device Institution inventory number
10226-9 | Oxygen content in Intravascular space
10227-7 | Cardiac measurement device Vendor model number
10228-5 | Cardiac measurement device Vendor serial number
10229-3 | Hemodynamic method Type of
1023-1 | Fy sup(a) Ab [Presence] in Serum or Plasma from donor
10230-1 | Left ventricular Ejection fraction
10231-9 | Right ventricular Ejection fraction
10232-7 | Oxygen content in Aorta root
10233-5 | Oxygen content in Left atrium
10234-3 | Oxygen content in Right atrium
10235-0 | Oxygen content in High right atrium
10236-8 | Oxygen content in Low right atrium
10237-6 | Oxygen content in Mid right atrium
10238-4 | Oxygen content in Left ventricle
10239-2 | Oxygen content in Right ventricular outflow tract
1024-9 | Fy sup(a) Ab [Presence] in Serum or Plasma
10240-0 | Oxygen content in Right ventricle
10241-8 | Oxygen content in Coronary sinus
10242-6 | Oxygen content in Ductus arteriosus
10243-4 | Oxygen content in Inferior vena cava
10244-2 | Oxygen content in Left pulmonary artery
10245-9 | Oxygen content in Main pulmonary artery
10246-7 | Oxygen content in Right pulmonary artery
10247-5 | Oxygen content in Pulmonary wedge
10248-3 | Oxygen content in Superior vena cava
10249-1 | Heart rate device Institution inventory number

1025-6 | Fy sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10250-9 | Heart rate device Vendor model number
10251-7 | Heart rate device Vendor serial number
10252-5 | Biliary drain site
10253-3 | Type of Biliary drain
10254-1 | Type of Peritoneal drain
10255-8 | Type of Subarachnoid drain
10256-6 | Biliary drain Institution inventory number
10257-4 | Chest tube Institution inventory number
10258-2 | Enteral tube Institution inventory number
10259-0 | Gastrostomy tube Institution inventory number
1026-4 | Fy sup(a) Ag [Presence] on Red Blood Cells from donor
10260-8 | GI tube Institution inventory number
10261-6 | Intravascular tube Institution inventory number
10262-4 | IO tube Institution inventory number
10263-2 | Nasogastric tube Institution inventory number
10264-0 | Oral tube Institution inventory number
10265-7 | Peritoneal drain Institution inventory number
10266-5 | Peritoneal tube Institution inventory number
10267-3 | Rate control device Institution inventory number
10268-1 | Stool collection device Institution inventory number
10269-9 | Subarachnoid drain Institution inventory number
1027-2 | Fy sup(a) Ag [Presence] on Red Blood Cells
10270-7 | Synovial drain Institution inventory number
10271-5 | Tube or drain Institution inventory number
10272-3 | Upper GI tube Institution inventory number
10273-1 | Bladder irrigation tube Institution inventory number
10274-9 | Urine tube Institution inventory number
10275-6 | Wound drain device Institution inventory number
10276-4 | Peritoneal drain site
10277-2 | Stool collection site
10278-0 | Subarachnoid drain site
10279-8 | Biliary drain Vendor model number
1028-0 | Fy sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10280-6 | Chest tube Vendor model number
10281-4 | Enteral tube Vendor model number
10282-2 | Gastrostomy tube Vendor model number
10283-0 | GI tube Vendor model number
10284-8 | Intravascular tube Vendor model number
10285-5 | IO tube Vendor model number
10286-3 | Nasogastric tube Vendor model number
10287-1 | Oral tube Vendor model number
10288-9 | Peritoneal drain Vendor model number
10289-7 | Peritoneal tube Vendor model number
1029-8 | Fy sup(b) Ab [Presence] in Serum or Plasma from donor
10290-5 | Rate control device Vendor model number
10291-3 | Stool collection device Vendor model number
10292-1 | Subarachnoid drain Vendor model number
10293-9 | Synovial drain Vendor model number
10294-7 | Tube or drain Vendor model number
10295-4 | Upper GI tube Vendor model number
10296-2 | Bladder irrigation tube Vendor model number
10297-0 | Urine tube Vendor model number
10298-8 | Wound drain device Vendor model number
10299-6 | Biliary drain Vendor serial number
103-2 | Ceforanide [Susceptibility] by Minimum lethal concentration (MLC)
1030-6 | Fy sup(b) Ab [Presence] in Serum or Plasma
10300-2 | Chest tube Vendor serial number
10301-0 | Enteral tube Vendor serial number
10302-8 | Gastrostomy tube Vendor serial number
10303-6 | GI tube Vendor serial number
10304-4 | Intravascular tube Vendor serial number
10305-1 | IO tube Vendor serial number
10306-9 | Nasogastric tube Vendor serial number
10307-7 | Oral tube Vendor serial number
10308-5 | Peritoneal drain Vendor serial number
10309-3 | Peritoneal tube Vendor serial number
1031-4 | Fy sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10310-1 | Rate control device Vendor serial number
10311-9 | Stool collection device Vendor serial number
10312-7 | Subarachnoid drain Vendor serial number
10313-5 | Synovial drain Vendor serial number

10314-3 | Tube or drain Vendor serial number
10315-0 | Upper GI tube Vendor serial number
10316-8 | Bladder irrigation tube Vendor serial number
10317-6 | Urine tube Vendor serial number
10318-4 | Wound drain device Vendor serial number
10319-2 | Enema device Institution inventory number
1032-2 | Fy sup(b) Ag [Presence] on Red Blood Cells from donor
10320-0 | Enema device Vendor model number
10321-8 | Enema device Vendor serial number
10322-6 | Potassium intake 24 hour
10323-4 | Wound drain fluid [Appearance] Lower GI tract
10324-2 | Breath rate device Institution inventory number
10325-9 | Breath rate device Vendor model number
10326-7 | Breath rate device Vendor serial number
10327-5 | Eosinophils/100 leukocytes in Sputum by Manual count
10328-3 | Lymphocytes/100 leukocytes in Cerebral spinal fluid by Manual count
10329-1 | Monocytes/100 leukocytes in Cerebral spinal fluid by Manual count
1033-0 | Fy sup(b) Ag [Presence] on Red Blood Cells
10330-9 | Monocytes/100 leukocytes in Body fluid by Manual count
10331-7 | Rh [Type] in Blood
10332-5 | Cortisol [Mass/volume] in Serum or Plasma --pre 250 ug corticotropin IM
10333-3 | Appearance of Cerebral spinal fluid
10334-1 | Cancer Ag 125 [Units/volume] in Serum or Plasma
10335-8 | Color of Cerebral spinal fluid
10336-6 | Gonadotropin peptide [Mass/volume] in Urine
10337-4 | Procollagen type I [Mass/volume] in Serum
10338-2 | Barbiturates [Mass/volume] in Serum or Plasma
10339-0 | Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
1034-8 | Fetal cell screen [Interpretation] in Blood
10340-8 | Molindone [Mass/volume] in Serum or Plasma
10341-6 | Norpropoxyphene [Mass/volume] in Serum or Plasma
10342-4 | Sulfamethoxazole [Mass/volume] in Serum or Plasma
10343-2 | Temazepam [Mass/volume] in Serum or Plasma
10344-0 | Tranylcypromine [Mass/volume] in Serum or Plasma
10345-7 | Trihexyphenidyl [Mass/volume] in Urine
10346-5 | Hemoglobin A [Units/volume] in Blood by Electrophoresis
10347-3 | Babesia microti identified in Blood by Light microscopy
10348-1 | Bordetella parapertussis Ab [Presence] in Serum
10349-9 | Brucella sp Ab [Units/volume] in Serum
1035-5 | Fresh frozen plasma given [Volume]
10350-7 | Herpes simplex virus IgM Ab [Titer] in Serum by Immunoassay
10351-5 | HIV 1 RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10352-3 | Bacteria identified in Genital specimen by Aerobe culture
10353-1 | Bacteria identified in Nose by Aerobe culture
10354-9 | Bacteria identified in Urethra by Culture
10355-6 | Microscopic observation [Identifier] in Bone marrow by Wright Giemsa stain
10356-4 | Deprecated Microscopic observation [Identifier] in Stool by Trichrome stain
10357-2 | Microscopic observation [Identifier] in Wound by Gram stain
10358-0 | Teichoate Ab [Titer] in Serum by Immune diffusion (ID)
10359-8 | Asialoganglioside GM1 IgM Ab [Titer] in Serum
1036-3 | G Ab [Presence] in Serum or Plasma from Blood product unit
10360-6 | DNA single strand IgG Ab [Units/volume] in Serum
10361-4 | DNA single strand IgM Ab [Units/volume] in Serum
10362-2 | Endomysium IgA Ab [Presence] in Serum
10363-0 | Barbiturates [Presence] in Unspecified specimen
10364-8 | Cotinine [Mass/mass] in Hair
10365-5 | Cotinine [Mass/volume] in Serum or Plasma
10366-3 | Cotinine [Mass/volume] in Urine
10367-1 | Ethanol [Mass/volume] in Gastric fluid
10368-9 | Lead [Mass/volume] in Capillary blood
10369-7 | Opiates [Mass/mass] in Hair
1037-1 | G Ab [Presence] in Serum or Plasma from donor
10370-5 | Phencyclidine [Mass/mass] in Hair
10371-3 | Bite cells [Presence] in Blood by Light microscopy
10372-1 | Blister cells [Presence] in Blood by Light microscopy
10373-9 | Fragments [Presence] in Blood by Light microscopy
10374-7 | Helmet cells [Presence] in Blood by Light microscopy
10375-4 | Irregularly contracted cells [Presence] in Blood by Light microscopy
10376-2 | Oval macrocytes [Presence] in Blood by Light microscopy
10377-0 | Pencil cells [Presence] in Blood by Light microscopy
10378-8 | Polychromasia [Presence] in Blood by Light microscopy
10379-6 | Erythrocytes.dual population [Presence] in Blood by Light microscopy

1038-9 | G Ab [Presence] in Serum or Plasma
10380-4 | Stomatocytes [Presence] in Blood by Light microscopy
10381-2 | Target cells [Presence] in Blood by Light microscopy
10382-0 | A,B variant NOS Ag [Presence] on Red Blood Cells from Blood product unit
10383-8 | A,B variant NOS Ag [Presence] on Red Blood Cells from donor
10384-6 | A,B variant NOS Ag [Presence] on Red Blood Cells
10385-3 | Albumin concentration given
10386-1 | Albumin given [Volume]
10387-9 | Autologous erythrocytes given [Volume]
10388-7 | Autologous whole blood given [Volume]
10389-5 | Blood product.other [Type]
1039-7 | G Ag [Presence] on Red Blood Cells from Blood product unit
10390-3 | Blood product special preparation [Type]
10391-1 | Cytomegalovirus immune globulin given [Volume]
10392-9 | Cryoprecipitate given [Volume]
10393-7 | Factor IX given [Type]
10394-5 | Factor IX given [Volume]
10395-2 | Factor VIII given [Type]
10396-0 | Factor VIII given [Volume]
10397-8 | Hepatitis B immune globulin given [Volume]
10398-6 | I Ag [Presence] on Red Blood Cells from Blood product unit
10399-4 | I Ag [Presence] on Red Blood Cells from donor
104-0 | Ceforanide [Susceptibility] by Minimum inhibitory concentration (MIC)
1040-5 | G Ag [Presence] on Red Blood Cells from donor
10400-0 | I Ag [Presence] on Red Blood Cells
10401-8 | Immune serum globulin given [Type]
10402-6 | Immune serum globulin given [Volume]
10403-4 | Inject immune serum globulin [Volume]
10404-2 | Inject Rh immune globulin [Volume]
10405-9 | Inject varicella zoster virus immune globulin [Volume]
10406-7 | little i Ag [Presence] on Red Blood Cells from Blood product unit
10407-5 | little i Ag [Presence] on Red Blood Cells from donor
10408-3 | little i Ag [Presence] on Red Blood Cells
10409-1 | Pentaspan given [Volume]
1041-3 | G Ag [Presence] on Red Blood Cells
10410-9 | Plasma given [Type]
10411-7 | Plasma given [Volume]
10412-5 | Platelets given [Type]
10413-3 | Rh immune globulin given [Volume]
10414-1 | Transfuse albumin [Volume]
10415-8 | Transfuse blood exchange transfusion [Volume]
10416-6 | Transfuse blood product other [Volume]
10417-4 | Transfuse cryoprecipitate [Volume]
10418-2 | Transfuse factor IX [Volume]
10419-0 | Transfuse factor VIII [Volume]
1042-1 | H Ab [Presence] in Serum or Plasma from Blood product unit
10420-8 | Transfuse immune serum globulin [Volume]
10421-6 | Transfuse Pentaspan [Volume]
10422-4 | Transfuse plasma [Volume]
10423-2 | Transfuse platelets [Volume]
10424-0 | Transfuse erythrocytes [Volume]
10425-7 | Transfuse Rh immune globulin [Volume]
10426-5 | Transfuse whole blood [Volume]
10427-3 | Transfuse whole blood autologous [Volume]
10428-1 | Varicella zoster virus immune globulin given [Volume]
10429-9 | AE 1 Ag [Presence] in Tissue by Immune stain
1043-9 | H Ab [Presence] in Serum or Plasma from donor
10430-7 | AE 3 Ag [Presence] in Tissue by Immune stain
10431-5 | B-cell Ag [Presence] in Tissue by Immune stain
10432-3 | CD30 Ag [Presence] in Tissue by Immune stain
10433-1 | BR-2 Ag [Presence] in Tissue by Immune stain
10434-9 | Complement C3 Ag [Presence] in Tissue by Immune stain
10435-6 | C5B-9 Ag [Presence] in Tissue by Immune stain
10436-4 | CD15 Ag [Presence] in Tissue by Immune stain
10437-2 | CD16 Ag [Presence] in Tissue by Immune stain
10438-0 | CD20 Ag [Presence] in Tissue by Immune stain
10439-8 | CD3 Ag [Presence] in Tissue by Immune stain
1044-7 | H Ab [Presence] in Serum
10440-6 | Deprecated CD30 Ag [Presence] in Tissue by Immune stain
10441-4 | CD34 Ag [Presence] in Tissue by Immune stain
10442-2 | CD56 Ag [Presence] in Tissue by Immune stain
10443-0 | CD43 T-cell monocyte+myeloid cell Ag [Presence] in Tissue by Immune stain

10444-8 | CD57 Ag [Presence] in Tissue by Immune stain
10445-5 | CD11c Ag [Presence] in Tissue by Immune stain
10446-3 | Leukocyte common Ag [Presence] in Tissue by Immune stain
10447-1 | M-5 Ag [Presence] in Tissue by Immune stain
10448-9 | T-cell Ag [Presence] in Tissue by Immune stain
10449-7 | Glucose [Mass/volume] in Serum or Plasma --1 hour post meal
1045-4 | H NOS Ab [Presence] in Serum or Plasma from Blood product unit
10450-5 | Glucose [Mass/volume] in Serum or Plasma --10 hours fasting
10451-3 | Proinsulin [Moles/volume] in Serum or Plasma --12 hours fasting
10452-1 | Xylose [Mass/volume] in Serum or Plasma --1 hour post 25 g xylose PO
10453-9 | Xylose [Mass/volume] in Serum or Plasma --1 hour post dose xylose PO
10454-7 | Xylose [Mass/volume] in Serum or Plasma --2 hours post 25 g xylose PO
10455-4 | Xylose [Mass/volume] in Serum or Plasma --30 minutes post 25 g xylose PO
10456-2 | Xylose [Mass/volume] in Serum or Plasma --6 hours fasting
10457-0 | Actin Ag [Presence] in Tissue by Immune stain
10458-8 | Alkaline phosphatase.placental Ag [Presence] in Tissue by Immune stain
10459-6 | Alpha-1-Fetoprotein Ag [Presence] in Tissue by Immune stain
1046-2 | H NOS Ab [Presence] in Serum or Plasma from donor
10460-4 | Lactalbumin alpha Ag [Presence] in Tissue by Immune stain
10461-2 | Alpha-1-Antichymotrypsin Ag [Presence] in Tissue by Immune stain
10462-0 | Alpha 1 antitrypsin Ag [Presence] in Tissue by Immune stain
10463-8 | Amyloid A component Ag [Presence] in Tissue by Immune stain
10464-6 | Amyloid P component Ag [Presence] in Tissue by Immune stain
10465-3 | Amyloid.prealbumin Ag [Presence] in Tissue by Immune stain
10466-1 | Anion gap 3 in Serum or Plasma
10467-9 | Beta-2-Microglobulin amyloid Ag [Presence] in Tissue by Immune stain
10468-7 | Calcitonin Ag [Presence] in Tissue by Immune stain
10469-5 | Carcinoembryonic Ag [Presence] in Tissue by Immune stain
1047-0 | H NOS Ab [Presence] in Serum or Plasma
10470-3 | Choriogonadotropin Ag [Presence] in Tissue by Immune stain
10471-1 | Chromogranin A Ag [Presence] in Tissue by Immune stain
10472-9 | Chromogranin Ag [Presence] in Tissue by Immune stain
10473-7 | Chymotrypsin Ag [Presence] in Tissue by Immune stain
10474-5 | Collagen type 4 Ag [Presence] in Tissue by Immune stain
10475-2 | Corticotropin Ag [Presence] in Tissue by Immune stain
10476-0 | Desmin Ag [Presence] in Tissue by Immune stain
10477-8 | Enolase.neuron specific Ag [Presence] in Tissue by Immune stain
10478-6 | Eosinophil major basic protein Ag [Presence] in Tissue by Immune stain
10479-4 | CD227 Ag [Presence] in Tissue by Immune stain
1048-8 | H NOS Ag [Presence] on Red Blood Cells from Blood product unit
10480-2 | Estrogen+Progesterone receptor Ag [Presence] in Tissue by Immune stain
10481-0 | Follitropin.alpha subunit Ag [Presence] in Tissue by Immune stain
10482-8 | Follitropin.beta subunit Ag [Presence] in Tissue by Immune stain
10483-6 | Gastrin Ag [Presence] in Tissue by Immune stain
10484-4 | Glial fibrillary acidic protein Ag [Presence] in Tissue by Immune stain
10485-1 | Glucagon Ag [Presence] in Tissue by Immune stain
10486-9 | Hemoglobin Ag [Presence] in Tissue by Immune stain
10487-7 | HMB-45 Ag [Presence] in Tissue by Immune stain
10488-5 | IgA Ag [Presence] in Tissue by Immune stain
10489-3 | IgA.heavy chain Ag [Presence] in Tissue by Immune stain
1049-6 | H NOS Ag [Presence] on Red Blood Cells from donor
10490-1 | IgE Ag [Presence] in Tissue by Immune stain
10491-9 | IgG Ag [Presence] in Tissue by Immune stain
10492-7 | IgG.heavy chain Ag [Presence] in Tissue by Immune stain
10493-5 | IgM Ag [Presence] in Tissue by Immune stain
10494-3 | IgM.heavy chain Ag [Presence] in Tissue by Immune stain
10495-0 | Insulin Ag [Presence] in Tissue by Immune stain
10496-8 | Immunoglobulin light chains.kappa Ag [Presence] in Tissue by Immune stain
10497-6 | Immunoglobulin light chains.kappa amyloid Ag [Presence] in Tissue by Immune stain
10498-4 | Keratin Ag [Presence] in Tissue by Immune stain
10499-2 | Immunoglobulin light chains.lambda Ag [Presence] in Tissue by Immune stain
105-7 | Ceforanide [Susceptibility] by Disk diffusion (KB)
1050-4 | H NOS Ag [Presence] on Red Blood Cells
10500-7 | Immunoglobulin light chains.lambda amyloid Ag [Presence] in Tissue by Immune stain
10501-5 | Lutropin [Units/volume] in Serum or Plasma
10502-3 | Lutropin Ag [Presence] in Tissue by Immune stain
10503-1 | Lysozyme Ag [Presence] in Tissue by Immune stain
10504-9 | Myelin basic protein Ag [Presence] in Tissue by Immune stain
10505-6 | Myoglobin Ag [Presence] in Tissue by Immune stain
10506-4 | Peanut agglutinin Ag [Presence] in Tissue by Immune stain
10507-2 | Prolactin Ag [Presence] in Tissue by Immune stain
10508-0 | Prostate specific Ag [Presence] in Tissue by Immune stain

10509-8 | Prostatic acid phosphatase Ag [Presence] in Tissue by Immune stain
1051-2 | Hemolytic disease of newborn screen [Interpretation] in Blood
10510-6 | S-100 Ag Ag [Presence] in Tissue by Immune stain
10511-4 | Serotonin Ag [Presence] in Tissue by Immune stain
10512-2 | Somatostatin Ag [Presence] in Tissue by Immune stain
10513-0 | Somatotropin Ag [Presence] in Tissue by Immune stain
10514-8 | Synaptophysin Ag [Presence] in Tissue by Immune stain
10515-5 | Thyroglobulin Ag [Presence] in Tissue by Immune stain
10516-3 | Thyrotropin Ag [Presence] in Tissue by Immune stain
10517-1 | Trypsin Ag [Presence] in Tissue by Immune stain
10518-9 | Ulex europaeus I lectin Ag [Presence] in Tissue by Immune stain
10519-7 | Vimentin Ag [Presence] in Tissue by Immune stain
1052-0 | Deprecated I (intermediate) subtype [Presence] in Serum or Plasma from Blood product unit
10520-5 | Coagulation factor VI Ag [Presence] in Tissue by Immune stain
10521-3 | Coagulation factor VIII Ag [Presence] in Tissue by Immune stain
10522-1 | Coagulation factor XIII Ag [Presence] in Tissue by Immune stain
10523-9 | Fibrinogen Ag [Presence] in Tissue by Immune stain
10524-7 | Microscopic observation [Identifier] in Cervix by Cyto stain
10525-4 | Microscopic observation [Identifier] in Unspecified specimen by Cyto stain
10526-2 | Microscopic observation [Identifier] in Sputum by Cyto stain
10527-0 | Microscopic observation [Identifier] in Tissue by Cyto stain
10528-8 | Acetophenazine [Mass/volume] in Serum or Plasma
10529-6 | Amoxapine metabolite [Mass/volume] in Serum or Plasma
1053-8 | Deprecated I (intermediate) subtype [Presence] in serum or plasma from donor
10530-4 | Aprobarbital [Mass/volume] in Serum or Plasma
10531-2 | Bretylium [Mass/volume] in Serum or Plasma
10532-0 | Deprecated Desethylamiodarone [Mass/volume] in Serum or Plasma
10533-8 | Propoxyphene+Acetaminophen [Mass/volume] in Serum or Plasma
10534-6 | Diazoxide [Mass/volume] in Serum or Plasma
10535-3 | Digoxin [Mass/volume] in Serum or Plasma
10536-1 | Dipyridamole [Mass/volume] in Serum or Plasma
10537-9 | Deprecated Doxepin+Nordoxepin [Mass/volume] in Serum or Plasma
10538-7 | Deprecated Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
10539-5 | Glipizide [Mass/volume] in Serum or Plasma
1054-6 | Deprecated I (intermediate) subtype [Presence] in srum
10540-3 | Glyburide [Mass/volume] in Serum or Plasma
10541-1 | Mepivacaine [Mass/volume] in Serum or Plasma
10542-9 | Metharbital [Mass/volume] in Serum or Plasma
10543-7 | Methsuximide+Normethsuximide [Mass/volume] in Serum or Plasma
10544-5 | Normeperidine [Presence] in Serum or Plasma
10545-2 | Normephenytoin [Mass/volume] in Serum or Plasma
10546-0 | Normethsuximide [Mass/volume] in Serum or Plasma
10547-8 | Primidone+Phenobarbital [Mass/volume] in Serum or Plasma
10548-6 | Phenytoin Free/Phenytoin.total in Serum or Plasma
10549-4 | Pirmenol [Mass/volume] in Serum or Plasma
1055-3 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from Blood product unit
10550-2 | Deprecated Temazepam [Mass/volume] in Serum or Plasma
10551-0 | Triamterene [Mass/volume] in Serum or Plasma
10552-8 | Tricyclic antidepressants [Mass/volume] in Serum or Plasma
10553-6 | Prostatic acid phosphatase [Enzymatic activity/volume] in Genital fluid
10554-4 | Deprecated Prostatic acid phosphatase [Enzymatic activity/volume] in Seminal plasma
10555-1 | Acrosin [Entitic Catalytic Activity] in Spermatozoa
10556-9 | Deprecated Adenosine triphosphatase [Enzymatic activity/volume] in Seminal plasma
10557-7 | Adenosine triphosphate [Moles/volume] in Semen
10558-5 | Albumin [Moles/volume] in Semen
10559-3 | Deprecated Calcium [Molecules/volume] in Semen
1056-1 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from donor
10560-1 | Carcinoembryonic Ag [Units/volume] in Semen
10561-9 | Carnitine [Moles/volume] in Semen
10562-7 | Cells [#/volume] in Cervical mucus
10563-5 | Cells other than spermatozoa [#/volume] in Semen
10564-3 | Cervical mucus [Volume]
10565-0 | Choriogonadotropin [Units/volume] in Semen
10566-8 | Deprecated Choriogonadotropin [Molecules/volume] in Semen
10567-6 | Citrate [Moles/volume] in Semen
10568-4 | Clarity of Semen
10569-2 | Color of Semen
1057-9 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells
10570-0 | Consistency of Cervical mucus
10571-8 | Deprecated Consistency of Semen
10572-6 | Deprecated Duration^post ejaculation
10573-4 | Ferning [Type] in Cervical mucus

10574-2 | Fructose [Moles/volume] in Semen
10575-9 | Deprecated Gamma glutamyl transferase [Enzymatic activity/volume] in Semen
10576-7 | Germ cells.immature [#/volume] in Semen
10577-5 | Glucosidase [Enzymatic activity/volume] in Seminal plasma
10578-3 | Glycerophosphocholine [Moles/volume] in Seminal plasma
10579-1 | Leukocytes [#/volume] in Semen
1058-7 | I Ab [Presence] in Serum or Plasma from Blood product unit
10580-9 | Liquefaction [Time] in Semen
10581-7 | Deprecated Number of entities [#] in Spermatozoa
10582-5 | pH of Cervical mucus
10583-3 | Prostaglandin F1 alpha [Moles/volume] in Semen
10584-1 | Deprecated Protein [Mass/volume] in Semen
10585-8 | Round cells [#/volume] in Semen
10586-6 | Deprecated Volume of Semen
10587-4 | Sexual abstinence duration
10588-2 | Spermatogonia [#/volume] in Semen
10589-0 | Spermatids [#/volume] in Semen by Streptoavidin-biotin method (SAB)
1059-5 | I Ab [Presence] in Serum or Plasma from donor
10590-8 | Spermatids [#/volume] in Semen by Sertoli cell barrier method (SCB)
10591-6 | Primary Spermatocytes [#/volume] in Semen
10592-4 | Secondary Spermatocytes [#/volume] in Semen
10593-2 | Spermatozoa Pyriform Head/100 spermatozoa in Semen
10594-0 | Spermatozoa Tapering Head/100 spermatozoa in Semen
10595-7 | Deprecated Spermatozoa [#/volume] in Semen
10596-5 | Deprecated Spermatozoa Ab in cervical mucosa
10597-3 | Deprecated Spermatozoa Ab in semen
10598-1 | Deprecated Spermatozoa Ab in serum
10599-9 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa by Kremer test
106-5 | Ceforanide [Susceptibility] by Serum bactericidal titer
1060-3 | I Ab [Presence] in Serum or Plasma
10600-5 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa
10601-3 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa --post coitus
10602-1 | Spermatozoa Abnormal Head/100 spermatozoa in Semen
10603-9 | Spermatozoa Abnormal Midpiece/100 spermatozoa in Semen
10604-7 | Spermatozoa Abnormal Tail/100 spermatozoa in Semen
10605-4 | Spermatozoa Agglutinated/100 spermatozoa in Semen
10606-2 | Spermatozoa Amorphous Head/100 spermatozoa in Semen
10607-0 | Spermatozoa Coiled Tail/100 spermatozoa in Semen
10608-8 | Spermatozoa Cytoplasmic Droplet/100 spermatozoa in Semen
10609-6 | Spermatozoa Duplicate Head/100 spermatozoa in Semen
1061-1 | I NOS Ab [Presence] in Serum or Plasma from Blood product unit
10610-4 | Spermatozoa Duplicate Tail/100 spermatozoa in Semen
10611-2 | Spermatozoa Immotile/100 spermatozoa in Semen
10612-0 | Spermatozoa Large Oval Head/100 spermatozoa in Semen
10613-8 | Spermatozoa Viable/100 spermatozoa in Semen
10614-6 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Immunobead
10615-3 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Mixed antiglobulin reaction
10616-1 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Immunobead
10617-9 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Mixed antiglobulin reaction
10618-7 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Immunobead
10619-5 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Mixed antiglobulin reaction
1062-9 | I NOS Ab [Presence] in Serum or Plasma from donor
10620-3 | Spermatozoa Nonprogressive/100 spermatozoa in Semen
10621-1 | Spermatozoa Normal Head/100 spermatozoa in Semen
10622-9 | Spermatozoa Normal/100 spermatozoa in Semen
10623-7 | Spermatozoa Pin Head/100 spermatozoa in Semen
10624-5 | Spermatozoa Rapid/100 spermatozoa in Semen
10625-2 | Spermatozoa Round Head/100 spermatozoa in Semen
10626-0 | Spermatozoa Slow/100 spermatozoa in Semen
10627-8 | Spermatozoa Small Oval Head/100 spermatozoa in Semen
10628-6 | Spermatozoa Tail Swelling/100 spermatozoa in Semen
10629-4 | Spermatozoa Vacuolated Head/100 spermatozoa in Semen
1063-7 | I NOS Ab [Presence] in Serum or Plasma
10630-2 | Spinnbarkeit [Length] in Cervical mucus
10631-0 | Testosterone [Moles/volume] in Semen
10632-8 | Time until next menstrual period
10633-6 | Zinc [Moles/volume] in Semen
10634-4 | Complement C1 esterase inhibitor.functional/Complement C1 esterase inhibitor.total in Serum or Plasma
10635-1 | Acanthamoeba sp identified in Eye by Organism specific culture
10636-9 | Acanthamoeba sp identified in Eye by Wet preparation
10637-7 | Microscopic observation [Identifier] in Tissue by Night blue stain
10638-5 | Thermophilic Actinomycetes colony count [#/volume] in Unspecified specimen by Organism specific culture

10639-3 | Thermophilic Actinomycetes identified in Unspecified specimen by Organism specific culture
1064-5 | I NOS Ag [Presence] on Red Blood Cells from Blood product unit
10640-1 | Deprecated Adenovirus 40+41 [Identifier] in Stool by Electron microscopy
10641-9 | Amoeba identified in Aspirate by Immune stain
10642-7 | Amoeba identified in Aspirate by Wet preparation
10643-5 | Amoeba identified in Stool by Organism specific culture
10644-3 | Arthropod identified in Unspecified specimen
10645-0 | Aspergillus fumigatus Ag [Presence] in Tissue by Immunofluorescence
10646-8 | Astrovirus [Identifier] in Stool by Electron microscopy
10647-6 | Babesia sp identified in Blood by Thick film
10648-4 | Babesia sp identified in Blood by Thin film
10649-2 | Calicivirus [Identifier] in Stool by Electron microscopy
1065-2 | I NOS Ag [Presence] on Red Blood Cells from donor
10650-0 | Candida sp DNA [Presence] in Blood by Probe with amplification
10651-8 | Chlamydophila pneumoniae Ag [Presence] in Sputum or Bronchial
10652-6 | Chlamydophila pneumoniae DNA [Presence] in Sputum or Bronchial by Probe with amplification
10653-4 | Clotrimazole [Susceptibility] by Minimum inhibitory concentration (MIC)
10654-2 | Clotrimazole [Susceptibility] by Minimum lethal concentration (MLC)
10655-9 | Coccidia identified in Duodenal fluid by Acid fast stain
10656-7 | Coccidia identified in Stool by Acid fast stain
10657-5 | Deprecated Cryptococcus neoformans Ag [Presence] in Tissue by Immunofluorescence
10658-3 | Cyanobacterium identified in Water by Light microscopy
10659-1 | Cyclospora sp identified in Stool by Acid fast stain
1066-0 | I NOS Ag [Presence] on Red Blood Cells
10660-9 | Cytomegalovirus Ag [Presence] in Tissue by Immune stain
10661-7 | Dinoflagellate identified in Water by Light microscopy
10662-5 | Filaria identified in Blood by Concentration
10663-3 | Filaria identified in Blood by Thick film
10664-1 | Filaria identified in Blood by Thin film
10665-8 | Fungus colony count [#/volume] in Unspecified specimen by Environmental culture
10666-6 | Fungus identified in Tissue by Fontana-Masson stain
10667-4 | Fungus identified in Unspecified specimen by Animal inoculation
10668-2 | Fungus identified in Unspecified specimen by Environmental culture
10669-0 | Fungus identified in Unspecified specimen by Sticky tape for environmental fungus
1067-8 | Jk sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10670-8 | Giardia lamblia [Presence] in Stool by Organism specific culture
10671-6 | Helminth identified in Unspecified specimen
10672-4 | Helminth+Arthropod identified in Unspecified specimen
10673-2 | Hepatitis B virus core Ag [Presence] in Tissue by Immune stain
10674-0 | Hepatitis B virus surface Ag [Presence] in Tissue by Immune stain
10675-7 | Hepatitis B virus surface Ag [Presence] in Tissue by Orcein stain
10676-5 | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10677-3 | Herpes simplex virus 1 Ag [Presence] in Tissue by Immune stain
10678-1 | Herpes simplex virus 1+2 Ag [Presence] in Tissue by Immune stain
10679-9 | Herpes simplex virus 2 Ag [Presence] in Tissue by Immune stain
1068-6 | Jk sup(a) Ab [Presence] in Serum or Plasma from donor
10680-7 | Herpes simplex virus identified in Cerebral spinal fluid by Electron microscopy
10681-5 | Herpes simplex virus identified in Tissue by Electron microscopy
10682-3 | Deprecated HIV 1 RNA [Units/volume] in Serum or Plasma by Probe with amplification
10683-1 | Hydatid cyst identified in Aspirate by Immune stain
10684-9 | Hydatid cyst identified in Liver by Wet preparation
10685-6 | Hydatid cyst identified in Lung tissue by Wet preparation
10686-4 | Leishmania sp identified in Tissue by Giemsa stain
10687-2 | Leishmania sp identified in Tissue by Organism specific culture
10688-0 | Microscopic observation [Identifier] in Hair by KOH preparation
10689-8 | Microscopic observation [Identifier] in Nail by KOH preparation
1069-4 | Jk sup(a) Ab [Presence] in Serum or Plasma
10690-6 | Microsporidia identified in Duodenal fluid by Trichrome stain modified
10691-4 | Mushroom.toxic identified by Inspection
10692-2 | Mushroom.toxic identified in Food by Light microscopy
10693-0 | Mushroom.toxic identified in Vomitus by Light microscopy
10694-8 | Naegleria sp identified in Tissue by Organism specific culture
10695-5 | Naegleria sp identified in Tissue by Wet preparation
10696-3 | Norovirus [Identifier] in Stool by Electron microscopy
10697-1 | Nystatin [Susceptibility] by Minimum inhibitory concentration (MIC)
10698-9 | Nystatin [Susceptibility] by Minimum lethal concentration (MLC)
10699-7 | Onchocerca sp identified in Tissue by Wet preparation
107-3 | Cefotaxime [Susceptibility] by Minimum lethal concentration (MLC)
1070-2 | Jk sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10700-3 | Orthopoxvirus [Identifier] in Skin by Electron microscopy
10701-1 | Ova and parasites identified in Stool by Concentration
10702-9 | Ova and parasites identified in Stool by Immune stain

10703-7 | Ova and parasites identified in Stool by Kinyoun iron hematoxylin stain
10704-5 | Ova and parasites identified in Stool by Light microscopy
10705-2 | Human papilloma virus Ag [Presence] in Tissue by Immune stain
10706-0 | Picornavirus [Identifier] in Stool by Electron microscopy
10707-8 | Toxic Plant identified in plant specimen by Inspection
10708-6 | Toxic Plant identified in Vomitus by Light microscopy
10709-4 | Plasmodium falciparum Ag [Units/volume] in Blood by Immunofluorescence
1071-0 | Jk sup(a) Ag [Presence] on Red Blood Cells from donor
10710-2 | Plasmodium sp identified in Blood by Thin film
10711-0 | Plasmodium vivax Ag [Units/volume] in Blood by Immunofluorescence
10712-8 | Pneumocystis sp identified in Lung tissue
10713-6 | Prototheca identified in Unspecified specimen by Culture
10714-4 | Deprecated Rotavirus [Identifier] in Stool by Electron microscopy
10715-1 | Schistosoma sp identified in Urine sediment by Light microscopy
10716-9 | Schistosoma sp identified in Unspecified specimen by Organism specific culture
10717-7 | Streptococcus pneumoniae Ab [Units/volume] in Serum by Latex agglutination
10718-5 | Strongyloides sp Ab [Units/volume] in Serum by Immunoassay
10719-3 | Taenia solium adult Ab [Units/volume] in Serum by Immunoblot (IB)
1072-8 | Jk sup(a) Ag [Presence] on Red Blood Cells
10720-1 | Terbinafine [Susceptibility] by Minimum inhibitory concentration (MIC)
10721-9 | Terbinafine [Susceptibility] by Minimum lethal concentration (MLC)
10722-7 | Torovirus [Identifier] in Stool by Electron microscopy
10723-5 | Toxoplasma gondii IgA Ab [Units/volume] in Serum by Immunoassay
10724-3 | Toxoplasma gondii IgE Ab [Units/volume] in Serum by Immunoassay
10725-0 | Toxoplasma gondii DNA [Units/volume] in Body fluid by Probe with amplification
10726-8 | Toxoplasma gondii [Presence] in Tissue by Giemsa stain
10727-6 | Toxoplasma gondii identified in Tissue
10728-4 | Trichomonas sp identified in Genital specimen by Organism specific culture
10729-2 | Trypanosoma sp identified in Blood by Light microscopy
1073-6 | Jk sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10730-0 | Trypanosoma sp identified in Blood by Organism specific culture
10731-8 | Trypanosoma sp identified in Blood by Thick film
10732-6 | Trypanosoma sp identified in Blood by Thin film
10733-4 | Trypanosoma sp identified in Blood by Wet preparation
10734-2 | Varicella zoster virus identified in Skin by Electron microscopy
10735-9 | Viral sequencing [Identifier] in Serum by Sequencing
10736-7 | Virus identified in Cerebral spinal fluid by Electron microscopy
10737-5 | Virus identified in Stool by Electron microscopy
10738-3 | Virus identified in Tissue by Electron microscopy
10739-1 | Virus identified in Unspecified specimen by Electron microscopy
1074-4 | Jk sup(b) Ab [Presence] in Serum or Plasma from donor
10740-9 | Aluminum.microscopic observation [Identifier] in Bone by Histomorphometry stain
10741-7 | Amyloid.microscopic observation [Identifier] in Brain by Thioflavine-S stain
10742-5 | Amyloid.microscopic observation [Identifier] in Tissue by Bennhold stain.Putchler modified
10743-3 | Amyloid.microscopic observation [Identifier] in Tissue by Highman stain
10744-1 | Amyloid.microscopic observation [Identifier] in Tissue by Vassar-culling stain
10745-8 | Bile.microscopic observation [Identifier] in Tissue by Fouchet stain
10746-6 | Calcium.microscopic observation [Identifier] in Tissue by Von Kossa stain
10747-4 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Lawson-Van Gieson stain
10748-2 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Verhoeff-Van Gieson stain
10749-0 | Collagen fibers.microscopic observation [Identifier] in Tissue by Van Gieson stain
1075-1 | Jk sup(b) Ab [Presence] in Serum or Plasma
10750-8 | Connective tissue.microscopic observation [Identifier] in Tissue by Trichrome stain.Masson
10751-6 | Copper.microscopic observation [Identifier] in Tissue by Rhodamine stain
10752-4 | Fat.microscopic observation [Identifier] in Milk by Sudan IV stain
10753-2 | Fat.microscopic observation [Identifier] in Stool by Sudan IV stain
10754-0 | Fat.microscopic observation [Identifier] in Tissue by Sudan IV stain
10755-7 | Fungus.microscopic observation [Identifier] in Tissue by Methenamine silver stain.Grocott
10756-5 | Glial fibers.microscopic observation [Identifier] in Tissue by Holzer stain
10757-3 | Hematologic+Nuclear elements.microscopic observation [Identifier] in Tissue by Giemsa stain.May-Grunwald
10758-1 | Iron.microscopic observation [Identifier] in Bone by Histomorphometry stain
10759-9 | Iron.microscopic observation [Identifier] in Sputum by Gomori stain
1076-9 | Jk sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10760-7 | Iron.microscopic observation [Identifier] in Tissue by Gomori stain
10761-5 | Iron.microscopic observation [Identifier] in Tissue by Other stain
10762-3 | Microscopic observation [Identifier] in Blood by Hemosiderin stain
10763-1 | Microscopic observation [Identifier] in Body fluid by Sudan black stain
10764-9 | Microscopic observation [Identifier] in Sputum by Silver stain
10765-6 | Microscopic observation [Identifier] in Tissue by Acetate esterase stain
10766-4 | Microscopic observation [Identifier] in Tissue by Alcian blue stain
10767-2 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.sulfated
10768-0 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.with periodic acid-Schiff

10769-8 | Microscopic observation [Identifier] in Tissue by Alizarin red S stain
1077-7 | Jk sup(b) Ag [Presence] on Red Blood Cells from donor
10770-6 | Microscopic observation [Identifier] in Tissue by Argentaffin stain
10771-4 | Deprecated Microscopic observation [Identifier] in Tissue by Rhodamine-auramine fluorochrome stain
10772-2 | Microscopic observation [Identifier] in Tissue by Azure-eosin stain
10773-0 | Microscopic observation [Identifier] in Tissue by Basic fuchsin stain
10774-8 | Microscopic observation [Identifier] in Tissue by Bielschowsky stain
10775-5 | Microscopic observation [Identifier] in Tissue by Bleach stain
10776-3 | Microscopic observation [Identifier] in Tissue by Bodian stain
10777-1 | Microscopic observation [Identifier] in Tissue by Brown and Brenn stain
10778-9 | Microscopic observation [Identifier] in Tissue by Butyrate esterase stain
10779-7 | Microscopic observation [Identifier] in Tissue by Carmine stain.Best
1078-5 | Jk sup(b) Ag [Presence] on Red Blood Cells
10780-5 | Microscopic observation [Identifier] in Tissue by Chloracetate esterase stain
10781-3 | Microscopic observation [Identifier] in Tissue by Churukian-Schenk stain
10782-1 | Microscopic observation [Identifier] in Tissue by Congo red stain
10783-9 | Microscopic observation [Identifier] in Tissue by Crystal violet stain
10784-7 | Microscopic observation [Identifier] in Tissue by Esterase stain.non-specific
10785-4 | Microscopic observation [Identifier] in Tissue by Fite-Faraco stain
10786-2 | Microscopic observation [Identifier] in Tissue by Giemsa stain.3 micron
10787-0 | Microscopic observation [Identifier] in Tissue by Gridley stain
10788-8 | Microscopic observation [Identifier] in Tissue by Hansel stain
10789-6 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Harris regressive stain
1079-3 | Js sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10790-4 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Mayers progressive stain
10791-2 | Microscopic observation [Identifier] in Tissue by Mallory-Heidenhain stain
10792-0 | Microscopic observation [Identifier] in Tissue by Methenamine silver stain.Jones
10793-8 | Microscopic observation [Identifier] in Tissue by Methyl green stain
10794-6 | Microscopic observation [Identifier] in Tissue by Methyl green-pyronine Y stain
10795-3 | Microscopic observation [Identifier] in Tissue by Methyl violet stain
10796-1 | Microscopic observation [Identifier] in Tissue by Mucicarmine stain
10797-9 | Microscopic observation [Identifier] in Tissue by Neutral red stain
10798-7 | Microscopic observation [Identifier] in Tissue by Oil red O stain
10799-5 | Microscopic observation [Identifier] in Tissue by Pentachrome stain.Movat
108-1 | Cefotaxime [Susceptibility] by Minimum inhibitory concentration (MIC)
1080-1 | Js sup(a) Ab [Presence] in Serum or Plasma from donor
10800-1 | Microscopic observation [Identifier] in Tissue by Periodic acid-Schiff stain with diatase digestion
10801-9 | Microscopic observation [Identifier] in Tissue by Phosphotungstic acid Hematoxylin (PTAH) Stain
10802-7 | Microscopic observation [Identifier] in Tissue by Prussian blue stain
10803-5 | Microscopic observation [Identifier] in Tissue by Quinacrine fluorescent stain
10804-3 | Microscopic observation [Identifier] in Tissue by Reticulin stain
10805-0 | Microscopic observation [Identifier] in Tissue by Safranin stain
10806-8 | Microscopic observation [Identifier] in Tissue by Schmorl stain
10807-6 | Microscopic observation [Identifier] in Tissue by Sevier-Munger stain
10808-4 | Microscopic observation [Identifier] in Tissue by Silver impregnation stain.Dieterle
10809-2 | Microscopic observation [Identifier] in Tissue by Silver nitrate stain
1081-9 | Js sup(a) Ab [Presence] in Serum or Plasma
10810-0 | Microscopic observation [Identifier] in Tissue by Silver stain.Fontana-Masson
10811-8 | Microscopic observation [Identifier] in Tissue by Silver stain.Grimelius
10812-6 | Microscopic observation [Identifier] in Tissue by Steiner stain
10813-4 | Microscopic observation [Identifier] in Tissue by Sudan black stain
10814-2 | Microscopic observation [Identifier] in Tissue by Supravital stain
10815-9 | Microscopic observation [Identifier] in Tissue by Tetrachrome stain
10816-7 | Deprecated Microscopic observation [Identifier] in Tissue by Toluidine blue O stain
10817-5 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Gomori-Wheatley
10818-3 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Masson modified
10819-1 | Microscopic observation [Identifier] in Tissue by Wade stain
1082-7 | Js sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10820-9 | Deprecated Microscopic observation [Identifier] in Tissue by Warthin-Starry stain
10821-7 | Deprecated Microscopic observation [Identifier] in Tissue by Wright Giemsa stain
10822-5 | Mucin.microscopic observation [Identifier] in Tissue by Mucicarmine stain.Mayer
10823-3 | Mucopolysaccharides.microscopic observation [Identifier] in Tissue by Colloidal ferric oxide stain.Hale
10824-1 | Myelin+Myelin breakdown products.microscopic observation [Identifier] in Tissue by Luxol fast blue/Periodic acid-Schiff stain
10825-8 | Myelin+Nerve cells.microscopic observation [Identifier] in Tissue by Luxol fast blue/Cresyl violet stain
10826-6 | Nissel.microscopic observation [Identifier] in Tissue by Cresyl echt violet stain
10827-4 | Reticulum.microscopic observation [Identifier] in Tissue by Gomori stain
10828-2 | Urate crystals.microscopic observation [type] in Tissue by De Galantha stain
10829-0 | Silicon [Mass/volume] in Serum or Plasma
1083-5 | Js sup(a) Ag [Presence] on Red Blood Cells from donor
10830-8 | Deprecated Surgical operation note complications
10831-6 | Surgical operation note complications [Interpretation]
10832-4 | Glucose [Mass/volume] in Serum or Plasma --15 minutes post 50 g lactose PO

10833-2 | Insulin [Mass/volume] in Serum or Plasma --7 hours post 75 g glucose PO
10834-0 | Globulin [Mass/volume] in Serum by calculation
10835-7 | Lipoprotein a [Mass/volume] in Serum or Plasma
10836-5 | Niacin [Mass/volume] in Blood
10837-3 | Organic acids [Presence] in Serum or Plasma
10838-1 | Phosphoserine [Mass/volume] in Serum or Plasma
10839-9 | Troponin I.cardiac [Mass/volume] in Serum or Plasma
1084-3 | Js sup(a) Ag [Presence] on Red Blood Cells
10840-7 | Atropine [Mass/volume] in Urine
10841-5 | Methazolamide [Mass/volume] in Serum or Plasma
10842-3 | Deprecated HLA-DQ1 [Presence]
10843-1 | Deprecated HLA-DQ2 [Presence]
10844-9 | Deprecated HLA-DQ3 [Presence]
10845-6 | Deprecated HLA-DQ4 [Presence]
10846-4 | Borrelia burgdorferi DNA [Presence] in Blood by Probe with amplification
10847-2 | Borrelia burgdorferi DNA [Presence] in Body fluid by Probe with amplification
10848-0 | Chlamydia sp IgG Ab [Titer] in Serum by Immunofluorescence
10849-8 | Chlamydia sp IgM Ab [Titer] in Serum by Immunofluorescence
1085-0 | Js sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10850-6 | Cyclospora cayetanensis [Presence] in Unspecified specimen
10851-4 | Escherichia coli O157:H7 [Presence] in Stool by Organism specific culture
10852-2 | Deprecated Fungus identified in Blood by Culture
10853-0 | Isospora belli [Presence] in Unspecified specimen by Acid fast stain.Kinyoun modified
10854-8 | Deprecated Midrofilaria identified in Blood by Concentration
10855-5 | Ova and parasites identified in Duodenal fluid or Gastric fluid by Light microscopy
10856-3 | Microscopic observation [Identifier] in Genital mucus by Gram stain
10857-1 | Microsporidia identified in Unspecified specimen by Light microscopy
10858-9 | Teichoate Ab [Presence] in Serum
10859-7 | Trypanosoma sp [Identifier] in Blood by Acridine Orange + Giemsa Stain
1086-8 | Js sup(b) Ab [Presence] in Serum or Plasma from donor
10860-5 | Varicella zoster virus [Presence] in Unspecified specimen by Organism specific culture
10861-3 | Progesterone receptor [Mass/mass] in Tissue
10862-1 | Basement membrane Ab [Titer] in Serum
10863-9 | Endomysium IgA Ab [Titer] in Serum
10864-7 | Immune complex [Units/volume] in Serum or Plasma by Raji cell assay
10865-4 | Intercellular substance Ab [Presence] in Serum
10866-2 | Sulfatide IgG Ab [Titer] in Serum
10867-0 | Sulfatide IgM Ab [Titer] in Serum
10868-8 | Bacitracin [Susceptibility] by Disk diffusion (KB)
10869-6 | Xylose [Mass/volume] in Blood --3 hours post 25 g xylose PO
1087-6 | Js sup(b) Ab [Presence] in Serum or Plasma
10870-4 | Xylose [Mass/volume] in Blood --4 hours post 25 g xylose PO
10871-2 | Xylose [Mass/volume] in Blood --5 hours post 25 g xylose PO
10872-0 | Xylose [Mass/volume] in Blood --baseline
10873-8 | Beta-2-Microglobulin [Mass/time] in 24 hour Urine
10874-6 | Bombesin [Mass/volume] in Plasma
10875-3 | Carnitine esters [Mass/volume] in Urine
10876-1 | Carnitine esters [Mass/volume] in Serum or Plasma
10877-9 | Carnitine free (C0) [Mass/volume] in Urine
10878-7 | Iodine.protein bound [Mass/volume] in Serum or Plasma
10879-5 | Isovalerylglycine [Mass/volume] in Urine
1088-4 | Js sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10880-3 | Magnesium [Mass/mass] in Stool
10881-1 | Pentacarboxylporphyrins [Mass/volume] in Red Blood Cells
10882-9 | Pentacarboxylporphyrins [Mass/volume] in Serum or Plasma
10883-7 | Phenolphthalein [Mass/mass] in Stool
10884-5 | Phosphate [Mass/mass] in Stool
10885-2 | Porphyrins [Mass/time] in 24 hour Urine
10886-0 | Prostate Specific Ag Free [Mass/volume] in Serum or Plasma
10887-8 | Pyridinoline [Mass/time] in 24 hour Urine
10888-6 | Lipase [Enzymatic activity/volume] in Urine
10889-4 | Bisacodyl [Mass/mass] in Stool
1089-2 | Js sup(b) Ag [Presence] on Red Blood Cells from donor
10890-2 | Deprecated Normethsuximide [Mass/volume] in Serum or Plasma
10891-0 | Oxyphenisatin [Mass/mass] in Stool
10892-8 | Pentoxifylline [Mass/volume] in Serum or Plasma
10893-6 | Trenbolone [Mass/volume] in Urine
10894-4 | Aspergillus niger Ab [Presence] in Serum by Immune diffusion (ID)
10895-1 | Clostridium difficile toxin B [Presence] in Stool
10896-9 | Eastern equine encephalitis virus IgG Ab [Titer] in Serum by Immunofluorescence
10897-7 | Eastern equine encephalitis virus IgG Ab [Titer] in Cerebral spinal fluid by Immunofluorescence
10898-5 | Eastern equine encephalitis virus IgM Ab [Titer] in Serum by Immunofluorescence

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.229 Value Set http://hl7.org/fhir/ValueSet/diagnostic-service-sections

URL: https://hl7.org/fhir/STU3/valueset-diagnostic-service-sections.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/diagnostic-service-sections
Name: | Diagnostic Service Section Codes
Definition: | This value set includes all the codes in HL7 v2 table 0074.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.229 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* DiagnosticReport.category (Example)

* StructureDefinition LipidProfile: DiagnosticReport.category ((Example))

* StructureDefinition DiagnosticReport-Genetics: DiagnosticReport.category ((Example))

* StructureDefinition HLAResult: DiagnosticReport.category ((Example))

4.3.1.229.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/v2/0074

4.3.1.229.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 45 concepts

Expansion based on http://hl7.org/fhir/v2/0074 version 2.8.2

All codes from system http://hl7.org/fhir/v2/0074

Code | Display | Definition
AU | Audiology
BG | Blood Gases
BLB | Blood Bank
CG | Cytogenetics
CH | Chemistry
CP | Cytopathology
CT | CAT Scan
CTH | Cardiac Catheterization
CUS | Cardiac Ultrasound
EC | Electrocardiac (e.g. EKG, EEC, Holter)
EN | Electroneuro (EEG, EMG,EP,PSG)
GE | Genetics
HM | Hematology
ICU | Bedside ICU Monitoring
IMG | Diagnostic Imaging
IMM | Immunology
LAB | Laboratory
MB | Microbiology
MCB | Mycobacteriology
MYC | Mycology
NMR | Nuclear Magnetic Resonance
NMS | Nuclear Medicine Scan
NRS | Nursing Service Measures
OSL | Outside Lab

OT | Occupational Therapy
OTH | Other
OUS | OB Ultrasound
PAR | Parasitology
PAT | Pathology (gross & histopath, not surgical)
PF | Pulmonary Function
PHR | Pharmacy
PHY | Physician (Hx. Dx, admission note, etc.)
PT | Physical Therapy
RAD | Radiology
RC | Respiratory Care (therapy)
RT | Radiation Therapy
RUS | Radiology Ultrasound
RX | Radiograph
SP | Surgical Pathology
SR | Serology
TX | Toxicology
URN | Urinalysis
VR | Virology
VUS | Vascular Ultrasound
XRC | Cineradiograph

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
AU | Audiologie | Audiologie
BG | Blutgase | Bloedgassen
BLB | Blutbank | Bloedbank
CG | | Cytogenetica
CH | Klinische Chemie | Chemie
CP | Zellpathologie | Cytopathologie
CT | Computertomographie | CAT-scan
CTH | Herzkatheter | Hartcatetherisatie
CUS | Kardiologische Ultraschalluntersuchung | Hart ultrasound
EC | Elektrokardiographie | Electrocardiac (bijv. EKG, EEC, Holter)
EN | Elektroneurographie, Elektroencephalographie | Electroneuro (EEG, EMG,EP,PSG)
GE | | Genetica
HM | Hämatologie | Hematologie
ICU | | IC monitoring naast het bed
IMG | | Diagnostisch beeldvorming
IMM | Immunologie | Immunologie
LAB | | Laboratorium
MB | Mikrobiologie | Microbiologie
MCB | Mykobakteriologie | Mycobacteriologie
MYC | Mykologie | Mycology
NMR | Kernspintomographie (MR) | Nucleaire magnetisch resonantie
NMS | Szintigramm | Nucleaire geneeskunde scan
NRS | Pflegemaßnahme | Verpleegkundige service maatregelen
OSL | Externes Labor | Outside Lab
OT | Beschäftigungstherapie | Ergotherapie
OTH | Andere | Anders
OUS | Geburtshilfiche Ultraschalluntersuchung | OB Ultrasound
PAR | | Parasitologie
PAT | | Pathologie (gross & histopath, niet chirurgisch)
PF | Lungenfunktion | Pulmonaire functie
PHR | Apotheke | Medicatie
PHY | Arzt (Krankengeschichte, Diagnose, Aufnahmeuntersuchung) | Arts (Hx. Dx, opnameverslag, etc.)
PT | physiklische Therapie | Lichamelijke oefening
RAD | Radiologie | Radiologie
RC | Atemtherapie | Respiratoire zorg (therapie)
RT | Strahlentherapie | Stralingstherapie
RUS | Radiologische Ultraschalluntersuchung | Radiologie ultrasound
RX | Röntgenaufnahme | Radiograph
SP | Operative Pathologie | Chirurgische pathologie
SR | Serologie | Serologie
TX | Toxikologie | Toxicologie
URN | | Urinalyse
VR | Virologie | Virologie
VUS | Ultraschalluntersuchung der Gefäße | Vasculaire Ultrasound
XRC | Röntgenkinematographie | Cineradiograph

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.230 Value Set http://hl7.org/fhir/ValueSet/diagnostic-report-status

URL: https://hl7.org/fhir/STU3/valueset-diagnostic-report-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/diagnostic-report-status
Name: | DiagnosticReportStatus
Definition: | The status of the diagnostic report as a whole.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.230 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DiagnosticReportStatus

* DiagnosticReport.status (Required)

* StructureDefinition LipidProfile: DiagnosticReport.status ((Required))

* StructureDefinition DiagnosticReport-Genetics: DiagnosticReport.status ((Required))

* StructureDefinition HLAResult: DiagnosticReport.status ((Required))

4.3.1.230.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/diagnostic-report-status

4.3.1.230.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/diagnostic-report-status version 3.0.2

All codes from system http://hl7.org/fhir/diagnostic-report-status

Code | Display | Definition
registered | Registered | The existence of the report is registered, but there is nothing yet available.
partial | Partial | This is a partial (e.g. initial, interim or preliminary) report: data in the report may be incomplete or unverified.
preliminary | Preliminary | Verified early results are available, but not all results are final.
final | Final | The report is complete and verified by an authorized person.
amended | Amended | Subsequent to being final, the report has been modified. This includes any change in the results, diagnosis, narrative text, or other content of a report that has been issued.
corrected | Corrected | Subsequent to being final, the report has been modified to correct an error in the report or referenced results.
appended | Appended | Subsequent to being final, the report has been modified by adding new content. The existing content is unchanged.
cancelled | Cancelled | The report is unavailable because the measurement was not started or not completed (also sometimes called "aborted").
entered-in-error | Entered in Error | The report has been withdrawn following a previous final release. This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".)
unknown | Unknown | The authoring system does not know which of the status values currently applies for this request. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, it's just not known which one.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.232 Value Set http://hl7.org/fhir/ValueSet/doc-section-codes

URL: https://hl7.org/fhir/STU3/valueset-doc-section-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://hl7.org .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/doc-section-codes
Name: | Document Section Codes
Definition: | Document section codes (LOINC codes used in CCDA sections).
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.232 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* Composition.section.code (Example)

* StructureDefinition ClinicalDocument: Composition.section.code ((Example))

4.3.1.232.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://loinc.org

Code	Display
10154-3	Chief complaint Narrative - Reported
10157-6	History of family member diseases Narrative
10160-0	History of medication use Narrative
10164-2	History of present illness Narrative
10183-2	Hospital discharge medications Narrative
10184-0	Hospital discharge physical findings Narrative
10187-3	Review of systems Narrative - Reported
10210-3	Physical findings of General status Narrative
10216-0	Surgical operation note fluids Narrative
10218-6	Surgical operation note postoperative diagnosis Narrative
10218-6	Surgical operation note postoperative diagnosis Narrative
10223-6	Surgical operation note surgical procedure Narrative
10830-8	Deprecated Surgical operation note complications
11329-0	History general Narrative - Reported
11348-0	History of past illness Narrative
11369-6	History of immunization Narrative
11450-4	Problem list - Reported
11493-4	Hospital discharge studies summary Narrative
11535-2	Hospital discharge Dx Narrative
11537-8	Surgical drains Narrative
18776-5	Plan of treatment (narrative)
18841-7	Hospital consultations Document
29299-5	Reason for visit Narrative
29545-1	Physical findings Narrative
29549-3	Medication administered Narrative
29554-3	Procedure Narrative
29762-2	Social history Narrative
30954-2	Relevant diagnostic tests/laboratory data Narrative
42344-2	Discharge diet (narrative)
42346-7	Medications on admission (narrative)
42348-3	Advance directives (narrative)
42349-1	Reason for referral (narrative)
46240-8	History of hospitalizations+History of outpatient visits Narrative
46241-6	Hospital admission diagnosis Narrative - Reported
46264-8	History of medical device use
47420-5	Functional status assessment note
47519-4	History of Procedures Document
48765-2	Allergies and adverse reactions Document
48768-6	Payment sources Document
51848-0	Evaluation note
55109-3	Complications Document
55122-6	Surgical operation note implants Narrative
59768-2	Procedure indications [interpretation] Narrative

59769-0 | Postprocedure diagnosis Narrative
59770-8 | Procedure estimated blood loss Narrative
59771-6 | Procedure implants Narrative
59772-4 | Planned procedure Narrative
59773-2 | Procedure specimens taken Narrative
59775-7 | Procedure disposition Narrative
59776-5 | Procedure findings Narrative
61149-1 | Objective Narrative
61150-9 | Subjective Narrative
61150-9 | Subjective Narrative
69730-0 | Instructions
8648-8 | Hospital course Narrative
8653-8 | Hospital Discharge instructions
8716-3 | Vital signs

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.233 Value Set http://hl7.org/fhir/ValueSet/composition-attestation-mode

URL: https://hl7.org/fhir/STU3/valueset-composition-attestation-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/composition-attestation-mode
Name: | CompositionAttestationMode
Definition: | The way in which a person authenticated a composition.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.233 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CompositionAttestationMode

* Composition.attester.mode (Required)

* StructureDefinition ClinicalDocument: Composition.attester.mode ((Required))

4.3.1.233.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/composition-attestation-mode

4.3.1.233.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/composition-attestation-mode version 3.0.2

All codes from system http://hl7.org/fhir/composition-attestation-mode

Code | Display | Definition
personal | Personal | The person authenticated the content in their personal capacity.
professional | Professional | The person authenticated the content in their professional capacity.
legal | Legal | The person authenticated the content and accepted legal responsibility for its content.
official | Official | The organization authenticated the content as consistent with their policies and procedures.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.235 Value Set http://hl7.org/fhir/ValueSet/doc-typecodes

URL: https://hl7.org/fhir/STU3/valueset-doc-typecodes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://hl7.org .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/doc-typecodes
Name: | FHIR Document Type Codes
Definition: | FHIR Document Codes - all LOINC codes where scale type = 'DOC'.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.235 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* Composition.type (Preferred)

* StructureDefinition ClinicalDocument: Composition.type ((Preferred))

4.3.1.235.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://loinc.org where SCALE_TYP = Doc

4.3.1.235.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://loinc.org

Code | Display
11507-1 | Occupational therapy Progress note
11508-9 | Physical therapy Progress note
11509-7 | Podiatry Progress note
11510-5 | Psychology Progress note
11485-0 | Anesthesia records
11486-8 | Chemotherapy records
11488-4 | Consult note
11490-0 | Physician Discharge summary
11492-6 | Provider-unspecifed, History and physical note
11494-2 | Deprecated Physician Initial assessment note at First encounter
11495-9 | Deprecated Physical therapy Initial assessment note at First encounter
11496-7 | Deprecated Podiatry Initial assessment note at First encounter
11497-5 | Deprecated Psychology Initial assessment note at First encounter
11498-3 | Deprecated Social work Initial assessment note at First encounter
11499-1 | Deprecated Speech therapy Initial assessment note at First encounter
11500-6 | Deprecated Occupational therapy Initial assessment note at First encounter
11502-2 | Laboratory report
11503-0 | Medical records
11504-8 | Provider-unspecified Operation note
11505-5 | Physician Procedure note
11506-3 | Provider-unspecified Progress note
11512-1 | Speech-language pathology Progress note
11514-7 | Chiropractic Records total Encounter
11515-4 | Physical therapy Records total Encounter
11516-2 | Physician Records total Encounter
11517-0 | Podiatry Records total Encounter
11518-8 | Psychology Records total Encounter
11519-6 | Social service Records total Encounter
11520-4 | Speech therapy Records total Encounter
11521-2 | Occupational therapy Records total Encounter

11522-0 | Deprecated Cardiac echo study
11523-8 | EEG study
11524-6 | EKG Study
11525-3 | US Pelvis Fetus for pregnancy
11526-1 | Pathology study
11527-9 | Psychiatry study
11528-7 | Deprecated Radiology Unspecified site and modality Study
11529-5 | Surgical pathology study
11534-5 | Temperature charts
11536-0 | Nurse Notes
11538-6 | Deprecated CT Chest study
11539-4 | Deprecated CT Head study
11540-2 | Deprecated CT Abdomen study
11541-0 | Deprecated MRI Brain study
11542-8 | Deprecated Provider-unspecified visit note
11543-6 | Nursery records
15507-7 | Provider-unspecified ED Progress note
15508-5 | Labor and delivery records
17787-3 | Thyroid gland NM Study report
18764-1 | Deprecated Nurse practitioner Progress note
18765-8 | Deprecated Podiatry visit note
18766-6 | Deprecated Psychology visit note
18750-0 | Electrophysiology study
18751-8 | Endoscopy study
18752-6 | Exercise stress test study
18753-4 | Flexible sigmoidoscopy study
18841-7 | Hospital consultations Document
18842-5 | Discharge summary
18836-7 | Cardiac stress study Procedure
18594-2 | Psychiatric service attachment
18733-6 | Physician attending Progress note
18734-4 | Occupational therapy Initial evaluation note
18735-1 | Physical therapy Initial evaluation note
18736-9 | Physician Initial evaluation note
18737-7 | Podiatry Initial evaluation note
18738-5 | Psychology Initial evaluation note
18739-3 | Social work Initial evaluation note
18740-1 | Speech-language pathology Initial evaluation note
18741-9 | Deprecated Attending physician progress note
18742-7 | Arthroscopy study
18743-5 | Autopsy report
18744-3 | Bronchoscopy study
18745-0 | Cardiac catheterization study
18746-8 | Colonoscopy Study
18747-6 | Deprecated CT Unspecified system Study
18748-4 | Diagnostic imaging study
18749-2 | Electromyogram study
18754-2 | Holter monitor study
18755-9 | Deprecated MRI Unspecified site study
18756-7 | MR Spine study
18757-5 | Deprecated Nuclear medicine study
18758-3 | Deprecated PET scan Unspecified system Study
18759-1 | Spirometry study
18760-9 | Deprecated US Unspecified system Study
18761-7 | Provider-unspecified Transfer summary
18762-5 | Deprecated Chiropractor Progress note
18763-3 | Physician consulting Initial evaluation note
18776-5 | Plan of care
18823-5 | Alcohol and/or substance abuse service attachment
18824-3 | Cardiac service attachment
18825-0 | Medical social services attachment
18826-8 | Occupational therapy service attachment
19002-5 | Physical therapy service attachment
19003-3 | Respiratory therapy service attachment
19004-1 | Skilled nursing service attachment
24542-3 | Anus US
24543-1 | Aorta Fluoroscopic angiogram Angioplasty W contrast IA
24544-9 | Thoracic Aorta CT
24545-6 | Thoracic Aorta CT W contrast IV
24546-4 | Aorta arch and Neck Fluoroscopic angiogram W contrast IA
24547-2 | Aorta US
24548-0 | Appendix US

24549-8 | Upper extremity vessels MR angiogram W contrast IV
24721-3 | Hand X-ray 2 views
24722-1 | Hand X-ray 3 views
24723-9 | Hand X-ray arthritis
24724-7 | Wrist and Hand X-ray bone age
24725-4 | Head CT
24726-2 | Head CT WO and W contrast IV
24727-0 | Head CT W contrast IV
24728-8 | Head CT perfusion
24729-6 | Head CT perfusion WO and W contrast IV
24612-4 | Deprecated Calcaneus X-ray
24613-2 | Fluoroscopic angiogram Guidance for placement of catheter in artery in Central cardiovascular artery
24614-0 | Carotid artery extracranial Fluoroscopic angiogram Angioplasty W contrast IA
24615-7 | Carotid artery intracranial Fluoroscopic angiogram Angioplasty W contrast IA
24748-6 | Heart MR
24750-2 | Heart NM at rest and W Tl-201 IV
24751-0 | Parathyroid gland NM W TI-201 subtraction Tc-99m IV
24752-8 | Heart Fluoroscopy video
24753-6 | Unspecified body region CT W contrast IV
24531-6 | Retroperitoneum US
24532-4 | Abdomen RUQ US
24533-2 | Abdominal vessels MR angiogram W contrast IV
24534-0 | Abdominal vessels US.doppler
24535-7 | Acetabulum X-ray
24536-5 | Acromioclavicular Joint X-ray
24537-3 | US Guidance for aspiration of amniotic fluid of Uterus
24538-1 | Ankle MR
24539-9 | Ankle MR WO and W contrast IV
24540-7 | Ankle X-ray 2 views
24541-5 | Ankle X-ray
24550-6 | Upper extremity veins Fluoroscopic angiogram W contrast IV
24551-4 | AV fistula Fluoroscopic angiogram W contrast IA
24552-2 | Stent Fluoroscopy W contrast intra stent
24553-0 | Vessel intracranial Fluoroscopic angiogram Embolectomy W contrast IV
24554-8 | Artery Fluoroscopic angiogram Embolization W contrast IA
24555-5 | Fluoroscopic angiogram Guidance for placement of stent in Artery
24556-3 | Abdomen MR
24557-1 | Abdomen MR WO and W contrast IV
24558-9 | Abdomen US
24559-7 | US Guidance for drainage of Abdomen
24560-5 | Abdomen X-ray AP left lateral-decubitus portable
24561-3 | Abdomen X-ray AP left lateral-decubitus
24562-1 | Abdomen X-ray AP (left lateral-decubitus and right lateral-decubitus)
24563-9 | Abdomen X-ray AP right lateral-decubitus
24564-7 | Abdomen X-ray AP upright portable
24566-2 | Retroperitoneum CT
24567-0 | Deprecated Abdomen>Retroperitoneum CT W contrast
24568-8 | AV fistula Fluoroscopic angiogram Atherectomy W contrast IV
24569-6 | AV shunt Fluoroscopic angiogram W contrast IV
24570-4 | Fluoroscopy Guidance for stone removal of Biliary duct common-- W contrast intra biliary duct
24571-2 | Biliary ducts and Gallbladder NM for patency of biliary structures and ejection fraction W sincalide and W radionuclide IV
24572-0 | Biliary ducts and Gallbladder NM for patency of biliary structures W Tc-99m IV
24573-8 | Biliary ducts and Gallbladder X-ray W contrast IV
24574-6 | Biliary ducts and Gallbladder Fluoroscopy during surgery W contrast biliary duct
24575-3 | Biliary ducts and Gallbladder Fluoroscopy W contrast percutaneous transhepatic
24576-1 | Urinary bladder arteries Fluoroscopic angiogram W contrast IA
24577-9 | Bone X-ray during surgery
24578-7 | Bones SPECT
24579-5 | Long bones X-ray survey
24580-3 | Brachiocephalic artery Fluoroscopic angiogram Angioplasty W contrast IA
24581-1 | Brachial artery and Subclavian artery Fluoroscopic angiogram W contrast IA
24582-9 | Brachial plexus MR
24583-7 | Brachial plexus MR WO and W contrast IV
24584-5 | Thoracic inlet vessels MR angiogram W contrast IV
24585-2 | CT Guidance for stereotactic biopsy of Head-- W contrast IV
24586-0 | Brain MR W anesthesia
24587-8 | Brain MR WO and W contrast IV
24588-6 | Brain MR WO and W contrast IV and W anesthesia
24589-4 | Brain MR W contrast IV
24590-2 | Brain MR
24591-0 | Brain NM brain death protocol W Tc-99m HMPAO IV
24593-6 | Head vessels MR angiogram W contrast IV

24594-4 | Mammogram Guidance for aspiration of cyst of Breast
24595-1 | Mammogram Guidance for needle localization of mass of Breast
24596-9 | Breast specimen US
24597-7 | Breast specimen Mammogram
24598-5 | Mammogram Guidance for aspiration of Breast
24599-3 | Breast US limited
24600-9 | US Guidance for needle localization of Breast
24601-7 | Breast US
24602-5 | Mammogram Guidance for biopsy of Breast
24603-3 | Mammogram Guidance for stereotactic biopsy of Breast
24604-1 | Breast Mammogram diagnostic limited
24605-8 | Breast Mammogram diagnostic
24606-6 | Breast Mammogram screening
24609-0 | Mammogram Guidance for core needle percutaneous biopsy of Breast
24610-8 | Breast Mammogram limited
24611-6 | Outpatient Consultation 2nd opinion
24616-5 | Carotid arteries US
24617-3 | Carotid artery Fluoroscopic angiogram W contrast IA
24619-9 | Wrist X-ray
24620-7 | Catheter Fluoroscopy Patency check W contrast via catheter
24621-5 | Fluoroscopy Guidance for percutaneous drainage of Unspecified body region
24670-2 | US Guidance for biopsy of cyst of Unspecified body region
24671-0 | Fluoroscopy Guidance for aspiration of cyst of Unspecified body region
24672-8 | Diaphragm US for motion
24673-6 | Duodenum Fluoroscopy W contrast PO and hypotonic agent per ng
24674-4 | Elbow MR
24675-1 | Elbow MR WO and W contrast IV
24877-3 | Petrous part of temporal bone CT
24878-1 | Petrous part of temporal bone CT W contrast IV
24879-9 | Pituitary and Sella turcica MR WO and W contrast IV
24880-7 | Pituitary and Sella turcica MR
24881-5 | Popliteal space US
25057-1 | Unspecified body region MR W conscious sedation
25058-9 | Unspecified body region MR angiogram W contrast IV
25059-7 | US Guidance for biopsy of Unspecified body region
25060-5 | Unspecified body region US No charge
25061-3 | Unspecified body region US
25062-1 | Unspecified body region X-ray Comparison view
25063-9 | Vessel Fluoroscopic angiogram Single view W contrast IA
25064-7 | Vessel Fluoroscopic angiogram Angioplasty W contrast IA
25065-4 | Unspecified body region Fluoroscopy 15 minutes
25066-2 | Unspecified body region Fluoroscopy 30 minutes
25067-0 | Unspecified body region Fluoroscopy 45 minutes
24622-3 | Celiac artery Fluoroscopic angiogram W contrast IA
24623-1 | CT Guidance for nerve block of Celiac plexus
24624-9 | Fluoroscopic angiogram Guidance for change of central venous catheter in Vein-- W contrast IV
24625-6 | Fluoroscopic angiogram Guidance for placement of central venous catheter in Vein-- W contrast IV
24626-4 | Fluoroscopic angiogram Guidance for reposition of central venous catheter in Vein-- W contrast IV
24627-2 | Chest CT
24628-0 | Chest CT W contrast IV
24629-8 | Chest MR
24630-6 | Chest US
24631-4 | Unspecified body region Fluoroscopy Central vein catheter placement check
24632-2 | Chest X-ray AP portable
24634-8 | Chest X-ray portable W inspiration and expiration
24635-5 | Chest X-ray PA upright W inspiration and expiration
24636-3 | Chest X-ray AP left lateral-decubitus portable
24637-1 | Chest X-ray AP left lateral-decubitus
24638-9 | Chest X-ray left lateral upright portable
24639-7 | Chest X-ray left lateral upright
24640-5 | Chest X-ray lordotic
24641-3 | Chest X-ray left oblique portable
24642-1 | Chest X-ray AP and PA upright
24643-9 | Chest X-ray PA and lateral and right or-left oblique upright
24644-7 | Chest X-ray PA and lateral upright portable
24645-4 | Chest X-ray PA and right lateral and right oblique and left oblique upright portable
24646-2 | Chest X-ray PA and right lateral and right oblique and left oblique upright
24647-0 | Chest X-ray PA and lateral upright
24648-8 | Chest X-ray PA upright
24649-6 | Chest X-ray AP (right lateral-decubitus and left lateral-decubitus) portable
24650-4 | Chest X-ray AP (right lateral-decubitus and left lateral-decubitus)
24651-2 | Chest X-ray right oblique and left oblique upright

24652-0 | Chest X-ray AP right lateral-decubitus portable
24653-8 | Chest X-ray AP and AP right lateral-decubitus
24654-6 | Chest X-ray AP and AP right lateral-decubitus portable
24655-3 | Chest Fluoroscopy Image intensifier during surgery
24656-1 | Chest Fluoroscopy during surgery
24657-9 | Chest X-ray tomograph
24658-7 | Aorta Fluoroscopic angiogram W contrast IA
24659-5 | Chest vessels MR angiogram W contrast IV
24660-3 | Thoracic Aorta MR angiogram
24661-1 | Pleural space Fluoroscopy W contrast intra pleural space
24662-9 | US Guidance for aspiration of Pleural space
24663-7 | Cerebral cisterns NM W radionuclide IT
24664-5 | Clavicle X-ray
24665-2 | Sacrum and Coccyx X-ray
24666-0 | Colon Fluoroscopy W air and barium contrast PR
24667-8 | Colon Fluoroscopy W contrast PR
24668-6 | Colon Fluoroscopy transit Post solid contrast
24669-4 | Colon Fluoroscopy W water soluble contrast PR
24676-9 | Elbow X-ray
24677-7 | Pelvis US transvaginal
24678-5 | Esophagus Fluoroscopy W contrast PO
24679-3 | Esophagus Fluoroscopy W gastrografin PO
24680-1 | Fluoroscopy Guidance for dilation of Esophagus
24681-9 | Esophagus and Hypopharynx Fluoroscopy video W contrast PO during swallowing
24682-7 | Esophagus and Hypopharynx Fluoroscopy video W liquid and paste contrast PO during swallowing
24683-5 | Esophagus+Stomach NM W Tc-99m SC PO
24684-3 | Extracranial vessels Fluoroscopic angiogram Embolectomy W contrast IA
24685-0 | Peripheral veins Fluoroscopic angiogram W contrast IV
24686-8 | Lower extremity X-ray
24687-6 | Lower Extremity Joint MR
24688-4 | Upper extremity MR
24689-2 | Upper extremity X-ray
24690-0 | Extremity CT
24691-8 | Extremity CT W contrast IV
24692-6 | US Guidance for drainage of Extremity
24693-4 | Extremity US
24694-2 | Face MR WO and W contrast IV
24695-9 | Facial bones X-ray
24696-7 | Facial bones CT
24697-5 | Facial bones CT W contrast IV
24698-3 | Femoral artery Fluoroscopic angiogram Angioplasty W contrast IA
24699-1 | Femoral artery Fluoroscopic angiogram runoff W contrast IA
24700-7 | Femur and Tibia X-ray for leg length
24702-3 | Thigh MR
24703-1 | Thigh MR WO and W contrast IV
24704-9 | Femur X-ray
24705-6 | Finger MR
24706-4 | Finger X-ray
24707-2 | Foot MR
24708-0 | Foot X-ray standing
24709-8 | Foot X-ray
24710-6 | Forearm MR
24711-4 | Gallbladder US
24712-2 | Gallbladder X-ray W contrast PO
24713-0 | Gallbladder X-ray 48 hours post contrast PO
24714-8 | Gastrointestinal tract NM for gastrointestinal bleeding W Tc-99m tagged RBC IV
24715-5 | Gastrointestinal tract upper Fluoroscopy Single view W contrast PO
24716-3 | Fluoroscopy Guidance for placement of decompression tube in Gastrointestinal tract
24717-1 | Ileal conduit X-ray Loopogram
24718-9 | Fluoroscopy Guidance for transjugular biopsy of Liver-- W contrast IV
24719-7 | Groin US
24720-5 | Hand MR
24730-4 | Brain NM
24731-2 | Head US
24732-0 | Head US during surgery
24733-8 | Head vessels US.doppler
24734-6 | Cerebral cisterns CT W contrast IT
24735-3 | Internal auditory canal and Posterior fossa MR
24740-3 | Internal auditory canal and Posterior fossa MR WO and W contrast IV
24745-2 | Petrous bone X-ray
24746-0 | Deprecated Head Sagittal Sinus MR
24747-8 | Deprecated Head Sagittal Sinus MR angiogram W contrast IV

24754-4 | Administration of vasodilator into catheter of Vein
24755-1 | Fluoroscopic angiogram Guidance for atherectomy of Vein-- W contrast IV
24756-9 | Fluoroscopic angiogram Guidance for placement of stent in Vein
24757-7 | Deprecated Coronary arteries CT fast
24760-1 | Hip US
24761-9 | Hip X-ray Single view
24762-7 | Hip X-ray
24764-3 | Hip Fluoroscopy Arthrogram
24765-0 | Humerus X-ray 2 views
24766-8 | Iliac artery Fluoroscopic angiogram Angioplasty W contrast IA
24767-6 | Internal auditory canal X-ray tomograph
24769-2 | CT Guidance for injection of Joint space
24770-0 | Joint NM W In-111 Intrajoint
24771-8 | Fluoroscopy Guidance for aspiration of Joint space
24772-6 | US Guidance for biopsy of Kidney
24773-4 | Kidney NM W radionuclide transplant scan
24776-7 | Kidney NM
24778-3 | Kidney - bilateral X-ray 3 views serial WO and W contrast IV
24779-1 | Fluoroscopy Guidance for placement of percutaneous nephrostomy in Kidney - bilateral-- W contrast via tube
24780-9 | Kidney - bilateral Fluoroscopy W contrast via nephrostomy tube
24781-7 | Fluoroscopy Guidance for exchange of percutaneous nephrostomy tube of Kidney - bilateral-- W contrast
24782-5 | Fluoroscopy Guidance for placement of percutaneous nephroureteral stent in Kidney - bilateral-- W contrast via stent
24783-3 | Kidney - bilateral Fluoroscopy Urodynamics
24784-1 | Kidney - bilateral X-ray tomograph WO and W contrast IV
24787-4 | Kidney - bilateral X-ray tomograph WO contrast and 10M post contrast IV
24788-2 | Kidney - bilateral X-ray W contrast IV
24789-0 | Kidney - bilateral X-ray tomograph
24790-8 | Kidney - bilateral X-ray tomograph W contrast IV
24792-4 | Abdomen X-ray AP and AP left lateral-decubitus portable
24793-2 | Abdomen X-ray AP and lateral portable
24794-0 | Abdomen X-ray AP and lateral
24795-7 | Abdomen X-ray AP (supine and upright) portable
24796-5 | Abdomen X-ray AP and AP left lateral-decubitus
24797-3 | Abdomen X-ray AP and oblique prone
24798-1 | Abdomen X-ray AP (supine and upright)
24799-9 | Abdomen X-ray AP single view
24800-5 | Knee Fluoroscopy Arthrogram
24801-3 | Knee X-ray Merchants
24802-1 | Knee MR
24803-9 | Knee MR WO and W contrast IV
24804-7 | Knee NM
24805-4 | Knee X-ray AP and lateral standing
24806-2 | Knee X-ray 2 views
24807-0 | Knee X-ray AP single view standing
24808-8 | Knee X-ray AP and PA standing
24809-6 | Knee X-ray standing
24811-2 | CT Guidance for aspiration of Liver
24812-0 | CT Guidance for biopsy of Liver
24813-8 | CT Guidance for core needle biopsy of Liver
24814-6 | Liver CT
24815-3 | Liver CT W contrast IV
24816-1 | US Guidance for biopsy of Liver
24817-9 | Liver SPECT W Tc-99m IV
24818-7 | Diaphragm and Liver US
24819-5 | Deprecated Liver and Spleen NM W Tc-99m calcium colloid IV
24820-3 | Lower leg vessels MR angiogram W contrast IV
24821-1 | Lower leg MR
24822-9 | CT Guidance for aspiration of Lung
24823-7 | CT Guidance for biopsy of Lung
24824-5 | Lung NM portable
24825-2 | Lung X-ray W contrast intrabronchial
24826-0 | Lymphatic vessels NM W radionuclide intra lymphatic
24827-8 | Lymphatics Fluoroscopy W contrast intra lymphatic
24828-6 | Mandible X-ray tomograph panoramic
24829-4 | Mandible X-ray
24830-2 | Mastoid X-ray
24831-0 | Small bowel NM for Meckel's diverticulum W Tc-99m M04 IV
24832-8 | Mesenteric artery Fluoroscopic angiogram Angioplasty W contrast IA
24833-6 | Mesenteric artery Fluoroscopic angiogram W contrast IA
24834-4 | Nasal bones X-ray
24835-1 | Nasopharynx and Neck CT
24836-9 | Nasopharynx and Neck CT W contrast IV

24837-7 | CT Guidance for aspiration of Neck
24838-5 | CT Guidance for biopsy of Neck
24839-3 | Neck MR
24840-1 | Neck MR WO and W contrast IV
24841-9 | Neck MR W contrast IV
24842-7 | Neck US
24843-5 | Neck X-ray lateral
24844-3 | Neck vessels MR angiogram W contrast IV
24845-0 | Neck Fluoroscopy W contrast intra larynx
24846-8 | Optic foramen X-ray
24848-4 | Orbit - bilateral CT
24929-2 | Spine Thoracic and Lumbar X-ray scoliosis W flexion and W extension
24930-0 | Spine Thoracic and Lumbar X-ray scoliosis
24931-8 | Fluoroscopy Guidance for injection of Spine facet joint
24932-6 | Cervical spine CT
24933-4 | Cervical spine CT W contrast IV
24934-2 | Cervical spine CT W contrast IT
24935-9 | Cervical spine MR
26067-9 | Salivary gland - bilateral Fluoroscopy W contrast intra salivary duct
26068-7 | Salivary gland - left Fluoroscopy W contrast intra salivary duct
26069-5 | Salivary gland - right Fluoroscopy W contrast intra salivary duct
26070-3 | Hip - bilateral Fluoroscopy Arthrogram
26071-1 | Hip - left Fluoroscopy Arthrogram
26072-9 | Hip - right Fluoroscopy Arthrogram
26073-7 | Knee - bilateral Fluoroscopy Arthrogram
26106-5 | Clavicle - bilateral X-ray
26107-3 | Clavicle - left X-ray
26108-1 | Clavicle - right X-ray
26109-9 | Elbow - bilateral X-ray
26110-7 | Elbow - left X-ray
26111-5 | Elbow - right X-ray
26112-3 | Lower extremity - bilateral X-ray
26113-1 | Lower extremity - left X-ray
26114-9 | Lower extremity - right X-ray
26115-6 | Upper extremity - bilateral X-ray
26116-4 | Upper extremity - left X-ray
26117-2 | Upper extremity - right X-ray
26118-0 | Femur - bilateral X-ray
26120-6 | Femur - left X-ray
26122-2 | Femur - right X-ray
26326-9 | US Guidance for drainage of Extremity - left
26327-7 | US Guidance for drainage of Extremity - right
26328-5 | US Guidance for drainage of Kidney - bilateral
26329-3 | US Guidance for drainage of Kidney - left
26330-1 | US Guidance for drainage of Kidney - right
26331-9 | Fluoroscopic angiogram Guidance for change of central venous catheter in Vein - bilateral-- W contrast IV
24849-2 | Orbit - bilateral CT WO and W contrast IV
24850-0 | Orbit - bilateral CT W contrast IV
24851-8 | Orbit - bilateral MR WO and W contrast IV
24852-6 | Orbit - bilateral MR W contrast IV
24853-4 | Eye+Orbit - bilateral US
24854-2 | Orbit - bilateral X-ray
24855-9 | Oropharynx Fluoroscopy video
24856-7 | CT Guidance for aspiration of Pancreas
24857-5 | Pancreas CT
24858-3 | Pancreas CT W contrast IV
24859-1 | Pancreas US
24860-9 | Pancreatic artery Fluoroscopic angiogram W contrast IA
24861-7 | Patella X-ray 2 views
24862-5 | Iliac artery Internal Fluoroscopic angiogram W contrast IA
24863-3 | CT Guidance for aspiration of Pelvis
24864-1 | CT Guidance for biopsy of Pelvis
24865-8 | Pelvis CT
24866-6 | Pelvis CT W contrast IV
24867-4 | Pelvis MR
24868-2 | US Guidance for drainage of Pelvis
24869-0 | Pelvis US
24870-8 | Pelvis vessels US.doppler
24871-6 | Pelvis X-ray pelvimetry
24872-4 | Pelvis and Hip MR
24873-2 | Pelvis vessels MR angiogram W contrast IV
24874-0 | Peripheral arteries Fluoroscopic angiogram W contrast IA

24875-7 | Deprecated Peripheral vessel US.doppler Peripheral plane
24876-5 | Head to Pelvis NM for shunt patency W Tc-99m DTPA IT
24882-3 | Popliteal artery Fluoroscopic angiogram Percutaneous transluminal angioplasty of vessel W contrast IA
24883-1 | US Guidance for biopsy of Prostate
24884-9 | Prostate US
24885-6 | Deprecated US Guidance for repair of Pseudoaneurysm/AV fistula
24887-2 | Pulmonary arteries Fluoroscopic angiogram Embolectomy W contrast IA
24888-0 | Pulmonary system NM ventilation and perfusion W Xe-133 IH and W Tc-99m MAA IV
24889-8 | Pylorus US for Pyloric Stenosis
24891-4 | Radius and Ulna X-ray
24892-2 | Rectum US
24893-0 | Rectum Fluoroscopy post contrast PR during defecation
24894-8 | Rectum and Urinary bladder Fluoroscopy W contrast PR and intra bladder during defecation and voiding
24896-3 | US Guidance for drainage of Kidney
24899-7 | Ribs X-ray
24900-3 | Sacroiliac Joint X-ray
24901-1 | CT Guidance for injection of Sacroiliac Joint
24902-9 | Salivary gland Fluoroscopy W contrast intra salivary duct
24903-7 | Scapula X-ray
24904-5 | Pituitary and Sella turcica CT WO and W contrast IV
24905-2 | Shoulder MR
24906-0 | Shoulder MR WO and W contrast IV
24907-8 | Shoulder US
24908-6 | Shoulder X-ray 3 views
24909-4 | Shoulder X-ray
24910-2 | Shoulder Fluoroscopy Arthrogram
24911-0 | Shunt Fluoroscopy
24912-8 | Sinus tract Fluoroscopy W contrast intra sinus tract
24913-6 | Sinuses CT limited
24914-4 | Sinuses MR
24915-1 | Sinuses MR W contrast IV
24916-9 | Sinuses X-ray
24917-7 | Skull X-ray Single view
24918-5 | Skull X-ray 3 views
24919-3 | Skull X-ray AP and lateral
24920-1 | Skull X-ray lateral
24921-9 | Skull X-ray Waters
24922-7 | Skull X-ray 5 views
24923-5 | Small bowel Fluoroscopy W positive contrast via enteroclysis tube
24924-3 | Small bowel Fluoroscopy W contrast PO
24925-0 | Spinal artery Fluoroscopic angiogram W contrast IA
24926-8 | Spine US
24927-6 | Spine Fluoroscopy W contrast intradisc
24928-4 | Spine X-ray AP and lateral
24936-7 | Cervical spine MR W anesthesia
24937-5 | Cervical spine MR WO and W contrast IV
24938-3 | Cervical spine MR W contrast IV
24939-1 | Cervical spine X-ray 5 views
24940-9 | Cervical spine X-ray Single view
24941-7 | Cervical spine X-ray 3 views
24942-5 | Cervical spine X-ray AP and lateral
24943-3 | Cervical spine X-ray lateral
24944-1 | Cervical spine X-ray Swimmers
24945-8 | Cervical spine X-ray W flexion and W extension
24946-6 | Cervical spine X-ray
24947-4 | Cervical spine Fluoroscopy W contrast IT
24948-2 | Spine Cervical Odontoid and Cervical axis X-ray AP single view
24963-1 | Lumbar spine CT
24964-9 | Lumbar spine CT W contrast IV
24965-6 | Lumbar spine CT W contrast IT
25077-9 | Fluoroscopic angiogram Guidance for placement of catheter in Hepatic artery-- W contrast IA
25078-7 | Fluoroscopy Guidance for placement of stent in Intrahepatic portal system
25079-5 | Kidney arteries Fluoroscopic angiogram W contrast IA
25080-3 | Renal vein - bilateral Fluoroscopic angiogram W contrast IV and W renin sampling
24967-2 | Lumbar spine MR WO and W contrast IV
24968-0 | Lumbar spine MR
24969-8 | Lumbar spine X-ray lateral
24970-6 | Lumbar spine X-ray AP and lateral
24971-4 | Lumbar spine X-ray W flexion and W extension
24972-2 | Lumbar spine X-ray
24973-0 | Fluoroscopy Guidance for aspiration of Spine Lumbar Space
24974-8 | Lumbar spine Fluoroscopy W contrast IT

24975-5 | Spine.lumbar and Sacroiliac joint - bilateral X-ray
24977-1 | Lumbar spine MR W anesthesia
24978-9 | Thoracic spine CT
24979-7 | Thoracic spine CT W contrast IV
24980-5 | Thoracic spine MR
24981-3 | Thoracic spine MR WO and W contrast IV
24982-1 | Thoracic spine MR W contrast IV
24983-9 | Thoracic spine X-ray
24984-7 | Spine Thoracic and Lumbar X-ray 2 views
24985-4 | Thoracic spine Fluoroscopy W contrast IT
24986-2 | CT Guidance for biopsy of Spine
24987-0 | Spine CT W contrast IV
24988-8 | Spleen CT
24989-6 | Spleen CT WO and W contrast IV
24990-4 | Spleen US
24991-2 | Splenic vein and Portal vein Fluoroscopic angiogram W contrast IA
24992-0 | Splenic artery Fluoroscopic angiogram W contrast IA
24993-8 | Sternoclavicular Joints X-ray
24994-6 | Sternum X-ray
24995-3 | Fluoroscopy Guidance for placement of tube in Stomach
24996-1 | Fluoroscopy Guidance for replacement of percutaneous gastrostomy in Stomach
24997-9 | Stomach NM for gastric emptying solid phase W Tc-99m SC PO
24998-7 | Placement check of gastrostomy tube W contrast via GI tube
24999-5 | Temporomandibular joint MR
25000-1 | Temporomandibular joint X-ray
25001-9 | Scrotum and Testicle NM W Tc-99m pertechnetate IV
25002-7 | Scrotum and Testicle US
25003-5 | Thigh vessels MR angiogram W contrast IV
25005-0 | Three vessels Fluoroscopic angiogram W contrast
25006-8 | Thumb X-ray
25007-6 | Thyroid gland NM W I-131 IV
25008-4 | Thyroid gland NM and uptake W I-131 IV
25009-2 | US Guidance for biopsy of Thyroid gland
25010-0 | Thyroid gland US
25011-8 | Tibia and Fibula X-ray
25012-6 | Tibial artery Fluoroscopic angiogram Angioplasty W contrast IA
25013-4 | Toes X-ray
25014-2 | Two vessels Fluoroscopic angiogram W contrast
25015-9 | Upper GI tract Replacement of percutaneous gastrojejunostomy
25016-7 | Urethra Fluoroscopy W contrast intra urethra
25017-5 | Urinary bladder and Urethra Fluoroscopy W contrast intra bladder
25018-3 | Urinary bladder NM
25019-1 | Urinary bladder US
25020-9 | Urinary bladder and Urethra Fluoroscopy W contrast retrograde via urethra
25022-5 | Uterus and Fallopian tubes Fluoroscopy W contrast IU
25023-3 | Vein Fluoroscopic angiogram W contrast IV
25024-1 | Fluoroscopic angiogram Guidance for placement of peripherally-inserted central venous catheter in Vein
25025-8 | Vena cava Fluoroscopic angiogram W contrast IV
25026-6 | Fluoroscopic angiogram Guidance for placement of IVC filter in Inferior vena cava-- W contrast IV
25027-4 | Guidance for placement of large bore central venous catheter in Vein
25028-2 | Fluoroscopic angiogram Guidance for placement of catheter for adminstration of thrombolytic in Vessel-- W contrast intravascular
25029-0 | Fluoroscopic angiogram Guidance for placement of catheter for vasoconstrictor infusion in Vessels
25030-8 | Abdominal Arteries Fluoroscopic angiogram W contrast IA
25031-6 | Bone NM
25032-4 | Bone NM W In-111 tagged WBC IV
25033-2 | Wrist MR
25034-0 | Wrist Fluoroscopy Arthrogram
25035-7 | Wrist MR WO and W contrast IV
25036-5 | Wrist US
25038-1 | Unspecified body region Courtesy consultation
25039-9 | Unspecified body region CT limited
25040-7 | Deprecated Unspecified body region CT 3D
25041-5 | CT Guidance for aspiration or biopsy of Unspecified body region-- W contrast IV
25042-3 | CT Guidance for aspiration or biopsy of Unspecified body region
25043-1 | CT Guidance for aspiration of Unspecified body region
25044-9 | CT Guidance for biopsy of Unspecified body region
25045-6 | Unspecified body region CT
25046-4 | Unspecified body region CT W anesthesia
25047-2 | Unspecified body region CT W conscious sedation
25050-6 | Deprecated Unspecified body region CT 3D sagittal and coronal disarticulation
25051-4 | Deprecated Unspecified body region CT Multisectional sagittal
25052-2 | Deprecated Unspecified body region CT sagittal and coronal

25053-0 | CT Guidance for radiosurgery of Unspecified body region
25054-8 | CT Guidance for radiosurgery of Unspecified body region-- W contrast IV
25055-5 | Deprecated Unspecified body region MR additional sequence
25056-3 | Unspecified body region MR
25068-8 | Unspecified body region Fluoroscopy 1 hour
25069-6 | Fluoroscopy Guidance for biopsy of Unspecified body region
25070-4 | Unspecified body region Fluoroscopy during surgery
25071-2 | Unspecified body region X-ray tomograph
25072-0 | Guidance for placement of infusion port in Unspecified body region
25073-8 | Vessel Fluoroscopic angiogram Removal of foreign body from vascular space
25074-6 | Zygomatic arch X-ray
25076-1 | Hepatic artery Fluoroscopic angiogram W contrast IA
25081-1 | Renal vessel Fluoroscopic angiogram Angioplasty W contrast IA
26064-6 | Vein - bilateral Fluoroscopic angiogram W contrast IV
26065-3 | Vein - left Fluoroscopic angiogram W contrast IV
26066-1 | Vein - right Fluoroscopic angiogram W contrast IV
26074-5 | Knee - left Fluoroscopy Arthrogram
26075-2 | Knee - right Fluoroscopy Arthrogram
26076-0 | Shoulder - bilateral Fluoroscopy Arthrogram
26077-8 | Shoulder - left Fluoroscopy Arthrogram
26078-6 | Shoulder - right Fluoroscopy Arthrogram
26079-4 | Carotid artery - bilateral Fluoroscopic angiogram W contrast IA
26080-2 | Carotid artery - left Fluoroscopic angiogram W contrast IA
26081-0 | Carotid artery - right Fluoroscopic angiogram W contrast IA
26082-8 | Spinal artery - bilateral Fluoroscopic angiogram W contrast IA
26083-6 | Spinal artery - left Fluoroscopic angiogram W contrast IA
26084-4 | Spinal artery - right Fluoroscopic angiogram W contrast IA
26085-1 | Knee - bilateral X-ray standing
26086-9 | Knee - left X-ray standing
26087-7 | Knee - right X-ray standing
26088-5 | Knee - bilateral NM
26089-3 | Knee - left NM
26090-1 | Knee - right NM
26091-9 | Scrotum and Testicle - bilateral NM W Tc-99m pertechnetate IV
26092-7 | Scrotum and Testicle - left NM W Tc-99m pertechnetate IV
26093-5 | Scrotum and Testicle - right NM W Tc-99m pertechnetate IV
26094-3 | Foot - bilateral X-ray standing
26095-0 | Foot - left X-ray standing
26344-2 | Mammogram Guidance for aspiration of cyst of Breast - left
26345-9 | Mammogram Guidance for aspiration of cyst of Breast - right
26346-7 | Breast - bilateral Mammogram diagnostic
26347-5 | Breast - left Mammogram diagnostic
26348-3 | Breast - right Mammogram diagnostic
26349-1 | Breast - bilateral Mammogram diagnostic limited
26129-7 | Foot - right X-ray
26130-5 | Hip - bilateral X-ray
26131-3 | Hip - left X-ray
26132-1 | Hip - right X-ray
26133-9 | Acetabulum - bilateral X-ray
26134-7 | Acetabulum - left X-ray
26135-4 | Acetabulum - right X-ray
26136-2 | Acromioclavicular joint - bilateral X-ray
26137-0 | Acromioclavicular joint - left X-ray
26138-8 | Acromioclavicular joint - right X-ray
26139-6 | Mastoid - bilateral X-ray
26096-8 | Foot - right X-ray standing
26097-6 | Ankle - bilateral X-ray
26098-4 | Ankle - left X-ray
26099-2 | Ankle - right X-ray
26100-8 | Deprecated Calcaneus - bilateral X-ray standing
26101-6 | Deprecated Calcaneus - left X-ray
26102-4 | Deprecated Calcaneus - right X-ray
26124-8 | Finger - bilateral X-ray
26125-5 | Finger - left X-ray
26126-3 | Finger - right X-ray
26127-1 | Foot - bilateral X-ray
26128-9 | Foot - left X-ray
26140-4 | Mastoid - left X-ray
26141-2 | Mastoid - right X-ray
26142-0 | Optic foramen - bilateral X-ray
26143-8 | Optic foramen - left X-ray
26144-6 | Optic foramen - right X-ray

26146-1 | Radius - bilateral and Ulna - bilateral X-ray
26148-7 | Radius - left and Ulna - left X-ray
26150-3 | Radius - right and Ulna - right X-ray
26151-1 | Ribs - bilateral X-ray
26152-9 | Ribs - left X-ray
26153-7 | Ribs - right X-ray
26154-5 | Scapula - bilateral X-ray
26155-2 | Scapula - left X-ray
26156-0 | Scapula - right X-ray
26157-8 | Shoulder - bilateral X-ray
26158-6 | Shoulder - left X-ray
26159-4 | Shoulder - right X-ray
26160-2 | Thumb - bilateral X-ray
26161-0 | Thumb - left X-ray
26162-8 | Thumb - right X-ray
26163-6 | Tibia - bilateral and Fibula - bilateral X-ray
26164-4 | Tibia - left and Fibula - left X-ray
26165-1 | Tibia - right and Fibula - right X-ray
26166-9 | Toes - bilateral X-ray
26167-7 | Toes - left X-ray
26168-5 | Toes - right X-ray
26169-3 | Wrist - bilateral X-ray
26170-1 | Wrist - left X-ray
26171-9 | Wrist - right X-ray
26172-7 | Zygomatic arch - bilateral X-ray
26173-5 | Zygomatic arch - left X-ray
26174-3 | Zygomatic arch - right X-ray
26175-0 | Breast - bilateral Mammogram screening
26176-8 | Breast - left Mammogram screening
26177-6 | Breast - right Mammogram screening
26178-4 | Femoral artery - bilateral Fluoroscopic angiogram runoff W contrast IA
26179-2 | Femoral artery - left Fluoroscopic angiogram runoff W contrast IA
26180-0 | Femoral artery - right Fluoroscopic angiogram runoff W contrast IA
26181-8 | Thoracic inlet vessels - bilateral MR angiogram W contrast IV
26182-6 | Thoracic inlet vessels - left MR angiogram W contrast IV
26183-4 | Thoracic inlet vessels - right MR angiogram W contrast IV
26184-2 | Extremity - bilateral CT W contrast IV
26185-9 | Extremity - left CT W contrast IV
26186-7 | Extremity - right CT W contrast IV
26187-5 | Ankle - bilateral MR WO and W contrast IV
26188-3 | Ankle - left MR WO and W contrast IV
26189-1 | Ankle - right MR WO and W contrast IV
26190-9 | Brachial plexus - bilateral MR WO and W contrast IV
26191-7 | Brachial plexus - left MR WO and W contrast IV
26192-5 | Brachial plexus - right MR WO and W contrast IV
26193-3 | Elbow - bilateral MR WO and W contrast IV
26194-1 | Elbow - left MR WO and W contrast IV
26195-8 | Elbow - right MR WO and W contrast IV
26196-6 | Thigh - bilateral MR WO and W contrast IV
26197-4 | Thigh - left MR WO and W contrast IV
26198-2 | Thigh - right MR WO and W contrast IV
26199-0 | Knee - bilateral MR WO and W contrast IV
26200-6 | Knee - left MR WO and W contrast IV
26201-4 | Knee - right MR WO and W contrast IV
26202-2 | Shoulder - bilateral MR WO and W contrast IV
26203-0 | Shoulder - left MR WO and W contrast IV
26204-8 | Shoulder - right MR WO and W contrast IV
26205-5 | Wrist - bilateral MR WO and W contrast IV
26206-3 | Wrist - left MR WO and W contrast IV
26207-1 | Wrist - right MR WO and W contrast IV
26208-9 | Ankle - bilateral MR
26209-7 | Ankle - left MR
26210-5 | Ankle - right MR
26211-3 | Brachial plexus - bilateral MR
26212-1 | Brachial plexus - left MR
26213-9 | Brachial plexus - right MR
26214-7 | Breast - bilateral US
26215-4 | Breast - left US
26216-2 | Breast - right US
26217-0 | Carotid arteries - bilateral US
26218-8 | Carotid arteries - left US
26219-6 | Carotid arteries -right US

26220-4 | Elbow - bilateral MR
26221-2 | Elbow - left MR
26222-0 | Elbow - right MR
26223-8 | Extremity - bilateral US
26224-6 | Extremity - bilateral CT
26225-3 | Extremity - left US
26226-1 | Extremity - left CT
26227-9 | Lower extremity joint - bilateral MR
26228-7 | Lower extremity joint - left MR
26229-5 | Lower extremity joint - right MR
26230-3 | Extremity - right US
26231-1 | Extremity - right CT
26232-9 | Upper extremity - bilateral MR
26233-7 | Upper extremity - left MR
26234-5 | Upper extremity - right MR
26235-2 | Thigh - bilateral MR
26236-0 | Thigh - left MR
26237-8 | Thigh - right MR
26238-6 | Finger - bilateral MR
26239-4 | Finger - left MR
26240-2 | Finger - right MR
26241-0 | Foot - bilateral MR
26242-8 | Foot - left MR
26243-6 | Foot - right MR
26244-4 | Forearm - bilateral MR
26245-1 | Forearm - left MR
26246-9 | Forearm - right MR
26247-7 | Hand - bilateral MR
26248-5 | Hand - left MR
26249-3 | Hand - right MR
26250-1 | Hip - bilateral US
26251-9 | Hip - left US
26252-7 | Hip - right US
26253-5 | Internal auditory canal - bilateral X-ray tomograph
26254-3 | Internal auditory canal - left X-ray tomograph
26255-0 | Internal auditory canal - right X-ray tomograph
26256-8 | Knee - bilateral MR
26257-6 | Knee - left MR
26258-4 | Knee - right MR
26259-2 | Pelvis and Hip - bilateral MR
26260-0 | Pelvis and Hip - left MR
26261-8 | Pelvis and Hip - right MR
26262-6 | Popliteal space - bilateral US
26263-4 | Popliteal space - left US
26264-2 | Popliteal space - right US
26265-9 | Shoulder - bilateral US
26266-7 | Shoulder - bilateral MR
26267-5 | Shoulder - left US
26268-3 | Shoulder - left MR
26269-1 | Shoulder - right US
26270-9 | Shoulder - right MR
26271-7 | Scrotum and Testicle - bilateral US
26272-5 | Scrotum and Testicle - left US
26273-3 | Scrotum and Testicle - right US
26277-4 | Wrist - bilateral MR
26278-2 | Wrist - bilateral US
26279-0 | Wrist - left MR
26280-8 | Wrist - left US
26281-6 | Wrist - right MR
26282-4 | Wrist - right US
26283-2 | Knee - bilateral X-ray Merchants
26284-0 | Knee - left X-ray Merchants
26285-7 | Knee - right X-ray Merchants
26286-5 | Breast - bilateral US limited
26287-3 | Breast - bilateral Mammogram limited
26288-1 | Breast - left US limited
26289-9 | Breast - left Mammogram limited
26290-7 | Breast - right US limited
26291-5 | Breast - right Mammogram limited
26292-3 | Mammogram Guidance for stereotactic biopsy of Breast - bilateral
26293-1 | Mammogram Guidance for stereotactic biopsy of Breast - left
26294-9 | Mammogram Guidance for stereotactic biopsy of Breast - right

26295-6 | Fluoroscopic angiogram Guidance for reposition of central venous catheter in Vein - bilateral-- W contrast IV
26296-4 | Fluoroscopic angiogram Guidance for reposition of central venous catheter in Vein - left-- W contrast IV
26297-2 | Fluoroscopic angiogram Guidance for reposition of central venous catheter in Vein - right-- W contrast IV
26298-0 | Fluoroscopic angiogram Guidance for atherectomy of Vein - bilateral-- W contrast IV
26299-8 | Fluoroscopic angiogram Guidance for atherectomy of Vein - left-- W contrast IV
26300-4 | Fluoroscopic angiogram Guidance for atherectomy of Vein - right-- W contrast IV
26301-2 | Fluoroscopic angiogram Guidance for placement of stent in Vein - bilateral
26302-0 | Fluoroscopic angiogram Guidance for placement of stent in Vein - left
26303-8 | Fluoroscopic angiogram Guidance for placement of stent in Vein - right
26304-6 | Fluoroscopic angiogram Guidance for placement of peripherally-inserted central venous catheter in Vein - bilateral
26305-3 | Fluoroscopic angiogram Guidance for placement of peripherally-inserted central venous catheter in Vein - left
26306-1 | Fluoroscopic angiogram Guidance for placement of peripherally-inserted central venous catheter in Vein - right
26307-9 | Guidance for placement of large bore central venous catheter in Vein - bilateral
26308-7 | Guidance for placement of large bore central venous catheter in Vein - left
26309-5 | Guidance for placement of large bore central venous catheter in Vein - right
26310-3 | Fluoroscopic angiogram Guidance for placement of central venous catheter in Vein - bilateral-- W contrast IV
26311-1 | Fluoroscopic angiogram Guidance for placement of central venous catheter in Vein - left-- W contrast IV
26312-9 | Fluoroscopic angiogram Guidance for placement of central venous catheter in Vein - right-- W contrast IV
26313-7 | US Guidance for needle localization of Breast - bilateral
26314-5 | US Guidance for needle localization of Breast - left
26315-2 | Mammogram Guidance for needle localization of mass of Breast - bilateral
26316-0 | Mammogram Guidance for needle localization of mass of Breast - left
26317-8 | Mammogram Guidance for needle localization of mass of Breast - right
26318-6 | US Guidance for needle localization of Breast - right
26319-4 | CT Guidance for injection of Sacroiliac joint - bilateral
26320-2 | CT Guidance for injection of Sacroiliac joint - left
26321-0 | CT Guidance for injection of Sacroiliac joint - right
26322-8 | Fluoroscopy Guidance for injection of Spine facet joint - bilateral
26323-6 | Fluoroscopy Guidance for injection of Spine facet joint - left
26324-4 | Fluoroscopy Guidance for injection of Spine facet joint - right
26325-1 | US Guidance for drainage of Extremity - bilateral
26332-7 | Fluoroscopic angiogram Guidance for change of central venous catheter in Vein - left-- W contrast IV
26333-5 | Fluoroscopic angiogram Guidance for change of central venous catheter in Vein - right-- W contrast IV
26334-3 | Mammogram Guidance for core needle percutaneous biopsy of Breast - bilateral
26335-0 | Mammogram Guidance for core needle percutaneous biopsy of Breast - left
26336-8 | Mammogram Guidance for core needle percutaneous biopsy of Breast - right
26337-6 | Mammogram Guidance for biopsy of Breast - bilateral
26338-4 | Mammogram Guidance for biopsy of Breast - left
26339-2 | Mammogram Guidance for biopsy of Breast - right
26340-0 | US Guidance for biopsy of Kidney - bilateral
26341-8 | US Guidance for biopsy of Kidney - left
26342-6 | US Guidance for biopsy of Kidney - right
26343-4 | Mammogram Guidance for aspiration of cyst of Breast - bilateral
26350-9 | Breast - left Mammogram diagnostic limited
26351-7 | Breast - right Mammogram diagnostic limited
26352-5 | Wrist - bilateral and Hand - bilateral X-ray bone age
26353-3 | Wrist - left and Hand - left X-ray bone age
26354-1 | Wrist - right and Hand - right X-ray bone age
26355-8 | Hand - bilateral X-ray arthritis
26356-6 | Hand - left X-ray arthritis
26357-4 | Hand - right X-ray arthritis
26358-2 | Knee - bilateral X-ray AP single view standing
26359-0 | Knee - left X-ray AP single view standing
26360-8 | Knee - right X-ray AP single view standing
26361-6 | Knee - bilateral X-ray AP and PA standing
26362-4 | Knee - left X-ray AP and PA standing
26363-2 | Knee - right X-ray AP and PA standing
26364-0 | Knee - bilateral X-ray AP and lateral standing
26365-7 | Knee - left X-ray AP and lateral standing
26366-5 | Knee - right X-ray AP and lateral standing
26368-1 | Deprecated Brachiocephalic artery - left Fluoroscopic angiogram Angioplasty W contrast IA
26369-9 | Deprecated Brachiocephalic artery - right Fluoroscopic angiogram Angioplasty W contrast IA
26370-7 | Iliac artery - bilateral Fluoroscopic angiogram Angioplasty W contrast IA
26371-5 | Iliac artery - left Fluoroscopic angiogram Angioplasty W contrast IA
26372-3 | Iliac artery - right Fluoroscopic angiogram Angioplasty W contrast IA
26373-1 | Tibial artery - bilateral Fluoroscopic angiogram Angioplasty W contrast IA
26374-9 | Tibial artery - left Fluoroscopic angiogram Angioplasty W contrast IA
26375-6 | Tibial artery - right Fluoroscopic angiogram Angioplasty W contrast IA
26376-4 | Administration of vasodilator into catheter of Vein - bilateral
26377-2 | Administration of vasodilator into catheter of Vein - left
26378-0 | Administration of vasodilator into catheter of Vein - right
26379-8 | Hand - bilateral X-ray 3 views

26380-6 | Hand - left X-ray 3 views
26381-4 | Hand - right X-ray 3 views
26382-2 | Shoulder - bilateral X-ray 3 views
26383-0 | Shoulder - left X-ray 3 views
26384-8 | Shoulder - right X-ray 3 views
26385-5 | Ankle - bilateral X-ray 2 views
26386-3 | Ankle - left X-ray 2 views
26387-1 | Ankle - right X-ray 2 views
26388-9 | Hand - bilateral X-ray 2 views
26389-7 | Hand - left X-ray 2 views
26390-5 | Hand - right X-ray 2 views
26391-3 | Humerus - bilateral X-ray 2 views
26392-1 | Humerus - left X-ray 2 views
26393-9 | Humerus - right X-ray 2 views
26394-7 | Knee - bilateral X-ray 2 views
26395-4 | Knee - left X-ray 2 views
26396-2 | Knee - right X-ray 2 views
26397-0 | Patella - bilateral X-ray 2 views
26398-8 | Patella - left X-ray 2 views
26399-6 | Patella - right X-ray 2 views
26400-2 | Hip - bilateral X-ray Single view
26401-0 | Hip - left X-ray Single view
26402-8 | Hip - right X-ray Single view
28564-3 | Skull X-ray
28565-0 | Knee X-ray
28566-8 | Spine CT
28567-6 | Humerus X-ray
28568-4 | Physician Emergency department Note
28569-2 | Physician consulting Progress note
28570-0 | Provider-unspecified Procedure note
28032-1 | Deprecated Cardiac echo, study
28561-9 | Pelvis X-ray
28571-8 | Speech-language pathology Note
28572-6 | Dentistry Initial evaluation note
28573-4 | Physician, Operation note
28574-2 | Discharge note
28575-9 | Nurse practitioner Progress note
28576-7 | Joint MR
28577-5 | Dentistry Procedure note
28578-3 | Occupational therapy Note
28579-1 | Physical therapy Note
28580-9 | Chiropractic medicine Progress note
28581-7 | Chiropractic medicine Initial evaluation note
28582-5 | Hand X-ray
28583-3 | Dentist Operation note
28613-8 | Spine X-ray
28614-6 | Liver US
28615-3 | Audiology study
28616-1 | Physician Transfer note
28617-9 | Dentistry Progress note
28618-7 | Dentistry Note
28621-1 | Nurse practitioner Initial evaluation note
28622-9 | Nurse Discharge assessment
28623-7 | Nurse Progress note
28624-5 | Podiatry Operation note
28625-2 | Podiatry Procedure note
28626-0 | Physician History and physical note
28627-8 | Psychiatry Progress note
28628-6 | Psychiatry Note
28629-4 | Perimetry study
28630-2 | Tonometry study
28631-0 | Visual acuity study
28632-8 | Heterophoria study
28633-6 | Polysomnography (sleep) study
28635-1 | Psychiatry Initial evaluation note
28636-9 | Provider-unspecified Initial assessment
28651-8 | Nurse Transfer note
28653-4 | Social work Note
28654-2 | Physician attending Initial evaluation note
28655-9 | Physician attending Discharge summary
28656-7 | Social work Progress note
29206-0 | Speech therapy service attachment

29252-4 | Chest CT WO contrast
29272-2 | Eye ultrasound study
30601-9 | CT Guidance for biopsy of Abdomen
30602-7 | CT Guidance for fine needle aspiration of Abdomen
30603-5 | CT Guidance for fine needle aspiration of Liver
30604-3 | CT Guidance for biopsy of Pancreas
30605-0 | CT Guidance for fine needle aspiration of Pancreas
30606-8 | CT Guidance for fine needle aspiration of Pelvis
30607-6 | CT Guidance for biopsy of Kidney - bilateral
30700-9 | US Guidance for needle biopsy of Unspecified body region
30701-7 | Unspecified body region US during surgery
30702-5 | US Guidance for injection of Thyroid gland
30703-3 | US Guidance for aspiration of Pericardial space
30704-1 | Abdomen US limited
30705-8 | Uterus and Fallopian tubes US
30706-6 | Liver US during surgery
29749-9 | Dialysis records
29750-7 | Neonatal intensive care records
29751-5 | Critical care records
29752-3 | Perioperative records
29753-1 | Nurse Initial evaluation note
29754-9 | Nystagmogram study
29755-6 | Nerve conduction study
29756-4 | Peritoneoscopy study
29757-2 | Colposcopy study
29761-4 | Dentistry Discharge summary
30627-4 | Upper extremity CT WO contrast
30628-2 | Fluoroscopy Guidance for removal of foreign body of Unspecified body region
30629-0 | Fluoroscopy Guidance for procedure of Unspecified body region
30630-8 | Cerebral cisterns Fluoroscopy video W contrast
30631-6 | Chest Fluoroscopy
30819-7 | Epidural veins Fluoroscopic angiogram W contrast IV
30820-5 | Carotid artery.external - bilateral Fluoroscopic angiogram W contrast IA
30821-3 | Carotid artery.external Fluoroscopic angiogram W contrast IA

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.236 Value Set http://hl7.org/fhir/ValueSet/composition-status

URL: https://hl7.org/fhir/STU3/valueset-composition-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/composition-status
Name: | CompositionStatus
Definition: | The workflow/clinical status of the composition.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.236 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CompositionStatus

* This value set has translations in the ConceptMap v3 map for CompositionStatus

* DocumentReference.docStatus (Required)

* Composition.status (Required)

* StructureDefinition ClinicalDocument: Composition.status ((Required))

4.3.1.236.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/composition-status

4.3.1.236.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/composition-status version 3.0.2

All codes from system http://hl7.org/fhir/composition-status

Code | Display | Definition
preliminary | Preliminary | This is a preliminary composition or document (also known as initial or interim). The content may be incomplete or unverified.
final | Final | This version of the composition is complete and verified by an appropriate person and no further work is planned. Any subsequent updates would be on a new version of the composition.
amended | Amended | The composition content or the referenced resources have been modified (edited or added to) subsequent to being released as "final" and the composition is complete and verified by an authorized person.
entered-in-error | Entered in Error | The composition or document was originally created/issued in error, and this is an amendment that marks that the entire series should not be considered as valid.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.238 Value Set http://hl7.org/fhir/ValueSet/doc-classcodes

URL: https://hl7.org/fhir/STU3/valueset-doc-classcodes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://hl7.org .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/doc-classcodes
Name: | FHIR Document Class Codes
Definition: | LOINC codes for Document Kind, taken from the LOINC document ontology.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.238 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* Composition.class (Example)

* StructureDefinition ClinicalDocument: Composition.class ((Example))

4.3.1.238.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://loinc.org

Code | Display
LP173387-4 | Administrative note
LP173388-2 | Against medical advice note
LP173389-0 | Agreement
LP173390-8 | Certificate
LP173394-0 | Consent
LP173403-9 | Contract
LP193873-9 | Driver license
LP173404-7 | Health insurance card
LP173405-4 | Health insurance-related form
LP173406-2 | Health record cover sheet
LP173407-0 | Legal document
LP181089-6 | Request

LP173409-6 | Advance directive
LP173410-4 | Do not resuscitate
LP173412-0 | Living will
LP173413-8 | Rescinded advance directive
LP173414-6 | Diagram
LP173415-3 | Flowsheet
LP181112-6 | Form
LP181116-7 | Instructions
LP181119-1 | Action plan
LP173118-3 | Discharge instructions
LP173416-1 | Legal
LP173417-9 | Letter
LP173418-7 | Note
LP173419-5 | Adverse event note
LP173420-3 | Alert
LP181207-4 | Order
LP181204-1 | Prescription
LP156982-3 | Photographic image
LP173421-1 | Report
LP183503-4 | Case report
LP183502-6 | Registry report

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.239 Value Set http://hl7.org/fhir/ValueSet/document-relationship-type

URL: https://hl7.org/fhir/STU3/valueset-document-relationship-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/document-relationship-type
Name: | DocumentRelationshipType
Definition: | The type of relationship between documents.
Committee: | Structured Documents Work Group
OID: | 2.16.840.1.113883.4.642.3.239 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DocumentRelationshipType

* DocumentReference.relatesTo.code (Required)

* Composition.relatesTo.code (Required)

* StructureDefinition ClinicalDocument: Composition.relatesTo.code ((Required))

4.3.1.239.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/document-relationship-type

4.3.1.239.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/document-relationship-type version 3.0.2

All codes from system http://hl7.org/fhir/document-relationship-type

Code | Display | Definition
replaces | Replaces | This document logically replaces or supersedes the target document.
transforms | Transforms | This document was generated by transforming the target document (e.g. format or language conversion).

signs | Signs | This document is a signature of the target document.
appends | Appends | This document adds additional information to the target document.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.241 Value Set http://hl7.org/fhir/ValueSet/encounter-status

URL: https://hl7.org/fhir/STU3/valueset-encounter-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-status
Name: | EncounterStatus
Definition: | Current state of the encounter
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.241 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for EncounterStatus

* Encounter.status (Required)

* Encounter.statusHistory.status (Required)

4.3.1.241.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/encounter-status

4.3.1.241.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/encounter-status version 3.0.2

All codes from system http://hl7.org/fhir/encounter-status

Code | Display | Definition
planned | Planned | The Encounter has not yet started.
arrived | Arrived | The Patient is present for the encounter, however is not currently meeting with a practitioner.
triaged | Triaged | The patient has been assessed for the priority of their treatment based on the severity of their condition.
in-progress | In Progress | The Encounter has begun and the patient is present / the practitioner and the patient are meeting.
onleave | On Leave | The Encounter has begun, but the patient is temporarily on leave.
finished | Finished | The Encounter has ended.
cancelled | Cancelled | The Encounter has ended before it has begun.
entered-in-error | Entered in Error | This instance should not have been part of this patient's medical record.
unknown | Unknown | The encounter status is unknown. Note that "unknown" is a value of last resort and every attempt should be made to provide a meaningful value other than "unknown".

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.243 Value Set http://hl7.org/fhir/ValueSet/encounter-type

URL: https://hl7.org/fhir/STU3/valueset-encounter-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-type
Name: | EncounterType
Definition: | This example value set defines a set of codes that can be used to indicate the type of encounter: a specific code indicating type of service provided.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.243 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for EncounterType

* Encounter.type (Example)

4.3.1.243.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/encounter-type

4.3.1.243.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/encounter-type version 3.0.2

All codes from system http://hl7.org/fhir/encounter-type

Code | Display | Definition
ADMS | Annual diabetes mellitus screening
BD/BM-clin | Bone drilling/bone marrow punction in clinic
CCS60 | Infant colon screening - 60 minutes
OKI | Outpatient Kenacort injection

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.245 Value Set http://hl7.org/fhir/ValueSet/encounter-participant-type

URL: https://hl7.org/fhir/STU3/valueset-encounter-participant-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-participant-type
Name: | ParticipantType
Definition: | This value set defines a set of codes that can be used to indicate how an individual participates in an encounter.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.245 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ParticipantType

* Appointment.participant.type (Extensible)

* Encounter.participant.type (Extensible)

* AppointmentResponse.participantType (Extensible)

4.3.1.245.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://hl7.org/fhir/v3/ParticipationType where concept is-a _ParticipationAncillary

* Include these codes as defined in

http://hl7.org/fhir/v3/ParticipationType

Code | Display
SPRF | secondary performer | A person assisting in an act through his substantial presence and involvement This includes: assistants, technicians, associates, or whatever the job titles may be.
PPRF | primary performer | The principal or primary performer of the act.
PART | Participation | Indicates that the target of the participation is involved in some manner in the act, but does not qualify how.

* Include all codes defined in http://hl7.org/fhir/participant-type

* Exclude these codes as defined in

http://hl7.org/fhir/v3/ParticipationType

Code | Display
_ParticipationAncillary | ParticipationAncillary | Participations related, but not primary to an act. The Referring, Admitting, and Discharging practitioners must be the same person as those authoring the ControlAct event for their respective trigger events.

4.3.1.245.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 12 concepts

Expansion based on http://hl7.org/fhir/v3/ParticipationType version 2016-11-11, http://hl7.org/fhir/participant-type version 3.0.2

Code | System | Display | Definition
ADM | http://hl7.org/fhir/v3/ParticipationType | admitter | The practitioner who is responsible for admitting a patient to a patient encounter.
ATND | http://hl7.org/fhir/v3/ParticipationType | attender | The practitioner that has responsibility for overseeing a patient's care during a patient encounter.
CALLBCK | http://hl7.org/fhir/v3/ParticipationType | callback contact | A person or organization who should be contacted for follow-up questions about the act in place of the author.
CON | http://hl7.org/fhir/v3/ParticipationType | consultant | An advisor participating in the service by performing evaluations and making recommendations.
DIS | http://hl7.org/fhir/v3/ParticipationType | discharger | The practitioner who is responsible for the discharge of a patient from a patient encounter.
ESC | http://hl7.org/fhir/v3/ParticipationType | escort | Only with Transportation services. A person who escorts the patient.
REF | http://hl7.org/fhir/v3/ParticipationType | referrer | A person having referred the subject of the service to the performer (referring physician). Typically, a referring physician will receive a report.
SPRF | http://hl7.org/fhir/v3/ParticipationType | secondary performer | A person assisting in an act through his substantial presence and involvement This includes: assistants, technicians, associates, or whatever the job titles may be.
PPRF | http://hl7.org/fhir/v3/ParticipationType | primary performer | The principal or primary performer of the act.
PART | http://hl7.org/fhir/v3/ParticipationType | Participation | Indicates that the target of the participation is involved in some manner in the act, but does not qualify how.
translator | http://hl7.org/fhir/participant-type | Translator | A translator who is facilitating communication with the patient during the encounter.
emergency | http://hl7.org/fhir/participant-type | Emergency | A person to be contacted in case of an emergency during the encounter.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.247 Value Set http://hl7.org/fhir/ValueSet/encounter-special-courtesy

URL: https://hl7.org/fhir/STU3/valueset-encounter-special-courtesy.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-special-courtesy
Name: | SpecialCourtesy
Definition: | This value set defines a set of codes that can be used to indicate special courtesies provided to the patient.

Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.247 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Encounter.hospitalization.specialCourtesy (Preferred)

4.3.1.247.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/EncounterSpecialCourtesy

Code | Display
EXT | extended courtesy | extended courtesy
NRM | normal courtesy | normal courtesy
PRF | professional courtesy | professional courtesy
STF | staff | Courtesies extended to the staff of the entity providing service.
VIP | very important person | very important person

* Include these codes as defined in

http://hl7.org/fhir/v3/NullFlavor

Code | Display
UNK | unknown | Description:A proper value is applicable, but not known. Usage Notes: This means the actual value is not known. If the only thing that is unknown is how to properly express the value in the necessary constraints (value set, datatype, etc.), then the OTH or UNC flavor should be used. No properties should be included for a datatype with this property unless: Those properties themselves directly translate to a semantic of "unknown". (E.g. a local code sent as a translation that conveys 'unknown') Those properties further qualify the nature of what is unknown. (E.g. specifying a use code of "H" and a URL prefix of "tel:" to convey that it is the home phone number that is unknown.)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.248 Value Set http://hl7.org/fhir/ValueSet/encounter-special-arrangements

URL: https://hl7.org/fhir/STU3/valueset-encounter-special-arrangements.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-special-arrangements
Name: | SpecialArrangements
Definition: | This value set defines a set of codes that can be used to indicate the kinds of special arrangements in place for a patients visit.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.248 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SpecialArrangements
* Encounter.hospitalization.specialArrangement (Preferred)

4.3.1.248.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/encounter-special-arrangements

4.3.1.248.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/encounter-special-arrangements version 3.0.2

All codes from system http://hl7.org/fhir/encounter-special-arrangements

Code | Display | Definition
wheel | Wheelchair | The patient requires a wheelchair to be made available for the encounter.
add-bed | Additional bedding | An additional bed made available for a person accompanying the patient, for example a parent accompanying a child.
int | Interpreter | The patient is not fluent in the local language and requires an interpreter to be available. Refer to the Patient.Language property for the type of interpreter required.
att | Attendant | A person who accompanies a patient to provide assistive services necessary for the patient's care during the encounter.
dog | Guide dog | The patient has a guide-dog and the location used for the encounter should be able to support the presence of the service animal.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.250 Value Set http://hl7.org/fhir/ValueSet/encounter-diet

URL: https://hl7.org/fhir/STU3/valueset-encounter-diet.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-diet
Name: | Diet
Definition: | This value set defines a set of codes that can be used to indicate dietary preferences or restrictions a patient may have.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.250 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Diet

* Encounter.hospitalization.dietPreference (Example)

* NutritionOrder.foodPreferenceModifier (Example)

4.3.1.250.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/diet

4.3.1.250.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/diet version 3.0.2

All codes from system http://hl7.org/fhir/diet

Code | Display | Definition
vegetarian | Vegetarian | Food without meat, poultry or seafood.
dairy-free | Dairy Free | Excludes dairy products.
nut-free | Nut Free | Excludes ingredients containing nuts.
gluten-free | Gluten Free | Excludes ingredients containing gluten.
vegan | Vegan | Food without meat, poultry, seafood, eggs, dairy products and other animal-derived substances.
halal | Halal | Foods that conform to Islamic law.
kosher | Kosher | Foods that conform to Jewish dietary law.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.252 Value Set http://hl7.org/fhir/ValueSet/encounter-admit-source

URL: https://hl7.org/fhir/STU3/valueset-encounter-admit-source.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-admit-source
Name: | AdmitSource
Definition: | This value set defines a set of codes that can be used to indicate from where the patient came in.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.252 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AdmitSource

* Encounter.hospitalization.admitSource (Preferred)

4.3.1.252.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/admit-source

4.3.1.252.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/admit-source version 3.0.2

All codes from system http://hl7.org/fhir/admit-source

Code | Display | Definition
hosp-trans | Transferred from other hospital | The Patient has been transferred from another hospital for this encounter.
emd | From accident/emergency department | The patient has been transferred from the emergency department within the hospital. This is typically used in the transition to an inpatient encounter
outp | From outpatient department | The patient has been transferred from an outpatient department within the hospital.
born | Born in hospital | The patient is a newborn and the encounter will track the baby related activities (as opposed to the Mothers encounter - that may be associated using the newborn encounters partof property)
gp | General Practitioner referral | The patient has been admitted due to a referred from a General Practitioner.
mp | Medical Practitioner/physician referral | The patient has been admitted due to a referred from a Specialist (as opposed to a General Practitioner).
nursing | From nursing home | The patient has been transferred from a nursing home.
psych | From psychiatric hospital | The patient has been transferred from a psychiatric facility.
rehab | From rehabilitation facility | The patient has been transferred from a rehabilitiation facility or clinic.
other | Other | The patient has been admitted from a source otherwise not specified here.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.254 Value Set http://hl7.org/fhir/ValueSet/encounter-discharge-disposition

URL: https://hl7.org/fhir/STU3/valueset-encounter-discharge-disposition.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-discharge-disposition
Name: | DischargeDisposition
Definition: | This value set defines a set of codes that can be used to where the patient left the hospital.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.254 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DischargeDisposition

* Encounter.hospitalization.dischargeDisposition (Example)

4.3.1.254.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/discharge-disposition

4.3.1.254.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/discharge-disposition version 3.0.2

All codes from system http://hl7.org/fhir/discharge-disposition

Code | Display | Definition
home | Home | The patient was dicharged and has indicated that they are going to return home afterwards.
other-hcf | Other healthcare facility | The patient was transferred to another healthcare facility.
hosp | Hospice | The patient has been discharged into palliative care.
long | Long-term care | The patient has been discharged into long-term care where is likely to be monitored through an ongoing episode-of-care.
aadvice | Left against advice | The patient self discharged against medical advice.
exp | Expired | The patient has deceased during this encounter.
psy | Psychiatric hospital | The patient has been transferred to a psychiatric facility.
rehab | Rehabilitation | The patient was discharged and is to receive post acute care rehabilitation services.
snf | Skilled nursing facility | The patient has been discharged to a skilled nursing facility for the patient to receive additional care.
oth | Other | The discharge disposition has not otherwise defined.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.256 Value Set http://hl7.org/fhir/ValueSet/encounter-reason

URL: https://hl7.org/fhir/STU3/valueset-encounter-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-reason
Name: | Encounter Reason Codes
Definition: | This examples value set defines the set of codes that can be used to indicate reasons for an encounter.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.256 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Appointment.reason (Preferred)

* Encounter.reason (Preferred)

4.3.1.256.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

* Include codes from http://snomed.info/sct where concept is-a 71388002 (Procedure)

4.3.1.256.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
109006	Anxiety disorder of childhood OR adolescence	
122003	Choroidal hemorrhage	
127009	Spontaneous abortion with laceration of cervix	
129007	Homoiothermia	
134006	Decreased hair growth	
140004	Chronic pharyngitis	
144008	Normal peripheral vision	
147001	Superficial foreign body of scrotum without major open wound but with infection	
150003	Abnormal bladder continence	
151004	Gonococcal meningitis	
162004	Severe manic bipolar I disorder without psychotic features	
165002	Accident-prone	
168000	Typhlolithiasis	
171008	Injury of ascending right colon without open wound into abdominal cavity	
172001	Endometritis following molar AND/OR ectopic pregnancy	
175004	Supraorbital neuralgia	
177007	Poisoning by sawfly larvae	
179005	Apraxia of dressing	
181007	Hemorrhagic bronchopneumonia	
183005	Autoimmune pancytopenia	
184004	Withdrawal arrhythmia	
188001	Injury of intercostal artery	
192008	Congenital syphilitic hepatomegaly	
193003	Benign hypertensive renal disease	
195005	Illegal abortion with endometritis	
198007	Disease due to Filoviridae	
199004	Decreased lactation	
208008	Neurocutaneous melanosis sequence	
216004	Delusion of persecution	
219006	Alcohol user	
222008	Acute epiglottitis with obstruction	
223003	Tumor of body of uterus affecting pregnancy	
228007	Lucio phenomenon	
241006	Epilepsia partialis continua	
242004	Noninfectious jejunitis	
253005	Sycosis	
257006	Acne rosacea, erythematous telangiectatic type	
258001	Pseudoknuckle pad	
264008	Blind hypertensive eye	
276008	Poisoning by oxytocin	
279001	Senile myocarditis	
281004	Dementia associated with alcoholism	
282006	Acute myocardial infarction of basal-lateral wall	
290006	Melnick-Fraser syndrome	
292003	EEG finding	
297009	Acute myringitis	
299007	Paraffinoma of skin	
303002	Apoplectic pancreatitis	
308006	Pearly penile papules	
310008	Boil of penis	
313005	Déjà vu	
317006	Reactive hypoglycemia	
320003	Cervical dilatation, 1cm	
324007	Plaster ulcer	
330007	Occipital headache	
335002	Pylorospasm	
341009	ABO incompatibility reaction	
349006	Absent tendon reflex	
355001	Hemorrhagic shock	
357009	Closed fracture of trapezoidal bone of wrist	
358004	Poisoning by smallpox vaccine	

359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium

685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding
845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea
1027000 | Alkaline reflux disease

1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurіa
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc
1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis
1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica
1343000 | Deep transverse arrest

1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction
1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting
1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis

1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction
1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | Paroxysmal nocturnal hemoglobinuria

1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans
2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins
2261009 | Obstetrical pulmonary fat embolism

2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG
2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia
2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis

2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region
2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint
2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia
2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung

2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus
3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Discoloration of skin

3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission
3531009 | Intrapsychic conflict

3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia
3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina
3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted abortion with acute yellow atrophy of liver

3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired
4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | Ocular hypertension

4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose
4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome
4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Lithium nephropathy
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction
4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin
4473006 | Migraine with aura

4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.257 Value Set http://hl7.org/fhir/ValueSet/encounter-location-status

URL: https://hl7.org/fhir/STU3/valueset-encounter-location-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/encounter-location-status
Name: | EncounterLocationStatus
Definition: | The status of the location.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.257 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for EncounterLocationStatus

* Encounter.location.status (Required)

4.3.1.257.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/encounter-location-status

4.3.1.257.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/encounter-location-status version 3.0.2

All codes from system http://hl7.org/fhir/encounter-location-status

Code | Display | Definition
planned | Planned | The patient is planned to be moved to this location at some point in the future.
active | Active | The patient is currently at this location, or was between the period specified. A system may update these records when the patient leaves the location to either reserved, or completed
reserved | Reserved | This location is held empty for this patient.
completed | Completed | The patient was at this location during the period specified. Not to be used when the patient is currently at the location

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.259 Value Set http://hl7.org/fhir/ValueSet/designation-use

URL: https://hl7.org/fhir/STU3/valueset-designation-use.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 5 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/designation-use
Name: | Designation Use
Definition: | Details of how a designation would be used
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.259 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

Note for Implementer:

Licensing note: this value set has an extensible binding, and includes concepts from SNOMED CT. The SNOMED CT concepts included in this value set - description types for SCT terms - are for use with SNOMED-CT, and not expected to be used with other code systems.

This value set is used in the following places:

* ValueSet.compose.include.concept.designation.use (Extensible)

* StructureDefinition ShareableValueSet: ValueSet.compose.include.concept.designation.use ((Extensible))

* CodeSystem.concept.designation.use (Extensible)

* StructureDefinition ShareableCodeSystem: CodeSystem.concept.designation.use ((Extensible))

4.3.1.259.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 900000000000446008 (Description type)

4.3.1.259.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
900000000000003001 | Fully specified name
900000000000013009 | Synonym
900000000000550004 | Definition

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.260 Value Set http://hl7.org/fhir/ValueSet/system-version-processing-mode

URL: https://hl7.org/fhir/STU3/valueset-system-version-processing-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/system-version-processing-mode
Name: | SystemVersionProcessingMode
Definition: | How to manage the intersection between a fixed version in a value set, and a fixed version of the system in the expansion profile
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.260 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SystemVersionProcessingMode

* ExpansionProfile.fixedVersion.mode (Required)

4.3.1.260.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/system-version-processing-mode

4.3.1.260.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/system-version-processing-mode version 3.0.2

All codes from system http://hl7.org/fhir/system-version-processing-mode

Code | Display | Definition
default | Default Version | Use this version of the code system if a value set doesn't specify a version
check | Check ValueSet Version | Use this version of the code system. If a value set specifies a different version, the expansion operation should fail
override | Override ValueSet Version | Use this version of the code system irrespective of which version is specified by a value set. Note that this has obvious safety issues, in that it may result in a value set expansion giving a different list of codes that is both wrong and unsafe, and implementers should only use this capability reluctantly. It primarily exists to deal with situations where specifications have fallen into decay as time passes. If a version is override, the version used SHALL explicitly be represented in the expansion parameters

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.262 Value Set http://hl7.org/fhir/ValueSet/history-status

URL: https://hl7.org/fhir/STU3/valueset-history-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/history-status
Name: | FamilyHistoryStatus
Definition: | A code that identifies the status of the family history record.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.262 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for FamilyHistoryStatus

* FamilyMemberHistory.status (Required)

* StructureDefinition FamilyMemberHistory-Genetic: FamilyMemberHistory.status ((Required))

4.3.1.262.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/history-status

4.3.1.262.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/history-status version 3.0.2

All codes from system http://hl7.org/fhir/history-status

Code | Display | Definition
partial | Partial | Some health information is known and captured, but not complete - see notes for details.
completed | Completed | All available related health information is captured as of the date (and possibly time) when the family member history was taken.
entered-in-error | Entered in error | This instance should not have been part of this patient's medical record.

health-unknown | Health unknown | Health information for this individual is unavailable/unknown.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.264 Value Set http://hl7.org/fhir/ValueSet/history-not-done-reason

URL: https://hl7.org/fhir/STU3/valueset-history-not-done-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/history-not-done-reason
Name: | FamilyHistoryNotDoneReason
Definition: | Codes describing the reason why a family member history was not done.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.264 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for FamilyHistoryNotDoneReason

* FamilyMemberHistory.notDoneReason (Example)

* StructureDefinition FamilyMemberHistory-Genetic: FamilyMemberHistory.notDoneReason ((Example))

4.3.1.264.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/history-not-done-reason

4.3.1.264.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/history-not-done-reason version 3.0.2

All codes from system http://hl7.org/fhir/history-not-done-reason

Code | Display | Definition
subject-unknown | Subject Unknown | Patient does not know the subject, e.g. the biological parent of an adopted patient.
withheld | Information Withheld | The patient withheld or refused to share the information.
unable-to-obtain | Unable To Obtain | Information cannot be obtained; e.g. unconscious patient
deferred | Deferred | Patient does not have the information now, but can provide the information at a later date.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.266 Value Set http://hl7.org/fhir/ValueSet/goal-status

URL: https://hl7.org/fhir/STU3/valueset-goal-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-status
Name: | GoalStatus
Definition: | Indicates whether the goal has been met and is still being targeted
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.266 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GoalStatus

* Goal.status (Required)

4.3.1.266.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/goal-status

4.3.1.266.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 13 concepts

Expansion based on http://hl7.org/fhir/goal-status version 3.0.2

All codes from system http://hl7.org/fhir/goal-status

Code | Display | Definition
proposed | Proposed | A goal is proposed for this patient
accepted | Accepted | A proposed goal was accepted or acknowledged
planned | Planned | A goal is planned for this patient
in-progress | In Progress | The goal is being sought but has not yet been reached. (Also applies if goal was reached in the past but there has been regression and goal is being sought again)
on-target | On Target | The goal is on schedule for the planned timelines
ahead-of-target | Ahead of Target | The goal is ahead of the planned timelines
behind-target | Behind Target | The goal is behind the planned timelines
sustaining | Sustaining | The goal has been met, but ongoing activity is needed to sustain the goal objective
achieved | Achieved | The goal has been met and no further action is needed
on-hold | On Hold | The goal remains a long term objective but is no longer being actively pursued for a temporary period of time.
cancelled | Cancelled | The previously accepted goal is no longer being sought
entered-in-error | Entered In Error | The goal was entered in error and voided.
rejected | Rejected | A proposed goal was rejected

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.268 Value Set http://hl7.org/fhir/ValueSet/goal-priority

URL: https://hl7.org/fhir/STU3/valueset-goal-priority.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-priority
Name: | GoalPriority
Definition: | Indicates the level of importance associated with reaching or sustaining a goal.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.268 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GoalPriority

* Goal.priority (Preferred)

* PlanDefinition.goal.priority (Preferred)

* Extension http://hl7.org/fhir/StructureDefinition/goal-acceptance: acceptance ((Example))

4.3.1.268.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/goal-priority

4.3.1.268.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/goal-priority version 3.0.2

All codes from system http://hl7.org/fhir/goal-priority

Code	Display	Definition
high-priority	High Priority	Indicates that the goal is of considerable importance and should be a primary focus of care delivery.
medium-priority	Medium Priority	Indicates that the goal has a reasonable degree of importance and that concrete action should be taken towards the goal. Attainment is not as critical as high-priority goals.
low-priority	Low Priority	The goal is desirable but is not sufficiently important to devote significant resources to. Achievement of the goal may be sought when incidental to achieving other goals.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.270 Value Set http://hl7.org/fhir/ValueSet/goal-category

URL: https://hl7.org/fhir/STU3/valueset-goal-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/goal-category
Name:	GoalCategory
Definition:	Example codes for grouping goals for filtering or presentation.
Committee:	Patient Care Work Group
OID:	2.16.840.1.113883.4.642.3.270 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GoalCategory

* Goal.category (Example)

* PlanDefinition.goal.category (Example)

4.3.1.270.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/goal-category

4.3.1.270.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/goal-category version 3.0.2

All codes from system http://hl7.org/fhir/goal-category

Code	Display	Definition
dietary	Dietary	Goals related to the consumption of food and/or beverages.
safety	Safety	Goals related to the personal protection of the subject.
behavioral	Behavioral	Goals related to the manner in which the subject acts.
nursing	Nursing	Goals related to the practice of nursing or established by nurses.

physiotherapy | Physiotherapy | Goals related to the mobility and motor capability of the subject.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.272 Value Set http://hl7.org/fhir/ValueSet/goal-status-reason

URL: https://hl7.org/fhir/STU3/valueset-goal-status-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-status-reason
Name: | GoalStatusReason
Definition: | Example codes indicating the reason for a current status. Note that these are in no way complete and may not even be appropriate for some uses.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.272 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GoalStatusReason

4.3.1.272.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/goal-status-reason

4.3.1.272.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/goal-status-reason version 3.0.2

All codes from system http://hl7.org/fhir/goal-status-reason

Code | Display | Definition
surgery | Surgery | Goal suspended or ended because of a surgical procedure.
life-event | Life Event | Goal suspended or ended because of a significant life event (marital change, bereavement, etc.).
replaced | Replaced | Goal has been superseded by a new goal.
patient-request | Patient Request | Patient wishes the goal to be set aside, at least temporarily.
temp-not-attainable | Goal Not Attainable Temporarily | Goal can not be reached temporarily.
permanent-not-attainable | Goal Not Attainable Permanently | Goal can not be reached permanently.
financial-barrier | Financial Reason | Goal can not be reached due to financial barrier or reason.
lack-of-transportation | Lack Of Transportation | Goal can not be reached due to a lack of transportation.
lack-of-social-support | Lack Of Social Support | Goal can not be reached due to a lack of social support.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.274 Value Set http://hl7.org/fhir/ValueSet/goal-start-event

URL: https://hl7.org/fhir/STU3/valueset-goal-start-event.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-start-event
Name: | GoalStartEvent
Definition: | Identifies types of events that might trigger the start of a goal.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.274 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Goal.start[x] (Example)

* PlanDefinition.goal.start (Example)

4.3.1.274.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
32485007	Admission to hospital
308283009	Discharge from hospital
442137000	Completion time of procedure
386216000	Childbirth

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.275 Value Set http://hl7.org/fhir/ValueSet/graph-compartment-rule

URL: https://hl7.org/fhir/STU3/valueset-graph-compartment-rule.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/graph-compartment-rule
Name: | GraphCompartmentRule
Definition: | How a compartment must be linked
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.275 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GraphCompartmentRule

* GraphDefinition.link.target.compartment.rule (Required)

4.3.1.275.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/graph-compartment-rule

4.3.1.275.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/graph-compartment-rule version 3.0.2

All codes from system http://hl7.org/fhir/graph-compartment-rule

Code | Display | Definition
identical | Identical | The compartment must be identical (the same literal reference)
matching | Matching | The compartment must be the same - the record must be about the same patient, but the reference may be different
different | Different | The compartment must be different
custom | Custom | The compartment rule is defined in the accompanying FHIRPath expression

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.277 Value Set http://hl7.org/fhir/ValueSet/group-type

URL: https://hl7.org/fhir/STU3/valueset-group-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/group-type
Name: | GroupType
Definition: | Types of resources that are part of group
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.277 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GroupType

* Group.type (Required)

4.3.1.277.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/group-type

4.3.1.277.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/group-type version 3.0.2

All codes from system http://hl7.org/fhir/group-type

Code | Display | Definition
person | Person | Group contains "person" Patient resources
animal | Animal | Group contains "animal" Patient resources
practitioner | Practitioner | Group contains healthcare practitioner resources
device | Device | Group contains Device resources
medication | Medication | Group contains Medication resources
substance | Substance | Group contains Substance resources

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.279 Value Set http://hl7.org/fhir/ValueSet/instance-availability

URL: https://hl7.org/fhir/STU3/valueset-instance-availability.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Imaging Integration Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/instance-availability
Name: | InstanceAvailability
Definition: | Availability of the resource
Committee: | Imaging Integration Work Group
OID: | 2.16.840.1.113883.4.642.3.279 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright 2011 by the National Electrical Manufacturers Association
Source Resource | XML / JSON

This value set is used in the following places:

* ImagingStudy.availability (Required)

* ImagingStudy.series.availability (Required)

4.3.1.279.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://dicom.nema.org/resources/ontology/DCM

Code | Display | Definition
ONLINE | Online | Resources are immediately available.
OFFLINE | Offline | Resources need to be retrieved by manual intervention.
NEARLINE | Nearline | Resources need to be retrieved from relatively slow media.
UNAVAILABLE | Unavailable | Resources cannot be retrieved.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.281 Value Set http://hl7.org/fhir/ValueSet/bodysite-laterality

URL: https://hl7.org/fhir/STU3/valueset-bodysite-laterality.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Imaging Integration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/bodysite-laterality
Name: | Laterality
Definition: | Laterality: SNOMED-CT concepts for 'left', 'right', and 'bilateral'
Committee: | Imaging Integration Work Group
OID: | 2.16.840.1.113883.4.642.3.281 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement
Source Resource | XML / JSON

This value set is used in the following places:

* ImagingStudy.series.laterality (Example)

4.3.1.281.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
419161000 | Unilateral left
419465000 | Unilateral right
51440002 | Bilateral

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.282 Value Set http://hl7.org/fhir/ValueSet/kos-title

URL: https://hl7.org/fhir/STU3/valueset-kos-title.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/kos-title
Name: | KOStitle
Definition: | The document title code of key object selection
Committee: | Imaging Integration Work Group
OID: | 2.16.840.1.113883.4.642.3.282 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is not currently used

4.3.1.282.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://dicom.nema.org/resources/ontology/DCM

Code | Display | Definition
113000 | Of Interest | Of Interest
113002 | For Referring Provider | For Referring Provider
113003 | For Surgery | For Surgery
113004 | For Teaching | For Teaching
113005 | For Conference | For Conference
113006 | For Therapy | For Therapy
113007 | For Patient | For Patient
113008 | For Peer Review | For Peer Review
113009 | For Research | For Research
113013 | Best In Set | Best In Set
113018 | For Printing | For Printing
113020 | For Report Attachment | For Report Attachment
113021 | For Litigation | For Litigation
113030 | Manifest | Manifest
113031 | Signed Manifest | Signed Manifest
113032 | Complete Study Content | Complete Study Content
113033 | Signed Complete Study Content | Signed Complete Study Content
113034 | Complete Acquisition Content | Complete Acquisition Content
113035 | Signed Complete Acquisition Content | Signed Complete Acquisition Content
113036 | Group of Frames for Display | Group of Frames for Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.283 Value Set http://hl7.org/fhir/ValueSet/immunization-site

URL: https://hl7.org/fhir/STU3/valueset-immunization-site.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-site
Name: | Codes for Immunization Site of Administration
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the body site where the vaccination occurred. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.283 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Immunization.site (Example)

4.3.1.283.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/ActSite

Code | Display
LA | Left arm | left arm
RA | Right arm | right arm

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.284 Value Set http://hl7.org/fhir/ValueSet/immunization-route

URL: https://hl7.org/fhir/STU3/valueset-immunization-route.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-route
Name: | Immunization Route Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the administrative routes used during vaccination. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.284 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Immunization.route (Example)

4.3.1.284.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/RouteOfAdministration

Code | Display
IM | Injection, intramuscular | Injection, intramuscular
PO | Swallow, oral | Swallow, oral
NASINHL | Inhalation, nasal | Inhalation, nasal

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.285 Value Set http://hl7.org/fhir/ValueSet/immunization-reason

URL: https://hl7.org/fhir/STU3/valueset-immunization-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-reason
Name: | Immunization Reason Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose of vaccine was administered. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.285 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Immunization.explanation.reason (Example)

4.3.1.285.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
429060002 | Procedure to meet occupational requirement
281657000 | Travel vaccinations

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.286 Value Set http://hl7.org/fhir/ValueSet/no-immunization-reason

URL: https://hl7.org/fhir/STU3/valueset-no-immunization-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/no-immunization-reason
Name: | Immunization Reasons for Not Immunizing Codes

Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose of vaccine was not administered. This value set is provided as a suggestive example.

Committee: | Public Health and Emergency Response Work Group

OID: | 2.16.840.1.113883.4.642.3.286 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* Immunization.explanation.reasonNotGiven (Example)

4.3.1.286.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/ActReason

Code | Display

IMMUNE | immunity | Definition:Testing has shown that the patient already has immunity to the agent targeted by the immunization.

MEDPREC | medical precaution | Definition:The patient currently has a medical condition for which the vaccine is contraindicated or for which precaution is warranted.

OSTOCK | product out of stock | Definition:There was no supply of the product on hand to perform the service.

PATOBJ | patient objection | Definition:The patient or their guardian objects to receiving the vaccine.

* Include codes from http://snomed.info/sct where concept is-a 310376006 (Immunization consent not given)

4.3.1.286.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 27 concepts

Expansion based on http://hl7.org/fhir/v3/ActReason version 2016-11-11

Code | System | Display | Definition

IMMUNE | http://hl7.org/fhir/v3/ActReason | immunity | Definition:Testing has shown that the patient already has immunity to the agent targeted by the immunization.

MEDPREC | http://hl7.org/fhir/v3/ActReason | medical precaution | Definition:The patient currently has a medical condition for which the vaccine is contraindicated or for which precaution is warranted.

OSTOCK | http://hl7.org/fhir/v3/ActReason | product out of stock | Definition:There was no supply of the product on hand to perform the service.

PATOBJ | http://hl7.org/fhir/v3/ActReason | patient objection | Definition:The patient or their guardian objects to receiving the vaccine.

171257003 | http://snomed.info/sct | No consent - Tetanus/low dose diphtheria vaccine

171265000 | http://snomed.info/sct | Pertussis vaccine refused

171266004 | http://snomed.info/sct | No consent - diphtheria immunization

171267008 | http://snomed.info/sct | No consent - tetanus immunization

171268003 | http://snomed.info/sct | Polio immunization refused

171269006 | http://snomed.info/sct | No consent - measles immunization

171270007 | http://snomed.info/sct | No consent - rubella immunization

171271006 | http://snomed.info/sct | No consent - BCG

171272004 | http://snomed.info/sct | No consent - influenza immunization

171280006 | http://snomed.info/sct | No consent for MMR

171283008 | http://snomed.info/sct | No consent for any primary immunization

171285001 | http://snomed.info/sct | No consent - pre-school vaccinations

171286000 | http://snomed.info/sct | No consent - school exit vaccinations

171291004 | http://snomed.info/sct | No consent - Haemophilus influenzae type B immunization

171292006 | http://snomed.info/sct | No consent pneumococcal immunization

171293001 | http://snomed.info/sct | No consent for MR - Measles/rubella vaccine

268559007 | http://snomed.info/sct | No consent for any immunization

310839003 | http://snomed.info/sct | No consent for MMR1

310840001 | http://snomed.info/sct | No consent for measles/mumps/rubella two

314768003 | http://snomed.info/sct | No consent DTP immunization

314769006 | http://snomed.info/sct | No consent DT immunization

314936001 | http://snomed.info/sct | No consent for meningitis C immunization

407598009 | http://snomed.info/sct | No consent for 3rd HIB booster

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.287 Value Set http://hl7.org/fhir/ValueSet/vaccination-protocol-dose-target

URL: https://hl7.org/fhir/STU3/valueset-vaccination-protocol-dose-target.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/vaccination-protocol-dose-target
Name: | Vaccination Protocol Dose Target Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease targeted by a vaccine. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.287 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Immunization.vaccinationProtocol.targetDisease (Example)

4.3.1.287.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
1857005 | Gestational rubella syndrome
397430003 | Diphtheria due to Corynebacterium diphtheriae
14189004 | Measles
36989005 | Mumps
36653000 | Rubella
76902006 | Tetanus
709410003 | Haemophilus influenzae type b infection
27836007 | Pertussis
398102009 | Acute poliomyelitis

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.288 Value Set http://hl7.org/fhir/ValueSet/vaccination-protocol-dose-status

URL: https://hl7.org/fhir/STU3/valueset-vaccination-protocol-dose-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/vaccination-protocol-dose-status
Name: | Vaccination Protocol Dose Status codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the validity of a dose relative to a particular recommended schedule. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.288 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Vaccination Protocol Dose Status codes

* Immunization.vaccinationProtocol.doseStatus (Example)

4.3.1.288.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/vaccination-protocol-dose-status

4.3.1.288.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/vaccination-protocol-dose-status version 3.0.2

All codes from system http://hl7.org/fhir/vaccination-protocol-dose-status

Code	Display	Definition
count	Counts	The dose counts toward fulfilling a path to immunity for a patient, providing protection against the target disease.
nocount	Does not Count	The dose does not count toward fulfilling a path to immunity for a patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.290 Value Set http://hl7.org/fhir/ValueSet/vaccination-protocol-dose-status-reason

URL: https://hl7.org/fhir/STU3/valueset-vaccination-protocol-dose-status-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/vaccination-protocol-dose-status-reason
Name:	Vaccination Protocol Dose Status Reason codes
Definition:	The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why an administered dose has been assigned a particular status. Often, this reason describes why a dose is considered invalid. This value set is provided as a suggestive example.
Committee:	Public Health and Emergency Response Work Group
OID:	2.16.840.1.113883.4.642.3.290 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Vaccination Protocol Dose Status Reason codes

* Immunization.vaccinationProtocol.doseStatusReason (Example)

4.3.1.290.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/vaccination-protocol-dose-status-reason

4.3.1.290.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/vaccination-protocol-dose-status-reason version 3.0.2

All codes from system http://hl7.org/fhir/vaccination-protocol-dose-status-reason

Code	Display	Definition
advstorage	Adverse storage condition	The product was stored in a manner inconsistent with manufacturer guidelines potentially reducing the effectiveness of the product.

coldchbrk | Cold chain break | The product was stored at a temperature inconsistent with manufacturer guidelines potentially reducing the effectiveness of the product.
explot | Expired lot | The product was administered after the expiration date associated with lot of vaccine.
outsidesched | Administered outside recommended schedule | The product was administered at a time inconsistent with the documented schedule.
prodrecall | Product recall | The product administered has been recalled by the manufacturer.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.292 Value Set http://hl7.org/fhir/ValueSet/immunization-status

URL: https://hl7.org/fhir/STU3/valueset-immunization-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-status
Name: | Immunization Status Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the current status of the administered dose of vaccine.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.292 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Immunization.status (Required)

4.3.1.292.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/medication-admin-status

Code | Display
completed | Completed | All actions that are implied by the administration have occurred.
entered-in-error | Entered in Error | The administration was entered in error and therefore nullified.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.293 Value Set http://hl7.org/fhir/ValueSet/immunization-origin

URL: https://hl7.org/fhir/STU3/valueset-immunization-origin.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/pher/index.cfm .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-origin
Name: | Immunization Origin Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the source of the data when the report of the immunization event is not based on information from the person, entity or organization who administered the vaccine. This value set is provided as a suggestive example.

Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.293 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Immunization Origin Codes

* Immunization.reportOrigin (Example)

4.3.1.293.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/immunization-origin

Code | Display
provider | Other Provider | The data for the immunization event originated with another provider.
record | Written Record | The data for the immunization event originated with a written record for the patient.
recall | Parent/Guardian/Patient Recall | The data for the immunization event originated from the recollection of the patient or parent/guardian of the patient.
school | School Record | The data for the immunization event originated with a school record for the patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.295 Value Set http://hl7.org/fhir/ValueSet/immunization-role

URL: https://hl7.org/fhir/STU3/valueset-immunization-role.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/pher/index.cfm .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-role
Name: | Immunization Role Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the role a practitioner may play in the immunization event. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.295 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Immunization.practitioner.role (Extensible)

4.3.1.295.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v2/0443

Code | Display
OP | Ordering Provider
AP | Administering Provider

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.296 Value Set http://hl7.org/fhir/ValueSet/immunization-recommendation-status

URL: https://hl7.org/fhir/STU3/valueset-immunization-recommendation-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-recommendation-status
Name: | Immunization Recommendation Status Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the status of the patient towards perceived immunity against a vaccine preventable disease. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.296 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Immunization Recommendation Status Codes

* ImmunizationRecommendation.recommendation.forecastStatus (Example)

4.3.1.296.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/immunization-recommendation-status

4.3.1.296.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/immunization-recommendation-status version 3.0.2

All codes from system http://hl7.org/fhir/immunization-recommendation-status

Code | Display | Definition
due | Due | The patient is due for their next vaccination.
overdue | Overdue | The patient is considered overdue for their next vaccination.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.298 Value Set http://hl7.org/fhir/ValueSet/immunization-recommendation-date-criterion

URL: https://hl7.org/fhir/STU3/valueset-immunization-recommendation-date-criterion.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/immunization-recommendation-date-criterion
Name: | Immunization Recommendation Date Criterion Codes
Definition: | The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support the definition of dates relevant to recommendations for future doses of vaccines. This value set is provided as a suggestive example.
Committee: | Public Health and Emergency Response Work Group
OID: | 2.16.840.1.113883.4.642.3.298 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Immunization Recommendation Date Criterion Codes

* ImmunizationRecommendation.recommendation.dateCriterion.code (Example)

4.3.1.298.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/immunization-recommendation-date-criterion

4.3.1.298.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/immunization-recommendation-date-criterion version 3.0.2

All codes from system http://hl7.org/fhir/immunization-recommendation-date-criterion

Code	Display	Definition
due	Due	Date the next dose is considered due.
recommended	Recommended	At the recommended date.
earliest	Earliest Date	As early as possible.
overdue	Past Due Date	Date the next dose is considered overdue.
latest	Latest	The latest date the next dose is to be given.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.300 Value Set http://hl7.org/fhir/ValueSet/immunization-recommendation-target-disease

URL: https://hl7.org/fhir/STU3/valueset-immunization-recommendation-target-disease.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Public Health and Emergency Response Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/immunization-recommendation-target-disease
Name:	Immunization Recommendation Target Disease Codes
Definition:	The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the disease targeted by a vaccination recommendation. This value set is provided as a suggestive example and includes the SNOMED CT concepts from the 64572001 (Disease) hierarchy.
Committee:	Public Health and Emergency Response Work Group
OID:	2.16.840.1.113883.4.642.3.300 (for OID based terminology systems)
Copyright:	This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource	XML / JSON

This value set is used in the following places:

* ImmunizationRecommendation.recommendation.targetDisease (Example)

4.3.1.300.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
1857005	Gestational rubella syndrome
397430003	Diphtheria due to Corynebacterium diphtheriae
14189004	Measles
36989005	Mumps
36653000	Rubella
76902006	Tetanus

709410003 | Haemophilus influenzae type b infection
27836007 | Pertussis
398102009 | Acute poliomyelitis

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.301 Value Set http://hl7.org/fhir/ValueSet/guide-dependency-type

URL: https://hl7.org/fhir/STU3/valueset-guide-dependency-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/guide-dependency-type
Name: | GuideDependencyType
Definition: | How a dependency is represented when the guide is published.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.301 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GuideDependencyType

* ImplementationGuide.dependency.type (Required)

4.3.1.301.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/guide-dependency-type

4.3.1.301.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/guide-dependency-type version 3.0.2

All codes from system http://hl7.org/fhir/guide-dependency-type

Code | Display | Definition
reference | Reference | The guide is referred to by URL.
inclusion | Inclusion | The guide is embedded in this guide when published.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.303 Value Set http://hl7.org/fhir/ValueSet/guide-page-kind

URL: https://hl7.org/fhir/STU3/valueset-guide-page-kind.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/guide-page-kind
Name: | GuidePageKind
Definition: | The kind of an included page.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.303 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GuidePageKind

* ImplementationGuide.page.kind (Required)

4.3.1.303.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/guide-page-kind

4.3.1.303.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/guide-page-kind version 3.0.2

All codes from system http://hl7.org/fhir/guide-page-kind

Code | Display | Definition
page | Page | This is a page of content that is included in the implementation guide. It has no particular function.
example | Example | This is a page that represents a human readable rendering of an example.
list | List | This is a page that represents a list of resources of one or more types.
include | Include | This is a page showing where an included guide is injected.
directory | Directory | This is a page that lists the resources of a given type, and also creates pages for all the listed types as other pages in the section.
dictionary | Dictionary | This is a page that creates the listed resources as a dictionary.
toc | Table Of Contents | This is a generated page that contains the table of contents.
resource | Resource | This is a page that represents a presented resource. This is typically used for generated conformance resource presentations.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.305 Value Set http://hl7.org/fhir/ValueSet/linkage-type

URL: https://hl7.org/fhir/STU3/valueset-linkage-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/linkage-type
Name: | LinkageType
Definition: | Used to distinguish different roles a resource can play within a set of linked resources
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.305 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for LinkageType

* Linkage.item.type (Required)

4.3.1.305.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/linkage-type

4.3.1.305.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/linkage-type version 3.0.2

All codes from system http://hl7.org/fhir/linkage-type

Code | Display | Definition
source | Source of truth | The record represents the "source of truth" (from the perspective of this Linkage resource) for the underlying event/condition/etc.
alternate | Alternate record | The record represents the alternative view of the underlying event/condition/etc. The record may still be actively maintained, even though it is not considered to be the source of truth.
historical | Historical/obsolete record | The record represents an obsolete record of the underlyng event/condition/etc. It is not expected to be actively maintained.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.307 Value Set http://hl7.org/fhir/ValueSet/list-example-codes

URL: https://hl7.org/fhir/STU3/valueset-list-example-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-example-codes
Name: | Example Use Codes for List
Definition: | Example use codes for the List resource - typical kinds of use.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.307 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Use Codes for List

* List.code (Example)

4.3.1.307.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/list-example-use-codes

4.3.1.307.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/list-example-use-codes version 3.0.2

All codes from system http://hl7.org/fhir/list-example-use-codes

Code | Display | Definition
alerts | Alerts | A list of alerts for the patient.
adverserxns | Adverse Reactions | A list of part adverse reactions.
allergies | Allergies | A list of Allergies for the patient.
medications | Medication List | A list of medication statements for the patient.
problems | Problem List | A list of problems that the patient is known of have (or have had in the past).
worklist | Worklist | A list of items that constitute a set of work to be performed (typically this code would be specialized for more specific uses, such as a ward round list).
waiting | Waiting List | A list of items waiting for an event (perhaps a surgical patient waiting list).
protocols | Protocols | A set of protocols to be followed.
plans | Care Plans | A set of care plans that apply in a particular context of care.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.309 Value Set http://hl7.org/fhir/ValueSet/list-mode

URL: https://hl7.org/fhir/STU3/valueset-list-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-mode
Name: | ListMode
Definition: | The processing mode that applies to this list
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.309 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ListMode

* List.mode (Required)

* Composition.section.mode (Required)

* StructureDefinition ClinicalDocument: Composition.section.mode ((Required))

4.3.1.309.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/list-mode

4.3.1.309.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/list-mode version 3.0.2

All codes from system http://hl7.org/fhir/list-mode

Code | Display | Definition
working | Working List | This list is the master list, maintained in an ongoing fashion with regular updates as the real world list it is tracking changes
snapshot | Snapshot List | This list was prepared as a snapshot. It should not be assumed to be current
changes | Change List | A list that indicates where changes have been made or recommended

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.311 Value Set http://hl7.org/fhir/ValueSet/list-item-flag

URL: https://hl7.org/fhir/STU3/valueset-list-item-flag.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.nehta.gov.au .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-item-flag
Name: | Patient Medicine Change Types

Definition: | Example Item Flags for the List Resource. In this case, these are the kind of flags that would be used on a medication list at the end of a consultation.

Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.311 (for OID based terminology systems)

Copyright: | Copyright © 2012-2013 National E-Health Transition Authority Ltd : This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means--graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems--without the permission of NEHTA. All copies of this document must include the copyright and other information contained on this page. Revision 1 Telephone: 1300 901 001 or email: servicedesk@nehta.gov.au Disclaimer: The National E-Health Transition Authority Ltd (NEHTA) makes the information and other material ('Information') in this document available in good faith but without any representation or warranty as to its accuracy or completeness. NEHTA cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Patient Medicine Change Types

* List.entry.flag (Example)

4.3.1.311.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in urn:oid:1.2.36.1.2001.1001.101.104.16592

4.3.1.311.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on urn:oid:1.2.36.1.2001.1001.101.104.16592 version 1

All codes from system urn:oid:1.2.36.1.2001.1001.101.104.16592

Code | Display | Definition

01 | Unchanged | No change has been made to the status of this medicine item.

02 | Changed | The medicine item has changed. The change may be described in an extension (not defined yet)

03 | Cancelled | The prescription for this medicine item was cancelled by an authorized health care provider. The patient may be advised to complete the course of the prescribed medicine. This advice is a clinical decision made based on assessment of the patient's clinical condition.

04 | Prescribed | A new medicine item has been prescribed

05 | Ceased | Administration of this medication item that the patient is currently taking is stopped or recommended to be stopped (i.e. instructed to be ceased by a health care provider). This cessation is anticipated to be permanent. The Change Description should describe the reason for cessation. Example uses: the medication in question is considered ineffective or has caused serious adverse effects. This value applies both to the cessation of a medication that is prescribed by another healthcare provider or patient self-administration of OTC medicines.

06 | Suspended | Administration of this medication item that the patient is currently taking is on hold, or instructed or recommended by a health care provider to be temporarily stopped, or subject to clinical review (i.e. the stop may be temporary or permanent depending on the outcome of clinical review), or temporarily suspended as a pre-requisite to certain surgical or diagnostic procedures.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.313 Value Set http://hl7.org/fhir/ValueSet/list-empty-reason

URL: https://hl7.org/fhir/STU3/valueset-list-empty-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-empty-reason

Name: | List Empty Reasons

Definition: | General reasons for a list to be empty. Reasons are either related to a summary list (i.e. problem or medication list) or to a workflow related list (i.e. consultation list).

Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.313 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for List Empty Reasons

* List.emptyReason (Preferred)

* Composition.section.emptyReason (Preferred)

* StructureDefinition ClinicalDocument: Composition.section.emptyReason ((Preferred))

4.3.1.313.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/list-empty-reason

4.3.1.313.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/list-empty-reason version 3.0.2

All codes from system http://hl7.org/fhir/list-empty-reason

Code | Display | Definition

nilknown | Nil Known | Clinical judgment that there are no known items for this list after reasonable investigation. Note that this a positive statement by a clinical user, and not a default position asserted by a computer system in the lack of other information. Example uses: * For allergies: the patient or patient's agent/guardian has asserted that he/she is not aware of any allergies (NKA - nil known allergies) * For medications: the patient or patient's agent/guardian has asserted that the patient is known to be taking no medications * For diagnoses, problems and procedures: the patient or patient's agent/guardian has asserted that there is no known event to record.

notasked | Not Asked | The investigation to find out whether there are items for this list has not occurred.

withheld | Information Withheld | The content of the list was not provided due to privacy or confidentiality concerns. Note that it should not be assumed that this means that the particular information in question was withheld due to its contents - it can also be a policy decision.

unavailable | Unavailable | Information to populate this list cannot be obtained; e.g. unconscious patient.

notstarted | Not Started | The work to populate this list has not yet begun.

closed | Closed | This list has now closed or has ceased to be relevant or useful.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.315 Value Set http://hl7.org/fhir/ValueSet/list-order

URL: https://hl7.org/fhir/STU3/valueset-list-order.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Structured Documents Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-order

Name: | List Order Codes

Definition: | Base values for the order of the items in a list resource.

Committee: | FHIR Infrastructure Work Group

OID: | 2.16.840.1.113883.4.642.3.315 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for List Order Codes

* List.orderedBy (Preferred)

* Composition.section.orderedBy (Preferred)

* StructureDefinition ClinicalDocument: Composition.section.orderedBy ((Preferred))

4.3.1.315.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/list-order

4.3.1.315.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/list-order version 3.0.2

All codes from system http://hl7.org/fhir/list-order

Code | Display | Definition
user | Sorted by User | The list was sorted by a user. The criteria the user used are not specified.
system | Sorted by System | The list was sorted by the system. The criteria the user used are not specified; define additional codes to specify a particular order (or use other defined codes).
event-date | Sorted by Event Date | The list is sorted by the data of the event. This can be used when the list has items which are dates with past or future events.
entry-date | Sorted by Item Date | The list is sorted by the date the item was added to the list. Note that the date added to the list is not explicit in the list itself.
priority | Sorted by Priority | The list is sorted by priority. The exact method in which priority has been determined is not specified.
alphabetic | Sorted Alphabetically | The list is sorted alphabetically by an unspecified property of the items in the list.
category | Sorted by Category | The list is sorted categorically by an unspecified property of the items in the list.
patient | Sorted by Patient | The list is sorted by patient, with items for each patient grouped together.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.317 Value Set http://hl7.org/fhir/ValueSet/list-status

URL: https://hl7.org/fhir/STU3/valueset-list-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/list-status
Name: | ListStatus
Definition: | The current state of the list
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.317 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ListStatus

* List.status (Required)

4.3.1.317.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/list-status

4.3.1.317.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/list-status version 3.0.2

All codes from system http://hl7.org/fhir/list-status

Code | Display | Definition
current | Current | The list is considered to be an active part of the patient's record.
retired | Retired | The list is "old" and should no longer be considered accurate or relevant.
entered-in-error | Entered In Error | The list was never accurate. It is retained for medico-legal purposes only.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.319 Value Set http://hl7.org/fhir/ValueSet/location-physical-type

URL: https://hl7.org/fhir/STU3/valueset-location-physical-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/location-physical-type
Name: | LocationType
Definition: | This example value set defines a set of codes that can be used to indicate the physical form of the Location.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.319 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for LocationType

* Location.physicalType (Example)

4.3.1.319.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/location-physical-type

4.3.1.319.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 14 concepts

Expansion based on http://hl7.org/fhir/location-physical-type version 3.0.2

All codes from system http://hl7.org/fhir/location-physical-type

Code | Display | Definition
si | Site | A collection of buildings or other locations such as a site or a campus.
bu | Building | Any Building or structure. This may contain rooms, corridors, wings, etc. It may not have walls, or a roof, but is considered a defined/allocated space.
wi | Wing | A Wing within a Building, this often contains levels, rooms and corridors.
wa | Ward | A Ward is a section of a medical facility that may contain rooms and other types of location.
lvl | Level | A Level in a multi-level Building/Structure.
co | Corridor | Any corridor within a Building, that may connect rooms.
ro | Room | A space that is allocated as a room, it may have walls/roof etc., but does not require these.
bd | Bed | A space that is allocated for sleeping/laying on. This is not the physical bed/trolley that may be moved about, but the space it may occupy.
ve | Vehicle | A means of transportation.
ho | House | A residential dwelling. Usually used to reference a location that a person/patient may reside.
ca | Cabinet | A container that can store goods, equipment, medications or other items.
rd | Road | A defined path to travel between 2 points that has a known name.
area | Area | A defined physical boundary of something, such as a flood risk zone, region, postcode
jdn | Jurisdiction | A wide scope that covers a conceptual domain, such as a Nation (Country wide community or Federal Government - e.g. Ministry of Health), Province or State (community or Government), Business (throughout the enterprise), Nation with a business scope of an agency (e.g. CDC, FDA etc.) or a Business segment (UK Pharmacy), not just an physical boundry

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.321 Value Set http://hl7.org/fhir/ValueSet/location-mode

URL: https://hl7.org/fhir/STU3/valueset-location-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/location-mode
Name: | LocationMode
Definition: | Indicates whether a resource instance represents a specific location or a class of locations.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.321 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for LocationMode

* Location.mode (Required)

4.3.1.321.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/location-mode

4.3.1.321.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/location-mode version 3.0.2

All codes from system http://hl7.org/fhir/location-mode

Code | Display | Definition
instance | Instance | The Location resource represents a specific instance of a location (e.g. Operating Theatre 1A).
kind | Kind | The Location represents a class of locations (e.g. Any Operating Theatre) although this class of locations could be constrained within a specific boundary (such as organization, or parent location, address etc.).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.323 Value Set http://hl7.org/fhir/ValueSet/location-status

URL: https://hl7.org/fhir/STU3/valueset-location-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/location-status
Name: | LocationStatus
Definition: | Indicates whether the location is still in use.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.323 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for LocationStatus

* Location.status (Required)

4.3.1.323.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/location-status

4.3.1.323.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/location-status version 3.0.2

All codes from system http://hl7.org/fhir/location-status

Code | Display | Definition
active | Active | The location is operational.
suspended | Suspended | The location is temporarily closed.
inactive | Inactive | The location is no longer used.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.325 Value Set http://hl7.org/fhir/ValueSet/digital-media-type

URL: https://hl7.org/fhir/STU3/valueset-digital-media-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/digital-media-type
Name: | DigitalMediaType
Definition: | Whether the media is a photo, video, or audio
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.325 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DigitalMediaType

* Media.type (Required)

4.3.1.325.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/digital-media-type

4.3.1.325.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/digital-media-type version 3.0.2

All codes from system http://hl7.org/fhir/digital-media-type

Code | Display | Definition
photo | Photo | The media consists of one or more unmoving images, including photographs, computer-generated graphs and charts, and scanned documents
video | Video | The media consists of a series of frames that capture a moving image
audio | Audio | The media consists of a sound recording

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.327 Value Set http://hl7.org/fhir/ValueSet/digital-media-subtype

URL: https://hl7.org/fhir/STU3/valueset-digital-media-subtype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/digital-media-subtype
Name: | Media SubType
Definition: | Detailed information about the type of the image - its kind, purpose, or the kind of equipment used to generate it.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.327 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Media SubType

* Media.subtype (Example)

4.3.1.327.1 Content Logical Definition

This value set includes codes from the following code systems:

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/dicom-cid29

* Include codes from http://snomed.info/sct where concept is-a 363679005 (Imaging)

* Include all codes defined in http://hl7.org/fhir/media-subtype

4.3.1.327.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

Code | System | Display | Definition
AR | http://dicom.nema.org/resources/ontology/DCM | Autorefraction | Autorefraction device
BMD | http://dicom.nema.org/resources/ontology/DCM | Bone Mineral Densitometry | Bone Mineral Densitometry by X-Ray (modality), including dual-energy X-Ray absorptiometry (DXA) and morphometric X-Ray absorptiometry (MXA)
BDUS | http://dicom.nema.org/resources/ontology/DCM | Ultrasound Bone Densitometry | Ultrasound Bone Densitometry (modality)
EPS | http://dicom.nema.org/resources/ontology/DCM | Cardiac Electrophysiology | Cardiac Electrophysiology device
CR | http://dicom.nema.org/resources/ontology/DCM | Computed Radiography | Computed Radiography device
CT | http://dicom.nema.org/resources/ontology/DCM | Computed Tomography | Computed Tomography device
DX | http://dicom.nema.org/resources/ontology/DCM | Digital Radiography | Digital Radiography device
ECG | http://dicom.nema.org/resources/ontology/DCM | Electrocardiography | Electrocardiography device
ES | http://dicom.nema.org/resources/ontology/DCM | Endoscopy | Endoscopy device
XC | http://dicom.nema.org/resources/ontology/DCM | External-camera Photography | External-camera Photography device
GM | http://dicom.nema.org/resources/ontology/DCM | General Microscopy | General Microscopy device
HD | http://dicom.nema.org/resources/ontology/DCM | Hemodynamic Waveform | Hemodynamic Waveform acquisition device
IO | http://dicom.nema.org/resources/ontology/DCM | Intra-oral Radiography | Intra-oral Radiography device
IVOCT | http://dicom.nema.org/resources/ontology/DCM | Intravascular Optical Coherence Tomography | An acquisition device, process or method that performs intravascular optical coherence tomography
IVUS | http://dicom.nema.org/resources/ontology/DCM | Intravascular Ultrasound | Intravascular Ultrasound device
KER | http://dicom.nema.org/resources/ontology/DCM | Keratometry | Keratometry device
LEN | http://dicom.nema.org/resources/ontology/DCM | Lensometry | Lensometry device
MR | http://dicom.nema.org/resources/ontology/DCM | Magnetic Resonance | Magnetic Resonance device
MG | http://dicom.nema.org/resources/ontology/DCM | Mammography | Mammography device
NM | http://dicom.nema.org/resources/ontology/DCM | Nuclear Medicine | Nuclear Medicine device
OAM | http://dicom.nema.org/resources/ontology/DCM | Ophthalmic Axial Measurements | Measurements of the axial length of the eye, which are done by various devices
OCT | http://dicom.nema.org/resources/ontology/DCM | Optical Coherence Tomography | Modality device that uses an interferometric, non-invasive optical tomographic technique to image 2D slices and 3D volumes of tissue using visible and near visible frequencies
OPM | http://dicom.nema.org/resources/ontology/DCM | Ophthalmic Mapping | Modality device that measures corneal topography, corneal or retinal thickness, and other similar parameters that are typically displayed as maps
OP | http://dicom.nema.org/resources/ontology/DCM | Ophthalmic Photography | Ophthalmic photography modality
OPR | http://dicom.nema.org/resources/ontology/DCM | Ophthalmic Refraction | Modality device that measures the refractive characteristics of the eye
OPT | http://dicom.nema.org/resources/ontology/DCM | Ophthalmic Tomography | Tomography of the eye acquired by a modality that is based on light and optical principles. Tomography based on other principles, such as ultrasound, is excluded
OPV | http://dicom.nema.org/resources/ontology/DCM | Ophthalmic Visual Field | Modality device that measures visual fields and perform visual perimetry

OSS | http://dicom.nema.org/resources/ontology/DCM | Optical Surface Scanner | An acquisition device, process or method that performs optical surface scanning
PX | http://dicom.nema.org/resources/ontology/DCM | Panoramic X-Ray | Panoramic X-Ray device
PT | http://dicom.nema.org/resources/ontology/DCM | Positron emission tomography | Positron emission tomography (PET) device
RF | http://dicom.nema.org/resources/ontology/DCM | Radiofluoroscopy | Radiofluoroscopy device
RG | http://dicom.nema.org/resources/ontology/DCM | Radiographic imaging | Radiographic imaging (conventional film/screen)
SM | http://dicom.nema.org/resources/ontology/DCM | Slide Microscopy | Slide Microscopy
SRF | http://dicom.nema.org/resources/ontology/DCM | Subjective Refraction | Subjective Refraction device
US | http://dicom.nema.org/resources/ontology/DCM | Ultrasound | Ultrasound device
VA | http://dicom.nema.org/resources/ontology/DCM | Visual Acuity | Visual Acuity device
XA | http://dicom.nema.org/resources/ontology/DCM | X-Ray Angiography | X-Ray Angiography device
306005 | http://snomed.info/sct | Echography of kidney
334003 | http://snomed.info/sct | Panorex examination of mandible
435001 | http://snomed.info/sct | Pulmonary inhalation study
642006 | http://snomed.info/sct | Cerebral thermography
762008 | http://snomed.info/sct | Computerized axial tomography of cervical spine with contrast
951000 | http://snomed.info/sct | Ultrasonic guidance for endomyocardial biopsy
1043007 | http://snomed.info/sct | Doppler color flow velocity mapping
1044001 | http://snomed.info/sct | Diagnostic ultrasound of abdomen and retroperitoneum
1225002 | http://snomed.info/sct | Radiography of humerus
1292009 | http://snomed.info/sct | Magnetic resonance imaging of urinary bladder
1385001 | http://snomed.info/sct | Echography, scan B-mode for fetal age determination
1414009 | http://snomed.info/sct | Angiography of arteriovenous shunt
1597004 | http://snomed.info/sct | Skeletal X-ray of ankle and foot
1787006 | http://snomed.info/sct | Ultrasonic guidance for pericardiocentesis
2266004 | http://snomed.info/sct | Venography of adrenal, bilateral
2508002 | http://snomed.info/sct | Retrograde urography with KUB
2690005 | http://snomed.info/sct | Magnetic resonance imaging of pelvis
2696004 | http://snomed.info/sct | Hepatic venography with hemodynamic evaluation
2811005 | http://snomed.info/sct | Cineradiography of pharynx
2847006 | http://snomed.info/sct | Cervical myelography
2933008 | http://snomed.info/sct | Pneumogynecography
3047001 | http://snomed.info/sct | Kowa fundus photography
3256004 | http://snomed.info/sct | Cervical lymphangiogram
3258003 | http://snomed.info/sct | Arteriography of cerebral arteries
3512003 | http://snomed.info/sct | Angiography of arteries of extremity
3620007 | http://snomed.info/sct | Red cell survival study with hepatic sequestration
3787003 | http://snomed.info/sct | Ultrasonic guidance for needle biopsy
3799005 | http://snomed.info/sct | Radiography of adenoids
3858009 | http://snomed.info/sct | Echography of thyroid, A-mode
3991004 | http://snomed.info/sct | Magnetic resonance imaging of pelvis, prostate and bladder
3998005 | http://snomed.info/sct | Bone imaging of limited area
4008007 | http://snomed.info/sct | Phlebography of neck
4321009 | http://snomed.info/sct | Angiography of lower extremity arteries, bilateral
4438009 | http://snomed.info/sct | Venography of vena cava
4934001 | http://snomed.info/sct | Salpingography
4970003 | http://snomed.info/sct | Venography
5110001 | http://snomed.info/sct | Ultrasound peripheral imaging, real time scan
5131003 | http://snomed.info/sct | Radiography of chest wall
5216004 | http://snomed.info/sct | Three dimensional ultrasound imaging of heart
5433008 | http://snomed.info/sct | Skeletal X-ray of lower limb
5823005 | http://snomed.info/sct | Diagnostic radiography, left
5846007 | http://snomed.info/sct | Diagnostic radiography of toes
6007000 | http://snomed.info/sct | Magnetic resonance imaging of chest
6127002 | http://snomed.info/sct | Diagnostic radiography of abdomen, oblique standard
6157006 | http://snomed.info/sct | Endoscopic retrograde cholangiopancreatography with biopsy
6238009 | http://snomed.info/sct | Diagnostic radiography of sacroiliac joints
6271008 | http://snomed.info/sct | Echography, immersion B-scan
6480006 | http://snomed.info/sct | Urinary bladder residual urine study
6521006 | http://snomed.info/sct | Polytomography
6650009 | http://snomed.info/sct | Radionuclide lacrimal flow study
6728003 | http://snomed.info/sct | Radiologic examination of complete spine, anteroposterior and lateral
7174001 | http://snomed.info/sct | Ultrasound peripheral imaging, B-scan
7370001 | http://snomed.info/sct | Diagnostic radiography, serial films
7421004 | http://snomed.info/sct | Bone marrow imaging, limited area
7576008 | http://snomed.info/sct | Spinal angiography, selective
7656009 | http://snomed.info/sct | Isotope study for renal plasma flow
7812007 | http://snomed.info/sct | Radiologic examination of thoracolumbar spine, anteroposterior and lateral
7993000 | http://snomed.info/sct | Bone marrow imaging, whole body
7995007 | http://snomed.info/sct | Angiography of lower extremity arteries with serialography
8031000 | http://snomed.info/sct | Vaginogram
8073008 | http://snomed.info/sct | Ultrasonic guidance for aspiration of ova

8151003 | http://snomed.info/sct | Echocardiography for detecting cardiac output
8306009 | http://snomed.info/sct | Diagnostic Doppler ultrasonography
8358003 | http://snomed.info/sct | Diagnostic radiography, bilateral
8449009 | http://snomed.info/sct | Radiography of sacrococcygeal spine
8503002 | http://snomed.info/sct | Diagnostic radiography with contrast media, bilateral
8693001 | http://snomed.info/sct | Radionuclide identification of eye tumor
8994009 | http://snomed.info/sct | Radioiron oral absorption study
9403009 | http://snomed.info/sct | Diagnostic radiography, minifilm
9518008 | http://snomed.info/sct | Fistulogram of abdominal wall
9704004 | http://snomed.info/sct | Computerized tomography, limited studies
9988008 | http://snomed.info/sct | Computerized tomography, oblique
10181005 | http://snomed.info/sct | Diagnostic radiography of sacrococcygeal joint
10374007 | http://snomed.info/sct | Echography, contact B-scan
10428007 | http://snomed.info/sct | Radiologic guidance for dilation of ureters
11269009 | http://snomed.info/sct | Isotope study for plasma volume
11278003 | http://snomed.info/sct | Kidney imaging with vascular flow and function study
11295006 | http://snomed.info/sct | Angiography of brachial artery
11390003 | http://snomed.info/sct | Retroperitoneal echography, B-scan, limited
11582002 | http://snomed.info/sct | Intraoperative echography
11634002 | http://snomed.info/sct | Diagnostic radiography, supine and erect studies
11760007 | http://snomed.info/sct | Fluoroscopy during operation
11819005 | http://snomed.info/sct | Ocular thermography
11892002 | http://snomed.info/sct | Computerized tomography, sagittal
11895000 | http://snomed.info/sct | Tracer study of eye
11971003 | http://snomed.info/sct | Pulmonary ventilation-perfusion study by radioactive krypton
12118001 | http://snomed.info/sct | Phlebography of portal system
12124007 | http://snomed.info/sct | Radioisotope scan of pancreas
12341000 | http://snomed.info/sct | Isotope study for glomerular filtration rate
12356009 | http://snomed.info/sct | Diagnostic radiography, stereotactic localization in head
12357000 | http://snomed.info/sct | Radiologic examination of renal cyst, translumbar approach
12389009 | http://snomed.info/sct | Xeromammography
12513003 | http://snomed.info/sct | Diagnostic radiography of hip, bilateral
12749000 | http://snomed.info/sct | Radiologic guidance for percutaneous placement of enteroclysis tube
13088001 | http://snomed.info/sct | Corpora cavernosography
13167007 | http://snomed.info/sct | Angiocardiography by cineradiography
13205008 | http://snomed.info/sct | Transvaginal echography
13256004 | http://snomed.info/sct | Dynamic function study, blood clearance
13378009 | http://snomed.info/sct | Thyroid uptake with discharge
13450007 | http://snomed.info/sct | Mammary ductogram of multiple ducts
13518004 | http://snomed.info/sct | Computerized tomography without IV contrast followed by IV contrast and more sections
13578005 | http://snomed.info/sct | Diagnostic radiography, combined AP and lateral
13845008 | http://snomed.info/sct | Gastrointestinal aspirate for localization of blood loss
14211004 | http://snomed.info/sct | CT guidance for needle biopsy
14305004 | http://snomed.info/sct | Vasography
15282006 | http://snomed.info/sct | Fetal echocardiography, real time with image documentation (2D) with M-mode recording
15351005 | http://snomed.info/sct | Radiocalcium absorption study
15364006 | http://snomed.info/sct | Scanning or imaging, perfusion study, particulate
15749009 | http://snomed.info/sct | Cerebral ventriculography, air contrast
15757007 | http://snomed.info/sct | Serialography, single plane
16245009 | http://snomed.info/sct | Angiography of renal arteries, bilateral
16278002 | http://snomed.info/sct | Radiologic supervision and interpretation of procedure
16306001 | http://snomed.info/sct | Ocular photography for medical evaluation and documentation, slit lamp photography
16310003 | http://snomed.info/sct | Ultrasonography
16747000 | http://snomed.info/sct | Percutaneous transhepatic cholangiogram
16910009 | http://snomed.info/sct | Oral contrast cholecystography
17026004 | http://snomed.info/sct | Radionuclide tissue clearance study
17375006 | http://snomed.info/sct | Ultrasonic guidance for renal pelvis aspiration
17624002 | http://snomed.info/sct | Splenoportography, positive contrast
17711006 | http://snomed.info/sct | Diagnostic radiography, combined PA and lateral
17724006 | http://snomed.info/sct | Continuous wave Doppler analog wave form analysis of upper extremity arteries
17745004 | http://snomed.info/sct | Radiography of male genital organs
17776005 | http://snomed.info/sct | Arthrography of elbow
17984001 | http://snomed.info/sct | Acute gastrointestinal blood loss imaging
18102001 | http://snomed.info/sct | Mammary ductogram
18370004 | http://snomed.info/sct | Radiologic examination of upper gastrointestinal tract with KUB
18479002 | http://snomed.info/sct | Testicular imaging with vascular flow
18499008 | http://snomed.info/sct | Radionuclide study, protein kinetics
18529002 | http://snomed.info/sct | Diagnostic radiography of pelvis, stereo views
18640002 | http://snomed.info/sct | Echography, M-mode
18747005 | http://snomed.info/sct | Radiologic examination of elbow, anteroposterior and lateral views
18848007 | http://snomed.info/sct | Echography of chest, B-scan with image documentation
18912009 | http://snomed.info/sct | Radiography of soft tissue of elbow

19086005 | http://snomed.info/sct | Radioisotope study of respiratory system
19252005 | http://snomed.info/sct | Isotope study for gastrointestinal blood loss
19490002 | http://snomed.info/sct | Radiography of ankle
19589009 | http://snomed.info/sct | Radiography of mandible
19671003 | http://snomed.info/sct | Bone thermography
19731001 | http://snomed.info/sct | Ultrasound study of eye
19961003 | http://snomed.info/sct | Orthodontic cephalogram
20067007 | http://snomed.info/sct | Ocular fundus photography
20350005 | http://snomed.info/sct | Amniography
20384009 | http://snomed.info/sct | Radioisotope scan of pituitary
20603005 | http://snomed.info/sct | Special echography procedure
20630000 | http://snomed.info/sct | Laparoscopic cholecystectomy with cholangiography
20740007 | http://snomed.info/sct | Pelvic echography, B-scan, complete
20798004 | http://snomed.info/sct | Radiologic examination of foot, anteroposterior and lateral views
20836009 | http://snomed.info/sct | Computerized axial tomography of posterior fossa with contrast
21126008 | http://snomed.info/sct | Hepatobiliary ductal system imaging including gallbladder
21339000 | http://snomed.info/sct | Radiography of intestine
21613005 | http://snomed.info/sct | Radiologic examination of cervical spine, anteroposterior and lateral
21623001 | http://snomed.info/sct | Fetal biophysical profile
21685006 | http://snomed.info/sct | Ocular photography for medical evaluation and documentation, stereophotography
21970003 | http://snomed.info/sct | Radiography of ribs
22034001 | http://snomed.info/sct | Echography of prostate, transrectal approach
22059005 | http://snomed.info/sct | Computerized tomography, bone density study
22089003 | http://snomed.info/sct | Pulmonary ventilation-perfusion study by radioactive oxygen
22289008 | http://snomed.info/sct | Radiography of symphysis menti
22400007 | http://snomed.info/sct | Computerized tomography, 3 dimensional reconstruction
22446007 | http://snomed.info/sct | Diagnostic radiography of chest, minifilm
22458007 | http://snomed.info/sct | Epidural venography
22530002 | http://snomed.info/sct | Arthrography of hip with positive contrast
22760005 | http://snomed.info/sct | Xeroradiography
22761009 | http://snomed.info/sct | Perineogram
22791004 | http://snomed.info/sct | X-ray of lumbosacral spine
22873002 | http://snomed.info/sct | Pulmonary phlebography
22891007 | http://snomed.info/sct | Radiography of teeth
22901000 | http://snomed.info/sct | Diagnostic radiography, survey
22948003 | http://snomed.info/sct | Radiologic examination of wrist, anteroposterior and lateral views
23225008 | http://snomed.info/sct | Gastrointestinal protein loss study
23394003 | http://snomed.info/sct | Radiography of sternum
23461000 | http://snomed.info/sct | Diagnostic radiography, posteroanterior (PA)
23572007 | http://snomed.info/sct | Transmission bone density study
23738001 | http://snomed.info/sct | Ultrasonography of digestive system
23818008 | http://snomed.info/sct | Scanning or imaging, perfusion study, gaseous
23846005 | http://snomed.info/sct | Radiography of soft tissue of thigh
23931002 | http://snomed.info/sct | Ultrasonography of head and neck
24058001 | http://snomed.info/sct | Echocardiography for determining posterior left ventricular wall thickness
24135002 | http://snomed.info/sct | Ultrasonography of total body
24267008 | http://snomed.info/sct | Radiography of upper limb soft tissue
24623002 | http://snomed.info/sct | Screening mammography
24646000 | http://snomed.info/sct | Abdominal aortography, translumbar with serialography
24689001 | http://snomed.info/sct | CT guidance for treatment planning, teletherapy
24715008 | http://snomed.info/sct | Splenoportogram by splenic arteriography
24737001 | http://snomed.info/sct | Echography of scrotum and contents
24848001 | http://snomed.info/sct | Pelvic echography
24856003 | http://snomed.info/sct | Diagnostic radiography of coccyx
25306006 | http://snomed.info/sct | Deep vein thermography
25347009 | http://snomed.info/sct | Venography of lower extremity, bilateral
25411007 | http://snomed.info/sct | Hysterogram
25630002 | http://snomed.info/sct | Testicular imaging
25759006 | http://snomed.info/sct | Radionuclide scanning for hot spot
25760001 | http://snomed.info/sct | Angiography of cervicocerebral arteries
25850001 | http://snomed.info/sct | Ultrasonography of thorax
26262000 | http://snomed.info/sct | Phlebography of head
26308001 | http://snomed.info/sct | Deep fine needle aspiration biopsy under radiologic guidance
26537001 | http://snomed.info/sct | Diagnostic radiography of lumbar spine, combined AP and lateral
26648002 | http://snomed.info/sct | Diagnostic radiography, special views
26946001 | http://snomed.info/sct | Computerized axial tomography of upper extremity with contrast
27300001 | http://snomed.info/sct | Molegraphy
27469002 | http://snomed.info/sct | Percutaneous transhepatic portography with hemodynamic evaluation
27483000 | http://snomed.info/sct | Diagnostic radiography with contrast media
27498003 | http://snomed.info/sct | Positive contrast bronchography, bilateral
27821009 | http://snomed.info/sct | Venography of jugular vein
27851003 | http://snomed.info/sct | Myelography of entire spinal canal

28033003 | http://snomed.info/sct | Fluoroscopic localization for needle biopsy in chest
28160007 | http://snomed.info/sct | Pelvic lymphangiography, bilateral
28303002 | http://snomed.info/sct | Radionuclide biliary patency study
28337005 | http://snomed.info/sct | Red cell survival study with splenic sequestration
28339008 | http://snomed.info/sct | Thoracic myelography
28367004 | http://snomed.info/sct | Cholangiogram
28514000 | http://snomed.info/sct | Bilateral nephrotomography
28566009 | http://snomed.info/sct | Echography, M-mode, complete
28686001 | http://snomed.info/sct | Nephrotomogram
28687005 | http://snomed.info/sct | Transcatheter therapy by infusion with angiography
28806001 | http://snomed.info/sct | Angiocardiography by serialography, multi-plane
28894006 | http://snomed.info/sct | Fluoroscopic localization for transbronchial biopsy and brushing
29117008 | http://snomed.info/sct | Angiocardiography, positive contrast
29166005 | http://snomed.info/sct | Radiologic examination of upper gastrointestinal tract and small bowel with serial films
29357002 | http://snomed.info/sct | Radiography of face, head AND/OR neck
29433003 | http://snomed.info/sct | Radiography of female genital organs
29559003 | http://snomed.info/sct | Radioiodohippurate sodium renogram, multiple probes
29567006 | http://snomed.info/sct | Magnetic resonance imaging of brain and brain stem
29592009 | http://snomed.info/sct | Radiography of shoulder
29845000 | http://snomed.info/sct | Xenon flow scan of cardiovascular system
29967000 | http://snomed.info/sct | Echography, scan B-mode for placement of radiation fields
30353000 | http://snomed.info/sct | Ultrasonography of aortic arch
30439001 | http://snomed.info/sct | Venography of inferior vena cava with serialography
30462004 | http://snomed.info/sct | Echography of breast, B-scan
30536006 | http://snomed.info/sct | Radiologic examination of knee, anteroposterior and lateral views
30726001 | http://snomed.info/sct | Ultrasonic guidance for thoracentesis
30788002 | http://snomed.info/sct | Diagnostic radiography with measurements
30842004 | http://snomed.info/sct | Ophthalmoscopy with medical evaluation, extended, with fundus photography
30918004 | http://snomed.info/sct | Radionuclide venous thrombosis study
30957007 | http://snomed.info/sct | Magnetic resonance imaging of orbit
31157004 | http://snomed.info/sct | Peripheral thermogram
31643000 | http://snomed.info/sct | Angiography of upper extremity arteries with serialography
31683008 | http://snomed.info/sct | Retroperitoneal echography, B-scan, complete
31800006 | http://snomed.info/sct | Selective angiocardiography
31911002 | http://snomed.info/sct | Radiography of kidney-ureter-bladder
31931003 | http://snomed.info/sct | Radiography of supraorbital area
31962004 | http://snomed.info/sct | Pulmonary perfusion imaging, particulate
31998007 | http://snomed.info/sct | Echography, scan B-mode for fetal growth rate
32012009 | http://snomed.info/sct | Radioisotope scan of head
32265006 | http://snomed.info/sct | Intravenous pyelogram
32289004 | http://snomed.info/sct | Brain imaging with vascular flow
32328007 | http://snomed.info/sct | Diagnostic radiography during operative procedure
32345002 | http://snomed.info/sct | Gastrointestinal isotope fat absorption study
32366005 | http://snomed.info/sct | Diagnostic radiography, stereo
32535000 | http://snomed.info/sct | Diagnostic radiography, anteroposterior (AP)
32729002 | http://snomed.info/sct | Thyroid uptake with thyroid suppression
32962002 | http://snomed.info/sct | Computerized tomography of abdomen with contrast
33085008 | http://snomed.info/sct | Orbital venography
33148003 | http://snomed.info/sct | Arthrography
33202000 | http://snomed.info/sct | X-ray of ribs, sternum and clavicle
33357000 | http://snomed.info/sct | Roentgenography, negative contrast
33367005 | http://snomed.info/sct | Coronary angiography
33450004 | http://snomed.info/sct | Diagnostic radiography with special study
33460008 | http://snomed.info/sct | Radionuclide scanning for cold spot
33527008 | http://snomed.info/sct | Ultrasonic guidance for aspiration of cyst
33677003 | http://snomed.info/sct | Isotope study of blood volume
34227000 | http://snomed.info/sct | Computerized axial tomography of brain
34616009 | http://snomed.info/sct | Epididymography
34885003 | http://snomed.info/sct | Radiography of esophagus
34945008 | http://snomed.info/sct | Angiocardiography
35198004 | http://snomed.info/sct | Peritoneal venous shunt patency test for Leveen shunt
35202002 | http://snomed.info/sct | Scanning or imaging with vascular flow
35249003 | http://snomed.info/sct | Magnetic resonance imaging of face
35443000 | http://snomed.info/sct | Diagnostic radiography of thoracolumbar spine, supine and erect for scoliosis
35492006 | http://snomed.info/sct | Diagnostic dental photography
35621002 | http://snomed.info/sct | Cardiac blood pool imaging
35757004 | http://snomed.info/sct | Echocardiography for determining ventricular contraction
36004004 | http://snomed.info/sct | Diagnostic tomography
36624001 | http://snomed.info/sct | Gastrointestinal blood loss study by stool counting
36870006 | http://snomed.info/sct | Echoencephalography, A-mode
36960008 | http://snomed.info/sct | Intra-abdominal phlebography
37090007 | http://snomed.info/sct | Placentography

37307009 | http://snomed.info/sct | Radiography of nasopharynx
37312005 | http://snomed.info/sct | External ocular photography for medical evaluation and documentation
37348007 | http://snomed.info/sct | Diagnostic radiography with contrast media by injection, positive contrast
37385004 | http://snomed.info/sct | Diagnostic radiography of upper gastrointestinal tract with serial films
37403009 | http://snomed.info/sct | Sphincterotomy of sphincter of Oddi by ERCP
37537004 | http://snomed.info/sct | Liver and spleen imaging
37541000 | http://snomed.info/sct | Radiography of retroperitoneum
37603004 | http://snomed.info/sct | Radiography of root canal
37707006 | http://snomed.info/sct | Radionuclide study of coronary blood flow
37815002 | http://snomed.info/sct | Diagnostic radiography of calcaneus
37859006 | http://snomed.info/sct | Pulmonary ventilation perfusion study
38172006 | http://snomed.info/sct | Cervical discography
38336006 | http://snomed.info/sct | Soft tissue X-ray of chest wall
38356007 | http://snomed.info/sct | Venography of upper extremity
38366004 | http://snomed.info/sct | Radiography of soft tissue of knee
38644000 | http://snomed.info/sct | Kidney imaging, SPECT technique
38769008 | http://snomed.info/sct | Diagnostic radiography, flexion and/or extension studies
38930009 | http://snomed.info/sct | Fluoroscopy of chest
39305005 | http://snomed.info/sct | Oral contrast cholangiography
39500001 | http://snomed.info/sct | Thyroid imaging
39714003 | http://snomed.info/sct | Skeletal X-ray of wrist and hand
39856007 | http://snomed.info/sct | Imaging of arteries of lower extremities
40008005 | http://snomed.info/sct | Plethysmometry
40064005 | http://snomed.info/sct | Soft tissue X-ray of face, head AND neck
40228004 | http://snomed.info/sct | Bowel imaging for volvulus
40348008 | http://snomed.info/sct | Skeletal X-ray of pelvis and hip
40357002 | http://snomed.info/sct | Echocardiography for determining mitral and tricuspid valve motion
40371005 | http://snomed.info/sct | Ultrasonography for midline shift of brain
40372003 | http://snomed.info/sct | Diagnostic radiography of temporomandibular joint
40502003 | http://snomed.info/sct | Diagnostic radiography of fistula or sinus tract, positive contrast
40538005 | http://snomed.info/sct | Thermography
40701008 | http://snomed.info/sct | Echocardiography
40892001 | http://snomed.info/sct | Special ultrasonic display or imaging technique
41051004 | http://snomed.info/sct | Echography, A-mode with amplitude quantitation
41209002 | http://snomed.info/sct | Transcatheter therapy for embolization with angiography
41260001 | http://snomed.info/sct | Diagnostic Doppler ultrasonography of pelvic area
41333006 | http://snomed.info/sct | Magnetic resonance imaging of lumbar spine with contrast
41380003 | http://snomed.info/sct | Radioisotope scan for myocardial infarction
41385008 | http://snomed.info/sct | Radiologic examination of clavicle, complete
41440006 | http://snomed.info/sct | Cerebral scan
41466009 | http://snomed.info/sct | Myocardial imaging for infarct with ejection fraction, first pass technique
41496004 | http://snomed.info/sct | Ophthalmic echography with amplitude quantitation, A-mode
41500002 | http://snomed.info/sct | Small bowel series
41747008 | http://snomed.info/sct | Radioisotope scan of bone
41785006 | http://snomed.info/sct | Diagnostic radiography of pharynx
41823007 | http://snomed.info/sct | Thyroid imaging with vascular flow
41842006 | http://snomed.info/sct | Radioisotope study of hematopoietic system
41913002 | http://snomed.info/sct | Ultrasound of inner ear
42003005 | http://snomed.info/sct | Arteriography of superior mesenteric artery
42075002 | http://snomed.info/sct | Diagnostic radiography of skull
42539009 | http://snomed.info/sct | Imaging of arteries of extremities
42687005 | http://snomed.info/sct | Lymphangiogram
42705007 | http://snomed.info/sct | Pneumography of retroperitoneum
42869005 | http://snomed.info/sct | Diagnostic radiography of chest, combined PA and lateral
42957001 | http://snomed.info/sct | Cerebrospinal fluid flow imaging for CSF leakage detection and localization
42976004 | http://snomed.info/sct | Doppler flow mapping of thorax
43129000 | http://snomed.info/sct | Radionuclide dynamic function study with multiple probes
43145003 | http://snomed.info/sct | Abdominal aortography, positive contrast
43204002 | http://snomed.info/sct | Bilateral mammography
43255009 | http://snomed.info/sct | Diagnostic radiography of optic foramina
43294005 | http://snomed.info/sct | Echography, M-mode, limited
43370007 | http://snomed.info/sct | Impedance phlebography
43704001 | http://snomed.info/sct | Echography of breast, A-mode
43837006 | http://snomed.info/sct | Radioiodinated triolein study
43947005 | http://snomed.info/sct | Radiography of soft tissue of forearm
44052005 | http://snomed.info/sct | Ultrasonography of biliary tract
44260000 | http://snomed.info/sct | Stereotactic excisional biopsy of intracranial lesion with computerized axial tomography
44491008 | http://snomed.info/sct | Fluoroscopy
44545002 | http://snomed.info/sct | Radiologic examination of sella turcica
44691001 | http://snomed.info/sct | Diagnostic radiography of mastoids
44884002 | http://snomed.info/sct | Azygography
45036003 | http://snomed.info/sct | Ultrasonography of abdomen

45315006 | http://snomed.info/sct | Osteoarticular thermography
45316007 | http://snomed.info/sct | Radionuclide localization of tumor
45554006 | http://snomed.info/sct | Radiography of thoracic spine
45588000 | http://snomed.info/sct | Liver function study with serial images
45689001 | http://snomed.info/sct | Femoral phlebography
45732007 | http://snomed.info/sct | Radiologic examination, osseous survey, complete
46108001 | http://snomed.info/sct | Multi-plane radionuclide tomography
46258004 | http://snomed.info/sct | Determination of ventricular ejection fraction with probe technique
46291008 | http://snomed.info/sct | Diagnostic radiography with contrast media by injection, positive contrast, bilateral
46377000 | http://snomed.info/sct | Cardiac tomography
46424009 | http://snomed.info/sct | Cerebral ventriculography, positive contrast
46453005 | http://snomed.info/sct | Fluoroscopic localization for fine needle aspiration
46471003 | http://snomed.info/sct | Isotope study for urinary recovery
46480003 | http://snomed.info/sct | Celiac angiography
46597006 | http://snomed.info/sct | Salivary gland imaging with serial views
46700000 | http://snomed.info/sct | Radiologic examination of lumbosacral spine, anteroposterior and lateral
46798003 | http://snomed.info/sct | Special radionuclide imaging technique
46822003 | http://snomed.info/sct | Arthrography of wrist
46854007 | http://snomed.info/sct | Radionuclide localization of abscess of whole body
46870009 | http://snomed.info/sct | P32 tracer study of eye
47079000 | http://snomed.info/sct | Ultrasonography of breast
47187002 | http://snomed.info/sct | Radiography of uvula
47293000 | http://snomed.info/sct | Radiologic procedure on lower extremity and pelvis
47324001 | http://snomed.info/sct | Thyroid uptake with thyroid stimulation
47616002 | http://snomed.info/sct | White blood cell localization, whole body
47621004 | http://snomed.info/sct | Diagnostic radiologic examination with fluoroscopy
47859009 | http://snomed.info/sct | Diagnostic radiography, oblique, special
47987001 | http://snomed.info/sct | Diagnostic radiography of sacral spine, combined AP and lateral
48138001 | http://snomed.info/sct | Splenogram
48290004 | http://snomed.info/sct | Radionuclide volume dilution study
48380009 | http://snomed.info/sct | Venography of renal vein, bilateral
48450000 | http://snomed.info/sct | Radiography of head
48526000 | http://snomed.info/sct | Ultrasound peripheral vascular flow study
48564003 | http://snomed.info/sct | Fluoroscopic monitoring and radiography for cardiac pacemaker insertion
48633006 | http://snomed.info/sct | Lumbar discography
48735005 | http://snomed.info/sct | Thoracic aortography, positive contrast
48816001 | http://snomed.info/sct | Radiologic examination of lumbosacral spine, complete, with bending views
48849005 | http://snomed.info/sct | Imaging of arteries of upper extremity
48858003 | http://snomed.info/sct | Lymphangiography of lower extremity
48966008 | http://snomed.info/sct | Skeletal X-ray of shoulder and upper limb
48986007 | http://snomed.info/sct | Cholecystocholangiogram
48995004 | http://snomed.info/sct | Fluoroscopy, post-operative
48996003 | http://snomed.info/sct | Echography of abdomen, B-scan, limited
49140003 | http://snomed.info/sct | Radiography of penis
49276007 | http://snomed.info/sct | Echocardiography for determining interventricular septal thickness
49345004 | http://snomed.info/sct | Radiography of hand
49459005 | http://snomed.info/sct | Diagnostic radiography of chest, stereo
49626003 | http://snomed.info/sct | Diagnostic radiography of scapula
49673009 | http://snomed.info/sct | Coronary arteriography using two catheters
49752000 | http://snomed.info/sct | Intravenous pyelogram with KUB
49856005 | http://snomed.info/sct | Soft tissue X-ray of lower limb
50025001 | http://snomed.info/sct | Diagnostic radiography with oral contrast
50251009 | http://snomed.info/sct | Radiographic dental examination for personal identification
50621006 | http://snomed.info/sct | Isotope study for renal clearance
50759007 | http://snomed.info/sct | Kidney imaging with vascular flow
50788008 | http://snomed.info/sct | Pulmonary ventilation-perfusion study by radioactive xenon
50867009 | http://snomed.info/sct | Mammary ductogram of single duct
50964001 | http://snomed.info/sct | Abdominal aortography with bilateral iliofemoral arteries with serialography
51006009 | http://snomed.info/sct | Echoencephalography
51469006 | http://snomed.info/sct | Four dimensional ultrasound imaging of heart
51619007 | http://snomed.info/sct | Magnetic resonance imaging with contrast
51808006 | http://snomed.info/sct | Arthrography of ankle with positive contrast
52221007 | http://snomed.info/sct | Radiography of foot
52340003 | http://snomed.info/sct | Angiography of pulmonary arteries, bilateral
52432005 | http://snomed.info/sct | Photography of gross organ
52514008 | http://snomed.info/sct | Radiography of maxilla
52566004 | http://snomed.info/sct | Clivogram
52792009 | http://snomed.info/sct | Ultrasound cephalometrics
52823003 | http://snomed.info/sct | Radiologic examination of ankle, anteroposterior and lateral views
52960000 | http://snomed.info/sct | Radionuclide volume dilution of body spaces
53054006 | http://snomed.info/sct | Laparoscopy with guided transhepatic cholangiography
53161007 | http://snomed.info/sct | Radiologic guidance for ileal conduitogram

53457009 | http://snomed.info/sct | Echocardiography for determining prosthetic valve motion
53484005 | http://snomed.info/sct | Venography of superior sagittal sinus
53495004 | http://snomed.info/sct | Angiography of upper extremity arteries, bilateral
53585008 | http://snomed.info/sct | Radioisotope study of gastrointestinal system
53683005 | http://snomed.info/sct | Angiocardiography of left heart
53835005 | http://snomed.info/sct | Placental scan
54042002 | http://snomed.info/sct | Contrast radiography of nasolacrimal ducts
54149009 | http://snomed.info/sct | Angiography of cervical vertebral arteries, bilateral
54321008 | http://snomed.info/sct | Cardiac flow imaging
54438008 | http://snomed.info/sct | Diagnostic radiography, oblique, standard
54640009 | http://snomed.info/sct | Aortography
54689004 | http://snomed.info/sct | Real time scan
54780008 | http://snomed.info/sct | Liver imaging with vascular flow
54810009 | http://snomed.info/sct | Voiding urethrocystography
55052008 | http://snomed.info/sct | Diagnostic ultrasound of gravid uterus
55357008 | http://snomed.info/sct | Diagnostic radiography of tibia, combined AP and lateral
55447006 | http://snomed.info/sct | Percutaneous hysterogram
55498000 | http://snomed.info/sct | Endotracheal bronchography
55501000 | http://snomed.info/sct | Computerized axial tomography of kidney
55550006 | http://snomed.info/sct | Radioisotope study of central nervous system
55596003 | http://snomed.info/sct | Antegrade urography
55612007 | http://snomed.info/sct | Hepatic venography
55761000 | http://snomed.info/sct | Echogynography
55965002 | http://snomed.info/sct | X-ray of skull
56058002 | http://snomed.info/sct | Fluoroscopy to assist endoscopic maneuver
56087001 | http://snomed.info/sct | Dacryocystography
56216006 | http://snomed.info/sct | Radionuclide localization of tumor, whole body
56712007 | http://snomed.info/sct | Computerized tomography, multi-plane
57093001 | http://snomed.info/sct | Echocardiography, real-time with image documentation with M-mode recording, complete
57113004 | http://snomed.info/sct | Pulmonary ventilation study
57235004 | http://snomed.info/sct | Diagnostic radiography of sacrum
57354002 | http://snomed.info/sct | Denver shunt patency test
57417005 | http://snomed.info/sct | Bowel imaging for Meckel's diverticulum
57780004 | http://snomed.info/sct | Radioiodohippurate sodium renogram, serial imaging
57902003 | http://snomed.info/sct | Magnetic resonance imaging of temporomandibular joint
58011003 | http://snomed.info/sct | Diagnostic radiography of larynx
58082001 | http://snomed.info/sct | Air contrast orbitography
58259007 | http://snomed.info/sct | Radiography of pelvic soft tissue
58316000 | http://snomed.info/sct | Angiography of arteries of extremity with serialography
58518000 | http://snomed.info/sct | Bone imaging, vascular flow study
58713006 | http://snomed.info/sct | Magnetic resonance imaging of musculoskeletal structures
58719005 | http://snomed.info/sct | Radioisotope scan of uterus
58746000 | http://snomed.info/sct | Arthrogram of temporomandibular joint
58920005 | http://snomed.info/sct | Imaging of carotid arteries
58951003 | http://snomed.info/sct | Pelvic echography, B-scan, limited
59105009 | http://snomed.info/sct | Bowel imaging for ectopic gastric mucosa
59413000 | http://snomed.info/sct | Radiologic guidance for dilation of urethra
59517002 | http://snomed.info/sct | Radioiron body distribution study
59608007 | http://snomed.info/sct | Diagnostic radiologic examination with fluoroscopy of chest
59778004 | http://snomed.info/sct | Positive contrast laryngography
59800002 | http://snomed.info/sct | Diagnostic radiography with contrast media by injection, bilateral
59916001 | http://snomed.info/sct | Cerebrospinal fluid flow imaging, shunt evaluation
60006002 | http://snomed.info/sct | Intrathoracic phlebography
60027007 | http://snomed.info/sct | Radiography of wrist
60228007 | http://snomed.info/sct | Cholecystectomy with exploration of common duct with cholangiography
60287000 | http://snomed.info/sct | Photography, microscopic
60443006 | http://snomed.info/sct | Magnetic resonance imaging of cervical spine with contrast
60539009 | http://snomed.info/sct | Echography of thyroid, B-scan
60619004 | http://snomed.info/sct | Diagnostic radiography of finger
60654006 | http://snomed.info/sct | Radiologic examination of abdomen
60668004 | http://snomed.info/sct | Soft tissue X-ray of abdominal wall
61147008 | http://snomed.info/sct | Radiography of soft tissue of hip
61361006 | http://snomed.info/sct | Red cell survival study for splenic and hepatic sequestration
61368000 | http://snomed.info/sct | Diagnostic radiography of spine with flexion and extension studies
61518007 | http://snomed.info/sct | Echography, A-mode
61553000 | http://snomed.info/sct | Ophthalmic biometry by ultrasound echography, A-mode
61593002 | http://snomed.info/sct | Ultrasonic guidance procedure
61832002 | http://snomed.info/sct | Echocardiography for determining mitral, aortic and tricuspid valve motion
61982008 | http://snomed.info/sct | Echocardiography for determining pericardial effusion
62295005 | http://snomed.info/sct | Diagnostic radiography of abdomen, decubitus and erect
62434009 | http://snomed.info/sct | Breast thermography
62559003 | http://snomed.info/sct | Echocardiography, real time with image documentation with M-mode, follow-up

62581008 | http://snomed.info/sct | Magnetic resonance imaging of myocardium
62658002 | http://snomed.info/sct | Magnetic resonance imaging of chest and myocardium
62756008 | http://snomed.info/sct | Radiologic examination of pharynx and cervical esophagus
63243008 | http://snomed.info/sct | Intraoperative cholangiogram
63469004 | http://snomed.info/sct | Obstetric cephalometry
63670007 | http://snomed.info/sct | Myocardial imaging for infarct, planar technique
63713007 | http://snomed.info/sct | Cerebral blood flow radionuclide study
64021002 | http://snomed.info/sct | Postoperative pancreatography
64152004 | http://snomed.info/sct | Cinephotography of patient
64167000 | http://snomed.info/sct | Doppler flow mapping of aortic arch
64318009 | http://snomed.info/sct | Diagnostic radiography, stereotactic localization
64387007 | http://snomed.info/sct | Myelogram of posterior fossa
64432007 | http://snomed.info/sct | Myocardial imaging
64682006 | http://snomed.info/sct | Pulmonary perfusion imaging, gaseous
64707006 | http://snomed.info/sct | Venography of superior vena cava with serialography
65066001 | http://snomed.info/sct | Diagnostic radiography with contrast media by injection, positive contrast, operative
65083005 | http://snomed.info/sct | Arteriography of head and neck
65388005 | http://snomed.info/sct | Ultrasonic guidance for amniocentesis
65416003 | http://snomed.info/sct | Diagnostic radiography, lateral
65590007 | http://snomed.info/sct | Diagnostic radiography with contrast media by injection, positive contrast, post-operative
65749006 | http://snomed.info/sct | Gastroesophageal reflux study
65837003 | http://snomed.info/sct | Angiography of neck
65839000 | http://snomed.info/sct | Ophthalmic ultrasonic foreign body localization
65867009 | http://snomed.info/sct | Magnetic resonance imaging of mediastinum
66088009 | http://snomed.info/sct | Pulmonary perfusion study
66377006 | http://snomed.info/sct | Radionuclide localization of tumor, limited area
66596009 | http://snomed.info/sct | Diagnostic radiography for foreign body detection and localization
66675005 | http://snomed.info/sct | Magnetic resonance imaging of orbit, face and neck
66769009 | http://snomed.info/sct | Radiography of cervical spine
66995002 | http://snomed.info/sct | Renal function study with serial imaging
67022004 | http://snomed.info/sct | Lymph gland thermography
67051000 | http://snomed.info/sct | Abdominal lymphangiography, bilateral
67071009 | http://snomed.info/sct | Diagnostic radiography of chest, oblique, standard
67255001 | http://snomed.info/sct | Magnetic resonance imaging without IV contrast followed by contrast and more sections
67357007 | http://snomed.info/sct | Esophageal motility study with acid perfusion studies
67361001 | http://snomed.info/sct | Pulmonary ventilation-perfusion study by radioactive nitrogen
67499007 | http://snomed.info/sct | Radiologic examination of knee, standing anteroposterior
67595003 | http://snomed.info/sct | Radionuclide study of cardiac output
67632007 | http://snomed.info/sct | Diagnostic radiography of chest, PA
67715004 | http://snomed.info/sct | Oral contrast duodenography
68083009 | http://snomed.info/sct | Thoracic discography
68280004 | http://snomed.info/sct | Replacement of percutaneous drainage catheter with contrast monitoring
68306006 | http://snomed.info/sct | Diagnostic radiography of facial bones
68558001 | http://snomed.info/sct | Cerebrospinal fluid flow imaging, cisternography
68796002 | http://snomed.info/sct | Radioisotope study of musculoskeletal system
68862002 | http://snomed.info/sct | Radiologic examination of thoracolumbar spine, standing
68965004 | http://snomed.info/sct | Pelvimetry with placental localization
69064006 | http://snomed.info/sct | Diagnostic radiography of cervical esophagus
69143005 | http://snomed.info/sct | Radiography of heart
69167002 | http://snomed.info/sct | Ocular photography, close up
69477006 | http://snomed.info/sct | Ophthalmic echography, contact B-scan
69610007 | http://snomed.info/sct | Ultrasound for foreign body localization
69657008 | http://snomed.info/sct | Computerized tomography, additional views
69720006 | http://snomed.info/sct | Radionuclide special dynamic function study
69772001 | http://snomed.info/sct | Echography, B-scan, limited
70157001 | http://snomed.info/sct | Radiologic guidance for percutaneous drainage of abscess
70268007 | http://snomed.info/sct | Platelet survival study
70435002 | http://snomed.info/sct | Ultrasound peripheral imaging
70780000 | http://snomed.info/sct | Skeletal X-ray of elbow and forearm
71040008 | http://snomed.info/sct | Computerized tomography, follow-up
71093009 | http://snomed.info/sct | Pancreatography during surgery
71163001 | http://snomed.info/sct | Echography of abdomen, B-scan, complete
71233004 | http://snomed.info/sct | Radioiodine plasma clearance study
71254006 | http://snomed.info/sct | Venography of adrenal
71503007 | http://snomed.info/sct | Magnetic resonance imaging of joint of upper extremity
71599004 | http://snomed.info/sct | Gas contrast radiography of pelvis
71651007 | http://snomed.info/sct | Mammography
71867003 | http://snomed.info/sct | Echography of breast, B-scan and real time with image documentation
71894004 | http://snomed.info/sct | Radiologic guidance for percutaneous specimen collection
71954002 | http://snomed.info/sct | Gastric mucosa imaging
71977002 | http://snomed.info/sct | Radionuclide uptake study
72221006 | http://snomed.info/sct | Magnetic resonance imaging of neck

72383008 | http://snomed.info/sct | Angiography of coronary arteries, bilateral
72508000 | http://snomed.info/sct | Radiologic examination of thoracic spine, anteroposterior and lateral
72716007 | http://snomed.info/sct | Computerized tomography for guidance-localization
72872009 | http://snomed.info/sct | Skeletal X-ray of upper limb
72911009 | http://snomed.info/sct | Radiography of soft tissue of hand
73523002 | http://snomed.info/sct | Diagnostic radiography, right
73771004 | http://snomed.info/sct | Radiography of soft tissue of ankle
74016001 | http://snomed.info/sct | Radiologic examination of knee
74017005 | http://snomed.info/sct | Intraoperative transhepatic cholangiogram
74170002 | http://snomed.info/sct | Radiography of upper limb
74193008 | http://snomed.info/sct | Echocardiography for determining size of ventricular chambers
74219000 | http://snomed.info/sct | Pulmonary perfusion imaging, gaseous, with ventilation, rebreathing and washout
74546006 | http://snomed.info/sct | Fluoroscopy for foreign body localization
74590001 | http://snomed.info/sct | Kidney imaging with dynamic function study
74710000 | http://snomed.info/sct | Computerized axial tomography of pelvis with contrast
74809003 | http://snomed.info/sct | Radiography of forearm
74834003 | http://snomed.info/sct | Angiocardiography by serialography, single plane
74874009 | http://snomed.info/sct | Echography of chest, real time with image documentation
75014006 | http://snomed.info/sct | Pelvimetry
75233009 | http://snomed.info/sct | Intraosseous venography
75385009 | http://snomed.info/sct | Computerized axial tomography of thorax with contrast
75593005 | http://snomed.info/sct | Laparoscopy with guided transhepatic cholangiography and biopsy
75675001 | http://snomed.info/sct | Diagnostic radiography of orbits
75679007 | http://snomed.info/sct | Gastrointestinal tract x-ray
75691003 | http://snomed.info/sct | Magnetic resonance imaging of prostate
75766009 | http://snomed.info/sct | Pulmonary ventilation study, gaseous
76285001 | http://snomed.info/sct | Upper gastrointestinal tract examination with air contrast with KUB
76565001 | http://snomed.info/sct | Muscle thermography
76573005 | http://snomed.info/sct | Radiography of soft tissue of upper arm
76718005 | http://snomed.info/sct | CT guidance for cyst aspiration
76913009 | http://snomed.info/sct | Radiography of elbow
76927004 | http://snomed.info/sct | Radioisotope study of genitourinary system
76930006 | http://snomed.info/sct | Ophthalmic echography, immersion B-scan
76981001 | http://snomed.info/sct | Discogram
77343006 | http://snomed.info/sct | Angiography
77477000 | http://snomed.info/sct | Computerized axial tomography
77532004 | http://snomed.info/sct | Diagnostic radiography of ribs, bilateral
77658008 | http://snomed.info/sct | Ultrasonography of urinary system
77660005 | http://snomed.info/sct | Angiography of adrenal arteries, bilateral
77717008 | http://snomed.info/sct | Angiography of cervical vertebral and intracranial arteries
77973006 | http://snomed.info/sct | Doppler flow mapping of head and neck
78002002 | http://snomed.info/sct | Contrast dacryocystogram
78013004 | http://snomed.info/sct | Echography, B-scan
78138006 | http://snomed.info/sct | Echography of spinal canal and contents
78176000 | http://snomed.info/sct | Echography, B-scan, complete
78579002 | http://snomed.info/sct | Ultrasonography of retroperitoneum
78669009 | http://snomed.info/sct | Fluoroscopy, serial films
78670005 | http://snomed.info/sct | Diagnostic radiography of all fingers
78711007 | http://snomed.info/sct | Doppler flow mapping of heart
78938007 | http://snomed.info/sct | Ultrasonography of multiple sites
79073004 | http://snomed.info/sct | Venography of lower extremity
79082005 | http://snomed.info/sct | Diagnostic radiography of fibula, combined AP and lateral
79092002 | http://snomed.info/sct | Arthrography of shoulder
79190008 | http://snomed.info/sct | Radiography of thyroid region
79237001 | http://snomed.info/sct | Cerebral ventriculography
79516005 | http://snomed.info/sct | Renal arteriography
79563007 | http://snomed.info/sct | Magnetic resonance imaging of joint of lower extremity
79760008 | http://snomed.info/sct | Radiography of spine
79777008 | http://snomed.info/sct | Radiography of tonsils and adenoids
79966006 | http://snomed.info/sct | Ultrasonography of uterus
80218009 | http://snomed.info/sct | Lymphangiography of upper extremities, bilateral
80254008 | http://snomed.info/sct | Angiocardiography of right heart
80302000 | http://snomed.info/sct | Thyroid imaging for metastatic carcinoma, whole body
80308001 | http://snomed.info/sct | Pulmonary ventilation-perfusion study by radioactive carbon
80372004 | http://snomed.info/sct | Diagnostic radiography, lateral decubitus studies
80501006 | http://snomed.info/sct | Radiography of zygomaticomaxillary complex
80648002 | http://snomed.info/sct | Retrograde angiography of brachial artery
80823002 | http://snomed.info/sct | Ophthalmic echography, B-scan, limited
80865008 | http://snomed.info/sct | Specimen mammography
81391006 | http://snomed.info/sct | Liver and spleen imaging with vascular flow
81451007 | http://snomed.info/sct | Donaldson stereophotography
81523000 | http://snomed.info/sct | Echography, scan C-mode

81618005 | http://snomed.info/sct | Intravenous cholangiogram
81937003 | http://snomed.info/sct | Red cell survival study
81941004 | http://snomed.info/sct | Arthrogram of tarsal joint
82006003 | http://snomed.info/sct | Diagnostic radiography with contrast media by injection, positive and negative contrast, bilateral
82066000 | http://snomed.info/sct | Bone density study, dual photon absorptiometry
82327001 | http://snomed.info/sct | Cardiac fluoroscopy
82420003 | http://snomed.info/sct | Radiologic examination of forearm, anteroposterior and lateral views
82499005 | http://snomed.info/sct | Radiography of nasolacrimal duct
82588005 | http://snomed.info/sct | Ureteral reflux study
82641000 | http://snomed.info/sct | Computerized tomography, coronal
82831001 | http://snomed.info/sct | Cerebrospinal fluid flow imaging, ventriculography
82891004 | http://snomed.info/sct | Neck imaging for metastatic carcinoma of thyroid
82899002 | http://snomed.info/sct | Diagnostic radiography with contrast media by injection, negative contrast
82918005 | http://snomed.info/sct | Positron emission tomography
82921007 | http://snomed.info/sct | Radionuclide localization of abscess of limited area
83061004 | http://snomed.info/sct | Echocardiography for determining mitral valve motion
83093007 | http://snomed.info/sct | Radionuclide joint study
83262001 | http://snomed.info/sct | Cerebrospinal fluid flow imaging
83429007 | http://snomed.info/sct | Serialography, multi-plane
83611007 | http://snomed.info/sct | Radiologic guidance for dilation of nephrostomy
83641009 | http://snomed.info/sct | X-ray of epididymis and vas deferens
83735008 | http://snomed.info/sct | Insertion of biliary stent by ERCP
83788002 | http://snomed.info/sct | Computerized axial tomography of maxillofacial area with contrast
83932002 | http://snomed.info/sct | Radiography of prostate
83949009 | http://snomed.info/sct | Chiropractic ultrasound
84200003 | http://snomed.info/sct | Arteriography of pulmonary arteries
84311009 | http://snomed.info/sct | Angiography of internal mammary artery
84492002 | http://snomed.info/sct | Radiography of nasal sinuses
84881006 | http://snomed.info/sct | Chest imaging for metastatic carcinoma of thyroid
85199006 | http://snomed.info/sct | Mediastinal pneumogram
85339002 | http://snomed.info/sct | Hysterosalpingography with gas contrast
85606007 | http://snomed.info/sct | Radionuclide cardiac ventriculography
85815002 | http://snomed.info/sct | Hypotonic duodenography
85895003 | http://snomed.info/sct | Contrast bronchogram
86086004 | http://snomed.info/sct | Cerebrospinal fluid flow imaging, tomographic
86307000 | http://snomed.info/sct | Lymphangiogram of upper extremity
86354001 | http://snomed.info/sct | Contrast radiography of nasopharynx
86392000 | http://snomed.info/sct | Radiologic examination of lumbosacral spine, complete, with oblique views
86410006 | http://snomed.info/sct | Imaging of carotid arteries by duplex scan with spectrum analysis
86434001 | http://snomed.info/sct | Echography of chest, B-scan
86543007 | http://snomed.info/sct | Esophageal motility study
86599005 | http://snomed.info/sct | Echography, scan B-mode for placental localization
86811003 | http://snomed.info/sct | Pulmonary ventilation study, aerosol
86924002 | http://snomed.info/sct | Gallium scan
86950003 | http://snomed.info/sct | Fetography
87338009 | http://snomed.info/sct | Tracheography
87411003 | http://snomed.info/sct | Diagnostic radiography of nasal bones
87674005 | http://snomed.info/sct | Pulmonary ventilation study, total
87751001 | http://snomed.info/sct | Cineradiography
87785000 | http://snomed.info/sct | Bilateral retrograde pyelography
87932003 | http://snomed.info/sct | Ultrasound peripheral vascular flow study, arterial and venous
88061002 | http://snomed.info/sct | Vesiculography
88365004 | http://snomed.info/sct | Lumbosacral myelography
88504002 | http://snomed.info/sct | Radiography for bone age studies
88628008 | http://snomed.info/sct | Ultrasonography of lung
88663003 | http://snomed.info/sct | Thoracic aortography with serialography
88745008 | http://snomed.info/sct | Diagnostic radiography of uterus for fetal age, fetal position and/or placental localization
88914000 | http://snomed.info/sct | Radiography of pelvic bones
88935003 | http://snomed.info/sct | Spleen imaging with vascular flow
89118008 | http://snomed.info/sct | Fluoroscopic localization for transbronchial biopsy
89240007 | http://snomed.info/sct | Blood vessel thermography
89343007 | http://snomed.info/sct | Ultrasound study follow-up
89846007 | http://snomed.info/sct | Orthopantogram
90084008 | http://snomed.info/sct | Magnetic resonance imaging without contrast
90223007 | http://snomed.info/sct | Diagnostic radiography of soft tissues
90523008 | http://snomed.info/sct | Computerized axial tomography of lumbar spine with contrast
90686009 | http://snomed.info/sct | Angiography of arteries of extremities, bilateral
90697009 | http://snomed.info/sct | Imaging of adrenal cortex
90711000 | http://snomed.info/sct | Radiography of uterus
90805008 | http://snomed.info/sct | Diagnostic radiography of lumbar spine
90992001 | http://snomed.info/sct | Venous thrombosis study with radioactive fibrinogen
91008002 | http://snomed.info/sct | Bone imaging, tomographic

91119001 | http://snomed.info/sct | Abdominal lymphangiogram
91160008 | http://snomed.info/sct | Transcricoid bronchography
91186003 | http://snomed.info/sct | Radiography for bone length studies
91333005 | http://snomed.info/sct | Magnetic resonance imaging of thoracic spine with contrast
91360003 | http://snomed.info/sct | Arthrography of knee with positive contrast
91453008 | http://snomed.info/sct | Echography of chest, A-mode
91583001 | http://snomed.info/sct | Diagnostic radiography of spine, survey study
91649003 | http://snomed.info/sct | Diagnostic radiography with gas-air, negative contrast
91672001 | http://snomed.info/sct | Ultrasound examination of joint
103734008 | http://snomed.info/sct | External camera medical photography
103745006 | http://snomed.info/sct | Intra-oral photography
105368002 | http://snomed.info/sct | Intra-arterial digital subtraction angiography
105369005 | http://snomed.info/sct | Intravenous digital subtraction angiography
105371005 | http://snomed.info/sct | Single photon emission computerized tomography
105372003 | http://snomed.info/sct | Transcatheter deployment of detachable balloon
105375001 | http://snomed.info/sct | Hand-held-transducer ultrasonography
105376000 | http://snomed.info/sct | Transesophageal echocardiography
105377009 | http://snomed.info/sct | Ultrasonography of liver
105378004 | http://snomed.info/sct | Thallium scan
108273007 | http://snomed.info/sct | Topography specific radiographic procedure
108274001 | http://snomed.info/sct | Radiologic procedure on face, head AND/OR neck
108275000 | http://snomed.info/sct | Radiologic procedure on chest AND/OR abdomen
108276004 | http://snomed.info/sct | Radiologic procedure on cardiovascular system
108279006 | http://snomed.info/sct | Radiologic procedure on genitourinary system
108280009 | http://snomed.info/sct | Radiologic procedure on spine AND/OR pelvis
108282001 | http://snomed.info/sct | Radiologic procedure on lower extremity AND/OR hip
108283006 | http://snomed.info/sct | Ultrasound procedure on cardiovascular system
108284000 | http://snomed.info/sct | Ultrasound procedure on endocrine system
108285004 | http://snomed.info/sct | Ultrasound procedure on urinary AND/OR male genital system
108286003 | http://snomed.info/sct | Ultrasound procedure on female genital system AND/OR pregnancy related structure
108287007 | http://snomed.info/sct | Ultrasound procedure on nervous system AND/OR special sense organ
108288002 | http://snomed.info/sct | Ultrasound procedure on topographic region
108294005 | http://snomed.info/sct | Nuclear medicine diagnostic procedure on cardiovascular system
108296007 | http://snomed.info/sct | Nuclear medicine diagnostic procedure on endocrine AND/OR hematopoietic system
108300008 | http://snomed.info/sct | Nuclear medicine diagnostic procedure on nervous system
113025000 | http://snomed.info/sct | Somnocinematography
113090004 | http://snomed.info/sct | Computerized tomography with IV contrast
113091000 | http://snomed.info/sct | Magnetic resonance imaging
113094008 | http://snomed.info/sct | Diagnostic radiography of chest, lateral
113096005 | http://snomed.info/sct | Translumbar aortogram
113099003 | http://snomed.info/sct | Phlebography of veins of head and neck
113100006 | http://snomed.info/sct | Pelvic lymphangiogram
113103008 | http://snomed.info/sct | Radiography of urinary system
113104002 | http://snomed.info/sct | Retrograde cystourethrogram
113105001 | http://snomed.info/sct | Computerized axial tomography of thoracic spine with contrast
113107009 | http://snomed.info/sct | Radiography of soft tissue of shoulder
113109007 | http://snomed.info/sct | Magnetic resonance imaging of lower extremity
113110002 | http://snomed.info/sct | Ultrasonography for deep vein thrombosis
113113000 | http://snomed.info/sct | Ophthalmic echography, A-mode
113125002 | http://snomed.info/sct | Radioiodinated rose bengal study of liver
116152004 | http://snomed.info/sct | Spiral computed tomography scan
129108007 | http://snomed.info/sct | Phlebography
129118002 | http://snomed.info/sct | Arteriography
129119005 | http://snomed.info/sct | Ultrasound phlebography of vena cava
129120004 | http://snomed.info/sct | Ultrasound phlebography of hepatic vein
133883001 | http://snomed.info/sct | Computer assisted image analysis
133884007 | http://snomed.info/sct | Spatial collocation analysis
133885008 | http://snomed.info/sct | Spatial proximity analysis
133886009 | http://snomed.info/sct | Temporal correlation analysis
133887000 | http://snomed.info/sct | Image quality analysis
133888005 | http://snomed.info/sct | Focal asymmetric density analysis
133889002 | http://snomed.info/sct | Asymmetric breast tissue analysis
133890006 | http://snomed.info/sct | Breast composition analysis
164817009 | http://snomed.info/sct | Placental localization
165095009 | http://snomed.info/sct | Thermography of skin
168537006 | http://snomed.info/sct | Plain film
168558000 | http://snomed.info/sct | Ethmoid sinuses X-ray
168559008 | http://snomed.info/sct | Frontal sinuses X-ray
168560003 | http://snomed.info/sct | Maxillary sinuses X-ray
168564007 | http://snomed.info/sct | Mastoid processes X-ray
168565008 | http://snomed.info/sct | Plain X-ray base of skull
168566009 | http://snomed.info/sct | Plain X-ray facial sinuses

168573004 | http://snomed.info/sct | Atlantoaxial X-ray
168588009 | http://snomed.info/sct | Instability views spine
168594001 | http://snomed.info/sct | Clavicle X-ray
168599006 | http://snomed.info/sct | Sternoclavicular joint X-ray
168600009 | http://snomed.info/sct | Thoracic inlet X-ray
168609005 | http://snomed.info/sct | Symphysis pubis X-ray
168619004 | http://snomed.info/sct | Plain X-ray head of humerus
168620005 | http://snomed.info/sct | Plain X-ray shaft of humerus
168623007 | http://snomed.info/sct | X-ray shaft of radius/ulna
168632009 | http://snomed.info/sct | Stress X-ray shoulder joint
168633004 | http://snomed.info/sct | Acromioclavicular joint X-ray
168637003 | http://snomed.info/sct | Plain X-ray radius
168654006 | http://snomed.info/sct | Stress X-ray thumb
168655007 | http://snomed.info/sct | Instability views carpus
168663008 | http://snomed.info/sct | Plain X-ray head of femur
168664002 | http://snomed.info/sct | Femoral neck X-ray
168665001 | http://snomed.info/sct | Plain X-ray shaft of femur
168669007 | http://snomed.info/sct | Patella X-ray
168681006 | http://snomed.info/sct | Stress X-ray knee
168682004 | http://snomed.info/sct | Stress X-ray ankle joint
168702005 | http://snomed.info/sct | Plain X-ray abdomen
168713008 | http://snomed.info/sct | Soft tissue X-ray face
168716000 | http://snomed.info/sct | Ear soft tissue X-ray
168717009 | http://snomed.info/sct | Soft tissue X-ray nose
168719007 | http://snomed.info/sct | Neck soft tissue X-ray
168722009 | http://snomed.info/sct | X-ray cervical lymph nodes
168723004 | http://snomed.info/sct | Soft tissue X-ray thyroid
168725006 | http://snomed.info/sct | Soft tissue X-ray mouth
168729000 | http://snomed.info/sct | Soft tissue X-ray tongue
168731009 | http://snomed.info/sct | Standard chest X-ray
168736004 | http://snomed.info/sct | Soft tissue X-ray chest
168743005 | http://snomed.info/sct | Soft tissue X-ray pleura
168744004 | http://snomed.info/sct | Soft tissue X-ray heart
168745003 | http://snomed.info/sct | Soft tissue X-ray thoracic aorta
168746002 | http://snomed.info/sct | Soft tissue X-ray diaphragm
168759005 | http://snomed.info/sct | Abdominal obstetric X-ray
168760000 | http://snomed.info/sct | Obstetric X-ray - fetus
168763003 | http://snomed.info/sct | Upper abdomen soft tissue X-ray
168764009 | http://snomed.info/sct | Cardio-esophageal X-ray
168766006 | http://snomed.info/sct | Liver soft tissue X-ray
168767002 | http://snomed.info/sct | Spleen soft tissue X-ray
168770003 | http://snomed.info/sct | Soft tissue X-ray kidney
168772006 | http://snomed.info/sct | X-ray male external genitalia
168773001 | http://snomed.info/sct | X-ray female external genitalia
168775008 | http://snomed.info/sct | Soft tissue X-ray limbs
168779002 | http://snomed.info/sct | Soft tissue X-ray lymph nodes
168780004 | http://snomed.info/sct | Soft tissue X-ray veins
168781000 | http://snomed.info/sct | Soft tissue X-ray arteries
168783002 | http://snomed.info/sct | Contrast radiography excluding cardiovascular system
168800007 | http://snomed.info/sct | Contrast radiography orbit
168803009 | http://snomed.info/sct | Contrast radiography of oropharynx
168810003 | http://snomed.info/sct | Bilateral transglottic bronchography
168811004 | http://snomed.info/sct | Bilateral transcricoid bronchography
168812006 | http://snomed.info/sct | Selective bronchography
168814007 | http://snomed.info/sct | Diagnostic pneumomediastinum
168816009 | http://snomed.info/sct | Contrast radiography of abdominal cavity
168817000 | http://snomed.info/sct | Contrast radiography of peritoneal cavity
168818005 | http://snomed.info/sct | Pelvic contrast radiography
168821007 | http://snomed.info/sct | Barium swallow
168831000 | http://snomed.info/sct | Barium follow through
168836005 | http://snomed.info/sct | Barium enema
168843004 | http://snomed.info/sct | BA - Barium enema via colostomy
168844005 | http://snomed.info/sct | Double contrast barium meal
168845006 | http://snomed.info/sct | Duodenum double contrast examination
168846007 | http://snomed.info/sct | Rectum double contrast examination
168847003 | http://snomed.info/sct | Colon double contrast examination
168854009 | http://snomed.info/sct | Cystography
168858007 | http://snomed.info/sct | Retrograde cystography
168859004 | http://snomed.info/sct | Percutaneous cystography
168860009 | http://snomed.info/sct | Negative/double contrast cystography
168861008 | http://snomed.info/sct | Intravenous cystography
168864000 | http://snomed.info/sct | Urethrogram

168870006 | http://snomed.info/sct | Peroral cholangiography
168875001 | http://snomed.info/sct | Splenography
168881009 | http://snomed.info/sct | Contrast amniography
168882002 | http://snomed.info/sct | Placental vasography
168884001 | http://snomed.info/sct | Hysterosalpingography
168890002 | http://snomed.info/sct | Female genital system contrast procedure
168892005 | http://snomed.info/sct | Male genital system contrast procedure
168894006 | http://snomed.info/sct | Contrast radiography of glands
168896008 | http://snomed.info/sct | Sialography
168897004 | http://snomed.info/sct | Breast contrast procedure
168899001 | http://snomed.info/sct | Contrast radiography - ducts
168900006 | http://snomed.info/sct | Omphalomesenteric duct contrast radiography
168902003 | http://snomed.info/sct | Head fistulography
168903008 | http://snomed.info/sct | Neck fistulography
168904002 | http://snomed.info/sct | Chest wall fistulography
168905001 | http://snomed.info/sct | Abdominal fistulography
168906000 | http://snomed.info/sct | Retroperitoneal fistulography
168908004 | http://snomed.info/sct | Knee arthrogram
168917004 | http://snomed.info/sct | Sacroiliac joint arthrogram
168918009 | http://snomed.info/sct | Hip arthrogram
168919001 | http://snomed.info/sct | Double contrast arthrography
168920007 | http://snomed.info/sct | Pneumoarthrography
168922004 | http://snomed.info/sct | Interstitial contrast radiology
168941001 | http://snomed.info/sct | Abdominal aortogram
168968001 | http://snomed.info/sct | Venography: head/neck/thorax
168969009 | http://snomed.info/sct | Cerebral sinus venography
168970005 | http://snomed.info/sct | Superior vena cavogram
168971009 | http://snomed.info/sct | Transsternal thoracic venogram
168973007 | http://snomed.info/sct | Venography: trunk
168974001 | http://snomed.info/sct | Operative abdominal venogram
168975000 | http://snomed.info/sct | Inferior vena cavogram
168976004 | http://snomed.info/sct | Venogram - portal vein
168977008 | http://snomed.info/sct | Renal venogram
168978003 | http://snomed.info/sct | Female genital venogram
168979006 | http://snomed.info/sct | Male genital venogram
168981008 | http://snomed.info/sct | Venography: peripheral
168982001 | http://snomed.info/sct | Venogram - pertrochanteric
168988002 | http://snomed.info/sct | Head lymphangiogram
168989005 | http://snomed.info/sct | Lymphangiography neck
168990001 | http://snomed.info/sct | Thoracic lymphangiogram
168996007 | http://snomed.info/sct | Miscellaneous imaging procedures
168997003 | http://snomed.info/sct | Fluoroscopy - brain
168998008 | http://snomed.info/sct | Fluoroscopy - skull
168999000 | http://snomed.info/sct | Fluoroscopy - cervical column
169000003 | http://snomed.info/sct | Fluoroscopy - skeleton/limbs
169001004 | http://snomed.info/sct | Fluoroscopy -heart/mediastinum
169002006 | http://snomed.info/sct | Fluoroscopy of diaphragm
169003001 | http://snomed.info/sct | Fluoroscopy - lungs
169004007 | http://snomed.info/sct | Fluoroscopy - chest wall
169005008 | http://snomed.info/sct | Fluoroscopy - esophagus
169006009 | http://snomed.info/sct | Fluoroscopy - intestine -small
169007000 | http://snomed.info/sct | Fluoroscopy - intestine -large
169008005 | http://snomed.info/sct | Fluoroscopy - stomach
169009002 | http://snomed.info/sct | Fluoroscopy - rectum
169010007 | http://snomed.info/sct | Fluoroscopy - gallbladder
169011006 | http://snomed.info/sct | Fluoroscopy - urinary tract
169012004 | http://snomed.info/sct | Fluoroscopy - female genital
169014003 | http://snomed.info/sct | Fluoroscopy and radiography
169015002 | http://snomed.info/sct | Fluoroscopy and radiography - brain
169016001 | http://snomed.info/sct | Fluoroscopy and radiography - skull
169017005 | http://snomed.info/sct | Fluoroscopy and radiography - cervical column
169018000 | http://snomed.info/sct | Fluoroscopy and radiography - skeleton
169019008 | http://snomed.info/sct | Fluoroscopy and radiography - heart
169020002 | http://snomed.info/sct | Fluoroscopy and radiography - mediastinum
169021003 | http://snomed.info/sct | Fluoroscopy and radiography - lungs
169022005 | http://snomed.info/sct | Fluoroscopy and radiography - chest wall
169023000 | http://snomed.info/sct | Fluoroscopy and radiography - digestive
169025007 | http://snomed.info/sct | Fluoroscopy and radiography - urinary
169026008 | http://snomed.info/sct | Fluoroscopy and radiography - female genital
169031005 | http://snomed.info/sct | Tomography - head/neck
169032003 | http://snomed.info/sct | Tomography - skeleton/limbs
169033008 | http://snomed.info/sct | Tomography - larynx/trachea

169034002 | http://snomed.info/sct | Tomography - lungs
169035001 | http://snomed.info/sct | Tomography - gallbladder
169037009 | http://snomed.info/sct | Tomography - chest
169044000 | http://snomed.info/sct | Cineradiography - brain
169045004 | http://snomed.info/sct | Cineradiography - heart
169046003 | http://snomed.info/sct | Cineradiography -great vessels
169047007 | http://snomed.info/sct | Cineradiography - respiratory tract
169048002 | http://snomed.info/sct | Cineradiography - gastrointestinal tract
169049005 | http://snomed.info/sct | Cineradiography - GUT
169050005 | http://snomed.info/sct | Cineradiography - joints
169055000 | http://snomed.info/sct | Kymography - heart
169056004 | http://snomed.info/sct | Kymography - great vessels
169057008 | http://snomed.info/sct | Kymography - lungs
169058003 | http://snomed.info/sct | Kymography - diaphragm
169061002 | http://snomed.info/sct | Serial radiography of lungs
169066007 | http://snomed.info/sct | CT of skull
169067003 | http://snomed.info/sct | CT of face
169068008 | http://snomed.info/sct | CT of neck
169069000 | http://snomed.info/sct | CT of chest
169070004 | http://snomed.info/sct | CT of abdomen
169071000 | http://snomed.info/sct | CT of pelvis
169072007 | http://snomed.info/sct | CAT scan - whole body
169074008 | http://snomed.info/sct | Computerized diagnostic radiology
169078006 | http://snomed.info/sct | Computerized cineangiography
169086006 | http://snomed.info/sct | Stereotactic/stereoscopic test - brain
169087002 | http://snomed.info/sct | Stereotactic/stereoscopic test - skull
169088007 | http://snomed.info/sct | Stereotactic/stereoscopic test - face
169089004 | http://snomed.info/sct | Stereotactic/stereoscopic test - heart
169090008 | http://snomed.info/sct | Stereotactic/stereoscopic test - mediastinum
169091007 | http://snomed.info/sct | Stereotactic/stereoscopic test - lungs
169092000 | http://snomed.info/sct | Stereotactic/stereoscopic test - abdomen
169093005 | http://snomed.info/sct | Stereotactic/stereoscopic test - skeleton
169094004 | http://snomed.info/sct | Stereotactic/stereoscopic test - soft tissue
169096002 | http://snomed.info/sct | Specific imaging methods
169097006 | http://snomed.info/sct | Specific mammary gland imaging
169098001 | http://snomed.info/sct | Specific blood vessel imaging
169099009 | http://snomed.info/sct | Specific skeletal imaging
169100001 | http://snomed.info/sct | Specific soft tissue imaging

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.329 Value Set http://hl7.org/fhir/ValueSet/media-view

URL: https://hl7.org/fhir/STU3/valueset-media-view.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/media-view
Name: | Media Collection View/Projection
Definition: | Codes defined in SNOMED CT that can be used to record Media Recording views.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.329 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Media.view (Example)

4.3.1.329.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 260419006 (Projection)

4.3.1.329.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 276 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
260421001	Left lateral oblique	
260422008	C1-C2 left oblique	
260424009	Right lateral oblique	
260425005	C1-C2 right oblique	
260426006	Medial oblique	
260427002	Oblique lateral	
260428007	Mandible X-ray - lateral oblique	
260430009	Anteroposterior left lateral decubitus	
260431008	C1-C2 left lateral	
260432001	Left true lateral	
260434000	Anteroposterior right lateral decubitus	
260435004	C1-C2 right lateral	
260436003	Right true lateral	
260437007	Lateral vertical beam	
260438002	Lateral horizontal beam	
260439005	Lateral inverted	
260440007	True lateral of mandible	
260441006	Frog lateral	
260442004	Erect lateral	
260443009	Anteroposterior inverted	
260444003	PA - Rotated posteroanterior	
260445002	Posteroanterior 20 degree	
260446001	Posteroanterior in ulnar deviation	
260447005	Penetrated posteroanterior	
260450008	Lordotic projection	
260451007	Supine decubitus	
260452000	Decubitus	
260453005	Internal/external rotation	
260454004	45 degree projection	
260455003	Head and neck projection	
260458001	Slit anteroposterior	
260459009	Reverse Towne's	
260460004	Slit 35 degree fronto-occipital	
260461000	Vertex projection	
260463002	Left Stenver's	
260464008	Right Stenver's	
260465009	Occipitofrontal projection	
260466005	Occipitomental projection	
260467001	Occipitomental - erect	
260468006	Occipitomental - tilted	
260469003	Occipitomental - prone	
260470002	Occipitomental - 15 degree	
260471003	Occipitomental - 30 degree	
260472005	Occipitomental - 45 degree	
260473000	Waters - 35 degree tilt to radiographic baseline	
260475007	Submentovertical reduced exposure for zygomatic arches	
260476008	Slit SMV	
260477004	Dental/oral projection	
260478009	Body - molar	
260479001	Body - premolar	
260481004	Ramus projection	
260482006	Bimolar projection	
260483001	Toller projection	
260484007	Transmaxillary projection	
260485008	Temporomandibular joint setting	
260486009	Maxillary sinus setting	
260487000	Dental panoramic	
260489002	Implant setting projection	
260490006	Segmental setting	
260491005	Axial view for sesamoid bones	

260492003 | Brewerton's projection
260493008 | Harris Beath axial projection
260494002 | Tunnel projection
260496000 | Judet projection
260497009 | Mortice projection
260499007 | Occlusal projection
260500003 | Projected oblique occlusal
260501004 | Lower true occlusal
260502006 | Power grip series
260503001 | Radial head projection
260504007 | Skyline projection
260506009 | Van Rosen projection
272455005 | Inferosuperior projection
272456006 | Apical projection
272457002 | Vertical projection
272458007 | Prone projection
272459004 | Supine projection
272460009 | Anterior projection
272461008 | Right posterior projection
272462001 | Left posterior projection
272464000 | Perorbital projection
272465004 | Temporomandibular joint projection
272466003 | Optic foramen projection
272467007 | Lateral facial skeleton projection
272468002 | Ear projection
272469005 | Mid face projection
272470006 | Cervical spine projection
272472003 | Macro projection
272473008 | Outlet projection
272474002 | Swimmer's projection
272475001 | Tibial tuberosity projection
272476000 | Transthoracic projection
272478004 | Transcranial projection
272479007 | Posteroanterior projection
272480005 | Horizontal projection
272481009 | Erect projection
272482002 | Adduction projection
272483007 | True projection
272484001 | Contralateral projection
278255003 | Posterior projection
278267001 | Abduction projection
278318001 | Zimmer projection
398996004 | Leonard-George projection
399000008 | Mayer projection
399001007 | Posterior emissive projection
399002000 | Nolke projection
399003005 | Hughston projection
399004004 | Oblique axial projection
399005003 | Miller projection
399006002 | Left posterior oblique projection
399011000 | Axillary tail mammography view
399012007 | Medial-lateral emissive projection
399013002 | Chassard-Lapin projection
399022001 | Pirie projection
399024000 | May projection
399025004 | Ischerwood projection
399026003 | Zanelli projection
399028002 | Clements projection
399033003 | Frontal projection
399037002 | Lewis projection
399038007 | Right posterior oblique projection
399059000 | Postero-anterior oblique projection
399061009 | Axial projection
399065000 | Causton projection
399067008 | Lateral projection
399071006 | Plantodorsal projection
399073009 | Fuchs projection
399074003 | Left anterior oblique emissive projection
399075002 | Right posterior oblique emissive projection
399080006 | Kuchendorf projection
399082003 | Gaynor-Hart projection
399083008 | Hsieh projection

399089007 | Oblique axial emissive projection
399098005 | Staunig projection
399099002 | Latero-medial oblique projection
399101009 | Cranio-caudal projection exaggerated medially
399103007 | Friedman projection
399108003 | Right anterior oblique emissive projection
399110001 | Tangential projection
399113004 | Eponymous projection
399118008 | Left lateral emissive projection
399125001 | Twining projection
399127009 | Teufel projection
399129007 | Holly projection
399130002 | West Point projection
399132005 | Frontal-oblique axial projection
399135007 | Left anterior oblique projection
399136008 | Left posterior oblique emissive projection
399138009 | Penner projection
399142007 | Albers-Schonberg projection
399146005 | Grashey projection
399148006 | Chamberlain projection
399152006 | Kandel projection
399156009 | Laquerriere-Pierquin projection
399157000 | Norgaard's projection
399159002 | Latero-medial oblique emissive projection
399160007 | Frontal oblique projection
399161006 | Cleavage mammography view
399162004 | Cranio-caudal projection
399163009 | Magnified projection
399168000 | Hough projection
399169008 | Lauenstein projection
399171008 | Ottonello projection
399173006 | Left lateral projection
399179005 | Lawrence projection
399181007 | Pawlow projection
399182000 | Oblique projection
399184004 | Left oblique projection
399188001 | Superolateral to inferomedial oblique projection
399192008 | Cranio-caudal projection exaggerated laterally
399196006 | Caudo-cranial projection
399198007 | Right lateral projection
399199004 | Henschen projection
399201002 | Judd projection
399206007 | Law projection
399212002 | Camp-Coventry projection
399215000 | Wigby-Taylor projection
399218003 | Arcelin projection
399225005 | Oblique caudo-cranial projection
399227002 | Kemp Harper projection
399234000 | Rhese projection
399236003 | Right oblique projection
399237007 | Alexander projection
399241006 | Titterington projection
399242004 | Acanthioparietal projection
399243009 | Settegast projection
399245002 | Cleaves projection
399246001 | Blackett-Healy projection
399247005 | Tarrant projection
399251007 | Lorenz projection
399255003 | Submentovertical projection
399260004 | Medial-lateral projection
399263002 | Beclere projection
399265009 | Exaggerated cranio-caudal projection
399268006 | Medio-lateral oblique emissive projection
399270002 | Towne's projection
399272005 | Parietoacanthial projection
399273000 | Sagittal-oblique axial emissive projection
399277004 | Hickey projection
399278009 | Cahoon projection
399280003 | Kasabach projection
399281004 | Fleischner projection
399284007 | Merchant projection
399285008 | Holmblad projection

399288005 | Oblique cranio-caudal projection
399290006 | Schuller projection
399292003 | Stecher projection
399296000 | Taylor projection
399297009 | Right lateral emissive projection
399300004 | Lateral-medial emissive projection
399303002 | Dunlap projection
399308006 | Lindblom projection
399311007 | Grandy projection
399312000 | Antero-posterior oblique projection
399313005 | Swanson projection
399316002 | Parieto-orbital projection
399318001 | Kovacs projection
399320003 | Clements-Nakayama projection
399321004 | Anterior emissive projection
399325008 | Sagittal-oblique axial projection
399327000 | Low-Beer projection
399330007 | Valdini projection
399332004 | Kurzbauer projection
399335002 | Dorsoplantar projection
399341009 | Haas projection
399342002 | Lilienfeld projection
399344001 | Broden projection
399348003 | Antero-posterior projection
399349006 | Stenver's projection
399351005 | Orbito-parietal projection
399352003 | Lateral-medial projection
399355001 | Chausse projection
399356000 | Right anterior oblique projection
399358004 | Caldwell projection
399360002 | Verticosubmental projection
399361003 | Nuclear medicine projection
399362005 | Bertel projection
399365007 | Pearson projection
399368009 | Medio-lateral oblique projection
399370000 | Lysholm projection
399372008 | Ferguson projection
408723005 | Cranial LAO
408724004 | Caudal LAO
408725003 | Cranial RAO
408726002 | Caudal RAO
422534007 | Rafert-Long projection
422568001 | Moore projection
422670003 | Apple projection
422795009 | Neer projection
422861003 | Burman projection
422954003 | Stryker projection
422996004 | Wolf projection
423091003 | Colcher-Sussman projection
423720000 | Rafer projection
424086005 | Hirtz Modification projection
424655003 | Eraso Modification projection
424811006 | Danelius-Miller projection
424962005 | Fisk projection
425030002 | Kite projection
425035007 | Robert projection
425042007 | Rosenberg projection
425157002 | Folio projection
425188003 | Garth projection
441505008 | Dorsopalmar projection
441555000 | Inferomedial to superolateral oblique view
441672003 | Dorso-ventral projection
441753009 | Mammography view
442361004 | Stereoscopic view
442441009 | Ventro-dorsal projection
442580003 | Axillary tissue mammography view
442581004 | Nipple in profile mammography view
442593008 | Infra-mammary fold mammography view
442594002 | Right stereoscopic view
442640004 | Left stereoscopic view
442653001 | Stereoscopic view incremented from baseline
442667005 | Stereoscopic view decremented from baseline

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.330 Value Set http://hl7.org/fhir/ValueSet/medication-admin-status

URL: https://hl7.org/fhir/STU3/valueset-medication-admin-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-admin-status
Name: | MedicationAdministrationStatus
Definition: | A set of codes indicating the current status of a MedicationAdministration.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.330 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationAdministrationStatus

* This value set has translations in the ConceptMap v3 map for MedicationAdministrationStatus

* MedicationAdministration.status (Required)

4.3.1.330.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-admin-status

4.3.1.330.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/medication-admin-status version 3.0.2

All codes from system http://hl7.org/fhir/medication-admin-status

Code | Display | Definition
in-progress | In Progress | The administration has started but has not yet completed.
on-hold | On Hold | Actions implied by the administration have been temporarily halted, but are expected to continue later. May also be called "suspended".
completed | Completed | All actions that are implied by the administration have occurred.
entered-in-error | Entered in Error | The administration was entered in error and therefore nullified.
stopped | Stopped | Actions implied by the administration have been permanently halted, before all of them occurred.
unknown | Unknown | The authoring system does not know which of the status values currently applies for this request. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, it's just not known which one.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.332 Value Set http://hl7.org/fhir/ValueSet/reason-medication-not-given-codes

URL: https://hl7.org/fhir/STU3/valueset-reason-medication-not-given-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reason-medication-not-given-codes
Name: | SNOMED CT Reason Medication Not Given Codes
Definition: | This value set includes all medication refused, medication not administered, and non administration of necessary drug or medicine codes from SNOMED CT - provided as an exemplar value set.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.332 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright 2002 International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SNOMED CT Reason Medication Not Given Codes

* MedicationAdministration.reasonNotGiven (Example)

4.3.1.332.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 406149000 (Medication refused)

* Include codes from http://snomed.info/sct where concept is-a 371900001 (Medication not administered)

* Include codes from http://snomed.info/sct where concept is-a 242990004 (Drug not available for administration)

4.3.1.332.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 50 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
134396000	Statin declined	
134397009	Angiotensin converting enzyme inhibitor declined	
134398004	Warfarin declined	
135812004	Nitrate declined	
135814003	Diuretic declined	
135825007	Calcium channel blocker declined	
182895007	Drug declined by patient	
182896008	Drug declined by patient - dislikes taste	
182897004	Drug declined by patient - side effects	
182898009	Drug declined by patient - inconvenient	
182899001	Drug declined by patient - problem swallowing	
182900006	Drug declined by patient - patient beliefs	
182901005	Drug declined by patient - alternative therapy	
182902003	Drug declined by patient - cannot pay script	
182903008	Drug declined by patient - reason unknown	
315020006	Beta blocker therapy refused	
315022003	Nicotine replacement therapy refused	
315023008	Aspirin prophylaxis refused	
315640000	Influenza vaccination declined	
390914001	Thrombolytic therapy refused	
395176007	Bupropion refused	
395703005	Meningitis C immunization refused	
401084003	Angiotensin II receptor antagonist declined	
401086001	Pneumococcal vaccination declined	
407583007	Clopidogrel declined	
408778004	Hepatitis B immunization declined	
408791003	BCG vaccination declined	
408795007	Vitamin K prophylaxis declined	
413559006	Anticoagulation declined	
416522000	Strontium ranelate declined	
417045009	Combined calcium and vitamin D3 preparation declined	
438765003	Human papillomavirus vaccination declined	
473149004	Long acting reversible contraception declined	
698460003	Antiviral therapy declined	
698758004	Nebivolol therapy refused	
698950001	Influenza A virus subtype H1N1 vaccination declined	

699137009 | Carvedilol therapy declined
700359005 | Booster meningitis C vaccination declined
703989007 | Teriparatide therapy declined
703991004 | Raloxifene therapy declined
704047009 | Phosphodiesterase 5 inhibitor declined
591000119102 | Vaccine refused by patient
921000119109 | Vaccine refused by parent
373147003 | Medication not administered because contraindicated
373148008 | Thrombolytic agent not administered because contraindicated
712985002 | Chemotherapy not done
6021000175100 | Vaccination for diphtheria, pertussis, and tetanus not done
6031000175102 | Varicella vaccination not done
6041000175108 | Hepatitis A vaccination not done
6051000175105 | Hepatitis B vaccination not done

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.334 Value Set http://hl7.org/fhir/ValueSet/reason-medication-given-codes

URL: https://hl7.org/fhir/STU3/valueset-reason-medication-given-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reason-medication-given-codes
Name: | Reason Medication Given Codes
Definition: | This value set is provided as an example. The value set to instantiate this attribute should be drawn from a robust terminology code system that consists of or contains concepts to support the medication process.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.334 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Reason Medication Given Codes

* MedicationAdministration.reasonCode (Example)

4.3.1.334.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/reason-medication-given

4.3.1.334.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/reason-medication-given version 3.0.2

All codes from system http://hl7.org/fhir/reason-medication-given

Code | Display | Definition
a | None | No reason known.
b | Given as Ordered | The administration was following an ordered protocol.
c | Emergency | The administration was needed to treat an emergency.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.336 Value Set http://hl7.org/fhir/ValueSet/approach-site-codes

URL: https://hl7.org/fhir/STU3/valueset-approach-site-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/approach-site-codes

Name: | SNOMED CT Anatomical Structure for Administration Site Codes

Definition: | This value set includes Anatomical Structure codes from SNOMED CT - provided as an exemplar.

Committee: | Pharmacy Work Group

OID: | 2.16.840.1.113883.4.642.3.336 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002 International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* MedicationAdministration.dosage.site (Example)

* Dosage.site (Example)

4.3.1.336.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 91723000 (Anatomical structure)

4.3.1.336.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition

106004 | Posterior carpal region

107008 | Fetal part of placenta

108003 | Condylar emissary vein

110001 | Visceral layer of Bowman's capsule

111002 | Parathyroid gland

116007 | Subcutaneous tissue of medial surface of index finger

124002 | Coronoid process of mandible

149003 | Central pair of microtubules, cilium or flagellum, not bacterial

155008 | Deep circumflex artery of ilium

167005 | Supraclavicular part of brachial plexus

202009 | Anterior division of renal artery

205006 | Left commissure of aortic valve

206007 | Gluteus maximus muscle

221001 | Articular surface, phalanges, of fourth metacarpal bone

227002 | Canal of Hering

233006 | Hepatocolic ligament

235004 | Superior labial artery

246001 | Lateral vestibular nucleus

247005 | Mesotympanum

251007 | Pectoral region

256002 | Kupffer cell

263002 | Thoracic nerve

266005 | Right lower lobe of lung

272005 | Superior articular process of lumbar vertebra

273000 | Lateral myocardium

283001 | Central axillary lymph node

284007 | Flexor tendon and tendon sheath of fourth toe

289002 | Metacarpophalangeal joint of index finger

301000 | Fifth metatarsal bone

311007 | Plantar surface of great toe

315003 | Skin of umbilicus

318001 | Cardiac impression of liver
344001 | Ankle
345000 | Atrioventricular bundle
356000 | Reticular corium
393006 | Wall of urinary bladder
402006 | Dental branches of inferior alveolar artery
405008 | Posterior temporal diploic vein
414003 | Gastric fundus
422005 | Inferior surface of tongue
446003 | Trochanteric bursa
457008 | Collateral ligament
461002 | Lateral corticospinal tract
464005 | Basophilic normoblast
465006 | Ascending frontal gyrus
471000 | Flexor hallucis longus muscle
480000 | Cardiopulmonary circulatory system
485005 | Transverse colon
528006 | Costal surface of lung
552004 | Vagus nerve parasympathetic fibers to cardiac plexus
565008 | Intervertebral disc space of fifth lumbar vertebra
582005 | Head of phalanx of great toe
587004 | Capsule of proximal interphalangeal joint of third toe
589001 | Interventricular septum
595000 | Palpebral fissure
608002 | Subcutaneous tissue of philtrum
621009 | Multivesicular body, internal vesicles
635006 | Tuberosity of distal phalanx of little toe
650002 | Superior articular process of seventh thoracic vertebra
660006 | Tracheal mucous membrane
661005 | Jaw
667009 | Embryonic structure
688000 | Fetal hyaloid artery
691000 | Small intestine submucosa
692007 | Body of ischium
723004 | Dense intermediate filament bundles
774007 | Head and neck
790007 | Visceral aspect of liver
798000 | Deep temporal veins
808000 | Posterior intercostal arteries
809008 | Fetal chondrocranium
823005 | Posterior cervical spinal cord nerve root
830004 | Spinous process of fifth thoracic vertebra
836005 | Oral region of face
885000 | Lamina muscularis of colonic mucous membrane
895007 | Anterior cruciate ligament of knee joint
917004 | Superior laryngeal aperture
921006 | Thyrohyoid branch of ansa cervicalis
947002 | Crus of diaphragm
955009 | Bronchus
976004 | Ovarian vein
996007 | Meningeal branches of occipital artery
1005009 | Diaphragmatic lymph node
1012000 | Fibrous portion of pericardium
1015003 | Peritonsillar tissue
1028005 | Sebaceous gland
1030007 | Vesicular bursa of sternohyoid muscle
1063000 | Frontozygomatic suture of skull
1075005 | Promonocyte
1076006 | Subcutaneous prepatellar bursa
1086007 | Female
1087003 | Sternothyroid muscle
1092001 | Superior occipital gyrus
1099005 | Thymic cortex
1101003 | Cranial cavity
1106008 | Major calyx
1110006 | Tarsal gland
1122009 | Inferior longitudinal muscle of tongue
1136004 | Aortopulmonary septum
1159005 | Frenulum linguae
1172006 | Odontoid process of axis
1173001 | Mandibular nerve
1174007 | Chromosomes, group E

1193009 | Teres major muscle
1216008 | Synostosis
1231004 | Meninges
1236009 | Duodenal serosa
1243003 | Inferior articular process of sixth cervical vertebra
1246006 | Dorsal digital nerves of radial nerve
1263005 | Distinctive arrangement of microtubules
1277008 | Vertebral nerve
1307006 | Glottis
1311000 | Telogen hair
1350001 | Deep flexor tendon of index finger
1353004 | Gastric serosa
1403006 | Vastus lateralis muscle
1425000 | Posterior limb of stapes
1439000 | Paravesicular lymph node
1441004 | Ventricle of larynx
1456008 | Yellow fibrocartilage
1467009 | Parietal branch of superficial temporal artery
1484003 | Metatarsus
1490004 | Soft tissues of trunk
1502004 | Anterior cecal artery
1511004 | Ejaculatory duct
1516009 | Frontomental diameter of head
1527006 | Lamina of fourth thoracic vertebra
1537001 | Intervertebral disc of eleventh thoracic vertebra
1541002 | Coccygeal plexus
1562001 | Nucleus pulposus of intervertebral disc of third lumbar vertebra
1569005 | Nail of third toe
1580005 | Ventral lateral nucleus of thalamus
1581009 | Ileal arteries
1584001 | Symphysis
1600003 | Splenius capitis muscle
1605008 | Histioblast
1610007 | Otoconia
1611006 | Paramammary lymph node
1617005 | Intrinsic larynx
1620002 | Metaphase nucleus
1626008 | Third thoracic vertebra
1627004 | Medial collateral ligament of knee joint
1630006 | Supraorbital vein
1631005 | Foregut
1650005 | Hilum of left lung
1655000 | Transverse peduncular tract nucleus
1659006 | Dorsomedial nucleus of thalamus
1684009 | Ligamentum teres of liver
1706004 | Thymic lobule
1707008 | Ventral nuclear group of thalamus
1711002 | Periorbital region
1716007 | Cupula ampullaris
1721005 | Right tonsil
1729007 | Central tegmental tract
1732005 | Thoracic duct
1765002 | Lymphatic of thorax
1780008 | Premelanosome
1781007 | Sacroiliac region
1797002 | Naris
1818002 | Greater circulus arteriosus of iris
1825009 | Root of nose
1832000 | Bulbar conjunctiva
1840006 | Arrector pili muscles
1849007 | Pharyngeal recess
1853009 | Suprahyoid muscles
1874005 | Promontory lymph node
1893007 | Joint of upper extremity
1895000 | Musculophrenic vein
1902009 | Skin of external ear
1910005 | Ear
1918003 | Suprarenal aorta
1927002 | Left elbow
1992003 | Porus acusticus internus
1997009 | Cingulum dentis
2010005 | Clavicular facet of scapula

2020000 | Superior thoracic artery
2031008 | Spinal cord ventral median fissure
2033006 | Right fallopian tube
2044003 | Vaginal nerves
2048000 | Lingual tonsil
2049008 | Chorionic villi
2059009 | Skin of ear lobule
2071003 | Reticular formation of spinal cord
2076008 | Head of phalanx of hand
2083001 | Nucleus ambiguus
2095001 | Accessory sinus
2123001 | Tuberomammillary nucleus
2150006 | Urinary tract transitional epithelial cell
2156000 | Glial cell
2160002 | Ligamentum arteriosum
2175005 | Pharyngeal cavity
2182009 | Endometrial zona basalis
2192001 | Clavicular part of pectoralis major muscle
2205003 | Lamina of fifth thoracic vertebra
2209009 | Cerebral basal surface
2236006 | Lesser osseous pelvis
2246008 | Type I hair cell
2255006 | Subserosa
2285001 | Torcular Herophili
2292006 | Nasopharyngeal gland
2302002 | Veins of the knee
2305000 | Spinous process of cervical vertebra
2306004 | Base of third metacarpal bone
2327009 | Salivary seromucous gland
2330002 | Segmental bronchial branches
2332005 | Metencephalon of fetus
2334006 | Calyx
2349003 | Nasal suture of skull
2372001 | Medial surface of toe
2383005 | Papillary muscles of right ventricle
2389009 | Superior margin of adrenal gland
2395005 | Transverse facial artery
2397002 | First metatarsal facet of medial cuneiform bone
2400006 | Mandibular left first premolar tooth
2402003 | Dorsum of foot
2421006 | Submaxillary ganglion
2433001 | Digital tendon and tendon sheath of foot
2436009 | Tunica intima of vein
2453002 | Subcutaneous tissue of posterior surface of forearm
2454008 | Articular surface, third metacarpal, of second metacarpal bone
2484000 | Skin of frenulum of clitoris
2489005 | Medial check ligament of eye
2499000 | Cisterna pontis
2502001 | Membrane of lysosome
2504000 | Pancreatic plexus
2510000 | Femoral triangle
2539000 | Superior rectal artery
2543001 | Cuboid articular facet of fourth metatarsal bone
2550002 | Phalanx of thumb
2577006 | Gracilis muscle
2579009 | Plasmablast
2592007 | All extremities
2600000 | Flexor pollicis longus muscle tendon
2620004 | Intervertebral disc of third thoracic vertebra
2639009 | Neuroendocrine tissue
2653009 | Posterior thalamic radiation of internal capsule
2666009 | Semispinalis capitis muscle
2672009 | Anterior cutaneous branch of lumbosacral plexus
2675006 | Anterior ethmoidal artery
2681003 | Dorsal nerve of penis
2682005 | Mucous membrane of urinary bladder
2686008 | Medial olfactory gyrus
2687004 | Bowman's space
2695000 | Left maxillary sinus
2703009 | Calcarine artery
2712006 | Capsule of ankle joint
2718005 | Apical foramen of tooth

2726002 | Fold for stapes
2730004 | Vitelline vein of placenta
2739003 | Endometrium
2741002 | Medial occipitotemporal gyrus
2746007 | Circular layer of gastric muscularis
2748008 | Spinal cord
2759004 | Eccrine gland
2771005 | Lamina propria of ureter
2789006 | Apocrine gland
2792005 | Pars tensa of tympanic membrane
2803000 | Tendon sheath of popliteus muscle
2810006 | Cremasteric fascia
2812003 | Head of femur
2824005 | Spinous process of fourth thoracic vertebra
2826007 | Lamina of fourth lumbar vertebra
2830005 | Dorsal digital nerves of lateral hallux and medial second toe
2839006 | Perivesicular tissues of seminal vesicles
2841007 | Renal artery
2845003 | Respiratory epithelium
2848001 | Superficial epigastric artery
2855004 | Accessory cephalic vein
2861001 | Gland (organ)
2894003 | Posterior epiglottis
2905008 | Anterior ligament of uterus
2909002 | Posterior portion of diaphragmatic aspect of liver
2920002 | Facial nerve motor branch
2922005 | Posterior papillary muscle of left ventricle
2923000 | Subcutaneous tissue of supraorbital area
2954001 | Deciduous supernumerary tooth
2969000 | Anatomical space structure
2979003 | Medial cuneiform bone
2986006 | Talar facet of navicular bone of foot
2998001 | Right margin of uterus
3003007 | Anterior limb of internal capsule
3008003 | White fibrocartilage
3028004 | Transitional epithelial cell
3039001 | Subcutaneous tissue of thigh
3042007 | Glomerular urinary pole
3054007 | Articular surface, metacarpal, of phalanx of thumb
3055008 | Bone marrow of vertebral body
3056009 | Anteroventral nucleus of thalamus
3057000 | Nerve
3058005 | Peripheral nervous system
3062004 | Spinal arachnoid
3068000 | Seminal vesicle lumen
3081007 | Mitochondrion in division
3093003 | Tendinous arch of pelvic fascia
3100007 | Clinical crown of tooth
3113001 | Suprachoroidal space
3117000 | Dorsal surface of index finger
3118005 | Trabecula carnea of left ventricle
3120008 | Pleura
3134008 | Head of fourth metatarsal bone
3138006 | Bony tissue
3153003 | Tractus olivocochlearis
3156006 | Obturator artery
3159004 | Costocervical trunk
3169005 | Spinal nerve
3178004 | Raphe of soft palate
3194006 | Endocardium of right atrium
3198009 | Monostomatic sublingual gland
3215002 | Subcutaneous tissue of nuchal region
3222005 | All large arteries
3227004 | Left coronary artery main stem
3236000 | Posterior segment of right upper lobe of lung
3243006 | Parametrial lymph node
3255000 | Papillary area
3262009 | Root canal of tooth
3279003 | Pedicle of third cervical vertebra
3295003 | Ventral anterior nucleus
3301002 | Tectopontine fibers
3302009 | Splenic branches of splenic artery

3315000 | Vestibulospinal tract
3332001 | Occipitofrontal diameter of head
3336003 | Haversian canal
3341006 | Right lung
3350008 | Right commissure of pulmonic valve
3362007 | Intertragal incisure
3366005 | Anterior papillary muscle of left ventricle
3370002 | Supporting tissue of rectum
3374006 | Secondary spermatocyte
3377004 | Agger nasi
3382006 | Rima oris
3383001 | Nonsegmented basophil
3394002 | Suboccipitobregmatic diameter of head
3395001 | Superior palpebral arch
3396000 | Mesogastrium
3400000 | Cell of bone
3409004 | Lateral margin of forearm
3417007 | Rotator muscles
3438001 | Deep lymphatics of upper extremity
3444002 | Thalamostriate veins
3447009 | Penetrated oocyte
3460003 | Anterodorsal nucleus of thalamus
3462006 | Commissure of tricuspid valve
3471002 | Posterior midline of trunk
3478008 | Vastus medialis muscle
3481003 | Embryonic testis
3488009 | Annulate lamella, cisternal lumen
3490005 | Subcutaneous tissue of suboccipital region
3524005 | Lateral wall of mastoid antrum
3538003 | Capsule of proximal tibiofibular joint
3541007 | Dorsal metatarsal artery
3553006 | Thyroid capsule
3556003 | Dorsal nucleus of trapezoid body
3563003 | Muscularis of ureter
3572006 | Body of vertebra
3578005 | Body of gallbladder
3582007 | Gastrophrenic ligament
3584008 | Arch of tenth thoracic vertebra
3594003 | Straight part of longus colli muscle
3608004 | Ischiococcygeus muscle
3609007 | Occipital branch of posterior auricular artery
3646006 | Lamellipodium
3663005 | Tympanic ostium of Eustachian tube
3665003 | Pelvic wall
3670005 | Subpyloric lymph node
3711007 | Great vessel
3743007 | Lateral thoracic artery
3761003 | Nucleus pulposus of intervertebral disc of first thoracic vertebra
3766008 | Subcutaneous tissue of lower extremity
3785006 | Dorsal metacarpal ligaments
3788008 | Superior segment of right lower lobe of lung
3789000 | Argentaffin cells
3810000 | Nasal septal cartilage
3838008 | Apex of coccyx
3860006 | Transplanted liver
3865001 | Interscapular region of back
3867009 | Dorsal surface of great toe
3876002 | Subcutaneous tissue of femoral region
3877006 | Common carotid plexus
3910004 | Subcutaneous tissue of lateral surface of fourth toe
3916005 | Occipital lymph node
3924000 | Pericardiophrenic artery
3931001 | Vestibular window
3935005 | Head of tenth rib
3937002 | Entorhinal cortex
3954005 | Lacrimal sac
3956007 | Fifth metatarsal articular facet of fourth metatarsal bone
3959000 | Rectus capitis muscle
3960005 | Olfactory tract
3964001 | Gyrus of brain
3966004 | Parietal branch of anterior cerebral artery
3977005 | Subcutaneous tissue of concha

3984002 | Deep veins of clitoris
3989007 | Medial nuclei of globus pallidus
4015004 | Chromosomes, group A
4019005 | Posterior commissure of labia majora
4029003 | Eosinophilic promyelocyte
4061004 | Lateral wall of orbit
4066009 | Capsule of proximal interphalangeal joint of index finger
4072009 | Fourth coccygeal vertebra
4081003 | Dorsal lingual veins
4093007 | Vagus nerve bronchial branches
4111006 | Macula of saccule
4117005 | Lumbosacral spinal cord central canal
4121003 | Superior frontal sulcus
4146003 | Artery of extremity
4148002 | Palmar surface of little finger
4150005 | Celiac plexus
4158003 | Abdominal aortic plexus
4159006 | Hyparterial bronchi
4180000 | Both lower extremities
4193005 | Extensor tendon and tendon sheath of fifth toe
4205002 | Türk cell
4212006 | Epithelial cell
4215008 | Head of second rib
4247003 | First metacarpal bone
4258007 | Posterior tibial veins
4268002 | Lateral spinorubral tract
4276000 | Inferior articular process of seventh cervical vertebra
4281009 | Middle portion of ileum
4295007 | Paracortical area of lymph node
4303006 | Cartilage canal
4312008 | Anterior midline of abdomen
4317002 | Spinalis muscle
4328003 | Protoplasmic astrocyte
4335006 | Upper jaw
4352005 | Subchorionic space
4358009 | Lateral surface of little finger
4360006 | Stratum spinosum
4369007 | Small intestine mucous membrane
4371007 | Fourth metatarsal facet of lateral cuneiform bone
4375003 | Incisure of cartilaginous portion of auditory canal
4377006 | Parafascicular nucleus of thalamus
4394008 | Scala vestibuli
4402002 | Anterior articular surface for talus
4419000 | Tracheal submucosa
4421005 | Cell
4430002 | Clivus ossis sphenoidalis
4432005 | Ductus arteriosus
4442007 | Dental arch
4486002 | Accessory sinus gland
4524000 | Subclavian plexus
4527007 | Joint of lower extremity
4537002 | Internal medullary lamina of thalamus
4548009 | Lamellated granule, as in surfactant-secreting cell
4549001 | Vagus nerve parasympathetic fibers to liver, gallbladder, bile ducts and pancreas
4566004 | Tentorium cerebelli
4573009 | Desmosome
4578000 | Skin of posterior surface of thigh
4583008 | Splenius muscle of trunk
4588004 | Middle trunk of brachial plexus
4596009 | Larynx
4603002 | Base of phalanx of foot
4606005 | Tubercle of eighth rib
4621004 | Lesser tuberosity of humerus
4624007 | Medullary cord
4647008 | Lipid droplet, homogeneous
4651005 | Tunica albuginea of corpus spongiosum
4658004 | Skin of nuchal region
4677002 | Basal lamina, inclusion in subepithelial location
4703008 | Cardinal vein
4717004 | Neutrophilic myelocyte
4718009 | Venous plexus of the foramen ovale basis cranii
4743003 | Ventral sacrococcygeal ligament

4755009 | Medial surface of great toe
4759003 | Gemellus muscle
4766002 | Supracardinal vein
4768001 | Perineal nerve
4774001 | Phrenic nerve pericardial branch
4775000 | Ventral posterior inferior nucleus
4799000 | Deiter's cell
4810005 | Uterine venous plexus
4812002 | Anterior tibial compartment
4828007 | Femoral canal
4840007 | Subcutaneous tissue of ring finger
4843009 | Membranous ampulla
4861000 | Tuberculum impar
4866005 | Constrictor pharyngeus muscle
4870002 | Dorsal tegmental nuclei of midbrain
4871003 | Spiral lamina of modiolus
4881004 | Sublingual vein
4888005 | Interlobular veins of kidney
4897009 | Cell membrane, prokaryotic
4905007 | Uterovaginal plexus
4906008 | Tympanic antrum
4924005 | Cerebellar gracile lobule
4942000 | Lymph node of lower extremity
4954000 | Radial notch of ulna
4956003 | Subcutaneous tissue of back
4958002 | Amygdaloid nucleus
5001007 | Superior temporal sulcus
5023006 | Yellow bone marrow
5026003 | Posterior surface of prostate
5046008 | Superficial dorsal veins of clitoris
5068003 | Obturator internus muscle ischial bursa
5069006 | Rugal column
5076001 | Infrasternal angle
5115006 | Posterior auricular vein
5122003 | Angle of first rib
5128004 | Suspensory ligament of lens
5140004 | Maxillary right first molar tooth
5192008 | Intervertebral foramen of twelfth thoracic vertebra
5194009 | Epithelium of lens
5195005 | Right external carotid artery
5204005 | Superior ileocecal recess
5213007 | Frontal veins
5225005 | Uterine ostium of fallopian tube
5228007 | Right cerebral hemisphere
5229004 | Mucosa of gallbladder
5261000 | Intervertebral disc of thoracic vertebra
5272005 | Skin of lateral portion of neck
5279001 | Foramen singulare
5296000 | Anterior mediastinal lymph node
5324007 | Superior pole of kidney
5329002 | Fourth cervical vertebra
5336001 | Inferior frontal gyrus
5347008 | Synaptic specialization, cytoplasmic
5362005 | Median arcuate ligament of diaphragm
5366008 | Hippocampus
5379004 | Small intestine muscularis propria
5382009 | Superior fascia of perineum
5394000 | Uterine paracervical lymph node
5398002 | Normal fat pad
5403001 | Articular process of third lumbar vertebra
5421003 | Sex chromosome Y
5427004 | Apocrine intraepidermal duct
5458003 | Deep artery of clitoris
5459006 | Cardiac incisure of stomach
5491007 | Lacrimal part of orbicularis oculi muscle
5493005 | Metacarpophalangeal joint of little finger
5498001 | Superior aberrant ductule of epididymis
5501001 | Hyaloid artery
5520004 | Subcutaneous tissue of chin
5538001 | Tegmental portion of pons
5542003 | Crista marginalis of tooth
5544002 | Longitudinal layer of duodenal muscularis propria

5560003 | Alveolar ridge mucous membrane
5564007 | Singlet
5574005 | Seventh costal cartilage
5580002 | Tendon of supraspinatus muscle
5597008 | Retina of right eye
5611001 | Anulus fibrosus of intervertebral disc of fifth cervical vertebra
5625000 | Navicular facet of intermediate cuneiform bone
5627008 | Right visceral pleura
5633004 | Muscular portion of interventricular septum
5643001 | Canal of stomach
5644007 | Fractured membrane P face
5653000 | Inner surface of seventh rib
5665001 | Retina
5668004 | Lower digestive tract
5677006 | Lenticular fasciculus
5682004 | Subcutaneous tissue of upper extremity
5696005 | Articular part of tubercle of ninth rib
5697001 | Skin of lateral surface of finger
5709001 | Multifidus muscles
5713008 | Submandibular triangle
5717009 | Temporal fossa
5718004 | Tendon and tendon sheath of leg and ankle
5727003 | Anterior cervical lymph node
5742000 | Skin of forearm
5751008 | Subcutaneous tissue of anterior portion of neck
5769004 | Endocervical epithelium
5780004 | Paradidymis
5798000 | Diaphragm
5802004 | Medium sized neuron
5814007 | Angle of seventh rib
5815008 | Superior rectus muscle
5816009 | Duodenal fold
5825003 | Substantia propria of sclera
5828001 | Posterior cord of brachial plexus
5847003 | Superior articular process of seventh cervical vertebra
5854009 | Orbital plate of ethmoid bone
5868002 | Serosa of urinary bladder
5872003 | Subcutaneous tissue of lateral border of sole of foot
5881009 | Tuberosity of distal phalanx of hand
5882002 | Endothelial sieve plate
5889006 | Articular surface, third metacarpal, of fourth metacarpal bone
5890002 | Posterior cells of ethmoid sinus
5893000 | Superior recess of tympanic membrane
5898009 | Myotome
5923009 | Articular process of twelfth thoracic vertebra
5926001 | Bronchial lumen
5928000 | Great cardiac vein
5942008 | Tensor tympani muscle
5943003 | Vestibular vein
5944009 | Posterior palatine arch
5948007 | Capsule of distal interphalangeal joint of third toe
5951000 | Left wrist
5953002 | Eighth rib
5976004 | Subcutaneous tissue of eyelid
5979006 | Episcleral artery
5996007 | Chromosomes, group D
6001004 | Quadratus lumborum muscle
6004007 | Intervertebral disc of second thoracic vertebra
6006009 | Circular layer of duodenal muscularis propria
6009002 | Mesentery of ascending colon
6013009 | Reticuloendothelial system
6014003 | Penicilliary arteries
6023000 | Heterolysosome
6032003 | Columnar epithelial cell
6046003 | Outer surface of third rib
6050005 | Lacrimal vein
6059006 | Metacarpophalangeal joint of middle finger
6062009 | Deciduous mandibular right canine tooth
6073002 | Ligament of left superior vena cava
6074008 | Capsule of temporomandibular joint
6076005 | Gastrointestinal subserosa
6104005 | Subclavian nerve

6105006 | Body of fifth thoracic vertebra
6110005 | Facial nerve parasympathetic fibers
6194002 | Nail of fourth toe
6216007 | Postcapillary venule
6217003 | Piriform recess
6229007 | Os lacrimale
6253001 | Sulcus terminalis cordis
6268000 | Accessory phrenic nerves
6269008 | Subcutaneous tissue of scalp
6279005 | Skin of dorsal surface of finger
6317000 | Posterior basal branch of left pulmonary artery
6325003 | Aryepiglottic muscle
6326002 | Fetal atloid articulation
6335009 | Lymphoid follicle of stomach
6359004 | Hair medulla
6371005 | Lymphatics of thyroid gland
6375001 | Cavernous portion of urethra
6392005 | Coccygeal nerve
6404004 | Ligamentum nuchae
6413002 | Presymphysial lymph node
6417001 | Medial malleolus
6423006 | Supraspinatus muscle
6424000 | Structure of radiating portion of cortical lobule of kidney
6445007 | Mast cell
6448009 | Posterior vagal trunk
6450001 | Cytotrophoblast
6472004 | Medial aspect of ovary
6504002 | Glans clitoridis
6511003 | Distal portion of circumflex branch of left coronary artery
6530003 | Cardiac valve leaflet
6533001 | Colonic haustra
6538005 | Thyrocervical trunk
6541001 | Anterior commissure of mitral valve
6544009 | Gastrohepatic ligament
6550004 | Angular incisure of stomach
6551000 | Pollicis artery
6553002 | Inferior nasal turbinate
6564004 | Medial border of sole
6566002 | Cerebellar hemisphere
6572002 | Base of phalanx of middle finger
6598008 | Lingual nerve
6606008 | Structure of dorsal intercuneiform ligaments
6608009 | Sphenoparietal sinus
6620001 | Cuticle of nail
6623004 | Sternal muscle
6633007 | Right posterior cerebral artery
6643005 | Right anterior cerebral artery
6646002 | Anterior fossa of cranial cavity
6649009 | Uterine subserosa
6651008 | Central lobule of cerebellum
6684008 | Articular facet of head of fibula
6685009 | Right ankle
6711001 | Arch of second lumbar vertebra
6720005 | Femoral nerve lateral muscular branches
6731002 | Pleural recess
6739000 | Chorda tympani
6742006 | Callosomarginal branch of anterior cerebral artery
6750002 | Mitochondrial inclusion
6757004 | Right knee
6787005 | Tendon and tendon sheath of hand
6789008 | Spermatozoa
6799003 | Macula of utricle
6805009 | Interstitial tissue of spleen
6820003 | Obturator nerve anterior branch
6828005 | Ligament of lumbosacral joint
6829002 | Pars ciliaris of retina
6834003 | Axial skeleton
6841009 | Corticomedullary junction of kidney
6844001 | Spore crystal
6850006 | Secondary foot process
6864006 | Leaf of epiglottis
6866008 | Habenular commissure

6871001 | Visceral pericardium
6894000 | Medial surface of arm
6902008 | Popliteal region
6905005 | Subcutaneous tissue of medial surface of third toe
6912001 | Lower alveolar ridge mucosa
6914000 | Perivascular space
6921000 | Right upper extremity
6930008 | Jugular arch
6944002 | Anterior labial veins
6969002 | Lymphocytic tissue
6975006 | Anterior myocardium
6981003 | Posterior hypothalamic nucleus
6987004 | Collateral sulcus
6989001 | Thoracolumbar region of back
6991009 | Subcutaneous tissue of jaw
7035006 | Bile duct mucous membrane
7050002 | Subcutaneous tissue of external genitalia
7067009 | Right colic artery
7076002 | Interstitial tissue of myocardium
7083009 | Middle phalanx of index finger
7090004 | Supraaortic branches
7091000 | Ventral posterolateral nucleus of thalamus
7099003 | Attachment plaque of desmosome or hemidesmosome
7117004 | Fetal implantation site
7121006 | Maxillary right second molar tooth
7148007 | Anulus fibrosus of intervertebral disc of thoracic vertebra
7149004 | False rib
7154008 | Trigeminal ganglion sensory root
7160008 | Base of metacarpal bone
7167006 | Paraduodenal recess
7173007 | Cauda equina
7188002 | Gustatory pore
7192009 | Isthmus tympani posticus
7227003 | Hypoglossal nerve intrinsic tongue muscle branch
7234001 | Inferior choroid vein
7242000 | Appendiceal muscularis propria
7275008 | Lymphatics of appendix and large intestine
7295002 | Muscle of perineum
7296001 | Deep inguinal ring
7311008 | Anterior surface of arm
7344002 | Lingual gyrus
7345001 | Ciliary processes
7347009 | Infratendinous olecranon bursa
7362006 | Lymphatic of head
7376007 | Left margin of uterus
7378008 | Paraventricular nucleus of thalamus
7384006 | Plantar calcaneocuboidal ligament
7404008 | Anterior semicircular duct
7435002 | Ovarian ligament
7471001 | Lateral surface of sublingual gland
7477002 | Lipid, crystalline
7480001 | Iliotibial tract
7494000 | Cerebellar lenticular nucleus
7498002 | Plantar tarsal ligaments
7507003 | Anterior ligament of head of fibula
7524009 | Vasa vasorum
7532001 | Vagus nerve parasympathetic fibers
7554004 | Deep head of flexor pollicis brevis muscle
7566005 | Mitotic cell in anaphase
7569003 | Finger
7591005 | Intervertebral disc space of eleventh thoracic vertebra
7597009 | Subcutaneous tissue of vertex
7605000 | Connexon
7610001 | Tenth thoracic vertebra
7629007 | Thalamoolivary tract
7651004 | Intervenous tubercle of right atrium
7652006 | Frenulum labii
7657000 | Femoral artery
7658005 | Subtendinous bursa of triceps brachii muscle
7697002 | Pontine portion of medial longitudinal fasciculus
7712004 | Subdural space of spinal region
7726008 | Skin of medial surface of fifth toe

7736000 | Posterior choroidal artery
7742001 | Palatine duct
7748002 | Skin appendage
7755000 | Mesovarian margin of ovary
7756004 | Lamina of third thoracic vertebra
7764005 | Striate artery
7769000 | Right foot
7783003 | Sympathetic trunk spinal nerve branch
7820009 | Lateral posterior nucleus of thalamus
7829005 | Anterior surface of manubrium
7832008 | Abdominal aorta
7835005 | Posterior margin of nasal septum
7840002 | Subcutaneous tissue of submental area
7841003 | Macrocytic normochromic erythrocyte
7844006 | Sternoclavicular joint
7851002 | Intracranial subdural space
7854005 | Mandibular canal
7872004 | Myocardium of ventricle
7874003 | Scapular region of back
7880006 | Rhopheocytotic vesicle
7884002 | Corneal corpuscle
7885001 | Rotator cuff including muscles and tendons
7892006 | Submucosa of anal canal
7896009 | Occipital angle of parietal bone
7911004 | Olivocerebellar fibers
7925003 | Proximal phalanx of third toe
7936005 | Ligament of diaphragm
7944005 | Helper cell
7954009 | Lamina propria of ethmoid sinus
7967007 | First left aortic arch
7986004 | Abdominopelvic portion of sympathetic nervous system
7991003 | Skin of glans penis
7999001 | Articulations of auditory ossicles
8001006 | Mucous membrane of tongue
8012006 | Anterior communicating artery
8017000 | Inflow tract of right ventricle
8024004 | Limitans nucleus
8039003 | Subcutaneous acromial bursa
8040001 | Superficial flexor tendon of little finger
8045006 | Membrane-coating granule, amorphous
8057002 | Lateral nuclei of globus pallidus
8059004 | Pancreatic veins
8067007 | Superficial circumflex iliac vein
8068002 | Stratum lemnisci of corpora quadrigemina
8079007 | Radial nerve
8091003 | Intervertebral disc space of twelfth thoracic vertebra
8100009 | Infundibulum of Fallopian tube
8111001 | Intranuclear crystal
8112008 | Hindgut
8119004 | Delphian lymph node
8128003 | Supraaortic valve area
8133004 | Superior anastomotic vein
8157004 | Vein of head
8158009 | Interlobar duct of pancreas
8159001 | Superior colliculus of corpora quadrigemina
8160006 | Lateral striate arteries
8161005 | Infraorbital nerve
8165001 | Superior articular process of fifth thoracic vertebra
8205005 | Wrist
8225009 | Accessory atrioventricular bundle
8242003 | Apical branch of right pulmonary artery
8251006 | Osseous portion of Eustachian tube
8264007 | Tunica interna of eyeball
8265008 | Articular surface, metacarpal, of phalanx of hand
8266009 | Small intestine serosa
8279000 | Pelvic viscus
8289001 | Below knee region
8292002 | Interlobular arteries of liver
8314003 | Mastoid fontanel of skull
8334002 | Lumbar lymph node
8356004 | Colic lymph node
8361002 | Tunica intima

8369000 | Sphincter pupillae muscle
8373002 | Jugum of sphenoid bone
8387002 | Lamina of eighth thoracic vertebra
8389004 | Birth canal
8412003 | Iliac fossa
8415001 | Renal surface of adrenal gland
8454000 | Joint of lumbar vertebra
8464009 | Ligament of sacroiliac joint and pubic symphysis
8482007 | Sinoatrial node branch of right coronary artery
8483002 | Mesial surface of tooth
8496001 | Obliquus capitis muscle
8523001 | Inferior articular process of twelfth thoracic vertebra
8546004 | Posterior intercavernous sinus
8556000 | Lipid droplet
8559007 | Juxtaintestinal lymph node
8560002 | Interclavicular ligament
8568009 | Lymph node of abdomen
8580001 | Both feet
8595004 | Meissner's plexus
8598002 | Vestibulocochlear nerve
8600008 | Cricoid cartilage
8603005 | Adductor hallucis muscle
8604004 | Medulla oblongata fasciculus cuneatus
8608001 | Right margin of heart
8617001 | Zygomatic region of face
8623006 | Transplanted ureter
8629005 | Superior right pulmonary vein
8640002 | Choroidal branches of posterior spinal artery
8668003 | Glycogen vacuole
8671006 | All toes
8677005 | Body of right atrium
8688004 | Lateral olfactory gyrus
8695008 | Intervertebral foramen of second lumbar vertebra
8710005 | Minor sublingual ducts
8711009 | Periodontal tissues
8714001 | Subcutaneous tissue of interdigital space of hand
8752000 | Cavernous portion of internal carotid artery
8770002 | Nail of second toe
8775007 | Tendinous arch
8784007 | Intranuclear body, granular with filamentous capsule
8810002 | Corticomedullary junction of adrenal gland
8814006 | Iliac tuberosity
8815007 | Thenar and hypothenar spaces
8820007 | Pedicle of eleventh thoracic vertebra
8821006 | Peroneal artery
8827005 | Shaft of phalanx of middle finger
8839002 | Agranular endoplasmic reticulum, connection with other organelle
8845005 | Subtendinous prepatellar bursa
8850004 | Proper fasciculus
8854008 | Crista galli
8862000 | Palmar surface of middle finger
8873007 | Mandibular right second premolar tooth
8887007 | Brachiocephalic vein
8892009 | Diaphragmatic surface of lung
8894005 | Gastric cardiac gland
8897003 | Lateral glossoepiglottic fold
8907008 | Left ulnar artery
8910001 | Inferior transverse scapular ligament
8911002 | Endocardium of right ventricle
8928004 | Inguinal lymph node
8931003 | Coracoid process of scapula
8935007 | Cerebral meninges
8942007 | Trapezoid ligament
8965002 | Stratum zonale of corpora quadrigemina
8966001 | Left eye
8983005 | Joint of vertebral column
8988001 | Marginal part of orbicularis oris muscle
8993003 | Hepatic vein
9000002 | Cerebellar peduncle
9003000 | Left parietal lobe
9018004 | Middle colic vein
9040008 | Ascending colon

9055004 | Both forearms
9073001 | White matter of insula
9081000 | Splenic sinusoids
9086005 | Superior laryngeal vein
9089003 | Arch of foot
9108007 | Vein of the scala tympani
9127001 | Transverse folds of palate
9156001 | Embryo stage 1
9181003 | Accessory carpal bone
9185007 | Capsule of metatarsophalangeal joint of fifth toe
9186008 | Filaments of contractile apparatus
9188009 | Intervertebral disc of eighth thoracic vertebra
9208002 | Centriole
9212008 | Shaft of fifth metatarsal bone
9229006 | Rotatores lumborum muscles
9231002 | External pudendal veins
9240003 | Niemann-Pick cell
9242006 | Posterior segment of right lobe of liver
9258009 | Gravid uterus
9261005 | Tendon and tendon sheath of second toe
9262003 | Pelvic fascia
9284003 | Corpus cavernosum of penis
9290004 | Posterior intraoccipital synchondrosis
9305001 | Labial veins
9317004 | Merkel's tactile disc
9320007 | Subtendinous iliac bursa
9321006 | Tail of epididymis
9325002 | Interdental papilla of gingiva
9332006 | Lateral ligament of temporomandibular joint
9348007 | Skin of medial surface of middle finger
9379006 | All permanent teeth
9380009 | Pecten ani
9384000 | Lumbar vein
9390001 | Lymphatics of stomach
9432007 | Plantar surface of fourth toe
9438006 | Structure of deep cervical lymphatics
9454009 | Subclavian vein
9455005 | Medial cartilaginous lamina of Eustachian tube
9475001 | Amacrine cells of retina
9481009 | Afferent glomerular arteriole
9490002 | Pulmonary ligament
9498009 | Head of metacarpal bone
9502002 | Coronal depression of tooth
9512009 | Calcaneocuboidal ligament
9535007 | Pyramid of medulla oblongata
9558005 | Facet for fifth costal cartilage of sternum
9566001 | Duodenal lumen
9568000 | Subcutaneous tissue of areola
9596006 | Deep branch of ulnar nerve
9609000 | Posterior process of nasal septal cartilage
9625005 | Lanugo hair
9642004 | Left superior vena cava
9646001 | Superior transverse scapular ligament
9654004 | Gastric mucous gland
9659009 | Infraclavicular lymph node
9662007 | Subcutaneous tissue of lower margin of nasal septum
9668006 | Ciliary muscle
9677004 | Head of second metatarsal bone
9683001 | Melanocyte
9684007 | Posterior scrotal branches of internal pudendal artery
9708001 | Iliac fascia
9732008 | Medial supraclavicular nerves
9736006 | Right wrist
9743000 | Tendon of index finger
9758008 | Submucosa of tonsil
9770007 | Genital tubercle
9775002 | Left carotid sinus
9779008 | Distinctive shape of mitochondrial cristae
9783008 | Superficial lymphatics of thorax
9791004 | Deep venous system of lower extremity
9796009 | Skeletal muscle fiber, type IIb
9813009 | Fascia of upper extremity

9825007 | Proximal phalanx of little toe
9837009 | Perforating branches of internal thoracic artery
9840009 | Biparietal diameter of head
9841008 | Interspinalis thoracis muscles
9846003 | Right kidney
9847007 | Hilum of adrenal gland
9849005 | Fornix of lacrimal sac
9870004 | Carunculae hymenales
9875009 | Thymus
9878006 | Appendicular vein
9880000 | Thyroid tubercle
9881001 | Peripheral nerve myelinated nerve fiber
9891007 | Transverse arytenoid muscle
9898001 | Paracentral lobule
9951005 | Posterior ethmoidal nerve
9968009 | Primary foot process
9970000 | Ileocecal ostium
9976006 | Rhomboideus cervicis muscle
9994000 | Superior articular process of sixth thoracic vertebra
9999005 | Duodenal ampulla
10013000 | Lateral meniscus of knee joint
10024003 | Base of lung
10025002 | Base of phalanx of index finger
10026001 | Ventral spinocerebellar tract of pons
10036009 | Nucleus pulposus of intervertebral disc of eighth thoracic vertebra
10042008 | Intervertebral foramen of fifth thoracic vertebra
10047002 | Transplanted lung
10052007 | Male
10056005 | Ophthalmic nerve
10062000 | Levator labii superioris muscle
10119003 | Deep volar arch of radial artery
10124000 | Deep dorsal sacrococcygeal ligament
10134009 | Medial surface of third toe

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.337 Value Set http://hl7.org/fhir/ValueSet/medication-admin-category

URL: https://hl7.org/fhir/STU3/valueset-medication-admin-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-admin-category
Name: | MedicationAdministrationCategory
Definition: | A coded concept describing where the medication administered is expected to occur
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.337 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationAdministrationCategory

* MedicationAdministration.category (Preferred)

4.3.1.337.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-admin-category

4.3.1.337.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/medication-admin-category version 3.0.2

All codes from system http://hl7.org/fhir/medication-admin-category

Code | Display | Definition
inpatient | Inpatient | Includes administrations in an inpatient or acute care setting
outpatient | Outpatient | Includes administrations in an outpatient setting (for example, Emergency Department, Outpatient Clinic, Outpatient Surgery, Doctor's office)
community | Community | Includes administrations by the patient in their home (this would include long term care or nursing homes, hospices, etc)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.339 Value Set http://hl7.org/fhir/ValueSet/medication-dispense-status

URL: https://hl7.org/fhir/STU3/valueset-medication-dispense-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-dispense-status
Name: | MedicationDispenseStatus
Definition: | A coded concept specifying the state of the dispense event.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.339 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationDispenseStatus

* This value set has translations in the ConceptMap v3 map for MedicationDispenseStatus

* MedicationDispense.status (Required)

4.3.1.339.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-dispense-status

4.3.1.339.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/medication-dispense-status version 3.0.2

All codes from system http://hl7.org/fhir/medication-dispense-status

Code | Display | Definition
preparation | Preparation | The core event has not started yet, but some staging activities have begun (e.g. initial compounding or packaging of medication). Preparation stages may be tracked for billing purposes.
in-progress | In Progress | The dispense has started but has not yet completed.
on-hold | On Hold | Actions implied by the administration have been temporarily halted, but are expected to continue later. May also be called "suspended"
completed | Completed | All actions that are implied by the dispense have occurred.
entered-in-error | Entered in-Error | The dispense was entered in error and therefore nullified.
stopped | Stopped | Actions implied by the dispense have been permanently halted, before all of them occurred.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.341 Value Set http://hl7.org/fhir/ValueSet/medication-dispense-category

URL: https://hl7.org/fhir/STU3/valueset-medication-dispense-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-dispense-category
Name: | MedicationDispenseCategory
Definition: | A code describing where the dispensed medication is expected to be consumed or administered
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.341 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationDispenseCategory

* MedicationDispense.category (Preferred)

4.3.1.341.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-dispense-category

4.3.1.341.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/medication-dispense-category version 3.0.2

All codes from system http://hl7.org/fhir/medication-dispense-category

Code | Display | Definition
inpatient | Inpatient | Includes dispenses for medications to be administered or consumed in an inpatient or acute care setting
outpatient | Outpatient | Includes dispenses for medications to be administered or consumed in an outpatient setting (for example, Emergency Department, Outpatient Clinic, Outpatient Surgery, Doctor's office)
community | Community | Includes dispenses for medications to be administered or consumed by the patient in their home (this would include long term care or nursing homes, hospices, etc)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.343 Value Set http://hl7.org/fhir/ValueSet/medication-request-status

URL: https://hl7.org/fhir/STU3/valueset-medication-request-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-request-status
Name: | MedicationRequestStatus
Definition: | A coded concept specifying the state of the prescribing event. Describes the lifecycle of the prescription
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.343 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationRequestStatus

* This value set has translations in the ConceptMap v3 map for MedicationRequestStatus

* MedicationRequest.status (Required)

4.3.1.343.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-request-status

4.3.1.343.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/medication-request-status version 3.0.2

All codes from system http://hl7.org/fhir/medication-request-status

Code | Display | Definition
active | Active | The prescription is 'actionable', but not all actions that are implied by it have occurred yet.
on-hold | On Hold | Actions implied by the prescription are to be temporarily halted, but are expected to continue later. May also be called "suspended".
cancelled | Cancelled | The prescription has been withdrawn.
completed | Completed | All actions that are implied by the prescription have occurred.
entered-in-error | Entered In Error | The prescription was entered in error.
stopped | Stopped | Actions implied by the prescription are to be permanently halted, before all of them occurred.
draft | Draft | The prescription is not yet 'actionable', i.e. it is a work in progress, requires sign-off or verification, and needs to be run through decision support process.
unknown | Unknown | The authoring system does not know which of the status values currently applies for this request

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.345 Value Set http://hl7.org/fhir/ValueSet/medication-request-intent

URL: https://hl7.org/fhir/STU3/valueset-medication-request-intent.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-request-intent
Name: | MedicationRequestIntent
Definition: | The kind of medication order
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.345 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationRequestIntent

* MedicationRequest.intent (Required)

4.3.1.345.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-request-intent

4.3.1.345.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/medication-request-intent version 3.0.2

All codes from system http://hl7.org/fhir/medication-request-intent

Code | Display | Definition
proposal | Proposal | The request is a suggestion made by someone/something that doesn't have an intention to ensure it occurs and without providing an authorization to act
plan | Plan | The request represents an intension to ensure something occurs without providing an authorization for others to act
order | Order | The request represents a request/demand and authorization for action
instance-order | Instance Order | The request represents an instance for the particular order, for example a medication administration record.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.348 Value Set http://hl7.org/fhir/ValueSet/medication-request-category

URL: https://hl7.org/fhir/STU3/valueset-medication-request-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-request-category
Name: | MedicationRequestCategory
Definition: | A coded concept identifying where the medication ordered is expected to be consumed or administered
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.348 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationRequestCategory

* MedicationRequest.category (Preferred)

4.3.1.348.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-request-category

4.3.1.348.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/medication-request-category version 3.0.2

All codes from system http://hl7.org/fhir/medication-request-category

Code | Display | Definition
inpatient | Inpatient | Includes orders for medications to be administered or consumed in an inpatient or acute care setting
outpatient | Outpatient | Includes orders for medications to be administered or consumed in an outpatient setting (for example, Emergency Department, Outpatient Clinic, Outpatient Surgery, Doctor's office)
community | Community | Includes orders for medications to be administered or consumed by the patient in their home (this would include long term care or nursing homes, hospices, etc)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.350 Value Set http://hl7.org/fhir/ValueSet/medication-request-priority

URL: https://hl7.org/fhir/STU3/valueset-medication-request-priority.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-request-priority
Name: | MedicationRequestPriority
Definition: | Identifies the level of importance to be assigned to actioning the request
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.350 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationRequestPriority

* MedicationRequest.priority (Required)

4.3.1.350.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-request-priority

4.3.1.350.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/medication-request-priority version 3.0.2

All codes from system http://hl7.org/fhir/medication-request-priority

Code | Display | Definition
routine | Routine | The order has a normal priority .
urgent | Urgent | The order should be urgently.
stat | Stat | The order is time-critical.
asap | ASAP | The order should be acted on as soon as possible.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.352 Value Set http://hl7.org/fhir/ValueSet/medication-statement-status

URL: https://hl7.org/fhir/STU3/valueset-medication-statement-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-statement-status
Name: | MedicationStatementStatus
Definition: | A coded concept indicating the current status of a MedicationStatement.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.352 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationStatementStatus

* This value set has translations in the ConceptMap v3 map for MedicationStatementStatus

* MedicationStatement.status (Required)

4.3.1.352.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-statement-status

4.3.1.352.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/medication-statement-status version 3.0.2

All codes from system http://hl7.org/fhir/medication-statement-status

Code	Display	Definition
active	Active	The medication is still being taken.
completed	Completed	The medication is no longer being taken.
entered-in-error	Entered in Error	The statement was recorded incorrectly.
intended	Intended	The medication may be taken at some time in the future.
stopped	Stopped	Actions implied by the statement have been permanently halted, before all of them occurred.
on-hold	On Hold	Actions implied by the statement have been temporarily halted, but are expected to continue later. May also be called "suspended".

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.354 Value Set http://hl7.org/fhir/ValueSet/reason-medication-not-taken-codes

URL: https://hl7.org/fhir/STU3/valueset-reason-medication-not-taken-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/reason-medication-not-taken-codes
Name:	SNOMED CT Drugs not taken/completed Codes
Definition:	This value set includes some not taken reason codes from SNOMED CT - provided as an exemplar
Committee:	Pharmacy Work Group
OID:	2.16.840.1.113883.4.642.3.354 (for OID based terminology systems)
Copyright:	This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement
Source Resource	XML / JSON

This value set is used in the following places:

* MedicationStatement.reasonNotTaken (Example)

4.3.1.354.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 266710000 (Drugs not taken/completed)

4.3.1.354.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 14 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
182862001	Drug not taken - dislike taste	
182863006	Drug not taken - dislike form	
182864000	Drug not taken - side-effects	
182865004	Drug not taken - inconvenient	

182867007 | Drug not taken - pat disbelief
182868002 | Treatment stopped - alternative therapy undertaken
182869005 | Drug not taken - patient lost tablets
182870006 | Drug discontinued - reason unknown
182871005 | Drug discontinued - patient fear/risk
182872003 | Drug discontinued - too expensive
182873008 | Drug treatment stopped - patient ran out of tablets
182874002 | Treatment stopped - patient unable to concentrate
266711001 | Drug not taken - problem swallowing
275929009 | Tablets too large to swallow

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.355 Value Set http://hl7.org/fhir/ValueSet/medication-statement-category

URL: https://hl7.org/fhir/STU3/valueset-medication-statement-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-statement-category
Name: | MedicationStatementCategory
Definition: | A coded concept identifying where the medication included in the medicationstatement is expected to be consumed or administered
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.355 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationStatementCategory

* MedicationStatement.category (Preferred)

4.3.1.355.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-statement-category

4.3.1.355.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/medication-statement-category version 3.0.2

All codes from system http://hl7.org/fhir/medication-statement-category

Code | Display | Definition
inpatient | Inpatient | Includes orders for medications to be administered or consumed in an inpatient or acute care setting
outpatient | Outpatient | Includes orders for medications to be administered or consumed in an outpatient setting (for example, Emergency Department, Outpatient Clinic, Outpatient Surgery, Doctor's office)
community | Community | Includes orders for medications to be administered or consumed by the patient in their home (this would include long term care or nursing homes, hospices, etc)
patientspecified | Patient Specified | Includes statements about medication use, including over the counter medication, provided by the patient, agent or another provider

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.357 Value Set http://hl7.org/fhir/ValueSet/medication-statement-taken

URL: https://hl7.org/fhir/STU3/valueset-medication-statement-taken.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-statement-taken
Name: | MedicationStatementTaken
Definition: | A coded concept identifying level of certainty if patient has taken or has not taken the medication
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.357 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationStatementTaken

* MedicationStatement.taken (Required)

4.3.1.357.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-statement-taken

4.3.1.357.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/medication-statement-taken version 3.0.2

All codes from system http://hl7.org/fhir/medication-statement-taken

Code | Display | Definition
y | Yes | Positive assertion that patient has taken medication
n | No | Negative assertion that patient has not taken medication
unk | Unknown | Unknown assertion if patient has taken medication
na | Not Applicable | Patient reporting does not apply

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.359 Value Set http://hl7.org/fhir/ValueSet/medication-form-codes

URL: https://hl7.org/fhir/STU3/valueset-medication-form-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-form-codes
Name: | SNOMED CT Form Codes
Definition: | This value set includes all dose form codes from SNOMED CT - provided as an exemplar.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.359 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002 International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* Medication.form (Example)

4.3.1.359.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 421967003 (Drug dose form)

4.3.1.359.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 352 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
7946007	Drug suspension	
11190007	Drug stick	
17519006	Lotion	
30843009	Drug aerosol foam	
36875001	Drug patch	
37937005	Drug paste	
46992007	Pill	
48582000	Caplet	
52262001	Drug aerosol	
63316001	Liniment	
64241004	Drug pledget	
66076007	Chewable tablet	
77899000	Drug solution	
85581007	Drug powder	
385018001	Oral drops	
385019009	Oral drops solution	
385020003	Oral drops suspension	
385021004	Oral drops emulsion	
385022006	Oral liquid	
385023001	Oral solution	
385024007	Oral suspension	
385025008	Oral emulsion	
385026009	Powder for oral solution	
385027000	Powder for oral suspension	
385028005	Granules for oral solution	
385029002	Granules for oral suspension	
385032004	Syrup	
385033009	Powder for syrup	
385034003	Granules for syrup	
385035002	Soluble tablet	
385036001	Dispersible tablet	
385038000	Oral gel	
385039008	Oral paste	
385041009	Oral powder	
385042002	Effervescent powder	
385043007	Granules	
385044001	Effervescent granules	
385045000	Gastro-resistant granules	
385046004	Prolonged-release granules	
385047008	Modified-release granules	
385048003	Cachet	
385049006	Capsule	
385050006	Hard capsule	
385051005	Soft capsule	
385052003	Gastro-resistant capsule	
385053008	Prolonged-release capsule	
385054002	Modified-release capsule	
385055001	Tablet	
385057009	Film-coated tablet	
385058004	Effervescent tablet	
385059007	Gastro-resistant tablet	
385060002	Prolonged-release tablet	
385061003	Modified-release tablet	
385062005	Oral lyophilisate	
385063000	Oral gum	
385064006	Pillule	

385069001 | Oromucosal liquid
385070000 | Oromucosal solution
385071001 | Oromucosal suspension
385073003 | Oromucosal spray
385074009 | Sublingual spray
385077002 | Gingival solution
385078007 | Oromucosal gel
385079004 | Oromucosal paste
385080001 | Medicated chewing-gum
385081002 | Gingival gel
385082009 | Gingival paste
385083004 | Oromucosal capsule
385084005 | Sublingual tablet
385085006 | Buccal tablet
385086007 | Muco-adhesive buccal tablet
385087003 | Lozenge
385088008 | Dental gel
385089000 | Dental stick
385090009 | Dental insert
385091008 | Dental powder
385092001 | Dental liquid
385094000 | Dental solution
385095004 | Dental suspension
385096003 | Dental emulsion
385098002 | Bath additive
385099005 | Cream
385100002 | Gel
385101003 | Ointment
385102005 | Cutaneous paste
385103000 | Cutaneous foam
385104006 | Shampoo
385105007 | Cutaneous spray
385106008 | Cutaneous solution spray
385107004 | Cutaneous liquid
385108009 | Cutaneous solution
385110006 | Cutaneous suspension
385111005 | Cutaneous emulsion
385112003 | Cutaneous powder
385113008 | Solution for iontophoresis
385114002 | Transdermal patch
385115001 | Collodion
385116000 | Medicated nail laquer
385117009 | Poultice
385118004 | Cutaneous stick
385119007 | Cutaneous sponge
385121002 | Eye cream
385122009 | Eye gel
385123004 | Eye ointment
385124005 | Eye drops
385125006 | Eye drops solution
385128008 | Prolonged-release eye drops
385130005 | Eye lotion
385132002 | Ophthalmic insert
385133007 | Ear cream
385134001 | Ear gel
385135000 | Ear ointment
385136004 | Ear drops
385137008 | Ear drops solution
385138003 | Ear drops emulsion
385139006 | Ear powder
385140008 | Ear spray
385141007 | Ear spray solution
385142000 | Ear spray suspension
385143005 | Ear spray emulsion
385147006 | Ear tampon
385148001 | Ear stick
385149009 | Nasal cream
385150009 | Nasal gel
385151008 | Nasal ointment
385152001 | Nasal drops
385153006 | Nasal drops solution
385154000 | Nasal drops suspension

385155004 | Nasal drops emulsion
385156003 | Nasal powder
385157007 | Nasal spray
385158002 | Nasal spray solution
385159005 | Nasal spray suspension
385160000 | Nasal spray emulsion
385162008 | Nasal stick
385163003 | Eye/ear/nose drops
385164009 | Eye/ear/nose ointment
385165005 | Vaginal cream
385166006 | Vaginal gel
385167002 | Vaginal ointment
385168007 | Vaginal foam
385169004 | Vaginal liquid
385170003 | Vaginal solution
385171004 | Vaginal suspension
385172006 | Vaginal emulsion
385173001 | Tablet for vaginal solution
385174007 | Pessary
385175008 | Vaginal capsule
385176009 | Hard vaginal capsule
385177000 | Soft vaginal capsule
385178005 | Vaginal tablet
385179002 | Effervescent vaginal tablet
385180004 | Medicated vaginal tampon
385182007 | Rectal cream
385183002 | Rectal gel
385184008 | Rectal ointment
385185009 | Rectal foam
385186005 | Enema
385187001 | Rectal solution
385188006 | Rectal suspension
385189003 | Rectal emulsion
385191006 | Powder for rectal suspension
385192004 | Tablet for rectal solution
385193009 | Tablet for rectal suspension
385194003 | Suppository
385195002 | Rectal capsule
385196001 | Rectal tampon
385197005 | Nebulizer liquid
385198000 | Nebulizer solution
385199008 | Nebulizer suspension
385200006 | Powder for nebulizer suspension
385201005 | Powder for nebulizer solution
385202003 | Nebulizer emulsion
385203008 | Pressurised inhalation
385204002 | Pressurised inhalation solution
385205001 | Pressurised inhalation suspension
385206000 | Pressurised inhalation emulsion
385207009 | Inhalation powder
385208004 | Hard capsule inhalation powder
385210002 | Inhalation vapor
385211003 | Inhalation vapor powder
385212005 | Inhalation vapor capsule
385213000 | Inhalation vapor solution
385214006 | Inhalation vapor tablet
385215007 | Inhalation vapor ointment
385216008 | Inhalation vapor liquid
385217004 | Inhalation gas
385219001 | Injection solution
385220007 | Injection suspension
385221006 | Injection emulsion
385222004 | Injection powder
385223009 | Powder for injection solution
385224003 | Powder for injection suspension
385229008 | Infusion solution
385230003 | Infusion powder
385231004 | Powder for infusion solution
385236009 | Implantation tablet
385237000 | Implantation chain
385242008 | Intravesical solution
385245005 | Urethral gel

385246006 | Urethral stick
385247002 | Endotracheopulmonary instillation solution
385248007 | Powder for endotracheopulmonary instillation solution
385250004 | Endotracheopulmonary instillation suspension
385251000 | Endocervical gel
385257001 | Gastroenteral liquid
385258006 | Gastroenteral solution
385259003 | Gastroenteral suspension
385260008 | Gastroenteral emulsion
385261007 | Wound stick
385262000 | Organ preservation solution
385278003 | Cutaneous powder spray
385279006 | Cutaneous suspension spray
385286003 | Implant dosage form
414951009 | Oral elixir
420243009 | Tampon dose form
420253005 | Oil injection
420275007 | Semi-solid dose form
420283001 | Nasal emulsion
420292003 | Rectal powder
420293008 | Coated pellets capsule
420305009 | Powder for oral liquid
420317006 | Inhaler
420378007 | Extended-release film coated tablet
420385006 | Extended-release insert
420386007 | Emulsion
420407000 | Inhalation aerosol solution
420430006 | Lyophilized powder for injectable extended release liposomal suspension
420450005 | Pressurized nebulizer suspension
420460001 | Film
420509004 | Oral granules
420536002 | Vaginal powder
420540006 | Cutaneous oil
420610000 | Nasal aerosol
420627008 | Extended-release tablet
420631002 | Vaginal insert
420634005 | Microspheres for injectable suspension
420636007 | Eye/ear drops
420641004 | Solution for inhalation
420656008 | Lyophilized powder for injectable liposomal suspension
420692007 | Oral capsule
420699003 | Liquid dose form
420705007 | Inhalation aerosol suspension
420736004 | Eye suspension
420757007 | Delayed-release granules
420761001 | Urethral suppository
420767002 | Delayed-release pellets capsule
420768007 | Pellet
420802004 | Extended-release liquid
420828001 | Powder for reconstitution for drug product
420847003 | Metered dose aerosol
420873008 | Extended release injectable suspension
420887008 | Intrathecal suspension
420891003 | Ear drops suspension
420901005 | Ear emulsion
420927005 | Metered powder
420929008 | Rectal suppository
420955009 | Powder for solution
420956005 | Ultramicronized tablet
420992009 | Implantable pellet
421026006 | Oral tablet
421027002 | Delayed-release capsule
421034000 | Extended-release suppository
421043009 | Extended-release film
421051007 | Sonicated injectable suspension
421056002 | Emulsion for inhalation
421079001 | Pastille
421080003 | Powder for suspension
421104008 | Aerosol powder
421131006 | Gaseous dose form
421155001 | Extended-release enteric coated tablet
421166008 | Foam

421195004 | Vaginal suppository
421221008 | Suspension for inhalation
421271006 | Extended-release bead implant
421288004 | Sponge
421300005 | Extended-release film coated capsule
421316007 | Powder for eye drops
421338009 | Extended-release coated capsule
421340004 | Powder spray
421343002 | Powder for cutaneous solution
421347001 | Cutaneous aerosol
421366001 | Tablet for oral suspension
421374000 | Delayed-release tablet
421378002 | Solid dose form
421382000 | Ear suspension
421410002 | Intravenous solution
421425002 | Powder for inhalation solution
421427005 | Eye/ear ointment
421428000 | Injectable oil suspension
421446006 | Extended-release granules for suspension
421504000 | Cone
421522002 | Liposomal injectable suspension
421532009 | Insert
421535006 | Delayed-release particles tablet
421575003 | Powder for ear drops
421606006 | Aerosol spray
421607002 | Powder for nasal drops
421618002 | Extended-release capsule
421620004 | Sustained-release buccal tablet
421628006 | Cutaneous cream
421637006 | Lyophilized powder for injectable solution
421669002 | Metered gel
421701006 | Tablet for oral solution
421713001 | Ear solution
421716009 | Transdermal drug delivery system
421720008 | Spray dose form
421721007 | Coated particles tablet
421752008 | Extended-release enteric coated capsule
421759004 | Metered dose aerosol inhaler
421765004 | Intraperitoneal solution
421857007 | Powder for ophthalmic solution
421873001 | Oral cream
421890007 | Oil
421932003 | Multilayer tablet
421937009 | Medicated toothpaste
421943006 | Lyophilized powder for injectable suspension
421949005 | Cutaneous gel
421987002 | Intraocular solution
421999009 | Extended-release coated pellets
422054001 | Metered dose powder inhaler
422059006 | Metered dose inhaler
422060001 | Ophthalmic solution
422068008 | Eye drops suspension
422080000 | Nasal suspension
422085005 | Powder for ophthalmic suspension
422151007 | Breath activated powder inhaler
422186009 | Tincture
422197009 | Breath activated inhaler
422199007 | Dental cone
422201009 | Tablet for cutaneous solution
422202002 | Colloidal suspension for injection
422259002 | Spirit
422264003 | Powder for injectable extended release suspension
422301006 | Modified-release pessary
422336005 | Nasal solution
422353003 | Extended-release suspension
424179000 | Aerosol generator
424552006 | Vaginal sponge
425753008 | Topical ointment
425965000 | Rectal spray
426210003 | Gum
426684005 | Drops dose form
426823003 | Vaginal spray

426969004 | Metered spray
427129005 | Coated capsule
427564005 | Pressurized spray
427609008 | Modified release drops dose form
429885007 | Bar
443424002 | Buccal film
447050008 | Orodispersible film
447079001 | Orodispersible tablet

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.360 Value Set http://hl7.org/fhir/ValueSet/medication-codes

URL: https://hl7.org/fhir/STU3/valueset-medication-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-codes
Name: | SNOMED CT Medication Codes
Definition: | This value set includes all drug or medicament substance codes and all pharmaceutical/biologic products from SNOMED CT - provided as an exemplar value set.
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.360 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Medication.code (Example)
* ActivityDefinition.product[x] (Example)
* CarePlan.activity.detail.product[x] (Example)
* MedicationRequest.medication[x] (Example)
* MedicationAdministration.medication[x] (Example)
* MedicationStatement.medication[x] (Example)
* MedicationDispense.medication[x] (Example)

4.3.1.360.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 410942007 (Drug or medicament)
* Include codes from http://snomed.info/sct where concept is-a 373873005 (Pharmaceutical / biologic product)
* Include codes from http://snomed.info/sct where concept is-a 106181007 (Immunologic substance)

4.3.1.360.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
261000 | Codeine phosphate
336001 | Fibrinogen Tokyo II
363000 | Fibrinogen San Juan
519005 | Free protein S
585007 | Substance P

693002 | Trichothecenes
698006 | Erythromycin lactobionate
699003 | Coal tar extract
747006 | Oxamniquine
873008 | Urethan
925002 | Sodium iodipamide
1018001 | Nornicotine
1025008 | ^93^Molybdenum
1057009 | Phosphate salt
1091008 | Coagulation factor inhibitor
1171004 | Fibrinogen Kawaguchi
1190007 | Mephenoxalone
1244009 | Fibrinogen Madrid I
1269009 | Amikacin sulfate
1325004 | Metocurine iodide
1336006 | 21-Hydroxyprogesterone
1355006 | Antihemophilic factor B Oxford 3 variant
1368003 | ^131^Iodine
1381005 | ^126^Iodine
1450002 | Methylparafynol
1476002 | Codeine sulfate
1536005 | Pargyline hydrochloride
1575001 | Maltose tetrapalmitate
1603001 | Cobalt isotope
1668008 | Ceforanide
1914001 | von Willebrand factor inhibitor
1944003 | Coagulation factor X Patient variant
1956002 | Buclizine hydrochloride
1971003 | Loxapine hydrochloride
2029004 | Fibrinogen Oslo II
2125008 | Betazole
2195004 | Tocainide hydrochloride
2197007 | Boric acid topical preparation
2201007 | Bacteriopurpurin
2212007 | Fibrinogen Bethesda II
2215009 | Azuresin
2249001 | Gentamicin sulfate
2264001 | Selenium isotope
2346005 | Vascormone
2537003 | Antituberculosis agent
2660003 | Sodium dehydrocholate
2680002 | Anti-factor XIII
2796008 | Methanthelinium
2799001 | Methylbenzethonium chloride
2869004 | Ethanoic acid
2878005 | Isonipecaine hydrochloride
2927004 | Rescinnamine
2958003 | Zinc caprylate
2964005 | Dimethoxyamphetamine
2991007 | Mecamylamine hydrochloride
2995003 | Arecoline
3031003 | Dihydroxyaluminum sodium carbonate
3066001 | Triiodothyroacetic acid
3087006 | Oil of male fern
3136005 | Cefoperazone sodium
3142009 | Azacyclonol
3145006 | Penicillic acid
3209002 | Pancuronium sodium
3212004 | Manganese sulfate
3225007 | Fibrinogen Seattle I
3342004 | Copper isotope
3378009 | Imipramine hydrochloride
3379001 | Thimerosal
3501003 | Isoxsuprine hydrochloride
3592004 | Short-acting thyroid stimulator
3597005 | Acebutolol hydrochloride
3617004 | ^79^Selenium
3672002 | Fibrinogen Caracas
3693004 | Fibrinogen Dusard
3793006 | Soluble barium compound
3823007 | Prochlorperazine edisylate
3829006 | Iron

3874004 | Hydrocodone bitartrate
3906002 | Rectified birch tar oil
3932008 | ^64^Copper
3941003 | Metronidazole hydrochloride
3945007 | Tin isotope
3983008 | N,-N-dimethyltryptamine
4014000 | Sulfisomidine
4025009 | Captodiamine
4043008 | Etidocaine hydrochloride
4076007 | Parathyroid hormone
4188007 | Fibrinogen Sydney II
4203009 | Imipramine pamoate
4334005 | Tar oil
4353000 | Dibutyl phthalate
4355007 | Coagulation factor IX San Dimas variant
4413004 | Benzypyrinium
4423008 | Fibrinogen New York II
4480008 | Sulfaethidole
4518006 | Buthenal
4616002 | Triclobisonium chloride
4681002 | Potassium permanganate
4700006 | Beef insulin
4780009 | Secobutobarbitone sodium
4814001 | Valethamate
4844003 | 3,3' Diiodothyronine
5007006 | Papain
5142007 | Coagulation factor II Houston variant
5167005 | Zinc chloride fumes
5172001 | Coagulation factor Xa
5220000 | Bacitracin
5312000 | ^65^Zinc
5405008 | ^60^Cobalt
5477001 | Ferric subsulfate
5641004 | Valproate semisodium
5647000 | Griseofulvin ultramicrosize
5657004 | Coal tar topical solution
5681006 | Ceftizoxime sodium
5691000 | Absorbable gelatin sponge
5699003 | Somatomedin C
5739006 | Stramonium
5767002 | Sulfamerazine
5774007 | White petrolatum
5907009 | Quinidine polygalacturonate
5955009 | Diethylene glycol
6054001 | Doxylamine succinate
6088007 | Benzfetamine hydrochloride
6162007 | Meclocycline
6237004 | Bemegride
6260007 | Protokylol
6333002 | Squill extract
6394006 | Phentermine hydrochloride
6495008 | Fibrinogen Montreal II
6513000 | Flumethiazide
6524003 | Distilled spirits
6602005 | Aminoacridine
6612003 | Chloramphenicol sodium succinate
6710000 | Nitric oxide
6717002 | Nifuroxime
6790004 | Aminopterin
6809003 | Phomopsin
6826009 | Sterol hormone
6837005 | Dextropropoxyphene napsylate
6865007 | Theophylline calcium salicylate
6873003 | Cefapirin sodium
6881002 | Magnesium fumes
6910009 | Sodium fluoride
6927001 | ^121^Tin
6952004 | ^121m^Tin
6992002 | Triflupromazine hydrochloride
7034005 | Diclofenac
7084003 | Fibrinogen Buenos Aires II
7156005 | Phosphorus isotope

7179006 | Prekallikrein
7302008 | Ambuphylline
7318002 | Bacteriochlorophyll
7328006 | Red petrolatum
7348004 | Coagulation factor II
7451005 | Tobramycin ophthalmic preparation
7509000 | Mannitol hexanitrate
7515000 | Hepatotoxic mycotoxin
7549008 | Fibrinogen Bethesda I
7608003 | Triethylene glycol
7737009 | Chlortetracycline hydrochloride
7770004 | ^89^Strontium
7774008 | Neo-b-vitamin A>1<
7816005 | Antazoline hydrochloride
7834009 | Acetyl digitoxin
7904003 | Deanol
7975001 | Amiphenazole
8030004 | Polyethylene glycol
8143001 | Diosmin
8202008 | ^43^Potassium
8203003 | Human menopausal gonadotropin
8222007 | Coagulation factor II Padua variant
8252004 | Chlorothiazide sodium
8397006 | Nicotine resin complex
8450009 | Oil of lemon grass
8534003 | ^110^Tin
8631001 | Potassium chloride
8689007 | Kanamycin sulfate
8701002 | Sulfachlorpyridazine
8767001 | Santonin
8886003 | Flecainide acetate
8919000 | Biotin
8987006 | Cycle-phase specific agent
9174005 | Fibrinogen Poitiers
9234005 | Chlorobutanol
9271007 | Fibrinogen Pontoise
9396007 | ^60^Iron
9457002 | Fibrinogen Almeria
9471005 | Polypropylene glycol
9530002 | Amine hormone
9532005 | Coagulation factor XIIIa
9539001 | Chlorprothixene lactate
9643009 | Chlorphentermine
9663002 | Pecazine
9676008 | Fibrinogen New York III
9680003 | Central depressant
9721008 | Phencyclidine
9765000 | Lithium salt
9797000 | Phosphorus trichloride
9817005 | Mycoplasma pulmonis antibody test kit
9910008 | Oxymetazoline hydrochloride
9974009 | Angiotensin
9992001 | Molybdenum radioisotope
10016008 | Bithionol
10020007 | Biperiden hydrochloride
10109009 | Fibrinogen London III
10133003 | Cyclizine lactate
10174003 | Procarbazine hydrochloride
10192006 | Prostaglandin F>2<
10202007 | Prostaglandin E3
10240005 | Lethanes
10270000 | Erythromycin estolate
10282009 | Betahistidine
10324005 | Demeclocycline hydrochloride
10329000 | Zinc insulin
10333007 | Clobenoside
10342000 | Heparin cofactor II
10354000 | Somantin
10377000 | Sodium nitrite
10424009 | Maprotiline hydrochloride
10466005 | Phosphide compound
10471003 | Fibrinogen Vienna

10500003 | Xanthinol
10534002 | Thyrotropin releasing factor
10595003 | Pseudoephedrine sulfate
10644005 | Black phosphorus
10660009 | Luteoskyrin
10682002 | Fibrinogen Grand Rapids
10730008 | Azlocillin sodium
10750007 | Neurotoxic mycotoxin
10751006 | Netilmicin sulfate
10767000 | Calcium phosphate dibasic
10782005 | Pentagastrin
10790005 | ^53^Manganese
10843002 | Anterior pituitary hormone
10955007 | Anti-factor X
11036001 | Alum
11038000 | Limonene
11115001 | Thromboxane A>2<
11121002 | ^135^Iodine
11137008 | Chymotrypsin
11170003 | Vanillin
11202003 | Manganese salt
11331001 | ^56^Cobalt
11345007 | Tribromsalan
11420005 | Rhubarb preparation
11473005 | Trichlormethiazide
11496005 | Mercuric chloride
11504003 | Edrophonium chloride
11633008 | Flurbiprofen sodium
11644000 | Piperacillin sodium
11652002 | Vasoactive intestinal peptide
11714005 | Strong silver protein
11943009 | Hydroxydione
11984007 | 1, Hydroxy cholecalciferol
11986009 | Penicillin G potassium
12009000 | Coagulation factor IX Chapel Hill variant
12034000 | Coagulation factor II Salatka variant
12177002 | Pseudoephedrine hydrochloride
12208001 | Syrosingopine
12218006 | Diltiazem hydrochloride
12290003 | Emetine hydrochloride
12315006 | Halazone
12391001 | Dextran 70
12525000 | Tybamate
12568004 | Belladonnine
12578001 | Erythromycin ethylsuccinate
12597001 | Tin
12689001 | Magnesium radioisotope
12716009 | Aluminum carbonate
12801003 | Iodamide meglumine
12821002 | Clemizole
12870003 | Coagulation factor IX Durham variant
12930006 | Calcium phosphate dibasic dihydrate
12970004 | Inositol hexanitrate
13030002 | Piperocaine
13150000 | Animal fat
13188003 | Tobramycin sulfate
13235001 | Riboflavin
13342004 | Diethyl 2-chlorovinyl phosphate
13502005 | Hydroxychloroquine sulfate
13585009 | Cefotetan
13668001 | Propylene glycol
13708006 | Rectified pine tar oil
13787003 | Protein secretory trypsin inhibitor
13789000 | Coal tar creosote
14013006 | Guanadrel sulfate
14071002 | ^90^Strontium
14146003 | Potassium isotope
14172007 | Intrinsic factor concentrate preparation
14193005 | Sulfobromophthalein
14285000 | Coagulation factor XI variant type III
14312008 | Vitamin L>2<
14321009 | Captafol

14340003 | Verapamil hydrochloride
14349002 | Fibrinogen Seattle II
14399003 | Iodine radioisotope
14409006 | Neocinchophen
14438009 | Carbenicillin disodium
14443002 | Aminoglycoside -class of antibiotic-
14461006 | Aluminum phosphate
14507006 | Arsthinol
14638000 | Thiobarbiturate
14645000 | Zinc phenolsulfonate
14715007 | Dextran 75
14743003 | Cinchonine
14767006 | alpha>1< Anti-trypsin
14796007 | Amphechloral
14819006 | Aspidium
14903000 | Antimony sodium thioglycolate
14905007 | Promethazine hydrochloride
15009009 | Meprylcaine
15017001 | Beeswax
15098005 | Alseroxylon
15129007 | Zinc propionate
15322006 | Benzoquinonium
15331006 | Glycine
15352003 | Cyproheptadine hydrochloride
15505005 | Preprodynorphin
15571002 | Mezlocillin sodium
15660006 | Bleomycin sulfate
15698006 | Lysergic acid diethylamide
15730005 | Porphyrin
15785009 | Phenazopyridine
15810003 | Tuaminoheptane
15895007 | Fibrinogen London I
15901005 | Fibrinogen Paris III
16106007 | Sulfametoxydiazine
16125005 | Styramate
16130009 | Deoxyribonuclease IV (Phage T>4<-induced)
16214005 | Deslanoside
16257000 | Dopamine hydrochloride
16276003 | Coagulation factor IX Eagle Rock variant
16318005 | Dibenzothiepin
16355005 | Tetracycline hydrochloride
16359004 | Phthalylsulfathiazole
16392005 | Hexylcaine
16395007 | Pituitary gonadotropin
16462002 | Alpha neoendorphin
16477005 | Diagnostic vaccine
16492006 | Cloxacillin sodium
16613008 | Prostaglandin D2
16624005 | Bromide salt
16628008 | Somatotropin releasing factor
16670003 | B-beta 1-42
16683002 | Progesterone
16717002 | Dehydrocorticosterone
16744007 | Lactobacillus acidophilus agent
16745008 | Xenon isotope
16748005 | Zolamine
16808006 | Trichloroethylene
16826009 | Pentamidine isethionate
16915004 | Streptozocin
16923002 | Lupus anticoagulant
16946000 | Triacetin
17008002 | Levallorphan
17062003 | Nafoxidine hydrochloride
17072000 | Cathepsin D
17117004 | Androsterone
17147002 | Cholic acid
17212003 | Bismuth subcarbonate
17240008 | Oil in water agent
17243005 | Uramustine
17244004 | Apraclonidine hydrochloride
17356001 | Pralidoxime chloride
17614005 | Fibrinogen Buenos Aires I

17731005 | Coagulation factor IX London variant
17777001 | Blastomycin
17798001 | Coagulation factor II Cardeza variant
17836006 | Aromatic ammonia spirit
17916009 | Propylene glycol dinitrate
17932007 | Fibrinogen Vicenza
17942009 | Fibrinogen Houston
17990002 | Melarsoprol
17991003 | Fibrinogen Adelaide
18017000 | Phenyl glycidyl ether
18039003 | Alkyl mercuric phosphate
18143001 | Fibrinogen Quebec II
18220004 | Thyroid hormone
18288009 | von Willebrand factor
18321003 | Thiethylperazine maleate
18394004 | Collagenase preparation
18414002 | Vitamin D>3<
18449009 | Lincomycin hydrochloride
18462008 | Methdilazine
18535002 | Hypothalamic releasing factor
18550006 | Thioridazine hydrochloride
18600008 | Glucurolactone
18616005 | Lithium hydride
18712002 | Phenacemide
18815007 | Diethyl phthalate
18832006 | Butylphenamide
18852007 | Fibrinogen New York IV
18959002 | Dibenzazepine derivative
18970009 | Prolactin releasing factor
19012003 | Fibrinogen Tokyo I
19041007 | Tolazoline hydrochloride
19046002 | Fibrinogen Pamplona
19114000 | Mafenide acetate
19126005 | Merbromin
19163001 | Prohormone
19205004 | Secretin
19421007 | Chloroprocaine hydrochloride
19427006 | ^59^Nickel
19462001 | Carbon dioxide absorbent
19499001 | Carbinoxamine maleate
19510001 | Diphenhydramine hydrochloride
19524002 | Penthienate
19595005 | Phenolphthalein
19622008 | ^48^Chromium
19839007 | Sorbitol
19893005 | Potassium dichromate
19918001 | Dihydroergocornine
19967004 | Viomycin
19978007 | Hexafluorenium
20056006 | Dibromosalicylaldehyde
20170008 | Lung surfactant
20217007 | Trimethaphan camsylate
20229003 | Pyrrobutamine
20231007 | Aminosalicylic sodium
20238001 | Chlorinated lime
20327004 | Sodium caprylate
20340009 | Methysergide maleate
20368008 | Diphenadione
20378006 | Methyldimethoxyamphetamine
20379003 | Neomycin C
20413008 | Levopropoxyphene
20450009 | Ciprofloxacin hydrochloride
20468007 | Isopropamide
20495002 | Fibrinogen Bergamo II
20686000 | Fibrinogen Christchurg II
20752000 | Anti-factor II
20771003 | Congenital dysfibrinogen
20844009 | Oxyprocaine
20847002 | Streptokinase preparation
20887007 | Tretamine
21028006 | Fibrinogen Bergamo I
21066009 | Buprenorphine hydrochloride

21075006 | ^61^Cobalt
21094001 | Coal tar ointment
21168008 | Acetosulfone
21175009 | Methanthelinium bromide
21235009 | Piperoxan
21246007 | Fibrinogen Detroit
21289006 | Platelet factor 4
21303006 | Methoxamine hydrochloride
21373005 | Soap enema
21394008 | Adiphenine
21518006 | Naloxone hydrochloride
21556007 | p-Methylaminophenol sulfate
21559000 | ^69m^Zinc
21566004 | Methyldopate hydrochloride
21568003 | Adrenal cortical hormone
21572004 | ^123^Iodine
21611007 | Boric acid
21614004 | Phenelzine sulfate
21706000 | Tetrahydrofolic acid
21891005 | Digestant enzyme preparation
21903000 | Bismuth violet
21919007 | Opium
22038003 | Selenium
22086005 | Sodium antimonyl gluconate
22165008 | Metamizole sodium
22236007 | Acetarsol
22242006 | Glutaraldehyde
22250002 | Fibrinogen Birmingham
22362000 | Calcium phosphate dibasic anhydrous
22424004 | Ochratoxins
22453003 | Cathepsin G
22496008 | Fibrinogen Cleveland I
22606007 | Vitamin K>2<
22635004 | Anti-factor V
22654004 | Propantheline bromide
22769006 | Penthienate bromide
22779008 | Coagulation factor II Habana variant
22790003 | Physostigmine sulfate
22792006 | Tripelennamine citrate
22827004 | Prochlorperazine maleate
22840009 | Tetraethyl pyrophosphate
22882008 | Coagulation factor II Molise variant
22941009 | 17,21-Hydroxyprogesterone
22976006 | Aluminum acetate
23053002 | Iophenoic acid
23068001 | Caffeine citrate
23077008 | Barbituric acid
23176001 | Bacampicillin hydrochloride
23295004 | Coagulation factor I
23375008 | Colistin sulfate
23433006 | Vitamin D>2<
23459009 | Selenium radioisotope
23564005 | Dyclonine
23692005 | Tribasic calcium phosphate
23701001 | Trichlorocarbanilide
23814005 | Guanethidine monosulfate
23816007 | Tetrahydrocortisol
23861006 | Phenolsulfonphthalein
23862004 | Fibrinogen Bethesda III
23866001 | Fluoroacetic acid
23883005 | Methadone hydrochloride
23959001 | Thyroglobulin
23969007 | Tryparsamide
24022008 | Bupivacaine hydrochloride
24202000 | Ranitidine hydrochloride
24237002 | Prostaglandin F>1<
24261009 | Trimethobenzamide hydrochloride
24336008 | Aminophylline anhydrous
24357000 | Colony-stimulating factor, macrophage
24434007 | Sodium tartrate
24435008 | Fibrinogen Versailles
24556008 | N-butyl glycidyl ether

24570008 | Cathartic
24583009 | Terbutaline sulfate
24650007 | Dihydro-alpha-ergocryptine
24686008 | Acaricide
24721007 | Chlorothymol
24751001 | Oxymorphone
24809001 | Spectinomycin hydrochloride
24823004 | Pipobroman
24838003 | Undecylenic acid and zinc undecylenate
24869004 | Bayer 2502
25002001 | Perazine
25013003 | Pyrantel pamoate
25027008 | Glycoprotein hormone
25128000 | ^72^Zinc
25141001 | Tubocurarine chloride
25183006 | Manganese chloride
25204006 | Aluminum soluble salt
25205007 | Fluorine radioisotope
25213008 | Bicyclic antidepressant
25217009 | Pituitary follicle stimulating hormone
25254000 | Procainamide hydrochloride
25305005 | Long-acting insulin
25307002 | Petrolatum
25401000 | Barbiturate analog
25500001 | ^40^Potassium
25525005 | Protein C
25538002 | Tiotixene hydrochloride
25571003 | Clodantoin
25607008 | D-dimer
25620006 | Bitter orange oil
25710007 | ^113^Tin
25747007 | ^135m^Xenon
25796002 | Aluminum aspirin
25886000 | Fibrinogen Bergamo III
25911004 | Prostaglandin H2
26120001 | Desipramine hydrochloride
26191006 | Bromazine hydrochloride
26277008 | Dynorphin
26288002 | Mitotane
26327007 | Red phosphorus
26346008 | Ethambutol hydrochloride
26351002 | Prostaglandin
26371006 | Chlorophacinone
26379008 | Quinisocaine
26437003 | Oil of mustard
26469007 | Prepro-opiomelanocortin
26518005 | Coagulation factor XIa
26656004 | Aromatic castor oil
26817007 | Methylated naphthalene
26945002 | Phendimetrazine tartrate
26992003 | Chlorisondamine
27054007 | ^57^Cobalt
27079005 | Meclocycline sulfosalicylate
27081007 | ^127^Xenon
27082000 | Sulfapyridine
27122000 | ^56^Nickel
27184001 | 17-Hydroxypregnenolone
27192005 | Aminosalicylic acid
27244000 | Lithium isotope
27248002 | Coagulation factor X R.E.D. variant
27345002 | Hemin
27361000 | Barium salt
27499006 | Oxyphencyclimine
27586005 | Undecoylium chloride iodine
27594003 | Ferric pyrophosphate
27656005 | Gitalin amorphous
27730007 | Merodicein
27736001 | Bacitracin A
27766008 | Prothipendyl
27822002 | Phenylpropylmethylamine
27928002 | Flurazepam hydrochloride
27931001 | Dipeptidyl peptidase I

27989007 | Coagulation factor II Segovia variant
28021008 | Ethyl acrylate
28029005 | Metescufylline
28069006 | Refrigerant anesthetic
28121005 | Iofendylate
28223003 | Cycloguanil
28268006 | Pregnanediol
28344001 | Mephenytoin
28421003 | Sorbic acid
28464005 | Dioxyline
28521000 | Coagulation factor II Denver variant
28580002 | Diprenorphine
28588009 | Cefaloridine
28662003 | Hydralazine hydrochloride
28702005 | Ambutonium
28825003 | Sterigmatocystin
28829009 | Coal tar naphtha
28927005 | Diphenylheptane derivative
28942008 | Coconut oil
28983006 | 6-Ketoprostaglandin PGF>1<
28999000 | Fusarin
29011006 | Manganese trioxide
29184007 | Diphemanil metilsulfate
29190006 | Fentanyl citrate
29301006 | Isoprenaline hydrochloride
29327006 | Chloramphenicol palmitate
29406002 | alpha-Amylase preparation
29522004 | Toluidine blue
29527005 | Benzatropine mesylate
29531004 | Nickel radioisotope
29584000 | Diagnostic antigen
29588002 | Brompheniramine maleate
29666006 | Nortriptyline hydrochloride
29671004 | Lithium bromide
29725000 | Heparin calcium
29765001 | Fumagillin
29783009 | Chromocarb
29876006 | ^129m^Xenon
30034004 | Dimethoxanate
30053009 | Brefeldin
30094001 | Riboflavin dinucleotide
30145004 | Activin hormone
30178006 | Vitamin D
30179003 | Carbonyl fluoride
30203009 | Paromomycin sulfate
30205002 | Thymic T lymphocyte factor
30236005 | Tilorone
30324001 | ^132^Iodine
30325000 | Chlorfenvinphos
30326004 | Atrial natriuretic factor
30329006 | Triflupromazine
30333004 | Mercaptomerin sodium
30424002 | Proparacaine hydrochloride
30589007 | Dibutyl phosphate
30658004 | Turacoporphyrin
30676006 | Metharbital
30745005 | Loxapine succinate
30804005 | Coagulation factor VII
30820000 | Phosphorus
30827002 | Azapetine
30848000 | Fibrinogen Oslo III
30863002 | Desiccated whole bile
30990007 | Abnormal fibrinogen
31011004 | 4-hydroxycoumarin
31055005 | Gastrointestinal hormone
31147000 | Metoclopramide hydrochloride
31178001 | Bethanechol chloride
31422009 | Ox bile extract
31522006 | Mild silver protein
31617001 | Hydrophilic petrolatum
31622001 | ^127m^Xenon
31662002 | Orange flower oil

31706007 | Ketamine hydrochloride
31707003 | Zinc bacitracin
31731008 | Magnesium phosphate
31780003 | Preproenkephalin
31787000 | Coagulation factor IX Alabama variant
31799007 | Mephentermine sulfate
31801005 | Benzonatate
31815007 | Oxybutynin chloride
31818009 | Deoxyribonuclease (pyrimidine dimer)
31827005 | Ristocetin
31895006 | Gonadotrophin
31936008 | Sodium isotope
31990000 | Fibrinogen Cleveland II
32050003 | Pine oil
32083005 | Oxanamide
32120008 | Camphorated oil
32133002 | Microarazide nitrate
32154009 | Inulin
32157002 | Cathepsin B
32281001 | Fibrinogen Oslo IV
32370002 | Diprophylline
32436002 | Phentolamine mesylate
32437006 | Triphenyl phosphate
32498003 | Cortisone
32505007 | ^32^Phosphorus
32519007 | Activated charcoal
32707001 | Deoxyribonuclease I
32714004 | Magnesium dust
32757009 | Dibenzepin
32789000 | Ferritin
32800009 | Ethionamide
32824001 | Ergot alkaloid
32836007 | Sodium acetrizoate
32852005 | beta-Melanocyte stimulating hormone
32898006 | Fibrinogen San Francisco
32901007 | Prostaglandin A2
33280006 | Medicinal zinc peroxide
33307008 | Sodium meralein
33396006 | Nickel
33435008 | Capillary active drug
33440000 | Ceftriaxone sodium
33447002 | Bephenium hydroxynaphthoate
33535006 | Renal hormone
33619005 | Plasminogen activator
33635003 | Serotonin
33642003 | Fibrinogen Sydney I
33667000 | Mercumatilin
33752008 | Motilin
33837008 | Aluminum glycinate
33922005 | Vitamin L
33963004 | Angiotensin III
34007009 | Cholelitholytic agent
34070005 | Fibrinogen Nagoya
34074001 | Borate salt
34086003 | Antithrombin III
34113002 | Acrisorcin
34120009 | Fibrinogen Amsterdam
34198005 | Folescutol
34211007 | ^83^Strontium
34239008 | Castor oil
34274009 | Iodine pentafluoride
34332002 | Nitrophenol
34425005 | Amolanone
34471003 | ^121^Iodine
34654009 | Iodine solution
34657002 | Isopropamide iodide
34658007 | Met-enkephalin
34737006 | C1 complement inhibitor
34915005 | Pyridostigmine bromide
34919004 | Potassium tartrate
34953000 | Colocynth
34983009 | Epicillin

35060001 | Testicular hormone
35135004 | Aglycone
35150008 | Glucocorticoid hormone
35236008 | Thenyldiamine
35257000 | Entsulfon
35281007 | Acetophenazine
35318005 | Esmolol hydrochloride
35321007 | Fluorodeoxyglucose F^18^
35343004 | Cefonicid sodium
35431001 | Adenosine
35466004 | Relaxin
35473009 | Fibrinogen St. Louis
35605007 | Anhydrous lanolin
35733004 | Fat-soluble vitamin
35748005 | Wine
35765001 | Sincalide
35864006 | Parathiazine
35883004 | Fluorine
35903003 | Potassium bromide
35946000 | Pentolinium
35954003 | Coagulation factor II variant
35966009 | Ouabain
35976007 | Pancreatic peptide
36020009 | Anti-factor IX
36021008 | Cefadroxil monohydrate
36022001 | Fibrinogen Freiberg
36136008 | Penitrem-A
36167005 | Fibrinogen Torino
36173006 | Tetraiodothyroacetic acid
36176003 | Thrombin
36235004 | Pine needle oil
36378007 | Lithium compound
36380001 | Oxyphencyclimine hydrochloride
36516003 | Pyrilamine maleate
36541005 | Mercuric iodide
36651003 | Bismuth salt
36661005 | Tyrothricin
36712003 | Anti-factor XII
36872003 | Tridihexethyl
36887008 | Mineralocorticoid hormone
36953002 | Fibrinogen Nancy
37006008 | Cyclothiazide
37013008 | Dipivalyl epinephrine
37077000 | ^122^Xenon
37078005 | Nitromersol
37123002 | Copper dust and mist
37225000 | ^52^Manganese
37237003 | Vitamin E
37262003 | Phenyl p-aminosalicylate
37276002 | Polypeptide hormone
37352007 | Fungus antigenic product
37365003 | Fibrinogen Rouen
37411004 | Tissue plasminogen activator
37433002 | Polycarbophil
37451001 | Laudanum
37527009 | Sufentanil citrate
37648000 | Clindamycin phosphate
37656002 | Thiamazole
37691005 | Hetacillin
37716005 | White ointment
37751002 | Beta 2 blocking agent
37756007 | Gastric inhibitory polypeptide
37758008 | Drug-induced coagulation inhibitor
37765000 | Amfepramone hydrochloride
37951005 | Fibrinogen Paris I
37957009 | Pentoxyverine
37978007 | Nitrofurantoin sodium
37986007 | Tremorgen
37994000 | Fibrinogen Hanover
38044001 | Paromomycin
38122009 | Anisindione
38218009 | Hyaluronic acid

38245005 | Thymic hormone
38344006 | Sodium iodomethamate
38399002 | ^135^Xenon
38408002 | Paregoric
38543004 | Lissamine green B
38595007 | Trimethyl phosphite
38622005 | Aluminum oxide ore
38623000 | ^69^Zinc
38648002 | Mephentermine
38686006 | Colistimethate sodium
38714005 | Somatomedin A
38794009 | Molybdenum isotope
38909000 | Glutamic acid hydrochloride
38914001 | Thymol iodide
38937007 | Water in oil agent
39012008 | Thiram
39044007 | Aluminum alkyl
39123009 | Cefaloglycin
39152007 | Erythromycin stearate
39263003 | Amisometradine
39292004 | Iodine trichloride
39294003 | Iron carbohydrate complex
39428005 | Deuteroporphyrin
39514001 | Decamethonium
39546001 | Manganese isotope
39552000 | Scabicide
39808001 | Dibucaine hydrochloride
39815009 | Clorazepate
39933002 | Pancreatic hormone
39962001 | Coagulation factor II Barcelona variant
39972003 | Sodium
39973008 | C peptide
39979007 | T-2 fungal toxin
40036000 | Sulfadimidine
40115000 | Aluminum hydroxychloride
40342009 | Thiamylal sodium
40404004 | Papaverine hydrochloride
40438007 | Antimony sodium tartrate
40534007 | Aflatrem
40545005 | Amphotericin A
40601003 | Chlordiazepoxide hydrochloride
40699008 | Barium fluorosilicate
40710000 | Diodone
40789008 | Adrenocorticotropic hormone
40924008 | Water-soluble vitamin
40937006 | ^124^Iodine
40940006 | Human chorionic gonadotropin, beta subunit
41062004 | Methoxsalen
41067005 | Oxiconazole nitrate
41091001 | Mebutamate
41143004 | 3 alpha, 7 beta Dihydroxy-5 beta cholanic acid
41153003 | Amyl nitrate
41199001 | Melatonin
41261002 | Quinethazone
41332001 | Oleandomycin
41395001 | Tamoxifen citrate
41410009 | Intrinsic factor
41433005 | Aluminum compound
41464007 | ^90^Molybdenum
41485007 | Leuc-enkephalin
41492002 | Satratoxins
41503000 | Zinc compound
41509001 | Potassium warfarin
41573001 | Linseed oil
41592004 | ^82^Strontium
41598000 | Estrogen
41722006 | Cefotaxime sodium
41793006 | Calcium cyanamide
41834005 | Olive oil
41903005 | Hexapradol
41945007 | Alkylpiperidine derivative of phenothiazine
41989007 | Lolitrem

42033003 | Sterculia gum
42056007 | Placental hormone
42145009 | Fibrinogen Copenhagen
42146005 | Iodide salt
42159002 | Mushroom poison
42163009 | Methylphenidate hydrochloride
42180008 | Vitamin D>2<, phosphate ester
42193003 | Stannous fluoride
42212002 | Sodium pentachlorophenate
42230009 | Bentonite
42319009 | Lipotropin
42382009 | 4-Ipomeanol
42464005 | p-Phenylenediamine
42520004 | Bulrush millet ergot alkaloid
42549007 | A-2M - Alpha-2 macroglobulin
42605004 | Aldosterone
42671007 | Rye ergot alkaloid
42692007 | Naproxen sodium
42710006 | Coagulation factor XI variant type II
42730005 | Periodate salt
42761001 | Pyrocatechol
42841002 | Zinc oxide
42877009 | Anhydrous borate
43004008 | Glucagon-like peptide 1
43032004 | Anabasine
43048003 | Amfomycin
43136004 | Strontium
43171004 | Ovarian hormone
43239002 | ^75^Selenium
43289005 | Dihydrofolic acid
43332008 | Coagulation factor IX Lake Elsinor variant
43356007 | Betaine
43440003 | Melanocyte stimulating hormone releasing factor
43462003 | Para-aminohippuric acid
43538006 | Non radiopaque medium
43541002 | Pentapiperide
43585000 | Sulfonamide diuretic
43592005 | Cactinomycin
43597004 | Chymodenin
43613009 | Phosphorous pentachloride
43621003 | Antihemophilic factor B Oxford 2 variant
43688007 | Testosterone
43698001 | Hydroxystilbamidine isethionate
43706004 | Ascorbic acid
43784004 | Thymic lymphopoietin suppressing factor
43835003 | Zinc gelatin
43848004 | Agkistrodon serine proteinase
43880002 | Chloroacetamide
43897008 | ^56^Manganese
43909000 | Thiamine triphosphate
43989002 | 3,4-Methylenedioxybenzyl methyl ketone
44044007 | Calcium phosphate
44068004 | Doxylamine
44159003 | Barium oxide
44234001 | Strontium isotope
44262008 | Oxidized cellulose
44293009 | Phenoxybenzamine hydrochloride
44330008 | Pyrvinium pamoate
44347009 | Lergotrile
44469001 | Fibrinogen Petoskey
44508008 | Hydromorphone
44520000 | Nylidrin hydrochloride
44555003 | Methylenedioxyamphetamine
44588005 | Iodine
44603007 | Iodinated glycerol
44609006 | Calcitonin gene-related peptide
44624002 | Fibrinogen New Orleans I
44644008 | Mycotoxin
44681007 | Hypothalamic inhibiting factor
44711006 | Gastrin II
44776005 | Xenon radioisotope
44908000 | Chlorzoxozone

45084007 | Fibrin degradation product, D fragment
45119009 | Glycine salt of bile acid
45158004 | Fluorine isotope
45159007 | Azatadine maleate
45207006 | Dexamphetamine sulfate
45266004 | Antiplasmin
45483006 | Psilocin
45524001 | Dextranomer
45555007 | Norepinephrine
45604009 | Tranquilizer
45754009 | Alpha interferon
45807004 | Coagulation factor IX variant
45940009 | Theophylline anhydrous
45946003 | Proglucagon
45960001 | Naepaine
46015007 | Melanocyte stimulating hormone
46021006 | ^91^Strontium
46058006 | Prostaglandin G2
46097003 | Lactated Ringer's solution
46122001 | Antitreponemal agent
46134009 | Prostaglandin A1
46146008 | Cefotetan disodium
46191004 | Cataglykin
46201000 | Piperidolate
46225008 | Cholecystokinin
46250006 | Slaframine
46257009 | Triiodomethane
46293006 | Bromocriptine mesylate
46492003 | Nivalenol
46514003 | Calcium mandelate
46558003 | Imipenem
46572007 | Coagulation factor XI
46654009 | Tetrahydrocortisone
46668002 | Homatropine methylbromide
46711008 | Diglycol hydroiodide
46749007 | Medicinal iodine
46861006 | Deoxynivalenol
46887006 | Ambenonium chloride
46921009 | Quinoline dye
46943001 | (3-alpha,5-beta,20S)-3,17,20,21-Tetrahydroxypregnan-11-one
46950002 | Protriptyline hydrochloride
47026005 | Thymol oxide
47176005 | Methdilazine hydrochloride
47180000 | Metisazone
47192000 | Meglumine diatrizoate
47218005 | Fibrinogen Giessen II
47247003 | Fibrinogen Kyoto
47280005 | Macrocyclic trichothecenes
47336007 | Fibrinogen Manchester
47349002 | beta Neoendorphin
47350002 | Pregnenolone
47355007 | Benzodiazepine nucleus
47383009 | Dihydropsychotrine
47389008 | Methyl tert-butyl ether
47408003 | Naftifine hydrochloride
47413004 | Fat emulsion
47414005 | Trimethidinium
47500008 | Borate pentahydrate
47663000 | Clindamycin palmitate hydrochloride

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.361 Value Set http://hl7.org/fhir/ValueSet/medication-package-form

URL: https://hl7.org/fhir/STU3/valueset-medication-package-form.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-package-form
Name: | MedicationContainer
Definition: | A coded concept defining the kind of container a medication package is packaged in
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.361 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationContainer

* Medication.package.container (Example)

4.3.1.361.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-package-form

4.3.1.361.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/medication-package-form version 3.0.2

All codes from system http://hl7.org/fhir/medication-package-form

Code	Display	Definition
ampoule	Ampoule	A sealed glass capsule containing a liquid
bottle	Bottle	A container, typically made of glass or plastic and with a narrow neck, used for storing liquids.
box	Box	A container with a flat base and sides, typically square or rectangular and having a lid.
cartridge	Cartridge	A device of various configuration and composition used with a syringe for the application of anesthetic or other materials to a patient.
container	Container	A package intended to store pharmaceuticals.
tube	Tube	A long, hollow cylinder of metal, plastic, glass, etc., for holding medications, typically creams or ointments
unitdose	Unit Dose Blister	A dose of medicine prepared in an individual package for convenience, safety or monitoring.
vial	Vial	A small container, typically cylindrical and made of glass, used especially for holding liquid medications.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.363 Value Set http://hl7.org/fhir/ValueSet/medication-status

URL: https://hl7.org/fhir/STU3/valueset-medication-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Pharmacy Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/medication-status
Name: | MedicationStatus
Definition: | A coded concept defining if the medication is in active use
Committee: | Pharmacy Work Group
OID: | 2.16.840.1.113883.4.642.3.363 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MedicationStatus

* Medication.status (Required)

4.3.1.363.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/medication-status

4.3.1.363.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/medication-status version 3.0.2

All codes from system http://hl7.org/fhir/medication-status

Code	Display	Definition
active	Active	The medication is available for use
inactive	Inactive	The medication is not available for use
entered-in-error	Entered in Error	The medication was entered in error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.365 Value Set http://hl7.org/fhir/ValueSet/message-reason-encounter

URL: https://hl7.org/fhir/STU3/valueset-message-reason-encounter.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Infrastructure And Messaging Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/message-reason-encounter
Name:	Example Message Reason Codes
Definition:	Example Message Reasons. These are the set of codes that might be used an updating an encounter using admin-update.
Committee:	Infrastructure And Messaging Work Group
OID:	2.16.840.1.113883.4.642.3.365 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Message Reason Codes

* MessageHeader.reason (Example)

4.3.1.365.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/message-reasons-encounter

4.3.1.365.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/message-reasons-encounter version 3.0.2

All codes from system http://hl7.org/fhir/message-reasons-encounter

Code	Display	Definition
admit	Admit	The patient has been admitted.
discharge	Discharge	The patient has been discharged.
absent	Absent	The patient has temporarily left the institution.
return	Returned	The patient has returned from a temporary absence.
moved	Moved	The patient has been moved to a new location.
edit	Edit	Encounter details have been updated (e.g. to correct a coding error).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.367 Value Set http://hl7.org/fhir/ValueSet/response-code

URL: https://hl7.org/fhir/STU3/valueset-response-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Infrastructure And Messaging Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/response-code
Name: | ResponseType
Definition: | The kind of response to a message
Committee: | Infrastructure And Messaging Work Group
OID: | 2.16.840.1.113883.4.642.3.367 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ResponseType

* MessageHeader.response.code (Required)

4.3.1.367.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/response-code

4.3.1.367.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/response-code version 3.0.2

All codes from system http://hl7.org/fhir/response-code

Code | Display | Definition
ok | OK | The message was accepted and processed without error.
transient-error | Transient Error | Some internal unexpected error occurred - wait and try again. Note - this is usually used for things like database unavailable, which may be expected to resolve, though human intervention may be required.
fatal-error | Fatal Error | The message was rejected because of a problem with the content. There is no point in re-sending without change. The response narrative SHALL describe the issue.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.369 Value Set http://hl7.org/fhir/ValueSet/nutrition-request-status

URL: https://hl7.org/fhir/STU3/valueset-nutrition-request-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/nutrition-request-status
Name: | NutritionOrderStatus
Definition: | Codes specifying the state of the request. Describes the lifecycle of the nutrition order.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.369 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for NutritionOrderStatus

* NutritionOrder.status (Required)

4.3.1.369.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/nutrition-request-status

4.3.1.369.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/nutrition-request-status version 3.0.2

All codes from system http://hl7.org/fhir/nutrition-request-status

Code | Display | Definition
proposed | Proposed | The request has been proposed.
draft | Draft | The request is in preliminary form prior to being sent.
planned | Planned | The request has been planned.
requested | Requested | The request has been placed.
active | Active | The request is 'actionable', but not all actions that are implied by it have occurred yet.
on-hold | On-Hold | Actions implied by the request have been temporarily halted, but are expected to continue later. May also be called "suspended".
completed | Completed | All actions that are implied by the order have occurred and no continuation is planned (this will rarely be made explicit).
cancelled | Cancelled | The request has been withdrawn and is no longer actionable.
entered-in-error | Entered in Error | The request was entered in error and voided.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.371 Value Set http://hl7.org/fhir/ValueSet/food-type

URL: https://hl7.org/fhir/STU3/valueset-food-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/food-type
Name: | Food Type Codes
Definition: | This value set represents codes for types of foods and is provided as a suggestive example. It include codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 255620007 (Foods (substance)).
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.371 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* NutritionOrder.excludeFoodModifier (Example)

4.3.1.371.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 255620007 (Foods)

4.3.1.371.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
3718001	Cow's milk	
4700006	Beef insulin	
7661006	Fish bone	
7791007	Soy protein	
10249006	Agar	
10827009	Milk protein	
13577000	Nut	
14263006	Prepared fish	
22836000	Vegetable	
23182003	Cereal	
24515005	Spice	
25743006	Skim milk	
28230009	Poultry	
28647000	Meat	
28942008	Coconut oil	
39102003	Food particle	
41834005	Olive oil	
43708003	Animal feed additive	
44027008	Seafood	
44632005	4,7,10,13,16,19-Docosahexaenoic acid	
46329000	Chocolate milk	
50479000	Soy protein-iron complex	
50593009	Casein	
51905005	Mustard	
53875002	Colostrum	
54041009	Safflower oil	
63045006	Berry	
63766005	Flour	
67324005	Rice	
70813002	Milk	
72511004	Fruit	
74242007	Food starch	
75476008	Bovine growth hormone	
77722008	Poultry bone	
80743002	Mustard black	
82450006	Cottonseed oil	
82566005	Animal feed	
83235009	Bovine growth hormone recombinant	
83595008	Goat's milk	
85668006	Starch powder	
89707004	Sesame oil	
89811004	Gluten	
90677004	Mustard white	
91606004	Cochineal	
96364008	Sometribove	
102259006	Citrus fruit	
102260001	Peanut butter	
102261002	Strawberry	
102262009	Chocolate	
102263004	Eggs (edible)	
102264005	Cheese	
102270004	Growth stimulant	
102271000	Efrotomycin	
102697003	Lactalbumin	
102698008	alpha-Lactalbumin	
102699000	beta-Lactalbumin	
108743002	Pegademase bovine	
109010000	Microfibrillar collagen hemostat	
116957009	Bovine shock protein antibody	
117633004	Bovine osteocalcin	
126076005	Fish liver oil	
126077001	Burbot liver oil	
126078006	Percomorph liver oil	
126079003	Percoid liver oil	

126080000 | Shark liver oil
126081001 | Halibut liver oil
126082008 | Cod liver oil
127384006 | Salmon calcitonin
226017009 | Bombay mix
226021002 | Cauliflower cheese
226022009 | Cheese pastry
226023004 | Cheesecake
226024005 | Chocolate digestive biscuit
226037008 | Lasagne
226041007 | Mint
226046002 | Plain digestive biscuit
226061001 | Tamarind
226062008 | Trail mix
226358006 | Fat - dietary
226359003 | Fish oil - dietary
226367006 | Eicosapentaenoic acid
226368001 | DHA - Docosahexaenoic acid
226491003 | Apple juice
226492005 | Grape juice
226493000 | Grapefruit juice
226495007 | Lemon juice
226496008 | Orange juice
226497004 | Pineapple juice
226498009 | Tomato juice
226529007 | Starchy food
226530002 | Baby cereal
226531003 | Rusk
226532005 | Flavored rusk
226533000 | Low sugar rusk
226534006 | Plain rusk
226535007 | Wholemeal rusk
226536008 | Rice-based baby cereal
226537004 | Mixed cereal-based baby cereal
226538009 | Wheat-based baby cereal
226539001 | Cookie and/or cracker
226540004 | Chocolate biscuit
226541000 | Full coated chocolate biscuit
226542007 | Half-coated chocolate biscuit
226543002 | Cracker
226544008 | Cream cracker
226546005 | Wholemeal cracker
226547001 | Crispbread
226548006 | Digestive biscuit
226549003 | Gingernut biscuit
226550003 | Home-made biscuit
226551004 | Matzo
226552006 | Oatcake
226553001 | Sandwich biscuit
226554007 | Semi-sweet biscuit
226555008 | Short-sweet biscuit
226556009 | Shortbread biscuit
226557000 | Wafer biscuit
226558005 | Water biscuit
226559002 | Bread
226560007 | Brown bread
226561006 | Brown bread roll
226562004 | Breadcrumbs
226563009 | Chapati
226564003 | White chapati
226565002 | White chapati made with fat
226566001 | White chapati made without fat
226567005 | Wholemeal chapati
226568000 | Wholemeal chapati made with fat
226569008 | Wholemeal chapati made without fat
226570009 | Currant bread
226571008 | Granary bread
226572001 | Granary bread roll
226574000 | Malt bread
226575004 | Naan bread
226576003 | Papadum
226577007 | Fried papadum

226578002 | Grilled papadum
226579005 | Paratha
226580008 | Pitta bread
226581007 | White pitta bread
226582000 | Wholemeal pitta bread
226583005 | Milk bread
226584004 | Rye bread
226585003 | Soda bread
226587006 | Tortilla
226589009 | Wheatgerm bread
226590000 | White bread
226592008 | Fried white bread
226593003 | West Indian white bread
226595005 | White bread roll
226596006 | Wholemeal bread
226597002 | Wholemeal bread roll
226598007 | Breakfast cereal
226601002 | Bran flakes
226604005 | Cornflakes
226605006 | Crunchy nut cornflakes
226611009 | Muesli
226612002 | Muesli Swiss style
226613007 | Muesli with extra fruit
226614001 | Muesli with no added sugar
226616004 | Oat and wheat bran
226617008 | Porridge
226618003 | Porridge made with milk
226619006 | Porridge made with semi-skimmed milk
226620000 | Porridge made with skimmed milk
226621001 | Porridge made with whole milk
226622008 | Porridge made with water
226639005 | Cake
226640007 | All bran loaf
226641006 | Battenburg cake
226642004 | Welsh cheesecake
226643009 | Cherry cake
226644003 | Chinese cake
226645002 | Chinese glutinous rice flour cake
226647005 | Chocolate cake
226648000 | Chocolate cake with butter icing
226649008 | Coconut cake
226650008 | Crispie cake
226651007 | Fancy iced cake
226652000 | Fruit cake
226653005 | Plain fruit cake
226654004 | Rich fruit cake
226655003 | Iced fruit cake
226656002 | Wholemeal fruit cake
226657006 | Gateau
226658001 | Gingerbread
226659009 | Lardy cake
226660004 | Madeira cake
226661000 | Rock cake
226662007 | Sevyiann
226663002 | Sponge cake
226664008 | Fatless sponge cake
226665009 | Frozen sponge cake
226666005 | Jam-filled sponge cake
226667001 | Fresh cream-filled sponge cake
226668006 | Sponge cake with butter icing
226669003 | Sponge cake made with cake mix
226670002 | Swiss roll
226671003 | Chocolate filled swiss roll
226672005 | Jam filled swiss roll
226673000 | Individual swiss roll
226674006 | Welsh cake
226675007 | Individual cakes and pastries
226676008 | Asian pastry
226677004 | Brandy snap
226678009 | Burfi
226679001 | Chelsea bun
226680003 | Choux bun

226681004 | Cream horn
226682006 | Crumpet
226683001 | Currant bun
226684007 | Custard tart
226685008 | Danish pastry
226686009 | Doughnut
226687000 | Jam doughnut
226688005 | Ring doughnut
226689002 | Fresh cream doughnut
226690006 | Eccles cake
226691005 | Eclair
226692003 | Flapjack
226693008 | Greek pastry
226694002 | Gulab jamen
226695001 | Halwa
226697009 | Hot cross bun
226698004 | Jaffa cake
226699007 | Jam tart
226700008 | Jellabi
226701007 | Melting moment
226702000 | Mince pie
226703005 | Mincemeat tart
226704004 | Muffin
226705003 | Pinni
226706002 | Rum baba
226707006 | Scone
226708001 | Cheese scone
226709009 | Fruit scone
226710004 | Plain scone
226711000 | Potato scone
226712007 | Wholemeal scone
226713002 | Wholemeal fruit scone
226714008 | Scotch pancake
226715009 | Shortbread
226716005 | Strawberry tartlet
226717001 | Teacake
226718006 | Vanilla slice
226719003 | Waffle
226720009 | Arrowroot
226721008 | Pearl barley
226722001 | Whole grain barley
226723006 | Buckwheat - cereal
226724000 | Bulgur wheat
226725004 | Oatmeal
226726003 | Popcorn
226727007 | Plain popcorn
226728002 | Sweet popcorn
226729005 | Salted popcorn
226730000 | Buttered popcorn
226731001 | Sago
226732008 | Semolina
226733003 | Tapioca
226734009 | Wheatgerm
226735005 | Noodles
226736006 | Egg noodles
226737002 | Fried noodles
226738007 | Plain noodles
226739004 | Pot noodles
226740002 | Pasta
226741003 | Cannelloni
226742005 | Macaroni
226743000 | Ravioli
226744006 | Spaghetti
226745007 | White spaghetti
226746008 | Wholemeal spaghetti
226747004 | Tinned spaghetti
226748009 | Vermicelli
226749001 | Pastry
226750001 | Choux pastry
226751002 | Flaky pastry
226752009 | Flan case pastry
226753004 | Puff pastry

226754005 | Shortcrust pastry
226755006 | Wholemeal pastry
226756007 | Brown rice
226757003 | Red rice
226758008 | Savory rice
226759000 | White rice
226760005 | Dairy foods
226761009 | Gold top milk
226762002 | Flavored cow's milk
226763007 | Semi-skimmed milk
226764001 | Calcium fortified semi-skimmed milk
226765000 | Calcium fortified skimmed milk
226766004 | Sterilized milk
226767008 | Whole milk
226768003 | Calcium fortified whole milk
226769006 | Buttermilk
226770007 | Whey
226771006 | Dried milk
226774003 | Buttermilk powder
226775002 | Dried goat's milk
226776001 | Dried cow's milk
226777005 | Dried semi-skimmed cow's milk
226778000 | Skimmed milk powder
226779008 | Dried skimmed cow's milk with vegetable fat
226780006 | Dried whole milk
226781005 | Dried soya milk
226782003 | Dried whey
226783008 | Tinned milk
226784002 | Condensed milk
226785001 | Skimmed sweetened condensed milk
226786000 | Whole sweetened condensed milk
226787009 | Evaporated milk
226788004 | Low fat evaporated milk
226789007 | Breast milk
226790003 | EBM - Expressed breast milk
226791004 | Sheep milk
226793001 | Soya milk
226795008 | Junior milk
226796009 | Fresh cream
226797000 | Half-cream
226798005 | Double cream
226799002 | Clotted cream
226800003 | Single cream
226801004 | Soured cream
226802006 | Whipping cream
226803001 | Tinned cream
226804007 | Tinned tip-top cream
226805008 | Imitation cream
226806009 | Dessert top cream
226807000 | Elmlea cream
226808005 | Smatana
226809002 | Cheese spread
226810007 | Plain cheese spread
226811006 | Flavored cheese spread
226812004 | Lactic cheese spread
226813009 | Low fat cheese spread
226814003 | Cottage cheese
226815002 | Plain cottage cheese
226816001 | Very low fat cottage cheese
226817005 | Cottage cheese with additions
226818000 | Hard cheese
226819008 | Caerphilly cheese
226820002 | Cheddar cheese
226821003 | Reduced fat cheddar cheese
226822005 | Vegetarian cheddar cheese
226823000 | Cheshire cheese
226824006 | Reduced fat Cheshire cheese
226825007 | Derby cheese
226826008 | Danish blue cheese
226827004 | Double Gloucester cheese
226828009 | Edam cheese
226829001 | Edam-type cheese reduced fat

226830006 | Emmental cheese
226831005 | Feta cheese
226832003 | Gouda cheese
226834002 | Gruyere cheese
226835001 | Lancashire cheese
226836000 | Leicester cheese
226837009 | Mozzarella cheese
226838004 | Parmesan cheese
226839007 | Red Windsor cheese
226840009 | Roquefort cheese
226841008 | Sage Derby cheese
226842001 | Soya cheese
226843006 | Stilton - white cheese
226844000 | Stilton - blue cheese
226845004 | Wensleydale cheese
226846003 | Processed cheese
226847007 | Smoked processed cheese
226848002 | Soft cheese
226849005 | Cream cheese
226850005 | Medium fat cream cheese
226851009 | Low fat cream cheese
226852002 | Goats milk soft cheese
226853007 | Ricotta cheese
226854001 | Soft mold ripened cheese
226855000 | Brie cheese
226856004 | Camembert cheese
226857008 | Fromage frais
226858003 | Plain fromage frais
226859006 | Flavored fromage frais
226860001 | Fruit fromage frais
226861002 | Very low fat fromage frais
226862009 | Quark
226863004 | Yoghurt
226864005 | Whole milk yogurt
226865006 | Whole milk plain yogurt
226866007 | Whole milk fruit yogurt
226867003 | Whole milk flavored yoghurt
226868008 | Live yogurt
226869000 | Organic yogurt
226870004 | Goat's milk yogurt
226871000 | Low fat yogurt
226872007 | Plain low fat yogurt
226873002 | Flavored low fat yoghurt
226874008 | Fruit low fat yogurt
226875009 | Muesli-nut low fat yogurt
226876005 | Low calorie yogurt
226877001 | Drinking yogurt
226878006 | Greek yogurt
226879003 | Sheep's milk yogurt
226880000 | Soya milk yogurt
226881001 | Dried egg
226882008 | BE - Boiled egg
226883003 | Fried egg
226884009 | PE - Poached egg
226885005 | Raw egg
226886006 | Scrambled egg
226887002 | Dietary fats and oils
226888007 | Butter
226889004 | Blended spread
226890008 | Margarine
226891007 | Hard vegetable fat margarine
226892000 | Hard animal and vegetable fat margarine
226894004 | Soft polyunsaturated fat margarine
226895003 | Olive oil margarine
226896002 | Low fat spread
226897006 | VLF - Very low fat spread
226898001 | Dripping
226899009 | Lard
226900004 | Suet
226901000 | Ghee
226902007 | Butter ghee
226903002 | Palm oil ghee

226904008 | Vegetable oil ghee
226905009 | Oil - dietary
226906005 | Corn oil - dietary
226907001 | Palm oil
226908006 | Rapeseed oil
226909003 | Rapeseed oil high erucic acid
226910008 | Rapeseed oil low erucic acid
226911007 | Soya oil
226912000 | Sunflowerseed oil
226913005 | Blended vegetable oil
226914004 | Polyunsaturated vegetable oil
226915003 | Red meat
226916002 | Beef
226917006 | Beef steak
226918001 | Grilled beef steak
226919009 | Fried beef steak
226920003 | Boiled beef
226921004 | Boiled salt beef
226922006 | Minced beef
226923001 | Stewed minced beef
226924007 | Stewed extra-lean minced beef
226925008 | Roast beef
226926009 | Lean roast beef
226927000 | Stewed beef
226928005 | Bacon
226929002 | Boiled bacon
226930007 | Fried bacon
226931006 | Grilled bacon
226932004 | Gammon
226933009 | Roast ham
226934003 | Pork
226935002 | Fried pork chop
226936001 | Grilled pork chop
226937005 | Minced pork
226938000 | Roast pork
226939008 | Lean roast pork
226940005 | Roast belly pork
226941009 | Boiled ham
226942002 | Lamb
226943007 | Fried lamb chop
226944001 | Grilled lamb chop
226945000 | Minced lamb
226946004 | Roast lamb
226947008 | Lean roast lamb
226948003 | Roast leg of lamb
226949006 | Roast shoulder of lamb
226950006 | Roast breast of lamb
226951005 | Stewed lamb
226952003 | Veal
226953008 | Fried veal
226954002 | Grilled veal
226955001 | Chicken
226956000 | Boiled chicken
226957009 | Fried chicken
226958004 | Fried chicken in batter
226959007 | Fried chicken in breadcrumb
226960002 | Fried chicken nuggets
226961003 | Roast chicken
226962005 | Minced chicken
226963000 | Duck - meat
226964006 | Roast duck
226965007 | Goose
226966008 | Roast goose
226967004 | Turkey - meat
226968009 | Roast turkey
226969001 | Stewed turkey
226970000 | Minced turkey
226971001 | Game - meat
226972008 | Grouse - meat
226973003 | Roast grouse
226974009 | Partridge - meat
226975005 | Roast partridge

226976006 | Pheasant
226977002 | Roast pheasant
226978007 | Roast pigeon
226979004 | Roast venison
226980001 | Stewed hare
226981002 | Stewed rabbit
226982009 | Offal
226983004 | Heart - meat
226984005 | Stewed heart
226985006 | Roast heart
226987003 | Kidney - meat
226988008 | Fried kidney
226989000 | Grilled kidney
226990009 | Stewed kidney
226991008 | Liver - meat
226992001 | Fried liver
226993006 | Grilled liver
226994000 | Stewed liver
226995004 | Oxtail
226996003 | Stewed oxtail
226997007 | Sweetbread
226998002 | Fried sweetbread
226999005 | Tongue - meat
227000008 | Tripe
227001007 | Dressed tripe
227002000 | Dressed stewed tripe
227003005 | Meat products
227004004 | Meat burger
227005003 | Beef burger
227006002 | Pork burger
227007006 | Lamb burger
227008001 | Chicken burger
227009009 | Turkey burger
227010004 | Black pudding
227011000 | Brawn
227012007 | Faggot
227013002 | Haggis
227014008 | Liver pate
227015009 | LF - Low fat liver pate
227016005 | Meat paste
227017001 | Polony
227018006 | Salami
227019003 | Saveloy
227020009 | Sausage
227021008 | Frankfurter
227022001 | LF - Low fat sausage
227023006 | Beef sausage
227024000 | LF - Low fat beef sausage
227025004 | Pork sausage
227026003 | LF - Low fat pork sausage
227027007 | Turkey sausage
227028002 | Low fat turkey sausage
227029005 | Liver sausage
227030000 | White pudding
227031001 | Processed meat
227032008 | Chicken roll
227033003 | Chopped ham and pork
227034009 | Corned beef
227036006 | Luncheon meat
227037002 | Fish - dietary
227038007 | White fish
227040002 | Bele
227041003 | Boal
227042005 | Bream
227043000 | Catfish - dietary
227044006 | Chinese salted fish
227045007 | Chital
227046008 | Baked cod
227047004 | Poached cod
227048009 | Grilled cod
227049001 | Fried cod
227050001 | Fried cod in batter

227051002 | Fried cod in breadcrumbs
227052009 | Fried cod goujons in breadcrumbs
227053004 | Cod in batter baked in the oven
227054005 | Dried salted cod
227055006 | Smoked poached cod
227056007 | Coley
227057003 | Conger eel
227058008 | Dab
227059000 | Haddock - dietary
227060005 | Poached haddock
227061009 | Fried haddock
227062002 | Fried haddock in batter
227063007 | Fried haddock in breadcrumbs
227064001 | Fried haddock goujons in breadcrumbs
227065000 | Smoked poached haddock
227066004 | Hake
227067008 | Halibut
227068003 | Hoki
227069006 | Fried hoki in batter
227070007 | John dory
227071006 | Kalabasu
227072004 | Lemon sole
227073009 | Poached lemon sole
227074003 | Fried lemon sole
227075002 | Fried lemon sole in breadcrumbs
227076001 | Ling
227078000 | Monkfish
227079008 | Mullet
227080006 | Grey mullet
227081005 | Red mullet
227082003 | Parrot fish - dietary
227083008 | Plaice
227084002 | Poached plaice
227085001 | Fried plaice
227086000 | Fried plaice in batter
227087009 | Fried plaice in breadcrumbs
227088004 | Fried plaice goujons in breadcrumbs
227089007 | Pollack
227091004 | Pomfret - dietary
227092006 | Black pomfret
227093001 | White pomfret
227094007 | Red snapper - dietary
227095008 | Redfish
227096009 | Rohu
227097000 | Dogfish
227098005 | Fried rock salmon in batter
227099002 | Saithe
227100005 | Sea bass - dietary
227101009 | Shark - food
227102002 | Skate
227103007 | Fried skate in batter
227104001 | Tiliapa
227105000 | Turbot
227106004 | Whiting
227107008 | Poached whiting
227108003 | Fried whiting
227109006 | Fried whiting in breadcrumbs
227110001 | Oily fish
227111002 | Bacha
227112009 | Bloater - dietary
227113004 | Carp
227114005 | Jellied eel
227115006 | Dried herring
227116007 | Fried herring in oatmeal
227117003 | Grilled herring
227118008 | Pickled herring
227119000 | Hilsa
227120006 | Jackfish
227121005 | Katla
227122003 | Kipper
227123008 | Poached kipper
227124002 | Grilled kipper

227125001 | Mackerel - dietary
227126000 | Fried mackerel
227127009 | Grilled mackerel
227128004 | Smoked mackerel
227129007 | Grilled smoked mackerel
227130002 | Orange roughy
227131003 | Pangas
227132005 | Grilled salmon
227133000 | Poached salmon
227134006 | Smoked salmon
227135007 | Salmon en croute
227136008 | Sardine
227137004 | Grilled sardine
227138009 | Fried sardine
227139001 | Sprats
227140004 | Swordfish - dietary
227141000 | Fried trout
227142007 | Baked trout
227143002 | Smoked trout
227144008 | Tuna fish
227145009 | Whitebait fried
227146005 | Shellfish
227147001 | Cockles
227148006 | Cockles bottled in vinegar
227149003 | Cuttlefish - dietary
227150003 | Mussels
227151004 | Prawns
227152006 | Boiled prawns
227153001 | Fried prawns
227154007 | Fried prawns in batter
227155008 | Dried prawns
227156009 | Scampi
227157000 | Fried scampi in batter
227158005 | Fried scampi in breadcrumbs
227159002 | Fried shrimp
227160007 | Dried shrimp
227161006 | Octopus - dietary
227162004 | Scallop
227163009 | Squid - dietary
227164003 | Dried squid
227165002 | Fried squid
227167005 | Fried squid in batter
227168000 | Whelks
227169008 | Winkles
227170009 | Fish products
227171008 | Crabstick
227172001 | Fish ball
227173006 | Fishcake
227174000 | Grilled fishcake
227175004 | Fried fishcake
227176003 | Fish fingers
227177007 | Fried fish fingers
227178002 | Grilled fish fingers
227179005 | Fish paste
227180008 | Fish pate
227181007 | Fish pie
227182000 | Kedgeree
227183005 | Fish roe
227184004 | Raw hard fish roe
227185003 | Fried hard fish roe
227186002 | Fried hard fish roe in batter
227187006 | Raw soft fish roe
227188001 | Fried soft fish roe
227189009 | Seafood cocktail
227190000 | Taramasalata
227191001 | Tinned fish
227193003 | Anchovies canned in oil
227194009 | Herring canned in tomato sauce
227195005 | Mackerel canned in tomato sauce
227196006 | Mackerel canned in brine
227197002 | Mussels canned in brine
227198007 | Pilchards canned in tomato sauce

227199004 | Pilchards canned in brine
227200001 | Salmon canned in brine
227201002 | Sardines canned in brine
227202009 | Sardines canned in oil
227203004 | Sardines canned in tomato sauce
227204005 | Tuna canned in brine
227205006 | Tuna canned in oil
227206007 | Crab canned in brine
227207003 | Shrimps canned in brine
227208008 | Abalone canned in brine
227209000 | Clams canned in brine
227210005 | Vegetables pulses herbs and spices
227212002 | Alfalfa sprout
227213007 | Amaranth leaf
227214001 | Arrowhead
227215000 | Artichoke
227216004 | Globe artichoke
227217008 | Jerusalem artichoke
227218003 | Asparagus
227219006 | Aubergine
227220000 | Beetroot
227221001 | Brassica vegetable
227222008 | Broccoli
227223003 | Brussels sprouts
227224009 | Cabbage - dietary
227225005 | Chinese cabbage
227226006 | Red cabbage
227227002 | Savoy cabbage
227228007 | Spring cabbage
227229004 | White cabbage
227230009 | Curly kale
227231008 | Kohl rabi
227232001 | Seakale
227233006 | Breadfruit
227234000 | Cassava
227235004 | Celeriac
227236003 | Chard
227237007 | Chicory - dietary
227238002 | Cho cho
227239005 | Zucchini
227240007 | Cole leaf
227241006 | Cucumber - dietary
227242004 | Drumstick leaf
227243009 | Endive
227244003 | Fenugreek
227245002 | Gherkin
227246001 | Gourd - dietary
227247005 | Jackfruit
227248000 | Leek - dietary
227249008 | Lotus tuber
227250008 | Marrow
227251007 | Matoki
227252000 | Mushroom - dietary
227253005 | Mustard leaf
227254004 | Okra
227255003 | Spring onion
227256002 | Papaya - dietary
227257006 | Parsnip
227258001 | Patra leaf
227259009 | Plantain
227260004 | Pumpkin
227261000 | Raddiccio
227262007 | Radish white - mooli
227263002 | Rape leaf
227264008 | Salsify
227265009 | Seaweed
227266005 | Swede
227267001 | Sweet potato - dietary
227268006 | Sweetcorn
227269003 | Sweetcorn kernels
227270002 | Sweetcorn on-the-cob
227271003 | Tannia

227272005 | Taro
227273000 | Taro leaves
227274006 | Tomato puree
227275007 | Turnip
227276008 | Water chestnut
227277004 | Watercress
227278009 | Yam - dietary
227279001 | Boiled potato
227280003 | Potato boiled in salted water
227281004 | Potato boiled in unsalted water
227282006 | French fries
227283001 | Thick cut French fries
227284007 | Thin cut French fries
227285008 | Crinkle cut chips
227286009 | French fries cooked in corn oil
227287000 | French fries cooked in fat drippings
227288005 | French fries cooked in blended oil
227289002 | French fries cooked in polyunsaturated oil
227290006 | Microwave French fries
227291005 | Oven French fries
227292003 | Jacket potato
227294002 | Mashed potato
227295001 | Potato mashed with butter
227296000 | Potato mashed with margarine
227297009 | Potato mashed with milk
227298004 | Potato mashed with polyunsaturated margarine
227299007 | Roast potato
227300004 | Potato roasted in vegetable oil
227301000 | Potato roasted in polyunsaturated oil
227302007 | Potato roasted in dripping
227303002 | Tinned potato
227304008 | Potato tinned in salted water
227305009 | Potato tinned in unsalted water
227306005 | Instant potato
227307001 | Instant potato made up with water
227308006 | Instant potato made up with semi-skimmed milk
227309003 | Instant potato made up with skimmed milk
227310008 | Instant potato made up with whole milk
227311007 | Potato croquette fried in blended oil
227312000 | Potato waffle
227313005 | Pulse vegetables
227314004 | Canned beans
227315003 | Baked beans
227316002 | Baked beans canned in tomato sauce
227317006 | Baked beans canned in tomato sauce reduced sugar
227318001 | Baked beans canned in tomato sauce reduced salt
227319009 | Baked beans canned in tomato sauce with burgers
227320003 | Baked beans canned in tomato sauce with pork sausages
227321004 | Balor beans canned
227322006 | Barbecue beans canned in sauce
227323001 | Canned mung beansprouts
227324007 | Canned broad beans
227325008 | Canned butter beans
227326009 | Canned chick peas
227327000 | Canned chilli beans
227328005 | Canned haricot beans
227329002 | Canned lilva beans
227330007 | Canned lentils in tomato sauce
227331006 | Canned papri beans
227332004 | Canned peas
227333009 | Canned garden peas
227334003 | Canned marrowfat peas
227335002 | Canned mushy peas
227336001 | Canned pease pudding
227337005 | Canned red kidney beans
227338000 | Aduki beans
227339008 | Beansprouts
227340005 | Raw mung beansprouts
227341009 | Stir-fried mung beansprouts
227342002 | Black gram beans
227343007 | Blackeye beans
227344001 | Broad bean - dietary

227345000 | Butter beans
227346004 | Chick peas
227347008 | Cluster beans
227348003 | Haricot beans
227349006 | Hummus
227350006 | Lentils
227351005 | Green lentils
227352003 | Brown lentils
227353008 | Red split lentils
227354002 | Miso
227355001 | Mung beans
227356000 | Mung bean dahl
227357009 | Papri beans
227358004 | Pigeon peas
227359007 | Pigeon pea dahl
227360002 | Pinto beans
227361003 | Refried pinto beans
227362005 | Red kidney beans
227363000 | Sword beans
227364006 | Tempeh
227365007 | Tofu
227366008 | Steamed tofu
227367004 | Steamed fried tofu
227368009 | Fu-juk tofu
227369001 | Fresh peas
227370000 | Fresh raw peas
227371001 | Fresh boiled peas
227372008 | Dried boiled peas
227373003 | Dried boiled split peas
227374009 | Herbs and spices
227375005 | Allspice
227376006 | Anise seed
227377002 | Asafoetida
227378007 | Basil - dietary
227379004 | Bay leaf
227380001 | Betel leaf
227381002 | Caraway seed
227382009 | Cardamom
227383004 | Celery seed
227384005 | Chervil, dried
227385006 | Chilli powder
227386007 | Chinese five spice
227387003 | Chive - herb
227388008 | Cinnamon
227389000 | Clove
227390009 | Coriander leaf
227391008 | Coriander seed
227392001 | Cumin seed
227393006 | Curry leaf
227395004 | Curry powder
227396003 | Fennel
227397007 | Fennel seed
227398002 | Fenugreek seed
227399005 | Garam masala
227400003 | Ginger
227401004 | Ground ginger
227402006 | Root ginger
227403001 | Liquorice powder
227404007 | Mace
227405008 | Marjoram
227406009 | Mustard seed
227407000 | Oregano
227408005 | Paprika
227409002 | Poppy seed
227410007 | Rosemary
227411006 | Sage
227412004 | Tarragon
227413009 | Thyme
227414003 | Turmeric
227415002 | Fruit nuts and seeds
227416001 | Fresh fruit
227417005 | Bilberry

227418000 | Blackberries
227419008 | Blackcurrant
227420002 | Clementine
227421003 | Cranberries
227422005 | Damson
227423000 | Dates - food
227424006 | Elderberries
227425007 | Figs
227426008 | Fresh fruit salad
227427004 | Gooseberries
227428009 | Greengage
227429001 | Guava
227430006 | Lime - fruit
227431005 | Kumquat
227432003 | Loganberries
227433008 | Lychee
227434002 | Mulberries
227435001 | Nectarine
227436000 | Olives
227437009 | Ortanique
227438004 | Passion fruit
227439007 | Paw-paw
227440009 | Plum - dietary
227441008 | Pomegranate
227442001 | Pomelo
227443006 | Quince
227444000 | Raspberries
227445004 | Redcurrant
227446003 | Satsuma
227447007 | Sharon fruit
227448002 | Whitecurrant
227449005 | Dried fruit
227450005 | Dried banana
227451009 | Dried apple
227452002 | Dried apricot
227453007 | Currants
227454001 | Dried date
227455000 | Dried fig
227456004 | Dried mixed fruit
227457008 | Dried mixed peel
227458003 | Dried peach
227459006 | Dried pear
227460001 | Dried pineapple
227461002 | Glace cherry
227462009 | Prunes
227463004 | Raisin
227464005 | Sultanas
227465006 | Canned fruit
227466007 | Tinned apple
227467003 | Tinned apricot
227468008 | Tinned blackcurrants
227469000 | Tinned cherries
227470004 | Tinned figs
227471000 | Tinned fruit cocktail
227472007 | Tinned gooseberries
227473002 | Tinned grapefruit
227474008 | Tinned guava
227475009 | Tinned kumquat
227476005 | Tinned loganberries
227477001 | Tinned lychees
227478006 | Tinned mandarin oranges
227479003 | Tinned mango
227480000 | Tinned paw-paw
227481001 | Tinned peaches
227482008 | Tinned pears
227483003 | Tinned pineapple
227484009 | Tinned plums
227485005 | Tinned prunes
227486006 | Tinned raspberries
227487002 | Tinned rhubarb
227488007 | Tinned strawberries
227489004 | Tinned fruit pie filling

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code