FHIR-STU3 — Terminology Module — part 3 of 4 (sections 4.3.1.372 – 4.3.2.40)

Source: HL7 FHIR STU3 (v3.0.2). Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

4.3.1.372 Value Set http://hl7.org/fhir/ValueSet/diet-type

URL: https://hl7.org/fhir/STU3/valueset-diet-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/diet-type
Name: | Diet Codes
Definition: | Codes that can be used to indicate the type of food being ordered for a patient. This value set is provided as a suggestive example. It nclude codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 182922004 (Dietary regime (regime/therapy))
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.372 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* NutritionOrder.oralDiet.type (Example)

4.3.1.372.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 182922004 (Dietary regime)

4.3.1.372.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 30 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
38903004 | Tube feeding by syringe method
50712000 | Tube feeding by Barron pump
56948003 | Tube feeding by drip method
61420007 | Tube feeding of patient
182954008 | Dietary prophylaxis
182955009 | Low carbohydrate diet - prophylaxis
182956005 | Low calorie diet - prophylaxis
182957001 | Low salt diet - prophylaxis
182958006 | Salt free diet - prophylaxis
182959003 | Low protein diet - prophylaxis
182960008 | Unsaturated fat diet - prophylaxis
183028005 | Nasal tube feeding
223456000 | Provision of a special diet
225373002 | PEG - Percutaneous endoscopic gastrostomy feeding
225374008 | Jejunostomy feeding
229912004 | Enteral feeding
229913009 | Oral tube feeding
229914003 | Nasogastric feeding
229915002 | Nasoduodenal feeding
229916001 | Esophagostomy feeding
229917005 | Gastrostomy feeding
284071006 | Dietary treatment for disorder
289133003 | Button gastrostomy feeding
310244003 | Nasojejunal feeding
361231003 | Prescribed dietary intake
386261001 | Diet staging
404919001 | Wheat-free diet
422972009 | Advance diet as tolerated
425458000 | Lactose-free diet
1151000175103 | Dietary Approaches to Stop Hypertension diet

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.373 Value Set http://hl7.org/fhir/ValueSet/nutrient-code

URL: https://hl7.org/fhir/STU3/valueset-nutrient-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/nutrient-code
Name: | Nutrient Modifier Codes
Definition: | NutrientModifier : Codes for types of nutrient that is being modified such as carbohydrate or sodium. This value set includes codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 226355009 (Nutrients(substance)), and the concepts for Sodium, Potassium and Fluid. It is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.373 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* NutritionOrder.oralDiet.nutrient.modifier (Example)

4.3.1.373.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
33463005	Fluid
39972003	Sodium
88480006	Potassium

* Include codes from http://snomed.info/sct where concept is-a 226355009 (Nutrients)

4.3.1.373.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 697 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
33463005	Fluid	
39972003	Sodium	
88480006	Potassium	
925002	Sodium iodipamide	
1025008	^93^Molybdenum	
1057009	Phosphate salt	
1368003	^131^Iodine	
1381005	^126^Iodine	
1603001	Cobalt isotope	
2264001	Selenium isotope	
2331003	Carbohydrate	
2942001	Carbon^14^ D-xylose	
3161008	3-Methyl histidine	
3212004	Manganese sulfate	
3325005	Lipopolysaccharide	
3342004	Copper isotope	
3617004	^79^Selenium	

3829006 | Iron
3932008 | ^64^Copper
3945007 | Tin isotope
5167005 | Zinc chloride fumes
5312000 | ^65^Zinc
5405008 | ^60^Cobalt
6083003 | Hydroxylysine
6881002 | Magnesium fumes
6910009 | Sodium fluoride
6927001 | ^121^Tin
6952004 | ^121m^Tin
7156005 | Phosphorus isotope
7774008 | Neo-b-vitamin A>1<
7791007 | Soy protein
8143001 | Diosmin
8534003 | ^110^Tin
8919000 | Biotin
9396007 | ^60^Iron
9797000 | Phosphorus trichloride
9992001 | Molybdenum radioisotope
10466005 | Phosphide compound
10644005 | Black phosphorus
10767000 | Calcium phosphate dibasic
10790005 | ^53^Manganese
10796004 | Glucose-6-phosphate
11121002 | ^135^Iodine
11202003 | Manganese salt
11320009 | Sucrose
11331001 | ^56^Cobalt
11984007 | 1, Hydroxy cholecalciferol
12597001 | Tin
12689001 | Magnesium radioisotope
12930006 | Calcium phosphate dibasic dihydrate
12970004 | Inositol hexanitrate
13235001 | Riboflavin
13342004 | Diethyl 2-chlorovinyl phosphate
13863008 | Arabinose
14125007 | Serine
14139007 | Arginine glutamate
14312008 | Vitamin L>2<
14399003 | Iodine radioisotope
14564001 | Amylopectin
14645000 | Zinc phenolsulfonate
14971004 | Isoleucine
15331006 | Glycine
15472007 | Disaccharide
16850006 | Ribose
18039003 | Alkyl mercuric phosphate
18414002 | Vitamin D>3<
19160003 | Xylose
19427006 | ^59^Nickel
19622008 | ^48^Chromium
19839007 | Sorbitol
21075006 | ^61^Cobalt
21239003 | beta-D-fructopyranose
21559000 | ^69m^Zinc
21572004 | ^123^Iodine
21706000 | Tetrahydrofolic acid
22038003 | Selenium
22362000 | Calcium phosphate dibasic anhydrous
22555008 | Sorbose
22559002 | Glycoasparagine
22606007 | Vitamin K>2<
23433006 | Vitamin D>2<
23459009 | Selenium radioisotope
23692005 | Tribasic calcium phosphate
25128000 | ^72^Zinc
25183006 | Manganese chloride
25205007 | Fluorine radioisotope
25710007 | ^113^Tin
25761002 | Glutamine
26327007 | Red phosphorus

26645004 | Homocystine
26766001 | Starch glycerite
27054007 | ^57^Cobalt
27122000 | ^56^Nickel
27378009 | Tyrosine
29011006 | Manganese trioxide
29531004 | Nickel radioisotope
30094001 | Riboflavin dinucleotide
30178006 | Vitamin D
30179003 | Carbonyl fluoride
30324001 | ^132^Iodine
30589007 | Dibutyl phosphate
30820000 | Phosphorus
31731008 | Magnesium phosphate
32505007 | ^32^Phosphorus
32714004 | Magnesium dust
32741009 | d-Xylulose
33396006 | Nickel
33922005 | Vitamin L
34274009 | Iodine pentafluoride
34471003 | ^121^Iodine
35321007 | Fluorodeoxyglucose F^18^
35344005 | Ribulose
35733004 | Fat-soluble vitamin
35883004 | Fluorine
36397007 | Muramic acid
36434002 | 1-Methyl histidine
36816009 | Glucose-1-phosphate
36998008 | Glycogen
37123002 | Copper dust and mist
37225000 | ^52^Manganese
37237003 | Vitamin E
38182007 | Galactose
38595007 | Trimethyl phosphite
38623000 | ^69^Zinc
38794009 | Molybdenum isotope
38839009 | Glycerol teichoic acid
39292004 | Iodine trichloride
39360003 | Starch
39546001 | Manganese isotope
40479008 | Fructose-1-phosphate
40924008 | Water-soluble vitamin
40937006 | ^124^Iodine
41441005 | Erythrose
41464007 | ^90^Molybdenum
41503000 | Zinc compound
42146005 | Iodide salt
42180008 | Vitamin D>2<, phosphate ester
42193003 | Stannous fluoride
42730005 | Periodate salt
42841002 | Zinc oxide
43239002 | ^75^Selenium
43289005 | Dihydrofolic acid
43431002 | Maltose
43613009 | Phosphorous pentachloride
43706004 | Ascorbic acid
43728004 | beta-D-fructofuranose
43835003 | Zinc gelatin
43897008 | ^56^Manganese
43909000 | Thiamine triphosphate
44044007 | Calcium phosphate
44262008 | Oxidized cellulose
44588005 | Iodine
44970006 | Aspartic acid
45158004 | Fluorine isotope
45962009 | Collodion
46075000 | Oligosaccharide
46257009 | Triiodomethane
47192000 | Meglumine diatrizoate
47703008 | Lactose
48736006 | Ribitol teichoic acid
48861002 | ^99^Molybdenum

49506005 | Gluconic acid
50233008 | gamma-Ketovaleric acid
50374006 | ^120^Iodine
50479000 | Soy protein-iron complex
51224002 | Carboxymethylcellulose sodium
51774004 | ^123^Tin
52130006 | Quercetin
52625008 | Arginine
52717004 | Iodate salt
52736009 | Threonine
52745005 | ^51^Chromium
52860004 | Manganese radioisotope
53499005 | Riboflavin mononucleotide
53560004 | Zinc isotope
53646005 | Fructose-6-phosphate
53700003 | ^67^Copper
53834009 | Hemicellulose
54045000 | Glyceraldehyde
54083004 | Iodic acid
54517000 | Hydrogen selenide
54808007 | Cobalt
54821000 | Tryptophan
55328009 | ^28^Magnesium
55495002 | Acidulated phosphate fluoride
55946005 | Pectin
56158000 | ^58m^Cobalt
56383006 | Leucocyanidin
56740002 | Triiodotyrosine
57272005 | Iodine compound
57273000 | Zinc radioisotope
57279001 | ^57^Nickel
58202007 | Fructose
58279004 | Selenium hexafluoride
58292001 | Selenium sulfide
58753009 | alpha-Aminopropionic acid
60244003 | 3-Dehydroretinol
60260004 | Histidine
60764009 | Neovitamin A
60908004 | ^125^Tin
61025005 | Colloidal iodine
61045002 | Sedoheptulose
61244006 | Monobasic potassium phosphate
62174006 | Fructose-1-6-phosphate
62442005 | Chloriodized oil
62754006 | Sodium iodide
62763008 | Teichoic acid
63004003 | Phenylalanine
63089006 | Mannose
63330006 | Nonessential amino acid
63349005 | Zinc cyanide
63383003 | Zinc stearate
63718003 | Folic acid
63793008 | Phosphorus compound
64179000 | Zinc chloride
64538009 | Iodine heptafluoride
65054007 | ^62^Zinc
65183007 | Vitamin K
65586005 | Phosphorus oxychloride
66656000 | Vitamin K>1<
66781008 | Cobalt dust
66925006 | Copper
66945003 | Phosphite salt
66956003 | ^122^Iodine
67060008 | Vitamin D>3<, phosphate ester
67079006 | Glucose
67154005 | ^66^Nickel
67266008 | Chromium isotope
67377000 | Pangamic acid
67517005 | 25-Hydroxy ergocalciferol
67535001 | Thiamine monophosphate
67690002 | Sodium iodide I^123^
67719005 | Iodine isotope

68024001 | Cellulose acetate
68077006 | Quercetin-3-rutinoside
68334004 | Pyrophosphate salt
68580003 | ^59^Iron
68630002 | ^125^Iodine
68992005 | Cellulose
69089000 | ^52^Iron
69169004 | Vitamin K>3<
69324000 | Phosphorus pentasulfide
69750003 | ^63^Nickel
69770009 | Iron radioisotope
69783005 | Meglumine iodipamide
70203000 | Adenine
70288006 | Methionine
70319005 | Cobalt fumes
70496003 | alpha-Lipoic acid
70587000 | beta Alanine
70706009 | Troxerutin
70726008 | Selenium compound
71128006 | Molybdenum
71425003 | ^61^Copper
71544008 | Polysaccharide
72164009 | Inositol
72309009 | Vitamin P complex
72717003 | Magnesium
72835003 | ^119m^Tin
72840006 | Valine
73131003 | Carotene
73353008 | ^54^Manganese
73722009 | Dibasic potassium phosphate
73916008 | 5-Hydroxy tryptophan
74718007 | Zinc arsenate
74801000 | Sugar
75665004 | Monosodium glutamate
75799006 | Lysine
75815006 | Zinc undecylenate
75871008 | Argininosuccinic acid
75876003 | Sodium alginate
75951003 | Iodine monobromide
77004003 | ^18^Fluorine
77404006 | Homoserine
77454000 | Mannoheptulose
77923008 | Phosphorus radioisotope
78481003 | Iofetamine I^123^ hydrochloride
78527003 | Fucose
78529000 | ^130^Iodine
78671009 | Zinc arsenite
78686003 | Copper^64^ acetate
78870008 | Cobalt radioisotope
80393001 | Diiodotyrosine
80582002 | Glycerol
80916004 | Potassium phosphate
81100008 | Pentose
82224005 | Ethyl mercury phosphate
82481002 | White phosphorus
82622003 | Vitamin A
83797003 | Leucine
83873000 | Sodium monofluorophosphate
83912003 | ^129^Iodine
84553006 | ^93m^Molybdenum
84987009 | Ethyl phosphate
85214009 | Glutamic acid
85369009 | Tin radioisotope
85668006 | Starch powder
85958004 | ^72^Selenium
86399009 | Nickel isotope
86431009 | Pantothenic acid
86739005 | Zinc
86865003 | ^65^Nickel
86953001 | Zinc salt
87116002 | 5,25-Dihydroxy cholecalciferol
87136001 | Asparagine

87371008 | Phosphoribosyl pyrophosphate
87437000 | ^73^Selenium
87445005 | Ipodate
87708000 | Vitamin
87802005 | ^33^Phosphorus
87869004 | Manganese
88166005 | Copper^64^ versenate
88236008 | Phosphine
88262004 | Phenylphosphine
88546006 | Sarcosine
88617009 | Magnesium isotope
88954003 | ^55^Iron
89272005 | ^58^Cobalt
89351005 | Potassium iodide
89702005 | Selenium salt
89867007 | Triorthocresyl phosphate
90150007 | ^117m^Tin
90544008 | Iodine monochloride
90567005 | Iron isotope
90664008 | ^127^Tin
90733003 | Metrizamide
91166002 | Monoiodotyrosine
91255004 | Copper fumes
95970003 | Trace element
96277001 | Sodium selenite
96335004 | Prednisolone sodium phosphate
102258003 | Gliadin
102658006 | 4-Pyridoxic acid
102661007 | Galactose-1-phosphate
102663005 | Triosephosphate
102747008 | Homocysteine
102750006 | Phosphoserine
103067001 | Retinaldehyde
103068006 | beta-Carotene
103069003 | Vitamin B
103070002 | Pyridoxine congeners
103072005 | Ethylnicotinamide
103074006 | N^1^-methyl-3-carboxamide-6-pyridone
105824007 | Iodine AND/OR iodine compound
108946001 | Paricalcitol
109064002 | Hydrocortisone sodium phosphate
109224005 | Ethiodized oil
109240008 | Carrageenan
111039007 | Zinc gluconate
111065006 | Iodine pentoxide
111066007 | ^133^Iodine
111069000 | Copper radioisotope
111070004 | Chromium
111071000 | Chromium radioisotope
111078006 | ^55^Cobalt
112000000 | Essential amino acid
112121003 | Vitamin U
115599005 | Acid calcium phosphate
116094003 | Doxercalciferol
116119005 | Disodium phosphate anhydrous
116120004 | Dipotassium phosphate anhydrous
116123002 | Dibasic sodium phosphate anhydrous
116124008 | Monobasic sodium phosphate
116128006 | Magnesium chloride hexahydrate
116256008 | Tribasic potassium phosphate
116257004 | Monosaccharide
116258009 | Aldose
116259001 | Hexose
116260006 | Ketose
116261005 | Tetrose
116262003 | Triose
116263008 | Heptose
116264002 | Trisaccharide
116265001 | Raffinose
116266000 | Sugar phosphate
116267009 | Sugar alcohol
116268004 | Galactitol

116269007 | Maltitol
116271007 | Ribitol
116272000 | Dietary fiber
116776001 | D-alpha-tocopherol
116777005 | Beta tocopherol
116778000 | Gamma tocopherol
116934003 | Ergosterol
117634005 | Inorganic phosphorus
126076005 | Fish liver oil
126077001 | Burbot liver oil
126078006 | Percomorph liver oil
126079003 | Percoid liver oil
126080000 | Shark liver oil
126081001 | Halibut liver oil
126082008 | Cod liver oil
126224002 | Sodium folate
126225001 | Calcium pantothenate
126226000 | Dexpanthenol
126227009 | Pyridoxine hydrochloride
126228004 | Thiamine hydrochloride
126229007 | Thiamine mononitrate
126230002 | Calcium ascorbate
126231003 | Sodium ascorbate
126235007 | Dihydrotachysterol
126237004 | Delta tocopherol
126238009 | Vitamin K>5<
126239001 | Menadiol sodium diphosphate
129497004 | Iron sucrose
173196005 | Nicotinamide
226356005 | Protein and protein derivatives - dietary
226358006 | Fat - dietary
226369009 | Tetrasaccharide
226370005 | Stachyose
226371009 | Pentasaccharide
226372002 | Verbascose
226373007 | Amylose
226374001 | Complex carbohydrate
226375000 | Refined carbohydrate
226781005 | Dried soya milk
226793001 | Soya milk
226842001 | Soya cheese
226880000 | Soya milk yogurt
226911007 | Soya oil
227365007 | Tofu
227366008 | Steamed tofu
227367004 | Steamed fried tofu
227368009 | Fu-juk tofu
227537006 | Soy sauce
227948007 | Soya mince granules
227991002 | Carbohydrate food
227992009 | High carbohydrate food
227993004 | Low carbohydrate food
227994005 | Complex carbohydrate food
227995006 | Refined carbohydrate food
227996007 | Simple carbohydrate food
229941008 | Soya flour
229949005 | Low fat soya flour
255673007 | Phosphorus sesquisulfide
255954005 | Zinc omadine
256227006 | Agarose
256579008 | HA - Calcium hydroxyapatite
259333003 | 1,25-Dihydroxyvitamin D3
259336006 | 24,25-Dihydroxycholecalciferol
259337002 | 25-Hydroxyvitamin D3
259382003 | Amylopectin glycogen
259403006 | Fuco-oligosaccharide
259406003 | Manno-oligosaccharide
259411001 | Sialyloligosaccharide
259509008 | Adenosylcobalamin
259512006 | Methylcobalamin
259651009 | Cellobiose
259655000 | Rhamnose

259656004 | Vitamins and trace metals
259659006 | Vitamin B1
259660001 | Thiamine phosphate
259661002 | Thiamine pyrophosphate
259662009 | Vitamin B6
259663004 | Pyridoxal phosphate
259665006 | Vitamin D3 metabolite
259666007 | Alpha-tocopherol
261353004 | Fluoride toothpaste
273943001 | Antipellagra factor
277951002 | Dental fluoride varnish
277953004 | Dental fluoride gel
277954005 | Dental fluoride solution
284460001 | Soya-based baby milk
290131005 | Co - Cobalt- dietary
301862003 | Free glycerol
304051003 | Ionized magnesium
311719002 | Zinc sulfide
312184007 | L-Methionine
312276003 | Trace metal
372601001 | L-Carnitine
372639009 | Fluoride
386927006 | Hydroxypropyl cellulose
386932007 | Hydroxyethylcellose
386989006 | Povidone iodine
387021003 | Zinc supplement
387030006 | Choline bitartrate
387082008 | Calamine
387131008 | Methylcellulose
387206004 | Polysaccharide-iron complex
387367007 | Zinc sulfate
387415009 | Fluoride salt
391734004 | Alginic acid
395750001 | Iodixanol
395751002 | Iohexol
395752009 | Iomazenil[123I]
395753004 | Iomeprol
395754005 | Iopamidol
395756007 | Iopromide
395757003 | Iothalamate meglumine
395758008 | Iotrolan
395759000 | Ioversol
395760005 | Ioxaglate
395766004 | Calcipotriol
395769006 | Levofolinic acid
395775002 | L-Selenomethionine[75Se]
395782003 | Meglumine iotroxinate
395787009 | Metaiodobenzylguanidine[123I]
395789007 | Metaiodobenzylguanidine[131I]
395791004 | Methylcellulose-450
395792006 | Metrizoate
395815002 | Oxerutins
395830006 | Alpha tocopherol acetate
395838004 | Potassium aminobenzoate
395839007 | Potassium ascorbate
395840009 | Potassium iodate
395875009 | Sodium diatrizoate
395877001 | Sodium iopodate
395878006 | Sodium iothalamate
395879003 | Sodium iothalamate [125I]
395894004 | Tauroselcholic acid[75Se]
395925008 | Zinc sulfate monohydrate
395941009 | Chromium[51Cr] edetate
395951005 | Xylitol
395952003 | Zinc acetate
395981002 | Iothalamate
395982009 | Iothalamic acid
396003009 | Calcium iopodate
396020008 | Diatrizoate
396056006 | Ferric citrate[59Fe]
396065004 | Folinic acid
398939009 | Iodipamide

409093004 | Unbound copper
409094005 | Bound copper
409257009 | Vitamin B>12a<
409258004 | Vitamin B>12b<
409871008 | (1-->3)-beta-D-glucan
411332009 | Zinc diethyldithiocarbamate
412135003 | Icodextrin
412203006 | Hesperidin
412227008 | Iopanoic acid
412228003 | Ioxaglate meglumine
412230001 | Ioxaglate sodium
412244007 | Menadione
412250002 | Multivitamin agent
412410003 | Hypromellose
412415008 | Ipodate sodium
412512009 | Pyrophosphate sodium
412595005 | Cadexomer iodine
413483001 | alpha-Carotene
414506003 | Inositol niacinate
415543009 | Sodium glycerophosphate
415562007 | Soy bean product
417955006 | Iodophore
418346004 | Cellulose derivative
418407000 | Cellulose-derived viscosity modifier
418692007 | Iodoform agent
418929008 | Lactitol
418990001 | Tryptophan agent
419297002 | Lipiodol
419382002 | Cyanocobalamin
419432008 | Carboxymethylcellulose
419508004 | Topical selenium
419679002 | Vitamin B12 - category
420075002 | Monosodium L-aspartate
421289007 | Menadiol
421526004 | Zinc glycinate
421621000 | Retinol acetate
421881000 | Zinc citrate
422073002 | Vitamin K>4<
422160004 | Vitamin A palmitate
422934004 | ^62^Copper
423061008 | Fluorobenzothiazole F^18^
423071005 | Fluoromethane F^18^
423249007 | Monoclonal antibody I^124^
423373002 | Fluorouracil F^18^
423388007 | Fluorethyltyrosin F^18^
423432002 | ATSM Cu^64^
423725005 | Nicotinic acid and derivatives
423795001 | Fluoromisonidazole F^18^
423809007 | PTSM Cu^62^
425329004 | Sphalerite
425364008 | ^60^Copper
425702007 | Zinc sulfate heptahydrate
425867009 | Sodium pantothenate
425874004 | Hydroxyapatite
426722004 | Iodinated contrast media
427638006 | Gluconolactone
428732003 | Hexyl nicotinate
429592005 | Polydextrose
429990006 | Levoleucovorin calcium
430469009 | Vitamin B6
430632000 | Pyridoxamine
430633005 | Pyridoxine 5'-phosphate
430634004 | Pyridoxamine 5'-phosphate
430926008 | Pyridoxal
432165000 | L-methyl folic acid
432219009 | Cobalt[57Co] chloride
432884004 | Chlorotoxin [131I]
433468002 | Levoleucovorin calcium pentahydrate
438901003 | Sugar acid
442247006 | Cyclic oligosaccharide
442330008 | Manganese gluconate
442340006 | Sugammadex

442346000 | Riboflavin sodium phosphate
443148002 | Omega-5 gliadin
446531006 | Iodine^131^ methylnorcholestenol
447134003 | Iodine^123^ 15-(4-iodophenyl)-3(R,S)-methylpentadecanoic acid
449236003 | Levomefolate calcium
456992002 | Fluorocholine F^18^
456995000 | Florbetapir F^18^
456997008 | Flutemetamol F^18^
456999006 | Fluciclatide F^18^
457000009 | Fluciclovine F^18^
699182008 | Sulbutiamine
702796008 | Hidrosmin
703391005 | L-alanyl-L-glutamine
703394002 | Ammonium iodide
703395001 | Ascorbyl palmitate
703399007 | Benfotiamine
703402008 | Bisbentiamine
704384003 | Iobitridol
704430002 | Panthenol
706927001 | Free tryptophan
706929003 | Free thiamine
706930008 | Free retinol
706936002 | Free iodine
706938001 | Free inositol
706941005 | Free hydroxylysine
706942003 | Free homocystine
706943008 | Free homocysteine
706978008 | Arabitol
706980002 | Xylulose
707019004 | 1,25-Dihydroxyvitamin D
707020005 | 1,25-Dihydroxyvitamin D2
707053000 | 25-Hydroxyvitamin D
707070008 | 3-epi-25-Hydroxyvitamin D2
707071007 | 3-epi-25-Hydroxyvitamin D3
707184000 | 5-Methyltetrahydrofolate
707244004 | Dehydroascorbate
707614005 | Inorganic iodine
707661006 | Methionine sulfoxide
707677007 | N-methyl valine
708047003 | Sulfated monosaccharide
708053003 | Succinyladenosine
708259008 | Methionine + tryptophan
708264007 | Isoleucine + leucine + valine
708267000 | Isoleucine + leucine
708272009 | Glutamine + histidine
708276007 | Glutamate + glutamine + threonine
708280002 | Glutamate + glutamine
708290005 | Cystine + homocystine
708296004 | Cystine + homocysteine
708303001 | Asparagine + ornithine
708310007 | Anserine + carnosine + cysteine + histidine + ornithine
708316001 | Alanine + histidine + leucine + phenylalanine + tyrosine
708348002 | Alanine + beta alanine + sarcosine
708351009 | Alanine + ethanolamine
708354001 | Alloisoleucine + hydroxyproline + isoleucine + leucine
708356004 | Alloisoleucine + hydroxyproline + isoleucine + leucine + valine
708562005 | Xantinol nicotinate
708565007 | Phenylalanine + tyrosine
708600008 | Menadione sodium bisulfite
708658008 | Zinc amino acid chelate
708665000 | Alanine + cystine + histidine + homocysteine + leucine + phenylalanine + tyrosine
708703004 | Tocotrienol
708704005 | Threitol
708715000 | 1,5-Anhydroglucitol
708748000 | Arginine + argininosuccinate + lysine + serine + taurine
708846006 | Cyanocobalamin + folate
708850004 | N-2-hydroxyethyl valine
708864004 | Ascorbate + dehydroascorbate
709050009 | Aspartate + citrulline + glycine + homocystine + hydroxyproline
709131007 | Guanidinoacetate
709610005 | Protein-bound glucose
709844000 | N-carbamoyl-beta-alanine

710051007 | Selenomethionine
710208001 | Sodium hypophosphite
710238007 | delta Alanine
711264008 | Beta tocopherol + gamma tocopherol
712565006 | Lysine acetate
712587002 | Calcifediol + ergocalciferol
712590008 | Cysteine + homocysteine disulfide
712594004 | Histadinyl-isoleucine
712681009 | Selenious acid
712684001 | Menatetrenone
712686004 | Fursultiamine
712698009 | Ioxitalamate meglumine
712713006 | Fructooligosaccharide
712736002 | Florbetaben [18F]
712800005 | Glycyl-tyrosine
712801009 | Hesperidin complex
712808003 | Flavin adenine dinucleotide sodium
712847001 | Racemethionine
713311003 | Soybean oil refined
713332006 | Sodium dihydrogen phosphate monohydrate
713337000 | N2-L-alanyl-L-glutamine
713357001 | Methiosulfonium chloride
713365003 | Iron peptonate
713366002 | Iodine norcholestenol
713393004 | Chromic chloride
713664008 | Acylglycine
715884006 | Di-oligosaccharide
715885007 | Mono-oligosaccharide
716119001 | Eluxadoline
5811000122108 | Fluorodopa [18F]
669361000168106 | Wheat dextrin
737661000168109 | Sucroferric oxyhydroxide

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.374 Value Set http://hl7.org/fhir/ValueSet/texture-code

URL: https://hl7.org/fhir/STU3/valueset-texture-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/texture-code
Name: | Texture Modifier Codes
Definition: | TextureModifier: Codes for food consistency types or texture modifications to apply to foods. This value set is composed of SNOMED CT (US Extension and Core) Concepts from SCTID 229961002 Food consistency types (substance) hierarchy and is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.374 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* NutritionOrder.oralDiet.texture.modifier (Example)

4.3.1.374.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
228053002 | Cut-up food
439091000124107 | Easy to chew food
228049004 | Chopped food
441881000124103 | Ground food
441761000124103 | Minced food
441751000124100 | Mashed food
228059003 | Soft food
441791000124106 | Strained food
228055009 | Liquidized food
228056005 | Lumpy food
441771000124105 | Moist food
228057001 | Semi-solid food
228058006 | Single texture food
228060008 | Solid food

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.375 Value Set http://hl7.org/fhir/ValueSet/modified-foodtype

URL: https://hl7.org/fhir/STU3/valueset-modified-foodtype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/modified-foodtype
Name: | Texture Modified Food Type Codes
Definition: | TextureModifiedFoodType: Codes for types of foods that are texture modified. This value set is composed SNOMED CT Concepts from SCTID 255620007 Foods (substance) and is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.375 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* NutritionOrder.oralDiet.texture.foodType (Example)

4.3.1.375.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
255620007 | Foods
28647000 | Meat
22836000 | Vegetables
72511004 | Fruit
226760005 | Dairy foods
226887002 | Dietary Fats and Oils
102263004 | Eggs
74242007 | Food Starch
227415002 | Fruit Nuts and Seeds
264331002 | Grain
227518002 | Sauce seasonings and soups
44027008 | Seafood
226529007 | Starchy food
227210005 | Vegetables plus herbs and spices

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.376 Value Set http://hl7.org/fhir/ValueSet/consistency-type

URL: https://hl7.org/fhir/STU3/valueset-consistency-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consistency-type
Name: | Fluid Consistency Type Codes
Definition: | FluidConsistencyType : Codes used to represent the consistency of fluids and liquids provided to the patient. This value set includes all the [SNOMED CT](http://snomed.info/sct)(US Extension) where concept is a 435681000124103 (Dietary liquid consistency diet (regime/therapy)). It is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.376 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* NutritionOrder.oralDiet.fluidConsistencyType (Example)

4.3.1.376.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
439031000124108 | honey thick liquid
439021000124105 | nectar thick liquid
439041000124103 | spoon thick liquid
439081000124109 | thin liquid

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.377 Value Set http://hl7.org/fhir/ValueSet/supplement-type

URL: https://hl7.org/fhir/STU3/valueset-supplement-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplement-type
Name: | Supplement Type Codes
Definition: | SupplementType : Codes for nutritional supplements to be provided to the patient. This value set is is composed of SNOMED CT (US Extension) Concepts from SCTID 470581016 (Enteral+supplement feeds hierarchy (product)) and is provided as a suggestive example.

Committee: | Orders and Observations Work Group

OID: | 2.16.840.1.113883.4.642.3.377 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* NutritionOrder.supplement.type (Example)

4.3.1.377.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
442901000124106	Adult clear liquid supplement
443031000124106	Adult critical care formula
443051000124104	Adult diabetes specialty formula
442911000124109	Adult elemental formula
443021000124108	Adult hepatic specialty formula
442971000124100	Adult high energy formula
442981000124102	Adult hydrolyzed protein formula
442991000124104	Adult high protein formula
443011000124100	Adult high protein high fiber formula
442961000124107	Adult low carbohydrate formula
442951000124105	Adult pulmonary specialty formula
442941000124108	Adult renal specialty formula
442921000124101	Adult standard formula
442931000124103	Adult soy protein isolate formula
444331000124106	Diabetic meal replacement bar
443361000124100	Pediatric Formula
443391000124108	Pediatric clear liquid supplement
443401000124105	Pediatric elemental formula
443491000124103	Pediatric high energy formula
443501000124106	Pediatric high energy formula with increased fiber
443421000124100	Pediatric hydrolyzed protein formula
443471000124104	Pediatric increased fiber formula
444431000124104	Pediatric reduced energy formula
443451000124109	Pediatric standard formula
444321000124108	Standard pudding oral supplement
441561000124106	Standard enteral formula with fiber
443461000124106	Standard Formula
441531000124102	Standard Enteral Formula
443561000124107	Soy based formula
443481000124101	Renal Formula
441571000124104	High energy enteral formula with fiber
441591000124103	Diabetic enteral formula with fiber
441601000124106	Diabetic high calorie high protein enteral formula with fiber
443351000124102	Increased fiber formula
443771000124106	Hydrolyzed protein formula
441671000124100	Hydrolyzed peptide-based high protein enteral formula
443111000124101	High protein formula
443431000124102	High Energy Formula
443411000124108	Elemental Formula
444361000124102	Electrolyte replacement supplement
444401000124107	Frozen electrolyte replacement supplement
444381000124107	Liquid electrolyte replacement supplement
444371000124109	Powdered electrolyte replacement supplement
443441000124107	Clear liquid supplement
442651000124102	Adult formula

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.378 Value Set http://hl7.org/fhir/ValueSet/entformula-type

URL: https://hl7.org/fhir/STU3/valueset-entformula-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/entformula-type
Name: | Enteral Formula Type Codes
Definition: | EnteralFormulaType : Codes for type of enteral formula to be administered to patient. This value set is is composed of SNOMED CT (US Extension) Concepts from SCTID 470581016 (Enteral+supplement feeds hierarchy (product)) and is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.378 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* NutritionOrder.enteralFormula.baseFormulaType (Example)

4.3.1.378.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
443031000124106	Adult critical care formula
443051000124104	Adult diabetes specialty formula
442911000124109	Adult elemental formula
443021000124108	Adult hepatic specialty formula
442971000124100	Adult high energy formula
442981000124102	Adult hydrolyzed protein formula
442991000124104	Adult high protein formula
443011000124100	Adult high protein high fiber formula
442961000124107	Adult low carbohydrate formula
442951000124105	Adult pulmonary specialty formula
442941000124108	Adult renal specialty formula
442921000124101	Adult standard formula
442931000124103	Adult soy protein isolate formula
443361000124100	Pediatric Formula
443401000124105	Pediatric elemental formula
443491000124103	Pediatric high energy formula
443501000124106	Pediatric high energy formula with increased fiber
443421000124100	Pediatric hydrolyzed protein formula
443471000124104	Pediatric increased fiber formula
444431000124104	Pediatric reduced energy formula
443451000124109	Pediatric standard formula
441561000124106	Standard enteral formula with fiber
443461000124106	Standard Formula
441531000124102	Standard Enteral Formula
443561000124107	Soy based formula
443481000124101	Renal Formula
441571000124104	High energy enteral formula with fiber
441591000124103	Diabetic enteral formula with fiber
441601000124106	Diabetic high calorie high protein enteral formula with fiber
443351000124102	Increased fiber formula
443771000124106	Hydrolyzed protein formula
441671000124100	Hydrolyzed peptide-based high protein enteral formula
443111000124101	High protein formula
443431000124102	High Energy Formula
443411000124108	Elemental Formula
442651000124102	Adult formula

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.379 Value Set http://hl7.org/fhir/ValueSet/entformula-additive

URL: https://hl7.org/fhir/STU3/valueset-entformula-additive.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/entformula-additive
Name: | Enteral Formula Additive Type Code
Definition: | EnteralFormulaAdditiveType: Codes for the type of modular component such as protein, carbohydrate or fiber to be provided in addition to or mixed with the base formula. This value set is provided as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.379 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Enteral Formula Additive Type Code

* NutritionOrder.enteralFormula.additiveType (Example)

4.3.1.379.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/entformula-additive

4.3.1.379.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/entformula-additive version 3.0.2

All codes from system http://hl7.org/fhir/entformula-additive

Code | Display | Definition
lipid | Lipid | Modular lipid enteral formula component
protein | Protein | Modular protein enteral formula component
carbohydrate | Carbohydrate | Modular carbohydrate enteral formula component
fiber | Fiber | Modular fiber enteral formula component
water | Water | Added water

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.381 Value Set http://hl7.org/fhir/ValueSet/enteral-route

URL: https://hl7.org/fhir/STU3/valueset-enteral-route.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/enteral-route
Name: | Enteral Route Codes
Definition: | EnteralRouteOfAdministration: Codes specifying the route of administration of enteral formula. This value set is composed of HL7 v3 codes and is provided as a suggestive example.
Committee: | Orders and Observations Work Group

OID: | 2.16.840.1.113883.4.642.3.381 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* NutritionOrder.enteralFormula.routeofAdministration (Extensible)

4.3.1.381.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/RouteOfAdministration

Code	Display
PO	Swallow, oral
EFT	Instillation, enteral feeding tube
ENTINSTL	Instillation, enteral
GT	Instillation, gastrostomy tube
NGT	Instillation, nasogastric tube
OGT	Instillation, orogastric tube
GJT	Instillation, gastro-jejunostomy tube
JJTINSTL	Instillation, jejunostomy tube
OJJ	Instillation, orojejunum tube

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.382 Value Set http://hl7.org/fhir/ValueSet/observation-methods

URL: https://hl7.org/fhir/STU3/valueset-observation-methods.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-methods
Name: | Observation Methods
Definition: | Observation Method codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 272394005 (Technique (qualifier value)) or is-a 129264002 (Action (qualifier value)) or is-a 386053000 (Evaluation procedure(procedure))
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.382 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Observation.method (Example)
* StructureDefinition DeviceMetricObservation: Observation.method ((Example))
* StructureDefinition Observation-Genetics: Observation.method ((Example))
* StructureDefinition VitalSigns: Observation.method ((Example))
* StructureDefinition BodyWeight: Observation.method ((Example))
* StructureDefinition RespRate: Observation.method ((Example))
* StructureDefinition HeartRate: Observation.method ((Example))
* StructureDefinition BodyTemp: Observation.method ((Example))
* StructureDefinition BodyHeight: Observation.method ((Example))
* StructureDefinition BodyLength: Observation.method ((Example))
* StructureDefinition HeadCircum: Observation.method ((Example))
* StructureDefinition OxygenSat: Observation.method ((Example))
* StructureDefinition BMI: Observation.method ((Example))

* StructureDefinition BP: Observation.method ((Example))
* StructureDefinition VitalsPanel: Observation.method ((Example))
* StructureDefinition Cholesterol: Observation.method ((Example))
* StructureDefinition Triglyceride: Observation.method ((Example))
* StructureDefinition HDLCholesterol: Observation.method ((Example))
* StructureDefinition LDLCholesterol: Observation.method ((Example))

4.3.1.382.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 272394005 (Technique)
* Include codes from http://snomed.info/sct where concept is-a 129264002 (Action)
* Include codes from http://snomed.info/sct where concept is-a 386053000 (Patient evaluation procedure)

4.3.1.382.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code	Display	Definition
58207001	Competitive protein binding assay	
115341008	Total measurement	
246363001	Acquisition technique	
246502009	Bladder filling technique	
246503004	Catheter movement technique	
246504005	Near reading technique	
246505006	Photon detection technique	
246506007	Provocation technique	
246507003	Stimulation technique	
255459008	Flash	
255463001	Single tetany technique	
255583002	Retruded jaw relation technique	
256233002	Rectally infused saline solution	
257414001	Adult N types	
257425005	Bright field	
257428007	Dent sleeve technique	
257452000	Sbisa bar	
257456002	Solid sphere technique	
257460004	Swept spatial frequency bars	
257465009	Wax wafer technique	
257740006	V-Y advancement technique	
257771002	Cementing	
257772009	Cementing with normal viscosity cement	
257774005	Cementing with low viscosity cement	
257775006	Cementing with normal viscosity cement containing antibiotic	
257776007	Cementing with low viscosity cement containing antibiotic	
257827009	Press-fit component fixation	
257932009	Direct suturing technique	
258005004	Accelerometry	
258006003	Acidometric method	
258009005	Boyden chamber technique	
258010000	Catheter tip manometry	
258011001	Chessboard method	
258012008	Confocal laser scanning fluorescence	
258013003	Conventional manometry	
258014009	Dilution and colorimetry	
258017002	Double sampling dye-dilution test	
258018007	Drainage bottle measurement	
258019004	Drainage measurement	
258020005	Dye dilution technique	
258021009	Dye test	
258022002	E test	
258025000	Enzyme-mediated immunotransferase assay	
258026004	Enzyme method	
258027008	Equilibration method	
258030001	Gradient method	
258031002	Helium single breath technique	
258033004	Helium steady state technique	

258034005 | Helium dilution
258035006 | High pressure liquid chromatography
258036007 | Immunoblotting
258037003 | Immunoradiometry
258038008 | Indicator dilution technique
258039000 | Iodometric method
258041004 | Isoenzyme typing
258044007 | Lectin typing
258045008 | Lipopolysaccharide typing
258047000 | Metabolic inhibition test
258048005 | Microbiological method
258053000 | Moorfields reading book test
258054006 | Natural filling
258055007 | Nitrocefin method
258056008 | Nitrogen washout
258059001 | Pharmacological stimulation
258060006 | Phenotyping
258063008 | Pneumatic otoscopy
258065001 | Polyethylene glycol precipitation
258066000 | Polymerase chain reaction
258067009 | Post-tetanic count stimulation
258068004 | Protein profiling
258069007 | Pyrolysis mass spectrometry
258070008 | Rapid-pull through
258071007 | Rebreathing method
258075003 | Serotyping
258076002 | Sham feed technique
258077006 | Sheridan Gardiner technique
258078001 | Station pull-through
258080007 | Thermodilution technique
258081006 | Ultraviolet absorption
258082004 | Vector volume analysis
258083009 | Visual estimation
258084003 | Weighing of swabs
258086001 | Zymodeme typing
258087005 | Agar dilution
258094008 | Dark ground
258099003 | Fluorescence
258100006 | Heterophoria method
258102003 | Intermittent withdrawal technique
258109007 | Restriction fragment length polymorphism
258110002 | Saline method
258112005 | Sequence specific oligonucleotide probe
258113000 | Sequence specific primers-polymerase chain reaction
258114006 | SRH - Single radial hemolysis
258118009 | Suction drainage measurement
258119001 | Thermal test
258120007 | Vapor pressure depression
258121006 | Ungated equilibrium
258122004 | Whole cell long chain fatty acid methyl ester analysis
258123009 | ECG gated technique
258124003 | Gated equilibrium
258125002 | Freezing point depression
258126001 | Phase contrast
258128000 | Sjogren hand technique
258129008 | Snellen technique
258131004 | Sucrose density gradient separation
258133001 | Plate assay
258144009 | Position change
258150004 | Transmission
258159003 | Slime production typing
258164004 | Seldinger technique
258169009 | Remodeled pouch method
258171009 | Blind technique
258173007 | Direct vision technique
258178003 | Blood aspiration technique
258179006 | Blood flashback technique
258180009 | Pressure waveform analysis
258181008 | ECG analysis
258182001 | Cold light transillumination
258183006 | Gas injection and auscultation
260223001 | Maximum intercuspation technique

260227000 | Solid phase immune technique
260231006 | Van Slyke technique
260710009 | Obturation technique
260931002 | Post-processing
260982004 | Anticurvature technique
261006005 | Digital X-ray
261009003 | Dual cure method
261018001 | Mechanical
261032004 | Turnover
261033009 | Ultrasonic endodontic technique
261039008 | Valsalva maneuvre
261069001 | Double contrast technique
261070000 | Double flare technique
261190007 | Dautrey method
261192004 | Balanced force technique
261194003 | Cine study
261196001 | Direct application technique
261208004 | Intermittent administration
261209007 | Nipple sharing technique
261212005 | Percutaneous with automated instrumentation
261213000 | Percutaneous with endoscopic instrumentation
261214006 | Percutaneous with laser instrumentation
261215007 | Percutaneous with manual instrumentation
261216008 | Radionuclide plethysmography
261271009 | Thermal plastic technique
261272002 | Thermal solid technique
261338007 | Adhesive with supplementary suture technique
261373009 | Implant technique
261504003 | Close rectal dissection technique
261510003 | Conventional angiography
261548008 | Periarticular osteotomy
261561008 | Shelf technique
261567007 | Thermal injection technique
261573008 | Thyrotrophin releasing hormone stimulation
261671000 | Air contrast technique
261699009 | Before the filter
261700005 | Benchekroun technique
261708003 | Biochemical bond component fixation
261710001 | Bisecting angle technique
261714005 | Bone ingrowth system
261732005 | Corticotrophin releasing hormone stimulation
261754007 | Continuous infusion
261787006 | Explant technique
261790000 | Extra-high resolution technique
261793003 | Flow-directed technique
261856001 | Isaacs technique
261909000 | Light cure method
261940007 | Mechanical grab method
261943009 | Mitrofanoff technique
261947005 | Modified double flare technique
261958001 | Multiplanar reconstruction
261981004 | Neutral zone
262041006 | Paralleling technique
262048000 | Patient cycled method
262062007 | Power output
262063002 | Powered method
262064008 | Powered flexible method
262065009 | Powered rigid method
262069003 | Pressure controlled method
262092003 | Reciprocal mechanical technique
262095001 | Remaining connected
262110008 | Rotary mechanical endodontic technique
262136001 | Self-cure method
262148003 | Single contrast technique
262162005 | Sonic endodontic technique
262174009 | Standardized technique
262180001 | Stepback technique
262181002 | Stepdown technique
262201007 | Thallium uptake method
262207006 | Time cycled method
262265000 | Volume controlled method
262278000 | Warming intravenous fluid technique

262293001 | Wire guided technique
262295008 | With clearance measurement
262296009 | Cross-compression technique
262300005 | With GFR
262305000 | With separation
262310001 | With ureteric peristalsis analysis
262313004 | Without remount
262320006 | Xenon clearance method
262323008 | After the filter
263664004 | Altered cast technique
263696007 | Broth dilution
263725008 | Constant acceleration technique
263746004 | Electrosensitivity technique
263781002 | Impulse
263809005 | Microvascular
263902000 | Transcutaneous method
264220008 | Superior pedicle technique
264268002 | Agarose technique
264269005 | Amino acid signature pattern analysis
264270006 | Central pedicle technique
264271005 | Complement component 1q binding assay
264272003 | Conductivity technique
264273008 | Continuous withdrawal technique
264275001 | Fluorescence polarization immunoassay
264276000 | Half chessboard method
264277009 | Heel bounce
264279007 | Hydroxylamine method
264280005 | Inferior pedicle technique
264281009 | Dufourmental technique
264282002 | Maclure N test
264283007 | Multiple-breath technique
264284001 | Single-breath technique
264355007 | Ffooks technique
264582003 | Antibiogram typing
264583008 | Auxotyping
264584002 | Bacteriocin typing
264590003 | Hypothalamic stimulation
264619009 | 100 hue technique
264773007 | Dienes typing
264782001 | AMBER
264788002 | Biotyping
264826006 | Children's N tests
264828007 | City University technique
264859009 | Maclure technique
264863002 | Morphotyping
264896000 | Nucleic acid analysis
264903000 | Pattern onset/offset stimulation technique
264933007 | Thomas tank engine test
264934001 | Toxin typing
264935000 | Transluminal prosthetic method
264946002 | White noise masking of opposite ear
272389005 | Analysis
272390001 | Dilution
272391002 | Measurement
272392009 | Assay
272393004 | Tests
272395006 | Typings
276857005 | Thoracic impedance
277337007 | Surface landmark technique
277581000 | Suturing techniques
277620007 | Dental techniques
277768009 | Automated endodontic technique
277769001 | Hand technique
277835006 | Flap valve technique
277853000 | Submucosal tunnel technique
277913002 | Washing of swabs
278283001 | Percutaneous techniques
278289002 | Microscopy technique
278300004 | Pull-through technique
278394000 | Fluid replacement technique
278395004 | Imaging technique
278440009 | Copy denture technique

281408006 | Flow triggering
281409003 | Pressure triggering
281410008 | Differential lung ventilation
281417006 | One lung ventilation
281418001 | Left lung ventilation
281419009 | Right lung ventilation
281420003 | Bilateral lung ventilation
284466007 | Anger management technique
284467003 | Relaxation technique
286811001 | Pressure limited cycling method
302554003 | Contrast imaging technique
304033004 | Specific stimulation technique
304364007 | Fixation of prosthetic joint component
304367000 | Uncemented component fixation
309796000 | Loss of resistance technique
309797009 | Loss of resistance to air
309798004 | Loss of resistance to saline
312245009 | Angiography technique
312246005 | Digital subtraction angiography
312348008 | Image post-processing
313115005 | Flap transfer technique
313116006 | Advancement technique
313201001 | Simple suture technique
313202008 | Z-plasty technique
313281003 | Forward sliding
362943005 | Manual method
371871002 | Single beats - numeric estimation technique
371912002 | Best value
371913007 | Point source - numeric estimation technique
371914001 | Peak to peak - numeric estimation technique
371916004 | Representative - numeric estimation technique
371921001 | Averaged - numeric estimation technique
373098007 | Mean - numeric estimation technique
373099004 | Median - numeric estimation technique
373100007 | Mode - numeric estimation technique
373115008 | Routine - numeric estimation technique
397801003 | Single bolus
397850009 | Intravascular confirmation method
397884008 | Intermittent bolus
397916001 | Loss of resistance technique - other fluid
398037009 | Vessel location technique
398129004 | Loss of resistance technique - both saline and air
398317000 | Finder needle technique
404655007 | Autofluorescence
414378002 | Hanging drop technique
414456005 | Imaging guidance technique
414611008 | Line placement technique
415037003 | Paresthesia technique
415741008 | Transarterial technique
416238005 | Intubation technique
416423007 | Tracheal intubation technique
417453009 | Bronchial intubation technique
418449005 | Gently
418694008 | Rapidly
419125005 | Liberally
419443000 | Slowly
419913006 | Vigorously
420004004 | Swallowed whole
424457002 | Intrathecal confirmation technique
445911007 | Extracorporeal technique
446402005 | Hemodialysis technique
446406008 | Inhalation technique
446947001 | Electroosmosis technique
447027002 | Irrigation technique
447056002 | Occlusive dressing technique
447120003 | Injection technique
447692002 | Percutaneous gastrostomy (button) technique
447693007 | Peritoneal dialysis technique
447826007 | Infusion technique
447963004 | Intravenous push technique
448076005 | Iontophoresis technique
449137004 | Intravenous piggyback technique

449225005 | Hemodiafiltration technique
702658000 | Microbial culture
702659008 | Automated count
702660003 | Test strip
702661004 | Light microscopy
702662006 | High power field light microscopy
702663001 | Manual count
702664007 | Immunological method
702665008 | Cytology stain
702666009 | Cytology
702667000 | Clearance calculation formula
702668005 | Modification of diet in renal disease formula
702669002 | Direct assay
702673004 | Deoxyribonucleic acid probe
702674005 | Nucleic acid hybridization probe
702675006 | Probe with target amplification
702872006 | Detection limit equal to or less than 20 mg/L
702873001 | Calculation technique
702940009 | Filtration
702941008 | Paraffin embedding
702942001 | Concentration
702943006 | DNA extraction
702944000 | RNA extraction
702945004 | Estimated from glycated hemoglobin
702946003 | Coagulation technique
702947007 | Corrected for nucleated erythrocytes
703436002 | Detection limit equal to or less than 0.005 mIU/L
703437006 | Detection limit equal to or less than 0.01 ng/mL
703438001 | Detection limit equal to or less than 0.05 mIU/L
703439009 | Detection limit equal to or less than 1.0 ng/dL
703440006 | Detection limit equal to or less than 3.47 pmol/L
703441005 | Wright stain method
703442003 | Gradient strip susceptibility test
703443008 | Fungus stain method
703444002 | Fluorescent immunoassay
703445001 | Ion selective electrode measurement
703446000 | Immunoblot assay
703447009 | EIA technique
703448004 | Latex agglutination test
703449007 | Radioimmunoassay
703450007 | Electrophoresis
703451006 | Low power field light microscopy
703452004 | Electrical impedance technique
703454003 | Centrifugation technique
703455002 | Rapid Plasma Reagin technique
703456001 | Venereal Disease Research Laboratory technique
703457005 | Wet preparation technique
703458000 | Neutralization method
703459008 | Westergren technique
703460003 | Wintrobe technique
703461004 | Concentration of parasites method
703462006 | Cockcroft-Gault formula
703463001 | Calculated from oxygen partial pressure
703488009 | Coagulation 1:1 saline mixture technique
703490005 | Transcutaneous CO2 monitor
703492002 | Transcutaneous O2 monitor
703497008 | Calculated from signal to cutoff ratio
703501003 | Toxicology screening technique
703505007 | Clearance calculation relative to 1.73 square meters body surface area
703506008 | Clearance calculation relative to 1.73 square meters body surface area and adjusted for African race
703507004 | Clearance calculation relative to 1.73 square meters body surface area and adjusted for non-African race
703689005 | High sensitivity method for C-reactive protein
703690001 | Confirmatory technique
703724007 | High sensitivity method for estradiol
703725008 | Culture
703750006 | Aerobic culture
703751005 | Anaerobic culture
703752003 | Organism specific culture
703753008 | Detecting without classifying
703754002 | Detecting by light microscopy without classifying
703856008 | Organism staining technique
703857004 | Staining technique

703858009 | Numeric estimation technique
703950001 | High sensitivity method for bioavailable testosterone
707682000 | Adjusted measurement technique
707683005 | Adjusted for diabetes technique
707684004 | Adjusted for multiple gestations technique
707685003 | Adjusted for sex hormone binding globulin technique
707687006 | Adjusted for weight technique
707688001 | Adjusted to patients actual temperature technique
707689009 | Adjusted to pH 7.4 technique
707690000 | Corrected for albumin technique
707691001 | Corrected for background technique
707692008 | Corrected for glucose technique
707693003 | Corrected for total protein technique
707694009 | Saturation adjusted to 0.5 technique
707695005 | Standard base excess technique
707696006 | Standard base excess adjusted for oxygen saturation technique
707698007 | Ion selective membrane electrode output adjusted to pH 7.4
707699004 | Helium single breath output adjusted for hemoglobin
707700003 | Automated count output corrected for nucleated erythrocytes
707701004 | Calculated and adjusted for body weight
707702006 | Calculated output adjusted to standard
708056006 | Acid fast stain
708058007 | Flow cytometry
708060009 | Genotype determination
708061008 | Gram stain
708062001 | Immunodiffusion
708063006 | Immunoelectrophoresis
708064000 | Immunofixation
708065004 | Pulse oximetry
708066003 | Trichrome stain
708067007 | Wright-Giemsa stain
708068002 | Molecular genetics
708069005 | Chromogenic technique
708070006 | Solubility test
708071005 | Smearing technique
708072003 | Multiple allergen-bearing disc
708073008 | Minimum inhibitory concentration susceptibility test
708074002 | LISS
708075001 | KOH preparation
708076000 | Kleihauer-Betke technique
708077009 | Infrared spectroscopy
708078004 | India ink staining technique
708097004 | Immunohistochemistry
708099001 | Rapid immunoassay
708104000 | Agglutination technique
708125000 | Cold incubation, 24 hours
708128003 | Acid fast Kinyoun's cold carbolfuchsin stain
708130001 | Coombs test
708131002 | Anti human globulin test, direct
708132009 | Anti human globulin test, indirect
708133004 | Complement fixation
708532004 | Platelet aggregation technique
718496006 | Bacterial bacteriophage typing
129265001 | Evaluation - action
129266000 | Measurement - action
129267009 | Administrative action
129268004 | Observation - action
129269007 | Assisting - action
129271007 | Management - action
129272000 | Stimulation - action
129273005 | Admission - action
129274004 | Discharge - action
129275003 | Administrative transfer - action
129276002 | Referral - action
129277006 | Administrative disposition - action
129278001 | Audit - action
129279009 | Medicolegal action
129280007 | Medicolegal testimony - action
129283009 | Training - action
129284003 | Surgical action
129286001 | Microsurgery - action
129287005 | Incision - action

129288000 | Exploratory incision - action
129289008 | Drainage - action
129291000 | Drilling - action
129292007 | Evacuation - action
129293002 | Dissection - action
129294008 | Discission - action
129295009 | Slitting - action
129296005 | Bisection - action
129297001 | Bifurcation - action
129298006 | Division - action
129299003 | Release - action
129300006 | Puncture - action
129301005 | Scarification - action
129303008 | Removal - action
129304002 | Excision - action
129305001 | Wedge resection - action
129306000 | Surgical removal - action
129307009 | Expulsion - action
129308004 | Reexcision - action
129309007 | Amputation - action
129310002 | Transfixion - action
129311003 | Evisceration - action
129312005 | Enucleation - action
129313000 | Trephination - action
129314006 | Biopsy - action
129315007 | Incisional biopsy - action
129316008 | Aspiration - action
129317004 | Debridement - action
129318009 | Saucerization - action
129319001 | Curettage - action
129321006 | Trimming - action
129322004 | Shaving - action
129323009 | Scraping - action
129324003 | Filleting - action
129325002 | Introduction - action
129326001 | Injection - action
129327005 | Tattooing - action
129328000 | Inflation - action
129330003 | Infusion - action
129331004 | Perfusion - action
129332006 | Irrigation - action
129333001 | Insufflation - action
129334007 | Instillation - action
129335008 | Embolization - action
129337000 | Reimplantation - action
129339002 | Intubation - action
129340000 | Sounding - action
129344009 | Surgical recession - action
129345005 | Resection-recession - action
129346006 | Radial incision - action
129347002 | Surgical transfer - action
129348007 | Z-plasty - action
129349004 | Surgical lengthening - action
129350004 | Surgical shortening - action
129351000 | Surgical augmentation - action
129352007 | Surgical advancement - action
129353002 | Suspension and fixation - action
129354008 | Exteriorization - action
129355009 | Marsupialization - action
129356005 | Reinforcement - action
129357001 | Closure - action
129358006 | Layered closure - action
129360008 | Oversewing - action
129366002 | Closure by buckling - action
129368001 | Cerclage - action
129369009 | Ligation - action
129371009 | Fixation - action
129372002 | Cryopexy - action
129373007 | Plication - action
129374001 | Imbrication - action
129376004 | Construction - action
129377008 | Reconstruction - action

129378003 | Stabilization - action
129379006 | Fusion - action
129380009 | Anchoring - action
129381008 | Enlargement - action
129382001 | Destruction - action
129383006 | Avulsion - action
129384000 | Decortication - action
129385004 | Stripping - action
129386003 | Stripping and ligation - action
129387007 | Abrasion - action
129388002 | Salabrasion - action
129389005 | Grinding - action
129390001 | Coagulation - action
129391002 | Obliteration - action
129392009 | Cauterization - action
129393004 | Cryosurgery - action
129394005 | Thermocautery - action
129395006 | Fulguration - action
129396007 | Electrodesiccation - action
129397003 | Electrocoagulation - action
129398008 | Galvanocauterization - action
129399000 | Electrodestruction - action
129400007 | Crushing - action
129401006 | Fragmentation - action
129402004 | Emulsification - action
129403009 | Chemosurgery - action
129404003 | Chemocautery - action
129405002 | Photocoagulation - action
129406001 | Transplantation - action
129407005 | Grafting - action
129408000 | Manipulation - action
129409008 | Mobilization - action
129410003 | Remobilization - action
129411004 | Traction - action
129412006 | Manual reduction - action
129413001 | Elevation - action
129414007 | Instrumental elevation - action
129415008 | Extraction - action
129416009 | Surgical extraction - action
129418005 | Expression - action
129419002 | Dilation - action
129420008 | Stretching - action
129421007 | Dilation and stretching - action
129423005 | Bougienage - action
129424004 | Fitting - action
129425003 | Application - action
129426002 | Adjustment - action
129427006 | Reduction - action
129430004 | Consultation - action
129431000 | History taking - action
129433002 | Inspection - action
129434008 | Palpation - action
129435009 | Percussion - action
129436005 | Auscultation - action
129437001 | Optical transillumination - action
129438006 | Prescription - action
129441002 | Counseling - action
129442009 | Iontophoresis - action
129443004 | Electrolysis - action
129444005 | Surgical galvanism - action
129445006 | Administration - action
129449000 | Functional assessment - action
183648002 | Long-term assistance
245854003 | Proximal anastomosis
245855002 | Distal anastomosis
255595002 | Debulking - action
256644001 | Darning - action
257729003 | Ablation
257730008 | Chemical destruction
257739009 | Open adjustment
257741005 | Anastomosis
257742003 | Direct anastomosis - action

257743008 | Lecompte maneuver
257744002 | End-to-end anastomosis
257745001 | Double barrelled end-to-end anastomosis
257746000 | End-to-side anastomosis
257747009 | Roux-en-Y
257748004 | End-to-side anastomosis without tunnel
257749007 | End-to-side anastomosis with tunnel
257750007 | Side-to-side anastomosis
257751006 | Wallace "69" side-to-end anastomosis
257759008 | FNA - Fine needle aspiration
257768005 | Binding - action
257777003 | Chemical inactivation
257778008 | Chemodissolution
257780002 | Mass closure
257781003 | Interrupted mass closure
257782005 | Continuous mass closure
257783000 | Thermocoagulation
257784006 | Semm thermal coagulation
257785007 | Wolf thermal coagulation
257786008 | Cryotherapy - action
257788009 | Delamination
257789001 | Hydrodelamination
257791009 | Desiccation - action
257802002 | Anterior displacement
257803007 | Posterior displacement
257804001 | Lateral displacement
257805000 | Medial displacement
257806004 | Close rectal dissection
257808003 | Ultrasonic dissection
257811002 | External drainage
257817003 | Digital evacuation
257821005 | Manual expression
257822003 | Extracapsular extraction
257824002 | Intracapsular extraction
257825001 | Fenestration - action
257846005 | Ballistic fragmentation
257850003 | Mechanical fragmentation
257855008 | Electromagnetic pulse fragmentation
257857000 | Galvanism
257859002 | High intensity focused ultrasound
257863009 | Radioactive destruction
257867005 | Insertion - action
257878002 | Keeling - action
257880008 | Localization
257884004 | Immobilization - action
257885003 | Occlusion
257886002 | Operative ultrasound
257889009 | Padding
257890000 | Peeling - action
257893003 | Pressure
257894009 | One handed pressure
257895005 | Two handed pressure
257897002 | Realignment - action
257903006 | Repair - action
257905004 | Keel repair
257906003 | Mayo repair
257907007 | Patching - action
257911001 | Repair of recurrence
257912008 | Rotation - action
257913003 | IR - Internal rotation
257914009 | External rotation
257915005 | Sampling
257916006 | Bilateral sampling
257917002 | Bilateral sequential sampling
257918007 | Bilateral simultaneous sampling
257923007 | Sampling without trap
257926004 | Unilateral sampling
257928003 | Segmentation
257933004 | Tamponade - action
257935006 | Tapering - action
257937003 | Soft tissue transfer
257938008 | Transfer of bone block

257940003 | Transposition - action
258061005 | Photic stimulation
260222006 | SPECT
261027000 | Sequential anastomosis
261191006 | Open extraction
261197005 | Doppler color flow
261198000 | Doppler continuous wave
261199008 | Doppler pulsed
261391004 | Resurfacing - action
261398005 | Alloplastic grafting
261498006 | Bone-patellar tendon-bone reconstruction
261499003 | Braided prosthetic ligament reconstruction
261518005 | Cystodiathermy
261519002 | Diathermy excision
261520008 | Diathermy snare - action
261526002 | Electromagnetic fragmentation
261545006 | Loop diathermy excision
261553003 | REDY - Regeneration of dialysate
261569005 | Thermocompaction
261576000 | Ultrasound fragmentation
262143007 | Side-to-end anastomosis
263720003 | Compression
264592006 | Intravesical drug therapy
264594007 | Laser - action
264730003 | Lateral rotation
264739002 | Medial rotation
264947006 | Prescription of optical aid
272381008 | Microvascular anastomosis - action
274392008 | EUA - Examination under anesthetic
276734006 | Mechanical assistance
277261002 | Excision biopsy
277607009 | Digital removal
277763000 | Refashioning
277851003 | Conduit anastomosis
277852005 | Reservoir anastomosis
278110001 | Radiographic imaging
278292003 | Ultrasound imaging
278312000 | Reattachment - action
278313005 | Regeneration
278420002 | Sealing
281609006 | Cryoablation - action
281613004 | Decompression - action
281615006 | Exploration - action
281698007 | Cryocautery - action
281767003 | Manual dilatation
281838007 | Disarticulation - action
281839004 | Exenteration
282015008 | Shave biopsy - action
282089006 | Replacement - action
282722008 | Ultrasound destruction
286553006 | Plastic operation
286637000 | Block dissection
286792001 | Denervation
287682008 | Application of caustics
288324002 | Eversion - action
288466002 | Diathermy incision
288468001 | Disimpaction - action
289928003 | Reduction plasty
289930001 | Enzyme destruction
289936007 | Shave excision
289938008 | Microsurgical repair
290001001 | Recession - action
297179000 | Microsurgical anastomosis
297183000 | Revascularization
298053008 | Devascularization - action
298116000 | Application of substance
299712004 | Osteoclasis - action
299713009 | Osteotomy - action
299893001 | Interposition anastomosis - action
302193003 | Actions by modality
302196006 | Freeing - action
302199004 | Examination - action

302204005 | Ultrasound - action
302205006 | Microwave - action
303893007 | Functional modification
303894001 | Structural modification
303955003 | Transfusion - action
303996000 | Terminalization
303998004 | Unused action values
304054006 | Structural support - action
304904003 | Manual evacuation
312236008 | Duplex ultrasound
312250003 | Magnetic resonance imaging
312251004 | Computed tomography technique
312254007 | Plain X-ray imaging
312275004 | Fluoroscopic imaging
312336005 | Opening - action
312337001 | Thermography imaging
312421008 | Radionuclide imaging
312883004 | Desensitization - action
313029009 | Brachytherapy - action
360017003 | Clipping - action
360018008 | Stimulus dosing technique
360020006 | Extirpation - action
360021005 | Bypass - action
360025001 | Harvesting - action
360027009 | Interposition - action
360028004 | Surgical biopsy - action
360029007 | Nonsurgical biopsy - action
360032005 | Flap reconstruction - action
360037004 | Imaging - action
360038009 | Gluing - action
360051004 | Surgical toilet
360060007 | Approximation - action
360082000 | Apposition - action
360084004 | Septation - action
360087006 | Indirect anastomosis - action
360146007 | Repositioning - action
360147003 | Attention - action
360148008 | Obstetric action
360149000 | Delivery - action
360150000 | Inlay replacement - action
360152008 | Monitoring - action
360153003 | Take impression - action
360154009 | Try-in of device - action
360160009 | Checking - action
360161008 | Induction - action
360163006 | Infiltration - action
360165004 | Apheresis - action
360166003 | Filtration - action
360220002 | Mapping - action
360222005 | Massage - action
360223000 | Cine imaging - action
360226008 | Electrical discharge - action
360231005 | Video imaging - action
360232003 | Spectroscopy - action
360239007 | Termination - action
360240009 | Connection - action
360270004 | Therapy - action
360272007 | Discussion - action
360273002 | Provision - action
360314001 | Cutting - action
360315000 | Filing - action
360323003 | Restore - action
360324009 | Obturation - action
360325005 | Simple removal - action
360393008 | Disinsertion - action
362939006 | Dissolution - action
363659002 | Pacing - action
363678002 | Positron emission tomographic imaging
367529003 | Lending - action
367558000 | Contouring - action
367559008 | Preparation - action
367560003 | Buckling - action

367642006 | Inversion - action
367740008 | Suspension - action
369242005 | Hyfrecation - action
386746003 | Maintenance - action
399009009 | B mode ultrasound
399015009 | Tomographic imaging, plain radiologic - action
399035005 | Tomographic imaging - action
399064001 | 2D mode ultrasound
399155008 | M-mode ultrasound
410460000 | Illumination
410461001 | Dual diffuse direct illumination
410462008 | Fine slit beam direct illumination
410463003 | Broad tangential direct illumination
410464009 | Indirect sclerotic scatter illumination
410465005 | Indirect retroillumination from the iris
410466006 | Indirect retroillumination from the retina
410467002 | Indirect iris transillumination
410756002 | Surgical decompression - action
410757006 | Decompressive excision - action
410758001 | Decompressive incision - action
410759009 | Decompressive division - action
410769003 | Elevation reduction - action
410814006 | Surgical reduction - action
410817004 | Dilation repair - action
410820007 | Surgical transplantation - action
415186003 | Proximal illumination - action
416677001 | Internal drainage - action
419385000 | Use
419652001 | Take
419656003 | Examination AND/OR history taking - action
419988009 | Action of drug administration
424208002 | Shunt - action
424832003 | Surgical introduction - action
424900004 | Recommendation - action
425362007 | Surgical insertion - action
425689005 | Teaching - action
425704008 | Power doppler ultrasound
425764006 | Transection - action
426413004 | Closed reduction - action
426530000 | Open reduction - action
426865009 | 3D mode ultrasound
428010000 | Open embolization - action
428381003 | Diathermy - action
430975009 | Surgical piercing - action
439054007 | Surgical cataract aspiration - action
439237009 | Mechanical repair - action
439315000 | Wedge osteotomy - action
439417007 | Closed manual reduction - action
439513008 | Surgical size reduction - action
440338007 | Dispensing - action
440647007 | Mechanical construction - action
441504007 | Surgical manipulation - action
442837002 | Excision debridement - action
445103003 | Fixation by wedging - action
698788008 | Transmission illumination
698789000 | Reflection illumination
698790009 | Epifluorescence illumination
698792001 | Brightfield illumination
698793006 | Darkfield illumination
698794000 | Oblique illumination
698796003 | Phase contrast illumination
698797007 | Differential interference contrast
698798002 | Total internal reflection fluorescence
702569007 | Cone beam computed tomography imaging - action
713295009 | Surgical replacement - action
128004 | Hand microscope examination of skin
135007 | Arthrotomy of wrist joint with exploration and biopsy
153001 | Cystourethroscopy with resection of ureterocele
170009 | Special potency disk identification, vancomycin test
197002 | Mold to yeast conversion test
306005 | Echography of kidney
334003 | Panorex examination of mandible

352003 | Reagent RBC, preparation antibody sensitized pool
353008 | IV/irrigation monitoring
389000 | Tobramycin measurement
435001 | Pulmonary inhalation study
468008 | Glutathione measurement
489004 | Ferritin measurement
493005 | Urobilinogen measurement, 48-hour, feces
540006 | Antibody to single and double stranded DNA measurement
574005 | Benzodiazepine measurement
628003 | Steinman test
642006 | Cerebral thermography
673005 | Indirect laryngoscopy
674004 | Abduction test
687005 | Albumin/Globulin ratio
697001 | Hepatitis A virus antibody measurement
759005 | Intracerebral electroencephalogram
762008 | Computerized axial tomography of cervical spine with contrast
767002 | White blood cell count
814007 | Electrophoresis measurement
831000 | Drawer test
853003 | Fecal fat measurement, 72-hour collection
870006 | Carbamazepine measurement
879007 | Special blood coagulation test, explain by report
893000 | Tumor antigen measurement
910002 | MHPG measurement, urine
941001 | Endoscopy of pituitary gland
951000 | Ultrasonic guidance for endomyocardial biopsy
969009 | Incision and exploration of larynx
1029002 | Fetoscopy
1035002 | Minimum bactericidal concentration test, microdilution method
1043007 | Doppler color flow velocity mapping
1044001 | Diagnostic ultrasound of abdomen and retroperitoneum
1225002 | Radiography of humerus
1292009 | Magnetic resonance imaging of urinary bladder
1324000 | Cerebrospinal fluid IgG ratio and IgG index
1358008 | Anti-human globulin test, enzyme technique, titer
1385001 | Echography, scan B-mode for fetal age determination
1399002 | Incision and exploration of ureter
1414009 | Angiography of arteriovenous shunt
1494008 | Osmolarity measurement
1550000 | Amikacin measurement
1559004 | IL-2 assay
1597004 | Skeletal X-ray of ankle and foot
1616001 | Galactosylceramide beta-galactosidase measurement, leukocytes
1640009 | History and physical examination, insurance
1677001 | Haagensen test
1712009 | Immunoglobulin typing, IgG
1757000 | Arthroscopy of wrist with partial synovectomy
1759002 | Assessment of nutritional status
1784004 | Fecal stercobilin, qualitative
1787006 | Ultrasonic guidance for pericardiocentesis
1820004 | Alcohol measurement, breath
1879000 | Fluorescent antigen measurement
2054004 | Barbiturates measurement, quantitative and qualitative
2196003 | Gas liquid chromatography, electron capture type
2214008 | Curette test of skin
2220009 | Complement component assay
2225004 | Sensititer system test
2244006 | Arthroscopy of wrist with internal fixation for instability
2266004 | Venography of adrenal, bilateral
2276001 | Exploration of popliteal artery
2278000 | Urinalysis, automated
2279008 | Antibody detection, RBC, enzyme, 1 stage technique, including anti-human globulin
2290003 | Microbial culture, anaerobic, initial isolation
2347001 | Diagnostic model construction
2373006 | Buffy coat smear evaluation
2408004 | Hexosaminidase A and total hexosaminidase measurement, serum
2425002 | Epstein-Barr virus serologic test
2448007 | Cell count of synovial fluid with differential count
2461007 | Tennis elbow test
2507007 | 5' Nucleotidase measurement
2508002 | Retrograde urography with KUB

2531002 | Mononuclear cell function assay
2629003 | Intracranial/cerebral perfusion pressure monitoring
2646000 | Incision and exploration of vas deferens
2690005 | Magnetic resonance imaging of pelvis
2693007 | Stool fat, quantitative measurement
2696004 | Hepatic venography with hemodynamic evaluation
2722000 | IL-3 assay
2731000 | Serologic test for influenza virus A
2737001 | Exploratory craniotomy, infratentorial
2743004 | Operative endoscopy of ileum
2811005 | Cineradiography of pharynx
2842000 | Gas chromatography measurement
2847006 | Cervical myelography
2885009 | Intradermal skin test
2891006 | Arthroscopy of elbow with partial synovectomy
2898000 | DNA analysis, antenatal, blood

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.383 Value Set http://hl7.org/fhir/ValueSet/observation-codes

URL: https://hl7.org/fhir/STU3/valueset-observation-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-codes
Name: | LOINC Codes
Definition: | This value set includes all LOINC codes
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.383 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* Goal.target.measure (Example)
* Observation.code (Example)
* Observation.component.code (Example)
* StructureDefinition DeviceMetricObservation: Observation.code ((Example))
* StructureDefinition DeviceMetricObservation: Observation.component.code ((Example))
* StructureDefinition Observation-Genetics: Observation.code ((Example))
* StructureDefinition Observation-Genetics: Observation.component.code ((Example))
* StructureDefinition Cholesterol: Observation.code ((Example))
* StructureDefinition Cholesterol: Observation.component.code ((Example))
* StructureDefinition Triglyceride: Observation.code ((Example))
* StructureDefinition Triglyceride: Observation.component.code ((Example))
* StructureDefinition HDLCholesterol: Observation.code ((Example))
* StructureDefinition HDLCholesterol: Observation.component.code ((Example))
* StructureDefinition LDLCholesterol: Observation.component.code ((Example))
* PlanDefinition.goal.target.measure (Example)
* ElementDefinition.code (Example)

4.3.1.383.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://loinc.org

4.3.1.383.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://loinc.org

Code | Display
1-8 | Acyclovir [Susceptibility]
10-9 | Amdinocillin [Susceptibility] by Serum bactericidal titer
100-8 | Cefoperazone [Susceptibility] by Minimum inhibitory concentration (MIC)
1000-9 | DBG Ab [Presence] in Serum or Plasma from Blood product unit
10000-8 | R wave duration in lead AVR
10001-6 | R wave duration in lead I
10002-4 | R wave duration in lead II
10003-2 | R wave duration in lead III
10004-0 | R wave duration in lead V1
10005-7 | R wave duration in lead V2
10006-5 | R wave duration in lead V3
10007-3 | R wave duration in lead V4
10008-1 | R wave duration in lead V5
10009-9 | R wave duration in lead V6
1001-7 | DBG Ab [Presence] in Serum or Plasma from donor
10010-7 | R' wave amplitude in lead AVF
10011-5 | R' wave amplitude in lead AVL
10012-3 | R' wave amplitude in lead AVR
10013-1 | R' wave amplitude in lead I
10014-9 | R' wave amplitude in lead II
10015-6 | R' wave amplitude in lead III
10016-4 | R' wave amplitude in lead V1
10017-2 | R' wave amplitude in lead V2
10018-0 | R' wave amplitude in lead V3
10019-8 | R' wave amplitude in lead V4
1002-5 | DBG Ab [Presence] in Serum or Plasma
10020-6 | R' wave amplitude in lead V5
10021-4 | R' wave amplitude in lead V6
10022-2 | R' wave duration in lead AVF
10023-0 | R' wave duration in lead AVL
10024-8 | R' wave duration in lead AVR
10025-5 | R' wave duration in lead I
10026-3 | R' wave duration in lead II
10027-1 | R' wave duration in lead III
10028-9 | R' wave duration in lead V1
10029-7 | R' wave duration in lead V2
1003-3 | Indirect antiglobulin test.complement specific reagent [Presence] in Serum or Plasma
10030-5 | R' wave duration in lead V3
10031-3 | R' wave duration in lead V4
10032-1 | R' wave duration in lead V5
10033-9 | R' wave duration in lead V6
10034-7 | S wave amplitude in lead AVF
10035-4 | S wave amplitude in lead AVL
10036-2 | S wave amplitude in lead AVR
10037-0 | S wave amplitude in lead I
10038-8 | S wave amplitude in lead II
10039-6 | S wave amplitude in lead III
1004-1 | Direct antiglobulin test.complement specific reagent [Presence] on Red Blood Cells
10040-4 | S wave amplitude in lead V1
10041-2 | S wave amplitude in lead V2
10042-0 | S wave amplitude in lead V3
10043-8 | S wave amplitude in lead V4
10044-6 | S wave amplitude in lead V5
10045-3 | S wave amplitude in lead V6
10046-1 | S wave duration in lead AVF
10047-9 | S wave duration in lead AVL
10048-7 | S wave duration in lead AVR
10049-5 | S wave duration in lead I
1005-8 | Indirect antiglobulin test.IgG specific reagent [Presence] in Serum or Plasma
10050-3 | S wave duration in lead II
10051-1 | S wave duration in lead III

10052-9 | S wave duration in lead V1
10053-7 | S wave duration in lead V2
10054-5 | S wave duration in lead V3
10055-2 | S wave duration in lead V4
10056-0 | S wave duration in lead V5
10057-8 | S wave duration in lead V6
10058-6 | S' wave amplitude in lead AVF
10059-4 | S' wave amplitude in lead AVL
1006-6 | Direct antiglobulin test.IgG specific reagent [Interpretation] on Red Blood Cells
10060-2 | S' wave amplitude in lead AVR
10061-0 | S' wave amplitude in lead I
10062-8 | S' wave amplitude in lead II
10063-6 | S' wave amplitude in lead III
10064-4 | S' wave amplitude in lead V1
10065-1 | S' wave amplitude in lead V2
10066-9 | S' wave amplitude in lead V3
10067-7 | S' wave amplitude in lead V4
10068-5 | S' wave amplitude in lead V5
10069-3 | S' wave amplitude in lead V6
1007-4 | Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10070-1 | S' wave duration in lead AVF
10071-9 | S' wave duration in lead AVL
10072-7 | S' wave duration in lead AVR
10073-5 | S' wave duration in lead I
10074-3 | S' wave duration in lead II
10075-0 | S' wave duration in lead III
10076-8 | S' wave duration in lead V1
10077-6 | S' wave duration in lead V2
10078-4 | S' wave duration in lead V3
10079-2 | S' wave duration in lead V4
1008-2 | Indirect antiglobulin test.poly specific reagent [Presence] in Serum or Plasma
10080-0 | S' wave duration in lead V5
10081-8 | S' wave duration in lead V6
10082-6 | ST initial amplitude 6 ms in lead AVF
10083-4 | ST initial amplitude 6 ms in lead AVL
10084-2 | ST initial amplitude 6 ms in lead AVR
10085-9 | ST initial amplitude 6 ms in lead I
10086-7 | ST initial amplitude 6 ms in lead II
10087-5 | ST initial amplitude 6 ms in lead III
10088-3 | ST initial amplitude 6 ms in lead V1
10089-1 | ST initial amplitude 6 ms in lead V2
1009-0 | Deprecated Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10090-9 | ST initial amplitude 6 ms in lead V3
10091-7 | ST initial amplitude 6 ms in lead V4
10092-5 | ST initial amplitude 6 ms in lead V5
10093-3 | ST initial amplitude 6 ms in lead V6
10094-1 | ST slope in lead AVF
10095-8 | ST slope in lead AVL
10096-6 | ST slope in lead AVR
10097-4 | ST slope in lead I
10098-2 | ST slope in lead II
10099-0 | ST slope in lead III
101-6 | Cefoperazone [Susceptibility] by Disk diffusion (KB)
1010-8 | Ew Ab [Presence] in Serum or Plasma from Blood product unit
10100-6 | ST slope in lead V1
10101-4 | ST slope in lead V2
10102-2 | ST slope in lead V3
10103-0 | ST slope in lead V4
10104-8 | ST slope in lead V5
10105-5 | ST slope in lead V6
10106-3 | ST wave end displacement in lead AVF
10107-1 | ST wave end displacement in lead AVL
10108-9 | ST wave end displacement in lead AVR
10109-7 | ST wave end displacement in lead I
1011-6 | Ew Ab [Presence] in Serum or Plasma from donor
10110-5 | ST wave end displacement in lead II
10111-3 | ST wave end displacement in lead III
10112-1 | ST wave end displacement in lead V1
10113-9 | ST wave end displacement in lead V2
10114-7 | ST wave end displacement in lead V3
10115-4 | ST wave end displacement in lead V4
10116-2 | ST wave end displacement in lead V5

10117-0 | ST wave end displacement in lead V6
10118-8 | ST wave mid displacement in lead AVF
10119-6 | ST wave mid displacement in lead AVL
1012-4 | Ew Ab [Presence] in Serum or Plasma
10120-4 | ST wave mid displacement in lead AVR
10121-2 | ST wave mid displacement in lead I
10122-0 | ST wave mid displacement in lead II
10123-8 | ST wave mid displacement in lead III
10124-6 | ST wave mid displacement in lead V1
10125-3 | ST wave mid displacement in lead V2
10126-1 | ST wave mid displacement in lead V3
10127-9 | ST wave mid displacement in lead V4
10128-7 | ST wave mid displacement in lead V5
10129-5 | ST wave mid displacement in lead V6
1013-2 | Ew Ag [Presence] on Red Blood Cells from Blood product unit
10130-3 | T' wave amplitude in lead AVF
10131-1 | T' wave amplitude in lead AVL
10132-9 | T' wave amplitude in lead AVR
10133-7 | T' wave amplitude in lead I
10134-5 | T' wave amplitude in lead II
10135-2 | T' wave amplitude in lead III
10136-0 | T' wave amplitude in lead V1
10137-8 | T' wave amplitude in lead V2
10138-6 | T' wave amplitude in lead V3
10139-4 | T' wave amplitude in lead V4
1014-0 | Ew Ag [Presence] on Red Blood Cells from donor
10140-2 | T' wave amplitude in lead V5
10141-0 | T' wave amplitude in lead V6
10142-8 | T wave amplitude in lead AVF
10143-6 | T wave amplitude in lead AVL
10144-4 | T wave amplitude in lead AVR
10145-1 | T wave amplitude in lead I
10146-9 | T wave amplitude in lead II
10147-7 | T wave amplitude in lead III
10148-5 | T wave amplitude in lead V1
10149-3 | T wave amplitude in lead V2
1015-7 | Ew Ag [Presence] on Red Blood Cells
10150-1 | T wave amplitude in lead V3
10151-9 | T wave amplitude in lead V4
10152-7 | T wave amplitude in lead V5
10153-5 | T wave amplitude in lead V6
10154-3 | Chief complaint Narrative - Reported
10155-0 | History of allergies, reported
10156-8 | History of Childhood diseases Narrative
10157-6 | History of family member diseases Narrative
10158-4 | History of Functional status Narrative
10159-2 | History of Industrial exposure Narrative
1016-5 | E Ab [Presence] in Serum or Plasma from Blood product unit
10160-0 | History of Medication use Narrative
10161-8 | History of Occupational exposure Narrative
10162-6 | History of pregnancies Narrative
10163-4 | History of pregnancies
10164-2 | History of Present illness Narrative
10165-9 | Deprecated History of psychiatric symptoms and diseases Narrative
10166-7 | History of Social function Narrative
10167-5 | History of Surgical procedures Narrative
10168-3 | History of Cardiovascular system disorders Narrative
10169-1 | History of Ear disorders Narrative
1017-3 | E Ab [Presence] in Serum or Plasma from donor
10170-9 | History of Endocrine system disorders Narrative
10171-7 | History of Eyes disorders Narrative
10172-5 | History of Hematologic system disorders Narrative
10173-3 | History of Musculoskeletal system disorders Narrative
10174-1 | History of Nose disorders Narrative
10175-8 | History of Oral cavity disorders Narrative
10176-6 | History of Reproductive system disorders Narrative
10177-4 | History of Respiratory system disorders Narrative
10178-2 | History of Skin disorders Narrative
10179-0 | History of Throat and Neck disorders Narrative
1018-1 | E Ab [Presence] in Serum or Plasma
10180-8 | History of Throat and Neck disorders
10181-6 | History of Urinary tract disorders Narrative

10182-4 | History of Travel Narrative
10183-2 | Hospital discharge medications Narrative
10184-0 | Hospital discharge physical findings Narrative
10185-7 | Hospital discharge procedures Narrative
10186-5 | Identifying information Narrative Observed
10187-3 | Review of systems Narrative - Reported
10188-1 | Review of systems overview Narrative - Reported
10189-9 | Review of systems overview - Reported
1019-9 | E Ag [Presence] on Red Blood Cells from Blood product unit
10190-7 | Mental status Narrative
10191-5 | Physical findings of Abdomen Narrative
10192-3 | Physical findings of Back Narrative
10193-1 | Physical findings of Breasts Narrative
10194-9 | Physical findings of Neurologic deep tendon reflexes Narrative
10195-6 | Physical findings of Ear Narrative
10196-4 | Physical findings of Extremities Narrative
10197-2 | Physical findings of Eye Narrative
10198-0 | Physical findings of Genitourinary tract Narrative
10199-8 | Physical findings of Head Narrative
102-4 | Cefoperazone [Susceptibility] by Serum bactericidal titer
1020-7 | E Ag [Presence] on Red Blood Cells from donor
10200-4 | Physical findings of Heart Narrative
10201-2 | Physical findings of Mouth and Throat and Teeth Narrative
10202-0 | Physical findings of Nervous system Narrative
10203-8 | Physical findings of Nose Narrative
10204-6 | Physical findings of Pelvis Narrative
10205-3 | Physical findings of Rectum Narrative
10206-1 | Physical findings of Skin Narrative
10207-9 | Physical findings of Thorax and Lungs Narrative
10208-7 | Physical findings of Vessels Narrative
10209-5 | Physical findings of Neurologic balance and Coordination Narrative
1021-5 | E Ag [Presence] on Red Blood Cells
10210-3 | Physical findings of General status Narrative
10211-1 | Physical findings of Sense of touch Narrative
10212-9 | Physical findings of Strength Narrative
10213-7 | Surgical operation note anesthesia Narrative
10214-5 | Surgical operation note anesthesia duration
10215-2 | Surgical operation note findings Narrative
10216-0 | Surgical operation note fluids Narrative
10217-8 | Surgical operation note indications [Interpretation] Narrative
10218-6 | Surgical operation note postoperative diagnosis Narrative
10219-4 | Surgical operation note preoperative diagnosis Narrative
1022-3 | Fy sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10220-2 | Surgical operation note prep time duration
10221-0 | Surgical operation note specimens taken Narrative
10222-8 | Surgical operation note surgical complications [Interpretation] Narrative
10223-6 | Surgical operation note surgical procedure Narrative
10224-4 | Hemodynamic method special circumstances
10225-1 | Cardiac measurement device Institution inventory number
10226-9 | Oxygen content in Intravascular space
10227-7 | Cardiac measurement device Vendor model number
10228-5 | Cardiac measurement device Vendor serial number
10229-3 | Hemodynamic method Type of
1023-1 | Fy sup(a) Ab [Presence] in Serum or Plasma from donor
10230-1 | Left ventricular Ejection fraction
10231-9 | Right ventricular Ejection fraction
10232-7 | Oxygen content in Aorta root
10233-5 | Oxygen content in Left atrium
10234-3 | Oxygen content in Right atrium
10235-0 | Oxygen content in High right atrium
10236-8 | Oxygen content in Low right atrium
10237-6 | Oxygen content in Mid right atrium
10238-4 | Oxygen content in Left ventricle
10239-2 | Oxygen content in Right ventricular outflow tract
1024-9 | Fy sup(a) Ab [Presence] in Serum or Plasma
10240-0 | Oxygen content in Right ventricle
10241-8 | Oxygen content in Coronary sinus
10242-6 | Oxygen content in Ductus arteriosus
10243-4 | Oxygen content in Inferior vena cava
10244-2 | Oxygen content in Left pulmonary artery
10245-9 | Oxygen content in Main pulmonary artery
10246-7 | Oxygen content in Right pulmonary artery

10247-5 | Oxygen content in Pulmonary wedge
10248-3 | Oxygen content in Superior vena cava
10249-1 | Heart rate device Institution inventory number
1025-6 | Fy sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10250-9 | Heart rate device Vendor model number
10251-7 | Heart rate device Vendor serial number
10252-5 | Biliary drain site
10253-3 | Type of Biliary drain
10254-1 | Type of Peritoneal drain
10255-8 | Type of Subarachnoid drain
10256-6 | Biliary drain Institution inventory number
10257-4 | Chest tube Institution inventory number
10258-2 | Enteral tube Institution inventory number
10259-0 | Gastrostomy tube Institution inventory number
1026-4 | Fy sup(a) Ag [Presence] on Red Blood Cells from donor
10260-8 | GI tube Institution inventory number
10261-6 | Intravascular tube Institution inventory number
10262-4 | IO tube Institution inventory number
10263-2 | Nasogastric tube Institution inventory number
10264-0 | Oral tube Institution inventory number
10265-7 | Peritoneal drain Institution inventory number
10266-5 | Peritoneal tube Institution inventory number
10267-3 | Rate control device Institution inventory number
10268-1 | Stool collection device Institution inventory number
10269-9 | Subarachnoid drain Institution inventory number
1027-2 | Fy sup(a) Ag [Presence] on Red Blood Cells
10270-7 | Synovial drain Institution inventory number
10271-5 | Tube or drain Institution inventory number
10272-3 | Upper GI tube Institution inventory number
10273-1 | Bladder irrigation tube Institution inventory number
10274-9 | Urine tube Institution inventory number
10275-6 | Wound drain device Institution inventory number
10276-4 | Peritoneal drain site
10277-2 | Stool collection site
10278-0 | Subarachnoid drain site
10279-8 | Biliary drain Vendor model number
1028-0 | Fy sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10280-6 | Chest tube Vendor model number
10281-4 | Enteral tube Vendor model number
10282-2 | Gastrostomy tube Vendor model number
10283-0 | GI tube Vendor model number
10284-8 | Intravascular tube Vendor model number
10285-5 | IO tube Vendor model number
10286-3 | Nasogastric tube Vendor model number
10287-1 | Oral tube Vendor model number
10288-9 | Peritoneal drain Vendor model number
10289-7 | Peritoneal tube Vendor model number
1029-8 | Fy sup(b) Ab [Presence] in Serum or Plasma from donor
10290-5 | Rate control device Vendor model number
10291-3 | Stool collection device Vendor model number
10292-1 | Subarachnoid drain Vendor model number
10293-9 | Synovial drain Vendor model number
10294-7 | Tube or drain Vendor model number
10295-4 | Upper GI tube Vendor model number
10296-2 | Bladder irrigation tube Vendor model number
10297-0 | Urine tube Vendor model number
10298-8 | Wound drain device Vendor model number
10299-6 | Biliary drain Vendor serial number
103-2 | Ceforanide [Susceptibility] by Minimum lethal concentration (MLC)
1030-6 | Fy sup(b) Ab [Presence] in Serum or Plasma
10300-2 | Chest tube Vendor serial number
10301-0 | Enteral tube Vendor serial number
10302-8 | Gastrostomy tube Vendor serial number
10303-6 | GI tube Vendor serial number
10304-4 | Intravascular tube Vendor serial number
10305-1 | IO tube Vendor serial number
10306-9 | Nasogastric tube Vendor serial number
10307-7 | Oral tube Vendor serial number
10308-5 | Peritoneal drain Vendor serial number
10309-3 | Peritoneal tube Vendor serial number
1031-4 | Fy sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10310-1 | Rate control device Vendor serial number

10311-9 | Stool collection device Vendor serial number
10312-7 | Subarachnoid drain Vendor serial number
10313-5 | Synovial drain Vendor serial number
10314-3 | Tube or drain Vendor serial number
10315-0 | Upper GI tube Vendor serial number
10316-8 | Bladder irrigation tube Vendor serial number
10317-6 | Urine tube Vendor serial number
10318-4 | Wound drain device Vendor serial number
10319-2 | Enema device Institution inventory number
1032-2 | Fy sup(b) Ag [Presence] on Red Blood Cells from donor
10320-0 | Enema device Vendor model number
10321-8 | Enema device Vendor serial number
10322-6 | Potassium intake 24 hour
10323-4 | Wound drain fluid [Appearance] Lower GI tract
10324-2 | Breath rate device Institution inventory number
10325-9 | Breath rate device Vendor model number
10326-7 | Breath rate device Vendor serial number
10327-5 | Eosinophils/100 leukocytes in Sputum by Manual count
10328-3 | Lymphocytes/100 leukocytes in Cerebral spinal fluid by Manual count
10329-1 | Monocytes/100 leukocytes in Cerebral spinal fluid by Manual count
1033-0 | Fy sup(b) Ag [Presence] on Red Blood Cells
10330-9 | Monocytes/100 leukocytes in Body fluid by Manual count
10331-7 | Rh [Type] in Blood
10332-5 | Cortisol [Mass/volume] in Serum or Plasma --pre 250 ug corticotropin IM
10333-3 | Appearance of Cerebral spinal fluid
10334-1 | Cancer Ag 125 [Units/volume] in Serum or Plasma
10335-8 | Color of Cerebral spinal fluid
10336-6 | Gonadotropin peptide [Mass/volume] in Urine
10337-4 | Procollagen type I [Mass/volume] in Serum
10338-2 | Barbiturates [Mass/volume] in Serum or Plasma
10339-0 | Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
1034-8 | Fetal cell screen [Interpretation] in Blood
10340-8 | Molindone [Mass/volume] in Serum or Plasma
10341-6 | Norpropoxyphene [Mass/volume] in Serum or Plasma
10342-4 | Sulfamethoxazole [Mass/volume] in Serum or Plasma
10343-2 | Temazepam [Mass/volume] in Serum or Plasma
10344-0 | Tranylcypromine [Mass/volume] in Serum or Plasma
10345-7 | Trihexyphenidyl [Mass/volume] in Urine
10346-5 | Hemoglobin A [Units/volume] in Blood by Electrophoresis
10347-3 | Babesia microti identified in Blood by Light microscopy
10348-1 | Bordetella parapertussis Ab [Presence] in Serum
10349-9 | Brucella sp Ab [Units/volume] in Serum
1035-5 | Fresh frozen plasma given [Volume]
10350-7 | Herpes simplex virus IgM Ab [Titer] in Serum by Immunoassay
10351-5 | HIV 1 RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10352-3 | Bacteria identified in Genital specimen by Aerobe culture
10353-1 | Bacteria identified in Nose by Aerobe culture
10354-9 | Bacteria identified in Urethra by Culture
10355-6 | Microscopic observation [Identifier] in Bone marrow by Wright Giemsa stain
10356-4 | Deprecated Microscopic observation [Identifier] in Stool by Trichrome stain
10357-2 | Microscopic observation [Identifier] in Wound by Gram stain
10358-0 | Teichoate Ab [Titer] in Serum by Immune diffusion (ID)
10359-8 | Asialoganglioside GM1 IgM Ab [Titer] in Serum
1036-3 | G Ab [Presence] in Serum or Plasma from Blood product unit
10360-6 | DNA single strand IgG Ab [Units/volume] in Serum
10361-4 | DNA single strand IgM Ab [Units/volume] in Serum
10362-2 | Endomysium IgA Ab [Presence] in Serum
10363-0 | Barbiturates [Presence] in Unspecified specimen
10364-8 | Cotinine [Mass/mass] in Hair
10365-5 | Cotinine [Mass/volume] in Serum or Plasma
10366-3 | Cotinine [Mass/volume] in Urine
10367-1 | Ethanol [Mass/volume] in Gastric fluid
10368-9 | Lead [Mass/volume] in Capillary blood
10369-7 | Opiates [Mass/mass] in Hair
1037-1 | G Ab [Presence] in Serum or Plasma from donor
10370-5 | Phencyclidine [Mass/mass] in Hair
10371-3 | Bite cells [Presence] in Blood by Light microscopy
10372-1 | Blister cells [Presence] in Blood by Light microscopy
10373-9 | Fragments [Presence] in Blood by Light microscopy
10374-7 | Helmet cells [Presence] in Blood by Light microscopy
10375-4 | Irregularly contracted cells [Presence] in Blood by Light microscopy
10376-2 | Oval macrocytes [Presence] in Blood by Light microscopy

10377-0 | Pencil cells [Presence] in Blood by Light microscopy
10378-8 | Polychromasia [Presence] in Blood by Light microscopy
10379-6 | Erythrocytes.dual population [Presence] in Blood by Light microscopy
1038-9 | G Ab [Presence] in Serum or Plasma
10380-4 | Stomatocytes [Presence] in Blood by Light microscopy
10381-2 | Target cells [Presence] in Blood by Light microscopy
10382-0 | A,B variant NOS Ag [Presence] on Red Blood Cells from Blood product unit
10383-8 | A,B variant NOS Ag [Presence] on Red Blood Cells from donor
10384-6 | A,B variant NOS Ag [Presence] on Red Blood Cells
10385-3 | Albumin concentration given
10386-1 | Albumin given [Volume]
10387-9 | Autologous erythrocytes given [Volume]
10388-7 | Autologous whole blood given [Volume]
10389-5 | Blood product.other [Type]
1039-7 | G Ag [Presence] on Red Blood Cells from Blood product unit
10390-3 | Blood product special preparation [Type]
10391-1 | Cytomegalovirus immune globulin given [Volume]
10392-9 | Cryoprecipitate given [Volume]
10393-7 | Factor IX given [Type]
10394-5 | Factor IX given [Volume]
10395-2 | Factor VIII given [Type]
10396-0 | Factor VIII given [Volume]
10397-8 | Hepatitis B immune globulin given [Volume]
10398-6 | I Ag [Presence] on Red Blood Cells from Blood product unit
10399-4 | I Ag [Presence] on Red Blood Cells from donor
104-0 | Ceforanide [Susceptibility] by Minimum inhibitory concentration (MIC)
1040-5 | G Ag [Presence] on Red Blood Cells from donor
10400-0 | I Ag [Presence] on Red Blood Cells
10401-8 | Immune serum globulin given [Type]
10402-6 | Immune serum globulin given [Volume]
10403-4 | Inject immune serum globulin [Volume]
10404-2 | Inject Rh immune globulin [Volume]
10405-9 | Inject varicella zoster virus immune globulin [Volume]
10406-7 | little i Ag [Presence] on Red Blood Cells from Blood product unit
10407-5 | little i Ag [Presence] on Red Blood Cells from donor
10408-3 | little i Ag [Presence] on Red Blood Cells
10409-1 | Pentaspan given [Volume]
1041-3 | G Ag [Presence] on Red Blood Cells
10410-9 | Plasma given [Type]
10411-7 | Plasma given [Volume]
10412-5 | Platelets given [Type]
10413-3 | Rh immune globulin given [Volume]
10414-1 | Transfuse albumin [Volume]
10415-8 | Transfuse blood exchange transfusion [Volume]
10416-6 | Transfuse blood product other [Volume]
10417-4 | Transfuse cryoprecipitate [Volume]
10418-2 | Transfuse factor IX [Volume]
10419-0 | Transfuse factor VIII [Volume]
1042-1 | H Ab [Presence] in Serum or Plasma from Blood product unit
10420-8 | Transfuse immune serum globulin [Volume]
10421-6 | Transfuse Pentaspan [Volume]
10422-4 | Transfuse plasma [Volume]
10423-2 | Transfuse platelets [Volume]
10424-0 | Transfuse erythrocytes [Volume]
10425-7 | Transfuse Rh immune globulin [Volume]
10426-5 | Transfuse whole blood [Volume]
10427-3 | Transfuse whole blood autologous [Volume]
10428-1 | Varicella zoster virus immune globulin given [Volume]
10429-9 | AE 1 Ag [Presence] in Tissue by Immune stain
1043-9 | H Ab [Presence] in Serum or Plasma from donor
10430-7 | AE 3 Ag [Presence] in Tissue by Immune stain
10431-5 | B-cell Ag [Presence] in Tissue by Immune stain
10432-3 | CD30 Ag [Presence] in Tissue by Immune stain
10433-1 | BR-2 Ag [Presence] in Tissue by Immune stain
10434-9 | Complement C3 Ag [Presence] in Tissue by Immune stain
10435-6 | C5B-9 Ag [Presence] in Tissue by Immune stain
10436-4 | CD15 Ag [Presence] in Tissue by Immune stain
10437-2 | CD16 Ag [Presence] in Tissue by Immune stain
10438-0 | CD20 Ag [Presence] in Tissue by Immune stain
10439-8 | CD3 Ag [Presence] in Tissue by Immune stain
1044-7 | H Ab [Presence] in Serum
10440-6 | Deprecated CD30 Ag [Presence] in Tissue by Immune stain

10441-4 | CD34 Ag [Presence] in Tissue by Immune stain
10442-2 | CD56 Ag [Presence] in Tissue by Immune stain
10443-0 | CD43 T-cell monocyte+myeloid cell Ag [Presence] in Tissue by Immune stain
10444-8 | CD57 Ag [Presence] in Tissue by Immune stain
10445-5 | CD11c Ag [Presence] in Tissue by Immune stain
10446-3 | Leukocyte common Ag [Presence] in Tissue by Immune stain
10447-1 | M-5 Ag [Presence] in Tissue by Immune stain
10448-9 | T-cell Ag [Presence] in Tissue by Immune stain
10449-7 | Glucose [Mass/volume] in Serum or Plasma --1 hour post meal
1045-4 | H NOS Ab [Presence] in Serum or Plasma from Blood product unit
10450-5 | Glucose [Mass/volume] in Serum or Plasma --10 hours fasting
10451-3 | Proinsulin [Moles/volume] in Serum or Plasma --12 hours fasting
10452-1 | Xylose [Mass/volume] in Serum or Plasma --1 hour post 25 g xylose PO
10453-9 | Xylose [Mass/volume] in Serum or Plasma --1 hour post dose xylose PO
10454-7 | Xylose [Mass/volume] in Serum or Plasma --2 hours post 25 g xylose PO
10455-4 | Xylose [Mass/volume] in Serum or Plasma --30 minutes post 25 g xylose PO
10456-2 | Xylose [Mass/volume] in Serum or Plasma --6 hours fasting
10457-0 | Actin Ag [Presence] in Tissue by Immune stain
10458-8 | Alkaline phosphatase.placental Ag [Presence] in Tissue by Immune stain
10459-6 | Alpha-1-Fetoprotein Ag [Presence] in Tissue by Immune stain
1046-2 | H NOS Ab [Presence] in Serum or Plasma from donor
10460-4 | Lactalbumin alpha Ag [Presence] in Tissue by Immune stain
10461-2 | Alpha-1-Antichymotrypsin Ag [Presence] in Tissue by Immune stain
10462-0 | Alpha 1 antitrypsin Ag [Presence] in Tissue by Immune stain
10463-8 | Amyloid A component Ag [Presence] in Tissue by Immune stain
10464-6 | Amyloid P component Ag [Presence] in Tissue by Immune stain
10465-3 | Amyloid.prealbumin Ag [Presence] in Tissue by Immune stain
10466-1 | Anion gap 3 in Serum or Plasma
10467-9 | Beta-2-Microglobulin amyloid Ag [Presence] in Tissue by Immune stain
10468-7 | Calcitonin Ag [Presence] in Tissue by Immune stain
10469-5 | Carcinoembryonic Ag [Presence] in Tissue by Immune stain
1047-0 | H NOS Ab [Presence] in Serum or Plasma
10470-3 | Choriogonadotropin Ag [Presence] in Tissue by Immune stain
10471-1 | Chromogranin A Ag [Presence] in Tissue by Immune stain
10472-9 | Chromogranin Ag [Presence] in Tissue by Immune stain
10473-7 | Chymotrypsin Ag [Presence] in Tissue by Immune stain
10474-5 | Collagen type 4 Ag [Presence] in Tissue by Immune stain
10475-2 | Corticotropin Ag [Presence] in Tissue by Immune stain
10476-0 | Desmin Ag [Presence] in Tissue by Immune stain
10477-8 | Enolase.neuron specific Ag [Presence] in Tissue by Immune stain
10478-6 | Eosinophil major basic protein Ag [Presence] in Tissue by Immune stain
10479-4 | CD227 Ag [Presence] in Tissue by Immune stain
1048-8 | H NOS Ag [Presence] on Red Blood Cells from Blood product unit
10480-2 | Estrogen+Progesterone receptor Ag [Presence] in Tissue by Immune stain
10481-0 | Follitropin.alpha subunit Ag [Presence] in Tissue by Immune stain
10482-8 | Follitropin.beta subunit Ag [Presence] in Tissue by Immune stain
10483-6 | Gastrin Ag [Presence] in Tissue by Immune stain
10484-4 | Glial fibrillary acidic protein Ag [Presence] in Tissue by Immune stain
10485-1 | Glucagon Ag [Presence] in Tissue by Immune stain
10486-9 | Hemoglobin Ag [Presence] in Tissue by Immune stain
10487-7 | HMB-45 Ag [Presence] in Tissue by Immune stain
10488-5 | IgA Ag [Presence] in Tissue by Immune stain
10489-3 | IgA.heavy chain Ag [Presence] in Tissue by Immune stain
1049-6 | H NOS Ag [Presence] on Red Blood Cells from donor
10490-1 | IgE Ag [Presence] in Tissue by Immune stain
10491-9 | IgG Ag [Presence] in Tissue by Immune stain
10492-7 | IgG.heavy chain Ag [Presence] in Tissue by Immune stain
10493-5 | IgM Ag [Presence] in Tissue by Immune stain
10494-3 | IgM.heavy chain Ag [Presence] in Tissue by Immune stain
10495-0 | Insulin Ag [Presence] in Tissue by Immune stain
10496-8 | Immunoglobulin light chains.kappa Ag [Presence] in Tissue by Immune stain
10497-6 | Immunoglobulin light chains.kappa amyloid Ag [Presence] in Tissue by Immune stain
10498-4 | Keratin Ag [Presence] in Tissue by Immune stain
10499-2 | Immunoglobulin light chains.lambda Ag [Presence] in Tissue by Immune stain
105-7 | Ceforanide [Susceptibility] by Disk diffusion (KB)
1050-4 | H NOS Ag [Presence] on Red Blood Cells
10500-7 | Immunoglobulin light chains.lambda amyloid Ag [Presence] in Tissue by Immune stain
10501-5 | Lutropin [Units/volume] in Serum or Plasma
10502-3 | Lutropin Ag [Presence] in Tissue by Immune stain
10503-1 | Lysozyme Ag [Presence] in Tissue by Immune stain
10504-9 | Myelin basic protein Ag [Presence] in Tissue by Immune stain
10505-6 | Myoglobin Ag [Presence] in Tissue by Immune stain

10506-4 | Peanut agglutinin Ag [Presence] in Tissue by Immune stain
10507-2 | Prolactin Ag [Presence] in Tissue by Immune stain
10508-0 | Prostate specific Ag [Presence] in Tissue by Immune stain
10509-8 | Prostatic acid phosphatase Ag [Presence] in Tissue by Immune stain
1051-2 | Hemolytic disease of newborn screen [Interpretation] in Blood
10510-6 | S-100 Ag Ag [Presence] in Tissue by Immune stain
10511-4 | Serotonin Ag [Presence] in Tissue by Immune stain
10512-2 | Somatostatin Ag [Presence] in Tissue by Immune stain
10513-0 | Somatotropin Ag [Presence] in Tissue by Immune stain
10514-8 | Synaptophysin Ag [Presence] in Tissue by Immune stain
10515-5 | Thyroglobulin Ag [Presence] in Tissue by Immune stain
10516-3 | Thyrotropin Ag [Presence] in Tissue by Immune stain
10517-1 | Trypsin Ag [Presence] in Tissue by Immune stain
10518-9 | Ulex europaeus I lectin Ag [Presence] in Tissue by Immune stain
10519-7 | Vimentin Ag [Presence] in Tissue by Immune stain
1052-0 | Deprecated I (intermediate) subtype [Presence] in Serum or Plasma from Blood product unit
10520-5 | Coagulation factor VI Ag [Presence] in Tissue by Immune stain
10521-3 | Coagulation factor VIII Ag [Presence] in Tissue by Immune stain
10522-1 | Coagulation factor XIII Ag [Presence] in Tissue by Immune stain
10523-9 | Fibrinogen Ag [Presence] in Tissue by Immune stain
10524-7 | Microscopic observation [Identifier] in Cervix by Cyto stain
10525-4 | Microscopic observation [Identifier] in Unspecified specimen by Cyto stain
10526-2 | Microscopic observation [Identifier] in Sputum by Cyto stain
10527-0 | Microscopic observation [Identifier] in Tissue by Cyto stain
10528-8 | Acetophenazine [Mass/volume] in Serum or Plasma
10529-6 | Amoxapine metabolite [Mass/volume] in Serum or Plasma
1053-8 | Deprecated I (intermediate) subtype [Presence] in serum or plasma from donor
10530-4 | Aprobarbital [Mass/volume] in Serum or Plasma
10531-2 | Bretylium [Mass/volume] in Serum or Plasma
10532-0 | Deprecated Desethylamiodarone [Mass/volume] in Serum or Plasma
10533-8 | Propoxyphene+Acetaminophen [Mass/volume] in Serum or Plasma
10534-6 | Diazoxide [Mass/volume] in Serum or Plasma
10535-3 | Digoxin [Mass/volume] in Serum or Plasma
10536-1 | Dipyridamole [Mass/volume] in Serum or Plasma
10537-9 | Deprecated Doxepin+Nordoxepin [Mass/volume] in Serum or Plasma
10538-7 | Deprecated Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
10539-5 | Glipizide [Mass/volume] in Serum or Plasma
1054-6 | Deprecated I (intermediate) subtype [Presence] in srum
10540-3 | Glyburide [Mass/volume] in Serum or Plasma
10541-1 | Mepivacaine [Mass/volume] in Serum or Plasma
10542-9 | Metharbital [Mass/volume] in Serum or Plasma
10543-7 | Methsuximide+Normethsuximide [Mass/volume] in Serum or Plasma
10544-5 | Normeperidine [Presence] in Serum or Plasma
10545-2 | Normephenytoin [Mass/volume] in Serum or Plasma
10546-0 | Normethsuximide [Mass/volume] in Serum or Plasma
10547-8 | Primidone+Phenobarbital [Mass/volume] in Serum or Plasma
10548-6 | Phenytoin Free/Phenytoin.total in Serum or Plasma
10549-4 | Pirmenol [Mass/volume] in Serum or Plasma
1055-3 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from Blood product unit
10550-2 | Deprecated Temazepam [Mass/volume] in Serum or Plasma
10551-0 | Triamterene [Mass/volume] in Serum or Plasma
10552-8 | Tricyclic antidepressants [Mass/volume] in Serum or Plasma
10553-6 | Prostatic acid phosphatase [Enzymatic activity/volume] in Genital fluid
10554-4 | Deprecated Prostatic acid phosphatase [Enzymatic activity/volume] in Seminal plasma
10555-1 | Acrosin [Entitic Catalytic Activity] in Spermatozoa
10556-9 | Deprecated Adenosine triphosphatase [Enzymatic activity/volume] in Seminal plasma
10557-7 | Adenosine triphosphate [Moles/volume] in Semen
10558-5 | Albumin [Moles/volume] in Semen
10559-3 | Deprecated Calcium [Molecules/volume] in Semen
1056-1 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from donor
10560-1 | Carcinoembryonic Ag [Units/volume] in Semen
10561-9 | Carnitine [Moles/volume] in Semen
10562-7 | Cells [#/volume] in Cervical mucus
10563-5 | Cells other than spermatozoa [#/volume] in Semen
10564-3 | Cervical mucus [Volume]
10565-0 | Choriogonadotropin [Units/volume] in Semen
10566-8 | Deprecated Choriogonadotropin [Molecules/volume] in Semen
10567-6 | Citrate [Moles/volume] in Semen
10568-4 | Clarity of Semen
10569-2 | Color of Semen
1057-9 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells
10570-0 | Consistency of Cervical mucus

10571-8 | Deprecated Consistency of Semen
10572-6 | Deprecated Duration^post ejaculation
10573-4 | Ferning [Type] in Cervical mucus
10574-2 | Fructose [Moles/volume] in Semen
10575-9 | Deprecated Gamma glutamyl transferase [Enzymatic activity/volume] in Semen
10576-7 | Germ cells.immature [#/volume] in Semen
10577-5 | Glucosidase [Enzymatic activity/volume] in Seminal plasma
10578-3 | Glycerophosphocholine [Moles/volume] in Seminal plasma
10579-1 | Leukocytes [#/volume] in Semen
1058-7 | I Ab [Presence] in Serum or Plasma from Blood product unit
10580-9 | Liquefaction [Time] in Semen
10581-7 | Deprecated Number of entities [#] in Spermatozoa
10582-5 | pH of Cervical mucus
10583-3 | Prostaglandin F1 alpha [Moles/volume] in Semen
10584-1 | Deprecated Protein [Mass/volume] in Semen
10585-8 | Round cells [#/volume] in Semen
10586-6 | Deprecated Volume of Semen
10587-4 | Sexual abstinence duration
10588-2 | Spermatogonia [#/volume] in Semen
10589-0 | Spermatids [#/volume] in Semen by Streptoavidin-biotin method (SAB)
1059-5 | I Ab [Presence] in Serum or Plasma from donor
10590-8 | Spermatids [#/volume] in Semen by Sertoli cell barrier method (SCB)
10591-6 | Primary Spermatocytes [#/volume] in Semen
10592-4 | Secondary Spermatocytes [#/volume] in Semen
10593-2 | Spermatozoa Pyriform Head/100 spermatozoa in Semen
10594-0 | Spermatozoa Tapering Head/100 spermatozoa in Semen
10595-7 | Deprecated Spermatozoa [#/volume] in Semen
10596-5 | Deprecated Spermatozoa Ab in cervical mucosa
10597-3 | Deprecated Spermatozoa Ab in semen
10598-1 | Deprecated Spermatozoa Ab in serum
10599-9 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa by Kremer test
106-5 | Ceforanide [Susceptibility] by Serum bactericidal titer
1060-3 | I Ab [Presence] in Serum or Plasma
10600-5 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa
10601-3 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa --post coitus
10602-1 | Spermatozoa Abnormal Head/100 spermatozoa in Semen
10603-9 | Spermatozoa Abnormal Midpiece/100 spermatozoa in Semen
10604-7 | Spermatozoa Abnormal Tail/100 spermatozoa in Semen
10605-4 | Spermatozoa Agglutinated/100 spermatozoa in Semen
10606-2 | Spermatozoa Amorphous Head/100 spermatozoa in Semen
10607-0 | Spermatozoa Coiled Tail/100 spermatozoa in Semen
10608-8 | Spermatozoa Cytoplasmic Droplet/100 spermatozoa in Semen
10609-6 | Spermatozoa Duplicate Head/100 spermatozoa in Semen
1061-1 | I NOS Ab [Presence] in Serum or Plasma from Blood product unit
10610-4 | Spermatozoa Duplicate Tail/100 spermatozoa in Semen
10611-2 | Spermatozoa Immotile/100 spermatozoa in Semen
10612-0 | Spermatozoa Large Oval Head/100 spermatozoa in Semen
10613-8 | Spermatozoa Viable/100 spermatozoa in Semen
10614-6 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Immunobead
10615-3 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Mixed antiglobulin reaction
10616-1 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Immunobead
10617-9 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Mixed antiglobulin reaction
10618-7 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Immunobead
10619-5 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Mixed antiglobulin reaction
1062-9 | I NOS Ab [Presence] in Serum or Plasma from donor
10620-3 | Spermatozoa Nonprogressive/100 spermatozoa in Semen
10621-1 | Spermatozoa Normal Head/100 spermatozoa in Semen
10622-9 | Spermatozoa Normal/100 spermatozoa in Semen
10623-7 | Spermatozoa Pin Head/100 spermatozoa in Semen
10624-5 | Spermatozoa Rapid/100 spermatozoa in Semen
10625-2 | Spermatozoa Round Head/100 spermatozoa in Semen
10626-0 | Spermatozoa Slow/100 spermatozoa in Semen
10627-8 | Spermatozoa Small Oval Head/100 spermatozoa in Semen
10628-6 | Spermatozoa Tail Swelling/100 spermatozoa in Semen
10629-4 | Spermatozoa Vacuolated Head/100 spermatozoa in Semen
1063-7 | I NOS Ab [Presence] in Serum or Plasma
10630-2 | Spinnbarkeit [Length] in Cervical mucus
10631-0 | Testosterone [Moles/volume] in Semen
10632-8 | Time until next menstrual period
10633-6 | Zinc [Moles/volume] in Semen
10634-4 | Complement C1 esterase inhibitor.functional/Complement C1 esterase inhibitor.total in Serum or Plasma
10635-1 | Acanthamoeba sp identified in Eye by Organism specific culture

10636-9 | Acanthamoeba sp identified in Eye by Wet preparation
10637-7 | Microscopic observation [Identifier] in Tissue by Night blue stain
10638-5 | Thermophilic Actinomycetes colony count [#/volume] in Unspecified specimen by Organism specific culture
10639-3 | Thermophilic Actinomycetes identified in Unspecified specimen by Organism specific culture
1064-5 | I NOS Ag [Presence] on Red Blood Cells from Blood product unit
10640-1 | Deprecated Adenovirus 40+41 [Identifier] in Stool by Electron microscopy
10641-9 | Amoeba identified in Aspirate by Immune stain
10642-7 | Amoeba identified in Aspirate by Wet preparation
10643-5 | Amoeba identified in Stool by Organism specific culture
10644-3 | Arthropod identified in Unspecified specimen
10645-0 | Aspergillus fumigatus Ag [Presence] in Tissue by Immunofluorescence
10646-8 | Astrovirus [Identifier] in Stool by Electron microscopy
10647-6 | Babesia sp identified in Blood by Thick film
10648-4 | Babesia sp identified in Blood by Thin film
10649-2 | Calicivirus [Identifier] in Stool by Electron microscopy
1065-2 | I NOS Ag [Presence] on Red Blood Cells from donor
10650-0 | Candida sp DNA [Presence] in Blood by Probe with amplification
10651-8 | Chlamydophila pneumoniae Ag [Presence] in Sputum or Bronchial
10652-6 | Chlamydophila pneumoniae DNA [Presence] in Sputum or Bronchial by Probe with amplification
10653-4 | Clotrimazole [Susceptibility] by Minimum inhibitory concentration (MIC)
10654-2 | Clotrimazole [Susceptibility] by Minimum lethal concentration (MLC)
10655-9 | Coccidia identified in Duodenal fluid by Acid fast stain
10656-7 | Coccidia identified in Stool by Acid fast stain
10657-5 | Deprecated Cryptococcus neoformans Ag [Presence] in Tissue by Immunofluorescence
10658-3 | Cyanobacterium identified in Water by Light microscopy
10659-1 | Cyclospora sp identified in Stool by Acid fast stain
1066-0 | I NOS Ag [Presence] on Red Blood Cells
10660-9 | Cytomegalovirus Ag [Presence] in Tissue by Immune stain
10661-7 | Dinoflagellate identified in Water by Light microscopy
10662-5 | Filaria identified in Blood by Concentration
10663-3 | Filaria identified in Blood by Thick film
10664-1 | Filaria identified in Blood by Thin film
10665-8 | Fungus colony count [#/volume] in Unspecified specimen by Environmental culture
10666-6 | Fungus identified in Tissue by Fontana-Masson stain
10667-4 | Fungus identified in Unspecified specimen by Animal inoculation
10668-2 | Fungus identified in Unspecified specimen by Environmental culture
10669-0 | Fungus identified in Unspecified specimen by Sticky tape for environmental fungus
1067-8 | Jk sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10670-8 | Giardia lamblia [Presence] in Stool by Organism specific culture
10671-6 | Helminth identified in Unspecified specimen
10672-4 | Helminth+Arthropod identified in Unspecified specimen
10673-2 | Hepatitis B virus core Ag [Presence] in Tissue by Immune stain
10674-0 | Hepatitis B virus surface Ag [Presence] in Tissue by Immune stain
10675-7 | Hepatitis B virus surface Ag [Presence] in Tissue by Orcein stain
10676-5 | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10677-3 | Herpes simplex virus 1 Ag [Presence] in Tissue by Immune stain
10678-1 | Herpes simplex virus 1+2 Ag [Presence] in Tissue by Immune stain
10679-9 | Herpes simplex virus 2 Ag [Presence] in Tissue by Immune stain
1068-6 | Jk sup(a) Ab [Presence] in Serum or Plasma from donor
10680-7 | Herpes simplex virus identified in Cerebral spinal fluid by Electron microscopy
10681-5 | Herpes simplex virus identified in Tissue by Electron microscopy
10682-3 | Deprecated HIV 1 RNA [Units/volume] in Serum or Plasma by Probe with amplification
10683-1 | Hydatid cyst identified in Aspirate by Immune stain
10684-9 | Hydatid cyst identified in Liver by Wet preparation
10685-6 | Hydatid cyst identified in Lung tissue by Wet preparation
10686-4 | Leishmania sp identified in Tissue by Giemsa stain
10687-2 | Leishmania sp identified in Tissue by Organism specific culture
10688-0 | Microscopic observation [Identifier] in Hair by KOH preparation
10689-8 | Microscopic observation [Identifier] in Nail by KOH preparation
1069-4 | Jk sup(a) Ab [Presence] in Serum or Plasma
10690-6 | Microsporidia identified in Duodenal fluid by Trichrome stain modified
10691-4 | Mushroom.toxic identified by Inspection
10692-2 | Mushroom.toxic identified in Food by Light microscopy
10693-0 | Mushroom.toxic identified in Vomitus by Light microscopy
10694-8 | Naegleria sp identified in Tissue by Organism specific culture
10695-5 | Naegleria sp identified in Tissue by Wet preparation
10696-3 | Norovirus [Identifier] in Stool by Electron microscopy
10697-1 | Nystatin [Susceptibility] by Minimum inhibitory concentration (MIC)
10698-9 | Nystatin [Susceptibility] by Minimum lethal concentration (MLC)
10699-7 | Onchocerca sp identified in Tissue by Wet preparation
107-3 | Cefotaxime [Susceptibility] by Minimum lethal concentration (MLC)
1070-2 | Jk sup(a) Ag [Presence] on Red Blood Cells from Blood product unit

10700-3 | Orthopoxvirus [Identifier] in Skin by Electron microscopy
10701-1 | Ova and parasites identified in Stool by Concentration
10702-9 | Ova and parasites identified in Stool by Immune stain
10703-7 | Ova and parasites identified in Stool by Kinyoun iron hematoxylin stain
10704-5 | Ova and parasites identified in Stool by Light microscopy
10705-2 | Human papilloma virus Ag [Presence] in Tissue by Immune stain
10706-0 | Picornavirus [Identifier] in Stool by Electron microscopy
10707-8 | Toxic Plant identified in plant specimen by Inspection
10708-6 | Toxic Plant identified in Vomitus by Light microscopy
10709-4 | Plasmodium falciparum Ag [Units/volume] in Blood by Immunofluorescence
1071-0 | Jk sup(a) Ag [Presence] on Red Blood Cells from donor
10710-2 | Plasmodium sp identified in Blood by Thin film
10711-0 | Plasmodium vivax Ag [Units/volume] in Blood by Immunofluorescence
10712-8 | Pneumocystis sp identified in Lung tissue
10713-6 | Prototheca identified in Unspecified specimen by Culture
10714-4 | Deprecated Rotavirus [Identifier] in Stool by Electron microscopy
10715-1 | Schistosoma sp identified in Urine sediment by Light microscopy
10716-9 | Schistosoma sp identified in Unspecified specimen by Organism specific culture
10717-7 | Streptococcus pneumoniae Ab [Units/volume] in Serum by Latex agglutination
10718-5 | Strongyloides sp Ab [Units/volume] in Serum by Immunoassay
10719-3 | Taenia solium adult Ab [Units/volume] in Serum by Immunoblot (IB)
1072-8 | Jk sup(a) Ag [Presence] on Red Blood Cells
10720-1 | Terbinafine [Susceptibility] by Minimum inhibitory concentration (MIC)
10721-9 | Terbinafine [Susceptibility] by Minimum lethal concentration (MLC)
10722-7 | Torovirus [Identifier] in Stool by Electron microscopy
10723-5 | Toxoplasma gondii IgA Ab [Units/volume] in Serum by Immunoassay
10724-3 | Toxoplasma gondii IgE Ab [Units/volume] in Serum by Immunoassay
10725-0 | Toxoplasma gondii DNA [Units/volume] in Body fluid by Probe with amplification
10726-8 | Toxoplasma gondii [Presence] in Tissue by Giemsa stain
10727-6 | Toxoplasma gondii identified in Tissue
10728-4 | Trichomonas sp identified in Genital specimen by Organism specific culture
10729-2 | Trypanosoma sp identified in Blood by Light microscopy
1073-6 | Jk sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10730-0 | Trypanosoma sp identified in Blood by Organism specific culture
10731-8 | Trypanosoma sp identified in Blood by Thick film
10732-6 | Trypanosoma sp identified in Blood by Thin film
10733-4 | Trypanosoma sp identified in Blood by Wet preparation
10734-2 | Varicella zoster virus identified in Skin by Electron microscopy
10735-9 | Viral sequencing [Identifier] in Serum by Sequencing
10736-7 | Virus identified in Cerebral spinal fluid by Electron microscopy
10737-5 | Virus identified in Stool by Electron microscopy
10738-3 | Virus identified in Tissue by Electron microscopy
10739-1 | Virus identified in Unspecified specimen by Electron microscopy
1074-4 | Jk sup(b) Ab [Presence] in Serum or Plasma from donor
10740-9 | Aluminum.microscopic observation [Identifier] in Bone by Histomorphometry stain
10741-7 | Amyloid.microscopic observation [Identifier] in Brain by Thioflavine-S stain
10742-5 | Amyloid.microscopic observation [Identifier] in Tissue by Bennhold stain.Putchler modified
10743-3 | Amyloid.microscopic observation [Identifier] in Tissue by Highman stain
10744-1 | Amyloid.microscopic observation [Identifier] in Tissue by Vassar-culling stain
10745-8 | Bile.microscopic observation [Identifier] in Tissue by Fouchet stain
10746-6 | Calcium.microscopic observation [Identifier] in Tissue by Von Kossa stain
10747-4 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Lawson-Van Gieson stain
10748-2 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Verhoeff-Van Gieson stain
10749-0 | Collagen fibers.microscopic observation [Identifier] in Tissue by Van Gieson stain
1075-1 | Jk sup(b) Ab [Presence] in Serum or Plasma
10750-8 | Connective tissue.microscopic observation [Identifier] in Tissue by Trichrome stain.Masson
10751-6 | Copper.microscopic observation [Identifier] in Tissue by Rhodamine stain
10752-4 | Fat.microscopic observation [Identifier] in Milk by Sudan IV stain
10753-2 | Fat.microscopic observation [Identifier] in Stool by Sudan IV stain
10754-0 | Fat.microscopic observation [Identifier] in Tissue by Sudan IV stain
10755-7 | Fungus.microscopic observation [Identifier] in Tissue by Methenamine silver stain.Grocott
10756-5 | Glial fibers.microscopic observation [Identifier] in Tissue by Holzer stain
10757-3 | Hematologic+Nuclear elements.microscopic observation [Identifier] in Tissue by Giemsa stain.May-Grunwald
10758-1 | Iron.microscopic observation [Identifier] in Bone by Histomorphometry stain
10759-9 | Iron.microscopic observation [Identifier] in Sputum by Gomori stain
1076-9 | Jk sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10760-7 | Iron.microscopic observation [Identifier] in Tissue by Gomori stain
10761-5 | Iron.microscopic observation [Identifier] in Tissue by Other stain
10762-3 | Microscopic observation [Identifier] in Blood by Hemosiderin stain
10763-1 | Microscopic observation [Identifier] in Body fluid by Sudan black stain
10764-9 | Microscopic observation [Identifier] in Sputum by Silver stain
10765-6 | Microscopic observation [Identifier] in Tissue by Acetate esterase stain

10766-4 | Microscopic observation [Identifier] in Tissue by Alcian blue stain
10767-2 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.sulfated
10768-0 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.with periodic acid-Schiff
10769-8 | Microscopic observation [Identifier] in Tissue by Alizarin red S stain
1077-7 | Jk sup(b) Ag [Presence] on Red Blood Cells from donor
10770-6 | Microscopic observation [Identifier] in Tissue by Argentaffin stain
10771-4 | Deprecated Microscopic observation [Identifier] in Tissue by Rhodamine-auramine fluorochrome stain
10772-2 | Microscopic observation [Identifier] in Tissue by Azure-eosin stain
10773-0 | Microscopic observation [Identifier] in Tissue by Basic fuchsin stain
10774-8 | Microscopic observation [Identifier] in Tissue by Bielschowsky stain
10775-5 | Microscopic observation [Identifier] in Tissue by Bleach stain
10776-3 | Microscopic observation [Identifier] in Tissue by Bodian stain
10777-1 | Microscopic observation [Identifier] in Tissue by Brown and Brenn stain
10778-9 | Microscopic observation [Identifier] in Tissue by Butyrate esterase stain
10779-7 | Microscopic observation [Identifier] in Tissue by Carmine stain.Best
1078-5 | Jk sup(b) Ag [Presence] on Red Blood Cells
10780-5 | Microscopic observation [Identifier] in Tissue by Chloracetate esterase stain
10781-3 | Microscopic observation [Identifier] in Tissue by Churukian-Schenk stain
10782-1 | Microscopic observation [Identifier] in Tissue by Congo red stain
10783-9 | Microscopic observation [Identifier] in Tissue by Crystal violet stain
10784-7 | Microscopic observation [Identifier] in Tissue by Esterase stain.non-specific
10785-4 | Microscopic observation [Identifier] in Tissue by Fite-Faraco stain
10786-2 | Microscopic observation [Identifier] in Tissue by Giemsa stain.3 micron
10787-0 | Microscopic observation [Identifier] in Tissue by Gridley stain
10788-8 | Microscopic observation [Identifier] in Tissue by Hansel stain
10789-6 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Harris regressive stain
1079-3 | Js sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10790-4 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Mayers progressive stain
10791-2 | Microscopic observation [Identifier] in Tissue by Mallory-Heidenhain stain
10792-0 | Microscopic observation [Identifier] in Tissue by Methenamine silver stain.Jones
10793-8 | Microscopic observation [Identifier] in Tissue by Methyl green stain
10794-6 | Microscopic observation [Identifier] in Tissue by Methyl green-pyronine Y stain
10795-3 | Microscopic observation [Identifier] in Tissue by Methyl violet stain
10796-1 | Microscopic observation [Identifier] in Tissue by Mucicarmine stain
10797-9 | Microscopic observation [Identifier] in Tissue by Neutral red stain
10798-7 | Microscopic observation [Identifier] in Tissue by Oil red O stain
10799-5 | Microscopic observation [Identifier] in Tissue by Pentachrome stain.Movat
108-1 | Cefotaxime [Susceptibility] by Minimum inhibitory concentration (MIC)
1080-1 | Js sup(a) Ab [Presence] in Serum or Plasma from donor
10800-1 | Microscopic observation [Identifier] in Tissue by Periodic acid-Schiff stain with diatase digestion
10801-9 | Microscopic observation [Identifier] in Tissue by Phosphotungstic acid Hematoxylin (PTAH) Stain
10802-7 | Microscopic observation [Identifier] in Tissue by Prussian blue stain
10803-5 | Microscopic observation [Identifier] in Tissue by Quinacrine fluorescent stain
10804-3 | Microscopic observation [Identifier] in Tissue by Reticulin stain
10805-0 | Microscopic observation [Identifier] in Tissue by Safranin stain
10806-8 | Microscopic observation [Identifier] in Tissue by Schmorl stain
10807-6 | Microscopic observation [Identifier] in Tissue by Sevier-Munger stain
10808-4 | Microscopic observation [Identifier] in Tissue by Silver impregnation stain.Dieterle
10809-2 | Microscopic observation [Identifier] in Tissue by Silver nitrate stain
1081-9 | Js sup(a) Ab [Presence] in Serum or Plasma
10810-0 | Microscopic observation [Identifier] in Tissue by Silver stain.Fontana-Masson
10811-8 | Microscopic observation [Identifier] in Tissue by Silver stain.Grimelius
10812-6 | Microscopic observation [Identifier] in Tissue by Steiner stain
10813-4 | Microscopic observation [Identifier] in Tissue by Sudan black stain
10814-2 | Microscopic observation [Identifier] in Tissue by Supravital stain
10815-9 | Microscopic observation [Identifier] in Tissue by Tetrachrome stain
10816-7 | Deprecated Microscopic observation [Identifier] in Tissue by Toluidine blue O stain
10817-5 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Gomori-Wheatley
10818-3 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Masson modified
10819-1 | Microscopic observation [Identifier] in Tissue by Wade stain
1082-7 | Js sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10820-9 | Deprecated Microscopic observation [Identifier] in Tissue by Warthin-Starry stain
10821-7 | Deprecated Microscopic observation [Identifier] in Tissue by Wright Giemsa stain
10822-5 | Mucin.microscopic observation [Identifier] in Tissue by Mucicarmine stain.Mayer
10823-3 | Mucopolysaccharides.microscopic observation [Identifier] in Tissue by Colloidal ferric oxide stain.Hale
10824-1 | Myelin+Myelin breakdown products.microscopic observation [Identifier] in Tissue by Luxol fast blue/Periodic acid-Schiff stain
10825-8 | Myelin+Nerve cells.microscopic observation [Identifier] in Tissue by Luxol fast blue/Cresyl violet stain
10826-6 | Nissel.microscopic observation [Identifier] in Tissue by Cresyl echt violet stain
10827-4 | Reticulum.microscopic observation [Identifier] in Tissue by Gomori stain
10828-2 | Urate crystals.microscopic observation [type] in Tissue by De Galantha stain
10829-0 | Silicon [Mass/volume] in Serum or Plasma
1083-5 | Js sup(a) Ag [Presence] on Red Blood Cells from donor

10830-8 | Deprecated Surgical operation note complications
10831-6 | Surgical operation note complications [Interpretation]
10832-4 | Glucose [Mass/volume] in Serum or Plasma --15 minutes post 50 g lactose PO
10833-2 | Insulin [Mass/volume] in Serum or Plasma --7 hours post 75 g glucose PO
10834-0 | Globulin [Mass/volume] in Serum by calculation
10835-7 | Lipoprotein a [Mass/volume] in Serum or Plasma
10836-5 | Niacin [Mass/volume] in Blood
10837-3 | Organic acids [Presence] in Serum or Plasma
10838-1 | Phosphoserine [Mass/volume] in Serum or Plasma
10839-9 | Troponin I.cardiac [Mass/volume] in Serum or Plasma
1084-3 | Js sup(a) Ag [Presence] on Red Blood Cells
10840-7 | Atropine [Mass/volume] in Urine
10841-5 | Methazolamide [Mass/volume] in Serum or Plasma
10842-3 | Deprecated HLA-DQ1 [Presence]
10843-1 | Deprecated HLA-DQ2 [Presence]
10844-9 | Deprecated HLA-DQ3 [Presence]
10845-6 | Deprecated HLA-DQ4 [Presence]
10846-4 | Borrelia burgdorferi DNA [Presence] in Blood by Probe with amplification
10847-2 | Borrelia burgdorferi DNA [Presence] in Body fluid by Probe with amplification
10848-0 | Chlamydia sp IgG Ab [Titer] in Serum by Immunofluorescence
10849-8 | Chlamydia sp IgM Ab [Titer] in Serum by Immunofluorescence
1085-0 | Js sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10850-6 | Cyclospora cayetanensis [Presence] in Unspecified specimen
10851-4 | Escherichia coli O157:H7 [Presence] in Stool by Organism specific culture
10852-2 | Deprecated Fungus identified in Blood by Culture
10853-0 | Isospora belli [Presence] in Unspecified specimen by Acid fast stain.Kinyoun modified
10854-8 | Deprecated Midrofilaria identified in Blood by Concentration
10855-5 | Ova and parasites identified in Duodenal fluid or Gastric fluid by Light microscopy
10856-3 | Microscopic observation [Identifier] in Genital mucus by Gram stain
10857-1 | Microsporidia identified in Unspecified specimen by Light microscopy
10858-9 | Teichoate Ab [Presence] in Serum
10859-7 | Trypanosoma sp [Identifier] in Blood by Acridine Orange + Giemsa Stain
1086-8 | Js sup(b) Ab [Presence] in Serum or Plasma from donor
10860-5 | Varicella zoster virus [Presence] in Unspecified specimen by Organism specific culture
10861-3 | Progesterone receptor [Mass/mass] in Tissue
10862-1 | Basement membrane Ab [Titer] in Serum
10863-9 | Endomysium IgA Ab [Titer] in Serum
10864-7 | Immune complex [Units/volume] in Serum or Plasma by Raji cell assay
10865-4 | Intercellular substance Ab [Presence] in Serum
10866-2 | Sulfatide IgG Ab [Titer] in Serum
10867-0 | Sulfatide IgM Ab [Titer] in Serum
10868-8 | Bacitracin [Susceptibility] by Disk diffusion (KB)
10869-6 | Xylose [Mass/volume] in Blood --3 hours post 25 g xylose PO
1087-6 | Js sup(b) Ab [Presence] in Serum or Plasma
10870-4 | Xylose [Mass/volume] in Blood --4 hours post 25 g xylose PO
10871-2 | Xylose [Mass/volume] in Blood --5 hours post 25 g xylose PO
10872-0 | Xylose [Mass/volume] in Blood --baseline
10873-8 | Beta-2-Microglobulin [Mass/time] in 24 hour Urine
10874-6 | Bombesin [Mass/volume] in Plasma
10875-3 | Carnitine esters [Mass/volume] in Urine
10876-1 | Carnitine esters [Mass/volume] in Serum or Plasma
10877-9 | Carnitine free (C0) [Mass/volume] in Urine
10878-7 | Iodine.protein bound [Mass/volume] in Serum or Plasma
10879-5 | Isovalerylglycine [Mass/volume] in Urine
1088-4 | Js sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10880-3 | Magnesium [Mass/mass] in Stool
10881-1 | Pentacarboxylporphyrins [Mass/volume] in Red Blood Cells
10882-9 | Pentacarboxylporphyrins [Mass/volume] in Serum or Plasma
10883-7 | Phenolphthalein [Mass/mass] in Stool
10884-5 | Phosphate [Mass/mass] in Stool
10885-2 | Porphyrins [Mass/time] in 24 hour Urine
10886-0 | Prostate Specific Ag Free [Mass/volume] in Serum or Plasma
10887-8 | Pyridinoline [Mass/time] in 24 hour Urine
10888-6 | Lipase [Enzymatic activity/volume] in Urine
10889-4 | Bisacodyl [Mass/mass] in Stool
1089-2 | Js sup(b) Ag [Presence] on Red Blood Cells from donor
10890-2 | Deprecated Normethsuximide [Mass/volume] in Serum or Plasma
10891-0 | Oxyphenisatin [Mass/mass] in Stool
10892-8 | Pentoxifylline [Mass/volume] in Serum or Plasma
10893-6 | Trenbolone [Mass/volume] in Urine
10894-4 | Aspergillus niger Ab [Presence] in Serum by Immune diffusion (ID)
10895-1 | Clostridium difficile toxin B [Presence] in Stool

10896-9 | Eastern equine encephalitis virus IgG Ab [Titer] in Serum by Immunofluorescence
10897-7 | Eastern equine encephalitis virus IgG Ab [Titer] in Cerebral spinal fluid by Immunofluorescence
10898-5 | Eastern equine encephalitis virus IgM Ab [Titer] in Serum by Immunofluorescence

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.384 Value Set http://hl7.org/fhir/ValueSet/referencerange-meaning

URL: https://hl7.org/fhir/STU3/valueset-referencerange-meaning.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 5 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/referencerange-meaning
Name: | Observation Reference Range Meaning Codes
Definition: | This value set defines a set of codes that can be used to indicate the meaning/use of a reference range for a particular target population.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.384 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Observation Reference Range Meaning Codes
* Observation.referenceRange.type (Extensible)
* StructureDefinition DeviceMetricObservation: Observation.referenceRange.type ((Extensible))
* StructureDefinition Observation-Genetics: Observation.referenceRange.type ((Extensible))
* StructureDefinition VitalSigns: Observation.referenceRange.type ((Extensible))
* StructureDefinition BodyWeight: Observation.referenceRange.type ((Extensible))
* StructureDefinition RespRate: Observation.referenceRange.type ((Extensible))
* StructureDefinition HeartRate: Observation.referenceRange.type ((Extensible))
* StructureDefinition BodyTemp: Observation.referenceRange.type ((Extensible))
* StructureDefinition BodyHeight: Observation.referenceRange.type ((Extensible))
* StructureDefinition BodyLength: Observation.referenceRange.type ((Extensible))
* StructureDefinition HeadCircum: Observation.referenceRange.type ((Extensible))
* StructureDefinition OxygenSat: Observation.referenceRange.type ((Extensible))
* StructureDefinition BMI: Observation.referenceRange.type ((Extensible))
* StructureDefinition BP: Observation.referenceRange.type ((Extensible))
* StructureDefinition VitalsPanel: Observation.referenceRange.type ((Extensible))
* StructureDefinition Cholesterol: Observation.referenceRange.type ((Extensible))
* StructureDefinition Triglyceride: Observation.referenceRange.type ((Extensible))
* StructureDefinition HDLCholesterol: Observation.referenceRange.type ((Extensible))
* StructureDefinition LDLCholesterol: Observation.referenceRange.type ((Extensible))

4.3.1.384.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/referencerange-meaning

4.3.1.384.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 13 concepts

Expansion based on http://hl7.org/fhir/referencerange-meaning version 3.0.2

All codes from system http://hl7.org/fhir/referencerange-meaning

Code | Display | Definition
type | Type | General types of reference range.
normal | Normal Range | Based on 95th percentile for the relevant control population.
recommended | Recommended Range | The range that is recommended by a relevant professional body.
treatment | Treatment Range | The range at which treatment would/should be considered.
therapeutic | Therapeutic Desired Level | The optimal range for best therapeutic outcomes.
pre | Pre Therapeutic Desired Level | The optimal range for best therapeutic outcomes for a specimen taken immediately before administration.
post | Post Therapeutic Desired Level | The optimal range for best therapeutic outcomes for a specimen taken immediately after administration.
endocrine | Endocrine | Endocrine related states that change the expected value.
pre-puberty | Pre-Puberty | An expected range in an individual prior to puberty.
follicular | Follicular Stage | An expected range in an individual during the follicular stage of the cycle.
midcycle | MidCycle | An expected range in an individual during the follicular stage of the cycle.
luteal | Luteal | An expected range in an individual during the luteal stage of the cycle.
postmeopausal | Post-Menopause | An expected range in an individual post-menopause.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.386 Value Set http://hl7.org/fhir/ValueSet/observation-interpretation

URL: https://hl7.org/fhir/STU3/valueset-observation-interpretation.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 5 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-interpretation
Name: | Observation Interpretation Codes
Definition: | This value set defines the set of codes that can be used to indicate the meaning/use of a reference range.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.386 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Observation.interpretation (Extensible)
* Observation.component.interpretation (Extensible)
* StructureDefinition DeviceMetricObservation: Observation.interpretation ((Extensible))
* StructureDefinition DeviceMetricObservation: Observation.component.interpretation ((Extensible))
* StructureDefinition Observation-Genetics: Observation.interpretation ((Extensible))
* StructureDefinition Observation-Genetics: Observation.component.interpretation ((Extensible))
* StructureDefinition VitalSigns: Observation.interpretation ((Extensible))
* StructureDefinition VitalSigns: Observation.component.interpretation ((Extensible))
* StructureDefinition BodyWeight: Observation.interpretation ((Extensible))
* StructureDefinition BodyWeight: Observation.component.interpretation ((Extensible))
* StructureDefinition RespRate: Observation.interpretation ((Extensible))
* StructureDefinition RespRate: Observation.component.interpretation ((Extensible))
* StructureDefinition HeartRate: Observation.interpretation ((Extensible))
* StructureDefinition HeartRate: Observation.component.interpretation ((Extensible))
* StructureDefinition BodyTemp: Observation.interpretation ((Extensible))
* StructureDefinition BodyTemp: Observation.component.interpretation ((Extensible))
* StructureDefinition BodyHeight: Observation.interpretation ((Extensible))
* StructureDefinition BodyHeight: Observation.component.interpretation ((Extensible))
* StructureDefinition BodyLength: Observation.interpretation ((Extensible))
* StructureDefinition BodyLength: Observation.component.interpretation ((Extensible))
* StructureDefinition HeadCircum: Observation.interpretation ((Extensible))

* StructureDefinition HeadCircum: Observation.component.interpretation ((Extensible))
* StructureDefinition OxygenSat: Observation.interpretation ((Extensible))
* StructureDefinition OxygenSat: Observation.component.interpretation ((Extensible))
* StructureDefinition BMI: Observation.interpretation ((Extensible))
* StructureDefinition BMI: Observation.component.interpretation ((Extensible))
* StructureDefinition BP: Observation.interpretation ((Extensible))
* StructureDefinition BP: Observation.component.interpretation ((Extensible))
* StructureDefinition BP: Observation.component.interpretation ((Extensible))
* StructureDefinition VitalsPanel: Observation.interpretation ((Extensible))
* StructureDefinition VitalsPanel: Observation.component.interpretation ((Extensible))
* StructureDefinition Cholesterol: Observation.interpretation ((Extensible))
* StructureDefinition Cholesterol: Observation.component.interpretation ((Extensible))
* StructureDefinition Triglyceride: Observation.interpretation ((Extensible))
* StructureDefinition Triglyceride: Observation.component.interpretation ((Extensible))
* StructureDefinition HDLCholesterol: Observation.interpretation ((Extensible))
* StructureDefinition HDLCholesterol: Observation.component.interpretation ((Extensible))
* StructureDefinition LDLCholesterol: Observation.interpretation ((Extensible))
* StructureDefinition LDLCholesterol: Observation.component.interpretation ((Extensible))

4.3.1.386.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/v2/0078

4.3.1.386.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 39 concepts

Expansion based on http://hl7.org/fhir/v2/0078 version 2.8.2

All codes from system http://hl7.org/fhir/v2/0078

Code	Display	Definition
<	Off scale low	
>	Off scale high	
A	Abnormal	
AA	Critically abnormal	
AC	Anti-complementary substances present	
B	Better	
D	Significant change down	
DET	Detected	
H	High	
HH	Critically high	
HM	Hold for Medical Review	
HU	Very high	
I	Intermediate	
IE	Insufficient evidence	
IND	Indeterminate	
L	Low	
LL	Critically low	
LU	Very low	
MS	Moderately susceptible. Indicates for microbiology susceptibilities only.	
N	Normal	
ND	Not Detected	
NEG	Negative	
NR	Non-reactive	
NS	Non-susceptible	
null	No range defined, or normal ranges don't apply	
OBX	Interpretation qualifiers in separate OBX segments	
POS	Positive	
QCF	Quality Control Failure	
R	Resistant	
RR	Reactive	
S	Susceptible	
SDD	Susceptible-dose dependent	
SYN-R	Synergy - resistant	
SYN-S	Synergy - susceptible	

TOX | Cytotoxic substance present
U | Significant change up
VS | Very susceptible. Indicates for microbiology susceptibilities only.
W | Worse
WR | Weakly reactive

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
< | Unter Meßbereich (Extremwertverletzung) | Onder absolute ondergrens instrumentschaal
> | Über Meßbereich (Extremwertverletzung) | Boven absolute bovengrens instrumentschaal
A | anormal (nicht numerisch) | Abnormaal
AA | Pathologisch (nicht numerisch) | Kritiek abnormaal
AC | | Anti-complementaire stoffen aanwezig
B | Verbesserung | Beter
D | Deutlicher Trend nach unten | Significante wijzging omlaag
DET | | Gedetecteerd
H | Oberhalb oberer Grenze Referenzbereich | Hoog
HH | Oberhalb oberer pathologischer Grenze | Kritiek hoog
HM | | Vastgehouden voor medische review
HU | | Zeer hoog
I | Intermediär | Gemiddeld
IE | | Onvoldoende bewijs
IND | | Onbepaald
L | Unterhalb unterer Grenze Referenzbereich | Laag
LL | Unterhalb unterer pathologischer Grenze | Kritiek laag
LU | | Zeer laag
MS | mäßig empfindlich | Gemiddeld gevoelig. Alleen voor microbiologische gevoeligheid.
N | Normal (nicht numerisch) | Normaal
ND | | Niet-gedetecteerd
NEG | | Negatief
NR | | Niet-reactief
NS | | Niet-gevoelig
null | Kein Referenzbereich / Referenzbereich nicht anwendbar | Geen referentiewaarden gedefinieerd of normale waarden niet van toepassing
OBX | | Interpretatie qualifiers in afzonderlijke OBX-segmenten
POS | | Positief
QCF | | Kwaliteitscontrole fout
R | Resistent | Resistent
RR | | Reactief
S | Empfindlich | Gevoelig
SDD | | Gevoelig dosis-afhankelijk
SYN-R | | Synergie - resistent
SYN-S | | Synergie - gevoelig
TOX | | Cytotoxische stoffen aanwezig
U | Deutlicher Trend nach oben | Significante wijzging omhoog
VS | Sehr empfindlich | Zeer gevoelig. Alleen voor microbiologische gevoeligheid.
W | Verschlechterung | Slechter
WR | | Zwak reactief

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.387 Value Set http://hl7.org/fhir/ValueSet/observation-status

URL: https://hl7.org/fhir/STU3/valueset-observation-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-status
Name: | ObservationStatus
Definition: | Codes providing the status of an observation.
Committee: | Orders and Observations Work Group

OID: | 2.16.840.1.113883.4.642.3.387 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ObservationStatus
* RiskAssessment.status (Required)
* Observation.status (Required)
* StructureDefinition DeviceMetricObservation: Observation.status ((Required))
* StructureDefinition Observation-Genetics: Observation.status ((Required))
* StructureDefinition VitalSigns: Observation.status ((Required))
* StructureDefinition BodyWeight: Observation.status ((Required))
* StructureDefinition RespRate: Observation.status ((Required))
* StructureDefinition HeartRate: Observation.status ((Required))
* StructureDefinition BodyTemp: Observation.status ((Required))
* StructureDefinition BodyHeight: Observation.status ((Required))
* StructureDefinition BodyLength: Observation.status ((Required))
* StructureDefinition HeadCircum: Observation.status ((Required))
* StructureDefinition OxygenSat: Observation.status ((Required))
* StructureDefinition BMI: Observation.status ((Required))
* StructureDefinition BP: Observation.status ((Required))
* StructureDefinition VitalsPanel: Observation.status ((Required))
* StructureDefinition Cholesterol: Observation.status ((Required))
* StructureDefinition Triglyceride: Observation.status ((Required))
* StructureDefinition HDLCholesterol: Observation.status ((Required))
* StructureDefinition LDLCholesterol: Observation.status ((Required))
* DetectedIssue.status (Required)

4.3.1.387.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/observation-status

4.3.1.387.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/observation-status version 3.0.2

All codes from system http://hl7.org/fhir/observation-status

Code | Display | Definition
registered | Registered | The existence of the observation is registered, but there is no result yet available.
preliminary | Preliminary | This is an initial or interim observation: data may be incomplete or unverified.
final | Final | The observation is complete.
amended | Amended | Subsequent to being Final, the observation has been modified subsequent. This includes updates/new information and corrections.
corrected | Corrected | Subsequent to being Final, the observation has been modified to correct an error in the test result.
cancelled | Cancelled | The observation is unavailable because the measurement was not started or not completed (also sometimes called "aborted").
entered-in-error | Entered in Error | The observation has been withdrawn following previous final release. This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".)
unknown | Unknown | The authoring system does not know which of the status values currently applies for this request. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, but the authoring system does not know which.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.389 Value Set http://hl7.org/fhir/ValueSet/observation-relationshiptypes

URL: https://hl7.org/fhir/STU3/valueset-observation-relationshiptypes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-relationshiptypes
Name: | ObservationRelationshipType
Definition: | Codes specifying how two observations are related.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.389 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ObservationRelationshipType
* This value set has translations in the ConceptMap v3 map for ObservationRelationshipType
* Observation.related.type (Required)
* StructureDefinition DeviceMetricObservation: Observation.related.type ((Required))
* StructureDefinition Observation-Genetics: Observation.related.type ((Required))
* StructureDefinition VitalSigns: Observation.related.type ((Required))
* StructureDefinition BodyWeight: Observation.related.type ((Required))
* StructureDefinition RespRate: Observation.related.type ((Required))
* StructureDefinition HeartRate: Observation.related.type ((Required))
* StructureDefinition BodyTemp: Observation.related.type ((Required))
* StructureDefinition BodyHeight: Observation.related.type ((Required))
* StructureDefinition BodyLength: Observation.related.type ((Required))
* StructureDefinition HeadCircum: Observation.related.type ((Required))
* StructureDefinition OxygenSat: Observation.related.type ((Required))
* StructureDefinition BMI: Observation.related.type ((Required))
* StructureDefinition BP: Observation.related.type ((Required))
* StructureDefinition VitalsPanel: Observation.related.type ((Required))
* StructureDefinition Cholesterol: Observation.related.type ((Required))
* StructureDefinition Triglyceride: Observation.related.type ((Required))
* StructureDefinition HDLCholesterol: Observation.related.type ((Required))
* StructureDefinition LDLCholesterol: Observation.related.type ((Required))

4.3.1.389.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/observation-relationshiptypes

4.3.1.389.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/observation-relationshiptypes version 3.0.2

All codes from system http://hl7.org/fhir/observation-relationshiptypes

Code | Display | Definition
has-member | Has Member | This observation is a group observation (e.g. a battery, a panel of tests, a set of vital sign measurements) that includes the target as a member of the group.
derived-from | Derived From | The target resource (Observation or QuestionnaireResponse) is part of the information from which this observation value is derived. (e.g. calculated anion gap, Apgar score) NOTE: "derived-from" is the only logical choice when referencing QuestionnaireResponse.
sequel-to | Sequel To | This observation follows the target observation (e.g. timed tests such as Glucose Tolerance Test).
replaces | Replaces | This observation replaces a previous observation (i.e. a revised value). The target observation is now obsolete.
qualified-by | Qualified By | The value of the target observation qualifies (refines) the semantics of the source observation (e.g. a lipemia measure target from a plasma measure).
interfered-by | Interfered By | The value of the target observation interferes (degrades quality, or prevents valid observation) with the semantics of the source observation (e.g. a hemolysis measure target from a plasma potassium measure, which has no value).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.391 Value Set http://hl7.org/fhir/ValueSet/observation-valueabsentreason

URL: https://hl7.org/fhir/STU3/valueset-observation-valueabsentreason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 5 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-valueabsentreason
Name: | Observation Value Absent Reason
Definition: | This value set defines the set of codes for identifying the reason why the expected result in Observation.value[x] is missing.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.391 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Observation.dataAbsentReason (Extensible)
* Observation.component.dataAbsentReason (Extensible)
* StructureDefinition DeviceMetricObservation: Observation.dataAbsentReason ((Extensible))
* StructureDefinition DeviceMetricObservation: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition Observation-Genetics: Observation.dataAbsentReason ((Extensible))
* StructureDefinition Observation-Genetics: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition VitalSigns: Observation.dataAbsentReason ((Extensible))
* StructureDefinition VitalSigns: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition BodyWeight: Observation.dataAbsentReason ((Extensible))
* StructureDefinition BodyWeight: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition RespRate: Observation.dataAbsentReason ((Extensible))
* StructureDefinition RespRate: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition HeartRate: Observation.dataAbsentReason ((Extensible))
* StructureDefinition HeartRate: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition BodyTemp: Observation.dataAbsentReason ((Extensible))
* StructureDefinition BodyTemp: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition BodyHeight: Observation.dataAbsentReason ((Extensible))
* StructureDefinition BodyHeight: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition BodyLength: Observation.dataAbsentReason ((Extensible))
* StructureDefinition BodyLength: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition HeadCircum: Observation.dataAbsentReason ((Extensible))
* StructureDefinition HeadCircum: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition OxygenSat: Observation.dataAbsentReason ((Extensible))
* StructureDefinition OxygenSat: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition BMI: Observation.dataAbsentReason ((Extensible))
* StructureDefinition BMI: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition BP: Observation.dataAbsentReason ((Extensible))
* StructureDefinition BP: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition BP: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition VitalsPanel: Observation.dataAbsentReason ((Extensible))

* StructureDefinition VitalsPanel: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition Cholesterol: Observation.dataAbsentReason ((Extensible))
* StructureDefinition Cholesterol: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition Triglyceride: Observation.dataAbsentReason ((Extensible))
* StructureDefinition Triglyceride: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition HDLCholesterol: Observation.dataAbsentReason ((Extensible))
* StructureDefinition HDLCholesterol: Observation.component.dataAbsentReason ((Extensible))
* StructureDefinition LDLCholesterol: Observation.dataAbsentReason ((Extensible))
* StructureDefinition LDLCholesterol: Observation.component.dataAbsentReason ((Extensible))

4.3.1.391.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/data-absent-reason

4.3.1.391.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/data-absent-reason version 3.0.2

All codes from system http://hl7.org/fhir/data-absent-reason

Code | Display | Definition
unknown | Unknown | The value is not known.
asked | Asked | The source human does not know the value.
temp | Temp | There is reason to expect (from the workflow) that the value may become known.
not-asked | Not Asked | The workflow didn't lead to this value being known.
masked | Masked | The information is not available due to security, privacy or related reasons.
unsupported | Unsupported | The source system wasn't capable of supporting this element.
astext | As Text | The content of the data is represented in the resource narrative.
error | Error | Some system or workflow process error means that the information is not available.
NaN | Not a Number | NaN, standing for not a number, is a numeric data type value representing an undefined or unrepresentable value.
not-performed | Not Performed | The value is not available because the observation procedure (test, etc.) was not performed.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.392 Value Set http://hl7.org/fhir/ValueSet/observation-category

URL: https://hl7.org/fhir/STU3/valueset-observation-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 5 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-category
Name: | Observation Category Codes
Definition: | Observation Category codes.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.392 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Observation Category Codes
* Observation.category (Preferred)
* StructureDefinition DeviceMetricObservation: Observation.category ((Preferred))
* StructureDefinition Observation-Genetics: Observation.category ((Preferred))
* StructureDefinition VitalSigns: Observation.category ((Preferred))

* StructureDefinition BodyWeight: Observation.category ((Preferred))
* StructureDefinition RespRate: Observation.category ((Preferred))
* StructureDefinition HeartRate: Observation.category ((Preferred))
* StructureDefinition BodyTemp: Observation.category ((Preferred))
* StructureDefinition BodyHeight: Observation.category ((Preferred))
* StructureDefinition BodyLength: Observation.category ((Preferred))
* StructureDefinition HeadCircum: Observation.category ((Preferred))
* StructureDefinition OxygenSat: Observation.category ((Preferred))
* StructureDefinition BMI: Observation.category ((Preferred))
* StructureDefinition BP: Observation.category ((Preferred))
* StructureDefinition VitalsPanel: Observation.category ((Preferred))
* StructureDefinition Cholesterol: Observation.category ((Preferred))
* StructureDefinition Triglyceride: Observation.category ((Preferred))
* StructureDefinition HDLCholesterol: Observation.category ((Preferred))
* StructureDefinition LDLCholesterol: Observation.category ((Preferred))

4.3.1.392.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/observation-category

4.3.1.392.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/observation-category version 3.0.2

All codes from system http://hl7.org/fhir/observation-category

Code | Display | Definition

social-history | Social History | The Social History Observations define the patient's occupational, personal (e.g. lifestyle), social, and environmental history and health risk factors, as well as administrative data such as marital status, race, ethnicity and religious affiliation.

vital-signs | Vital Signs | Clinical observations measure the body's basic functions such as such as blood pressure, heart rate, respiratory rate, height, weight, body mass index, head circumference, pulse oximetry, temperature, and body surface area.

imaging | Imaging | Observations generated by imaging. The scope includes observations, plain x-ray, ultrasound, CT, MRI, angiography, echocardiography, nuclear medicine.

laboratory | Laboratory | The results of observations generated by laboratories. Laboratory results are typically generated by laboratories providing analytic services in areas such as chemistry, hematology, serology, histology, cytology, anatomic pathology, microbiology, and/or virology. These observations are based on analysis of specimens obtained from the patient and submitted to the laboratory.

procedure | Procedure | Observations generated by other procedures. This category includes observations resulting from interventional and non-interventional procedures excluding lab and imaging (e.g. cardiology catheterization, endoscopy, electrodiagnostics, etc.). Procedure results are typically generated by a clinician to provide more granular information about component observations made during a procedure, such as where a gastroenterologist reports the size of a polyp observed during a colonoscopy.

survey | Survey | Assessment tool/survey instrument observations (e.g. Apgar Scores, Montreal Cognitive Assessment (MoCA))

exam | Exam | Observations generated by physical exam findings including direct observations made by a clinician and use of simple instruments and the result of simple maneuvers performed directly on the patient's body.

therapy | Therapy | Observations generated by non-interventional treatment protocols (e.g. occupational, physical, radiation, nutritional and medication therapy)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.394 Value Set http://hl7.org/fhir/ValueSet/observation-statistics

URL: https://hl7.org/fhir/STU3/valueset-observation-statistics.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/observation-statistics
Name: | StatisticsCode
Definition: | The statistical operation parameter -"statistic" - codes
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.394 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for StatisticsCode

4.3.1.394.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/observation-statistics

4.3.1.394.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 21 concepts

Expansion based on http://hl7.org/fhir/observation-statistics version 3.0.2

All codes from system http://hl7.org/fhir/observation-statistics

Code | Display | Definition
average | Average | The [mean](https://en.wikipedia.org/wiki/Arithmetic_mean) of N measurements over the stated period
maximum | Maximum | The [maximum](https://en.wikipedia.org/wiki/Maximal_element) value of N measurements over the stated period
minimum | Minimum | The [minimum](https://en.wikipedia.org/wiki/Minimal_element) value of N measurements over the stated period
count | Count | The [number] of valid measurements over the stated period that contributed to the other statistical outputs
totalcount | Total Count | The total [number] of valid measurements over the stated period, including observations that were ignored because they did not contain valid result values
median | Median | The [median](https://en.wikipedia.org/wiki/Median) of N measurements over the stated period
std-dev | Standard Deviation | The [standard deviation](https://en.wikipedia.org/wiki/Standard_deviation) of N measurements over the stated period
sum | Sum | The [sum](https://en.wikipedia.org/wiki/Summation) of N measurements over the stated period
variance | Variance | The [variance](https://en.wikipedia.org/wiki/Variance) of N measurements over the stated period
20-percent | 20th Percentile | The 20th [Percentile](https://en.wikipedia.org/wiki/Percentile) of N measurements over the stated period
80-percent | 80th Percentile | The 80th [Percentile](https://en.wikipedia.org/wiki/Percentile) of N measurements over the stated period
4-lower | Lower Quartile | The lower [Quartile](https://en.wikipedia.org/wiki/Quartile) Boundary of N measurements over the stated period
4-upper | Upper Quartile | The upper [Quartile](https://en.wikipedia.org/wiki/Quartile) Boundary of N measurements over the stated period
4-dev | Quartile Deviation | The difference between the upper and lower [Quartiles](https://en.wikipedia.org/wiki/Quartile) is called the Interquartile range. (IQR = Q3-Q1) Quartile deviation or Semi-interquartile range is one-half the difference between the first and the third quartiles.
5-1 | 1st Quintile | The lowest of four values that divide the N measurements into a frequency distribution of five classes with each containing one fifth of the total population
5-2 | 2nd Quintile | The second of four values that divide the N measurements into a frequency distribution of five classes with each containing one fifth of the total population
5-3 | 3rd Quintile | The third of four values that divide the N measurements into a frequency distribution of five classes with each containing one fifth of the total population
5-4 | 4th Quintile | The fourth of four values that divide the N measurements into a frequency distribution of five classes with each containing one fifth of the total population
skew | Skew | Skewness is a measure of the asymmetry of the probability distribution of a real-valued random variable about its mean. The skewness value can be positive or negative, or even undefined. Source: [Wikipedia](https://en.wikipedia.org/wiki/Skewness)
kurtosis | Kurtosis | Kurtosis is a measure of the "tailedness" of the probability distribution of a real-valued random variable. Source: [Wikipedia](https://en.wikipedia.org/wiki/Kurtosis)
regression | Regression | Linear regression is an approach for modeling two-dimensional sample points with one independent variable and one dependent variable (conventionally, the x and y coordinates in a Cartesian coordinate system) and finds a linear function (a non-vertical straight line) that, as accurately as possible, predicts the dependent variable values as a function of the independent variables. Source: [Wikipedia](https://en.wikipedia.org/wiki/Simple_linear_regression) This Statistic code will return both a gradient and an intercept value.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.396 Value Set http://hl7.org/fhir/ValueSet/referencerange-appliesto

URL: https://hl7.org/fhir/STU3/valueset-referencerange-appliesto.html

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/referencerange-appliesto
Name: | Observation Reference Range Applies To Codes
Definition: | This value set defines a set of codes that can be used to indicate the a particular target population the reference range applies to.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.396 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Observation.referenceRange.appliesTo (Example)
* StructureDefinition DeviceMetricObservation: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition Observation-Genetics: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition VitalSigns: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition BodyWeight: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition RespRate: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition HeartRate: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition BodyTemp: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition BodyHeight: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition BodyLength: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition HeadCircum: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition OxygenSat: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition BMI: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition BP: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition VitalsPanel: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition Cholesterol: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition Triglyceride: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition HDLCholesterol: Observation.referenceRange.appliesTo ((Example))
* StructureDefinition LDLCholesterol: Observation.referenceRange.appliesTo ((Example))

4.3.1.396.1 Content Logical Definition

This value set includes codes from the following code systems:

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/v3-Race
* Include these codes as defined in

http://snomed.info/sct

Code | Display
248153007 | Male
248152002 | Female
77386006 | Pregnancy not delivered

4.3.1.396.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 924 concepts

Expansion based on http://hl7.org/fhir/ValueSet/v3-Race version 2016-11-11, http://hl7.org/fhir/v3/Race version 2016-11-11

Code | System | Display | Definition
1002-5 | http://hl7.org/fhir/v3/Race | American Indian or Alaska Native | American Indian or Alaska Native
1004-1 | http://hl7.org/fhir/v3/Race | American Indian | American Indian
1006-6 | http://hl7.org/fhir/v3/Race | Abenaki | Abenaki
1008-2 | http://hl7.org/fhir/v3/Race | Algonquian | Algonquian
1010-8 | http://hl7.org/fhir/v3/Race | Apache | Apache
1011-6 | http://hl7.org/fhir/v3/Race | Chiricahua | Chiricahua
1012-4 | http://hl7.org/fhir/v3/Race | Fort Sill Apache | Fort Sill Apache
1013-2 | http://hl7.org/fhir/v3/Race | Jicarilla Apache | Jicarilla Apache
1014-0 | http://hl7.org/fhir/v3/Race | Lipan Apache | Lipan Apache
1015-7 | http://hl7.org/fhir/v3/Race | Mescalero Apache | Mescalero Apache
1016-5 | http://hl7.org/fhir/v3/Race | Oklahoma Apache | Oklahoma Apache
1017-3 | http://hl7.org/fhir/v3/Race | Payson Apache | Payson Apache

1018-1 | http://hl7.org/fhir/v3/Race | San Carlos Apache | San Carlos Apache
1019-9 | http://hl7.org/fhir/v3/Race | White Mountain Apache | White Mountain Apache
1021-5 | http://hl7.org/fhir/v3/Race | Arapaho | Arapaho
1022-3 | http://hl7.org/fhir/v3/Race | Northern Arapaho | Northern Arapaho
1023-1 | http://hl7.org/fhir/v3/Race | Southern Arapaho | Southern Arapaho
1024-9 | http://hl7.org/fhir/v3/Race | Wind River Arapaho | Wind River Arapaho
1026-4 | http://hl7.org/fhir/v3/Race | Arikara | Arikara
1028-0 | http://hl7.org/fhir/v3/Race | Assiniboine | Assiniboine
1030-6 | http://hl7.org/fhir/v3/Race | Assiniboine Sioux | Assiniboine Sioux
1031-4 | http://hl7.org/fhir/v3/Race | Fort Peck Assiniboine Sioux | Fort Peck Assiniboine Sioux
1033-0 | http://hl7.org/fhir/v3/Race | Bannock | Bannock
1035-5 | http://hl7.org/fhir/v3/Race | Blackfeet | Blackfeet
1037-1 | http://hl7.org/fhir/v3/Race | Brotherton | Brotherton
1039-7 | http://hl7.org/fhir/v3/Race | Burt Lake Band | Burt Lake Band
1041-3 | http://hl7.org/fhir/v3/Race | Caddo | Caddo
1042-1 | http://hl7.org/fhir/v3/Race | Oklahoma Cado | Oklahoma Cado
1044-7 | http://hl7.org/fhir/v3/Race | Cahuilla | Cahuilla
1045-4 | http://hl7.org/fhir/v3/Race | Agua Caliente Cahuilla | Agua Caliente Cahuilla
1046-2 | http://hl7.org/fhir/v3/Race | Augustine | Augustine
1047-0 | http://hl7.org/fhir/v3/Race | Cabazon | Cabazon
1048-8 | http://hl7.org/fhir/v3/Race | Los Coyotes | Los Coyotes
1049-6 | http://hl7.org/fhir/v3/Race | Morongo | Morongo
1050-4 | http://hl7.org/fhir/v3/Race | Santa Rosa Cahuilla | Santa Rosa Cahuilla
1051-2 | http://hl7.org/fhir/v3/Race | Torres-Martinez | Torres-Martinez
1053-8 | http://hl7.org/fhir/v3/Race | California Tribes | California Tribes
1054-6 | http://hl7.org/fhir/v3/Race | Cahto | Cahto
1055-3 | http://hl7.org/fhir/v3/Race | Chimariko | Chimariko
1056-1 | http://hl7.org/fhir/v3/Race | Coast Miwok | Coast Miwok
1057-9 | http://hl7.org/fhir/v3/Race | Digger | Digger
1058-7 | http://hl7.org/fhir/v3/Race | Kawaiisu | Kawaiisu
1059-5 | http://hl7.org/fhir/v3/Race | Kern River | Kern River
1060-3 | http://hl7.org/fhir/v3/Race | Mattole | Mattole
1061-1 | http://hl7.org/fhir/v3/Race | Red Wood | Red Wood
1062-9 | http://hl7.org/fhir/v3/Race | Santa Rosa | Santa Rosa
1063-7 | http://hl7.org/fhir/v3/Race | Takelma | Takelma
1064-5 | http://hl7.org/fhir/v3/Race | Wappo | Wappo
1065-2 | http://hl7.org/fhir/v3/Race | Yana | Yana
1066-0 | http://hl7.org/fhir/v3/Race | Yuki | Yuki
1068-6 | http://hl7.org/fhir/v3/Race | Canadian and Latin American Indian | Canadian and Latin American Indian
1069-4 | http://hl7.org/fhir/v3/Race | Canadian Indian | Canadian Indian
1070-2 | http://hl7.org/fhir/v3/Race | Central American Indian | Central American Indian
1071-0 | http://hl7.org/fhir/v3/Race | French American Indian | French American Indian
1072-8 | http://hl7.org/fhir/v3/Race | Mexican American Indian | Mexican American Indian
1073-6 | http://hl7.org/fhir/v3/Race | South American Indian | South American Indian
1074-4 | http://hl7.org/fhir/v3/Race | Spanish American Indian | Spanish American Indian
1076-9 | http://hl7.org/fhir/v3/Race | Catawba | Catawba
1741-8 | http://hl7.org/fhir/v3/Race | Alatna | Alatna
1742-6 | http://hl7.org/fhir/v3/Race | Alexander | Alexander
1743-4 | http://hl7.org/fhir/v3/Race | Allakaket | Allakaket
1744-2 | http://hl7.org/fhir/v3/Race | Alanvik | Alanvik
1745-9 | http://hl7.org/fhir/v3/Race | Anvik | Anvik
1746-7 | http://hl7.org/fhir/v3/Race | Arctic | Arctic
1747-5 | http://hl7.org/fhir/v3/Race | Beaver | Beaver
1748-3 | http://hl7.org/fhir/v3/Race | Birch Creek | Birch Creek
1749-1 | http://hl7.org/fhir/v3/Race | Cantwell | Cantwell
1750-9 | http://hl7.org/fhir/v3/Race | Chalkyitsik | Chalkyitsik
1751-7 | http://hl7.org/fhir/v3/Race | Chickaloon | Chickaloon
1752-5 | http://hl7.org/fhir/v3/Race | Chistochina | Chistochina
1753-3 | http://hl7.org/fhir/v3/Race | Chitina | Chitina
1754-1 | http://hl7.org/fhir/v3/Race | Circle | Circle
1755-8 | http://hl7.org/fhir/v3/Race | Cook Inlet | Cook Inlet
1756-6 | http://hl7.org/fhir/v3/Race | Copper Center | Copper Center
1757-4 | http://hl7.org/fhir/v3/Race | Copper River | Copper River
1758-2 | http://hl7.org/fhir/v3/Race | Dot Lake | Dot Lake
1759-0 | http://hl7.org/fhir/v3/Race | Doyon | Doyon
1760-8 | http://hl7.org/fhir/v3/Race | Eagle | Eagle
1761-6 | http://hl7.org/fhir/v3/Race | Eklutna | Eklutna
1762-4 | http://hl7.org/fhir/v3/Race | Evansville | Evansville
1763-2 | http://hl7.org/fhir/v3/Race | Fort Yukon | Fort Yukon
1764-0 | http://hl7.org/fhir/v3/Race | Gakona | Gakona
1765-7 | http://hl7.org/fhir/v3/Race | Galena | Galena
1766-5 | http://hl7.org/fhir/v3/Race | Grayling | Grayling

1767-3 | http://hl7.org/fhir/v3/Race | Gulkana | Gulkana
1768-1 | http://hl7.org/fhir/v3/Race | Healy Lake | Healy Lake
1769-9 | http://hl7.org/fhir/v3/Race | Holy Cross | Holy Cross
1770-7 | http://hl7.org/fhir/v3/Race | Hughes | Hughes
1771-5 | http://hl7.org/fhir/v3/Race | Huslia | Huslia
1772-3 | http://hl7.org/fhir/v3/Race | Iliamna | Iliamna
1773-1 | http://hl7.org/fhir/v3/Race | Kaltag | Kaltag
1774-9 | http://hl7.org/fhir/v3/Race | Kluti Kaah | Kluti Kaah
1775-6 | http://hl7.org/fhir/v3/Race | Knik | Knik
1776-4 | http://hl7.org/fhir/v3/Race | Koyukuk | Koyukuk
1777-2 | http://hl7.org/fhir/v3/Race | Lake Minchumina | Lake Minchumina
1778-0 | http://hl7.org/fhir/v3/Race | Lime | Lime
1779-8 | http://hl7.org/fhir/v3/Race | Mcgrath | Mcgrath
1780-6 | http://hl7.org/fhir/v3/Race | Manley Hot Springs | Manley Hot Springs
1781-4 | http://hl7.org/fhir/v3/Race | Mentasta Lake | Mentasta Lake
1782-2 | http://hl7.org/fhir/v3/Race | Minto | Minto
1783-0 | http://hl7.org/fhir/v3/Race | Nenana | Nenana
1784-8 | http://hl7.org/fhir/v3/Race | Nikolai | Nikolai
1785-5 | http://hl7.org/fhir/v3/Race | Ninilchik | Ninilchik
1786-3 | http://hl7.org/fhir/v3/Race | Nondalton | Nondalton
1787-1 | http://hl7.org/fhir/v3/Race | Northway | Northway
1788-9 | http://hl7.org/fhir/v3/Race | Nulato | Nulato
1789-7 | http://hl7.org/fhir/v3/Race | Pedro Bay | Pedro Bay
1790-5 | http://hl7.org/fhir/v3/Race | Rampart | Rampart
1791-3 | http://hl7.org/fhir/v3/Race | Ruby | Ruby
1792-1 | http://hl7.org/fhir/v3/Race | Salamatof | Salamatof
1793-9 | http://hl7.org/fhir/v3/Race | Seldovia | Seldovia
1794-7 | http://hl7.org/fhir/v3/Race | Slana | Slana
1795-4 | http://hl7.org/fhir/v3/Race | Shageluk | Shageluk
1796-2 | http://hl7.org/fhir/v3/Race | Stevens | Stevens
1797-0 | http://hl7.org/fhir/v3/Race | Stony River | Stony River
1798-8 | http://hl7.org/fhir/v3/Race | Takotna | Takotna
1799-6 | http://hl7.org/fhir/v3/Race | Tanacross | Tanacross
1800-2 | http://hl7.org/fhir/v3/Race | Tanaina | Tanaina
1801-0 | http://hl7.org/fhir/v3/Race | Tanana | Tanana
1802-8 | http://hl7.org/fhir/v3/Race | Tanana Chiefs | Tanana Chiefs
1803-6 | http://hl7.org/fhir/v3/Race | Tazlina | Tazlina
1804-4 | http://hl7.org/fhir/v3/Race | Telida | Telida
1805-1 | http://hl7.org/fhir/v3/Race | Tetlin | Tetlin
1806-9 | http://hl7.org/fhir/v3/Race | Tok | Tok
1807-7 | http://hl7.org/fhir/v3/Race | Tyonek | Tyonek
1808-5 | http://hl7.org/fhir/v3/Race | Venetie | Venetie
1809-3 | http://hl7.org/fhir/v3/Race | Wiseman | Wiseman
1078-5 | http://hl7.org/fhir/v3/Race | Cayuse | Cayuse
1080-1 | http://hl7.org/fhir/v3/Race | Chehalis | Chehalis
1082-7 | http://hl7.org/fhir/v3/Race | Chemakuan | Chemakuan
1083-5 | http://hl7.org/fhir/v3/Race | Hoh | Hoh
1084-3 | http://hl7.org/fhir/v3/Race | Quileute | Quileute
1086-8 | http://hl7.org/fhir/v3/Race | Chemehuevi | Chemehuevi
1088-4 | http://hl7.org/fhir/v3/Race | Cherokee | Cherokee
1089-2 | http://hl7.org/fhir/v3/Race | Cherokee Alabama | Cherokee Alabama
1090-0 | http://hl7.org/fhir/v3/Race | Cherokees of Northeast Alabama | Cherokees of Northeast Alabama
1091-8 | http://hl7.org/fhir/v3/Race | Cherokees of Southeast Alabama | Cherokees of Southeast Alabama
1092-6 | http://hl7.org/fhir/v3/Race | Eastern Cherokee | Eastern Cherokee
1093-4 | http://hl7.org/fhir/v3/Race | Echota Cherokee | Echota Cherokee
1094-2 | http://hl7.org/fhir/v3/Race | Etowah Cherokee | Etowah Cherokee
1095-9 | http://hl7.org/fhir/v3/Race | Northern Cherokee | Northern Cherokee
1096-7 | http://hl7.org/fhir/v3/Race | Tuscola | Tuscola
1097-5 | http://hl7.org/fhir/v3/Race | United Keetowah Band of Cherokee | United Keetowah Band of Cherokee
1098-3 | http://hl7.org/fhir/v3/Race | Western Cherokee | Western Cherokee
1100-7 | http://hl7.org/fhir/v3/Race | Cherokee Shawnee | Cherokee Shawnee
1102-3 | http://hl7.org/fhir/v3/Race | Cheyenne | Cheyenne
1103-1 | http://hl7.org/fhir/v3/Race | Northern Cheyenne | Northern Cheyenne
1104-9 | http://hl7.org/fhir/v3/Race | Southern Cheyenne | Southern Cheyenne
1106-4 | http://hl7.org/fhir/v3/Race | Cheyenne-Arapaho | Cheyenne-Arapaho
1108-0 | http://hl7.org/fhir/v3/Race | Chickahominy | Chickahominy
1109-8 | http://hl7.org/fhir/v3/Race | Eastern Chickahominy | Eastern Chickahominy
1110-6 | http://hl7.org/fhir/v3/Race | Western Chickahominy | Western Chickahominy
1112-2 | http://hl7.org/fhir/v3/Race | Chickasaw | Chickasaw
1114-8 | http://hl7.org/fhir/v3/Race | Chinook | Chinook
1115-5 | http://hl7.org/fhir/v3/Race | Clatsop | Clatsop
1116-3 | http://hl7.org/fhir/v3/Race | Columbia River Chinook | Columbia River Chinook

1117-1 | http://hl7.org/fhir/v3/Race | Kathlamet | Kathlamet
1118-9 | http://hl7.org/fhir/v3/Race | Upper Chinook | Upper Chinook
1119-7 | http://hl7.org/fhir/v3/Race | Wakiakum Chinook | Wakiakum Chinook
1120-5 | http://hl7.org/fhir/v3/Race | Willapa Chinook | Willapa Chinook
1121-3 | http://hl7.org/fhir/v3/Race | Wishram | Wishram
1123-9 | http://hl7.org/fhir/v3/Race | Chippewa | Chippewa
1124-7 | http://hl7.org/fhir/v3/Race | Bad River | Bad River
1125-4 | http://hl7.org/fhir/v3/Race | Bay Mills Chippewa | Bay Mills Chippewa
1126-2 | http://hl7.org/fhir/v3/Race | Bois Forte | Bois Forte
1127-0 | http://hl7.org/fhir/v3/Race | Burt Lake Chippewa | Burt Lake Chippewa
1128-8 | http://hl7.org/fhir/v3/Race | Fond du Lac | Fond du Lac
1129-6 | http://hl7.org/fhir/v3/Race | Grand Portage | Grand Portage
1130-4 | http://hl7.org/fhir/v3/Race | Grand Traverse Band of Ottawa-Chippewa | Grand Traverse Band of Ottawa-Chippewa
1131-2 | http://hl7.org/fhir/v3/Race | Keweenaw | Keweenaw
1132-0 | http://hl7.org/fhir/v3/Race | Lac Courte Oreilles | Lac Courte Oreilles
1133-8 | http://hl7.org/fhir/v3/Race | Lac du Flambeau | Lac du Flambeau
1134-6 | http://hl7.org/fhir/v3/Race | Lac Vieux Desert Chippewa | Lac Vieux Desert Chippewa
1135-3 | http://hl7.org/fhir/v3/Race | Lake Superior | Lake Superior
1136-1 | http://hl7.org/fhir/v3/Race | Leech Lake | Leech Lake
1137-9 | http://hl7.org/fhir/v3/Race | Little Shell Chippewa | Little Shell Chippewa
1138-7 | http://hl7.org/fhir/v3/Race | Mille Lacs | Mille Lacs
1139-5 | http://hl7.org/fhir/v3/Race | Minnesota Chippewa | Minnesota Chippewa
1140-3 | http://hl7.org/fhir/v3/Race | Ontonagon | Ontonagon
1141-1 | http://hl7.org/fhir/v3/Race | Red Cliff Chippewa | Red Cliff Chippewa
1142-9 | http://hl7.org/fhir/v3/Race | Red Lake Chippewa | Red Lake Chippewa
1143-7 | http://hl7.org/fhir/v3/Race | Saginaw Chippewa | Saginaw Chippewa
1144-5 | http://hl7.org/fhir/v3/Race | St. Croix Chippewa | St. Croix Chippewa
1145-2 | http://hl7.org/fhir/v3/Race | Sault Ste. Marie Chippewa | Sault Ste. Marie Chippewa
1146-0 | http://hl7.org/fhir/v3/Race | Sokoagon Chippewa | Sokoagon Chippewa
1147-8 | http://hl7.org/fhir/v3/Race | Turtle Mountain | Turtle Mountain
1148-6 | http://hl7.org/fhir/v3/Race | White Earth | White Earth
1150-2 | http://hl7.org/fhir/v3/Race | Chippewa Cree | Chippewa Cree
1151-0 | http://hl7.org/fhir/v3/Race | Rocky Boy's Chippewa Cree | Rocky Boy's Chippewa Cree
1153-6 | http://hl7.org/fhir/v3/Race | Chitimacha | Chitimacha
1155-1 | http://hl7.org/fhir/v3/Race | Choctaw | Choctaw
1156-9 | http://hl7.org/fhir/v3/Race | Clifton Choctaw | Clifton Choctaw
1157-7 | http://hl7.org/fhir/v3/Race | Jena Choctaw | Jena Choctaw
1158-5 | http://hl7.org/fhir/v3/Race | Mississippi Choctaw | Mississippi Choctaw
1159-3 | http://hl7.org/fhir/v3/Race | Mowa Band of Choctaw | Mowa Band of Choctaw
1160-1 | http://hl7.org/fhir/v3/Race | Oklahoma Choctaw | Oklahoma Choctaw
1162-7 | http://hl7.org/fhir/v3/Race | Chumash | Chumash
1163-5 | http://hl7.org/fhir/v3/Race | Santa Ynez | Santa Ynez
1165-0 | http://hl7.org/fhir/v3/Race | Clear Lake | Clear Lake
1167-6 | http://hl7.org/fhir/v3/Race | Coeur D'Alene | Coeur D'Alene
1169-2 | http://hl7.org/fhir/v3/Race | Coharie | Coharie
1171-8 | http://hl7.org/fhir/v3/Race | Colorado River | Colorado River
1173-4 | http://hl7.org/fhir/v3/Race | Colville | Colville
1175-9 | http://hl7.org/fhir/v3/Race | Comanche | Comanche
1176-7 | http://hl7.org/fhir/v3/Race | Oklahoma Comanche | Oklahoma Comanche
1178-3 | http://hl7.org/fhir/v3/Race | Coos, Lower Umpqua, Siuslaw | Coos, Lower Umpqua, Siuslaw
1180-9 | http://hl7.org/fhir/v3/Race | Coos | Coos
1182-5 | http://hl7.org/fhir/v3/Race | Coquilles | Coquilles
1184-1 | http://hl7.org/fhir/v3/Race | Costanoan | Costanoan
1186-6 | http://hl7.org/fhir/v3/Race | Coushatta | Coushatta
1187-4 | http://hl7.org/fhir/v3/Race | Alabama Coushatta | Alabama Coushatta
1189-0 | http://hl7.org/fhir/v3/Race | Cowlitz | Cowlitz
1191-6 | http://hl7.org/fhir/v3/Race | Cree | Cree
1193-2 | http://hl7.org/fhir/v3/Race | Creek | Creek
1194-0 | http://hl7.org/fhir/v3/Race | Alabama Creek | Alabama Creek
1195-7 | http://hl7.org/fhir/v3/Race | Alabama Quassarte | Alabama Quassarte
1196-5 | http://hl7.org/fhir/v3/Race | Eastern Creek | Eastern Creek
1197-3 | http://hl7.org/fhir/v3/Race | Eastern Muscogee | Eastern Muscogee
1198-1 | http://hl7.org/fhir/v3/Race | Kialegee | Kialegee
1199-9 | http://hl7.org/fhir/v3/Race | Lower Muscogee | Lower Muscogee
1200-5 | http://hl7.org/fhir/v3/Race | Machis Lower Creek Indian | Machis Lower Creek Indian
1201-3 | http://hl7.org/fhir/v3/Race | Poarch Band | Poarch Band
1202-1 | http://hl7.org/fhir/v3/Race | Principal Creek Indian Nation | Principal Creek Indian Nation
1203-9 | http://hl7.org/fhir/v3/Race | Star Clan of Muscogee Creeks | Star Clan of Muscogee Creeks
1204-7 | http://hl7.org/fhir/v3/Race | Thlopthlocco | Thlopthlocco
1205-4 | http://hl7.org/fhir/v3/Race | Tuckabachee | Tuckabachee
1207-0 | http://hl7.org/fhir/v3/Race | Croatan | Croatan
1209-6 | http://hl7.org/fhir/v3/Race | Crow | Crow

1211-2 | http://hl7.org/fhir/v3/Race | Cupeno | Cupeno
1212-0 | http://hl7.org/fhir/v3/Race | Agua Caliente | Agua Caliente
1214-6 | http://hl7.org/fhir/v3/Race | Delaware | Delaware
1215-3 | http://hl7.org/fhir/v3/Race | Eastern Delaware | Eastern Delaware
1216-1 | http://hl7.org/fhir/v3/Race | Lenni-Lenape | Lenni-Lenape
1217-9 | http://hl7.org/fhir/v3/Race | Munsee | Munsee
1218-7 | http://hl7.org/fhir/v3/Race | Oklahoma Delaware | Oklahoma Delaware
1219-5 | http://hl7.org/fhir/v3/Race | Rampough Mountain | Rampough Mountain
1220-3 | http://hl7.org/fhir/v3/Race | Sand Hill | Sand Hill
1222-9 | http://hl7.org/fhir/v3/Race | Diegueno | Diegueno
1223-7 | http://hl7.org/fhir/v3/Race | Campo | Campo
1224-5 | http://hl7.org/fhir/v3/Race | Capitan Grande | Capitan Grande
1225-2 | http://hl7.org/fhir/v3/Race | Cuyapaipe | Cuyapaipe
1226-0 | http://hl7.org/fhir/v3/Race | La Posta | La Posta
1227-8 | http://hl7.org/fhir/v3/Race | Manzanita | Manzanita
1228-6 | http://hl7.org/fhir/v3/Race | Mesa Grande | Mesa Grande
1229-4 | http://hl7.org/fhir/v3/Race | San Pasqual | San Pasqual
1230-2 | http://hl7.org/fhir/v3/Race | Santa Ysabel | Santa Ysabel
1231-0 | http://hl7.org/fhir/v3/Race | Sycuan | Sycuan
1233-6 | http://hl7.org/fhir/v3/Race | Eastern Tribes | Eastern Tribes
1234-4 | http://hl7.org/fhir/v3/Race | Attacapa | Attacapa
1235-1 | http://hl7.org/fhir/v3/Race | Biloxi | Biloxi
1236-9 | http://hl7.org/fhir/v3/Race | Georgetown | Georgetown
1237-7 | http://hl7.org/fhir/v3/Race | Moor | Moor
1238-5 | http://hl7.org/fhir/v3/Race | Nansemond | Nansemond
1239-3 | http://hl7.org/fhir/v3/Race | Natchez | Natchez
1240-1 | http://hl7.org/fhir/v3/Race | Nausu Waiwash | Nausu Waiwash
1241-9 | http://hl7.org/fhir/v3/Race | Nipmuc | Nipmuc
1242-7 | http://hl7.org/fhir/v3/Race | Paugussett | Paugussett
1243-5 | http://hl7.org/fhir/v3/Race | Pocomoke Acohonock | Pocomoke Acohonock
1244-3 | http://hl7.org/fhir/v3/Race | Southeastern Indians | Southeastern Indians
1245-0 | http://hl7.org/fhir/v3/Race | Susquehanock | Susquehanock
1246-8 | http://hl7.org/fhir/v3/Race | Tunica Biloxi | Tunica Biloxi
1247-6 | http://hl7.org/fhir/v3/Race | Waccamaw-Siousan | Waccamaw-Siousan
1248-4 | http://hl7.org/fhir/v3/Race | Wicomico | Wicomico
1250-0 | http://hl7.org/fhir/v3/Race | Esselen | Esselen
1252-6 | http://hl7.org/fhir/v3/Race | Fort Belknap | Fort Belknap
1254-2 | http://hl7.org/fhir/v3/Race | Fort Berthold | Fort Berthold
1256-7 | http://hl7.org/fhir/v3/Race | Fort Mcdowell | Fort Mcdowell
1258-3 | http://hl7.org/fhir/v3/Race | Fort Hall | Fort Hall
1260-9 | http://hl7.org/fhir/v3/Race | Gabrieleno | Gabrieleno
1262-5 | http://hl7.org/fhir/v3/Race | Grand Ronde | Grand Ronde
1264-1 | http://hl7.org/fhir/v3/Race | Gros Ventres | Gros Ventres
1265-8 | http://hl7.org/fhir/v3/Race | Atsina | Atsina
1267-4 | http://hl7.org/fhir/v3/Race | Haliwa | Haliwa
1269-0 | http://hl7.org/fhir/v3/Race | Hidatsa | Hidatsa
1271-6 | http://hl7.org/fhir/v3/Race | Hoopa | Hoopa
1272-4 | http://hl7.org/fhir/v3/Race | Trinity | Trinity
1273-2 | http://hl7.org/fhir/v3/Race | Whilkut | Whilkut
1275-7 | http://hl7.org/fhir/v3/Race | Hoopa Extension | Hoopa Extension
1277-3 | http://hl7.org/fhir/v3/Race | Houma | Houma
1279-9 | http://hl7.org/fhir/v3/Race | Inaja-Cosmit | Inaja-Cosmit
1281-5 | http://hl7.org/fhir/v3/Race | Iowa | Iowa
1282-3 | http://hl7.org/fhir/v3/Race | Iowa of Kansas-Nebraska | Iowa of Kansas-Nebraska
1283-1 | http://hl7.org/fhir/v3/Race | Iowa of Oklahoma | Iowa of Oklahoma
1285-6 | http://hl7.org/fhir/v3/Race | Iroquois | Iroquois
1286-4 | http://hl7.org/fhir/v3/Race | Cayuga | Cayuga
1287-2 | http://hl7.org/fhir/v3/Race | Mohawk | Mohawk
1288-0 | http://hl7.org/fhir/v3/Race | Oneida | Oneida
1289-8 | http://hl7.org/fhir/v3/Race | Onondaga | Onondaga
1290-6 | http://hl7.org/fhir/v3/Race | Seneca | Seneca
1291-4 | http://hl7.org/fhir/v3/Race | Seneca Nation | Seneca Nation
1292-2 | http://hl7.org/fhir/v3/Race | Seneca-Cayuga | Seneca-Cayuga
1293-0 | http://hl7.org/fhir/v3/Race | Tonawanda Seneca | Tonawanda Seneca
1294-8 | http://hl7.org/fhir/v3/Race | Tuscarora | Tuscarora
1295-5 | http://hl7.org/fhir/v3/Race | Wyandotte | Wyandotte
1297-1 | http://hl7.org/fhir/v3/Race | Juaneno | Juaneno
1299-7 | http://hl7.org/fhir/v3/Race | Kalispel | Kalispel
1301-1 | http://hl7.org/fhir/v3/Race | Karuk | Karuk
1303-7 | http://hl7.org/fhir/v3/Race | Kaw | Kaw
1305-2 | http://hl7.org/fhir/v3/Race | Kickapoo | Kickapoo
1306-0 | http://hl7.org/fhir/v3/Race | Oklahoma Kickapoo | Oklahoma Kickapoo

1307-8 | http://hl7.org/fhir/v3/Race | Texas Kickapoo | Texas Kickapoo
1309-4 | http://hl7.org/fhir/v3/Race | Kiowa | Kiowa
1310-2 | http://hl7.org/fhir/v3/Race | Oklahoma Kiowa | Oklahoma Kiowa
1312-8 | http://hl7.org/fhir/v3/Race | Klallam | Klallam
1313-6 | http://hl7.org/fhir/v3/Race | Jamestown | Jamestown
1314-4 | http://hl7.org/fhir/v3/Race | Lower Elwha | Lower Elwha
1315-1 | http://hl7.org/fhir/v3/Race | Port Gamble Klallam | Port Gamble Klallam
1317-7 | http://hl7.org/fhir/v3/Race | Klamath | Klamath
1319-3 | http://hl7.org/fhir/v3/Race | Konkow | Konkow
1321-9 | http://hl7.org/fhir/v3/Race | Kootenai | Kootenai
1323-5 | http://hl7.org/fhir/v3/Race | Lassik | Lassik
1325-0 | http://hl7.org/fhir/v3/Race | Long Island | Long Island
1326-8 | http://hl7.org/fhir/v3/Race | Matinecock | Matinecock
1327-6 | http://hl7.org/fhir/v3/Race | Montauk | Montauk
1328-4 | http://hl7.org/fhir/v3/Race | Poospatuck | Poospatuck
1329-2 | http://hl7.org/fhir/v3/Race | Setauket | Setauket
1331-8 | http://hl7.org/fhir/v3/Race | Luiseno | Luiseno
1332-6 | http://hl7.org/fhir/v3/Race | La Jolla | La Jolla
1333-4 | http://hl7.org/fhir/v3/Race | Pala | Pala
1334-2 | http://hl7.org/fhir/v3/Race | Pauma | Pauma
1335-9 | http://hl7.org/fhir/v3/Race | Pechanga | Pechanga
1336-7 | http://hl7.org/fhir/v3/Race | Soboba | Soboba
1337-5 | http://hl7.org/fhir/v3/Race | Twenty-Nine Palms | Twenty-Nine Palms
1338-3 | http://hl7.org/fhir/v3/Race | Temecula | Temecula
1340-9 | http://hl7.org/fhir/v3/Race | Lumbee | Lumbee
1342-5 | http://hl7.org/fhir/v3/Race | Lummi | Lummi
1344-1 | http://hl7.org/fhir/v3/Race | Maidu | Maidu
1345-8 | http://hl7.org/fhir/v3/Race | Mountain Maidu | Mountain Maidu
1346-6 | http://hl7.org/fhir/v3/Race | Nishinam | Nishinam
1348-2 | http://hl7.org/fhir/v3/Race | Makah | Makah
1350-8 | http://hl7.org/fhir/v3/Race | Maliseet | Maliseet
1352-4 | http://hl7.org/fhir/v3/Race | Mandan | Mandan
1354-0 | http://hl7.org/fhir/v3/Race | Mattaponi | Mattaponi
1356-5 | http://hl7.org/fhir/v3/Race | Menominee | Menominee
1358-1 | http://hl7.org/fhir/v3/Race | Miami | Miami
1359-9 | http://hl7.org/fhir/v3/Race | Illinois Miami | Illinois Miami
1360-7 | http://hl7.org/fhir/v3/Race | Indiana Miami | Indiana Miami
1361-5 | http://hl7.org/fhir/v3/Race | Oklahoma Miami | Oklahoma Miami
1363-1 | http://hl7.org/fhir/v3/Race | Miccosukee | Miccosukee
1365-6 | http://hl7.org/fhir/v3/Race | Micmac | Micmac
1366-4 | http://hl7.org/fhir/v3/Race | Aroostook | Aroostook
1368-0 | http://hl7.org/fhir/v3/Race | Mission Indians | Mission Indians
1370-6 | http://hl7.org/fhir/v3/Race | Miwok | Miwok
1372-2 | http://hl7.org/fhir/v3/Race | Modoc | Modoc
1374-8 | http://hl7.org/fhir/v3/Race | Mohegan | Mohegan
1376-3 | http://hl7.org/fhir/v3/Race | Mono | Mono
1378-9 | http://hl7.org/fhir/v3/Race | Nanticoke | Nanticoke
1380-5 | http://hl7.org/fhir/v3/Race | Narragansett | Narragansett
1382-1 | http://hl7.org/fhir/v3/Race | Navajo | Navajo
1383-9 | http://hl7.org/fhir/v3/Race | Alamo Navajo | Alamo Navajo
1384-7 | http://hl7.org/fhir/v3/Race | Canoncito Navajo | Canoncito Navajo
1385-4 | http://hl7.org/fhir/v3/Race | Ramah Navajo | Ramah Navajo
1387-0 | http://hl7.org/fhir/v3/Race | Nez Perce | Nez Perce
1389-6 | http://hl7.org/fhir/v3/Race | Nomalaki | Nomalaki
1391-2 | http://hl7.org/fhir/v3/Race | Northwest Tribes | Northwest Tribes
1392-0 | http://hl7.org/fhir/v3/Race | Alsea | Alsea
1393-8 | http://hl7.org/fhir/v3/Race | Celilo | Celilo
1394-6 | http://hl7.org/fhir/v3/Race | Columbia | Columbia
1395-3 | http://hl7.org/fhir/v3/Race | Kalapuya | Kalapuya
1396-1 | http://hl7.org/fhir/v3/Race | Molala | Molala
1397-9 | http://hl7.org/fhir/v3/Race | Talakamish | Talakamish
1398-7 | http://hl7.org/fhir/v3/Race | Tenino | Tenino
1399-5 | http://hl7.org/fhir/v3/Race | Tillamook | Tillamook
1400-1 | http://hl7.org/fhir/v3/Race | Wenatchee | Wenatchee
1401-9 | http://hl7.org/fhir/v3/Race | Yahooskin | Yahooskin
1403-5 | http://hl7.org/fhir/v3/Race | Omaha | Omaha
1405-0 | http://hl7.org/fhir/v3/Race | Oregon Athabaskan | Oregon Athabaskan
1407-6 | http://hl7.org/fhir/v3/Race | Osage | Osage
1409-2 | http://hl7.org/fhir/v3/Race | Otoe-Missouria | Otoe-Missouria
1411-8 | http://hl7.org/fhir/v3/Race | Ottawa | Ottawa
1412-6 | http://hl7.org/fhir/v3/Race | Burt Lake Ottawa | Burt Lake Ottawa
1413-4 | http://hl7.org/fhir/v3/Race | Michigan Ottawa | Michigan Ottawa

1414-2 | http://hl7.org/fhir/v3/Race | Oklahoma Ottawa | Oklahoma Ottawa
1416-7 | http://hl7.org/fhir/v3/Race | Paiute | Paiute
1417-5 | http://hl7.org/fhir/v3/Race | Bishop | Bishop
1418-3 | http://hl7.org/fhir/v3/Race | Bridgeport | Bridgeport
1419-1 | http://hl7.org/fhir/v3/Race | Burns Paiute | Burns Paiute
1420-9 | http://hl7.org/fhir/v3/Race | Cedarville | Cedarville
1421-7 | http://hl7.org/fhir/v3/Race | Fort Bidwell | Fort Bidwell
1422-5 | http://hl7.org/fhir/v3/Race | Fort Independence | Fort Independence
1423-3 | http://hl7.org/fhir/v3/Race | Kaibab | Kaibab
1424-1 | http://hl7.org/fhir/v3/Race | Las Vegas | Las Vegas
1425-8 | http://hl7.org/fhir/v3/Race | Lone Pine | Lone Pine
1426-6 | http://hl7.org/fhir/v3/Race | Lovelock | Lovelock
1427-4 | http://hl7.org/fhir/v3/Race | Malheur Paiute | Malheur Paiute
1428-2 | http://hl7.org/fhir/v3/Race | Moapa | Moapa
1429-0 | http://hl7.org/fhir/v3/Race | Northern Paiute | Northern Paiute
1430-8 | http://hl7.org/fhir/v3/Race | Owens Valley | Owens Valley
1431-6 | http://hl7.org/fhir/v3/Race | Pyramid Lake | Pyramid Lake
1432-4 | http://hl7.org/fhir/v3/Race | San Juan Southern Paiute | San Juan Southern Paiute
1433-2 | http://hl7.org/fhir/v3/Race | Southern Paiute | Southern Paiute
1434-0 | http://hl7.org/fhir/v3/Race | Summit Lake | Summit Lake
1435-7 | http://hl7.org/fhir/v3/Race | Utu Utu Gwaitu Paiute | Utu Utu Gwaitu Paiute
1436-5 | http://hl7.org/fhir/v3/Race | Walker River | Walker River
1437-3 | http://hl7.org/fhir/v3/Race | Yerington Paiute | Yerington Paiute
1439-9 | http://hl7.org/fhir/v3/Race | Pamunkey | Pamunkey
1441-5 | http://hl7.org/fhir/v3/Race | Passamaquoddy | Passamaquoddy
1442-3 | http://hl7.org/fhir/v3/Race | Indian Township | Indian Township
1443-1 | http://hl7.org/fhir/v3/Race | Pleasant Point Passamaquoddy | Pleasant Point Passamaquoddy
1445-6 | http://hl7.org/fhir/v3/Race | Pawnee | Pawnee
1446-4 | http://hl7.org/fhir/v3/Race | Oklahoma Pawnee | Oklahoma Pawnee
1448-0 | http://hl7.org/fhir/v3/Race | Penobscot | Penobscot
1450-6 | http://hl7.org/fhir/v3/Race | Peoria | Peoria
1451-4 | http://hl7.org/fhir/v3/Race | Oklahoma Peoria | Oklahoma Peoria
1453-0 | http://hl7.org/fhir/v3/Race | Pequot | Pequot
1454-8 | http://hl7.org/fhir/v3/Race | Marshantucket Pequot | Marshantucket Pequot
1456-3 | http://hl7.org/fhir/v3/Race | Pima | Pima
1457-1 | http://hl7.org/fhir/v3/Race | Gila River Pima-Maricopa | Gila River Pima-Maricopa
1458-9 | http://hl7.org/fhir/v3/Race | Salt River Pima-Maricopa | Salt River Pima-Maricopa
1460-5 | http://hl7.org/fhir/v3/Race | Piscataway | Piscataway
1462-1 | http://hl7.org/fhir/v3/Race | Pit River | Pit River
1464-7 | http://hl7.org/fhir/v3/Race | Pomo | Pomo
1465-4 | http://hl7.org/fhir/v3/Race | Central Pomo | Central Pomo
1466-2 | http://hl7.org/fhir/v3/Race | Dry Creek | Dry Creek
1467-0 | http://hl7.org/fhir/v3/Race | Eastern Pomo | Eastern Pomo
1468-8 | http://hl7.org/fhir/v3/Race | Kashia | Kashia
1469-6 | http://hl7.org/fhir/v3/Race | Northern Pomo | Northern Pomo
1470-4 | http://hl7.org/fhir/v3/Race | Scotts Valley | Scotts Valley
1471-2 | http://hl7.org/fhir/v3/Race | Stonyford | Stonyford
1472-0 | http://hl7.org/fhir/v3/Race | Sulphur Bank | Sulphur Bank
1474-6 | http://hl7.org/fhir/v3/Race | Ponca | Ponca
1475-3 | http://hl7.org/fhir/v3/Race | Nebraska Ponca | Nebraska Ponca
1476-1 | http://hl7.org/fhir/v3/Race | Oklahoma Ponca | Oklahoma Ponca
1478-7 | http://hl7.org/fhir/v3/Race | Potawatomi | Potawatomi
1479-5 | http://hl7.org/fhir/v3/Race | Citizen Band Potawatomi | Citizen Band Potawatomi
1480-3 | http://hl7.org/fhir/v3/Race | Forest County | Forest County
1481-1 | http://hl7.org/fhir/v3/Race | Hannahville | Hannahville
1482-9 | http://hl7.org/fhir/v3/Race | Huron Potawatomi | Huron Potawatomi
1483-7 | http://hl7.org/fhir/v3/Race | Pokagon Potawatomi | Pokagon Potawatomi
1484-5 | http://hl7.org/fhir/v3/Race | Prairie Band | Prairie Band
1485-2 | http://hl7.org/fhir/v3/Race | Wisconsin Potawatomi | Wisconsin Potawatomi
1487-8 | http://hl7.org/fhir/v3/Race | Powhatan | Powhatan
1489-4 | http://hl7.org/fhir/v3/Race | Pueblo | Pueblo
1490-2 | http://hl7.org/fhir/v3/Race | Acoma | Acoma
1491-0 | http://hl7.org/fhir/v3/Race | Arizona Tewa | Arizona Tewa
1492-8 | http://hl7.org/fhir/v3/Race | Cochiti | Cochiti
1493-6 | http://hl7.org/fhir/v3/Race | Hopi | Hopi
1494-4 | http://hl7.org/fhir/v3/Race | Isleta | Isleta
1495-1 | http://hl7.org/fhir/v3/Race | Jemez | Jemez
1496-9 | http://hl7.org/fhir/v3/Race | Keres | Keres
1497-7 | http://hl7.org/fhir/v3/Race | Laguna | Laguna
1498-5 | http://hl7.org/fhir/v3/Race | Nambe | Nambe
1499-3 | http://hl7.org/fhir/v3/Race | Picuris | Picuris
1500-8 | http://hl7.org/fhir/v3/Race | Piro | Piro

1501-6 | http://hl7.org/fhir/v3/Race | Pojoaque | Pojoaque
1502-4 | http://hl7.org/fhir/v3/Race | San Felipe | San Felipe
1503-2 | http://hl7.org/fhir/v3/Race | San Ildefonso | San Ildefonso
1504-0 | http://hl7.org/fhir/v3/Race | San Juan Pueblo | San Juan Pueblo
1505-7 | http://hl7.org/fhir/v3/Race | San Juan De | San Juan De
1506-5 | http://hl7.org/fhir/v3/Race | San Juan | San Juan
1507-3 | http://hl7.org/fhir/v3/Race | Sandia | Sandia
1508-1 | http://hl7.org/fhir/v3/Race | Santa Ana | Santa Ana
1509-9 | http://hl7.org/fhir/v3/Race | Santa Clara | Santa Clara
1510-7 | http://hl7.org/fhir/v3/Race | Santo Domingo | Santo Domingo
1511-5 | http://hl7.org/fhir/v3/Race | Taos | Taos
1512-3 | http://hl7.org/fhir/v3/Race | Tesuque | Tesuque
1513-1 | http://hl7.org/fhir/v3/Race | Tewa | Tewa
1514-9 | http://hl7.org/fhir/v3/Race | Tigua | Tigua
1515-6 | http://hl7.org/fhir/v3/Race | Zia | Zia
1516-4 | http://hl7.org/fhir/v3/Race | Zuni | Zuni
1518-0 | http://hl7.org/fhir/v3/Race | Puget Sound Salish | Puget Sound Salish
1519-8 | http://hl7.org/fhir/v3/Race | Duwamish | Duwamish
1520-6 | http://hl7.org/fhir/v3/Race | Kikiallus | Kikiallus
1521-4 | http://hl7.org/fhir/v3/Race | Lower Skagit | Lower Skagit
1522-2 | http://hl7.org/fhir/v3/Race | Muckleshoot | Muckleshoot
1523-0 | http://hl7.org/fhir/v3/Race | Nisqually | Nisqually
1524-8 | http://hl7.org/fhir/v3/Race | Nooksack | Nooksack
1525-5 | http://hl7.org/fhir/v3/Race | Port Madison | Port Madison
1526-3 | http://hl7.org/fhir/v3/Race | Puyallup | Puyallup
1527-1 | http://hl7.org/fhir/v3/Race | Samish | Samish
1528-9 | http://hl7.org/fhir/v3/Race | Sauk-Suiattle | Sauk-Suiattle
1529-7 | http://hl7.org/fhir/v3/Race | Skokomish | Skokomish
1530-5 | http://hl7.org/fhir/v3/Race | Skykomish | Skykomish
1531-3 | http://hl7.org/fhir/v3/Race | Snohomish | Snohomish
1532-1 | http://hl7.org/fhir/v3/Race | Snoqualmie | Snoqualmie
1533-9 | http://hl7.org/fhir/v3/Race | Squaxin Island | Squaxin Island
1534-7 | http://hl7.org/fhir/v3/Race | Steilacoom | Steilacoom
1535-4 | http://hl7.org/fhir/v3/Race | Stillaguamish | Stillaguamish
1536-2 | http://hl7.org/fhir/v3/Race | Suquamish | Suquamish
1537-0 | http://hl7.org/fhir/v3/Race | Swinomish | Swinomish
1538-8 | http://hl7.org/fhir/v3/Race | Tulalip | Tulalip
1539-6 | http://hl7.org/fhir/v3/Race | Upper Skagit | Upper Skagit
1541-2 | http://hl7.org/fhir/v3/Race | Quapaw | Quapaw
1543-8 | http://hl7.org/fhir/v3/Race | Quinault | Quinault
1545-3 | http://hl7.org/fhir/v3/Race | Rappahannock | Rappahannock
1547-9 | http://hl7.org/fhir/v3/Race | Reno-Sparks | Reno-Sparks
1549-5 | http://hl7.org/fhir/v3/Race | Round Valley | Round Valley
1551-1 | http://hl7.org/fhir/v3/Race | Sac and Fox | Sac and Fox
1552-9 | http://hl7.org/fhir/v3/Race | Iowa Sac and Fox | Iowa Sac and Fox
1553-7 | http://hl7.org/fhir/v3/Race | Missouri Sac and Fox | Missouri Sac and Fox
1554-5 | http://hl7.org/fhir/v3/Race | Oklahoma Sac and Fox | Oklahoma Sac and Fox
1556-0 | http://hl7.org/fhir/v3/Race | Salinan | Salinan
1558-6 | http://hl7.org/fhir/v3/Race | Salish | Salish
1560-2 | http://hl7.org/fhir/v3/Race | Salish and Kootenai | Salish and Kootenai
1562-8 | http://hl7.org/fhir/v3/Race | Schaghticoke | Schaghticoke
1564-4 | http://hl7.org/fhir/v3/Race | Scott Valley | Scott Valley
1566-9 | http://hl7.org/fhir/v3/Race | Seminole | Seminole
1567-7 | http://hl7.org/fhir/v3/Race | Big Cypress | Big Cypress
1568-5 | http://hl7.org/fhir/v3/Race | Brighton | Brighton
1569-3 | http://hl7.org/fhir/v3/Race | Florida Seminole | Florida Seminole
1570-1 | http://hl7.org/fhir/v3/Race | Hollywood Seminole | Hollywood Seminole
1571-9 | http://hl7.org/fhir/v3/Race | Oklahoma Seminole | Oklahoma Seminole
1573-5 | http://hl7.org/fhir/v3/Race | Serrano | Serrano
1574-3 | http://hl7.org/fhir/v3/Race | San Manual | San Manual
1576-8 | http://hl7.org/fhir/v3/Race | Shasta | Shasta
1578-4 | http://hl7.org/fhir/v3/Race | Shawnee | Shawnee
1579-2 | http://hl7.org/fhir/v3/Race | Absentee Shawnee | Absentee Shawnee
1580-0 | http://hl7.org/fhir/v3/Race | Eastern Shawnee | Eastern Shawnee
1582-6 | http://hl7.org/fhir/v3/Race | Shinnecock | Shinnecock
1584-2 | http://hl7.org/fhir/v3/Race | Shoalwater Bay | Shoalwater Bay
1586-7 | http://hl7.org/fhir/v3/Race | Shoshone | Shoshone
1587-5 | http://hl7.org/fhir/v3/Race | Battle Mountain | Battle Mountain
1588-3 | http://hl7.org/fhir/v3/Race | Duckwater | Duckwater
1589-1 | http://hl7.org/fhir/v3/Race | Elko | Elko
1590-9 | http://hl7.org/fhir/v3/Race | Ely | Ely
1591-7 | http://hl7.org/fhir/v3/Race | Goshute | Goshute

1592-5 | http://hl7.org/fhir/v3/Race | Panamint | Panamint
1593-3 | http://hl7.org/fhir/v3/Race | Ruby Valley | Ruby Valley
1594-1 | http://hl7.org/fhir/v3/Race | Skull Valley | Skull Valley
1595-8 | http://hl7.org/fhir/v3/Race | South Fork Shoshone | South Fork Shoshone
1596-6 | http://hl7.org/fhir/v3/Race | Te-Moak Western Shoshone | Te-Moak Western Shoshone
1597-4 | http://hl7.org/fhir/v3/Race | Timbi-Sha Shoshone | Timbi-Sha Shoshone
1598-2 | http://hl7.org/fhir/v3/Race | Washakie | Washakie
1599-0 | http://hl7.org/fhir/v3/Race | Wind River Shoshone | Wind River Shoshone
1600-6 | http://hl7.org/fhir/v3/Race | Yomba | Yomba
1602-2 | http://hl7.org/fhir/v3/Race | Shoshone Paiute | Shoshone Paiute
1603-0 | http://hl7.org/fhir/v3/Race | Duck Valley | Duck Valley
1604-8 | http://hl7.org/fhir/v3/Race | Fallon | Fallon
1605-5 | http://hl7.org/fhir/v3/Race | Fort McDermitt | Fort McDermitt
1607-1 | http://hl7.org/fhir/v3/Race | Siletz | Siletz
1609-7 | http://hl7.org/fhir/v3/Race | Sioux | Sioux
1610-5 | http://hl7.org/fhir/v3/Race | Blackfoot Sioux | Blackfoot Sioux
1611-3 | http://hl7.org/fhir/v3/Race | Brule Sioux | Brule Sioux
1612-1 | http://hl7.org/fhir/v3/Race | Cheyenne River Sioux | Cheyenne River Sioux
1613-9 | http://hl7.org/fhir/v3/Race | Crow Creek Sioux | Crow Creek Sioux
1614-7 | http://hl7.org/fhir/v3/Race | Dakota Sioux | Dakota Sioux
1615-4 | http://hl7.org/fhir/v3/Race | Flandreau Santee | Flandreau Santee
1616-2 | http://hl7.org/fhir/v3/Race | Fort Peck | Fort Peck
1617-0 | http://hl7.org/fhir/v3/Race | Lake Traverse Sioux | Lake Traverse Sioux
1618-8 | http://hl7.org/fhir/v3/Race | Lower Brule Sioux | Lower Brule Sioux
1619-6 | http://hl7.org/fhir/v3/Race | Lower Sioux | Lower Sioux
1620-4 | http://hl7.org/fhir/v3/Race | Mdewakanton Sioux | Mdewakanton Sioux
1621-2 | http://hl7.org/fhir/v3/Race | Miniconjou | Miniconjou
1622-0 | http://hl7.org/fhir/v3/Race | Oglala Sioux | Oglala Sioux
1623-8 | http://hl7.org/fhir/v3/Race | Pine Ridge Sioux | Pine Ridge Sioux
1624-6 | http://hl7.org/fhir/v3/Race | Pipestone Sioux | Pipestone Sioux
1625-3 | http://hl7.org/fhir/v3/Race | Prairie Island Sioux | Prairie Island Sioux
1626-1 | http://hl7.org/fhir/v3/Race | Prior Lake Sioux | Prior Lake Sioux
1627-9 | http://hl7.org/fhir/v3/Race | Rosebud Sioux | Rosebud Sioux
1628-7 | http://hl7.org/fhir/v3/Race | Sans Arc Sioux | Sans Arc Sioux
1629-5 | http://hl7.org/fhir/v3/Race | Santee Sioux | Santee Sioux
1630-3 | http://hl7.org/fhir/v3/Race | Sisseton-Wahpeton | Sisseton-Wahpeton
1631-1 | http://hl7.org/fhir/v3/Race | Sisseton Sioux | Sisseton Sioux
1632-9 | http://hl7.org/fhir/v3/Race | Spirit Lake Sioux | Spirit Lake Sioux
1633-7 | http://hl7.org/fhir/v3/Race | Standing Rock Sioux | Standing Rock Sioux
1634-5 | http://hl7.org/fhir/v3/Race | Teton Sioux | Teton Sioux
1635-2 | http://hl7.org/fhir/v3/Race | Two Kettle Sioux | Two Kettle Sioux
1636-0 | http://hl7.org/fhir/v3/Race | Upper Sioux | Upper Sioux
1637-8 | http://hl7.org/fhir/v3/Race | Wahpekute Sioux | Wahpekute Sioux
1638-6 | http://hl7.org/fhir/v3/Race | Wahpeton Sioux | Wahpeton Sioux
1639-4 | http://hl7.org/fhir/v3/Race | Wazhaza Sioux | Wazhaza Sioux
1640-2 | http://hl7.org/fhir/v3/Race | Yankton Sioux | Yankton Sioux
1641-0 | http://hl7.org/fhir/v3/Race | Yanktonai Sioux | Yanktonai Sioux
1643-6 | http://hl7.org/fhir/v3/Race | Siuslaw | Siuslaw
1645-1 | http://hl7.org/fhir/v3/Race | Spokane | Spokane
1647-7 | http://hl7.org/fhir/v3/Race | Stewart | Stewart
1649-3 | http://hl7.org/fhir/v3/Race | Stockbridge | Stockbridge
1651-9 | http://hl7.org/fhir/v3/Race | Susanville | Susanville
1653-5 | http://hl7.org/fhir/v3/Race | Tohono O'Odham | Tohono O'Odham
1654-3 | http://hl7.org/fhir/v3/Race | Ak-Chin | Ak-Chin
1655-0 | http://hl7.org/fhir/v3/Race | Gila Bend | Gila Bend
1656-8 | http://hl7.org/fhir/v3/Race | San Xavier | San Xavier
1657-6 | http://hl7.org/fhir/v3/Race | Sells | Sells
1659-2 | http://hl7.org/fhir/v3/Race | Tolowa | Tolowa
1661-8 | http://hl7.org/fhir/v3/Race | Tonkawa | Tonkawa
1663-4 | http://hl7.org/fhir/v3/Race | Tygh | Tygh
1665-9 | http://hl7.org/fhir/v3/Race | Umatilla | Umatilla
1667-5 | http://hl7.org/fhir/v3/Race | Umpqua | Umpqua
1668-3 | http://hl7.org/fhir/v3/Race | Cow Creek Umpqua | Cow Creek Umpqua
1670-9 | http://hl7.org/fhir/v3/Race | Ute | Ute
1671-7 | http://hl7.org/fhir/v3/Race | Allen Canyon | Allen Canyon
1672-5 | http://hl7.org/fhir/v3/Race | Uintah Ute | Uintah Ute
1673-3 | http://hl7.org/fhir/v3/Race | Ute Mountain Ute | Ute Mountain Ute
1675-8 | http://hl7.org/fhir/v3/Race | Wailaki | Wailaki
1677-4 | http://hl7.org/fhir/v3/Race | Walla-Walla | Walla-Walla
1679-0 | http://hl7.org/fhir/v3/Race | Wampanoag | Wampanoag
1680-8 | http://hl7.org/fhir/v3/Race | Gay Head Wampanoag | Gay Head Wampanoag
1681-6 | http://hl7.org/fhir/v3/Race | Mashpee Wampanoag | Mashpee Wampanoag

1683-2 | http://hl7.org/fhir/v3/Race | Warm Springs | Warm Springs
1685-7 | http://hl7.org/fhir/v3/Race | Wascopum | Wascopum
1687-3 | http://hl7.org/fhir/v3/Race | Washoe | Washoe
1688-1 | http://hl7.org/fhir/v3/Race | Alpine | Alpine
1689-9 | http://hl7.org/fhir/v3/Race | Carson | Carson
1690-7 | http://hl7.org/fhir/v3/Race | Dresslerville | Dresslerville
1692-3 | http://hl7.org/fhir/v3/Race | Wichita | Wichita
1694-9 | http://hl7.org/fhir/v3/Race | Wind River | Wind River
1696-4 | http://hl7.org/fhir/v3/Race | Winnebago | Winnebago
1697-2 | http://hl7.org/fhir/v3/Race | Ho-chunk | Ho-chunk
1698-0 | http://hl7.org/fhir/v3/Race | Nebraska Winnebago | Nebraska Winnebago
1700-4 | http://hl7.org/fhir/v3/Race | Winnemucca | Winnemucca
1702-0 | http://hl7.org/fhir/v3/Race | Wintun | Wintun
1704-6 | http://hl7.org/fhir/v3/Race | Wiyot | Wiyot
1705-3 | http://hl7.org/fhir/v3/Race | Table Bluff | Table Bluff
1707-9 | http://hl7.org/fhir/v3/Race | Yakama | Yakama
1709-5 | http://hl7.org/fhir/v3/Race | Yakama Cowlitz | Yakama Cowlitz
1711-1 | http://hl7.org/fhir/v3/Race | Yaqui | Yaqui
1712-9 | http://hl7.org/fhir/v3/Race | Barrio Libre | Barrio Libre
1713-7 | http://hl7.org/fhir/v3/Race | Pascua Yaqui | Pascua Yaqui
1715-2 | http://hl7.org/fhir/v3/Race | Yavapai Apache | Yavapai Apache
1717-8 | http://hl7.org/fhir/v3/Race | Yokuts | Yokuts
1718-6 | http://hl7.org/fhir/v3/Race | Chukchansi | Chukchansi
1719-4 | http://hl7.org/fhir/v3/Race | Tachi | Tachi
1720-2 | http://hl7.org/fhir/v3/Race | Tule River | Tule River
1722-8 | http://hl7.org/fhir/v3/Race | Yuchi | Yuchi
1724-4 | http://hl7.org/fhir/v3/Race | Yuman | Yuman
1725-1 | http://hl7.org/fhir/v3/Race | Cocopah | Cocopah
1726-9 | http://hl7.org/fhir/v3/Race | Havasupai | Havasupai
1727-7 | http://hl7.org/fhir/v3/Race | Hualapai | Hualapai
1728-5 | http://hl7.org/fhir/v3/Race | Maricopa | Maricopa
1729-3 | http://hl7.org/fhir/v3/Race | Mohave | Mohave
1730-1 | http://hl7.org/fhir/v3/Race | Quechan | Quechan
1731-9 | http://hl7.org/fhir/v3/Race | Yavapai | Yavapai
1732-7 | http://hl7.org/fhir/v3/Race | Yurok | Yurok
1733-5 | http://hl7.org/fhir/v3/Race | Coast Yurok | Coast Yurok
1735-0 | http://hl7.org/fhir/v3/Race | Alaska Native | Alaska Native
1737-6 | http://hl7.org/fhir/v3/Race | Alaska Indian | Alaska Indian
1739-2 | http://hl7.org/fhir/v3/Race | Alaskan Athabascan | Alaskan Athabascan
1740-0 | http://hl7.org/fhir/v3/Race | Ahtna | Ahtna
1811-9 | http://hl7.org/fhir/v3/Race | Southeast Alaska | Southeast Alaska
1813-5 | http://hl7.org/fhir/v3/Race | Tlingit-Haida | Tlingit-Haida
1814-3 | http://hl7.org/fhir/v3/Race | Angoon | Angoon
1815-0 | http://hl7.org/fhir/v3/Race | Central Council of Tlingit and Haida Tribes | Central Council of Tlingit and Haida Tribes
1816-8 | http://hl7.org/fhir/v3/Race | Chilkat | Chilkat
1817-6 | http://hl7.org/fhir/v3/Race | Chilkoot | Chilkoot
1818-4 | http://hl7.org/fhir/v3/Race | Craig | Craig
1819-2 | http://hl7.org/fhir/v3/Race | Douglas | Douglas
1820-0 | http://hl7.org/fhir/v3/Race | Haida | Haida
1821-8 | http://hl7.org/fhir/v3/Race | Hoonah | Hoonah
1822-6 | http://hl7.org/fhir/v3/Race | Hydaburg | Hydaburg
1823-4 | http://hl7.org/fhir/v3/Race | Kake | Kake
1824-2 | http://hl7.org/fhir/v3/Race | Kasaan | Kasaan
1825-9 | http://hl7.org/fhir/v3/Race | Kenaitze | Kenaitze
1826-7 | http://hl7.org/fhir/v3/Race | Ketchikan | Ketchikan
1827-5 | http://hl7.org/fhir/v3/Race | Klawock | Klawock
1828-3 | http://hl7.org/fhir/v3/Race | Pelican | Pelican
1829-1 | http://hl7.org/fhir/v3/Race | Petersburg | Petersburg
1830-9 | http://hl7.org/fhir/v3/Race | Saxman | Saxman
1831-7 | http://hl7.org/fhir/v3/Race | Sitka | Sitka
1832-5 | http://hl7.org/fhir/v3/Race | Tenakee Springs | Tenakee Springs
1833-3 | http://hl7.org/fhir/v3/Race | Tlingit | Tlingit
1834-1 | http://hl7.org/fhir/v3/Race | Wrangell | Wrangell
1835-8 | http://hl7.org/fhir/v3/Race | Yakutat | Yakutat
1837-4 | http://hl7.org/fhir/v3/Race | Tsimshian | Tsimshian
1838-2 | http://hl7.org/fhir/v3/Race | Metlakatla | Metlakatla
1840-8 | http://hl7.org/fhir/v3/Race | Eskimo | Eskimo
1842-4 | http://hl7.org/fhir/v3/Race | Greenland Eskimo | Greenland Eskimo
1844-0 | http://hl7.org/fhir/v3/Race | Inupiat Eskimo | Inupiat Eskimo
1845-7 | http://hl7.org/fhir/v3/Race | Ambler | Ambler
1846-5 | http://hl7.org/fhir/v3/Race | Anaktuvuk | Anaktuvuk
1847-3 | http://hl7.org/fhir/v3/Race | Anaktuvuk Pass | Anaktuvuk Pass

1848-1 | http://hl7.org/fhir/v3/Race | Arctic Slope Inupiat | Arctic Slope Inupiat
1849-9 | http://hl7.org/fhir/v3/Race | Arctic Slope Corporation | Arctic Slope Corporation
1850-7 | http://hl7.org/fhir/v3/Race | Atqasuk | Atqasuk
1851-5 | http://hl7.org/fhir/v3/Race | Barrow | Barrow
1852-3 | http://hl7.org/fhir/v3/Race | Bering Straits Inupiat | Bering Straits Inupiat
1853-1 | http://hl7.org/fhir/v3/Race | Brevig Mission | Brevig Mission
1854-9 | http://hl7.org/fhir/v3/Race | Buckland | Buckland
1855-6 | http://hl7.org/fhir/v3/Race | Chinik | Chinik
1856-4 | http://hl7.org/fhir/v3/Race | Council | Council
1857-2 | http://hl7.org/fhir/v3/Race | Deering | Deering
1858-0 | http://hl7.org/fhir/v3/Race | Elim | Elim
1859-8 | http://hl7.org/fhir/v3/Race | Golovin | Golovin
1860-6 | http://hl7.org/fhir/v3/Race | Inalik Diomede | Inalik Diomede
1861-4 | http://hl7.org/fhir/v3/Race | Inupiaq | Inupiaq
1862-2 | http://hl7.org/fhir/v3/Race | Kaktovik | Kaktovik
1863-0 | http://hl7.org/fhir/v3/Race | Kawerak | Kawerak
1864-8 | http://hl7.org/fhir/v3/Race | Kiana | Kiana
1865-5 | http://hl7.org/fhir/v3/Race | Kivalina | Kivalina
1866-3 | http://hl7.org/fhir/v3/Race | Kobuk | Kobuk
1867-1 | http://hl7.org/fhir/v3/Race | Kotzebue | Kotzebue
1868-9 | http://hl7.org/fhir/v3/Race | Koyuk | Koyuk
1869-7 | http://hl7.org/fhir/v3/Race | Kwiguk | Kwiguk
1870-5 | http://hl7.org/fhir/v3/Race | Mauneluk Inupiat | Mauneluk Inupiat
1871-3 | http://hl7.org/fhir/v3/Race | Nana Inupiat | Nana Inupiat
1872-1 | http://hl7.org/fhir/v3/Race | Noatak | Noatak
1873-9 | http://hl7.org/fhir/v3/Race | Nome | Nome
1874-7 | http://hl7.org/fhir/v3/Race | Noorvik | Noorvik
1875-4 | http://hl7.org/fhir/v3/Race | Nuiqsut | Nuiqsut
1876-2 | http://hl7.org/fhir/v3/Race | Point Hope | Point Hope
1877-0 | http://hl7.org/fhir/v3/Race | Point Lay | Point Lay
1878-8 | http://hl7.org/fhir/v3/Race | Selawik | Selawik
1879-6 | http://hl7.org/fhir/v3/Race | Shaktoolik | Shaktoolik
1880-4 | http://hl7.org/fhir/v3/Race | Shishmaref | Shishmaref
1881-2 | http://hl7.org/fhir/v3/Race | Shungnak | Shungnak
1882-0 | http://hl7.org/fhir/v3/Race | Solomon | Solomon
1883-8 | http://hl7.org/fhir/v3/Race | Teller | Teller
1884-6 | http://hl7.org/fhir/v3/Race | Unalakleet | Unalakleet
1885-3 | http://hl7.org/fhir/v3/Race | Wainwright | Wainwright
1886-1 | http://hl7.org/fhir/v3/Race | Wales | Wales
1887-9 | http://hl7.org/fhir/v3/Race | White Mountain | White Mountain
1888-7 | http://hl7.org/fhir/v3/Race | White Mountain Inupiat | White Mountain Inupiat
1889-5 | http://hl7.org/fhir/v3/Race | Mary's Igloo | Mary's Igloo
1891-1 | http://hl7.org/fhir/v3/Race | Siberian Eskimo | Siberian Eskimo
1892-9 | http://hl7.org/fhir/v3/Race | Gambell | Gambell
1893-7 | http://hl7.org/fhir/v3/Race | Savoonga | Savoonga
1894-5 | http://hl7.org/fhir/v3/Race | Siberian Yupik | Siberian Yupik
1896-0 | http://hl7.org/fhir/v3/Race | Yupik Eskimo | Yupik Eskimo
1897-8 | http://hl7.org/fhir/v3/Race | Akiachak | Akiachak
1898-6 | http://hl7.org/fhir/v3/Race | Akiak | Akiak
1899-4 | http://hl7.org/fhir/v3/Race | Alakanuk | Alakanuk
1900-0 | http://hl7.org/fhir/v3/Race | Aleknagik | Aleknagik
1901-8 | http://hl7.org/fhir/v3/Race | Andreafsky | Andreafsky
1902-6 | http://hl7.org/fhir/v3/Race | Aniak | Aniak
1903-4 | http://hl7.org/fhir/v3/Race | Atmautluak | Atmautluak
1904-2 | http://hl7.org/fhir/v3/Race | Bethel | Bethel
1905-9 | http://hl7.org/fhir/v3/Race | Bill Moore's Slough | Bill Moore's Slough
1906-7 | http://hl7.org/fhir/v3/Race | Bristol Bay Yupik | Bristol Bay Yupik
1907-5 | http://hl7.org/fhir/v3/Race | Calista Yupik | Calista Yupik
1908-3 | http://hl7.org/fhir/v3/Race | Chefornak | Chefornak
1909-1 | http://hl7.org/fhir/v3/Race | Chevak | Chevak
1910-9 | http://hl7.org/fhir/v3/Race | Chuathbaluk | Chuathbaluk
1911-7 | http://hl7.org/fhir/v3/Race | Clark's Point | Clark's Point
1912-5 | http://hl7.org/fhir/v3/Race | Crooked Creek | Crooked Creek
1913-3 | http://hl7.org/fhir/v3/Race | Dillingham | Dillingham
1914-1 | http://hl7.org/fhir/v3/Race | Eek | Eek
1915-8 | http://hl7.org/fhir/v3/Race | Ekuk | Ekuk
1916-6 | http://hl7.org/fhir/v3/Race | Ekwok | Ekwok
1917-4 | http://hl7.org/fhir/v3/Race | Emmonak | Emmonak
1918-2 | http://hl7.org/fhir/v3/Race | Goodnews Bay | Goodnews Bay
1919-0 | http://hl7.org/fhir/v3/Race | Hooper Bay | Hooper Bay
1920-8 | http://hl7.org/fhir/v3/Race | Iqurmuit (Russian Mission) | Iqurmuit (Russian Mission)
1921-6 | http://hl7.org/fhir/v3/Race | Kalskag | Kalskag

1922-4 | http://hl7.org/fhir/v3/Race | Kasigluk | Kasigluk
1923-2 | http://hl7.org/fhir/v3/Race | Kipnuk | Kipnuk
1924-0 | http://hl7.org/fhir/v3/Race | Koliganek | Koliganek
1925-7 | http://hl7.org/fhir/v3/Race | Kongiganak | Kongiganak
1926-5 | http://hl7.org/fhir/v3/Race | Kotlik | Kotlik
1927-3 | http://hl7.org/fhir/v3/Race | Kwethluk | Kwethluk
1928-1 | http://hl7.org/fhir/v3/Race | Kwigillingok | Kwigillingok
1929-9 | http://hl7.org/fhir/v3/Race | Levelock | Levelock
1930-7 | http://hl7.org/fhir/v3/Race | Lower Kalskag | Lower Kalskag
1931-5 | http://hl7.org/fhir/v3/Race | Manokotak | Manokotak
1932-3 | http://hl7.org/fhir/v3/Race | Marshall | Marshall
1933-1 | http://hl7.org/fhir/v3/Race | Mekoryuk | Mekoryuk
1934-9 | http://hl7.org/fhir/v3/Race | Mountain Village | Mountain Village
1935-6 | http://hl7.org/fhir/v3/Race | Naknek | Naknek
1936-4 | http://hl7.org/fhir/v3/Race | Napaumute | Napaumute
1937-2 | http://hl7.org/fhir/v3/Race | Napakiak | Napakiak
1938-0 | http://hl7.org/fhir/v3/Race | Napaskiak | Napaskiak
1939-8 | http://hl7.org/fhir/v3/Race | Newhalen | Newhalen
1940-6 | http://hl7.org/fhir/v3/Race | New Stuyahok | New Stuyahok
1941-4 | http://hl7.org/fhir/v3/Race | Newtok | Newtok
1942-2 | http://hl7.org/fhir/v3/Race | Nightmute | Nightmute
1943-0 | http://hl7.org/fhir/v3/Race | Nunapitchukv | Nunapitchukv
1944-8 | http://hl7.org/fhir/v3/Race | Oscarville | Oscarville
1945-5 | http://hl7.org/fhir/v3/Race | Pilot Station | Pilot Station
1946-3 | http://hl7.org/fhir/v3/Race | Pitkas Point | Pitkas Point
1947-1 | http://hl7.org/fhir/v3/Race | Platinum | Platinum
1948-9 | http://hl7.org/fhir/v3/Race | Portage Creek | Portage Creek
1949-7 | http://hl7.org/fhir/v3/Race | Quinhagak | Quinhagak
1950-5 | http://hl7.org/fhir/v3/Race | Red Devil | Red Devil
1951-3 | http://hl7.org/fhir/v3/Race | St. Michael | St. Michael
1952-1 | http://hl7.org/fhir/v3/Race | Scammon Bay | Scammon Bay
1953-9 | http://hl7.org/fhir/v3/Race | Sheldon's Point | Sheldon's Point
1954-7 | http://hl7.org/fhir/v3/Race | Sleetmute | Sleetmute
1955-4 | http://hl7.org/fhir/v3/Race | Stebbins | Stebbins
1956-2 | http://hl7.org/fhir/v3/Race | Togiak | Togiak
1957-0 | http://hl7.org/fhir/v3/Race | Toksook | Toksook
1958-8 | http://hl7.org/fhir/v3/Race | Tulukskak | Tulukskak
1959-6 | http://hl7.org/fhir/v3/Race | Tuntutuliak | Tuntutuliak
1960-4 | http://hl7.org/fhir/v3/Race | Tununak | Tununak
1961-2 | http://hl7.org/fhir/v3/Race | Twin Hills | Twin Hills
1962-0 | http://hl7.org/fhir/v3/Race | Georgetown | Georgetown
1963-8 | http://hl7.org/fhir/v3/Race | St. Mary's | St. Mary's
1964-6 | http://hl7.org/fhir/v3/Race | Umkumiate | Umkumiate
1966-1 | http://hl7.org/fhir/v3/Race | Aleut | Aleut
1968-7 | http://hl7.org/fhir/v3/Race | Alutiiq Aleut | Alutiiq Aleut
1969-5 | http://hl7.org/fhir/v3/Race | Tatitlek | Tatitlek
1970-3 | http://hl7.org/fhir/v3/Race | Ugashik | Ugashik
1972-9 | http://hl7.org/fhir/v3/Race | Bristol Bay Aleut | Bristol Bay Aleut
1973-7 | http://hl7.org/fhir/v3/Race | Chignik | Chignik
1974-5 | http://hl7.org/fhir/v3/Race | Chignik Lake | Chignik Lake
1975-2 | http://hl7.org/fhir/v3/Race | Egegik | Egegik
1976-0 | http://hl7.org/fhir/v3/Race | Igiugig | Igiugig
1977-8 | http://hl7.org/fhir/v3/Race | Ivanof Bay | Ivanof Bay
1978-6 | http://hl7.org/fhir/v3/Race | King Salmon | King Salmon
1979-4 | http://hl7.org/fhir/v3/Race | Kokhanok | Kokhanok
1980-2 | http://hl7.org/fhir/v3/Race | Perryville | Perryville
1981-0 | http://hl7.org/fhir/v3/Race | Pilot Point | Pilot Point
1982-8 | http://hl7.org/fhir/v3/Race | Port Heiden | Port Heiden
1984-4 | http://hl7.org/fhir/v3/Race | Chugach Aleut | Chugach Aleut
1985-1 | http://hl7.org/fhir/v3/Race | Chenega | Chenega
1986-9 | http://hl7.org/fhir/v3/Race | Chugach Corporation | Chugach Corporation
1987-7 | http://hl7.org/fhir/v3/Race | English Bay | English Bay
1988-5 | http://hl7.org/fhir/v3/Race | Port Graham | Port Graham
1990-1 | http://hl7.org/fhir/v3/Race | Eyak | Eyak
1992-7 | http://hl7.org/fhir/v3/Race | Koniag Aleut | Koniag Aleut
1993-5 | http://hl7.org/fhir/v3/Race | Akhiok | Akhiok
1994-3 | http://hl7.org/fhir/v3/Race | Agdaagux | Agdaagux
1995-0 | http://hl7.org/fhir/v3/Race | Karluk | Karluk
1996-8 | http://hl7.org/fhir/v3/Race | Kodiak | Kodiak
1997-6 | http://hl7.org/fhir/v3/Race | Larsen Bay | Larsen Bay
1998-4 | http://hl7.org/fhir/v3/Race | Old Harbor | Old Harbor
1999-2 | http://hl7.org/fhir/v3/Race | Ouzinkie | Ouzinkie

2000-8 | http://hl7.org/fhir/v3/Race | Port Lions | Port Lions
2002-4 | http://hl7.org/fhir/v3/Race | Sugpiaq | Sugpiaq
2004-0 | http://hl7.org/fhir/v3/Race | Suqpigaq | Suqpigaq
2006-5 | http://hl7.org/fhir/v3/Race | Unangan Aleut | Unangan Aleut
2007-3 | http://hl7.org/fhir/v3/Race | Akutan | Akutan
2008-1 | http://hl7.org/fhir/v3/Race | Aleut Corporation | Aleut Corporation
2009-9 | http://hl7.org/fhir/v3/Race | Aleutian | Aleutian
2010-7 | http://hl7.org/fhir/v3/Race | Aleutian Islander | Aleutian Islander
2011-5 | http://hl7.org/fhir/v3/Race | Atka | Atka
2012-3 | http://hl7.org/fhir/v3/Race | Belkofski | Belkofski
2013-1 | http://hl7.org/fhir/v3/Race | Chignik Lagoon | Chignik Lagoon
2014-9 | http://hl7.org/fhir/v3/Race | King Cove | King Cove
2015-6 | http://hl7.org/fhir/v3/Race | False Pass | False Pass
2016-4 | http://hl7.org/fhir/v3/Race | Nelson Lagoon | Nelson Lagoon
2017-2 | http://hl7.org/fhir/v3/Race | Nikolski | Nikolski
2018-0 | http://hl7.org/fhir/v3/Race | Pauloff Harbor | Pauloff Harbor
2019-8 | http://hl7.org/fhir/v3/Race | Qagan Toyagungin | Qagan Toyagungin
2020-6 | http://hl7.org/fhir/v3/Race | Qawalangin | Qawalangin
2021-4 | http://hl7.org/fhir/v3/Race | St. George | St. George
2022-2 | http://hl7.org/fhir/v3/Race | St. Paul | St. Paul
2023-0 | http://hl7.org/fhir/v3/Race | Sand Point | Sand Point
2024-8 | http://hl7.org/fhir/v3/Race | South Naknek | South Naknek
2025-5 | http://hl7.org/fhir/v3/Race | Unalaska | Unalaska
2026-3 | http://hl7.org/fhir/v3/Race | Unga | Unga
2028-9 | http://hl7.org/fhir/v3/Race | Asian | Asian
2029-7 | http://hl7.org/fhir/v3/Race | Asian Indian | Asian Indian
2030-5 | http://hl7.org/fhir/v3/Race | Bangladeshi | Bangladeshi
2031-3 | http://hl7.org/fhir/v3/Race | Bhutanese | Bhutanese
2032-1 | http://hl7.org/fhir/v3/Race | Burmese | Burmese
2033-9 | http://hl7.org/fhir/v3/Race | Cambodian | Cambodian
2034-7 | http://hl7.org/fhir/v3/Race | Chinese | Chinese
2035-4 | http://hl7.org/fhir/v3/Race | Taiwanese | Taiwanese
2036-2 | http://hl7.org/fhir/v3/Race | Filipino | Filipino
2037-0 | http://hl7.org/fhir/v3/Race | Hmong | Hmong
2038-8 | http://hl7.org/fhir/v3/Race | Indonesian | Indonesian
2039-6 | http://hl7.org/fhir/v3/Race | Japanese | Japanese
2040-4 | http://hl7.org/fhir/v3/Race | Korean | Korean
2041-2 | http://hl7.org/fhir/v3/Race | Laotian | Laotian
2042-0 | http://hl7.org/fhir/v3/Race | Malaysian | Malaysian
2043-8 | http://hl7.org/fhir/v3/Race | Okinawan | Okinawan
2044-6 | http://hl7.org/fhir/v3/Race | Pakistani | Pakistani
2045-3 | http://hl7.org/fhir/v3/Race | Sri Lankan | Sri Lankan
2046-1 | http://hl7.org/fhir/v3/Race | Thai | Thai
2047-9 | http://hl7.org/fhir/v3/Race | Vietnamese | Vietnamese
2048-7 | http://hl7.org/fhir/v3/Race | Iwo Jiman | Iwo Jiman
2049-5 | http://hl7.org/fhir/v3/Race | Maldivian | Maldivian
2050-3 | http://hl7.org/fhir/v3/Race | Nepalese | Nepalese
2051-1 | http://hl7.org/fhir/v3/Race | Singaporean | Singaporean
2052-9 | http://hl7.org/fhir/v3/Race | Madagascar | Madagascar
2054-5 | http://hl7.org/fhir/v3/Race | Black or African American | Black or African American
2056-0 | http://hl7.org/fhir/v3/Race | Black | Black
2058-6 | http://hl7.org/fhir/v3/Race | African American | African American
2060-2 | http://hl7.org/fhir/v3/Race | African | African
2061-0 | http://hl7.org/fhir/v3/Race | Botswanan | Botswanan
2062-8 | http://hl7.org/fhir/v3/Race | Ethiopian | Ethiopian
2063-6 | http://hl7.org/fhir/v3/Race | Liberian | Liberian
2064-4 | http://hl7.org/fhir/v3/Race | Namibian | Namibian
2065-1 | http://hl7.org/fhir/v3/Race | Nigerian | Nigerian
2066-9 | http://hl7.org/fhir/v3/Race | Zairean | Zairean
2067-7 | http://hl7.org/fhir/v3/Race | Bahamian | Bahamian
2068-5 | http://hl7.org/fhir/v3/Race | Barbadian | Barbadian
2069-3 | http://hl7.org/fhir/v3/Race | Dominican | Dominican
2070-1 | http://hl7.org/fhir/v3/Race | Dominica Islander | Dominica Islander
2071-9 | http://hl7.org/fhir/v3/Race | Haitian | Haitian
2072-7 | http://hl7.org/fhir/v3/Race | Jamaican | Jamaican
2073-5 | http://hl7.org/fhir/v3/Race | Tobagoan | Tobagoan
2074-3 | http://hl7.org/fhir/v3/Race | Trinidadian | Trinidadian
2075-0 | http://hl7.org/fhir/v3/Race | West Indian | West Indian
2076-8 | http://hl7.org/fhir/v3/Race | Native Hawaiian or Other Pacific Islander | Native Hawaiian or Other Pacific Islander
2078-4 | http://hl7.org/fhir/v3/Race | Polynesian | Polynesian
2079-2 | http://hl7.org/fhir/v3/Race | Native Hawaiian | Native Hawaiian
2080-0 | http://hl7.org/fhir/v3/Race | Samoan | Samoan

2081-8 | http://hl7.org/fhir/v3/Race | Tahitian | Tahitian
2082-6 | http://hl7.org/fhir/v3/Race | Tongan | Tongan
2083-4 | http://hl7.org/fhir/v3/Race | Tokelauan | Tokelauan
2085-9 | http://hl7.org/fhir/v3/Race | Micronesian | Micronesian
2086-7 | http://hl7.org/fhir/v3/Race | Guamanian or Chamorro | Guamanian or Chamorro
2087-5 | http://hl7.org/fhir/v3/Race | Guamanian | Guamanian
2088-3 | http://hl7.org/fhir/v3/Race | Chamorro | Chamorro
2089-1 | http://hl7.org/fhir/v3/Race | Mariana Islander | Mariana Islander
2090-9 | http://hl7.org/fhir/v3/Race | Marshallese | Marshallese
2091-7 | http://hl7.org/fhir/v3/Race | Palauan | Palauan
2092-5 | http://hl7.org/fhir/v3/Race | Carolinian | Carolinian
2093-3 | http://hl7.org/fhir/v3/Race | Kosraean | Kosraean
2094-1 | http://hl7.org/fhir/v3/Race | Pohnpeian | Pohnpeian
2095-8 | http://hl7.org/fhir/v3/Race | Saipanese | Saipanese
2096-6 | http://hl7.org/fhir/v3/Race | Kiribati | Kiribati
2097-4 | http://hl7.org/fhir/v3/Race | Chuukese | Chuukese
2098-2 | http://hl7.org/fhir/v3/Race | Yapese | Yapese
2100-6 | http://hl7.org/fhir/v3/Race | Melanesian | Melanesian
2101-4 | http://hl7.org/fhir/v3/Race | Fijian | Fijian
2102-2 | http://hl7.org/fhir/v3/Race | Papua New Guinean | Papua New Guinean
2103-0 | http://hl7.org/fhir/v3/Race | Solomon Islander | Solomon Islander
2104-8 | http://hl7.org/fhir/v3/Race | New Hebrides | New Hebrides
2500-7 | http://hl7.org/fhir/v3/Race | Other Pacific Islander | Note that this term remains in the table for completeness, even though within HL7, the notion of Other code is deprecated.
2106-3 | http://hl7.org/fhir/v3/Race | White | White
2108-9 | http://hl7.org/fhir/v3/Race | European | European
2109-7 | http://hl7.org/fhir/v3/Race | Armenian | Armenian
2110-5 | http://hl7.org/fhir/v3/Race | English | English
2111-3 | http://hl7.org/fhir/v3/Race | French | French
2112-1 | http://hl7.org/fhir/v3/Race | German | German
2113-9 | http://hl7.org/fhir/v3/Race | Irish | Irish
2114-7 | http://hl7.org/fhir/v3/Race | Italian | Italian
2115-4 | http://hl7.org/fhir/v3/Race | Polish | Polish
2116-2 | http://hl7.org/fhir/v3/Race | Scottish | Scottish
2118-8 | http://hl7.org/fhir/v3/Race | Middle Eastern or North African | Middle Eastern or North African
2119-6 | http://hl7.org/fhir/v3/Race | Assyrian | Assyrian
2120-4 | http://hl7.org/fhir/v3/Race | Egyptian | Egyptian
2121-2 | http://hl7.org/fhir/v3/Race | Iranian | Iranian
2122-0 | http://hl7.org/fhir/v3/Race | Iraqi | Iraqi
2123-8 | http://hl7.org/fhir/v3/Race | Lebanese | Lebanese
2124-6 | http://hl7.org/fhir/v3/Race | Palestinian | Palestinian
2125-3 | http://hl7.org/fhir/v3/Race | Syrian | Syrian
2126-1 | http://hl7.org/fhir/v3/Race | Afghanistani | Afghanistani
2127-9 | http://hl7.org/fhir/v3/Race | Israeili | Israeili
2129-5 | http://hl7.org/fhir/v3/Race | Arab | Arab
2131-1 | http://hl7.org/fhir/v3/Race | Other Race | Note that this term remains in the table for completeness, even though within HL7, the notion of Other code is deprecated.
248153007 | http://snomed.info/sct | Male
248152002 | http://snomed.info/sct | Female
77386006 | http://snomed.info/sct | Pregnancy not delivered

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.397 Value Set http://hl7.org/fhir/ValueSet/issue-severity

URL: https://hl7.org/fhir/STU3/valueset-issue-severity.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/issue-severity

Name: | IssueSeverity
Definition: | How the issue affects the success of the action.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.397 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for IssueSeverity

* OperationOutcome.issue.severity (Required)

4.3.1.397.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/issue-severity

4.3.1.397.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/issue-severity version 3.0.2

All codes from system http://hl7.org/fhir/issue-severity

Code | Display | Definition
fatal | Fatal | The issue caused the action to fail, and no further checking could be performed.
error | Error | The issue is sufficiently important to cause the action to fail.
warning | Warning | The issue is not important enough to cause the action to fail, but may cause it to be performed suboptimally or in a way that is not as desired.
information | Information | The issue has no relation to the degree of success of the action.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.399 Value Set http://hl7.org/fhir/ValueSet/issue-type

URL: https://hl7.org/fhir/STU3/valueset-issue-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/issue-type
Name: | IssueType
Definition: | A code that describes the type of issue.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.399 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for IssueType

* OperationOutcome.issue.code (Required)

4.3.1.399.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/issue-type

4.3.1.399.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 29 concepts

Expansion based on http://hl7.org/fhir/issue-type version 3.0.2

All codes from system http://hl7.org/fhir/issue-type

Code | Display | Definition
invalid | Invalid Content | Content invalid against the specification or a profile.
structure | Structural Issue | A structural issue in the content such as wrong namespace, or unable to parse the content completely, or invalid json syntax.
required | Required element missing | A required element is missing.
value | Element value invalid | An element value is invalid.
invariant | Validation rule failed | A content validation rule failed - e.g. a schematron rule.
security | Security Problem | An authentication/authorization/permissions issue of some kind.
login | Login Required | The client needs to initiate an authentication process.
unknown | Unknown User | The user or system was not able to be authenticated (either there is no process, or the proferred token is unacceptable).
expired | Session Expired | User session expired; a login may be required.
forbidden | Forbidden | The user does not have the rights to perform this action.
suppressed | Information Suppressed | Some information was not or may not have been returned due to business rules, consent or privacy rules, or access permission constraints. This information may be accessible through alternate processes.
processing | Processing Failure | Processing issues. These are expected to be final e.g. there is no point resubmitting the same content unchanged.
not-supported | Content not supported | The resource or profile is not supported.
duplicate | Duplicate | An attempt was made to create a duplicate record.
not-found | Not Found | The reference provided was not found. In a pure RESTful environment, this would be an HTTP 404 error, but this code may be used where the content is not found further into the application architecture.
too-long | Content Too Long | Provided content is too long (typically, this is a denial of service protection type of error).
code-invalid | Invalid Code | The code or system could not be understood, or it was not valid in the context of a particular ValueSet.code.
extension | Unacceptable Extension | An extension was found that was not acceptable, could not be resolved, or a modifierExtension was not recognized.
too-costly | Operation Too Costly | The operation was stopped to protect server resources; e.g. a request for a value set expansion on all of SNOMED CT.
business-rule | Business Rule Violation | The content/operation failed to pass some business rule, and so could not proceed.
conflict | Edit Version Conflict | Content could not be accepted because of an edit conflict (i.e. version aware updates) (In a pure RESTful environment, this would be an HTTP 404 error, but this code may be used where the conflict is discovered further into the application architecture.)
incomplete | Incomplete Results | Not all data sources typically accessed could be reached, or responded in time, so the returned information may not be complete.
transient | Transient Issue | Transient processing issues. The system receiving the error may be able to resubmit the same content once an underlying issue is resolved.
lock-error | Lock Error | A resource/record locking failure (usually in an underlying database).
no-store | No Store Available | The persistent store is unavailable; e.g. the database is down for maintenance or similar action.
exception | Exception | An unexpected internal error has occurred.
timeout | Timeout | An internal timeout has occurred.
throttled | Throttled | The system is not prepared to handle this request due to load management.
informational | Informational Note | A message unrelated to the processing success of the completed operation (examples of the latter include things like reminders of password expiry, system maintenance times, etc.).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.401 Value Set http://hl7.org/fhir/ValueSet/operation-outcome

URL: https://hl7.org/fhir/STU3/valueset-operation-outcome.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/operation-outcome
Name: | Operation Outcome Codes
Definition: | Operation Outcome codes used by FHIR test servers (see Implementation file translations.xml)
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.401 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Operation Outcome Codes

* OperationOutcome.issue.details (Example)

4.3.1.401.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/operation-outcome

4.3.1.401.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 50 concepts

Expansion based on http://hl7.org/fhir/operation-outcome version 3.0.2

All codes from system http://hl7.org/fhir/operation-outcome

Code	Display	Definition
MSG_AUTH_REQUIRED	You must authenticate before you can use this service	
MSG_BAD_FORMAT	Bad Syntax: "%s" must be a %s'	
MSG_BAD_SYNTAX	Bad Syntax in %s	
MSG_CANT_PARSE_CONTENT	Unable to parse feed (entry content type = "%s")	
MSG_CANT_PARSE_ROOT	Unable to parse feed (root element name = "%s")	
MSG_CREATED	New resource created	
MSG_DATE_FORMAT	The Date value %s is not in the correct format (Xml Date Format required)	
MSG_DELETED	This resource has been deleted	
MSG_DELETED_DONE	Resource deleted	
MSG_DELETED_ID	The resource "%s" has been deleted	
MSG_DUPLICATE_ID	Duplicate Id %s for resource type %s	
MSG_ERROR_PARSING	Error parsing resource Xml (%s)	
MSG_ID_INVALID	Id "%s" has an invalid character "%s"	
MSG_ID_TOO_LONG	Id "%s" too long (length limit 36)	
MSG_INVALID_ID	Id not accepted	
MSG_JSON_OBJECT	Json Source for a resource should start with an object	
MSG_LOCAL_FAIL	Unable to resolve local reference to resource %s	
MSG_NO_MATCH	No Resource found matching the query "%s"	
MSG_NO_EXIST	Resource Id "%s" does not exist	
MSG_NO_MODULE	No module could be found to handle the request "%s"	
MSG_NO_SUMMARY	No Summary for this resource	
MSG_OP_NOT_ALLOWED	Operation %s not allowed for resource %s (due to local configuration)	
MSG_PARAM_CHAINED	Unknown chained parameter name "%s"	
MSG_PARAM_NO_REPEAT	Parameter "%s" is not allowed to repeat	
MSG_PARAM_UNKNOWN	Parameter "%s" not understood	
MSG_PARAM_INVALID	Parameter "%s" content is invalid	
MSG_PARAM_MODIFIER_INVALID	Parameter "%s" modifier is invalid	
MSG_RESOURCE_EXAMPLE_PROTECTED	Resources with identity "example" cannot be deleted (for testing/training purposes)	
MSG_RESOURCE_ID_FAIL	unable to allocate resource id	
MSG_RESOURCE_NOT_ALLOWED	Not allowed to submit a resource for this operation	
MSG_RESOURCE_REQUIRED	A resource is required	
MSG_RESOURCE_ID_MISMATCH	Resource Id Mismatch	
MSG_RESOURCE_ID_MISSING	Resource Id Missing	
MSG_RESOURCE_TYPE_MISMATCH	Resource Type Mismatch	
MSG_SORT_UNKNOWN	Unknown sort parameter name "%s"	
MSG_TRANSACTION_DUPLICATE_ID	Duplicate Identifier in transaction: %s	
MSG_TRANSACTION_MISSING_ID	Missing Identifier in transaction - an entry.id must be provided	
MSG_UNHANDLED_NODE_TYPE	Unhandled xml node type "%s"	
MSG_UNKNOWN_CONTENT	Unknown Content (%s) at %s	
MSG_UNKNOWN_OPERATION	unknown FHIR http operation	
MSG_UNKNOWN_TYPE	Resource Type "%s" not recognised	
MSG_UPDATED	existing resource updated	
MSG_VERSION_AWARE	Version aware updates are required for this resource	
MSG_VERSION_AWARE_CONFLICT	Update Conflict (server current version = "%s", client version referenced = "%s")	
MSG_VERSION_AWARE_URL	Version specific URL not recognised	
MSG_WRONG_NS	This does not appear to be a FHIR element or resource (wrong namespace "%s")	
SEARCH_MULTIPLE	Error: Multiple matches exist for %s search parameters "%s"	
UPDATE_MULTIPLE_MATCHES	Error: Multiple matches exist for the conditional update	
DELETE_MULTIPLE_MATCHES	Error: Multiple matches exist for the conditional delete	
SEARCH_NONE	Error: no processable search found for %s search parameters "%s"	

Additional Language Displays

Code	ee	Spanish (es)	French (fr)	Italian (it)	Nederlands (Dutch, nl)	pl	??????? (Russian, ru)	?? (Chinese, zh)
MSG_AUTH_REQUIRED			Debe autenticarse antes de poder usar este servicio	Vous devez être authentifié avant de pouvoir utiliser ce service		U moet zich authenticeren voor gebruik van deze service	Wymagana autentykacja przed u?yciem tego serwisu		?????????
MSG_BAD_FORMAT			Sintaxis Incorrecta: "%s" debe de ser un %s'	Erreur de Syntaxe : "%s" doit être un %s	Sintassi Errata: "%s" deve essere un %s'	Verkeerde syntax: "%s" moet een %s zijn	B??d sk?adni: "%s" powinno by? %s'	???????? ???????: "%s" ?????? ???? %s	????: "%s" ????? %s'
MSG_BAD_SYNTAX			Sintaxis Incorrecta en %s	Erreur de Syntaxe dans %s	Sintassi errata in %s	Verkeerde syntax in %s	B??d sk?adni w %s	???????? ???????: %s	%s ?????

MSG_CANT_PARSE_CONTENT | | No se pudo parsear el feed (el tipo de contenido de la entry = "%s") | Impossible d'analyser le flux (type de contenu de l'entrée = "%s") | Impossibile effettuare il parsing del feed (tipo del contenuto della entry = "%s") | Kan feed niet verwerken (contenttype inhoud = "%s") | B??d parsowania (typ zawarto?ci wej?ciowej = "%s") | | ????feed (??????? = "%s")

MSG_CANT_PARSE_ROOT | No se pudo parsear el feed (nombre del elemento raiz = "%s") | | Impossible d'analyser le flux (nom de l'élément racine = "%s") | Impossibile effettuare il parsing del feed (nome elemento root = "%s") | Kan feed niet verwerken (rootelementnaam = "%s") | B??d parsowania (nazwa elementu root = "%s") | ?? ??????? ????????? ?????? (???????? ??????? = "%s") | ????feed (???? = "%s")

MSG_CREATED | | | | | Nieuwe resource gemaakt

MSG_DATE_FORMAT | | El valor de la fecha %s no está en el formato correcto (se requiere un formato de fecha Xml) | Le format de la date %s est incorrect (format Date Xml attendu) | Il valore %s per la data non ? nel formato corretto (richiesto il Formato Data Xml) | De Datum-waarde %s heeft niet de juiste structuur (Xml Date vereist) | Niepoprawny format warto?ci daty %s (wymagany format XML) | ???????? Date %s ? ???????? ??????? (????????? Xml Date ??????) | ???? %s ????? (???Xml Date??)

MSG_DELETED | | Este recurso ha sido borrado | La ressource a été supprimée | | Deze resource is verwijderd | Ten zasób zosta? usuni?ty | ?????? ?????? ??? ?????? | ??????

MSG_DELETED_DONE | | Recurso borrado | Ressource supprimée | Risorsa cancellata | Resource verwijderd | Zasób usuni?to | ?????? ?????? | ?????

MSG_DELETED_ID | | El recurso "%s" ha sido borrado | La ressource "%s" a été supprimée | La risorsa "%s" ? stata eliminata | De resource "%s" is verwijderd | Zasób "%s" zosta? usuni?ty | ?????? "%s" ??? ?????? | ?? "%s" ????

MSG_DUPLICATE_ID | | Id %s duplicada para el recurso de tipo %s | Id %s en double pour le type de ressource %s | Id %s duplicato per il tipo di risorsa %s | Duplicaat-id %s voor resourcetype %s | Zdublowany identyfikator %s dla zasobu typu %s | ??????????? Id %s ??? ???? ??????? %s | ID %s ??????? %s?

MSG_ERROR_PARSING | | Error parseando el recurso Xml (%s) | Erreur d'analyse de la ressource Xml (%s) | Errore nel parsing della risorsa Xml (%s) | Fout in verwerking resource Xml (%s) | B??d w trakcie parsowania zasobu XML (%s) | ?????? ???????????????? ??????? ??????? Xml (%s) | ????Xml??? (%s)

MSG_ID_INVALID | | El Id "%s" contiene el caracter inválido "%s" | Id "%s" possède un caractère invalide "%s" | L"Id "%s" ha un carattere non valido: "%s" | Id "%s" heeft een ongeldig teken "%s" | Identyfikator "%s" zawiera niepoprawny znak "%s" | Id "%s" ???????? ???????????? ??????? "%s" | ID "%s" ??????: "%s"

MSG_ID_TOO_LONG | | El Id "%s" es demasiado largo (limite de longitud: 36) | Id "%s" trop long (la longueur limite est 36) | Id "%s" troppo lunga (limite di lunghezza: 36) | Id "%s" te lang (max lengte 36) | Identyfikator "%s" jest zbyt d?ugi (limit d?ugo?ci 36) | ???????????? ????? Id "%s" (??????????? 36) | Id "%s" ?? (????: 36)

MSG_INVALID_ID | | Id no aceptada | Id non accepté | Id non accettato | Id niet geaccepteerd | Identyfikator nie zaakceptowany | Id ?? ??????? | Id????

MSG_JSON_OBJECT | | La fuente Json para un recurso debería empezar con un objeto | La source Json pour une ressource doit commencer par un objet | Il sorgente Json di una risorsa dovrebbe iniziare con un oggetto | Json Source van een resource moeten beginnen met een object | ?ród?o json dla zasobu powinno rozpoczyna? si? od obiektu | Json Source ??? ??????? ?????? ?????????? ? ??????? | ???Json?????object??

MSG_LOCAL_FAIL | | Imposible resolver la referencia al recurso %s | Impossible de résourdre la référence locale à la ressource %s | Impossibile risolvere il riferimento locale alla risorsa %s | De resource met lokale referentie %s is niet gevonden | Zasób wskazywany przez loklan? referencj? %s nie zosta? odnaleziony | ?????????? ?????????? ????????? ?????? ?? ?????? %s | ??????? %s ?????

MSG_NO_MATCH | | | | | Geen resource gevonden met query "%s"

MSG_NO_EXIST | | El recurso con Id "%s" no existe | La ressource avec l'Id "%s" n'existe pas | La risorsa con Id "%s" non esiste | Resource-id "%s" bestaat niet | Zasób o identyfikatorze "%s" nie istnieje | ?????? Id "%s" ?? ?????????? | ??Id "%s"???

MSG_NO_MODULE | | No se encontró un modulo que gestione la petición "%s" | Aucun module disponible pour traiter la requête "%s" | Impossibile trovare un modulo per gestire la richiesta "%s" | Er kon geen module worden gevonden om verzoek "%s" te verwerken | Nie mo?na odnale?? modu?u, aby obs?u?y? ??danie "%s" | ?????? ??? ????????? ??????? "%s" ?? ?????? | ????????"%s"???

MSG_NO_SUMMARY | | No existe un resumen para este recurso | Aucun résumé disponible pour cette ressource | Nessun riepilogo per questa risorsa | Geen samenvatting voor deze resource | Brak podsumowania (Summary) dla tego zasobu | ??????????? Summary ??? ??????? ??????? | ????summary

MSG_OP_NOT_ALLOWED | | Operación %s no permitida para el recurso %s (debido a la configuración local) | L'opération %s n'est pas permise pour la ressource %s (à cause de la configuration locale) | Operazione %s non consentita per la risorsa %s (a causa di configurazioni locali) | Bewerking %s niet toegestaan voor resource %s (vanwege lokale configuratie) | Niedozwolona operacja %s dla zasobu %s (ze wzgl?du na lokaln? konfiguracj?) | ???????? %s ??????????? ??? ??????? %s (?? ??????? ????????? ????????????) | ?? %s ???????? %s (??????)

MSG_PARAM_CHAINED | | Nombre de parametro encadenado desconocido: "%s" | Nom du paramètre chainé inconnu : "%s" | Nome di parametro concatenato sconosciuto: "%s" | Onbekende geschakelde parameternaam "%s" | Nieznana nazwa parametru powi?zanego "%s" | ?????????? ????????? ???????????? ????????? "%s" | ????????: "%s"

MSG_PARAM_NO_REPEAT | | No se permite la repetición del parámetro "%s" | Le paramètre "%s" ne peut pas être répété | Non ? consentito ripetere il parametro "%s" | Parameter "%s" mag niet herhalen | Parametr "%s" nie mo?e zosta? powtórzony | ???????? "%s" ?? ????? ???? ???????? | ??"%s"????

MSG_PARAM_UNKNOWN | | Parámetro "%s" no reconocido | Paramètre "%s" non reconnu | Parametro "%s" non riconosciuto | Parameter "%s" onbekend | Niezrozumia?y parametr "%s" | ???????? "%s" ?? ????? | ??????"%s"

MSG_PARAM_INVALID | | | | | Waarde van parameter "%s" is ongeldig

MSG_PARAM_MODIFIER_INVALID | | | | | Modifier van parameter "%s" is ongeldig

MSG_RESOURCE_EXAMPLE_PROTECTED | | Recursos con la identidad "example" no pueden ser borrados (son usados para pruebas/entrenamiento) | Les ressources ayant l'identité "example" ne peuvent pas être supprimées (utilisées pour les tests/formations) | | Resources met identiteit "voorbeeld" kunnen niet worden verwijderd (ten behoeve van testen/training) | Zasoby oznaczone jako "example" nie mog? zosta? usuni?te (dla celów testów/szkole?) | ?????? ? ???????????????? "example" ?? ????? ???? ?????? (??? ??????? ????????????/????????) | ?"example" ?ID???????? (????/??)

MSG_RESOURCE_ID_FAIL | | imposible encontrar el id del recurso | impossible d'allouer l'id de la ressource | impossibile allocare l"id della risorsa | kan geen resource-id reserveren | nie mo?na nada? identyfikatora zasobu | ?????????? ???????? ????????????? ??????? | ??????ID

MSG_RESOURCE_NOT_ALLOWED | | No se permite el envío de un recurso para esta operación | Non autorisé à soumettre une ressource pour cette opération | Non ? consentito sottomettere una risorsa per questa operazione | Niet toegestaan om een resource in te dienen voor deze bewerking | Nie mo?na zg?osi? zasobu dla tej operacji | ??? ?????? ???????? ???????? ??????? ??????????? | ??????????

MSG_RESOURCE_REQUIRED | | Se requiere un recurso | Une ressource est requise | E" richiesta una risorsa | Een resource is verplicht | Zasób jest wymagany | ????????? ?????? | ????????

MSG_RESOURCE_ID_MISMATCH | | | Problème de correspondance d'Id de la Ressource | | Resource ID's komen niet overeen

MSG_RESOURCE_ID_MISSING | | | Id de la Ressource manquante | | Resource ID ontbreekt

MSG_RESOURCE_TYPE_MISMATCH | | Los Tipos de los recursos no coinciden | Type de ressource incorrect | Tipo Risorsa non corrispondente | Verkeerd resourcetype | Niepoprawny typ zasobu | ????????????? ???? ??????? | ???????

MSG_SORT_UNKNOWN | | Nombre del parámetro de ordenación "%s" desconocido | Nom du paramètre de tri inconnu "%s" | Nome del parametro di ordinamento "%s" non riconosciuto | Onbekende parameternaam "%s" voor sortering | Nieznany parametr sortowania "%s" | ?????????? ??? ????????? ?????????? "%s" | ?????????"%s"

MSG_TRANSACTION_DUPLICATE_ID | | Identificador duplicado en la transacción: %s | Identifiant en double dans la transaction : %s | | Dubbele identificatie in transactie: %s | Zdublowany identyfikator w transakcji: %s | ?????????? ????????????? ? ??????????: %s | ???????Id: %s

MSG_TRANSACTION_MISSING_ID | | Identificador de la transacción no encontrado - se debe proporcionar un entry.id | Identifiant manquant dans la transaction - un élément entry.id doit être fourni | | Ontbrekende identificatie in transactie - entry.id is verplicht | Brak identyfikatora w transakcji - nale?y poda? entry.id | ?????????? ????????????? ? ?????????? - ????????? entry.id | ?????Id - ??????entry.id

MSG_UNHANDLED_NODE_TYPE | | Tipo de nodo Xml no soportado "%s" | Type de noeud xml "%s" non traité | Tipo di nodo Xml non gestito "%s" | Kan xml nodetype "%s" niet verwerken | Nieobs?ugiwany typ w?z?a XML "%s" | ?? ???????????? xml ???? "%s" | ????XML????"%s"

MSG_UNKNOWN_CONTENT | | Contenido desconocido (%s) en %s | Contenu inconnu (%s) à %s | Contenuto Sconosciuto (%s) at %s | Onbekende content (%s) at %s | Nieznana zawarto?? (%s) dla %s | ?????????? ??????? (%s) ? %s | ???? (%s) ?? %s

MSG_UNKNOWN_OPERATION | | Operación http FHIR desconocida | operation http FHIR inconnue | operazione http FHIR sconosciuta | onbekende FHIR http operation | nieznana operacja FHIR http | ?????????? ???????? FHIR http | ???FHIR HTTP??

MSG_UNKNOWN_TYPE | | Tipo de Recurso "%s" no reconocido | Type de ressource "%s" non reconnu | Tipo di Risorsa "%s" non riconosciuto | Resourcetype "%s" niet herkend | Nie rozpoznany typ zasobu: "%s" | ??? ??????? "%s" ?? ????????? | ????"%s"???

MSG_UPDATED | | Recurso existente actualizado | ressource existante mise à jour | risorsa esistente aggiornata | bestaande resource updated | uaktualniono istniej?cy zasób | ???????????? ?????? ???????? | ???????

MSG_VERSION_AWARE | | Este recurso requiere actualizaciones en base a versiones | Des mises à jour en relation avec la version sont requises pour cette ressource | Questa risorsa richiede aggiornamenti per versione | Versie-bewuste updates zijn vereist voor deze resource | Uaktualnienia zak?adaj?ce wersjonowanie s? wymagane dla tego zasobu | ??? ??????? ??????? ?????????? ?????????? ? ?????? ?????? | ???????????

MSG_VERSION_AWARE_CONFLICT | | Conflicto de actualizaciones (versión actual del servidor = "%s", versión del cliente referenciada = "%s") | Conflit de mise à jour (version courante du serveur = "%s", version référencée du client = "%s") | Conflitto nell''aggiornamento (attuale = "%s", quotato = "%s") | Updateconflict (huidige serverversie = "%s", opgegeven clientversie = "%s") | Konflikt podczas uaktualnienia (obecna wersja na serwerze = "%s", wersja wskazana przez klienta = "%s") | ???????? ?????????? (??????? ?????? ??????? = "%s", ????????? ?????? ??????? = "%s") | ???? (??????? = "%s", ???????? = "%s")

MSG_VERSION_AWARE_URL | | URL especifica de la versión no reconocida | URL spécifique à une version non reconnue | URL specifico alla versione non riconosciuto | Versie-specifieke URL niet herkend | Nie rozpoznany URL specyficzny dla wersji | URL ??? ????????? ?????? ?? ????????? | ????????URL

MSG_WRONG_NS | | | | Dit lijkt geen FHIR element of resource te zijn (verkeerde namespace "%s")

SEARCH_MULTIPLE | | Error: Multiples ocurrencias existen para %s parametros de búsqueda "%s" | Erreur : Plusieurs correspondances existent pour ce paramètre de recherche %s | Errore: Trovate corrispondenze multiple per %s parametri di ricerca "%s" | Fout: er is meer dan één resultaat voor %s zoekparameters "%s" | B??d: Istniej? wielokrotne dopasowania dla %s parametrów wyszukiwania "%s" | ??????: ????????????? ?????????? ??? %s ? ??????????? ?????? "%s" | ??: ?? %s ????? "%s"??????

UPDATE_MULTIPLE_MATCHES | | | | Fout: er is meer dan één resultaat voor de conditionele update

DELETE_MULTIPLE_MATCHES | | | | Fout: er is meer dan één resultaat voor de conditionele delete

SEARCH_NONE | | Error: no se encontro una búsqueda apropiada para %s parametros de búsqueda "%s" | Erreur : aucune recherche trouvée pour les paramètres %s "%s" | Errore: non ? stato trovato alcun parametro di ricerca processabile per %s parametri di ricerca "%s" | Fout: geen verwerkbare zoekactie gevonden voor %s zoekparameters "%s" | B??d: Niewykonalne wyszukiwanie dla %s parametrów wyszukiwania "%s" | ??????: ?????????????? ??????????? ?????? ??? %s ? ??????????? ?????? "%s" ?? ??????? | ??: ?%s????"%s"?????????

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.403 Value Set http://hl7.org/fhir/ValueSet/organization-type

URL: https://hl7.org/fhir/STU3/valueset-organization-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/organization-type

Name: | OrganizationType

Definition: | This example value set defines a set of codes that can be used to indicate a type of organization.

Committee: | Patient Administration Work Group

OID: | 2.16.840.1.113883.4.642.3.403 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for OrganizationType

* Organization.type (Example)

4.3.1.403.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/organization-type

4.3.1.403.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 11 concepts

Expansion based on http://hl7.org/fhir/organization-type version 3.0.2

All codes from system http://hl7.org/fhir/organization-type

Code	Display	Definition
prov	Healthcare Provider	An organization that provides healthcare services.
dept	Hospital Department	A department or ward within a hospital (Generally is not applicable to top level organizations)
team	Organizational team	An organizational team is usually a grouping of practitioners that perform a specific function within an organization (which could be a top level organization, or a department).
govt	Government	A political body, often used when including organization records for government bodies such as a Federal Government, State or Local Government.
ins	Insurance Company	A company that provides insurance to its subscribers that may include healthcare related policies.
edu	Educational Institute	An educational institution that provides education or research facilities.
reli	Religious Institution	An organization that is identified as a part of a religious institution.
crs	Clinical Research Sponsor	An organization that is identified as a Pharmaceutical/Clinical Research Sponsor.
cg	Community Group	An un-incorporated community group.
bus	Non-Healthcare Business or Corporation	An organization that is a registered business or corporation but not identified by other types.
other	Other	Other type of organization not already specified.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.405 Value Set http://hl7.org/fhir/ValueSet/contactentity-type

URL: https://hl7.org/fhir/STU3/valueset-contactentity-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/contactentity-type
Name:	ContactEntityType
Definition:	This example value set defines a set of codes that can be used to indicate the purpose for which you would contact a contact party.
Committee:	Patient Administration Work Group
OID:	2.16.840.1.113883.4.642.3.405 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ContactEntityType

* Organization.contact.purpose (Extensible)

4.3.1.405.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contactentity-type

4.3.1.405.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/contactentity-type version 3.0.2

All codes from system http://hl7.org/fhir/contactentity-type

Code	Display	Definition
BILL	Billing	Contact details for information regarding to billing/general finance enquiries.
ADMIN	Administrative	Contact details for administrative enquiries.

HR | Human Resource | Contact details for issues related to Human Resources, such as staff matters, OH&S etc.
PAYOR | Payor | Contact details for dealing with issues related to insurance claims/adjudication/payment.
PATINF | Patient | Generic information contact for patients.
PRESS | Press | Dedicated contact point for matters relating to press enquiries.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.407 Value Set http://hl7.org/fhir/ValueSet/animal-genderstatus

URL: https://hl7.org/fhir/STU3/valueset-animal-genderstatus.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/animal-genderstatus
Name: | GenderStatus
Definition: | This example value set defines a set of codes that can be used to indicate the current state of the animal's reproductive organs.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.407 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GenderStatus

* Patient.animal.genderStatus (Example)

4.3.1.407.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/animal-genderstatus

4.3.1.407.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/animal-genderstatus version 3.0.2

All codes from system http://hl7.org/fhir/animal-genderstatus

Code | Display | Definition
neutered | Neutered | The animal has been sterilized, castrated or otherwise made infertile.
intact | Intact | The animal's reproductive organs are intact.
unknown | Unknown | Unable to determine whether the animal has been neutered.

Additional Language Displays

Code | Nederlands (Dutch, nl)
neutered | gesteriliseerd
intact | intact
unknown | onbekend

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.409 Value Set http://hl7.org/fhir/ValueSet/animal-species

URL: https://hl7.org/fhir/STU3/valueset-animal-species.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/animal-species
Name: | AnimalSpecies
Definition: | This example value set defines a set of codes that can be used to indicate species of animal patients.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.409 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AnimalSpecies

* Patient.animal.species (Example)

* Extension http://hl7.org/fhir/StructureDefinition/practitioner-animalSpecies: animalSpecies ((Example))

4.3.1.409.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
125097000	goat
125099002	sheep
34618005	cow
425134008	turkey
47290002	chicken
15778005	goose
396620009	duck
388445009	horse
85626006	donkey
132950000	mule

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.411 Value Set http://hl7.org/fhir/ValueSet/animal-breeds

URL: https://hl7.org/fhir/STU3/valueset-animal-breeds.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/animal-breeds
Name: | AnimalBreeds
Definition: | This example value set defines a set of codes that can be used to indicate breeds of species.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.411 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Patient.animal.breed (Example)

4.3.1.411.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
684003	Pygmy goat (organism)
2124007	Rambouillet sheep (organism)
3099004	Romney marsh sheep (organism)
3566006	Southdown sheep (organism)
4574003	Shropshire sheep (organism)
4880003	Piedmontese cattle breed (organism)
5164003	Montdale sheep (organism)
5345000	Santa Gertrudis cattle breed (organism)
5438004	French alpine goat (organism)
6431001	Leicester sheep (organism)
7843000	Horned Hereford (organism)
9230001	Camarron goat (organism)
9277006	Polled Hereford (organism)
11967001	Kerry Hill sheep (organism)
13934009	Panama sheep (organism)
16015002	Anglo nubian goat (organism)
16042001	Beefmaster cattle breed (organism)
23469003	Domestic goose (organism)
24438005	Pekin duck (organism)
25660007	Barbados sheep (organism)
28336001	Brangus cattle breed (organism)
28360002	Swiss alpine goat (organism)
30089001	Toggenburg goat (organism)
32145006	Romanov sheep (organism)
39855006	Wiltshire horn sheep (organism)
41706005	Perendale sheep (organism)
44835005	Debouillet sheep (organism)
45690005	Mouflon sheep (organism)
46392004	Delaine merino sheep (organism)
48697009	Clun Forest sheep (organism)
50717006	Cheviot sheep (organism)
53360003	Oxford Down sheep (organism)
55530007	La Mancha goat (organism)
59210004	Navajo sheep (organism)
64158000	Angora goat (organism)
64591001	Karakul sheep (organism)
65187008	Black faced Highland sheep (organism)
65492002	Lincoln sheep (organism)
67414001	Cotswold sheep (organism)
67515002	Corriedale sheep (organism)
70431006	Alpine goat (organism)
72329005	Finnish landrace sheep (organism)
72648002	Suffolk sheep (organism)
73191001	American merino sheep (organism)
74745008	Rock alpine goat (organism)
79603002	Romedale sheep (organism)
82440005	Hampshire Down sheep (organism)
83842004	Hungarian goose (organism)
86920006	Horned dorset sheep breed (organism)
87962009	North County cheviot sheep (organism)
89665001	Targhee sheep (organism)
89708009	Chamoisee goat (organism)
91460002	Chinese goose (organism)
112486002	No-tail sheep (organism)
112487006	Romnelet sheep (organism)
112496006	Pilgrim goose (organism)
131607005	Mixed Breed Goat (organism)
131608000	Australian Goat breed (organism)
131609008	Arapawa Island goat breed (organism)
131610003	Maltese goat breed (organism)
131611004	Provençale goat breed (organism)
131612006	Negra Serrana goat breed (organism)
131613001	Orobica goat breed (organism)

131614007 | Roya-Vesubie goat breed (organism)
131615008 | Retinta Extremena goat breed (organism)
131616009 | Appenzell goat breed (organism)
131617000 | American Cashmere goat breed (organism)
131618005 | Altai Mountain goat breed (organism)
131619002 | Pyrenean goat breed (organism)
131620008 | Bagot goat breed (organism)
131621007 | Russian White goat breed (organism)
131622000 | Moxotó goat breed (organism)
131623005 | Myotonic goat breed (organism)
131624004 | Nachi goat breed (organism)
131625003 | Nigerian Dwarf goat breed (organism)
131626002 | Sarda goat breed (organism)
131627006 | Serpentina goat breed (organism)
131628001 | Serrana goat breed (organism)
131629009 | Verata goat breed (organism)
131630004 | Verzasca black goat breed (organism)
131631000 | Norwegian goat breed (organism)
131632007 | Oberhasli goat breed (organism)
131633002 | Peacock Goat breed (organism)
131634008 | Philippine goat breed (organism)
131635009 | Loashan goat breed (organism)
131636005 | San Clemente goat breed (organism)
131637001 | Somali goat breed (organism)
131638006 | Spanish goat breed (organism)
131639003 | Rove goat breed (organism)
131640001 | SRD goat breed (organism)
131641002 | Swedish Landrace goat breed (organism)
131642009 | Thuringian goat breed (organism)
131643004 | Uzbek Black goat breed (organism)
131644005 | Zhongwei goat breed (organism)
131645006 | Barbari goat breed (organism)
131646007 | Poitou goat breed (organism)
131647003 | Repartida goat breed (organism)
131648008 | Booted Goat breed (organism)
131649000 | Corsican goat breed (organism)
131650000 | Chapar goat breed (organism)
131651001 | Canindé goat breed (organism)
131652008 | Canary Island goat breed (organism)
131653003 | Daera Din Panah goat breed (organism)
131654009 | British Alpine goat breed (organism)
131655005 | Bhuj goat breed (organism)
131656006 | Boer goat breed (organism)
131657002 | Benadir goat breed (organism)
131658007 | Créole Antilles goat breed (organism)
131659004 | Beetal goat breed (organism)
131660009 | Golden Guernsey goat breed (organism)
131661008 | Danish Landrace goat breed (organism)
131662001 | Kaghani goat breed (organism)
131663006 | Irish Goat breed (organism)
131664000 | Grisons Striped goat breed (organism)
131665004 | Jining Gray goat breed (organism)
131666003 | Finnish Landrace goat breed (organism)
131667007 | Erzgebirg goat breed (organism)
131668002 | Kamori goat breed (organism)
131669005 | Don goat breed (organism)
131670006 | Kiko goat breed (organism)
131671005 | Kinder goat breed (organism)
131672003 | Pygora goat breed (organism)
131673008 | Wooden Leg goat breed (organism)
131674002 | Alpine Chamoisee goat breed (organism)
131675001 | Massif Central goat breed (organism)
131676000 | Malagueña goat breed (organism)
131677009 | Algarvia goat breed (organism)
131678004 | British Saanen goat breed (organism)
131679007 | British Toggenburg goat breed (organism)
131680005 | Bündner goat breed (organism)
131681009 | Blanca Andaluza goat breed (organism)
131682002 | Blanca Celtiberica goat breed (organism)
131683007 | Bravia goat breed (organism)
131684001 | Black Grisonne goat breed (organism)
131685000 | Chamois of the Alps goat breed (organism)

131686004 | Charnequeria goat breed (organism)
131687008 | Carpathe goat breed (organism)
131688003 | Col Noir du Valais goat breed (organism)
131689006 | Damani goat breed (organism)
131690002 | Des Fosses (Communes de l'Ouest) goat breed (organism)
131691003 | English goat breed (organism)
131692005 | English Guernsey goat breed (organism)
131693000 | German colored goat breed (organism)
131694006 | Guadarrama goat breed (organism)
131695007 | Garganica goat breed (organism)
131696008 | Girgentana goat breed (organism)
131697004 | Jonica goat breed (organism)
131698009 | Murciana-Granadina goat breed (organism)
131699001 | Bündner Oberland sheep breed (organism)
131700000 | British Milk Sheep breed (organism)
131701001 | Brillenschaf sheep breed (organism)
131702008 | Brecknock Hill Cheviot sheep breed (organism)
131703003 | Cholistani sheep breed (organism)
131704009 | Bibrik sheep breed (organism)
131705005 | Columbia sheep breed (organism)
131706006 | Black Welsh Mountain Sheep breed (organism)
131707002 | Blackhead Persian sheep breed (organism)
131708007 | Bleu du Maine sheep breed (organism)
131709004 | Bluefaced Leicester sheep breed (organism)
131710009 | Bond sheep breed (organism)
131711008 | Border Leicester sheep breed (organism)
131712001 | Boreray sheep breed (organism)
131713006 | Bovska sheep breed (organism)
131714000 | Braunes Bergschaf sheep breed (organism)
131715004 | Brazilian Somali sheep breed (organism)
131716003 | Beulah Speckled-Face sheep breed (organism)
131717007 | Dartmoor sheep breed (organism)
131718002 | Fabrianese sheep breed (organism)
131719005 | Exmoor Horn sheep breed (organism)
131720004 | Elliottdale sheep breed (organism)
131721000 | Drysdale sheep breed (organism)
131722007 | Dorset Down sheep breed (organism)
131723002 | German Blackheaded Mutton sheep breed (organism)
131724008 | Kooka sheep breed (organism)
131725009 | Friesian Milk Sheep breed (organism)
131726005 | Gansu Alpine Fine-wool sheep breed (organism)
131727001 | German Whiteheaded Mutton sheep breed (organism)
131728006 | Graue Gehoernte Heidschnucke sheep breed (organism)
131729003 | Han sheep breed (organism)
131730008 | Gromark sheep breed (organism)
131731007 | Gulf Coast Native sheep breed (organism)
131732000 | Dorper sheep breed (organism)
131733005 | Devon Closewool sheep breed (organism)
131734004 | Deutsches Blaukoepfiges Fleischschaf sheep breed (organism)
131735003 | Derbyshire Gritstone sheep breed (organism)
131736002 | Coburger Fuchsschaf sheep breed (organism)
131737006 | Danish Landrace sheep breed (organism)
131738001 | Gute sheep breed (organism)
131739009 | Hampshire sheep breed (organism)
131740006 | Gentile di Puglia sheep breed (organism)
131741005 | German Mountain sheep breed (organism)
131742003 | Luzein sheep breed (organism)
131743008 | Katahdin sheep breed (organism)
131744002 | Leineschaf sheep breed (organism)
131745001 | Lincoln Longwool sheep breed (organism)
131746000 | Llanwenog sheep breed (organism)
131747009 | Lleyn sheep breed (organism)
131748004 | Damara sheep breed (organism)
131749007 | Damani sheep breed (organism)
131750007 | Dalesbred sheep breed (organism)
131751006 | Dala sheep breed (organism)
131752004 | Criollo sheep breed (organism)
131753009 | Cormo sheep breed (organism)
131754003 | Lati sheep breed (organism)
131755002 | Lonk sheep breed (organism)
131756001 | Langhe sheep breed (organism)
131757005 | Manx Loaghtan sheep breed (organism)

131758000 | Masai sheep breed (organism)
131759008 | Merinolandschaf sheep breed (organism)
131760003 | Lohi sheep breed (organism)
131761004 | Ile-de-France sheep breed (organism)
131762006 | Hasht Nagri sheep breed (organism)
131763001 | Hazaragie sheep breed (organism)
131764007 | Coopworth sheep breed (organism)
131765008 | Comisana sheep breed (organism)
131766009 | Comeback sheep breed (organism)
131767000 | Sicilian Barbary sheep breed (organism)
131768005 | Africana sheep breed (organism)
131769002 | Welsh Mountain Badger Faced sheep breed (organism)
131770001 | Hebridean sheep breed (organism)
131771002 | Heidschnucke sheep breed (organism)
131772009 | Herdwick sheep breed (organism)
131773004 | Hill Radnor sheep breed (organism)
131774005 | Icelandic sheep breed (organism)
131775006 | Harnai sheep breed (organism)
131776007 | Istrian Pramenka sheep breed (organism)
131777003 | Jacob sheep breed (organism)
131778008 | Jezerskosolcavska sheep breed (organism)
131779000 | Kachhi sheep breed (organism)
131780002 | Wensleydale sheep breed (organism)
131781003 | West African Dwarf sheep breed (organism)
131782005 | White Suffolk sheep breed (organism)
131783000 | Whiteface Dartmoor sheep breed (organism)
131784006 | Whiteface Woodland sheep breed (organism)
131785007 | Xinjiang Finewool sheep breed (organism)
131786008 | Kajli sheep breed (organism)
131787004 | Hog Island Sheep breed (organism)
131788009 | Biellese sheep breed (organism)
131789001 | Chios sheep breed (organism)
131790005 | Santa Cruz sheep breed (organism)
131791009 | Charollais sheep breed (organism)
131792002 | Castlemilk Moorit sheep breed (organism)
131793007 | Campanian Barbary sheep breed (organism)
131794001 | California Variegated Mutant sheep breed (organism)
131795000 | California Red sheep breed (organism)
131796004 | Sopravissana sheep breed (organism)
131797008 | Somali sheep breed (organism)
131798003 | Welsh Hill Speckled Face sheep breed (organism)
131799006 | Skudde sheep breed (organism)
131800005 | Waziri sheep breed (organism)
131801009 | Shetland sheep breed (organism)
131802002 | Cambridge sheep breed (organism)
131803007 | Solognote sheep breed (organism)
131810001 | Cayuga breed duck (organism)
131811002 | Runner breed duck (organism)
131812009 | Call breed duck (organism)
131813004 | Orpington breed duck (organism)
131814005 | Crested breed duck (organism)
131815006 | Pommeranian breed duck (organism)
131816007 | Rough Fell sheep breed (organism)
131817003 | Blue Swedish breed duck (organism)
131818008 | Golden 300 hybrid breed duck (organism)
131820006 | Ancona breed duck (organism)
131821005 | Australian Spotted breed duck (organism)
131822003 | Swaledale sheep breed (organism)
131823008 | Polypay sheep breed (organism)
131824002 | Aylesbury breed duck (organism)
131825001 | Black East Indies breed duck (organism)
131826000 | Coast breed duck (organism)
131827009 | Kromsnaveleend breed duck (organism)
131829007 | Silver appleyard breed duck (organism)
131830002 | Pagliarola sheep breed (organism)
131831003 | Pomeranian Coarsewool sheep breed (organism)
131832005 | Sheep, Breed Undetermined sheep breed (organism)
131833000 | Orkney sheep breed (organism)
131834006 | Old Norwegian sheep breed (organism)
131835007 | Old Format Sheep breed (organism)
131836008 | Norwegian Fur sheep breed (organism)
131837004 | Norfolk Horn sheep breed (organism)

131838009 | Navajo-Churro sheep breed (organism)
131839001 | Swedish yellow breed duck (organism)
131840004 | Diepholz goose breed (organism)
131841000 | African goose breed (organism)
131843002 | Embden goose breed (organism)
131844008 | Chinese white goose breed (organism)
131845009 | Chinese brown goose breed (organism)
131847001 | American buff goose breed (organism)
131848006 | Pomeranian goose breed (organism)
131849003 | Roman goose breed (organism)
131850003 | Scania goose breed (organism)
131851004 | Racka sheep breed (organism)
131852006 | Rasa Aragonesa sheep breed (organism)
131853001 | Red Engadine sheep breed (organism)
131854007 | Rhoenschaf sheep breed (organism)
131855008 | Sebastopol goose breed (organism)
131856009 | Swedish Island goose breed (organism)
131914009 | Vendéen sheep breed (organism)
131918007 | Saxony breed duck (organism)
132681007 | Bergamasca sheep breed (organism)
132682000 | Portland sheep breed (organism)
132684004 | Weisse Hornlose Heidschnucke sheep breed (organism)
132685003 | Drents Heideschaap sheep breed (organism)
132686002 | Kameroen sheep breed (organism)
132687006 | Mergelland sheep breed (organism)
132688001 | Ouessant sheep breed (organism)
132689009 | Canadian Arcott sheep breed (organism)
132690000 | Noordhollander sheep breed (organism)
132697002 | Rijnlam-A sheep breed (organism)
132698007 | Schoonebeker sheep breed (organism)
132699004 | Wallis Blacknosed Sheep breed (organism)
132700003 | Khaki Campbell breed duck (organism)
132701004 | Newfoundland sheep breed (organism)
132702006 | Wallis Country Sheep breed (organism)
132703001 | Rideau Arcott sheep breed (organism)
132704007 | Tukidale sheep breed (organism)
132705008 | Polwarth sheep breed (organism)
132706009 | Ryeland sheep breed (organism)
132707000 | Thalli sheep breed (organism)
132708005 | Tong sheep breed (organism)
132709002 | Touabire sheep breed (organism)
132710007 | Tunis sheep breed (organism)
132711006 | Tyrol Mountain sheep breed (organism)
132712004 | Uda sheep breed (organism)
132716001 | German Mutton Merino sheep breed (organism)
132717005 | Medium-Wool Merino sheep breed (organism)
132718000 | Fonthill Merino sheep breed (organism)
132719008 | South African Mutton Merino sheep breed (organism)
132720002 | Strong Wool Merino sheep breed (organism)
132721003 | Poll Merino sheep breed (organism)
132722005 | Fine Merino sheep breed (organism)
132723000 | South African Merino sheep breed (organism)
132724006 | Superfine Merino sheep breed (organism)
132735001 | Booroola Merino sheep breed (organism)
132770004 | Miniature Hereford cattle breed (organism)
132783003 | Sar Planina sheep breed (organism)
132784009 | Santa Inês sheep breed (organism)
132785005 | Sahel-type sheep breed (organism)
132786006 | Rygja sheep breed (organism)
132787002 | Rya sheep breed (organism)
132788007 | Moghani sheep breed (organism)
132789004 | Rouge de l'Quest sheep breed (organism)
132790008 | Soay sheep breed (organism)
132791007 | South Suffolk sheep breed (organism)
132792000 | South Wales Mountain sheep breed (organism)
132793005 | Spælsau sheep breed (organism)
132794004 | Spiegel sheep breed (organism)
132795003 | St. Croix sheep breed (organism)
132796002 | Steigar sheep breed (organism)
132797006 | Steinschaf sheep breed (organism)
132798001 | Welsh Mountain sheep breed (organism)
132799009 | Swedish Fur Sheep breed (organism)

132800008 | Teeswater sheep breed (organism)
132801007 | Texel sheep breed (organism)
132802000 | Pelibüey sheep breed (organism)
132803005 | Morada Nova sheep breed (organism)
132804004 | Balkhi sheep breed (organism)
132805003 | Bavarian Forest sheep breed (organism)
132806002 | Barbados Blackbelly sheep breed (organism)
132807006 | Romney sheep breed (organism)
132808001 | Awassi sheep breed (organism)
132809009 | Arapawa Island sheep breed (organism)
132810004 | Arabi sheep breed (organism)
132811000 | Apennine sheep breed (organism)
132812007 | American Tunis sheep breed (organism)
132813002 | Balwen Welsh Mountain sheep breed (organism)
132814008 | Priangan sheep breed (organism)
132815009 | Rabo Largo sheep breed (organism)
132845007 | Altay sheep breed (organism)
132846008 | Faeroes sheep breed (organism)
132849001 | Pitt Island sheep breed (organism)
132851002 | Pinzirita sheep breed (organism)
132852009 | Sardinian sheep breed (organism)
132853004 | East Friesian sheep breed (organism)
132854005 | Ujumqin sheep breed (organism)
132855006 | DLS sheep breed (organism)
132856007 | Walachenschaf sheep breed (organism)
132857003 | Outaouais Arcott sheep breed (organism)
132858008 | Ossimi sheep breed (organism)
132859000 | Bentheimer Landschaf sheep breed (organism)
132860005 | Barbado sheep breed (organism)
132861009 | Baluchi sheep breed (organism)
132958007 | Poitou Donkey breed (organism)
132959004 | Mammoth Jack Stock Donkey breed (organism)
132987008 | Large standard donkey (organism)
132988003 | Standard donkey (organism)
132989006 | Miniature donkey (organism)
132990002 | Garrano tarpan horse X domestic horse breed (organism)
132991003 | Konink tarpan horse X domestic horse breed (organism)
132992005 | Asturian tarpan horse X domestic horse breed (organism)
132993000 | Pottok tarpan horse X domestic horse breed (organism)
133702003 | Gayal cattle breed (organism)
133703008 | American bison X cattle breed (organism)
133704002 | Australian Braford cattle breed (organism)
133715007 | Australian Friesian Sahiwal cattle breed (organism)
133716008 | Braford cattle breed (organism)
133717004 | Brahmousin cattle breed (organism)
133718009 | Canchim cattle breed (organism)
133719001 | Charbray cattle breed (organism)
133720007 | Droughtmaster cattle breed (organism)
133731004 | Gelbray cattle breed (organism)
133732006 | Jamaica Black cattle breed (organism)
133733001 | Jamaica Hope cattle breed (organism)
133734007 | Jamaica Red cattle breed (organism)
133735008 | Karan Fries cattle breed (organism)
133736009 | Karan Swiss cattle breed (organism)
133747002 | Mandalong cattle breed (organism)
133748007 | Australian Milking Zebu cattle breed (organism)
133749004 | Red Brangus cattle breed (organism)
133750004 | Santa Cruz cattle breed (organism)
133751000 | Siboney cattle breed (organism)
133752007 | Bambara cattle breed (organism)
133763005 | Bambey cattle breed (organism)
133764004 | Batanes Black cattle breed (organism)
133765003 | Borgou cattle breed (organism)
133766002 | Brahorn cattle breed (organism)
133767006 | Bralers cattle breed (organism)
133768001 | Bra-Maine cattle breed (organism)
133779006 | Bra-Swiss cattle breed (organism)
133780009 | Bravon cattle breed (organism)
133781008 | Brazilian Dairy hybrid cattle (organism)
133782001 | Burmese cattle breed (organism)
133783006 | Bushuev cattle breed (organism)
133784000 | Caiua cattle breed (organism)

133795006 | Carazebu cattle breed (organism)
133796007 | Central Asian Zebu cattle breed (organism)
133797003 | Charford cattle breed (organism)
133798008 | Cuban Criollo cattle breed (organism)
133799000 | Cuban Zebu cattle breed (organism)
133800001 | Dishty cattle breed (organism)
133801002 | Djakore cattle breed (organism)
133802009 | Gambian N'Dama cattle breed (organism)
133803004 | Ghana Sanga cattle breed (organism)
133804005 | Girolando cattle breed (organism)
133805006 | Guzerando cattle breed (organism)
133806007 | Hatton cattle breed (organism)
133807003 | Ibage cattle breed (organism)
133808008 | Iraqi cattle breed (organism)
133809000 | Jerdi cattle breed (organism)
133810005 | Jersind cattle breed (organism)
133811009 | Jotko cattle breed (organism)
133812002 | Kanem cattle breed (organism)
133813007 | Keteku cattle breed (organism)
133814001 | Lavinia cattle breed (organism)
133815000 | Local Indian Dairy cattle breed (organism)
133816004 | Mantiqueira cattle breed (organism)
133817008 | Ndagu cattle breed (organism)
133818003 | Normanzu cattle breed (organism)
133819006 | Nuba Mountain cattle breed (organism)
133820000 | Pabna cattle breed (organism)
133821001 | Mixed Perijanero cattle breed (organism)
133822008 | Pitangueiras cattle breed (organism)
133823003 | Quasah cattle breed (organism)
133824009 | Rana cattle (organism)
133825005 | Ranger cattle (organism)
133826006 | Renitelo cattle breed (organism)
133827002 | Riopardenze cattle breed (organism)
133828007 | Rustaqi cattle breed (organism)
133829004 | Sabre cattle breed (organism)
133830009 | Sahford cattle breed (organism)
133831008 | Schwyz-Zeboid cattle breed (organism)
133832001 | Suia cattle breed (organism)
133833006 | Suisbu cattle breed (organism)
133834000 | Sunandini cattle breed (organism)
133835004 | Taino cattle breed (organism)
133836003 | Thibar cattle breed (organism)
133837007 | Toubou cattle breed (organism)
133838002 | Tropical cattle breed (organism)
133839005 | TSSH-1 cattle breed (organism)
133840007 | Victoria cattle breed (organism)
133841006 | Wokalup cattle breed (organism)
133842004 | Madura cattle breed (organism)
406660008 | Galway sheep breed (organism)
406722006 | Mixed breed sheep (organism)
409911001 | Moulard duck breed (organism)
125097000 | Capra hircus (organism)
125099002 | Ovis aries (organism)
25327001 | Dorset sheep superbreed (organism)
125101009 | Merino sheep superbreed (organism)
21208000 | Saanen goat (organism)
424705003 | Bison bison X Simmental hybrid cattle breed (organism)
427136006 | Saddlebred horse superbreed (organism)
35354009 | Equus caballus (organism)
125086000 | Equus caballus gmelini X Equus caballus caballus (organism)
133068005 | Abtenauer horse breed (organism)
133069002 | Adaev horse breed (organism)
133070001 | Albanian horse breed (organism)
133071002 | Alter Real horse breed (organism)
133120002 | Altai horse breed (organism)
133121003 | Akhal-Teke horse breed (organism)
133122005 | Abyssinian horse breed (organism)
1247002 | Clydesdale horse (organism)
7623008 | American paint horse (organism)
22720009 | Belgian horse (organism)
26837006 | American cream horse (organism)
26973000 | American trotter horse (organism)

41092008 | Cleveland bay horse (organism)
45790002 | American Albino horse (organism)
46408008 | American pony (organism)
47842004 | Canadian horse (organism)
54098002 | Arabian horse (organism)
54699009 | American miniature horse (organism)
55167009 | Appaloosa horse (organism)
72394007 | American tunis horse (organism)
80777007 | Andalusian horse (organism)
90050009 | American Buckskin horse (organism)
131862004 | AraAppaloosa horse breed (organism)
131863009 | Argentine Criollo horse breed (organism)
131864003 | Argentine Polo Pony horse breed (organism)
131865002 | Australian Pony horse breed (organism)
131866001 | Auxois horse breed (organism)
131867005 | Avelignese horse breed (organism)
131868000 | Azerbaijan horse breed (organism)
131869008 | Azores horse breed (organism)
131870009 | Bali horse breed (organism)
131871008 | Balikun horse breed (organism)
131873006 | Banker Horse horse breed (organism)
131874000 | Bardigiano horse breed (organism)
131875004 | Batak horse breed (organism)
131877007 | Belgian Ardennais horse breed (organism)
131878002 | Belgian Halfblood horse breed (organism)
131880008 | Bhutia horse breed (organism)
131881007 | Black Sea Horse horse breed (organism)
131882000 | Bosnian horse breed (organism)
131883005 | Boulonnais horse breed (organism)
131884004 | Brandenburg horse breed (organism)
131885003 | Brazilian Sport Horse horse breed (organism)
131886002 | British Appaloosa horse breed (organism)
131887006 | British Riding Pony horse breed (organism)
131888001 | British Spotted Pony horse breed (organism)
131889009 | Buohai horse breed (organism)
131890000 | Buryat horse breed (organism)
131891001 | Calabrian horse breed (organism)
131892008 | Camargue horse breed (organism)
131893003 | Canadian Cutting Horse horse breed (organism)
131894009 | Canadian Rustic Pony horse breed (organism)
131895005 | Canadian Sport Horse horse breed (organism)
131896006 | Canik horse breed (organism)
131897002 | Cape Horse horse breed (organism)
131898007 | Cerbat horse breed (organism)
131899004 | Chakouyi horse breed (organism)
131900009 | Chara Horse horse breed (organism)
131901008 | Chickasaw horse breed (organism)
131902001 | Chilote horse breed (organism)
131903006 | Chinese Kazakh horse breed (organism)
131904000 | Chinese Mongolian horse breed (organism)
131905004 | Chumbivilcas horse breed (organism)
131906003 | Chumysh horse breed (organism)
131907007 | Cirit horse breed (organism)
132731005 | Baden Wurttemburg horse breed (organism)
132951001 | American Indian Horse horse breed (organism)
132952008 | American Mustang horse breed (organism)
132953003 | American Quarter Horse horse breed (organism)
132954009 | American Shetland pony horse breed (organism)
132955005 | Anadolu horse breed (organism)
132956006 | Andean horse breed (organism)
132957002 | Anglo-Kabarda horse breed (organism)
133044002 | Anglo-Arab horse breed (organism)
133072009 | American Bashkir Curly horse breed (organism)
133101004 | Chincoteague Pony horse breed (organism)
133116001 | Ardennes horse breed (organism)
133117005 | American Walking Pony horse breed (organism)
133118000 | Azteca horse breed (organism)
133119008 | American Cream Draft horse breed (organism)
133123000 | Bhirum Pony horse breed (organism)
133124006 | Cheju horse breed (organism)
133125007 | Cayuse horse breed (organism)
133126008 | Caspian horse breed (organism)

133127004 | Carthusian horse breed (organism)
133128009 | Campolina horse breed (organism)
133129001 | Byelorussian Harness horse breed (organism)
133130006 | Budyonny horse breed (organism)
133131005 | Australian Brumby horse breed (organism)
133132003 | Australian Stock Horse horse breed (organism)
133133008 | Basuto Pony horse breed (organism)
133134002 | Bashkir Curly horse breed (organism)
133135001 | Bashkir horse breed (organism)
133136000 | Barb horse breed (organism)
133137009 | Ban-ei horse breed (organism)
133138004 | Carpathian Pony horse breed (organism)
133139007 | Baluchi horse breed (organism)
133140009 | Balearic horse breed (organism)
133141008 | Chilean Corralero horse breed (organism)
133142001 | Breton horse breed (organism)
406711007 | Brabant horse (organism)
6220006 | Galiceno horse (organism)
19356005 | Hunter horse (organism)
25813002 | Holsteiner horse (organism)
41754002 | Lipizzaner horse (organism)
54447000 | Haflinger horse (organism)
66168008 | Hanoverian horse (organism)
70457009 | Icelandic horse (organism)
89648005 | Fjord horse (organism)
112488001 | Hackney horse (organism)
125084002 | Equus caballus gmelini (organism)
131804001 | Colombian Criollo horse breed (organism)
131805000 | Comtois horse breed (organism)
131806004 | Corsican horse breed (organism)
131807008 | Costa Rican Saddle Horse horse breed (organism)
131808003 | Costeno horse breed (organism)
131809006 | Cuban Paso horse breed (organism)
131861006 | Hucul horse breed (organism)
131908002 | Irish Draft horse breed (organism)
131909005 | Irish Hunter horse breed (organism)
131910000 | Cuban Trotter horse breed (organism)
131911001 | Italian Heavy Draft horse breed (organism)
131912008 | Jabe horse breed (organism)
131913003 | Java horse breed (organism)
131916006 | Jinhong horse breed (organism)
131917002 | Jinzhou horse breed (organism)
131919004 | Danubian horse breed (organism)
131920005 | Karachai horse breed (organism)
131921009 | Karakacan horse breed (organism)
131922002 | Kathiawari horse breed (organism)
131923007 | Ke-Er-Qin horse breed (organism)
131924001 | Kirgiz horse breed (organism)
131925000 | Kuznet horse breed (organism)
131926004 | Landais horse breed (organism)
131927008 | Lewitzer horse breed (organism)
131928003 | Lichuan horse breed (organism)
131929006 | Lijiang horse breed (organism)
131930001 | Llanero horse breed (organism)
131931002 | Lombok horse breed (organism)
131932009 | Lundy Pony horse breed (organism)
131933004 | Malakan horse breed (organism)
131934005 | Malopolski horse breed (organism)
131935006 | Datong horse breed (organism)
131936007 | Mangalarga Paulista horse breed (organism)
131937003 | Dulmen Pony horse breed (organism)
131947000 | Dutch Tuigpaard horse breed (organism)
131948005 | East and Southeast Anadolu horse breed (organism)
131964002 | English Hack horse breed (organism)
131972000 | German Riding Pony horse breed (organism)
131973005 | Guanzhong horse breed (organism)
131974004 | Guizhou horse breed (organism)
131975003 | Guoxia horse breed (organism)
131976002 | Erlunchun horse breed (organism)
131977006 | Half Saddlebred horse breed (organism)
131978001 | Flores horse breed (organism)
131979009 | Freiberg horse breed (organism)

131980007 | Hessen horse breed (organism)
131981006 | Hinis horse breed (organism)
131982004 | Hirzai horse breed (organism)
131983009 | Hungarian Coldblood horse breed (organism)
131984003 | Hungarian Dun horse breed (organism)
131985002 | Hungarian Sport Horse horse breed (organism)
131986001 | International Striped Horse horse breed (organism)
131987005 | Irish Cob horse breed (organism)
131990004 | French Cob horse breed (organism)
131991000 | French Saddle pony horse breed (organism)
131993002 | Finnhorse Draft horse breed (organism)
132733008 | Israeli horse breed (organism)
132734002 | French Ardennais horse breed (organism)
132736000 | Cukurova horse breed (organism)
132737009 | Czech Coldblood horse breed (organism)
132738004 | Czechoslovakian Small Riding Horse horse breed (organism)
132739007 | Jianchang horse breed (organism)
132740009 | Jielin horse breed (organism)
132742001 | Eleia horse breed (organism)
132743006 | English Cob horse breed (organism)
132746003 | English Hunter horse breed (organism)
132747007 | Eriskay Pony horse breed (organism)
132748002 | Hackney Pony horse breed (organism)
132749005 | Estonian Draft horse breed (organism)
132750005 | Heihe horse breed (organism)
132751009 | Heilongkaing horse breed (organism)
132757008 | Danish Sport Pony horse breed (organism)
132758003 | Kabarda horse breed (organism)
132759006 | Kalmyk horse breed (organism)
132760001 | Mangalarga Marchador horse breed (organism)
132761002 | Don horse breed (organism)
132765006 | East Bulgarian horse breed (organism)
132766007 | East Friesian (Old Type) horse breed (organism)
132774008 | French Trotter horse breed (organism)
132775009 | Furioso horse breed (organism)
132779003 | Danish Oldenborg horse breed (organism)
132996008 | Fell Pony horse breed (organism)
133016003 | Dutch Draft horse breed (organism)
133017007 | Egyptian horse breed (organism)
133018002 | Estonian Native horse breed (organism)
133019005 | Exmoor Pony horse breed (organism)
133020004 | Faeroes Island Horse horse breed (organism)
133021000 | Falabella horse breed (organism)
133023002 | Dongola horse breed (organism)
133024008 | Døle horse breed (organism)
133025009 | Djerma horse breed (organism)
133026005 | Deliboz horse breed (organism)
133027001 | Dartmoor Pony horse breed (organism)
133028006 | Crioulo horse breed (organism)
133029003 | Finnhorse horse breed (organism)
133034004 | M'Bayar horse breed (organism)
133035003 | Lusitano horse breed (organism)
133043008 | Kisber Felver horse breed (organism)
133047009 | Iomud horse breed (organism)
133048004 | Jutland horse breed (organism)
133049007 | Karabair horse breed (organism)
133050007 | Karabakh horse breed (organism)
133051006 | Kazakh horse breed (organism)
133052004 | Mangalarga horse breed (organism)
133053009 | Kirdi Pony horse breed (organism)
133054003 | Kiso horse breed (organism)
133055002 | Kladruby horse breed (organism)
133056001 | Knabstrup horse breed (organism)
133057005 | Kushum horse breed (organism)
133058000 | Kustanai horse breed (organism)
133059008 | Latvian horse breed (organism)
133060003 | Lithuanian Heavy Draft horse breed (organism)
133061004 | Lokai horse breed (organism)
133062006 | Kiger Mustang horse breed (organism)
133095000 | Criollo horse breed (organism)
133096004 | Hequ horse breed (organism)
133097008 | Connemara Pony horse breed (organism)

133098003 | Colorado Ranger horse breed (organism)
133099006 | Dales Pony horse breed (organism)
133100003 | Gotland horse breed (organism)
133102006 | Hokkaido horse breed (organism)
133103001 | Highland Pony horse breed (organism)
133104007 | Groningen horse breed (organism)
133105008 | Cuban Pinto horse breed (organism)
133106009 | Fleuve horse breed (organism)
133108005 | Gidran horse breed (organism)
133109002 | Gelderland horse breed (organism)
133110007 | Galician Pony horse breed (organism)
133111006 | Friesian horse breed (organism)
133112004 | Frederiksborg horse breed (organism)
133113009 | Fouta horse breed (organism)
133114003 | Florida Cracker horse breed (organism)
133115002 | Guangxi horse breed (organism)
406714004 | Gypsy Vanner horse (organism)
1006005 | Percheron horse (organism)
4288003 | Thoroughbred horse (organism)
4960000 | Peruvian Paso horse (organism)
12360007 | Missouri fox trotting horse (organism)
13487004 | Shire horse (organism)
21295007 | Morgan horse (organism)
26699009 | New Forest pony (organism)
34200004 | Standardbred horse (organism)
39532001 | Norman coach horse (organism)
41738000 | Palomino horse (organism)
51023000 | Tennessee walking horse (organism)
53567001 | Suffolk horse (organism)
56086005 | Paso Fino horse (organism)
58264006 | Pinto (organism)
69067004 | Shetland pony (organism)
76302002 | Spanish mustang horse (organism)
76467006 | Quarter horse (organism)
131938008 | Maremmana horse breed (organism)
131939000 | Marwari horse breed (organism)
131940003 | Megezh horse breed (organism)
131941004 | Megrel horse breed (organism)
131942006 | Merens horse breed (organism)
131943001 | Messara horse breed (organism)
131944007 | Sumba horse breed (organism)
131945008 | Sumbawa horse breed (organism)
131946009 | Swedish Ardennes horse breed (organism)
131949002 | Thai Pony horse breed (organism)
131950002 | Thessalonian horse breed (organism)
131951003 | Tibetan horse breed (organism)
131952005 | Tieling horse breed (organism)
131988000 | Mezen horse breed (organism)
131989008 | Mezohegyes Sport Horse horse breed (organism)
131992007 | Murakoz horse breed (organism)
131994008 | Mecklenburg horse breed (organism)
132762009 | Manipuri horse breed (organism)
132764005 | Tavda horse breed (organism)
132772007 | Minusin horse breed (organism)
132773002 | Morochuco horse breed (organism)
132776005 | Murghese horse breed (organism)
132777001 | Mytilene horse breed (organism)
132778006 | Namib Desert Horse horse breed (organism)
132960009 | Narym horse breed (organism)
132961008 | National Spotted Saddle Horse horse breed (organism)
132962001 | Nigerian horse breed (organism)
132963006 | North Swedish Trotter horse breed (organism)
132964000 | Oriental Horse horse breed (organism)
132965004 | Rhineland Heavy Draft horse breed (organism)
132966003 | Romanian Saddle Horse horse breed (organism)
132967007 | Rottal horse breed (organism)
132968002 | Royal Canadian Mounted Police Horse horse breed (organism)
132969005 | Russian Saddle Horse horse breed (organism)
132970006 | Sable Island Horse horse breed (organism)
132971005 | Panje horse breed (organism)
132972003 | Patibarcina horse breed (organism)
132973008 | Pechora horse breed (organism)

132974002 | Peneia horse breed (organism)
132975001 | Periangan horse breed (organism)
132976000 | Persian Arab horse breed (organism)
132977009 | Petiso Argentino horse breed (organism)
132978004 | Polish Draft horse breed (organism)
132979007 | Priob horse breed (organism)
132980005 | Rahvan horse breed (organism)
132981009 | Salerno horse breed (organism)
132982002 | Sandalwood horse breed (organism)
132983007 | Sandan horse breed (organism)
132984001 | Pindos horse breed (organism)
132985000 | Piquira Pony horse breed (organism)
132986004 | Pleven horse breed (organism)
132994006 | Russian Trotter horse breed (organism)
132997004 | National Show Horse horse breed (organism)
133001001 | Tawleed horse breed (organism)
133010009 | New Kirgiz horse breed (organism)
133011008 | Oldenburg horse breed (organism)
133012001 | Misaki horse breed (organism)
133013006 | Miyako horse breed (organism)
133014000 | Mongolian horse breed (organism)
133030008 | Sanfratello horse breed (organism)
133031007 | Morab horse breed (organism)
133032000 | Moyle horse breed (organism)
133033005 | Mustang horse breed (organism)
133036002 | Newfoundland Pony horse breed (organism)
133037006 | Noma horse breed (organism)
133038001 | Nooitgedacht Pony horse breed (organism)
133039009 | Nordland horse breed (organism)
133040006 | Noric horse breed (organism)
133041005 | North Swedish Horse horse breed (organism)
133042003 | Northeastern horse breed (organism)
133045001 | Nonius horse breed (organism)
133046000 | Nooitgedacht horse breed (organism)
133063001 | Pony of the Americas horse breed (organism)
133064007 | Pintabian horse breed (organism)
133065008 | Pantaneiro horse breed (organism)
133066009 | Orlov Trotter horse breed (organism)
133067000 | Northern Ardennais horse breed (organism)
133073004 | Poitou Mule Producer horse breed (organism)
133074005 | Polesian horse breed (organism)
133075006 | Sardinian Anglo-Arab horse breed (organism)
133076007 | Sardinian Pony horse breed (organism)
133077003 | Sarvar horse breed (organism)
133078008 | Schleswig horse breed (organism)
133079000 | Schwarzwalder Fuchse horse breed (organism)
133080002 | Senne horse breed (organism)
133081003 | Shan horse breed (organism)
133082005 | Silesian horse breed (organism)
133083000 | Sini horse breed (organism)
133084006 | Skyros horse breed (organism)
133086008 | Sokolka horse breed (organism)
133087004 | South African Miniature horse breed (organism)
133088009 | South German Coldblood horse breed (organism)
133089001 | Southwest Spanish Mustang horse breed (organism)
133090005 | Spanish-American Horse horse breed (organism)
133091009 | Spanish Anglo-Arab horse breed (organism)
133092002 | Spanish Colonial Horse horse breed (organism)
133093007 | Spiti horse breed (organism)
133094001 | Sulawesi horse breed (organism)
133143006 | Taishuh horse breed (organism)
133145004 | Sudan Country-Bred horse breed (organism)
133146003 | Spanish-Norman horse breed (organism)
133147007 | Spanish Barb horse breed (organism)
133148002 | Soviet Heavy Draft horse breed (organism)
133149005 | Sorraia horse breed (organism)
133150005 | Somali Pony horse breed (organism)
133151009 | Tersk horse breed (organism)
133152002 | Shagya horse breed (organism)
133153007 | Selle Francais horse breed (organism)
133154001 | Sanhe horse breed (organism)
133155000 | Russian Heavy Draft horse breed (organism)

133156004 | Rocky Mountain Horse horse breed (organism)
133157008 | Racking Horse horse breed (organism)
133158003 | Quarter Pony horse breed (organism)
133159006 | Quarab horse breed (organism)
133160001 | Single-Footing Horse horse breed (organism)
406715003 | Murgese horse (organism)
406721004 | Mixed breed horse (organism)
3997000 | Pony (organism)
1118004 | Viking horse (organism)
1789009 | Trakehner horse (organism)
8089006 | Welsh walking horse (organism)
25369002 | Westphalian horse (organism)
31633003 | Yorkshire coach horse (organism)
131872001 | Waziri horse breed (organism)
131953000 | Timor horse breed (organism)
131954006 | Trakya horse breed (organism)
131955007 | Trote en Gallope horse breed (organism)
131956008 | Turkoman horse breed (organism)
131957004 | Tushin horse breed (organism)
131958009 | Tuva horse breed (organism)
131959001 | Uzunyayla horse breed (organism)
131960006 | Voronezh Coach Horse horse breed (organism)
131962003 | Welsh Cob horse breed (organism)
131963008 | Welsh Mountain Pony horse breed (organism)
131965001 | Wurttemberg horse breed (organism)
131966000 | Xilingol horse breed (organism)
131967009 | Yanqi horse breed (organism)
131968004 | Yemeni Horses horse breed (organism)
131969007 | Yili horse breed (organism)
131970008 | Yiwu horse breed (organism)
131971007 | Yunnan horse breed (organism)
132741008 | Wielkopolski horse breed (organism)
132744000 | Welsh Pony horse breed (organism)
132745004 | Welsh Pony of Cob Type horse breed (organism)
132995007 | West African Barb horse breed (organism)
132998009 | Zhemaichu horse breed (organism)
132999001 | Yonaguni horse breed (organism)
133000000 | Yakut horse breed (organism)
133002008 | Western Sudan Pony horse breed (organism)
133003003 | Welera Pony horse breed (organism)
133004009 | Vyatka horse breed (organism)
133005005 | Vladimir Heavy Draft horse breed (organism)
133006006 | Vlaamperd horse breed (organism)
133007002 | Ukrainian Saddle Horse horse breed (organism)
133008007 | Tori horse breed (organism)
133009004 | Tokara horse breed (organism)
133015004 | Waler horse breed (organism)
42724005 | American saddlebred horse (organism)
133107000 | Golden American Saddlebred horse breed (organism)
396488006 | Ariégeois pony breed (organism)
131819000 | Danish Warmblood horse breed (organism)
131876003 | Bavarian Warmblood horse breed (organism)
131879005 | Belgian Warmblood horse breed (organism)
131915005 | Czech Warmblood horse breed (organism)
131961005 | Elegant Warmblood horse breed (organism)
132732003 | British Warmblood horse breed (organism)
132763004 | Swiss Warmblood horse breed (organism)
132767003 | East Friesian Warmblood (Modern Type) horse breed (organism)
133022007 | Dutch Warmblood horse breed (organism)
133085007 | Slovak Warmblood horse breed (organism)
133144000 | Swedish Warmblood horse breed (organism)
125092006 | Bos frontalis (organism)
131426006 | Africander cattle breed (organism)
131441006 | Aliab Dinka cattle breed (organism)
131442004 | Alur cattle breed (organism)
131540009 | Abigar cattle breed (organism)
131541008 | Africangus cattle breed (organism)
131542001 | Agerolese cattle breed (organism)
131543006 | Albese cattle breed (organism)
131555000 | Albères cattle breed (organism)
131556004 | Alentejana cattle breed (organism)
131557008 | American White Park cattle breed (organism)

131558003 | Amerifaxcattle breed (organism)
131559006 | Anatolian Black cattle breed (organism)
131560001 | Andalusian Black cattle breed (organism)
131561002 | Andalusian Gray cattle breed (organism)
133290002 | Alistana-Sanabresa cattle breed (organism)
133291003 | Andalusian Blond cattle breed (organism)
133551002 | Abondance cattle breed (organism)
133552009 | Ala-Tau cattle breed (organism)
133553004 | Albanian Illyrian cattle breed (organism)
133554005 | Albanian Dwarf cattle breed (organism)
133575002 | Aleppo cattle breed (organism)
133591004 | Almanzorena cattle breed (organism)
131427002 | Ankole cattle breed (organism)
131428007 | Ankole-Watusi cattle breed (organism)
131443009 | Ankina cattle breed (organism)
131444003 | Apulian Podolian cattle breed (organism)
131445002 | Arado cattle breed (organism)
131446001 | Aweil Dinka cattle breed (organism)
131447005 | Bahima cattle breed (organism)
131562009 | Angeln cattle breed (organism)
131563004 | Asturian Mountain cattle breed (organism)
131564005 | Asturian Valley cattle breed (organism)
131565006 | Aubrac cattle breed (organism)
131566007 | Aulie-Ata cattle breed (organism)
131567003 | Australian Lowline cattle breed (organism)
133292005 | Aosta Black Pied cattle breed (organism)
133293000 | Aosta Chestnut cattle breed (organism)
133294006 | Aosta Red Pied cattle breed (organism)
133295007 | Aracena cattle breed (organism)
133296008 | Argentine Friesian cattle breed (organism)
133297004 | Armorican cattle breed (organism)
133298009 | Arouquesa cattle breed (organism)
133299001 | Aure et Saint-Girons cattle breed (organism)
133300009 | Australian White cattle breed (organism)
133301008 | Austrian Simmental cattle breed (organism)
133302001 | Austrian Yellow cattle breed (organism)
133303006 | Avetonou cattle breed (organism)
133304000 | Avilena cattle breed (organism)
133305004 | Avilena-Black Iberian cattle breed (organism)
133472001 | Australian Shorthorn cattle breed (organism)
131429004 | Baladi cattle breed (organism)
131430009 | Belmont Red cattle breed (organism)
131431008 | Bonsmara cattle breed (organism)
131448000 | Bapedi cattle breed (organism)
131449008 | Baria (Vietnam/Madagascar) cattle breed (organism)
131450008 | Barotse cattle breed (organism)
131451007 | Barra do Cuanzo cattle breed (organism)
131452000 | Bashi cattle breed (organism)
131453005 | Basuto cattle breed (organism)
131454004 | Batangas cattle breed (organism)
131455003 | Bavenda cattle breed (organism)
131456002 | Beja cattle breed (organism)
131458001 | Blonde-du Cap Bon cattle breed (organism)
131568008 | Barzona cattle breed (organism)
131569000 | Bazadais cattle breed (organism)
131570004 | Beefmaker cattle breed (organism)
131571000 | Belarus Red cattle breed (organism)
131572007 | Belgian Blue cattle breed (organism)
131573002 | Belgian Red cattle breed (organism)
131574008 | Belmont Adaptaur cattle breed (organism)
131575009 | Berrendas cattle breed (organism)
131576005 | Blacksided Trondheim and Norland cattle breed (organism)
131577001 | Blanco Orejinegro cattle breed (organism)
133306003 | Bakosi cattle breed (organism)
133307007 | Bakwiri cattle breed (organism)
133308002 | Baltic Black Pied cattle breed (organism)
133309005 | Baoule cattle breed (organism)
133310000 | Barrosa cattle breed (organism)
133311001 | Barroso cattle breed (organism)
133312008 | Bearnais cattle breed (organism)
133313003 | Beef shorthorn cattle breed (organism)
133314009 | Beef synthetic cattle breed (organism)

133315005 | Beijing Black Pied cattle breed (organism)
133316006 | Beiroa cattle breed (organism)
133317002 | Belgian Black Pied Holsteincattle breed (organism)
133318007 | Belgian Red Pied cattle breed (organism)
133319004 | Belgian White and Red cattle breed (organism)
133320005 | Belted Welsh cattle breed (organism)
133321009 | Bestuzhev cattle breed (organism)
133322002 | Betizuak cattle breed (organism)
133323007 | Black Baldy cattle breed (organism)
133324001 | Black Forest cattle breed (organism)
133325000 | Black Iberian cattle breed (organism)
131457006 | Calabrian cattle breed (organism)
131459009 | Chan-Doc cattle breed (organism)
131460004 | Chernigov cattle breed (organism)
131578006 | Braunvieh cattle breed (organism)
131579003 | British White cattle breed (organism)
131580000 | Cachena cattle breed (organism)
131581001 | Canary Island cattle breed (organism)
131582008 | Carinthian Blond cattle breed (organism)
131583003 | Caucasian cattle breed (organism)
131584009 | Charolais cattle breed (organism)
133327008 | Bragado do Sorraia cattle breed (organism)
133328003 | Braganca cattle breed (organism)
133329006 | Brandrood ljsselvee cattle breed (organism)
133330001 | Brazilian Polled cattle breed (organism)
133331002 | Breton Black Pied cattle breed (organism)
133332009 | Brown Atlas cattle breed (organism)
133333004 | Bulgarian Brown cattle breed (organism)
133334005 | Bulgarian Red cattle breed (organism)
133335006 | Burlina cattle breed (organism)
133336007 | Burwash cattle breed (organism)
133337003 | Byelorussian Red cattle breed (organism)
133338008 | Byelorussian Synthetic cattle breed (organism)
133339000 | Cabannina cattle breed (organism)
133340003 | Caldeano cattle breed (organism)
133341004 | Caldelana cattle breed (organism)
133342006 | Calvana cattle breed (organism)
133343001 | Camargue cattle breed (organism)
133344007 | Cambodian cattle breed (organism)
133345008 | Caracu cattle breed (organism)
133346009 | Carpathian Brown cattle breed (organism)
133347000 | Casanareno cattle breed (organism)
133348005 | Central Russian Black Pied cattle breed (organism)
133349002 | Chaouia cattle breed (organism)
133350002 | Charollandais cattle breed (organism)
133351003 | Char-swiss cattle breed (organism)
133353000 | Chesi cattle breed (organism)
133354006 | Cheurfa cattle breed (organism)
133577005 | Busa cattle breed (organism)
133578000 | Chiangus cattle breed (organism)
133593001 | Calasparrena cattle breed (organism)
131432001 | Damietta cattle breed (organism)
131461000 | Chino Santandereano cattle breed (organism)
131462007 | Cinisara cattle breed (organism)
131463002 | Cuprem Hybrid cattle breed (organism)
131464008 | Dabieshan cattle breed (organism)
131465009 | Damara cattle breed (organism)
131466005 | Danakil cattle breed (organism)
131467001 | Dnieper cattle breed (organism)
131468006 | Doayo cattle breed (organism)
131469003 | Eastern Nuer cattle breed (organism)
131470002 | Egyptian cattle breed (organism)
131471003 | Fogera cattle breed (organism)
131472005 | Garfagnina cattle breed (organism)
131473000 | Grati cattle breed (organism)
131474006 | Gaunling cattle breed (organism)
131551009 | Drakensberger cattle breed (organism)
131585005 | Chinese Black-and-White cattle breed (organism)
131586006 | Corriente cattle breed (organism)
131587002 | Costeño con Cuernos cattle breed (organism)
131588007 | Damascus cattle breed (organism)
131589004 | Danish Red cattle breed (organism)

131590008 | Devon cattle breed (organism)
131591007 | Dølafe cattle breed (organism)
131592000 | Dutch Belted cattle breed (organism)
131593005 | Dutch Friesian cattle breed (organism)
131594004 | English Longhorn cattle breed (organism)
131595003 | Estonian Red cattle breed (organism)
131596002 | Evolène cattle breed (organism)
131597006 | Fighting Bull cattle breed (organism)
131598001 | Fjall cattle breed (organism)
131599009 | Florida Cracker/Pineywoods cattle breed (organism)
131600007 | Galician Blond cattle breed (organism)
131601006 | Gascon cattle breed (organism)
131602004 | German Red Pied cattle breed (organism)
131603009 | Glan cattle breed (organism)
131604003 | Gloucester cattle breed (organism)
131605002 | Groningen Whiteheaded cattle breed (organism)
133355007 | Chiford cattle breed (organism)
133356008 | Chimaine cattle breed (organism)
133357004 | Chinampo cattle breed (organism)
133358009 | Cildir cattle breed (organism)
133359001 | COOPELSO 93 cattle breed (organism)
133361005 | Corsican cattle breed (organism)
133362003 | Cretan Lowland cattle breed (organism)
133363008 | Cretan Mountain cattle breed (organism)
133364002 | Croatian Red cattle breed (organism)
133365001 | Cukurova cattle breed (organism)
133366000 | Curraleiro cattle breed (organism)
133367009 | Cyprus cattle breed (organism)
133368004 | Czech Pied cattle breed (organism)
133369007 | Dagestan Mountain cattle breed (organism)
133370008 | Dairy Shorthorn cattle breed (organism)
133371007 | Dairy Synthetic cattle breed (organism)
133372000 | Danish Red Pied cattle breed (organism)
133373005 | Dengchuan cattle breed (organism)
133374004 | Dexter-Kerry cattle breed (organism)
133375003 | Doran cattle breed (organism)
133376002 | Dorna cattle breed (organism)
133377006 | Dortyol cattle breed (organism)
133378001 | East Anatolian Red cattle breed (organism)
133379009 | East Finnish cattle breed (organism)
133380007 | East Macedonian cattle breed (organism)
133381006 | Epirus cattle breed (organism)
133382004 | Estonian Black Pied cattle breed (organism)
133383009 | Ferrandais cattle breed (organism)
133384003 | Finnish Ayrshire cattle breed (organism)
133385002 | Flemish cattle breed (organism)
133387005 | Fort Cross cattle breed (organism)
133388000 | Frati cattle breed (organism)
133389008 | Estonian Native cattle breed (organism)
133390004 | Faeroes cattle breed (organism)
133391000 | French Brown cattle breed (organism)
133392007 | Frijolillo cattle breed (organism)
133393002 | FRS cattle breed (organism)
133394008 | Gacko cattle breed (organism)
133395009 | Gado da Terra cattle breed (organism)
133396005 | Georgian Mountain cattle breed (organism)
133397001 | German Black Pied cattle breed (organism)
133398006 | German Black Pied Dairy cattle breed (organism)
133405000 | German Brown cattle breed (organism)
133406004 | German Shorthorn cattle breed (organism)
133407008 | Ghana Shorthorn cattle breed (organism)
133408003 | Glan-Donnersberg cattle breed (organism)
133409006 | Gole cattle breed (organism)
133410001 | Golpayegani cattle breed (organism)
133411002 | Gorbatov Red cattle breed (organism)
133412009 | Goryn cattle breed (organism)
133413004 | Greater Caucasus cattle breed (organism)
133420006 | Greek Shorthorn cattle breed (organism)
133421005 | Greek Steppe cattle breed (organism)
133422003 | Gray Alpine cattle breed (organism)
133423008 | Guadiana Spotted cattle breed (organism)
133424002 | Guelma cattle breed (organism)

133580006 | Danish Jersey cattle breed (organism)
133581005 | Enderby Island cattle breed (organism)
133582003 | German Angus cattle breed (organism)
131433006 | Horro cattle breed (organism)
131434000 | Kuri cattle breed (organism)
131435004 | Nguni cattle breed (organism)
131475007 | Halhin Gol cattle breed (organism)
131476008 | Holmonger cattle breed (organism)
131477004 | Ilocos cattle breed (organism)
131478009 | Iloilo cattle breed (organism)
131479001 | Inkuku cattle breed (organism)
131480003 | Iskar cattle breed (organism)
131481004 | Istrian cattle breed (organism)
131482006 | Javanese Ongole cattle breed (organism)
131483001 | Javanese Zebu cattle breed (organism)
131484007 | Jinnan cattle breed (organism)
131485008 | Kalmyk cattle breed (organism)
131486009 | Kaokoveld cattle breed (organism)
131487000 | Kazakh Whitehead cattle breed (organism)
131488005 | Kedah-Kelantan cattle breed (organism)
131489002 | Kigezi cattle breed (organism)
131490006 | Kisantu cattle breed (organism)
131491005 | Kolubara cattle breed (organism)
131492003 | Kurgan cattle breed (organism)
131493008 | Kyoga cattle breed (organism)
131494002 | Lucanian cattle breed (organism)
131495001 | Maremmana cattle breed (organism)
131496000 | Marianas cattle breed (organism)
131497009 | Maryuti cattle breed (organism)
131498004 | Mauritius Créole cattle breed (organism)
131499007 | Menufi cattle breed (organism)
131500003 | Mezzalina cattle breed (organism)
131501004 | Modicana cattle breed (organism)
131502006 | Moi cattle breed (organism)
131503001 | Nama cattle breed (organism)
131504007 | Nanyang cattle breed (organism)
131505008 | N'Dama Sanga cattle breed (organism)
131506009 | Nganda cattle breed (organism)
131507000 | Nilotic Sanga cattle breed (organism)
131508005 | Nkone cattle breed (organism)
131509002 | North Malawi Angoni cattle breed (organism)
131510007 | Nuer cattle breed (organism)
131511006 | Nuras cattle breed (organism)
131512004 | Nyoro cattle breed (organism)
131513009 | Ovambo cattle breed (organism)
131552002 | Modicana lowland cattle breed (organism)
131554001 | Menggu cattle breed (organism)
131606001 | Hartón cattle breed (organism)
133231000 | Herens cattle breed (organism)
133232007 | Hinterwald cattle breed (organism)
133233002 | Hungarian Gray cattle breed (organism)
133234008 | Icelandic cattle breed (organism)
133235009 | Illawarra cattle breed (organism)
133236005 | Irish Moiled cattle breed (organism)
133237001 | Israeli Holstein cattle breed (organism)
133238006 | Istoben cattle breed (organism)
133239003 | Jaulan cattle breed (organism)
133240001 | Kazakh cattle breed (organism)
133241002 | Kerry cattle breed (organism)
133242009 | Kholmogory cattle breed (organism)
133243004 | Latvian Brown cattle breed (organism)
133244005 | Lincoln Red Shorthorn cattle breed (organism)
133245006 | Lithuanian Red cattle breed (organism)
133246007 | Mashona cattle breed (organism)
133247003 | Milking Devon cattle breed (organism)
133248008 | Mirandesa cattle breed (organism)
133249000 | Mixed dairy cattle breed (organism)
133250000 | Mongolian cattle breed (organism)
133251001 | Morucha cattle breed (organism)
133252008 | Kurdi cattle breed (organism)
133253003 | N'dama cattle breed (organism)
133254009 | Norwegian Red cattle breed (organism)

133268002 | Murboden cattle breed (organism)
133326004 | Northern Blue cattle breed (organism)
133352005 | Korean Black cattle breed (organism)
133425001 | Harz Red cattle breed (organism)
133426000 | Hawaiian wild cattle breed (organism)
133427009 | Hereland cattle breed (organism)
133428004 | Holgus cattle breed (organism)
133429007 | Hrbinecky cattle breed (organism)
133436008 | Huertana cattle breed (organism)
133437004 | Hungarian Pied cattle breed (organism)
133438009 | Hungarofries cattle breed (organism)
133439001 | Improved Rodopi cattle breed (organism)
133440004 | INRA 95 cattle breed (organism)
133441000 | Italian Brown cattle breed (organism)
133442007 | Italian Red Pied cattle breed (organism)
133443002 | Japanese Black cattle breed (organism)
133444008 | Japanese Brown cattle breed (organism)
133445009 | Japanese Poll cattle breed (organism)
133452006 | Japanese Shorthorn cattle breed (organism)
133453001 | Jarmelista cattle breed (organism)
133454007 | Kabyle cattle breed (organism)
133455008 | Kapsiki cattle breed (organism)
133456009 | Katerini cattle breed (organism)
133457000 | Kenran cattle breed (organism)
133458005 | Khevsurian cattle breed (organism)
133459002 | Kilis cattle breed (organism)
133460007 | Kochi cattle breed (organism)
133461006 | Korean Native cattle breed (organism)
133468000 | Kostroma cattle breed (organism)
133469008 | Kravarsky cattle breed (organism)
133470009 | Kuchinoshima cattle breed (organism)
133471008 | Murray Gray cattle breed (organism)
133473006 | Kumamoto cattle breed (organism)
133474000 | Lagune cattle breed (organism)
133475004 | Lakenvelder cattle breed (organism)
133476003 | Latvian Blue Roan cattle breed (organism)
133477007 | La Velasquez cattle breed (organism)
133484004 | Lebanese cattle breed (organism)
133485003 | Lebedin cattle breed (organism)
133486002 | Lesser Caucasus cattle breed (organism)
133487006 | Liberian Dwarf cattle breed (organism)
133488001 | Libyan cattle breed (organism)
133489009 | Lim cattle breed (organism)
133490000 | Limiana cattle breed (organism)
133491001 | Limpurger cattle breed (organism)
133492008 | Lobi cattle breed (organism)
133493003 | Lourdais cattle breed (organism)
133500008 | Lucerna cattle breed (organism)
133501007 | Luxi cattle breed (organism)
133502000 | Macedonian Busa cattle breed (organism)
133503005 | Makaweli cattle breed (organism)
133504004 | Marinhoa cattle breed (organism)
133505003 | Maronesa cattle breed (organism)
133506002 | Mazury cattle breed (organism)
133507006 | Messaoria cattle breed (organism)
133508001 | Metohija Red cattle breed (organism)
133509009 | Mingrelian Red cattle breed (organism)
133516005 | Minhota cattle breed (organism)
133517001 | Minorcan cattle breed (organism)
133518006 | Mishima cattle breed (organism)
133519003 | Modenese cattle breed (organism)
133520009 | Monchina cattle breed (organism)
133521008 | Montafon cattle breed (organism)
133522001 | Montbeliard cattle breed (organism)
133523006 | Morenas del Noroeste cattle breed (organism)
133524000 | Murcian cattle breed (organism)
133525004 | Murnau-Werdenfels cattle breed (organism)
133532008 | Nantais cattle breed (organism)
133533003 | Nejdi cattle breed (organism)
133534009 | N'Gabou cattle breed (organism)
133535005 | North Finncattle cattle breed (organism)
133536006 | Oropa cattle breed (organism)

133537002 | Oulmes Blond cattle breed (organism)
133538007 | Pajuna cattle breed (organism)
133539004 | Palmera cattle breed (organism)
133579008 | Hallingdal cattle breed (organism)
133583008 | Israeli Red cattle breed (organism)
133584002 | Lineback cattle breed (organism)
133585001 | Mertolenga cattle breed (organism)
133590003 | Montanara cattle breed (organism)
133592006 | Lorquina cattle breed (organism)
409906003 | Mixed breed cattle (organism)
409908002 | Masai cattle breed (organism)
125074003 | Hereford cattle superbreed (organism)
131436003 | Philippine Native cattle breed (organism)
131437007 | Romagnola cattle breed (organism)
131438002 | Sanhe cattle breed (organism)
131439005 | Tswana cattle breed (organism)
131440007 | Tuli cattle breed (organism)
131514003 | Pantelleria cattle breed (organism)
131515002 | Pinzhou cattle breed (organism)
131516001 | Porto Amboim cattle breed (organism)
131517005 | Posavina cattle breed (organism)
131518000 | Romanian Steppe cattle breed (organism)
131519008 | Saidi cattle breed (organism)
131520002 | Sardo-Modicana cattle breed (organism)
131521003 | Sengologa cattle breed (organism)
131522005 | Serere cattle breed (organism)
131523000 | Seshaga cattle breed (organism)
131524006 | Siberian Black Pied cattle breed (organism)
131525007 | Socotra cattle breed (organism)
131526008 | Southern Tswana cattle breed (organism)
131527004 | Spreca cattle breed (organism)
131528009 | Sunkuma cattle breed (organism)
131529001 | Taiwan Zebu cattle breed (organism)
131530006 | Thai cattle breed (organism)
131531005 | Thailand Fighting Zebu cattle breed (organism)
131532003 | Thanh-Hoa cattle breed (organism)
131533008 | Tibetan cattle breed (organism)
131534002 | Tonga cattle breed (organism)
131535001 | Toro cattle breed (organism)
131536000 | Tuni cattle breed (organism)
131537009 | Turkish Gray Steppe cattle breed (organism)
131538004 | Tuy-Hoa cattle breed (organism)
131539007 | Ujumqin cattle breed (organism)
131544000 | Ukrainian Gray cattle breed (organism)
131545004 | Vietnamese Yellow cattle breed (organism)
131546003 | Watusi (United States of America) cattle breed (organism)
131547007 | Wenshan cattle breed (organism)
131548002 | Yakut cattle breed (organism)
131553007 | Taiwan Yellow cattle breed (organism)
132780000 | Volynsk cattle breed (organism)
132781001 | Senepol cattle breed (organism)
132782008 | Shilluk cattle breed (organism)
133255005 | Parthenais cattle breed (organism)
133256006 | Polish Red cattle breed (organism)
133257002 | Rätien Gray cattle breed (organism)
133258007 | Red and White cattle breed (organism)
133260009 | Red Polled Østland cattle breed (organism)
133261008 | Red Steppe cattle breed (organism)
133262001 | Reggiana cattle breed (organism)
133263006 | Retinta cattle breed (organism)
133264000 | Romosinuano cattle breed (organism)
133265004 | Russian Black Pied cattle breed (organism)
133266003 | RX3 cattle breed (organism)
133267007 | Salorn cattle breed (organism)
133269005 | San Martinero cattle breed (organism)
133270006 | Sarabi cattle breed (organism)
133271005 | Sharabi cattle breed (organism)
133272003 | Shetland cattle breed (organism)
133273008 | Simbrah cattle breed (organism)
133274002 | South Devon cattle breed (organism)
133275001 | Suffolk cattle breed (organism)
133276000 | Sussex cattle breed (organism)

133277009 | Swedish Red Polled cattle breed (organism)
133278004 | Telemark cattle breed (organism)
133279007 | Texas Longhorn cattle breed (organism)
133280005 | Texon cattle breed (organism)
133281009 | Vestland Fjord cattle breed (organism)
133282002 | Vestland Red Polled cattle breed (organism)
133283007 | Wagyu cattle breed (organism)
133284001 | White Cáceres cattle breed (organism)
133285000 | Xinjiang Brown cattle breed (organism)
133360006 | Thrace cattle breed (organism)
133386001 | Red Flemish cattle breed (organism)
133399003 | Pechora cattle breed (organism)
133400005 | Pee Wee cattle breed (organism)
133401009 | Peloponnesus cattle breed (organism)
133402002 | Pester cattle breed (organism)
133403007 | Pie Rouge de l'Est cattle breed (organism)
133404001 | Pisana cattle breed (organism)
133414005 | Polish Black and White Lowland cattle breed (organism)
133415006 | Polish Simmental cattle breed (organism)
133416007 | Polled Jersey cattle breed (organism)
133417003 | Polled Lincoln Red cattle breed (organism)
133418008 | Polled Shorthorn (United States of America) cattle breed (organism)
133419000 | Polled Simmental cattle breed (organism)
133430002 | Polled Sussex cattle breed (organism)
133431003 | Polled Welsh Black cattle breed (organism)
133432005 | Pontremolese cattle breed (organism)
133433000 | Preta cattle breed (organism)
133434006 | Puerto Rican Criollo cattle breed (organism)
133435007 | Pyrenean cattle breed (organism)
133446005 | Qinchuan cattle breed (organism)
133447001 | Ramo Grande cattle breed (organism)
133448006 | Randall Lineback cattle breed (organism)
133449003 | Red Galloway cattle breed (organism)
133450003 | Regus cattle breed (organism)
133451004 | Rendena cattle breed (organism)
133462004 | Rhaetian Gray cattle breed (organism)
133463009 | Rio Limon Dairy Criollo cattle breed (organism)
133464003 | Rodopi cattle breed (organism)
133465002 | Romanian Red cattle breed (organism)
133466001 | Romanian Brown cattle breed (organism)
133467005 | Russian Brown cattle breed (organism)
133478002 | Sardinian cattle breed (organism)
133479005 | Sardinian brown cattle breed (organism)
133480008 | Savinja Gray cattle breed (organism)
133481007 | Sayaguesa cattle breed (organism)
133482000 | Seferihisar cattle breed (organism)
133483005 | Shkodra Red cattle breed (organism)
133494009 | Slovakian Pied cattle breed (organism)
133495005 | Slovakian Pinzgau cattle breed (organism)
133496006 | Slovenian Brown cattle breed (organism)
133497002 | Somba cattle breed (organism)
133498007 | South African Brown Swiss cattle breed (organism)
133499004 | South Anatolian Red cattle breed (organism)
133510004 | Southern Ukrainian cattle breed (organism)
133511000 | Spanish Brown Alpine cattle breed (organism)
133512007 | Suksun cattle breed (organism)
133513002 | Swiss Black Pied cattle breed (organism)
133514008 | Sychevka cattle breed (organism)
133515009 | Sykia cattle breed (organism)
133526003 | Tagil cattle breed (organism)
133527007 | Tajma cattle breed (organism)
133528002 | Tambov Red cattle breed (organism)
133529005 | Tarina cattle breed (organism)
133530000 | Thessaly cattle breed (organism)
133531001 | Tinima cattle breed (organism)
133540002 | Pankota Red cattle breed (organism)
133541003 | Paphos cattle breed (organism)
133542005 | Tinos cattle breed (organism)
133543000 | Transylvanian Pinzgau cattle breed (organism)
133544006 | Tropical Dairy Cattle cattle breed (organism)
133545007 | Tropicana cattle breed (organism)
133546008 | Tudanca cattle breed (organism)

133547004 | Turino cattle breed (organism)
133548009 | Turkish Brown cattle breed (organism)
133549001 | Tux-Zillertal cattle breed (organism)
133550001 | Tyrol Gray cattle breed (organism)
133555006 | Ukrainian Whiteheaded cattle breed (organism)
133556007 | Ural Black Pied cattle breed (organism)
133557003 | Valdres cattle breed (organism)
133558008 | Vaynol cattle breed (organism)
133559000 | Verinesa cattle breed (organism)
133560005 | Vianesa cattle breed (organism)
133561009 | Villard-de-Lans cattle breed (organism)
133562002 | Vogelsberg cattle breed (organism)
133563007 | Pie Rouge des Plaines cattle breed (organism)
133564001 | Vorderwald cattle breed (organism)
133565000 | West African Dwarf Shorthorn cattle breed (organism)
133566004 | West Finnish cattle breed (organism)
133567008 | West Macedonian cattle breed (organism)
133568003 | Whitebred Shorthorn cattle breed (organism)
133569006 | White Galloway cattle breed (organism)
133570007 | White Welsh cattle breed (organism)
133571006 | Witrik cattle breed (organism)
133572004 | Yacumento cattle breed (organism)
133576001 | Schwyz cattle breed (organism)
133586000 | Red Friesian cattle breed (organism)
133587009 | Senegus cattle breed (organism)
133588004 | Southern Crioulo cattle breed (organism)
133589007 | Vosges cattle breed (organism)
133673003 | Pantaneiro cattle breed (organism)
131549005 | Yunnan Zebu cattle breed (organism)
131550005 | Zambia Angoni cattle breed (organism)
133286004 | Yanbian cattle breed (organism)
133287008 | Zaobei cattle breed (organism)
133288003 | Zavot cattle breed (organism)
133289006 | Znamensk cattle breed (organism)
133573009 | Yaroslavl cattle breed (organism)
133574003 | Yurino cattle breed (organism)
22330003 | Commercial white egg layer type chicken (organism)
132004000 | Braekel chicken breed (organism)
132005004 | Cochin, Standard chicken breed (organism)
132007007 | Gotland chicken breed (organism)
132008002 | Groninger Meeuwen chicken breed (organism)
132691001 | Chocolate turkey breed (organism)
132692008 | Lilac turkey breed (organism)
132693003 | Silver Auburn turkey breed (organism)
132695005 | Wild cross turkey (organism)
132696006 | Matrouh chicken breed (organism)
132713009 | Gray chicken breed (organism)
132714003 | Hamburgs chicken breed (organism)
132715002 | Gimmizah chicken breed (organism)
132726008 | Silver Montazah chicken breed (organism)
132727004 | Swiss Hen chicken breed (organism)
132728009 | Styrian chicken breed (organism)
132729001 | Old English Game chicken breed (organism)
132730006 | Appenzell Bearded Hen chicken breed (organism)
132752002 | Sulmtaler chicken breed (organism)
132753007 | Svart Höna chicken breed (organism)
132754001 | Vorwerks chicken breed (organism)
132755000 | Westfalische Totleger chicken breed (organism)
132756004 | Yamato Gunkei chicken breed (organism)
132816005 | Frieslands chicken breed (organism)
132817001 | Ameraucana chicken breed (organism)
132818006 | Åsbos chicken breed (organism)
132819003 | Augsburger chicken breed (organism)
132820009 | Bielefelder chicken breed (organism)
132821008 | Norfolk Gray chicken breed (organism)
132822001 | Hedemora chicken breed (organism)
132823006 | Hungarian Yellow chicken breed (organism)
132824000 | Iowa blue chicken breed (organism)
132825004 | Red jungle fowl type chicken (organism)
132827007 | Kraienkoppe chicken breed (organism)
132828002 | Lincolnshire Buff chicken breed (organism)
132829005 | Tomaru chicken breed (organism)

132830000 | Onagadori chicken breed (organism)
132831001 | Manx Rumpies chicken breed (organism)
132832008 | Maline chicken breed (organism)
132833003 | Nankin chicken breed (organism)
132834009 | Øland chicken breed (organism)
132836006 | Orust chicken breed (organism)
132837002 | Penedesenca chicken breed (organism)
132838007 | Rhode Island White chicken breed (organism)
132840002 | Sablepoot chicken breed (organism)
132841003 | Saipan Jungle Fowl chicken breed (organism)
132842005 | Scots Dumpy chicken breed (organism)
132847004 | Green chicken breed (organism)
132848009 | Gallus Inauris chicken breed (organism)
132862002 | Shamo chicken breed (organism)
359839008 | Domestic fowl (organism)
406723001 | Mixed breed chicken (organism)
47290002 | Gallus gallus (organism)
20657003 | Meleagris gallopavo (organism)
2034000 | White turkey (organism)
2253004 | Marans chicken (organism)
2333000 | Japanese chicken (organism)
3872000 | Beltsville white turkey (organism)
5114005 | Fayoumi chicken (organism)
5350006 | Rhode Island red chicken (organism)
7598004 | Wyandotte chicken (organism)
7700003 | Nebraskan spotted turkey (organism)
7767003 | Lamona chicken (organism)
10643004 | Arucana chicken (organism)
11830008 | Delaware chicken (organism)
12419001 | Redcap chicken (organism)
12874007 | Crevecoeur chicken (organism)
13156006 | Spanish chicken (organism)
18299006 | Orpington chicken (organism)
23992007 | Black-winged bronze turkey (organism)
24886005 | Penna palm turkey (organism)
25854005 | Small white turkey (organism)
28138009 | Slate turkey (organism)
29546006 | Faverolle chicken (organism)
29615001 | La Fleche chicken (organism)
30432005 | Broad breasted bronze turkey (organism)
32509001 | Black turkey (organism)
32540008 | Commercial meat type chicken (organism)
33224000 | Phoenix chicken (organism)
33607002 | Buttercup chicken (organism)
35839008 | Leghorn chicken (organism)
37812004 | Broad breasted white turkey (organism)
39571003 | Buckeye chicken (organism)
41290008 | Plymouth Rock chicken (organism)
41437006 | Jungle fowl chicken (organism)
42602001 | Minorca chicken (organism)
42840001 | Jersey giant chicken (organism)
43223009 | Yokohama chicken (organism)
43869002 | Rouen duck breed (organism)
46830002 | Midget white turkey (organism)
47314009 | Dark brown turkey (organism)
47745005 | Java chicken (organism)
48255007 | Silkie chicken (organism)
49407004 | Lankenvelder chicken (organism)
50710008 | Blue slate turkey (organism)
52882006 | Dominique chicken (organism)
54218009 | New Hampshire chicken (organism)
54251000 | Australorp chicken (organism)
54604007 | Gray turkey (organism)
55074002 | Jersey buff turkey (organism)
56764001 | Holland chicken (organism)
57364006 | Brahma chicken (organism)
57950004 | Spitzhauben chicken (organism)
87530001 | Welsummer chicken (organism)
87833007 | Sumatra chicken (organism)
132003006 | Brabanter chicken breed (organism)
132826003 | Ko Shamo chicken breed (organism)
132850001 | Golden Montazah chicken breed (organism)

409910000 | Bantam (organism)
30221007 | Belgian bearded chicken (organism)
60786005 | Lilac buff turkey (organism)
61204004 | Dorking chicken (organism)
61839006 | Cornish chicken (organism)
61843005 | Polish chicken (organism)
62124009 | Royal palm turkey (organism)
63257005 | Chantecler chicken (organism)
65136005 | Light brown turkey (organism)
65873005 | Barnevelder chicken (organism)
67021006 | Sebright chicken (organism)
67209003 | Turken chicken (organism)
68412000 | Sultan chicken (organism)
69575001 | Ancona chicken (organism)
70210006 | Orloff chicken (organism)
70308007 | Langshan chicken (organism)
70326005 | Cubalaya chicken (organism)
70429002 | Game chicken (organism)
71238008 | Commercial brown egg layer type chicken (organism)
73012007 | Penna white turkey (organism)
76268003 | Campine chicken (organism)
77839002 | Thuringer chicken (organism)
78154009 | Malay chicken (organism)
78375007 | Andalusian chicken (organism)
80204002 | Hungarian chicken (organism)
80610007 | Narragansett turkey (organism)
80886008 | Rosecomb chicken (organism)
80993008 | Sussex chicken (organism)
82249009 | California chicken (organism)
82848009 | Houdan chicken (organism)
91401000 | Black Spanish turkey (organism)
91427000 | Frizzle chicken (organism)
112495005 | Rumpless chicken (organism)
131857000 | Bronze turkey breed (organism)
131858005 | Auburn turkey breed (organism)
131859002 | Bourbon Red turkey breed (organism)
131860007 | Buff turkey breed (organism)
131995009 | Baheij chicken breed (organism)
131996005 | Aseel chicken breed (organism)
131997001 | Bandara chicken breed (organism)
131998006 | Catalana chicken breed (organism)
131999003 | Australian Gamefowl chicken breed (organism)
132000009 | Ayam Cemani chicken breed (organism)
132001008 | Swedish Spotted Hen chicken breed (organism)
132002001 | Belgian Booted Bantam chicken breed (organism)
132006003 | Old English Bantam Game chicken breed (organism)
132725007 | Dutch Bantam chicken breed (organism)
132835005 | Ölansk Bantam chicken breed (organism)
132839004 | Rosecomb Bantam chicken breed (organism)
409909005 | Antwerp bearded bantam (organism)
132247006 | Mukota pig breed (organism)
132248001 | Minzhu pig breed (organism)
132249009 | Neijiang pig breed (organism)
132250009 | Mulefoot pig breed (organism)
132251008 | Normand pig breed (organism)
132252001 | Angeln Saddleback pig breed (organism)
132253006 | Greek Local pig breed (organism)
132254000 | Icelandic pig breed (organism)
132255004 | Casertana pig breed (organism)
132256003 | Madonie-Sicilian pig breed (organism)
132257007 | Sardinian pig breed (organism)
132258002 | Sicilian pig breed (organism)
132259005 | Zlotniki Spotted pig breed (organism)
132260000 | Zlotniki White pig breed (organism)
132262008 | Sumadija pig breed (organism)
132263003 | Froxfield Pygmy pig breed (organism)
132264009 | Danish Large White pig breed (organism)
132265005 | Danish Duroc pig breed (organism)
132266006 | Danish Hampshire pig breed (organism)
132267002 | Piggham pig breed (organism)
132268007 | New York Red pig breed (organism)
132269004 | Finnish Yorkshire pig breed (organism)

132270003 | Dutch Yorkshire pig breed (organism)
132271004 | Pulawy pig breed (organism)
132272006 | Pomeranian pig breed (organism)
132273001 | Polish Landrace pig breed (organism)
132274007 | Estonian Bacon pig breed (organism)
132275008 | Latvian White pig breed (organism)
132276009 | Lithuanian White pig breed (organism)
78678003 | Sus scrofa (organism)
132180009 | Cosentina pig breed (organism)
132181008 | Cuino pig breed (organism)
132182001 | Friuli Black pig breed (organism)
132183006 | Fumati pig breed (organism)
132184000 | Galician pig breed (organism)
132185004 | German Berkshire pig breed (organism)
132186003 | Ghori pig breed (organism)
132187007 | Jianli pig breed (organism)
132188002 | Lucanian pig breed (organism)
132189005 | Maremmana pig breed (organism)
132190001 | Miami pig breed (organism)
132191002 | Montmorillon pig breed (organism)
132192009 | Old Swedish Spotted pig breed (organism)
132193004 | Oliventina pig breed (organism)
132194005 | Parmense pig breed (organism)
132195006 | Romagnola pig breed (organism)
132196007 | Siberian pig breed (organism)
132197003 | Small White pig breed (organism)
132198008 | Baltaret pig breed (organism)
132199000 | Tunchang pig breed (organism)
132200002 | Sterling pig breed (organism)
132201003 | Vich pig breed (organism)
132202005 | Vietnamese pig breed (organism)
132203000 | Vitoria pig breed (organism)
132204006 | Wai Chow pig breed (organism)
132205007 | Yorkshire Blue and White pig breed (organism)
132206008 | Dalland 020 pig breed (organism)
132207004 | Wiltshire pig breed (organism)
132208009 | Hamroc pig breed (organism)
132209001 | DRU (TM) Terminals pig breed (organism)
132210006 | Camborough 22 pig breed (organism)
132211005 | Camborough 15 pig breed (organism)
132212003 | PR 1050 pig breed (organism)
132213008 | PR 1075 pig breed (organism)
132214002 | Chryak PIC pig breed (organism)
132215001 | Canadian Royal Blue pig breed (organism)
132216000 | Line 500 Duroc pig breed (organism)
132217009 | Bodmin 950 pig breed (organism)
132218004 | Canadian Duroc pig breed (organism)
132219007 | Canadian Hampshire pig breed (organism)
132220001 | Ba Xuyen pig breed (organism)
132221002 | Arapawa Island pig breed (organism)
132222009 | Wuzhishan pig breed (organism)
132223004 | Philippine Native pig breed (organism)
132224005 | Sinclair Miniature pig breed (organism)
132225006 | Saddleback pig breed (organism)
132226007 | Yucatan Miniature pig breed (organism)
132227003 | Bantu pig breed (organism)
132228008 | Tibetan pig breed (organism)
132229000 | Turopolje pig breed (organism)
132230005 | Vietnamese Pot-Bellied Pig pig breed (organism)
132231009 | American Landrace pig breed (organism)
132232002 | Swallow Belied Mangalitza pig breed (organism)
132233007 | Fengjing pig breed (organism)
132234001 | Finnish Landrace pig breed (organism)
132235000 | Guinea Hog pig breed (organism)
132236004 | Hezuo pig breed (organism)
132237008 | Ossabaw Island pig breed (organism)
132238003 | Kele pig breed (organism)
132239006 | Krskopolje pig breed (organism)
132240008 | Kunekune pig breed (organism)
132241007 | Large Black-White pig breed (organism)
132242000 | Lithuanian Native pig breed (organism)
132243005 | Meishan pig breed (organism)

132244004 | Jinhua pig breed (organism)
132245003 | Ningxiang pig breed (organism)
132246002 | Mora Romagnola pig breed (organism)
132261001 | Siska pig breed (organism)
132277000 | BKB-1 pig breed (organism)
132278005 | Belorus Black Pied pig breed (organism)
132279002 | Mirgorod pig breed (organism)
132280004 | Liang Guang Small Spotted, Luchuan pig breed (organism)
132281000 | Fujian Small pig breed (organism)
132282007 | North Fujian Black-and-White pig breed (organism)
132283002 | Fuan Spotted pig breed (organism)
132284008 | Putian pig breed (organism)
132285009 | Fuzhou Black pig breed (organism)
132286005 | Minbei Spotted pig breed (organism)
132287001 | Lantang pig breed (organism)
132288006 | Liang Guang Small Spotted, Guangdong Small Ear pig breed (organism)
132289003 | Longlin pig breed (organism)
132290007 | Yuedong Black pig breed (organism)
132291006 | Xiang pig breed (organism)
132292004 | Cantonese pig breed (organism)
132293009 | Jinhua, Dongyang pig breed (organism)
132294003 | Jinhua, Yongkang pig breed (organism)
132295002 | Daweizi pig breed (organism)
132296001 | Huazhong Two-End Black pig breed (organism)
132297005 | Huazhong Two-End Black, Jianli pig breed (organism)
132298000 | Huazhong Two-End Black, Tongcheng pig breed (organism)
132299008 | Huazhong Two-End Black, Satzeling pig breed (organism)
132300000 | Ganzhongnan Spotted pig breed (organism)
132301001 | Hang pig breed (organism)
132302008 | Leping pig breed (organism)
132303003 | Longyou Black pig breed (organism)
132304009 | Wuyi Black pig breed (organism)
132305005 | Lee-Sung pig breed (organism)
132306006 | Lan-Yu pig breed (organism)
132307002 | Vietnamese Yorkshire pig breed (organism)
132308007 | Yujiang pig breed (organism)
132309004 | Wanzhe Spotted pig breed (organism)
132310009 | Wanzhe Spotted, Chunan Spotted pig breed (organism)
132311008 | Wanzhe Spotted, Wannan Spotted pig breed (organism)
132312001 | Shengxian Spotted pig breed (organism)
133167003 | Chin pig breed (organism)
133168008 | Siamese pig breed (organism)
133169000 | Hailum pig breed (organism)
133170004 | Kwai pig breed (organism)
133171000 | Raad pig breed (organism)
133172007 | Akha pig breed (organism)
133173002 | South China pig breed (organism)
133174008 | South China Black pig breed (organism)
133175009 | Balinese pig breed (organism)
133176005 | Diani pig breed (organism)
133177001 | Kaman pig breed (organism)
133178006 | Ashanti Dwarf pig breed (organism)
133179003 | Koronadal pig breed (organism)
133180000 | Ohmini pig breed (organism)
133181001 | Clawn pig breed (organism)
133182008 | Sus scrofa domestic pig X Japanese wild boar intragenus hybrid (organism)
133183003 | Kangaroo Island pig breed (organism)
133184009 | Captain Cooker pig breed (organism)
133185005 | West African pig breed (organism)
133186006 | Nigerian pig breed (organism)
133187002 | Bakosi pig breed (organism)
133188007 | Windsnyer pig breed (organism)
133189004 | Kolbroek pig breed (organism)
133190008 | South African Landrace pig breed (organism)
133191007 | Bulgarian White pig breed (organism)
133192000 | Bulgarian Landrace pig breed (organism)
133193005 | Danube White pig breed (organism)
133194004 | Dermantsi Pied pig breed (organism)
133195003 | Romanian Native, Stocli pig breed (organism)
133196002 | Romanian Native, Baltaret pig breed (organism)
133197006 | Banat White pig breed (organism)
133198001 | Bazna pig breed (organism)

133199009 | Dobrogea Black pig breed (organism)
133200007 | Strei pig breed (organism)
133218005 | Slovhyb-1 pig breed (organism)
133219002 | Nitra Hybrid pig breed (organism)
133220008 | Synthetic SL98 pig breed (organism)
133221007 | SL96 pig breed (organism)
132021009 | High Conformation White pig breed (organism)
132022002 | Line 32 pig breed (organism)
132023007 | Line 21 pig breed (organism)
132024001 | Meatline pig breed (organism)
132025000 | Hampline pig breed (organism)
132026004 | Euroline pig breed (organism)
132027008 | Norline pig breed (organism)
132028003 | Premier pig breed (organism)
132029006 | Tribred pig breed (organism)
132030001 | American Essex pig breed (organism)
132031002 | Sino-Gascony pig breed (organism)
132032009 | Guadeloupe Créole pig breed (organism)
132033004 | Managra pig breed (organism)
132034005 | Canadian Landrace pig breed (organism)
132035006 | Canadian Yorkshire pig breed (organism)
132037003 | Pineywoods pig breed (organism)
132038008 | Catalina Island pig breed (organism)
132039000 | Ras-n-Lansa pig breed (organism)
132040003 | Pitman-Moore Miniature pig breed (organism)
132041004 | Vita Vet Lab Minipig pig breed (organism)
132043001 | Black Hampshire pig breed (organism)
132044007 | Red Hamprace pig breed (organism)
132045008 | American Yorkshire pig breed (organism)
132046009 | American Berkshire pig breed (organism)
132047000 | Camborough Blue pig breed (organism)
132048005 | Camborough 12 pig breed (organism)
132059001 | Canastrão, Junqueira pig breed (organism)
132060006 | Canastrão, Capitão Chico pig breed (organism)
132061005 | Canastrão, Zabumba pig breed (organism)
132062003 | Canastrão, Cabano pig breed (organism)
132063008 | Canastrão, Vermelho pig breed (organism)
132064002 | Piau, Caruncho Piau pig breed (organism)
132065001 | Canastrinho pig breed (organism)
132066000 | Honduras Switch-Tail pig breed (organism)
132067009 | Mastergilt pig breed (organism)
132068004 | Sovereign pig breed (organism)
132069007 | Poltava pig breed (organism)
132070008 | Lipetsk pig breed (organism)
132071007 | Soviet Meat pig breed (organism)
132179006 | Chianina pig breed (organism)
132313006 | Qingping pig breed (organism)
132314000 | Xiangxi Black pig breed (organism)
132315004 | Bamaxiang pig breed (organism)
132316003 | Taihu pig breed (organism)
132317007 | Erhulian pig breed (organism)
132318002 | Jiaxing Black pig breed (organism)
132319005 | Mi pig breed (organism)
132320004 | Shahutou pig breed (organism)
132321000 | Jiaoxi pig breed (organism)
132322007 | Shanghai White pig breed (organism)
132323002 | Hubei White pig breed (organism)
132324008 | Xinjin pig breed (organism)
132325009 | Xinjin, Jilin Black pig breed (organism)
132326005 | Xinjin, Ning-an pig breed (organism)
132327001 | Í pig breed (organism)
132328006 | DBI pig breed (organism)
132329003 | Xinjin, Xinjin pig breed (organism)
132330008 | Meixin pig breed (organism)
132331007 | North East China Spotted pig breed (organism)
132332000 | Fannong Spotted pig breed (organism)
132333005 | Laoshan pig breed (organism)
132334004 | Nanjing Black pig breed (organism)
132335003 | Shanxi Black pig breed (organism)
132336002 | Ganzhou White pig breed (organism)
132337006 | Guangxi White pig breed (organism)
132338001 | Hanzhong White pig breed (organism)

132339009 | Lutai White pig breed (organism)
132340006 | Yili White pig breed (organism)
132341005 | Xinjiang White pig breed (organism)
132342003 | BSI pig breed (organism)
132343008 | Mong Cai pig breed (organism)
132344002 | Lang Hong pig breed (organism)
132345001 | Muong Khuong pig breed (organism)
132346000 | Meo pig breed (organism)
132347009 | Tong Con pig breed (organism)
132348004 | Ha Bac pig breed (organism)
132349007 | Thai Binh pig breed (organism)
132350007 | Co pig breed (organism)
132351006 | Swiss Improved Landrace pig breed (organism)
132352004 | German Landrace B pig breed (organism)
132353009 | Edelschwein pig breed (organism)
132354003 | Swabian-Hall pig breed (organism)
132355002 | Bentheim Black Pied pig breed (organism)
132356001 | Baldinger Spotted pig breed (organism)
132357005 | German Red Pied pig breed (organism)
132358000 | German Cornwall pig breed (organism)
132359008 | Göttingen Miniature pig breed (organism)
132360003 | Munich Miniature pig breed (organism)
132361004 | Leicoma pig breed (organism)
132362006 | Schwerfurt Meat pig breed (organism)
132363001 | Hungarian White pig breed (organism)
132364007 | Hungahyb pig breed (organism)
132365008 | Bulgarian Native pig breed (organism)
132366009 | East Balkan pig breed (organism)
132367000 | Kula pig breed (organism)
132368005 | Nghia Binh pig breed (organism)
132768008 | Kakhetian pig breed (organism)
132769000 | West French White pig breed (organism)
132843000 | Muban pig breed (organism)
132844006 | Iban pig breed (organism)
133161002 | Tuy Hoa Hairless pig breed (organism)
133162009 | Hainan pig breed (organism)
133163004 | Sino-Vietnamese pig breed (organism)
133164005 | Bo Xu pig breed (organism)
133165006 | Thuoc Nhieu pig breed (organism)
133166007 | Burmese pig breed (organism)
133201006 | Romanian Large White pig breed (organism)
133202004 | Romanian Meat Pig pig breed (organism)
133203009 | Gurktal pig breed (organism)
133204003 | Black Slavonian pig breed (organism)
133205002 | Resava pig breed (organism)
133206001 | Morava pig breed (organism)
133207005 | Dzumalia pig breed (organism)
133208000 | Macedonian pig breed (organism)
133209008 | Albanian Native pig breed (organism)
133210003 | Shkodra pig breed (organism)
133211004 | Slovenian White pig breed (organism)
133212006 | Subotica White pig breed (organism)
133213001 | Prestice pig breed (organism)
133214007 | Slovakian Black Pied pig breed (organism)
133215008 | Czech Improved White pig breed (organism)
133216009 | Moravian Large Yorkshire pig breed (organism)
133217000 | Slovakian White pig breed (organism)
133222000 | Czech Meat pig breed (organism)
133223005 | Czech Miniature pig breed (organism)
133224004 | Small Polish Prick-Eared pig breed (organism)
133225003 | Polesian pig breed (organism)
133226002 | Nadbuzanska pig breed (organism)
133227006 | Sarny pig breed (organism)
133228001 | Krolevets pig breed (organism)
133229009 | Polish Marsh pig breed (organism)
133230004 | Large Polish Long-Eared pig breed (organism)
406663005 | Ukrainian steppe white pig (organism)
417012009 | Mixed breed pig (organism)
3260001 | Duroc pig (organism)
5227002 | Oxford sandy block pig (organism)
9135003 | OIC pig (organism)
15443006 | Yuca pig (organism)

15961007 | British saddleback pig (organism)
19770007 | Hereford pig (organism)
20044005 | Pietrain pig (organism)
20280002 | Hampshire pig (organism)
21021000 | Large black pig (organism)
22506004 | British lop pig (organism)
29881002 | Connor prairie pig (organism)
30448006 | Lacombe pig (organism)
30634003 | Tamworth pig (organism)
36187006 | Spotted pig (organism)
49240006 | Palouse pig (organism)
54232006 | Welsh pig (organism)
69461005 | Chester white pig (organism)
73648005 | Wessex saddleback pig (organism)
74568001 | Red wattle pig (organism)
77236002 | Large white pig (organism)
79814001 | Poland China pig (organism)
80084005 | Lucie pig (organism)
80979001 | San Pierre pig (organism)
82909008 | Middle white pig (organism)
85315007 | Yorkshire pig (organism)
86694007 | Hormel miniature pig (organism)
90885005 | Gloucester old spot pig (organism)
132009005 | Haiti Créole pig breed (organism)
132010000 | Manor Hybrid pig breed (organism)
132011001 | Hamline pig breed (organism)
132012008 | Manor Ranger pig breed (organism)
132013003 | Manor Meishan pig breed (organism)
132014009 | Cotswold Gold pig breed (organism)
132015005 | Cotswold Platinum pig breed (organism)
132016006 | Cotswold 16 pig breed (organism)
132017002 | Cotswold 29 pig breed (organism)
132018007 | Cotswold 90 pig breed (organism)
132019004 | Hampen pig breed (organism)
132020005 | SPM pig breed (organism)
132042006 | Hanford Miniature pig breed (organism)
132049002 | Westrain pig breed (organism)
132050002 | Dalland 030 pig breed (organism)
132051003 | Razor-Back pig breed (organism)
132052005 | Macau pig breed (organism)
132053000 | Moura pig breed (organism)
132054006 | Canastra pig breed (organism)
132055007 | Pirapetinga pig breed (organism)
132056008 | Piau pig breed (organism)
132057004 | Nilo-Canastra pig breed (organism)
132058009 | Canastrão pig breed (organism)
132072000 | Central Russian pig breed (organism)
132073005 | Steppe Meat pig breed (organism)
132125002 | Gascony pig breed (organism)
132126001 | Limousin pig breed (organism)
132127005 | Harbin White pig breed (organism)
132128000 | Heilongjiang Spotted pig breed (organism)
132129008 | Liaoning Black pig breed (organism)
132130003 | Huang-Huai-Hai Black, Shenxian pig breed (organism)
132131004 | Huang-Huai-Hai Black pig breed (organism)
132132006 | Bamei pig breed (organism)
132133001 | Hanjiang Black pig breed (organism)
132134007 | Ding pig breed (organism)
132135008 | Huai pig breed (organism)
132136009 | New Huai pig breed (organism)
132137000 | Mashen pig breed (organism)
132138005 | Yimeng Black pig breed (organism)
132139002 | Hetao Lop-Ear pig breed (organism)
132140000 | Korean Native pig breed (organism)
132141001 | Korean Improved pig breed (organism)
132142008 | Penbuk pig breed (organism)
132143003 | Beijing Black pig breed (organism)
132144009 | Chenghua pig breed (organism)
132145005 | Taoyuan pig breed (organism)
132146006 | Taiwan Small Black pig breed (organism)
132147002 | Taiwan Small Red pig breed (organism)
132148007 | Guanling pig breed (organism)

132149004 | Huchuan Mountain pig breed (organism)
132150004 | Rongchang pig breed (organism)
132151000 | Wujin pig breed (organism)
132152007 | Dahe pig breed (organism)
132153002 | Yanan pig breed (organism)
132154008 | South Yunnan Short-Eared pig breed (organism)
132155009 | Hainan, Lingao pig breed (organism)
132156005 | Hainan, Tunchang pig breed (organism)
132157001 | Hainan, Wenchang pig breed (organism)
132158006 | Liang Guang Small Spotted pig breed (organism)
132159003 | German Pasture pig breed (organism)
132160008 | Piau, Sorocaba pig breed (organism)
132161007 | Nilo pig breed (organism)
132162000 | Bahia pig breed (organism)
132163005 | Perna-Curta pig breed (organism)
132164004 | Carunchinho pig breed (organism)
132165003 | Mandi pig breed (organism)
132166002 | Orehla de Colher pig breed (organism)
132167006 | Venezuelan Black pig breed (organism)
132168001 | Bolivian pig breed (organism)
132170005 | Mexican Wattled pig breed (organism)
132171009 | Dalland 080 pig breed (organism)
132173007 | Monarch pig breed (organism)
132174001 | Bisaro pig breed (organism)
132175000 | Black Hairless pig breed (organism)
132176004 | Black Mangalitsa pig breed (organism)
74921000 | Dekalb hybrid pig line (organism)
80131009 | Landrace pig (organism)
89928000 | FHC pig (organism)
75709004 | Pic pig (organism)
74899005 | Boar power pig (organism)
112489009 | Berkshire pig (organism)
69602006 | Kleen leen pig (organism)
61083001 | Minnesota pig (organism)
6053007 | Dekalb hybrid pig line 33 (organism)
8516002 | Dekalb hybrid pig line 51 (organism)
8763002 | German landrace pig (organism)
8970009 | French landrace pig (organism)
10261003 | Belgium landrace pig (organism)
11161001 | Dekalb hybrid pig line 77 (organism)
12407009 | Swedish landrace pig (organism)
14063001 | FHC elite pig 9 (organism)
17717005 | Pic Cambourgh pig (organism)
18212001 | Boar power pig 72 (organism)
24111007 | FHC elite pig 3 (organism)
24319000 | Boar power pig 414 (organism)
25856007 | Boar power pig 929 (organism)
29223008 | Boar power pig 565 (organism)
29235007 | Pic line pig 26 (organism)
30720007 | Boar power pig 84 (organism)
32297006 | Boar power pig 48 (organism)
32683006 | FHC elite pig 7 (organism)
33212007 | Boar power pig 616 (organism)
33551003 | Kentucky red berkshire pig (organism)
34595003 | Boar power pig 828 (organism)
36111002 | Kleen leen black pig (organism)
36570001 | Dekalb hybrid pig line 31 (organism)
41561001 | Dekalb hybrid pig line 30 (organism)
42948007 | Norwegian landrace pig (organism)
43500007 | Boar power pig 454 (organism)
45635003 | FHC elite pig 1 (organism)
47795006 | FHC elite pig 4 (organism)
48470006 | Boar power pig 656 (organism)
49462008 | FHC elite pig 6 (organism)
53431006 | Boar power pig 59 (organism)
56084008 | Boar power pig 292 (organism)
57613003 | Kleen leen white pig (organism)
61973002 | Dekalb hybrid pig line 61 (organism)
67720004 | FHC elite pig 5 (organism)
68512002 | Boar power pig 141 (organism)
71923001 | Italian landrace pig (organism)
73005003 | FHC elite pig 8 (organism)

73944009 | Minnesota pig #1 (organism)
74970001 | Boar power pig 161 (organism)
76364003 | Boar power pig 27 (organism)
78994007 | British landrace pig (organism)
84081007 | Boar power pig 747 (organism)
84232003 | Kleen leen red pig (organism)
84315000 | Boar power pig 474 (organism)
84528008 | Danish landrace pig (organism)
86440008 | Pic line pig 24 (organism)
87061000 | Boar power pig 282 (organism)
132074004 | Kharkov pig breed (organism)
132075003 | Dnepropetrovsk pig breed (organism)
132076002 | Russian Large White pig breed (organism)
132077006 | Forest Mountain pig breed (organism)
132078001 | Dnieper pig breed (organism)
132079009 | Iberian pig breed (organism)
132080007 | Iberian, Extremadura Red pig breed (organism)
132081006 | Iberian, Jabugo Spotted pig breed (organism)
132082004 | Iberian, Black Iberian pig breed (organism)
132083009 | Philippine Native, Ilocos pig breed (organism)
132084003 | Philippine Native, Jalajala pig breed (organism)
132085002 | Mangalizta pig breed (organism)
132086001 | Alentejana pig breed (organism)
132087005 | Belgian Landrace, BN pig breed (organism)
132088000 | French Large White pig breed (organism)
132089008 | Hyper Large White pig breed (organism)
132090004 | Tia Meslan pig breed (organism)
132091000 | Pen ar Lan 77 pig breed (organism)
132092007 | Penshire pig breed (organism)
132093002 | Laconie pig breed (organism)
132094008 | Murcian pig breed (organism)
132095009 | Cavallino pig breed (organism)
132096005 | Calabrian pig breed (organism)
132097001 | Apulian pig breed (organism)
132098006 | Siena Belted pig breed (organism)
132099003 | Calascibetta pig breed (organism)
132100006 | Güssing Forest Pig pig breed (organism)
132101005 | Swiss Edelschwein pig breed (organism)
132102003 | North Caucasus pig breed (organism)
132103008 | Don pig breed (organism)
132104002 | Rostov pig breed (organism)
132105001 | Russian Long-Eared White pig breed (organism)
132106000 | Russian Short-Eared White pig breed (organism)
132107009 | Prisheksninsk pig breed (organism)
132108004 | Breitov pig breed (organism)
132109007 | Livny pig breed (organism)
132110002 | Tsivilsk pig breed (organism)
132111003 | Urzhum pig breed (organism)
132112005 | Minisib pig breed (organism)
132113000 | Sakhalin White pig breed (organism)
132114006 | North Siberian pig breed (organism)
132115007 | Siberian Black Pied pig breed (organism)
132116008 | Kemerovo pig breed (organism)
132117004 | KM-1 pig breed (organism)
132118009 | Aksaî Black Pied pig breed (organism)
132119001 | Semirechensk pig breed (organism)
132120007 | Min pig breed (organism)
132121006 | Sanjiang White pig breed (organism)
132122004 | Basque Black Pied pig breed (organism)
132123009 | Corsican pig breed (organism)
132124003 | Créole pig breed (organism)
132169009 | Pelón pig breed (organism)
132178003 | Borghigiana pig breed (organism)
58311005 | Dutch landrace pig (organism)
59667000 | FHC elite pig 2 (organism)
61036003 | Boar power pig 545 (organism)
112490000 | Dekalb hybrid pig line 63 (organism)
34618005 | Bos taurus (organism)
133259004 | Red Angus cattle breed (organism)
409905004 | Black Angus cattle breed (organism)
78541007 | Milking Shorthorn cattle breed (organism)
53031002 | Dexter cattle breed (organism)

62153005 | Blonde d'Aquitaine (organism)
65344003 | Marchigiana cattle breed (organism)
66314009 | Longhorn cattle breed (organism)
66911005 | Galloway cattle breed (organism)
67448000 | German Fleck-Vieh cattle breed (organism)
76497003 | Gelbveih cattle breed (organism)
81267004 | Normandie cattle breed (organism)
80835003 | Shorthorn cattle breed (organism)
400003 | Pinzgauer cattle breed (organism)
944009 | Brown Welsh cattle breed (organism)
3216001 | Lincoln red cattle breed (organism)
6112002 | Meusse-Rhine-Ijssel cattle breed (organism)
8989009 | Ayrshire cattle breed (organism)
13544004 | Belted Galloway cattle breed (organism)
21553004 | Luing cattle breed (organism)
21921002 | Canadian cattle breed (organism)
23629009 | Hays converter cattle breed (organism)
26105007 | Holstein-Friesian cattle breed (organism)
26525003 | White Park cattle breed (organism)
28483003 | Simmental cattle breed (organism)
28744004 | Black Welsh cattle breed (organism)
35229007 | Chianina cattle breed (organism)
44230005 | Brown Swiss cattle breed (organism)
45284002 | Maine Anjou cattle breed (organism)
48702000 | Limousin cattle breed (organism)
50959000 | Tarentaise cattle breed (organism)
51937006 | Jersey cattle breed (organism)
83173002 | Scottish Highland cattle breed (organism)
84839000 | Guernsey cattle breed (organism)
88807001 | Red Poll cattle breed (organism)
90612002 | Salers cattle breed (organism)
112485003 | Gujarati cattle breed (organism)
84923006 | Aberdeen Angus cattle breed (organism)
30384003 | Brahma cattle breed (organism)
32938007 | Gir cattle breed (organism)
132771000 | Jem-Jem Zebu cattle breed (organism)
133594007 | Amritmahal cattle breed (organism)
133595008 | Bachaur cattle breed (organism)
133596009 | Barka cattle breed (organism)
133597000 | Bengali cattle breed (organism)
133598005 | Bhagnari cattle breed (organism)
133599002 | Boran cattle breed (organism)
133600004 | Channi cattle breed (organism)
133601000 | Cholistani cattle breed (organism)
133602007 | Dajal cattle breed (organism)
133603002 | Dangi cattle breed (organism)
133604008 | Deoni cattle breed (organism)
133605009 | Dhanni cattle breed (organism)
133606005 | Gaolao cattle breed (organism)
133607001 | Hallikar cattle breed (organism)
133608006 | Hariana cattle breed (organism)
133609003 | Indo-Brazilian cattle breed (organism)
133610008 | Kangayam cattle breed (organism)
133611007 | Kankrej cattle breed (organism)
133612000 | Kenkatha cattle breed (organism)
133631006 | Arsi cattle breed (organism)
133632004 | Atpadi Mahal cattle breed (organism)
133633009 | Azaouak cattle breed (organism)
133634003 | Azerbaijan Zebu cattle breed (organism)
133635002 | Baggara cattle breed (organism)
133636001 | Bambawa cattle breed (organism)
133637005 | Bami cattle breed (organism)
133638000 | Banyo cattle breed (organism)
133639008 | Bargur cattle breed (organism)
133640005 | Bari cattle breed (organism)
133641009 | Bimal cattle breed (organism)
133642002 | Borneo Zebu cattle breed (organism)
133643007 | Butana cattle breed (organism)
133644001 | Chittagong Red cattle breed (organism)
133645000 | Cutchi cattle breed (organism)
133646004 | Dairy Zebu of Uberaba cattle breed (organism)
133647008 | Dashtiari cattle breed (organism)

133648003 | Diali cattle breed (organism)
133649006 | Didinga cattle breed (organism)
133650006 | Dongola cattle breed (organism)
133651005 | Fellata cattle breed (organism)
133653008 | Abyssinian Highland Zebu cattle breed (organism)
133654002 | Abyssinian Shorthorned Zebu cattle breed (organism)
133655001 | Aceh cattle breed (organism)
133656000 | Achham cattle breed (organism)
133657009 | Garre cattle breed (organism)
133658004 | Gasara cattle breed (organism)
133659007 | Gobra cattle breed (organism)
133660002 | Goomsur cattle breed (organism)
133661003 | Gujamavu cattle breed (organism)
133663000 | Hissar cattle breed (organism)
133664006 | Ingessana cattle breed (organism)
133665007 | Jamaica Brahman cattle breed (organism)
133666008 | Jellicut cattle breed (organism)
133667004 | Adamawa cattle breed (organism)
133668009 | Aden Zebu cattle breed (organism)
133669001 | Afghan cattle breed (organism)
133670000 | Alambadi cattle breed (organism)
133674009 | Jenubi cattle breed (organism)
133675005 | Jiddu cattle breed (organism)
133676006 | Jijjiga Zebu cattle breed (organism)
133677002 | Kabota cattle breed (organism)
133678007 | Kachcha Siri cattle breed (organism)
133679004 | Kalakheri cattle breed (organism)
133680001 | Kamdhino cattle breed (organism)
133681002 | Kandahari cattle breed (organism)
133682009 | Kaningan cattle breed (organism)
133686007 | Iranian Zebu cattle breed (organism)
133689000 | Kappiliyan cattle breed (organism)
133690009 | Karamajong cattle breed (organism)
133691008 | Kenana cattle breed (organism)
133699005 | Guzerat cattle breed (organism)
133701005 | Deogir cattle breed (organism)
76604009 | Nellore cattle breed (organism)
133613005 | Kherigarh cattle breed (organism)
133614004 | Khillari cattle breed (organism)
133615003 | Krishna Valley cattle breed (organism)
133616002 | Lohani cattle breed (organism)
133617006 | Malvi cattle breed (organism)
133618001 | Mewati cattle breed (organism)
133619009 | Nagori cattle breed (organism)
133620003 | Nelore cattle breed (organism)
133621004 | Nimari cattle breed (organism)
133622006 | Ponwar cattle breed (organism)
133623001 | Rath cattle breed (organism)
133624007 | Rathi cattle breed (organism)
133625008 | Red Sindhi cattle breed (organism)
133626009 | Rojhan cattle breed (organism)
133627000 | Sahiwal cattle breed (organism)
133628005 | Siri zebu cattle breed (organism)
133629002 | Tharparkar cattle breed (organism)
133630007 | Zanzibar Zebu cattle breed (organism)
133652003 | Turkmen zebu cattle breed (organism)
133662005 | Leiqiong cattle breed (organism)
133671001 | Umblachery cattle breed (organism)
133672008 | Venezuelan Zebu cattle breed (organism)
133683004 | Wakwa cattle breed (organism)
133684005 | White Fulani cattle breed (organism)
133685006 | Yemeni Zebu cattle breed (organism)
133687003 | Khorsan cattle breed (organism)
133688008 | Polled Gir cattle breed (organism)
133692001 | Kenya Boran cattle breed (organism)
133693006 | Kenya Zebu cattle breed (organism)
133694000 | Khamala cattle breed (organism)
133695004 | Khurasani zebu cattle breed (organism)
133696003 | Kilara cattle breed (organism)
133697007 | Kinniya cattle breed (organism)
133698002 | Konari cattle breed (organism)
133700006 | Tadzhik zebu cattle breed (organism)

133705001 | Krishnagari cattle breed (organism)
133706000 | Kumauni cattle breed (organism)
133707009 | Ladakhi cattle breed (organism)
133708004 | Latuka cattle breed (organism)
133709007 | Lugware cattle breed (organism)
133710002 | Madagascar Zebu cattle breed (organism)
133711003 | Madaripur cattle breed (organism)
133712005 | Magal cattle breed (organism)
133713000 | Malawi Zebu cattle breed (organism)
133714006 | Malnad Gidda cattle breed (organism)
133721006 | Mampati cattle breed (organism)
133722004 | Manapari cattle breed (organism)
133723009 | Maure cattle breed (organism)
133724003 | Mazandarani cattle breed (organism)
133725002 | Merauke cattle breed (organism)
133727005 | Mhaswad cattle breed (organism)
133728000 | Miniature Zebu cattle breed (organism)
133729008 | Mongalla cattle breed (organism)
133730003 | Morang cattle breed (organism)
133737000 | Mozambique Angoni cattle breed (organism)
133738005 | Mpwapwa cattle breed (organism)
133739002 | Murle cattle breed (organism)
133740000 | Nakali cattle breed (organism)
133741001 | Nepalese Hill Zebu cattle breed (organism)
133742008 | N'Gaoundere cattle breed (organism)
133743003 | Nkedi cattle breed (organism)
133744009 | North Bangladesh Gray cattle breed (organism)
133745005 | North Somali Zebu cattle breed (organism)
133746006 | Polled Guzerat cattle breed (organism)
133753002 | Polled Nelore cattle breed (organism)
133754008 | Prewakwa cattle breed (organism)
133755009 | Pul-M'bor cattle breed (organism)
133756005 | Punganur cattle breed (organism)
133757001 | Ramgarhi cattle breed (organism)
133758006 | Red Bororo cattle breed (organism)
133759003 | Red Desert cattle breed (organism)
133760008 | Red Kandhari cattle breed (organism)
133761007 | Shakhansurri cattle breed (organism)
133762000 | Sheko cattle breed (organism)
133769009 | Shendi cattle breed (organism)
133770005 | Shuwa cattle breed (organism)
133771009 | Sinhala cattle breed (organism)
133772002 | Sistani cattle breed (organism)
133773007 | Small East African Zebu cattle breed (organism)
133774001 | Sokoto Gudali cattle breed (organism)
133775000 | Somali cattle breed (organism)
133776004 | Sonkheri cattle breed (organism)
133777008 | Son Valley cattle breed (organism)
133778003 | South China Zebu cattle breed (organism)
133785004 | South Malawi Zebu cattle breed (organism)
133786003 | Sudanese Fulani cattle breed (organism)
133787007 | Tabapua cattle breed (organism)
133788002 | Tamankaduwa cattle breed (organism)
133789005 | Tanzanian Zebu cattle breed (organism)
133790001 | Tarai cattle breed (organism)
133791002 | Thillari cattle breed (organism)
133792009 | Toposa cattle breed (organism)
133793004 | Toronke cattle breed (organism)
133794005 | Toupouri cattle breed (organism)
440034003 | Polled dorset sheep breed (organism)
125102002 | Anas platyrhynchos (organism)
70881005 | Anser anser anser (organism)
125104001 | Anser anser (organism)
131828004 | Magpie breed duck (organism)
131846005 | Toulouse goose breed (organism)
425181009 | Bison bison X Bos taurus hybrid (organism)
83996001 | Criollo cattle breed (organism)
74517004 | Montana pig (organism)
60958006 | Maryland pig (organism)
24840008 | CPF pig (organism)
48394005 | Beltsville pig (organism)
85626006 | Equus asinus (organism)

445729005 | Tarpan horse breed (organism)
407402001 | Warmblood horse breed (organism)
441714000 | Rhinelander horse breed (organism)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.412 Value Set http://hl7.org/fhir/ValueSet/link-type

URL: https://hl7.org/fhir/STU3/valueset-link-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/link-type
Name: | LinkType
Definition: | The type of link between this patient resource and another patient resource.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.412 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for LinkType

* Patient.link.type (Required)

4.3.1.412.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/link-type

4.3.1.412.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/link-type version 3.0.2

All codes from system http://hl7.org/fhir/link-type

Code | Display | Definition
replaced-by | Replaced-by | The patient resource containing this link must no longer be used. The link points forward to another patient resource that must be used in lieu of the patient resource that contains this link.
replaces | Replaces | The patient resource containing this link is the current active patient record. The link points back to an inactive patient resource that has been merged into this resource, and should be consulted to retrieve additional referenced information.
refer | Refer | The patient resource containing this link is in use and valid but not considered the main source of information about a patient. The link points forward to another patient resource that should be consulted to retrieve additional patient information.
seealso | See also | The patient resource containing this link is in use and valid, but points to another patient resource that is known to contain data about the same person. Data in this resource might overlap or contradict information found in the other patient resource. This link does not indicate any relative importance of the resources concerned, and both should be regarded as equally valid.

Additional Language Displays

Code | Nederlands (Dutch, nl)
replaced-by | vervangen
replaces
refer | verwijzing
seealso | zie ook

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.416 Value Set http://hl7.org/fhir/ValueSet/device-action

URL: https://hl7.org/fhir/STU3/valueset-device-action.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare/ .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-action

Name: | Procedure Device Action Codes

Definition: | Example codes indicating the change that happened to the device during the procedure. Note that these are in no way complete and may not even be appropriate for some uses.

Committee: | Patient Care Work Group

OID: | 2.16.840.1.113883.4.642.3.416 (for OID based terminology systems)

Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Procedure Device Action Codes

* Procedure.focalDevice.action (Preferred)

4.3.1.416.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 129264002 (Action)

4.3.1.416.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 444 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition

129265001 | Evaluation - action

129266000 | Measurement - action

129267009 | Administrative action

129268004 | Observation - action

129269007 | Assisting - action

129271007 | Management - action

129272000 | Stimulation - action

129273005 | Admission - action

129274004 | Discharge - action

129275003 | Administrative transfer - action

129276002 | Referral - action

129277006 | Administrative disposition - action

129278001 | Audit - action

129279009 | Medicolegal action

129280007 | Medicolegal testimony - action

129283009 | Training - action

129284003 | Surgical action

129286001 | Microsurgery - action

129287005 | Incision - action

129288000 | Exploratory incision - action

129289008 | Drainage - action

129291000 | Drilling - action

129292007 | Evacuation - action

129293002 | Dissection - action

129294008 | Discission - action

129295009 | Slitting - action

129296005 | Bisection - action

129297001 | Bifurcation - action

129298006 | Division - action

129299003 | Release - action

129300006 | Puncture - action

129301005 | Scarification - action
129303008 | Removal - action
129304002 | Excision - action
129305001 | Wedge resection - action
129306000 | Surgical removal - action
129307009 | Expulsion - action
129308004 | Reexcision - action
129309007 | Amputation - action
129310002 | Transfixion - action
129311003 | Evisceration - action
129312005 | Enucleation - action
129313000 | Trephination - action
129314006 | Biopsy - action
129315007 | Incisional biopsy - action
129316008 | Aspiration - action
129317004 | Debridement - action
129318009 | Saucerization - action
129319001 | Curettage - action
129321006 | Trimming - action
129322004 | Shaving - action
129323009 | Scraping - action
129324003 | Filleting - action
129325002 | Introduction - action
129326001 | Injection - action
129327005 | Tattooing - action
129328000 | Inflation - action
129330003 | Infusion - action
129331004 | Perfusion - action
129332006 | Irrigation - action
129333001 | Insufflation - action
129334007 | Instillation - action
129335008 | Embolization - action
129337000 | Reimplantation - action
129339002 | Intubation - action
129340000 | Sounding - action
129344009 | Surgical recession - action
129345005 | Resection-recession - action
129346006 | Radial incision - action
129347002 | Surgical transfer - action
129348007 | Z-plasty - action
129349004 | Surgical lengthening - action
129350004 | Surgical shortening - action
129351000 | Surgical augmentation - action
129352007 | Surgical advancement - action
129353002 | Suspension and fixation - action
129354008 | Exteriorization - action
129355009 | Marsupialization - action
129356005 | Reinforcement - action
129357001 | Closure - action
129358006 | Layered closure - action
129360008 | Oversewing - action
129366002 | Closure by buckling - action
129368001 | Cerclage - action
129369009 | Ligation - action
129371009 | Fixation - action
129372002 | Cryopexy - action
129373007 | Plication - action
129374001 | Imbrication - action
129376004 | Construction - action
129377008 | Reconstruction - action
129378003 | Stabilization - action
129379006 | Fusion - action
129380009 | Anchoring - action
129381008 | Enlargement - action
129382001 | Destruction - action
129383006 | Avulsion - action
129384000 | Decortication - action
129385004 | Stripping - action
129386003 | Stripping and ligation - action
129387007 | Abrasion - action
129388002 | Salabrasion - action
129389005 | Grinding - action

129390001 | Coagulation - action
129391002 | Obliteration - action
129392009 | Cauterization - action
129393004 | Cryosurgery - action
129394005 | Thermocautery - action
129395006 | Fulguration - action
129396007 | Electrodesiccation - action
129397003 | Electrocoagulation - action
129398008 | Galvanocauterization - action
129399000 | Electrodestruction - action
129400007 | Crushing - action
129401006 | Fragmentation - action
129402004 | Emulsification - action
129403009 | Chemosurgery - action
129404003 | Chemocautery - action
129405002 | Photocoagulation - action
129406001 | Transplantation - action
129407005 | Grafting - action
129408000 | Manipulation - action
129409008 | Mobilization - action
129410003 | Remobilization - action
129411004 | Traction - action
129412006 | Manual reduction - action
129413001 | Elevation - action
129414007 | Instrumental elevation - action
129415008 | Extraction - action
129416009 | Surgical extraction - action
129418005 | Expression - action
129419002 | Dilation - action
129420008 | Stretching - action
129421007 | Dilation and stretching - action
129423005 | Bougienage - action
129424004 | Fitting - action
129425003 | Application - action
129426002 | Adjustment - action
129427006 | Reduction - action
129430004 | Consultation - action
129431000 | History taking - action
129433002 | Inspection - action
129434008 | Palpation - action
129435009 | Percussion - action
129436005 | Auscultation - action
129437001 | Optical transillumination - action
129438006 | Prescription - action
129441002 | Counseling - action
129442009 | Iontophoresis - action
129443004 | Electrolysis - action
129444005 | Surgical galvanism - action
129445006 | Administration - action
129449000 | Functional assessment - action
183648002 | Long-term assistance
245854003 | Proximal anastomosis
245855002 | Distal anastomosis
255595002 | Debulking - action
256644001 | Darning - action
257729003 | Ablation
257730008 | Chemical destruction
257739009 | Open adjustment
257741005 | Anastomosis
257742003 | Direct anastomosis - action
257743008 | Lecompte maneuver
257744002 | End-to-end anastomosis
257745001 | Double barrelled end-to-end anastomosis
257746000 | End-to-side anastomosis
257747009 | Roux-en-Y
257748004 | End-to-side anastomosis without tunnel
257749007 | End-to-side anastomosis with tunnel
257750007 | Side-to-side anastomosis
257751006 | Wallace "69" side-to-end anastomosis
257759008 | FNA - Fine needle aspiration
257768005 | Binding - action
257777003 | Chemical inactivation

257778008 | Chemodissolution
257780002 | Mass closure
257781003 | Interrupted mass closure
257782005 | Continuous mass closure
257783000 | Thermocoagulation
257784006 | Semm thermal coagulation
257785007 | Wolf thermal coagulation
257786008 | Cryotherapy - action
257788009 | Delamination
257789001 | Hydrodelamination
257791009 | Desiccation - action
257802002 | Anterior displacement
257803007 | Posterior displacement
257804001 | Lateral displacement
257805000 | Medial displacement
257806004 | Close rectal dissection
257808003 | Ultrasonic dissection
257811002 | External drainage
257817003 | Digital evacuation
257821005 | Manual expression
257822003 | Extracapsular extraction
257824002 | Intracapsular extraction
257825001 | Fenestration - action
257846005 | Ballistic fragmentation
257850003 | Mechanical fragmentation
257855008 | Electromagnetic pulse fragmentation
257857000 | Galvanism
257859002 | High intensity focused ultrasound
257863009 | Radioactive destruction
257867005 | Insertion - action
257878002 | Keeling - action
257880008 | Localization
257884004 | Immobilization - action
257885003 | Occlusion
257886002 | Operative ultrasound
257889009 | Padding
257890000 | Peeling - action
257893003 | Pressure
257894009 | One handed pressure
257895005 | Two handed pressure
257897002 | Realignment - action
257903006 | Repair - action
257905004 | Keel repair
257906003 | Mayo repair
257907007 | Patching - action
257911001 | Repair of recurrence
257912008 | Rotation - action
257913003 | IR - Internal rotation
257914009 | External rotation
257915005 | Sampling
257916006 | Bilateral sampling
257917002 | Bilateral sequential sampling
257918007 | Bilateral simultaneous sampling
257923007 | Sampling without trap
257926004 | Unilateral sampling
257928003 | Segmentation
257933004 | Tamponade - action
257935006 | Tapering - action
257937003 | Soft tissue transfer
257938008 | Transfer of bone block
257940003 | Transposition - action
258061005 | Photic stimulation
260222006 | SPECT
261027000 | Sequential anastomosis
261191006 | Open extraction
261197005 | Doppler color flow
261198000 | Doppler continuous wave
261199008 | Doppler pulsed
261391004 | Resurfacing - action
261398005 | Alloplastic grafting
261498006 | Bone-patellar tendon-bone reconstruction
261499003 | Braided prosthetic ligament reconstruction

261518005 | Cystodiathermy
261519002 | Diathermy excision
261520008 | Diathermy snare - action
261526002 | Electromagnetic fragmentation
261545006 | Loop diathermy excision
261553003 | REDY - Regeneration of dialysate
261569005 | Thermocompaction
261576000 | Ultrasound fragmentation
262143007 | Side-to-end anastomosis
263720003 | Compression
264592006 | Intravesical drug therapy
264594007 | Laser - action
264730003 | Lateral rotation
264739002 | Medial rotation
264947006 | Prescription of optical aid
272381008 | Microvascular anastomosis - action
274392008 | EUA - Examination under anesthetic
276734006 | Mechanical assistance
277261002 | Excision biopsy
277607009 | Digital removal
277763000 | Refashioning
277851003 | Conduit anastomosis
277852005 | Reservoir anastomosis
278110001 | Radiographic imaging
278292003 | Ultrasound imaging
278312000 | Reattachment - action
278313005 | Regeneration
278420002 | Sealing
281609006 | Cryoablation - action
281613004 | Decompression - action
281615006 | Exploration - action
281698007 | Cryocautery - action
281767003 | Manual dilatation
281838007 | Disarticulation - action
281839004 | Exenteration
282015008 | Shave biopsy - action
282089006 | Replacement - action
282722008 | Ultrasound destruction
286553006 | Plastic operation
286637000 | Block dissection
286792001 | Denervation
287682008 | Application of caustics
288324002 | Eversion - action
288466002 | Diathermy incision
288468001 | Disimpaction - action
289928003 | Reduction plasty
289930001 | Enzyme destruction
289936007 | Shave excision
289938008 | Microsurgical repair
290001001 | Recession - action
297179000 | Microsurgical anastomosis
297183000 | Revascularization
298053008 | Devascularization - action
298116000 | Application of substance
299712004 | Osteoclasis - action
299713009 | Osteotomy - action
299893001 | Interposition anastomosis - action
302193003 | Actions by modality
302196006 | Freeing - action
302199004 | Examination - action
302204005 | Ultrasound - action
302205006 | Microwave - action
303893007 | Functional modification
303894001 | Structural modification
303955003 | Transfusion - action
303996000 | Terminalization
303998004 | Unused action values
304054006 | Structural support - action
304904003 | Manual evacuation
312236008 | Duplex ultrasound
312250003 | Magnetic resonance imaging
312251004 | Computed tomography technique

312254007 | Plain X-ray imaging
312275004 | Fluoroscopic imaging
312336005 | Opening - action
312337001 | Thermography imaging
312421008 | Radionuclide imaging
312883004 | Desensitization - action
313029009 | Brachytherapy - action
360017003 | Clipping - action
360018008 | Stimulus dosing technique
360020006 | Extirpation - action
360021005 | Bypass - action
360025001 | Harvesting - action
360027009 | Interposition - action
360028004 | Surgical biopsy - action
360029007 | Nonsurgical biopsy - action
360032005 | Flap reconstruction - action
360037004 | Imaging - action
360038009 | Gluing - action
360051004 | Surgical toilet
360060007 | Approximation - action
360082000 | Apposition - action
360084004 | Septation - action
360087006 | Indirect anastomosis - action
360146007 | Repositioning - action
360147003 | Attention - action
360148008 | Obstetric action
360149000 | Delivery - action
360150000 | Inlay replacement - action
360152008 | Monitoring - action
360153003 | Take impression - action
360154009 | Try-in of device - action
360160009 | Checking - action
360161008 | Induction - action
360163006 | Infiltration - action
360165004 | Apheresis - action
360166003 | Filtration - action
360220002 | Mapping - action
360222005 | Massage - action
360223000 | Cine imaging - action
360226008 | Electrical discharge - action
360231005 | Video imaging - action
360232003 | Spectroscopy - action
360239007 | Termination - action
360240009 | Connection - action
360270004 | Therapy - action
360272007 | Discussion - action
360273002 | Provision - action
360314001 | Cutting - action
360315000 | Filing - action
360323003 | Restore - action
360324009 | Obturation - action
360325005 | Simple removal - action
360393008 | Disinsertion - action
362939006 | Dissolution - action
363659002 | Pacing - action
363678002 | Positron emission tomographic imaging
367529003 | Lending - action
367558000 | Contouring - action
367559008 | Preparation - action
367560003 | Buckling - action
367642006 | Inversion - action
367740008 | Suspension - action
369242005 | Hyfrecation - action
386746003 | Maintenance - action
399009009 | B mode ultrasound
399015009 | Tomographic imaging, plain radiologic - action
399035005 | Tomographic imaging - action
399064001 | 2D mode ultrasound
399155008 | M-mode ultrasound
410460000 | Illumination
410461001 | Dual diffuse direct illumination
410462008 | Fine slit beam direct illumination

410463003 | Broad tangential direct illumination
410464009 | Indirect sclerotic scatter illumination
410465005 | Indirect retroillumination from the iris
410466006 | Indirect retroillumination from the retina
410467002 | Indirect iris transillumination
410756002 | Surgical decompression - action
410757006 | Decompressive excision - action
410758001 | Decompressive incision - action
410759009 | Decompressive division - action
410769003 | Elevation reduction - action
410814006 | Surgical reduction - action
410817004 | Dilation repair - action
410820007 | Surgical transplantation - action
415186003 | Proximal illumination - action
416677001 | Internal drainage - action
419385000 | Use
419652001 | Take
419656003 | Examination AND/OR history taking - action
419988009 | Action of drug administration
424208002 | Shunt - action
424832003 | Surgical introduction - action
424900004 | Recommendation - action
425362007 | Surgical insertion - action
425689005 | Teaching - action
425704008 | Power doppler ultrasound
425764006 | Transection - action
426413004 | Closed reduction - action
426530000 | Open reduction - action
426865009 | 3D mode ultrasound
428010000 | Open embolization - action
428381003 | Diathermy - action
430975009 | Surgical piercing - action
439054007 | Surgical cataract aspiration - action
439237009 | Mechanical repair - action
439315000 | Wedge osteotomy - action
439417007 | Closed manual reduction - action
439513008 | Surgical size reduction - action
440338007 | Dispensing - action
440647007 | Mechanical construction - action
441504007 | Surgical manipulation - action
442837002 | Excision debridement - action
445103003 | Fixation by wedging - action
698788008 | Transmission illumination
698789000 | Reflection illumination
698790009 | Epifluorescence illumination
698792001 | Brightfield illumination
698793006 | Darkfield illumination
698794000 | Oblique illumination
698796003 | Phase contrast illumination
698797007 | Differential interference contrast
698798002 | Total internal reflection fluorescence
702569007 | Cone beam computed tomography imaging - action
713295009 | Surgical replacement - action

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.418 Value Set http://hl7.org/fhir/ValueSet/procedure-code

URL: https://hl7.org/fhir/STU3/valueset-procedure-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-code
Name: | Procedure Codes (SNOMED CT)
Definition: | Procedure Code: All SNOMED CT procedure codes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.418 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* ImagingStudy.procedureCode (Example)

* ActivityDefinition.code (Example)

* Procedure.code (Example)

* ProcedureRequest.code (Example)

* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.code ((Example))

4.3.1.418.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 71388002 (Procedure)

4.3.1.418.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
104001 | Excision of lesion of patella
115006 | Removable appliance therapy
119000 | Thoracoscopic partial lobectomy of lung
121005 | Retrobulbar injection of therapeutic agent
128004 | Hand microscope examination of skin
133000 | Percutaneous implantation of neurostimulator electrodes into neuromuscular component
135007 | Arthrotomy of wrist joint with exploration and biopsy
142007 | Excision of tumor from shoulder area, deep, intramuscular
146005 | Repair of nonunion of metatarsal with bone graft
153001 | Cystourethroscopy with resection of ureterocele
160007 | Removal of foreign body of tendon and/or tendon sheath
166001 | Behavioral therapy
170009 | Special potency disk identification, vancomycin test
174000 | Harrison-Richardson operation on vagina
176003 | Anastomosis of rectum
189009 | Excision of lesion of artery
197002 | Mold to yeast conversion test
230009 | Miller operation, urethrovesical suspension
243009 | Replacement of cerebral ventricular tube
245002 | Division of nerve ganglion
262007 | Percutaneous aspiration of renal pelvis
267001 | Anal fistulectomy, multiple
285008 | Incision and drainage of vulva
294002 | Excisional biopsy of joint structure of spine
295001 | Nonexcisional destruction of cyst of ciliary body
306005 | Echography of kidney
316002 | Partial dacryocystectomy
334003 | Panorex examination of mandible
342002 | Amobarbital interview
346004 | Periodontal scaling and root planing, per quadrant
348003 | Radionuclide dynamic function study
351005 | Urinary undiversion of ureteral anastomosis
352003 | Reagent RBC, preparation antibody sensitized pool
353008 | IV/irrigation monitoring
374009 | Costosternoplasty for pectus excavatum repair
388008 | Blepharorrhaphy
389000 | Tobramycin measurement
401004 | Distal subtotal pancreatectomy
406009 | Fulguration of stomach lesion

417005 | Hospital re-admission
435001 | Pulmonary inhalation study
445004 | Repair of malunion of tibia
456004 | Total abdominal colectomy with ileostomy
459006 | Closed condylotomy of mandible
463004 | Closed reduction of coxofemoral joint dislocation with splint
468008 | Glutathione measurement
474008 | Esophagoenteric anastomosis, intrathoracic
489004 | Ferritin measurement
493005 | Urobilinogen measurement, 48-hour, feces
494004 | Excision of lesion of tonsil
497006 | Replacement of cochlear prosthesis, multiple channels
503003 | Corneal gluing
531007 | Open pulmonary valve commissurotomy with inflow occlusion
533005 | Repair of vesicocolic fistula
535003 | Closure of ureterovesicovaginal fistula
540006 | Antibody to single and double stranded DNA measurement
543008 | Choledochostomy with transduodenal sphincteroplasty
545001 | Operative procedure on lower leg
549007 | Incision of intracranial vein
550007 | Excision of lesion of adenoids
559008 | Excision of varicose vein
570001 | Vaccination for arthropod-borne viral encephalitis
574005 | Benzodiazepine measurement
603006 | Synchondrotomy
617002 | Bone graft to mandible
618007 | Frontal sinusectomy
625000 | Removal of supernumerary digit
628003 | Steinman test
629006 | Lysis of adhesions of urethra
633004 | Chart review by physician
637003 | Lysis of adhesions of nose
642006 | Cerebral thermography
645008 | Diagnostic procedure on vitreous
647000 | Excision of cervix by electroconization
657004 | Operation on bursa
665001 | Partial meniscectomy of temporomandibular joint
670008 | Electrosurgical epilation of eyebrow
671007 | Transplantation of testis
673005 | Indirect laryngoscopy
674004 | Abduction test
676002 | Peritoneal dialysis including cannulation
680007 | Radiation physics consultation
687005 | Albumin/Globulin ratio
695009 | Destructive procedure of lesion on skin of trunk
697001 | Hepatitis A virus antibody measurement
710006 | Thromboendarterectomy with graft of mesenteric artery
712003 | Closed chest suction
721002 | Medical procedure on periurethral tissue
722009 | Fine needle biopsy of thymus
726007 | Pathology consultation, comprehensive, records and specimen with report
730005 | Incision of subcutaneous tissue
741007 | Operation on prostate
746002 | Chiropractic adjustment of coccyx subluxation
753006 | Manipulation of ankle AND foot
754000 | Total urethrectomy
759005 | Intracerebral electroencephalogram
762008 | Computerized axial tomography of cervical spine with contrast
764009 | Arthrodesis of interphalangeal joint of great toe
767002 | White blood cell count
789003 | Cranial decompression, subtemporal, supratentorial
791006 | Dressing and fixation procedure
807005 | Excision of brain
814007 | Electrophoresis measurement
817000 | Excision of cyst of spleen
831000 | Drawer test
851001 | Root canal therapy, molar, excluding final restoration
853003 | Fecal fat measurement, 72-hour collection
867007 | Facial-hypoglossal nerve anastomosis
870006 | Carbamazepine measurement
879007 | Special blood coagulation test, explain by report
881009 | Cyclodialysis

893000 | Tumor antigen measurement
897004 | Radical maxillary antrotomy
910002 | MHPG measurement, urine
911003 | Removal of subarachnoid-ureteral shunt
913000 | Chiropractic patient education and instruction
926001 | Embolectomy with catheter of radial artery by arm incision
935008 | Excision of bulbourethral gland
941001 | Endoscopy of pituitary gland
945005 | Excision of tibia and fibula for graft
948007 | Phlebectomy of intracranial varicose vein
951000 | Ultrasonic guidance for endomyocardial biopsy
956005 | Anesthesia for procedure on thoracic esophagus
967006 | Medication education
969009 | Incision and exploration of larynx
971009 | Prosthetic construction and fitting
1001000 | Cauterization of Bartholin's gland
1008006 | Operation on nerve ganglion
1019009 | Removal of corneal epithelium
1021004 | Repair of scrotum
1029002 | Fetoscopy
1032004 | Enucleation of parotid gland cyst
1035002 | Minimum bactericidal concentration test, microdilution method
1036001 | Insertion of intravascular device in common iliac vein, complete
1041009 | Debridement of open fracture of phalanges of foot
1042002 | Paternity testing
1043007 | Doppler color flow velocity mapping
1044001 | Diagnostic ultrasound of abdomen and retroperitoneum
1048003 | Capillary specimen collection
1054002 | Incision of sphincter of Oddi
1071001 | Proximal splenorenal anastomosis
1084005 | Excision of perinephric cyst
1093006 | Excision of abdominal varicose vein
1103000 | Transcrural mobilization of stapes
1104006 | Triad knee repair
1115001 | Decortication
1119007 | Closed reduction of dislocation of foot and toe
1121002 | Kinetic activities for range of motion
1127003 | Interstitial radium application
1133007 | Removal of intact mammary implant, bilateral
1163003 | Ureteroenterostomy
1176009 | Incision of inguinal region
1181000 | Excision of tendon for graft
1186005 | Anesthesia for procedure on bony pelvis
1198000 | Excisional biopsy of bone of scapula
1209007 | Arthroscopy of knee with lateral meniscus repair
1225002 | Radiography of humerus
1227005 | Incision of subvalvular tissue for discrete subvalvular aortic stenosis
1235008 | Muscle transfer
1237000 | Application of cast, sugar tong
1238005 | Epiphyseal arrest by stapling of distal radius
1251000 | Incisional biopsy of testis
1253002 | Refusion of spine
1258006 | Excision of meniscus of wrist
1266002 | Closure of fistula of ear drum
1267006 | Electrocoagulation of lesion of vagina
1278003 | Open reduction of closed shoulder dislocation with fracture of greater tuberosity
1279006 | Repair of cardiac pacemaker pocket in skin AND/OR subcutaneous tissue
1292009 | Magnetic resonance imaging of urinary bladder
1299000 | Excision of appendiceal stump
1315009 | Reconstruction of eyebrow
1316005 | Upper partial denture, cast metal base without resin saddles, including any conventional clasps, rests and teeth
1324000 | Cerebrospinal fluid IgG ratio and IgG index
1327007 | Procedure on Meckel's diverticulum
1328002 | Ilioiliac shunt
1329005 | Division of congenital web of larynx
1337002 | Colosigmoidostomy
1339004 | Removal of impacted feces
1347004 | Medical procedure on palate
1352009 | Anterior spinal rhizotomy
1358008 | Anti-human globulin test, enzyme technique, titer
1366004 | Inhalation therapy procedure
1385001 | Echography, scan B-mode for fetal age determination

1390003 | Laparoscopic-assisted sigmoid colectomy
1398005 | Direct thrombectomy of iliac vein by leg incision
1399002 | Incision and exploration of ureter
1407007 | Application of long leg cast, brace type
1410000 | Anesthesia for tympanotomy
1411001 | Operation on papillary muscle of heart
1413003 | Penetrating keratoplasty with homograft
1414009 | Angiography of arteriovenous shunt
1417002 | Operation on face
1431002 | Fixation
1440003 | Repair with resection-recession
1449002 | Epilation
1453000 | Biofeedback, galvanic skin response
1455007 | Cerclage
1457004 | Truncal vagotomy with pyloroplasty and gastrostomy
1494008 | Osmolarity measurement
1500007 | Bilateral epididymovasostomy with anastomosis of epididymis to vas deferens
1501006 | Altemeier operation, perineal rectal pull-through
1505002 | Hospital admission for isolation
1529009 | Aspiration of soft tissue
1533002 | Ureteroplication
1550000 | Amikacin measurement
1555005 | Brief group psychotherapy
1559004 | IL-2 assay
1576000 | Repair of uteroenteric fistula
1577009 | Implantation of cardiac single-chamber device replacement, rate-responsive
1578004 | Reconstruction of ossicles with stapedectomy
1583007 | Tractotomy of mesencephalon
1585000 | Lengthening of gastrocnemius muscle
1596008 | Anesthesia for total elbow replacement
1597004 | Skeletal X-ray of ankle and foot
1602006 | Social service interview with planning
1614003 | Bilateral repair of inguinal hernia, direct
1615002 | Reline upper partial denture, chairside
1616001 | Galactosylceramide beta-galactosidase measurement, leukocytes
1636000 | Injection of sclerosing agent in varicose vein
1638004 | Cineplasty with cineplastic prosthesis of extremity
1640009 | History and physical examination, insurance
1645004 | Transduodenal sphincterotomy
1651009 | Excision of tendon sheath
1653007 | Internal fixation of bone without fracture reduction
1669000 | Making occupied bed
1677001 | Haagensen test
1678006 | Endoscopic procedure of nerve
1680000 | Secondary chemoprophylaxis
1683003 | Direct closure of laceration of conjunctiva
1689004 | Local excision of ovary
1691007 | Drainage of abscess of tonsil
1699009 | Special dosimetry
1702002 | Labial veneer, resin laminate, laboratory
1704001 | Repair of congenital pseudoarthrosis of tibia
1709006 | Breast reconstruction, bilateral, with bilateral pedicle TRAM flaps
1712009 | Immunoglobulin typing, IgG
1713004 | Hypothermia, total body, induction and maintenance
1730002 | Suture of skin wound of hindfoot
1746005 | Scleral buckling with implant
1747001 | Replacement of skeletal muscle stimulator
1753001 | Resection of uveal tissue
1757000 | Arthroscopy of wrist with partial synovectomy
1759002 | Assessment of nutritional status
1770009 | Mitral valvotomy
1774000 | Nasopharyngeal rehabilitation
1775004 | Submaxillary incision with drainage
1784004 | Fecal stercobilin, qualitative
1787006 | Ultrasonic guidance for pericardiocentesis
1788001 | Blood unit collection for directed donation, donor
1801001 | Endoscopic biopsy of duodenum
1805005 | Surgical closure of stoma
1811008 | Aspiration of bursa of hand
1813006 | Cryotherapy of genital warts
1820004 | Alcohol measurement, breath
1830008 | Open reduction of open sacral fracture

1836002 | Excision of diverticulum of ventricle of heart
1844002 | Plication of ligament
1854003 | Incision of nose
1859008 | Removal of foreign body from tendon of hand
1861004 | Anesthesia for closed procedure on humerus and elbow
1862006 | Thoracic phlebectomy
1866009 | Bilateral nephrectomy
1868005 | Removal of foreign body from brain
1870001 | Insertion of halo device of skull with synchronous skeletal traction
1871002 | Repair of aneurysm of coronary artery
1872009 | Suture of male perineum
1876007 | Recession of prognathic jaw
1879000 | Fluorescent antigen measurement
1889001 | Patient transfer, in-hospital, unit-to-unit
1906007 | Insertion of prosthesis or prosthetic device of arm, bioelectric or cineplastic
1907003 | Bifurcation of bone
1917008 | Patient discharge, deceased, medicolegal case
1924009 | Hepaticotomy with drainage
1950008 | Drainage of abscess of nasal septum
1958001 | Grafting of bone of thumb with transfer of skin flap
1966005 | Central block anesthesia
1983001 | Total urethrectomy including cystostomy in female
1995001 | Stripping of cerebral meninges
1999007 | Psychologic test
2002009 | Construction of subcutaneous tunnel without esophageal anastomosis
2021001 | Internal fixation of radius and ulna without fracture reduction
2051007 | Red cell iron utilization study
2054004 | Barbiturates measurement, quantitative and qualitative
2067001 | Implantation of electromagnetic hearing aid
2069003 | Dental subperiosteal implant
2078009 | Puncture of bursa of hand
2079001 | Reimplantation of anomalous pulmonary artery
2080003 | Angiectomy with anastomosis of lower limb artery
2098004 | Open reduction of open mandibular fracture with external fixation
2115003 | Dental prophylaxis, children
2119009 | Repair of blood vessel
2127000 | Reduction of closed sacral fracture
2137005 | Excision of pericardial tumor
2153008 | Cardiac catheterization education
2161003 | Operation on vulva
2164006 | Injection of aorta
2166008 | Bicuspidization of aortic valve
2171001 | Excision of tonsil tags
2178007 | Ureterocentesis
2181002 | Operation for bone injury of tarsals and metatarsals
2188008 | Suture of tendon to skeletal attachment
2193006 | Repair of ruptured aneurysm with graft of celiac artery
2196003 | Gas liquid chromatography, electron capture type
2199005 | Excision of lesion of cul-de-sac
2214008 | Curette test of skin
2220009 | Complement component assay
2225004 | Sensititer system test
2234009 | Proctosigmoidopexy
2238007 | Stone operation, anoplasty
2242005 | Reconstruction of eyelid
2244006 | Arthroscopy of wrist with internal fixation for instability
2250001 | Resection of ascending aorta with anastomosis
2252009 | Hospital admission, urgent, 48 hours
2266004 | Venography of adrenal, bilateral
2267008 | Changing tracheostomy tube
2270007 | Repair of cleft hand
2276001 | Exploration of popliteal artery
2278000 | Urinalysis, automated
2279008 | Antibody detection, RBC, enzyme, 1 stage technique, including anti-human globulin
2290003 | Microbial culture, anaerobic, initial isolation
2315006 | Operation on cerebral meninges
2318008 | Anesthesia for cast procedure on forearm, wrist or hand
2321005 | Delivery by Ritgen maneuver
2322003 | Suture of recent wound of eyelid, direct closure, full-thickness
2337004 | Adductor tenotomy of hip
2344008 | Complicated cystorrhaphy
2347001 | Diagnostic model construction

2364003 | Radical resection of tumor of soft tissue of wrist area
2371008 | Tympanoplasty type II with graft against incus or malleus
2373006 | Buffy coat smear evaluation
2382000 | Application of manual or electric breast pump
2386002 | Reduction of closed patellar dislocation
2393003 | Ligation of vein of lower limb
2406000 | Periodontic dental consultation and report
2407009 | Excision of mediastinal tumor
2408004 | Hexosaminidase A and total hexosaminidase measurement, serum
2409007 | Reattachment of extremity of foot
2425002 | Epstein-Barr virus serologic test
2442008 | Incision of lacrimal canaliculus
2448007 | Cell count of synovial fluid with differential count
2455009 | Revision of lumbosubarachnoid shunt
2457001 | Blind rehabilitation therapy
2458006 | Educational therapy
2459003 | Destructive procedure of artery of upper extremity
2461007 | Tennis elbow test
2474001 | Repair of malunion of metatarsal bones
2475000 | Urine specimen collection, 24 hours
2480009 | Debridement of skin, subcutaneous tissue, muscle and bone
2486003 | Destruction of tissue of breast
2488002 | Prescription, fitting and dispensing of contact lens
2494005 | Nursing conference
2498008 | Rebase of upper partial denture
2507007 | 5' Nucleotidase measurement
2508002 | Retrograde urography with KUB
2514009 | Reduction of closed humeral supracondylar fracture with manipulation and traction
2517002 | Stroke rehabilitation
2530001 | Chiropractic visit
2531002 | Mononuclear cell function assay
2535006 | Pulpectomy
2536007 | Injection of medication in anterior chamber of eye
2547000 | Excision of keloid
2552005 | Incision of cerebral subarachnoid space
2564002 | Creation of lumbar shunt including laminectomy
2566000 | Osteoplasty of radius
2567009 | Resection of rib by transaxillary approach
2580007 | Transplant of hair follicles to scalp
2598006 | Open heart surgery
2601001 | Removal of bone flap of skull
2607002 | Operation on uterus supporting structures
2613006 | Implantation of prosthesis or prosthetic device of joint of hand
2614000 | Removal of ligature from fallopian tube
2616003 | Repair of bifid digit of hand
2619005 | Psychiatric interpretation to family or parents of patient
2629003 | Intracranial/cerebral perfusion pressure monitoring
2632000 | Incision and drainage of infected bursa of upper arm
2642003 | Prefabricated post and core in addition to crown
2643008 | Ligation of varicose vein of head and neck
2644002 | Cauterization of liver
2645001 | Intelligence test/WB1
2646000 | Incision and exploration of vas deferens
2658000 | Social service interview of patient
2659008 | Suture of ligament of lower extremity
2668005 | Recementation of space maintainer
2670001 | Diagnostic procedure on cornea
2673004 | Incision and drainage of masticator space by extraoral approach
2677003 | Stripping
2690005 | Magnetic resonance imaging of pelvis
2693007 | Stool fat, quantitative measurement
2696004 | Hepatic venography with hemodynamic evaluation
2697008 | Stripping and ligation of saphenous vein
2716009 | Dermal-fat-fascia graft
2722000 | IL-3 assay
2731000 | Serologic test for influenza virus A
2732007 | Recession of tendon of hand
2737001 | Exploratory craniotomy, infratentorial
2742009 | Destruction of Bartholin's gland or cyst
2743004 | Operative endoscopy of ileum
2745006 | Omentopexy
2752008 | Incudopexy

2780005 | Osteoplasty of facial bones
2794006 | Cauterization of navel
2802005 | Manual dilation and stretching
2811005 | Cineradiography of pharynx
2813008 | Nephroureterocystectomy
2837008 | Transposition of ulnar nerve at elbow
2842000 | Gas chromatography measurement
2843005 | Revision of urinary conduit
2847006 | Cervical myelography
2851008 | Arthrotomy for synovectomy of sternoclavicular joint
2854000 | Bursectomy of hand
2857007 | Pinealectomy
2866006 | Obliteration of lymphatic structure
2875008 | Implantation of prosthesis or prosthetic device of elbow joint
2876009 | Hospital admission, type unclassified, explain by report
2885009 | Intradermal skin test
2891006 | Arthroscopy of elbow with partial synovectomy
2898000 | DNA analysis, antenatal, blood
2903001 | Diagnostic procedure on anterior chamber of eye
2908005 | Destruction of hemorrhoids by cryotherapy
2914003 | Anterior sclerotomy
2915002 | Suture of capsule of ankle
2933008 | Pneumogynecography
2945004 | Suprapubic diverticulectomy of bladder
2947007 | Therapeutic compound measurement
2960001 | Repair of fistula of cervix
2968008 | Craniectomy with treatment of penetrating wound of brain
2970004 | Metacarpal lengthening and transfer of local flap
2971000 | Closure of urethrovaginal fistula
2977001 | Thrombectomy of lower limb vein
3001009 | Total lobectomy with bronchoplasty
3010001 | Removal of silastic tubes from ear
3016007 | Removal of Crutchfield tongs from skull
3025001 | Calcitonin measurement
3026000 | Tibiotalar arthrodesis
3029007 | Peripheral nervous system disease rehabilitation
3041000 | Repair of stomach
3047001 | Kowa fundus photography
3060007 | Forequarter amputation, right
3061006 | Complete avulsion of nail
3063009 | Gastroscopy through artificial stoma
3075004 | Nonoperative removal of prosthesis of bile duct
3078002 | Embolectomy with catheter of renal artery by abdominal incision
3083005 | Removal of device from thorax
3088001 | Anesthesia for endoscopic procedure on upper extremity
3090000 | Aneurysmectomy with graft replacement of lower limb artery
3112006 | Restraint removal
3116009 | Blood coagulation panel
3130004 | Monitoring of cardiac output by ECG
3133002 | Patient discharge, deceased, autopsy
3137001 | Reimplantation
3143004 | Visual field examination and evaluation, intermediate
3162001 | Gadolinium measurement
3164000 | Open reduction of closed mandibular fracture with interdental fixation
3165004 | Irrigation of muscle of hand
3166003 | Repair of salivary gland fistula
3177009 | Internal obstetrical version
3183007 | Closure of colostomy
3186004 | Excision of Skene's gland
3190002 | Epilation by forceps
3204007 | Destructive procedure of nerve
3241008 | Correction of chordee with mobilization of urethra
3249005 | Surgical construction of filtration bleb
3251009 | Mayo operation, herniorrhaphy
3256004 | Cervical lymphangiogram
3257008 | Empty and measure peritoneal dialysis fluid
3258003 | Arteriography of cerebral arteries
3268008 | Transplantation of tissue of pelvic region
3270004 | Implantation of neurostimulator in spine
3278006 | Lysis of adhesions of bursa of hand
3287002 | Cholecystogastrostomy
3320000 | Autotransfusion

3324009 | Laser beam photocoagulation
3326006 | Excision of bunionette
3328007 | Incision of vein of head and neck
3333006 | Application of short arm splint, forearm to hand, static
3338002 | Open reduction of open radial shaft fracture
3352000 | Parathyroid hormone measurement
3357006 | Iron kinetics study
3360004 | Anastomosis of bile ducts
3390006 | Verification routine
3399007 | Reduction of torsion of omentum
3407002 | Creation of lesion of spinal cord by percutaneous method
3413006 | Blood cell morphology
3418002 | Chondrectomy of spine
3432000 | Preventive dental service
3443008 | Pulp cap, direct, excluding final restoration
3448004 | Fixation of contralateral testis
3450007 | Lymphocytes, T & B cell evaluation
3457005 | Patient referral
3479000 | Removal of heart assist system with replacement
3498003 | Total excision of pituitary gland by transsphenoidal approach
3499006 | Aspiration of vitreous with replacement
3509001 | Streptococcus vaccination
3512003 | Angiography of arteries of extremity
3515001 | Replacement of electronic heart device, pulse generator
3517009 | Removal of foreign body of pelvis from subcutaneous tissue
3518004 | Aversive psychotherapy
3527003 | Antibody measurement
3546002 | Aortocoronary artery bypass graft with saphenous vein graft
3559005 | Insertion of ureteral stent with ureterotomy
3562008 | Rodney Smith operation, radical subtotal pancreatectomy
3564009 | Removal of foreign body from fallopian tube
3575008 | Repair of fascia with graft of fascia
3580004 | Removal of calculus of pharynx
3605001 | Reduction of ciliary body
3607009 | Transplantation of mesenteric tissue
3620007 | Red cell survival study with hepatic sequestration
3625002 | Anesthesia for brachial arteriograms, retrograde
3651000 | Morphometric analysis, nerve
3654008 | Lingulectomy of lung
3659003 | Incision of inner ear
3664004 | Repair of scleral fistula
3666002 | Peripheral neurorrhaphy
3669009 | Fitting of prosthesis or prosthetic device of upper arm
3673007 | Leadbetter urethral reconstruction
3683006 | Selenium measurement, urine
3686003 | Zancolli operation for tendon transfer of biceps
3688002 | Anesthesia for lens surgery
3690001 | Shunt of left subclavian to descending aorta by Blalock-Park operation
3691002 | Wedge osteotomy of tarsals and metatarsals
3697003 | Tissue processing technique, routine, embed, cut and stain, per autopsy
3700004 | Erysiphake extraction of cataract by intracapsular approach
3701000 | Removal of foreign body of hip from subcutaneous tissue
3713005 | Release for de Quervain's tenosynovitis of hand
3717006 | Dilute Russell viper venom time
3734003 | Partial-thickness skin graft
3735002 | Coproporphyrin III measurement
3740005 | Removal of foreign body of canthus by incision
3748003 | Biopsy of perirenal tissue
3749006 | Reduction of closed ischial fracture
3758004 | Thrombectomy with catheter of subclavian artery by neck incision
3770000 | Ward urine dip stick testing
3778007 | Manipulation of scrotal tissue
3780001 | Routine patient disposition, no follow-up planned
3784005 | Delayed hypersensitivity skin test for SK-SD
3786007 | Excision of lesion of pharynx
3787003 | Ultrasonic guidance for needle biopsy
3794000 | Pregnanetriol measurement
3796003 | Excision of redundant mucosa from jejunostomy
3799005 | Radiography of adenoids
3802001 | Dental application of desensitizing medicament
3819004 | Embolization of thoracic artery
3826004 | Blepharotomy with drainage of abscess of eyelid

3828003 | Open biopsy of vertebral body of thoracic region
3831002 | Chiropractic application of ice
3843001 | Removal of foreign body from fascia
3858009 | Echography of thyroid, A-mode
3861005 | Aneurysmectomy with anastomosis of lower limb artery
3862003 | Total vital capacity measurement
3864002 | Excisional biopsy of scrotum
3880007 | Excision of lesion of fibula
3881006 | Incision and drainage of submental space by extraoral approach
3887005 | Ligation of wart
3889008 | Suture of lip
3891000 | Comprehensive orthodontic treatment, permanent dentition, for class I malocclusion
3895009 | Application of dressing
3907006 | Incision and drainage of retroperitoneal abscess
3911000 | Muscle transplantation
3915009 | Excision of artery of thorax and abdomen
3917001 | Excisional biopsy of phalanges of foot
3918006 | Plastic repair with lengthening
3926003 | Lactic acid measurement
3929005 | Patient transfer, in-hospital, bed-to-bed
3936006 | Making Foster bed
3938007 | Cerclage for retinal reattachment
3942005 | Cystopexy
3955006 | Antibody elution, RBC
3957003 | Arteriectomy of thoracoabdominal aorta
3963007 | Operation on submaxillary gland
3967008 | Fluorescence polarization immunoassay
3968003 | Facetectomy of vertebra
3969006 | Removal of osteocartilagenous loose body from joint structures
3971006 | Duchenne muscular dystrophy carrier detection
3980006 | Subtotal resection of esophagus
3981005 | Carrier detection, molecular genetics
3985001 | Anesthesia for procedure on arteries of lower leg with bypass graft
3991004 | Magnetic resonance imaging of pelvis, prostate and bladder
3998005 | Bone imaging of limited area
4007002 | Anti-human globulin test, indirect, titer, non-gamma
4008007 | Phlebography of neck
4010009 | Oophorectomy of remaining ovary with tube
4027001 | Implantation of electronic stimulator into phrenic nerve
4034004 | Closed reduction of facial fracture, except mandible
4035003 | Restoration, resin, two surfaces, posterior, permanent
4036002 | Arthroscopy of elbow with extensive debridement
4037006 | Removal of vascular graft or prosthesis
4044002 | Permanent colostomy
4045001 | Drainage of cerebral ventricle by incision
4052004 | Percutaneous aspiration of spinal cord cyst
4064007 | Specimen aliquoting
4068005 | Removal of ventricular reservoir with synchronous replacement
4083000 | Fitting of prosthesis or prosthetic device of lower arm
4084006 | Repair of tendon of hand by graft or implant of muscle
4090005 | Replacement of transvenous atrial and ventricular pacemaker electrode leads
4094001 | Reduction of retroversion of uterus by suppository
4101004 | Revision of spinal pleurothecal shunt
4102006 | Root canal therapy, anterior, excluding final restoration
4114003 | Parenteral chemotherapy for malignant neoplasm
4116001 | Fenestration procedure
4119008 | Intracranial phlebectomy with anastomosis
4131005 | Implantation into pelvic region
4134002 | Operative block anesthesia
4139007 | Posterior spinal cordotomy
4143006 | Injection of anterior chamber of eye
4149005 | Bone histomorphometry, aluminum stain
4154001 | Incision and drainage of penis
4165006 | Delayed hypersensitivity skin test for staphage lysate
4176005 | Fothergill operation on uterus
4192000 | Toxicology testing for organophosphate insecticide
4213001 | Implantation of Ommaya reservoir
4214007 | Intracardiac injection for cardiac resuscitation
4226002 | Excision of lesion of thoracic vein
4252008 | Aneurysmectomy with graft replacement by interposition
4263006 | Biopsy of soft tissue of elbow area, superficial
4266003 | Patient referral for drug addiction rehabilitation

4285000 | Insertion of bone growth stimulator into femur
4293000 | Reduction of intussusception by laparotomy
4304000 | Excision of cusp of tricuspid valve
4319004 | Rebase of complete lower denture
4321009 | Angiography of lower extremity arteries, bilateral
4323007 | Destruction of lesion of sclera
4331002 | Anesthesia for hernia repair in lower abdomen
4333004 | Incision and drainage of perisplenic space
4336007 | Lloyd-Davies operation, abdominoperineal resection
4337003 | Homogentisic acid measurement
4339000 | Repair of nasolabial fistula
4341004 | Complete submucous resection of turbinate
4344007 | Cryopexy
4348005 | Musculoplasty of hand
4350002 | Removal of implant of cornea
4363008 | Endoscopic brush biopsy of trachea
4365001 | Surgical repair
4380007 | Transposition of vulvar tissue
4387005 | Valvuloplasty of pulmonary valve in total repair of tetralogy of Fallot
4388000 | Repair of splenocolic fistula
4407008 | Slitting of lacrimal canaliculus for passage of tube
4411002 | Removal of device from female genital tract
4420006 | Incision and drainage of parapharyngeal abscess by external approach
4424002 | Making orthopedic bed
4436008 | MCP receptor measurement
4438009 | Venography of vena cava
4443002 | Decortication of ovary
4447001 | Autopsy, gross and microscopic examination, stillborn or newborn without CNS
4449003 | Manipulation of spinal meninges
4450003 | Application of Kirschner wire
4455008 | Open reduction of open elbow dislocation
4457000 | Insertion of mold into vagina
4466001 | Exploration of artery of upper limb
4467005 | Excision of tumor of ankle area, deep, intramuscular
4475004 | Cyanide measurement
4487006 | Norepinephrine measurement, supine
4489009 | Neurolysis of trigeminal nerve
4496006 | Special care of mouth
4503005 | Removal of foreign body of sclera without use of magnet
4504004 | Potter's obstetrical version with extraction
4505003 | Tenolysis of flexor tendon of forearm
4507006 | Decompression fasciotomy of wrist, flexor and extensor compartment
4511000 | Restoration, inlay, composite/resin, one surface, laboratory processed
4516005 | Iridencleisis and iridotasis
4520009 | Anastomosis of esophagus, antesternal or antethoracic, with insertion of prosthesis
4525004 | Emergency department patient visit
4533003 | Ligation of artery of lower limb
4535005 | Incision of pelvirectal tissue
4539004 | Excision of bronchogenic cyst
4542005 | Closed reduction of fracture of foot
4544006 | Excision of subcutaneous tumor of extremities
4558008 | Anterior resection of rectum
4563007 | Hospital admission, transfer from other hospital or health care facility
4570007 | Chemopallidectomy
4579008 | Creation of ventriculo-atrial shunt
4581005 | Coreoplasty
4585001 | Decompression of tendon of hand
4587009 | Epiphysiodesis of distal radius
4589007 | Medical procedure related to reproduction
4593001 | Cauterization of sclera with iridectomy
4594007 | Coproporphyrin isomers, series I & III, urine
4613005 | Radioimmunoassay
4625008 | Apical pulse taking
4626009 | Take-down of arterial anastomosis
4636001 | Denker operation for radical maxillary antrotomy
4640005 | Ligation of fallopian tubes by abdominal approach
4642002 | Removal of inflatable penile prosthesis, with pump, reservoir and cylinders
4660002 | Diagnostic procedure on phalanges of foot
4670000 | Catheterization of bronchus
4671001 | Excision of lesion from sphenoid sinus
4672008 | Medical procedure on the nervous system
4691008 | Identification of rotavirus antigen in feces

4692001 | Transplantation of artery of upper extremity
4694000 | Percutaneous needle biopsy of muscle
4699005 | Alpha naphthyl butyrate stain method, blood or bone marrow
4701005 | Colony forming unit-granulocyte-monocyte-erythroid-megakaryocyte assay
4707009 | Partial excision of calcaneus
4712005 | Removal of Gardner Wells tongs from skull
4713000 | Endoscopy and photography
4719001 | Psychologic cognitive testing and assessment
4727005 | Lipoprotein electrophoresis
4734007 | Irrigation of wound catheter of integument
4737000 | Mycobacteria culture
4756005 | Cryotherapy of subcutaneous tissue
4758006 | Incudostapediopexy
4764004 | Jet ventilation procedure
4765003 | Insertion of ocular implant following or secondary to enucleation
4770005 | Colporrhaphy for repair of urethrocele
4772002 | Reduction of torsion of spermatic cord
4784000 | Operation on sublingual gland
4804005 | Microbial identification test
4811009 | Reconstruction of diaphragm
4815000 | Antibody identification, RBC antibody panel, enzyme, 2 stage technique including anti-human globulin
4820000 | Incision of labial frenum
4827002 | Shower hydrotherapy
4829004 | Excision of small intestine for interposition
4847005 | Anesthesia for cesarean section
4849008 | Biopsy of ovary
4862007 | Revision of anastomosis of large intestine
4877004 | Extracapsular extraction of lens with iridectomy
4891005 | Proctostomy
4895001 | Construction of sigmoid bladder
4902005 | Ethchlorvynol measurement
4903000 | Serum protein electrophoresis
4904006 | Dilation of anal sphincter under nonlocal anesthesia
4914002 | Treatment planning for teletherapy
4929000 | Local perfusion of kidney
4930005 | Repair of thoracogastric fistula
4934001 | Salpingography
4957007 | Cervical spinal fusion for pseudoarthrosis
4966006 | Extracorporeal perfusion
4970003 | Venography
4974007 | Operation on liver
4976009 | Anesthesia for endoscopic procedure on lower extremity
4987001 | Osteoplasty of cranium with flap of bone
4992004 | Cardiac catheterization, left heart, retrograde, percutaneous
4993009 | Ischemic limb exercise with EMG and lactic acid determination
5016005 | Pontic, resin with high noble metal
5019003 | Direct laryngoscopy with biopsy
5021008 | Aldosterone measurement, standing, normal salt diet
5022001 | Lysergic acid diethylamide measurement
5025004 | Semen analysis, presence and motility of sperm
5032008 | Labial veneer, porcelain laminate, laboratory
5034009 | Graft to hair-bearing skin
5048009 | External cephalic version with tocolysis
5055006 | Uniscept system test
5057003 | Radical orbitomaxillectomy
5065000 | Reduction of closed traumatic hip dislocation with anesthesia
5091004 | Peripheral vascular disease study
5105000 | Endoscopy of renal pelvis
5110001 | Ultrasound peripheral imaging, real time scan
5113004 | T4 free measurement
5119000 | Epiglottidectomy
5121005 | Wedge osteotomy of pelvic bone
5123008 | Anesthesia for procedure on pericardium with pump oxygenator
5130002 | Extraction of primary membranous cataract by discission
5131003 | Radiography of chest wall
5135007 | Diagnostic procedure on scapula
5147001 | Excision of lesion of ankle joint
5151004 | Manual reduction of hemorrhoids
5154007 | Speech therapy
5161006 | Specialty clinic admission
5162004 | Excision of pressure ulcer
5165002 | Division of thoracic artery

5176003 | Thromboendarterectomy with graft of renal artery
5182000 | Total body perfusion
5184004 | Osteotomy of shaft of femur with fixation
5186002 | Arthrotomy for synovectomy of glenohumeral joint
5190000 | Cell fusion
5191001 | Surgical treatment of missed abortion of second trimester
5212002 | Excision of lesion of lacrimal gland by frontal approach
5216004 | Three dimensional ultrasound imaging of heart
5233006 | Lateral fasciotomy
5243009 | Suture of adenoid fossa
5245002 | Transplantation of peripheral vein
5246001 | Breakpoint cluster region analysis
5264008 | Total bile acids measurement
5267001 | Ligation of adrenal artery
5270002 | Bilateral destruction of fallopian tubes
5273000 | Reduction of closed fracture of proximal end of ulna with manipulation
5282006 | Operation on oropharynx
5290006 | Incision and drainage of Ludwig's angina
5298004 | Incision and drainage of deep hematoma of thigh region
5304008 | Deep radiation therapy, 200-300 KVP
5316002 | Closed osteotomy of mandibular ramus
5317006 | Radical amputation of penis with bilateral pelvic lymphadenectomy
5326009 | Administration of dermatologic formulation
5328005 | Shortening of Achilles tendon
5337005 | Trocar biopsy
5338000 | Nicotine measurement
5342002 | Prophylactic treatment of tibia with methyl methacrylate
5348003 | Repair of endocardial cushion defect
5357009 | Leukocyte poor blood preparation
5373003 | Stress breaker
5384005 | Excision of part of frontal cortex
5391008 | Artificial voice rehabilitation
5393006 | Exploration of parathyroid with mediastinal exploration by sternal split approach
5402006 | Manipulation of thoracic artery
5407000 | Injection of fallopian tube
5415002 | Destruction of lesion of liver
5419008 | Lysis of adhesions of tendon of hand
5422005 | Amylase measurement, peritoneal fluid
5429001 | Diagnostic procedure on nipple
5431005 | Percutaneous transluminal angioplasty
5433008 | Skeletal X-ray of lower limb
5446003 | Excision of cervical rib for outlet compression syndrome with sympathectomy
5447007 | Transfusion
5452002 | Core needle biopsy of thymus
5456004 | Graft of lymphatic structure
5457008 | Serologic test for Rickettsia conorii
5460001 | Removal of prosthesis from fallopian tube
5479003 | Select picture audiometry
5482008 | Serologic test for Blastomyces
5486006 | Delayed suture of tendon of hand
5489004 | Diagnostic procedure on radius
5506006 | Incision and exploration of abdominal wall
5517007 | Restoration, inlay, porcelain/ceramic, per tooth, in addition to inlay
5521000 | Open reduction of fracture of phalanges of foot
5536002 | Arthrodesis of carpometacarpal joint of digits, other than thumb
5545001 | Repair of carotid body
5551006 | Direct laryngoscopy with arytenoidectomy with operating microscope
5556001 | Manually assisted spontaneous delivery
5570001 | Arthrotomy for infection with exploration and drainage of carpometacarpal joint
5571002 | Excision of lesion of aorta with end-to-end anastomosis
5572009 | Incision of kidney pelvis
5586008 | Aminolevulinic acid dehydratase measurement
5608002 | Excretion measurement
5616006 | Osteoplasty of tibia
5621009 | Excision of malignant lesion of skin of extremities
5632009 | Open biopsy of bronchus
5636007 | Fistulectomy of bone
5638008 | Carbohydrate measurement
5648005 | Surgical repair and revision of shunt
5651003 | Arylsulfatase A measurement
5663008 | Phlebectomy of varicose vein of head and neck
5669007 | Portable electroencephalogram awake and asleep with stimulation

5671007 | Magnet extraction of foreign body from ciliary body
5687005 | Removal of foreign body from ovary
5690004 | Incision of seminal vesicle
5694008 | Crisis intervention with follow-up
5721002 | Repair of eyebrow
5722009 | Surgical reanastomosis of colon
5726007 | Removal of epicardial electrodes
5728008 | Anoscopy for removal of foreign body
5731009 | Hemosiderin, quantitative measurement
5733007 | Fluorescent identification of anti-nuclear antibody
5738003 | Biopsy of cul-de-sac
5745003 | Excision ampulla of Vater with reimplantation of common duct
5760000 | Osteoplasty of radius and ulna, shortening
5771004 | Blepharotomy
5777000 | Flexorplasty of elbow
5781000 | Operation on nasal septum
5785009 | Forensic autopsy
5787001 | Elevation of bone fragments of orbit of skull with debridement
5789003 | Lysis of adhesions of intestines
5796001 | Excision of external thrombotic hemorrhoid
5806001 | Revision of tracheostomy scar
5807005 | Fenestration of inner ear, initial
5809008 | Selective vagotomy with pyloroplasty and gastrostomy
5812006 | Laboratory reporting, fax
5818005 | Flocculation test
5821007 | Ligation, division and complete stripping of long and short saphenous veins
5823005 | Diagnostic radiography, left
5832007 | Partial ostectomy of thorax, ribs or sternum
5845006 | Emulsification procedure
5846007 | Diagnostic radiography of toes
5857002 | Complement mediated cytotoxicity assay
5865004 | Open reduction of dislocation of toe
5870006 | Tertiary closure of abdominal wall
5880005 | Clinical examination
5892005 | Mastoid antrotomy
5894006 | Methyl red test
5897004 | Removal of Scribner shunt
5902003 | History and physical examination, complete
5925002 | Incision and drainage of hematoma of wrist
5930003 | Cardiac monitor removal
5947002 | Consultation for hearing and/or speech problem
5961007 | Division of blood vessels of cornea
5966002 | Removal of foreign body from elbow area, deep
5971009 | Incision and drainage of axilla
5983006 | Repair of spermatic cord
5986003 | Non-sensitized spontaneous sheep erythrocyte binding, E-rosette
5992009 | Midtarsal arthrodesis, multiple
5995006 | Gas liquid chromatography, flame photometric type
5997003 | Drainage of cerebral subarachnoid space by aspiration
5998008 | Radical dissection of groin
6005008 | Transplantation of vitreous by anterior approach
6007000 | Magnetic resonance imaging of chest
6019008 | Endoscopy of large intestine
6025007 | Laparoscopic appendectomy
6026008 | Removal of coronary artery obstruction by percutaneous transluminal balloon with thrombolytic agent
6029001 | Augmentation of outflow tract of pulmonary valve
6035001 | Chart abstracting
6063004 | Kanamycin measurement
6069000 | Panniculotomy
6082008 | Perforation of footplate
6092000 | Aspiration of nasal sinus by puncture
6100001 | Fenestration of stapes footplate with vein graft
6108008 | Subdural tap through fontanel, infant, initial
6119006 | Local destruction of lesion of bony palate
6125005 | Change of gastrostomy tube
6126006 | Fitzgerald factor assay
6127002 | Diagnostic radiography of abdomen, oblique standard
6130009 | Surgical exposure of impacted or unerupted tooth to aid eruption
6133006 | Lymphokine assay
6143009 | Diabetic education
6146001 | Repair of heart septum with prosthesis
6148000 | Chondrectomy of semilunar cartilage of knee

6157006 | Endoscopic retrograde cholangiopancreatography with biopsy
6159009 | Galactose measurement
6161000 | Excision of lesion of capsule of toes
6164008 | Osteoclasis of clavicle
6166005 | Nephropyeloureterostomy
6177004 | Southern blot assay
6187000 | Repair of aneurysm with graft of common femoral artery
6188005 | Arthrotomy of knee
6189002 | Excision of aberrant tissue of breast
6190006 | Colopexy
6195001 | Transurethral drainage of prostatic abscess
6198004 | Repair of fracture with Sofield type procedure
6200005 | Excision of lesion of female perineum
6205000 | Fluorescent antigen, titer
6213004 | Prescribing corneoscleral contact lens
6221005 | Suture of colon
6225001 | Antibody detection, RBC, enzyme, 2 stage technique, including anti-human globulin
6226000 | Visual rehabilitation, eye motion defect
6227009 | Relationship psychotherapy
6231003 | Graft of palate
6238009 | Diagnostic radiography of sacroiliac joints
6240004 | Operative procedure on knee
6255008 | Resection of abdominal artery with replacement
6271008 | Echography, immersion B-scan
6274000 | Excision of aural glomus tumor, extended, extratemporal
6286002 | Destructive procedure on ovaries and fallopian tubes
6289009 | White blood cell histogram evaluation
6295005 | Sequestrectomy of pelvic bone
6307005 | Keratophakia
6309008 | Fecal fat differential, quantitative
6319002 | Beta lactamase, chromogenic cephalosporin susceptibility test
6337001 | Ligation of aortic arch
6339003 | Conditioning play audiometry
6343004 | Forensic bite mark comparison technique
6353003 | Mitsuda reaction to lepromin
6354009 | Sedimentation rate, Westergren
6355005 | Removal of internal fixation device of radius
6358007 | Capsulorrhaphy of joint
6361008 | Anesthesia for popliteal thromboendarterectomy
6363006 | Dilation of lacrimal punctum with irrigation
6370006 | Chemosurgery of stomach lesion
6384001 | Removal of device from digestive system
6385000 | Exploration of disc space
6388003 | TdT stain
6396008 | Galactokinase measurement
6397004 | Muscular strength development exercise
6399001 | Division of arteriovenous fistula with ligation
6402000 | Excision of common bile duct
6403005 | Lengthening of muscle of hand
6419003 | Excision of tumor from elbow area, deep, subfascial
6429005 | Heteroautogenous transplantation
6433003 | Closed heart valvotomy of mitral valve
6434009 | Seminal fluid detection
6438007 | Exploration of ciliary body
6439004 | Destruction of lesion of peripheral nerve
6443000 | Pontic, porcelain fused to predominantly base metal
6444006 | Enlargement of eye socket
6465000 | Arthrotomy of glenohumeral joint for infection with drainage
6466004 | Administration of Rh immune globulin
6470007 | Laparoamnioscopy
6473009 | Suture of old obstetrical laceration of uterus
6480006 | Urinary bladder residual urine study
6486000 | Curettage of sclera
6487009 | Hand tendon pulley reconstruction with tendon prosthesis
6491004 | Protein S, free assay
6499002 | Tsuge operation on finger for macrodactyly repair
6502003 | Complete lower denture
6506000 | Placing a patient on a bedpan
6519001 | Operation on multiple extraocular muscles with temporary detachment from globe
6521006 | Polytomography
6527005 | Uchida fimbriectomy with tubal ligation by endoscopy
6535008 | Excision of cyst of hand

6536009 | Implantation of tricuspid valve with tissue graft
6543003 | Complicated catheterization of bladder
6547002 | Repair with closure of non-surgical wound
6555009 | Insertion of infusion pump beneath skin
6556005 | Reticulin antibody measurement
6562000 | Destruction of lesion of tongue
6563005 | Transposition of muscle of hand
6567006 | Pulmonary valve commissurotomy by transvenous balloon method
6568001 | Diagnostic procedure on eyelid
6585004 | Closed reduction of fracture of tarsal or metatarsal
6589005 | Antibody titration, high protein
6601003 | Removal of foreign body from skin of axilla
6614002 | Antibody to single stranded DNA measurement
6615001 | Electroretinography with medical evaluation
6622009 | Add clasp to existing partial denture
6634001 | Destruction of hemorrhoids, internal
6639006 | Replacement of obstructed valve in shunt system
6650009 | Radionuclide lacrimal flow study
6656003 | Acoustic stimulation test
6657007 | Maintenance drug therapy for mental disorder
6658002 | Removal of foreign body from alveolus
6661001 | King-Steelquist hindquarter operation
6665005 | Restoration, crown, porcelain fused to noble metal
6668007 | Fibrinogen assay, quantitative
6670003 | Closure of external fistula of trachea

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.419 Value Set http://hl7.org/fhir/ValueSet/procedure-outcome

URL: https://hl7.org/fhir/STU3/valueset-procedure-outcome.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-outcome
Name: | Procedure Outcome Codes (SNOMED CT)
Definition: | Procedure Outcome code: A selection of relevant SNOMED CT codes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.419 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Procedure.outcome (Example)

4.3.1.419.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
385669000 | Successful
385671000 | Unsuccessful
385670004 | Partially successful

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.420 Value Set http://hl7.org/fhir/ValueSet/procedure-followup

URL: https://hl7.org/fhir/STU3/valueset-procedure-followup.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-followup
Name: | Procedure Follow up Codes (SNOMED CT)
Definition: | Procedure follow up codes: a selection of SNOMED CT codes relevant to procedure follow up.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.420 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Procedure.followUp (Example)

4.3.1.420.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
18949003 | Change of dressing
30549001 | Removal of suture
241031001 | Removal of drain
35963001 | Removal of staples
225164002 | Removal of ligature
447346005 | Cardiopulmonary exercise test
229506003 | Scar tissue massage
274441001 | Suction drainage
394725008 | Diabetes medication review
359825008 | Cytopathology, review of bronchioalveolar lavage specimen

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.421 Value Set http://hl7.org/fhir/ValueSet/procedure-category

URL: https://hl7.org/fhir/STU3/valueset-procedure-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-category
Name: | Procedure Category Codes (SNOMED CT)

Definition: | Procedure Category code: A selection of relevant SNOMED CT codes.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.421 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Procedure.category (Example)

* ProcedureRequest.category (Example)

* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.category ((Example))

4.3.1.421.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
24642003	Psychiatry procedure or service
409063005	Counselling
409073007	Education
387713003	Surgical procedure
103693007	Diagnostic procedure
46947000	Chiropractic manipulation

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.422 Value Set http://hl7.org/fhir/ValueSet/procedure-not-performed-reason

URL: https://hl7.org/fhir/STU3/valueset-procedure-not-performed-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://hl7.org/special/committees/CQI .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-not-performed-reason
Name: | Procedure Not Performed Reason (SNOMED-CT)
Definition: | Situation codes describing the reason that a procedure, which might otherwise be expected, was not performed, or a procedure that was started and was not completed. Consists of SNOMED CT codes, children of procedure contraindicated (183932001), procedure discontinued (416406003), procedure not done (416237000), procedure not indicated (428119001), procedure not offered (416064006), procedure not wanted (416432009), procedure refused (183944003), and procedure stopped (394908001).
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.422 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Procedure.notDoneReason (Example)

4.3.1.422.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 183932001 (Procedure contraindicated)

* Include codes from http://snomed.info/sct where concept is-a 416406003 (Procedure discontinued)

* Include codes from http://snomed.info/sct where concept is-a 416237000 (Procedure not done)

* Include codes from http://snomed.info/sct where concept is-a 428119001 (Procedure not indicated)
* Include codes from http://snomed.info/sct where concept is-a 416064006 (Procedure not offered)
* Include codes from http://snomed.info/sct where concept is-a 416432009 (Procedure not wanted)
* Include codes from http://snomed.info/sct where concept is-a 183944003 (Procedure refused)
* Include codes from http://snomed.info/sct where concept is-a 394908001 (Procedure stopped)

4.3.1.422.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 483 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
135809002	Nitrate contraindicated	
135811006	Diuretic contraindicated	
135822005	Lipid lowering therapy contraindicated	
135823000	Calcium channel blocker contraindicated	
169551000	Contraception contraindicated	
170954008	HRT contraindicated	
171277005	Sensitivity C/I - immunization	
171284002	Pertussis vaccine contraindicated	
183934000	Sensitivity C/I to procedure	
183936003	Contraindication to live immunization	
266757004	Medical C/I to procedure	
266758009	Immunization contraindicated	
268560002	Medical C/I - immunization	
275935009	Surgery contraindicated	
275974002	Measles/mumps/rubella vaccine contraindicated	
312451002	Aspirin prophylaxis contra-indicated	
315061006	Warfarin contraindicated	
315062004	Beta blocker contraindicated	
315363002	Statins contraindicated	
315364008	Angiotensin converting enzyme inhibitors contraindicated	
315591006	Fibrates contraindicated	
390795005	Pneumococcal vaccination contraindicated	
390796006	Influenza vaccination contraindicated	
390910005	Thrombolysis contraindicated	
394987009	Angiotensin II receptor antagonists contraindicated	
395174005	Nicotine replacement therapy contraindicated	
395175006	Bupropion contraindicated	
395675007	Oral contraceptive pill contraindicated	
407582002	Clopidogrel contraindicated	
413558003	Anticoagulation contraindicated	
414055003	Drug dependence home detoxification contraindicated	
414159007	Exercise tolerance test contraindicated	
414677003	Metformin contraindicated	
415571003	Spirometry reversibility testing contraindicated	
415666001	Administration of sulfonylurea contraindicated	
416091008	Glitazones contraindicated	
416475003	Combined calcium and vitamin D3 preparation contraindicated	
416704001	DXA scan contraindicated	
416759002	Non-steroidal anti-inflammatory drugs contraindicated	
416996000	Strontium ranelate contraindicated	
417101006	Selective estrogen receptor modulator contraindicated	
417128001	Bisphosphonates contraindicated	
438767006	Termination of pregnancy contraindicated	
438833006	Administration of drug or medicament contraindicated	
698468005	Bisoprolol contraindicated	
698521002	Simvastatin contraindicated	
699037006	Hepatitis B vaccination contraindicated	
703997000	Teriparatide contraindicated	
703999002	Raloxifene contraindicated	
707298000	Phosphodiesterase-5 inhibitor contraindicated	
715163003	Diphtheria vaccination contraindicated	
715166006	Bacillus Calmette-Guerin vaccination contraindicated	
170624001	Oral steroids stopped	
170688000	Lithium stopped	
170689008	Injectable phenothiazine stopped	
170919001	Warfarin therapy stopped	
170958006	HRT stopped	
182840001	Drug treatment stopped - medical advice	

182841002 | Dr stopped drugs - ineffective
182842009 | Doctor stopped drugs - side effect
182843004 | Dr stopped drugs -inconvenient
182844005 | Doctor stopped drugs - patient dislikes
182845006 | Doctor stopped drugs - avoid interaction
182846007 | Doctor stopped drugs - medical aim achieved
274512008 | Drug therapy discontinued
309841001 | Thyroxine treatment stopped
394909009 | Syringe driver discontinued
395006008 | Medication stopped - interaction
395007004 | Medication stopped - ineffective
395008009 | Medication stopped - contra-indication
395009001 | Medication stopped - side effect
412782003 | Inappropriate medication stopped
425519007 | Cardiopulmonary resuscitation discontinued due to medical control order
425921008 | Cardiopulmonary resuscitation discontinued due to do not resuscitate order
426970003 | Cardiopulmonary resuscitation discontinued due to return of spontaneous circulation
426999008 | Cardiopulmonary resuscitation discontinued due to signs of death
427569000 | Cardiopulmonary resuscitation discontinued as per protocol
430279008 | Drug treatment stopped at end of clinical trial
438604008 | Peritoneal dialysis therapy discontinued
439516000 | Hemodialysis therapy discontinued
710765004 | Wound drain discontinued
713246009 | Procedure discontinued by healthcare professional
713247000 | Procedure discontinued by patient
713248005 | Procedure discontinued by doctor
162650008 | Patient not examined
162675007 | General examination not done
162882008 | Respiratory system not examined
162980001 | CVS not examined
163128002 | GIT not examined
163348001 | GU system not examined
163582008 | Nervous system not examined
163628001 | Sensory system not examined
163900009 | O/E - CNS not examined
164176006 | ENT examination not performed
164286000 | O/E - temperature not taken
164321005 | O/E - skin not examined
164445005 | O/E - extremities not examined
164503006 | Orthopedic exam. not done
164713001 | Neurological diagnostic procedure - not done
164725003 | Visual testing not done
164746007 | Auditory/vestibular test not done
164766003 | Special ENT procedure not done
164776000 | Special CVS test not done
164786004 | Special GIT test not done
164795007 | Special urinary test not done
164808009 | Special female test not done
164823004 | Special male test not done
164831009 | Musculoskeletal test not done
164853006 | ECG not done
164964005 | Susceptibility skin test not done
164978006 | Mantoux test not done
164985005 | Kveim test not done
164997006 | Hypersensitivity skin test not done
165008002 | Allergy testing not done
165017002 | Lung function testing not done
165026004 | Lung volume test not done
165035006 | Respiratory flow rate not measured
165074004 | Cardiac function test not done
165081006 | Exercise tolerance test not done
165104002 | Metabolic function not tested
165122004 | Non-surgical biopsy not done
165139002 | Endoscopy not carried out
165343008 | Laboratory test requested - not done
165377003 | Hematology test request - not done
165393007 | Hemoglobin not estimated
167219008 | Urine not examined
167260001 | Urine glucose test not done
167272007 | Urine protein test not done
167286006 | Urine ketone test not done
167296002 | Urine blood test not done

167306007 | Urine pH test not done
167317008 | Urine bacteria test not done
167322008 | Urine urobilinogen not tested
167594003 | Feces not examined
167701000 | CSF: not examined
167728005 | CSF chemistry - not tested
168497006 | Radiographic imaging procedure not carried out
169607004 | No antenatal care
169610006 | Antenatal care: not attended
169611005 | No antenatal care: not known pregnant
169699008 | Antenatal syphilis screening not done
169704000 | Antenatal blood group screening not done
169708002 | Antenatal sickle screening not done
170100005 | Child not examined at birth
170108003 | Child not examined at 10 days
170117003 | Child 6 week examination not attended
170126000 | 8-9 month exam not attended
170135007 | 18 month examination not attended
170144008 | 2.5 year examination not attended
170153001 | 3.5 year examination not attended
170162004 | 4.5 year examination not attended
170171008 | 10 year examination not attended
170180008 | 15 year examination not attended
170257006 | Child 1 year examination not attended
170266005 | Child 6 month examination not attended
170275007 | Child 21 month examination not attended
170284007 | Child 3 year exam not attended
170293008 | Child 39 month examination not attended
170304008 | Child 8 week examination not attended
182849000 | No drug therapy prescribed
183928007 | Residence remote from medical care
183929004 | No home medical services
183930009 | Awaiting admission elsewhere
266756008 | Medical care unavailable
266881002 | History not obtained
309846006 | Treatment not available
310352003 | Mammography not attended
314374001 | 360 degree sweep of cervix not performed
371900001 | Medication not administered
373147003 | Medication not administered because contraindicated
373148008 | Thrombolytic agent not administered because contraindicated
390848004 | Retinae not examined
391016008 | Osteoporosis risk assessment defaulted
394965000 | Urine leukocyte test not done
396781004 | No chemotherapy AND/OR radiation therapy prior to lymphadenectomy
397004005 | Immunophenotypic analysis not performed
397399004 | Cell phenotyping not performed
399538001 | Cytogenetic study not performed
401318002 | Shuttle walking test not done
408504000 | Child 7 month examination not attended
408836004 | Sample not obtained
408837008 | Amniocentesis sample not obtained
416128008 | No past history of procedure
418014008 | Procedure not ordered
418731009 | No stain applied
428348004 | Cardiopulmonary resuscitation not attempted
439867009 | Determination of pattern of resistance to antiviral agent not done
441989008 | Delayed hypersensitivity skin test for histoplasmin not done
443788002 | Maternal postnatal examination not attended
698569004 | Postnatal depression not discussed
698753008 | Never had cervical smear
699231000 | Domestic abuse not discussed
703942005 | Never had mammogram
712751006 | Radiation therapy not done
712985002 | Chemotherapy not done
713207007 | Neck dissection not done
715621003 | Heart failure education not done
715622005 | Warfarin not prescribed
4451000175106 | Asthma action plan not done
4461000175108 | Cervical cancer screening not done
4471000175100 | Colorectal cancer screening not done
4501000175108 | Hemoglobin A1C test not done

4541000175105 | Spirometry not done
4551000175107 | Diabetic foot exam not done
4591000175100 | Bone density screening not done
5991000175105 | Peak expiratory flow not done
6021000175100 | Vaccination for diphtheria, pertussis, and tetanus not done
6031000175102 | Varicella vaccination not done
6041000175108 | Hepatitis A vaccination not done
6051000175105 | Hepatitis B vaccination not done
134390006 | Angiotensin converting enzyme inhibitor not indicated
134391005 | Statin not indicated
134392003 | Warfarin not indicated
134394002 | Aspirin not indicated
135805008 | Nitrate not indicated
135806009 | Calcium channel blocker not indicated
135807000 | Lipid lowering therapy not indicated
135808005 | Diuretic not indicated
183964008 | Treatment not indicated
183965009 | Surgery not indicated
183966005 | Drug treatment not indicated
315214003 | Beta blocker not indicated
407571005 | Clopidogrel not indicated
407572003 | Angiotensin II receptor antagonist not indicated
407573008 | Influenza vaccination not indicated
408339001 | Thrombolysis therapy not indicated
408396006 | Diabetic retinopathy screening not indicated
408397002 | Diabetic foot examination not indicated
408398007 | Smoking review not indicated
413167008 | Compression bandaging not indicated
413560001 | Anticoagulation not indicated
413812009 | Cervical smear not indicated
415119001 | Pneumococcal vaccination not indicated
415570002 | Spirometry not indicated
415667005 | Administration of sulfonylurea not indicated
416664005 | Selective estrogen receptor modulator not indicated
416670004 | Glitazones not indicated
416678006 | Combined calcium and vitamin D3 preparation not indicated
416741000 | Strontium ranelate not indicated
417013004 | DXA scan not indicated
417218000 | Carotid ultrasound not indicated
417434004 | Bisphosphonates not indicated
699048004 | Exercise tolerance test not indicated
700384008 | Antibiotic prophylaxis not indicated
703971006 | Hepatitis A vaccination not indicated
703996009 | Teriparatide not indicated
704000000 | Raloxifene not indicated
704033005 | Phosphodiesterase 5 inhibitor not indicated
704052004 | Referral to cardiac rehabilitation program not indicated
704096004 | Referral to heart failure exercise program not indicated
707287001 | Hepatitis B vaccination not indicated
707853004 | Testing for Ebola virus not indicated
709198003 | Education not indicated
712740006 | Medication monitoring not indicated
146922001 | Rubella screening not offered
147022006 | Double test not offered
148324002 | Screening not offered
148477008 | Immunization not offered
169608009 | Antenatal care: not offered
170115006 | Child 6 week examination not offered
170124002 | 8-9 month exam not offered
170133000 | 18 month examination not offered
170142007 | 2.5 year examination not offered
170151004 | 3.5 year examination not offered
170160007 | 4.5 year examination not offered
170169008 | 10 year examination not offered
170178002 | 15 year examination not offered
170255003 | Child 1 year examination not offered
170264008 | Child 6 month examination not offered
170273000 | Child 21 month examination not offered
170282006 | Child 3 year exam not offered
170291005 | Child 39 month examination not offered
170301000 | Child 8 week examination not offered
408506003 | Child 7 month examination not offered

444062004 | Maternal postnatal examination not offered
712790005 | Triple test not offered
712803007 | Administration of Anti-D globulin not offered
712812009 | Antenatal ultrasound scan not offered
712851004 | Alpha-fetoprotein blood test not offered
712852006 | Amniocentesis not offered
712854007 | Antenatal screening for viral hepatitis type B not offered
712869008 | Antenatal HIV (human immunodeficiency virus) screening not offered
712870009 | Antenatal Rhesus antibody screening not offered
712872001 | Antenatal thalassemia screening not offered
712996005 | Parenting education not offered
169609001 | Antenatal care: not wanted
169635000 | Parent craft not wanted
169649009 | A/N amniocentesis - not wanted
169660000 | A/N U/S scan not wanted
169687001 | AFP blood test not wanted
169693009 | Rubella screening not wanted
169795009 | Triple test not wanted
169796005 | Double test not wanted
170116007 | Child 6 week examination not wanted
170125001 | 8-9 month exam not wanted
170134006 | 18 month examination not wanted
170143002 | 2.5 year examination not wanted
170152006 | 3.5 year examination not wanted
170161006 | 4.5 year examination not wanted
170170009 | 10 year examination not wanted
170179005 | 15 year examination not wanted
170256002 | Child 1 year examination not wanted
170265009 | Child 6 month examination not wanted
170274006 | Child 21 month examination not wanted
170283001 | Child 3 year exam not wanted
170292003 | Child 39 month examination not wanted
170302007 | Child 8 week examination not wanted
171034000 | Health education not wanted
171103002 | Screening not wanted
171152003 | Cancer of cervix screening not wanted
184163005 | Child surveillance not wanted
408505004 | Child 7 month examination not wanted
105480006 | Refusal of treatment by patient
134385008 | Referral to dietician declined
134386009 | Referral to chiropodist declined
134396000 | Statin declined
134397009 | Angiotensin converting enzyme inhibitor declined
134398004 | Warfarin declined
135812004 | Nitrate declined
135814003 | Diuretic declined
135825007 | Calcium channel blocker declined
135826008 | Lipid lowering therapy declined
165342003 | Patient refused laboratory test
165376007 | Patient refused hematology test
168499009 | Radiology refused
182895007 | Drug declined by patient
182896008 | Drug declined by patient - dislikes taste
182897004 | Drug declined by patient - side effects
182898009 | Drug declined by patient - inconvenient
182899001 | Drug declined by patient - problem swallowing
182900006 | Drug declined by patient - patient beliefs
182901005 | Drug declined by patient - alternative therapy
182902003 | Drug declined by patient - cannot pay script
182903008 | Drug declined by patient - reason unknown
183945002 | Procedure refused for religious reason
183946001 | Procedure refused - uncooperative
183947005 | Refused procedure - after thought
183948000 | Refused procedure - parent's wish
183949008 | Assessment examination refused
183956002 | Care/help refused by patient
183957006 | Patient refuses day hospital
183958001 | Refuses meals on wheels
183959009 | Social Services help refused
183960004 | Patient refuses hospital admit
183961000 | Part III accommodation refused
183962007 | Patient non-compliant with specific advice

185754009 | Refuses diabetes monitoring
275936005 | Patient noncompliance - general
315020006 | Beta blocker therapy refused
315021005 | Coronary heart disease monitoring refused
315022003 | Nicotine replacement therapy refused
315023008 | Aspirin prophylaxis refused
315640000 | Influenza vaccination declined
371138003 | Refusal of treatment by parents
390914001 | Thrombolytic therapy refused
391015007 | Osteoporosis risk assessment refused
395176007 | Bupropion refused
395703005 | Meningitis C immunization refused
401047000 | Hypertension treatment refused
401084003 | Angiotensin II receptor antagonist declined
401086001 | Pneumococcal vaccination declined
406149000 | Medication refused
407583007 | Clopidogrel declined
408548005 | Magnetic resonance imaging scan declined
408549002 | Angiocardiography declined
408551003 | Exercise tolerance test refused
408558009 | Multidisciplinary team falls assessment declined
408559001 | Primary health care team falls assessment declined
408566000 | Echocardiogram declined
408567009 | CT scan brain declined
408569007 | Diagnostic procedure declined
408572000 | Carotid artery doppler declined
408778004 | Hepatitis B immunization declined
408791003 | BCG vaccination declined
408795007 | Vitamin K prophylaxis declined
412713002 | Coronary arteriography declined
412718006 | Chlamydia screening declined
412725004 | Medication review declined
412752009 | Diabetic foot examination declined
413122001 | Diabetic retinopathy screening refused
413123006 | Blood pressure procedure refused
413310006 | Patient non-compliant - refused access to services
413311005 | Patient non-compliant - refused intervention / support
413312003 | Patient non-compliant - refused service
413559006 | Anticoagulation declined
413756001 | Cardiac rehabilitation declined
415572005 | Spirometry test declined
416126007 | Bisphosphonates declined
416522000 | Strontium ranelate declined
416888009 | DXA scan declined
417045009 | Combined calcium and vitamin D3 preparation declined
417114007 | Refused referral to minor ailments clinic
417512003 | Selective estrogen receptor modulator declined
426544006 | History refused
428042006 | Medium-chain acyl-coenzyme A dehydrogenase deficiency screening test declined
428073005 | Alcohol consumption screening test declined
428299008 | Sickle cell screening declined
428650003 | Congenital hypothyroidism screening declined
428841003 | Cystic fibrosis screening declined
429284000 | CVD risk assessment declined
429688007 | Nurse triage declined
429726000 | Phenylketonuria screening declined
429739001 | Patient refused transportation
438370008 | Vascular disease risk assessment declined
438765003 | Human papillomavirus vaccination declined
439495000 | Counseling declined
440621003 | Referral declined by patient
442324008 | Antenatal screening declined
442392002 | Ambulance transport to hospital declined
442444001 | Referral to specialist alcohol treatment service declined by patient
444020006 | Maternal postnatal examination refused
473149004 | Long acting reversible contraception declined
698357006 | Abdominal aortic aneurysm screening declined
698451006 | Ankle brachial pressure index test declined
698460003 | Antiviral therapy declined
698473004 | Blood glucose test declined
698483000 | Weight management advice declined
698484006 | Measurement of waist circumference declined

698490005 | Urine dipstick test declined
698758004 | Nebivolol therapy refused
698950001 | Influenza A virus subtype H1N1 vaccination declined
699034004 | Home oxygen therapy declined
699042003 | History taking of sexual orientation declined
699053009 | Foot pulse check declined
699054003 | Administration of blood product declined
699128009 | Blood transfusion declined
699137009 | Carvedilol therapy declined
700359005 | Booster meningitis C vaccination declined
700411009 | Routine enquiry about domestic abuse declined
703427001 | Refusal of treatment by patient against dental advice
703989007 | Teriparatide therapy declined
703991004 | Raloxifene therapy declined
703992006 | Breastfeeding support declined
704046000 | Mental health assessment declined
704047009 | Phosphodiesterase 5 inhibitor declined
704049007 | Referral to erectile dysfunction clinic declined
704051006 | Referral to cardiac rehabilitation program declined
704097008 | Referral to heart failure exercise program declined
705140004 | Physical health assessment declined
706890009 | Vaginal birth after previous cesarean section refused
707745004 | Tuberculosis screening declined
707746003 | Screening chest X-ray declined
708129006 | Transfusion of blood product refused for religious reason
713068007 | Over 75 years of age health check declined
713615000 | Advance care planning declined
714747005 | Discussion about advance care planning declined
715508000 | Assessment using Generalized Anxiety Disorder 7 item scale declined
716048005 | Review of advance care plan declined
591000119102 | Vaccine refused by patient
921000119109 | Vaccine refused by parent
116101000119100 | Colonoscopy refused
168533005 | Radiotherapy stopped
170585007 | Cardiac disease treatment stopped
170588009 | Treatment for hypertension stopped
170620005 | Respiratory disease treatment stopped
170621009 | Home oxygen supply stopped
170675003 | GIT treatment stopped
170687005 | Psychiatric treatment stopped
170700002 | Neurological disorder treatment stopped
170712003 | Epilepsy treatment stopped
170725006 | Ophthalmological treatment stopped
170800007 | Treatment of obesity stopped
170816009 | Endocrine disease treatment stopped
170826002 | B12 injections stopped
170834008 | Blood disorder treatment stopped
170843004 | Allergic disorder treatment stopped
170854009 | Rheumatology disorder treatment stopped
170863006 | Skin disorder treatment stopped
170872003 | Gynecological disorder treatment stopped
170882002 | Urinary disorder treatment stopped
170894006 | ENT disease treatment stopped
170904002 | Ostomy - treatment stopped
170912005 | High risk treatment stopped
170929008 | Repeat prescription treatment stopped
180863000 | Operation abandoned
268521004 | Thyroid disease treatment stopped
288120003 | Operation abandoned before onset
391021006 | Osteoporosis treatment stopped
397023003 | Operation not completed
414120003 | ERCP not completed due to anatomical derangements from previous surgery
698459008 | Antidepressant drug treatment stopped
700110004 | Bisphosphonate prophylaxis suspended
708000007 | Insulin treatment stopped

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.423 Value Set http://hl7.org/fhir/ValueSet/procedure-reason

URL: https://hl7.org/fhir/STU3/valueset-procedure-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Imaging Integration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-reason
Name: | Procedure Reason Codes
Definition: | This examples value set defines the set of codes that can be used to indicate a reasons for a procedure.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.423 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* ImagingStudy.reason (Example)

* Procedure.reasonCode (Example)

* Media.reasonCode (Example)

* ProcedureRequest.reasonCode (Example)

* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.reasonCode ((Example))

4.3.1.423.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

* Include codes from http://snomed.info/sct where concept is-a 71388002 (Procedure)

4.3.1.423.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Gonococcal meningitis
162004 | Severe manic bipolar I disorder without psychotic features
165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy
175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae
179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Injury of intercostal artery
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease
195005 | Illegal abortion with endometritis

198007 | Disease due to Filoviridae
199004 | Decreased lactation
208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction
223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Epilepsia partialis continua
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Poisoning by oxytocin
279001 | Senile myocarditis
281004 | Dementia associated with alcoholism
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Boil of penis
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture of trapezoidal bone of wrist
358004 | Poisoning by smallpox vaccine
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose

527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding

845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea
1027000 | Alkaline reflux disease
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy

1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc
1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis
1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica
1343000 | Deep transverse arrest
1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction
1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting

1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction
1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis

1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans
2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation

2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG
2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata

2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia
2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region
2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint

2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia
2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus
3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh

3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Discoloration of skin
3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease

3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission
3531009 | Intrapsychic conflict
3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia

3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina
3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted abortion with acute yellow atrophy of liver
3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis

4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired
4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | Ocular hypertension
4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose
4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome

4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Lithium nephropathy
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction
4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.424 Value Set http://hl7.org/fhir/ValueSet/performer-role

URL: https://hl7.org/fhir/STU3/valueset-performer-role.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/performer-role
Name: | Procedure Performer Role Codes
Definition: | This examples value set defines the set of codes that can be used to indicate a role of procedure performer.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.424 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* ChargeItem.participant.role (Example)
* Procedure.performer.role (Example)
* DiagnosticReport.performer.role (Example)
* StructureDefinition LipidProfile: DiagnosticReport.performer.role ((Example))
* StructureDefinition DiagnosticReport-Genetics: DiagnosticReport.performer.role ((Example))
* StructureDefinition HLAResult: DiagnosticReport.performer.role ((Example))
* Extension http://hl7.org/fhir/StructureDefinition/event-performerRole: performerRole ((Example))

4.3.1.424.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 223366009 (Healthcare professional)

4.3.1.424.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 460 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
1421009	Specialized surgeon	
3430008	Radiation therapist	
3842006	Chiropractor	
4162009	Dental assistant	
5275007	Auxiliary nurse	
6816002	Specialized nurse	
6868009	Hospital administrator	
8724009	Plastic surgeon	
11661002	Neuropathologist	
11911009	Nephrologist	
11935004	Obstetrician	
13580004	School dental assistant	
14698002	Medical microbiologist	
17561000	Cardiologist	
18803008	Dermatologist	
18850004	Laboratory hematologist	
19244007	Gerodontist	
20145008	Removable prosthodontist	
21365001	Specialized dentist	
21450003	Neuropsychiatrist	
22515006	Medical assistant	
22731001	Orthopedic surgeon	
22983004	Thoracic surgeon	
23278007	Community health physician	
24430003	Physical medicine specialist	
24590004	Urologist	
25961008	Electroencephalography specialist	
26042002	Dental hygienist	
26369006	Public health nurse	
28229004	Optometrist	
28411006	Neonatologist	
28544002	Medical biochemist	
36682004	Physiotherapist	
37154003	Periodontist	
37504001	Orthodontist	
39677007	Internal medicine specialist	
40127002	Dietitian (general)	
40204001	Hematologist	
40570005	Interpreter	
41672002	Respiratory disease specialist	
41904004	Medical X-ray technician	
43702002	Occupational health nurse	
44652006	Pharmaceutical assistant	
45419001	Masseur	
45440000	Rheumatologist	
45544007	Neurosurgeon	
45956004	Sanitarian	
46255001	Pharmacist	
48740002	Philologist	
49203003	Dispensing optician	

49993003 | Oral surgeon
50149000 | Endodontist
54503009 | Faith healer
56397003 | Neurologist
56466003 | Public health physician
56542007 | Medical record administrator
56545009 | Cardiovascular surgeon
57654006 | Fixed prosthodontist
59058001 | General physician
59169001 | Orthopedic technician
59944000 | Psychologist
60008001 | Public health nutritionist
61207006 | Medical pathologist
61246008 | Laboratory medicine specialist
61345009 | Otorhinolaryngologist
61894003 | Endocrinologist
62247001 | Family medicine specialist
63098009 | Clinical immunologist
66476003 | Oral pathologist
66862007 | Radiologist
68867008 | Public health dentist
68950000 | Prosthodontist
69280009 | Specialized physician
71838004 | Gastroenterologist
73265009 | Nursing aid
75271001 | Professional midwife
76166008 | Practical aid (pharmacy)
76231001 | Osteopath
76899008 | Infectious disease specialist
78703002 | General surgeon
78729002 | Diagnostic radiologist
79898004 | Auxiliary midwife
80409005 | Translator
80546007 | Occupational therapist
80584001 | Psychiatrist
80933006 | Nuclear medicine specialist
81464008 | Clinical pathologist
82296001 | Pediatrician
83189004 | Other professional nurse
83273008 | Anatomic pathologist
83685006 | Gynecologist
85733003 | General pathologist
88189002 | Anesthesiologist
88475002 | Other dietitians and public health nutritionists
90201008 | Pedodontist
90655003 | Geriatrics specialist
106289002 | Dentist
106291005 | Dietician AND/OR public health nutritionist
106292003 | Professional nurse
106293008 | Nursing personnel
106294002 | Midwifery personnel
106296000 | Physiotherapist AND/OR occupational therapist
106330007 | Philologist, translator AND/OR interpreter
112247003 | Medical doctor
158965000 | Medical practitioner
158966004 | Medical administrator - national
158967008 | Consultant physician
158968003 | Consultant surgeon
158969006 | Consultant gynecology and obstetrics
158970007 | Anesthetist
158971006 | Hospital registrar
158972004 | House officer
158973009 | Occupational physician
158974003 | Clinical medical officer
158975002 | Medical practitioner - teaching
158977005 | Dental administrator
158978000 | Dental consultant
158979008 | Dental general practitioner
158980006 | Dental practitioner - teaching
158983008 | Nurse administrator - national
158984002 | Nursing officer - region
158985001 | Nursing officer - district

158986000 | Nursing administrator - professional body
158987009 | Nursing officer - division
158988004 | Nurse education director
158989007 | Occupational health nursing officer
158990003 | Nursing officer
158992006 | Midwifery sister
158993001 | Nursing sister (theatre)
158994007 | Staff nurse
158995008 | Staff midwife
158996009 | State enrolled nurse
158997000 | District nurse
158998005 | Private nurse
158999002 | Community midwife
159001001 | Clinic nurse
159002008 | Practice nurse
159003003 | School nurse
159004009 | Nurse - teaching
159005005 | Student nurse
159006006 | Dental nurse
159007002 | Community pediatric nurse
159010009 | Hospital pharmacist
159011008 | Retail pharmacist
159012001 | Industrial pharmacist
159013006 | Pharmaceutical officer H.A.
159014000 | Trainee pharmacist
159016003 | Medical radiographer
159017007 | Diagnostic radiographer
159018002 | Therapeutic radiographer
159019005 | Trainee radiographer
159021000 | Ophthalmic optician
159022007 | Trainee optician
159025009 | Remedial gymnast
159026005 | Speech and language therapist
159027001 | Orthoptist
159028006 | Trainee remedial therapist
159033005 | Dietician
159034004 | Podiatrist
159035003 | Dental auxiliary
159036002 | ECG technician
159037006 | EEG technician
159038001 | Artificial limb fitter
159039009 | AT - Audiology technician
159040006 | Pharmacy technician
159041005 | Trainee medical technician
159141008 | Geneticist
159972006 | Surgical corset fitter
160008000 | Dental technician
224529009 | Clinical assistant
224530004 | Senior registrar
224531000 | Registrar
224532007 | Senior house officer
224533002 | MO - Medical officer
224534008 | Health visitors, nurses and midwives
224535009 | Registered nurse
224536005 | Midwifery tutor
224537001 | Accident and Emergency nurse
224538006 | Triage nurse
224540001 | Community nurse
224541002 | Nursing continence advisor
224542009 | Coronary care nurse
224543004 | Diabetic nurse
224544005 | Family planning nurse
224545006 | Care of the elderly nurse
224546007 | ICN - Infection control nurse
224547003 | Intensive therapy nurse
224548008 | Learning disabilities nurse
224549000 | Neonatal nurse
224550000 | Neurology nurse
224551001 | Industrial nurse
224552008 | Oncology nurse
224553003 | Macmillan nurse
224554009 | Marie Curie nurse

224555005 | Pain control nurse
224556006 | Palliative care nurse
224557002 | Chemotherapy nurse
224558007 | Radiotherapy nurse
224559004 | Recovery nurse
224560009 | Stomatherapist
224561008 | Theatre nurse
224562001 | Pediatric nurse
224563006 | Psychiatric nurse
224564000 | Community mental health nurse
224565004 | Renal nurse
224566003 | Hemodialysis nurse
224567007 | Wound care nurse
224569005 | Nurse grade
224570006 | Clinical nurse specialist
224571005 | Nurse practitioner
224572003 | Nursing sister
224573008 | CN - Charge nurse
224574002 | Ward manager
224575001 | Nursing team leader
224576000 | Nursing assistant
224577009 | HCA - Healthcare assistant
224578004 | Nursery nurse
224579007 | Healthcare service manager
224580005 | Occupational health service manager
224581009 | Community nurse manager
224583007 | Behavior therapist
224584001 | Behavior therapy assistant
224585000 | Drama therapist
224586004 | Domiciliary occupational therapist
224587008 | Occupational therapy helper
224588003 | Psychotherapist
224589006 | Community-based physiotherapist
224590002 | Play therapist
224591003 | Play specialist
224592005 | Play leader
224593000 | Community-based speech and language therapist
224594006 | Speech and language assistant
224595007 | Professional counselor
224596008 | Marriage guidance counselor
224597004 | Trained nurse counselor
224598009 | Trained social worker counselor
224599001 | Trained personnel counselor
224600003 | Psychoanalyst
224601004 | Assistant psychologist
224602006 | Community-based podiatrist
224603001 | Foot care worker
224604007 | Audiometrician
224605008 | Audiometrist
224606009 | Technical healthcare occupation
224607000 | Occupational therapy technical instructor
224608005 | Administrative healthcare staff
224609002 | Complementary health worker
224610007 | Supporting services personnel
224614003 | Research associate
224615002 | Research nurse
224620002 | Human aid to communication
224621003 | Palantypist
224622005 | Note taker
224623000 | Cuer
224624006 | Lipspeaker
224625007 | Interpreter for British sign language
224626008 | Interpreter for Signs supporting English
224936003 | General practitioner locum
225726006 | Lactation consultant
225727002 | Midwife counselor
265937000 | Nursing occupation
265939002 | Medical/dental technicians
283875005 | Parkinson's disease nurse
302211009 | Specialist registrar
303124005 | Member of mental health review tribunal
303129000 | Hospital manager

303133007 | Responsible medical officer
303134001 | Independent doctor
304291006 | Bereavement counselor
304292004 | Surgeon
307988006 | Medical technician
308002005 | Remedial therapist
309294001 | Casualty doctor
309295000 | Clinical oncologist
309296004 | Family planning doctor
309322005 | Associate general practitioner
309323000 | Partner of general practitioner
309324006 | Assistant GP
309326008 | Deputizing general practitioner
309327004 | General practitioner registrar
309328009 | Ambulatory pediatrician
309329001 | Community pediatrician
309330006 | Pediatric cardiologist
309331005 | Pediatric endocrinologist
309332003 | Pediatric gastroenterologist
309333008 | Pediatric nephrologist
309334002 | Pediatric neurologist
309335001 | Pediatric rheumatologist
309336000 | Pediatric oncologist
309337009 | Pain management specialist
309338004 | Intensive care specialist
309339007 | Adult intensive care specialist
309340009 | Pediatric intensive care specialist
309341008 | Blood transfusion doctor
309342001 | Histopathologist
309343006 | Physician
309345004 | Chest physician
309346003 | Thoracic physician
309347007 | Clinical hematologist
309348002 | Clinical neurophysiologist
309349005 | Clinical physiologist
309350005 | Diabetologist
309351009 | Andrologist
309352002 | Neuroendocrinologist
309353007 | Reproductive endocrinologist
309354001 | Thyroidologist
309355000 | Clinical geneticist
309356004 | Clinical cytogeneticist
309357008 | Clinical molecular geneticist
309358003 | Genitourinary medicine physician
309359006 | Palliative care physician
309360001 | Rehabilitation physician
309361002 | Child and adolescent psychiatrist
309362009 | Forensic psychiatrist
309363004 | Liaison psychiatrist
309364005 | Psychogeriatrician
309365006 | Psychiatrist for mental handicap
309366007 | Rehabilitation psychiatrist
309367003 | Obstetrician and gynecologist
309368008 | Breast surgeon
309369000 | Cardiothoracic surgeon
309371000 | Cardiac surgeon
309372007 | Ear, nose and throat surgeon
309373002 | Endocrine surgeon
309374008 | Thyroid surgeon
309375009 | Pituitary surgeon
309376005 | Gastrointestinal surgeon
309377001 | General gastrointestinal surgeon
309378006 | Upper gastrointestinal surgeon
309379003 | Colorectal surgeon
309380000 | Hand surgeon
309381001 | Hepatobiliary surgeon
309382008 | Ophthalmic surgeon
309383003 | Pediatric surgeon
309384009 | Pancreatic surgeon
309385005 | Transplant surgeon
309386006 | Trauma surgeon
309388007 | Vascular surgeon

309389004 | Medical practitioner grade
309390008 | Hospital consultant
309391007 | Visiting specialist registrar
309392000 | Research registrar
309393005 | General practitioner grade
309394004 | General practitioner principal
309395003 | Hospital specialist
309396002 | Associate specialist
309397006 | Research fellow
309398001 | Profession allied to medicine
309399009 | Hospital dietitian
309400002 | Domiciliary physiotherapist
309401003 | GP-based physiotherapist
309402005 | Hospital-based physiotherapist
309403000 | Private physiotherapist
309404006 | Physiotherapy helper
309409001 | Hospital-based speech and language therapist
309410006 | Arts therapist
309411005 | Dance therapist
309412003 | Music therapist
309413008 | Renal dietitian
309414002 | Liver dietitian
309415001 | Oncology dietitian
309416000 | Pediatric dietitian
309417009 | Diabetes dietitian
309418004 | Audiologist
309419007 | Hearing therapist
309420001 | Audiological scientist
309421002 | Hearing aid dispenser
309422009 | Community-based occupational therapist
309423004 | Hospital occupational therapist
309427003 | Social services occupational therapist
309428008 | Orthotist
309429000 | Surgical fitter
309434001 | Hospital-based podiatrist
309435000 | Podiatry assistant
309436004 | Lymphedema nurse
309437008 | Community learning disabilities nurse
309439006 | Clinical nurse teacher
309440008 | Community practice nurse teacher
309441007 | Nurse tutor
309442000 | Nurse teacher practitioner
309443005 | Nurse lecturer practitioner
309444004 | Outreach nurse
309445003 | Anesthetic nurse
309446002 | Nurse manager
309450009 | Nurse administrator
309452001 | Midwifery grade
309453006 | Registered midwife
309454000 | Student midwife
309455004 | Parentcraft sister
309459005 | Healthcare professional grade
309460000 | Restorative dentist
310170009 | Pediatric audiologist
310171008 | Immunopathologist
310172001 | Audiological physician
310173006 | Clinical pharmacologist
310174000 | Private doctor
310175004 | Agency nurse
310176003 | Behavioral therapist nurse
310177007 | Cardiac rehabilitation nurse
310178002 | Genitourinary nurse
310179005 | Rheumatology nurse specialist
310180008 | Continence nurse
310181007 | Contact tracing nurse
310182000 | General nurse
310183005 | Nurse for the mentally handicapped
310184004 | Liaison nurse
310185003 | Diabetic liaison nurse
310186002 | Nurse psychotherapist
310187006 | Company nurse
310188001 | Hospital midwife

310189009 | Genetic counselor
310190000 | Mental health counselor
310191001 | Clinical psychologist
310192008 | Educational psychologist
310193003 | Coroner
310194009 | Appliance officer
310512001 | Medical oncologist
311441001 | School medical officer
312485001 | Integrated midwife
372102007 | RN First Assist
387619007 | Optician
394572006 | Medical secretary
394618009 | Hospital nurse
397824005 | Consultant anesthetist
397897005 | Paramedic
397903001 | Staff grade obstetrician
397908005 | Staff grade practitioner
398130009 | Medical student
398238009 | Acting obstetric registrar
404940000 | Physiotherapist technical instructor
405277009 | Resident physician
405278004 | Certified registered nurse anesthetist
405279007 | Attending physician
405623001 | Assigned practitioner
405684005 | Professional initiating surgical case
405685006 | Professional providing staff relief during surgical procedure
408798009 | Consultant pediatrician
408799001 | Consultant neonatologist
409974004 | Health educator
409975003 | Certified health education specialist
413854007 | Circulating nurse
415075003 | Perioperative nurse
415506007 | Scrub nurse
416160000 | Fellow of American Academy of Osteopathy
420409002 | Oculoplastic surgeon
420678001 | Retinal surgeon
421841007 | Admitting physician
422140007 | Medical ophthalmologist
422234006 | Ophthalmologist
432100008 | Health coach
442867008 | Respiratory therapist
443090005 | Podiatric surgeon
444912007 | Hypnotherapist
445313000 | Asthma nurse specialist
445451001 | Nurse case manager
446050000 | PCP - Primary care physician
446701002 | Addiction medicine specialist
449161006 | PA - physician assistant
471302004 | Government midwife
3981000175106 | Nurse complex case manager

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.425 Value Set http://hl7.org/fhir/ValueSet/dataelement-stringency

URL: https://hl7.org/fhir/STU3/valueset-dataelement-stringency.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dataelement-stringency
Name: | DataElementStringency
Definition: | Indicates the degree of precision of the data element definition.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.425 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DataElementStringency

* DataElement.stringency (Required)

4.3.1.425.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/dataelement-stringency

4.3.1.425.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/dataelement-stringency version 3.0.2

All codes from system http://hl7.org/fhir/dataelement-stringency

Code | Display | Definition
comparable | Comparable | The data element is sufficiently well-constrained that multiple pieces of data captured according to the constraints of the data element will be comparable (though in some cases, a degree of automated conversion/normalization may be required).
fully-specified | Fully Specified | The data element is fully specified down to a single value set, single unit of measure, single data type, etc. Multiple pieces of data associated with this data element are fully comparable.
equivalent | Equivalent | The data element allows multiple units of measure having equivalent meaning; e.g. "cc" (cubic centimeter) and "mL" (milliliter).
convertable | Convertable | The data element allows multiple units of measure that are convertable between each other (e.g. inches and centimeters) and/or allows data to be captured in multiple value sets for which a known mapping exists allowing conversion of meaning.
scaleable | Scaleable | A convertable data element where unit conversions are different only by a power of 10; e.g. g, mg, kg.
flexible | Flexible | The data element is unconstrained in units, choice of data types and/or choice of vocabulary such that automated comparison of data captured using the data element is not possible.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.427 Value Set http://hl7.org/fhir/ValueSet/provenance-entity-role

URL: https://hl7.org/fhir/STU3/valueset-provenance-entity-role.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provenance-entity-role
Name: | ProvenanceEntityRole
Definition: | How an entity was used in an activity.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.427 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ProvenanceEntityRole

* Provenance.entity.role (Required)

4.3.1.427.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/provenance-entity-role

4.3.1.427.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/provenance-entity-role version 3.0.2

All codes from system http://hl7.org/fhir/provenance-entity-role

Code | Display | Definition
derivation | Derivation | A transformation of an entity into another, an update of an entity resulting in a new one, or the construction of a new entity based on a preexisting entity.
revision | Revision | A derivation for which the resulting entity is a revised version of some original.
quotation | Quotation | The repeat of (some or all of) an entity, such as text or image, by someone who may or may not be its original author.
source | Source | A primary source for a topic refers to something produced by some agent with direct experience and knowledge about the topic, at the time of the topic's study, without benefit from hindsight.
removal | Removal | A derivation for which the entity is removed from accessibility usually through the use of the Delete operation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.429 Value Set http://hl7.org/fhir/ValueSet/provenance-activity-type

URL: https://hl7.org/fhir/STU3/valueset-provenance-activity-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provenance-activity-type
Name: | ProvenanceActivityType
Definition: | This value set contains representative Activity Type codes, which includes codes from the HL7 DocumentCompletion, ActStatus, and DataOperations code system, W3C PROV-DM and PROV-N concepts and display names, several HL7 Lifecycle Event codes for which there are agreed upon definitions, and non-duplicated codes from the HL7 Security and Privacy Ontology Operations codes.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.429 (for OID based terminology systems)
Copyright: | This is a value set of representative Activity Type codes.
Source Resource | XML / JSON

This value set is used in the following places:

* Provenance.activity (Extensible)

4.3.1.429.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/v3/DocumentCompletion

* Include all codes defined in http://hl7.org/fhir/v3/ActStatus

* Include all codes defined in http://hl7.org/fhir/v3/DataOperation

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/v3-ObligationPolicy

* Include all codes defined in http://hl7.org/fhir/w3c-provenance-activity-type

* Include all codes defined in http://hl7.org/fhir/extra-activity-type

4.3.1.429.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 83 concepts

Expansion based on http://hl7.org/fhir/v3/ActCode version 2016-11-11, http://hl7.org/fhir/v3/DataOperation version 2016-11-11, http://hl7.org/fhir/extra-activity-type version 1.1.0, http://hl7.org/fhir/v3/ActStatus version 2016-11-11, http://hl7.org/fhir/w3c-provenance-activity-type version 1.1.0, http://hl7.org/fhir/v3/DocumentCompletion version 2016-11-11, http://hl7.org/fhir/ValueSet/v3-ObligationPolicy version 2014-03-26

Code | System | Display | Definition

AU | http://hl7.org/fhir/v3/DocumentCompletion | authenticated | A completion status in which a document has been signed manually or electronically by one or more individuals who attest to its accuracy. No explicit determination is made that the assigned individual has performed the authentication. While the standard allows multiple instances of authentication, it would be typical to have a single instance of authentication, usually by the assigned individual.

DI | http://hl7.org/fhir/v3/DocumentCompletion | dictated | A completion status in which information has been orally recorded but not yet transcribed.

DO | http://hl7.org/fhir/v3/DocumentCompletion | documented | A completion status in which document content, other than dictation, has been received but has not been translated into the final electronic format. Examples include paper documents, whether hand-written or typewritten, and intermediate electronic forms, such as voice to text.

IN | http://hl7.org/fhir/v3/DocumentCompletion | incomplete | A completion status in which information is known to be missing from a transcribed document.

IP | http://hl7.org/fhir/v3/DocumentCompletion | in progress | A workflow status where the material has been assigned to personnel to perform the task of transcription. The document remains in this state until the document is transcribed.

LA | http://hl7.org/fhir/v3/DocumentCompletion | legally authenticated | A completion status in which a document has been signed manually or electronically by the individual who is legally responsible for that document. This is the most mature state in the workflow progression.

NU | http://hl7.org/fhir/v3/DocumentCompletion | nullified document | A completion status in which a document was created in error or was placed in the wrong chart. The document is no longer available.

PA | http://hl7.org/fhir/v3/DocumentCompletion | pre-authenticated | A completion status in which a document is transcribed but not authenticated.

UC | http://hl7.org/fhir/v3/DocumentCompletion | unsigned completed document | A completion status where the document is complete and there is no expectation that the document will be signed.

normal | http://hl7.org/fhir/v3/ActStatus | normal | Encompasses the expected states of an Act, but excludes "nullified" and "obsolete" which represent unusual terminal states for the life-cycle.

aborted | http://hl7.org/fhir/v3/ActStatus | aborted | The Act has been terminated prior to the originally intended completion.

active | http://hl7.org/fhir/v3/ActStatus | active | The Act can be performed or is being performed

cancelled | http://hl7.org/fhir/v3/ActStatus | cancelled | The Act has been abandoned before activation.

completed | http://hl7.org/fhir/v3/ActStatus | completed | An Act that has terminated normally after all of its constituents have been performed.

held | http://hl7.org/fhir/v3/ActStatus | held | An Act that is still in the preparatory stages has been put aside. No action can occur until the Act is released.

new | http://hl7.org/fhir/v3/ActStatus | new | An Act that is in the preparatory stages and may not yet be acted upon

suspended | http://hl7.org/fhir/v3/ActStatus | suspended | An Act that has been activated (actions could or have been performed against it), but has been temporarily disabled. No further action should be taken against it until it is released

nullified | http://hl7.org/fhir/v3/ActStatus | nullified | This Act instance was created in error and has been 'removed' and is treated as though it never existed. A record is retained for audit purposes only.

obsolete | http://hl7.org/fhir/v3/ActStatus | obsolete | This Act instance has been replaced by a new instance.

OPERATE | http://hl7.org/fhir/v3/DataOperation | operate | Description:Act on an object or objects.

CREATE | http://hl7.org/fhir/v3/DataOperation | create | Description:Fundamental operation in an Information System (IS) that results only in the act of bringing an object into existence. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

DELETE | http://hl7.org/fhir/v3/DataOperation | delete | Description:Fundamental operation in an Information System (IS) that results only in the removal of information about an object from memory or storage. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.

EXECUTE | http://hl7.org/fhir/v3/DataOperation | execute | Description:Fundamental operation in an IS that results only in initiating performance of a single or set of programs (i.e., software objects). Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.

READ | http://hl7.org/fhir/v3/DataOperation | read | Description:Fundamental operation in an Information System (IS) that results only in the flow of information about an object to a subject. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.

UPDATE | http://hl7.org/fhir/v3/DataOperation | revise | Definition:Fundamental operation in an Information System (IS) that results only in the revision or alteration of an object. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.

APPEND | http://hl7.org/fhir/v3/DataOperation | append | Description:Fundamental operation in an Information System (IS) that results only in the addition of information to an object already in existence. Note: The preceding definition is taken from the HL7 RBAC specification. There is no restriction on how the operation is invoked, e.g., via a user interface.

MODIFYSTATUS | http://hl7.org/fhir/v3/DataOperation | modify status | Description:Change the status of an object representing an Act.

ABORT | http://hl7.org/fhir/v3/DataOperation | abort | Description:Change the status of an object representing an Act to "aborted", i.e., terminated prior to the originally intended completion. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

ACTIVATE | http://hl7.org/fhir/v3/DataOperation | activate | Description:Change the status of an object representing an Act to "active", i.e., so it can be performed or is being performed, for the first time. (Contrast with REACTIVATE.) For an HL7 Act, the state transitions per the HL7 Reference Information Model.

CANCEL | http://hl7.org/fhir/v3/DataOperation | cancel | Description:Change the status of an object representing an Act to "cancelled", i.e., abandoned before activation. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

COMPLETE | http://hl7.org/fhir/v3/DataOperation | complete | Description:Change the status of an object representing an Act to "completed", i.e., terminated normally after all of its constituents have been performed. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

HOLD | http://hl7.org/fhir/v3/DataOperation | hold | Description:Change the status of an object representing an Act to "held", i.e., put aside an Act that is still in preparatory stages. No action can occur until the Act is released. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

JUMP | http://hl7.org/fhir/v3/DataOperation | jump | Description:Change the status of an object representing an Act to a normal state. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

NULLIFY | http://hl7.org/fhir/v3/DataOperation | nullify | Description:Change the status of an object representing an Act to "nullified", i.e., treat as though it never existed. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

OBSOLETE | http://hl7.org/fhir/v3/DataOperation | obsolete | Description:Change the status of an object representing an Act to "obsolete" when it has been replaced by a new instance. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

REACTIVATE | http://hl7.org/fhir/v3/DataOperation | reactivate | Description:Change the status of a formerly active object representing an Act to "active", i.e., so it can again be performed or is being performed. (Contrast with ACTIVATE.) For an HL7 Act, the state transitions per the HL7 Reference Information Model.

RELEASE | http://hl7.org/fhir/v3/DataOperation | release | Description:Change the status of an object representing an Act so it is no longer "held", i.e., allow action to occur. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

RESUME | http://hl7.org/fhir/v3/DataOperation | resume | Description:Change the status of a suspended object representing an Act to "active", i.e., so it can be performed or is being performed. For an HL7 Act, the state transitions per the HL7 Reference Information Model.

SUSPEND | http://hl7.org/fhir/v3/DataOperation | suspend | Definition:Change the status of an object representing an Act to suspended, i.e., so it is temporarily not in service.

ObligationPolicy | http://hl7.org/fhir/v3/ActCode | obligation policy | Conveys the mandated workflow action that an information custodian, receiver, or user must perform. Usage Notes: Per ISO 22600-2, ObligationPolicy instances 'are event-triggered and define actions to be performed by manager agent'. Per HL7 Composite Security and Privacy Domain Analysis Model: This value set refers to the action required to receive the permission specified in the privacy rule. Per OASIS XACML, an obligation is an operation specified in a policy or policy that is performed in conjunction with the enforcement of an access control decision.

ANONY | http://hl7.org/fhir/v3/ActCode | anonymize | Custodian system must remove any information that could result in identifying the information subject.

AOD | http://hl7.org/fhir/v3/ActCode | accounting of disclosure | Custodian system must make available to an information subject upon request an accounting of certain disclosures of the individualâ€™s protected health information over a period of time. Policy may dictate that the accounting include information about the information disclosed, the date of disclosure, the identification of the receiver, the purpose of the disclosure, the time in which the disclosing entity must provide a response and the time period for which accountings of disclosure can be requested.

AUDIT | http://hl7.org/fhir/v3/ActCode | audit | Custodian system must monitor systems to ensure that all users are authorized to operate on information objects.

AUDTR | http://hl7.org/fhir/v3/ActCode | audit trail | Custodian system must monitor and maintain retrievable log for each user and operation on information.

CPLYCC | http://hl7.org/fhir/v3/ActCode | comply with confidentiality code | Custodian security system must retrieve, evaluate, and comply with the information handling directions of the Confidentiality Code associated with an information target.

CPLYCD | http://hl7.org/fhir/v3/ActCode | comply with consent directive | Custodian security system must retrieve, evaluate, and comply with applicable information subject consent directives.

CPLYJPP | http://hl7.org/fhir/v3/ActCode | comply with jurisdictional privacy policy | Custodian security system must retrieve, evaluate, and comply with applicable jurisdictional privacy policies associated with the target information.

CPLYOPP | http://hl7.org/fhir/v3/ActCode | comply with organizational privacy policy | Custodian security system must retrieve, evaluate, and comply with applicable organizational privacy policies associated with the target information.

CPLYOSP | http://hl7.org/fhir/v3/ActCode | comply with organizational security policy | Custodian security system must retrieve, evaluate, and comply with the organizational security policies associated with the target information.

CPLYPOL | http://hl7.org/fhir/v3/ActCode | comply with policy | Custodian security system must retrieve, evaluate, and comply with applicable policies associated with the target information.

DECLASSIFYLABEL | http://hl7.org/fhir/v3/ActCode | declassify security label | Custodian security system must declassify information assigned security labels by instantiating a new version of the classified information so as to break the binding of the classifying security label when assigning a new security label that marks the information as unclassified in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the previous assignment and binding.

DEID | http://hl7.org/fhir/v3/ActCode | deidentify | Custodian system must strip information of data that would allow the identification of the source of the information or the information subject.

DELAU | http://hl7.org/fhir/v3/ActCode | delete after use | Custodian system must remove target information from access after use.

DOWNGRDLABEL | http://hl7.org/fhir/v3/ActCode | downgrade security label | Custodian security system must downgrade information assigned security labels by instantiating a new version of the classified information so as to break the binding of the classifying security label when assigning a new security label that marks the information as classified at a less protected level in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the previous assignment and binding.

DRIVLABEL | http://hl7.org/fhir/v3/ActCode | derive security label | Custodian security system must assign and bind security labels derived from compilations of information by aggregation or disaggregation in order to classify information compiled in the information systems under its control for collection, access, use and disclosure in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the previous assignment and binding.

ENCRYPT | http://hl7.org/fhir/v3/ActCode | encrypt | Custodian system must render information unreadable by algorithmically transforming plaintext into ciphertext. Usage Notes: A mathematical transposition of a file or data stream so that it cannot be deciphered at the receiving end without the proper key. Encryption is a security feature that assures that only the parties who are supposed to be participating in a videoconference or data transfer are able to do so. It can include a password, public and private keys, or a complex combination of all. (Per Infoway.)

ENCRYPTR | http://hl7.org/fhir/v3/ActCode | encrypt at rest | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext when "at rest" or in storage.

ENCRYPTT | http://hl7.org/fhir/v3/ActCode | encrypt in transit | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext while "in transit" or being transported by any means.

ENCRYPTU | http://hl7.org/fhir/v3/ActCode | encrypt in use | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext while in use such that operations permitted on the target information are limited by the license granted to the end user.

HUAPRV | http://hl7.org/fhir/v3/ActCode | human approval | Custodian system must require human review and approval for permission requested.

LABEL | http://hl7.org/fhir/v3/ActCode | assign security label | Custodian security system must assign and bind security labels in order to classify information created in the information systems under its control for collection, access, use and disclosure in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the assignment and binding. Usage Note: In security systems, security policy label assignments do not change, they may supersede prior assignments, and such reassignments are always tracked for auditing and other purposes.

MASK | http://hl7.org/fhir/v3/ActCode | mask | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext. User may be provided a key to decrypt per license or "shared secret".

MINEC | http://hl7.org/fhir/v3/ActCode | minimum necessary | Custodian must limit access and disclosure to the minimum information required to support an authorized user's purpose of use. Usage Note: Limiting the information available for access and disclosure to that an authorized user or receiver "needs to know" in order to perform permitted workflow or purpose of use.

PERSISTLABEL | http://hl7.org/fhir/v3/ActCode | persist security label | Custodian security system must persist the binding of security labels to classify information received or imported by information systems under its control for collection, access, use and disclosure in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the assignment and binding.

PRIVMARK | http://hl7.org/fhir/v3/ActCode | privacy mark | Custodian must create and/or maintain human readable security label tags as required by policy. Map: Aligns with ISO 22600-3 Section A.3.4.3 description of privacy mark: "If present, the privacy-mark is not used for access control. The content of the privacy-mark may be defined by the security policy in force (identified by the security-policy-identifier) which may define a list of values to be used. Alternately, the value may be determined by the originator of the security-label."

PSEUD | http://hl7.org/fhir/v3/ActCode | pseudonymize | Custodian system must strip information of data that would allow the identification of the source of the information or the information subject. Custodian may retain a key to relink data necessary to reidentify the information subject.

REDACT | http://hl7.org/fhir/v3/ActCode | redact | Custodian system must remove information, which is not authorized to be access, used, or disclosed from records made available to otherwise authorized users.

UPGRDLABEL | http://hl7.org/fhir/v3/ActCode | upgrade security label | Custodian security system must declassify information assigned security labels by instantiating a new version of the classified information so as to break the binding of the classifying security label when assigning a new security label that marks the information as classified at a more protected level in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the previous assignment and binding.

Generation | http://hl7.org/fhir/w3c-provenance-activity-type | wasGeneratedBy | The completion of production of a new entity by an activity. This entity did not exist before generation and becomes available for usage after this generation. Given that a generation is the completion of production of an entity, it is instantaneous.

Usage | http://hl7.org/fhir/w3c-provenance-activity-type | used | the beginning of utilizing an entity by an activity. Before usage, the activity had not begun to utilize this entity and could not have been affected by the entity. (Note: This definition is formulated for a given usage; it is permitted for an activity to have used a same entity multiple times.) Given that a usage is the beginning of utilizing an entity, it is instantaneous.

Communication | http://hl7.org/fhir/w3c-provenance-activity-type | wasInformedBy | The exchange of some unspecified entity by two activities, one activity using some entity generated by the other. A communication implies that activity a2 is dependent on another activity, a1, by way of some unspecified entity that is generated by a1 and used by a2.

Start | http://hl7.org/fhir/w3c-provenance-activity-type | wasStartedBy | When an activity is deemed to have been started by an entity, known as trigger. The activity did not exist before its start. Any usage, generation, or invalidation involving an activity follows the activity's start. A start may refer to a trigger entity that set off the activity, or to an activity, known as starter, that generated the trigger. Given that a start is when an activity is deemed to have started, it is instantaneous.

End | http://hl7.org/fhir/w3c-provenance-activity-type | wasEndedBy | When an activity is deemed to have been ended by an entity, known as trigger. The activity no longer exists after its end. Any usage, generation, or invalidation involving an activity precedes the activity's end. An end may refer to a trigger entity that terminated the activity, or to an activity, known as ender that generated the trigger.

Invalidation | http://hl7.org/fhir/w3c-provenance-activity-type | wasInvalidatedBy | The start of the destruction, cessation, or expiry of an existing entity by an activity. The entity is no longer available for use (or further invalidation) after invalidation. Any generation or usage of an entity precedes its invalidation. Given that an invalidation is the start of destruction, cessation, or expiry, it is instantaneous.

Derivation | http://hl7.org/fhir/w3c-provenance-activity-type | wasDerivedFrom | A transformation of an entity into another, an update of an entity resulting in a new one, or the construction of a new entity based on a pre-existing entity. For an entity to be transformed from, created from, or resulting from an update to another, there must be some underpinning activity or activities performing the necessary action(s) resulting in such a derivation. A derivation can be described at various levels of precision. In its simplest form, derivation relates two entities. Optionally, attributes can be added to represent further information about the derivation. If the derivation is the result of a single known activity, then this activity can also be optionally expressed. To provide a completely accurate description of the derivation, the generation and usage of the generated and used entities, respectively, can be provided, so as to make the derivation path, through usage, activity, and generation, explicit. Optional information such as activity, generation, and usage can be linked to derivations to aid analysis of provenance and to facilitate provenance-based reproducibility.

Revision | http://hl7.org/fhir/w3c-provenance-activity-type | wasRevisionOf | A derivation for which the resulting entity is a revised version of some original. The implication here is that the resulting entity contains substantial content from the original. A revision relation is a kind of derivation relation from a revised entity to a preceding entity.

Quotation | http://hl7.org/fhir/w3c-provenance-activity-type | wasQuotedFrom | The repeat of (some or all of) an entity, such as text or image, by someone who may or may not be its original author. A quotation relation is a kind of derivation relation, for which an entity was derived from a preceding entity by copying, or 'quoting', some or all of it.

Primary-Source | http://hl7.org/fhir/w3c-provenance-activity-type | wasPrimarySourceOf | Refers to something produced by some agent with direct experience and knowledge about the topic, at the time of the topic's study, without benefit from hindsight. Because of the directness of primary sources, they 'speak for themselves' in ways that cannot be captured through the filter of secondary sources. As such, it is important for secondary sources to reference those primary sources from which they were derived, so that their reliability can be investigated. It is also important to note that a given entity might be a primary source for one entity but not another. It is the reason why Primary Source is defined as a relation as opposed to a subtype of Entity.

Attribution | http://hl7.org/fhir/w3c-provenance-activity-type | wasAttributedTo | Ascribing of an entity (object/document) to an agent.

Collection | http://hl7.org/fhir/w3c-provenance-activity-type | isCollectionOf | An aggregating activity that results in composition of an entity, which provides a structure to some constituents that must themselves be entities. These constituents are said to be member of the collections.

aggregate | http://hl7.org/fhir/extra-activity-type | aggregate | Activity resulting in a structured collection of preexisting content that does not necessarily result in an integral object with semantic context making it more than the sum of component parts, from which components could be disaggregated without loss of semantic context, e.g., the assembly of multiple stand-alone documents.

compose | http://hl7.org/fhir/extra-activity-type | compose | Activity resulting in the structured compilation of new and preexisting content for the purposes of forming an integral object with semantic context making it more than the sum of component parts, which would be lost if decomposed. For example, the composition of a document that includes in whole or part other documents along with new content that result in a new document that has unique semantic meaning.

label | http://hl7.org/fhir/extra-activity-type | label | The means used to associate a set of security attributes with a specific information object as part of the data structure for that object. [ISO-10181-3 Access Control]

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.430 Value Set http://hl7.org/fhir/ValueSet/practitioner-role

URL: https://hl7.org/fhir/STU3/valueset-practitioner-role.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/practitioner-role
Name: | PractitionerRole
Definition: | This example value set defines a set of codes that can be used to indicate the role of a Practitioner.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.430 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for PractitionerRole

* PractitionerRole.code (Example)

4.3.1.430.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/practitioner-role

4.3.1.430.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/practitioner-role version 3.0.2

All codes from system http://hl7.org/fhir/practitioner-role

Code | Display | Definition
doctor | Doctor | A qualified/registered medical practitioner
nurse | Nurse | A practitoner with nursing experience that may be qualified/registered
pharmacist | Pharmacist | A qualified/registered/licensed pharmacist
researcher | Researcher | A practitioner that may perform research
teacher | Teacher/educator | Someone who is able to provide educational services
ict | ICT professional | Someone who is qualified in Information and Communication Technologies

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.432 Value Set http://hl7.org/fhir/ValueSet/practitioner-specialty

URL: https://hl7.org/fhir/STU3/valueset-practitioner-specialty.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/practitioner-specialty
Name: | PractitionerSpecialty
Definition: | This example value set defines a set of codes that can be used to indicate the specialty of a Practitioner.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.432 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for PractitionerSpecialty

* ReferralRequest.specialty (Example)

4.3.1.432.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/practitioner-specialty

4.3.1.432.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/practitioner-specialty version 3.0.2

All codes from system http://hl7.org/fhir/practitioner-specialty

Code | Display | Definition
cardio | Cardiologist
dent | Dentist
dietary | Dietary consultant
midw | Midwife
sysarch | Systems architect

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.434 Value Set http://hl7.org/fhir/ValueSet/questionnaire-questions

URL: https://hl7.org/fhir/STU3/valueset-questionnaire-questions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-questions
Name: | Questionnaire Question Codes
Definition: | Example list of codes for questions and groups of questions. (Not necessarily complete or appropriate.)
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.434 (for OID based terminology systems)
Copyright: | This content from LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* Questionnaire.code (Example)

* Questionnaire.item.code (Example)

4.3.1.434.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://loinc.org

4.3.1.434.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://loinc.org

Code | Display
1-8 | Acyclovir [Susceptibility]
10-9 | Amdinocillin [Susceptibility] by Serum bactericidal titer
100-8 | Cefoperazone [Susceptibility] by Minimum inhibitory concentration (MIC)
1000-9 | DBG Ab [Presence] in Serum or Plasma from Blood product unit
10000-8 | R wave duration in lead AVR
10001-6 | R wave duration in lead I
10002-4 | R wave duration in lead II
10003-2 | R wave duration in lead III
10004-0 | R wave duration in lead V1
10005-7 | R wave duration in lead V2

10006-5 | R wave duration in lead V3
10007-3 | R wave duration in lead V4
10008-1 | R wave duration in lead V5
10009-9 | R wave duration in lead V6
1001-7 | DBG Ab [Presence] in Serum or Plasma from donor
10010-7 | R' wave amplitude in lead AVF
10011-5 | R' wave amplitude in lead AVL
10012-3 | R' wave amplitude in lead AVR
10013-1 | R' wave amplitude in lead I
10014-9 | R' wave amplitude in lead II
10015-6 | R' wave amplitude in lead III
10016-4 | R' wave amplitude in lead V1
10017-2 | R' wave amplitude in lead V2
10018-0 | R' wave amplitude in lead V3
10019-8 | R' wave amplitude in lead V4
1002-5 | DBG Ab [Presence] in Serum or Plasma
10020-6 | R' wave amplitude in lead V5
10021-4 | R' wave amplitude in lead V6
10022-2 | R' wave duration in lead AVF
10023-0 | R' wave duration in lead AVL
10024-8 | R' wave duration in lead AVR
10025-5 | R' wave duration in lead I
10026-3 | R' wave duration in lead II
10027-1 | R' wave duration in lead III
10028-9 | R' wave duration in lead V1
10029-7 | R' wave duration in lead V2
1003-3 | Indirect antiglobulin test.complement specific reagent [Presence] in Serum or Plasma
10030-5 | R' wave duration in lead V3
10031-3 | R' wave duration in lead V4
10032-1 | R' wave duration in lead V5
10033-9 | R' wave duration in lead V6
10034-7 | S wave amplitude in lead AVF
10035-4 | S wave amplitude in lead AVL
10036-2 | S wave amplitude in lead AVR
10037-0 | S wave amplitude in lead I
10038-8 | S wave amplitude in lead II
10039-6 | S wave amplitude in lead III
1004-1 | Direct antiglobulin test.complement specific reagent [Presence] on Red Blood Cells
10040-4 | S wave amplitude in lead V1
10041-2 | S wave amplitude in lead V2
10042-0 | S wave amplitude in lead V3
10043-8 | S wave amplitude in lead V4
10044-6 | S wave amplitude in lead V5
10045-3 | S wave amplitude in lead V6
10046-1 | S wave duration in lead AVF
10047-9 | S wave duration in lead AVL
10048-7 | S wave duration in lead AVR
10049-5 | S wave duration in lead I
1005-8 | Indirect antiglobulin test.IgG specific reagent [Presence] in Serum or Plasma
10050-3 | S wave duration in lead II
10051-1 | S wave duration in lead III
10052-9 | S wave duration in lead V1
10053-7 | S wave duration in lead V2
10054-5 | S wave duration in lead V3
10055-2 | S wave duration in lead V4
10056-0 | S wave duration in lead V5
10057-8 | S wave duration in lead V6
10058-6 | S' wave amplitude in lead AVF
10059-4 | S' wave amplitude in lead AVL
1006-6 | Direct antiglobulin test.IgG specific reagent [Interpretation] on Red Blood Cells
10060-2 | S' wave amplitude in lead AVR
10061-0 | S' wave amplitude in lead I
10062-8 | S' wave amplitude in lead II
10063-6 | S' wave amplitude in lead III
10064-4 | S' wave amplitude in lead V1
10065-1 | S' wave amplitude in lead V2
10066-9 | S' wave amplitude in lead V3
10067-7 | S' wave amplitude in lead V4
10068-5 | S' wave amplitude in lead V5
10069-3 | S' wave amplitude in lead V6
1007-4 | Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10070-1 | S' wave duration in lead AVF

10071-9 | S' wave duration in lead AVL
10072-7 | S' wave duration in lead AVR
10073-5 | S' wave duration in lead I
10074-3 | S' wave duration in lead II
10075-0 | S' wave duration in lead III
10076-8 | S' wave duration in lead V1
10077-6 | S' wave duration in lead V2
10078-4 | S' wave duration in lead V3
10079-2 | S' wave duration in lead V4
1008-2 | Indirect antiglobulin test.poly specific reagent [Presence] in Serum or Plasma
10080-0 | S' wave duration in lead V5
10081-8 | S' wave duration in lead V6
10082-6 | ST initial amplitude 6 ms in lead AVF
10083-4 | ST initial amplitude 6 ms in lead AVL
10084-2 | ST initial amplitude 6 ms in lead AVR
10085-9 | ST initial amplitude 6 ms in lead I
10086-7 | ST initial amplitude 6 ms in lead II
10087-5 | ST initial amplitude 6 ms in lead III
10088-3 | ST initial amplitude 6 ms in lead V1
10089-1 | ST initial amplitude 6 ms in lead V2
1009-0 | Deprecated Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10090-9 | ST initial amplitude 6 ms in lead V3
10091-7 | ST initial amplitude 6 ms in lead V4
10092-5 | ST initial amplitude 6 ms in lead V5
10093-3 | ST initial amplitude 6 ms in lead V6
10094-1 | ST slope in lead AVF
10095-8 | ST slope in lead AVL
10096-6 | ST slope in lead AVR
10097-4 | ST slope in lead I
10098-2 | ST slope in lead II
10099-0 | ST slope in lead III
101-6 | Cefoperazone [Susceptibility] by Disk diffusion (KB)
1010-8 | Ew Ab [Presence] in Serum or Plasma from Blood product unit
10100-6 | ST slope in lead V1
10101-4 | ST slope in lead V2
10102-2 | ST slope in lead V3
10103-0 | ST slope in lead V4
10104-8 | ST slope in lead V5
10105-5 | ST slope in lead V6
10106-3 | ST wave end displacement in lead AVF
10107-1 | ST wave end displacement in lead AVL
10108-9 | ST wave end displacement in lead AVR
10109-7 | ST wave end displacement in lead I
1011-6 | Ew Ab [Presence] in Serum or Plasma from donor
10110-5 | ST wave end displacement in lead II
10111-3 | ST wave end displacement in lead III
10112-1 | ST wave end displacement in lead V1
10113-9 | ST wave end displacement in lead V2
10114-7 | ST wave end displacement in lead V3
10115-4 | ST wave end displacement in lead V4
10116-2 | ST wave end displacement in lead V5
10117-0 | ST wave end displacement in lead V6
10118-8 | ST wave mid displacement in lead AVF
10119-6 | ST wave mid displacement in lead AVL
1012-4 | Ew Ab [Presence] in Serum or Plasma
10120-4 | ST wave mid displacement in lead AVR
10121-2 | ST wave mid displacement in lead I
10122-0 | ST wave mid displacement in lead II
10123-8 | ST wave mid displacement in lead III
10124-6 | ST wave mid displacement in lead V1
10125-3 | ST wave mid displacement in lead V2
10126-1 | ST wave mid displacement in lead V3
10127-9 | ST wave mid displacement in lead V4
10128-7 | ST wave mid displacement in lead V5
10129-5 | ST wave mid displacement in lead V6
1013-2 | Ew Ag [Presence] on Red Blood Cells from Blood product unit
10130-3 | T' wave amplitude in lead AVF
10131-1 | T' wave amplitude in lead AVL
10132-9 | T' wave amplitude in lead AVR
10133-7 | T' wave amplitude in lead I
10134-5 | T' wave amplitude in lead II
10135-2 | T' wave amplitude in lead III

10136-0 | T' wave amplitude in lead V1
10137-8 | T' wave amplitude in lead V2
10138-6 | T' wave amplitude in lead V3
10139-4 | T' wave amplitude in lead V4
1014-0 | Ew Ag [Presence] on Red Blood Cells from donor
10140-2 | T' wave amplitude in lead V5
10141-0 | T' wave amplitude in lead V6
10142-8 | T wave amplitude in lead AVF
10143-6 | T wave amplitude in lead AVL
10144-4 | T wave amplitude in lead AVR
10145-1 | T wave amplitude in lead I
10146-9 | T wave amplitude in lead II
10147-7 | T wave amplitude in lead III
10148-5 | T wave amplitude in lead V1
10149-3 | T wave amplitude in lead V2
1015-7 | Ew Ag [Presence] on Red Blood Cells
10150-1 | T wave amplitude in lead V3
10151-9 | T wave amplitude in lead V4
10152-7 | T wave amplitude in lead V5
10153-5 | T wave amplitude in lead V6
10154-3 | Chief complaint Narrative - Reported
10155-0 | History of allergies, reported
10156-8 | History of Childhood diseases Narrative
10157-6 | History of family member diseases Narrative
10158-4 | History of Functional status Narrative
10159-2 | History of Industrial exposure Narrative
1016-5 | E Ab [Presence] in Serum or Plasma from Blood product unit
10160-0 | History of Medication use Narrative
10161-8 | History of Occupational exposure Narrative
10162-6 | History of pregnancies Narrative
10163-4 | History of pregnancies
10164-2 | History of Present illness Narrative
10165-9 | Deprecated History of psychiatric symptoms and diseases Narrative
10166-7 | History of Social function Narrative
10167-5 | History of Surgical procedures Narrative
10168-3 | History of Cardiovascular system disorders Narrative
10169-1 | History of Ear disorders Narrative
1017-3 | E Ab [Presence] in Serum or Plasma from donor
10170-9 | History of Endocrine system disorders Narrative
10171-7 | History of Eyes disorders Narrative
10172-5 | History of Hematologic system disorders Narrative
10173-3 | History of Musculoskeletal system disorders Narrative
10174-1 | History of Nose disorders Narrative
10175-8 | History of Oral cavity disorders Narrative
10176-6 | History of Reproductive system disorders Narrative
10177-4 | History of Respiratory system disorders Narrative
10178-2 | History of Skin disorders Narrative
10179-0 | History of Throat and Neck disorders Narrative
1018-1 | E Ab [Presence] in Serum or Plasma
10180-8 | History of Throat and Neck disorders
10181-6 | History of Urinary tract disorders Narrative
10182-4 | History of Travel Narrative
10183-2 | Hospital discharge medications Narrative
10184-0 | Hospital discharge physical findings Narrative
10185-7 | Hospital discharge procedures Narrative
10186-5 | Identifying information Narrative Observed
10187-3 | Review of systems Narrative - Reported
10188-1 | Review of systems overview Narrative - Reported
10189-9 | Review of systems overview - Reported
1019-9 | E Ag [Presence] on Red Blood Cells from Blood product unit
10190-7 | Mental status Narrative
10191-5 | Physical findings of Abdomen Narrative
10192-3 | Physical findings of Back Narrative
10193-1 | Physical findings of Breasts Narrative
10194-9 | Physical findings of Neurologic deep tendon reflexes Narrative
10195-6 | Physical findings of Ear Narrative
10196-4 | Physical findings of Extremities Narrative
10197-2 | Physical findings of Eye Narrative
10198-0 | Physical findings of Genitourinary tract Narrative
10199-8 | Physical findings of Head Narrative
102-4 | Cefoperazone [Susceptibility] by Serum bactericidal titer
1020-7 | E Ag [Presence] on Red Blood Cells from donor

10200-4 | Physical findings of Heart Narrative
10201-2 | Physical findings of Mouth and Throat and Teeth Narrative
10202-0 | Physical findings of Nervous system Narrative
10203-8 | Physical findings of Nose Narrative
10204-6 | Physical findings of Pelvis Narrative
10205-3 | Physical findings of Rectum Narrative
10206-1 | Physical findings of Skin Narrative
10207-9 | Physical findings of Thorax and Lungs Narrative
10208-7 | Physical findings of Vessels Narrative
10209-5 | Physical findings of Neurologic balance and Coordination Narrative
1021-5 | E Ag [Presence] on Red Blood Cells
10210-3 | Physical findings of General status Narrative
10211-1 | Physical findings of Sense of touch Narrative
10212-9 | Physical findings of Strength Narrative
10213-7 | Surgical operation note anesthesia Narrative
10214-5 | Surgical operation note anesthesia duration
10215-2 | Surgical operation note findings Narrative
10216-0 | Surgical operation note fluids Narrative
10217-8 | Surgical operation note indications [Interpretation] Narrative
10218-6 | Surgical operation note postoperative diagnosis Narrative
10219-4 | Surgical operation note preoperative diagnosis Narrative
1022-3 | Fy sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10220-2 | Surgical operation note prep time duration
10221-0 | Surgical operation note specimens taken Narrative
10222-8 | Surgical operation note surgical complications [Interpretation] Narrative
10223-6 | Surgical operation note surgical procedure Narrative
10224-4 | Hemodynamic method special circumstances
10225-1 | Cardiac measurement device Institution inventory number
10226-9 | Oxygen content in Intravascular space
10227-7 | Cardiac measurement device Vendor model number
10228-5 | Cardiac measurement device Vendor serial number
10229-3 | Hemodynamic method Type of
1023-1 | Fy sup(a) Ab [Presence] in Serum or Plasma from donor
10230-1 | Left ventricular Ejection fraction
10231-9 | Right ventricular Ejection fraction
10232-7 | Oxygen content in Aorta root
10233-5 | Oxygen content in Left atrium
10234-3 | Oxygen content in Right atrium
10235-0 | Oxygen content in High right atrium
10236-8 | Oxygen content in Low right atrium
10237-6 | Oxygen content in Mid right atrium
10238-4 | Oxygen content in Left ventricle
10239-2 | Oxygen content in Right ventricular outflow tract
1024-9 | Fy sup(a) Ab [Presence] in Serum or Plasma
10240-0 | Oxygen content in Right ventricle
10241-8 | Oxygen content in Coronary sinus
10242-6 | Oxygen content in Ductus arteriosus
10243-4 | Oxygen content in Inferior vena cava
10244-2 | Oxygen content in Left pulmonary artery
10245-9 | Oxygen content in Main pulmonary artery
10246-7 | Oxygen content in Right pulmonary artery
10247-5 | Oxygen content in Pulmonary wedge
10248-3 | Oxygen content in Superior vena cava
10249-1 | Heart rate device Institution inventory number
1025-6 | Fy sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10250-9 | Heart rate device Vendor model number
10251-7 | Heart rate device Vendor serial number
10252-5 | Biliary drain site
10253-3 | Type of Biliary drain
10254-1 | Type of Peritoneal drain
10255-8 | Type of Subarachnoid drain
10256-6 | Biliary drain Institution inventory number
10257-4 | Chest tube Institution inventory number
10258-2 | Enteral tube Institution inventory number
10259-0 | Gastrostomy tube Institution inventory number
1026-4 | Fy sup(a) Ag [Presence] on Red Blood Cells from donor
10260-8 | GI tube Institution inventory number
10261-6 | Intravascular tube Institution inventory number
10262-4 | IO tube Institution inventory number
10263-2 | Nasogastric tube Institution inventory number
10264-0 | Oral tube Institution inventory number
10265-7 | Peritoneal drain Institution inventory number

10266-5 | Peritoneal tube Institution inventory number
10267-3 | Rate control device Institution inventory number
10268-1 | Stool collection device Institution inventory number
10269-9 | Subarachnoid drain Institution inventory number
1027-2 | Fy sup(a) Ag [Presence] on Red Blood Cells
10270-7 | Synovial drain Institution inventory number
10271-5 | Tube or drain Institution inventory number
10272-3 | Upper GI tube Institution inventory number
10273-1 | Bladder irrigation tube Institution inventory number
10274-9 | Urine tube Institution inventory number
10275-6 | Wound drain device Institution inventory number
10276-4 | Peritoneal drain site
10277-2 | Stool collection site
10278-0 | Subarachnoid drain site
10279-8 | Biliary drain Vendor model number
1028-0 | Fy sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10280-6 | Chest tube Vendor model number
10281-4 | Enteral tube Vendor model number
10282-2 | Gastrostomy tube Vendor model number
10283-0 | GI tube Vendor model number
10284-8 | Intravascular tube Vendor model number
10285-5 | IO tube Vendor model number
10286-3 | Nasogastric tube Vendor model number
10287-1 | Oral tube Vendor model number
10288-9 | Peritoneal drain Vendor model number
10289-7 | Peritoneal tube Vendor model number
1029-8 | Fy sup(b) Ab [Presence] in Serum or Plasma from donor
10290-5 | Rate control device Vendor model number
10291-3 | Stool collection device Vendor model number
10292-1 | Subarachnoid drain Vendor model number
10293-9 | Synovial drain Vendor model number
10294-7 | Tube or drain Vendor model number
10295-4 | Upper GI tube Vendor model number
10296-2 | Bladder irrigation tube Vendor model number
10297-0 | Urine tube Vendor model number
10298-8 | Wound drain device Vendor model number
10299-6 | Biliary drain Vendor serial number
103-2 | Ceforanide [Susceptibility] by Minimum lethal concentration (MLC)
1030-6 | Fy sup(b) Ab [Presence] in Serum or Plasma
10300-2 | Chest tube Vendor serial number
10301-0 | Enteral tube Vendor serial number
10302-8 | Gastrostomy tube Vendor serial number
10303-6 | GI tube Vendor serial number
10304-4 | Intravascular tube Vendor serial number
10305-1 | IO tube Vendor serial number
10306-9 | Nasogastric tube Vendor serial number
10307-7 | Oral tube Vendor serial number
10308-5 | Peritoneal drain Vendor serial number
10309-3 | Peritoneal tube Vendor serial number
1031-4 | Fy sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10310-1 | Rate control device Vendor serial number
10311-9 | Stool collection device Vendor serial number
10312-7 | Subarachnoid drain Vendor serial number
10313-5 | Synovial drain Vendor serial number
10314-3 | Tube or drain Vendor serial number
10315-0 | Upper GI tube Vendor serial number
10316-8 | Bladder irrigation tube Vendor serial number
10317-6 | Urine tube Vendor serial number
10318-4 | Wound drain device Vendor serial number
10319-2 | Enema device Institution inventory number
1032-2 | Fy sup(b) Ag [Presence] on Red Blood Cells from donor
10320-0 | Enema device Vendor model number
10321-8 | Enema device Vendor serial number
10322-6 | Potassium intake 24 hour
10323-4 | Wound drain fluid [Appearance] Lower GI tract
10324-2 | Breath rate device Institution inventory number
10325-9 | Breath rate device Vendor model number
10326-7 | Breath rate device Vendor serial number
10327-5 | Eosinophils/100 leukocytes in Sputum by Manual count
10328-3 | Lymphocytes/100 leukocytes in Cerebral spinal fluid by Manual count
10329-1 | Monocytes/100 leukocytes in Cerebral spinal fluid by Manual count
1033-0 | Fy sup(b) Ag [Presence] on Red Blood Cells

10330-9 | Monocytes/100 leukocytes in Body fluid by Manual count
10331-7 | Rh [Type] in Blood
10332-5 | Cortisol [Mass/volume] in Serum or Plasma --pre 250 ug corticotropin IM
10333-3 | Appearance of Cerebral spinal fluid
10334-1 | Cancer Ag 125 [Units/volume] in Serum or Plasma
10335-8 | Color of Cerebral spinal fluid
10336-6 | Gonadotropin peptide [Mass/volume] in Urine
10337-4 | Procollagen type I [Mass/volume] in Serum
10338-2 | Barbiturates [Mass/volume] in Serum or Plasma
10339-0 | Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
1034-8 | Fetal cell screen [Interpretation] in Blood
10340-8 | Molindone [Mass/volume] in Serum or Plasma
10341-6 | Norpropoxyphene [Mass/volume] in Serum or Plasma
10342-4 | Sulfamethoxazole [Mass/volume] in Serum or Plasma
10343-2 | Temazepam [Mass/volume] in Serum or Plasma
10344-0 | Tranylcypromine [Mass/volume] in Serum or Plasma
10345-7 | Trihexyphenidyl [Mass/volume] in Urine
10346-5 | Hemoglobin A [Units/volume] in Blood by Electrophoresis
10347-3 | Babesia microti identified in Blood by Light microscopy
10348-1 | Bordetella parapertussis Ab [Presence] in Serum
10349-9 | Brucella sp Ab [Units/volume] in Serum
1035-5 | Fresh frozen plasma given [Volume]
10350-7 | Herpes simplex virus IgM Ab [Titer] in Serum by Immunoassay
10351-5 | HIV 1 RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10352-3 | Bacteria identified in Genital specimen by Aerobe culture
10353-1 | Bacteria identified in Nose by Aerobe culture
10354-9 | Bacteria identified in Urethra by Culture
10355-6 | Microscopic observation [Identifier] in Bone marrow by Wright Giemsa stain
10356-4 | Deprecated Microscopic observation [Identifier] in Stool by Trichrome stain
10357-2 | Microscopic observation [Identifier] in Wound by Gram stain
10358-0 | Teichoate Ab [Titer] in Serum by Immune diffusion (ID)
10359-8 | Asialoganglioside GM1 IgM Ab [Titer] in Serum
1036-3 | G Ab [Presence] in Serum or Plasma from Blood product unit
10360-6 | DNA single strand IgG Ab [Units/volume] in Serum
10361-4 | DNA single strand IgM Ab [Units/volume] in Serum
10362-2 | Endomysium IgA Ab [Presence] in Serum
10363-0 | Barbiturates [Presence] in Unspecified specimen
10364-8 | Cotinine [Mass/mass] in Hair
10365-5 | Cotinine [Mass/volume] in Serum or Plasma
10366-3 | Cotinine [Mass/volume] in Urine
10367-1 | Ethanol [Mass/volume] in Gastric fluid
10368-9 | Lead [Mass/volume] in Capillary blood
10369-7 | Opiates [Mass/mass] in Hair
1037-1 | G Ab [Presence] in Serum or Plasma from donor
10370-5 | Phencyclidine [Mass/mass] in Hair
10371-3 | Bite cells [Presence] in Blood by Light microscopy
10372-1 | Blister cells [Presence] in Blood by Light microscopy
10373-9 | Fragments [Presence] in Blood by Light microscopy
10374-7 | Helmet cells [Presence] in Blood by Light microscopy
10375-4 | Irregularly contracted cells [Presence] in Blood by Light microscopy
10376-2 | Oval macrocytes [Presence] in Blood by Light microscopy
10377-0 | Pencil cells [Presence] in Blood by Light microscopy
10378-8 | Polychromasia [Presence] in Blood by Light microscopy
10379-6 | Erythrocytes.dual population [Presence] in Blood by Light microscopy
1038-9 | G Ab [Presence] in Serum or Plasma
10380-4 | Stomatocytes [Presence] in Blood by Light microscopy
10381-2 | Target cells [Presence] in Blood by Light microscopy
10382-0 | A,B variant NOS Ag [Presence] on Red Blood Cells from Blood product unit
10383-8 | A,B variant NOS Ag [Presence] on Red Blood Cells from donor
10384-6 | A,B variant NOS Ag [Presence] on Red Blood Cells
10385-3 | Albumin concentration given
10386-1 | Albumin given [Volume]
10387-9 | Autologous erythrocytes given [Volume]
10388-7 | Autologous whole blood given [Volume]
10389-5 | Blood product.other [Type]
1039-7 | G Ag [Presence] on Red Blood Cells from Blood product unit
10390-3 | Blood product special preparation [Type]
10391-1 | Cytomegalovirus immune globulin given [Volume]
10392-9 | Cryoprecipitate given [Volume]
10393-7 | Factor IX given [Type]
10394-5 | Factor IX given [Volume]
10395-2 | Factor VIII given [Type]

10396-0 | Factor VIII given [Volume]
10397-8 | Hepatitis B immune globulin given [Volume]
10398-6 | I Ag [Presence] on Red Blood Cells from Blood product unit
10399-4 | I Ag [Presence] on Red Blood Cells from donor
104-0 | Ceforanide [Susceptibility] by Minimum inhibitory concentration (MIC)
1040-5 | G Ag [Presence] on Red Blood Cells from donor
10400-0 | I Ag [Presence] on Red Blood Cells
10401-8 | Immune serum globulin given [Type]
10402-6 | Immune serum globulin given [Volume]
10403-4 | Inject immune serum globulin [Volume]
10404-2 | Inject Rh immune globulin [Volume]
10405-9 | Inject varicella zoster virus immune globulin [Volume]
10406-7 | little i Ag [Presence] on Red Blood Cells from Blood product unit
10407-5 | little i Ag [Presence] on Red Blood Cells from donor
10408-3 | little i Ag [Presence] on Red Blood Cells
10409-1 | Pentaspan given [Volume]
1041-3 | G Ag [Presence] on Red Blood Cells
10410-9 | Plasma given [Type]
10411-7 | Plasma given [Volume]
10412-5 | Platelets given [Type]
10413-3 | Rh immune globulin given [Volume]
10414-1 | Transfuse albumin [Volume]
10415-8 | Transfuse blood exchange transfusion [Volume]
10416-6 | Transfuse blood product other [Volume]
10417-4 | Transfuse cryoprecipitate [Volume]
10418-2 | Transfuse factor IX [Volume]
10419-0 | Transfuse factor VIII [Volume]
1042-1 | H Ab [Presence] in Serum or Plasma from Blood product unit
10420-8 | Transfuse immune serum globulin [Volume]
10421-6 | Transfuse Pentaspan [Volume]
10422-4 | Transfuse plasma [Volume]
10423-2 | Transfuse platelets [Volume]
10424-0 | Transfuse erythrocytes [Volume]
10425-7 | Transfuse Rh immune globulin [Volume]
10426-5 | Transfuse whole blood [Volume]
10427-3 | Transfuse whole blood autologous [Volume]
10428-1 | Varicella zoster virus immune globulin given [Volume]
10429-9 | AE 1 Ag [Presence] in Tissue by Immune stain
1043-9 | H Ab [Presence] in Serum or Plasma from donor
10430-7 | AE 3 Ag [Presence] in Tissue by Immune stain
10431-5 | B-cell Ag [Presence] in Tissue by Immune stain
10432-3 | CD30 Ag [Presence] in Tissue by Immune stain
10433-1 | BR-2 Ag [Presence] in Tissue by Immune stain
10434-9 | Complement C3 Ag [Presence] in Tissue by Immune stain
10435-6 | C5B-9 Ag [Presence] in Tissue by Immune stain
10436-4 | CD15 Ag [Presence] in Tissue by Immune stain
10437-2 | CD16 Ag [Presence] in Tissue by Immune stain
10438-0 | CD20 Ag [Presence] in Tissue by Immune stain
10439-8 | CD3 Ag [Presence] in Tissue by Immune stain
1044-7 | H Ab [Presence] in Serum
10440-6 | Deprecated CD30 Ag [Presence] in Tissue by Immune stain
10441-4 | CD34 Ag [Presence] in Tissue by Immune stain
10442-2 | CD56 Ag [Presence] in Tissue by Immune stain
10443-0 | CD43 T-cell monocyte+myeloid cell Ag [Presence] in Tissue by Immune stain
10444-8 | CD57 Ag [Presence] in Tissue by Immune stain
10445-5 | CD11c Ag [Presence] in Tissue by Immune stain
10446-3 | Leukocyte common Ag [Presence] in Tissue by Immune stain
10447-1 | M-5 Ag [Presence] in Tissue by Immune stain
10448-9 | T-cell Ag [Presence] in Tissue by Immune stain
10449-7 | Glucose [Mass/volume] in Serum or Plasma --1 hour post meal
1045-4 | H NOS Ab [Presence] in Serum or Plasma from Blood product unit
10450-5 | Glucose [Mass/volume] in Serum or Plasma --10 hours fasting
10451-3 | Proinsulin [Moles/volume] in Serum or Plasma --12 hours fasting
10452-1 | Xylose [Mass/volume] in Serum or Plasma --1 hour post 25 g xylose PO
10453-9 | Xylose [Mass/volume] in Serum or Plasma --1 hour post dose xylose PO
10454-7 | Xylose [Mass/volume] in Serum or Plasma --2 hours post 25 g xylose PO
10455-4 | Xylose [Mass/volume] in Serum or Plasma --30 minutes post 25 g xylose PO
10456-2 | Xylose [Mass/volume] in Serum or Plasma --6 hours fasting
10457-0 | Actin Ag [Presence] in Tissue by Immune stain
10458-8 | Alkaline phosphatase.placental Ag [Presence] in Tissue by Immune stain
10459-6 | Alpha-1-Fetoprotein Ag [Presence] in Tissue by Immune stain
1046-2 | H NOS Ab [Presence] in Serum or Plasma from donor

10460-4 | Lactalbumin alpha Ag [Presence] in Tissue by Immune stain
10461-2 | Alpha-1-Antichymotrypsin Ag [Presence] in Tissue by Immune stain
10462-0 | Alpha 1 antitrypsin Ag [Presence] in Tissue by Immune stain
10463-8 | Amyloid A component Ag [Presence] in Tissue by Immune stain
10464-6 | Amyloid P component Ag [Presence] in Tissue by Immune stain
10465-3 | Amyloid.prealbumin Ag [Presence] in Tissue by Immune stain
10466-1 | Anion gap 3 in Serum or Plasma
10467-9 | Beta-2-Microglobulin amyloid Ag [Presence] in Tissue by Immune stain
10468-7 | Calcitonin Ag [Presence] in Tissue by Immune stain
10469-5 | Carcinoembryonic Ag [Presence] in Tissue by Immune stain
1047-0 | H NOS Ab [Presence] in Serum or Plasma
10470-3 | Choriogonadotropin Ag [Presence] in Tissue by Immune stain
10471-1 | Chromogranin A Ag [Presence] in Tissue by Immune stain
10472-9 | Chromogranin Ag [Presence] in Tissue by Immune stain
10473-7 | Chymotrypsin Ag [Presence] in Tissue by Immune stain
10474-5 | Collagen type 4 Ag [Presence] in Tissue by Immune stain
10475-2 | Corticotropin Ag [Presence] in Tissue by Immune stain
10476-0 | Desmin Ag [Presence] in Tissue by Immune stain
10477-8 | Enolase.neuron specific Ag [Presence] in Tissue by Immune stain
10478-6 | Eosinophil major basic protein Ag [Presence] in Tissue by Immune stain
10479-4 | CD227 Ag [Presence] in Tissue by Immune stain
1048-8 | H NOS Ag [Presence] on Red Blood Cells from Blood product unit
10480-2 | Estrogen+Progesterone receptor Ag [Presence] in Tissue by Immune stain
10481-0 | Follitropin.alpha subunit Ag [Presence] in Tissue by Immune stain
10482-8 | Follitropin.beta subunit Ag [Presence] in Tissue by Immune stain
10483-6 | Gastrin Ag [Presence] in Tissue by Immune stain
10484-4 | Glial fibrillary acidic protein Ag [Presence] in Tissue by Immune stain
10485-1 | Glucagon Ag [Presence] in Tissue by Immune stain
10486-9 | Hemoglobin Ag [Presence] in Tissue by Immune stain
10487-7 | HMB-45 Ag [Presence] in Tissue by Immune stain
10488-5 | IgA Ag [Presence] in Tissue by Immune stain
10489-3 | IgA.heavy chain Ag [Presence] in Tissue by Immune stain
1049-6 | H NOS Ag [Presence] on Red Blood Cells from donor
10490-1 | IgE Ag [Presence] in Tissue by Immune stain
10491-9 | IgG Ag [Presence] in Tissue by Immune stain
10492-7 | IgG.heavy chain Ag [Presence] in Tissue by Immune stain
10493-5 | IgM Ag [Presence] in Tissue by Immune stain
10494-3 | IgM.heavy chain Ag [Presence] in Tissue by Immune stain
10495-0 | Insulin Ag [Presence] in Tissue by Immune stain
10496-8 | Immunoglobulin light chains.kappa Ag [Presence] in Tissue by Immune stain
10497-6 | Immunoglobulin light chains.kappa amyloid Ag [Presence] in Tissue by Immune stain
10498-4 | Keratin Ag [Presence] in Tissue by Immune stain
10499-2 | Immunoglobulin light chains.lambda Ag [Presence] in Tissue by Immune stain
105-7 | Ceforanide [Susceptibility] by Disk diffusion (KB)
1050-4 | H NOS Ag [Presence] on Red Blood Cells
10500-7 | Immunoglobulin light chains.lambda amyloid Ag [Presence] in Tissue by Immune stain
10501-5 | Lutropin [Units/volume] in Serum or Plasma
10502-3 | Lutropin Ag [Presence] in Tissue by Immune stain
10503-1 | Lysozyme Ag [Presence] in Tissue by Immune stain
10504-9 | Myelin basic protein Ag [Presence] in Tissue by Immune stain
10505-6 | Myoglobin Ag [Presence] in Tissue by Immune stain
10506-4 | Peanut agglutinin Ag [Presence] in Tissue by Immune stain
10507-2 | Prolactin Ag [Presence] in Tissue by Immune stain
10508-0 | Prostate specific Ag [Presence] in Tissue by Immune stain
10509-8 | Prostatic acid phosphatase Ag [Presence] in Tissue by Immune stain
1051-2 | Hemolytic disease of newborn screen [Interpretation] in Blood
10510-6 | S-100 Ag Ag [Presence] in Tissue by Immune stain
10511-4 | Serotonin Ag [Presence] in Tissue by Immune stain
10512-2 | Somatostatin Ag [Presence] in Tissue by Immune stain
10513-0 | Somatotropin Ag [Presence] in Tissue by Immune stain
10514-8 | Synaptophysin Ag [Presence] in Tissue by Immune stain
10515-5 | Thyroglobulin Ag [Presence] in Tissue by Immune stain
10516-3 | Thyrotropin Ag [Presence] in Tissue by Immune stain
10517-1 | Trypsin Ag [Presence] in Tissue by Immune stain
10518-9 | Ulex europaeus I lectin Ag [Presence] in Tissue by Immune stain
10519-7 | Vimentin Ag [Presence] in Tissue by Immune stain
1052-0 | Deprecated I (intermediate) subtype [Presence] in Serum or Plasma from Blood product unit
10520-5 | Coagulation factor VI Ag [Presence] in Tissue by Immune stain
10521-3 | Coagulation factor VIII Ag [Presence] in Tissue by Immune stain
10522-1 | Coagulation factor XIII Ag [Presence] in Tissue by Immune stain
10523-9 | Fibrinogen Ag [Presence] in Tissue by Immune stain
10524-7 | Microscopic observation [Identifier] in Cervix by Cyto stain

10525-4 | Microscopic observation [Identifier] in Unspecified specimen by Cyto stain
10526-2 | Microscopic observation [Identifier] in Sputum by Cyto stain
10527-0 | Microscopic observation [Identifier] in Tissue by Cyto stain
10528-8 | Acetophenazine [Mass/volume] in Serum or Plasma
10529-6 | Amoxapine metabolite [Mass/volume] in Serum or Plasma
1053-8 | Deprecated I (intermediate) subtype [Presence] in serum or plasma from donor
10530-4 | Aprobarbital [Mass/volume] in Serum or Plasma
10531-2 | Bretylium [Mass/volume] in Serum or Plasma
10532-0 | Deprecated Desethylamiodarone [Mass/volume] in Serum or Plasma
10533-8 | Propoxyphene+Acetaminophen [Mass/volume] in Serum or Plasma
10534-6 | Diazoxide [Mass/volume] in Serum or Plasma
10535-3 | Digoxin [Mass/volume] in Serum or Plasma
10536-1 | Dipyridamole [Mass/volume] in Serum or Plasma
10537-9 | Deprecated Doxepin+Nordoxepin [Mass/volume] in Serum or Plasma
10538-7 | Deprecated Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
10539-5 | Glipizide [Mass/volume] in Serum or Plasma
1054-6 | Deprecated I (intermediate) subtype [Presence] in srum
10540-3 | Glyburide [Mass/volume] in Serum or Plasma
10541-1 | Mepivacaine [Mass/volume] in Serum or Plasma
10542-9 | Metharbital [Mass/volume] in Serum or Plasma
10543-7 | Methsuximide+Normethsuximide [Mass/volume] in Serum or Plasma
10544-5 | Normeperidine [Presence] in Serum or Plasma
10545-2 | Normephenytoin [Mass/volume] in Serum or Plasma
10546-0 | Normethsuximide [Mass/volume] in Serum or Plasma
10547-8 | Primidone+Phenobarbital [Mass/volume] in Serum or Plasma
10548-6 | Phenytoin Free/Phenytoin.total in Serum or Plasma
10549-4 | Pirmenol [Mass/volume] in Serum or Plasma
1055-3 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from Blood product unit
10550-2 | Deprecated Temazepam [Mass/volume] in Serum or Plasma
10551-0 | Triamterene [Mass/volume] in Serum or Plasma
10552-8 | Tricyclic antidepressants [Mass/volume] in Serum or Plasma
10553-6 | Prostatic acid phosphatase [Enzymatic activity/volume] in Genital fluid
10554-4 | Deprecated Prostatic acid phosphatase [Enzymatic activity/volume] in Seminal plasma
10555-1 | Acrosin [Entitic Catalytic Activity] in Spermatozoa
10556-9 | Deprecated Adenosine triphosphatase [Enzymatic activity/volume] in Seminal plasma
10557-7 | Adenosine triphosphate [Moles/volume] in Semen
10558-5 | Albumin [Moles/volume] in Semen
10559-3 | Deprecated Calcium [Molecules/volume] in Semen
1056-1 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from donor
10560-1 | Carcinoembryonic Ag [Units/volume] in Semen
10561-9 | Carnitine [Moles/volume] in Semen
10562-7 | Cells [#/volume] in Cervical mucus
10563-5 | Cells other than spermatozoa [#/volume] in Semen
10564-3 | Cervical mucus [Volume]
10565-0 | Choriogonadotropin [Units/volume] in Semen
10566-8 | Deprecated Choriogonadotropin [Molecules/volume] in Semen
10567-6 | Citrate [Moles/volume] in Semen
10568-4 | Clarity of Semen
10569-2 | Color of Semen
1057-9 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells
10570-0 | Consistency of Cervical mucus
10571-8 | Deprecated Consistency of Semen
10572-6 | Deprecated Duration^post ejaculation
10573-4 | Ferning [Type] in Cervical mucus
10574-2 | Fructose [Moles/volume] in Semen
10575-9 | Deprecated Gamma glutamyl transferase [Enzymatic activity/volume] in Semen
10576-7 | Germ cells.immature [#/volume] in Semen
10577-5 | Glucosidase [Enzymatic activity/volume] in Seminal plasma
10578-3 | Glycerophosphocholine [Moles/volume] in Seminal plasma
10579-1 | Leukocytes [#/volume] in Semen
1058-7 | I Ab [Presence] in Serum or Plasma from Blood product unit
10580-9 | Liquefaction [Time] in Semen
10581-7 | Deprecated Number of entities [#] in Spermatozoa
10582-5 | pH of Cervical mucus
10583-3 | Prostaglandin F1 alpha [Moles/volume] in Semen
10584-1 | Deprecated Protein [Mass/volume] in Semen
10585-8 | Round cells [#/volume] in Semen
10586-6 | Deprecated Volume of Semen
10587-4 | Sexual abstinence duration
10588-2 | Spermatogonia [#/volume] in Semen
10589-0 | Spermatids [#/volume] in Semen by Streptoavidin-biotin method (SAB)
1059-5 | I Ab [Presence] in Serum or Plasma from donor

10590-8 | Spermatids [#/volume] in Semen by Sertoli cell barrier method (SCB)
10591-6 | Primary Spermatocytes [#/volume] in Semen
10592-4 | Secondary Spermatocytes [#/volume] in Semen
10593-2 | Spermatozoa Pyriform Head/100 spermatozoa in Semen
10594-0 | Spermatozoa Tapering Head/100 spermatozoa in Semen
10595-7 | Deprecated Spermatozoa [#/volume] in Semen
10596-5 | Deprecated Spermatozoa Ab in cervical mucosa
10597-3 | Deprecated Spermatozoa Ab in semen
10598-1 | Deprecated Spermatozoa Ab in serum
10599-9 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa by Kremer test
106-5 | Ceforanide [Susceptibility] by Serum bactericidal titer
1060-3 | I Ab [Presence] in Serum or Plasma
10600-5 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa
10601-3 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa --post coitus
10602-1 | Spermatozoa Abnormal Head/100 spermatozoa in Semen
10603-9 | Spermatozoa Abnormal Midpiece/100 spermatozoa in Semen
10604-7 | Spermatozoa Abnormal Tail/100 spermatozoa in Semen
10605-4 | Spermatozoa Agglutinated/100 spermatozoa in Semen
10606-2 | Spermatozoa Amorphous Head/100 spermatozoa in Semen
10607-0 | Spermatozoa Coiled Tail/100 spermatozoa in Semen
10608-8 | Spermatozoa Cytoplasmic Droplet/100 spermatozoa in Semen
10609-6 | Spermatozoa Duplicate Head/100 spermatozoa in Semen
1061-1 | I NOS Ab [Presence] in Serum or Plasma from Blood product unit
10610-4 | Spermatozoa Duplicate Tail/100 spermatozoa in Semen
10611-2 | Spermatozoa Immotile/100 spermatozoa in Semen
10612-0 | Spermatozoa Large Oval Head/100 spermatozoa in Semen
10613-8 | Spermatozoa Viable/100 spermatozoa in Semen
10614-6 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Immunobead
10615-3 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Mixed antiglobulin reaction
10616-1 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Immunobead
10617-9 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Mixed antiglobulin reaction
10618-7 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Immunobead
10619-5 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Mixed antiglobulin reaction
1062-9 | I NOS Ab [Presence] in Serum or Plasma from donor
10620-3 | Spermatozoa Nonprogressive/100 spermatozoa in Semen
10621-1 | Spermatozoa Normal Head/100 spermatozoa in Semen
10622-9 | Spermatozoa Normal/100 spermatozoa in Semen
10623-7 | Spermatozoa Pin Head/100 spermatozoa in Semen
10624-5 | Spermatozoa Rapid/100 spermatozoa in Semen
10625-2 | Spermatozoa Round Head/100 spermatozoa in Semen
10626-0 | Spermatozoa Slow/100 spermatozoa in Semen
10627-8 | Spermatozoa Small Oval Head/100 spermatozoa in Semen
10628-6 | Spermatozoa Tail Swelling/100 spermatozoa in Semen
10629-4 | Spermatozoa Vacuolated Head/100 spermatozoa in Semen
1063-7 | I NOS Ab [Presence] in Serum or Plasma
10630-2 | Spinnbarkeit [Length] in Cervical mucus
10631-0 | Testosterone [Moles/volume] in Semen
10632-8 | Time until next menstrual period
10633-6 | Zinc [Moles/volume] in Semen
10634-4 | Complement C1 esterase inhibitor.functional/Complement C1 esterase inhibitor.total in Serum or Plasma
10635-1 | Acanthamoeba sp identified in Eye by Organism specific culture
10636-9 | Acanthamoeba sp identified in Eye by Wet preparation
10637-7 | Microscopic observation [Identifier] in Tissue by Night blue stain
10638-5 | Thermophilic Actinomycetes colony count [#/volume] in Unspecified specimen by Organism specific culture
10639-3 | Thermophilic Actinomycetes identified in Unspecified specimen by Organism specific culture
1064-5 | I NOS Ag [Presence] on Red Blood Cells from Blood product unit
10640-1 | Deprecated Adenovirus 40+41 [Identifier] in Stool by Electron microscopy
10641-9 | Amoeba identified in Aspirate by Immune stain
10642-7 | Amoeba identified in Aspirate by Wet preparation
10643-5 | Amoeba identified in Stool by Organism specific culture
10644-3 | Arthropod identified in Unspecified specimen
10645-0 | Aspergillus fumigatus Ag [Presence] in Tissue by Immunofluorescence
10646-8 | Astrovirus [Identifier] in Stool by Electron microscopy
10647-6 | Babesia sp identified in Blood by Thick film
10648-4 | Babesia sp identified in Blood by Thin film
10649-2 | Calicivirus [Identifier] in Stool by Electron microscopy
1065-2 | I NOS Ag [Presence] on Red Blood Cells from donor
10650-0 | Candida sp DNA [Presence] in Blood by Probe with amplification
10651-8 | Chlamydophila pneumoniae Ag [Presence] in Sputum or Bronchial
10652-6 | Chlamydophila pneumoniae DNA [Presence] in Sputum or Bronchial by Probe with amplification
10653-4 | Clotrimazole [Susceptibility] by Minimum inhibitory concentration (MIC)
10654-2 | Clotrimazole [Susceptibility] by Minimum lethal concentration (MLC)

10655-9 | Coccidia identified in Duodenal fluid by Acid fast stain
10656-7 | Coccidia identified in Stool by Acid fast stain
10657-5 | Deprecated Cryptococcus neoformans Ag [Presence] in Tissue by Immunofluorescence
10658-3 | Cyanobacterium identified in Water by Light microscopy
10659-1 | Cyclospora sp identified in Stool by Acid fast stain
1066-0 | I NOS Ag [Presence] on Red Blood Cells
10660-9 | Cytomegalovirus Ag [Presence] in Tissue by Immune stain
10661-7 | Dinoflagellate identified in Water by Light microscopy
10662-5 | Filaria identified in Blood by Concentration
10663-3 | Filaria identified in Blood by Thick film
10664-1 | Filaria identified in Blood by Thin film
10665-8 | Fungus colony count [#/volume] in Unspecified specimen by Environmental culture
10666-6 | Fungus identified in Tissue by Fontana-Masson stain
10667-4 | Fungus identified in Unspecified specimen by Animal inoculation
10668-2 | Fungus identified in Unspecified specimen by Environmental culture
10669-0 | Fungus identified in Unspecified specimen by Sticky tape for environmental fungus
1067-8 | Jk sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10670-8 | Giardia lamblia [Presence] in Stool by Organism specific culture
10671-6 | Helminth identified in Unspecified specimen
10672-4 | Helminth+Arthropod identified in Unspecified specimen
10673-2 | Hepatitis B virus core Ag [Presence] in Tissue by Immune stain
10674-0 | Hepatitis B virus surface Ag [Presence] in Tissue by Immune stain
10675-7 | Hepatitis B virus surface Ag [Presence] in Tissue by Orcein stain
10676-5 | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10677-3 | Herpes simplex virus 1 Ag [Presence] in Tissue by Immune stain
10678-1 | Herpes simplex virus 1+2 Ag [Presence] in Tissue by Immune stain
10679-9 | Herpes simplex virus 2 Ag [Presence] in Tissue by Immune stain
1068-6 | Jk sup(a) Ab [Presence] in Serum or Plasma from donor
10680-7 | Herpes simplex virus identified in Cerebral spinal fluid by Electron microscopy
10681-5 | Herpes simplex virus identified in Tissue by Electron microscopy
10682-3 | Deprecated HIV 1 RNA [Units/volume] in Serum or Plasma by Probe with amplification
10683-1 | Hydatid cyst identified in Aspirate by Immune stain
10684-9 | Hydatid cyst identified in Liver by Wet preparation
10685-6 | Hydatid cyst identified in Lung tissue by Wet preparation
10686-4 | Leishmania sp identified in Tissue by Giemsa stain
10687-2 | Leishmania sp identified in Tissue by Organism specific culture
10688-0 | Microscopic observation [Identifier] in Hair by KOH preparation
10689-8 | Microscopic observation [Identifier] in Nail by KOH preparation
1069-4 | Jk sup(a) Ab [Presence] in Serum or Plasma
10690-6 | Microsporidia identified in Duodenal fluid by Trichrome stain modified
10691-4 | Mushroom.toxic identified by Inspection
10692-2 | Mushroom.toxic identified in Food by Light microscopy
10693-0 | Mushroom.toxic identified in Vomitus by Light microscopy
10694-8 | Naegleria sp identified in Tissue by Organism specific culture
10695-5 | Naegleria sp identified in Tissue by Wet preparation
10696-3 | Norovirus [Identifier] in Stool by Electron microscopy
10697-1 | Nystatin [Susceptibility] by Minimum inhibitory concentration (MIC)
10698-9 | Nystatin [Susceptibility] by Minimum lethal concentration (MLC)
10699-7 | Onchocerca sp identified in Tissue by Wet preparation
107-3 | Cefotaxime [Susceptibility] by Minimum lethal concentration (MLC)
1070-2 | Jk sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10700-3 | Orthopoxvirus [Identifier] in Skin by Electron microscopy
10701-1 | Ova and parasites identified in Stool by Concentration
10702-9 | Ova and parasites identified in Stool by Immune stain
10703-7 | Ova and parasites identified in Stool by Kinyoun iron hematoxylin stain
10704-5 | Ova and parasites identified in Stool by Light microscopy
10705-2 | Human papilloma virus Ag [Presence] in Tissue by Immune stain
10706-0 | Picornavirus [Identifier] in Stool by Electron microscopy
10707-8 | Toxic Plant identified in plant specimen by Inspection
10708-6 | Toxic Plant identified in Vomitus by Light microscopy
10709-4 | Plasmodium falciparum Ag [Units/volume] in Blood by Immunofluorescence
1071-0 | Jk sup(a) Ag [Presence] on Red Blood Cells from donor
10710-2 | Plasmodium sp identified in Blood by Thin film
10711-0 | Plasmodium vivax Ag [Units/volume] in Blood by Immunofluorescence
10712-8 | Pneumocystis sp identified in Lung tissue
10713-6 | Prototheca identified in Unspecified specimen by Culture
10714-4 | Deprecated Rotavirus [Identifier] in Stool by Electron microscopy
10715-1 | Schistosoma sp identified in Urine sediment by Light microscopy
10716-9 | Schistosoma sp identified in Unspecified specimen by Organism specific culture
10717-7 | Streptococcus pneumoniae Ab [Units/volume] in Serum by Latex agglutination
10718-5 | Strongyloides sp Ab [Units/volume] in Serum by Immunoassay
10719-3 | Taenia solium adult Ab [Units/volume] in Serum by Immunoblot (IB)

10072-8 | Jk sup(a) Ag [Presence] on Red Blood Cells
10720-1 | Terbinafine [Susceptibility] by Minimum inhibitory concentration (MIC)
10721-9 | Terbinafine [Susceptibility] by Minimum lethal concentration (MLC)
10722-7 | Torovirus [Identifier] in Stool by Electron microscopy
10723-5 | Toxoplasma gondii IgA Ab [Units/volume] in Serum by Immunoassay
10724-3 | Toxoplasma gondii IgE Ab [Units/volume] in Serum by Immunoassay
10725-0 | Toxoplasma gondii DNA [Units/volume] in Body fluid by Probe with amplification
10726-8 | Toxoplasma gondii [Presence] in Tissue by Giemsa stain
10727-6 | Toxoplasma gondii identified in Tissue
10728-4 | Trichomonas sp identified in Genital specimen by Organism specific culture
10729-2 | Trypanosoma sp identified in Blood by Light microscopy
1073-6 | Jk sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10730-0 | Trypanosoma sp identified in Blood by Organism specific culture
10731-8 | Trypanosoma sp identified in Blood by Thick film
10732-6 | Trypanosoma sp identified in Blood by Thin film
10733-4 | Trypanosoma sp identified in Blood by Wet preparation
10734-2 | Varicella zoster virus identified in Skin by Electron microscopy
10735-9 | Viral sequencing [Identifier] in Serum by Sequencing
10736-7 | Virus identified in Cerebral spinal fluid by Electron microscopy
10737-5 | Virus identified in Stool by Electron microscopy
10738-3 | Virus identified in Tissue by Electron microscopy
10739-1 | Virus identified in Unspecified specimen by Electron microscopy
1074-4 | Jk sup(b) Ab [Presence] in Serum or Plasma from donor
10740-9 | Aluminum.microscopic observation [Identifier] in Bone by Histomorphometry stain
10741-7 | Amyloid.microscopic observation [Identifier] in Brain by Thioflavine-S stain
10742-5 | Amyloid.microscopic observation [Identifier] in Tissue by Bennhold stain.Putchler modified
10743-3 | Amyloid.microscopic observation [Identifier] in Tissue by Highman stain
10744-1 | Amyloid.microscopic observation [Identifier] in Tissue by Vassar-culling stain
10745-8 | Bile.microscopic observation [Identifier] in Tissue by Fouchet stain
10746-6 | Calcium.microscopic observation [Identifier] in Tissue by Von Kossa stain
10747-4 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Lawson-Van Gieson stain
10748-2 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Verhoeff-Van Gieson stain
10749-0 | Collagen fibers.microscopic observation [Identifier] in Tissue by Van Gieson stain
1075-1 | Jk sup(b) Ab [Presence] in Serum or Plasma
10750-8 | Connective tissue.microscopic observation [Identifier] in Tissue by Trichrome stain.Masson
10751-6 | Copper.microscopic observation [Identifier] in Tissue by Rhodamine stain
10752-4 | Fat.microscopic observation [Identifier] in Milk by Sudan IV stain
10753-2 | Fat.microscopic observation [Identifier] in Stool by Sudan IV stain
10754-0 | Fat.microscopic observation [Identifier] in Tissue by Sudan IV stain
10755-7 | Fungus.microscopic observation [Identifier] in Tissue by Methenamine silver stain.Grocott
10756-5 | Glial fibers.microscopic observation [Identifier] in Tissue by Holzer stain
10757-3 | Hematologic+Nuclear elements.microscopic observation [Identifier] in Tissue by Giemsa stain.May-Grunwald
10758-1 | Iron.microscopic observation [Identifier] in Bone by Histomorphometry stain
10759-9 | Iron.microscopic observation [Identifier] in Sputum by Gomori stain
1076-9 | Jk sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10760-7 | Iron.microscopic observation [Identifier] in Tissue by Gomori stain
10761-5 | Iron.microscopic observation [Identifier] in Tissue by Other stain
10762-3 | Microscopic observation [Identifier] in Blood by Hemosiderin stain
10763-1 | Microscopic observation [Identifier] in Body fluid by Sudan black stain
10764-9 | Microscopic observation [Identifier] in Sputum by Silver stain
10765-6 | Microscopic observation [Identifier] in Tissue by Acetate esterase stain
10766-4 | Microscopic observation [Identifier] in Tissue by Alcian blue stain
10767-2 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.sulfated
10768-0 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.with periodic acid-Schiff
10769-8 | Microscopic observation [Identifier] in Tissue by Alizarin red S stain
1077-7 | Jk sup(b) Ag [Presence] on Red Blood Cells from donor
10770-6 | Microscopic observation [Identifier] in Tissue by Argentaffin stain
10771-4 | Deprecated Microscopic observation [Identifier] in Tissue by Rhodamine-auramine fluorochrome stain
10772-2 | Microscopic observation [Identifier] in Tissue by Azure-eosin stain
10773-0 | Microscopic observation [Identifier] in Tissue by Basic fuchsin stain
10774-8 | Microscopic observation [Identifier] in Tissue by Bielschowsky stain
10775-5 | Microscopic observation [Identifier] in Tissue by Bleach stain
10776-3 | Microscopic observation [Identifier] in Tissue by Bodian stain
10777-1 | Microscopic observation [Identifier] in Tissue by Brown and Brenn stain
10778-9 | Microscopic observation [Identifier] in Tissue by Butyrate esterase stain
10779-7 | Microscopic observation [Identifier] in Tissue by Carmine stain.Best
1078-5 | Jk sup(b) Ag [Presence] on Red Blood Cells
10780-5 | Microscopic observation [Identifier] in Tissue by Chloracetate esterase stain
10781-3 | Microscopic observation [Identifier] in Tissue by Churukian-Schenk stain
10782-1 | Microscopic observation [Identifier] in Tissue by Congo red stain
10783-9 | Microscopic observation [Identifier] in Tissue by Crystal violet stain
10784-7 | Microscopic observation [Identifier] in Tissue by Esterase stain.non-specific

10785-4 | Microscopic observation [Identifier] in Tissue by Fite-Faraco stain
10786-2 | Microscopic observation [Identifier] in Tissue by Giemsa stain.3 micron
10787-0 | Microscopic observation [Identifier] in Tissue by Gridley stain
10788-8 | Microscopic observation [Identifier] in Tissue by Hansel stain
10789-6 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Harris regressive stain
1079-3 | Js sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10790-4 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Mayers progressive stain
10791-2 | Microscopic observation [Identifier] in Tissue by Mallory-Heidenhain stain
10792-0 | Microscopic observation [Identifier] in Tissue by Methenamine silver stain.Jones
10793-8 | Microscopic observation [Identifier] in Tissue by Methyl green stain
10794-6 | Microscopic observation [Identifier] in Tissue by Methyl green-pyronine Y stain
10795-3 | Microscopic observation [Identifier] in Tissue by Methyl violet stain
10796-1 | Microscopic observation [Identifier] in Tissue by Mucicarmine stain
10797-9 | Microscopic observation [Identifier] in Tissue by Neutral red stain
10798-7 | Microscopic observation [Identifier] in Tissue by Oil red O stain
10799-5 | Microscopic observation [Identifier] in Tissue by Pentachrome stain.Movat
108-1 | Cefotaxime [Susceptibility] by Minimum inhibitory concentration (MIC)
1080-1 | Js sup(a) Ab [Presence] in Serum or Plasma from donor
10800-1 | Microscopic observation [Identifier] in Tissue by Periodic acid-Schiff stain with diatase digestion
10801-9 | Microscopic observation [Identifier] in Tissue by Phosphotungstic acid Hematoxylin (PTAH) Stain
10802-7 | Microscopic observation [Identifier] in Tissue by Prussian blue stain
10803-5 | Microscopic observation [Identifier] in Tissue by Quinacrine fluorescent stain
10804-3 | Microscopic observation [Identifier] in Tissue by Reticulin stain
10805-0 | Microscopic observation [Identifier] in Tissue by Safranin stain
10806-8 | Microscopic observation [Identifier] in Tissue by Schmorl stain
10807-6 | Microscopic observation [Identifier] in Tissue by Sevier-Munger stain
10808-4 | Microscopic observation [Identifier] in Tissue by Silver impregnation stain.Dieterle
10809-2 | Microscopic observation [Identifier] in Tissue by Silver nitrate stain
1081-9 | Js sup(a) Ab [Presence] in Serum or Plasma
10810-0 | Microscopic observation [Identifier] in Tissue by Silver stain.Fontana-Masson
10811-8 | Microscopic observation [Identifier] in Tissue by Silver stain.Grimelius
10812-6 | Microscopic observation [Identifier] in Tissue by Steiner stain
10813-4 | Microscopic observation [Identifier] in Tissue by Sudan black stain
10814-2 | Microscopic observation [Identifier] in Tissue by Supravital stain
10815-9 | Microscopic observation [Identifier] in Tissue by Tetrachrome stain
10816-7 | Deprecated Microscopic observation [Identifier] in Tissue by Toluidine blue O stain
10817-5 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Gomori-Wheatley
10818-3 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Masson modified
10819-1 | Microscopic observation [Identifier] in Tissue by Wade stain
1082-7 | Js sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10820-9 | Deprecated Microscopic observation [Identifier] in Tissue by Warthin-Starry stain
10821-7 | Deprecated Microscopic observation [Identifier] in Tissue by Wright Giemsa stain
10822-5 | Mucin.microscopic observation [Identifier] in Tissue by Mucicarmine stain.Mayer
10823-3 | Mucopolysaccharides.microscopic observation [Identifier] in Tissue by Colloidal ferric oxide stain.Hale
10824-1 | Myelin+Myelin breakdown products.microscopic observation [Identifier] in Tissue by Luxol fast blue/Periodic acid-Schiff stain
10825-8 | Myelin+Nerve cells.microscopic observation [Identifier] in Tissue by Luxol fast blue/Cresyl violet stain
10826-6 | Nissel.microscopic observation [Identifier] in Tissue by Cresyl echt violet stain
10827-4 | Reticulum.microscopic observation [Identifier] in Tissue by Gomori stain
10828-2 | Urate crystals.microscopic observation [type] in Tissue by De Galantha stain
10829-0 | Silicon [Mass/volume] in Serum or Plasma
1083-5 | Js sup(a) Ag [Presence] on Red Blood Cells from donor
10830-8 | Deprecated Surgical operation note complications
10831-6 | Surgical operation note complications [Interpretation]
10832-4 | Glucose [Mass/volume] in Serum or Plasma --15 minutes post 50 g lactose PO
10833-2 | Insulin [Mass/volume] in Serum or Plasma --7 hours post 75 g glucose PO
10834-0 | Globulin [Mass/volume] in Serum by calculation
10835-7 | Lipoprotein a [Mass/volume] in Serum or Plasma
10836-5 | Niacin [Mass/volume] in Blood
10837-3 | Organic acids [Presence] in Serum or Plasma
10838-1 | Phosphoserine [Mass/volume] in Serum or Plasma
10839-9 | Troponin I.cardiac [Mass/volume] in Serum or Plasma
1084-3 | Js sup(a) Ag [Presence] on Red Blood Cells
10840-7 | Atropine [Mass/volume] in Urine
10841-5 | Methazolamide [Mass/volume] in Serum or Plasma
10842-3 | Deprecated HLA-DQ1 [Presence]
10843-1 | Deprecated HLA-DQ2 [Presence]
10844-9 | Deprecated HLA-DQ3 [Presence]
10845-6 | Deprecated HLA-DQ4 [Presence]
10846-4 | Borrelia burgdorferi DNA [Presence] in Blood by Probe with amplification
10847-2 | Borrelia burgdorferi DNA [Presence] in Body fluid by Probe with amplification
10848-0 | Chlamydia sp IgG Ab [Titer] in Serum by Immunofluorescence
10849-8 | Chlamydia sp IgM Ab [Titer] in Serum by Immunofluorescence

10085-0 | Js sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10850-6 | Cyclospora cayetanensis [Presence] in Unspecified specimen
10851-4 | Escherichia coli O157:H7 [Presence] in Stool by Organism specific culture
10852-2 | Deprecated Fungus identified in Blood by Culture
10853-0 | Isospora belli [Presence] in Unspecified specimen by Acid fast stain.Kinyoun modified
10854-8 | Deprecated Midrofilaria identified in Blood by Concentration
10855-5 | Ova and parasites identified in Duodenal fluid or Gastric fluid by Light microscopy
10856-3 | Microscopic observation [Identifier] in Genital mucus by Gram stain
10857-1 | Microsporidia identified in Unspecified specimen by Light microscopy
10858-9 | Teichoate Ab [Presence] in Serum
10859-7 | Trypanosoma sp [Identifier] in Blood by Acridine Orange + Giemsa Stain
1086-8 | Js sup(b) Ab [Presence] in Serum or Plasma from donor
10860-5 | Varicella zoster virus [Presence] in Unspecified specimen by Organism specific culture
10861-3 | Progesterone receptor [Mass/mass] in Tissue
10862-1 | Basement membrane Ab [Titer] in Serum
10863-9 | Endomysium IgA Ab [Titer] in Serum
10864-7 | Immune complex [Units/volume] in Serum or Plasma by Raji cell assay
10865-4 | Intercellular substance Ab [Presence] in Serum
10866-2 | Sulfatide IgG Ab [Titer] in Serum
10867-0 | Sulfatide IgM Ab [Titer] in Serum
10868-8 | Bacitracin [Susceptibility] by Disk diffusion (KB)
10869-6 | Xylose [Mass/volume] in Blood --3 hours post 25 g xylose PO
1087-6 | Js sup(b) Ab [Presence] in Serum or Plasma
10870-4 | Xylose [Mass/volume] in Blood --4 hours post 25 g xylose PO
10871-2 | Xylose [Mass/volume] in Blood --5 hours post 25 g xylose PO
10872-0 | Xylose [Mass/volume] in Blood --baseline
10873-8 | Beta-2-Microglobulin [Mass/time] in 24 hour Urine
10874-6 | Bombesin [Mass/volume] in Plasma
10875-3 | Carnitine esters [Mass/volume] in Urine
10876-1 | Carnitine esters [Mass/volume] in Serum or Plasma
10877-9 | Carnitine free (C0) [Mass/volume] in Urine
10878-7 | Iodine.protein bound [Mass/volume] in Serum or Plasma
10879-5 | Isovalerylglycine [Mass/volume] in Urine
1088-4 | Js sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10880-3 | Magnesium [Mass/mass] in Stool
10881-1 | Pentacarboxylporphyrins [Mass/volume] in Red Blood Cells
10882-9 | Pentacarboxylporphyrins [Mass/volume] in Serum or Plasma
10883-7 | Phenolphthalein [Mass/mass] in Stool
10884-5 | Phosphate [Mass/mass] in Stool
10885-2 | Porphyrins [Mass/time] in 24 hour Urine
10886-0 | Prostate Specific Ag Free [Mass/volume] in Serum or Plasma
10887-8 | Pyridinoline [Mass/time] in 24 hour Urine
10888-6 | Lipase [Enzymatic activity/volume] in Urine
10889-4 | Bisacodyl [Mass/mass] in Stool
1089-2 | Js sup(b) Ag [Presence] on Red Blood Cells from donor
10890-2 | Deprecated Normethsuximide [Mass/volume] in Serum or Plasma
10891-0 | Oxyphenisatin [Mass/mass] in Stool
10892-8 | Pentoxifylline [Mass/volume] in Serum or Plasma
10893-6 | Trenbolone [Mass/volume] in Urine
10894-4 | Aspergillus niger Ab [Presence] in Serum by Immune diffusion (ID)
10895-1 | Clostridium difficile toxin B [Presence] in Stool
10896-9 | Eastern equine encephalitis virus IgG Ab [Titer] in Serum by Immunofluorescence
10897-7 | Eastern equine encephalitis virus IgG Ab [Titer] in Cerebral spinal fluid by Immunofluorescence
10898-5 | Eastern equine encephalitis virus IgM Ab [Titer] in Serum by Immunofluorescence

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.437 Value Set http://hl7.org/fhir/ValueSet/item-type

URL: https://hl7.org/fhir/STU3/valueset-item-type.html

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/item-type
Name: | QuestionnaireItemType
Definition: | Distinguishes groups from questions and display text and indicates data type for questions
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.437 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for QuestionnaireItemType

* Questionnaire.item.type (Required)

4.3.1.437.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/item-type

4.3.1.437.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 16 concepts

Expansion based on http://hl7.org/fhir/item-type version 3.0.2

All codes from system http://hl7.org/fhir/item-type

Code | Display | Definition
group | Group | An item with no direct answer but should have at least one child item.
display | Display | Text for display that will not capture an answer or have child items.
question | Question | An item that defines a specific answer to be captured, and may have child items. (the answer provided in the QuestionnaireResponse should be of the defined datatype)
boolean | Boolean | Question with a yes/no answer (valueBoolean)
decimal | Decimal | Question with is a real number answer (valueDecimal)
integer | Integer | Question with an integer answer (valueInteger)
date | Date | Question with a date answer (valueDate)
dateTime | Date Time | Question with a date and time answer (valueDateTime)
time | Time | Question with a time (hour:minute:second) answer independent of date. (valueTime)
string | String | Question with a short (few words to short sentence) free-text entry answer (valueString)
text | Text | Question with a long (potentially multi-paragraph) free-text entry answer (valueString)
url | Url | Question with a URL (website, FTP site, etc.) answer (valueUri)
choice | Choice | Question with a Coding drawn from a list of options (specified in either the option property, or via the valueset referenced in the options property) as an answer (valueCoding)
open-choice | Open Choice | Answer is a Coding drawn from a list of options (as with the choice type) or a free-text entry in a string (valueCoding or valueString)
attachment | Attachment | Question with binary content such as a image, PDF, etc. as an answer (valueAttachment)
reference | Reference | Question with a reference to another resource (practitioner, organization, etc.) as an answer (valueReference)
quantity | Quantity | Question with a combination of a numeric value and unit, potentially with a comparator (<, >, etc.) as an answer. (valueQuantity) There is an extension 'http://hl7.org/fhir/StructureDefinition/questionnaire-unit' that can be used to define what unit whould be captured (or the a unit that has a ucum conversion from the provided unit)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.439 Value Set http://hl7.org/fhir/ValueSet/questionnaire-answers

URL: https://hl7.org/fhir/STU3/valueset-questionnaire-answers.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-answers

Name: | Questionnaire Answer Codes
Definition: | Example list of codes for answers to questions. (Not complete or necessarily appropriate.)
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.439 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Questionnaire.item.enableWhen.answer[x] (Example)

* Questionnaire.item.initial[x] (Example)

* QuestionnaireResponse.item.answer.value[x] (Example)

4.3.1.439.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://snomed.info/sct

4.3.1.439.2 Expansion

This expansion generated 19 Apr 2017

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.440 Value Set http://hl7.org/fhir/ValueSet/questionnaire-answers-status

URL: https://hl7.org/fhir/STU3/valueset-questionnaire-answers-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-answers-status
Name: | QuestionnaireResponseStatus
Definition: | Lifecycle status of the questionnaire response.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.440 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for QuestionnaireResponseStatus

* QuestionnaireResponse.status (Required)

4.3.1.440.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/questionnaire-answers-status

4.3.1.440.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/questionnaire-answers-status version 3.0.2

All codes from system http://hl7.org/fhir/questionnaire-answers-status

Code | Display | Definition

in-progress | In Progress | This QuestionnaireResponse has been partially filled out with answers, but changes or additions are still expected to be made to it.
completed | Completed | This QuestionnaireResponse has been filled out with answers, and the current content is regarded as definitive.
amended | Amended | This QuestionnaireResponse has been filled out with answers, then marked as complete, yet changes or additions have been made to it afterwards.
entered-in-error | Entered in Error | This QuestionnaireResponse was entered in error and voided.
stopped | Stopped | This QuestionnaireResponse has been partially filled out with answers, but has been abandoned. It is unknown whether changes or additions are expected to be made to it.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.442 Value Set http://hl7.org/fhir/ValueSet/relatedperson-relationshiptype

URL: https://hl7.org/fhir/STU3/valueset-relatedperson-relationshiptype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/relatedperson-relationshiptype
Name: | PatientRelationshipType
Definition: | A set of codes that can be used to indicate the relationship between a Patient and a Related Person.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.442 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* RelatedPerson.relationship (Preferred)

4.3.1.442.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/v2/0131

* Include codes from http://hl7.org/fhir/v3/RoleCode where concept is-a _PersonalRelationshipRoleType

4.3.1.442.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 121 concepts

Expansion based on http://hl7.org/fhir/v2/0131 version 2.8.2, http://hl7.org/fhir/v3/RoleCode version 2016-11-11

Code | System | Display | Definition
BP | http://hl7.org/fhir/v2/0131 | Billing contact person
C | http://hl7.org/fhir/v2/0131 | Emergency Contact
CP | http://hl7.org/fhir/v2/0131 | Contact person
E | http://hl7.org/fhir/v2/0131 | Employer
EP | http://hl7.org/fhir/v2/0131 | Emergency contact person
F | http://hl7.org/fhir/v2/0131 | Federal Agency
I | http://hl7.org/fhir/v2/0131 | Insurance Company
N | http://hl7.org/fhir/v2/0131 | Next-of-Kin
O | http://hl7.org/fhir/v2/0131 | Other
PR | http://hl7.org/fhir/v2/0131 | Person preparing referral
S | http://hl7.org/fhir/v2/0131 | State Agency
U | http://hl7.org/fhir/v2/0131 | Unknown
FAMMEMB | http://hl7.org/fhir/v3/RoleCode | family member | A relationship between two people characterizing their "familial" relationship
CHILD | http://hl7.org/fhir/v3/RoleCode | child | The player of the role is a child of the scoping entity.
CHLDADOPT | http://hl7.org/fhir/v3/RoleCode | adopted child | The player of the role is a child taken into a family through legal means and raised by the scoping person (parent) as his or her own child.
DAUADOPT | http://hl7.org/fhir/v3/RoleCode | adopted daughter | The player of the role is a female child taken into a family through legal means and raised by the scoping person (parent) as his or her own child.

SONADOPT | http://hl7.org/fhir/v3/RoleCode | adopted son | The player of the role is a male child taken into a family through legal means and raised by the scoping person (parent) as his or her own child.
CHLDFOST | http://hl7.org/fhir/v3/RoleCode | foster child | The player of the role is a child receiving parental care and nurture from the scoping person (parent) but not related to him or her through legal or blood ties.
DAUFOST | http://hl7.org/fhir/v3/RoleCode | foster daughter | The player of the role is a female child receiving parental care and nurture from the scoping person (parent) but not related to him or her through legal or blood ties.
SONFOST | http://hl7.org/fhir/v3/RoleCode | foster son | The player of the role is a male child receiving parental care and nurture from the scoping person (parent) but not related to him or her through legal or blood ties.
DAUC | http://hl7.org/fhir/v3/RoleCode | daughter | Description: The player of the role is a female child (of any type) of scoping entity (parent)
DAU | http://hl7.org/fhir/v3/RoleCode | natural daughter | The player of the role is a female offspring of the scoping entity (parent).
STPDAU | http://hl7.org/fhir/v3/RoleCode | stepdaughter | The player of the role is a daughter of the scoping person's spouse by a previous union.
NCHILD | http://hl7.org/fhir/v3/RoleCode | natural child | The player of the role is an offspring of the scoping entity as determined by birth.
SON | http://hl7.org/fhir/v3/RoleCode | natural son | The player of the role is a male offspring of the scoping entity (parent).
SONC | http://hl7.org/fhir/v3/RoleCode | son | Description: The player of the role is a male child (of any type) of scoping entity (parent)
STPSON | http://hl7.org/fhir/v3/RoleCode | stepson | The player of the role is a son of the scoping person's spouse by a previous union.
STPCHLD | http://hl7.org/fhir/v3/RoleCode | step child | The player of the role is a child of the scoping person's spouse by a previous union.
EXT | http://hl7.org/fhir/v3/RoleCode | extended family member | Description: A family member not having an immediate genetic or legal relationship e.g. Aunt, cousin, great grandparent, grandchild, grandparent, niece, nephew or uncle.
AUNT | http://hl7.org/fhir/v3/RoleCode | aunt | The player of the role is a sister of the scoping person's mother or father.
MAUNT | http://hl7.org/fhir/v3/RoleCode | maternal aunt | Description:The player of the role is a biological sister of the scoping person's biological mother.
PAUNT | http://hl7.org/fhir/v3/RoleCode | paternal aunt | Description:The player of the role is a biological sister of the scoping person's biological father.
COUSN | http://hl7.org/fhir/v3/RoleCode | cousin | The player of the role is a relative of the scoping person descended from a common ancestor, such as a grandparent, by two or more steps in a diverging line.
MCOUSN | http://hl7.org/fhir/v3/RoleCode | maternal cousin | Description:The player of the role is a biological relative of the scoping person descended from a common ancestor on the player's mother's side, such as a grandparent, by two or more steps in a diverging line.
PCOUSN | http://hl7.org/fhir/v3/RoleCode | paternal cousin | Description:The player of the role is a biological relative of the scoping person descended from a common ancestor on the player's father's side, such as a grandparent, by two or more steps in a diverging line.
GGRPRN | http://hl7.org/fhir/v3/RoleCode | great grandparent | The player of the role is a parent of the scoping person's grandparent.
GGRFTH | http://hl7.org/fhir/v3/RoleCode | great grandfather | The player of the role is the father of the scoping person's grandparent.
MGGRFTH | http://hl7.org/fhir/v3/RoleCode | maternal great-grandfather | Description:The player of the role is the biological father of the scoping person's biological mother's parent.
PGGRFTH | http://hl7.org/fhir/v3/RoleCode | paternal great-grandfather | Description:The player of the role is the biological father of the scoping person's biological father's parent.
GGRMTH | http://hl7.org/fhir/v3/RoleCode | great grandmother | The player of the role is the mother of the scoping person's grandparent.
MGGRMTH | http://hl7.org/fhir/v3/RoleCode | maternal great-grandmother | Description:The player of the role is the biological mother of the scoping person's biological mother's parent.
PGGRMTH | http://hl7.org/fhir/v3/RoleCode | paternal great-grandmother | Description:The player of the role is the biological mother of the scoping person's biological father's parent.
MGGRPRN | http://hl7.org/fhir/v3/RoleCode | maternal great-grandparent | Description:The player of the role is a biological parent of the scoping person's biological mother's parent.
PGGRPRN | http://hl7.org/fhir/v3/RoleCode | paternal great-grandparent | Description:The player of the role is a biological parent of the scoping person's biological father's parent.
GRNDCHILD | http://hl7.org/fhir/v3/RoleCode | grandchild | The player of the role is a child of the scoping person's son or daughter.
GRNDDAU | http://hl7.org/fhir/v3/RoleCode | granddaughter | The player of the role is a daughter of the scoping person's son or daughter.
GRNDSON | http://hl7.org/fhir/v3/RoleCode | grandson | The player of the role is a son of the scoping person's son or daughter.
GRPRN | http://hl7.org/fhir/v3/RoleCode | grandparent | The player of the role is a parent of the scoping person's mother or father.
GRFTH | http://hl7.org/fhir/v3/RoleCode | grandfather | The player of the role is the father of the scoping person's mother or father.
MGRFTH | http://hl7.org/fhir/v3/RoleCode | maternal grandfather | Description:The player of the role is the biological father of the scoping person's biological mother.
PGRFTH | http://hl7.org/fhir/v3/RoleCode | paternal grandfather | Description:The player of the role is the biological father of the scoping person's biological father.
GRMTH | http://hl7.org/fhir/v3/RoleCode | grandmother | The player of the role is the mother of the scoping person's mother or father.
MGRMTH | http://hl7.org/fhir/v3/RoleCode | maternal grandmother | Description:The player of the role is the biological mother of the scoping person's biological mother.
PGRMTH | http://hl7.org/fhir/v3/RoleCode | paternal grandmother | Description:The player of the role is the biological mother of the scoping person's biological father.
MGRPRN | http://hl7.org/fhir/v3/RoleCode | maternal grandparent | Description:The player of the role is the biological parent of the scoping person's biological mother.
PGRPRN | http://hl7.org/fhir/v3/RoleCode | paternal grandparent | Description:The player of the role is the biological parent of the scoping person's biological father.
INLAW | http://hl7.org/fhir/v3/RoleCode | inlaw | A relationship between an individual and a member of their spousal partner's immediate family.
CHLDINLAW | http://hl7.org/fhir/v3/RoleCode | child-in-law | The player of the role is the spouse of scoping person's child.
DAUINLAW | http://hl7.org/fhir/v3/RoleCode | daughter in-law | The player of the role is the wife of scoping person's son.
SONINLAW | http://hl7.org/fhir/v3/RoleCode | son in-law | The player of the role is the husband of scoping person's daughter.
PRNINLAW | http://hl7.org/fhir/v3/RoleCode | parent in-law | The player of the role is the parent of scoping person's husband or wife.
FTHINLAW | http://hl7.org/fhir/v3/RoleCode | father-in-law | The player of the role is the father of the scoping person's husband or wife.
MTHINLAW | http://hl7.org/fhir/v3/RoleCode | mother-in-law | The player of the role is the mother of the scoping person's husband or wife.
SIBINLAW | http://hl7.org/fhir/v3/RoleCode | sibling in-law | The player of the role is: (1) a sibling of the scoping person's spouse, or (2) the spouse of the scoping person's sibling, or (3) the spouse of a sibling of the scoping person's spouse.
BROINLAW | http://hl7.org/fhir/v3/RoleCode | brother-in-law | The player of the role is: (1) a brother of the scoping person's spouse, or (2) the husband of the scoping person's sister, or (3) the husband of a sister of the scoping person's spouse.
SISINLAW | http://hl7.org/fhir/v3/RoleCode | sister-in-law | The player of the role is: (1) a sister of the scoping person's spouse, or (2) the wife of the scoping person's brother, or (3) the wife of a brother of the scoping person's spouse.

NIENEPH | http://hl7.org/fhir/v3/RoleCode | niece/nephew | The player of the role is a child of scoping person's brother or sister or of the brother or sister of the scoping person's spouse.
NEPHEW | http://hl7.org/fhir/v3/RoleCode | nephew | The player of the role is a son of the scoping person's brother or sister or of the brother or sister of the scoping person's spouse.
NIECE | http://hl7.org/fhir/v3/RoleCode | niece | The player of the role is a daughter of the scoping person's brother or sister or of the brother or sister of the scoping person's spouse.
UNCLE | http://hl7.org/fhir/v3/RoleCode | uncle | The player of the role is a brother of the scoping person's mother or father.
MUNCLE | http://hl7.org/fhir/v3/RoleCode | maternal uncle | Description:The player of the role is a biological brother of the scoping person's biological mother.
PUNCLE | http://hl7.org/fhir/v3/RoleCode | paternal uncle | Description:The player of the role is a biological brother of the scoping person's biological father.
PRN | http://hl7.org/fhir/v3/RoleCode | parent | The player of the role is one who begets, gives birth to, or nurtures and raises the scoping entity (child).
ADOPTP | http://hl7.org/fhir/v3/RoleCode | adoptive parent | The player of the role (parent) has taken the scoper (child) into their family through legal means and raises them as his or her own child.
ADOPTF | http://hl7.org/fhir/v3/RoleCode | adoptive father | The player of the role (father) is a male who has taken the scoper (child) into their family through legal means and raises them as his own child.
ADOPTM | http://hl7.org/fhir/v3/RoleCode | adoptive mother | The player of the role (father) is a female who has taken the scoper (child) into their family through legal means and raises them as her own child.
FTH | http://hl7.org/fhir/v3/RoleCode | father | The player of the role is a male who begets or raises or nurtures the scoping entity (child).
FTHFOST | http://hl7.org/fhir/v3/RoleCode | foster father | The player of the role (parent) who is a male state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
NFTH | http://hl7.org/fhir/v3/RoleCode | natural father | The player of the role is a male who begets the scoping entity (child).
NFTHF | http://hl7.org/fhir/v3/RoleCode | natural father of fetus | Indicates the biologic male parent of a fetus.
STPFTH | http://hl7.org/fhir/v3/RoleCode | stepfather | The player of the role is the husband of scoping person's mother and not the scoping person's natural father.
MTH | http://hl7.org/fhir/v3/RoleCode | mother | The player of the role is a female who conceives, gives birth to, or raises and nurtures the scoping entity (child).
GESTM | http://hl7.org/fhir/v3/RoleCode | gestational mother | The player is a female whose womb carries the fetus of the scoper. Generally used when the gestational mother and natural mother are not the same.
MTHFOST | http://hl7.org/fhir/v3/RoleCode | foster mother | The player of the role (parent) who is a female state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
NMTH | http://hl7.org/fhir/v3/RoleCode | natural mother | The player of the role is a female who conceives or gives birth to the scoping entity (child).
NMTHF | http://hl7.org/fhir/v3/RoleCode | natural mother of fetus | The player is the biologic female parent of the scoping fetus.
STPMTH | http://hl7.org/fhir/v3/RoleCode | stepmother | The player of the role is the wife of scoping person's father and not the scoping person's natural mother.
NPRN | http://hl7.org/fhir/v3/RoleCode | natural parent | natural parent
PRNFOST | http://hl7.org/fhir/v3/RoleCode | foster parent | The player of the role (parent) who is a state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
STPPRN | http://hl7.org/fhir/v3/RoleCode | step parent | The player of the role is the spouse of the scoping person's parent and not the scoping person's natural parent.
SIB | http://hl7.org/fhir/v3/RoleCode | sibling | The player of the role shares one or both parents in common with the scoping entity.
BRO | http://hl7.org/fhir/v3/RoleCode | brother | The player of the role is a male sharing one or both parents in common with the scoping entity.
HBRO | http://hl7.org/fhir/v3/RoleCode | half-brother | The player of the role is a male related to the scoping entity by sharing only one biological parent.
NBRO | http://hl7.org/fhir/v3/RoleCode | natural brother | The player of the role is a male having the same biological parents as the scoping entity.
TWINBRO | http://hl7.org/fhir/v3/RoleCode | twin brother | The scoper was carried in the same womb as the male player and shares common biological parents.
FTWINBRO | http://hl7.org/fhir/v3/RoleCode | fraternal twin brother | The scoper was carried in the same womb as the male player and shares common biological parents but is the product of a distinct egg/sperm pair.
ITWINBRO | http://hl7.org/fhir/v3/RoleCode | identical twin brother | The male scoper is an offspring of the same egg-sperm pair as the male player.
STPBRO | http://hl7.org/fhir/v3/RoleCode | stepbrother | The player of the role is a son of the scoping person's stepparent.
HSIB | http://hl7.org/fhir/v3/RoleCode | half-sibling | The player of the role is related to the scoping entity by sharing only one biological parent.
HSIS | http://hl7.org/fhir/v3/RoleCode | half-sister | The player of the role is a female related to the scoping entity by sharing only one biological parent.
NSIB | http://hl7.org/fhir/v3/RoleCode | natural sibling | The player of the role has both biological parents in common with the scoping entity.
NSIS | http://hl7.org/fhir/v3/RoleCode | natural sister | The player of the role is a female having the same biological parents as the scoping entity.
TWINSIS | http://hl7.org/fhir/v3/RoleCode | twin sister | The scoper was carried in the same womb as the female player and shares common biological parents.
FTWINSIS | http://hl7.org/fhir/v3/RoleCode | fraternal twin sister | The scoper was carried in the same womb as the female player and shares common biological parents but is the product of a distinct egg/sperm pair.
ITWINSIS | http://hl7.org/fhir/v3/RoleCode | identical twin sister | The female scoper is an offspring of the same egg-sperm pair as the female player.
TWIN | http://hl7.org/fhir/v3/RoleCode | twin | The scoper and player were carried in the same womb and shared common biological parents.
FTWIN | http://hl7.org/fhir/v3/RoleCode | fraternal twin | The scoper and player were carried in the same womb and share common biological parents but are the product of distinct egg/sperm pairs.
ITWIN | http://hl7.org/fhir/v3/RoleCode | identical twin | The scoper and player are offspring of the same egg-sperm pair.
SIS | http://hl7.org/fhir/v3/RoleCode | sister | The player of the role is a female sharing one or both parents in common with the scoping entity.
STPSIS | http://hl7.org/fhir/v3/RoleCode | stepsister | The player of the role is a daughter of the scoping person's stepparent.
STPSIB | http://hl7.org/fhir/v3/RoleCode | step sibling | The player of the role is a child of the scoping person's stepparent.

SIGOTHR | http://hl7.org/fhir/v3/RoleCode | significant other | A person who is important to one's well being; especially a spouse or one in a similar relationship. (The player is the one who is important)
DOMPART | http://hl7.org/fhir/v3/RoleCode | domestic partner | The player of the role cohabits with the scoping person but is not the scoping person's spouse.
FMRSPS | http://hl7.org/fhir/v3/RoleCode | former spouse | Player of the role was previously joined to the scoping person in marriage and this marriage is now dissolved and inactive. Usage Note: This is significant to indicate as some jurisdictions have different legal requirements for former spouse to access the patient's record, from a general friend.
SPS | http://hl7.org/fhir/v3/RoleCode | spouse | The player of the role is a marriage partner of the scoping person.
HUSB | http://hl7.org/fhir/v3/RoleCode | husband | The player of the role is a man joined to a woman (scoping person) in marriage.
WIFE | http://hl7.org/fhir/v3/RoleCode | wife | The player of the role is a woman joined to a man (scoping person) in marriage.
FRND | http://hl7.org/fhir/v3/RoleCode | unrelated friend | The player of the role is a person who is known, liked, and trusted by the scoping person.
NBOR | http://hl7.org/fhir/v3/RoleCode | neighbor | The player of the role lives near or next to the scoping person.
ONESELF | http://hl7.org/fhir/v3/RoleCode | self | The relationship that a person has with his or her self.
ROOM | http://hl7.org/fhir/v3/RoleCode | Roommate | One who shares living quarters with the subject.

Additional Language Displays

Code | Deutsch (German, de) | Nederlands (Dutch, nl)
BP | Kontaktperson für Abrechnung | Facturatie contactpersoon
C | Ansprechpartner in Notfällen | Contact bij nood
CP | Kontaktperson | Contactpersoon
E | Arbeitgeber | Werkgever
EP | Kontaktperson für Notfälle | Contactpersoon bij nood
F | Bundesbehörde | Federale overheidsinstelling
I | Versicherung | Verzekeraar
N | Kontaktperson | Familielid
O | andere | Anders
PR | Person, die die Überweisung vorbereitet | Persoon die verwijzing voorbereidt
S | Landesbehörde | Staat overheidsinstelling
U | unbekannt | Onbekend
FAMMEMB
CHILD
CHLDADOPT
DAUADOPT
SONADOPT
CHLDFOST
DAUFOST
SONFOST
DAUC
DAU
STPDAU
NCHILD
SON
SONC
STPSON
STPCHLD
EXT
AUNT
MAUNT
PAUNT
COUSN
MCOUSN
PCOUSN
GGRPRN
GGRFTH
MGGRFTH
PGGRFTH
GGRMTH
MGGRMTH
PGGRMTH
MGGRPRN
PGGRPRN
GRNDCHILD
GRNDDAU
GRNDSON
GRPRN
GRFTH
MGRFTH
PGRFTH
GRMTH
MGRMTH
PGRMTH
MGRPRN
PGRPRN

INLAW
CHLDINLAW
DAUINLAW
SONINLAW
PRNINLAW
FTHINLAW
MTHINLAW
SIBINLAW
BROINLAW
SISINLAW
NIENEPH
NEPHEW
NIECE
UNCLE
MUNCLE
PUNCLE
PRN
ADOPTP
ADOPTF
ADOPTM
FTH
FTHFOST
NFTH
NFTHF
STPFTH
MTH
GESTM
MTHFOST
NMTH
NMTHF
STPMTH
NPRN
PRNFOST
STPPRN
SIB
BRO
HBRO
NBRO
TWINBRO
FTWINBRO
ITWINBRO
STPBRO
HSIB
HSIS
NSIB
NSIS
TWINSIS
FTWINSIS
ITWINSIS
TWIN
FTWIN
ITWIN
SIS
STPSIS
STPSIB
SIGOTHR
DOMPART
FMRSPS
SPS
HUSB
WIFE
FRND
NBOR
ONESELF
ROOM

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.443 Value Set http://hl7.org/fhir/ValueSet/risk-probability

URL: https://hl7.org/fhir/STU3/valueset-risk-probability.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/risk-probability
Name: | Risk Probability
Definition: | Codes representing the likelihood of a particular outcome in a risk assessment.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.443 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Risk Probability

* RiskAssessment.prediction.qualitativeRisk (Example)

4.3.1.443.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/risk-probability

4.3.1.443.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/risk-probability version 3.0.2

All codes from system http://hl7.org/fhir/risk-probability

Code | Display | Definition
negligible | Negligible likelihood | The specified outcome is exceptionally unlikely.
low | Low likelihood | The specified outcome is possible but unlikely.
moderate | Moderate likelihood | The specified outcome has a reasonable likelihood of occurrence.
high | High likelihood | The specified outcome is more likely to occur than not.
certain | Certain | The specified outcome is effectively guaranteed.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.445 Value Set http://hl7.org/fhir/ValueSet/audit-event-action

URL: https://hl7.org/fhir/STU3/valueset-audit-event-action.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-event-action
Name: | AuditEventAction
Definition: | Indicator for type of action performed during the event that generated the event
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.445 (for OID based terminology systems)

Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AuditEventAction

* AuditEvent.action (Required)

4.3.1.445.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/audit-event-action

4.3.1.445.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/audit-event-action version 3.0.2

All codes from system http://hl7.org/fhir/audit-event-action

Code | Display | Definition
C | Create | Create a new database object, such as placing an order.
R | Read/View/Print | Display or print data, such as a doctor census.
U | Update | Update data, such as revise patient information.
D | Delete | Delete items, such as a doctor master file record.
E | Execute | Perform a system or application function such as log-on, program execution or use of an object's method, or perform a query/search operation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.447 Value Set http://hl7.org/fhir/ValueSet/audit-event-outcome

URL: https://hl7.org/fhir/STU3/valueset-audit-event-outcome.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-event-outcome
Name: | AuditEventOutcome
Definition: | Indicates whether the event succeeded or failed
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.447 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AuditEventOutcome

* AuditEvent.outcome (Required)

4.3.1.447.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/audit-event-outcome

4.3.1.447.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/audit-event-outcome version 3.0.2

All codes from system http://hl7.org/fhir/audit-event-outcome

Code | Display | Definition
0 | Success | The operation completed successfully (whether with warnings or not).
4 | Minor failure | The action was not successful due to some kind of catered for error (often equivalent to an HTTP 400 response).
8 | Serious failure | The action was not successful due to some kind of unexpected error (often equivalent to an HTTP 500 response).
12 | Major failure | An error of such magnitude occurred that the system is no longer available for use (i.e. the system died).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.449 Value Set http://hl7.org/fhir/ValueSet/network-type

URL: https://hl7.org/fhir/STU3/valueset-network-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/network-type
Name: | AuditEventAgentNetworkType
Definition: | The type of network access point of this agent in the audit event
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.449 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AuditEventAgentNetworkType

* AuditEvent.agent.network.type (Required)

4.3.1.449.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/network-type

4.3.1.449.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/network-type version 3.0.2

All codes from system http://hl7.org/fhir/network-type

Code | Display | Definition
1 | Machine Name | The machine name, including DNS name.
2 | IP Address | The assigned Internet Protocol (IP) address.
3 | Telephone Number | The assigned telephone number.
4 | Email address | The assigned email address.
5 | URI | URI (User directory, HTTP-PUT, ftp, etc.).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.453 Value Set http://hl7.org/fhir/ValueSet/object-role

URL: https://hl7.org/fhir/STU3/valueset-object-role.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/object-role
Name: | AuditEventEntityRole
Definition: | Code representing the role the entity played in the audit event
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.453 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AuditEventEntityRole

* AuditEvent.entity.role (Extensible)

4.3.1.453.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/object-role

4.3.1.453.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 24 concepts

Expansion based on http://hl7.org/fhir/object-role version 3.0.2

All codes from system http://hl7.org/fhir/object-role

Code | Display | Definition
1 | Patient | This object is the patient that is the subject of care related to this event. It is identifiable by patient ID or equivalent. The patient may be either human or animal.
2 | Location | This is a location identified as related to the event. This is usually the location where the event took place. Note that for shipping, the usual events are arrival at a location or departure from a location.
3 | Report | This object is any kind of persistent document created as a result of the event. This could be a paper report, film, electronic report, DICOM Study, etc. Issues related to medical records life cycle management are conveyed elsewhere.
4 | Domain Resource | A logical object related to a health record event. This is any healthcare specific resource (object) not restricted to FHIR defined Resources.
5 | Master file | This is any configurable file used to control creation of documents. Examples include the objects maintained by the HL7 Master File transactions, Value Sets, etc.
6 | User | A human participant not otherwise identified by some other category.
7 | List | (deprecated)
8 | Doctor | Typically a licensed person who is providing or performing care related to the event, generally a physician. The key distinction between doctor and practitioner is with regards to their role, not the licensing. The doctor is the human who actually performed the work. The practitioner is the human or organization that is responsible for the work.
9 | Subscriber | A person or system that is being notified as part of the event. This is relevant in situations where automated systems provide notifications to other parties when an event took place.
10 | Guarantor | Insurance company, or any other organization who accepts responsibility for paying for the healthcare event.
11 | Security User Entity | A person or active system object involved in the event with a security role.
12 | Security User Group | A person or system object involved in the event with the authority to modify security roles of other objects.
13 | Security Resource | A passive object, such as a role table, that is relevant to the event.
14 | Security Granularity Definition | (deprecated) Relevant to certain RBAC security methodologies.
15 | Practitioner | Any person or organization responsible for providing care. This encompasses all forms of care, licensed or otherwise, and all sorts of teams and care groups. Note the distinction between practitioner and the doctor that actually provided the care to the patient.
16 | Data Destination | The source or destination for data transfer, when it does not match some other role.
17 | Data Repository | A source or destination for data transfer that acts as an archive, database, or similar role.
18 | Schedule | An object that holds schedule information. This could be an appointment book, availability information, etc.
19 | Customer | An organization or person that is the recipient of services. This could be an organization that is buying services for a patient, or a person that is buying services for an animal.
20 | Job | An order, task, work item, procedure step, or other description of work to be performed; e.g. a particular instance of an MPPS.
21 | Job Stream | A list of jobs or a system that provides lists of jobs; e.g. an MWL SCP.
22 | Table | (Deprecated)
23 | Routing Criteria | An object that specifies or controls the routing or delivery of items. For example, a distribution list is the routing criteria for mail. The items delivered may be documents, jobs, or other objects.
24 | Query | The contents of a query. This is used to capture the contents of any kind of query. For security surveillance purposes knowing the queries being made is very important.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.455 Value Set http://hl7.org/fhir/ValueSet/audit-event-type

URL: https://hl7.org/fhir/STU3/valueset-audit-event-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-event-type
Name: | Audit Event ID
Definition: | Event Types for Audit Events - defined by DICOM with some FHIR specific additions.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.455 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Audit Event ID

* AuditEvent.type (Extensible)

4.3.1.455.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://dicom.nema.org/resources/ontology/DCM

Code	Display
110100	Application Activity	Audit event: Application Activity has taken place
110101	Audit Log Used	Audit event: Audit Log has been used
110102	Begin Transferring DICOM Instances	Audit event: Storage of DICOM Instances has begun
110103	DICOM Instances Accessed	Audit event: DICOM Instances have been created, read, updated, or deleted
110104	DICOM Instances Transferred	Audit event: Storage of DICOM Instances has been completed
110105	DICOM Study Deleted	Audit event: Entire Study has been deleted
110106	Export	Audit event: Data has been exported out of the system
110107	Import	Audit event: Data has been imported into the system
110108	Network Entry	Audit event: System has joined or left network
110109	Order Record	Audit event: Order has been created, read, updated or deleted
110110	Patient Record	Audit event: Patient Record has been created, read, updated, or deleted
110111	Procedure Record	Audit event: Procedure Record has been created, read, updated, or deleted
110112	Query	Audit event: Query has been made
110113	Security Alert	Audit event: Security Alert has been raised
110114	User Authentication	Audit event: User Authentication has been attempted

* Include all codes defined in http://hl7.org/fhir/audit-event-type

4.3.1.455.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 16 concepts

Expansion based on http://hl7.org/fhir/audit-event-type version 20150326, DICOM version 01

Code	System	Display	Definition
110100	http://dicom.nema.org/resources/ontology/DCM	Application Activity	Audit event: Application Activity has taken place
110101	http://dicom.nema.org/resources/ontology/DCM	Audit Log Used	Audit event: Audit Log has been used
110102	http://dicom.nema.org/resources/ontology/DCM	Begin Transferring DICOM Instances	Audit event: Storage of DICOM Instances has begun
110103	http://dicom.nema.org/resources/ontology/DCM	DICOM Instances Accessed	Audit event: DICOM Instances have been created, read, updated, or deleted
110104	http://dicom.nema.org/resources/ontology/DCM	DICOM Instances Transferred	Audit event: Storage of DICOM Instances has been completed
110105	http://dicom.nema.org/resources/ontology/DCM	DICOM Study Deleted	Audit event: Entire Study has been deleted

110106 | http://dicom.nema.org/resources/ontology/DCM | Export | Audit event: Data has been exported out of the system
110107 | http://dicom.nema.org/resources/ontology/DCM | Import | Audit event: Data has been imported into the system
110108 | http://dicom.nema.org/resources/ontology/DCM | Network Entry | Audit event: System has joined or left network
110109 | http://dicom.nema.org/resources/ontology/DCM | Order Record | Audit event: Order has been created, read, updated or deleted
110110 | http://dicom.nema.org/resources/ontology/DCM | Patient Record | Audit event: Patient Record has been created, read, updated, or deleted
110111 | http://dicom.nema.org/resources/ontology/DCM | Procedure Record | Audit event: Procedure Record has been created, read, updated, or deleted
110112 | http://dicom.nema.org/resources/ontology/DCM | Query | Audit event: Query has been made
110113 | http://dicom.nema.org/resources/ontology/DCM | Security Alert | Audit event: Security Alert has been raised
110114 | http://dicom.nema.org/resources/ontology/DCM | User Authentication | Audit event: User Authentication has been attempted
rest | http://hl7.org/fhir/audit-event-type | RESTful Operation | Audit Event: Execution of a RESTful operation as defined by FHIR.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.457 Value Set http://hl7.org/fhir/ValueSet/audit-event-sub-type

URL: https://hl7.org/fhir/STU3/valueset-audit-event-sub-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-event-sub-type
Name: | Audit Event Sub-Type
Definition: | More detailed code concerning the type of the audit event - defined by DICOM with some FHIR specific additions.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.457 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

* AuditEvent.subtype (Extensible)

4.3.1.457.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://dicom.nema.org/resources/ontology/DCM

Code | Display
110120 | Application Start | Audit event: Application Entity has started
110121 | Application Stop | Audit event: Application Entity has stopped
110122 | Login | Audit event: User login has been attempted
110123 | Logout | Audit event: User logout has been attempted
110124 | Attach | Audit event: Node has been attached
110125 | Detach | Audit event: Node has been detached
110126 | Node Authentication | Audit event: Node Authentication has been attempted
110127 | Emergency Override Started | Audit event: Emergency Override has started
110128 | Network Configuration | Audit event: Network configuration has been changed
110129 | Security Configuration | Audit event: Security configuration has been changed
110130 | Hardware Configuration | Audit event: Hardware configuration has been changed
110131 | Software Configuration | Audit event: Software configuration has been changed
110132 | Use of Restricted Function | Audit event: A use of a restricted function has been attempted
110133 | Audit Recording Stopped | Audit event: Audit recording has been stopped
110134 | Audit Recording Started | Audit event: Audit recording has been started
110135 | Object Security Attributes Changed | Audit event: Security attributes of an object have been changed
110136 | Security Roles Changed | Audit event: Security roles have been changed
110137 | User security Attributes Changed | Audit event: Security attributes of a user have been changed
110138 | Emergency Override Stopped | Audit event: Emergency Override has Stopped
110139 | Remote Service Operation Started | Audit event: Remote Service Operation has Begun
110140 | Remote Service Operation Stopped | Audit event: Remote Service Operation has Stopped

110141 | Local Service Operation Started | Audit event: Local Service Operation has Begun
110142 | Local Service Operation Stopped | Audit event: Local Service Operation Stopped

* Include all codes defined in http://hl7.org/fhir/restful-interaction

4.3.1.457.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 40 concepts

Expansion based on DICOM version 01

Code | System | Display | Definition
110120 | http://dicom.nema.org/resources/ontology/DCM | Application Start | Audit event: Application Entity has started
110121 | http://dicom.nema.org/resources/ontology/DCM | Application Stop | Audit event: Application Entity has stopped
110122 | http://dicom.nema.org/resources/ontology/DCM | Login | Audit event: User login has been attempted
110123 | http://dicom.nema.org/resources/ontology/DCM | Logout | Audit event: User logout has been attempted
110124 | http://dicom.nema.org/resources/ontology/DCM | Attach | Audit event: Node has been attached
110125 | http://dicom.nema.org/resources/ontology/DCM | Detach | Audit event: Node has been detached
110126 | http://dicom.nema.org/resources/ontology/DCM | Node Authentication | Audit event: Node Authentication has been attempted
110127 | http://dicom.nema.org/resources/ontology/DCM | Emergency Override Started | Audit event: Emergency Override has started
110128 | http://dicom.nema.org/resources/ontology/DCM | Network Configuration | Audit event: Network configuration has been changed
110129 | http://dicom.nema.org/resources/ontology/DCM | Security Configuration | Audit event: Security configuration has been changed
110130 | http://dicom.nema.org/resources/ontology/DCM | Hardware Configuration | Audit event: Hardware configuration has been changed
110131 | http://dicom.nema.org/resources/ontology/DCM | Software Configuration | Audit event: Software configuration has been changed
110132 | http://dicom.nema.org/resources/ontology/DCM | Use of Restricted Function | Audit event: A use of a restricted function has been attempted
110133 | http://dicom.nema.org/resources/ontology/DCM | Audit Recording Stopped | Audit event: Audit recording has been stopped
110134 | http://dicom.nema.org/resources/ontology/DCM | Audit Recording Started | Audit event: Audit recording has been started
110135 | http://dicom.nema.org/resources/ontology/DCM | Object Security Attributes Changed | Audit event: Security attributes of an object have been changed
110136 | http://dicom.nema.org/resources/ontology/DCM | Security Roles Changed | Audit event: Security roles have been changed
110137 | http://dicom.nema.org/resources/ontology/DCM | User security Attributes Changed | Audit event: Security attributes of a user have been changed
110138 | http://dicom.nema.org/resources/ontology/DCM | Emergency Override Stopped | Audit event: Emergency Override has Stopped
110139 | http://dicom.nema.org/resources/ontology/DCM | Remote Service Operation Started | Audit event: Remote Service Operation has Begun
110140 | http://dicom.nema.org/resources/ontology/DCM | Remote Service Operation Stopped | Audit event: Remote Service Operation has Stopped
110141 | http://dicom.nema.org/resources/ontology/DCM | Local Service Operation Started | Audit event: Local Service Operation has Begun
110142 | http://dicom.nema.org/resources/ontology/DCM | Local Service Operation Stopped | Audit event: Local Service Operation Stopped
read | http://hl7.org/fhir/restful-interaction | read | Read the current state of the resource.
vread | http://hl7.org/fhir/restful-interaction | vread | Read the state of a specific version of the resource.
update | http://hl7.org/fhir/restful-interaction | update | Update an existing resource by its id (or create it if it is new).
patch | http://hl7.org/fhir/restful-interaction | patch | Update an existing resource by posting a set of changes to it.
delete | http://hl7.org/fhir/restful-interaction | delete | Delete a resource.
history | http://hl7.org/fhir/restful-interaction | history | Retrieve the change history for a particular resource, type of resource, or the entire system.
history-instance | http://hl7.org/fhir/restful-interaction | history-instance | Retrieve the change history for a particular resource.
history-type | http://hl7.org/fhir/restful-interaction | history-type | Retrieve the change history for all resources of a particular type.
history-system | http://hl7.org/fhir/restful-interaction | history-system | Retrieve the change history for all resources on a system.
create | http://hl7.org/fhir/restful-interaction | create | Create a new resource with a server assigned id.
search | http://hl7.org/fhir/restful-interaction | search | Search a resource type or all resources based on some filter criteria.
search-type | http://hl7.org/fhir/restful-interaction | search-type | Search all resources of the specified type based on some filter criteria.
search-system | http://hl7.org/fhir/restful-interaction | search-system | Search all resources based on some filter criteria.
capabilities | http://hl7.org/fhir/restful-interaction | capabilities | Get a Capability Statement for the system.
transaction | http://hl7.org/fhir/restful-interaction | transaction | Update, create or delete a set of resources as a single transaction.
batch | http://hl7.org/fhir/restful-interaction | batch | perform a set of a separate interactions in a single http operation
operation | http://hl7.org/fhir/restful-interaction | operation | Perform an operation as defined by an OperationDefinition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.458 Value Set http://hl7.org/fhir/ValueSet/dicm-405-mediatype

URL: https://hl7.org/fhir/STU3/valueset-dicm-405-mediatype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dicm-405-mediatype
Name: | Media Type Code
Definition: | Media Type Code
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.458 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

* AuditEvent.agent.media (Extensible)

4.3.1.458.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://dicom.nema.org/resources/ontology/DCM

Code | Display
110030 | USB Disk Emulation | A device that connects using the USB hard drive interface. These may be USB-Sticks, portable hard drives, and other technologies
110031 | Email | Email and email attachments used as a media for data transport
110032 | CD | CD-R, CD-ROM, and CD-RW media used for data transport
110033 | DVD | DVD, DVD-RAM, and other DVD formatted media used for data transport
110034 | Compact Flash | Media that comply with the Compact Flash standard
110035 | Multi-media Card | Media that comply with the Multi-media Card standard
110036 | Secure Digital Card | Media that comply with the Secure Digital Card standard
110037 | URI | URI Identifier for network or other resource, see RFC 3968
110010 | Film | Film type of output
110038 | Paper Document | Any paper or similar document

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.459 Value Set http://hl7.org/fhir/ValueSet/audit-source-type

URL: https://hl7.org/fhir/STU3/valueset-audit-source-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-source-type
Name: | Audit Event Source Type
Definition: | The type of process where the audit event originated from.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.459 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Audit Event Source Type

* AuditEvent.source.type (Extensible)

4.3.1.459.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/security-source-type

4.3.1.459.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/security-source-type version 20100826

All codes from system http://hl7.org/fhir/security-source-type

Code | Display | Definition
1 | User Device | End-user display device, diagnostic device.
2 | Data Interface | Data acquisition device or instrument.
3 | Web Server | Web Server process or thread.
4 | Application Server | Application Server process or thread.
5 | Database Server | Database Server process or thread.
6 | Security Server | Security server, e.g. a domain controller.
7 | Network Device | ISO level 1-3 network component.
8 | Network Router | ISO level 4-6 operating software.
9 | Other | other kind of device (defined by DICOM, but some other code/system can be used).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.461 Value Set http://hl7.org/fhir/ValueSet/specimen-collection-method

URL: https://hl7.org/fhir/STU3/valueset-specimen-collection-method.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/specimen-collection-method
Name: | FHIR Specimen Collection Method
Definition: | This example value set defines a set of codes that can be used to indicate the method of collection of a specimen. It includes values from HL7 v2 table 0048.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.461 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Specimen.collection.method (Example)

4.3.1.461.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
119295008 | Specimen obtained by aspiration
413651001 | Bioptics
360020006 | Extirpation - action
430823004 | Examination of midstream urine specimen
16404004 | Induced
67889009 | Irrigation
29240004 | Autopsy examination
45710003 | Sputum
7800008 | Punctate
258431006 | Scrapings
20255002 | Blushing
386147002 | Smear procedure
278450005 | Finger stick

* Include all codes defined in http://hl7.org/fhir/v2/0488

4.3.1.461.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 55 concepts

Expansion based on http://hl7.org/fhir/v2/0488 version 2.8.2

Code	System	Display	Definition
119295008	http://snomed.info/sct	Specimen obtained by aspiration	
413651001	http://snomed.info/sct	Bioptics	
360020006	http://snomed.info/sct	Extirpation - action	
430823004	http://snomed.info/sct	Examination of midstream urine specimen	
16404004	http://snomed.info/sct	Induced	
67889009	http://snomed.info/sct	Irrigation	
29240004	http://snomed.info/sct	Autopsy examination	
45710003	http://snomed.info/sct	Sputum	
7800008	http://snomed.info/sct	Punctate	
258431006	http://snomed.info/sct	Scrapings	
20255002	http://snomed.info/sct	Blushing	
386147002	http://snomed.info/sct	Smear procedure	
278450005	http://snomed.info/sct	Finger stick	
ANP	http://hl7.org/fhir/v2/0488	Plates, Anaerobic	
BAP	http://hl7.org/fhir/v2/0488	Plates, Blood Agar	
BCAE	http://hl7.org/fhir/v2/0488	Blood Culture, Aerobic Bottle	
BCAN	http://hl7.org/fhir/v2/0488	Blood Culture, Anaerobic Bottle	
BCPD	http://hl7.org/fhir/v2/0488	Blood Culture, Pediatric Bottle	
BIO	http://hl7.org/fhir/v2/0488	Biopsy	
CAP	http://hl7.org/fhir/v2/0488	Capillary Specimen	
CATH	http://hl7.org/fhir/v2/0488	Catheterized	
CVP	http://hl7.org/fhir/v2/0488	Line, CVP	
EPLA	http://hl7.org/fhir/v2/0488	Environmental, Plate	
ESWA	http://hl7.org/fhir/v2/0488	Environmental, Swab	
FNA	http://hl7.org/fhir/v2/0488	Aspiration, Fine Needle	
KOFFP	http://hl7.org/fhir/v2/0488	Plate, Cough	
LNA	http://hl7.org/fhir/v2/0488	Line, Arterial	
LNV	http://hl7.org/fhir/v2/0488	Line, Venous	
MARTL	http://hl7.org/fhir/v2/0488	Martin-Lewis Agar	
ML11	http://hl7.org/fhir/v2/0488	Mod. Martin-Lewis Agar	
MLP	http://hl7.org/fhir/v2/0488	Plate, Martin-Lewis	
NYP	http://hl7.org/fhir/v2/0488	Plate, New York City	
PACE	http://hl7.org/fhir/v2/0488	Pace, Gen-Probe	
PIN	http://hl7.org/fhir/v2/0488	Pinworm Prep	
PNA	http://hl7.org/fhir/v2/0488	Arterial puncture	
PRIME	http://hl7.org/fhir/v2/0488	Pump Prime	
PUMP	http://hl7.org/fhir/v2/0488	Pump Specimen	
QC5	http://hl7.org/fhir/v2/0488	Quality Control For Micro	
SCLP	http://hl7.org/fhir/v2/0488	Scalp, Fetal Vein	
SCRAPS	http://hl7.org/fhir/v2/0488	Scrapings	
SHA	http://hl7.org/fhir/v2/0488	Shaving	
SWA	http://hl7.org/fhir/v2/0488	Swab	
SWD	http://hl7.org/fhir/v2/0488	Swab, Dacron tipped	
TMAN	http://hl7.org/fhir/v2/0488	Transport Media, Anaerobic	
TMCH	http://hl7.org/fhir/v2/0488	Transport Media, Chalamydia	
TMM4	http://hl7.org/fhir/v2/0488	Transport Media, M4	
TMMY	http://hl7.org/fhir/v2/0488	Transport Media, Mycoplasma	
TMOT	http://hl7.org/fhir/v2/0488	Transport Media,	
TMP	http://hl7.org/fhir/v2/0488	Plate, Thayer-Martin	
TMPV	http://hl7.org/fhir/v2/0488	Transport Media, PVA	
TMSC	http://hl7.org/fhir/v2/0488	Transport Media, Stool Culture	
TMUP	http://hl7.org/fhir/v2/0488	Transport Media, Ureaplasma	
TMVI	http://hl7.org/fhir/v2/0488	Transport Media, Viral	
VENIP	http://hl7.org/fhir/v2/0488	Venipuncture	
WOOD	http://hl7.org/fhir/v2/0488	Swab, Wooden Shaft	

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.462 Value Set http://hl7.org/fhir/ValueSet/specimen-processing-procedure

URL: https://hl7.org/fhir/STU3/valueset-specimen-processing-procedure.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/specimen-processing-procedure
Name: | SpecimenProcessingProcedure
Definition: | The technique that is used to perform the process or preserve the specimen.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.462 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Specimen.processing.procedure (Example)

4.3.1.462.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/v2/0373

4.3.1.462.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/v2/0373 version 2.8.2

All codes from system http://hl7.org/fhir/v2/0373

Code | Display | Definition
ACID | Acidification
ALK | Alkalization
DEFB | Defibrination
FILT | Filtration
LDLP | LDL Precipitation
NEUT | Neutralization
RECA | Recalification
UFIL | Ultrafiltration

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.463 Value Set http://hl7.org/fhir/ValueSet/specimen-container-type

URL: https://hl7.org/fhir/STU3/valueset-specimen-container-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/specimen-container-type
Name: | SpecimenContainer
Definition: | Containers which may hold specimens or specimen containers. Include codes SNOMED CT(http://snomed.info/sct) where concept is-a 434711009 (Specimen container (physical object))
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.463 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.

Source Resource | XML / JSON

This value set is used in the following places:

* Specimen.container.type (Example)

4.3.1.463.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 434711009 (Specimen container)

4.3.1.463.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

All codes from system http://snomed.info/sct

Code	Display	Definition
434746001	Specimen vial	
434822004	Specimen well	
713791004	Breath specimen container	

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.464 Value Set http://hl7.org/fhir/ValueSet/specimen-status

URL: https://hl7.org/fhir/STU3/valueset-specimen-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/specimen-status
Name: | SpecimenStatus
Definition: | Codes providing the status/availability of a specimen.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.464 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SpecimenStatus

* Specimen.status (Required)

4.3.1.464.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/specimen-status

4.3.1.464.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/specimen-status version 3.0.2

All codes from system http://hl7.org/fhir/specimen-status

Code	Display	Definition
available	Available	The physical specimen is present and in good condition.
unavailable	Unavailable	There is no physical specimen because it is either lost, destroyed or consumed.
unsatisfactory	Unsatisfactory	The specimen cannot be used because of a quality issue such as a broken container, contamination, or too old.
entered-in-error	Entered-in-error	The specimen was entered in error and therefore nullified.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.466 Value Set http://hl7.org/fhir/ValueSet/substance-code

URL: https://hl7.org/fhir/STU3/valueset-substance-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/substance-code
Name: | Substance Code
Definition: | This value set contains concept codes for specific substances. It includes codes from [SNOMED](http://snomed.info/sct) where concept is-a 105590001 (Substance (substance)) adn where concept is-a 373873005 (Pharmaceutical / biologic product (product))
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.466 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Substance.ingredient.substance[x] (Example)

* AllergyIntolerance.reaction.substance (Example)

* Extension http://hl7.org/fhir/StructureDefinition/allergyintolerance-substanceExposureRisk: substanceExposureRisk ((Example))

4.3.1.466.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 105590001 (Substance)

* Include codes from http://snomed.info/sct where concept is-a 373873005 (Pharmaceutical / biologic product)

4.3.1.466.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
102002 | Hemoglobin Okaloosa
120006 | Ornithine racemase
125001 | Ferrous sulfate Fe^59^
126000 | Galactosyl-N-acetylglucosaminylgalactosylglucosylceramide alpha-galactosyltransferase
130002 | Hemoglobin Hopkins-II
131003 | Dolichyl-phosphate mannosyltransferase
159002 | Ferrocyanide salt
164003 | Phosphoenolpyruvate-protein phosphotransferase
178002 | Uridine diphosphate galactose
186002 | HLA-Cw9 antigen
187006 | Cyanocobalamin Co^57^
200001 | Berberine
217008 | Blood group antigen IH
231008 | 3-Hydroxyisobutyrate dehydrogenase
238002 | Heptachlor
261000 | Codeine phosphate
296000 | Coumachlor
322006 | Octylphenoxy P.H. ethanol
327000 | ^76^Arsenic
329002 | ^127^Antimony
336001 | Fibrinogen Tokyo II
340005 | Enzyme variant

363000 | Fibrinogen San Juan
370000 | beta>2S< Glycoprotein
371001 | Acylcarnitine hydrolase
377002 | Sparteine
392001 | ^151^Gadolinium
395004 | Immunoglobulin pentamer
412004 | Ribose-5-phosphate isomerase
424006 | Citramalyl-CoA lyase
425007 | Hemoglobin Nagoya
432003 | Carminic acid
438004 | 2-Hydroxyglutarate dehydrogenase
462009 | Urease (ATP-hydrolysing)
472007 | Vegetable textile fiber
476005 | Lymphocyte antigen CD1b
498001 | Nitrilase
501001 | Blood group antibody Sf^a^
505005 | Blood group antibody M'
506006 | 3-Oxosteroid delta^1^-dehydrogenase
515004 | Blood group antigen Giaigue
519005 | Free protein S
521000 | ^197^Mercury
529003 | Guanosine
538001 | 2,3-Dihydroxybenzoate 3,4-dioxygenase
566009 | Acrosin
576007 | Blood group antibody Duck
578008 | Hemoglobin Jianghua
584006 | Blood group antibody Wr^b^
585007 | Substance P
591009 | 2-Oxoisovalerate dehydrogenase (acylating)
593007 | Blood group antibody Holmes
594001 | 2-Oxoglutarate synthase
597008 | ^247^Californium
604000 | Plant sapogenin glycoside
611001 | Hippurate hydrolase
620005 | Trichlorophenol
648005 | Oil of calamus
662003 | Aeromonas proteolytica aminopeptidase
668004 | ^185^Osmium
683009 | Mercuric acetate
686001 | Plastoquinol-plastocyanin reductase
693002 | Trichothecenes
698006 | Erythromycin lactobionate
699003 | Coal tar extract
704006 | Blood group antigen Rx
732002 | N-valeraldehyde
735000 | Blood group antigen Jobbins
747006 | Oxamniquine
773001 | Hemoglobin M-Iwate
785009 | Dextranase
804003 | Creosotic acid
819002 | Lytic antibody
850000 | Stizolobate synthase
859004 | Peptide-N^4^-(N-acetyl-b-glucosaminyl) asparagine amidase
860009 | Immunoglobulin, aggregated
873008 | Urethan
876000 | Blood group antigen D
877009 | Carboxypeptidase A
889006 | (Acetyl-CoA carboxylase) kinase
896008 | Ice
905001 | o-Dihydroxycoumarin O^7^-glucosyltransferase
923009 | Complement component C2
925002 | Sodium iodipamide
963005 | Pyridoxine 4-dehydrogenase
974001 | Adenosylmethionine decarboxylase
979006 | Carbamate kinase
993004 | Palladium compound
1002007 | Mannotetraose 2-alpha-N-acetylglucosaminyltransferase
1010008 | N-Acetylneuraminate monooxygenase
1018001 | Nornicotine
1025008 | ^93^Molybdenum
1047008 | Guanine deaminase
1050006 | Melilotate 3-monooxygenase

1057009 | Phosphate salt
1065007 | E. coli periplasmic proteinase
1080001 | ^202^Thallium
1091008 | Coagulation factor inhibitor
1097007 | Blood group antigen M^A^
1105007 | Isochorismate synthase
1113008 | Pancreatic ribonuclease
1137008 | ^240^Uranium
1149009 | Hemoglobin Barcelona
1160000 | Blood group antibody Lutheran
1166006 | Titanium
1169004 | Hemoglobin Gower-2
1171004 | Fibrinogen Kawaguchi
1185009 | Hemoglobin Roseau-Pointe à Pitre
1189003 | Hemoglobin F-M-Osaka
1190007 | Mephenoxalone
1219001 | Diethyl xanthogen disulfide
1223009 | Blood group antigen Marks
1244009 | Fibrinogen Madrid I
1248007 | Leucostoma neutral proteinase
1269009 | Amikacin sulfate
1272002 | Pteridine oxidase
1273007 | Blood group antibody Evelyn
1313002 | Nitrate reductase (cytochrome)
1319003 | Blood group antibody K18
1320009 | Hemoglobin Manitoba
1325004 | Metocurine iodide
1331001 | Methamidophos
1334009 | Estradiol receptor
1336006 | 21-Hydroxyprogesterone
1341003 | Hemoglobin Ta-li
1346008 | Blue shade eosin
1355006 | Antihemophilic factor B Oxford 3 variant
1368003 | ^131^Iodine
1371006 | Blood group antigen Big
1373009 | ^93^Zirconium
1381005 | ^126^Iodine
1394007 | Iron pentacarbonyl
1396009 | Actinium
1405004 | Blood group antibody M^e^
1408002 | Blood group antibody 1123K
1416006 | Radium compound
1450002 | Methylparafynol
1466000 | Cyclomaltodextrinase
1471007 | Elastin
1472000 | Adenosine-phosphate deaminase
1476002 | Codeine sulfate
1477006 | Hemoglobin Yatsushiro
1496005 | Proto-oncogene
1506001 | Blood group antigen Ch^a^
1517000 | HLA-B21 antigen
1530004 | 6-Carboxyhexanoate-CoA ligase
1535009 | Nitrogen fluoride
1536005 | Pargyline hydrochloride
1540001 | Tellurium radioisotope
1545006 | Uridine phosphorylase
1557002 | Talc
1565004 | Blood group antibody Buckalew
1575001 | Maltose tetrapalmitate
1603001 | Cobalt isotope
1607000 | Homoserine kinase
1609002 | N-octyl isosafrole sulfoxide
1634002 | Blood group antigen Ven
1649005 | Blood group antigen Sul
1656004 | Hemoglobin Shaare Zedek
1660001 | Plant seeds
1668008 | Ceforanide
1672007 | Ligase
1673002 | Xylenol
1675009 | ^86^Rubidium
1676005 | Blood group antibody LW^ab^
1681001 | Blood group antibody BLe^b^

1696002 | 12-Hydroperoxy eicosatetraenoic acid
1701009 | ^191^Gold
1710001 | Uric acid
1726000 | Diamond
1727009 | Deoxylimonate A-ring-lactonase
1740004 | Deoxy cytidine triphosphate
1764003 | Saccharopine dehydrogenase (NADP^+^,L-glutamate-forming)
1768000 | Sucrose phosphorylase
1786002 | Leucine-tRNA ligase
1793003 | Sodium trichloroacetate
1795005 | Glyodin
1798007 | Hemoglobin Hammersmith
1799004 | L-Lysine oxidase
1823002 | Hemoglobin Tochigi
1827001 | Ribonuclease T>1<
1886008 | Verdohemoglobin
1904005 | Galactoside 3-fucosyltransferase
1914001 | von Willebrand factor inhibitor
1916004 | Boroglycerin
1940007 | Immunoglobulin, GM>21< allotype
1944003 | Coagulation factor X Patient variant
1956002 | Buclizine hydrochloride
1971003 | Loxapine hydrochloride
1975007 | Blood group antibody Niemetz
1978009 | Site-specific methyltransferase (cytosine-specific)
1985008 | Vomitus
1991005 | Lignins
2000001 | Heavy nitrogen
2006007 | Inosine diphosphate
2008008 | ^67^Gallium
2009000 | Cobalt carbonyl
2017008 | DNA topoisomerase
2027002 | Alternaria serine proteinase
2029004 | Fibrinogen Oslo II
2038002 | Blood group antibody Bg^b^
2039005 | sym-Norspermidine synthase
2050008 | Choloylglycine hydrolase
2064008 | L-Xylulokinase
2082006 | Lymphocyte antigen CD51
2085008 | Oncogene protein TCL
2088005 | Page blue G-90
2096000 | NAD^+^ ADP-ribosyltransferase
2100004 | Sulfonethylmethane
2101000 | Yeast proteinase B
2125008 | Betazole
2130007 | Cyclohexane-1,2-diol dehydrogenase
2141009 | Hydrogen
2147008 | Blood group antigen Paular
2151005 | Pyridoxamine-pyruvate aminotransferase
2154002 | Tagaturonate reductase
2159007 | Azorubin S
2163000 | Dicofol
2168009 | Bisphosphoglycerate mutase
2179004 | Malonate-semialdehyde dehydratase
2189000 | Hemoglobin F-Dammam
2194000 | ^101^Rhodium
2195004 | Tocainide hydrochloride
2197007 | Boric acid topical preparation
2201007 | Bacteriopurpurin
2208001 | Phenylserine aldolase
2212007 | Fibrinogen Bethesda II
2215009 | Azuresin
2240002 | Guanidinobutyrase
2249001 | Gentamicin sulfate
2254005 | Orotic acid
2260005 | HLA-DRw18 antigen
2262002 | Cellulose polysulfatase
2264001 | Selenium isotope
2309006 | Gold
2311002 | Prostacyclin synthase
2329007 | Blood group antibody Vel
2331003 | Carbohydrate

2338009 | Plant roots
2343002 | Guthion
2346005 | Vascormone
2354007 | 3'-Nucleotidase
2358005 | Glass fragment
2369008 | Indole-3-acetate beta-glucosyltransferase
2370009 | UDP-N-acetylmuramate-alanine ligase
2376003 | Mercury compound
2384004 | ^230^Uranium
2404002 | Blood group antibody St^a^
2405001 | b- Propiolactone
2414006 | Prolactin receptor
2430003 | Silicon radioisotope
2431004 | Blood group antibody Friedberg
2441001 | Mercury radioisotope
2444009 | HLA-Dw25 antigen
2450004 | Mannosamine
2462000 | Glucose dehydrogenase (NADP^+^)
2466002 | Chloride peroxidase
2500009 | Lymphocyte antigen CDw41b
2509005 | D-Glutamate oxidase
2516006 | Metallic sulfide compound
2522002 | Extravascular blood
2529006 | Hemoglobin Wood
2537003 | Antituberculosis agent
2568004 | Blood group antigen McAuley
2573005 | Immunoglobulin, GM>13< allotype
2575003 | Zinc alpha>2< glycoprotein
2595009 | ^119m^Tellurium
2597001 | Alpha-1 globulin
2611008 | Blood group antibody La Fave
2637006 | Indium isotope
2648004 | Bile vomitus
2649007 | Azo dye
2660003 | Sodium dehydrocholate
2671002 | 3-Methyl-2-oxobutanoate hydroxy-methyltransferase
2674005 | ^128^Cesium
2676007 | C3(H20)
2678008 | Hemoglobin New Mexico
2680002 | Anti-factor XIII
2698003 | Natural gas
2705002 | ^72^Arsenic
2706001 | Blood group antigen Vennera
2719002 | Tartrate dehydratase
2721007 | Blood group antigen McC^f^
2728001 | Antigen in Lewis (Le) blood group system
2753003 | Blood group antibody M>1<
2754009 | Hemoglobin F-Kennestone
2765004 | Blood group antigen Sc3
2778004 | Pleural fluid
2796008 | Methanthelinium
2799001 | Methylbenzethonium chloride
2823004 | Hemoglobin Bristol
2832002 | Molybdenum compound
2846002 | Hemoglobin Saitama
2869004 | Ethanoic acid
2878005 | Isonipecaine hydrochloride
2880004 | Calcium sulfate
2883002 | Exopolygalacturonate lyase
2913009 | Immunoglobulin Epsilon chain
2916001 | ^22^Neon
2925007 | Fluorometholone
2927004 | Rescinnamine
2938004 | Pyrazole
2942001 | Carbon^14^ D-xylose
2950005 | Hemoglobin L-Persian Gulf
2958003 | Zinc caprylate
2964005 | Dimethoxyamphetamine
2974008 | Trichophyton schoenleinii collagenase
2988007 | HLA-Aw antigen
2991007 | Mecamylamine hydrochloride
2995003 | Arecoline

3027009 | ^133^Barium
3031003 | Dihydroxyaluminum sodium carbonate
3040004 | Technetium Tc^99m^ disofenin
3045009 | Nitrochlorobenzene
3052006 | Ornithine-oxo-acid aminotransferase
3066001 | Triiodothyroacetic acid
3070009 | Aspartate-ammonia ligase
3087006 | Oil of male fern
3107005 | Hemoglobin Shuangfeng
3108000 | Aspergillus deoxyribonuclease K>1<
3131000 | Blood group antigen Middel
3136005 | Cefoperazone sodium
3142009 | Azacyclonol
3145006 | Penicillic acid
3150000 | Sialate O-acetylesterase
3151001 | Left upper lobe mucus
3155005 | 3-Phosphoglyceroyl-phosphate-polyphosphate phosphotransferase
3161008 | 3-Methyl histidine
3167007 | Hard coal
3187008 | Blood group antigen Nielsen
3193000 | alpha-1,4-Glucan-protein synthase (UDP-forming)
3197004 | Inosine monophosphate
3209002 | Pancuronium sodium
3212004 | Manganese sulfate
3225007 | Fibrinogen Seattle I
3232003 | o-Benzyl-parachlorophenol
3271000 | Hemoglobin Southampton
3273002 | Tyrosine-ester sulfotransferase
3300001 | Euphorbain
3318003 | Vaginal secretions
3325005 | Lipopolysaccharide
3339005 | (R)-20-Hydroxysteroid dehydrogenase
3340007 | alpha-Amylase
3342004 | Copper isotope
3346001 | Hemoglobin Brest
3378009 | Imipramine hydrochloride
3379001 | Thimerosal
3392003 | Aldehyde dehydrogenase (acceptor)
3405005 | 2-Hydroxy-3-oxoadipate synthase
3411008 | bis-(Dimethylthiocarbamyl) disulfide
3437006 | Hydroxymethylglutaryl-CoA hydrolase
3440006 | Biotin carboxylase
3455002 | Discontinued pesticide
3463001 | L-Amino-acid dehydrogenase
3465008 | DNA topoisomerase (ATP-hydrolysing)
3466009 | Dimethylamine
3492002 | Galactinol-sucrose galactosyltransferase
3493007 | Smegma clitoridis
3495000 | Cystyl-aminopeptidase
3501003 | Isoxsuprine hydrochloride
3523004 | Hemoglobin Q-India
3532002 | Laryngeal mucus
3555004 | Blood group antigen Morrison
3579002 | ^129^Cesium
3581000 | Glucose-6-phosphatase
3587001 | Malate dehydrogenase (decarboxylating)
3588006 | Complement enzyme
3592004 | Short-acting thyroid stimulator
3597005 | Acebutolol hydrochloride
3601005 | Ether
3602003 | Warm antibody
3610002 | Epoxide hydrolase
3617004 | ^79^Selenium
3648007 | Glucocorticoid receptor
3655009 | Hemoglobin Constant Springs
3672002 | Fibrinogen Caracas
3684000 | Phenylacetic acid
3689005 | Hemoglobin Mizushi
3692009 | Sodium sulfite
3693004 | Fibrinogen Dusard
3702007 | CDPglycerol glycerophosphotransferase
3710008 | Prostaglandin synthase

3718001 | Cow's milk
3726009 | Valine-tRNA ligase
3727000 | Hemoglobin F-Port Royal
3730007 | Blood group antigen Tr^a^
3737005 | Nitrate reductase (NADH)
3742002 | Extracellular crystal
3757009 | Gossypol
3771001 | Neuromelanin
3775005 | Choline dehydrogenase
3776006 | Xanthine dehydrogenase
3792001 | Arachidonic acid
3793006 | Soluble barium compound
3800009 | Acetate kinase
3807007 | Blood group antigen c
3811001 | Magnesium-protoporphyrin methyltransferase
3812008 | Beryllium isotope
3816006 | Vanadium isotope
3823007 | Prochlorperazine edisylate
3829006 | Iron
3834005 | CMP-N-acetylneuraminate-(alpha-N-acetyl-neuraminyl-2,3-beta-galactosyl-1,3)-N-acetyl-galactosaminide alpha-2,6-sialyltransferase
3836007 | Glutaminase
3844007 | Protoaphin-aglucone dehydratase (cyclizing)
3848005 | Nitrotoluene
3849002 | Carbon black
3854006 | bis-Chloro methyl ether
3874004 | Hydrocodone bitartrate
3892007 | Thymidine
3896005 | p-Hydroxybenzoate ester
3897001 | Blood group antigen 'N'
3906002 | Rectified birch tar oil
3920009 | Hemoglobin Atago
3930000 | Manufactured gas
3932008 | ^64^Copper
3941003 | Metronidazole hydrochloride
3945007 | Tin isotope
3958008 | ^245^Californium
3961009 | Blood group antigen Ritherford
3976001 | Blood group antigen HEMPAS
3982003 | Oxaloacetate decarboxylase
3983008 | N,-N-dimethyltryptamine
3990003 | Alkaline phosphatase isoenzyme, bone fraction
3994007 | Hemoglobin Tampa
4014000 | Sulfisomidine
4024008 | Soft metal
4025009 | Captodiamine
4043008 | Etidocaine hydrochloride
4047009 | cis-1,2-Dihydrobenzene-1,2-diol dehydrogenase
4048004 | 1,1,2,2-Tetrachloro-1,2- difluoroethane
4067000 | Chorismate mutase
4076007 | Parathyroid hormone
4077003 | Dihydrolipoamide succinyltransferase
4080002 | Hemoglobin Grady, Dakar
4091009 | Enteropeptidase
4097008 | Apo-SAA complex
4104007 | Chondroitin sulfate
4105008 | Adenylate cyclase
4115002 | Blood group antibody Norlander
4137009 | sec-Butyl acetate
4153007 | Long-chain-enoyl-CoA hydratase
4167003 | Lymphocyte antigen CD31
4169000 | Blood group antibody Le^bH^
4177001 | Hemoglobin Long Island-Marseille
4182008 | CDPdiacylglycerol-serine O-phosphatidyl-transferase
4188007 | Fibrinogen Sydney II
4200007 | Neriifolin
4201006 | 6-Aminohexanoate-dimer hydrolase
4203009 | Imipramine pamoate
4207005 | Cortisone beta-reductase
4217000 | Fluorosilicate salt
4218005 | Immunoglobulin, GM>23< allotype
4231000 | Gallium isotope
4239003 | Glycerol dehydrogenase

4255005 | ^241^Americium
4289006 | Keyhole-limpet hemocyanin
4290002 | Linamarin synthase
4314009 | Blood group antibody Allchurch
4334005 | Tar oil
4342006 | 2-Aminopyridine
4353000 | Dibutyl phthalate
4355007 | Coagulation factor IX San Dimas variant
4362003 | 4-Coumarate-CoA ligase
4370008 | Acetone
4393002 | Blood group antigen Fedor
4401009 | Blood group antibody H>T<
4413004 | Benzypyrinium
4422003 | Blood group antigen
4423008 | Fibrinogen New York II
4425001 | Blood group antibody Binge
4435007 | Sulfuryl fluoride
4437004 | ^127^Cesium
4471008 | ^244^Californium
4479005 | Hemoglobin Brockton
4480008 | Sulfaethidole
4509009 | Plant phenanthrene toxin
4518006 | Buthenal
4534009 | ^208^Bismuth
4540002 | ADP deaminase
4546008 | Aliphatic carboxylic acid, C14:0
4555006 | Blood group antibody Rils
4560005 | Hemoglobin Mizuho
4561009 | Arginine decarboxylase
4564001 | Blood group antibody Sisson
4567008 | Galactose-1-phosphate thymidylyltransferase
4582003 | Blood group antigen N^A^
4591004 | Blood group antigen Kam
4610008 | Senile cardiac protein
4616002 | Triclobisonium chloride
4629002 | Hypoglycin B
4635002 | Arterial blood
4643007 | Calf thymus ribonuclease H
4656000 | Alcian blue 8GX
4674009 | 2,3-Dihydroxybenzoate serine ligase
4681002 | Potassium permanganate
4693006 | Chromium^51^ albumin
4700006 | Beef insulin
4706000 | Chlorine monoxide
4714006 | ^183m^Osmium
4728000 | Scopulariopsis proteinase
4731004 | Aluminum pyro powder
4732006 | Oncogene protein P55, V-MYC
4746006 | Hemoglobin Mito
4761007 | Lymphocyte antigen CD30
4762000 | Platelet antigen HPA-3b
4777008 | Fluroxene
4780009 | Secobutobarbitone sodium
4786003 | beta-1,4-Mannosyl-glycoprotein beta-1,4-N-acetylglucosaminyltransferase
4789005 | Blood group antibody Bultar
4793004 | Azobenzene reductase
4814001 | Valethamate
4824009 | Amine oxidase (flavin-containing)
4825005 | Peptidyl-glycinamidase
4831008 | Arabinose-5-phosphate isomerase
4832001 | Technetium Tc^99m^ mebrofenin
4833006 | Glucan endo-1,3-alpha-glucosidase
4844003 | 3,3' Diiodothyronine
4864008 | Adenylic acid
4872005 | Glucosulfone
4878009 | HLA-Dw3 antigen
4882006 | Ichthyoallyeinotoxin
4889002 | Xylulokinase
4901003 | Pyruvate oxidase (CoA-acetylating)
4925006 | Oncogene protein V-ABC
4933007 | Lymphocyte antigen CD15
4940008 | Tattoo dye

4955004 | Neoplastic structural gene
4962008 | Tree bark
4963003 | Neutral amino acid
4965005 | Glutathione reductase (NAD(P)H)
4968007 | Acumentin
4986005 | Magnesium borate
5003005 | Hemoglobin Swan River
5004004 | Blood group antibody Panzar
5007006 | Papain
5024000 | Fresh water
5031001 | 3-3'Dichlorobenzidine
5040002 | Cesium
5043000 | Erythrosin Y
5045007 | Oncogene protein TCL4
5059000 | ^97^Technetium
5060005 | ^132^Cesium
5061009 | Protein-methionine-S-oxide reductase
5064001 | Blood group antibody D 1276
5081005 | Blood group antigen hr^B^
5086000 | Gelsolin
5094007 | Blood group antigen Rios
5098005 | Fennel oil
5109006 | Methylated-DNA-protein-cysteine methyltransferase
5142007 | Coagulation factor II Houston variant
5160007 | Metallic compound
5163009 | Scombrotoxin
5167005 | Zinc chloride fumes
5172001 | Coagulation factor Xa
5179005 | Connective tissue fiber
5200001 | trans-Epoxysuccinate hydrolase
5206007 | Cyanate compound
5220000 | Bacitracin
5226006 | Flavone O^7^-beta-glucosyltransferase
5250008 | Thymus-independent antigen
5252000 | Hafnium radioisotope
5253005 | Hemoglobin Woodville
5259009 | Blood group antigen Braden
5289002 | Scilliroside
5303002 | Hemoglobin Hoshida
5305009 | Polynucleotide
5307001 | Blood group antigen Hamet
5312000 | ^65^Zinc
5323001 | Uridine diphosphate glucuronic acid
5330007 | Actin-binding protein
5339008 | L-Glycol dehydrogenase
5340005 | Blood group antigen Swietlik
5392001 | Propylene glycol monomethyl ether
5395004 | Pyridoxamine-phosphate oxidase
5404007 | Lymphocyte antigen CD45RA
5405008 | ^60^Cobalt
5406009 | beta-L-Arabinosidase
5420002 | Accessory sinus mucus
5439007 | Blood group antibody Do^a^
5442001 | Page blue 83
5453007 | Iridium isotope
5471000 | Hemoglobin G-Coushatta
5474008 | Propionate-CoA ligase
5477001 | Ferric subsulfate
5483003 | Oxalate CoA-transferase
5504009 | Blood group antigen Fuerhart
5511008 | Inosinate nucleosidase
5513006 | Immunoglobulin, Alpha chain
5515004 | Rhodium fumes
5533005 | Blood group antibody Kp^a^
5537006 | Immunoglobulin, Delta chain
5540006 | Calcium
5547009 | ^233^Plutonium
5548004 | 2-Dehydro-3-deoxy-D-pentonate aldolase
5568005 | Hemoglobin Hijiyama
5573004 | Blood group antigen Oca
5589001 | Licodione O^2'^-methyltransferase
5590005 | Beryllium radioisotope

5628003 | Hemoglobin I-High Wycombe
5629006 | Cytidylic acid
5637003 | HLA-DQw6 antigen
5641004 | Valproate semisodium
5647000 | Griseofulvin ultramicrosize
5656008 | ^116m^Antimony
5657004 | Coal tar topical solution
5659001 | Hemoglobin J-Tongariki
5670008 | Gold isotope
5681006 | Ceftizoxime sodium
5691000 | Absorbable gelatin sponge
5692007 | Cyanocobalamin Co^58^
5699003 | Somatomedin C
5700002 | Blood group antibody Gomez
5702005 | ^106m^Silver
5704006 | Galactokinase
5705007 | 1,3-Propanediol dehydrogenase
5739006 | Stramonium
5746002 | ^118m^Antimony
5757007 | HLA-Cw8 antigen
5762008 | Heterogeneous nuclear RNA
5764009 | ^242^Plutonium
5767002 | Sulfamerazine
5774007 | White petrolatum
5800007 | tRNA (5-methylaminomethyl-2-thiouridylate)-methyltransferase
5813001 | Malate dehydrogenase
5826002 | Ethyl-4-bis-(hydroxypropyl)-1-aminobenzoate
5827006 | Crotonaldehyde
5829009 | Hemoglobin Vaasa
5830004 | Hemoglobin Bart
5840001 | Blood group antibody Wj
5858007 | ^110m^Indium
5863006 | Vitexin beta-glucosyltransferase
5896008 | Hellebrin
5899001 | Bacterial structural gene
5907009 | Quinidine polygalacturonate
5910002 | Oncogene protein PP60, V-SRC
5915007 | Blood group antigen Gladding
5927005 | Lactaldehyde dehydrogenase
5931004 | Technetium Tc^99m^ sulfur colloid
5932006 | Cysteine
5950004 | 3',5'-Cyclic-nucleotide phosphodiesterase
5955009 | Diethylene glycol
5977008 | Blood group antigen Bullock
5989005 | Immunoglobulin, GM>17< allotype
5991002 | D-Fuconate dehydratase
6021003 | ^88^Yttrium
6038004 | Oxygen radioisotope
6043006 | Bone cement
6044000 | Carbon disulfide
6054001 | Doxylamine succinate
6056004 | Blood group antibody Wk^a^
6068008 | Blood group antigen Mil
6083003 | Hydroxylysine
6085005 | Synovial fluid
6088007 | Benzfetamine hydrochloride
6089004 | Lochia alba
6091007 | Blood group antibody L Harris
6107003 | Asparagusate reductase (NADH)
6109000 | Aromatic-amino-acid aminotransferase
6115000 | Blood group antibody Anuszewska
6135004 | Blood group antigen Duck
6138002 | Blood group antigen Le Provost
6162007 | Meclocycline
6170002 | Heat labile antibody
6172005 | Fatty-acid methyltransferase
6178009 | Lymphocyte antigen CD63
6179001 | o-Methy-bufotenine
6182006 | Chloroacetone
6197009 | Blood group antigen Zd
6237004 | Bemegride
6249003 | Potassium metabisulfite

6256009 | Ribose isomerase
6257000 | Sodium chloride Na^22^
6260007 | Protokylol
6261006 | Indoklon
6263009 | Plant residue
6264003 | Diazinon
6287006 | Methidathion
6291001 | N-Acetylglucosamine-1-phosphodiester N-acetylglucosaminidase
6301006 | ^178^Tantalum
6310003 | Particulate antigen
6314007 | Phenol beta-glucosyltransferase
6333002 | Squill extract
6338006 | Imidazolonepropionase
6356006 | Chlorodiallylacetamide
6360009 | Kallidin II
6367007 | ^95m^Technetium
6386004 | N-Acetylneuraminate O^4^-acetyltransferase
6394006 | Phentermine hydrochloride
6401007 | Lichenase
6409009 | Morpholine
6411000 | Interleukin-12
6422001 | HLA-DRw14 antigen
6451002 | Chlorobenzilate
6455006 | Chloroprene
6469006 | delta^1^-Piperideine-2-carboxylate reductase
6478000 | 6-Phosphofructokinase
6495008 | Fibrinogen Montreal II
6507009 | Blood group antigen Much
6513000 | Flumethiazide
6516008 | Indium^111^-Fe(OH)>3<
6524003 | Distilled spirits
6529008 | Blood group antigen Cl^a^
6532006 | Macrophage activating factor
6590001 | Galactosylceramidase
6592009 | HLA-Dw12 antigen
6602005 | Aminoacridine
6611005 | Diethylaminoethanol
6612003 | Chloramphenicol sodium succinate
6619007 | Bilirubin Y transport protein
6642000 | Opsonin
6644004 | Homoserine dehydrogenase
6671004 | Blood group antigen Caw
6672006 | Phosphoadenylate 3'-nucleotidase
6699008 | Titanium radioisotope
6701008 | Lissamine fast red B
6702001 | Ethyl mercaptoethyl diethyl thiophosphate
6709005 | Gentamicin 2"-nucleotidyltransferase
6710000 | Nitric oxide
6713003 | ^91^Yttrium
6717002 | Nifuroxime
6725000 | Methylene blue
6730001 | ^234^Uranium
6741004 | Anti DNA antibody
6755007 | TL antigen
6786001 | Silver difluoride
6790004 | Aminopterin
6792007 | Veratrine
6808006 | Ferrous iron compound
6809003 | Phomopsin
6814004 | Discadenine synthase
6817006 | Oxidized glutathione
6826009 | Sterol hormone
6837005 | Dextropropoxyphene napsylate
6854002 | ^188^Platinum
6865007 | Theophylline calcium salicylate
6873003 | Cefapirin sodium
6879004 | 5,8,11-Eicosatrienoic acid
6881002 | Magnesium fumes
6884005 | (S)-3-Amino-2-methylpropionate aminotransferase
6890009 | 3-Deoxy-manno-octulosonate-8-phosphatase
6896003 | Thiopurine methyltransferase
6910009 | Sodium fluoride

6911008 | Deoxycytidylate methyltransferase
6916003 | Bowieine
6924008 | Exopolyphosphatase
6925009 | Leucine acetyltransferase
6927001 | ^121^Tin
6937006 | Thymidylate synthase
6945001 | Blood group antigen Le^bH^
6952004 | ^121m^Tin
6958000 | Blood group antibody Frando
6961004 | Lysolecithin acylmutase
6970001 | 4-Hydroxyproline epimerase
6973004 | Chromium^51^ chloride
6983000 | Acrylamide
6992002 | Triflupromazine hydrochloride
6993007 | Seminal fluid
6999006 | Ammonium compound
7008002 | beta-Carotene 15,15'-dioxygenase
7018007 | Malate-CoA ligase
7029006 | Blood group antigen Greenlee
7030001 | Globoside
7034005 | Diclofenac
7045008 | Lycorine
7047000 | Asphyxiant atmosphere
7049002 | Pyruvate carboxylase
7054006 | Hemoglobin Poissy
7056008 | 3-Propylmalate synthase
7059001 | N-Acylneuraminate-9-phosphatase
7061005 | Anthocyanidin O^3^-glucosyltransferase
7070008 | Convallamarin
7084003 | Fibrinogen Buenos Aires II
7110002 | ^69^Germanium
7120007 | Antigen
7132006 | ^73^Gallium
7139002 | Acid-CoA ligase (GDP-forming)
7146006 | Cyclohexene oxide
7152007 | Chlorthion
7156005 | Phosphorus isotope
7158006 | HLA-Dw19 antigen
7161007 | Complement component C2a
7179006 | Prekallikrein
7191002 | Methenyltetrahydrofolate cyclohydrolase
7208009 | Thiol oxidase
7211005 | Blood group antibody Haakestad
7237008 | Galactonate dehydratase
7243005 | Methyl isocyanate
7269004 | Thorium
7271004 | Mixed dust
7280004 | dTDP4-dehydrorhamnose reductase
7281000 | Technetium Tc^99m^ lidofenin
7284008 | Mercaptan compound
7294003 | tert-Butyl acetate
7302008 | Ambuphylline
7318002 | Bacteriochlorophyll
7321000 | Pyrimidine
7325009 | Calcium hydroxide
7327001 | Sulfurous acid
7328006 | Red petrolatum
7330008 | Shellac
7337006 | Blood group antibody Tr^a^
7348004 | Coagulation factor II
7382005 | Aminoalcohol ester
7401000 | Heme-hemopexin complex
7411007 | Blood group antibody HLA-B8
7427000 | Sepiapterin reductase
7434003 | Erythrosin B
7446004 | Ruthenium
7451005 | Tobramycin ophthalmic preparation
7460002 | ^127^Tellurium
7470000 | p-tert-Butyltoluene
7489000 | Homocytotropic antibody
7503004 | ^72^Gallium
7509000 | Mannitol hexanitrate

7515000 | Hepatotoxic mycotoxin
7537007 | Stizolobinate synthase
7547005 | Hemoglobin Lincoln Park
7549008 | Fibrinogen Bethesda I
7588005 | Blood group antibody Sk^a^
7608003 | Triethylene glycol
7616007 | Blood group antibody Pruitt
7648006 | HLA-Bw70 antigen
7661006 | Fish bone
7670009 | Aminobutyraldehyde dehydrogenase
7675004 | Blood group antigen Towey
7679005 | Strong oxidizing compound
7685003 | Blood group antibody Bg^c^
7696006 | Ferrovanadium dust
7716001 | Isovaleryl-CoA dehydrogenase
7737009 | Chlortetracycline hydrochloride
7738004 | HLA-B49 antigen
7761002 | ^111^Silver
7770004 | ^89^Strontium
7774008 | Neo-b-vitamin A>1<
7779003 | ^103^Ruthenium
7785005 | Sphingomyelin phosphodiesterase D
7790008 | 1-Monoacylglycerol
7791007 | Soy protein
7795003 | Oxalate oxidase
7801007 | Tetrahydroxypteridine cycloisomerase
7816005 | Antazoline hydrochloride
7834009 | Acetyl digitoxin
7846008 | Sphingomyelin phosphodiesterase
7848009 | 1-Phosphatidylinositol phosphodiesterase
7868003 | beta-Cyclopiazonate dehydrogenase
7879008 | ^218^Radon
7900007 | Hemoglobin Presbyterian
7904003 | Deanol
7909008 | Arginine carboxypeptidase
7924004 | Diflorasone
7938006 | D-Arabinitol dehydrogenase
7945006 | Orsellinate-depside hydrolase
7948008 | Reed-Sternberg antibody
7953003 | Thioneb
7957002 | Phosphatidate cytidylyltransferase
7961008 | Hemoglobin F-Shanghai
7970006 | Allograft
7974002 | Blood group antibody Dalman
7975001 | Amiphenazole
7979007 | 3'-Phosphoadenylylsulfate 3'-phosphatase
7983007 | Sodium rhodanide
7985000 | Sulfur isotope
7997004 | Butyl mercaptan
8000007 | Cucurbitacin delta^23^-reductase
8002004 | Blood group antibody Fleming
8025003 | Blood group antibody Gibson
8029009 | Allyl glycidyl ether
8030004 | Polyethylene glycol
8035009 | Cholestenol delta-isomerase
8048008 | Blood group antigen Th
8054009 | Orotate reductase (NADPH)
8055005 | Galactoside acetyltransferase
8105004 | Hemoglobin Leiden
8108002 | Undecaprenyl-diphosphatase
8123007 | Blood group antibody Schuppenhauer
8132009 | Magnesium acetylsalicylate
8143001 | Diosmin
8153000 | Homoproline
8156008 | Immunoglobulin, Fd fragment
8164002 | Lymphocyte antigen CD67
8168004 | Uracil-5-carboxylate decarboxylase
8179009 | Cevadilline
8184003 | Convallamarogenin
8190004 | Diaminopimelate epimerase
8202008 | ^43^Potassium
8203003 | Human menopausal gonadotropin

8204009 | Polyester
8222007 | Coagulation factor II Padua variant
8227001 | ^106^Ruthenium
8230008 | Streptococcal cysteine proteinase
8237006 | Strobane
8252004 | Chlorothiazide sodium
8257005 | Abnormal hemoglobin
8261004 | Potassium thiosulfate
8268005 | Blood group antibody Hildebrandt
8270001 | tRNA adenylyltransferase
8275006 | Methionine-S-oxide reductase
8295000 | Uromucoid protein
8300003 | Cyclohexanol
8310007 | Hemoglobin Madrid
8313009 | RNA-directed DNA polymerase
8340009 | Procollagen-lysine,2-oxoglutarate 5-dioxygenase
8342001 | Brilliant cresyl blue
8343006 | Blood group antibody Re^a^
8354001 | Manganese ethylene bis-dithiocarbamate
8355000 | Hafnium isotope
8362009 | Blood group antibody c
8365006 | Oil of pennyroyal-European
8368008 | Xylan 1,44-beta-xylosidase
8376005 | Duffy blood group antibody
8385005 | Glucan 1,4-alpha-glucosidase
8397006 | Nicotine resin complex
8406008 | Nitroethane oxidase
8429000 | Brilliant orange
8450009 | Oil of lemon grass
8452001 | Blood group antigen Sisson
8456003 | Methyl ethyl ketone peroxide
8460000 | Blood group antibody Vg^a^
8473001 | Homocysteine methyltransferase
8474007 | Lead oleate
8484008 | Blood group antigen Mur
8485009 | Oncogene protein P210, BCR-ABL
8486005 | HLA-DRw15 antigen
8487001 | ^48^Vanadium
8491006 | Complement inhibitor
8492004 | Allantoicase
8498000 | Short neurotoxin venom
8507001 | Cyclohexane
8514004 | Ornithine
8520003 | Hemoglobin Machida
8525008 | ^183^Osmium
8529002 | Urinary protein of low molecular weight
8534003 | ^110^Tin
8537005 | Solution
8578007 | Potassium cyanate
8591008 | Dichlorodifluoromethane
8612007 | Tumor necrosis factor
8620009 | Oncogene protein TCL6
8631001 | Potassium chloride
8653004 | Rubijervine
8660005 | Complement component C3c
8687009 | Gum arabic
8689007 | Kanamycin sulfate
8701002 | Sulfachlorpyridazine
8705006 | 4-Hydroxybenzoate decarboxylase
8731008 | Blood group antibody Austin
8740007 | C3(H20)Bb
8761000 | Adenylylsulfate kinase
8767001 | Santonin
8785008 | Chlorine dioxide
8786009 | Blood group antigen Wd^a^
8795001 | Hemoglobin F
8817004 | LH receptor site
8818009 | Blood group antibody Tri W
8822004 | Linoleic acid
8830003 | Nitrate reductase (NAD(P)H)
8836009 | Gallocyanine
8844009 | Hydroxybutyrate-dimer hydrolase

8858006 | Strontium nitrate Sr^85^
8865003 | Natural graphite
8878003 | Blood group antigen Evelyn
8882001 | 3-Hydroxybenzoate 6-monooxygenase
8886003 | Flecainide acetate
8908003 | Blood group antibody I^T^
8914005 | Endolymph
8919000 | Biotin
8926000 | Azur B
8945009 | Phosphopantothenate-cysteine ligase
8953001 | 2,3-Dihydroxyindole 2,3-dioxygenase
8963009 | N-Acetylmuramoyl-L-alanine amidase
8969008 | Bulbourethral secretions
8977007 | Blood group antibody Tarplee
8982000 | Oleate hydratase
8987006 | Cycle-phase specific agent
8991001 | Ribulokinase
9010006 | Methyl blue
9013008 | Dephospho-CoA kinase
9021002 | Carbaryl
9024005 | Glucose-6-phosphate dehydrogenase
9045003 | Radon radioisotope
9052001 | Allspice oil
9054000 | Blood group antigen HLA-B15
9103003 | Retinol fatty-acyltransferase
9110009 | Mercuric compound
9125009 | Sempervirine
9159008 | Triacetate-lactonase
9172009 | Blood group antibody Alda
9174005 | Fibrinogen Poitiers
9183000 | beta-N-Acetylgalactosaminidase
9189001 | CMP-N-acetylneuraminate-lactosylceramide alpha-2,3-sialyltransferase
9195000 | Immunoglobulin gene INV allotype
9197008 | Apiose reductase
9205004 | Hemoglobin Tarrant
9220005 | Plant phenol oil
9223007 | Borneol dehydrogenase
9234005 | Chlorobutanol
9246009 | ^118^Tellurium
9253000 | HLA-DRw16 antigen
9270008 | Catecholamine receptor
9271007 | Fibrinogen Pontoise

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.467 Value Set http://hl7.org/fhir/ValueSet/substance-status

URL: https://hl7.org/fhir/STU3/valueset-substance-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/substance-status
Name: | FHIRSubstanceStatus
Definition: | A code to indicate if the substance is actively used
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.467 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for FHIRSubstanceStatus

* Substance.status (Required)

4.3.1.467.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/substance-status

4.3.1.467.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/substance-status version 3.0.2

All codes from system http://hl7.org/fhir/substance-status

Code	Display	Definition
active	Active	The substance is considered for use or reference
inactive	Inactive	The substance is considered for reference, but not for use
entered-in-error	Entered in Error	The substance was entered in error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.469 Value Set http://hl7.org/fhir/ValueSet/substance-category

URL: https://hl7.org/fhir/STU3/valueset-substance-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/orders/index.cfm .

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/substance-category
Name:	Substance Category Codes
Definition:	Substance category codes
Committee:	Orders and Observations Work Group
OID:	2.16.840.1.113883.4.642.3.469 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Substance Category Codes

* Substance.category (Extensible)

4.3.1.469.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/substance-category

4.3.1.469.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/substance-category version 3.0.2

All codes from system http://hl7.org/fhir/substance-category

Code	Display	Definition
allergen	Allergen	A substance that causes an allergic reaction.
biological	Biological Substance	A substance that is produced by or extracted from a biological source.
body	Body Substance	A substance that comes directly from a human or an animal (e.g. blood, urine, feces, tears, etc.).
chemical	Chemical	Any organic or inorganic substance of a particular molecular identity, including -- (i) any combination of such substances occurring in whole or in part as a result of a chemical reaction or occurring in nature and (ii) any element or uncombined radical (http://www.epa.gov/opptintr/import-export/pubs/importguide.pdf).
food	Dietary Substance	A food, dietary ingredient, or dietary supplement for human or animal.

drug | Drug or Medicament | A substance intended for use in the diagnosis, cure, mitigation, treatment, or prevention of disease in man or other animals (Federal Food Drug and Cosmetic Act).
material | Material | A finished product which is not normally ingested, absorbed or injected (e.g. steel, iron, wood, plastic and paper).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.471 Value Set http://hl7.org/fhir/ValueSet/filter-operator

URL: https://hl7.org/fhir/STU3/valueset-filter-operator.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/filter-operator
Name: | FilterOperator
Definition: | The kind of operation to perform as a part of a property based filter.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.471 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for FilterOperator

* ValueSet.compose.include.filter.op (Required)

* StructureDefinition ShareableValueSet: ValueSet.compose.include.filter.op ((Required))

* CodeSystem.filter.operator (Required)

* StructureDefinition ShareableCodeSystem: CodeSystem.filter.operator ((Required))

4.3.1.471.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/filter-operator

4.3.1.471.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/filter-operator version 3.0.2

All codes from system http://hl7.org/fhir/filter-operator

Code | Display | Definition
= | Equals | The specified property of the code equals the provided value.
is-a | Is A (by subsumption) | Includes all concept ids that have a transitive is-a relationship with the concept Id provided as the value, including the provided concept itself (i.e. include child codes)
descendent-of | Descendent Of (by subsumption) | Includes all concept ids that have a transitive is-a relationship with the concept Id provided as the value, excluding the provided concept itself (i.e. include child codes)
is-not-a | Not (Is A) (by subsumption) | The specified property of the code does not have an is-a relationship with the provided value.
regex | Regular Expression | The specified property of the code matches the regex specified in the provided value.
in | In Set | The specified property of the code is in the set of codes or concepts specified in the provided value (comma separated list).
not-in | Not in Set | The specified property of the code is not in the set of codes or concepts specified in the provided value (comma separated list).
generalizes | Generalizes (by Subsumption) | Includes all concept ids that have a transitive is-a relationship from the concept Id provided as the value, including the provided concept itself (e.g. include parent codes)
exists | Exists | The specified property of the code has at least one value (if the specified value is true; if the specified value is false, then matches when the specified property of the code has no values)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.473 Value Set http://hl7.org/fhir/ValueSet/conceptmap-unmapped-mode

URL: https://hl7.org/fhir/STU3/valueset-conceptmap-unmapped-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/conceptmap-unmapped-mode
Name: | ConceptMapGroupUnmappedMode
Definition: | Defines which action to take if there is no match in the group.
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.473 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConceptMapGroupUnmappedMode

* ConceptMap.group.unmapped.mode (Required)

4.3.1.473.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/conceptmap-unmapped-mode

4.3.1.473.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/conceptmap-unmapped-mode version 3.0.2

All codes from system http://hl7.org/fhir/conceptmap-unmapped-mode

Code | Display | Definition
provided | Provided Code | Use the code as provided in the $translate request
fixed | Fixed Code | Use the code explicitly provided in the group.unmapped
other-map | Other Map | Use the map identified by the canonical URL in URL

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.475 Value Set http://hl7.org/fhir/ValueSet/slotstatus

URL: https://hl7.org/fhir/STU3/valueset-slotstatus.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/slotstatus
Name: | SlotStatus
Definition: | The free/busy status of the slot.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.475 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SlotStatus

* Slot.status (Required)

4.3.1.475.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/slotstatus

4.3.1.475.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/slotstatus version 3.0.2

All codes from system http://hl7.org/fhir/slotstatus

Code	Display	Definition
busy	Busy	Indicates that the time interval is busy because one or more events have been scheduled for that interval.
free	Free	Indicates that the time interval is free for scheduling.
busy-unavailable	Busy (Unavailable)	Indicates that the time interval is busy and that the interval can not be scheduled.
busy-tentative	Busy (Tentative)	Indicates that the time interval is busy because one or more events have been tentatively scheduled for that interval.
entered-in-error	Entered in error	This instance should not have been part of this patient's medical record.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.477 Value Set http://hl7.org/fhir/ValueSet/appointmentstatus

URL: https://hl7.org/fhir/STU3/valueset-appointmentstatus.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/appointmentstatus
Name:	AppointmentStatus
Definition:	The free/busy status of an appointment.
Committee:	Patient Administration Work Group
OID:	2.16.840.1.113883.4.642.3.477 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AppointmentStatus

* Appointment.status (Required)

4.3.1.477.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/appointmentstatus

4.3.1.477.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/appointmentstatus version 3.0.2

All codes from system http://hl7.org/fhir/appointmentstatus

Code	Display	Definition
proposed	Proposed	None of the participant(s) have finalized their acceptance of the appointment request, and the start/end time may not be set yet.
pending	Pending	Some or all of the participant(s) have not finalized their acceptance of the appointment request.

booked | Booked | All participant(s) have been considered and the appointment is confirmed to go ahead at the date/times specified.
arrived | Arrived | Some of the patients have arrived.
fulfilled | Fulfilled | This appointment has completed and may have resulted in an encounter.
cancelled | Cancelled | The appointment has been cancelled.
noshow | No Show | Some or all of the participant(s) have not/did not appear for the appointment (usually the patient).
entered-in-error | Entered in error | This instance should not have been part of this patient's medical record.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.479 Value Set http://hl7.org/fhir/ValueSet/participationstatus

URL: https://hl7.org/fhir/STU3/valueset-participationstatus.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/participationstatus
Name: | ParticipationStatus
Definition: | The Participation status of an appointment.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.479 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ParticipationStatus

* Appointment.participant.status (Required)

* AppointmentResponse.participantStatus (Required)

4.3.1.479.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/participationstatus

4.3.1.479.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/participationstatus version 3.0.2

All codes from system http://hl7.org/fhir/participationstatus

Code | Display | Definition
accepted | Accepted | The participant has accepted the appointment.
declined | Declined | The participant has declined the appointment and will not participate in the appointment.
tentative | Tentative | The participant has tentatively accepted the appointment. This could be automatically created by a system and requires further processing before it can be accepted. There is no commitment that attendance will occur.
needs-action | Needs Action | The participant needs to indicate if they accept the appointment by changing this status to one of the other statuses.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.481 Value Set http://hl7.org/fhir/ValueSet/participantrequired

URL: https://hl7.org/fhir/STU3/valueset-participantrequired.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/participantrequired
Name: | ParticipantRequired
Definition: | Is the Participant required to attend the appointment.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.481 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ParticipantRequired

* Appointment.participant.required (Required)

4.3.1.481.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/participantrequired

4.3.1.481.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/participantrequired version 3.0.2

All codes from system http://hl7.org/fhir/participantrequired

Code | Display | Definition
required | Required | The participant is required to attend the appointment.
optional | Optional | The participant may optionally attend the appointment.
information-only | Information Only | The participant is excluded from the appointment, and may not be informed of the appointment taking place. (Appointment is about them, not for them - such as 2 doctors discussing results about a patient's test).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.483 Value Set http://hl7.org/fhir/ValueSet/namingsystem-type

URL: https://hl7.org/fhir/STU3/valueset-namingsystem-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/namingsystem-type
Name: | NamingSystemType
Definition: | Identifies the purpose of the naming system.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.483 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for NamingSystemType

* NamingSystem.kind (Required)

4.3.1.483.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/namingsystem-type

4.3.1.483.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/namingsystem-type version 3.0.2

All codes from system http://hl7.org/fhir/namingsystem-type

Code | Display | Definition
codesystem | Code System | The naming system is used to define concepts and symbols to represent those concepts; e.g. UCUM, LOINC, NDC code, local lab codes, etc.
identifier | Identifier | The naming system is used to manage identifiers (e.g. license numbers, order numbers, etc.).
root | Root | The naming system is used as the root for other identifiers and naming systems.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.485 Value Set http://hl7.org/fhir/ValueSet/namingsystem-identifier-type

URL: https://hl7.org/fhir/STU3/valueset-namingsystem-identifier-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/namingsystem-identifier-type
Name: | NamingSystemIdentifierType
Definition: | Identifies the style of unique identifier used to identify a namespace.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.485 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for NamingSystemIdentifierType

* NamingSystem.uniqueId.type (Required)

4.3.1.485.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/namingsystem-identifier-type

4.3.1.485.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/namingsystem-identifier-type version 3.0.2

All codes from system http://hl7.org/fhir/namingsystem-identifier-type

Code | Display | Definition
oid | OID | An ISO object identifier; e.g. 1.2.3.4.5.
uuid | UUID | A universally unique identifier of the form a5afddf4-e880-459b-876e-e4591b0acc11.
uri | URI | A uniform resource identifier (ideally a URL - uniform resource locator); e.g. http://unitsofmeasure.org.
other | Other | Some other type of unique identifier; e.g. HL7-assigned reserved string such as LN for LOINC.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.487 Value Set http://hl7.org/fhir/ValueSet/endpoint-status

URL: https://hl7.org/fhir/STU3/valueset-endpoint-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/endpoint-status
Name: | EndpointStatus
Definition: | The status of the endpoint
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.487 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for EndpointStatus

* Endpoint.status (Required)

4.3.1.487.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/endpoint-status

4.3.1.487.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/endpoint-status version 3.0.2

All codes from system http://hl7.org/fhir/endpoint-status

Code | Display | Definition
active | Active | This endpoint is expected to be active and can be used
suspended | Suspended | This endpoint is temporarily unavailable
error | Error | This endpoint has exceeded connectivity thresholds and is considered in an error state and should no longer be attempted to connect to until corrective action is taken
off | Off | This endpoint is no longer to be used
entered-in-error | Entered in error | This instance should not have been part of this patient's medical record.
test | Test | This endpoint is not intended for production usage.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.489 Value Set http://hl7.org/fhir/ValueSet/endpoint-payload-type

URL: https://hl7.org/fhir/STU3/valueset-endpoint-payload-type.html

This value set could not be expanded by the publication tooling: Unable to provide support for code system urn:oid:1.3.6.1.4.1.19376.1.2.3

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/endpoint-payload-type
Name: | Endpoint Payload Type
Definition: | This is an example value set defined by the FHIR project, that could be used to represent possible payload document types.
Committee: | Patient Administration Work Group

OID: | 2.16.840.1.113883.4.642.3.489 (for OID based terminology systems)

Copyright: | Some content from IHE® Copyright © 2015 IHE International, Inc. This content is from the IHE Technical Frameworks and Supplements, available for free download and use at http://www.ihe.net/Technical_Frameworks/

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Endpoint Payload Type

* Endpoint.payloadType (Example)

4.3.1.489.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/endpoint-payload-type

* Include these codes as defined in

urn:oid:1.3.6.1.4.1.19376.1.2.3

Code	Display
urn:ihe:pcc:handp:2008	History and Physical Specification
urn:ihe:pcc:xphr:2007	HL7 CCD Document
urn:ihe:pcc:aps:2007	IHE Antepartum Summary
urn:ihe:pcc:xds-ms:2007	XDS Medical Summaries
urn:ihe:pcc:xphr:2007	Personal Health Records
urn:ihe:pcc:edr:2007	Emergency Department Referral (EDR)
urn:ihe:pcc:edes:2007	Emergency Department Encounter Summary (EDES)
urn:ihe:pcc:apr:handp:2008	Antepartum Record (APR) - History and Physical
urn:ihe:pcc:apr:lab:2008	Antepartum Record (APR) - Laboratory
urn:ihe:pcc:apr:edu:2008	Antepartum Record (APR) - Education
urn:ihe:pcc:irc:2008	Immunization Registry Content (IRC)
urn:ihe:pcc:crc:2008	Cancer Registry Content (CRC)
urn:ihe:pcc:cm:2008	Care Management (CM)
urn:ihe:pcc:ic:2009	Immunization Content (IC)
urn:ihe:pcc:tn:2007	PCC TN
urn:ihe:pcc:nn:2007	PCC NN
urn:ihe:pcc:ctn:2007	PCC CTN
urn:ihe:pcc:edpn:2007	PCC EDPN
urn:ihe:pcc:hp:2008	PCC HP
urn:ihe:pcc:ldhp:2009	PCC LDHP
urn:ihe:pcc:lds:2009	PCC LDS
urn:ihe:pcc:mds:2009	PCC MDS
urn:ihe:pcc:nds:2010	PCC NDS
urn:ihe:pcc:ppvs:2010	PCC PPVS
urn:ihe:pcc:trs:2011	PCC TRS
urn:ihe:pcc:ets:2011	PCC ETS
urn:ihe:pcc:its:2011	PCC ITS
urn:ihe:iti:bppc:2007	Basic Patient Privacy Consents
urn:ihe:iti:bppc-sd:2007	Basic Patient Privacy Consents with Scanned Document
urn:ihe:iti:xdw:2011:workflowDoc	XDW Workflow Document
urn:ihe:iti:dsg:detached:2014	DSG Detached Document
urn:ihe:iti:dsg:enveloping:2014	DSG Enveloping Document
urn:ihe:iti:xds-sd:pdf:2008	PDF embedded in CDA per XDS-SD profile
urn:ihe:iti:xds-sd:text:2008	Text embedded in CDA per XDS-SD profile
urn:ihe:lab:xd-lab:2008	CDA Laboratory Report
urn:ihe:rad:TEXT	Radiology XDS-I Text
urn:ihe:rad:PDF	Radiology XDS-I PDF
urn:ihe:rad:CDA:ImagingReportStructuredHeadings:2013	Radiology XDS-I Structured CDA
urn:ihe:card:imaging:2011	Cardiac Imaging Report
urn:ihe:card:CRC:2012	Cardiology CRC
urn:ihe:card:EPRC-IE:2014	Cardiology EPRC-IE
urn:ihe:dent:TEXT	Dental Text
urn:ihe:dent:PDF	Dental PDF
urn:ihe:dent:CDA:ImagingReportStructuredHeadings:2013	Dental CDA
urn:ihe:pat:apsr:all:2010	Anatomic Pathology Structured Report All
urn:ihe:pat:apsr:cancer:all:2010	Anatomic Pathology Structured Report Cancer All
urn:ihe:pat:apsr:cancer:breast:2010	Anatomic Pathology Structured Report Cancer Breast
urn:ihe:pat:apsr:cancer:colon:2010	Anatomic Pathology Structured Report Cancer Colon
urn:ihe:pat:apsr:cancer:prostate:2010	Anatomic Pathology Structured Report Cancer Prostate
urn:ihe:pat:apsr:cancer:thyroid:2010	Anatomic Pathology Structured Report Cancer Thyroid
urn:ihe:pat:apsr:cancer:lung:2010	Anatomic Pathology Structured Report Cancer Lung
urn:ihe:pat:apsr:cancer:skin:2010	Anatomic Pathology Structured Report Cancer Skin
urn:ihe:pat:apsr:cancer:kidney:2010	Anatomic Pathology Structured Report Cancer Kidney
urn:ihe:pat:apsr:cancer:cervix:2010	Anatomic Pathology Structured Report Cancer Cervix
urn:ihe:pat:apsr:cancer:endometrium:2010	Anatomic Pathology Structured Report Cancer Endometrium

urn:ihe:pat:apsr:cancer:ovary:2010 | Anatomic Pathology Structured Report Cancer Ovary
urn:ihe:pat:apsr:cancer:esophagus: 2010 | Anatomic Pathology Structured Report Cancer Esophagus
urn:ihe:pat:apsr:cancer:stomach: 2010 | Anatomic Pathology Structured Report Cancer Stomach
urn:ihe:pat:apsr:cancer:liver:2010 | Anatomic Pathology Structured Report Cancer Liver
urn:ihe:pat:apsr:cancer:pancreas: 2010 | Anatomic Pathology Structured Report Cancer Pancreas
urn:ihe:pat:apsr:cancer:testis:2010 | Anatomic Pathology Structured Report Cancer Testis
urn:ihe:pat:apsr:cancer:urinary_bladder:2010 | Anatomic Pathology Structured Report Cancer Urinary Bladder
urn:ihe:pat:apsr:cancer:lip_oral_cavity:2010 | Anatomic Pathology Structured Report Cancer Lip Oral Cavity
urn:ihe:pat:apsr:cancer:pharynx:2010 | Anatomic Pathology Structured Report Cancer Pharynx
urn:ihe:pat:apsr:cancer:salivary_gland:2010 | Anatomic Pathology Structured Report Cancer Salivary Gland
urn:ihe:pat:apsr:cancer:larynx:2010 | Anatomic Pathology Structured Report Cancer Larynx
urn:ihe:pharm:pre:2010 | Pharmacy Pre
urn:ihe:pharm:padv:2010 | Pharmacy PADV
urn:ihe:pharm:dis:2010 | Pharmacy DIS
urn:ihe:pharm:pml:2013 | Pharmacy PML
urn:hl7-org:sdwg:ccda-structuredBody:1.1 | For documents following C-CDA constraints using a structured body.
urn:hl7-org:sdwg:ccda-nonXMLBody:1.1 | For documents following C-CDA constraints using a non structured body.

4.3.1.489.2 Expansion

This expansion generated 19 Apr 2017

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.491 Value Set http://hl7.org/fhir/ValueSet/endpoint-connection-type

URL: https://hl7.org/fhir/STU3/valueset-endpoint-connection-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/endpoint-connection-type
Name: | Endpoint Connection Type
Definition: | This is an example value set defined by the FHIR project, that could be used to represent possible connection type profile values.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.491 (for OID based terminology systems)
Copyright: | Some content from IHE® Copyright © 2015 IHE International, Inc. This content is from the IHE Technical Frameworks and Supplements, available for free download and use at http://www.ihe.net/Technical_Frameworks/
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Endpoint Connection Type

* Endpoint.connectionType (Extensible)

4.3.1.491.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/endpoint-connection-type

4.3.1.491.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 14 concepts

Expansion based on http://hl7.org/fhir/endpoint-connection-type version 3.0.2

All codes from system http://hl7.org/fhir/endpoint-connection-type

Code | Display | Definition
ihe-xcpd | IHE XCPD | IHE Cross Community Patient Discovery Profile (XCPD) - http://wiki.ihe.net/index.php/Cross-Community_Patient_Discovery
ihe-xca | IHE XCA | IHE Cross Community Access Profile (XCA) - http://wiki.ihe.net/index.php/Cross-Community_Access
ihe-xdr | IHE XDR | IHE Cross-Enterprise Document Reliable Exchange (XDR) - http://wiki.ihe.net/index.php/Cross-enterprise_Document_Reliable_Interchange

ihe-xds | IHE XDS | IHE Cross-Enterprise Document Sharing (XDS) - http://wiki.ihe.net/index.php/Cross-Enterprise_Document_Sharing
ihe-iid | IHE IID | IHE Invoke Image Display (IID) - http://wiki.ihe.net/index.php/Invoke_Image_Display
dicom-wado-rs | DICOM WADO-RS | DICOMweb RESTful Image Retrieve - http://dicom.nema.org/medical/dicom/current/output/chtml/part18/sect_6.5.html
dicom-qido-rs | DICOM QIDO-RS | DICOMweb RESTful Image query - http://dicom.nema.org/medical/dicom/current/output/chtml/part18/sect_6.7.html
dicom-stow-rs | DICOM STOW-RS | DICOMweb RESTful image sending and storage - http://dicom.nema.org/medical/dicom/current/output/chtml/part18/sect_6.6.html
dicom-wado-uri | DICOM WADO-URI | DICOMweb Image Retrieve - http://dicom.nema.org/dicom/2013/output/chtml/part18/sect_6.3.html
hl7-fhir-rest | HL7 FHIR | Interact with the server interface using FHIR's RESTful interface. For details on its version/capabilities you should connect the the value in Endpoint.address and retrieve the FHIR CapabilityStatement.
hl7-fhir-msg | HL7 FHIR Messaging | Use the servers FHIR Messaging interface. Details can be found on the messaging.html page in the FHIR Specification. The FHIR server's base address is specified in the Endpoint.address property.
hl7v2-mllp | HL7 v2 MLLP | HL7v2 messages over an LLP TCP connection
secure-email | Secure email | Email delivery using a digital certificate to encrypt the content using the public key, receiver must have the private key to decrypt the content
direct-project | Direct Project | Direct Project information - http://wiki.directproject.org/

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.493 Value Set http://hl7.org/fhir/ValueSet/subscription-channel-type

URL: https://hl7.org/fhir/STU3/valueset-subscription-channel-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/subscription-channel-type
Name: | SubscriptionChannelType
Definition: | The type of method used to execute a subscription.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.493 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SubscriptionChannelType

* Subscription.channel.type (Required)

4.3.1.493.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/subscription-channel-type

4.3.1.493.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/subscription-channel-type version 3.0.2

All codes from system http://hl7.org/fhir/subscription-channel-type

Code | Display | Definition
rest-hook | Rest Hook | The channel is executed by making a post to the URI. If a payload is included, the URL is interpreted as the service base, and an update (PUT) is made.
websocket | Websocket | The channel is executed by sending a packet across a web socket connection maintained by the client. The URL identifies the websocket, and the client binds to this URL.
email | Email | The channel is executed by sending an email to the email addressed in the URI (which must be a mailto:).
sms | SMS | The channel is executed by sending an SMS message to the phone number identified in the URL (tel:).
message | Message | The channel is executed by sending a message (e.g. a Bundle with a MessageHeader resource etc.) to the application identified in the URI.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.495 Value Set http://hl7.org/fhir/ValueSet/subscription-status

URL: https://hl7.org/fhir/STU3/valueset-subscription-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/subscription-status
Name: | SubscriptionStatus
Definition: | The status of a subscription.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.495 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SubscriptionStatus

* Subscription.status (Required)

4.3.1.495.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/subscription-status

4.3.1.495.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/subscription-status version 3.0.2

All codes from system http://hl7.org/fhir/subscription-status

Code | Display | Definition
requested | Requested | The client has requested the subscription, and the server has not yet set it up.
active | Active | The subscription is active.
error | Error | The server has an error executing the notification.
off | Off | Too many errors have occurred or the subscription has expired.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.497 Value Set http://hl7.org/fhir/ValueSet/subscription-tag

URL: https://hl7.org/fhir/STU3/valueset-subscription-tag.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/subscription-tag
Name: | SubscriptionTag

Definition: | Tags to put on a resource after subscriptions have been sent.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.497 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SubscriptionTag

* Subscription.tag (Example)

4.3.1.497.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/subscription-tag

4.3.1.497.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/subscription-tag version 3.0.2

All codes from system http://hl7.org/fhir/subscription-tag

Code | Display | Definition
queued | Queued | The message has been queued for processing on a destination systems.
delivered | Delivered | The message has been delivered to its intended recipient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.499 Value Set http://hl7.org/fhir/ValueSet/operation-kind

URL: https://hl7.org/fhir/STU3/valueset-operation-kind.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 4 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/operation-kind
Name: | OperationKind
Definition: | Whether an operation is a normal operation or a query.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.499 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for OperationKind

* OperationDefinition.kind (Required)

4.3.1.499.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/operation-kind

4.3.1.499.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/operation-kind version 3.0.2

All codes from system http://hl7.org/fhir/operation-kind

Code | Display | Definition
operation | Operation | This operation is invoked as an operation.
query | Query | This operation is a named query, invoked using the search mechanism.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.501 Value Set http://hl7.org/fhir/ValueSet/operation-parameter-use

URL: https://hl7.org/fhir/STU3/valueset-operation-parameter-use.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 4 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/operation-parameter-use
Name: | OperationParameterUse
Definition: | Whether an operation parameter is an input or an output parameter.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.501 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for OperationParameterUse

* OperationDefinition.parameter.use (Required)

* ParameterDefinition.use (Required)

4.3.1.501.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/operation-parameter-use

4.3.1.501.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/operation-parameter-use version 3.0.2

All codes from system http://hl7.org/fhir/operation-parameter-use

Code | Display | Definition
in | In | This is an input parameter.
out | Out | This is an output parameter.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.503 Value Set http://hl7.org/fhir/ValueSet/referral-type

URL: https://hl7.org/fhir/STU3/valueset-referral-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/referral-type

Name: | SNOMED CT Patient Referral
Definition: | This value set includes all SNOMED CT Patient Referral.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.503 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* ReferralRequest.type (Example)

4.3.1.503.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 3457005 (Patient referral)

4.3.1.503.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 932 concepts

All codes from system http://snomed.info/sct

Code | Display | Definition
4266003 | Patient referral for drug addiction rehabilitation
17294003 | Patient referral for special education
18781004 | Patient referral for vocational rehabilitation
27217005 | Patient referral for evaluation, aging problem
28214001 | Patient referral for specialized training
31751007 | Social service referral of home patient
38670004 | Patient referral for alcoholism rehabilitation
41920009 | Patient referral for socioeconomic factors
44383000 | Patient referral for consultation
54395008 | Patient referral for medical consultation
55974000 | Patient referral for specialized institutional services
61801003 | Patient referral for psychiatric aftercare
62435005 | Patient referral for special care, aging problem
69377005 | Patient referral for rehabilitation, psychological
78429003 | Patient referral for rehabilitation, physical
81294000 | Patient referral for psychotherapy
86395003 | Patient referral for family planning
103696004 | Patient referral to specialist
103697008 | Patient referral for dental care
103698003 | Patient referral to non-physician provider
103699006 | Patient referral to dietitian
103700007 | Patient referral to massage therapist
103701006 | Patient referral to homeopath
103702004 | Patient referral to naturopath
103703009 | Patient referral to acupuncturist
103704003 | Patient referral to sex therapist
105406002 | Referral of patient to certified pastoral caregiver
105407006 | Referral of patient to parish chaplain for follow-up care
134403003 | Urgent referral
134440006 | Referral to heart failure clinic
170223003 | Child: refer for surveillance
170224009 | Referral of child to medical officer
170225005 | Referral of child to school medical officer
170229004 | Referral of child to school nurse
170230009 | Referral of child to child guidance
183444007 | Referral for further care
183515008 | Referral to physician
183516009 | Referral to general medical service
183517000 | Referral to pediatrician
183518005 | Dermatological referral
183519002 | Referral to cardiology service
183520008 | Immunological referral
183521007 | Referral to neurology service
183522000 | Referral to geriatric medicine service
183523005 | Referral to gastroenterology service
183524004 | Psychiatric referral
183528001 | Referral to psychiatrist for the elderly mentally ill
183529009 | Referral to oncologist
183530004 | Referral to diabetologist

183532007 | Referral to clinical pharmacologist
183541002 | Referral to surgeon
183542009 | Referral to general surgical service
183543004 | Ophthalmological referral
183544005 | Referral to ear, nose and throat service
183545006 | Orthopedic referral
183546007 | Neurosurgical referral
183547003 | Pediatric surgical referral
183548008 | Referral to obstetrics service
183549000 | Gynecological referral
183555005 | Burns referral
183557002 | Referral to cardiothoracic surgeon
183561008 | Referral to GP
183563006 | Refer to house officer
183564000 | Refer to hospital registrar
183565004 | Refer to child medical officer
183567007 | Referral to hematologist
183568002 | Refer to pain clinic
183569005 | Refer to terminal care consult
183583007 | Refer to mental health worker
183584001 | Referral to community psychiatric nurse
183591003 | Refer to partner
183595007 | Refer for terminal care
183597004 | Refer for colposcopy
183598009 | Refer to Radiology department
183606009 | Referral for counseling for termination of pregnancy
183608005 | Refer to acupuncture
183612004 | Refer to occupational health department
183659006 | Refer to hospital casualty
183660001 | Refer to A & E department
183661002 | Refer to hospital eye casualty
183662009 | Refer to hospital pediatrics casualty
183664005 | Refer to hospital OPD
183683003 | Refer to domiciliary physiotherapy
183684009 | Referral to Macmillan nurse
183686006 | Refer - no direct consultation
183687002 | Self-referral to hospital
183688007 | General medical self-referral
183689004 | General surgical self-referral
183690008 | Psychiatric self-referral
183691007 | Geriatric self-referral
183692000 | Pediatric self-referral
183693005 | Gynecological self-referral
183695003 | Obstetric self-referral
183696002 | Orthopedic self-referral
183697006 | ENT self-referral
183699009 | Ophthalmology self-referral
183700005 | Rheumatology self-referral
183701009 | Dermatology self-referral
183702002 | Neurology self-referral
183703007 | Urology self-referral
183704001 | Radiotherapy self-referral
183705000 | Hematology self-referral
183706004 | Plastic surgery self-referral
183819005 | Referral for hematology test
183820004 | Refer for microbiological test
183821000 | Refer for biochemical test
183822007 | Refer for radioimmune assay
183823002 | Refer for thyroid test
183824008 | Refer for cytological test
183825009 | Refer for histology
183826005 | Refer for serological testing
183827001 | Refer for immunological test
183829003 | Refer for imaging
183830008 | Refer for X-ray
183831007 | Refer for ultrasound investigation
183832000 | Refer for NMR scanning
183833005 | Refer for CAT scanning
183834004 | Refer for medical photography
183835003 | Refer for angiogram
183838001 | Refer for ECG recording
183839009 | Refer for audiometry

183840006 | Refer for nerve conduct study
183841005 | Refer for lung function test
183842003 | Refer for EEG
183843008 | Refer to urodynamic studies
183844002 | Refer for vascular studies
183851006 | Referral to clinic
183852004 | Referral to lipid clinic
183853009 | Refer to hearing aid clinic
183854003 | Referral to audiology clinic
183855002 | Referral to orthodontic clinic
183856001 | Referral to hypertension clinic
183857005 | Referral to developmental clinic
183858000 | Referral to varicose vein clinic
183859008 | Referral to mammography clinic
183860003 | Referral to antenatal clinic
183861004 | Referral to postnatal clinic
183862006 | Referral to fertility clinic
183863001 | Referral to well woman clinic
183864007 | Referral to family planning clinic
183866009 | Referral to emergency clinic
183867000 | Referred to acute chest pain clinic
183868005 | Referral to back pain clinic
183874005 | Referral for bronchoscopy
183875006 | Referral for colonoscopy
183876007 | Referral for sigmoidoscopy
183877003 | Private referral
183878008 | Private referral to general surgeon
183879000 | Private referral to ophthalmologist
183880002 | Private referral to ENT surgeon
183881003 | Private referral to orthopedic surgeon
183882005 | Private referral to neurosurgeon
183884006 | Private referral to pediatric surgeon
183885007 | Private referral to obstetrician
183886008 | Private referral to gynecologist
183887004 | Private referral to plastic surgeon
183888009 | Private referral to oral surgeon
183889001 | Private referral to urologist
183890005 | Private referral to thoracic surgeon
183891009 | Private referral to vascular surgeon
183892002 | Private referral to maxillofacial surgeon
183893007 | Private referral cardiothoracic surgeon
183894001 | Private referral to physician
183895000 | Private referral to general physician
183896004 | Private referral to pediatrician
183897008 | Private referral to dermatologist
183899006 | Private referral to cardiologist
183900001 | Private referral to immunologist
183901002 | Private referral to neurologist
183902009 | Private referral to geriatrician
183903004 | Private referral to gastroenterologist
183904005 | Private referral to psychiatrist
183905006 | Private referral to venereologist
183906007 | Private referral to rheumatologist
183907003 | Private referral to chest physician
183908008 | Private referral to psychogeriatrician
183909000 | Private referral to oncologist
183910005 | Private referral to diabetologist
183911009 | Private referral to radiotherapist
183912002 | Private referral to clinical pharmacologist
183913007 | Private referral to geneticist
183914001 | Private referral to anesthetist
183915000 | Private referral to endocrinologist
183916004 | Private referral to nephrologist
183917008 | Referral by nurse
266747000 | Referral to private doctor
266749002 | Referral to surgical fitter
266752005 | Trauma self-referral
266753000 | Referral for laboratory tests
266754006 | Referral for physiology investigation
266755007 | Referral for endoscopy
271363008 | Refer to pathology department
274410002 | Dental referral - child

275640004 | Refer to pathology laboratory
275648006 | Refer for medical physics
275821008 | Referral of child
276490004 | Refer to member of Primary Health Care Team
281097001 | Referral for investigation
281098006 | Refer to appliance officer
281099003 | Referral to nurse
281100006 | Referral to health worker
305912004 | Referral by health worker
305913009 | Referral from audiologist
305914003 | Referral by audiological physician
305915002 | Referral from community doctor in audiology
305916001 | Referral by hearing therapist
305917005 | Referral by pediatric audiologist
305918000 | Referral by counselor
305919008 | Referral by bereavement counselor
305920002 | Referral by genetic counselor
305921003 | Referral by marriage guidance counselor
305922005 | Referral by mental health counselor
305923000 | Referral from complementary therapist
305924006 | Referral by doctor
305925007 | Referral from A & E doctor
305926008 | Referral from anesthetist
305927004 | Referral from clinical oncologist
305929001 | Referral from radiotherapist
305930006 | Referral by family planning doctor
305931005 | Referral by GP
305932003 | Referral from own GP
305933008 | Referral by partner of GP
305940009 | Referral by ITU specialist
305941008 | Referral by adult ITU specialist
305942001 | Referral by pediatric ITU specialist
305943006 | Referral by pediatrician
305944000 | Referral from community pediatrician
305945004 | Referral from neonatologist
305946003 | Referral from pediatric neurologist
305947007 | Referral by pediatric oncologist
305948002 | Referral by pain management specialist
305949005 | Referral from pathologist
305950005 | Referral by blood transfusion doctor
305951009 | Referral by chemical pathologist
305952002 | Referral from general pathologist
305953007 | Referral from hematologist
305954001 | Referral from medical microbiologist
305955000 | Referral by neuropathologist
305956004 | Referral from physician
305957008 | Referral by clinical allergist
305958003 | Referral from cardiologist
305959006 | Referral by chest physician
305960001 | Referral from thoracic physician
305961002 | Referral from respiratory physician
305962009 | Referral by clinical immunologist
305963004 | Referral from clinical neurophysiologist
305964005 | Referral by clinical pharmacologist
305965006 | Referral from clinical physiologist
305966007 | Referral by dermatologist
305967003 | Referral from endocrinologist
305968008 | Referral by gastroenterologist
305970004 | Referral by general physician
305971000 | Referral from geneticist
305972007 | Referral from clinical geneticist
305973002 | Referral by clinical cytogeneticist
305974008 | Referral from clinical molecular geneticist
305975009 | Referral by genitourinary medicine physician
305976005 | Referral from care of the elderly physician
305977001 | Referral by infectious diseases physician
305978006 | Referral from nephrologist
305979003 | Referral by neurologist
305980000 | Referral from nuclear medicine physician
305981001 | Referral by palliative care physician
305983003 | Referral by rehabilitation physician
305984009 | Referral by rheumatologist

305985005 | Referral from psychiatrist
305986006 | Referral by child and adolescent psychiatrist
305987002 | Referral from forensic psychiatrist
305988007 | Referral by liaison psychiatrist
305989004 | Referral from psychiatrist for the elderly mentally ill
305990008 | Referral by psychiatrist for mental handicap
305991007 | Referral from rehabilitation psychiatrist
305992000 | Referral by public health physician
305993005 | Referral from obstetrician and gynecologist
305994004 | Referral by gynecologist
305995003 | Referral by obstetrician
305996002 | Referral from occupational health physician
305997006 | Referral by radiologist
305998001 | Referral from surgeon
305999009 | Referral by breast surgeon
306000006 | Referral from cardiothoracic surgeon
306001005 | Referral by thoracic surgeon
306002003 | Referral from cardiac surgeon
306003008 | Referral from dental surgeon
306004002 | Referral by orthodontist
306005001 | Referral by pediatric dentist
306006000 | Referral by restorative dentist
306007009 | Referral by ENT surgeon
306008004 | Referral by endocrine surgeon
306009007 | Referral from gastrointestinal surgeon
306010002 | Referral by general gastrointestinal surgeon
306011003 | Referral by upper GI surgeon
306012005 | Referral by colorectal surgeon
306013000 | Referral by general surgeon
306014006 | Referral from hand surgeon
306015007 | Referral by hepatobiliary surgeon
306016008 | Referral from neurosurgeon
306017004 | Referral by ophthalmologist
306018009 | Referral from oral surgeon
306019001 | Referral from orthopedic surgeon
306020007 | Referral by pediatric surgeon
306021006 | Referral by pancreatic surgeon
306022004 | Referral from plastic surgeon
306023009 | Referral from transplant surgeon
306024003 | Referral by trauma surgeon
306025002 | Referral from urologist
306026001 | Referral by vascular surgeon
306027005 | Referral from clinical nurse specialist
306028000 | Referral by breast care nurse
306029008 | Referral from cardiac rehabilitation nurse
306030003 | Referral by contact tracing nurse
306031004 | Referral from continence nurse
306032006 | Referral by diabetic liaison nurse
306033001 | Referral by genitourinary nurse
306034007 | Referral from Macmillan nurse
306035008 | Referral by Marie Curie nurse
306036009 | Referral by lymphedema care nurse
306037000 | Referral from nurse behavioral therapist
306038005 | Referral from nurse psychotherapist
306039002 | Referral by pain management nurse
306040000 | Referral by pediatric nurse
306041001 | Referral by psychiatric nurse
306042008 | Referral from oncology nurse
306043003 | Referral from rheumatology nurse specialist
306044009 | Referral by stoma nurse
306045005 | Referral from community-based nurse
306046006 | Referral by community psychiatric nurse
306047002 | Referral from company nurse
306048007 | Referral by district nurse
306050004 | Referral by practice nurse
306051000 | Referral from school nurse
306052007 | Referral by midwife
306053002 | Referral by community-based midwife
306054008 | Referral from hospital midwife
306055009 | Referral by psychotherapist
306056005 | Referral from professional allied to medicine
306057001 | Referral by arts therapist

306059003 | Referral from art therapist
306060008 | Referral by dance therapist
306061007 | Referral from drama therapist
306062000 | Referral by music therapist
306063005 | Referral from play therapist
306064004 | Referral by audiology technician
306065003 | Referral by podiatrist
306066002 | Referral from community-based podiatrist
306067006 | Referral by hospital-based podiatrist
306068001 | Referral from dietitian
306069009 | Referral by community-based dietitian
306070005 | Referral by hospital dietitian
306071009 | Referral by occupational therapist
306072002 | Referral from community occupational therapist
306073007 | Referral by social services department occupational therapist
306074001 | Referral by hospital-based occupational therapist
306076004 | Referral by orthoptist
306077008 | Referral from orthotist
306078003 | Referral by surgical fitter
306079006 | Referral from physiotherapist
306080009 | Referral by community-based physiotherapist
306081008 | Referral from hospital physiotherapist
306082001 | Referral by radiographer
306083006 | Referral from therapeutic radiographer
306085004 | Referral from diagnostic radiographer
306086003 | Referral by speech and language therapist
306087007 | Referral from community-based speech and language therapist
306088002 | Referral by hospital-based speech and language therapist
306089005 | Referral from pharmacist
306090001 | Referral by social worker
306091002 | Referral by SSD social worker
306092009 | Referral by social services department care manager
306093004 | Referral from teacher
306094005 | Referral by lip/speech-reading teacher
306095006 | Referral by teacher of the deaf
306096007 | Referral from teacher of the hearing impaired
306097003 | Referral by school teacher
306098008 | Referral by self
306099000 | Referral by carer
306100008 | Referral by relative
306101007 | Referral to establishment
306102000 | Referral to primary health care clinic
306103005 | Referral to department
306104004 | Referral to casualty service
306105003 | Referral to anesthetic service
306106002 | Referral to ITU service
306107006 | Referral to adult intensive care service
306108001 | Referral to pediatric intensive care service
306109009 | Referral to pain management service
306110004 | Referral to medical service
306111000 | Referral to clinical allergy service
306112007 | Referral to chest medicine service
306113002 | Referral to thoracic medicine service
306114008 | Referral to respiratory medicine service
306115009 | Referral to clinical neurophysiology service
306116005 | Referral to clinical pharmacology service
306117001 | Referral to clinical physiology service
306118006 | Referral to endocrinology service
306119003 | Referral to genetics service
306120009 | Referral to clinical genetics service
306121008 | Referral to clinical cytogenetics service
306122001 | Referral to clinical molecular genetics service
306123006 | Referral to genitourinary medicine service
306124000 | Referral to infectious diseases service
306125004 | Referral to nephrology service
306126003 | Referral to nuclear medicine service
306127007 | Referral to rheumatology service
306128002 | Referral to pediatric service
306129005 | Referral to community pediatric service
306130000 | Referral to pediatric neurology service
306131001 | Referral to pediatric oncology service
306132008 | Referral to special care baby unit

306133003 | Referral to obstetrics and gynecology service
306134009 | Referral to child and adolescent psychiatry service
306135005 | Referral to forensic psychiatry service
306136006 | Referral to liaison psychiatry service
306137002 | Referral to mental handicap psychiatry service
306138007 | Referral to psychogeriatric service
306139004 | Referral to rehabilitation psychiatry service
306140002 | Referral to clinical oncology service
306141003 | Referral to radiotherapy service
306142005 | Referral to ultrasonography service
306143000 | Referral to computerized tomography service
306144006 | Referral to magnetic resonance imaging service
306145007 | Referral to blood transfusion service
306146008 | Referral to chemical pathology service
306147004 | Referral to general pathology service
306148009 | Referral to hematology service
306149001 | Referral to medical microbiology service
306150001 | Referral to neuropathology service
306151002 | Referral to public health service
306152009 | Referral to occupational health service
306153004 | Referral to professional allied to medicine service
306154005 | Referral to arts therapy services
306156007 | Referral to dance therapy service
306157003 | Referral to drama therapy service
306158008 | Referral to music therapy service
306159000 | Referral to play therapy service
306160005 | Referral to podiatry service
306161009 | Referral to community podiatry service
306162002 | Referral to hospital-based podiatry service
306163007 | Referral to dietetics service
306164001 | Referral to community-based dietetics service
306165000 | Referral to hospital dietetics service
306166004 | Referral to occupational therapy service
306167008 | Referral to community-based occupational therapy service
306168003 | Referral to hospital occupational therapy service
306169006 | Referral to medical physics service
306170007 | Referral to physiotherapy service
306171006 | Referral to community-based physiotherapy service
306172004 | Referral to hospital physiotherapy service
306173009 | Referral to speech and language therapy service
306174003 | Referral to community-based speech and language therapy service
306175002 | Referral to hospital speech and language therapy service
306176001 | Referral to orthoptics service
306177005 | Referral to orthotics service
306178000 | Referral to surgical fitting service
306179008 | Referral to pharmacy service
306180006 | Referral to surgical service
306181005 | Referral to breast surgery service
306182003 | Referral to cardiothoracic surgery service
306184002 | Referral to thoracic surgery service
306185001 | Referral to cardiac surgery service
306186000 | Referral to dental surgery service
306187009 | Referral to orthodontics service
306188004 | Referral to pediatric dentistry service
306189007 | Referral to restorative dentistry service
306190003 | Referral to endocrine surgery service
306191004 | Referral to gastrointestinal surgery service
306192006 | Referral to general GI surgery service
306193001 | Referral to upper gastrointestinal surgery service
306194007 | Referral to colorectal surgery service
306195008 | Referral to hepatobiliary surgical service
306197000 | Referral to pancreatic surgery service
306198005 | Referral to plastic surgery service
306199002 | Referral to surgical transplant service
306200004 | Referral to trauma surgery service
306201000 | Referral to urology service
306202007 | Referral to care of the elderly day hospital
306203002 | Referral to psychiatry day hospital
306204008 | Referral to old age psychiatry day hospital
306205009 | Referral to hospice
306206005 | Referral to service
306207001 | Referral to audiological service

306208006 | Referral to diagnostic audiology service
306209003 | Referral to adult diagnostic audiology service
306210008 | Referral to pediatric diagnostic audiology service
306211007 | Referral to audiological screening service
306212000 | Referral to neonatal audiological screening
306213005 | Referral to distraction test audiological screening
306214004 | Referral to aural rehabilitation service
306215003 | Referral to cochlear implant service
306216002 | Referral to adult cochlear implant service
306217006 | Referral to pediatric cochlear implant service
306218001 | Referral to hearing aid service
306219009 | Referral to adult hearing aid service
306220003 | Referral to pediatric hearing aid service
306221004 | Referral to speech-reading training service
306222006 | Referral to tinnitus management service
306223001 | Referral to hearing therapy service
306224007 | Referral to ALD service
306225008 | Referral to counseling service
306226009 | Referral to mental health counseling service
306227000 | Referral for mental health counseling
306228005 | Referral for diagnostic investigation
306229002 | Referral for domiciliary visit
306230007 | Referral for dermatology DV
306231006 | Referral for general medical domiciliary visit
306232004 | Referral for general surgery DV
306233009 | Referral for care of the elderly domiciliary visit
306234003 | Referral for mental illness domiciliary visit
306235002 | Referral to endoscopy service
306236001 | Referral to open access service
306237005 | Referral for palliative care
306238000 | Referral to Social Services
306239008 | Referral to SSD customer services
306240005 | Referral to social services department duty team
306241009 | Referral to audiological physician
306242002 | Referral to audiological scientist
306243007 | Referral to community doctor in audiology
306244001 | Referral to medical technical officer in audiology
306245000 | Referral to hearing therapist
306246004 | Referral to registered hearing aid dispenser
306247008 | Referral to pediatric audiologist
306248003 | Referral to complementary therapist
306249006 | Referral to bereavement counselor
306250006 | Referral to genetic counselor
306251005 | Referral to marriage guidance counselor
306252003 | Referral to mental health counselor
306253008 | Referral to doctor
306254002 | Refer to casualty officer
306255001 | Referral to anesthetist
306256000 | Refer to radiotherapist
306257009 | Referral to family planning doctor
306258004 | Referral to ITU specialist
306259007 | Referral to adult intensive care specialist
306260002 | Referral to pediatric intensive care specialist
306261003 | Referral to community pediatrician
306262005 | Referral to neonatologist
306263000 | Referral to pediatric neurologist
306264006 | Referral to pediatric oncologist
306265007 | Referral to pain management specialist
306266008 | Referral to pathologist
306267004 | Referral to blood transfusion doctor
306268009 | Referral to chemical pathologist
306269001 | Referral to general pathologist
306270000 | Referral to medical microbiologist
306271001 | Referral to neuropathologist
306272008 | Referral to clinical allergist
306273003 | Referral to chest physician
306274009 | Referral to thoracic physician
306275005 | Referral to respiratory physician
306276006 | Referral to clinical neurophysiologist
306277002 | Referral to clinical physiologist
306278007 | Referral to endocrinologist
306279004 | Referral to clinical geneticist

306280001 | Referral to clinical cytogeneticist
306281002 | Referral to clinical molecular geneticist
306282009 | Referral to sexually transmittable diseases physician
306284005 | Referral to infectious diseases physician
306285006 | Referral to medical ophthalmologist
306286007 | Referral to nephrologist
306287003 | Referral to nuclear medicine physician
306288008 | Referral to palliative care physician
306289000 | Referral to rehabilitation physician
306290009 | Referral to rheumatologist
306291008 | Referral to child and adolescent psychiatrist
306292001 | Referral to forensic psychiatrist
306293006 | Referral to liaison psychiatrist
306294000 | Referral to psychiatrist for mental handicap
306295004 | Referral to rehabilitation psychiatrist
306296003 | Referral to public health physician
306297007 | Referral to obstetrician and gynecologist
306298002 | Referral to occupational health physician
306299005 | Referral to radiologist
306300002 | Referral to breast surgeon
306301003 | Referral to thoracic surgeon
306302005 | Referral to cardiac surgeon
306303000 | Referral to dental surgeon
306304006 | Referral to orthodontist
306305007 | Referral to pediatric dentist
306306008 | Referral to restorative dentist
306307004 | Referral to endocrine surgeon
306308009 | Referral to GI surgeon
306309001 | Referral to general gastrointestinal surgeon
306310006 | Referral to upper GI surgeon
306311005 | Referral to colorectal surgeon
306312003 | Referral to hand surgeon
306313008 | Referral to hepatobiliary surgeon
306314002 | Referral to pancreatic surgeon
306315001 | Referral to plastic surgeon
306316000 | Referral to transplant surgeon
306317009 | Referral to trauma surgeon
306318004 | Referral to urologist
306319007 | Referral to agency nurse
306320001 | Referral to clinical nurse specialist
306321002 | Referral to breast care nurse
306322009 | Referral to cardiac rehabilitation nurse
306323004 | Referral to contact tracing nurse
306324005 | Referral to continence nurse
306325006 | Referral to genitourinary nurse
306326007 | Referral to Marie Curie nurse
306327003 | Referral to lymphedema care nurse
306328008 | Referral to nurse behavioral therapist
306329000 | Referral to nurse psychotherapist
306330005 | Referral to pain management nurse
306331009 | Referral to pediatric nurse
306332002 | Referral to psychiatric nurse
306333007 | Referral to oncology nurse
306334001 | Referral to rheumatology nurse specialist
306335000 | Referral to community nurse
306336004 | Referral to company nurse
306337008 | Referral to liaison nurse
306338003 | Referral to nurse practitioner
306339006 | Referral to outreach nurse
306340008 | Referral to research nurse
306341007 | Referral to community midwife
306342000 | Referral to hospital-based midwife
306343005 | Referral to psychotherapist
306344004 | Referral to professional allied to medicine
306345003 | Referral to arts therapist
306347006 | Referral to dance therapist
306348001 | Referral to drama therapist
306349009 | Referral to music therapist
306350009 | Referral to play therapist
306351008 | Referral to community-based podiatrist
306352001 | Referral to hospital-based podiatrist
306353006 | Referral to community dietitian

306354000 | Referral to hospital-based dietitian
306355004 | Referral to community occupational therapist
306356003 | Referral to social services department occupational therapist
306357007 | Referral to hospital occupational therapist
306358002 | Referral to community-based physiotherapist
306359005 | Referral to hospital physiotherapist
306360000 | Referral to community-based speech and language therapist
306361001 | Referral to hospital speech and language therapist
306362008 | Referral to pharmacist
306363003 | Referral to radiographer
306364009 | Referral to therapeutic radiographer
306365005 | Referral to diagnostic radiographer
306366006 | Referral to social services department social worker
306367002 | Referral to SSD care manager
306368007 | Referral to teacher
306369004 | Referral to lip/speech-reading teacher
306370003 | Referral to teacher of the deaf
306371004 | Referral to teacher of the hearing impaired
306722007 | Referral by agency nurse
306723002 | Referral from liaison nurse
306724008 | Referral by nurse practitioner
306725009 | Referral from outreach nurse
306726005 | Referral by research nurse
306730008 | Referral for gastroscopy
306734004 | Referral by general dental surgeon
306735003 | Referral to general dental surgery service
306736002 | Referral to general dental surgeon
306802002 | Referral to stroke service
306929006 | Referral to hand surgery service
306934005 | Referral to vascular surgery service
307061004 | Referral by clinical hematologist
307063001 | Referral to clinical hematologist
307373005 | Referral to acute pain service
307374004 | Referral to rehabilitation service
307375003 | Referral to head injury rehabilitation
307376002 | Referral to community rehabilitation
307377006 | Referral to young disabled service
307378001 | Referral to assessment service
307379009 | Referral to child assessment service
307380007 | Referral to swallow clinic
307777008 | Referral to vascular surgeon
307834000 | Referral by person
307835004 | Referral by service
307836003 | Referral by establishment
307837007 | Referral to person
308250002 | Referral to complementary therapy service
308435009 | Referral to practice nurse
308436005 | Refer to district nurse
308439003 | Referral to midwife
308440001 | Referral to social worker
308447003 | Refer to physiotherapist
308448008 | Referral to counselor
308449000 | Refer to chiropractor
308450000 | Referral to osteopath
308451001 | Referral to podiatrist
308452008 | Refer to speech therapist
308453003 | Referral to occupational therapist
308454009 | Referral to orthoptist
308455005 | Refer to orthotist
308456006 | Referral to audiologist
308457002 | Refer to stoma nurse
308458007 | Referral to diabetic liaison nurse
308459004 | Referral to psychologist
308460009 | Referral to colposcopy service
308461008 | Referral to radiology service
308462001 | Referral to pathology service
308463006 | Refer to community day center
308464000 | Refer to day hospital
308465004 | Referral to optometrist
308466003 | Refer to school nurse
308468002 | Referral to coroner
308469005 | Referral to geneticist

308470006 | Referral to general physician
308471005 | Referral to cardiologist
308472003 | Referral to dermatologist
308473008 | Referral to clinical immunologist
308474002 | Referral to neurologist
308475001 | Referral to care of the elderly physician
308476000 | Referral to gastroenterologist
308477009 | Referral to psychiatrist
308478004 | Referral to general surgeon
308479007 | Referral to ophthalmologist
308480005 | Referral to ear, nose and throat surgeon
308481009 | Referral to orthopedic surgeon
308482002 | Referral to neurosurgeon
308483007 | Referral to pediatric surgeon
308484001 | Referral to obstetrician
308485000 | Referral to gynecologist
309046007 | Private referral to surgeon
309619003 | Child referral for audiology
309620009 | Child referral for audiometry
309622001 | Child referral- speech therapy
309623006 | Child referral to optician
309624000 | Child referral - ophthalmology
309625004 | Referral to psychology service
309626003 | Child referral - school psychologist
309627007 | Child referral - clinical psychologist
309628002 | Child referral - physiotherapy
309629005 | Child referral - community dentist
309630000 | Child referral-social services
310353008 | Referral for 24 hour blood pressure recording
310354002 | Referral for 24 hour ECG
310355001 | Referral for exercise ECG
310434002 | Self-referral to service
310449005 | Referral to hospital
310514000 | Referral by medical oncologist
310515004 | Referral to medical oncologist
310519005 | Referral to appliance service
312047007 | Referral to cosmetic camouflage service
312051009 | Referral to charitable service
312487009 | Referral to pediatric cardiologist
312488004 | Referral to community child health doctor
312856000 | Referral to diabetes nurse
313186001 | Referral to breast clinic
315015006 | Referral to rapid access chest pain clinic
315232003 | Referral to stop-smoking clinic
384711009 | Referral to maxillofacial surgery service
384712002 | Referral to oral surgery service
387624005 | Referral by optician
387625006 | Referral by optometrist
390791001 | Referral for echocardiography
390797002 | Referral to respiratory rapid response team
390807002 | Referral to private state registered podiatry service
390841005 | Referral to retinal screener
390857005 | Referral to community alcohol team
390864007 | Referral for exercise therapy
390866009 | Referral to mental health team
390881003 | Referral to GP - beta-blocker management
390882005 | Referral to GP - aspirin management
390883000 | Referral to GP - lipid management
390890005 | Refer to diabetic foot screener
390893007 | Referral to physical activity program
390983001 | Referral for dual energy X-ray photon absorptiometry scan
390984007 | Referral for quantitative ultrasound scan
391033001 | Refer to osteoporosis specialist
391034007 | Refer for falls assessment
391104004 | Referral to soft tissue injury clinic
395700008 | Referral to smoking cessation advisor
396104000 | Referral to urology service for hematuria
396150002 | Referral for substance abuse
396151003 | Referral to urology service for elevated PSA
396158009 | Referral for therapeutic abortion
396159001 | Referral to rheumatology service for osteoarthritis
396185002 | Referral to urology service for recurrent female urinary tract infection

397593002 | Referral by emergency medical admissions unit
397603003 | Referral by general dental practitioner
397654003 | Referral by consultant - domiciliary visit
397671002 | Referral by consultant
397684006 | Referral by prosthetist
397721007 | Referral by Accident and Emergency
397722000 | Referral by community dental service
398752005 | Referral to weight maintenance regimen service
398852003 | Referral to community retinal screening service
398855001 | Referral for eye ultrasound
400973003 | Referral to eating disorders clinic
400992001 | Refer to community physiotherapist
401266006 | Referral to drug abuse counselor
406158007 | Referral to oral surgeon
406159004 | Referral to maxillofacial surgeon
408285001 | Refer to pediatric dietitian
408286000 | Referral to footcare protection program
408288004 | Refer to multidisciplinary footcare team
408289007 | Refer to weight management program
408342007 | Referral to tissue viability nurse specialist
408383005 | Referral for cataract extraction
408493004 | Referral for DXA scan of hip and spine
408494005 | Referral for DXA scan of forearm
408495006 | Referral for DXA scan of heel
408496007 | Referral for quantitative ultrasound scan of heel
412712007 | Referral to sexually transmitted infections clinic
412717001 | Referral to osteoporosis clinic
412773009 | Referral to stroke clinic
413082001 | Referral for carotid doppler
413087007 | Referral to respiratory nurse specialist
413125004 | Referral to voluntary service
413127007 | Referral to learning disability team
413159000 | Referral to musculoskeletal clinic
413293006 | Patient to initiate further contact
414230000 | Family/carer referral to diabetes structured education program
415260000 | Referral for minor surgery
415261001 | Referral for spirometry
415262008 | Referral for termination of pregnancy
415263003 | Referral for warfarin monitoring
415264009 | Referral to advanced primary nurse
415265005 | Referral to asthma clinic
415266006 | Referral to cataract clinic
415267002 | Referral to community nursery nurse
415268007 | Referral to dermatology nurse specialist
415269004 | Referral to diabetes preconception counseling clinic
415270003 | Referral to diabetes structured education program
415271004 | Referral to education service
415272006 | Referral to genitourinary clinic
415273001 | Referral to glaucoma clinic
415274007 | Referral to incontinence clinic
415275008 | Referral to male urology clinic
415276009 | Referral to memory clinic
415277000 | Referral to pediatric endocrinologist
415278005 | Referral to psychosexual clinic
415279002 | Referral to rheumatology clinic
416076006 | Referral to pediatric dermatology service
416116000 | Referral to home registered dietitian
416194003 | Referral for neuropsychological testing
416291002 | Referral to pediatric service for acne
416414009 | Referral for home intravenous medication administration
416422002 | Referral for bipolar disorder
416457004 | Referral to vasectomy clinic
416492007 | Referral for sweat chloride test
416609002 | Referral for home tube feeding instruction
416790000 | Referral for home physical therapy
416851006 | Referral to community matron
416977004 | Referral to minor ailments clinic
416999007 | Private referral to physiotherapist
417033000 | Referral for home based phlebotomy
417038009 | Referral for dialysis
417073006 | Referral for hematuria
417096006 | Referral to community drug and alcohol team

417105002 | Referral for perinatal home care
417146007 | Referral to heart failure nurse
417153003 | Referral for home nurse visit
417158007 | Referral to psycho-educational group
417213009 | Referral to hospital-based discharge planning
417282008 | Referral for proteinuria test
417291007 | Referral to epidural anesthesia for reflex sympathetic dystrophy
417311009 | Referral to pediatric cardiology service
417421000 | Referral for pediatric arrhythmia
417504006 | Referral to epidural anesthesia service
417511005 | Referral to home health care service
417546002 | Referral for pediatric congenital heart disease
417577000 | Refer to early pregnancy unit
417699000 | Referral to drug treatment center
417708006 | Referral to long term care service
417724007 | Referral to epidural anesthesia for spinal pain
425971006 | Referral to pediatric pulmonologist
428573000 | Referral to diagnostic nuclear medicine service
428574006 | Referral to enuresis clinic
429201005 | Referral to therapeutic nuclear medicine service
429365000 | Referral to pediatric gastroenterologist
429387009 | Referral by psychologist
429709006 | Referral by osteopath
429711002 | Referral for radionuclide myocardial perfusion study
431183005 | Referral to endodontic service
431260004 | Referral to specialist alcohol treatment service
431340005 | Referral to breast feeding peer support service
431550007 | Referral to periodontic service
431551006 | Referral to prosthodontic service
431719007 | Referral to domestic violence advocate
431883007 | Referral to deep vein thrombosis clinic
433151006 | Referral to educational psychologist
437950007 | Referral to pediatric occupational therapy service
438517001 | Referral to sleep clinic
439163006 | Referral for medical termination of pregnancy
439306007 | Referral to pregnancy counseling service
439310005 | Referral for surgical termination of pregnancy
442135008 | Referral to infectious disease clinic
442305005 | Referral for ambulatory electrocardiogram
444543005 | Referral to social services for adult protection
697982000 | Referral to surgical transplant service for renal transplant evaluation
698559005 | Referral to tropical medicine clinic
698560000 | Referral to sleep apnea clinic
698561001 | Referral to nurse case manager
698562008 | Referral to hypnotherapist
698563003 | Referral to bariatric surgeon
698564009 | Referral for obstetric ultrasound scan
698565005 | Referral by podiatric surgeon
698599008 | Private referral to breast surgeon
698943000 | Referral to nurse complex case manager
700125004 | Referral to pediatric gynecology service
700274009 | Referral for procedure
700275005 | Referral for anesthesia consultation
700282009 | Referral for anesthesia management
700432001 | Referral to hematuria clinic
702475000 | Referral to clinical trial
702540003 | Referral for spirometry reversibility test
702982008 | Referral to voluntary support service for carers
703155005 | Referral to maternity service
703939004 | Referral for cryopreservation
703944006 | Referral for decongestive lymphatic therapy
703974003 | Private referral to colorectal surgeon
703975002 | Private referral to podiatrist
703976001 | Private referral to radiologist
703978000 | Referral to primary care service
704031007 | Referral for overseas medical treatment
704048004 | Referral to erectile dysfunction clinic
704050007 | Referral to cardiac rehabilitation program
704095000 | Referral to heart failure exercise program
704124006 | Referral for manual lymphatic drainage
705146005 | Referral to transient ischemic attack clinic
710005006 | Referral to physical training instructor

710908005 | Referral to self help service
710909002 | Referral to religious service
710910007 | Referral to legal service
710911006 | Referral to housing service
710912004 | Referral to funeral service
710913009 | Referral to financial service
710914003 | Referral to family therapy
710915002 | Referral to community service
710916001 | Referral to breastfeeding education class during prenatal period
711281004 | Referral to support group
713109004 | Referral to community meals service
713146000 | Referral to health aide service
713400007 | Referral to medical emergency team
713442009 | Referral to cardiac rapid response team
715159005 | Referral to diabetes service
715161001 | Referral to burns service
715189003 | Referral to critical care service
715962007 | Referral to sport and exercise medicine service
716634006 | Referral to neurological physiotherapist

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.504 Value Set http://hl7.org/fhir/ValueSet/service-referral-method

URL: https://hl7.org/fhir/STU3/valueset-service-referral-method.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-referral-method
Name: | ReferralMethod
Definition: | The methods of referral can be used when referring to a specific HealthCareService resource.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.504 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ReferralMethod

* HealthcareService.referralMethod (Example)

4.3.1.504.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/service-referral-method

4.3.1.504.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/service-referral-method version 3.0.2

All codes from system http://hl7.org/fhir/service-referral-method

Code | Display | Definition
fax | Fax | Referrals may be accepted by fax.
phone | Phone | Referrals may be accepted over the phone from a practitioner.
elec | Secure Messaging | Referrals may be accepted via a secure messaging system. To determine the types of secure messaging systems supported, refer to the identifiers collection. Callers will need to understand the specific identifier system used to know that they are able to transmit messages.
semail | Secure Email | Referrals may be accepted via a secure email. To send please encrypt with the services public key.
mail | Mail | Referrals may be accepted via regular postage (or hand delivered).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.506 Value Set http://hl7.org/fhir/ValueSet/days-of-week

URL: https://hl7.org/fhir/STU3/valueset-days-of-week.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/days-of-week
Name: | DaysOfWeek
Definition: | The days of the week.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.506 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DaysOfWeek

* PractitionerRole.availableTime.daysOfWeek (Required)

* HealthcareService.availableTime.daysOfWeek (Required)

* Timing.repeat.dayOfWeek (Required)

4.3.1.506.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/days-of-week

4.3.1.506.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/days-of-week version 3.0.2

All codes from system http://hl7.org/fhir/days-of-week

Code	Display	Definition
mon	Monday	Monday
tue	Tuesday	Tuesday
wed	Wednesday	Wednesday
thu	Thursday	Thursday
fri	Friday	Friday
sat	Saturday	Saturday
sun	Sunday	Sunday

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.508 Value Set http://hl7.org/fhir/ValueSet/service-provision-conditions

URL: https://hl7.org/fhir/STU3/valueset-service-provision-conditions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-provision-conditions
Name: | ServiceProvisionConditions
Definition: | The code(s) that detail the conditions under which the healthcare service is available/offered.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.508 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ServiceProvisionConditions

* HealthcareService.serviceProvisionCode (Example)

4.3.1.508.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/service-provision-conditions

4.3.1.508.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/service-provision-conditions version 3.0.2

All codes from system http://hl7.org/fhir/service-provision-conditions

Code | Display | Definition
free | Free | This service is available for no patient cost.
disc | Discounts Available | There are discounts available on this service for qualifying patients.
cost | Fees apply | Fees apply for this service.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.510 Value Set http://hl7.org/fhir/ValueSet/service-category

URL: https://hl7.org/fhir/STU3/valueset-service-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-category
Name: | ServiceCategory
Definition: | This value set defines an example set of codes that can be used to classify groupings of service-types/specialties.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.510 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ServiceCategory

* Appointment.serviceCategory (Example)

* Slot.serviceCategory (Example)

* HealthcareService.category (Example)

* Schedule.serviceCategory (Example)

4.3.1.510.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/service-category

4.3.1.510.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 38 concepts

All codes from system http://hl7.org/fhir/service-category

Code | Display | Definition
1 | Adoption | Adoption
2 | Aged Care | Aged Care
34 | Allied Health | Allied Health
3 | Alternative/Complementary Therapies | Alternative & Complementary Therapies
4 | Child Care /Kindergarten | Child Care and/or Kindergarten
5 | Child Development | Child Development
6 | Child Protection & Family Services | Child Protection & Family Services
7 | Community Health Care | Community Health Care
8 | Counselling | Counselling
36 | Crisis Line (GPAH use only) | Crisis Line (GPAH use only)
9 | Death Services | Death Services
10 | Dental | Dental
11 | Disability Support | Disability Support
12 | Drug/Alcohol | Drug/Alcohol
13 | Education & Learning | Education & Learning
14 | Emergency Department | Emergency Department
15 | Employment | Employment
16 | Financial & Material Aid | Financial & Material aid
17 | General Practice | General Practice/GP (doctor)
35 | Hospital | Hospital
18 | Housing/Homelessness | Housing/Homelessness
19 | Interpreting | Interpreting
20 | Justice | Justice
21 | Legal | Legal
22 | Mental Health | Mental Health
38 | NDIA | NDIA
23 | Physical Activity & Recreation | Physical Activity & Recreation
24 | Regulation | Regulation
25 | Respite/Carer Support | Respite/Carer Support
26 | Specialist Clinical Pathology | Specialist Clinical Pathology - requires referral
27 | Specialist Medical | Specialist Medical - requires referral
28 | Specialist Obstetrics & Gynaecology | Specialist Obstetrics & Gynaecology - requires referral
29 | Specialist Paediatric | Specialist Paediatric - requires referral
30 | Specialist Radiology/Imaging | Specialist Radiology/Imaging - requires referral
31 | Specialist Surgical | Specialist Surgical - requires referral
32 | Support Group/s | Support group/s
37 | Test Message (HSD admin) | Test Message (HSD admin use only)
33 | Transport | Transport

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.512 Value Set http://hl7.org/fhir/ValueSet/service-type

URL: https://hl7.org/fhir/STU3/valueset-service-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-type
Name: | ServiceType

Definition: | This value set defines an example set of codes of service-types.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.512 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ServiceType
* Appointment.serviceType (Example)
* Slot.serviceType (Example)
* HealthcareService.type (Example)
* Schedule.serviceType (Example)

4.3.1.512.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/service-type

4.3.1.512.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 596 concepts

All codes from system http://hl7.org/fhir/service-type

Code | Display | Definition
1 | Adoption/Permanent Care Info/Support | Adoption & permanent care information/support
2 | Aged Care Assessment | Aged care assessment
3 | Aged Care Information/Referral | Aged Care information/referral
4 | Aged Residential Care | Aged Residential Care
5 | Case Management for Older Persons | Case management for older persons
6 | Delivered Meals (Meals On Wheels) | Delivered meals (meals on wheels)
7 | Friendly Visiting | Friendly visiting
8 | Home Care/Housekeeping Assistance | Home care/housekeeping assistance
9 | Home Maintenance and Repair | Home maintenance and repair
10 | Personal Alarms/Alerts | Personal alarms/alerts
11 | Personal Care for Older Persons | Personal care for older persons
12 | Planned Activity Groups | Planned activity groups
13 | Acupuncture | Acupuncture
14 | Alexander Technique Therapy | Alexander technique therapy
15 | Aromatherapy | Aromatherapy
16 | Biorhythm Services | Biorhythm services
17 | Bowen Therapy | Bowen therapy
18 | Chinese Herbal Medicine | Chinese herbal medicine
19 | Feldenkrais | Feldenkrais
20 | Homoeopathy | Homoeopathy
21 | Hydrotherapy | Hydrotherapy
22 | Hypnotherapy | Hypnotherapy
23 | Kinesiology | Kinesiology
24 | Magnetic Therapy | Magnetic therapy
25 | Massage Therapy | Massage therapy
26 | Meditation | Meditation
27 | Myotherapy | Myotherapy
28 | Naturopathy | Naturopathy
29 | Reflexology | Reflexology
30 | Reiki | Reiki
31 | Relaxation Therapy | Relaxation therapy
32 | Shiatsu | Shiatsu
33 | Western Herbal Medicine | Western herbal medicine
34 | Family Day care | Family day care
35 | Holiday Programs | Holiday programs
36 | Kindergarten Inclusion Support | Kindergarten inclusion support for children with a disability
37 | Kindergarten/Preschool | Kindergarten/preschool
38 | Long Day Child Care | Long day child care
39 | Occasional Child Care | Occasional child care
40 | Outside School Hours Care | Outside school hours care
41 | Children's Play Programs | Children's play programs
42 | Parenting/Family Support/Education | Parenting & family management support/education
43 | Playgroup | Playgroup
44 | School Nursing | School nursing
45 | Toy Library | Toy library
46 | Child Protection/Child Abuse Report | Child protection/child abuse report
47 | Foster Care | Foster care

48 | Residential/Out-of-Home Care | Residential/ out of home care
49 | Support - Young People Leaving Care | Support for young people leaving care
50 | Audiology | Audiology
51 | Blood Donation | Blood donation
52 | Chiropractic | Chiropractic
53 | Dietetics | Dietetics
54 | Family Planning | Family planning
55 | Health Advocacy/Liaison Service | Health advocacy/Liaison service
56 | Health Information/Referral | Health information/referral
57 | Immunization | Immunization
58 | Maternal & Child Health | Maternal & child health
59 | Nursing | Nursing
60 | Nutrition | Nutrition
61 | Occupational Therapy | Occupational therapy
62 | Optometry | Optometry
63 | Osteopathy | Osteopathy
64 | Pharmacy | Pharmacy
65 | Physiotherapy | Physiotherapy
66 | Podiatry | Podiatry
67 | Sexual Health | Sexual health
68 | Speech Pathology/Therapy | Speech pathology/therapy
69 | Bereavement Counselling | Bereavement counselling
70 | Crisis Counselling | Crisis counselling
71 | Family Counselling/Therapy | Family counselling and/or family therapy
72 | Family Violence Counselling | Family violence counselling
73 | Financial Counselling | Financial counselling
74 | Generalist Counselling | Generalist counselling
75 | Genetic Counselling | Genetic counselling
76 | Health Counselling | Health counselling
77 | Mediation | Mediation
78 | Problem Gambling Counselling | Problem gambling counselling
79 | Relationship Counselling | Relationship counselling
80 | Sexual Assault Counselling | Sexual assault counselling
81 | Trauma Counselling | Trauma counselling
82 | Victims of Crime Counselling | Victims of crime counselling
83 | Cemetery Operation | Cemetery operation
84 | Cremation | Cremation
85 | Death Service Information | Death service information
86 | Funeral Services | Funeral services
87 | Endodontic | Endodontic
88 | General Dental | General dental
89 | Oral Medicine | Oral medicine
90 | Oral Surgery | Oral surgery
91 | Orthodontic | Orthodontic
92 | Paediatric Dentistry | Paediatric Dentistry
93 | Periodontic | Periodontic
94 | Prosthodontic | Prosthodontic
95 | Acquired Brain Injury Info/Referral | Acquired brain injury information/referral
96 | Disability Advocacy | Disability advocacy
97 | Disability Aids & Equipment | Disability aids & equipment
98 | Disability Case Management | Disability case management
99 | Disability Day Programs/Activities | Disability day programs & activities
100 | Disability Information/Referral | Disability information/referral
101 | Disability Support Packages | Disability support packages
102 | Disability Supported Accommodation | Disability supported accommodation
103 | Early Childhood Intervention | Early childhood intervention
104 | Hearing Aids & Equipment | Hearing aids & equipment
105 | Drug and/or Alcohol Counselling | Drug and/or alcohol counselling
106 | Drug/Alcohol Information/Referral | Drug and/or alcohol information/referral
107 | Needle & Syringe Exchange | Needle & Syringe exchange
108 | Non-resid. Alcohol/Drug Treatment | Non-residential alcohol and/or drug dependence treatment
109 | Pharmacotherapy | Pharmacotherapy (eg. methadone) program
110 | Quit Program | Quit program
111 | Residential Alcohol/Drug Treatment | Residential alcohol and/or drug dependence treatment
112 | Adult/Community Education | Adult/community education
113 | Higher Education | Higher education
114 | Primary Education | Primary education
115 | Secondary Education | Secondary education
116 | Training & Vocational Education | Training & vocational education
117 | Emergency Medical | Emergency medical
118 | Employment Placement and/or Support | Employment placement and/or support
119 | Vocational Rehabilitation | Vocational Rehabilitation

120 | Work Safety/Accident Prevention | Workplace safety and/or accident prevention
121 | Financial Assistance | Financial assistance
122 | Financial Information/Advice | Financial information/advice
123 | Material Aid | Material aid
124 | General Practice | General Practice/GP (doctor)
125 | Accommodation Placement/Support | Accommodation placement and/or support
126 | Crisis/Emergency Accommodation | Crisis/emergency accommodation
127 | Homelessness Support | Homelessness support
128 | Housing Information/Referral | Housing information/referral
129 | Public Rental Housing | Public rental housing
130 | Interpreting/Multilingual Service | Interpreting/Multilingual/Language service
131 | Juvenile Justice | Juvenile Justice
132 | Legal Advocacy | Legal advocacy
133 | Legal Information/Advice/Referral | Legal information/advice/referral
134 | Mental Health Advocacy | Mental health advocacy
135 | Mental Health Assess/Triage/Crisis Response | Mental health assessment/triage/crisis response
136 | Mental Health Case Management | Mental health case management/continuing care
137 | Mental Health Information/Referral | Mental health information/referral
138 | Mental Health Inpatient Services | Mental health inpatient services (hospital psychiatric unit) - requires referral
139 | Mental Health Non-residential Rehab | Mental health non-residential rehabilitation
140 | Mental Health Residential Rehab/CCU | Mental health residential rehabilitation/community care unit
141 | Psychiatry (Requires Referral) | Psychiatry (requires referral)
142 | Psychology | Psychology
143 | Martial Arts | Martial arts
144 | Personal Fitness Training | Personal fitness training
145 | Physical Activity Group | Physical activity group
146 | Physical Activity Programs | Physical activity programs
147 | Physical Fitness Testing | Physical fitness testing
148 | Pilates | Pilates
149 | Self-Defence | Self defence
150 | Sporting Club | Sporting club
151 | Yoga | Yoga
152 | Food Safety | Food safety
153 | Health Regulatory /Inspection /Cert. | Health regulatory, inspection and/or certification
154 | Work Health/Safety Inspection/Cert. | Workplace health and/or safety inspection and/or certification
155 | Carer Support | Carer support
156 | Respite Care | Respite care
157 | Anatomical Pathology | Anatomical Pathology (including Cytopathology & Forensic Pathology)
158 | Pathology - Clinical Chemistry | Pathology - Clinical Chemistry
159 | Pathology - General | Pathology - General
160 | Pathology - Genetics | Pathology - Genetics
161 | Pathology - Haematology | Pathology - Haematology
162 | Pathology - Immunology | Pathology - Immunology
163 | Pathology - Microbiology | Pathology - Microbiology
164 | Anaesthesiology - Pain Medicine | Anaesthesiology - Pain Medicine
165 | Cardiology | Cardiology
166 | Clinical Genetics | Clinical Genetics
167 | Clinical Pharmacology | Clinical Pharmacology
168 | Dermatology | Dermatology
169 | Endocrinology | Endocrinology
170 | Gastroenterology & Hepatology | Gastroenterology & Hepatology
171 | Geriatric Medicine | Geriatric medicine
172 | Immunology & Allergy | Immunology & Allergy
173 | Infectious Diseases | Infectious diseases
174 | Intensive Care Medicine | Intensive care medicine
175 | Medical Oncology | Medical Oncology
176 | Nephrology | Nephrology
177 | Neurology | Neurology
178 | Occupational Medicine | Occupational Medicine
179 | Palliative Medicine | Palliative Medicine
180 | Public Health Medicine | Public Health Medicine
181 | Rehabilitation Medicine | Rehabilitation Medicine
182 | Rheumatology | Rheumatology
183 | Sleep Medicine | Sleep Medicine
184 | Thoracic Medicine | Thoracic medicine
185 | Gynaecological Oncology | Gynaecological Oncology
186 | Obstetrics & Gynaecology | Obstetrics & Gynaecology
187 | Reproductive Endocrinology/Infertility | Reproductive Endocrinology & Infertility
188 | Urogynaecology | Urogynaecology
189 | Neonatology & Perinatology | Neonatology & Perinatology
190 | Paediatric Cardiology | Paediatric Cardiology
191 | Paediatric Clinical Genetics | Paediatric Clinical Genetics

192 | Paediatric Clinical Pharmacology | Paediatric Clinical Pharmacology
193 | Paediatric Endocrinology | Paediatric Endocrinology
194 | Paed. Gastroenterology/Hepatology | Paediatric Gastroenterology & Hepatology
195 | Paediatric Haematology | Paediatric Haematology
196 | Paediatric Immunology & Allergy | Paediatric Immunology & Allergy
197 | Paediatric Infectious Diseases | Paediatric Infectious diseases
198 | Paediatric Intensive Care Medicine | Paediatric intensive care medicine
199 | Paediatric Medical Oncology | Paediatric Medical Oncology
200 | Paediatric Medicine | Paediatric Medicine
201 | Paediatric Nephrology | Paediatric Nephrology
202 | Paediatric Neurology | Paediatric Neurology
203 | Paediatric Nuclear Medicine | Paediatric Nuclear Medicine
204 | Paediatric Rehabilitation Medicine | Paediatric Rehabilitation Medicine
205 | Paediatric Rheumatology | Paediatric Rheumatology
206 | Paediatric Sleep Medicine | Paediatric Sleep Medicine
207 | Paediatric Surgery | Paediatric Surgery
208 | Paediatric Thoracic Medicine | Paediatric Thoracic Medicine
209 | Diag. Radiology /Xray /CT /Fluoroscopy | Diagnostic Radiology/Xray/CT/Fluoroscopy
210 | Diagnostic Ultrasound | Diagnostic Ultrasound
211 | Magnetic Resonance Imaging (MRI) | Magnetic Resonance Imaging (MRI)
212 | Nuclear Medicine | Nuclear Medicine
213 | Obstetric/Gynaecological Ultrasound | Obstetric & Gynaecological Ultrasound
214 | Radiation Oncology | Radiation oncology
215 | Cardiothoracic Surgery | Cardiothoracic surgery
216 | Neurosurgery | Neurosurgery
217 | Ophthalmology | Ophthalmology
218 | Orthopaedic Surgery | Orthopaedic surgery
219 | Otolaryngology/Head & Neck Surgery | Otolaryngology - Head & Neck Surgery
220 | Plastic & Reconstructive Surgery | Plastic & Reconstructive Surgery
221 | Surgery - General | Surgery - General
222 | Urology | Urology
223 | Vascular Surgery | Vascular surgery
224 | Support Groups | Support groups
225 | Air ambulance | Air ambulance
226 | Ambulance | Ambulance
227 | Blood Transport | Blood transport
228 | Community Bus | Community bus
229 | Flying Doctor Service | Flying doctor service
230 | Patient Transport | Patient transport
231 | A&E | A&E
232 | A&EP | A&EP
233 | Abuse | Abuse
234 | ACAS | ACAS
235 | Access | Access
236 | Accident | Accident
237 | Acute Inpatient Serv | Acute Inpatient Service's
238 | Adult Day Programs | Adult Day Programs
239 | Adult Mental Health Services | Adult Mental Health Services
240 | Advice | Advice
241 | Advocacy | Advocacy
242 | Aged Persons Mental | Aged Persons Mental Health Residential Units
243 | Aged Persons Mental | Aged Persons Mental Health Services
244 | Aged Persons Mental | Aged Persons Mental Health Teams
245 | Aids | Aids
246 | Al-Anon | Al-Anon
247 | Alcohol | Alcohol
248 | Al-Teen | Al-Teen
249 | Antenatal | Antenatal
250 | Anxiety | Anxiety
251 | Arthritis | Arthritis
252 | Assessment | Assessment
253 | Assistance | Assistance
254 | Asthma | Asthma
255 | ATSS | ATSS
256 | Attendant Care | Attendant Care
257 | Babies | Babies
258 | Bathroom Modificatio | Bathroom Modification
259 | Behaviour | Behaviour
260 | Behaviour Interventi | Behaviour Intervention
261 | Bereavement | Bereavement
262 | Bipolar | Bipolar
263 | Birth | Birth

264 | Birth Control | Birth Control
265 | Birthing Options | Birthing Options
266 | BIST | BIST
267 | Blood | Blood
268 | Bone | Bone
269 | Bowel | Bowel
270 | Brain | Brain
271 | Breast Feeding | Breast Feeding
272 | Breast Screen | Breast Screen
273 | Brokerage | Brokerage
274 | Cancer | Cancer
275 | Cancer Support | Cancer Support
276 | Cardiovascular Disea | Cardiovascular Disease
277 | Care Packages | Care Packages
278 | Carer | Carer
279 | Case Management | Case Management
280 | Casualty | Casualty
281 | Centrelink | Centrelink
282 | Chemists | Chemists
283 | Child And Adolescent | Child And Adolescent Mental Health Services
284 | Child Care | Child Care
285 | Child Services | Child Services
286 | Children | Children
287 | Children's Services | Children's Services
288 | Cholesterol | Cholesterol
289 | Clothing | Clothing
290 | Community Based Acco | Community Based Accommodation
291 | Community Care Unit | Community Care Unit
292 | Community Child And | Community Child And Adolescent Mental Health Services
293 | Community Health | Community Health
294 | Community Residentia | Community Residential Unit
295 | Community Transport | Community Transport
296 | Companion Visiting | Companion Visiting
297 | Companionship | Companionship
298 | Consumer Advice | Consumer Advice
299 | Consumer Issues | Consumer Issues
300 | Continuing Care Serv | Continuing Care Services
301 | Contraception Inform | Contraception Information
302 | Coordinating Bodies | Coordinating Bodies
303 | Correctional Service | Correctional Services
304 | Council Environmenta | Council Environmental Health
305 | Counselling | Counselling
306 | Criminal | Criminal
307 | Crises | Crises
308 | Crisis Assessment An | Crisis Assessment And Treatment Services (Cats)
309 | Crisis Assistance | Crisis Assistance
310 | Crisis Refuge | Crisis Refuge
311 | Day Program | Day Program
312 | Deaf | Deaf
313 | Dental Hygiene | Dental Hygiene
314 | Dentistry | Dentistry
315 | Dentures | Dentures
316 | Depression | Depression
317 | Detoxification | Detoxification
318 | Diabetes | Diabetes
319 | Diaphragm Fitting | Diaphragm Fitting
320 | Dieticians | Dieticians
321 | Disabled Parking | Disabled Parking
322 | District Nursing | District Nursing
323 | Divorce | Divorce
324 | Doctors | Doctors
325 | Drink-Drive | Drink-Drive
326 | Dual Diagnosis Servi | Dual Diagnosis Services
327 | Early Choice | Early Choice
328 | Eating Disorder | Eating Disorder
330 | Emergency Relief | Emergency Relief
331 | Employment And Train | Employment And Training
332 | Environment | Environment
333 | Equipment | Equipment
334 | Exercise | Exercise
335 | Facility | Facility
336 | Family Choice | Family Choice

337 | Family Law | Family Law
338 | Family Options | Family Options
339 | Family Services | Family Services
340 | FFYA | FFYA
341 | Financial Aid | Financial Aid
342 | Fitness | Fitness
343 | Flexible Care Packag | Flexible Care Packages
344 | Food | Food
345 | Food Vouchers | Food Vouchers
346 | Forensic Mental Heal | Forensic Mental Health Services
347 | Futures | Futures
348 | Futures For Young Ad | Futures For Young Adults
349 | General Practitioner | General Practitioners
350 | Grants | Grants
351 | Grief | Grief
352 | Grief Counselling | Grief Counselling
353 | HACC | HACC
354 | Heart Disease | Heart Disease
355 | Help | Help
356 | High Blood Pressure | High Blood Pressure
357 | Home Help | Home Help
358 | Home Nursing | Home Nursing
359 | Homefirst | Homefirst
360 | Hospice Care | Hospice Care
361 | Hospital Services | Hospital Services
362 | Hospital To Home | Hospital To Home
364 | Hostel | Hostel
365 | Hostel Accommodation | Hostel Accommodation
366 | Household Items | Household Items
367 | Hypertension | Hypertension
368 | Illness | Illness
369 | Independent Living | Independent Living
370 | Information | Information
371 | Injury | Injury
372 | Intake | Intake
373 | Intensive Mobile You | Intensive Mobile Youth Outreach Services (Imyos)
374 | Intervention | Intervention
375 | Job Searching | Job Searching
376 | Justice | Justice
377 | Leisure | Leisure
378 | Loans | Loans
379 | Low Income Earners | Low Income Earners
380 | Lung | Lung
381 | Making A Difference | Making A Difference
382 | Medical Services | Medical Services
383 | Medical Specialists | Medical Specialists
384 | Medication Administr | Medication Administration
385 | Menstrual Informatio | Menstrual Information
386 | Methadone | Methadone
387 | Mobile Support And T | Mobile Support And Treatment Services (MSTS)
388 | Motor Neurone | Motor Neurone
389 | Multiple Sclerosis | Multiple Sclerosis
390 | Neighbourhood House | Neighbourhood House
391 | Nursing Home | Nursing Home
392 | Nursing Mothers | Nursing Mothers
393 | Obesity | Obesity
394 | Occupational Health | Occupational Health & Safety
395 | Optometrist | Optometrist
396 | Oral Hygiene | Oral Hygiene
397 | Outpatients | Outpatients
398 | Outreach Service | Outreach Service
399 | PADP | PADP
400 | Pain | Pain
401 | Pap Smear | Pap Smear
402 | Parenting | Parenting
403 | Peak Organisations | Peak Organisations
404 | Personal Care | Personal Care
405 | Pharmacies | Pharmacies
406 | Phobias | Phobias
407 | Physical | Physical
408 | Physical Activity | Physical Activity
409 | Postnatal | Postnatal

410 | Pregnancy | Pregnancy
411 | Pregnancy Tests | Pregnancy Tests
412 | Preschool | Preschool
413 | Prescriptions | Prescriptions
414 | Primary Mental Healt | Primary Mental Health And Early Intervention Teams
415 | Property Maintenance | Property Maintenance
416 | Prostate | Prostate
417 | Psychiatric | Psychiatric
418 | Psychiatric Disabili | Psychiatric Disability Support Services - Home-Based Outreach
419 | Psychiatric Disabili | Psychiatric Disability Support Services - Planned Respite
420 | Psychiatric Disabili | Psychiatric Disability Support Services - Residential Rehabilitation
421 | Psychiatric Disabili | Psychiatric Disability Support Services Home-Based Outreach
422 | Psychiatric Disabili | Psychiatric Disability Support Services Mutual Support And Self Help
423 | Psychiatric Support | Psychiatric Support
424 | Recreation | Recreation
425 | Referral | Referral
426 | Refuge | Refuge
427 | Rent Assistance | Rent Assistance
428 | Residential Faciliti | Residential Facilities
429 | Residential Respite | Residential Respite
430 | Respiratory | Respiratory
431 | Response | Response
432 | Rooming Houses | Rooming Houses
433 | Safe Sex | Safe Sex
434 | Secure Extended Care | Secure Extended Care Inpatient Services
435 | Self Help | Self Help
436 | Separation | Separation
437 | Services | Services
438 | Sex Education | Sex Education
439 | Sexual Abuse | Sexual Abuse
440 | Sexual Issues | Sexual Issues
441 | Sexually Transmitted | Sexually Transmitted Diseases
442 | SIDS | SIDS
443 | Social Support | Social Support
444 | Socialisation | Socialisation
445 | Special Needs | Special Needs
446 | Speech Therapist | Speech Therapist
447 | Splinting | Splinting
448 | Sport | Sport
449 | Statewide And Specia | Statewide And Specialist Services
450 | STD | STD
451 | STI | STI
452 | Stillbirth | Stillbirth
453 | Stomal Care | Stomal Care
454 | Stroke | Stroke
455 | Substance Abuse | Substance Abuse
456 | Support | Support
457 | Syringes | Syringes
458 | Teeth | Teeth
459 | Tenancy Advice | Tenancy Advice
460 | Terminal Illness | Terminal Illness
461 | Therapy | Therapy
462 | Transcription | Transcription
463 | Translating Services | Translating Services
464 | Translator | Translator
465 | Transport | Transport
466 | Vertebrae | Vertebrae
467 | Violence | Violence
468 | Vocational Guidance | Vocational Guidance
469 | Weight | Weight
470 | Welfare Assistance | Welfare Assistance
471 | Welfare Counselling | Welfare Counselling
472 | Wheelchairs | Wheelchairs
473 | Wound Management | Wound Management
474 | Young People At Risk | Young People At Risk
475 | Further Desc. - Community Health Care | Further Description - Community Health Care
476 | Library | Library
477 | Community Hours | Community Hours
478 | Further Desc. - Specialist Medical | Further Description - Specialist Medical
479 | Hepatology | Hepatology
480 | Gastroenterology | Gastroenterology
481 | Gynaecology | Gynaecology

482 | Obstetrics | Obstetrics
483 | Further Desc. - Specialist Surgical | Further Description - Specialist Surgical
484 | Placement Protection | Placement Protection
485 | Family Violence | Family Violence
486 | Integrated Family Services | Integrated Family Services
488 | Diabetes Educator | Diabetes Educator
489 | Kinship Care | Kinship Care
490 | General Mental Health Services | General Mental Health Services
491 | Exercise Physiology | Exercise Physiology
492 | Medical Research | Medical Research
493 | Youth | Youth
494 | Youth Services | Youth Services
495 | Youth Health | Youth Health
496 | Child and Family Ser | Child and Family Services
497 | Home Visits | Home Visits
498 | Mobile Services | Mobile Services
500 | Before and/or After | Before and/or After School Care
501 | Cancer Services | Cancer Services
502 | Integrated Cancer Se | Integrated Cancer Services
503 | Multidisciplinary Se | Multidisciplinary Services
504 | Multidisciplinary Ca | Multidisciplinary Cancer Services
505 | Meetings | Meetings
506 | Blood pressure monit | Blood pressure monitoring
507 | Dose administration | Dose administration aid
508 | Medical Equipment Hi | Medical Equipment Hire
509 | Parenting/Family Support/Education | Parenting & family support/education
510 | Deputising Service | Deputising Service
513 | Cancer Support Groups | Cancer Support Groups
514 | Community Cancer Services | Community Cancer Services
530 | Disability Care Transport | Disability Care Transport
531 | Aged Care Transport | Aged Care Transport
532 | Diabetes Education s | Diabetes Education service
533 | Cardiac Rehabilitati | Cardiac Rehabilitation Service
534 | Young Adult Diabetes | Young Adult Diabetes services (YADS)
535 | Pulmonary Rehabilita | Pulmonary Rehabilitation Service
536 | Art therapy | Art therapy
537 | Medication Reviews | Medication Reviews
538 | Telephone Counselling | Telephone Counselling
539 | Telephone Help Line | Telephone Help Line
540 | Online Service | Online Service
541 | Crisis - Mental Health | Crisis - Mental Health
542 | Youth Crisis | Youth Crisis
543 | Sexual Assault | Sexual Assault
544 | GPAH Other | GPAH Other
545 | Paediatric Dermatology | Paediatric Dermatology
546 | Veterans Services | Veterans Services
547 | Veterans | Veterans
548 | Food Relief/Food/Meals | Food Relief/food/meals
550 | Dementia Care | Dementia Care
551 | Alzheimer | Alzheimer
552 | Drug and/or Alcohol Support Groups | Drug and/or alcohol support groups
553 | 1-on-1 Support /Mentoring /Coaching | One on One Support/Mentoring/Coaching
554 | Chronic Disease Management | Chronic Disease Management
555 | Liaison Services | Liaison Services
556 | Walk-in Centre /Non-Emergency | Walk in Centre / non emergency
557 | Inpatients | Inpatients
558 | Spiritual Counselling | Spiritual Counselling
559 | Women's Health | Women's Health
560 | Men's Health | Men's Health
561 | Health Education/Awareness Program | Health education/Health awareness program
562 | Test Message | Test Message
563 | Remedial Massage | Remedial Massage
564 | Adolescent Mental Health Services | Adolescent Mental Health Services
565 | Youth Drop In/Assistance/Support | Youth drop in/assistance/support
566 | Aboriginal Health Worker | Aboriginal Health Worker
567 | Women's Health Clinic | Women's Health Clinic
568 | Men's Health Clinic | Men's Health Clinic
569 | Migrant Health Clinic | Migrant Health Clinic
570 | Refugee Health Clinic | Refugee Health Clinic
571 | Aboriginal Health Clinic | Aboriginal Health Clinic
572 | Nurse Practitioner Lead Clinic/s | Nurse Practitioner lead Clinic/s
573 | Nurse Lead Clinic/s | Nurse lead Clinic/s

574 | Culturally Tailored Support Groups | Culturally tailored support groups
575 | Culturally Tailored Health Promotion | Culturally tailored health promotion
576 | Rehabilitation | Rehabilitation
577 | Education Information/Referral | Education information/referral
580 | Social Work | Social Work
581 | Haematology | Haematology
582 | Maternity Shared Car | Maternity Shared Care
583 | Rehabilitation Servi | Rehabilitation Service
584 | Cranio-sacral Therapy | Cranio-Sacral Therapy
585 | Prosthetics & Orthotics | Prosthetics & Orthotics
589 | Home Medicine Review | Home Medicine Review
590 | GPAH - Medical | GPAH - Medical
591 | Music Therapy | Music Therapy
593 | Falls Prevention | Falls Prevention
599 | Accommodation/Tenancy | Accommodation/Tenancy
600 | Assess-Skill, Ability, Needs | Assess-Skill, Ability, Needs
601 | Assist Access/Maintain Employ | Assist Access/Maintain Employ
602 | Assist Prod-Pers Care/Safety | Assist Prod-Pers Care/Safety
603 | Assist-Integrate School/Ed | Assist-Integrate School/Ed
604 | Assist-Life Stage, Transition | Assist-Life Stage, Transition
605 | Assist-Personal Activities | Assist-Personal Activities
606 | Assist-Travel/Transport | Assist-Travel/Transport
607 | Assistive Equip-General Tasks | Assistive Equip-General Tasks
608 | Assistive Equip-Recreation | Assistive Equip-Recreation
609 | Assistive Prod-Household Task | Assistive Prod-Household Task
610 | Behaviour Support | Behaviour Support
611 | Comms & Info Equipment | Comms & Info Equipment
612 | Community Nursing Care | Community Nursing Care
613 | Daily Tasks/Shared Living | Daily Tasks/Shared Living
614 | Development-Life Skills | Development-Life Skills
615 | Early Childhood Supports | Early Childhood Supports
616 | Equipment Special Assess Setup | Equipment Special Assess Setup
617 | Hearing Equipment | Hearing Equipment
618 | Home Modification | Home Modification
619 | Household Tasks | Household Tasks
620 | Interpret/Translate | Interpret/Translate
621 | Other Innovative Supports | Other Innovative Supports
622 | Participate Community | Participate Community
623 | Personal Mobility Equipment | Personal Mobility Equipment
624 | Physical Wellbeing | Physical Wellbeing
625 | Plan Management | Plan Management
626 | Therapeutic Supports | Therapeutic Supports
627 | Training-Travel Independence | Training-Travel Independence
628 | Vehicle modifications | Vehicle modifications
629 | Vision Equipment | Vision Equipment

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.514 Value Set http://hl7.org/fhir/ValueSet/coverage-type

URL: https://hl7.org/fhir/STU3/valueset-coverage-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/coverage-type
Name: | Coverage Type and Self-Pay Codes
Definition: | This value set includes Coverage Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.514 (for OID based terminology systems)

Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

* Coverage.type (Preferred)

4.3.1.514.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/coverage-selfpay

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/v3-ActCoverageTypeCode

4.3.1.514.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 53 concepts

Expansion based on http://hl7.org/fhir/v3/ActCode version 2016-11-11, http://hl7.org/fhir/coverage-selfpay version 3.0.2, http://hl7.org/fhir/ValueSet/v3-ActCoverageTypeCode version 2014-03-26

Code | System | Display | Definition

pay | http://hl7.org/fhir/coverage-selfpay | Pay | An individual or oraganization is paying directly for goods and services.

EHCPOL | http://hl7.org/fhir/v3/ActCode | extended healthcare | Private insurance policy that provides coverage in addition to other policies (e.g. in addition to a Public Healthcare insurance policy).

HSAPOL | http://hl7.org/fhir/v3/ActCode | health spending account | Insurance policy that provides for an allotment of funds replenished on a periodic (e.g. annual) basis. The use of the funds under this policy is at the discretion of the covered party.

AUTOPOL | http://hl7.org/fhir/v3/ActCode | automobile | Insurance policy for injuries sustained in an automobile accident. Will also typically covered non-named parties to the policy, such as pedestrians and passengers.

COL | http://hl7.org/fhir/v3/ActCode | collision coverage policy | Definition: An automobile insurance policy under which the insurance company will cover the cost of damages to an automobile owned by the named insured that are caused by accident or intentionally by another party.

UNINSMOT | http://hl7.org/fhir/v3/ActCode | uninsured motorist policy | Definition: An automobile insurance policy under which the insurance company will indemnify a loss for which another motorist is liable if that motorist is unable to pay because he or she is uninsured. Coverage under the policy applies to bodily injury damages only. Injuries to the covered party caused by a hit-and-run driver are also covered.

PUBLICPOL | http://hl7.org/fhir/v3/ActCode | public healthcare | Insurance policy funded by a public health system such as a provincial or national health plan. Examples include BC MSP (British Columbia Medical Services Plan) OHIP (Ontario Health Insurance Plan), NHS (National Health Service).

DENTPRG | http://hl7.org/fhir/v3/ActCode | dental program | Definition: A public or government health program that administers and funds coverage for dental care to assist program eligible who meet financial and health status criteria.

DISEASEPRG | http://hl7.org/fhir/v3/ActCode | public health program | Definition: A public or government health program that administers and funds coverage for health and social services to assist program eligible who meet financial and health status criteria related to a particular disease. Example: Reproductive health, sexually transmitted disease, and end renal disease programs.

CANPRG | http://hl7.org/fhir/v3/ActCode | women's cancer detection program | Definition: A program that provides low-income, uninsured, and underserved women access to timely, high-quality screening and diagnostic services, to detect breast and cervical cancer at the earliest stages. Example: To improve women's access to screening for breast and cervical cancers, Congress passed the Breast and Cervical Cancer Mortality Prevention Act of 1990, which guided CDC in creating the National Breast and Cervical Cancer Early Detection Program (NBCCEDP), which provides access to critical breast and cervical cancer screening services for underserved women in the United States. An estimated 7 to 10% of U.S. women of screening age are eligible to receive NBCCEDP services. Federal guidelines establish an eligibility baseline to direct services to uninsured and underinsured women at or below 250% of federal poverty level; ages 18 to 64 for cervical screening; ages 40 to 64 for breast screening.

ENDRENAL | http://hl7.org/fhir/v3/ActCode | end renal program | Definition: A public or government program that administers publicly funded coverage of kidney dialysis and kidney transplant services. Example: In the U.S., the Medicare End-stage Renal Disease program (ESRD), the National Kidney Foundation (NKF) American Kidney Fund (AKF) The Organ Transplant Fund.

HIVAIDS | http://hl7.org/fhir/v3/ActCode | HIV-AIDS program | Definition: Government administered and funded HIV-AIDS program for beneficiaries meeting financial and health status criteria. Administration, funding levels, eligibility criteria, covered benefits, provider types, and financial participation are typically set by a regulatory process. Payer responsibilities for administering the program may be delegated to contractors. Example: In the U.S., the Ryan White program, which is administered by the Health Resources and Services Administration.

MANDPOL | http://hl7.org/fhir/v3/ActCode | mandatory health program | mandatory health program

MENTPRG | http://hl7.org/fhir/v3/ActCode | mental health program | Definition: Government administered and funded mental health program for beneficiaries meeting financial and mental health status criteria. Administration, funding levels, eligibility criteria, covered benefits, provider types, and financial participation are typically set by a regulatory process. Payer responsibilities for administering the program may be delegated to contractors. Example: In the U.S., states receive funding for substance use programs from the Substance Abuse Mental Health Administration (SAMHSA).

SAFNET | http://hl7.org/fhir/v3/ActCode | safety net clinic program | Definition: Government administered and funded program to support provision of care to underserved populations through safety net clinics. Example: In the U.S., safety net providers such as federally qualified health centers (FQHC) receive funding under PHSA Section 330 grants administered by the Health Resources and Services Administration.

SUBPRG | http://hl7.org/fhir/v3/ActCode | substance use program | Definition: Government administered and funded substance use program for beneficiaries meeting financial, substance use behavior, and health status criteria. Beneficiaries may be required to enroll as a result of legal proceedings. Administration, funding levels, eligibility criteria, covered benefits, provider types, and financial participation are typically set by a regulatory process. Payer responsibilities for administering the program may be delegated to contractors. Example: In the U.S., states receive funding for substance use programs from the Substance Abuse Mental Health Administration (SAMHSA).

SUBSIDIZ | http://hl7.org/fhir/v3/ActCode | subsidized health program | Definition: A government health program that provides coverage for health services to persons meeting eligibility criteria such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds.

SUBSIDMC | http://hl7.org/fhir/v3/ActCode | subsidized managed care program | Definition: A government health program that provides coverage through managed care contracts for health services to persons meeting eligibility criteria such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds. Discussion: The structure and business processes for underwriting and administering a subsidized managed care program is further specified by the Underwriter and Payer Role.class and Role.code.

SUBSUPP | http://hl7.org/fhir/v3/ActCode | subsidized supplemental health program | Definition: A government health program that provides coverage for health services to persons meeting eligibility criteria for a supplemental health policy or program such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds. Example: Supplemental health coverage program may cover the cost of a health program or policy financial participations, such as the copays and the premiums, and may provide coverage for services in addition to those covered under the supplemented health program or policy. In the U.S., Medicaid programs may pay the premium for a covered party who is also covered under the Medicare program or a private health policy. Discussion: The structure and business processes for underwriting and administering a subsidized supplemental retiree health program is further specified by the Underwriter and Payer Role.class and Role.code.

WCBPOL | http://hl7.org/fhir/v3/ActCode | worker's compensation | Insurance policy for injuries sustained in the work place or in the course of employment.

DENTAL | http://hl7.org/fhir/v3/ActCode | dental care policy | Definition: A health insurance policy that that covers benefits for dental services.

DISEASE | http://hl7.org/fhir/v3/ActCode | disease specific policy | Definition: A health insurance policy that covers benefits for healthcare services provided for named conditions under the policy, e.g., cancer, diabetes, or HIV-AIDS.

DRUGPOL | http://hl7.org/fhir/v3/ActCode | drug policy | Definition: A health insurance policy that covers benefits for prescription drugs, pharmaceuticals, and supplies.

HIP | http://hl7.org/fhir/v3/ActCode | health insurance plan policy | Definition: A health insurance policy that covers healthcare benefits by protecting covered parties from medical expenses arising from health conditions, sickness, or accidental injury as well as preventive care. Health insurance policies explicitly exclude coverage for losses insured under a disability policy, workers' compensation program, liability insurance (including automobile insurance); or for medical expenses, coverage for on-site medical clinics or for limited dental or vision benefits when these are provided under a separate policy. Discussion: Health insurance policies are offered by health insurance plans that typically reimburse providers for covered services on a fee-for-service basis, that is, a fee that is the allowable amount that a provider may charge. This is in contrast to managed care plans, which typically prepay providers a per-member/per-month amount or capitation as reimbursement for all covered services rendered. Health insurance plans include indemnity and healthcare services plans.

LTC | http://hl7.org/fhir/v3/ActCode | long term care policy | Definition: An insurance policy that covers benefits for long-term care services people need when they no longer can care for themselves. This may be due to an accident, disability, prolonged illness or the simple process of aging. Long-term care services assist with activities of daily living including: Help at home with day-to-day activities, such as cooking, cleaning, bathing and dressing Care in the community, such as in an adult day care facility Supervised care provided in an assisted living facility Skilled care provided in a nursing home

MCPOL | http://hl7.org/fhir/v3/ActCode | managed care policy | Definition: Government mandated program providing coverage, disability income, and vocational rehabilitation for injuries sustained in the work place or in the course of employment. Employers may either self-fund the program, purchase commercial coverage, or pay a premium to a government entity that administers the program. Employees may be required to pay premiums toward the cost of coverage as well. Managed care policies specifically exclude coverage for losses insured under a disability policy, workers' compensation program, liability insurance (including automobile insurance); or for medical expenses, coverage for on-site medical clinics or for limited dental or vision benefits when these are provided under a separate policy. Discussion: Managed care policies are offered by managed care plans that contract with selected providers or health care organizations to provide comprehensive health care at a discount to covered parties and coordinate the financing and delivery of health care. Managed care uses medical protocols and procedures agreed on by the medical profession to be cost effective, also known as medical practice guidelines. Providers are typically reimbursed for covered services by a capitated amount on a per member per month basis that may reflect difference in the health status and level of services anticipated to be needed by the member.

POS | http://hl7.org/fhir/v3/ActCode | point of service policy | Definition: A policy for a health plan that has features of both an HMO and a FFS plan. Like an HMO, a POS plan encourages the use its HMO network to maintain discounted fees with participating providers, but recognizes that sometimes covered parties want to choose their own provider. The POS plan allows a covered party to use providers who are not part of the HMO network (non-participating providers). However, there is a greater cost associated with choosing these non-network providers. A covered party will usually pay deductibles and coinsurances that are substantially higher than the payments when he or she uses a plan provider. Use of non-participating providers often requires the covered party to pay the provider directly and then to file a claim for reimbursement, like in an FFS plan.

HMO | http://hl7.org/fhir/v3/ActCode | health maintenance organization policy | Definition: A policy for a health plan that provides coverage for health care only through contracted or employed physicians and hospitals located in particular geographic or service areas. HMOs emphasize prevention and early detection of illness. Eligibility to enroll in an HMO is determined by where a covered party lives or works.

PPO | http://hl7.org/fhir/v3/ActCode | preferred provider organization policy | Definition: A network-based, managed care plan that allows a covered party to choose any health care provider. However, if care is received from a "preferred" (participating in-network) provider, there are generally higher benefit coverage and lower deductibles.

MENTPOL | http://hl7.org/fhir/v3/ActCode | mental health policy | Definition: A health insurance policy that covers benefits for mental health services and prescriptions.

SUBPOL | http://hl7.org/fhir/v3/ActCode | substance use policy | Definition: A health insurance policy that covers benefits for substance use services.

VISPOL | http://hl7.org/fhir/v3/ActCode | vision care policy | Definition: Set of codes for a policy that provides coverage for health care expenses arising from vision services. A health insurance policy that covers benefits for vision care services, prescriptions, and products.

DIS | http://hl7.org/fhir/v3/ActCode | disability insurance policy | Definition: An insurance policy that provides a regular payment to compensate for income lost due to the covered party's inability to work because of illness or injury.

EWB | http://hl7.org/fhir/v3/ActCode | employee welfare benefit plan policy | Definition: An insurance policy under a benefit plan run by an employer or employee organization for the purpose of providing benefits other than pension-related to employees and their families. Typically provides health-related benefits, benefits for disability, disease or unemployment, or day care and scholarship benefits, among others. An employer sponsored health policy includes coverage of health care expenses arising from sickness or accidental injury, coverage for on-site medical clinics or for dental or vision benefits, which are typically provided under a separate policy. Coverage excludes health care expenses covered by accident or disability, workers' compensation, liability or automobile insurance.

FLEXP | http://hl7.org/fhir/v3/ActCode | flexible benefit plan policy | Definition: An insurance policy that covers qualified benefits under a Flexible Benefit plan such as group medical insurance, long and short term disability income insurance, group term life insurance for employees only up to $50,000 face amount, specified disease coverage such as a cancer policy, dental and/or vision insurance, hospital indemnity insurance, accidental death and dismemberment insurance, a medical expense reimbursement plan and a dependent care reimbursement plan. Discussion: See UnderwriterRoleTypeCode flexible benefit plan which is defined as a benefit plan that allows employees to choose from several life, health, disability, dental, and other insurance plans according to their individual needs. Also known as cafeteria plans. Authorized under Section 125 of the Revenue Act of 1978.

LIFE | http://hl7.org/fhir/v3/ActCode | life insurance policy | Definition: A policy under which the insurer agrees to pay a sum of money upon the occurrence of the covered partys death. In return, the policyholder agrees to pay a stipulated amount called a premium at regular intervals. Life insurance indemnifies the beneficiary for the loss of the insurable interest that a beneficiary has in the life of a covered party. For persons related by blood, a substantial interest established through love and affection, and for all other persons, a lawful and substantial economic interest in having the life of the insured continue. An insurable interest is required when purchasing life insurance on another person. Specific exclusions are often written into the contract to limit the liability of the insurer; for example claims resulting from suicide or relating to war, riot and civil commotion. Discussion:A life insurance policy may be used by the covered party as a source of health care coverage in the case of a viatical settlement, which is the sale of a

life insurance policy by the policy owner, before the policy matures. Such a sale, at a price discounted from the face amount of the policy but usually in excess of the premiums paid or current cash surrender value, provides the seller an immediate cash settlement. Generally, viatical settlements involve insured individuals with a life expectancy of less than two years. In countries without state-subsidized healthcare and high healthcare costs (e.g. United States), this is a practical way to pay extremely high health insurance premiums that severely ill people face. Some people are also familiar with life settlements, which are similar transactions but involve insureds with longer life expectancies (two to fifteen years).

ANNU | http://hl7.org/fhir/v3/ActCode | annuity policy | Definition: A policy that, after an initial premium or premiums, pays out a sum at pre-determined intervals. For example, a policy holder may pay $10,000, and in return receive $150 each month until he dies; or $1,000 for each of 14 years or death benefits if he dies before the full term of the annuity has elapsed.

TLIFE | http://hl7.org/fhir/v3/ActCode | term life insurance policy | Definition: Life insurance under which the benefit is payable only if the insured dies during a specified period. If an insured dies during that period, the beneficiary receives the death payments. If the insured survives, the policy ends and the beneficiary receives nothing.

ULIFE | http://hl7.org/fhir/v3/ActCode | universal life insurance policy | Definition: Life insurance under which the benefit is payable upon the insuredaTMs death or diagnosis of a terminal illness. If an insured dies during that period, the beneficiary receives the death payments. If the insured survives, the policy ends and the beneficiary receives nothing

PNC | http://hl7.org/fhir/v3/ActCode | property and casualty insurance policy | Definition: A type of insurance that covers damage to or loss of the policyholderaTMs property by providing payments for damages to property damage or the injury or death of living subjects. The terms "casualty" and "liability" insurance are often used interchangeably. Both cover the policyholder's legal liability for damages caused to other persons and/or their property.

REI | http://hl7.org/fhir/v3/ActCode | reinsurance policy | Definition: An agreement between two or more insurance companies by which the risk of loss is proportioned. Thus the risk of loss is spread and a disproportionately large loss under a single policy does not fall on one insurance company. Acceptance by an insurer, called a reinsurer, of all or part of the risk of loss of another insurance company. Discussion: Reinsurance is a means by which an insurance company can protect itself against the risk of losses with other insurance companies. Individuals and corporations obtain insurance policies to provide protection for various risks (hurricanes, earthquakes, lawsuits, collisions, sickness and death, etc.). Reinsurers, in turn, provide insurance to insurance companies. For example, an HMO may purchase a reinsurance policy to protect itself from losing too much money from one insured's particularly expensive health care costs. An insurance company issuing an automobile liability policy, with a limit of $100,000 per accident may reinsure its liability in excess of $10,000. A fire insurance company which issues a large policy generally reinsures a portion of the risk with one or several other companies. Also called risk control insurance or stop-loss insurance.

SURPL | http://hl7.org/fhir/v3/ActCode | surplus line insurance policy | Definition: A risk or part of a risk for which there is no normal insurance market available. Insurance written by unauthorized insurance companies. Surplus lines insurance is insurance placed with unauthorized insurance companies through licensed surplus lines agents or brokers.

UMBRL | http://hl7.org/fhir/v3/ActCode | umbrella liability insurance policy | Definition: A form of insurance protection that provides additional liability coverage after the limits of your underlying policy are reached. An umbrella liability policy also protects you (the insured) in many situations not covered by the usual liability policies.

CHAR | http://hl7.org/fhir/v3/ActCode | charity program | Definition: A program that covers the cost of services provided directly to a beneficiary who typically has no other source of coverage without charge.

CRIME | http://hl7.org/fhir/v3/ActCode | crime victim program | Definition: A program that covers the cost of services provided to crime victims for injuries or losses related to the occurrence of a crime.

EAP | http://hl7.org/fhir/v3/ActCode | employee assistance program | Definition: An employee assistance program is run by an employer or employee organization for the purpose of providing benefits and covering all or part of the cost for employees to receive counseling, referrals, and advice in dealing with stressful issues in their lives. These may include substance abuse, bereavement, marital problems, weight issues, or general wellness issues. The services are usually provided by a third-party, rather than the company itself, and the company receives only summary statistical data from the service provider. Employee's names and services received are kept confidential.

GOVEMP | http://hl7.org/fhir/v3/ActCode | government employee health program | Definition: A set of codes used to indicate a government program that is an organized structure for administering and funding coverage of a benefit package for covered parties meeting eligibility criteria, typically related to employment, health and financial status. Government programs are established or permitted by legislation with provisions for ongoing government oversight. Regulation mandates the structure of the program, the manner in which it is funded and administered, covered benefits, provider types, eligibility criteria and financial participation. A government agency is charged with implementing the program in accordance to the regulation Example: Federal employee health benefit program in the U.S.

HIRISK | http://hl7.org/fhir/v3/ActCode | high risk pool program | Definition: A government program that provides health coverage to individuals who are considered medically uninsurable or high risk, and who have been denied health insurance due to a serious health condition. In certain cases, it also applies to those who have been quoted very high premiums a" again, due to a serious health condition. The pool charges premiums for coverage. Because the pool covers high-risk people, it incurs a higher level of claims than premiums can cover. The insurance industry pays into the pool to make up the difference and help it remain viable.

IND | http://hl7.org/fhir/v3/ActCode | indigenous peoples health program | Definition: Services provided directly and through contracted and operated indigenous peoples health programs. Example: Indian Health Service in the U.S.

MILITARY | http://hl7.org/fhir/v3/ActCode | military health program | Definition: A government program that provides coverage for health services to military personnel, retirees, and dependents. A covered party who is a subscriber can choose from among Fee-for-Service (FFS) plans, and their Preferred Provider Organizations (PPO), or Plans offering a Point of Service (POS) Product, or Health Maintenance Organizations. Example: In the U.S., TRICARE, CHAMPUS.

RETIRE | http://hl7.org/fhir/v3/ActCode | retiree health program | Definition: A government mandated program with specific eligibility requirements based on premium contributions made during employment, length of employment, age, and employment status, e.g., being retired, disabled, or a dependent of a covered party under this program. Benefits typically include ambulatory, inpatient, and long-term care, such as hospice care, home health care and respite care.

SOCIAL | http://hl7.org/fhir/v3/ActCode | social service program | Definition: A social service program funded by a public or governmental entity. Example: Programs providing habilitation, food, lodging, medicine, transportation, equipment, devices, products, education, training, counseling, alteration of living or work space, and other resources to persons meeting eligibility criteria.

VET | http://hl7.org/fhir/v3/ActCode | veteran health program | Definition: Services provided directly and through contracted and operated veteran health programs.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.515 Value Set http://hl7.org/fhir/ValueSet/policyholder-relationship

URL: https://hl7.org/fhir/STU3/valueset-policyholder-relationship.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/policyholder-relationship
Name: | Policyholder Relationship Codes
Definition: | This value set includes codes for the relationship between the Policyholder and the Beneficiary (insured/covered party/patient)..
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.515 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Policyholder Relationship Codes

* Coverage.relationship (Example)

4.3.1.515.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/policyholder-relationship

4.3.1.515.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/policyholder-relationship version 3.0.2

All codes from system http://hl7.org/fhir/policyholder-relationship

Code | Display | Definition
child | Child | The Beneficiary is a child of the Policyholder
parent | Parent | The Beneficiary is a parent of the Policyholder
spouse | Spouse | The Beneficiary is a spouse or equivalent of the Policyholder
common | Common Law Spouse | The Beneficiary is a common law spouse or equivalent of the Policyholder
other | Other | The Beneficiary has some other relationship the Policyholder
self | Self | The Beneficiary is the Policyholder

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.517 Value Set http://hl7.org/fhir/ValueSet/coverage-level

URL: https://hl7.org/fhir/STU3/valueset-coverage-level.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/coverage-level
Name: | Coverage Level Codes
Definition: | This value set includes sample Coverage Level codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.517 (for OID based terminology systems)
Copyright: | This is an example set.

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Coverage Level Codes

4.3.1.517.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/coverage-level

4.3.1.517.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/coverage-level version 3.0.2

All codes from system http://hl7.org/fhir/coverage-level

Code	Display	Definition
group	Group	An employee group
subgroup	SubGroup	A sub-group of an employee group
plan	Plan	A specific suite of benefits.
subplan	SubPlan	A subset of a specific suite of benefits.
class	Class	A class of benefits.
subclass	SubClass	A subset of a class of benefits.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.519 Value Set http://hl7.org/fhir/ValueSet/coverage-selfpay

URL: https://hl7.org/fhir/STU3/valueset-coverage-selfpay.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/coverage-selfpay
Name:	Coverage SelfPay Codes
Definition:	This value set includes Coverage SelfPay codes.
Committee:	Financial Management Work Group
OID:	2.16.840.1.113883.4.642.3.519 (for OID based terminology systems)
Copyright:	HL7 International.

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Coverage SelfPay Codes

4.3.1.519.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/coverage-selfpay

4.3.1.519.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/coverage-selfpay version 3.0.2

All codes from system http://hl7.org/fhir/coverage-selfpay

Code	Display	Definition
pay	Pay	An individual or oraganization is paying directly for goods and services.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.521 Value Set http://hl7.org/fhir/ValueSet/additionalmaterials

URL: https://hl7.org/fhir/STU3/valueset-additionalmaterials.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/additionalmaterials
Name: | Additional Material Codes
Definition: | This value set includes sample additional material type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.521 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Additional Material Codes

4.3.1.521.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/additionalmaterials

4.3.1.521.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/additionalmaterials version 3.0.2

All codes from system http://hl7.org/fhir/additionalmaterials

Code | Display | Definition
xray | XRay | XRay
image | Image | Image
email | Email | Email
model | Model | Model
document | Document | Document
other | Other | Other

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.523 Value Set http://hl7.org/fhir/ValueSet/icd-10

URL: https://hl7.org/fhir/STU3/valueset-icd-10.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/icd-10
Name: | ICD-10 Codes
Definition: | This value set includes sample ICD-10 codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.523 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* ChargeItem.reason (Example)

* ExplanationOfBenefit.diagnosis.diagnosis[x] (Example)

* Claim.diagnosis.diagnosis[x] (Example)

4.3.1.523.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/sid/icd-10

Code | Display
123456 | DIAG-1
123457 | DIAG-1a
987654 | DIAG-2
123987 | DIAG-3
112233 | DIAG-4
997755 | DIAG-5
321789 | DIAG-6

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.524 Value Set http://hl7.org/fhir/ValueSet/intervention

URL: https://hl7.org/fhir/STU3/valueset-intervention.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/intervention
Name: | Intervention Codes
Definition: | This value set includes sample Intervention codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.524 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Intervention Codes

4.3.1.524.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/intervention

4.3.1.524.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/intervention version 3.0.2

All codes from system http://hl7.org/fhir/intervention

Code | Display | Definition
unknown | Unknown | Unknown
other | Other | Other

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.526 Value Set http://hl7.org/fhir/ValueSet/missing-tooth-reason

URL: https://hl7.org/fhir/STU3/valueset-missing-tooth-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/missing-tooth-reason
Name: | Missing Tooth Reason Codes
Definition: | This value set includes sample Missing Tooth Reason codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.526 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Missing Tooth Reason Codes

* ExplanationOfBenefit.information.reason (Example)

4.3.1.526.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/missingtoothreason

4.3.1.526.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/missingtoothreason version 3.0.2

All codes from system http://hl7.org/fhir/missingtoothreason

Code | Display | Definition
e | E | Extraction
c | C | Congenital
u | U | Unknown
o | O | Other

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.528 Value Set http://hl7.org/fhir/ValueSet/claim-modifiers

URL: https://hl7.org/fhir/STU3/valueset-claim-modifiers.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-modifiers
Name: | Modifier type Codes
Definition: | This value set includes sample Modifier type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.528 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Modifier type Codes
* ExplanationOfBenefit.item.modifier (Example)
* ExplanationOfBenefit.item.detail.modifier (Example)
* ExplanationOfBenefit.item.detail.subDetail.modifier (Example)
* ExplanationOfBenefit.addItem.modifier (Example)
* ExplanationOfBenefit.addItem.detail.modifier (Example)
* ClaimResponse.addItem.modifier (Example)
* ClaimResponse.addItem.detail.modifier (Example)
* Claim.item.modifier (Example)
* Claim.item.detail.modifier (Example)
* Claim.item.detail.subDetail.modifier (Example)

4.3.1.528.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/modifiers

4.3.1.528.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/modifiers version 3.0.2

All codes from system http://hl7.org/fhir/modifiers

Code | Display | Definition
a | Repair of prior service or installation | Repair of prior service or installation.
b | Temporary service or installation | Temporary service or installation.
c | TMJ treatment | Treatment associated with TMJ.
e | Implant or associated with an implant | Implant or associated with an implant.
rooh | Rush or Outside of office hours | A Rush service or service performed outside of normal office hours.
x | None | None.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.530 Value Set http://hl7.org/fhir/ValueSet/oral-prosthodontic-material

URL: https://hl7.org/fhir/STU3/valueset-oral-prosthodontic-material.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/oral-prosthodontic-material
Name: | Oral Prostho Material type Codes
Definition: | This value set includes sample Oral Prosthodontic Material type codes.

Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.530 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Oral Prostho Material type Codes

4.3.1.530.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-oralprostho

4.3.1.530.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/ex-oralprostho version 3.0.2

All codes from system http://hl7.org/fhir/ex-oralprostho

Code | Display | Definition
1 | Fixed Bridge | Fixed Bridge
2 | Maryland Bridge | Maryland Bridge
3 | Denture Acrylic | Denture Acrylic
4 | Denture Chrome Cobalt | Denture Chrome Cobalt

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.532 Value Set http://hl7.org/fhir/ValueSet/tooth

URL: https://hl7.org/fhir/STU3/valueset-tooth.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/tooth
Name: | Oral Site Codes
Definition: | This value set includes a smattering of FDI oral site codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.532 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Oral Site Codes
* ExplanationOfBenefit.item.bodySite (Example)
* Claim.item.bodySite (Example)

4.3.1.532.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-tooth

4.3.1.532.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 41 concepts

Expansion based on http://hl7.org/fhir/ex-tooth version 3.0.2

All codes from system http://hl7.org/fhir/ex-tooth

Code | Display | Definition
0 | Oral cavity | Oral cavity.
1 | 1 | Permanent teeth Maxillary right.
2 | 2 | Permanent teeth Maxillary left.
3 | 3 | Permanent teeth Mandibular right.
4 | 4 | Permanent teeth Mandibular left.
5 | 5 | Deciduous teeth Maxillary right.
6 | 6 | Deciduous teeth Maxillary left.
7 | 7 | Deciduous teeth Mandibular right.
8 | 8 | Deciduous teeth Mandibular left.
11 | 11 | Upper Right Tooth 1 from the central axis, permanent dentition.
12 | 12 | Upper Right Tooth 2 from the central axis, permanent dentition.
13 | 13 | Upper Right Tooth 3 from the central axis, permanent dentition.
14 | 14 | Upper Right Tooth 4 from the central axis, permanent dentition.
15 | 15 | Upper Right Tooth 5 from the central axis, permanent dentition.
16 | 16 | Upper Right Tooth 6 from the central axis, permanent dentition.
17 | 17 | Upper Right Tooth 7 from the central axis, permanent dentition.
18 | 18 | Upper Right Tooth 8 from the central axis, permanent dentition.
21 | 21 | Upper Left Tooth 1 from the central axis, permanent dentition.
22 | 22 | Upper Left Tooth 2 from the central axis, permanent dentition.
23 | 23 | Upper Left Tooth 3 from the central axis, permanent dentition.
24 | 24 | Upper Left Tooth 4 from the central axis, permanent dentition.
25 | 25 | Upper Left Tooth 5 from the central axis, permanent dentition.
26 | 26 | Upper Left Tooth 6 from the central axis, permanent dentition.
27 | 27 | Upper Left Tooth 7 from the central axis, permanent dentition.
28 | 28 | Upper Left Tooth 8 from the central axis, permanent dentition.
31 | 31 | Lower Left Tooth 1 from the central axis, permanent dentition.
32 | 32 | Lower Left Tooth 2 from the central axis, permanent dentition.
33 | 33 | Lower Left Tooth 3 from the central axis, permanent dentition.
34 | 34 | Lower Left Tooth 4 from the central axis, permanent dentition.
35 | 35 | Lower Left Tooth 5 from the central axis, permanent dentition.
36 | 36 | Lower Left Tooth 6 from the central axis, permanent dentition.
37 | 37 | Lower Left Tooth 7 from the central axis, permanent dentition.
38 | 38 | Lower Left Tooth 8 from the central axis, permanent dentition.
41 | 41 | Lower Right Tooth 1 from the central axis, permanent dentition.
42 | 42 | Lower Right Tooth 2 from the central axis, permanent dentition.
43 | 43 | Lower Right Tooth 3 from the central axis, permanent dentition.
44 | 44 | Lower Right Tooth 4 from the central axis, permanent dentition.
45 | 45 | Lower Right Tooth 5 from the central axis, permanent dentition.
46 | 46 | Lower Right Tooth 6 from the central axis, permanent dentition.
47 | 47 | Lower Right Tooth 7 from the central axis, permanent dentition.
48 | 48 | Lower Right Tooth 8 from the central axis, permanent dentition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.534 Value Set http://hl7.org/fhir/ValueSet/service-uscls

URL: https://hl7.org/fhir/STU3/valueset-service-uscls.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-uscls
Name: | USCLS Codes
Definition: | This value set includes a smattering of USCLS codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.534 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for USCLS Codes
* ExplanationOfBenefit.item.service (Example)
* ExplanationOfBenefit.item.detail.service (Example)
* ExplanationOfBenefit.item.detail.subDetail.service (Example)
* ExplanationOfBenefit.addItem.service (Example)
* ExplanationOfBenefit.addItem.detail.service (Example)
* ClaimResponse.addItem.service (Example)
* ClaimResponse.addItem.detail.service (Example)
* Claim.item.service (Example)
* Claim.item.detail.service (Example)
* Claim.item.detail.subDetail.service (Example)

4.3.1.534.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-USCLS

4.3.1.534.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 20 concepts

Expansion based on http://hl7.org/fhir/ex-USCLS version 3.0.2

All codes from system http://hl7.org/fhir/ex-USCLS

Code	Display	Definition
1101	Exam, comp, primary	Exam, comp, primary
1102	Exam, comp, mixed	Exam, comp, mixed
1103	Exam, comp, permanent	Exam, comp, permanent
1201	Exam, recall	Exam, recall
1205	Exam, emergency	Exam, emergency
2101	Radiograph, series (12)	Radiograph, series (12)
2102	Radiograph, series (16)	Radiograph, series (16)
2141	Radiograph, bytewing	Radiograph, bytewing
2601	Radiograph, panoramic	Radiograph, panoramic
11101	Polishing, 1 unit	Polishing, 1 unit
11102	Polishing, 2 unit	Polishing, 2 unit
11103	Polishing, 3 unit	Polishing, 3 unit
11104	Polishing, 4 unit	Polishing, 4 unit
21211	Amalgam, 1 surface	Amalgam, 1 surface
21212	Amalgam, 2 surface	Amalgam, 2 surface
27211	Crown, PFM	Crown, PFM
67211	Maryland Bridge	Maryland Bridge
99111	Lab, commercial	Lab, commercial
99333	Lab, in office	Lab, in office
99555	Expense	Expense

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.536 Value Set http://hl7.org/fhir/ValueSet/claim-use

URL: https://hl7.org/fhir/STU3/valueset-claim-use.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/claim-use

Name: | Use
Definition: | Complete, proposed, exploratory, other
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.536 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Use

* Claim.use (Required)

4.3.1.536.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/claim-use

4.3.1.536.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/claim-use version 3.0.2

All codes from system http://hl7.org/fhir/claim-use

Code | Display | Definition
complete | Complete | The treatment is complete and this represents a Claim for the services.
proposed | Proposed | The treatment is proposed and this represents a Pre-authorization for the services.
exploratory | Exploratory | The treatment is proposed and this represents a Pre-determination for the services.
other | Other | A locally defined or otherwise resolved status.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.538 Value Set http://hl7.org/fhir/ValueSet/surface

URL: https://hl7.org/fhir/STU3/valueset-surface.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/surface
Name: | Surface Codes
Definition: | This value set includes a smattering of FDI tooth surface codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.538 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Surface Codes

* ExplanationOfBenefit.item.subSite (Example)

* Claim.item.subSite (Example)

4.3.1.538.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/FDI-surface

4.3.1.538.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 11 concepts

Expansion based on http://hl7.org/fhir/FDI-surface version 3.0.2

All codes from system http://hl7.org/fhir/FDI-surface

Code | Display | Definition
M | Mesial | The surface of a tooth that is closest to the midline (middle) of the face.
O | Occlusal | The chewing surface of posterior teeth.
I | Incisal | The biting edge of anterior teeth.
D | Distal | The surface of a tooth that faces away from the midline of the face.
B | Buccal | The surface of a posterior tooth facing the cheeks.
V | Ventral | The surface of a tooth facing the lips.
L | Lingual | The surface of a tooth facing the tongue.
MO | Mesioclusal | The Mesioclusal surfaces of a tooth.
DO | Distoclusal | The Distoclusal surfaces of a tooth.
DI | Distoincisal | The Distoincisal surfaces of a tooth.
MOD | Mesioclusodistal | The Mesioclusodistal surfaces of a tooth.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.540 Value Set http://hl7.org/fhir/ValueSet/fm-itemtype

URL: https://hl7.org/fhir/STU3/valueset-fm-itemtype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/fm-itemtype
Name: | Claim Item Type Codes
Definition: | This value set includes sample Item Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.540 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Claim Item Type Codes

4.3.1.540.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-claimitemtype

4.3.1.540.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/ex-claimitemtype version 3.0.2

All codes from system http://hl7.org/fhir/ex-claimitemtype

Code | Display | Definition
group | Group | A group of products and/or Services, amount ar the summary or detail level products and services.
product | Product | A billed product line item.
service | Service | A billed service line item.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.542 Value Set http://hl7.org/fhir/ValueSet/teeth

URL: https://hl7.org/fhir/STU3/valueset-teeth.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/teeth
Name: | Teeth Codes
Definition: | This value set includes the FDI Teeth codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.542 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Teeth Codes

4.3.1.542.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-fdi

4.3.1.542.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 32 concepts

Expansion based on http://hl7.org/fhir/ex-fdi version 3.0.2

All codes from system http://hl7.org/fhir/ex-fdi

Code | Display | Definition
11 | 11 | Upper Right Tooth 1 from the central axis, permanent dentition.
12 | 12 | Upper Right Tooth 2 from the central axis, permanent dentition.
13 | 13 | Upper Right Tooth 3 from the central axis, permanent dentition.
14 | 14 | Upper Right Tooth 4 from the central axis, permanent dentition.
15 | 15 | Upper Right Tooth 5 from the central axis, permanent dentition.
16 | 16 | Upper Right Tooth 6 from the central axis, permanent dentition.
17 | 17 | Upper Right Tooth 7 from the central axis, permanent dentition.
18 | 18 | Upper Right Tooth 8 from the central axis, permanent dentition.
21 | 21 | Upper Left Tooth 1 from the central axis, permanent dentition.
22 | 22 | Upper Left Tooth 2 from the central axis, permanent dentition.
23 | 23 | Upper Left Tooth 3 from the central axis, permanent dentition.
24 | 24 | Upper Left Tooth 4 from the central axis, permanent dentition.
25 | 25 | Upper Left Tooth 5 from the central axis, permanent dentition.
26 | 26 | Upper Left Tooth 6 from the central axis, permanent dentition.
27 | 27 | Upper Left Tooth 7 from the central axis, permanent dentition.
28 | 28 | Upper Left Tooth 8 from the central axis, permanent dentition.
31 | 31 | Lower Left Tooth 1 from the central axis, permanent dentition.
32 | 32 | Lower Left Tooth 2 from the central axis, permanent dentition.
33 | 33 | Lower Left Tooth 3 from the central axis, permanent dentition.
34 | 34 | Lower Left Tooth 4 from the central axis, permanent dentition.
35 | 35 | Lower Left Tooth 5 from the central axis, permanent dentition.
36 | 36 | Lower Left Tooth 6 from the central axis, permanent dentition.
37 | 37 | Lower Left Tooth 7 from the central axis, permanent dentition.
38 | 38 | Lower Left Tooth 8 from the central axis, permanent dentition.
41 | 41 | Lower Right Tooth 1 from the central axis, permanent dentition.
42 | 42 | Lower Right Tooth 2 from the central axis, permanent dentition.
43 | 43 | Lower Right Tooth 3 from the central axis, permanent dentition.
44 | 44 | Lower Right Tooth 4 from the central axis, permanent dentition.
45 | 45 | Lower Right Tooth 5 from the central axis, permanent dentition.
46 | 46 | Lower Right Tooth 6 from the central axis, permanent dentition.
47 | 47 | Lower Right Tooth 7 from the central axis, permanent dentition.
48 | 48 | Lower Right Tooth 8 from the central axis, permanent dentition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.544 Value Set http://hl7.org/fhir/ValueSet/process-priority

URL: https://hl7.org/fhir/STU3/valueset-process-priority.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/process-priority
Name: | Process Priority Codes
Definition: | This value set includes the financial processing priority codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.544 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Process Priority Codes

* EligibilityRequest.priority (Example)

* Claim.priority (Example)

4.3.1.544.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/processpriority

4.3.1.544.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/processpriority version 3.0.2

All codes from system http://hl7.org/fhir/processpriority

Code | Display | Definition
stat | Immediate | Immediately in real time.
normal | Normal | With best effort.
deferred | Deferred | Later, when possible.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.546 Value Set http://hl7.org/fhir/ValueSet/udi

URL: https://hl7.org/fhir/STU3/valueset-udi.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/udi
Name: | UDI Codes

Definition: | This value set includes sample UDI codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.546 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for UDI Codes

4.3.1.546.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-udi

4.3.1.546.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/ex-udi version 3.0.2

All codes from system http://hl7.org/fhir/ex-udi

Code | Display | Definition
gudid | GUDID (FDA) | GUDID (FDA) US Repository

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.548 Value Set http://hl7.org/fhir/ValueSet/fm-conditions

URL: https://hl7.org/fhir/STU3/valueset-fm-conditions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/fm-conditions
Name: | FM Condition Codes
Definition: | This value set includes sample Conditions codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.548 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for FM Condition Codes

4.3.1.548.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/fm-conditions

4.3.1.548.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/fm-conditions version 3.0.2

All codes from system http://hl7.org/fhir/fm-conditions

Code | Display | Definition
123987 | Headache | Headache

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.550 Value Set http://hl7.org/fhir/ValueSet/claim-type

URL: https://hl7.org/fhir/STU3/valueset-claim-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-type
Name: | Example Claim Type Codes
Definition: | This value set includes sample Claim Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.550 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Claim Type Codes

* ExplanationOfBenefit.type (Required)

* Claim.type (Required)

4.3.1.550.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-claimtype

4.3.1.550.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/ex-claimtype version 3.0.2

All codes from system http://hl7.org/fhir/ex-claimtype

Code | Display | Definition
institutional | Institutional | Hospital, clinic and typically inpatient claims.
oral | Oral | Dental, Denture and Hygiene claims.
pharmacy | Pharmacy | Pharmacy claims for goods and services.
professional | Professional | Typically outpatient claims from Physician, Psychological, Chiropractor, Physiotherapy, Speach Pathology, rehabilitative, consulting.
vision | Vision | Vision claims for professional services and products such as glasses and contact lenses.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.552 Value Set http://hl7.org/fhir/ValueSet/service-product

URL: https://hl7.org/fhir/STU3/valueset-service-product.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-product
Name: | Example Service/Product Codes
Definition: | This value set includes a smattering of Service/Product codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.552 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Service/Product Codes

4.3.1.552.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-serviceproduct

4.3.1.552.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/ex-serviceproduct version 3.0.2

All codes from system http://hl7.org/fhir/ex-serviceproduct

Code | Display | Definition
exam | Exam | Exam
flushot | Flu shot | Flu shot

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.554 Value Set http://hl7.org/fhir/ValueSet/service-pharmacy

URL: https://hl7.org/fhir/STU3/valueset-service-pharmacy.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-pharmacy
Name: | Example Pharmacy Service Codes
Definition: | This value set includes a smattering of Pharmacy Service codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.554 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Pharmacy Service Codes

4.3.1.554.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-pharmaservice

4.3.1.554.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/ex-pharmaservice version 3.0.2

All codes from system http://hl7.org/fhir/ex-pharmaservice

Code | Display | Definition

smokecess | Smoking cessation | Smoking cessation
flushot | Flu Shot | Flu Shot
drugcost | Drug Cost | The wholesale price of the medication.
markup | Markup | The additional cost assessed on the drug.
dispensefee | Dispense Fee | The professional fee charged for dispensing the product or service.
compoundfee | Compounding Fee | The professional fee charged for compounding the medication.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.556 Value Set http://hl7.org/fhir/ValueSet/service-place

URL: https://hl7.org/fhir/STU3/valueset-service-place.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-place
Name: | Example Service Place Codes
Definition: | This value set includes a smattering of Service Place codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.556 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Service Place Codes

* ExplanationOfBenefit.item.location[x] (Example)

* Claim.item.location[x] (Example)

4.3.1.556.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-serviceplace

4.3.1.556.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 17 concepts

Expansion based on http://hl7.org/fhir/ex-serviceplace version 3.0.2

All codes from system http://hl7.org/fhir/ex-serviceplace

Code | Display | Definition
01 | Pharmacy | A facility or location where drugs and other medically related items and services are sold, dispensed, or otherwise provided directly to patients.
03 | School | A facility whose primary purpose is education.
04 | Homeless Shelter | A facility or location whose primary purpose is to provide temporary housing to homeless individuals (e.g., emergency shelters, individual or family shelters).
05 | Indian Health Service Free-standing Facility | A facility or location, owned and operated by the Indian Health Service, which provides diagnostic, therapeutic (surgical and nonsurgical), and rehabilitation services to American Indians and Alaska Natives who do not require hospitalization.
06 | Indian Health Service Provider-based Facility | A facility or location, owned and operated by the Indian Health Service, which provides diagnostic, therapeutic (surgical and nonsurgical), and rehabilitation services rendered by, or under the supervision of, physicians to American Indians and Alaska Natives admitted as inpatients or outpatients.
07 | Tribal 638 Free-Standing Facility | A facility or location owned and operated by a federally recognized American Indian or Alaska Native tribe or tribal organization under a 638 agreement, which provides diagnostic, therapeutic (surgical and nonsurgical), and rehabilitation services to tribal members who do not require hospitalization.
08 | Tribal 638 Provider-Based Facility | A facility or location owned and operated by a federally recognized American Indian or Alaska Native tribe or tribal organization under a 638 agreement, which provides diagnostic, therapeutic (surgical and nonsurgical), and rehabilitation services to tribal members admitted as inpatients or outpatients.
09 | Prison/Correctional Facility | A prison, jail, reformatory, work farm, detention center, or any other similar facility maintained by either Federal, State or local authorities for the purpose of confinement or rehabilitation of adult or juvenile criminal offenders.

11 | Office | Location, other than a hospital, skilled nursing facility (SNF), military treatment facility, community health center, State or local public health clinic, or intermediate care facility (ICF), where the health professional routinely provides health examinations, diagnosis, and treatment of illness or injury on an ambulatory basis.

12 | Home | Location, other than a hospital or other facility, where the patient receives care in a private residence.

13 | Assisted Living Fa | Congregate residential facility with self-contained living units providing assessment of each resident's needs and on-site support 24 hours a day, 7 days a week, with the capacity to deliver or arrange for services including some health care and other services.

14 | Group Home | A residence, with shared living areas, where clients receive supervision and other services such as social and/or behavioral services, custodial service, and minimal services (e.g., medication administration).

15 | Mobile Unit | A facility/unit that moves from place-to-place equipped to provide preventive, screening, diagnostic, and/or treatment services.

19 | Off Campus-Outpatient Hospital | portion of an off-campus hospital provider based department which provides diagnostic, therapeutic (both surgical and nonsurgical), and rehabilitation services to sick or injured persons who do not require hospitalization or institutionalization.

20 | Urgent Care Facility | Location, distinct from a hospital emergency room, an office, or a clinic, whose purpose is to diagnose and treat illness or injury for unscheduled, ambulatory patients seeking immediate medical attention.

21 | Inpatient Hospital | A facility, other than psychiatric, which primarily provides diagnostic, therapeutic (both surgical and nonsurgical), and rehabilitation services by, or under, the supervision of physicians to patients admitted for a variety of medical conditions.

41 | Ambulance—Land | A land vehicle specifically designed, equipped and staffed for lifesaving and transporting the sick or injured.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.558 Value Set http://hl7.org/fhir/ValueSet/claim-subtype

URL: https://hl7.org/fhir/STU3/valueset-claim-subtype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-subtype
Name: | Example Claim SubType Codes
Definition: | This value set includes sample Claim SubType codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.558 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Claim SubType Codes

* ExplanationOfBenefit.subType (Example)

4.3.1.558.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-claimsubtype

4.3.1.558.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/ex-claimsubtype version 3.0.2

All codes from system http://hl7.org/fhir/ex-claimsubtype

Code | Display | Definition
ortho | Orthodontic Claim | A claim for Orthodontic Services.
emergency | Emergency Claim | A claim for emergency services.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.560 Value Set http://hl7.org/fhir/ValueSet/related-claim-relationship

URL: https://hl7.org/fhir/STU3/valueset-related-claim-relationship.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/related-claim-relationship
Name: | Example Related Claim Relationship Codes
Definition: | This value set includes sample Related Claim Relationship codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.560 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Related Claim Relationship Codes

* ExplanationOfBenefit.related.relationship (Example)

4.3.1.560.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-relatedclaimrelationship

4.3.1.560.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/ex-relatedclaimrelationship version 3.0.2

All codes from system http://hl7.org/fhir/ex-relatedclaimrelationship

Code | Display | Definition
prior | Prior Claim | A prior claim instance for the same intended suite of services.
associated | Associated Claim | A claim for a different suite of services which is related the suite claimed here.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.562 Value Set http://hl7.org/fhir/ValueSet/provider-qualification

URL: https://hl7.org/fhir/STU3/valueset-provider-qualification.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provider-qualification
Name: | Example Provider Qualification Codes
Definition: | This value set includes sample Provider Qualification codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.562 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Provider Qualification Codes

* ExplanationOfBenefit.careTeam.qualification (Example)

4.3.1.562.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-providerqualification

4.3.1.562.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/ex-providerqualification version 3.0.2

All codes from system http://hl7.org/fhir/ex-providerqualification

Code | Display | Definition
311405 | Dentist | Dentist General Practitioner (DDS, DDM).
604215 | Ophthalmologist | Ophthalmologist.
604210 | Optometrist | Optometrist.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.564 Value Set http://hl7.org/fhir/ValueSet/service-modifiers

URL: https://hl7.org/fhir/STU3/valueset-service-modifiers.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/service-modifiers
Name: | Example Service Modifier Codes
Definition: | This value set includes sample Service Modifier codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.564 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Service Modifier Codes

4.3.1.564.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-servicemodifier

4.3.1.564.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/ex-servicemodifier version 3.0.2

All codes from system http://hl7.org/fhir/ex-servicemodifier

Code | Display | Definition
sr | Side of the Road | Services provided on the side of the raod or such other non-conventional setting.
ah | After hours | Services provided outside or normal business hours.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.566 Value Set http://hl7.org/fhir/ValueSet/icd-10-procedures

URL: https://hl7.org/fhir/STU3/valueset-icd-10-procedures.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/icd-10-procedures
Name: | ICD-10 Procedure Codes
Definition: | This value set includes sample ICD-10 Procedure codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.566 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ICD-10 Procedure Codes

* ExplanationOfBenefit.procedure.procedure[x] (Example)

4.3.1.566.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/sid/ex-icd-10-procedures

4.3.1.566.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/sid/ex-icd-10-procedures version 3.0.2

All codes from system http://hl7.org/fhir/sid/ex-icd-10-procedures

Code | Display | Definition
123001 | PROC-1 | Procedure 1
123002 | PROC-2 | Procedure 2
123003 | PROC-3 | Procedure 3

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.568 Value Set http://hl7.org/fhir/ValueSet/ex-program-code

URL: https://hl7.org/fhir/STU3/valueset-ex-program-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-program-code
Name: | Example Program Reason Codes
Definition: | This value set includes sample Program Reason Span codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.568 (for OID based terminology systems)

Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Program Reason Codes

* ExplanationOfBenefit.item.programCode (Example)

* ExplanationOfBenefit.item.detail.programCode (Example)

* ExplanationOfBenefit.item.detail.subDetail.programCode (Example)

4.3.1.568.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-programcode

4.3.1.568.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/ex-programcode version 3.0.2

All codes from system http://hl7.org/fhir/ex-programcode

Code | Display | Definition
as | Child Asthma | Child Asthma Program
hd | Heamodialisis | Heamodialisis Program.
auscr | Autism Screening | Autism Screening Program.
none | None | No program code applies.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.570 Value Set http://hl7.org/fhir/ValueSet/ex-onsettype

URL: https://hl7.org/fhir/STU3/valueset-ex-onsettype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-onsettype
Name: | Example Onset Type (Reason) Codes
Definition: | This value set includes sample Service Modifier codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.570 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Onset Type (Reason) Codes

4.3.1.570.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-onsettype

4.3.1.570.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/ex-onsettype version 3.0.2

All codes from system http://hl7.org/fhir/ex-onsettype

Code | Display | Definition

lxm | Last Exam | Date of last examination.
sym | Start of Symptoms | Date when symptoms were first noticed..
lmn | Last Menstruation | Start date of last menstruation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.572 Value Set http://hl7.org/fhir/ValueSet/claim-exception

URL: https://hl7.org/fhir/STU3/valueset-claim-exception.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-exception
Name: | Exception Codes
Definition: | This value set includes sample Exception codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.572 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Exception Codes

* ExplanationOfBenefit.information.code (Example)

* Claim.information.code (Example)

4.3.1.572.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/claim-exception

4.3.1.572.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/claim-exception version 3.0.2

All codes from system http://hl7.org/fhir/claim-exception

Code | Display | Definition
student | Student (Fulltime) | Fulltime Student
disabled | Disabled | Disabled

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.574 Value Set http://hl7.org/fhir/ValueSet/claim-informationcategory

URL: https://hl7.org/fhir/STU3/valueset-claim-informationcategory.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/claim-informationcategory
Name: | Claim Information Category Codes
Definition: | This value set includes sample Information Category codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.574 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Claim Information Category Codes

* ExplanationOfBenefit.information.category (Example)

* Claim.information.category (Example)

4.3.1.574.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/claiminformationcategory

4.3.1.574.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/claiminformationcategory version 3.0.2

All codes from system http://hl7.org/fhir/claiminformationcategory

Code | Display | Definition
info | Information | Codes conveying additional situation and condition information.
discharge | Discharge | Discharge status and discharge to locations.
onset | Onset | Period, start or end dates of aspects of the Condition.
related | Related Services | Nature and date of the related event eg. Last exam, service, Xray etc.
exception | Exception | Insurance policy exceptions.
material | Materials Forwarded | Materials being forwarded, eg. Models, molds, images, documents.
attachment | Attachment | Materials attached such as images, documents and resources.
missingtooth | Missing Tooth | Teeth which are missing for any reason, for example: prior extraction, never developed.
prosthesis | Prosthesis | The type of prosthesis and date of supply if a previously supplied prosthesis.
other | Other | Other information identified by the type.system.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.576 Value Set http://hl7.org/fhir/ValueSet/ex-payee-resource-type

URL: https://hl7.org/fhir/STU3/valueset-ex-payee-resource-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-payee-resource-type
Name: | ClaimPayeeResourceType
Definition: | The type of Claim payee Resource
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.576 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ClaimPayeeResourceType

* Claim.payee.resourceType (Example)

4.3.1.576.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-payee-resource-type

4.3.1.576.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/ex-payee-resource-type version 3.0.2

All codes from system http://hl7.org/fhir/ex-payee-resource-type

Code	Display	Definition
organization	Organization	Organization resource
patient	Patient	Patient resource
practitioner	Practitioner	Practitioner resource
relatedperson	RelatedPerson	RelatedPerson resource

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.578 Value Set http://hl7.org/fhir/ValueSet/claim-careteamrole

URL: https://hl7.org/fhir/STU3/valueset-claim-careteamrole.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/claim-careteamrole
Name:	Claim Care Team Role Codes
Definition:	This value set includes sample Claim Care Team Role codes.
Committee:	Financial Management Work Group
OID:	2.16.840.1.113883.4.642.3.578 (for OID based terminology systems)
Copyright:	This is an example set.
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Claim Care Team Role Codes

* ExplanationOfBenefit.careTeam.role (Example)

* Claim.careTeam.role (Example)

4.3.1.578.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/claimcareteamrole

4.3.1.578.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/claimcareteamrole version 3.0.2

All codes from system http://hl7.org/fhir/claimcareteamrole

Code	Display	Definition
primary	Primary provider	The primary care provider.
assist	Assisting Provider	Assisting care provider.
supervisor	Supervising Provider	Supervising care provider.
other	Other	Other role on the care team.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.580 Value Set http://hl7.org/fhir/ValueSet/ex-diagnosisrelatedgroup

URL: https://hl7.org/fhir/STU3/valueset-ex-diagnosisrelatedgroup.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-diagnosisrelatedgroup
Name: | Example Diagnosis Related Group Codes
Definition: | This value set includes example Diagnosis Related Group codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.580 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Diagnosis Related Group Codes

* ExplanationOfBenefit.diagnosis.packageCode (Example)

* Claim.diagnosis.packageCode (Example)

4.3.1.580.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-diagnosisrelatedgroup

4.3.1.580.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/ex-diagnosisrelatedgroup version 3.0.2

All codes from system http://hl7.org/fhir/ex-diagnosisrelatedgroup

Code | Display | Definition
100 | Normal Vaginal Delivery | Normal Vaginal Delivery.
101 | Appendectomy - uncomplicated | Appendectomy without rupture or other complications.
300 | Tooth abcess | Emergency department treatment of a tooth abcess.
400 | Head trauma - concussion | Head trauma - concussion.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.582 Value Set http://hl7.org/fhir/ValueSet/ex-diagnosistype

URL: https://hl7.org/fhir/STU3/valueset-ex-diagnosistype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-diagnosistype

Name: | Example Diagnosis Type Codes
Definition: | This value set includes example Diagnosis Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.582 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Diagnosis Type Codes

* ExplanationOfBenefit.diagnosis.type (Example)

* Claim.diagnosis.type (Example)

4.3.1.582.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-diagnosistype

4.3.1.582.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 12 concepts

Expansion based on http://hl7.org/fhir/ex-diagnosistype version 3.0.2

All codes from system http://hl7.org/fhir/ex-diagnosistype

Code | Display | Definition
admitting | Admitting Diagnosis | The diagnosis given as the reason why the patient was admitted to the hospital.
clinical | Clinical Diagnosis | A diagnosis made on the basis of medical signs and patient-reported symptoms, rather than diagnostic tests.
differential | Differential Diagnosis | One of a set of the possible diagnoses that could be connected to the signs, symptoms, and lab findings.
discharge | Discharge Diagnosis | The diagnosis given when the patient is discharged from the hospital.
laboratory | Laboratory Diagnosis | A diagnosis based significantly on laboratory reports or test results, rather than the physical examination of the patient.
nursing | Nursing Diagnosis | A diagnosis which identifies people's responses to situations in their lives, such as a readiness to change or a willingness to accept assistance.
prenatal | Prenatal Diagnosis | A diagnosis determined prior to birth.
principal | Principal Diagnosis | The single medical diagnosis that is most relevant to the patient's chief complaint or need for treatment.
radiology | Radiology Diagnosis | A diagnosis based primarily on the results from medical imaging studies.
remote | Remote Diagnosis | A diagnosis determined using telemedicine techniques.
retrospective | Retrospective Diagnosis | The labeling of an illness in a specific historical event using modern knowledge, methods and disease classifications.
self | Self Diagnosis | A diagnosis determined by the patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.584 Value Set http://hl7.org/fhir/ValueSet/fm-status

URL: https://hl7.org/fhir/STU3/valueset-fm-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/fm-status
Name: | Financial Resource Status Codes
Definition: | This value set includes Status codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.584 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Financial Resource Status Codes

* EnrollmentRequest.status (Required)
* PaymentNotice.status (Required)
* VisionPrescription.status (Required)
* EligibilityResponse.status (Required)
* EnrollmentResponse.status (Required)
* ClaimResponse.status (Required)
* EligibilityRequest.status (Required)
* ProcessRequest.status (Required)
* PaymentReconciliation.status (Required)
* Coverage.status (Required)
* ProcessResponse.status (Required)
* Claim.status (Required)

4.3.1.584.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/fm-status

4.3.1.584.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/fm-status version 3.0.2

All codes from system http://hl7.org/fhir/fm-status

Code	Display	Definition
active	Active	The instance is currently in-force.
cancelled	Cancelled	The instance is withdrawn, rescinded or reversed.
draft	Draft	A new instance the contents of which is not complete.
entered-in-error	Entered in Error	The instance was entered in error.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.586 Value Set http://hl7.org/fhir/ValueSet/ex-revenue-center

URL: https://hl7.org/fhir/STU3/valueset-ex-revenue-center.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/ex-revenue-center
Name:	Example Revenue Center Codes
Definition:	This value set includes sample Revenue Center codes.
Committee:	Financial Management Work Group
OID:	2.16.840.1.113883.4.642.3.586 (for OID based terminology systems)
Copyright:	This is an example set.
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Revenue Center Codes
* ExplanationOfBenefit.item.revenue (Example)
* ExplanationOfBenefit.item.detail.revenue (Example)
* ExplanationOfBenefit.item.detail.subDetail.revenue (Example)
* ExplanationOfBenefit.addItem.revenue (Example)

* ExplanationOfBenefit.addItem.detail.revenue (Example)
* ClaimResponse.addItem.revenue (Example)
* ClaimResponse.addItem.detail.revenue (Example)
* Claim.item.revenue (Example)
* Claim.item.detail.revenue (Example)
* Claim.item.detail.subDetail.revenue (Example)

4.3.1.586.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-revenue-center

4.3.1.586.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/ex-revenue-center version 3.0.2

All codes from system http://hl7.org/fhir/ex-revenue-center

Code	Display	Definition
0370	Anaesthesia	Anaesthesia.
0420	Physical Therapy	Physical Therapy.
0421	Physical Therapy -	Physical Therapy - visit charge.
0440	Speech-Language Pathology	Speech-Language Pathology.
0441	Speech-Language Pathology - Visit	Speech-Language Pathology- visit charge
0450	Emergency Room	Emergency Room
0451	Emergency Room - EM/EMTALA	Emergency Room - EM/EMTALA
0452	Emergency Room - beyond EMTALA	Emergency Room - beyond EMTALA
0010	Vision Clinic	Vision Clinic

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.588 Value Set http://hl7.org/fhir/ValueSet/adjudication

URL: https://hl7.org/fhir/STU3/valueset-adjudication.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/adjudication
Name:	Adjudication Value Codes
Definition:	This value set includes a smattering of Adjudication Value codes which includes codes to indicate the amounts eligible under the plan, the amount of benefit, copays etc.
Committee:	Financial Management Work Group
OID:	2.16.840.1.113883.4.642.3.588 (for OID based terminology systems)
Copyright:	This is an example set.
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Adjudication Value Codes
* ExplanationOfBenefit.item.adjudication.category (Example)
* ClaimResponse.item.adjudication.category (Example)

4.3.1.588.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adjudication

4.3.1.588.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/adjudication version 3.0.2

All codes from system http://hl7.org/fhir/adjudication

Code | Display | Definition
total | Total | Total submitted
copay | CoPay | Patient Co-Payment
eligible | Eligible Amount | Amount of the change which is considered for adjudication
deductible | Deductable | Amount deducted from the eligible amount prior to adjudication
eligpercent | Eligible % | Eligible Percentage
tax | Emergency Department | Emergency Department
benefit | Benefit Amount | Amount payable under the coverage

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.590 Value Set http://hl7.org/fhir/ValueSet/adjudication-reason

URL: https://hl7.org/fhir/STU3/valueset-adjudication-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adjudication-reason
Name: | Adjudication Reason Codes
Definition: | This value set includes smattering of Adjudication Reason codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.590 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Adjudication Reason Codes

* ExplanationOfBenefit.item.adjudication.reason (Example)

* ClaimResponse.item.adjudication.reason (Example)

4.3.1.590.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adjudication-reason

4.3.1.590.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/adjudication-reason version 3.0.2

All codes from system http://hl7.org/fhir/adjudication-reason

Code | Display | Definition
ar001 | Not covered | Not covered
ar002 | Plan Limit Reached | Plan Limit Reached

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.592 Value Set http://hl7.org/fhir/ValueSet/payment-adjustment-reason

URL: https://hl7.org/fhir/STU3/valueset-payment-adjustment-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/payment-adjustment-reason
Name: | Payment Adjustment Reason Codes
Definition: | This value set includes smattering of Payment Adjustment Reason codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.592 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Payment Adjustment Reason Codes

* ExplanationOfBenefit.payment.adjustmentReason (Example)

* ClaimResponse.payment.adjustmentReason (Example)

4.3.1.592.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/payment-adjustment-reason

4.3.1.592.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/payment-adjustment-reason version 3.0.2

All codes from system http://hl7.org/fhir/payment-adjustment-reason

Code | Display | Definition
a001 | Prior Payment Reversal | Prior Payment Reversal
a002 | Prior Overpayment | Prior Overpayment

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.594 Value Set http://hl7.org/fhir/ValueSet/benefit-category

URL: https://hl7.org/fhir/STU3/valueset-benefit-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/benefit-category
Name: | Benefit Category Codes
Definition: | This value set includes a smattering of Benefit Category codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.594 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Benefit Category Codes
* ExplanationOfBenefit.benefitBalance.category (Example)
* EligibilityResponse.insurance.benefitBalance.category (Example)
* EligibilityRequest.benefitCategory (Example)

4.3.1.594.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/benefit-category

4.3.1.594.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/benefit-category version 3.0.2

All codes from system http://hl7.org/fhir/benefit-category

Code	Display	Definition
oral	Dental and Oral Health Coverage	Dental and Oral Health Coverage
vision	Vision Health Coverage	Vision Health Coverage
medical	Medical Health Coverage	Medical Health Coverage
pharmacy	Pharmacy Coverage	Pharmacy Coverage

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.596 Value Set http://hl7.org/fhir/ValueSet/benefit-subcategory

URL: https://hl7.org/fhir/STU3/valueset-benefit-subcategory.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/benefit-subcategory
Name:	Benefit SubCategory Codes
Definition:	This value set includes a smattering of Benefit SubCategory codes.
Committee:	Financial Management Work Group
OID:	2.16.840.1.113883.4.642.3.596 (for OID based terminology systems)
Copyright:	This is an example set.
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Benefit SubCategory Codes
* ExplanationOfBenefit.item.category (Example)
* ExplanationOfBenefit.item.detail.category (Example)
* ExplanationOfBenefit.item.detail.subDetail.category (Example)
* ExplanationOfBenefit.addItem.category (Example)
* ExplanationOfBenefit.addItem.detail.category (Example)
* ExplanationOfBenefit.benefitBalance.subCategory (Example)
* EligibilityResponse.insurance.benefitBalance.subCategory (Example)
* ClaimResponse.addItem.category (Example)
* ClaimResponse.addItem.detail.category (Example)
* EligibilityRequest.benefitSubCategory (Example)
* Claim.item.category (Example)

* Claim.item.detail.category (Example)
* Claim.item.detail.subDetail.category (Example)

4.3.1.596.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/benefit-subcategory

4.3.1.596.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 28 concepts

Expansion based on http://hl7.org/fhir/benefit-subcategory version 3.0.2

All codes from system http://hl7.org/fhir/benefit-subcategory

Code	Display	Definition
1	Medical Care	Medical Care.
2	Surgical	Surgical.
3	Consultation	Consultation.
4	Diagnostic XRay	Diagnostic XRay.
5	Diagnostic Lab	Diagnostic Lab.
14	Renal Supplies	Renal Supplies excluding Dialysis.
23	Diagnostic Dental	Diagnostic Dental.
24	Periodontics	Periodontics.
25	Restorative	Restorative.
26	Endodontics	Endodontics.
27	Maxillofacilial Prosthetics	Maxillofacilial Prosthetics.
28	Adjunctive Dental Services	Adjunctive Dental Services.
30	Health Benefit Plan Coverage	Health Benefit Plan Coverage.
35	Dental Care	Dental Care.
36	Dental Crowns	Dental Crowns.
37	Dental Accident	Dental Accident.
49	Hospital Room and Board	Hospital Room and Board.
55	Major Medical	Major Medical.
56	Medically Related Transportation	Medically Related Transportation.
61	In-vitro Fertilization	In-vitro Fertilization.
62	MRI Scan	MRI Scan.
63	Donor Procedures	Donor Procedures such as organ harvest.
69	Maternity	Maternity.
76	Renal Dialysis	Renal dialysis.
F1	Medical Coverage	Medical Coverage.
F3	Dental Coverage	Dental Coverage.
F4	Hearing Coverage	Hearing Coverage.
F6	Vision Coverage	Vision Coverage.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.598 Value Set http://hl7.org/fhir/ValueSet/benefit-type

URL: https://hl7.org/fhir/STU3/valueset-benefit-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/benefit-type
Name:	Benefit Type Codes
Definition:	This value set includes a smattering of Benefit type codes.
Committee:	Financial Management Work Group
OID:	2.16.840.1.113883.4.642.3.598 (for OID based terminology systems)
Copyright:	This is an example set.

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Benefit Type Codes

* ExplanationOfBenefit.benefitBalance.financial.type (Example)

* EligibilityResponse.insurance.benefitBalance.financial.type (Example)

4.3.1.598.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/benefit-type

4.3.1.598.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 12 concepts

Expansion based on http://hl7.org/fhir/benefit-type version 3.0.2

All codes from system http://hl7.org/fhir/benefit-type

Code	Display	Definition
benefit	Benefit	Maximum benefit allowable.
deductable	Deductable	Cost to be incurred before benefits are applied
visit	Visit	Service visit
room	Room	Type of room
copay	Copayment per service	Copayment per service
copay-percent	Copayment Percent per service	Copayment percentage per service
copay-maximum	Copayment maximum per service	Copayment maximum per service
vision-exam	Vision Exam	Vision Exam
vision-glasses	Vision Glasses	Frames and lenses
vision-contacts	Vision Contacts Coverage	Contact Lenses
medical-primarycare	Medical Primary Health Coverage	Medical Primary Health Coverage
pharmacy-dispense	Pharmacy Dispense Coverage	Pharmacy Dispense Coverage

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.600 Value Set http://hl7.org/fhir/ValueSet/benefit-network

URL: https://hl7.org/fhir/STU3/valueset-benefit-network.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/benefit-network
Name:	Network Type Codes
Definition:	This value set includes a smattering of Network type codes.
Committee:	Financial Management Work Group
OID:	2.16.840.1.113883.4.642.3.600 (for OID based terminology systems)
Copyright:	This is an example set.

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Network Type Codes

* ExplanationOfBenefit.benefitBalance.network (Example)

* EligibilityResponse.insurance.benefitBalance.network (Example)

4.3.1.600.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/benefit-network

4.3.1.600.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/benefit-network version 3.0.2

All codes from system http://hl7.org/fhir/benefit-network

Code | Display | Definition
in | In Network | Services rendered by a Network provider
out | Out of Network | Services rendered by a provider who is not in the Network

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.602 Value Set http://hl7.org/fhir/ValueSet/benefit-unit

URL: https://hl7.org/fhir/STU3/valueset-benefit-unit.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/benefit-unit
Name: | Unit Type Codes
Definition: | This value set includes a smattering of Unit type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.602 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Unit Type Codes

* ExplanationOfBenefit.benefitBalance.unit (Example)

* EligibilityResponse.insurance.benefitBalance.unit (Example)

4.3.1.602.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/benefit-unit

4.3.1.602.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/benefit-unit version 3.0.2

All codes from system http://hl7.org/fhir/benefit-unit

Code | Display | Definition
individual | Individual | A single individual
family | Family | A family, typically includes self, spous(s) and children to a defined age

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.604 Value Set http://hl7.org/fhir/ValueSet/benefit-term

URL: https://hl7.org/fhir/STU3/valueset-benefit-term.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/benefit-term
Name: | Benefit Term Codes
Definition: | This value set includes a smattering of Benefit Term codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.604 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Benefit Term Codes

* ExplanationOfBenefit.benefitBalance.term (Example)

* EligibilityResponse.insurance.benefitBalance.term (Example)

4.3.1.604.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/benefit-term

4.3.1.604.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/benefit-term version 3.0.2

All codes from system http://hl7.org/fhir/benefit-term

Code | Display | Definition
annual | Annual | Annual, renewing on the anniversary
day | Day | Per day
lifetime | Lifetime | For the total term, lifetime, of the policy or coverage

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.606 Value Set http://hl7.org/fhir/ValueSet/resource-type-link

URL: https://hl7.org/fhir/STU3/valueset-resource-type-link.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/resource-type-link
Name: | PayeeResourceType
Definition: | The type of payee Resource
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.606 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for PayeeResourceType

* ExplanationOfBenefit.payee.resourceType (Required)

4.3.1.606.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/resource-type-link

4.3.1.606.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/resource-type-link version 3.0.2

All codes from system http://hl7.org/fhir/resource-type-link

Code | Display | Definition
organization | Organization | Organization resource
patient | Patient | Patient resource
practitioner | Practitioner | Practitioner resource
relatedperson | RelatedPerson | RelatedPerson resource

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.608 Value Set http://hl7.org/fhir/ValueSet/ex-paymenttype

URL: https://hl7.org/fhir/STU3/valueset-ex-paymenttype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ex-paymenttype
Name: | Example Payment Type Codes
Definition: | This value set includes example Payment Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.608 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Payment Type Codes
* ExplanationOfBenefit.payment.type (Example)
* ClaimResponse.payment.type (Example)

4.3.1.608.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-paymenttype

4.3.1.608.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/ex-paymenttype version 3.0.2

All codes from system http://hl7.org/fhir/ex-paymenttype

Code | Display | Definition
complete | Complete | Complete (final) payment of the benefit under the Claim less any adjustments.
partial | Partial | Partial payment of the benefit under the Claim less any adjustments.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.610 Value Set http://hl7.org/fhir/ValueSet/explanationofbenefit-status

URL: https://hl7.org/fhir/STU3/valueset-explanationofbenefit-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/explanationofbenefit-status
Name: | ExplanationOfBenefitStatus
Definition: | A code specifying the state of the resource instance.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.610 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ExplanationOfBenefitStatus

* ExplanationOfBenefit.status (Required)

4.3.1.610.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/explanationofbenefit-status

4.3.1.610.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/explanationofbenefit-status version 3.0.2

All codes from system http://hl7.org/fhir/explanationofbenefit-status

Code | Display | Definition
active | Active | The resource instance is currently in-force.
cancelled | Cancelled | The resource instance is withdrawn, rescinded or reversed.
draft | Draft | A new resource instance the contents of which is not complete.
entered-in-error | Entered In Error | The resource instance was entered in error.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.612 Value Set http://hl7.org/fhir/ValueSet/bundle-type

URL: https://hl7.org/fhir/STU3/valueset-bundle-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/bundle-type
Name: | BundleType
Definition: | Indicates the purpose of a bundle - how it was intended to be used.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.612 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for BundleType

* Bundle.type (Required)

4.3.1.612.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/bundle-type

4.3.1.612.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/bundle-type version 3.0.2

All codes from system http://hl7.org/fhir/bundle-type

Code	Display	Definition
document	Document	The bundle is a document. The first resource is a Composition.
message	Message	The bundle is a message. The first resource is a MessageHeader.
transaction	Transaction	The bundle is a transaction - intended to be processed by a server as an atomic commit.
transaction-response	Transaction Response	The bundle is a transaction response. Because the response is a transaction response, the transaction has succeeded, and all responses are error free.
batch	Batch	The bundle is a transaction - intended to be processed by a server as a group of actions.
batch-response	Batch Response	The bundle is a batch response. Note that as a batch, some responses may indicate failure and others success.
history	History List	The bundle is a list of resources from a history interaction on a server.
searchset	Search Results	The bundle is a list of resources returned as a result of a search/query interaction, operation, or message.
collection	Collection	The bundle is a set of resources collected into a single package for ease of distribution.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.614 Value Set http://hl7.org/fhir/ValueSet/search-entry-mode

URL: https://hl7.org/fhir/STU3/valueset-search-entry-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/search-entry-mode
Name: | SearchEntryMode
Definition: | Why an entry is in the result set - whether it's included as a match or because of an _include requirement.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.614 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SearchEntryMode

* Bundle.entry.search.mode (Required)

4.3.1.614.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/search-entry-mode

4.3.1.614.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/search-entry-mode version 3.0.2

All codes from system http://hl7.org/fhir/search-entry-mode

Code | Display | Definition
match | Match | This resource matched the search specification.
include | Include | This resource is returned because it is referred to from another resource in the search set.
outcome | Outcome | An OperationOutcome that provides additional information about the processing of a search.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.616 Value Set http://hl7.org/fhir/ValueSet/http-verb

URL: https://hl7.org/fhir/STU3/valueset-http-verb.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/http-verb
Name: | HTTPVerb
Definition: | HTTP verbs (in the HTTP command line).
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.616 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for HTTPVerb

* Bundle.entry.request.method (Required)

4.3.1.616.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/http-verb

4.3.1.616.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/http-verb version 3.0.2

All codes from system http://hl7.org/fhir/http-verb

Code | Display | Definition
GET | GET | HTTP GET
POST | POST | HTTP POST
PUT | PUT | HTTP PUT
DELETE | DELETE | HTTP DELETE

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.618 Value Set http://hl7.org/fhir/ValueSet/measurement-principle

URL: https://hl7.org/fhir/STU3/valueset-measurement-principle.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measurement-principle
Name: | MeasmntPrinciple
Definition: | Different measurement principle supported by the device.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.618 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MeasmntPrinciple

* DeviceComponent.measurementPrinciple (Required)

4.3.1.618.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/measurement-principle

4.3.1.618.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 11 concepts

Expansion based on http://hl7.org/fhir/measurement-principle version 3.0.2

All codes from system http://hl7.org/fhir/measurement-principle

Code | Display | Definition
other | MSP Other | Measurement principle isn't in the list.
chemical | MSP Chemical | Measurement is done using the chemical principle.
electrical | MSP Electrical | Measurement is done using the electrical principle.
impedance | MSP Impedance | Measurement is done using the impedance principle.
nuclear | MSP Nuclear | Measurement is done using the nuclear principle.
optical | MSP Optical | Measurement is done using the optical principle.
thermal | MSP Thermal | Measurement is done using the thermal principle.
biological | MSP Biological | Measurement is done using the biological principle.
mechanical | MSP Mechanical | Measurement is done using the mechanical principle.
acoustical | MSP Acoustical | Measurement is done using the acoustical principle.
manual | MSP Manual | Measurement is done using the manual principle.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.620 Value Set http://hl7.org/fhir/ValueSet/search-xpath-usage

URL: https://hl7.org/fhir/STU3/valueset-search-xpath-usage.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/search-xpath-usage
Name: | XPathUsageType
Definition: | How a search parameter relates to the set of elements returned by evaluating its xpath query.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.620 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for XPathUsageType

* SearchParameter.xpathUsage (Required)

4.3.1.620.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/search-xpath-usage

4.3.1.620.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/search-xpath-usage version 3.0.2

All codes from system http://hl7.org/fhir/search-xpath-usage

Code	Display	Definition
normal	Normal	The search parameter is derived directly from the selected nodes based on the type definitions.
phonetic	Phonetic	The search parameter is derived by a phonetic transform from the selected nodes.
nearby	Nearby	The search parameter is based on a spatial transform of the selected nodes.
distance	Distance	The search parameter is based on a spatial transform of the selected nodes, using physical distance from the middle.
other	Other	The interpretation of the xpath statement is unknown (and can't be automated).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.622 Value Set http://hl7.org/fhir/ValueSet/search-comparator

URL: https://hl7.org/fhir/STU3/valueset-search-comparator.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/search-comparator
Name:	SearchComparator
Definition:	What Search Comparator Codes are supported in search
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.622 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SearchComparator

* SearchParameter.comparator (Required)

4.3.1.622.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/search-comparator

4.3.1.622.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/search-comparator version 3.0.2

All codes from system http://hl7.org/fhir/search-comparator

Code	Display	Definition
eq	Equals	the value for the parameter in the resource is equal to the provided value
ne	Not Equals	the value for the parameter in the resource is not equal to the provided value
gt	Greater Than	the value for the parameter in the resource is greater than the provided value
lt	Less Then	the value for the parameter in the resource is less than the provided value
ge	Greater or Equals	the value for the parameter in the resource is greater or equal to the provided value
le	Less of Equal	the value for the parameter in the resource is less or equal to the provided value

sa | Starts After | the value for the parameter in the resource starts after the provided value
eb | Ends Before | the value for the parameter in the resource ends before the provided value
ap | Approximately | the value for the parameter in the resource is approximately the same to the provided value.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.624 Value Set http://hl7.org/fhir/ValueSet/search-modifier-code

URL: https://hl7.org/fhir/STU3/valueset-search-modifier-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 3 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/search-modifier-code
Name: | SearchModifierCode
Definition: | A supported modifier for a search parameter.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.624 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SearchModifierCode

* SearchParameter.modifier (Required)

4.3.1.624.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/search-modifier-code

4.3.1.624.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 10 concepts

Expansion based on http://hl7.org/fhir/search-modifier-code version 3.0.2

All codes from system http://hl7.org/fhir/search-modifier-code

Code | Display | Definition
missing | Missing | The search parameter returns resources that have a value or not.
exact | Exact | The search parameter returns resources that have a value that exactly matches the supplied parameter (the whole string, including casing and accents).
contains | Contains | The search parameter returns resources that include the supplied parameter value anywhere within the field being searched.
not | Not | The search parameter returns resources that do not contain a match.
text | Text | The search parameter is processed as a string that searches text associated with the code/value - either CodeableConcept.text, Coding.display, or Identifier.type.text.
in | In | The search parameter is a URI (relative or absolute) that identifies a value set, and the search parameter tests whether the coding is in the specified value set.
not-in | Not In | The search parameter is a URI (relative or absolute) that identifies a value set, and the search parameter tests whether the coding is not in the specified value set.
below | Below | The search parameter tests whether the value in a resource is subsumed by the specified value (is-a, or hierarchical relationships).
above | Above | The search parameter tests whether the value in a resource subsumes the specified value (is-a, or hierarchical relationships).
type | Type | The search parameter only applies to the Resource Type specified as a modifier (e.g. the modifier is not actually :type, but :Patient etc.).

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.626 Value Set http://hl7.org/fhir/ValueSet/payment-type

URL: https://hl7.org/fhir/STU3/valueset-payment-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/payment-type
Name: | Payment Type Codes
Definition: | This value set includes sample Payment Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.626 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Payment Type Codes

* PaymentReconciliation.detail.type (Example)

4.3.1.626.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/payment-type

4.3.1.626.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/payment-type version 3.0.2

All codes from system http://hl7.org/fhir/payment-type

Code | Display | Definition
payment | Payment | The amount is partial or complete settlement of the amounts due.
adjustment | Adjustment | The amount is an adjustment regarding claims already paid.
advance | Advance | The amount is an advance against future claims.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.628 Value Set http://hl7.org/fhir/ValueSet/payment-status

URL: https://hl7.org/fhir/STU3/valueset-payment-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/payment-status
Name: | Payment Status Codes
Definition: | This value set includes a sample set of Payment Status codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.628 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Payment Status Codes

* PaymentNotice.paymentStatus (Example)

4.3.1.628.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/paymentstatus

4.3.1.628.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/paymentstatus version 3.0.2

All codes from system http://hl7.org/fhir/paymentstatus

Code	Display	Definition
paid	Paid	The payment has been sent physically or electronically.
cleared	Cleared	The payment has been received by the payee.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.630 Value Set http://hl7.org/fhir/ValueSet/metric-operational-status

URL: https://hl7.org/fhir/STU3/valueset-metric-operational-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/metric-operational-status
Name:	DeviceMetricOperationalStatus
Definition:	Describes the operational status of the DeviceMetric.
Committee:	Health Care Devices Work Group
OID:	2.16.840.1.113883.4.642.3.630 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DeviceMetricOperationalStatus

* DeviceMetric.operationalStatus (Required)

4.3.1.630.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/metric-operational-status

4.3.1.630.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/metric-operational-status version 3.0.2

All codes from system http://hl7.org/fhir/metric-operational-status

Code	Display	Definition
on	On	The DeviceMetric is operating and will generate DeviceObservations.
off	Off	The DeviceMetric is not operating.
standby	Standby	The DeviceMetric is operating, but will not generate any DeviceObservations.
entered-in-error	Entered In Error	The DeviceMetric was entered in error.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.632 Value Set http://hl7.org/fhir/ValueSet/metric-category

URL: https://hl7.org/fhir/STU3/valueset-metric-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/metric-category
Name: | DeviceMetricCategory
Definition: | Describes the category of the metric.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.632 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DeviceMetricCategory

* DeviceMetric.category (Required)

4.3.1.632.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/metric-category

4.3.1.632.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/metric-category version 3.0.2

All codes from system http://hl7.org/fhir/metric-category

Code | Display | Definition
measurement | Measurement | DeviceObservations generated for this DeviceMetric are measured.
setting | Setting | DeviceObservations generated for this DeviceMetric is a setting that will influence the behavior of the Device.
calculation | Calculation | DeviceObservations generated for this DeviceMetric are calculated.
unspecified | Unspecified | The category of this DeviceMetric is unspecified.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.634 Value Set http://hl7.org/fhir/ValueSet/metric-calibration-type

URL: https://hl7.org/fhir/STU3/valueset-metric-calibration-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/metric-calibration-type
Name: | DeviceMetricCalibrationType
Definition: | Describes the type of a metric calibration.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.634 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DeviceMetricCalibrationType

* DeviceMetric.calibration.type (Required)

4.3.1.634.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/metric-calibration-type

4.3.1.634.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/metric-calibration-type version 3.0.2

All codes from system http://hl7.org/fhir/metric-calibration-type

Code	Display	Definition
unspecified	Unspecified	Metric calibration method has not been identified.
offset	Offset	Offset metric calibration method
gain	Gain	Gain metric calibration method
two-point	Two Point	Two-point metric calibration method

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.636 Value Set http://hl7.org/fhir/ValueSet/metric-calibration-state

URL: https://hl7.org/fhir/STU3/valueset-metric-calibration-state.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/metric-calibration-state
Name: | DeviceMetricCalibrationState
Definition: | Describes the state of a metric calibration.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.636 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DeviceMetricCalibrationState

* DeviceMetric.calibration.state (Required)

4.3.1.636.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/metric-calibration-state

4.3.1.636.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/metric-calibration-state version 3.0.2

All codes from system http://hl7.org/fhir/metric-calibration-state

Code	Display	Definition
not-calibrated	Not Calibrated	The metric has not been calibrated.
calibration-required	Calibration Required	The metric needs to be calibrated.
calibrated	Calibrated	The metric has been calibrated.

unspecified | Unspecified | The state of calibration of this metric is unspecified.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.638 Value Set http://hl7.org/fhir/ValueSet/metric-color

URL: https://hl7.org/fhir/STU3/valueset-metric-color.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/metric-color
Name: | DeviceMetricColor
Definition: | Describes the typical color of representation.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.638 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DeviceMetricColor

* DeviceMetric.color (Required)

4.3.1.638.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/metric-color

4.3.1.638.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/metric-color version 3.0.2

All codes from system http://hl7.org/fhir/metric-color

Code | Display | Definition
black | Color Black | Color for representation - black.
red | Color Red | Color for representation - red.
green | Color Green | Color for representation - green.
yellow | Color Yellow | Color for representation - yellow.
blue | Color Blue | Color for representation - blue.
magenta | Color Magenta | Color for representation - magenta.
cyan | Color Cyan | Color for representation - cyan.
white | Color White | Color for representation - white.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.640 Value Set http://hl7.org/fhir/ValueSet/identity-assuranceLevel

URL: https://hl7.org/fhir/STU3/valueset-identity-assuranceLevel.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/identity-assuranceLevel
Name: | IdentityAssuranceLevel
Definition: | The level of confidence that this link represents the same actual person, based on NIST Authentication Levels.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.640 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for IdentityAssuranceLevel

* Person.link.assurance (Required)

4.3.1.640.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/identity-assuranceLevel

4.3.1.640.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/identity-assuranceLevel version 3.0.2

All codes from system http://hl7.org/fhir/identity-assuranceLevel

Code | Display | Definition
level1 | Level 1 | Little or no confidence in the asserted identity's accuracy.
level2 | Level 2 | Some confidence in the asserted identity's accuracy.
level3 | Level 3 | High confidence in the asserted identity's accuracy.
level4 | Level 4 | Very high confidence in the asserted identity's accuracy.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.642 Value Set http://hl7.org/fhir/ValueSet/vision-product

URL: https://hl7.org/fhir/STU3/valueset-vision-product.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/vision-product
Name: | Example Vision Prescription Product Codes
Definition: | This value set includes a smattering of Prescription Product codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.642 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Example Vision Prescription Product Codes

* VisionPrescription.dispense.product (Example)

4.3.1.642.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/ex-visionprescriptionproduct

4.3.1.642.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/ex-visionprescriptionproduct version 3.0.2

All codes from system http://hl7.org/fhir/ex-visionprescriptionproduct

Code | Display | Definition
lens | Lens | A lens to be fitted to a frame to comprise a pair of glasses.
contact | Contact Lens | A lens to be fitted for wearing directly on an eye.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.644 Value Set http://hl7.org/fhir/ValueSet/vision-eye-codes

URL: https://hl7.org/fhir/STU3/valueset-vision-eye-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/vision-eye-codes
Name: | VisionEyes
Definition: | A coded concept listing the eye codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.644 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for VisionEyes

* VisionPrescription.dispense.eye (Required)

4.3.1.644.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/vision-eye-codes

4.3.1.644.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/vision-eye-codes version 3.0.2

All codes from system http://hl7.org/fhir/vision-eye-codes

Code | Display | Definition
right | Right Eye | Right Eye
left | Left Eye | Left Eye

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.646 Value Set http://hl7.org/fhir/ValueSet/vision-base-codes

URL: https://hl7.org/fhir/STU3/valueset-vision-base-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/vision-base-codes
Name: | VisionBase
Definition: | A coded concept listing the base codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.646 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for VisionBase

* VisionPrescription.dispense.base (Required)

4.3.1.646.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/vision-base-codes

4.3.1.646.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/vision-base-codes version 3.0.2

All codes from system http://hl7.org/fhir/vision-base-codes

Code | Display | Definition
up | Up | top
down | Down | bottom
in | In | inner edge
out | Out | outer edge

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.648 Value Set http://hl7.org/fhir/ValueSet/episode-of-care-status

URL: https://hl7.org/fhir/STU3/valueset-episode-of-care-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/episode-of-care-status
Name: | EpisodeOfCareStatus
Definition: | The status of the episode of care.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.648 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for EpisodeOfCareStatus

* EpisodeOfCare.status (Required)

* EpisodeOfCare.statusHistory.status (Required)

4.3.1.648.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/episode-of-care-status

4.3.1.648.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/episode-of-care-status version 3.0.2

All codes from system http://hl7.org/fhir/episode-of-care-status

Code | Display | Definition
planned | Planned | This episode of care is planned to start at the date specified in the period.start. During this status, an organization may perform assessments to determine if the patient is eligible to receive services, or be organizing to make resources available to provide care services.
waitlist | Waitlist | This episode has been placed on a waitlist, pending the episode being made active (or cancelled).
active | Active | This episode of care is current.
onhold | On Hold | This episode of care is on hold, the organization has limited responsibility for the patient (such as while on respite).
finished | Finished | This episode of care is finished and the organization is not expecting to be providing further care to the patient. Can also be known as "closed", "completed" or other similar terms.
cancelled | Cancelled | The episode of care was cancelled, or withdrawn from service, often selected during the planned stage as the patient may have gone elsewhere, or the circumstances have changed and the organization is unable to provide the care. It indicates that services terminated outside the planned/expected workflow.
entered-in-error | Entered in Error | This instance should not have been part of this patient's medical record.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.650 Value Set http://hl7.org/fhir/ValueSet/episodeofcare-type

URL: https://hl7.org/fhir/STU3/valueset-episodeofcare-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/episodeofcare-type
Name: | EpisodeOfCareType
Definition: | This example value set defines a set of codes that can be used to express the usage type of an EpisodeOfCare record.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.650 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for EpisodeOfCareType

* EpisodeOfCare.type (Example)

4.3.1.650.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/episodeofcare-type

4.3.1.650.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/episodeofcare-type version 3.0.2

All codes from system http://hl7.org/fhir/episodeofcare-type

Code | Display | Definition
hacc | Home and Community Care
pac | Post Acute Care
diab | Post co-ordinated diabetes program
da | Drug and alcohol rehabilitation
cacp | Community-based aged care

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.652 Value Set http://hl7.org/fhir/ValueSet/bodysite-relative-location

URL: https://hl7.org/fhir/STU3/valueset-bodysite-relative-location.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/bodysite-relative-location
Name: | Bodysite Location Qualifier
Definition: | SNOMED-CT concepts modifying the anatomic location
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.652 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement
Source Resource | XML / JSON

This value set is used in the following places:

* BodySite.qualifier (Example)

4.3.1.652.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code	Display
419161000	Unilateral left
419465000	Unilateral right
51440002	Bilateral
261183002	Upper
261122009	Lower
255561001	Medial
49370004	Lateral
264217000	Superior
261089000	Inferior
255551008	Posterior
351726001	Below
352730000	Above

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.653 Value Set http://hl7.org/fhir/ValueSet/body-site

URL: https://hl7.org/fhir/STU3/valueset-body-site.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/body-site
Name: | SNOMED CT Body Structures
Definition: | This value set includes all codes from [SNOMED CT](http://snomed.info/sct) where concept is-a 442083009 (Anatomical or acquired body site (body structure)).
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.653 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* ImagingStudy.series.bodySite (Example)
* ChargeItem.bodysite (Example)
* ActivityDefinition.bodySite (Example)
* DeviceUseStatement.bodySite (Example)
* BodySite.code (Example)
* Specimen.collection.bodySite (Example)
* Procedure.bodySite (Example)
* Media.bodySite (Example)
* ProcedureRequest.bodySite (Example)
* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.bodySite ((Example))
* Observation.bodySite (Example)
* StructureDefinition DeviceMetricObservation: Observation.bodySite ((Example))
* StructureDefinition Observation-Genetics: Observation.bodySite ((Example))
* StructureDefinition VitalSigns: Observation.bodySite ((Example))
* StructureDefinition BodyWeight: Observation.bodySite ((Example))
* StructureDefinition RespRate: Observation.bodySite ((Example))
* StructureDefinition HeartRate: Observation.bodySite ((Example))
* StructureDefinition BodyTemp: Observation.bodySite ((Example))
* StructureDefinition BodyHeight: Observation.bodySite ((Example))
* StructureDefinition BodyLength: Observation.bodySite ((Example))
* StructureDefinition HeadCircum: Observation.bodySite ((Example))
* StructureDefinition OxygenSat: Observation.bodySite ((Example))
* StructureDefinition BMI: Observation.bodySite ((Example))
* StructureDefinition BP: Observation.bodySite ((Example))
* StructureDefinition VitalsPanel: Observation.bodySite ((Example))
* StructureDefinition Cholesterol: Observation.bodySite ((Example))
* StructureDefinition Triglyceride: Observation.bodySite ((Example))
* StructureDefinition HDLCholesterol: Observation.bodySite ((Example))
* StructureDefinition LDLCholesterol: Observation.bodySite ((Example))
* Condition.bodySite (Example)
* Extension http://hl7.org/fhir/StructureDefinition/openEHR-location: location ((Extensible))

4.3.1.653.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 442083009 (Anatomical or acquired body structure)

4.3.1.653.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
106004 | Posterior carpal region
107008 | Fetal part of placenta

108003 | Condylar emissary vein
110001 | Visceral layer of Bowman's capsule
111002 | Parathyroid gland
116007 | Subcutaneous tissue of medial surface of index finger
124002 | Coronoid process of mandible
149003 | Central pair of microtubules, cilium or flagellum, not bacterial
155008 | Deep circumflex artery of ilium
167005 | Supraclavicular part of brachial plexus
202009 | Anterior division of renal artery
205006 | Left commissure of aortic valve
206007 | Gluteus maximus muscle
221001 | Articular surface, phalanges, of fourth metacarpal bone
227002 | Canal of Hering
233006 | Hepatocolic ligament
235004 | Superior labial artery
246001 | Lateral vestibular nucleus
247005 | Mesotympanum
251007 | Pectoral region
256002 | Kupffer cell
263002 | Thoracic nerve
266005 | Right lower lobe of lung
272005 | Superior articular process of lumbar vertebra
273000 | Lateral myocardium
283001 | Central axillary lymph node
284007 | Flexor tendon and tendon sheath of fourth toe
289002 | Metacarpophalangeal joint of index finger
301000 | Fifth metatarsal bone
311007 | Plantar surface of great toe
315003 | Skin of umbilicus
318001 | Cardiac impression of liver
344001 | Ankle
345000 | Atrioventricular bundle
356000 | Reticular corium
393006 | Wall of urinary bladder
402006 | Dental branches of inferior alveolar artery
405008 | Posterior temporal diploic vein
414003 | Gastric fundus
420002 | Anastomosis, heterocladic
422005 | Inferior surface of tongue
446003 | Trochanteric bursa
457008 | Collateral ligament
461002 | Lateral corticospinal tract
464005 | Basophilic normoblast
465006 | Ascending frontal gyrus
471000 | Flexor hallucis longus muscle
480000 | Cardiopulmonary circulatory system
485005 | Transverse colon
528006 | Costal surface of lung
552004 | Vagus nerve parasympathetic fibers to cardiac plexus
565008 | Intervertebral disc space of fifth lumbar vertebra
582005 | Head of phalanx of great toe
587004 | Capsule of proximal interphalangeal joint of third toe
589001 | Interventricular septum
595000 | Palpebral fissure
608002 | Subcutaneous tissue of philtrum
621009 | Multivesicular body, internal vesicles
635006 | Tuberosity of distal phalanx of little toe
650002 | Superior articular process of seventh thoracic vertebra
660006 | Tracheal mucous membrane
661005 | Jaw
667009 | Embryonic structure
688000 | Fetal hyaloid artery
691000 | Small intestine submucosa
692007 | Body of ischium
723004 | Dense intermediate filament bundles
774007 | Head and neck
790007 | Visceral aspect of liver
798000 | Deep temporal veins
808000 | Posterior intercostal arteries
809008 | Fetal chondrocranium
823005 | Posterior cervical spinal cord nerve root
830004 | Spinous process of fifth thoracic vertebra

836005 | Oral region of face
885000 | Lamina muscularis of colonic mucous membrane
895007 | Anterior cruciate ligament of knee joint
917004 | Superior laryngeal aperture
921006 | Thyrohyoid branch of ansa cervicalis
947002 | Crus of diaphragm
955009 | Bronchus
976004 | Ovarian vein
996007 | Meningeal branches of occipital artery
1005009 | Diaphragmatic lymph node
1012000 | Fibrous portion of pericardium
1015003 | Peritonsillar tissue
1028005 | Sebaceous gland
1030007 | Vesicular bursa of sternohyoid muscle
1063000 | Frontozygomatic suture of skull
1075005 | Promonocyte
1076006 | Subcutaneous prepatellar bursa
1086007 | Female
1087003 | Sternothyroid muscle
1092001 | Superior occipital gyrus
1099005 | Thymic cortex
1101003 | Cranial cavity
1106008 | Major calyx
1110006 | Tarsal gland
1122009 | Inferior longitudinal muscle of tongue
1136004 | Aortopulmonary septum
1159005 | Frenulum linguae
1172006 | Odontoid process of axis
1173001 | Mandibular nerve
1174007 | Chromosomes, group E
1193009 | Teres major muscle
1216008 | Synostosis
1231004 | Meninges
1236009 | Duodenal serosa
1243003 | Inferior articular process of sixth cervical vertebra
1246006 | Dorsal digital nerves of radial nerve
1263005 | Distinctive arrangement of microtubules
1277008 | Vertebral nerve
1307006 | Glottis
1311000 | Telogen hair
1350001 | Deep flexor tendon of index finger
1353004 | Gastric serosa
1403006 | Vastus lateralis muscle
1425000 | Posterior limb of stapes
1439000 | Paravesicular lymph node
1441004 | Ventricle of larynx
1456008 | Yellow fibrocartilage
1467009 | Parietal branch of superficial temporal artery
1484003 | Metatarsus
1490004 | Soft tissues of trunk
1502004 | Anterior cecal artery
1511004 | Ejaculatory duct
1516009 | Frontomental diameter of head
1527006 | Lamina of fourth thoracic vertebra
1537001 | Intervertebral disc of eleventh thoracic vertebra
1541002 | Coccygeal plexus
1562001 | Nucleus pulposus of intervertebral disc of third lumbar vertebra
1569005 | Nail of third toe
1580005 | Ventral lateral nucleus of thalamus
1581009 | Ileal arteries
1584001 | Symphysis
1600003 | Splenius capitis muscle
1605008 | Histioblast
1610007 | Otoconia
1611006 | Paramammary lymph node
1617005 | Intrinsic larynx
1620002 | Metaphase nucleus
1626008 | Third thoracic vertebra
1627004 | Medial collateral ligament of knee joint
1630006 | Supraorbital vein
1631005 | Foregut
1650005 | Hilum of left lung

1655000 | Transverse peduncular tract nucleus
1659006 | Dorsomedial nucleus of thalamus
1684009 | Ligamentum teres of liver
1706004 | Thymic lobule
1707008 | Ventral nuclear group of thalamus
1711002 | Periorbital region
1716007 | Cupula ampullaris
1721005 | Right tonsil
1729007 | Central tegmental tract
1732005 | Thoracic duct
1765002 | Lymphatic of thorax
1780008 | Premelanosome
1781007 | Sacroiliac region
1797002 | Naris
1818002 | Greater circulus arteriosus of iris
1825009 | Root of nose
1832000 | Bulbar conjunctiva
1840006 | Arrector pili muscles
1849007 | Pharyngeal recess
1853009 | Suprahyoid muscles
1874005 | Promontory lymph node
1893007 | Joint of upper extremity
1895000 | Musculophrenic vein
1902009 | Skin of external ear
1910005 | Ear
1918003 | Suprarenal aorta
1927002 | Left elbow
1992003 | Porus acusticus internus
1997009 | Cingulum dentis
2010005 | Clavicular facet of scapula
2020000 | Superior thoracic artery
2031008 | Spinal cord ventral median fissure
2033006 | Right fallopian tube
2044003 | Vaginal nerves
2048000 | Lingual tonsil
2049008 | Chorionic villi
2059009 | Skin of ear lobule
2071003 | Reticular formation of spinal cord
2076008 | Head of phalanx of hand
2083001 | Nucleus ambiguus
2095001 | Accessory sinus
2123001 | Tuberomammillary nucleus
2150006 | Urinary tract transitional epithelial cell
2156000 | Glial cell
2160002 | Ligamentum arteriosum
2175005 | Pharyngeal cavity
2182009 | Endometrial zona basalis
2192001 | Clavicular part of pectoralis major muscle
2205003 | Lamina of fifth thoracic vertebra
2209009 | Cerebral basal surface
2236006 | Lesser osseous pelvis
2246008 | Type I hair cell
2255006 | Subserosa
2285001 | Torcular Herophili
2292006 | Nasopharyngeal gland
2302002 | Veins of the knee
2305000 | Spinous process of cervical vertebra
2306004 | Base of third metacarpal bone
2327009 | Salivary seromucous gland
2330002 | Segmental bronchial branches
2332005 | Metencephalon of fetus
2334006 | Calyx
2349003 | Nasal suture of skull
2372001 | Medial surface of toe
2383005 | Papillary muscles of right ventricle
2389009 | Superior margin of adrenal gland
2395005 | Transverse facial artery
2397002 | First metatarsal facet of medial cuneiform bone
2400006 | Mandibular left first premolar tooth
2402003 | Dorsum of foot
2421006 | Submaxillary ganglion
2433001 | Digital tendon and tendon sheath of foot

2436009 | Tunica intima of vein
2453002 | Subcutaneous tissue of posterior surface of forearm
2454008 | Articular surface, third metacarpal, of second metacarpal bone
2484000 | Skin of frenulum of clitoris
2489005 | Medial check ligament of eye
2499000 | Cisterna pontis
2502001 | Membrane of lysosome
2504000 | Pancreatic plexus
2510000 | Femoral triangle
2539000 | Superior rectal artery
2543001 | Cuboid articular facet of fourth metatarsal bone
2550002 | Phalanx of thumb
2577006 | Gracilis muscle
2579009 | Plasmablast
2592007 | All extremities
2600000 | Flexor pollicis longus muscle tendon
2620004 | Intervertebral disc of third thoracic vertebra
2639009 | Neuroendocrine tissue
2653009 | Posterior thalamic radiation of internal capsule
2666009 | Semispinalis capitis muscle
2672009 | Anterior cutaneous branch of lumbosacral plexus
2675006 | Anterior ethmoidal artery
2681003 | Dorsal nerve of penis
2682005 | Mucous membrane of urinary bladder
2686008 | Medial olfactory gyrus
2687004 | Bowman's space
2695000 | Left maxillary sinus
2703009 | Calcarine artery
2712006 | Capsule of ankle joint
2718005 | Apical foramen of tooth
2726002 | Fold for stapes
2730004 | Vitelline vein of placenta
2739003 | Endometrium
2741002 | Medial occipitotemporal gyrus
2746007 | Circular layer of gastric muscularis
2748008 | Spinal cord
2759004 | Eccrine gland
2771005 | Lamina propria of ureter
2789006 | Apocrine gland
2792005 | Pars tensa of tympanic membrane
2803000 | Tendon sheath of popliteus muscle
2810006 | Cremasteric fascia
2812003 | Head of femur
2824005 | Spinous process of fourth thoracic vertebra
2826007 | Lamina of fourth lumbar vertebra
2830005 | Dorsal digital nerves of lateral hallux and medial second toe
2839006 | Perivesicular tissues of seminal vesicles
2841007 | Renal artery
2845003 | Respiratory epithelium
2848001 | Superficial epigastric artery
2855004 | Accessory cephalic vein
2861001 | Gland (organ)
2894003 | Posterior epiglottis
2905008 | Anterior ligament of uterus
2909002 | Posterior portion of diaphragmatic aspect of liver
2920002 | Facial nerve motor branch
2922005 | Posterior papillary muscle of left ventricle
2923000 | Subcutaneous tissue of supraorbital area
2954001 | Deciduous supernumerary tooth
2969000 | Anatomical space structure
2979003 | Medial cuneiform bone
2986006 | Talar facet of navicular bone of foot
2998001 | Right margin of uterus
3003007 | Anterior limb of internal capsule
3008003 | White fibrocartilage
3028004 | Transitional epithelial cell
3039001 | Subcutaneous tissue of thigh
3042007 | Glomerular urinary pole
3054007 | Articular surface, metacarpal, of phalanx of thumb
3055008 | Bone marrow of vertebral body
3056009 | Anteroventral nucleus of thalamus
3057000 | Nerve

3058005 | Peripheral nervous system
3062004 | Spinal arachnoid
3068000 | Seminal vesicle lumen
3081007 | Mitochondrion in division
3093003 | Tendinous arch of pelvic fascia
3100007 | Clinical crown of tooth
3113001 | Suprachoroidal space
3117000 | Dorsal surface of index finger
3118005 | Trabecula carnea of left ventricle
3120008 | Pleura
3134008 | Head of fourth metatarsal bone
3138006 | Bony tissue
3153003 | Tractus olivocochlearis
3156006 | Obturator artery
3159004 | Costocervical trunk
3169005 | Spinal nerve
3178004 | Raphe of soft palate
3194006 | Endocardium of right atrium
3198009 | Monostomatic sublingual gland
3215002 | Subcutaneous tissue of nuchal region
3222005 | All large arteries
3227004 | Left coronary artery main stem
3236000 | Posterior segment of right upper lobe of lung
3243006 | Parametrial lymph node
3255000 | Papillary area
3262009 | Root canal of tooth
3279003 | Pedicle of third cervical vertebra
3295003 | Ventral anterior nucleus
3301002 | Tectopontine fibers
3302009 | Splenic branches of splenic artery
3315000 | Vestibulospinal tract
3332001 | Occipitofrontal diameter of head
3336003 | Haversian canal
3341006 | Right lung
3350008 | Right commissure of pulmonic valve
3362007 | Intertragal incisure
3366005 | Anterior papillary muscle of left ventricle
3370002 | Supporting tissue of rectum
3374006 | Secondary spermatocyte
3377004 | Agger nasi
3382006 | Rima oris
3383001 | Nonsegmented basophil
3394002 | Suboccipitobregmatic diameter of head
3395001 | Superior palpebral arch
3396000 | Mesogastrium
3400000 | Cell of bone
3409004 | Lateral margin of forearm
3417007 | Rotator muscles
3438001 | Deep lymphatics of upper extremity
3444002 | Thalamostriate veins
3447009 | Penetrated oocyte
3460003 | Anterodorsal nucleus of thalamus
3462006 | Commissure of tricuspid valve
3471002 | Posterior midline of trunk
3478008 | Vastus medialis muscle
3481003 | Embryonic testis
3488009 | Annulate lamella, cisternal lumen
3490005 | Subcutaneous tissue of suboccipital region
3524005 | Lateral wall of mastoid antrum
3538003 | Capsule of proximal tibiofibular joint
3541007 | Dorsal metatarsal artery
3553006 | Thyroid capsule
3556003 | Dorsal nucleus of trapezoid body
3563003 | Muscularis of ureter
3572006 | Body of vertebra
3578005 | Body of gallbladder
3582007 | Gastrophrenic ligament
3584008 | Arch of tenth thoracic vertebra
3594003 | Straight part of longus colli muscle
3608004 | Ischiococcygeus muscle
3609007 | Occipital branch of posterior auricular artery
3646006 | Lamellipodium

3663005 | Tympanic ostium of Eustachian tube
3665003 | Pelvic wall
3670005 | Subpyloric lymph node
3711007 | Great vessel
3743007 | Lateral thoracic artery
3761003 | Nucleus pulposus of intervertebral disc of first thoracic vertebra
3766008 | Subcutaneous tissue of lower extremity
3785006 | Dorsal metacarpal ligaments
3788008 | Superior segment of right lower lobe of lung
3789000 | Argentaffin cells
3810000 | Nasal septal cartilage
3838008 | Apex of coccyx
3860006 | Transplanted liver
3865001 | Interscapular region of back
3867009 | Dorsal surface of great toe
3876002 | Subcutaneous tissue of femoral region
3877006 | Common carotid plexus
3910004 | Subcutaneous tissue of lateral surface of fourth toe
3916005 | Occipital lymph node
3924000 | Pericardiophrenic artery
3931001 | Vestibular window
3935005 | Head of tenth rib
3937002 | Entorhinal cortex
3954005 | Lacrimal sac
3956007 | Fifth metatarsal articular facet of fourth metatarsal bone
3959000 | Rectus capitis muscle
3960005 | Olfactory tract
3964001 | Gyrus of brain
3966004 | Parietal branch of anterior cerebral artery
3977005 | Subcutaneous tissue of concha
3984002 | Deep veins of clitoris
3989007 | Medial nuclei of globus pallidus
4015004 | Chromosomes, group A
4019005 | Posterior commissure of labia majora
4029003 | Eosinophilic promyelocyte
4061004 | Lateral wall of orbit
4066009 | Capsule of proximal interphalangeal joint of index finger
4072009 | Fourth coccygeal vertebra
4081003 | Dorsal lingual veins
4093007 | Vagus nerve bronchial branches
4111006 | Macula of saccule
4117005 | Lumbosacral spinal cord central canal
4121003 | Superior frontal sulcus
4146003 | Artery of extremity
4148002 | Palmar surface of little finger
4150005 | Celiac plexus
4158003 | Abdominal aortic plexus
4159006 | Hyparterial bronchi
4180000 | Both lower extremities
4193005 | Extensor tendon and tendon sheath of fifth toe
4205002 | Türk cell
4212006 | Epithelial cell
4215008 | Head of second rib
4247003 | First metacarpal bone
4258007 | Posterior tibial veins
4268002 | Lateral spinorubral tract
4276000 | Inferior articular process of seventh cervical vertebra
4281009 | Middle portion of ileum
4295007 | Paracortical area of lymph node
4303006 | Cartilage canal
4312008 | Anterior midline of abdomen
4317002 | Spinalis muscle
4328003 | Protoplasmic astrocyte
4335006 | Upper jaw
4352005 | Subchorionic space
4358009 | Lateral surface of little finger
4360006 | Stratum spinosum
4369007 | Small intestine mucous membrane
4371007 | Fourth metatarsal facet of lateral cuneiform bone
4375003 | Incisure of cartilaginous portion of auditory canal
4377006 | Parafascicular nucleus of thalamus
4394008 | Scala vestibuli

4402002 | Anterior articular surface for talus
4419000 | Tracheal submucosa
4421005 | Cell
4430002 | Clivus ossis sphenoidalis
4432005 | Ductus arteriosus
4442007 | Dental arch
4486002 | Accessory sinus gland
4524000 | Subclavian plexus
4527007 | Joint of lower extremity
4537002 | Internal medullary lamina of thalamus
4548009 | Lamellated granule, as in surfactant-secreting cell
4549001 | Vagus nerve parasympathetic fibers to liver, gallbladder, bile ducts and pancreas
4566004 | Tentorium cerebelli
4573009 | Desmosome
4578000 | Skin of posterior surface of thigh
4583008 | Splenius muscle of trunk
4588004 | Middle trunk of brachial plexus
4596009 | Larynx
4603002 | Base of phalanx of foot
4606005 | Tubercle of eighth rib
4621004 | Lesser tuberosity of humerus
4624007 | Medullary cord
4647008 | Lipid droplet, homogeneous
4651005 | Tunica albuginea of corpus spongiosum
4658004 | Skin of nuchal region
4677002 | Basal lamina, inclusion in subepithelial location
4703008 | Cardinal vein
4717004 | Neutrophilic myelocyte
4718009 | Venous plexus of the foramen ovale basis cranii
4743003 | Ventral sacrococcygeal ligament
4755009 | Medial surface of great toe
4759003 | Gemellus muscle
4766002 | Supracardinal vein
4768001 | Perineal nerve
4774001 | Phrenic nerve pericardial branch
4775000 | Ventral posterior inferior nucleus
4799000 | Deiter's cell
4810005 | Uterine venous plexus
4812002 | Anterior tibial compartment
4828007 | Femoral canal
4840007 | Subcutaneous tissue of ring finger
4843009 | Membranous ampulla
4861000 | Tuberculum impar
4866005 | Constrictor pharyngeus muscle
4870002 | Dorsal tegmental nuclei of midbrain
4871003 | Spiral lamina of modiolus
4881004 | Sublingual vein
4888005 | Interlobular veins of kidney
4897009 | Cell membrane, prokaryotic
4905007 | Uterovaginal plexus
4906008 | Tympanic antrum
4924005 | Cerebellar gracile lobule
4942000 | Lymph node of lower extremity
4954000 | Radial notch of ulna
4956003 | Subcutaneous tissue of back
4958002 | Amygdaloid nucleus
5001007 | Superior temporal sulcus
5023006 | Yellow bone marrow
5026003 | Posterior surface of prostate
5046008 | Superficial dorsal veins of clitoris
5068003 | Obturator internus muscle ischial bursa
5069006 | Rugal column
5076001 | Infrasternal angle
5115006 | Posterior auricular vein
5122003 | Angle of first rib
5128004 | Suspensory ligament of lens
5140004 | Maxillary right first molar tooth
5192008 | Intervertebral foramen of twelfth thoracic vertebra
5194009 | Epithelium of lens
5195005 | Right external carotid artery
5204005 | Superior ileocecal recess
5213007 | Frontal veins

5225005 | Uterine ostium of fallopian tube
5228007 | Right cerebral hemisphere
5229004 | Mucosa of gallbladder
5261000 | Intervertebral disc of thoracic vertebra
5272005 | Skin of lateral portion of neck
5279001 | Foramen singulare
5296000 | Anterior mediastinal lymph node
5324007 | Superior pole of kidney
5329002 | Fourth cervical vertebra
5336001 | Inferior frontal gyrus
5347008 | Synaptic specialization, cytoplasmic
5362005 | Median arcuate ligament of diaphragm
5366008 | Hippocampus
5379004 | Small intestine muscularis propria
5382009 | Superior fascia of perineum
5394000 | Uterine paracervical lymph node
5398002 | Normal fat pad
5403001 | Articular process of third lumbar vertebra
5421003 | Sex chromosome Y
5427004 | Apocrine intraepidermal duct
5458003 | Deep artery of clitoris
5459006 | Cardiac incisure of stomach
5491007 | Lacrimal part of orbicularis oculi muscle
5493005 | Metacarpophalangeal joint of little finger
5498001 | Superior aberrant ductule of epididymis
5501001 | Hyaloid artery
5520004 | Subcutaneous tissue of chin
5538001 | Tegmental portion of pons
5542003 | Crista marginalis of tooth
5544002 | Longitudinal layer of duodenal muscularis propria
5560003 | Alveolar ridge mucous membrane
5564007 | Singlet
5574005 | Seventh costal cartilage
5580002 | Tendon of supraspinatus muscle
5597008 | Retina of right eye
5611001 | Anulus fibrosus of intervertebral disc of fifth cervical vertebra
5625000 | Navicular facet of intermediate cuneiform bone
5627008 | Right visceral pleura
5633004 | Muscular portion of interventricular septum
5643001 | Canal of stomach
5644007 | Fractured membrane P face
5653000 | Inner surface of seventh rib
5665001 | Retina
5668004 | Lower digestive tract
5677006 | Lenticular fasciculus
5682004 | Subcutaneous tissue of upper extremity
5696005 | Articular part of tubercle of ninth rib
5697001 | Skin of lateral surface of finger
5709001 | Multifidus muscles
5713008 | Submandibular triangle
5717009 | Temporal fossa
5718004 | Tendon and tendon sheath of leg and ankle
5727003 | Anterior cervical lymph node
5742000 | Skin of forearm
5751008 | Subcutaneous tissue of anterior portion of neck
5769004 | Endocervical epithelium
5780004 | Paradidymis
5798000 | Diaphragm
5802004 | Medium sized neuron
5814007 | Angle of seventh rib
5815008 | Superior rectus muscle
5816009 | Duodenal fold
5825003 | Substantia propria of sclera
5828001 | Posterior cord of brachial plexus
5847003 | Superior articular process of seventh cervical vertebra
5854009 | Orbital plate of ethmoid bone
5868002 | Serosa of urinary bladder
5872003 | Subcutaneous tissue of lateral border of sole of foot
5881009 | Tuberosity of distal phalanx of hand
5882002 | Endothelial sieve plate
5889006 | Articular surface, third metacarpal, of fourth metacarpal bone
5890002 | Posterior cells of ethmoid sinus

5893000 | Superior recess of tympanic membrane
5898009 | Myotome
5923009 | Articular process of twelfth thoracic vertebra
5926001 | Bronchial lumen
5928000 | Great cardiac vein
5942008 | Tensor tympani muscle
5943003 | Vestibular vein
5944009 | Posterior palatine arch
5948007 | Capsule of distal interphalangeal joint of third toe
5951000 | Left wrist
5953002 | Eighth rib
5976004 | Subcutaneous tissue of eyelid
5979006 | Episcleral artery
5996007 | Chromosomes, group D
6001004 | Quadratus lumborum muscle
6004007 | Intervertebral disc of second thoracic vertebra
6006009 | Circular layer of duodenal muscularis propria
6009002 | Mesentery of ascending colon
6013009 | Reticuloendothelial system
6014003 | Penicilliary arteries
6023000 | Heterolysosome
6032003 | Columnar epithelial cell
6046003 | Outer surface of third rib
6050005 | Lacrimal vein
6059006 | Metacarpophalangeal joint of middle finger
6062009 | Deciduous mandibular right canine tooth
6073002 | Ligament of left superior vena cava
6074008 | Capsule of temporomandibular joint
6076005 | Gastrointestinal subserosa
6104005 | Subclavian nerve
6105006 | Body of fifth thoracic vertebra
6110005 | Facial nerve parasympathetic fibers
6194002 | Nail of fourth toe
6216007 | Postcapillary venule
6217003 | Piriform recess
6229007 | Os lacrimale
6253001 | Sulcus terminalis cordis
6268000 | Accessory phrenic nerves
6269008 | Subcutaneous tissue of scalp
6279005 | Skin of dorsal surface of finger
6317000 | Posterior basal branch of left pulmonary artery
6325003 | Aryepiglottic muscle
6326002 | Fetal atloid articulation
6335009 | Lymphoid follicle of stomach
6359004 | Hair medulla
6371005 | Lymphatics of thyroid gland
6375001 | Cavernous portion of urethra
6392005 | Coccygeal nerve
6404004 | Ligamentum nuchae
6413002 | Presymphysial lymph node
6417001 | Medial malleolus
6423006 | Supraspinatus muscle
6424000 | Structure of radiating portion of cortical lobule of kidney
6445007 | Mast cell
6448009 | Posterior vagal trunk
6450001 | Cytotrophoblast
6472004 | Medial aspect of ovary
6504002 | Glans clitoridis
6511003 | Distal portion of circumflex branch of left coronary artery
6530003 | Cardiac valve leaflet
6533001 | Colonic haustra
6538005 | Thyrocervical trunk
6541001 | Anterior commissure of mitral valve
6544009 | Gastrohepatic ligament
6550004 | Angular incisure of stomach
6551000 | Pollicis artery
6553002 | Inferior nasal turbinate
6564004 | Medial border of sole
6566002 | Cerebellar hemisphere
6572002 | Base of phalanx of middle finger
6598008 | Lingual nerve
6606008 | Structure of dorsal intercuneiform ligaments

6608009 | Sphenoparietal sinus
6620001 | Cuticle of nail
6623004 | Sternal muscle
6633007 | Right posterior cerebral artery
6643005 | Right anterior cerebral artery
6646002 | Anterior fossa of cranial cavity
6649009 | Uterine subserosa
6651008 | Central lobule of cerebellum
6684008 | Articular facet of head of fibula
6685009 | Right ankle
6711001 | Arch of second lumbar vertebra
6720005 | Femoral nerve lateral muscular branches
6731002 | Pleural recess
6739000 | Chorda tympani
6742006 | Callosomarginal branch of anterior cerebral artery
6750002 | Mitochondrial inclusion
6757004 | Right knee
6787005 | Tendon and tendon sheath of hand
6789008 | Spermatozoa
6799003 | Macula of utricle
6805009 | Interstitial tissue of spleen
6820003 | Obturator nerve anterior branch
6828005 | Ligament of lumbosacral joint
6829002 | Pars ciliaris of retina
6834003 | Axial skeleton
6841009 | Corticomedullary junction of kidney
6844001 | Spore crystal
6850006 | Secondary foot process
6864006 | Leaf of epiglottis
6866008 | Habenular commissure
6871001 | Visceral pericardium
6894000 | Medial surface of arm
6902008 | Popliteal region
6905005 | Subcutaneous tissue of medial surface of third toe
6912001 | Lower alveolar ridge mucosa
6914000 | Perivascular space
6921000 | Right upper extremity
6930008 | Jugular arch
6944002 | Anterior labial veins
6969002 | Lymphocytic tissue
6975006 | Anterior myocardium
6981003 | Posterior hypothalamic nucleus
6987004 | Collateral sulcus
6989001 | Thoracolumbar region of back
6991009 | Subcutaneous tissue of jaw
7035006 | Bile duct mucous membrane
7050002 | Subcutaneous tissue of external genitalia
7067009 | Right colic artery
7076002 | Interstitial tissue of myocardium
7083009 | Middle phalanx of index finger
7090004 | Supraaortic branches
7091000 | Ventral posterolateral nucleus of thalamus
7099003 | Attachment plaque of desmosome or hemidesmosome
7117004 | Fetal implantation site
7121006 | Maxillary right second molar tooth
7148007 | Anulus fibrosus of intervertebral disc of thoracic vertebra
7149004 | False rib
7154008 | Trigeminal ganglion sensory root
7160008 | Base of metacarpal bone
7167006 | Paraduodenal recess
7173007 | Cauda equina
7188002 | Gustatory pore
7192009 | Isthmus tympani posticus
7227003 | Hypoglossal nerve intrinsic tongue muscle branch
7234001 | Inferior choroid vein
7242000 | Appendiceal muscularis propria
7275008 | Lymphatics of appendix and large intestine
7295002 | Muscle of perineum
7296001 | Deep inguinal ring
7311008 | Anterior surface of arm
7344002 | Lingual gyrus
7345001 | Ciliary processes

7347009 | Infratendinous olecranon bursa
7362006 | Lymphatic of head
7376007 | Left margin of uterus
7378008 | Paraventricular nucleus of thalamus
7384006 | Plantar calcaneocuboidal ligament
7404008 | Anterior semicircular duct
7435002 | Ovarian ligament
7471001 | Lateral surface of sublingual gland
7477002 | Lipid, crystalline
7480001 | Iliotibial tract
7494000 | Cerebellar lenticular nucleus
7498002 | Plantar tarsal ligaments
7507003 | Anterior ligament of head of fibula
7524009 | Vasa vasorum
7532001 | Vagus nerve parasympathetic fibers
7554004 | Deep head of flexor pollicis brevis muscle
7566005 | Mitotic cell in anaphase
7569003 | Finger
7591005 | Intervertebral disc space of eleventh thoracic vertebra
7597009 | Subcutaneous tissue of vertex
7605000 | Connexon
7610001 | Tenth thoracic vertebra
7629007 | Thalamoolivary tract
7651004 | Intervenous tubercle of right atrium
7652006 | Frenulum labii
7657000 | Femoral artery
7658005 | Subtendinous bursa of triceps brachii muscle
7697002 | Pontine portion of medial longitudinal fasciculus
7712004 | Subdural space of spinal region
7726008 | Skin of medial surface of fifth toe
7736000 | Posterior choroidal artery
7742001 | Palatine duct
7748002 | Skin appendage
7755000 | Mesovarian margin of ovary
7756004 | Lamina of third thoracic vertebra
7764005 | Striate artery
7769000 | Right foot
7783003 | Sympathetic trunk spinal nerve branch
7820009 | Lateral posterior nucleus of thalamus
7829005 | Anterior surface of manubrium
7832008 | Abdominal aorta
7835005 | Posterior margin of nasal septum
7840002 | Subcutaneous tissue of submental area
7841003 | Macrocytic normochromic erythrocyte
7844006 | Sternoclavicular joint
7851002 | Intracranial subdural space
7854005 | Mandibular canal
7872004 | Myocardium of ventricle
7874003 | Scapular region of back
7880006 | Rhopheocytotic vesicle
7884002 | Corneal corpuscle
7885001 | Rotator cuff including muscles and tendons
7892006 | Submucosa of anal canal
7896009 | Occipital angle of parietal bone
7911004 | Olivocerebellar fibers
7925003 | Proximal phalanx of third toe
7936005 | Ligament of diaphragm
7944005 | Helper cell
7954009 | Lamina propria of ethmoid sinus
7967007 | First left aortic arch
7986004 | Abdominopelvic portion of sympathetic nervous system
7991003 | Skin of glans penis
7999001 | Articulations of auditory ossicles
8001006 | Mucous membrane of tongue
8012006 | Anterior communicating artery
8017000 | Inflow tract of right ventricle
8024004 | Limitans nucleus
8039003 | Subcutaneous acromial bursa
8040001 | Superficial flexor tendon of little finger
8045006 | Membrane-coating granule, amorphous
8057002 | Lateral nuclei of globus pallidus
8059004 | Pancreatic veins

8067007 | Superficial circumflex iliac vein
8068002 | Stratum lemnisci of corpora quadrigemina
8079007 | Radial nerve
8091003 | Intervertebral disc space of twelfth thoracic vertebra
8100009 | Infundibulum of Fallopian tube
8111001 | Intranuclear crystal
8112008 | Hindgut
8119004 | Delphian lymph node
8128003 | Supraaortic valve area
8133004 | Superior anastomotic vein
8157004 | Vein of head
8158009 | Interlobar duct of pancreas
8159001 | Superior colliculus of corpora quadrigemina
8160006 | Lateral striate arteries
8161005 | Infraorbital nerve
8165001 | Superior articular process of fifth thoracic vertebra
8205005 | Wrist
8225009 | Accessory atrioventricular bundle
8242003 | Apical branch of right pulmonary artery
8251006 | Osseous portion of Eustachian tube
8264007 | Tunica interna of eyeball
8265008 | Articular surface, metacarpal, of phalanx of hand
8266009 | Small intestine serosa
8279000 | Pelvic viscus
8289001 | Below knee region
8292002 | Interlobular arteries of liver
8314003 | Mastoid fontanel of skull
8334002 | Lumbar lymph node
8356004 | Colic lymph node
8361002 | Tunica intima
8369000 | Sphincter pupillae muscle
8373002 | Jugum of sphenoid bone
8387002 | Lamina of eighth thoracic vertebra
8389004 | Birth canal
8412003 | Iliac fossa
8415001 | Renal surface of adrenal gland
8454000 | Joint of lumbar vertebra
8464009 | Ligament of sacroiliac joint and pubic symphysis
8482007 | Sinoatrial node branch of right coronary artery
8483002 | Mesial surface of tooth
8496001 | Obliquus capitis muscle
8523001 | Inferior articular process of twelfth thoracic vertebra
8546004 | Posterior intercavernous sinus
8556000 | Lipid droplet
8559007 | Juxtaintestinal lymph node
8560002 | Interclavicular ligament
8568009 | Lymph node of abdomen
8580001 | Both feet
8595004 | Meissner's plexus
8598002 | Vestibulocochlear nerve
8600008 | Cricoid cartilage
8603005 | Adductor hallucis muscle
8604004 | Medulla oblongata fasciculus cuneatus
8608001 | Right margin of heart
8617001 | Zygomatic region of face
8623006 | Transplanted ureter
8629005 | Superior right pulmonary vein
8640002 | Choroidal branches of posterior spinal artery
8668003 | Glycogen vacuole
8671006 | All toes
8677005 | Body of right atrium
8688004 | Lateral olfactory gyrus
8695008 | Intervertebral foramen of second lumbar vertebra
8710005 | Minor sublingual ducts
8711009 | Periodontal tissues
8714001 | Subcutaneous tissue of interdigital space of hand
8752000 | Cavernous portion of internal carotid artery
8770002 | Nail of second toe
8775007 | Tendinous arch
8784007 | Intranuclear body, granular with filamentous capsule
8810002 | Corticomedullary junction of adrenal gland
8814006 | Iliac tuberosity

8815007 | Thenar and hypothenar spaces
8820007 | Pedicle of eleventh thoracic vertebra
8821006 | Peroneal artery
8827005 | Shaft of phalanx of middle finger
8839002 | Agranular endoplasmic reticulum, connection with other organelle
8845005 | Subtendinous prepatellar bursa
8850004 | Proper fasciculus
8854008 | Crista galli
8862000 | Palmar surface of middle finger
8873007 | Mandibular right second premolar tooth
8887007 | Brachiocephalic vein
8892009 | Diaphragmatic surface of lung
8894005 | Gastric cardiac gland
8897003 | Lateral glossoepiglottic fold
8907008 | Left ulnar artery
8910001 | Inferior transverse scapular ligament
8911002 | Endocardium of right ventricle
8928004 | Inguinal lymph node
8931003 | Coracoid process of scapula
8935007 | Cerebral meninges
8942007 | Trapezoid ligament
8965002 | Stratum zonale of corpora quadrigemina
8966001 | Left eye
8983005 | Joint of vertebral column
8988001 | Marginal part of orbicularis oris muscle
8993003 | Hepatic vein
9000002 | Cerebellar peduncle
9003000 | Left parietal lobe
9018004 | Middle colic vein
9040008 | Ascending colon
9055004 | Both forearms
9073001 | White matter of insula
9081000 | Splenic sinusoids
9086005 | Superior laryngeal vein
9089003 | Arch of foot
9108007 | Vein of the scala tympani
9127001 | Transverse folds of palate
9156001 | Embryo stage 1
9181003 | Accessory carpal bone
9185007 | Capsule of metatarsophalangeal joint of fifth toe
9186008 | Filaments of contractile apparatus
9188009 | Intervertebral disc of eighth thoracic vertebra
9208002 | Centriole
9212008 | Shaft of fifth metatarsal bone
9229006 | Rotatores lumborum muscles
9231002 | External pudendal veins
9240003 | Niemann-Pick cell
9242006 | Posterior segment of right lobe of liver
9258009 | Gravid uterus
9261005 | Tendon and tendon sheath of second toe
9262003 | Pelvic fascia
9284003 | Corpus cavernosum of penis
9290004 | Posterior intraoccipital synchondrosis
9305001 | Labial veins
9317004 | Merkel's tactile disc
9320007 | Subtendinous iliac bursa
9321006 | Tail of epididymis
9325002 | Interdental papilla of gingiva
9332006 | Lateral ligament of temporomandibular joint
9348007 | Skin of medial surface of middle finger
9379006 | All permanent teeth
9380009 | Pecten ani
9384000 | Lumbar vein
9390001 | Lymphatics of stomach
9432007 | Plantar surface of fourth toe
9438006 | Structure of deep cervical lymphatics
9454009 | Subclavian vein
9455005 | Medial cartilaginous lamina of Eustachian tube
9475001 | Amacrine cells of retina
9481009 | Afferent glomerular arteriole
9490002 | Pulmonary ligament
9498009 | Head of metacarpal bone

9502002 | Coronal depression of tooth
9512009 | Calcaneocuboidal ligament
9535007 | Pyramid of medulla oblongata
9558005 | Facet for fifth costal cartilage of sternum
9566001 | Duodenal lumen
9568000 | Subcutaneous tissue of areola
9596006 | Deep branch of ulnar nerve
9609000 | Posterior process of nasal septal cartilage
9625005 | Lanugo hair
9642004 | Left superior vena cava
9646001 | Superior transverse scapular ligament
9654004 | Gastric mucous gland
9659009 | Infraclavicular lymph node
9662007 | Subcutaneous tissue of lower margin of nasal septum
9668006 | Ciliary muscle
9677004 | Head of second metatarsal bone
9683001 | Melanocyte
9684007 | Posterior scrotal branches of internal pudendal artery
9708001 | Iliac fascia
9732008 | Medial supraclavicular nerves
9736006 | Right wrist
9743000 | Tendon of index finger
9758008 | Submucosa of tonsil
9770007 | Genital tubercle
9775002 | Left carotid sinus
9779008 | Distinctive shape of mitochondrial cristae
9783008 | Superficial lymphatics of thorax
9791004 | Deep venous system of lower extremity
9796009 | Skeletal muscle fiber, type IIb
9813009 | Fascia of upper extremity
9825007 | Proximal phalanx of little toe
9837009 | Perforating branches of internal thoracic artery
9840009 | Biparietal diameter of head
9841008 | Interspinalis thoracis muscles
9846003 | Right kidney
9847007 | Hilum of adrenal gland
9849005 | Fornix of lacrimal sac
9870004 | Carunculae hymenales
9875009 | Thymus
9878006 | Appendicular vein
9880000 | Thyroid tubercle
9881001 | Peripheral nerve myelinated nerve fiber
9891007 | Transverse arytenoid muscle
9898001 | Paracentral lobule
9951005 | Posterior ethmoidal nerve
9968009 | Primary foot process
9970000 | Ileocecal ostium
9976006 | Rhomboideus cervicis muscle
9994000 | Superior articular process of sixth thoracic vertebra
9999005 | Duodenal ampulla
10013000 | Lateral meniscus of knee joint
10024003 | Base of lung
10025002 | Base of phalanx of index finger
10026001 | Ventral spinocerebellar tract of pons
10036009 | Nucleus pulposus of intervertebral disc of eighth thoracic vertebra
10042008 | Intervertebral foramen of fifth thoracic vertebra
10047002 | Transplanted lung
10052007 | Male
10056005 | Ophthalmic nerve
10062000 | Levator labii superioris muscle
10119003 | Deep volar arch of radial artery
10124000 | Deep dorsal sacrococcygeal ligament

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.654 Value Set http://hl7.org/fhir/ValueSet/structure-definition-kind

URL: https://hl7.org/fhir/STU3/valueset-structure-definition-kind.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/structure-definition-kind
Name: | StructureDefinitionKind
Definition: | Defines the type of structure that a definition is describing.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.654 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for StructureDefinitionKind

* StructureDefinition.kind (Required)

4.3.1.654.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/structure-definition-kind

4.3.1.654.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/structure-definition-kind version 3.0.2

All codes from system http://hl7.org/fhir/structure-definition-kind

Code | Display | Definition
primitive-type | Primitive Data Type | A primitive type that has a value and an extension. These can be used throughout Resource and extension definitions. Only the base specification can define primitive types.
complex-type | Complex Data Type | A complex structure that defines a set of data elements. These can be used throughout Resource and extension definitions, and in logical models.
resource | Resource | A resource defined by the FHIR specification.
logical | Logical Model | A conceptual package of data that will be mapped to resources for implementation.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.656 Value Set http://hl7.org/fhir/ValueSet/extension-context

URL: https://hl7.org/fhir/STU3/valueset-extension-context.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/extension-context
Name: | ExtensionContext
Definition: | How an extension context is interpreted.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.656 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ExtensionContext

* StructureDefinition.contextType (Required)

4.3.1.656.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/extension-context

4.3.1.656.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/extension-context version 3.0.2

All codes from system http://hl7.org/fhir/extension-context

Code | Display | Definition
resource | Resource | The context is all elements matching a particular resource element path.
datatype | Datatype | The context is all nodes matching a particular data type element path (root or repeating element) or all elements referencing a particular primitive data type (expressed as the datatype name).
extension | Extension | The context is a particular extension from a particular profile, a uri that identifies the extension definition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.658 Value Set http://hl7.org/fhir/ValueSet/profile-code

URL: https://hl7.org/fhir/STU3/valueset-profile-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/profile-code
Name: | Structure Definition Codes
Definition: | Codes for the meaning of the defined structure.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.658 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright Â© 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement. This content LOINCÂ© is copyright Â© 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* StructureDefinition.keyword (Example)

4.3.1.658.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://snomed.info/sct

* Include all codes defined in http://loinc.org

4.3.1.658.2 Expansion

This expansion generated 19 Apr 2017

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.659 Value Set http://hl7.org/fhir/ValueSet/type-derivation-rule

URL: https://hl7.org/fhir/STU3/valueset-type-derivation-rule.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/type-derivation-rule
Name: | TypeDerivationRule
Definition: | How a type relates to its baseDefinition.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.659 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TypeDerivationRule

* StructureDefinition.derivation (Required)

4.3.1.659.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/type-derivation-rule

4.3.1.659.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/type-derivation-rule version 3.0.2

All codes from system http://hl7.org/fhir/type-derivation-rule

Code | Display | Definition
specialization | Specialization | This definition defines a new type that adds additional elements to the base type
constraint | Constraint | This definition adds additional rules to an existing concrete type

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.661 Value Set http://hl7.org/fhir/ValueSet/map-model-mode

URL: https://hl7.org/fhir/STU3/valueset-map-model-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-model-mode
Name: | StructureMapModelMode
Definition: | How the referenced structure is used in this mapping
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.661 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for StructureMapModelMode

* StructureMap.structure.mode (Required)

4.3.1.661.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/map-model-mode

4.3.1.661.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/map-model-mode version 3.0.2

All codes from system http://hl7.org/fhir/map-model-mode

Code	Display	Definition
source	Source Structure Definition	This structure describes an instance passed to the mapping engine that is used a source of data
queried	Queried Structure Definition	This structure describes an instance that the mapping engine may ask for that is used a source of data
target	Target Structure Definition	This structure describes an instance passed to the mapping engine that is used a target of data
produced	Produced Structure Definition	This structure describes an instance that the mapping engine may ask to create that is used a target of data

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.663 Value Set http://hl7.org/fhir/ValueSet/map-input-mode

URL: https://hl7.org/fhir/STU3/valueset-map-input-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/map-input-mode
Name:	StructureMapInputMode
Definition:	Mode for this instance of data
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.663 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for StructureMapInputMode

* StructureMap.group.input.mode (Required)

4.3.1.663.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/map-input-mode

4.3.1.663.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/map-input-mode version 3.0.2

All codes from system http://hl7.org/fhir/map-input-mode

Code	Display	Definition
source	Source Instance	Names an input instance used a source for mapping
target	Target Instance	Names an instance that is being populated

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.665 Value Set http://hl7.org/fhir/ValueSet/map-context-type

URL: https://hl7.org/fhir/STU3/valueset-map-context-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-context-type
Name: | StructureMapContextType
Definition: | How to interpret the context
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.665 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for StructureMapContextType

* StructureMap.group.rule.target.contextType (Required)

4.3.1.665.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/map-context-type

4.3.1.665.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/map-context-type version 3.0.2

All codes from system http://hl7.org/fhir/map-context-type

Code | Display | Definition
type | Type | The context specifies a type
variable | Variable | The context specifies a variable

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.667 Value Set http://hl7.org/fhir/ValueSet/map-transform

URL: https://hl7.org/fhir/STU3/valueset-map-transform.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-transform
Name: | StructureMapTransform
Definition: | How data is copied/created
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.667 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for StructureMapTransform

* StructureMap.group.rule.target.transform (Required)

4.3.1.667.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/map-transform

4.3.1.667.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 17 concepts

Expansion based on http://hl7.org/fhir/map-transform version 3.0.2

All codes from system http://hl7.org/fhir/map-transform

Code | Display | Definition
create | create | create(type : string) - type is passed through to the application on the standard API, and must be known by it
copy | copy | copy(source)
truncate | truncate | truncate(source, length) - source must be stringy type
escape | escape | escape(source, fmt1, fmt2) - change source from one kind of escaping to another (plain, java, xml, json). note that this is for when the string itself is escaped
cast | cast | cast(source, type?) - case source from one type to another. target type can be left as implicit if there is one and only one target type known
append | append | append(source...) - source is element or string
translate | translate | translate(source, uri_of_map) - use the translate operation
reference | reference | reference(source : object) - return a string that references the provided tree properly
dateOp | dateOp | Perform a date operation. *Parameters to be documented*
uuid | uuid | Generate a random UUID (in lowercase). No Parameters
pointer | pointer | Return the appropriate string to put in a reference that refers to the resource provided as a parameter
evaluate | evaluate | Execute the supplied fluentpath expression and use the value returned by that
cc | cc | Create a CodeableConcept. Parameters = (text) or (system. Code[, display])
c | c | Create a Coding. Parameters = (system. Code[, display])
qty | qty | Create a quantity. Parameters = (text) or (value, unit, [system, code]) where text is the natural representation e.g. [comparator]value[space]unit
id | id | Create an identifier. Parameters = (system, value[, type]) where type is a code from the identifier type value set
cp | cp | Create a contact details. Parameters = (value) or (system, value). If no system is provided, the system should be inferred from the content of the value

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.669 Value Set http://hl7.org/fhir/ValueSet/map-source-list-mode

URL: https://hl7.org/fhir/STU3/valueset-map-source-list-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-source-list-mode
Name: | StructureMapSourceListMode
Definition: | If field is a list, how to manage the source
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.669 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for StructureMapSourceListMode

* StructureMap.group.rule.source.listMode (Required)

4.3.1.669.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/map-source-list-mode

4.3.1.669.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/map-source-list-mode version 3.0.2

All codes from system http://hl7.org/fhir/map-source-list-mode

Code	Display	Definition
first	First	Only process this rule for the first in the list
not_first	All but the first	Process this rule for all but the first
last	Last	Only process this rule for the last in the list
not_last	All but the last	Process this rule for all but the last
only_one	Enforce only one	Only process this rule is there is only item

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.671 Value Set http://hl7.org/fhir/ValueSet/map-target-list-mode

URL: https://hl7.org/fhir/STU3/valueset-map-target-list-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/map-target-list-mode
Name:	StructureMapTargetListMode
Definition:	If field is a list, how to manage the production
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.671 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for StructureMapTargetListMode

* StructureMap.group.rule.target.listMode (Required)

4.3.1.671.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/map-target-list-mode

4.3.1.671.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/map-target-list-mode version 3.0.2

All codes from system http://hl7.org/fhir/map-target-list-mode

Code	Display	Definition
first	First	when the target list is being assembled, the items for this rule go first. If more that one rule defines a first item (for a given instance of mapping) then this is an error
share	Share	the target instance is shared with the target instances generated by another rule (up to the first common n items, then create new ones)
last	Last	when the target list is being assembled, the items for this rule go last. If more that one rule defines a last item (for a given instance of mapping) then this is an error
collate	Collate	re-use the first item in the list, and keep adding content to it

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.673 Value Set http://hl7.org/fhir/ValueSet/map-group-type-mode

URL: https://hl7.org/fhir/STU3/valueset-map-group-type-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/map-group-type-mode
Name: | StructureMapGroupTypeMode
Definition: | If this is the default rule set to apply for the source type, or this combination of types
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.673 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for StructureMapGroupTypeMode

* StructureMap.group.typeMode (Required)

4.3.1.673.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/map-group-type-mode

4.3.1.673.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/map-group-type-mode version 3.0.2

All codes from system http://hl7.org/fhir/map-group-type-mode

Code | Display | Definition
none | Not a Default | This group is not a default group for the types
types | Default for Type Combination | This group is a default mapping group for the specified types and for the primary source type
type-and-types | Default for type + combination | This group is a default mapping group for the specified types

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.675 Value Set http://hl7.org/fhir/ValueSet/actionlist

URL: https://hl7.org/fhir/STU3/valueset-actionlist.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/actionlist
Name: | ActionList
Definition: | List of allowable action which this resource can request.

Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.675 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionList

* ProcessRequest.action (Required)

4.3.1.675.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/actionlist

4.3.1.675.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/actionlist version 3.0.2

All codes from system http://hl7.org/fhir/actionlist

Code | Display | Definition
cancel | Cancel, Reverse or Nullify | Cancel, reverse or nullify the target resource.
poll | Poll | Check for previously un-read/ not-retrieved resources.
reprocess | Re-Process | Re-process the target resource.
status | Status Check | Retrieve the processing status of the target resource.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.677 Value Set http://hl7.org/fhir/ValueSet/process-outcome

URL: https://hl7.org/fhir/STU3/valueset-process-outcome.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/process-outcome
Name: | Process Outcome Codes
Definition: | This value set includes sample Process Outcome codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.677 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Process Outcome Codes

* ProcessResponse.outcome (Example)

4.3.1.677.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/processoutcomecodes

4.3.1.677.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/processoutcomecodes version 3.0.2

All codes from system http://hl7.org/fhir/processoutcomecodes

Code | Display | Definition

complete | Complete | The requested processing has completed.
pended | Pended | The requested processing has been suspended.
error | Error | The requested processing has terminated with some errors being found.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.679 Value Set http://hl7.org/fhir/ValueSet/supplyrequest-kind

URL: https://hl7.org/fhir/STU3/valueset-supplyrequest-kind.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplyrequest-kind
Name: | Supply Type
Definition: | This value sets refers to a Category of supply.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.679 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Supply Type

* SupplyRequest.category (Example)

4.3.1.679.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/supply-kind

4.3.1.679.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/supply-kind version 3.0.2

All codes from system http://hl7.org/fhir/supply-kind

Code | Display | Definition
central | Central Supply | Supply is stored and requested from central supply.
nonstock | Non-Stock | Supply is not onsite and must be requested from an outside vendor using a non-stock requisition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.681 Value Set http://hl7.org/fhir/ValueSet/supplyrequest-status

URL: https://hl7.org/fhir/STU3/valueset-supplyrequest-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplyrequest-status
Name: | SupplyRequestStatus
Definition: | Status of the supply request
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.681 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SupplyRequestStatus

* SupplyRequest.status (Required)

4.3.1.681.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/supplyrequest-status

4.3.1.681.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/supplyrequest-status version 3.0.2

All codes from system http://hl7.org/fhir/supplyrequest-status

Code | Display | Definition
draft | Draft | The request has been created but is not yet complete or ready for action
active | Active | The request is ready to be acted upon
suspended | Suspended | The authorization/request to act has been temporarily withdrawn but is expected to resume in the future
cancelled | Cancelled | The authorization/request to act has been terminated prior to the full completion of the intended actions. No further activity should occur.
completed | Completed | Activity against the request has been sufficiently completed to the satisfaction of the requester
entered-in-error | Entered in Error | This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".)
unknown | Unknown | The authoring system does not know which of the status values currently applies for this request. Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, it's just not known which one.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.683 Value Set http://hl7.org/fhir/ValueSet/supplyrequest-reason

URL: https://hl7.org/fhir/STU3/valueset-supplyrequest-reason.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplyrequest-reason
Name: | SupplyRequestReason
Definition: | Why the supply item was requested
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.683 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SupplyRequestReason

* SupplyRequest.reason[x] (Example)

4.3.1.683.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/supplyrequest-reason

4.3.1.683.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/supplyrequest-reason version 3.0.2

All codes from system http://hl7.org/fhir/supplyrequest-reason

Code | Display | Definition
patient-care | Patient Care | The supply has been requested for use in direct patient care.
ward-stock | Ward Stock | The supply has been requested for for creating or replenishing ward stock.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.685 Value Set http://hl7.org/fhir/ValueSet/supply-item

URL: https://hl7.org/fhir/STU3/valueset-supply-item.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supply-item
Name: | SNOMED CT Supply Item
Definition: | This value set includes [SNOMED CT](http://snomed.info/sct) where concept is-a 105590001 (Substance (substance)) or concept is-a 260787004 (Physical object) and provided as an example value set.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.685 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organization (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* SupplyRequest.orderedItem.item[x] (Example)

* SupplyDelivery.suppliedItem.item[x] (Example)

4.3.1.685.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 105590001 (Substance)

* Include codes from http://snomed.info/sct where concept is-a 260787004 (Physical object)

4.3.1.685.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
102002 | Hemoglobin Okaloosa
120006 | Ornithine racemase
125001 | Ferrous sulfate Fe^59^
126000 | Galactosyl-N-acetylglucosaminylgalactosylglucosylceramide alpha-galactosyltransferase
130002 | Hemoglobin Hopkins-II
131003 | Dolichyl-phosphate mannosyltransferase
159002 | Ferrocyanide salt
164003 | Phosphoenolpyruvate-protein phosphotransferase
178002 | Uridine diphosphate galactose
186002 | HLA-Cw9 antigen
187006 | Cyanocobalamin Co^57^

200001 | Berberine
217008 | Blood group antigen IH
231008 | 3-Hydroxyisobutyrate dehydrogenase
238002 | Heptachlor
261000 | Codeine phosphate
296000 | Coumachlor
322006 | Octylphenoxy P.H. ethanol
327000 | ^76^Arsenic
329002 | ^127^Antimony
336001 | Fibrinogen Tokyo II
340005 | Enzyme variant
363000 | Fibrinogen San Juan
370000 | beta>2S< Glycoprotein
371001 | Acylcarnitine hydrolase
377002 | Sparteine
392001 | ^151^Gadolinium
395004 | Immunoglobulin pentamer
412004 | Ribose-5-phosphate isomerase
424006 | Citramalyl-CoA lyase
425007 | Hemoglobin Nagoya
432003 | Carminic acid
438004 | 2-Hydroxyglutarate dehydrogenase
462009 | Urease (ATP-hydrolysing)
472007 | Vegetable textile fiber
476005 | Lymphocyte antigen CD1b
498001 | Nitrilase
501001 | Blood group antibody Sf^a^
505005 | Blood group antibody M'
506006 | 3-Oxosteroid delta^1^-dehydrogenase
515004 | Blood group antigen Giaigue
519005 | Free protein S
521000 | ^197^Mercury
529003 | Guanosine
538001 | 2,3-Dihydroxybenzoate 3,4-dioxygenase
566009 | Acrosin
576007 | Blood group antibody Duck
578008 | Hemoglobin Jianghua
584006 | Blood group antibody Wr^b^
585007 | Substance P
591009 | 2-Oxoisovalerate dehydrogenase (acylating)
593007 | Blood group antibody Holmes
594001 | 2-Oxoglutarate synthase
597008 | ^247^Californium
604000 | Plant sapogenin glycoside
611001 | Hippurate hydrolase
620005 | Trichlorophenol
648005 | Oil of calamus
662003 | Aeromonas proteolytica aminopeptidase
668004 | ^185^Osmium
683009 | Mercuric acetate
686001 | Plastoquinol-plastocyanin reductase
693002 | Trichothecenes
698006 | Erythromycin lactobionate
699003 | Coal tar extract
704006 | Blood group antigen Rx
732002 | N-valeraldehyde
735000 | Blood group antigen Jobbins
747006 | Oxamniquine
773001 | Hemoglobin M-Iwate
785009 | Dextranase
804003 | Creosotic acid
819002 | Lytic antibody
850000 | Stizolobate synthase
859004 | Peptide-N^4^-(N-acetyl-b-glucosaminyl) asparagine amidase
860009 | Immunoglobulin, aggregated
873008 | Urethan
876000 | Blood group antigen D
877009 | Carboxypeptidase A
889006 | (Acetyl-CoA carboxylase) kinase
896008 | Ice
905001 | o-Dihydroxycoumarin O^7^-glucosyltransferase
923009 | Complement component C2

925002 | Sodium iodipamide
963005 | Pyridoxine 4-dehydrogenase
974001 | Adenosylmethionine decarboxylase
979006 | Carbamate kinase
993004 | Palladium compound
1002007 | Mannotetraose 2-alpha-N-acetylglucosaminyltransferase
1010008 | N-Acetylneuraminate monooxygenase
1018001 | Nornicotine
1025008 | ^93^Molybdenum
1047008 | Guanine deaminase
1050006 | Melilotate 3-monooxygenase
1057009 | Phosphate salt
1065007 | E. coli periplasmic proteinase
1080001 | ^202^Thallium
1091008 | Coagulation factor inhibitor
1097007 | Blood group antigen M^A^
1105007 | Isochorismate synthase
1113008 | Pancreatic ribonuclease
1137008 | ^240^Uranium
1149009 | Hemoglobin Barcelona
1160000 | Blood group antibody Lutheran
1166006 | Titanium
1169004 | Hemoglobin Gower-2
1171004 | Fibrinogen Kawaguchi
1185009 | Hemoglobin Roseau-Pointe à Pitre
1189003 | Hemoglobin F-M-Osaka
1190007 | Mephenoxalone
1219001 | Diethyl xanthogen disulfide
1223009 | Blood group antigen Marks
1244009 | Fibrinogen Madrid I
1248007 | Leucostoma neutral proteinase
1269009 | Amikacin sulfate
1272002 | Pteridine oxidase
1273007 | Blood group antibody Evelyn
1313002 | Nitrate reductase (cytochrome)
1319003 | Blood group antibody K18
1320009 | Hemoglobin Manitoba
1325004 | Metocurine iodide
1331001 | Methamidophos
1334009 | Estradiol receptor
1336006 | 21-Hydroxyprogesterone
1341003 | Hemoglobin Ta-li
1346008 | Blue shade eosin
1355006 | Antihemophilic factor B Oxford 3 variant
1368003 | ^131^Iodine
1371006 | Blood group antigen Big
1373009 | ^93^Zirconium
1381005 | ^126^Iodine
1394007 | Iron pentacarbonyl
1396009 | Actinium
1405004 | Blood group antibody M^e^
1408002 | Blood group antibody 1123K
1416006 | Radium compound
1450002 | Methylparafynol
1466000 | Cyclomaltodextrinase
1471007 | Elastin
1472000 | Adenosine-phosphate deaminase
1476002 | Codeine sulfate
1477006 | Hemoglobin Yatsushiro
1496005 | Proto-oncogene
1506001 | Blood group antigen Ch^a^
1517000 | HLA-B21 antigen
1530004 | 6-Carboxyhexanoate-CoA ligase
1535009 | Nitrogen fluoride
1536005 | Pargyline hydrochloride
1540001 | Tellurium radioisotope
1545006 | Uridine phosphorylase
1557002 | Talc
1565004 | Blood group antibody Buckalew
1575001 | Maltose tetrapalmitate
1603001 | Cobalt isotope
1607000 | Homoserine kinase

1609002 | N-octyl isosafrole sulfoxide
1634002 | Blood group antigen Ven
1649005 | Blood group antigen Sul
1656004 | Hemoglobin Shaare Zedek
1660001 | Plant seeds
1668008 | Ceforanide
1672007 | Ligase
1673002 | Xylenol
1675009 | ^86^Rubidium
1676005 | Blood group antibody LW^ab^
1681001 | Blood group antibody BLe^b^
1696002 | 12-Hydroperoxy eicosatetraenoic acid
1701009 | ^191^Gold
1710001 | Uric acid
1726000 | Diamond
1727009 | Deoxylimonate A-ring-lactonase
1740004 | Deoxy cytidine triphosphate
1764003 | Saccharopine dehydrogenase (NADP^+^,L-glutamate-forming)
1768000 | Sucrose phosphorylase
1786002 | Leucine-tRNA ligase
1793003 | Sodium trichloroacetate
1795005 | Glyodin
1798007 | Hemoglobin Hammersmith
1799004 | L-Lysine oxidase
1823002 | Hemoglobin Tochigi
1827001 | Ribonuclease T>1<
1886008 | Verdohemoglobin
1904005 | Galactoside 3-fucosyltransferase
1914001 | von Willebrand factor inhibitor
1916004 | Boroglycerin
1940007 | Immunoglobulin, GM>21< allotype
1944003 | Coagulation factor X Patient variant
1956002 | Buclizine hydrochloride
1971003 | Loxapine hydrochloride
1975007 | Blood group antibody Niemetz
1978009 | Site-specific methyltransferase (cytosine-specific)
1985008 | Vomitus
1991005 | Lignins
2000001 | Heavy nitrogen
2006007 | Inosine diphosphate
2008008 | ^67^Gallium
2009000 | Cobalt carbonyl
2017008 | DNA topoisomerase
2027002 | Alternaria serine proteinase
2029004 | Fibrinogen Oslo II
2038002 | Blood group antibody Bg^b^
2039005 | sym-Norspermidine synthase
2050008 | Choloylglycine hydrolase
2064008 | L-Xylulokinase
2082006 | Lymphocyte antigen CD51
2085008 | Oncogene protein TCL
2088005 | Page blue G-90
2096000 | NAD^+^ ADP-ribosyltransferase
2100004 | Sulfonethylmethane
2101000 | Yeast proteinase B
2125008 | Betazole
2130007 | Cyclohexane-1,2-diol dehydrogenase
2141009 | Hydrogen
2147008 | Blood group antigen Paular
2151005 | Pyridoxamine-pyruvate aminotransferase
2154002 | Tagaturonate reductase
2159007 | Azorubin S
2163000 | Dicofol
2168009 | Bisphosphoglycerate mutase
2179004 | Malonate-semialdehyde dehydratase
2189000 | Hemoglobin F-Dammam
2194000 | ^101^Rhodium
2195004 | Tocainide hydrochloride
2197007 | Boric acid topical preparation
2201007 | Bacteriopurpurin
2208001 | Phenylserine aldolase
2212007 | Fibrinogen Bethesda II

2215009 | Azuresin
2240002 | Guanidinobutyrase
2249001 | Gentamicin sulfate
2254005 | Orotic acid
2260005 | HLA-DRw18 antigen
2262002 | Cellulose polysulfatase
2264001 | Selenium isotope
2309006 | Gold
2311002 | Prostacyclin synthase
2329007 | Blood group antibody Vel
2331003 | Carbohydrate
2338009 | Plant roots
2343002 | Guthion
2346005 | Vascormone
2354007 | 3'-Nucleotidase
2358005 | Glass fragment
2369008 | Indole-3-acetate beta-glucosyltransferase
2370009 | UDP-N-acetylmuramate-alanine ligase
2376003 | Mercury compound
2384004 | ^230^Uranium
2404002 | Blood group antibody St^a^
2405001 | b- Propiolactone
2414006 | Prolactin receptor
2430003 | Silicon radioisotope
2431004 | Blood group antibody Friedberg
2441001 | Mercury radioisotope
2444009 | HLA-Dw25 antigen
2450004 | Mannosamine
2462000 | Glucose dehydrogenase (NADP^+^)
2466002 | Chloride peroxidase
2500009 | Lymphocyte antigen CDw41b
2509005 | D-Glutamate oxidase
2516006 | Metallic sulfide compound
2522002 | Extravascular blood
2529006 | Hemoglobin Wood
2537003 | Antituberculosis agent
2568004 | Blood group antigen McAuley
2573005 | Immunoglobulin, GM>13< allotype
2575003 | Zinc alpha>2< glycoprotein
2595009 | ^119m^Tellurium
2597001 | Alpha-1 globulin
2611008 | Blood group antibody La Fave
2637006 | Indium isotope
2648004 | Bile vomitus
2649007 | Azo dye
2660003 | Sodium dehydrocholate
2671002 | 3-Methyl-2-oxobutanoate hydroxy-methyltransferase
2674005 | ^128^Cesium
2676007 | C3(H20)
2678008 | Hemoglobin New Mexico
2680002 | Anti-factor XIII
2698003 | Natural gas
2705002 | ^72^Arsenic
2706001 | Blood group antigen Vennera
2719002 | Tartrate dehydratase
2721007 | Blood group antigen McC^f^
2728001 | Antigen in Lewis (Le) blood group system
2753003 | Blood group antibody M>1<
2754009 | Hemoglobin F-Kennestone
2765004 | Blood group antigen Sc3
2778004 | Pleural fluid
2796008 | Methanthelinium
2799001 | Methylbenzethonium chloride
2823004 | Hemoglobin Bristol
2832002 | Molybdenum compound
2846002 | Hemoglobin Saitama
2869004 | Ethanoic acid
2878005 | Isonipecaine hydrochloride
2880004 | Calcium sulfate
2883002 | Exopolygalacturonate lyase
2913009 | Immunoglobulin Epsilon chain
2916001 | ^22^Neon

2925007 | Fluorometholone
2927004 | Rescinnamine
2938004 | Pyrazole
2942001 | Carbon^14^ D-xylose
2950005 | Hemoglobin L-Persian Gulf
2958003 | Zinc caprylate
2964005 | Dimethoxyamphetamine
2974008 | Trichophyton schoenleinii collagenase
2988007 | HLA-Aw antigen
2991007 | Mecamylamine hydrochloride
2995003 | Arecoline
3027009 | ^133^Barium
3031003 | Dihydroxyaluminum sodium carbonate
3040004 | Technetium Tc^99m^ disofenin
3045009 | Nitrochlorobenzene
3052006 | Ornithine-oxo-acid aminotransferase
3066001 | Triiodothyroacetic acid
3070009 | Aspartate-ammonia ligase
3087006 | Oil of male fern
3107005 | Hemoglobin Shuangfeng
3108000 | Aspergillus deoxyribonuclease K>1<
3131000 | Blood group antigen Middel
3136005 | Cefoperazone sodium
3142009 | Azacyclonol
3145006 | Penicillic acid
3150000 | Sialate O-acetylesterase
3151001 | Left upper lobe mucus
3155005 | 3-Phosphoglyceroyl-phosphate-polyphosphate phosphotransferase
3161008 | 3-Methyl histidine
3167007 | Hard coal
3187008 | Blood group antigen Nielsen
3193000 | alpha-1,4-Glucan-protein synthase (UDP-forming)
3197004 | Inosine monophosphate
3209002 | Pancuronium sodium
3212004 | Manganese sulfate
3225007 | Fibrinogen Seattle I
3232003 | o-Benzyl-parachlorophenol
3271000 | Hemoglobin Southampton
3273002 | Tyrosine-ester sulfotransferase
3300001 | Euphorbain
3318003 | Vaginal secretions
3325005 | Lipopolysaccharide
3339005 | (R)-20-Hydroxysteroid dehydrogenase
3340007 | alpha-Amylase
3342004 | Copper isotope
3346001 | Hemoglobin Brest
3378009 | Imipramine hydrochloride
3379001 | Thimerosal
3392003 | Aldehyde dehydrogenase (acceptor)
3405005 | 2-Hydroxy-3-oxoadipate synthase
3411008 | bis-(Dimethylthiocarbamyl) disulfide
3437006 | Hydroxymethylglutaryl-CoA hydrolase
3440006 | Biotin carboxylase
3455002 | Discontinued pesticide
3463001 | L-Amino-acid dehydrogenase
3465008 | DNA topoisomerase (ATP-hydrolysing)
3466009 | Dimethylamine
3492002 | Galactinol-sucrose galactosyltransferase
3493007 | Smegma clitoridis
3495000 | Cystyl-aminopeptidase
3501003 | Isoxsuprine hydrochloride
3523004 | Hemoglobin Q-India
3532002 | Laryngeal mucus
3555004 | Blood group antigen Morrison
3579002 | ^129^Cesium
3581000 | Glucose-6-phosphatase
3587001 | Malate dehydrogenase (decarboxylating)
3588006 | Complement enzyme
3592004 | Short-acting thyroid stimulator
3597005 | Acebutolol hydrochloride
3601005 | Ether
3602003 | Warm antibody

3610002 | Epoxide hydrolase
3617004 | ^79^Selenium
3648007 | Glucocorticoid receptor
3655009 | Hemoglobin Constant Springs
3672002 | Fibrinogen Caracas
3684000 | Phenylacetic acid
3689005 | Hemoglobin Mizushi
3692009 | Sodium sulfite
3693004 | Fibrinogen Dusard
3702007 | CDPglycerol glycerophosphotransferase
3710008 | Prostaglandin synthase
3718001 | Cow's milk
3726009 | Valine-tRNA ligase
3727000 | Hemoglobin F-Port Royal
3730007 | Blood group antigen Tr^a^
3737005 | Nitrate reductase (NADH)
3742002 | Extracellular crystal
3757009 | Gossypol
3771001 | Neuromelanin
3775005 | Choline dehydrogenase
3776006 | Xanthine dehydrogenase
3792001 | Arachidonic acid
3793006 | Soluble barium compound
3800009 | Acetate kinase
3807007 | Blood group antigen c
3811001 | Magnesium-protoporphyrin methyltransferase
3812008 | Beryllium isotope
3816006 | Vanadium isotope
3823007 | Prochlorperazine edisylate
3829006 | Iron
3834005 | CMP-N-acetylneuraminate-(alpha-N-acetyl-neuraminyl-2,3-beta-galactosyl-1,3)-N-acetyl-galactosaminide alpha-2,6-sialyltransferase
3836007 | Glutaminase
3844007 | Protoaphin-aglucone dehydratase (cyclizing)
3848005 | Nitrotoluene
3849002 | Carbon black
3854006 | bis-Chloro methyl ether
3874004 | Hydrocodone bitartrate
3892007 | Thymidine
3896005 | p-Hydroxybenzoate ester
3897001 | Blood group antigen 'N'
3906002 | Rectified birch tar oil
3920009 | Hemoglobin Atago
3930000 | Manufactured gas
3932008 | ^64^Copper
3941003 | Metronidazole hydrochloride
3945007 | Tin isotope
3958008 | ^245^Californium
3961009 | Blood group antigen Ritherford
3976001 | Blood group antigen HEMPAS
3982003 | Oxaloacetate decarboxylase
3983008 | N,-N-dimethyltryptamine
3990003 | Alkaline phosphatase isoenzyme, bone fraction
3994007 | Hemoglobin Tampa
4014000 | Sulfisomidine
4024008 | Soft metal
4025009 | Captodiamine
4043008 | Etidocaine hydrochloride
4047009 | cis-1,2-Dihydrobenzene-1,2-diol dehydrogenase
4048004 | 1,1,2,2-Tetrachloro-1,2- difluoroethane
4067000 | Chorismate mutase
4076007 | Parathyroid hormone
4077003 | Dihydrolipoamide succinyltransferase
4080002 | Hemoglobin Grady, Dakar
4091009 | Enteropeptidase
4097008 | Apo-SAA complex
4104007 | Chondroitin sulfate
4105008 | Adenylate cyclase
4115002 | Blood group antibody Norlander
4137009 | sec-Butyl acetate
4153007 | Long-chain-enoyl-CoA hydratase
4167003 | Lymphocyte antigen CD31
4169000 | Blood group antibody Le^bH^

4177001 | Hemoglobin Long Island-Marseille
4182008 | CDPdiacylglycerol-serine O-phosphatidyl-transferase
4188007 | Fibrinogen Sydney II
4200007 | Neriifolin
4201006 | 6-Aminohexanoate-dimer hydrolase
4203009 | Imipramine pamoate
4207005 | Cortisone beta-reductase
4217000 | Fluorosilicate salt
4218005 | Immunoglobulin, GM>23< allotype
4231000 | Gallium isotope
4239003 | Glycerol dehydrogenase
4255005 | ^241^Americium
4289006 | Keyhole-limpet hemocyanin
4290002 | Linamarin synthase
4314009 | Blood group antibody Allchurch
4334005 | Tar oil
4342006 | 2-Aminopyridine
4353000 | Dibutyl phthalate
4355007 | Coagulation factor IX San Dimas variant
4362003 | 4-Coumarate-CoA ligase
4370008 | Acetone
4393002 | Blood group antigen Fedor
4401009 | Blood group antibody H>T<
4413004 | Benzypyrinium
4422003 | Blood group antigen
4423008 | Fibrinogen New York II
4425001 | Blood group antibody Binge
4435007 | Sulfuryl fluoride
4437004 | ^127^Cesium
4471008 | ^244^Californium
4479005 | Hemoglobin Brockton
4480008 | Sulfaethidole
4509009 | Plant phenanthrene toxin
4518006 | Buthenal
4534009 | ^208^Bismuth
4540002 | ADP deaminase
4546008 | Aliphatic carboxylic acid, C14:0
4555006 | Blood group antibody Rils
4560005 | Hemoglobin Mizuho
4561009 | Arginine decarboxylase
4564001 | Blood group antibody Sisson
4567008 | Galactose-1-phosphate thymidylyltransferase
4582003 | Blood group antigen N^A^
4591004 | Blood group antigen Kam
4610008 | Senile cardiac protein
4616002 | Triclobisonium chloride
4629002 | Hypoglycin B
4635002 | Arterial blood
4643007 | Calf thymus ribonuclease H
4656000 | Alcian blue 8GX
4674009 | 2,3-Dihydroxybenzoate serine ligase
4681002 | Potassium permanganate
4693006 | Chromium^51^ albumin
4700006 | Beef insulin
4706000 | Chlorine monoxide
4714006 | ^183m^Osmium
4728000 | Scopulariopsis proteinase
4731004 | Aluminum pyro powder
4732006 | Oncogene protein P55, V-MYC
4746006 | Hemoglobin Mito
4761007 | Lymphocyte antigen CD30
4762000 | Platelet antigen HPA-3b
4777008 | Fluroxene
4780009 | Secobutobarbitone sodium
4786003 | beta-1,4-Mannosyl-glycoprotein beta-1,4-N-acetylglucosaminyltransferase
4789005 | Blood group antibody Bultar
4793004 | Azobenzene reductase
4814001 | Valethamate
4824009 | Amine oxidase (flavin-containing)
4825005 | Peptidyl-glycinamidase
4831008 | Arabinose-5-phosphate isomerase
4832001 | Technetium Tc^99m^ mebrofenin

4833006 | Glucan endo-1,3-alpha-glucosidase
4844003 | 3,3' Diiodothyronine
4864008 | Adenylic acid
4872005 | Glucosulfone
4878009 | HLA-Dw3 antigen
4882006 | Ichthyoallyeinotoxin
4889002 | Xylulokinase
4901003 | Pyruvate oxidase (CoA-acetylating)
4925006 | Oncogene protein V-ABC
4933007 | Lymphocyte antigen CD15
4940008 | Tattoo dye
4955004 | Neoplastic structural gene
4962008 | Tree bark
4963003 | Neutral amino acid
4965005 | Glutathione reductase (NAD(P)H)
4968007 | Acumentin
4986005 | Magnesium borate
5003005 | Hemoglobin Swan River
5004004 | Blood group antibody Panzar
5007006 | Papain
5024000 | Fresh water
5031001 | 3-3'Dichlorobenzidine
5040002 | Cesium
5043000 | Erythrosin Y
5045007 | Oncogene protein TCL4
5059000 | ^97^Technetium
5060005 | ^132^Cesium
5061009 | Protein-methionine-S-oxide reductase
5064001 | Blood group antibody D 1276
5081005 | Blood group antigen hr^B^
5086000 | Gelsolin
5094007 | Blood group antigen Rios
5098005 | Fennel oil
5109006 | Methylated-DNA-protein-cysteine methyltransferase
5142007 | Coagulation factor II Houston variant
5160007 | Metallic compound
5163009 | Scombrotoxin
5167005 | Zinc chloride fumes
5172001 | Coagulation factor Xa
5179005 | Connective tissue fiber
5200001 | trans-Epoxysuccinate hydrolase
5206007 | Cyanate compound
5220000 | Bacitracin
5226006 | Flavone O^7^-beta-glucosyltransferase
5250008 | Thymus-independent antigen
5252000 | Hafnium radioisotope
5253005 | Hemoglobin Woodville
5259009 | Blood group antigen Braden
5289002 | Scilliroside
5303002 | Hemoglobin Hoshida
5305009 | Polynucleotide
5307001 | Blood group antigen Hamet
5312000 | ^65^Zinc
5323001 | Uridine diphosphate glucuronic acid
5330007 | Actin-binding protein
5339008 | L-Glycol dehydrogenase
5340005 | Blood group antigen Swietlik
5392001 | Propylene glycol monomethyl ether
5395004 | Pyridoxamine-phosphate oxidase
5404007 | Lymphocyte antigen CD45RA
5405008 | ^60^Cobalt
5406009 | beta-L-Arabinosidase
5420002 | Accessory sinus mucus
5439007 | Blood group antibody Do^a^
5442001 | Page blue 83
5453007 | Iridium isotope
5471000 | Hemoglobin G-Coushatta
5474008 | Propionate-CoA ligase
5477001 | Ferric subsulfate
5483003 | Oxalate CoA-transferase
5504009 | Blood group antigen Fuerhart
5511008 | Inosinate nucleosidase

5513006 | Immunoglobulin, Alpha chain
5515004 | Rhodium fumes
5533005 | Blood group antibody Kp^a^
5537006 | Immunoglobulin, Delta chain
5540006 | Calcium
5547009 | ^233^Plutonium
5548004 | 2-Dehydro-3-deoxy-D-pentonate aldolase
5568005 | Hemoglobin Hijiyama
5573004 | Blood group antigen Oca
5589001 | Licodione O^2'^-methyltransferase
5590005 | Beryllium radioisotope
5628003 | Hemoglobin I-High Wycombe
5629006 | Cytidylic acid
5637003 | HLA-DQw6 antigen
5641004 | Valproate semisodium
5647000 | Griseofulvin ultramicrosize
5656008 | ^116m^Antimony
5657004 | Coal tar topical solution
5659001 | Hemoglobin J-Tongariki
5670008 | Gold isotope
5681006 | Ceftizoxime sodium
5691000 | Absorbable gelatin sponge
5692007 | Cyanocobalamin Co^58^
5699003 | Somatomedin C
5700002 | Blood group antibody Gomez
5702005 | ^106m^Silver
5704006 | Galactokinase
5705007 | 1,3-Propanediol dehydrogenase
5739006 | Stramonium
5746002 | ^118m^Antimony
5757007 | HLA-Cw8 antigen
5762008 | Heterogeneous nuclear RNA
5764009 | ^242^Plutonium
5767002 | Sulfamerazine
5774007 | White petrolatum
5800007 | tRNA (5-methylaminomethyl-2-thiouridylate)-methyltransferase
5813001 | Malate dehydrogenase
5826002 | Ethyl-4-bis-(hydroxypropyl)-1-aminobenzoate
5827006 | Crotonaldehyde
5829009 | Hemoglobin Vaasa
5830004 | Hemoglobin Bart
5840001 | Blood group antibody Wj
5858007 | ^110m^Indium
5863006 | Vitexin beta-glucosyltransferase
5896008 | Hellebrin
5899001 | Bacterial structural gene
5907009 | Quinidine polygalacturonate
5910002 | Oncogene protein PP60, V-SRC
5915007 | Blood group antigen Gladding
5927005 | Lactaldehyde dehydrogenase
5931004 | Technetium Tc^99m^ sulfur colloid
5932006 | Cysteine
5950004 | 3',5'-Cyclic-nucleotide phosphodiesterase
5955009 | Diethylene glycol
5977008 | Blood group antigen Bullock
5989005 | Immunoglobulin, GM>17< allotype
5991002 | D-Fuconate dehydratase
6021003 | ^88^Yttrium
6038004 | Oxygen radioisotope
6043006 | Bone cement
6044000 | Carbon disulfide
6054001 | Doxylamine succinate
6056004 | Blood group antibody Wk^a^
6068008 | Blood group antigen Mil
6083003 | Hydroxylysine
6085005 | Synovial fluid
6088007 | Benzfetamine hydrochloride
6089004 | Lochia alba
6091007 | Blood group antibody L Harris
6107003 | Asparagusate reductase (NADH)
6109000 | Aromatic-amino-acid aminotransferase
6115000 | Blood group antibody Anuszewska

6135004 | Blood group antigen Duck
6138002 | Blood group antigen Le Provost
6162007 | Meclocycline
6170002 | Heat labile antibody
6172005 | Fatty-acid methyltransferase
6178009 | Lymphocyte antigen CD63
6179001 | o-Methy-bufotenine
6182006 | Chloroacetone
6197009 | Blood group antigen Zd
6237004 | Bemegride
6249003 | Potassium metabisulfite
6256009 | Ribose isomerase
6257000 | Sodium chloride Na^22^
6260007 | Protokylol
6261006 | Indoklon
6263009 | Plant residue
6264003 | Diazinon
6287006 | Methidathion
6291001 | N-Acetylglucosamine-1-phosphodiester N-acetylglucosaminidase
6301006 | ^178^Tantalum
6310003 | Particulate antigen
6314007 | Phenol beta-glucosyltransferase
6333002 | Squill extract
6338006 | Imidazolonepropionase
6356006 | Chlorodiallylacetamide
6360009 | Kallidin II
6367007 | ^95m^Technetium
6386004 | N-Acetylneuraminate O^4^-acetyltransferase
6394006 | Phentermine hydrochloride
6401007 | Lichenase
6409009 | Morpholine
6411000 | Interleukin-12
6422001 | HLA-DRw14 antigen
6451002 | Chlorobenzilate
6455006 | Chloroprene
6469006 | delta^1^-Piperideine-2-carboxylate reductase
6478000 | 6-Phosphofructokinase
6495008 | Fibrinogen Montreal II
6507009 | Blood group antigen Much
6513000 | Flumethiazide
6516008 | Indium^111^-Fe(OH)>3<
6524003 | Distilled spirits
6529008 | Blood group antigen Cl^a^
6532006 | Macrophage activating factor
6590001 | Galactosylceramidase
6592009 | HLA-Dw12 antigen
6602005 | Aminoacridine
6611005 | Diethylaminoethanol
6612003 | Chloramphenicol sodium succinate
6619007 | Bilirubin Y transport protein
6642000 | Opsonin
6644004 | Homoserine dehydrogenase
6671004 | Blood group antigen Caw
6672006 | Phosphoadenylate 3'-nucleotidase
6699008 | Titanium radioisotope
6701008 | Lissamine fast red B
6702001 | Ethyl mercaptoethyl diethyl thiophosphate
6709005 | Gentamicin 2''-nucleotidyltransferase
6710000 | Nitric oxide
6713003 | ^91^Yttrium
6717002 | Nifuroxime
6725000 | Methylene blue
6730001 | ^234^Uranium
6741004 | Anti DNA antibody
6755007 | TL antigen
6786001 | Silver difluoride
6790004 | Aminopterin
6792007 | Veratrine
6808006 | Ferrous iron compound
6809003 | Phomopsin
6814004 | Discadenine synthase
6817006 | Oxidized glutathione

6826009 | Sterol hormone
6837005 | Dextropropoxyphene napsylate
6854002 | ^188^Platinum
6865007 | Theophylline calcium salicylate
6873003 | Cefapirin sodium
6879004 | 5,8,11-Eicosatrienoic acid
6881002 | Magnesium fumes
6884005 | (S)-3-Amino-2-methylpropionate aminotransferase
6890009 | 3-Deoxy-manno-octulosonate-8-phosphatase
6896003 | Thiopurine methyltransferase
6910009 | Sodium fluoride
6911008 | Deoxycytidylate methyltransferase
6916003 | Bowieine
6924008 | Exopolyphosphatase
6925009 | Leucine acetyltransferase
6927001 | ^121^Tin
6937006 | Thymidylate synthase
6945001 | Blood group antigen Le^bH^
6952004 | ^121m^Tin
6958000 | Blood group antibody Frando
6961004 | Lysolecithin acylmutase
6970001 | 4-Hydroxyproline epimerase
6973004 | Chromium^51^ chloride
6983000 | Acrylamide
6992002 | Triflupromazine hydrochloride
6993007 | Seminal fluid
6999006 | Ammonium compound
7008002 | beta-Carotene 15,15'-dioxygenase
7018007 | Malate-CoA ligase
7029006 | Blood group antigen Greenlee
7030001 | Globoside
7034005 | Diclofenac
7045008 | Lycorine
7047000 | Asphyxiant atmosphere
7049002 | Pyruvate carboxylase
7054006 | Hemoglobin Poissy
7056008 | 3-Propylmalate synthase
7059001 | N-Acylneuraminate-9-phosphatase
7061005 | Anthocyanidin O^3^-glucosyltransferase
7070008 | Convallamarin
7084003 | Fibrinogen Buenos Aires II
7110002 | ^69^Germanium
7120007 | Antigen
7132006 | ^73^Gallium
7139002 | Acid-CoA ligase (GDP-forming)
7146006 | Cyclohexene oxide
7152007 | Chlorthion
7156005 | Phosphorus isotope
7158006 | HLA-Dw19 antigen
7161007 | Complement component C2a
7179006 | Prekallikrein
7191002 | Methenyltetrahydrofolate cyclohydrolase
7208009 | Thiol oxidase
7211005 | Blood group antibody Haakestad
7237008 | Galactonate dehydratase
7243005 | Methyl isocyanate
7269004 | Thorium
7271004 | Mixed dust
7280004 | dTDP4-dehydrorhamnose reductase
7281000 | Technetium Tc^99m^ lidofenin
7284008 | Mercaptan compound
7294003 | tert-Butyl acetate
7302008 | Ambuphylline
7318002 | Bacteriochlorophyll
7321000 | Pyrimidine
7325009 | Calcium hydroxide
7327001 | Sulfurous acid
7328006 | Red petrolatum
7330008 | Shellac
7337006 | Blood group antibody Tr^a^
7348004 | Coagulation factor II
7382005 | Aminoalcohol ester

7401000 | Heme-hemopexin complex
7411007 | Blood group antibody HLA-B8
7427000 | Sepiapterin reductase
7434003 | Erythrosin B
7446004 | Ruthenium
7451005 | Tobramycin ophthalmic preparation
7460002 | ^127^Tellurium
7470000 | p-tert-Butyltoluene
7489000 | Homocytotropic antibody
7503004 | ^72^Gallium
7509000 | Mannitol hexanitrate
7515000 | Hepatotoxic mycotoxin
7537007 | Stizolobinate synthase
7547005 | Hemoglobin Lincoln Park
7549008 | Fibrinogen Bethesda I
7588005 | Blood group antibody Sk^a^
7608003 | Triethylene glycol
7616007 | Blood group antibody Pruitt
7648006 | HLA-Bw70 antigen
7661006 | Fish bone
7670009 | Aminobutyraldehyde dehydrogenase
7675004 | Blood group antigen Towey
7679005 | Strong oxidizing compound
7685003 | Blood group antibody Bg^c^
7696006 | Ferrovanadium dust
7716001 | Isovaleryl-CoA dehydrogenase
7737009 | Chlortetracycline hydrochloride
7738004 | HLA-B49 antigen
7761002 | ^111^Silver
7770004 | ^89^Strontium
7774008 | Neo-b-vitamin A>1<
7779003 | ^103^Ruthenium
7785005 | Sphingomyelin phosphodiesterase D
7790008 | 1-Monoacylglycerol
7791007 | Soy protein
7795003 | Oxalate oxidase
7801007 | Tetrahydroxypteridine cycloisomerase
7816005 | Antazoline hydrochloride
7834009 | Acetyl digitoxin
7846008 | Sphingomyelin phosphodiesterase
7848009 | 1-Phosphatidylinositol phosphodiesterase
7868003 | beta-Cyclopiazonate dehydrogenase
7879008 | ^218^Radon
7900007 | Hemoglobin Presbyterian
7904003 | Deanol
7909008 | Arginine carboxypeptidase
7924004 | Diflorasone
7938006 | D-Arabinitol dehydrogenase
7945006 | Orsellinate-depside hydrolase
7948008 | Reed-Sternberg antibody
7953003 | Thioneb
7957002 | Phosphatidate cytidylyltransferase
7961008 | Hemoglobin F-Shanghai
7970006 | Allograft
7974002 | Blood group antibody Dalman
7975001 | Amiphenazole
7979007 | 3'-Phosphoadenylylsulfate 3'-phosphatase
7983007 | Sodium rhodanide
7985000 | Sulfur isotope
7997004 | Butyl mercaptan
8000007 | Cucurbitacin delta^23^-reductase
8002004 | Blood group antibody Fleming
8025003 | Blood group antibody Gibson
8029009 | Allyl glycidyl ether
8030004 | Polyethylene glycol
8035009 | Cholestenol delta-isomerase
8048008 | Blood group antigen Th
8054009 | Orotate reductase (NADPH)
8055005 | Galactoside acetyltransferase
8105004 | Hemoglobin Leiden
8108002 | Undecaprenyl-diphosphatase
8123007 | Blood group antibody Schuppenhauer

8132009 | Magnesium acetylsalicylate
8143001 | Diosmin
8153000 | Homoproline
8156008 | Immunoglobulin, Fd fragment
8164002 | Lymphocyte antigen CD67
8168004 | Uracil-5-carboxylate decarboxylase
8179009 | Cevadilline
8184003 | Convallamarogenin
8190004 | Diaminopimelate epimerase
8202008 | ^43^Potassium
8203003 | Human menopausal gonadotropin
8204009 | Polyester
8222007 | Coagulation factor II Padua variant
8227001 | ^106^Ruthenium
8230008 | Streptococcal cysteine proteinase
8237006 | Strobane
8252004 | Chlorothiazide sodium
8257005 | Abnormal hemoglobin
8261004 | Potassium thiosulfate
8268005 | Blood group antibody Hildebrandt
8270001 | tRNA adenylyltransferase
8275006 | Methionine-S-oxide reductase
8295000 | Uromucoid protein
8300003 | Cyclohexanol
8310007 | Hemoglobin Madrid
8313009 | RNA-directed DNA polymerase
8340009 | Procollagen-lysine,2-oxoglutarate 5-dioxygenase
8342001 | Brilliant cresyl blue
8343006 | Blood group antibody Re^a^
8354001 | Manganese ethylene bis-dithiocarbamate
8355000 | Hafnium isotope
8362009 | Blood group antibody c
8365006 | Oil of pennyroyal-European
8368008 | Xylan 1,44-beta-xylosidase
8376005 | Duffy blood group antibody
8385005 | Glucan 1,4-alpha-glucosidase
8397006 | Nicotine resin complex
8406008 | Nitroethane oxidase
8429000 | Brilliant orange
8450009 | Oil of lemon grass
8452001 | Blood group antigen Sisson
8456003 | Methyl ethyl ketone peroxide
8460000 | Blood group antibody Vg^a^
8473001 | Homocysteine methyltransferase
8474007 | Lead oleate
8484008 | Blood group antigen Mur
8485009 | Oncogene protein P210, BCR-ABL
8486005 | HLA-DRw15 antigen
8487001 | ^48^Vanadium
8491006 | Complement inhibitor
8492004 | Allantoicase
8498000 | Short neurotoxin venom
8507001 | Cyclohexane
8514004 | Ornithine
8520003 | Hemoglobin Machida
8525008 | ^183^Osmium
8529002 | Urinary protein of low molecular weight
8534003 | ^110^Tin
8537005 | Solution
8578007 | Potassium cyanate
8591008 | Dichlorodifluoromethane
8612007 | Tumor necrosis factor
8620009 | Oncogene protein TCL6
8631001 | Potassium chloride
8653004 | Rubijervine
8660005 | Complement component C3c
8687009 | Gum arabic
8689007 | Kanamycin sulfate
8701002 | Sulfachlorpyridazine
8705006 | 4-Hydroxybenzoate decarboxylase
8731008 | Blood group antibody Austin
8740007 | C3(H20)Bb

8761000 | Adenylylsulfate kinase
8767001 | Santonin
8785008 | Chlorine dioxide
8786009 | Blood group antigen Wd^a^
8795001 | Hemoglobin F
8817004 | LH receptor site
8818009 | Blood group antibody Tri W
8822004 | Linoleic acid
8830003 | Nitrate reductase (NAD(P)H)
8836009 | Gallocyanine
8844009 | Hydroxybutyrate-dimer hydrolase
8858006 | Strontium nitrate Sr^85^
8865003 | Natural graphite
8878003 | Blood group antigen Evelyn
8882001 | 3-Hydroxybenzoate 6-monooxygenase
8886003 | Flecainide acetate
8908003 | Blood group antibody I^T^
8914005 | Endolymph
8919000 | Biotin
8926000 | Azur B
8945009 | Phosphopantothenate-cysteine ligase
8953001 | 2,3-Dihydroxyindole 2,3-dioxygenase
8963009 | N-Acetylmuramoyl-L-alanine amidase
8969008 | Bulbourethral secretions
8977007 | Blood group antibody Tarplee
8982000 | Oleate hydratase
8987006 | Cycle-phase specific agent
8991001 | Ribulokinase
9010006 | Methyl blue
9013008 | Dephospho-CoA kinase
9021002 | Carbaryl
9024005 | Glucose-6-phosphate dehydrogenase
9045003 | Radon radioisotope
9052001 | Allspice oil
9054000 | Blood group antigen HLA-B15
9103003 | Retinol fatty-acyltransferase
9110009 | Mercuric compound
9125009 | Sempervirine
9159008 | Triacetate-lactonase
9172009 | Blood group antibody Alda
9174005 | Fibrinogen Poitiers
9183000 | beta-N-Acetylgalactosaminidase
9189001 | CMP-N-acetylneuraminate-lactosylceramide alpha-2,3-sialyltransferase
9195000 | Immunoglobulin gene INV allotype
9197008 | Apiose reductase
9205004 | Hemoglobin Tarrant
9220005 | Plant phenol oil
9223007 | Borneol dehydrogenase
9234005 | Chlorobutanol
9246009 | ^118^Tellurium
9253000 | HLA-DRw16 antigen
9270008 | Catecholamine receptor
9271007 | Fibrinogen Pontoise

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.686 Value Set http://hl7.org/fhir/ValueSet/supplydelivery-status

URL: https://hl7.org/fhir/STU3/valueset-supplydelivery-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplydelivery-status
Name: | SupplyDeliveryStatus
Definition: | Status of the supply delivery.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.686 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for SupplyDeliveryStatus

* SupplyDelivery.status (Required)

4.3.1.686.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/supplydelivery-status

4.3.1.686.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/supplydelivery-status version 3.0.2

All codes from system http://hl7.org/fhir/supplydelivery-status

Code | Display | Definition
in-progress | In Progress | Supply has been requested, but not delivered.
completed | Delivered | Supply has been delivered ("completed").
abandoned | Abandoned | Delivery was not completed.
entered-in-error | Entered In Error | This electronic record should never have existed, though it is possible that real-world decisions were based on it. (If real-world activity has occurred, the status should be "cancelled" rather than "entered-in-error".)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.688 Value Set http://hl7.org/fhir/ValueSet/supplydelivery-type

URL: https://hl7.org/fhir/STU3/valueset-supplydelivery-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/supplydelivery-type
Name: | Supply Item Type
Definition: | This value sets refers to a specific supply item.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.688 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Supply Item Type

* SupplyDelivery.type (Required)

4.3.1.688.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/supply-item-type

4.3.1.688.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/supply-item-type version 3.0.2

All codes from system http://hl7.org/fhir/supply-item-type

Code | Display | Definition
medication | Medication | Supply is a kind of medication.
device | Device | What is supplied (or requested) is a device.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.690 Value Set http://hl7.org/fhir/ValueSet/testscript-operation-codes

URL: https://hl7.org/fhir/STU3/valueset-testscript-operation-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/testscript-operation-codes
Name: | TestScriptOperationCode
Definition: | This value set defines a set of codes that are used to indicate the supported operations of a testing engine or tool.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.690 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TestScriptOperationCode

* TestScript.setup.action.operation.type (Extensible)

4.3.1.690.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/testscript-operation-codes

4.3.1.690.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 53 concepts

Expansion based on http://hl7.org/fhir/testscript-operation-codes version 3.0.2

All codes from system http://hl7.org/fhir/testscript-operation-codes

Code | Display | Definition
read | Read | Read the current state of the resource.
vread | Version Read | Read the state of a specific version of the resource.
update | Update | Update an existing resource by its id.
updateCreate | Create using Update | Update an existing resource by its id (or create it if it is new).
delete | Delete | Delete a resource.
deleteCondSingle | Conditional Delete Single | Conditionally delete a single resource based on search parameters.
deleteCondMultiple | Conditional Delete Multiple | Conditionally delete one or more resources based on search parameters.
history | History | Retrieve the change history for a particular resource or resource type.
create | Create | Create a new resource with a server assigned id.
search | Search | Search based on some filter criteria.
batch | Batch | Update, create or delete a set of resources as independent actions.
transaction | Transaction | Update, create or delete a set of resources as a single transaction.
capabilities | Capabilities | Get a capability statement for the system.
apply | $apply | Realize a definition in a specific context
cancel | $cancel | Cancel Task
closure | $closure | Closure Table Maintenance
compose | $compose | Code Composition based on supplied properties
conforms | $conforms | Test if a server implements a client's required operations
data-requirements | $data-requirements | Aggregates and return the parameters and data requirements as a single module definition library

document | $document | Generate a Document
evaluate | $evaluate | Evaluate DecisionSupportRule / DecisionSupportServiceModule
evaluate-measure | $evaluate-measure | Evaluate Measure
everything | $everything | Fetch Encounter/Patient Record
expand | $expand | Value Set Expansion
fail | $fail | Fail Task
find | $find | Find a functional list
finish | $finish | Finish Task
implements | $implements | Test if a server implements a client's required operations
lookup | $lookup | Concept Look Up
match | $match | Find patient matches using MPI based logic
meta | $meta | Access a list of profiles, tags, and security labels
meta-add | $meta-add | Add profiles, tags, and security labels to a resource
meta-delete | $meta-delete | Delete profiles, tags, and security labels for a resource
populate | $populate | Populate Questionnaire
populatehtml | $populatehtml | Generate HTML for Questionnaire
populatelink | $populatelink | Generate a link to a Questionnaire completion webpage
process-message | $process-message | Process Message
questionnaire | $questionnaire | Build Questionnaire
release | $release | Release Task
reserve | $reserve | Reserve Task
resume | $resume | Resume Task
set-input | $set-input | Set Task Input
set-output | $set-output | Set Task Output
start | $start | Start Task
stats | $stats | Observation Statistics
stop | $stop | Stop Task
subset | $subset | Fetch a subset of the CapabilityStatement resource
subsumes | $subsumes | Determine if code A is subsumed by code B
suspend | $suspend | Suspend Task
transform | $transform | Model Instance Transformation
translate | $translate | Concept Translation
validate | $validate | Validate a resource
validate-code | $validate-code | Value Set based Validation

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.692 Value Set http://hl7.org/fhir/ValueSet/content-type

URL: https://hl7.org/fhir/STU3/valueset-content-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/content-type
Name: | ContentType
Definition: | The content or mime type.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.692 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ContentType

* TestScript.setup.action.operation.accept (Required)

* TestScript.setup.action.operation.contentType (Required)

* TestScript.setup.action.assert.contentType (Required)

4.3.1.692.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/content-type

4.3.1.692.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/content-type version 3.0.2

All codes from system http://hl7.org/fhir/content-type

Code | Display | Definition
xml | xml | XML content-type corresponding to the application/fhir+xml mime-type.
json | json | JSON content-type corresponding to the application/fhir+json mime-type.
ttl | ttl | RDF content-type corresponding to the text/turtle mime-type.
none | none | Prevent the use of the corresponding http header.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.694 Value Set http://hl7.org/fhir/ValueSet/assert-direction-codes

URL: https://hl7.org/fhir/STU3/valueset-assert-direction-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/assert-direction-codes
Name: | AssertionDirectionType
Definition: | The type of direction to use for assertion.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.694 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AssertionDirectionType

* TestScript.setup.action.assert.direction (Required)

4.3.1.694.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/assert-direction-codes

4.3.1.694.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/assert-direction-codes version 3.0.2

All codes from system http://hl7.org/fhir/assert-direction-codes

Code | Display | Definition
response | response | The assertion is evaluated on the response. This is the default value.
request | request | The assertion is evaluated on the request.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.696 Value Set http://hl7.org/fhir/ValueSet/assert-operator-codes

URL: https://hl7.org/fhir/STU3/valueset-assert-operator-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/assert-operator-codes
Name: | AssertionOperatorType
Definition: | The type of operator to use for assertion.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.696 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AssertionOperatorType

* TestScript.setup.action.assert.operator (Required)

4.3.1.696.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/assert-operator-codes

4.3.1.696.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 11 concepts

Expansion based on http://hl7.org/fhir/assert-operator-codes version 3.0.2

All codes from system http://hl7.org/fhir/assert-operator-codes

Code | Display | Definition
equals | equals | Default value. Equals comparison.
notEquals | notEquals | Not equals comparison.
in | in | Compare value within a known set of values.
notIn | notIn | Compare value not within a known set of values.
greaterThan | greaterThan | Compare value to be greater than a known value.
lessThan | lessThan | Compare value to be less than a known value.
empty | empty | Compare value is empty.
notEmpty | notEmpty | Compare value is not empty.
contains | contains | Compare value string contains a known value.
notContains | notContains | Compare value string does not contain a known value.
eval | evaluate | Evaluate the fluentpath expression as a boolean condition.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.698 Value Set http://hl7.org/fhir/ValueSet/assert-response-code-types

URL: https://hl7.org/fhir/STU3/valueset-assert-response-code-types.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/assert-response-code-types
Name: | AssertionResponseTypes
Definition: | The type of response code to use for assertion.

Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.698 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AssertionResponseTypes

* TestScript.setup.action.assert.response (Required)

4.3.1.698.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/assert-response-code-types

4.3.1.698.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 12 concepts

Expansion based on http://hl7.org/fhir/assert-response-code-types version 3.0.2

All codes from system http://hl7.org/fhir/assert-response-code-types

Code | Display | Definition
okay | okay | Response code is 200.
created | created | Response code is 201.
noContent | noContent | Response code is 204.
notModified | notModified | Response code is 304.
bad | bad | Response code is 400.
forbidden | forbidden | Response code is 403.
notFound | notFound | Response code is 404.
methodNotAllowed | methodNotAllowed | Response code is 405.
conflict | conflict | Response code is 409.
gone | gone | Response code is 410.
preconditionFailed | preconditionFailed | Response code is 412.
unprocessable | unprocessable | Response code is 422.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.700 Value Set http://hl7.org/fhir/ValueSet/testscript-profile-origin-types

URL: https://hl7.org/fhir/STU3/valueset-testscript-profile-origin-types.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/testscript-profile-origin-types
Name: | TestScriptProfileOriginType
Definition: | This value set defines a set of codes that are used to indicate the profile type of a test system when acting as the origin within a TestScript.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.700 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TestScriptProfileOriginType

* TestScript.origin.profile (Extensible)

4.3.1.700.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/testscript-profile-origin-types

4.3.1.700.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/testscript-profile-origin-types version 3.0.2

All codes from system http://hl7.org/fhir/testscript-profile-origin-types

Code | Display | Definition
FHIR-Client | FHIR Client | General FHIR client used to initiate operations against a FHIR server.
FHIR-SDC-FormFiller | FHIR SDC FormFiller | A FHIR client acting as a Structured Data Capture Form Filler.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.702 Value Set http://hl7.org/fhir/ValueSet/testscript-profile-destination-types

URL: https://hl7.org/fhir/STU3/valueset-testscript-profile-destination-types.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/testscript-profile-destination-types
Name: | TestScriptProfileDestinationType
Definition: | This value set defines a set of codes that are used to indicate the profile type of a test system when acting as the destination within a TestScript.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.702 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TestScriptProfileDestinationType

* TestScript.destination.profile (Extensible)

4.3.1.702.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/testscript-profile-destination-types

4.3.1.702.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/testscript-profile-destination-types version 3.0.2

All codes from system http://hl7.org/fhir/testscript-profile-destination-types

Code | Display | Definition
FHIR-Server | FHIR Server | General FHIR server used to respond to operations sent from a FHIR client.
FHIR-SDC-FormManager | FHIR SDC FormManager | A FHIR server acting as a Structured Data Capture Form Manager.
FHIR-SDC-FormProcessor | FHIR SDC FormProcessor | A FHIR server acting as a Structured Data Capture Form Processor.
FHIR-SDC-FormReceiver | FHIR SDC FormReceiver | A FHIR server acting as a Structured Data Capture Form Receiver.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.704 Value Set http://hl7.org/fhir/ValueSet/http-operations

URL: https://hl7.org/fhir/STU3/valueset-http-operations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/http-operations
Name: | TestScriptRequestMethodCode
Definition: | The allowable request method or HTTP operation codes.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.704 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TestScriptRequestMethodCode

* TestScript.setup.action.assert.requestMethod (Required)

4.3.1.704.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/http-operations

4.3.1.704.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/http-operations version 3.0.2

All codes from system http://hl7.org/fhir/http-operations

Code | Display | Definition
delete | DELETE | HTTP DELETE operation
get | GET | HTTP GET operation
options | OPTIONS | HTTP OPTIONS operation
patch | PATCH | HTTP PATCH operation
post | POST | HTTP POST operation
put | PUT | HTTP PUT operation

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.706 Value Set http://hl7.org/fhir/ValueSet/report-result-codes

URL: https://hl7.org/fhir/STU3/valueset-report-result-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/report-result-codes
Name: | TestReportResult
Definition: | The reported execution result.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.706 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TestReportResult

* TestReport.result (Required)

4.3.1.706.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/report-result-codes

4.3.1.706.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/report-result-codes version 3.0.2

All codes from system http://hl7.org/fhir/report-result-codes

Code	Display	Definition
pass	Pass	All test operations successfully passed all asserts
fail	Fail	One or more test operations failed one or more asserts
pending	Pending	One or more test operations is pending execution completion

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.708 Value Set http://hl7.org/fhir/ValueSet/report-action-result-codes

URL: https://hl7.org/fhir/STU3/valueset-report-action-result-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/report-action-result-codes
Name:	TestReportActionResult
Definition:	The results of executing an action.
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.708 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TestReportActionResult

* TestReport.setup.action.operation.result (Required)

* TestReport.setup.action.assert.result (Required)

4.3.1.708.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/report-action-result-codes

4.3.1.708.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/report-action-result-codes version 3.0.2

All codes from system http://hl7.org/fhir/report-action-result-codes

Code	Display	Definition
pass	Pass	The action was successful.
skip	Skip	The action was skipped.
fail	Fail	The action failed.
warning	Warning	The action passed but with warnings.
error	Error	The action encountered a fatal error and the engine was unable to process.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.710 Value Set http://hl7.org/fhir/ValueSet/report-participant-type

URL: https://hl7.org/fhir/STU3/valueset-report-participant-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/report-participant-type
Name: | TestReportParticipantType
Definition: | The type of participant.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.710 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TestReportParticipantType

* TestReport.participant.type (Required)

4.3.1.710.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/report-participant-type

4.3.1.710.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/report-participant-type version 3.0.2

All codes from system http://hl7.org/fhir/report-participant-type

Code | Display | Definition
test-engine | Test Engine | The test execution engine.
client | Client | A FHIR Client
server | Server | A FHIR Server

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.712 Value Set http://hl7.org/fhir/ValueSet/report-status-codes

URL: https://hl7.org/fhir/STU3/valueset-report-status-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/report-status-codes
Name: | TestReportStatus

Definition: | The current status of the test report.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.712 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TestReportStatus

* TestReport.status (Required)

4.3.1.712.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/report-status-codes

4.3.1.712.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/report-status-codes version 3.0.2

All codes from system http://hl7.org/fhir/report-status-codes

Code | Display | Definition
completed | Completed | All test operations have completed
in-progress | In Progress | A test operations is currently executing
waiting | Waiting | A test operation is waiting for an external client request
stopped | Stopped | The test script execution was manually stopped
entered-in-error | Entered In Error | This test report was entered or created in error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.714 Value Set http://hl7.org/fhir/ValueSet/account-status

URL: https://hl7.org/fhir/STU3/valueset-account-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/account-status
Name: | AccountStatus
Definition: | Indicates whether the account is available to be used.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.714 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AccountStatus

* Account.status (Required)

4.3.1.714.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/account-status

4.3.1.714.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/account-status version 3.0.2

All codes from system http://hl7.org/fhir/account-status

Code | Display | Definition
active | Active | This account is active and may be used.
inactive | Inactive | This account is inactive and should not be used to track financial information.
entered-in-error | Entered in error | This instance should not have been part of this patient's medical record.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.716 Value Set http://hl7.org/fhir/ValueSet/account-type

URL: https://hl7.org/fhir/STU3/valueset-account-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/account-type
Name: | Account Types
Definition: | This examples value set defines the set of codes that can be used to represent the type of an account.
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.716 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Account.type (Example)

4.3.1.716.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://hl7.org/fhir/v3/ActCode where concept is-a _ActAccountCode

4.3.1.716.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/v3/ActCode version 2016-11-11

All codes from system http://hl7.org/fhir/v3/ActCode

Code | Display | Definition
_ActAccountCode | ActAccountCode | An account represents a grouping of financial transactions that are tracked and reported together with a single balance. Examples of account codes (types) are Patient billing accounts (collection of charges), Cost centers; Cash.
ACCTRECEIVABLE | account receivable | An account for collecting charges, reversals, adjustments and payments, including deductibles, copayments, coinsurance (financial transactions) credited or debited to the account receivable account for a patient's encounter.
CASH | Cash | Cash
CC | credit card | Description: Types of advance payment to be made on a plastic card usually issued by a financial institution used of purchasing services and/or products.
AE | American Express | American Express
DN | Diner's Club | Diner's Club
DV | Discover Card | Discover Card
MC | Master Card | Master Card
V | Visa | Visa
PBILLACCT | patient billing account | An account representing charges and credits (financial transactions) for a patient's encounter.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.717 Value Set http://hl7.org/fhir/ValueSet/contract-type

URL: https://hl7.org/fhir/STU3/valueset-contract-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-type
Name: | Contract Type Codes
Definition: | This value set includes sample Contract Type codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.717 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Contract Type Codes

* Contract.type (Example)

* StructureDefinition Consent Directive: Contract.type ((Example))

4.3.1.717.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contracttypecodes

4.3.1.717.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/contracttypecodes version 3.0.2

All codes from system http://hl7.org/fhir/contracttypecodes

Code | Display | Definition
privacy | Privacy | Privacy policy.
disclosure | Disclosure | Information disclosure policy.
healthinsurance | Health Insurance | Health Insurance policy.
supply | Supply Contract | Contract to supply goods or services.
consent | Consent | Consent Directive.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.719 Value Set http://hl7.org/fhir/ValueSet/contract-subtype

URL: https://hl7.org/fhir/STU3/valueset-contract-subtype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-subtype
Name: | Contract Subtype Codes
Definition: | This value set includes sample Contract Subtype codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.719 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Contract Subtype Codes

* Contract.subType (Example)

* StructureDefinition Consent Directive: Contract.subType ((Example))

4.3.1.719.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contractsubtypecodes

4.3.1.719.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/contractsubtypecodes version 3.0.2

All codes from system http://hl7.org/fhir/contractsubtypecodes

Code	Display	Definition
disclosure-ca	Disclosure-CA	Canadian health information displosure policy.
disclosure-us	Disclosure-US	United States health information displosure policy.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.721 Value Set http://hl7.org/fhir/ValueSet/contract-term-type

URL: https://hl7.org/fhir/STU3/valueset-contract-term-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/contract-term-type
Name:	Contract Term Type Codes
Definition:	This value set includes sample Contract Term Type codes.
Committee:	Financial Management Work Group
OID:	2.16.840.1.113883.4.642.3.721 (for OID based terminology systems)
Copyright:	This is an example set.
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Contract Term Type Codes

* Contract.term.type (Example)

* StructureDefinition Consent Directive: Contract.term.type ((Example))

4.3.1.721.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contracttermtypecodes

4.3.1.721.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/contracttermtypecodes version 3.0.2

All codes from system http://hl7.org/fhir/contracttermtypecodes

Code	Display	Definition
statutory	Statutory	Based on specialized statutes that deal with particular subjects.
subject-to	Subject To	Execution of the term in the contract is conditional on the execution of other actions.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.723 Value Set http://hl7.org/fhir/ValueSet/contract-term-subtype

URL: https://hl7.org/fhir/STU3/valueset-contract-term-subtype.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-term-subtype
Name: | Contract Term Subtype Codes
Definition: | This value set includes sample Contract Term SubType codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.723 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Contract Term Subtype Codes

* Contract.term.subType (Example)

* StructureDefinition Consent Directive: Contract.term.subType ((Example))

4.3.1.723.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contracttermsubtypecodes

4.3.1.723.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/contracttermsubtypecodes version 3.0.2

All codes from system http://hl7.org/fhir/contracttermsubtypecodes

Code | Display | Definition
condition | Condition | Terms that go to the very root of a contract.
warranty | Warranty | Less imperative than a condition, so the contract will survive a breach
innominate | Innominate | Breach of which may or may not go to the root of the contract depending upon the nature of the breach

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.725 Value Set http://hl7.org/fhir/ValueSet/contract-signer-type

URL: https://hl7.org/fhir/STU3/valueset-contract-signer-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-signer-type

Name: | Contract Signer Type Codes

Definition: | This value set includes sample Contract Signer Type codes.

Committee: | Financial Management Work Group

OID: | 2.16.840.1.113883.4.642.3.725 (for OID based terminology systems)

Copyright: | This is an example set based on ASTM Standard, E1762-95 (2013) HL7 RoleClass OID 2.16.840.1.113883.5.110, HL7 Role Code 2.16.840.1.113883.5.111, HL7 ParticipationType OID: 2.16.840.1.113883.5.90, HL7 ParticipationFunction codes at OID: 2.16.840.1.113883.5.88, and HL7 Security and Privacy Domain Analysis Model roles classes.

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Contract Signer Type Codes

* Contract.signer.type (Preferred)

* StructureDefinition Consent Directive: Contract.signer.type ((Preferred))

4.3.1.725.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://www.hl7.org/fhir/contractsignertypecodes

4.3.1.725.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 48 concepts

Expansion based on http://www.hl7.org/fhir/contractsignertypecodes version 3.0.2

All codes from system http://www.hl7.org/fhir/contractsignertypecodes

Code | Display | Definition

AMENDER | Amender | A person who has corrected, edited, or amended pre-existing information.

AUTHN | Authenticator | A person in the role of verifier who attests to the accuracy of an act, but who does not have privileges to legally authenticate information content. An example would be a resident physician who sees a patient and dictates a note, then later signs it. The resident's signature constitutes an authentication.

AUT | Author | An entity that authored specific content. There can be multiple authors of content, which may take such forms as a contract, a healthcare record entry or document, a policy, or a consent directive.

AFFL | Affiliate | An entity that has a business or professional relationship with another entity in accordance with an agreement.

AGNT | Agent | An entity that acts or is authorized to act on behalf of another entity in accordance with an agreement.

ASSIGNED | Assigned Entity | An agent role in which the agent is an Entity acting in the employ of an organization. The focus is on functional role on behalf of the organization, unlike the Employee role where the focus is on the 'Human Resources' relationship between the employee and the organization.

CIT | Citizen | The member of a jurisdiction afforded certain rights and encumbered with certain obligation in accordance with jurisdictional policy.

CLAIMANT | Claimant | A party that makes a claim for coverage under a policy.

COAUTH | Co-Author | The entity that co-authored content. There can be multiple co-authors of content,which may take such forms as a such as a contract, a healthcare record entry or document, a policy, or a consent directive.

CONSENTER | Consenter | A patient or patient representative who is the grantee in a healthcare related agreement such as a consent for healthcare services, advanced directive, or a privacy consent directive in accordance with jurisdictional, organizational, or patient policy.

CONSWIT | Consent Witness | A person who has witnessed and attests to observing a patient being counseled about a healthcare related agreement such as a consent for healthcare services, advanced directive, or a privacy consent directive.

CONT | Contact | A person or an organization that provides or receives information regarding another entity. Examples; patient NOK and emergency contacts; guarantor contact; employer contact.

COPART | Co-Participant | A person who participates in the generation of and attest to veracity of content, but is not an author or co-author. For example a surgeon who is required by institutional, regulatory, or legal rules to sign an operative report, but who was not involved in the authorship of that report.

COVPTY | Covered Party | An entity, which is the insured, that receives benefits such as healthcare services, reimbursement for out-of-pocket expenses, or compensation for losses through coverage under the terms of an insurance policy. The underwriter of that policy is the scoping entity. The covered party receives coverage because of some contractual or other relationship with the holder of that policy. Note that a particular policy may cover several individuals one of whom may be, but need not be, the policy holder. Thus the notion of covered party is a role that is distinct from that of the policy holder.

DELEGATEE | Delegatee | A party to whom some right or authority is delegated by a delegator.

delegator | Delegator | A party that delegates a right or authority to another party.

DEPEND | Dependent | A person covered under an insurance policy or program based on an association with a subscriber, which is recognized by the policy holder. The dependent has an association with the subscriber such as a financial dependency or personal relationship such as that of a spouse, or a natural or adopted child. The policy holder may be required by law to recognize certain associations or may have discretion about the associations. For example, a policy holder may dictate the criteria for the dependent status of adult children who are students, such as requiring full time enrollment, or may recognize domestic partners as dependents. Under certain circumstances, the dependent may be under the indirect authority of a responsible party acting as a surrogate for the subscriber, for example, if the subscriber is differently-abled or deceased, a guardian ad Lidem or estate executor may be appointed to assume the subscriber's legal standing in the relationship with the dependent.

DPOWATT | Durable Power of Attorney | A person who has been granted the authority to represent or act on another's behalf generally in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts. Unlike ordinary powers of attorney, durable powers can survive for long periods of time, and again, unlike standard powers of attorney, durable powers can continue after incompetency.

EMGCON | Emergency Contact | An entity to be contacted in the event of an emergency

EVTWIT | Event Witness | A person who attests to observing an occurrence. For example, the witness has observed a procedure and is attesting to this fact.

EXCEST | Executor of Estate | A person who has been granted the authority to act as an estate executor for a deceased person who was the responsible party.

GRANTEE | Grantee | A person who grants to another person the authority to represent or act on that person's behalf. Examples include (1) exercising specific rights belonging to the grantee; (2) performing specific duties on behalf of a grantee; and (3) making specific decisions concerning a grantee.

GRANTOR | Grantor | A person who has been granted the authority to represent or act on another's behalf. Examples include (1) exercising specific rights belonging to the grantee; (2) performing specific duties on behalf of a grantee; and (3) making specific decisions concerning a grantee.

GUAR | Guarantor | A person or organization contractually recognized by the issuer as an entity that has assumed fiscal responsibility (e.g., by making or giving a promise, assurance, or pledge) for another entity's financial obligations by guaranteeing to pay for amounts owed to a particular account. In a healthcare context, the account may be a patient's billing account for services rendered by a provider or a health plan premium account.

GUARD | Guardian | A person or organization legally empowered with responsibility for the care of a ward.

GUADLTM | Guardian ad lidem | A person appointed by the court to look out for the best interests of a minor child during the course of legal proceedings.

INF | Informant | An entity that is the source of reported information (e.g., a next of kin who answers questions about the patient's history). For history questions, the patient is logically an informant, yet the informant of history questions is implicitly the subject.

INTPRT | Interpreter | A person who converts spoken or written language into the language of key participants in an event such as when a provider is obtaining a patient's consent to treatment or permission to disclose information.

INSBJ | Investigation Subject | An entity that is the subject of an investigation. This role is scoped by the party responsible for the investigation.

HPOWATT | Healthcare Power of Attorney | A person who has been granted the authority to represent or act on another's behalf for healthcare related matters in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts. Examples include (1) exercising specific healthcare legal rights belonging to the grantee such as signing a consent directive; (2) performing specific healthcare related legal duties on behalf of a grantee such as claims payment; and (3) making specific healthcare legal decisions concerning a grantee such as consenting to healthcare services.

HPROV | Healthcare Provider | An entity that is authorized to provide health care services by an authorizing organization or jurisdiction.

LEGAUTHN | Legal Authenticator | A person in the role of verifier who attests to the accuracy of information content, and who has privileges to certify the legal authenticity of that content with a signature that constitutes a legal authentication. For example, a licensed physician who signs a consult authored by a resident physician who authenticated it.

NMDINS | Named Insured | A party to an insurance policy under which the insurer agrees to indemnify for losses, provides benefits for, or renders services. A named insured may be either a person, non-person living subject, or an organization, or a group of persons, non-person living subject that is the named insured under a comprehensive automobile, disability, or property and casualty policy. The named insured and may or may not be the policy holder.

NOK | Next of Kin | A person, who is a type of contact, designated to receive notifications on behalf of another person who is a relative.

NOTARY | Notary | The party credentialed to legally attest to the contract binding by verifying the identity and capacity of the grantor and grantee, and witnessing their signing of the contract or agreement such as a real estate transaction, pre-nuptial agreement, or a will.

PAT | Patient | A person, animal, or other living subject that is the actual or potential recipient of health care services.

POWATT | Power of Attorney | A person who has been granted the authority to represent or act on another's behalf generally in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts. Examples include (1) exercising specific legal rights belonging to the grantee such as signing a contract; (2) performing specific legal duties on behalf of a grantee such as making loan payments; and (3) making specific legal decisions concerning a grantee such as financial investment decisions.

PRIMAUTH | Primary Author | An entity that is the primary or sole author of information content. In the healthcare context, there can be only one primary author of health information content in a record entry or document.

PRIRECIP | Primary Responsible Party | An entity that may, should receive, or has received information or an object to which it was primarily addressed.

RECIP | Recipient | An entity that may, should receive, or has received information or an object, which may not have been primarily addressed to it. For example, the staff of a provider, a clearinghouse, or other intermediary.

RESPRSN | Responsible Party | An entity that has legal responsibility for another party.

REVIEWER | Reviewer | A person, device, or algorithm that has used approved criteria for filtered data for inclusion into the patient record. Examples: (1) a medical records clerk who scans a document for inclusion in the medical record, enters header information, or catalogues and classifies the data, or a combination thereof; (2) a gateway that receives data from another computer system and interprets that data or changes its format, or both, before entering it into the patient record.

TRANS | Transcriber | An entity entering the data into the originating system. This includes the transcriptionist for dictated text transcribed into electronic form.

SOURCE | Source | An automated data source that generates a signature along with content. Examples: (1) the signature for an image that is generated by a device for inclusion in the patient record; (2) the signature for an ECG derived by an ECG system for inclusion in the patient record; (3) the data from a biomedical monitoring device or system that is for inclusion in the patient record.

SPOWATT | Apecial Power of Attorney | A person who has been granted the authority to represent or act on another's behalf for a limited set of specific matters in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts. Examples include (1) exercising specific legal rights belonging to the grantee such as drafting a will; (2) performing specific legal duties on behalf of a grantee such as making a reversible mortgage to pay for end of life expenses; and (3) making specific legal decisions concerning a grantee such as managing a trust.

VALID | Validator | A person who validates a health information document for inclusion in the patient record. For example, a medical student or resident is credentialed to perform history or physical examinations and to write progress notes. The attending physician signs the history and physical examination to validate the entry for inclusion in the patient's medical record.

VERF | Verifier | A person who asserts the correctness and appropriateness of an act or the recording of the act, and is accountable for the assertion that the act or the recording of the act complies with jurisdictional or organizational policy. For example, a physician is required to countersign a verbal order that has previously been recorded in the medical record by a registered nurse who has carried out the verbal order.

WIT | Witness | A person witnessing the signature of another party. A witness is not knowledgeable about the content being signed, much less approves of anything stated in the content. For example, an advanced directive witness or a witness that a party to a contract signed that certain demographic or financial information is truthful.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.727 Value Set http://hl7.org/fhir/ValueSet/contract-action

URL: https://hl7.org/fhir/STU3/valueset-contract-action.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-action
Name: | Contract Action Codes
Definition: | This value set includes sample Contract Action codes.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.727 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Contract Action Codes

* Contract.action (Example)

* Contract.term.action (Example)

* StructureDefinition Consent Directive: Contract.action ((Example))

* StructureDefinition Consent Directive: Contract.term.action ((Example))

4.3.1.727.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://www.hl7.org/fhir/contractaction

4.3.1.727.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://www.hl7.org/fhir/contractaction version 3.0.2

All codes from system http://www.hl7.org/fhir/contractaction

Code | Display | Definition
action-a | Action A | Definition for Action A
action-b | Action B | Definition for Action B

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.729 Value Set http://hl7.org/fhir/ValueSet/contract-actorrole

URL: https://hl7.org/fhir/STU3/valueset-contract-actorrole.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-actorrole
Name: | Contract Actor Role Codes
Definition: | This value set includes sample Contract Actor Role codes.
Committee: | Financial Management Work Group

OID: | 2.16.840.1.113883.4.642.3.729 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Contract Actor Role Codes

* Contract.agent.role (Example)

* Contract.term.agent.role (Example)

* StructureDefinition Consent Directive: Contract.actor.role ((Example))

* StructureDefinition Consent Directive: Contract.term.actor.role ((Example))

4.3.1.729.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://www.hl7.org/fhir/contractactorrole

4.3.1.729.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://www.hl7.org/fhir/contractactorrole version 3.0.2

All codes from system http://www.hl7.org/fhir/contractactorrole

Code | Display | Definition
practitioner | Practitioner | Someone who provides health care related services to people or animals including both clinical and support services.
patient | Patient | A receiver, human or animal, of health care related goods and services.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.731 Value Set http://hl7.org/fhir/ValueSet/contract-status

URL: https://hl7.org/fhir/STU3/valueset-contract-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-status
Name: | Contract Resource Status Codes
Definition: | This value set contract specific codes for status.
Committee: | Financial Management Work Group
OID: | 2.16.840.1.113883.4.642.3.731 (for OID based terminology systems)
Copyright: | HL7 International.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Contract Resource Status Codes

* Contract.status (Required)

4.3.1.731.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contract-status

4.3.1.731.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 15 concepts

Expansion based on http://hl7.org/fhir/contract-status version 3.0.2

All codes from system http://hl7.org/fhir/contract-status

Code | Display | Definition

amended | Amended | Contract is augmented with additional information to correct errors in a predecessor or to updated values in a predecessor. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: revised; replaced.

appended | Appended | Contract is augmented with additional information that was missing from a predecessor Contract. Usage: Contract altered within effective time. Precedence Order = 9. Comparable FHIR and v.3 status codes: updated, replaced.

cancelled | Cancelled | Contract is terminated due to failure of the Grantor and/or the Grantee to fulfil one or more contract provisions. Usage: Abnormal contract termination. Precedence Order = 10. Comparable FHIR and v.3 status codes: stopped; failed; aborted.

disputed | Disputed | Contract is pended to rectify failure of the Grantor or the Grantee to fulfil contract provision(s). E.g., Grantee complaint about Grantor's failure to comply with contract provisions. Usage: Contract pended. Precedence Order = 7.Comparable FHIR and v.3 status codes: on hold; pended; suspended.

entered-in-error | Entered in Error | Contract was created in error. No Precedence Order. Status may be applied to a Contract with any status.

executable | Executable | Contract execution pending; may be executed when either the Grantor or the Grantee accepts the contract provisions by signing. I.e., where either the Grantor or the Grantee has signed, but not both. E.g., when an insurance applicant signs the insurers application, which references the policy. Usage: Optional first step of contract execution activity. May be skipped and contracting activity moves directly to executed state. Precedence Order = 3. Comparable FHIR and v.3 status codes: draft; preliminary; planned; intended; active.

executed | Executed | Contract is activated for period stipulated when both the Grantor and Grantee have signed it. Usage: Required state for normal completion of contracting activity. Precedence Order = 6. Comparable FHIR and v.3 status codes: accepted; completed.

negotiable | Negotiable | Contract execution is suspended while either or both the Grantor and Grantee propose and consider new or revised contract provisions. I.e., where the party which has not signed proposes changes to the terms. E .g., a life insurer declines to agree to the signed application because the life insurer has evidence that the applicant, who asserted to being younger or a non-smoker to get a lower premium rate - but offers instead to agree to a higher premium based on the applicants actual age or smoking status. Usage: Optional contract activity between executable and executed state. Precedence Order = 4. Comparable FHIR and v.3 status codes: in progress; review; held.

offered | Offered | Contract is a proposal by either the Grantor or the Grantee. Aka - A Contract hard copy or electronic 'template','form' or 'application'. E.g., health insurance application; consent directive form. Usage: Beginning of contract negotiation, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 2. Comparable FHIR and v.3 status codes: requested; new.

policy | Policy | Contract template is available as the basis for an application or offer by the Grantor or Grantee. E.g., health insurance policy; consent directive policy. Usage: Required initial contract activity, which may have been completed as a precondition because used for 0..* contracts. Precedence Order = 1. Comparable FHIR and v.3 status codes: proposed; intended.

rejected | Rejected | Execution of the Contract is not completed because either or both the Grantor and Grantee decline to accept some or all of the contract provisions. Usage: Optional contract activity between executable and abnormal termination. Precedence Order = 5. Comparable FHIR and v.3 status codes: stopped; cancelled.

renewed | Renewed | Beginning of a successor Contract at the termination of predecessor Contract lifecycle. Usage: Follows termination of a preceding Contract that has reached its expiry date. Precedence Order = 13. Comparable FHIR and v.3 status codes: superseded.

revoked | Revoked | A Contract that is rescinded. May be required prior to replacing with an updated Contract. Comparable FHIR and v.3 status codes: nullified.

resolved | Resolved | Contract is reactivated after being pended because of faulty execution. *E.g., competency of the signer(s), or where the policy is substantially different from and did not accompany the application/form so that the applicant could not compare them. Aka - "reactivated". Usage: Optional stage where a pended contract is reactivated. Precedence Order = 8. Comparable FHIR and v.3 status codes: reactivated.

terminated | Terminated | Contract reaches its expiry date. It may or may not be renewed or renegotiated. Usage: Normal end of contract period. Precedence Order = 12. Comparable FHIR and v.3 status codes: Obsoleted.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.733 Value Set http://hl7.org/fhir/ValueSet/contract-content-derivative

URL: https://hl7.org/fhir/STU3/valueset-contract-content-derivative.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/contract-content-derivative

Name: | Contract Content Derivation Codes

Definition: | This is an example set of Content Derivative type codes, which represent the minimal content derived from the basal information source at a specific stage in its lifecycle, which is sufficient to manage that source information, for example, in a repository, registry, processes and workflows, for making access control decisions, and providing query responses.

Committee: | Financial Management Work Group

OID: | 2.16.840.1.113883.4.642.3.733 (for OID based terminology systems)

Copyright: | This is an example set.

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Contract Content Derivation Codes

* Contract.contentDerivative (Example)

4.3.1.733.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/contract-content-derivative

4.3.1.733.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/contract-content-derivative version 3.0.2

All codes from system http://hl7.org/fhir/contract-content-derivative

Code | Display | Definition

registration | Content Registration | Content derivative that conveys sufficient information needed to register the source basal content from which it is derived. This derivative content may be used to register the basal content as it changes status in its lifecycle. For example, content registration may occur when the basal content is created, updated, inactive, or deleted.

retrieval | Content Retrieval | A content derivative that conveys sufficient information to locate and retrieve the content.

statement | Content Statement | Content derivative that has less than full fidelity to the basal information source from which it was 'transcribed'. It provides recipients with the full content representation they may require for compliance purposes, and typically include a reference to or an attached unstructured representation for recipients needing an exact copy of the legal agreement.

shareable | Shareable Content | A Content Derivative that conveys sufficient information to determine the authorized entities with which the content may be shared.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.735 Value Set http://hl7.org/fhir/ValueSet/consent-category

URL: https://hl7.org/fhir/STU3/valueset-consent-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Community Based Collaborative Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-category

Name: | Consent Category Codes

Definition: | This value set includes sample Consent Directive Type codes, including several consent directive related LOINC codes; HL7 VALUE SET: ActConsentType(2.16.840.1.113883.1.11.19897); examples of US realm consent directive legal descriptions and references to online and/or downloadable forms such as the SSA-827 Authorization to Disclose Information to the Social Security Administration; and other anticipated consent directives related to participation in a clinical trial, medical procedures, reproductive procedures; health care directive (Living Will); advance directive, do not resuscitate (DNR); Physician Orders for Life-Sustaining Treatment (POLST)

Committee: | Community Based Collaborative Care Work Group

OID: | 2.16.840.1.113883.4.642.3.735 (for OID based terminology systems)

Copyright: | This value set includes content from LOINC® which is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Consent Category Codes

* Consent.category (Example)

4.3.1.735.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/consentcategorycodes

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/v3-ActConsentType

* Include these codes as defined in

http://loinc.org

Code | Display

59284-0 | Patient Consent

57016-8 | Privacy policy acknowledgement Document
57017-6 | Privacy policy Organization Document
64292-6 | Release of information consent

4.3.1.735.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 40 concepts

Expansion based on http://hl7.org/fhir/consentcategorycodes version 3.0.2, http://hl7.org/fhir/ValueSet/v3-ActConsentType version 2014-03-26, http://hl7.org/fhir/v3/ActCode version 2016-11-11

Code | System | Display | Definition

42-CFR-2 | http://hl7.org/fhir/consentcategorycodes | 42 CFR Part 2 Form of written consent | Required elements in a written consent to a disclosure of information governed under 42 CFR Part 2.
http://www.ecfr.gov/cgi-bin/text-idx?SID=69c4339acd2df9fab9dcbed15181917b&mc=true&node=pt42.1.2&rgn=div5

ACD | http://hl7.org/fhir/consentcategorycodes | advance directive | Any instructions, written or given verbally by a patient to a health care provider in anticipation of potential need for medical treatment. [2005 Honor My Wishes]

CRIC | http://hl7.org/fhir/consentcategorycodes | common rule informed consent | 45 CFR part 46 Â§46.116 General requirements for informed consent; and Â§46.117 Documentation of informed consent. https://www.gpo.gov/fdsys/pkg/FR-2017-01-19/pdf/2017-01058.pdf

DNR | http://hl7.org/fhir/consentcategorycodes | do not resuscitate | A legal document, signed by both the patient and their provider, stating a desire not to have CPR initiated in case of a cardiac event. Note: This form was replaced in 2003 with the Physician Orders for Life-Sustaining Treatment [POLST].

EMRGONLY | http://hl7.org/fhir/consentcategorycodes | emergency only | Opt-in to disclosure of health information for emergency only consent directive. Comment: This general consent directive specifically limits disclosure of health information for purpose of emergency treatment. Additional parameters may further limit the disclosure to specific users, roles, duration, types of information, and impose uses obligations. [ActConsentDirective (2.16.840.1.113883.1.11.20425)]

Illinois-Minor-Procedure | http://hl7.org/fhir/consentcategorycodes | Illinois Consent by Minors to Medical Procedures | The consent to the performance of a medical or surgical procedure by a physician licensed to practice medicine and surgery, a licensed advanced practice nurse, or a licensed physician assistant executed by a married person who is a minor, by a parent who is a minor, by a pregnant woman who is a minor, or by any person 18 years of age or older, is not voidable because of such minority, and, for such purpose, a married person who is a minor, a parent who is a minor, a pregnant woman who is a minor, or any person 18 years of age or older, is deemed to have the same legal capacity to act and has the same powers and obligations as has a person of legal age. Consent by Minors to Medical Procedures Act. (410 ILCS 210/0.01) (from Ch. 111, par. 4500) Sec. 0.01. Short title. This Act may be cited as the Consent by Minors to Medical Procedures Act. (Source: P.A. 86-1324.)
http://www.ilga.gov/legislation/ilcs/ilcs3.asp?ActID=1539&ChapterID=35

HCD | http://hl7.org/fhir/consentcategorycodes | health care directive | Patientâ€™s document telling patientâ€™s health care provider what the patient wants or does not want if the patient is diagnosed as being terminally ill and in a persistent vegetative state or in a permanently unconscious condition.[2005 Honor My Wishes]

HIPAA-Auth | http://hl7.org/fhir/consentcategorycodes | HIPAA Authorization | HIPAA 45 CFR Section 164.508 Uses and disclosures for which an authorization is required. (a) Standard: Authorizations for uses and disclosures. (1) Authorization required: General rule. Except as otherwise permitted or required by this subchapter, a covered entity may not use or disclose protected health information without an authorization that is valid under this section. When a covered entity obtains or receives a valid authorization for its use or disclosure of protected health information, such use or disclosure must be consistent with such authorization. Usage Note: Authorizations governed under this regulation meet the definition of an opt in class of consent directive.

HIPAA-NPP | http://hl7.org/fhir/consentcategorycodes | HIPAA Notice of Privacy Practices | Â§ 164.520 â€" Notice of privacy practices for protected health information. (1) Right to notice. Except as provided by paragraph (a)(2) or (3) of this section, an individual has a right to adequate notice of the uses and disclosures of protected health information that may be made by the covered entity, and of the individual's rights and the covered entity's legal duties with respect to protected health information. Usage Note: Restrictions governed under this regulation meet the definition of an implied with an opportunity to dissent class of consent directive.

HIPAA-Restrictions | http://hl7.org/fhir/consentcategorycodes | HIPAA Restrictions | HIPAA 45 CFR Â§ 164.510 - Uses and disclosures requiring an opportunity for the individual to agree or to object. A covered entity may use or disclose protected health information, provided that the individual is informed in advance of the use or disclosure and has the opportunity to agree to or prohibit or restrict the use or disclosure, in accordance with the applicable requirements of this section. The covered entity may orally inform the individual of and obtain the individual's oral agreement or objection to a use or disclosure permitted by this section. Usage Note: Restrictions governed under this regulation meet the definition of an opt out with exception class of consent directive.

HIPAA-Research | http://hl7.org/fhir/consentcategorycodes | HIPAA Research Authorization | HIPAA 45 CFR Â§ 164.508 - Uses and disclosures for which an authorization is required. (a) Standard: Authorizations for uses and disclosures. (3) Compound authorizations. An authorization for use or disclosure of protected health information may not be combined with any other document to create a compound authorization, except as follows: (i) An authorization for the use or disclosure of protected health information for a research study may be combined with any other type of written permission for the same or another research study. This exception includes combining an authorization for the use or disclosure of protected health information for a research study with another authorization for the same research study, with an authorization for the creation or maintenance of a research database or repository, or with a consent to participate in research. Where a covered health care provider has conditioned the provision of research-related treatment on the provision of one of the authorizations, as permitted under paragraph (b)(4)(i) of this section, any compound authorization created under this paragraph must clearly differentiate between the conditioned and unconditioned components and provide the individual with an opportunity to opt in to the research activities described in the unconditioned authorization. Usage Notes: See HHS http://www.hhs.gov/hipaa/for-professionals/special-topics/research/index.html and OCR http://www.hhs.gov/hipaa/for-professionals/special-topics/research/index.html

HIPAA-Self-Pay | http://hl7.org/fhir/consentcategorycodes | HIPAA Self-Pay Restriction | HIPAA 45 CFR Â§ 164.522(a)â€"Right To Request a Restriction of Uses and Disclosures. (vi) A covered entity must agree to the request of an individual to restrict disclosure of protected health information about the individual to a health plan if: (A) The disclosure is for the purpose of carrying out payment or health care operations and is not otherwise required by law; and (B) The protected health information pertains solely to a health care item or service for which the individual, or person other than the health plan on behalf of the individual, has paid the covered entity in full. Usage Note: Restrictions governed under this regulation meet the definition of an opt out with exception class of consent directive. Opt out is limited to disclosures to a payer for payment and operations purpose of use. See HL7 HIPAA Self-Pay code in ActPrivacyLaw (2.16.840.1.113883.1.11.20426).

MDHHS-5515 | http://hl7.org/fhir/consentcategorycodes | Michigan MDHHS-5515 Consent to Share Behavioral Health Information for Care Coordination Purposes | On January 1, 2015, the Michigan Department of Health and Human Services (MDHHS) released a standard consent form for the sharing of health information specific to behavioral health and substance use treatment in accordance with Public Act 129 of 2014. In Michigan, while providers are not required to use this new standard form (MDHHS-5515), they are required to accept it. Note: Form is available at

http://www.michigan.gov/documents/mdhhs/Consent_to_Share_Behavioral_Health_Information_for_Care_Coordination_Purposes_548835_7.docx For more information see http://www.michigan.gov/documents/mdhhs/Behavioral_Health_Consent_Form_Background_Information_548864_7.pdf

NYSSIPP | http://hl7.org/fhir/consentcategorycodes | New York State Surgical and Invasive Procedure Protocol | The New York State Surgical and Invasive Procedure Protocol (NYSSIPP) applies to all operative and invasive procedures including endoscopy, general surgery or interventional radiology. Other procedures that involve puncture or incision of the skin, or insertion of an instrument or foreign material into the body are within the scope of the protocol. This protocol also applies to those anesthesia procedures either prior to a surgical procedure or independent of a surgical procedure such as spinal facet blocks. Example: Certain 'minor' procedures such as venipuncture, peripheral IV placement, insertion of nasogastric tube and foley catheter insertion are not within the scope of the protocol. From http://www.health.ny.gov/professionals/protocols_and_guidelines/surgical_and_invasive_procedure/nyssipp_faq.htm Note: HHC 100B-1 Form is available at http://www.downstate.edu/emergency_medicine/documents/Consent_CT_with_contrast.pdf

NPP | http://hl7.org/fhir/consentcategorycodes | notice of privacy practices | Acknowledgement of custodian notice of privacy practices. Usage Notes: This type of consent directive acknowledges a custodian's notice of privacy practices including its permitted collection, access, use and disclosure of health information to users and for purposes of use specified. [ActConsentDirective (2.16.840.1.113883.1.11.20425)]

POLST | http://hl7.org/fhir/consentcategorycodes | POLST | The Physician Order for Life-Sustaining Treatment form records a personâ€™s health care wishes for end of life emergency treatment and translates them into an order by the physician. It must be reviewed and signed by both the patient and the physician, Advanced Registered Nurse Practitioner or Physician Assistant. [2005 Honor My Wishes] Comment: Opt-in Consent Directive with restrictions.

RESEARCH | http://hl7.org/fhir/consentcategorycodes | research information access | Consent to have healthcare information in an electronic health record accessed for research purposes. [VALUE SET: ActConsentType (2.16.840.1.113883.1.11.19897)]

RSDID | http://hl7.org/fhir/consentcategorycodes | de-identified information access | Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes, but without consent to re-identify the information under any circumstance. [VALUE SET: ActConsentType (2.16.840.1.113883.1.11.19897)

RSREID | http://hl7.org/fhir/consentcategorycodes | re-identifiable information access | Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes re-identified under specific circumstances outlined in the consent. [VALUE SET: ActConsentType (2.16.840.1.113883.1.11.19897)]

SSA-827 | http://hl7.org/fhir/consentcategorycodes | Form SSA-827 | SSA Form SSA-827 (Authorization to Disclose Information to the Social Security Administration (SSA))and its affiliated State disability determination services use Form SSA-827, Authorization to Disclose Information to the Social Security Administration (SSA) to obtain medical and other information needed to determine whether or not a claimant is disabled. Comment: Opt-in Consent Directive. Note: Form is available at https://www.socialsecurity.gov/forms/ssa-827-inst-sp.pdf

VA-10-0484 | http://hl7.org/fhir/consentcategorycodes | VA Form 10-0484 | VA Form 10-0484 Revocation for Release of Individually-Identifiable Health Information enables a veteran to revoke authorization for the VA to release specified copies of individually-identifiable health information with the non-VA health care provider organizations participating in the eHealth Exchange and partnering with VA. Comment: Opt-in Consent Directive with status = rescinded (aka 'revoked'). Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-0484-fill.pdf

VA-10-0485 | http://hl7.org/fhir/consentcategorycodes | VA Form 10-0485 | VA Form 10-0485 Request for and Authorization to Release Protected Health Information to eHealth Exchange enables a veteran to request and authorize a VA health care facility to release protected health information (PHI) for treatment purposes only to the communities that are participating in the eHealth Exchange, VLER Directive, and other Health Information Exchanges with who VA has an agreement. This information may consist of the diagnosis of Sickle Cell Anemia, the treatment of or referral for Drug Abuse, treatment of or referral for Alcohol Abuse or the treatment of or testing for infection with Human Immunodeficiency Virus. This authorization covers the diagnoses that I may have upon signing of the authorization and the diagnoses that I may acquire in the future including those protected by 38 U.S.C. 7332. Comment: Opt-in Consent Directive. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/10-0485-fill.pdf

VA-10-5345 | http://hl7.org/fhir/consentcategorycodes | VA Form 10-5345 | VA Form 10-5345 Request for and Authorization to Release Medical Records or Health Information enables a veteran to request and authorize the VA to release specified copies of protected health information (PHI), such as hospital summary or outpatient treatment notes, which may include information about conditions governed under Title 38 Section 7332 (drug abuse, alcoholism or alcohol abuse, testing for or infection with HIV, and sickle cell anemia). Comment: Opt-in Consent Directive. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-5345-fill.pdf

VA-10-5345a | http://hl7.org/fhir/consentcategorycodes | VA Form 10-5345a | VA Form 10-5345a Individuals' Request for a Copy of Their Own Health Information enables a veteran to request and authorize the VA to release specified copies of protected health information (PHI), such as hospital summary or outpatient treatment notes. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-5345a-fill.pdf

VA-10-5345a-MHV | http://hl7.org/fhir/consentcategorycodes | VA Form 10-5345a-MHV | VA Form 10-5345a-MHV Individualâ€™s Request for a Copy of their own health information from MyHealtheVet enables a veteran to receive a copy of all available personal health information to be delivered through the veteranâ€™s My HealtheVet account. Note: Form is available at http://www.va.gov/vaforms/medical/pdf/vha-10-5345a-MHV-fill.pdf

VA-10-10116 | http://hl7.org/fhir/consentcategorycodes | VA Form 10-10-10116 | VA Form 10-10116 Revocation of Authorization for Use and Release of Individually Identifiable Health Information for Veterans Health Administration Research. Comment: Opt-in with Restriction Consent Directive with status = 'completed'. Note: Form is available at http://www.northerncalifornia.va.gov/northerncalifornia/services/rnd/docs/vha-10-10116.pdf

VA-21-4142 | http://hl7.org/fhir/consentcategorycodes | VA Form 21-4142 | VA Form 21-4142 (Authorization and Consent to Release Information to the Department of Veterans Affairs (VA) enables a veteran to authorize the US Veterans Administration [VA] to request veteranâ€™s health information from non-VA providers. Aka VA Compensation Application Note: Form is available at http://www.vba.va.gov/pubs/forms/VBA-21-4142-ARE.pdf . For additional information regarding VA Form 21-4142, refer to the following website: www.benefits.va.gov/compensation/consent_privateproviders

ICOL | http://hl7.org/fhir/v3/ActCode | information collection | Definition: Consent to have healthcare information collected in an electronic health record. This entails that the information may be used in analysis, modified, updated.

IDSCL | http://hl7.org/fhir/v3/ActCode | information disclosure | Definition: Consent to have collected healthcare information disclosed.

INFA | http://hl7.org/fhir/v3/ActCode | information access | Definition: Consent to access healthcare information.

INFAO | http://hl7.org/fhir/v3/ActCode | access only | Definition: Consent to access or "read" only, which entails that the information is not to be copied, screen printed, saved, emailed, stored, re-disclosed or altered in any way. This level ensures that data which is masked or to which access is restricted will not be. Example: Opened and then emailed or screen printed for use outside of the consent directive purpose.

INFASO | http://hl7.org/fhir/v3/ActCode | access and save only | Definition: Consent to access and save only, which entails that access to the saved copy will remain locked.

IRDSCL | http://hl7.org/fhir/v3/ActCode | information redisclosure | Definition: Information re-disclosed without the patient's consent.

RESEARCH | http://hl7.org/fhir/v3/ActCode | research information access | Definition: Consent to have healthcare information in an electronic health record accessed for research purposes.

RSDID | http://hl7.org/fhir/v3/ActCode | de-identified information access | Definition: Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes, but without consent to re-identify the information under any circumstance.

RSREID | http://hl7.org/fhir/v3/ActCode | re-identifiable information access | Definition: Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes re-identified under specific circumstances outlined in the consent. Example:: Where

there is a need to inform the subject of potential health issues.
59284-0 | http://loinc.org | Patient Consent
57016-8 | http://loinc.org | Privacy policy acknowledgement Document
57017-6 | http://loinc.org | Privacy policy Organization Document
64292-6 | http://loinc.org | Release of information consent

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.737 Value Set http://hl7.org/fhir/ValueSet/consent-action

URL: https://hl7.org/fhir/STU3/valueset-consent-action.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Community Based Collaborative Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-action
Name: | Consent Action Codes
Definition: | This value set includes sample Consent Action codes.
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.737 (for OID based terminology systems)
Copyright: | This is an example set.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Consent Action Codes

* Consent.action (Example)

* Consent.except.action (Example)

4.3.1.737.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/consentaction

4.3.1.737.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/consentaction version 3.0.2

All codes from system http://hl7.org/fhir/consentaction

Code | Display | Definition
collect | Collect | Gather/acquire information by an entity to achieve a stated purpose
access | Access | Provide an entity access to information to achieve a stated purpose
use | Use | Use of stored information by an entity fo the stated purpose
disclose | Disclose | Release / transfer of information to an entity
correct | Access and Correct | Allowing an entity to correct a patient's information

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.739 Value Set http://hl7.org/fhir/ValueSet/consent-state-codes

URL: https://hl7.org/fhir/STU3/valueset-consent-state-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Community Based Collaborative Care Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-state-codes
Name: | ConsentState
Definition: | Indicates the state of the consent
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.739 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConsentState

* Consent.status (Required)

4.3.1.739.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/consent-state-codes

4.3.1.739.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/consent-state-codes version 3.0.2

All codes from system http://hl7.org/fhir/consent-state-codes

Code | Display | Definition
draft | Pending | The consent is in development or awaiting use but is not yet intended to be acted upon.
proposed | Proposed | The consent has been proposed but not yet agreed to by all parties. The negotiation stage.
active | Active | The consent is to be followed and enforced.
rejected | Rejected | The consent has been rejected by one or more of the parties.
inactive | Inactive | The consent is terminated or replaced.
entered-in-error | Entered in Error | The consent was created wrongly (e.g. wrong patient) and should be ignored

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.741 Value Set http://hl7.org/fhir/ValueSet/consent-except-type

URL: https://hl7.org/fhir/STU3/valueset-consent-except-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Community Based Collaborative Care Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-except-type
Name: | ConsentExceptType
Definition: | How an exception statement is applied, such as adding additional consent or removing consent
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.741 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConsentExceptType

* Consent.except.type (Required)

4.3.1.741.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/consent-except-type

4.3.1.741.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/consent-except-type version 3.0.2

All codes from system http://hl7.org/fhir/consent-except-type

Code	Display	Definition
deny	Opt Out	Consent is denied for actions meeting these rules
permit	Opt In	Consent is provided for actions meeting these rules

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.743 Value Set http://hl7.org/fhir/ValueSet/consent-data-meaning

URL: https://hl7.org/fhir/STU3/valueset-consent-data-meaning.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Community Based Collaborative Care Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-data-meaning
Name: | ConsentDataMeaning
Definition: | How a resource reference is interpreted when testing consent restrictions
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.743 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConsentDataMeaning
* Consent.data.meaning (Required)
* Consent.except.data.meaning (Required)

4.3.1.743.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/consent-data-meaning

4.3.1.743.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/consent-data-meaning version 3.0.2

All codes from system http://hl7.org/fhir/consent-data-meaning

Code	Display	Definition
instance	Instance	The consent applies directly to the instance of the resource
related	Related	The consent applies directly to the instance of the resource and instances it refers to
dependents	Dependents	The consent applies directly to the instance of the resource and instances that refer to it
authoredby	AuthoredBy	The consent applies to instances of resources that are authored by

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.745 Value Set http://hl7.org/fhir/ValueSet/consent-content-class

URL: https://hl7.org/fhir/STU3/valueset-consent-content-class.html

This value set could not be expanded by the publication tooling: Unable to provide support for code system urn:oid:1.3.6.1.4.1.19376.1.2.3

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Community Based Collaborative Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-content-class
Name: | Consent Content Class
Definition: | This value set includes the FHIR resource types, along with some other important content class codes
Committee: | Community Based Collaborative Care Work Group
OID: | 2.16.840.1.113883.4.642.3.745 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Consent.except.class (Extensible)

4.3.1.745.1 Content Logical Definition

This value set includes codes from the following code systems:

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/formatcodes

* Include all codes defined in http://hl7.org/fhir/resource-types

* Include these codes as defined in

urn:ietf:rfc:3986

Code | Display
http://hl7.org/fhir/StructureDefinition/lipidprofile | Lipid Lab Report

* Include these codes as defined in

urn:ietf:bcp:13

Code | Display
application/hl7-cda+xml | CDA Documents

4.3.1.745.2 Expansion

This expansion generated 19 Apr 2017

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.746 Value Set http://hl7.org/fhir/ValueSet/consent-content-code

URL: https://hl7.org/fhir/STU3/valueset-consent-content-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Community Based Collaborative Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/consent-content-code
Name: | Consent Content Codes
Definition: | This example value set contains all LOINC code
Committee: | Community Based Collaborative Care Work Group

OID: | 2.16.840.1.113883.4.642.3.746 (for OID based terminology systems)

Copyright: | This content LOINC® is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use

Source Resource | XML / JSON

This value set is used in the following places:

* Consent.except.code (Example)

4.3.1.746.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://loinc.org

4.3.1.746.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://loinc.org

Code | Display

1-8 | Acyclovir [Susceptibility]
10-9 | Amdinocillin [Susceptibility] by Serum bactericidal titer
100-8 | Cefoperazone [Susceptibility] by Minimum inhibitory concentration (MIC)
1000-9 | DBG Ab [Presence] in Serum or Plasma from Blood product unit
10000-8 | R wave duration in lead AVR
10001-6 | R wave duration in lead I
10002-4 | R wave duration in lead II
10003-2 | R wave duration in lead III
10004-0 | R wave duration in lead V1
10005-7 | R wave duration in lead V2
10006-5 | R wave duration in lead V3
10007-3 | R wave duration in lead V4
10008-1 | R wave duration in lead V5
10009-9 | R wave duration in lead V6
1001-7 | DBG Ab [Presence] in Serum or Plasma from donor
10010-7 | R' wave amplitude in lead AVF
10011-5 | R' wave amplitude in lead AVL
10012-3 | R' wave amplitude in lead AVR
10013-1 | R' wave amplitude in lead I
10014-9 | R' wave amplitude in lead II
10015-6 | R' wave amplitude in lead III
10016-4 | R' wave amplitude in lead V1
10017-2 | R' wave amplitude in lead V2
10018-0 | R' wave amplitude in lead V3
10019-8 | R' wave amplitude in lead V4
1002-5 | DBG Ab [Presence] in Serum or Plasma
10020-6 | R' wave amplitude in lead V5
10021-4 | R' wave amplitude in lead V6
10022-2 | R' wave duration in lead AVF
10023-0 | R' wave duration in lead AVL
10024-8 | R' wave duration in lead AVR
10025-5 | R' wave duration in lead I
10026-3 | R' wave duration in lead II
10027-1 | R' wave duration in lead III
10028-9 | R' wave duration in lead V1
10029-7 | R' wave duration in lead V2
1003-3 | Indirect antiglobulin test.complement specific reagent [Presence] in Serum or Plasma
10030-5 | R' wave duration in lead V3
10031-3 | R' wave duration in lead V4
10032-1 | R' wave duration in lead V5
10033-9 | R' wave duration in lead V6
10034-7 | S wave amplitude in lead AVF
10035-4 | S wave amplitude in lead AVL
10036-2 | S wave amplitude in lead AVR
10037-0 | S wave amplitude in lead I
10038-8 | S wave amplitude in lead II
10039-6 | S wave amplitude in lead III
1004-1 | Direct antiglobulin test.complement specific reagent [Presence] on Red Blood Cells
10040-4 | S wave amplitude in lead V1
10041-2 | S wave amplitude in lead V2
10042-0 | S wave amplitude in lead V3
10043-8 | S wave amplitude in lead V4

10044-6 | S wave amplitude in lead V5
10045-3 | S wave amplitude in lead V6
10046-1 | S wave duration in lead AVF
10047-9 | S wave duration in lead AVL
10048-7 | S wave duration in lead AVR
10049-5 | S wave duration in lead I
1005-8 | Indirect antiglobulin test.IgG specific reagent [Presence] in Serum or Plasma
10050-3 | S wave duration in lead II
10051-1 | S wave duration in lead III
10052-9 | S wave duration in lead V1
10053-7 | S wave duration in lead V2
10054-5 | S wave duration in lead V3
10055-2 | S wave duration in lead V4
10056-0 | S wave duration in lead V5
10057-8 | S wave duration in lead V6
10058-6 | S' wave amplitude in lead AVF
10059-4 | S' wave amplitude in lead AVL
1006-6 | Direct antiglobulin test.IgG specific reagent [Interpretation] on Red Blood Cells
10060-2 | S' wave amplitude in lead AVR
10061-0 | S' wave amplitude in lead I
10062-8 | S' wave amplitude in lead II
10063-6 | S' wave amplitude in lead III
10064-4 | S' wave amplitude in lead V1
10065-1 | S' wave amplitude in lead V2
10066-9 | S' wave amplitude in lead V3
10067-7 | S' wave amplitude in lead V4
10068-5 | S' wave amplitude in lead V5
10069-3 | S' wave amplitude in lead V6
1007-4 | Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10070-1 | S' wave duration in lead AVF
10071-9 | S' wave duration in lead AVL
10072-7 | S' wave duration in lead AVR
10073-5 | S' wave duration in lead I
10074-3 | S' wave duration in lead II
10075-0 | S' wave duration in lead III
10076-8 | S' wave duration in lead V1
10077-6 | S' wave duration in lead V2
10078-4 | S' wave duration in lead V3
10079-2 | S' wave duration in lead V4
1008-2 | Indirect antiglobulin test.poly specific reagent [Presence] in Serum or Plasma
10080-0 | S' wave duration in lead V5
10081-8 | S' wave duration in lead V6
10082-6 | ST initial amplitude 6 ms in lead AVF
10083-4 | ST initial amplitude 6 ms in lead AVL
10084-2 | ST initial amplitude 6 ms in lead AVR
10085-9 | ST initial amplitude 6 ms in lead I
10086-7 | ST initial amplitude 6 ms in lead II
10087-5 | ST initial amplitude 6 ms in lead III
10088-3 | ST initial amplitude 6 ms in lead V1
10089-1 | ST initial amplitude 6 ms in lead V2
1009-0 | Deprecated Direct antiglobulin test.poly specific reagent [Presence] on Red Blood Cells
10090-9 | ST initial amplitude 6 ms in lead V3
10091-7 | ST initial amplitude 6 ms in lead V4
10092-5 | ST initial amplitude 6 ms in lead V5
10093-3 | ST initial amplitude 6 ms in lead V6
10094-1 | ST slope in lead AVF
10095-8 | ST slope in lead AVL
10096-6 | ST slope in lead AVR
10097-4 | ST slope in lead I
10098-2 | ST slope in lead II
10099-0 | ST slope in lead III
101-6 | Cefoperazone [Susceptibility] by Disk diffusion (KB)
1010-8 | Ew Ab [Presence] in Serum or Plasma from Blood product unit
10100-6 | ST slope in lead V1
10101-4 | ST slope in lead V2
10102-2 | ST slope in lead V3
10103-0 | ST slope in lead V4
10104-8 | ST slope in lead V5
10105-5 | ST slope in lead V6
10106-3 | ST wave end displacement in lead AVF
10107-1 | ST wave end displacement in lead AVL
10108-9 | ST wave end displacement in lead AVR

10109-7 | ST wave end displacement in lead I
1011-6 | Ew Ab [Presence] in Serum or Plasma from donor
10110-5 | ST wave end displacement in lead II
10111-3 | ST wave end displacement in lead III
10112-1 | ST wave end displacement in lead V1
10113-9 | ST wave end displacement in lead V2
10114-7 | ST wave end displacement in lead V3
10115-4 | ST wave end displacement in lead V4
10116-2 | ST wave end displacement in lead V5
10117-0 | ST wave end displacement in lead V6
10118-8 | ST wave mid displacement in lead AVF
10119-6 | ST wave mid displacement in lead AVL
1012-4 | Ew Ab [Presence] in Serum or Plasma
10120-4 | ST wave mid displacement in lead AVR
10121-2 | ST wave mid displacement in lead I
10122-0 | ST wave mid displacement in lead II
10123-8 | ST wave mid displacement in lead III
10124-6 | ST wave mid displacement in lead V1
10125-3 | ST wave mid displacement in lead V2
10126-1 | ST wave mid displacement in lead V3
10127-9 | ST wave mid displacement in lead V4
10128-7 | ST wave mid displacement in lead V5
10129-5 | ST wave mid displacement in lead V6
1013-2 | Ew Ag [Presence] on Red Blood Cells from Blood product unit
10130-3 | T' wave amplitude in lead AVF
10131-1 | T' wave amplitude in lead AVL
10132-9 | T' wave amplitude in lead AVR
10133-7 | T' wave amplitude in lead I
10134-5 | T' wave amplitude in lead II
10135-2 | T' wave amplitude in lead III
10136-0 | T' wave amplitude in lead V1
10137-8 | T' wave amplitude in lead V2
10138-6 | T' wave amplitude in lead V3
10139-4 | T' wave amplitude in lead V4
1014-0 | Ew Ag [Presence] on Red Blood Cells from donor
10140-2 | T' wave amplitude in lead V5
10141-0 | T' wave amplitude in lead V6
10142-8 | T wave amplitude in lead AVF
10143-6 | T wave amplitude in lead AVL
10144-4 | T wave amplitude in lead AVR
10145-1 | T wave amplitude in lead I
10146-9 | T wave amplitude in lead II
10147-7 | T wave amplitude in lead III
10148-5 | T wave amplitude in lead V1
10149-3 | T wave amplitude in lead V2
1015-7 | Ew Ag [Presence] on Red Blood Cells
10150-1 | T wave amplitude in lead V3
10151-9 | T wave amplitude in lead V4
10152-7 | T wave amplitude in lead V5
10153-5 | T wave amplitude in lead V6
10154-3 | Chief complaint Narrative - Reported
10155-0 | History of allergies, reported
10156-8 | History of Childhood diseases Narrative
10157-6 | History of family member diseases Narrative
10158-4 | History of Functional status Narrative
10159-2 | History of Industrial exposure Narrative
1016-5 | E Ab [Presence] in Serum or Plasma from Blood product unit
10160-0 | History of Medication use Narrative
10161-8 | History of Occupational exposure Narrative
10162-6 | History of pregnancies Narrative
10163-4 | History of pregnancies
10164-2 | History of Present illness Narrative
10165-9 | Deprecated History of psychiatric symptoms and diseases Narrative
10166-7 | History of Social function Narrative
10167-5 | History of Surgical procedures Narrative
10168-3 | History of Cardiovascular system disorders Narrative
10169-1 | History of Ear disorders Narrative
1017-3 | E Ab [Presence] in Serum or Plasma from donor
10170-9 | History of Endocrine system disorders Narrative
10171-7 | History of Eyes disorders Narrative
10172-5 | History of Hematologic system disorders Narrative
10173-3 | History of Musculoskeletal system disorders Narrative

10174-1 | History of Nose disorders Narrative
10175-8 | History of Oral cavity disorders Narrative
10176-6 | History of Reproductive system disorders Narrative
10177-4 | History of Respiratory system disorders Narrative
10178-2 | History of Skin disorders Narrative
10179-0 | History of Throat and Neck disorders Narrative
1018-1 | E Ab [Presence] in Serum or Plasma
10180-8 | History of Throat and Neck disorders
10181-6 | History of Urinary tract disorders Narrative
10182-4 | History of Travel Narrative
10183-2 | Hospital discharge medications Narrative
10184-0 | Hospital discharge physical findings Narrative
10185-7 | Hospital discharge procedures Narrative
10186-5 | Identifying information Narrative Observed
10187-3 | Review of systems Narrative - Reported
10188-1 | Review of systems overview Narrative - Reported
10189-9 | Review of systems overview - Reported
1019-9 | E Ag [Presence] on Red Blood Cells from Blood product unit
10190-7 | Mental status Narrative
10191-5 | Physical findings of Abdomen Narrative
10192-3 | Physical findings of Back Narrative
10193-1 | Physical findings of Breasts Narrative
10194-9 | Physical findings of Neurologic deep tendon reflexes Narrative
10195-6 | Physical findings of Ear Narrative
10196-4 | Physical findings of Extremities Narrative
10197-2 | Physical findings of Eye Narrative
10198-0 | Physical findings of Genitourinary tract Narrative
10199-8 | Physical findings of Head Narrative
102-4 | Cefoperazone [Susceptibility] by Serum bactericidal titer
1020-7 | E Ag [Presence] on Red Blood Cells from donor
10200-4 | Physical findings of Heart Narrative
10201-2 | Physical findings of Mouth and Throat and Teeth Narrative
10202-0 | Physical findings of Nervous system Narrative
10203-8 | Physical findings of Nose Narrative
10204-6 | Physical findings of Pelvis Narrative
10205-3 | Physical findings of Rectum Narrative
10206-1 | Physical findings of Skin Narrative
10207-9 | Physical findings of Thorax and Lungs Narrative
10208-7 | Physical findings of Vessels Narrative
10209-5 | Physical findings of Neurologic balance and Coordination Narrative
1021-5 | E Ag [Presence] on Red Blood Cells
10210-3 | Physical findings of General status Narrative
10211-1 | Physical findings of Sense of touch Narrative
10212-9 | Physical findings of Strength Narrative
10213-7 | Surgical operation note anesthesia Narrative
10214-5 | Surgical operation note anesthesia duration
10215-2 | Surgical operation note findings Narrative
10216-0 | Surgical operation note fluids Narrative
10217-8 | Surgical operation note indications [Interpretation] Narrative
10218-6 | Surgical operation note postoperative diagnosis Narrative
10219-4 | Surgical operation note preoperative diagnosis Narrative
1022-3 | Fy sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10220-2 | Surgical operation note prep time duration
10221-0 | Surgical operation note specimens taken Narrative
10222-8 | Surgical operation note surgical complications [Interpretation] Narrative
10223-6 | Surgical operation note surgical procedure Narrative
10224-4 | Hemodynamic method special circumstances
10225-1 | Cardiac measurement device Institution inventory number
10226-9 | Oxygen content in Intravascular space
10227-7 | Cardiac measurement device Vendor model number
10228-5 | Cardiac measurement device Vendor serial number
10229-3 | Hemodynamic method Type of
1023-1 | Fy sup(a) Ab [Presence] in Serum or Plasma from donor
10230-1 | Left ventricular Ejection fraction
10231-9 | Right ventricular Ejection fraction
10232-7 | Oxygen content in Aorta root
10233-5 | Oxygen content in Left atrium
10234-3 | Oxygen content in Right atrium
10235-0 | Oxygen content in High right atrium
10236-8 | Oxygen content in Low right atrium
10237-6 | Oxygen content in Mid right atrium
10238-4 | Oxygen content in Left ventricle

10239-2 | Oxygen content in Right ventricular outflow tract
1024-9 | Fy sup(a) Ab [Presence] in Serum or Plasma
10240-0 | Oxygen content in Right ventricle
10241-8 | Oxygen content in Coronary sinus
10242-6 | Oxygen content in Ductus arteriosus
10243-4 | Oxygen content in Inferior vena cava
10244-2 | Oxygen content in Left pulmonary artery
10245-9 | Oxygen content in Main pulmonary artery
10246-7 | Oxygen content in Right pulmonary artery
10247-5 | Oxygen content in Pulmonary wedge
10248-3 | Oxygen content in Superior vena cava
10249-1 | Heart rate device Institution inventory number
1025-6 | Fy sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10250-9 | Heart rate device Vendor model number
10251-7 | Heart rate device Vendor serial number
10252-5 | Biliary drain site
10253-3 | Type of Biliary drain
10254-1 | Type of Peritoneal drain
10255-8 | Type of Subarachnoid drain
10256-6 | Biliary drain Institution inventory number
10257-4 | Chest tube Institution inventory number
10258-2 | Enteral tube Institution inventory number
10259-0 | Gastrostomy tube Institution inventory number
1026-4 | Fy sup(a) Ag [Presence] on Red Blood Cells from donor
10260-8 | GI tube Institution inventory number
10261-6 | Intravascular tube Institution inventory number
10262-4 | IO tube Institution inventory number
10263-2 | Nasogastric tube Institution inventory number
10264-0 | Oral tube Institution inventory number
10265-7 | Peritoneal drain Institution inventory number
10266-5 | Peritoneal tube Institution inventory number
10267-3 | Rate control device Institution inventory number
10268-1 | Stool collection device Institution inventory number
10269-9 | Subarachnoid drain Institution inventory number
1027-2 | Fy sup(a) Ag [Presence] on Red Blood Cells
10270-7 | Synovial drain Institution inventory number
10271-5 | Tube or drain Institution inventory number
10272-3 | Upper GI tube Institution inventory number
10273-1 | Bladder irrigation tube Institution inventory number
10274-9 | Urine tube Institution inventory number
10275-6 | Wound drain device Institution inventory number
10276-4 | Peritoneal drain site
10277-2 | Stool collection site
10278-0 | Subarachnoid drain site
10279-8 | Biliary drain Vendor model number
1028-0 | Fy sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10280-6 | Chest tube Vendor model number
10281-4 | Enteral tube Vendor model number
10282-2 | Gastrostomy tube Vendor model number
10283-0 | GI tube Vendor model number
10284-8 | Intravascular tube Vendor model number
10285-5 | IO tube Vendor model number
10286-3 | Nasogastric tube Vendor model number
10287-1 | Oral tube Vendor model number
10288-9 | Peritoneal drain Vendor model number
10289-7 | Peritoneal tube Vendor model number
1029-8 | Fy sup(b) Ab [Presence] in Serum or Plasma from donor
10290-5 | Rate control device Vendor model number
10291-3 | Stool collection device Vendor model number
10292-1 | Subarachnoid drain Vendor model number
10293-9 | Synovial drain Vendor model number
10294-7 | Tube or drain Vendor model number
10295-4 | Upper GI tube Vendor model number
10296-2 | Bladder irrigation tube Vendor model number
10297-0 | Urine tube Vendor model number
10298-8 | Wound drain device Vendor model number
10299-6 | Biliary drain Vendor serial number
103-2 | Ceforanide [Susceptibility] by Minimum lethal concentration (MLC)
1030-6 | Fy sup(b) Ab [Presence] in Serum or Plasma
10300-2 | Chest tube Vendor serial number
10301-0 | Enteral tube Vendor serial number
10302-8 | Gastrostomy tube Vendor serial number

10303-6 | GI tube Vendor serial number
10304-4 | Intravascular tube Vendor serial number
10305-1 | IO tube Vendor serial number
10306-9 | Nasogastric tube Vendor serial number
10307-7 | Oral tube Vendor serial number
10308-5 | Peritoneal drain Vendor serial number
10309-3 | Peritoneal tube Vendor serial number
1031-4 | Fy sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10310-1 | Rate control device Vendor serial number
10311-9 | Stool collection device Vendor serial number
10312-7 | Subarachnoid drain Vendor serial number
10313-5 | Synovial drain Vendor serial number
10314-3 | Tube or drain Vendor serial number
10315-0 | Upper GI tube Vendor serial number
10316-8 | Bladder irrigation tube Vendor serial number
10317-6 | Urine tube Vendor serial number
10318-4 | Wound drain device Vendor serial number
10319-2 | Enema device Institution inventory number
1032-2 | Fy sup(b) Ag [Presence] on Red Blood Cells from donor
10320-0 | Enema device Vendor model number
10321-8 | Enema device Vendor serial number
10322-6 | Potassium intake 24 hour
10323-4 | Wound drain fluid [Appearance] Lower GI tract
10324-2 | Breath rate device Institution inventory number
10325-9 | Breath rate device Vendor model number
10326-7 | Breath rate device Vendor serial number
10327-5 | Eosinophils/100 leukocytes in Sputum by Manual count
10328-3 | Lymphocytes/100 leukocytes in Cerebral spinal fluid by Manual count
10329-1 | Monocytes/100 leukocytes in Cerebral spinal fluid by Manual count
1033-0 | Fy sup(b) Ag [Presence] on Red Blood Cells
10330-9 | Monocytes/100 leukocytes in Body fluid by Manual count
10331-7 | Rh [Type] in Blood
10332-5 | Cortisol [Mass/volume] in Serum or Plasma --pre 250 ug corticotropin IM
10333-3 | Appearance of Cerebral spinal fluid
10334-1 | Cancer Ag 125 [Units/volume] in Serum or Plasma
10335-8 | Color of Cerebral spinal fluid
10336-6 | Gonadotropin peptide [Mass/volume] in Urine
10337-4 | Procollagen type I [Mass/volume] in Serum
10338-2 | Barbiturates [Mass/volume] in Serum or Plasma
10339-0 | Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
1034-8 | Fetal cell screen [Interpretation] in Blood
10340-8 | Molindone [Mass/volume] in Serum or Plasma
10341-6 | Norpropoxyphene [Mass/volume] in Serum or Plasma
10342-4 | Sulfamethoxazole [Mass/volume] in Serum or Plasma
10343-2 | Temazepam [Mass/volume] in Serum or Plasma
10344-0 | Tranylcypromine [Mass/volume] in Serum or Plasma
10345-7 | Trihexyphenidyl [Mass/volume] in Urine
10346-5 | Hemoglobin A [Units/volume] in Blood by Electrophoresis
10347-3 | Babesia microti identified in Blood by Light microscopy
10348-1 | Bordetella parapertussis Ab [Presence] in Serum
10349-9 | Brucella sp Ab [Units/volume] in Serum
1035-5 | Fresh frozen plasma given [Volume]
10350-7 | Herpes simplex virus IgM Ab [Titer] in Serum by Immunoassay
10351-5 | HIV 1 RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10352-3 | Bacteria identified in Genital specimen by Aerobe culture
10353-1 | Bacteria identified in Nose by Aerobe culture
10354-9 | Bacteria identified in Urethra by Culture
10355-6 | Microscopic observation [Identifier] in Bone marrow by Wright Giemsa stain
10356-4 | Deprecated Microscopic observation [Identifier] in Stool by Trichrome stain
10357-2 | Microscopic observation [Identifier] in Wound by Gram stain
10358-0 | Teichoate Ab [Titer] in Serum by Immune diffusion (ID)
10359-8 | Asialoganglioside GM1 IgM Ab [Titer] in Serum
1036-3 | G Ab [Presence] in Serum or Plasma from Blood product unit
10360-6 | DNA single strand IgG Ab [Units/volume] in Serum
10361-4 | DNA single strand IgM Ab [Units/volume] in Serum
10362-2 | Endomysium IgA Ab [Presence] in Serum
10363-0 | Barbiturates [Presence] in Unspecified specimen
10364-8 | Cotinine [Mass/mass] in Hair
10365-5 | Cotinine [Mass/volume] in Serum or Plasma
10366-3 | Cotinine [Mass/volume] in Urine
10367-1 | Ethanol [Mass/volume] in Gastric fluid
10368-9 | Lead [Mass/volume] in Capillary blood

10369-7 | Opiates [Mass/mass] in Hair
1037-1 | G Ab [Presence] in Serum or Plasma from donor
10370-5 | Phencyclidine [Mass/mass] in Hair
10371-3 | Bite cells [Presence] in Blood by Light microscopy
10372-1 | Blister cells [Presence] in Blood by Light microscopy
10373-9 | Fragments [Presence] in Blood by Light microscopy
10374-7 | Helmet cells [Presence] in Blood by Light microscopy
10375-4 | Irregularly contracted cells [Presence] in Blood by Light microscopy
10376-2 | Oval macrocytes [Presence] in Blood by Light microscopy
10377-0 | Pencil cells [Presence] in Blood by Light microscopy
10378-8 | Polychromasia [Presence] in Blood by Light microscopy
10379-6 | Erythrocytes.dual population [Presence] in Blood by Light microscopy
1038-9 | G Ab [Presence] in Serum or Plasma
10380-4 | Stomatocytes [Presence] in Blood by Light microscopy
10381-2 | Target cells [Presence] in Blood by Light microscopy
10382-0 | A,B variant NOS Ag [Presence] on Red Blood Cells from Blood product unit
10383-8 | A,B variant NOS Ag [Presence] on Red Blood Cells from donor
10384-6 | A,B variant NOS Ag [Presence] on Red Blood Cells
10385-3 | Albumin concentration given
10386-1 | Albumin given [Volume]
10387-9 | Autologous erythrocytes given [Volume]
10388-7 | Autologous whole blood given [Volume]
10389-5 | Blood product.other [Type]
1039-7 | G Ag [Presence] on Red Blood Cells from Blood product unit
10390-3 | Blood product special preparation [Type]
10391-1 | Cytomegalovirus immune globulin given [Volume]
10392-9 | Cryoprecipitate given [Volume]
10393-7 | Factor IX given [Type]
10394-5 | Factor IX given [Volume]
10395-2 | Factor VIII given [Type]
10396-0 | Factor VIII given [Volume]
10397-8 | Hepatitis B immune globulin given [Volume]
10398-6 | I Ag [Presence] on Red Blood Cells from Blood product unit
10399-4 | I Ag [Presence] on Red Blood Cells from donor
104-0 | Ceforanide [Susceptibility] by Minimum inhibitory concentration (MIC)
1040-5 | G Ag [Presence] on Red Blood Cells from donor
10400-0 | I Ag [Presence] on Red Blood Cells
10401-8 | Immune serum globulin given [Type]
10402-6 | Immune serum globulin given [Volume]
10403-4 | Inject immune serum globulin [Volume]
10404-2 | Inject Rh immune globulin [Volume]
10405-9 | Inject varicella zoster virus immune globulin [Volume]
10406-7 | little i Ag [Presence] on Red Blood Cells from Blood product unit
10407-5 | little i Ag [Presence] on Red Blood Cells from donor
10408-3 | little i Ag [Presence] on Red Blood Cells
10409-1 | Pentaspan given [Volume]
1041-3 | G Ag [Presence] on Red Blood Cells
10410-9 | Plasma given [Type]
10411-7 | Plasma given [Volume]
10412-5 | Platelets given [Type]
10413-3 | Rh immune globulin given [Volume]
10414-1 | Transfuse albumin [Volume]
10415-8 | Transfuse blood exchange transfusion [Volume]
10416-6 | Transfuse blood product other [Volume]
10417-4 | Transfuse cryoprecipitate [Volume]
10418-2 | Transfuse factor IX [Volume]
10419-0 | Transfuse factor VIII [Volume]
1042-1 | H Ab [Presence] in Serum or Plasma from Blood product unit
10420-8 | Transfuse immune serum globulin [Volume]
10421-6 | Transfuse Pentaspan [Volume]
10422-4 | Transfuse plasma [Volume]
10423-2 | Transfuse platelets [Volume]
10424-0 | Transfuse erythrocytes [Volume]
10425-7 | Transfuse Rh immune globulin [Volume]
10426-5 | Transfuse whole blood [Volume]
10427-3 | Transfuse whole blood autologous [Volume]
10428-1 | Varicella zoster virus immune globulin given [Volume]
10429-9 | AE 1 Ag [Presence] in Tissue by Immune stain
1043-9 | H Ab [Presence] in Serum or Plasma from donor
10430-7 | AE 3 Ag [Presence] in Tissue by Immune stain
10431-5 | B-cell Ag [Presence] in Tissue by Immune stain
10432-3 | CD30 Ag [Presence] in Tissue by Immune stain

10433-1 | BR-2 Ag [Presence] in Tissue by Immune stain
10434-9 | Complement C3 Ag [Presence] in Tissue by Immune stain
10435-6 | C5B-9 Ag [Presence] in Tissue by Immune stain
10436-4 | CD15 Ag [Presence] in Tissue by Immune stain
10437-2 | CD16 Ag [Presence] in Tissue by Immune stain
10438-0 | CD20 Ag [Presence] in Tissue by Immune stain
10439-8 | CD3 Ag [Presence] in Tissue by Immune stain
1044-7 | H Ab [Presence] in Serum
10440-6 | Deprecated CD30 Ag [Presence] in Tissue by Immune stain
10441-4 | CD34 Ag [Presence] in Tissue by Immune stain
10442-2 | CD56 Ag [Presence] in Tissue by Immune stain
10443-0 | CD43 T-cell monocyte+myeloid cell Ag [Presence] in Tissue by Immune stain
10444-8 | CD57 Ag [Presence] in Tissue by Immune stain
10445-5 | CD11c Ag [Presence] in Tissue by Immune stain
10446-3 | Leukocyte common Ag [Presence] in Tissue by Immune stain
10447-1 | M-5 Ag [Presence] in Tissue by Immune stain
10448-9 | T-cell Ag [Presence] in Tissue by Immune stain
10449-7 | Glucose [Mass/volume] in Serum or Plasma --1 hour post meal
1045-4 | H NOS Ab [Presence] in Serum or Plasma from Blood product unit
10450-5 | Glucose [Mass/volume] in Serum or Plasma --10 hours fasting
10451-3 | Proinsulin [Moles/volume] in Serum or Plasma --12 hours fasting
10452-1 | Xylose [Mass/volume] in Serum or Plasma --1 hour post 25 g xylose PO
10453-9 | Xylose [Mass/volume] in Serum or Plasma --1 hour post dose xylose PO
10454-7 | Xylose [Mass/volume] in Serum or Plasma --2 hours post 25 g xylose PO
10455-4 | Xylose [Mass/volume] in Serum or Plasma --30 minutes post 25 g xylose PO
10456-2 | Xylose [Mass/volume] in Serum or Plasma --6 hours fasting
10457-0 | Actin Ag [Presence] in Tissue by Immune stain
10458-8 | Alkaline phosphatase.placental Ag [Presence] in Tissue by Immune stain
10459-6 | Alpha-1-Fetoprotein Ag [Presence] in Tissue by Immune stain
1046-2 | H NOS Ab [Presence] in Serum or Plasma from donor
10460-4 | Lactalbumin alpha Ag [Presence] in Tissue by Immune stain
10461-2 | Alpha-1-Antichymotrypsin Ag [Presence] in Tissue by Immune stain
10462-0 | Alpha 1 antitrypsin Ag [Presence] in Tissue by Immune stain
10463-8 | Amyloid A component Ag [Presence] in Tissue by Immune stain
10464-6 | Amyloid P component Ag [Presence] in Tissue by Immune stain
10465-3 | Amyloid.prealbumin Ag [Presence] in Tissue by Immune stain
10466-1 | Anion gap 3 in Serum or Plasma
10467-9 | Beta-2-Microglobulin amyloid Ag [Presence] in Tissue by Immune stain
10468-7 | Calcitonin Ag [Presence] in Tissue by Immune stain
10469-5 | Carcinoembryonic Ag [Presence] in Tissue by Immune stain
1047-0 | H NOS Ab [Presence] in Serum or Plasma
10470-3 | Choriogonadotropin Ag [Presence] in Tissue by Immune stain
10471-1 | Chromogranin A Ag [Presence] in Tissue by Immune stain
10472-9 | Chromogranin Ag [Presence] in Tissue by Immune stain
10473-7 | Chymotrypsin Ag [Presence] in Tissue by Immune stain
10474-5 | Collagen type 4 Ag [Presence] in Tissue by Immune stain
10475-2 | Corticotropin Ag [Presence] in Tissue by Immune stain
10476-0 | Desmin Ag [Presence] in Tissue by Immune stain
10477-8 | Enolase.neuron specific Ag [Presence] in Tissue by Immune stain
10478-6 | Eosinophil major basic protein Ag [Presence] in Tissue by Immune stain
10479-4 | CD227 Ag [Presence] in Tissue by Immune stain
1048-8 | H NOS Ag [Presence] on Red Blood Cells from Blood product unit
10480-2 | Estrogen+Progesterone receptor Ag [Presence] in Tissue by Immune stain
10481-0 | Follitropin.alpha subunit Ag [Presence] in Tissue by Immune stain
10482-8 | Follitropin.beta subunit Ag [Presence] in Tissue by Immune stain
10483-6 | Gastrin Ag [Presence] in Tissue by Immune stain
10484-4 | Glial fibrillary acidic protein Ag [Presence] in Tissue by Immune stain
10485-1 | Glucagon Ag [Presence] in Tissue by Immune stain
10486-9 | Hemoglobin Ag [Presence] in Tissue by Immune stain
10487-7 | HMB-45 Ag [Presence] in Tissue by Immune stain
10488-5 | IgA Ag [Presence] in Tissue by Immune stain
10489-3 | IgA.heavy chain Ag [Presence] in Tissue by Immune stain
1049-6 | H NOS Ag [Presence] on Red Blood Cells from donor
10490-1 | IgE Ag [Presence] in Tissue by Immune stain
10491-9 | IgG Ag [Presence] in Tissue by Immune stain
10492-7 | IgG.heavy chain Ag [Presence] in Tissue by Immune stain
10493-5 | IgM Ag [Presence] in Tissue by Immune stain
10494-3 | IgM.heavy chain Ag [Presence] in Tissue by Immune stain
10495-0 | Insulin Ag [Presence] in Tissue by Immune stain
10496-8 | Immunoglobulin light chains.kappa Ag [Presence] in Tissue by Immune stain
10497-6 | Immunoglobulin light chains.kappa amyloid Ag [Presence] in Tissue by Immune stain
10498-4 | Keratin Ag [Presence] in Tissue by Immune stain

10499-2 | Immunoglobulin light chains.lambda Ag [Presence] in Tissue by Immune stain
105-7 | Ceforanide [Susceptibility] by Disk diffusion (KB)
1050-4 | H NOS Ag [Presence] on Red Blood Cells
10500-7 | Immunoglobulin light chains.lambda amyloid Ag [Presence] in Tissue by Immune stain
10501-5 | Lutropin [Units/volume] in Serum or Plasma
10502-3 | Lutropin Ag [Presence] in Tissue by Immune stain
10503-1 | Lysozyme Ag [Presence] in Tissue by Immune stain
10504-9 | Myelin basic protein Ag [Presence] in Tissue by Immune stain
10505-6 | Myoglobin Ag [Presence] in Tissue by Immune stain
10506-4 | Peanut agglutinin Ag [Presence] in Tissue by Immune stain
10507-2 | Prolactin Ag [Presence] in Tissue by Immune stain
10508-0 | Prostate specific Ag [Presence] in Tissue by Immune stain
10509-8 | Prostatic acid phosphatase Ag [Presence] in Tissue by Immune stain
1051-2 | Hemolytic disease of newborn screen [Interpretation] in Blood
10510-6 | S-100 Ag Ag [Presence] in Tissue by Immune stain
10511-4 | Serotonin Ag [Presence] in Tissue by Immune stain
10512-2 | Somatostatin Ag [Presence] in Tissue by Immune stain
10513-0 | Somatotropin Ag [Presence] in Tissue by Immune stain
10514-8 | Synaptophysin Ag [Presence] in Tissue by Immune stain
10515-5 | Thyroglobulin Ag [Presence] in Tissue by Immune stain
10516-3 | Thyrotropin Ag [Presence] in Tissue by Immune stain
10517-1 | Trypsin Ag [Presence] in Tissue by Immune stain
10518-9 | Ulex europaeus I lectin Ag [Presence] in Tissue by Immune stain
10519-7 | Vimentin Ag [Presence] in Tissue by Immune stain
1052-0 | Deprecated I (intermediate) subtype [Presence] in Serum or Plasma from Blood product unit
10520-5 | Coagulation factor VI Ag [Presence] in Tissue by Immune stain
10521-3 | Coagulation factor VIII Ag [Presence] in Tissue by Immune stain
10522-1 | Coagulation factor XIII Ag [Presence] in Tissue by Immune stain
10523-9 | Fibrinogen Ag [Presence] in Tissue by Immune stain
10524-7 | Microscopic observation [Identifier] in Cervix by Cyto stain
10525-4 | Microscopic observation [Identifier] in Unspecified specimen by Cyto stain
10526-2 | Microscopic observation [Identifier] in Sputum by Cyto stain
10527-0 | Microscopic observation [Identifier] in Tissue by Cyto stain
10528-8 | Acetophenazine [Mass/volume] in Serum or Plasma
10529-6 | Amoxapine metabolite [Mass/volume] in Serum or Plasma
1053-8 | Deprecated I (intermediate) subtype [Presence] in serum or plasma from donor
10530-4 | Aprobarbital [Mass/volume] in Serum or Plasma
10531-2 | Bretylium [Mass/volume] in Serum or Plasma
10532-0 | Deprecated Desethylamiodarone [Mass/volume] in Serum or Plasma
10533-8 | Propoxyphene+Acetaminophen [Mass/volume] in Serum or Plasma
10534-6 | Diazoxide [Mass/volume] in Serum or Plasma
10535-3 | Digoxin [Mass/volume] in Serum or Plasma
10536-1 | Dipyridamole [Mass/volume] in Serum or Plasma
10537-9 | Deprecated Doxepin+Nordoxepin [Mass/volume] in Serum or Plasma
10538-7 | Deprecated Fluoxetine+Norfluoxetine [Mass/volume] in Serum or Plasma
10539-5 | Glipizide [Mass/volume] in Serum or Plasma
1054-6 | Deprecated I (intermediate) subtype [Presence] in srum
10540-3 | Glyburide [Mass/volume] in Serum or Plasma
10541-1 | Mepivacaine [Mass/volume] in Serum or Plasma
10542-9 | Metharbital [Mass/volume] in Serum or Plasma
10543-7 | Methsuximide+Normethsuximide [Mass/volume] in Serum or Plasma
10544-5 | Normeperidine [Presence] in Serum or Plasma
10545-2 | Normephenytoin [Mass/volume] in Serum or Plasma
10546-0 | Normethsuximide [Mass/volume] in Serum or Plasma
10547-8 | Primidone+Phenobarbital [Mass/volume] in Serum or Plasma
10548-6 | Phenytoin Free/Phenytoin.total in Serum or Plasma
10549-4 | Pirmenol [Mass/volume] in Serum or Plasma
1055-3 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from Blood product unit
10550-2 | Deprecated Temazepam [Mass/volume] in Serum or Plasma
10551-0 | Triamterene [Mass/volume] in Serum or Plasma
10552-8 | Tricyclic antidepressants [Mass/volume] in Serum or Plasma
10553-6 | Prostatic acid phosphatase [Enzymatic activity/volume] in Genital fluid
10554-4 | Deprecated Prostatic acid phosphatase [Enzymatic activity/volume] in Seminal plasma
10555-1 | Acrosin [Entitic Catalytic Activity] in Spermatozoa
10556-9 | Deprecated Adenosine triphosphatase [Enzymatic activity/volume] in Seminal plasma
10557-7 | Adenosine triphosphate [Moles/volume] in Semen
10558-5 | Albumin [Moles/volume] in Semen
10559-3 | Deprecated Calcium [Molecules/volume] in Semen
1056-1 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells from donor
10560-1 | Carcinoembryonic Ag [Units/volume] in Semen
10561-9 | Carnitine [Moles/volume] in Semen
10562-7 | Cells [#/volume] in Cervical mucus

10563-5 | Cells other than spermatozoa [#/volume] in Semen
10564-3 | Cervical mucus [Volume]
10565-0 | Choriogonadotropin [Units/volume] in Semen
10566-8 | Deprecated Choriogonadotropin [Molecules/volume] in Semen
10567-6 | Citrate [Moles/volume] in Semen
10568-4 | Clarity of Semen
10569-2 | Color of Semen
1057-9 | Deprecated I (intermediate) subtype [Presence] on Red Blood Cells
10570-0 | Consistency of Cervical mucus
10571-8 | Deprecated Consistency of Semen
10572-6 | Deprecated Duration^post ejaculation
10573-4 | Ferning [Type] in Cervical mucus
10574-2 | Fructose [Moles/volume] in Semen
10575-9 | Deprecated Gamma glutamyl transferase [Enzymatic activity/volume] in Semen
10576-7 | Germ cells.immature [#/volume] in Semen
10577-5 | Glucosidase [Enzymatic activity/volume] in Seminal plasma
10578-3 | Glycerophosphocholine [Moles/volume] in Seminal plasma
10579-1 | Leukocytes [#/volume] in Semen
1058-7 | I Ab [Presence] in Serum or Plasma from Blood product unit
10580-9 | Liquefaction [Time] in Semen
10581-7 | Deprecated Number of entities [#] in Spermatozoa
10582-5 | pH of Cervical mucus
10583-3 | Prostaglandin F1 alpha [Moles/volume] in Semen
10584-1 | Deprecated Protein [Mass/volume] in Semen
10585-8 | Round cells [#/volume] in Semen
10586-6 | Deprecated Volume of Semen
10587-4 | Sexual abstinence duration
10588-2 | Spermatogonia [#/volume] in Semen
10589-0 | Spermatids [#/volume] in Semen by Streptoavidin-biotin method (SAB)
1059-5 | I Ab [Presence] in Serum or Plasma from donor
10590-8 | Spermatids [#/volume] in Semen by Sertoli cell barrier method (SCB)
10591-6 | Primary Spermatocytes [#/volume] in Semen
10592-4 | Secondary Spermatocytes [#/volume] in Semen
10593-2 | Spermatozoa Pyriform Head/100 spermatozoa in Semen
10594-0 | Spermatozoa Tapering Head/100 spermatozoa in Semen
10595-7 | Deprecated Spermatozoa [#/volume] in Semen
10596-5 | Deprecated Spermatozoa Ab in cervical mucosa
10597-3 | Deprecated Spermatozoa Ab in semen
10598-1 | Deprecated Spermatozoa Ab in serum
10599-9 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa by Kremer test
106-5 | Ceforanide [Susceptibility] by Serum bactericidal titer
1060-3 | I Ab [Presence] in Serum or Plasma
10600-5 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa
10601-3 | Spermatozoa penetration [Presence] in Seminal fluid and Cervical mucosa --post coitus
10602-1 | Spermatozoa Abnormal Head/100 spermatozoa in Semen
10603-9 | Spermatozoa Abnormal Midpiece/100 spermatozoa in Semen
10604-7 | Spermatozoa Abnormal Tail/100 spermatozoa in Semen
10605-4 | Spermatozoa Agglutinated/100 spermatozoa in Semen
10606-2 | Spermatozoa Amorphous Head/100 spermatozoa in Semen
10607-0 | Spermatozoa Coiled Tail/100 spermatozoa in Semen
10608-8 | Spermatozoa Cytoplasmic Droplet/100 spermatozoa in Semen
10609-6 | Spermatozoa Duplicate Head/100 spermatozoa in Semen
1061-1 | I NOS Ab [Presence] in Serum or Plasma from Blood product unit
10610-4 | Spermatozoa Duplicate Tail/100 spermatozoa in Semen
10611-2 | Spermatozoa Immotile/100 spermatozoa in Semen
10612-0 | Spermatozoa Large Oval Head/100 spermatozoa in Semen
10613-8 | Spermatozoa Viable/100 spermatozoa in Semen
10614-6 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Immunobead
10615-3 | Spermatozoa Motile w IgA/100 spermatozoa in Semen by Mixed antiglobulin reaction
10616-1 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Immunobead
10617-9 | Spermatozoa Motile w IgG/100 spermatozoa in Semen by Mixed antiglobulin reaction
10618-7 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Immunobead
10619-5 | Spermatozoa Motile w IgM/100 spermatozoa in Semen by Mixed antiglobulin reaction
1062-9 | I NOS Ab [Presence] in Serum or Plasma from donor
10620-3 | Spermatozoa Nonprogressive/100 spermatozoa in Semen
10621-1 | Spermatozoa Normal Head/100 spermatozoa in Semen
10622-9 | Spermatozoa Normal/100 spermatozoa in Semen
10623-7 | Spermatozoa Pin Head/100 spermatozoa in Semen
10624-5 | Spermatozoa Rapid/100 spermatozoa in Semen
10625-2 | Spermatozoa Round Head/100 spermatozoa in Semen
10626-0 | Spermatozoa Slow/100 spermatozoa in Semen
10627-8 | Spermatozoa Small Oval Head/100 spermatozoa in Semen

10628-6 | Spermatozoa Tail Swelling/100 spermatozoa in Semen
10629-4 | Spermatozoa Vacuolated Head/100 spermatozoa in Semen
1063-7 | I NOS Ab [Presence] in Serum or Plasma
10630-2 | Spinnbarkeit [Length] in Cervical mucus
10631-0 | Testosterone [Moles/volume] in Semen
10632-8 | Time until next menstrual period
10633-6 | Zinc [Moles/volume] in Semen
10634-4 | Complement C1 esterase inhibitor.functional/Complement C1 esterase inhibitor.total in Serum or Plasma
10635-1 | Acanthamoeba sp identified in Eye by Organism specific culture
10636-9 | Acanthamoeba sp identified in Eye by Wet preparation
10637-7 | Microscopic observation [Identifier] in Tissue by Night blue stain
10638-5 | Thermophilic Actinomycetes colony count [#/volume] in Unspecified specimen by Organism specific culture
10639-3 | Thermophilic Actinomycetes identified in Unspecified specimen by Organism specific culture
1064-5 | I NOS Ag [Presence] on Red Blood Cells from Blood product unit
10640-1 | Deprecated Adenovirus 40+41 [Identifier] in Stool by Electron microscopy
10641-9 | Amoeba identified in Aspirate by Immune stain
10642-7 | Amoeba identified in Aspirate by Wet preparation
10643-5 | Amoeba identified in Stool by Organism specific culture
10644-3 | Arthropod identified in Unspecified specimen
10645-0 | Aspergillus fumigatus Ag [Presence] in Tissue by Immunofluorescence
10646-8 | Astrovirus [Identifier] in Stool by Electron microscopy
10647-6 | Babesia sp identified in Blood by Thick film
10648-4 | Babesia sp identified in Blood by Thin film
10649-2 | Calicivirus [Identifier] in Stool by Electron microscopy
1065-2 | I NOS Ag [Presence] on Red Blood Cells from donor
10650-0 | Candida sp DNA [Presence] in Blood by Probe with amplification
10651-8 | Chlamydophila pneumoniae Ag [Presence] in Sputum or Bronchial
10652-6 | Chlamydophila pneumoniae DNA [Presence] in Sputum or Bronchial by Probe with amplification
10653-4 | Clotrimazole [Susceptibility] by Minimum inhibitory concentration (MIC)
10654-2 | Clotrimazole [Susceptibility] by Minimum lethal concentration (MLC)
10655-9 | Coccidia identified in Duodenal fluid by Acid fast stain
10656-7 | Coccidia identified in Stool by Acid fast stain
10657-5 | Deprecated Cryptococcus neoformans Ag [Presence] in Tissue by Immunofluorescence
10658-3 | Cyanobacterium identified in Water by Light microscopy
10659-1 | Cyclospora sp identified in Stool by Acid fast stain
1066-0 | I NOS Ag [Presence] on Red Blood Cells
10660-9 | Cytomegalovirus Ag [Presence] in Tissue by Immune stain
10661-7 | Dinoflagellate identified in Water by Light microscopy
10662-5 | Filaria identified in Blood by Concentration
10663-3 | Filaria identified in Blood by Thick film
10664-1 | Filaria identified in Blood by Thin film
10665-8 | Fungus colony count [#/volume] in Unspecified specimen by Environmental culture
10666-6 | Fungus identified in Tissue by Fontana-Masson stain
10667-4 | Fungus identified in Unspecified specimen by Animal inoculation
10668-2 | Fungus identified in Unspecified specimen by Environmental culture
10669-0 | Fungus identified in Unspecified specimen by Sticky tape for environmental fungus
1067-8 | Jk sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10670-8 | Giardia lamblia [Presence] in Stool by Organism specific culture
10671-6 | Helminth identified in Unspecified specimen
10672-4 | Helminth+Arthropod identified in Unspecified specimen
10673-2 | Hepatitis B virus core Ag [Presence] in Tissue by Immune stain
10674-0 | Hepatitis B virus surface Ag [Presence] in Tissue by Immune stain
10675-7 | Hepatitis B virus surface Ag [Presence] in Tissue by Orcein stain
10676-5 | Hepatitis C virus RNA [Units/volume] (viral load) in Serum or Plasma by Probe with amplification
10677-3 | Herpes simplex virus 1 Ag [Presence] in Tissue by Immune stain
10678-1 | Herpes simplex virus 1+2 Ag [Presence] in Tissue by Immune stain
10679-9 | Herpes simplex virus 2 Ag [Presence] in Tissue by Immune stain
1068-6 | Jk sup(a) Ab [Presence] in Serum or Plasma from donor
10680-7 | Herpes simplex virus identified in Cerebral spinal fluid by Electron microscopy
10681-5 | Herpes simplex virus identified in Tissue by Electron microscopy
10682-3 | Deprecated HIV 1 RNA [Units/volume] in Serum or Plasma by Probe with amplification
10683-1 | Hydatid cyst identified in Aspirate by Immune stain
10684-9 | Hydatid cyst identified in Liver by Wet preparation
10685-6 | Hydatid cyst identified in Lung tissue by Wet preparation
10686-4 | Leishmania sp identified in Tissue by Giemsa stain
10687-2 | Leishmania sp identified in Tissue by Organism specific culture
10688-0 | Microscopic observation [Identifier] in Hair by KOH preparation
10689-8 | Microscopic observation [Identifier] in Nail by KOH preparation
1069-4 | Jk sup(a) Ab [Presence] in Serum or Plasma
10690-6 | Microsporidia identified in Duodenal fluid by Trichrome stain modified
10691-4 | Mushroom.toxic identified by Inspection
10692-2 | Mushroom.toxic identified in Food by Light microscopy

10693-0 | Mushroom.toxic identified in Vomitus by Light microscopy
10694-8 | Naegleria sp identified in Tissue by Organism specific culture
10695-5 | Naegleria sp identified in Tissue by Wet preparation
10696-3 | Norovirus [Identifier] in Stool by Electron microscopy
10697-1 | Nystatin [Susceptibility] by Minimum inhibitory concentration (MIC)
10698-9 | Nystatin [Susceptibility] by Minimum lethal concentration (MLC)
10699-7 | Onchocerca sp identified in Tissue by Wet preparation
107-3 | Cefotaxime [Susceptibility] by Minimum lethal concentration (MLC)
1070-2 | Jk sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10700-3 | Orthopoxvirus [Identifier] in Skin by Electron microscopy
10701-1 | Ova and parasites identified in Stool by Concentration
10702-9 | Ova and parasites identified in Stool by Immune stain
10703-7 | Ova and parasites identified in Stool by Kinyoun iron hematoxylin stain
10704-5 | Ova and parasites identified in Stool by Light microscopy
10705-2 | Human papilloma virus Ag [Presence] in Tissue by Immune stain
10706-0 | Picornavirus [Identifier] in Stool by Electron microscopy
10707-8 | Toxic Plant identified in plant specimen by Inspection
10708-6 | Toxic Plant identified in Vomitus by Light microscopy
10709-4 | Plasmodium falciparum Ag [Units/volume] in Blood by Immunofluorescence
1071-0 | Jk sup(a) Ag [Presence] on Red Blood Cells from donor
10710-2 | Plasmodium sp identified in Blood by Thin film
10711-0 | Plasmodium vivax Ag [Units/volume] in Blood by Immunofluorescence
10712-8 | Pneumocystis sp identified in Lung tissue
10713-6 | Prototheca identified in Unspecified specimen by Culture
10714-4 | Deprecated Rotavirus [Identifier] in Stool by Electron microscopy
10715-1 | Schistosoma sp identified in Urine sediment by Light microscopy
10716-9 | Schistosoma sp identified in Unspecified specimen by Organism specific culture
10717-7 | Streptococcus pneumoniae Ab [Units/volume] in Serum by Latex agglutination
10718-5 | Strongyloides sp Ab [Units/volume] in Serum by Immunoassay
10719-3 | Taenia solium adult Ab [Units/volume] in Serum by Immunoblot (IB)
1072-8 | Jk sup(a) Ag [Presence] on Red Blood Cells
10720-1 | Terbinafine [Susceptibility] by Minimum inhibitory concentration (MIC)
10721-9 | Terbinafine [Susceptibility] by Minimum lethal concentration (MLC)
10722-7 | Torovirus [Identifier] in Stool by Electron microscopy
10723-5 | Toxoplasma gondii IgA Ab [Units/volume] in Serum by Immunoassay
10724-3 | Toxoplasma gondii IgE Ab [Units/volume] in Serum by Immunoassay
10725-0 | Toxoplasma gondii DNA [Units/volume] in Body fluid by Probe with amplification
10726-8 | Toxoplasma gondii [Presence] in Tissue by Giemsa stain
10727-6 | Toxoplasma gondii identified in Tissue
10728-4 | Trichomonas sp identified in Genital specimen by Organism specific culture
10729-2 | Trypanosoma sp identified in Blood by Light microscopy
1073-6 | Jk sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10730-0 | Trypanosoma sp identified in Blood by Organism specific culture
10731-8 | Trypanosoma sp identified in Blood by Thick film
10732-6 | Trypanosoma sp identified in Blood by Thin film
10733-4 | Trypanosoma sp identified in Blood by Wet preparation
10734-2 | Varicella zoster virus identified in Skin by Electron microscopy
10735-9 | Viral sequencing [Identifier] in Serum by Sequencing
10736-7 | Virus identified in Cerebral spinal fluid by Electron microscopy
10737-5 | Virus identified in Stool by Electron microscopy
10738-3 | Virus identified in Tissue by Electron microscopy
10739-1 | Virus identified in Unspecified specimen by Electron microscopy
1074-4 | Jk sup(b) Ab [Presence] in Serum or Plasma from donor
10740-9 | Aluminum.microscopic observation [Identifier] in Bone by Histomorphometry stain
10741-7 | Amyloid.microscopic observation [Identifier] in Brain by Thioflavine-S stain
10742-5 | Amyloid.microscopic observation [Identifier] in Tissue by Bennhold stain.Putchler modified
10743-3 | Amyloid.microscopic observation [Identifier] in Tissue by Highman stain
10744-1 | Amyloid.microscopic observation [Identifier] in Tissue by Vassar-culling stain
10745-8 | Bile.microscopic observation [Identifier] in Tissue by Fouchet stain
10746-6 | Calcium.microscopic observation [Identifier] in Tissue by Von Kossa stain
10747-4 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Lawson-Van Gieson stain
10748-2 | Collagen fibers+Elastic fibers.microscopic observation [Identifier] in Tissue by Verhoeff-Van Gieson stain
10749-0 | Collagen fibers.microscopic observation [Identifier] in Tissue by Van Gieson stain
1075-1 | Jk sup(b) Ab [Presence] in Serum or Plasma
10750-8 | Connective tissue.microscopic observation [Identifier] in Tissue by Trichrome stain.Masson
10751-6 | Copper.microscopic observation [Identifier] in Tissue by Rhodamine stain
10752-4 | Fat.microscopic observation [Identifier] in Milk by Sudan IV stain
10753-2 | Fat.microscopic observation [Identifier] in Stool by Sudan IV stain
10754-0 | Fat.microscopic observation [Identifier] in Tissue by Sudan IV stain
10755-7 | Fungus.microscopic observation [Identifier] in Tissue by Methenamine silver stain.Grocott
10756-5 | Glial fibers.microscopic observation [Identifier] in Tissue by Holzer stain
10757-3 | Hematologic+Nuclear elements.microscopic observation [Identifier] in Tissue by Giemsa stain.May-Grunwald

10758-1 | Iron.microscopic observation [Identifier] in Bone by Histomorphometry stain
10759-9 | Iron.microscopic observation [Identifier] in Sputum by Gomori stain
1076-9 | Jk sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10760-7 | Iron.microscopic observation [Identifier] in Tissue by Gomori stain
10761-5 | Iron.microscopic observation [Identifier] in Tissue by Other stain
10762-3 | Microscopic observation [Identifier] in Blood by Hemosiderin stain
10763-1 | Microscopic observation [Identifier] in Body fluid by Sudan black stain
10764-9 | Microscopic observation [Identifier] in Sputum by Silver stain
10765-6 | Microscopic observation [Identifier] in Tissue by Acetate esterase stain
10766-4 | Microscopic observation [Identifier] in Tissue by Alcian blue stain
10767-2 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.sulfated
10768-0 | Microscopic observation [Identifier] in Tissue by Alcian blue stain.with periodic acid-Schiff
10769-8 | Microscopic observation [Identifier] in Tissue by Alizarin red S stain
1077-7 | Jk sup(b) Ag [Presence] on Red Blood Cells from donor
10770-6 | Microscopic observation [Identifier] in Tissue by Argentaffin stain
10771-4 | Deprecated Microscopic observation [Identifier] in Tissue by Rhodamine-auramine fluorochrome stain
10772-2 | Microscopic observation [Identifier] in Tissue by Azure-eosin stain
10773-0 | Microscopic observation [Identifier] in Tissue by Basic fuchsin stain
10774-8 | Microscopic observation [Identifier] in Tissue by Bielschowsky stain
10775-5 | Microscopic observation [Identifier] in Tissue by Bleach stain
10776-3 | Microscopic observation [Identifier] in Tissue by Bodian stain
10777-1 | Microscopic observation [Identifier] in Tissue by Brown and Brenn stain
10778-9 | Microscopic observation [Identifier] in Tissue by Butyrate esterase stain
10779-7 | Microscopic observation [Identifier] in Tissue by Carmine stain.Best
1078-5 | Jk sup(b) Ag [Presence] on Red Blood Cells
10780-5 | Microscopic observation [Identifier] in Tissue by Chloracetate esterase stain
10781-3 | Microscopic observation [Identifier] in Tissue by Churukian-Schenk stain
10782-1 | Microscopic observation [Identifier] in Tissue by Congo red stain
10783-9 | Microscopic observation [Identifier] in Tissue by Crystal violet stain
10784-7 | Microscopic observation [Identifier] in Tissue by Esterase stain.non-specific
10785-4 | Microscopic observation [Identifier] in Tissue by Fite-Faraco stain
10786-2 | Microscopic observation [Identifier] in Tissue by Giemsa stain.3 micron
10787-0 | Microscopic observation [Identifier] in Tissue by Gridley stain
10788-8 | Microscopic observation [Identifier] in Tissue by Hansel stain
10789-6 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Harris regressive stain
1079-3 | Js sup(a) Ab [Presence] in Serum or Plasma from Blood product unit
10790-4 | Microscopic observation [Identifier] in Tissue by Hematoxylin-eosin-Mayers progressive stain
10791-2 | Microscopic observation [Identifier] in Tissue by Mallory-Heidenhain stain
10792-0 | Microscopic observation [Identifier] in Tissue by Methenamine silver stain.Jones
10793-8 | Microscopic observation [Identifier] in Tissue by Methyl green stain
10794-6 | Microscopic observation [Identifier] in Tissue by Methyl green-pyronine Y stain
10795-3 | Microscopic observation [Identifier] in Tissue by Methyl violet stain
10796-1 | Microscopic observation [Identifier] in Tissue by Mucicarmine stain
10797-9 | Microscopic observation [Identifier] in Tissue by Neutral red stain
10798-7 | Microscopic observation [Identifier] in Tissue by Oil red O stain
10799-5 | Microscopic observation [Identifier] in Tissue by Pentachrome stain.Movat
108-1 | Cefotaxime [Susceptibility] by Minimum inhibitory concentration (MIC)
1080-1 | Js sup(a) Ab [Presence] in Serum or Plasma from donor
10800-1 | Microscopic observation [Identifier] in Tissue by Periodic acid-Schiff stain with diatase digestion
10801-9 | Microscopic observation [Identifier] in Tissue by Phosphotungstic acid Hematoxylin (PTAH) Stain
10802-7 | Microscopic observation [Identifier] in Tissue by Prussian blue stain
10803-5 | Microscopic observation [Identifier] in Tissue by Quinacrine fluorescent stain
10804-3 | Microscopic observation [Identifier] in Tissue by Reticulin stain
10805-0 | Microscopic observation [Identifier] in Tissue by Safranin stain
10806-8 | Microscopic observation [Identifier] in Tissue by Schmorl stain
10807-6 | Microscopic observation [Identifier] in Tissue by Sevier-Munger stain
10808-4 | Microscopic observation [Identifier] in Tissue by Silver impregnation stain.Dieterle
10809-2 | Microscopic observation [Identifier] in Tissue by Silver nitrate stain
1081-9 | Js sup(a) Ab [Presence] in Serum or Plasma
10810-0 | Microscopic observation [Identifier] in Tissue by Silver stain.Fontana-Masson
10811-8 | Microscopic observation [Identifier] in Tissue by Silver stain.Grimelius
10812-6 | Microscopic observation [Identifier] in Tissue by Steiner stain
10813-4 | Microscopic observation [Identifier] in Tissue by Sudan black stain
10814-2 | Microscopic observation [Identifier] in Tissue by Supravital stain
10815-9 | Microscopic observation [Identifier] in Tissue by Tetrachrome stain
10816-7 | Deprecated Microscopic observation [Identifier] in Tissue by Toluidine blue O stain
10817-5 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Gomori-Wheatley
10818-3 | Microscopic observation [Identifier] in Tissue by Trichrome stain.Masson modified
10819-1 | Microscopic observation [Identifier] in Tissue by Wade stain
1082-7 | Js sup(a) Ag [Presence] on Red Blood Cells from Blood product unit
10820-9 | Deprecated Microscopic observation [Identifier] in Tissue by Warthin-Starry stain
10821-7 | Deprecated Microscopic observation [Identifier] in Tissue by Wright Giemsa stain

10822-5 | Mucin.microscopic observation [Identifier] in Tissue by Mucicarmine stain.Mayer
10823-3 | Mucopolysaccharides.microscopic observation [Identifier] in Tissue by Colloidal ferric oxide stain.Hale
10824-1 | Myelin+Myelin breakdown products.microscopic observation [Identifier] in Tissue by Luxol fast blue/Periodic acid-Schiff stain
10825-8 | Myelin+Nerve cells.microscopic observation [Identifier] in Tissue by Luxol fast blue/Cresyl violet stain
10826-6 | Nissel.microscopic observation [Identifier] in Tissue by Cresyl echt violet stain
10827-4 | Reticulum.microscopic observation [Identifier] in Tissue by Gomori stain
10828-2 | Urate crystals.microscopic observation [type] in Tissue by De Galantha stain
10829-0 | Silicon [Mass/volume] in Serum or Plasma
1083-5 | Js sup(a) Ag [Presence] on Red Blood Cells from donor
10830-8 | Deprecated Surgical operation note complications
10831-6 | Surgical operation note complications [Interpretation]
10832-4 | Glucose [Mass/volume] in Serum or Plasma --15 minutes post 50 g lactose PO
10833-2 | Insulin [Mass/volume] in Serum or Plasma --7 hours post 75 g glucose PO
10834-0 | Globulin [Mass/volume] in Serum by calculation
10835-7 | Lipoprotein a [Mass/volume] in Serum or Plasma
10836-5 | Niacin [Mass/volume] in Blood
10837-3 | Organic acids [Presence] in Serum or Plasma
10838-1 | Phosphoserine [Mass/volume] in Serum or Plasma
10839-9 | Troponin I.cardiac [Mass/volume] in Serum or Plasma
1084-3 | Js sup(a) Ag [Presence] on Red Blood Cells
10840-7 | Atropine [Mass/volume] in Urine
10841-5 | Methazolamide [Mass/volume] in Serum or Plasma
10842-3 | Deprecated HLA-DQ1 [Presence]
10843-1 | Deprecated HLA-DQ2 [Presence]
10844-9 | Deprecated HLA-DQ3 [Presence]
10845-6 | Deprecated HLA-DQ4 [Presence]
10846-4 | Borrelia burgdorferi DNA [Presence] in Blood by Probe with amplification
10847-2 | Borrelia burgdorferi DNA [Presence] in Body fluid by Probe with amplification
10848-0 | Chlamydia sp IgG Ab [Titer] in Serum by Immunofluorescence
10849-8 | Chlamydia sp IgM Ab [Titer] in Serum by Immunofluorescence
1085-0 | Js sup(b) Ab [Presence] in Serum or Plasma from Blood product unit
10850-6 | Cyclospora cayetanensis [Presence] in Unspecified specimen
10851-4 | Escherichia coli O157:H7 [Presence] in Stool by Organism specific culture
10852-2 | Deprecated Fungus identified in Blood by Culture
10853-0 | Isospora belli [Presence] in Unspecified specimen by Acid fast stain.Kinyoun modified
10854-8 | Deprecated Midrofilaria identified in Blood by Concentration
10855-5 | Ova and parasites identified in Duodenal fluid or Gastric fluid by Light microscopy
10856-3 | Microscopic observation [Identifier] in Genital mucus by Gram stain
10857-1 | Microsporidia identified in Unspecified specimen by Light microscopy
10858-9 | Teichoate Ab [Presence] in Serum
10859-7 | Trypanosoma sp [Identifier] in Blood by Acridine Orange + Giemsa Stain
1086-8 | Js sup(b) Ab [Presence] in Serum or Plasma from donor
10860-5 | Varicella zoster virus [Presence] in Unspecified specimen by Organism specific culture
10861-3 | Progesterone receptor [Mass/mass] in Tissue
10862-1 | Basement membrane Ab [Titer] in Serum
10863-9 | Endomysium IgA Ab [Titer] in Serum
10864-7 | Immune complex [Units/volume] in Serum or Plasma by Raji cell assay
10865-4 | Intercellular substance Ab [Presence] in Serum
10866-2 | Sulfatide IgG Ab [Titer] in Serum
10867-0 | Sulfatide IgM Ab [Titer] in Serum
10868-8 | Bacitracin [Susceptibility] by Disk diffusion (KB)
10869-6 | Xylose [Mass/volume] in Blood --3 hours post 25 g xylose PO
1087-6 | Js sup(b) Ab [Presence] in Serum or Plasma
10870-4 | Xylose [Mass/volume] in Blood --4 hours post 25 g xylose PO
10871-2 | Xylose [Mass/volume] in Blood --5 hours post 25 g xylose PO
10872-0 | Xylose [Mass/volume] in Blood --baseline
10873-8 | Beta-2-Microglobulin [Mass/time] in 24 hour Urine
10874-6 | Bombesin [Mass/volume] in Plasma
10875-3 | Carnitine esters [Mass/volume] in Urine
10876-1 | Carnitine esters [Mass/volume] in Serum or Plasma
10877-9 | Carnitine free (C0) [Mass/volume] in Urine
10878-7 | Iodine.protein bound [Mass/volume] in Serum or Plasma
10879-5 | Isovalerylglycine [Mass/volume] in Urine
1088-4 | Js sup(b) Ag [Presence] on Red Blood Cells from Blood product unit
10880-3 | Magnesium [Mass/mass] in Stool
10881-1 | Pentacarboxylporphyrins [Mass/volume] in Red Blood Cells
10882-9 | Pentacarboxylporphyrins [Mass/volume] in Serum or Plasma
10883-7 | Phenolphthalein [Mass/mass] in Stool
10884-5 | Phosphate [Mass/mass] in Stool
10885-2 | Porphyrins [Mass/time] in 24 hour Urine
10886-0 | Prostate Specific Ag Free [Mass/volume] in Serum or Plasma
10887-8 | Pyridinoline [Mass/time] in 24 hour Urine

10888-6 | Lipase [Enzymatic activity/volume] in Urine
10889-4 | Bisacodyl [Mass/mass] in Stool
1089-2 | Js sup(b) Ag [Presence] on Red Blood Cells from donor
10890-2 | Deprecated Normethsuximide [Mass/volume] in Serum or Plasma
10891-0 | Oxyphenisatin [Mass/mass] in Stool
10892-8 | Pentoxifylline [Mass/volume] in Serum or Plasma
10893-6 | Trenbolone [Mass/volume] in Urine
10894-4 | Aspergillus niger Ab [Presence] in Serum by Immune diffusion (ID)
10895-1 | Clostridium difficile toxin B [Presence] in Stool
10896-9 | Eastern equine encephalitis virus IgG Ab [Titer] in Serum by Immunofluorescence
10897-7 | Eastern equine encephalitis virus IgG Ab [Titer] in Cerebral spinal fluid by Immunofluorescence
10898-5 | Eastern equine encephalitis virus IgM Ab [Titer] in Serum by Immunofluorescence

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.747 Value Set http://hl7.org/fhir/ValueSet/library-type

URL: https://hl7.org/fhir/STU3/valueset-library-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/library-type
Name: | LibraryType
Definition: | The type of knowledge asset this library contains
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.747 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for LibraryType

* Library.type (Extensible)

4.3.1.747.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/library-type

4.3.1.747.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/library-type version 3.0.2

All codes from system http://hl7.org/fhir/library-type

Code | Display | Definition
logic-library | Logic Library | The resource is a shareable library of formalized knowledge
model-definition | Model Definition | The resource is a definition of an information model
asset-collection | Asset Collection | The resource is a collection of knowledge assets
module-definition | Module Definition | The resource defines the dependencies, parameters, and data requirements for a particular module or evaluation context

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.749 Value Set http://hl7.org/fhir/ValueSet/measure-population

URL: https://hl7.org/fhir/STU3/valueset-measure-population.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Quality Information Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-population
Name: | MeasurePopulationType
Definition: | The type of population
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.749 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MeasurePopulationType

* Measure.group.population.code (Extensible)

* MeasureReport.group.population.code (Extensible)

* MeasureReport.group.stratifier.stratum.population.code (Extensible)

4.3.1.749.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/measure-population

4.3.1.749.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/measure-population version 3.0.2

All codes from system http://hl7.org/fhir/measure-population

Code | Display | Definition
initial-population | Initial Population | The initial population refers to all patients or events to be evaluated by a quality measure involving patients who share a common set of specified characterstics. All patients or events counted (for example, as numerator, as denominator) are drawn from the initial population
numerator | Numerator | The upper portion of a fraction used to calculate a rate, proportion, or ratio. Also called the measure focus, it is the target process, condition, event, or outcome. Numerator criteria are the processes or outcomes expected for each patient, or event defined in the denominator. A numerator statement describes the clinical action that satisfies the conditions of the measure
numerator-exclusion | Numerator Exclusion | Numerator exclusion criteria define patients or events to be removed from the numerator. Numerator exclusions are used in proportion and ratio measures to help narrow the numerator (for inverted measures)
denominator | Denominator | The lower portion of a fraction used to calculate a rate, proportion, or ratio. The denominator can be the same as the initial population, or a subset of the initial population to further constrain the population for the purpose of the measure
denominator-exclusion | Denominator Exclusion | Denominator exclusion criteria define patients or events that should be removed from the denominator before determining if numerator criteria are met. Denominator exclusions are used in proportion and ratio measures to help narrow the denominator. For example, patients with bilateral lower extremity amputations would be listed as a denominator exclusion for a measure requiring foot exams
denominator-exception | Denominator Exception | Denominator exceptions are conditions that should remove a patient or event from the denominator of a measure only if the numerator criteria are not met. Denominator exception allows for adjustment of the calculated score for those providers with higher risk populations. Denominator exception criteria are only used in proportion measures
measure-population | Measure Population | Measure population criteria define the patients or events for which the individual observation for the measure should be taken. Measure populations are used for continuous variable measures rather than numerator and denominator criteria
measure-population-exclusion | Measure Population Exclusion | Measure population criteria define the patients or events that should be removed from the measure population before determining the outcome of one or more continuous variables defined for the measure observation. Measure population exclusion criteria are used within continuous variable measures to help narrow the measure population
measure-observation | Measure Observation | Defines the individual observation to be performed for each patient or event in the measure population. Measure observations for each case in the population are aggregated to determine the overall measure score for the population

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.751 Value Set http://hl7.org/fhir/ValueSet/measure-scoring

URL: https://hl7.org/fhir/STU3/valueset-measure-scoring.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Quality Information Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-scoring
Name: | MeasureScoring
Definition: | The scoring type of the measure
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.751 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MeasureScoring

* Measure.scoring (Extensible)

4.3.1.751.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/measure-scoring

4.3.1.751.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/measure-scoring version 3.0.2

All codes from system http://hl7.org/fhir/measure-scoring

Code	Display	Definition
proportion	Proportion	The measure score is defined using a proportion
ratio	Ratio	The measure score is defined using a ratio
continuous-variable	Continuous Variable	The score is defined by a calculation of some quantity
cohort	Cohort	The measure is a cohort definition

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.753 Value Set http://hl7.org/fhir/ValueSet/measure-type

URL: https://hl7.org/fhir/STU3/valueset-measure-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Quality Information Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-type
Name: | MeasureType
Definition: | The type of measure (includes codes from 2.16.840.1.113883.1.11.20368)
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.753 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MeasureType

* Measure.type (Extensible)

4.3.1.753.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/measure-type

4.3.1.753.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/measure-type version 3.0.2

All codes from system http://hl7.org/fhir/measure-type

Code | Display | Definition
process | Process | A measure which focuses on a process which leads to a certain outcome, meaning that a scientific basis exists for believing that the process, when executed well, will increase the probability of achieving a desired outcome
outcome | Outcome | A measure that indicates the result of the performance (or non-performance) of a function or process
structure | Structure | A measure that focuses on a health care provider's capacity, systems, and processes to provide high-quality care
patient-reported-outcome | Patient Reported Outcome | A measure that focuses on patient-reported information such as patient engagement or patient experience measures
composite | Composite | A measure that combines multiple component measures in to a single quality measure

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.755 Value Set http://hl7.org/fhir/ValueSet/measure-data-usage

URL: https://hl7.org/fhir/STU3/valueset-measure-data-usage.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Quality Information Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-data-usage
Name: | MeasureDataUsage
Definition: | The intended usage for supplemental data elements in the measure
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.755 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MeasureDataUsage

* Measure.supplementalData.usage (Extensible)

4.3.1.755.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/measure-data-usage

4.3.1.755.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/measure-data-usage version 3.0.2

All codes from system http://hl7.org/fhir/measure-data-usage

Code | Display | Definition
supplemental-data | Supplemental Data | The data is intended to be provided as additional information alongside the measure results
risk-adjustment-factor | Risk Adjustment Factor | The data is intended to be used to calculate and apply a risk adjustment model for the measure

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.757 Value Set http://hl7.org/fhir/ValueSet/composite-measure-scoring

URL: https://hl7.org/fhir/STU3/valueset-composite-measure-scoring.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Quality Information Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/composite-measure-scoring
Name: | CompositeMeasureScoring
Definition: | The composite scoring method of the measure
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.757 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CompositeMeasureScoring

* Measure.compositeScoring (Extensible)

4.3.1.757.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/composite-measure-scoring

4.3.1.757.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/composite-measure-scoring version 3.0.2

All codes from system http://hl7.org/fhir/composite-measure-scoring

Code | Display | Definition
opportunity | Opportunity | Opportunity scoring combines the scores from component measures by combining the numerators and denominators for each component
all-or-nothing | All-or-nothing | All-or-nothing scoring includes an individual in the numerator of the composite measure if they are in the numerators of all of the component measures in which they are in the denominator
linear | Linear | Linear scoring gives an individual a score based on the number of numerators in which they appear
weighted | Weighted | Weighted scoring gives an individual a score based on a weighted factor for each component numerator in which they appear

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.759 Value Set http://hl7.org/fhir/ValueSet/measure-report-status

URL: https://hl7.org/fhir/STU3/valueset-measure-report-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Quality Information Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-report-status
Name: | MeasureReportStatus

Definition: | The status of the measure report
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.759 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MeasureReportStatus

* MeasureReport.status (Required)

4.3.1.759.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/measure-report-status

4.3.1.759.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/measure-report-status version 3.0.2

All codes from system http://hl7.org/fhir/measure-report-status

Code | Display | Definition
complete | Complete | The report is complete and ready for use
pending | Pending | The report is currently being generated
error | Error | An error occurred attempting to generate the report

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.761 Value Set http://hl7.org/fhir/ValueSet/measure-report-type

URL: https://hl7.org/fhir/STU3/valueset-measure-report-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Quality Information Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/measure-report-type
Name: | MeasureReportType
Definition: | The type of the measure report
Committee: | Clinical Quality Information Work Group
OID: | 2.16.840.1.113883.4.642.3.761 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MeasureReportType

* MeasureReport.type (Required)

4.3.1.761.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/measure-report-type

4.3.1.761.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/measure-report-type version 3.0.2

All codes from system http://hl7.org/fhir/measure-report-type

Code | Display | Definition
individual | Individual | An individual report that provides information on the performance for a given measure with respect to a single patient

patient-list | Patient List | A patient list report that includes a listing of patients that satisfied each population criteria in the measure
summary | Summary | A summary report that returns the number of patients in each population criteria for the measure

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.763 Value Set http://hl7.org/fhir/ValueSet/concept-property-type

URL: https://hl7.org/fhir/STU3/valueset-concept-property-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/concept-property-type
Name: | PropertyType
Definition: | The type of a property value
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.763 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for PropertyType

* CodeSystem.property.type (Required)

* StructureDefinition ShareableCodeSystem: CodeSystem.property.type ((Required))

4.3.1.763.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/concept-property-type

4.3.1.763.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/concept-property-type version 3.0.2

All codes from system http://hl7.org/fhir/concept-property-type

Code | Display | Definition
code | code (internal reference) | The property value is a code that identifies a concept defined in the code system
Coding | Coding (external reference) | The property value is a code defined in an external code system. This may be used for translations, but is not the intent
string | string | The property value is a string
integer | integer | The property value is a string (often used to assign ranking values to concepts for supporting score assessments)
boolean | boolean | The property value is a boolean true | false
dateTime | dateTime | The property is a date or a date + time

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.765 Value Set http://hl7.org/fhir/ValueSet/codesystem-content-mode

URL: https://hl7.org/fhir/STU3/valueset-codesystem-content-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/codesystem-content-mode
Name: | CodeSystemContentMode
Definition: | How much of the content of the code system - the concepts and codes it defines - are represented in a code system resource
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.765 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CodeSystemContentMode

* CodeSystem.content (Required)

* StructureDefinition ShareableCodeSystem: CodeSystem.content ((Required))

4.3.1.765.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/codesystem-content-mode

4.3.1.765.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/codesystem-content-mode version 3.0.2

All codes from system http://hl7.org/fhir/codesystem-content-mode

Code | Display | Definition
not-present | Not Present | None of the concepts defined by the code system are included in the code system resource
example | Example | A few representative concepts are included in the code system resource
fragment | Fragment | A subset of the code system concepts are included in the code system resource
complete | Complete | All the concepts defined by the code system are included in the code system resource

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.767 Value Set http://hl7.org/fhir/ValueSet/codesystem-hierarchy-meaning

URL: https://hl7.org/fhir/STU3/valueset-codesystem-hierarchy-meaning.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 5 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/codesystem-hierarchy-meaning
Name: | CodeSystemHierarchyMeaning
Definition: | The meaning of the hierarchy of concepts in a code system
Committee: | Vocabulary Work Group
OID: | 2.16.840.1.113883.4.642.3.767 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CodeSystemHierarchyMeaning

* CodeSystem.hierarchyMeaning (Required)

* StructureDefinition ShareableCodeSystem: CodeSystem.hierarchyMeaning ((Required))

4.3.1.767.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/codesystem-hierarchy-meaning

4.3.1.767.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/codesystem-hierarchy-meaning version 3.0.2

All codes from system http://hl7.org/fhir/codesystem-hierarchy-meaning

Code | Display | Definition
grouped-by | Grouped By | No particular relationship between the concepts can be assumed, except what can be determined by inspection of the definitions of the elements (possible reasons to use this: importing from a source where this is not defined, or where various parts of the hierarchy have different meanings)
is-a | Is-A | A hierarchy where the child concepts have an IS-A relationship with the parents - that is, all the properties of the parent are also true for its child concepts
part-of | Part Of | Child elements list the individual parts of a composite whole (e.g. body site)
classified-with | Classified With | Child concepts in the hierarchy may have only one parent, and there is a presumption that the code system is a "closed world" meaning all things must be in the hierarchy. This results in concepts such as "not otherwise classified."

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.769 Value Set http://hl7.org/fhir/ValueSet/compartment-type

URL: https://hl7.org/fhir/STU3/valueset-compartment-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

FHIR Infrastructure Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/compartment-type
Name: | CompartmentType
Definition: | Which compartment a compartment definition describes
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.769 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CompartmentType

* GraphDefinition.link.target.compartment.code (Required)

* CompartmentDefinition.code (Required)

4.3.1.769.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/compartment-type

4.3.1.769.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/compartment-type version 3.0.2

All codes from system http://hl7.org/fhir/compartment-type

Code | Display | Definition
Patient | Patient | The compartment definition is for the patient compartment
Encounter | Encounter | The compartment definition is for the encounter compartment
RelatedPerson | RelatedPerson | The compartment definition is for the related-person compartment
Practitioner | Practitioner | The compartment definition is for the practitioner compartment

Device | Device | The compartment definition is for the device compartment

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.771 Value Set http://hl7.org/fhir/ValueSet/task-performer-type

URL: https://hl7.org/fhir/STU3/valueset-task-performer-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/task-performer-type
Name: | TaskPerformerType
Definition: | The type(s) of task performers allowed
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.771 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TaskPerformerType

* Task.performerType (Preferred)

4.3.1.771.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/task-performer-type

4.3.1.771.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/task-performer-type version 3.0.2

All codes from system http://hl7.org/fhir/task-performer-type

Code | Display | Definition
requester | Requester | A workflow participant that requests services.
dispatcher | Dispatcher | A workflow participant that dispatches services (assigns another task to a participant).
scheduler | Scheduler | A workflow participant that schedules (dispatches and sets the time or date for performance of) services.
performer | Performer | A workflow participant that performs services.
monitor | Monitor | A workflow participant that monitors task activity.
manager | Manager | A workflow participant that manages task activity.
acquirer | Acquirer | A workflow participant that acquires resources (specimens, images, etc) necessary to perform the task.
reviewer | Reviewer | A workflow participant that reviews task inputs or outputs.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.773 Value Set http://hl7.org/fhir/ValueSet/task-status

URL: https://hl7.org/fhir/STU3/valueset-task-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/task-status
Name: | TaskStatus
Definition: | The current status of the task.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.773 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for TaskStatus

* Task.status (Required)

4.3.1.773.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/task-status

4.3.1.773.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 12 concepts

Expansion based on http://hl7.org/fhir/task-status version 3.0.2

All codes from system http://hl7.org/fhir/task-status

Code | Display | Definition
draft | Draft | The task is not yet ready to be acted upon.
requested | Requested | The task is ready to be acted upon and action is sought.
received | Received | A potential performer has claimed ownership of the task and is evaluating whether to perform it.
accepted | Accepted | The potential performer has agreed to execute the task but has not yet started work.
rejected | Rejected | The potential performer who claimed ownership of the task has decided not to execute it prior to performing any action.
ready | Ready | Task is ready to be performed, but no action has yet been taken. Used in place of requested/received/accepted/rejected when request assignment and acceptance is a given.
cancelled | Cancelled | The task was not completed.
in-progress | In Progress | Task has been started but is not yet complete.
on-hold | On Hold | Task has been started but work has been paused.
failed | Failed | The task was attempted but could not be completed due to some error.
completed | Completed | The task has been completed.
entered-in-error | Entered in Error | The task should never have existed and is retained only because of the possibility it may have used.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.775 Value Set http://hl7.org/fhir/ValueSet/activity-definition-category

URL: https://hl7.org/fhir/STU3/valueset-activity-definition-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/activity-definition-category
Name: | ActivityDefinitionCategory
Definition: | High-level categorization of the type of activity
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.775 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActivityDefinitionCategory

4.3.1.775.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/activity-definition-category

4.3.1.775.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/activity-definition-category version 3.0.2

All codes from system http://hl7.org/fhir/activity-definition-category

Code	Display	Definition
treatment	Treatment	The activity is intended to provide or is related to treatment of the patient
education	Education	The activity is intended to provide or is related to education of the patient
assessment	Assessment	The activity is intended to perform or is related to assessment of the patient

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.777 Value Set http://hl7.org/fhir/ValueSet/definition-topic

URL: https://hl7.org/fhir/STU3/valueset-definition-topic.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/definition-topic
Name:	DefinitionTopic
Definition:	High-level categorization of the definition, used for searching, sorting, and filtering
Committee:	Clinical Decision Support Work Group
OID:	2.16.840.1.113883.4.642.3.777 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DefinitionTopic
* Measure.topic (Example)
* ServiceDefinition.topic (Example)
* ActivityDefinition.topic (Example)
* Library.topic (Example)
* PlanDefinition.topic (Example)

4.3.1.777.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/definition-topic

4.3.1.777.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/definition-topic version 3.0.2

All codes from system http://hl7.org/fhir/definition-topic

Code	Display	Definition
treatment	Treatment	The definition is related to treatment of the patient
education	Education	The definition is related to education of the patient
assessment	Assessment	The definition is related to assessment of the patient

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.779 Value Set http://hl7.org/fhir/ValueSet/action-participant-role

URL: https://hl7.org/fhir/STU3/valueset-action-participant-role.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-participant-role
Name: | ActionParticipantRole
Definition: | Either a practitioner role or a relationship type.
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.779 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* ActivityDefinition.participant.role (Example)

* PlanDefinition.action.participant.role (Example)

4.3.1.779.1 Content Logical Definition

This value set includes codes from the following code systems:

* Import all the codes that are contained in http://hl7.org/fhir/ValueSet/practitioner-role, http://hl7.org/fhir/ValueSet/relatedperson-relationshiptype

4.3.1.779.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 0 concepts

Expansion based on http://hl7.org/fhir/v2/0131 version 2.8.2, http://hl7.org/fhir/ValueSet/relatedperson-relationshiptype version 3.0.0, http://hl7.org/fhir/v3/RoleCode version 2016-11-11, http://hl7.org/fhir/ValueSet/practitioner-role version 3.0.0, http://hl7.org/fhir/practitioner-role version 3.0.0

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.780 Value Set http://hl7.org/fhir/ValueSet/plan-definition-type

URL: https://hl7.org/fhir/STU3/valueset-plan-definition-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/plan-definition-type
Name: | PlanDefinitionType
Definition: | The type of PlanDefinition
Committee: | Clinical Decision Support Work Group

OID: | 2.16.840.1.113883.4.642.3.780 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for PlanDefinitionType

* PlanDefinition.type (Extensible)

4.3.1.780.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/plan-definition-type

4.3.1.780.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/plan-definition-type version 3.0.2

All codes from system http://hl7.org/fhir/plan-definition-type

Code | Display | Definition
order-set | Order Set | A pre-defined and approved group of orders related to a particular clinical condition (e.g. hypertension treatment and monitoring) or stage of care (e.g. hospital admission to Coronary Care Unit). An order set is used as a checklist for the clinician when managing a patient with a specific condition. It is a structured collection of orders relevant to that condition and presented to the clinician in a computerized provider order entry (CPOE) system
protocol | Protocol | A set of activities that can be performed that have relationships in terms of order, pre-conditions, etc.
eca-rule | ECA Rule | A decision support rule of the form [on Event] if Condition then Action. It is intended to be a shareable, computable definition of actions that should be taken whenever some condition is met in response to a particular event or events

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.782 Value Set http://hl7.org/fhir/ValueSet/action-grouping-behavior

URL: https://hl7.org/fhir/STU3/valueset-action-grouping-behavior.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-grouping-behavior
Name: | ActionGroupingBehavior
Definition: | Defines organization behavior of a group
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.782 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionGroupingBehavior

* RequestGroup.action.groupingBehavior (Required)

* PlanDefinition.action.groupingBehavior (Required)

4.3.1.782.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/action-grouping-behavior

4.3.1.782.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/action-grouping-behavior version 3.0.2

All codes from system http://hl7.org/fhir/action-grouping-behavior

Code | Display | Definition
visual-group | Visual Group | Any group marked with this behavior should be displayed as a visual group to the end user
logical-group | Logical Group | A group with this behavior logically groups its sub-elements, and may be shown as a visual group to the end user, but it is not required to do so
sentence-group | Sentence Group | A group of related alternative actions is a sentence group if the target referenced by the action is the same in all the actions and each action simply constitutes a different variation on how to specify the details for the target. For example, two actions that could be in a SentenceGroup are "aspirin, 500 mg, 2 times per day" and "aspirin, 300 mg, 3 times per day". In both cases, aspirin is the target referenced by the action, and the two actions represent different options for how aspirin might be ordered for the patient. Note that a SentenceGroup would almost always have an associated selection behavior of "AtMostOne", unless it's a required action, in which case, it would be "ExactlyOne"

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.784 Value Set http://hl7.org/fhir/ValueSet/action-selection-behavior

URL: https://hl7.org/fhir/STU3/valueset-action-selection-behavior.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-selection-behavior
Name: | ActionSelectionBehavior
Definition: | Defines selection behavior of a group
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.784 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionSelectionBehavior

* RequestGroup.action.selectionBehavior (Required)

* PlanDefinition.action.selectionBehavior (Required)

4.3.1.784.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/action-selection-behavior

4.3.1.784.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/action-selection-behavior version 3.0.2

All codes from system http://hl7.org/fhir/action-selection-behavior

Code | Display | Definition
any | Any | Any number of the actions in the group may be chosen, from zero to all
all | All | All the actions in the group must be selected as a single unit
all-or-none | All Or None | All the actions in the group are meant to be chosen as a single unit: either all must be selected by the end user, or none may be selected
exactly-one | Exactly One | The end user must choose one and only one of the selectable actions in the group. The user may not choose none of the actions in the group
at-most-one | At Most One | The end user may choose zero or at most one of the actions in the group
one-or-more | One Or More | The end user must choose a minimum of one, and as many additional as desired

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.786 Value Set http://hl7.org/fhir/ValueSet/action-required-behavior

URL: https://hl7.org/fhir/STU3/valueset-action-required-behavior.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-required-behavior
Name: | ActionRequiredBehavior
Definition: | Defines requiredness behavior for selecting an action or an action group
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.786 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionRequiredBehavior

* RequestGroup.action.requiredBehavior (Required)

* PlanDefinition.action.requiredBehavior (Required)

4.3.1.786.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/action-required-behavior

4.3.1.786.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/action-required-behavior version 3.0.2

All codes from system http://hl7.org/fhir/action-required-behavior

Code | Display | Definition
must | Must | An action with this behavior must be included in the actions processed by the end user; the end user may not choose not to include this action
could | Could | An action with this behavior may be included in the set of actions processed by the end user
must-unless-documented | Must Unless Documented | An action with this behavior must be included in the set of actions processed by the end user, unless the end user provides documentation as to why the action was not included

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.788 Value Set http://hl7.org/fhir/ValueSet/action-precheck-behavior

URL: https://hl7.org/fhir/STU3/valueset-action-precheck-behavior.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-precheck-behavior
Name: | ActionPrecheckBehavior
Definition: | Defines selection frequency behavior for an action or group
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.788 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionPrecheckBehavior

* RequestGroup.action.precheckBehavior (Required)

* PlanDefinition.action.precheckBehavior (Required)

4.3.1.788.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/action-precheck-behavior

4.3.1.788.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/action-precheck-behavior version 3.0.2

All codes from system http://hl7.org/fhir/action-precheck-behavior

Code | Display | Definition

yes | Yes | An action with this behavior is one of the most frequent action that is, or should be, included by an end user, for the particular context in which the action occurs. The system displaying the action to the end user should consider "pre-checking" such an action as a convenience for the user

no | No | An action with this behavior is one of the less frequent actions included by the end user, for the particular context in which the action occurs. The system displaying the actions to the end user would typically not "pre-check" such an action

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.790 Value Set http://hl7.org/fhir/ValueSet/action-cardinality-behavior

URL: https://hl7.org/fhir/STU3/valueset-action-cardinality-behavior.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-cardinality-behavior

Name: | ActionCardinalityBehavior

Definition: | Defines behavior for an action or a group for how many times that item may be repeated

Committee: | Clinical Decision Support Work Group

OID: | 2.16.840.1.113883.4.642.3.790 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionCardinalityBehavior

* RequestGroup.action.cardinalityBehavior (Required)

* PlanDefinition.action.cardinalityBehavior (Required)

4.3.1.790.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/action-cardinality-behavior

4.3.1.790.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/action-cardinality-behavior version 3.0.2

All codes from system http://hl7.org/fhir/action-cardinality-behavior

Code | Display | Definition

single | Single | The action may only be selected one time
multiple | Multiple | The action may be selected multiple times

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.792 Value Set http://hl7.org/fhir/ValueSet/action-type

URL: https://hl7.org/fhir/STU3/valueset-action-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-type
Name: | ActionType
Definition: | The type of action to be performed
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.792 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionType

* RequestGroup.action.type (Extensible)

* PlanDefinition.action.type (Required)

4.3.1.792.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/action-type

4.3.1.792.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/action-type version 3.0.2

All codes from system http://hl7.org/fhir/action-type

Code | Display | Definition
create | Create | The action is to create a new resource
update | Update | The action is to update an existing resource
remove | Remove | The action is to remove an existing resource
fire-event | Fire Event | The action is to fire a specific event

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.794 Value Set http://hl7.org/fhir/ValueSet/action-participant-type

URL: https://hl7.org/fhir/STU3/valueset-action-participant-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-participant-type
Name: | ActionParticipantType
Definition: | The type of participant for the action
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.794 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionParticipantType

* ActivityDefinition.participant.type (Required)

* PlanDefinition.action.participant.type (Required)

4.3.1.794.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/action-participant-type

4.3.1.794.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/action-participant-type version 3.0.2

All codes from system http://hl7.org/fhir/action-participant-type

Code | Display | Definition
patient | Patient | The participant is the patient under evaluation
practitioner | Practitioner | The participant is a practitioner involved in the patient's care
related-person | Related Person | The participant is a person related to the patient

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.796 Value Set http://hl7.org/fhir/ValueSet/action-relationship-type

URL: https://hl7.org/fhir/STU3/valueset-action-relationship-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-relationship-type
Name: | ActionRelationshipType
Definition: | Defines the types of relationships between actions
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.796 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionRelationshipType

* RequestGroup.action.relatedAction.relationship (Required)

* PlanDefinition.action.relatedAction.relationship (Required)

4.3.1.796.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/action-relationship-type

4.3.1.796.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/action-relationship-type version 3.0.2

All codes from system http://hl7.org/fhir/action-relationship-type

Code | Display | Definition
before-start | Before Start | The action must be performed before the start of the related action
before | Before | The action must be performed before the related action
before-end | Before End | The action must be performed before the end of the related action
concurrent-with-start | Concurrent With Start | The action must be performed concurrent with the start of the related action
concurrent | Concurrent | The action must be performed concurrent with the related action
concurrent-with-end | Concurrent With End | The action must be performed concurrent with the end of the related action
after-start | After Start | The action must be performed after the start of the related action
after | After | The action must be performed after the related action
after-end | After End | The action must be performed after the end of the related action

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.798 Value Set http://hl7.org/fhir/ValueSet/action-condition-kind

URL: https://hl7.org/fhir/STU3/valueset-action-condition-kind.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/action-condition-kind
Name: | ActionConditionKind
Definition: | Defines the kinds of conditions that can appear on actions
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.798 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ActionConditionKind

* RequestGroup.action.condition.kind (Required)

* PlanDefinition.action.condition.kind (Required)

4.3.1.798.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/action-condition-kind

4.3.1.798.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/action-condition-kind version 3.0.2

All codes from system http://hl7.org/fhir/action-condition-kind

Code | Display | Definition
applicability | Applicability | The condition describes whether or not a given action is applicable
start | Start | The condition is a starting condition for the action
stop | Stop | The condition is a stop, or exit condition for the action

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.800 Value Set http://hl7.org/fhir/ValueSet/guidance-response-status

URL: https://hl7.org/fhir/STU3/valueset-guidance-response-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Clinical Decision Support Work Group | Maturity Level: 2 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/guidance-response-status
Name: | GuidanceResponseStatus
Definition: | The status of a guidance response
Committee: | Clinical Decision Support Work Group
OID: | 2.16.840.1.113883.4.642.3.800 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GuidanceResponseStatus

* GuidanceResponse.status (Required)

4.3.1.800.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/guidance-response-status

4.3.1.800.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/guidance-response-status version 3.0.2

All codes from system http://hl7.org/fhir/guidance-response-status

Code | Display | Definition
success | Success | The request was processed successfully
data-requested | Data Requested | The request was processed successfully, but more data may result in a more complete evaluation
data-required | Data Required | The request was processed, but more data is required to complete the evaluation
in-progress | In Progress | The request is currently being processed
failure | Failure | The request was not processed successfully
entered-in-error | Entered In Error | The response was entered in error

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.802 Value Set http://hl7.org/fhir/ValueSet/research-study-status

URL: https://hl7.org/fhir/STU3/valueset-research-study-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/research-study-status
Name: | ResearchStudyStatus
Definition: | Codes that convey the current status of the research study
Committee: | Regulated Clinical Research Information Management Work Group

OID: | 2.16.840.1.113883.4.642.3.802 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ResearchStudyStatus

* ResearchStudy.status (Required)

4.3.1.802.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/research-study-status

4.3.1.802.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/research-study-status version 3.0.2

All codes from system http://hl7.org/fhir/research-study-status

Code | Display | Definition
draft | Draft | The study is undergoing design but the process of selecting study subjects and capturing data has not yet begun.
in-progress | In-progress | The study is currently being executed
suspended | Suspended | Execution of the study has been temporarily paused
stopped | Stopped | The study was terminated prior to the final determination of results
completed | Completed | The information sought by the study has been gathered and compiled and no further work is being performed
entered-in-error | Entered in error | This study never actually existed. The record is retained for tracking purposes in the event decisions may have been made based on this erroneous information.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.804 Value Set http://hl7.org/fhir/ValueSet/research-subject-status

URL: https://hl7.org/fhir/STU3/valueset-research-subject-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/research-subject-status
Name: | ResearchSubjectStatus
Definition: | Indicates the progression of a study subject through a study
Committee: | Regulated Clinical Research Information Management Work Group
OID: | 2.16.840.1.113883.4.642.3.804 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ResearchSubjectStatus

* ResearchSubject.status (Required)

4.3.1.804.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/research-subject-status

4.3.1.804.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/research-subject-status version 3.0.2

All codes from system http://hl7.org/fhir/research-subject-status

Code | Display | Definition
candidate | Candidate | The subject has been identified as a potential participant in the study but has not yet agreed to participate
enrolled | Enrolled | The subject has agreed to participate in the study but has not yet begun performing any action within the study
active | Active | The subject is currently being monitored and/or subject to treatment as part of the study
suspended | Suspended | The subject has temporarily discontinued monitoring/treatment as part of the study
withdrawn | Withdrawn | The subject has permanently ended participation in the study prior to completion of the intended monitoring/treatment
completed | Completed | All intended monitoring/treatment of the subject has been completed and their engagement with the study is now ended

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.806 Value Set http://hl7.org/fhir/ValueSet/adverse-event-category

URL: https://hl7.org/fhir/STU3/valueset-adverse-event-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-category
Name: | AdverseEventCategory
Definition: | Overall categorization of the event, e.g. real or potential
Committee: | Regulated Clinical Research Information Management Work Group
OID: | 2.16.840.1.113883.4.642.3.806 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AdverseEventCategory

* AdverseEvent.category (Required)

4.3.1.806.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adverse-event-category

4.3.1.806.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/adverse-event-category version 3.0.2

All codes from system http://hl7.org/fhir/adverse-event-category

Code | Display | Definition
AE | Adverse Event
PAE | Potential Adverse Event

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.808 Value Set http://hl7.org/fhir/ValueSet/adverse-event-type

URL: https://hl7.org/fhir/STU3/valueset-adverse-event-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-type
Name: | SNOMED CT Clinical Findings
Definition: | This value set includes all SNOMED CT Clinical Findings.
Committee: | Regulated Clinical Research Information Management Work Group
OID: | 2.16.840.1.113883.4.642.3.808 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* AdverseEvent.type (Example)

4.3.1.808.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.3.1.808.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Gonococcal meningitis
162004 | Severe manic bipolar I disorder without psychotic features
165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy
175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae
179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Injury of intercostal artery
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease
195005 | Illegal abortion with endometritis
198007 | Disease due to Filoviridae
199004 | Decreased lactation
208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction
223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Epilepsia partialis continua
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Poisoning by oxytocin
279001 | Senile myocarditis
281004 | Dementia associated with alcoholism
282006 | Acute myocardial infarction of basal-lateral wall

290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Boil of penis
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture of trapezoidal bone of wrist
358004 | Poisoning by smallpox vaccine
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis
486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome

615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb
825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding
845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect

934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea
1027000 | Alkaline reflux disease
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy
1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc
1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis

1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica
1343000 | Deep transverse arrest
1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction
1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism
1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting
1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee

1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction
1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis
1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement

1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans
2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy

2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG
2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia
2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air

2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region
2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum
2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint
2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia

2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus
3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow
3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy

3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Discoloration of skin
3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis
3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4

3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission
3531009 | Intrapsychic conflict
3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver
3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia
3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina

3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted abortion with acute yellow atrophy of liver
3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness
4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired
4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome

4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | Ocular hypertension
4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose
4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury
4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome
4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Lithium nephropathy
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction

4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.809 Value Set http://hl7.org/fhir/ValueSet/adverse-event-outcome

URL: https://hl7.org/fhir/STU3/valueset-adverse-event-outcome.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-outcome
Name: | AdverseEventOutcome
Definition: | TODO (and should this be required?)
Committee: | Regulated Clinical Research Information Management Work Group
OID: | 2.16.840.1.113883.4.642.3.809 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AdverseEventOutcome

* AdverseEvent.outcome (Required)

4.3.1.809.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adverse-event-outcome

4.3.1.809.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/adverse-event-outcome version 3.0.2

All codes from system http://hl7.org/fhir/adverse-event-outcome

Code | Display | Definition
resolved | Resolved
recovering | Recovering
ongoing | Ongoing
resolvedWithSequelae | Resolved with Sequelae

fatal | Fatal
unknown | Unknown

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.811 Value Set http://hl7.org/fhir/ValueSet/adverse-event-seriousness

URL: https://hl7.org/fhir/STU3/valueset-adverse-event-seriousness.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-seriousness
Name: | AdverseEventSeriousness
Definition: | Overall seriousness of this event for the patient
Committee: | Regulated Clinical Research Information Management Work Group
OID: | 2.16.840.1.113883.4.642.3.811 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AdverseEventSeriousness

* AdverseEvent.seriousness (Example)

4.3.1.811.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adverse-event-seriousness

4.3.1.811.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/adverse-event-seriousness version 3.0.2

All codes from system http://hl7.org/fhir/adverse-event-seriousness

Code | Display | Definition
Mild | Mild
Moderate | Moderate
Severe | Severe

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.813 Value Set http://hl7.org/fhir/ValueSet/adverse-event-causality

URL: https://hl7.org/fhir/STU3/valueset-adverse-event-causality.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-causality
Name: | AdverseEventCausality
Definition: | TODO
Committee: | Regulated Clinical Research Information Management Work Group
OID: | 2.16.840.1.113883.4.642.3.813 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AdverseEventCausality

* AdverseEvent.suspectEntity.causality (Required)

4.3.1.813.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adverse-event-causality

4.3.1.813.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/adverse-event-causality version 3.0.2

All codes from system http://hl7.org/fhir/adverse-event-causality

Code | Display | Definition
causality1 | causality1 placeholder
causality2 | causality2 placeholder

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.815 Value Set http://hl7.org/fhir/ValueSet/adverse-event-causality-assess

URL: https://hl7.org/fhir/STU3/valueset-adverse-event-causality-assess.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-causality-assess
Name: | AdverseEventCausalityAssessment
Definition: | TODO
Committee: | Regulated Clinical Research Information Management Work Group
OID: | 2.16.840.1.113883.4.642.3.815 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AdverseEventCausalityAssessment

* AdverseEvent.suspectEntity.causalityAssessment (Example)

4.3.1.815.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adverse-event-causality-assess

4.3.1.815.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/adverse-event-causality-assess version 3.0.2

All codes from system http://hl7.org/fhir/adverse-event-causality-assess

Code | Display | Definition
assess1 | assess1 placeholder
assess2 | assess2 placeholder

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.817 Value Set http://hl7.org/fhir/ValueSet/adverse-event-causality-method

URL: https://hl7.org/fhir/STU3/valueset-adverse-event-causality-method.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-causality-method
Name: | AdverseEventCausalityMethod
Definition: | TODO
Committee: | Regulated Clinical Research Information Management Work Group
OID: | 2.16.840.1.113883.4.642.3.817 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AdverseEventCausalityMethod

* AdverseEvent.suspectEntity.causalityMethod (Example)

4.3.1.817.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adverse-event-causality-method

4.3.1.817.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/adverse-event-causality-method version 3.0.2

All codes from system http://hl7.org/fhir/adverse-event-causality-method

Code | Display | Definition
method1 | placeholder
method2 | placeholder

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.819 Value Set http://hl7.org/fhir/ValueSet/adverse-event-causality-result

URL: https://hl7.org/fhir/STU3/valueset-adverse-event-causality-result.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Regulated Clinical Research Information Management Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/adverse-event-causality-result
Name: | AdverseEventCausalityResult
Definition: | TODO
Committee: | Regulated Clinical Research Information Management Work Group
OID: | 2.16.840.1.113883.4.642.3.819 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AdverseEventCausalityResult

* AdverseEvent.suspectEntity.causalityResult (Example)

4.3.1.819.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/adverse-event-causality-result

4.3.1.819.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/adverse-event-causality-result version 3.0.2

All codes from system http://hl7.org/fhir/adverse-event-causality-result

Code | Display | Definition
result1 | placeholder
result2 | placeholder

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.821 Value Set http://hl7.org/fhir/ValueSet/chargeitem-status

URL: https://hl7.org/fhir/STU3/valueset-chargeitem-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/chargeitem-status
Name: | ChargeItemStatus
Definition: | Codes identifying the stage lifecycle stage of a ChargeItem
Committee: | Patient Administration Work Group
OID: | 2.16.840.1.113883.4.642.3.821 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ChargeItemStatus

* ChargeItem.status (Required)

4.3.1.821.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/chargeitem-status

4.3.1.821.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/chargeitem-status version 3.0.2

All codes from system http://hl7.org/fhir/chargeitem-status

Code | Display | Definition

planned | Planned | The charge item has been entered, but the charged service is not yet complete, so it shall not be billed yet but might be used in the context of pre-authorization

billable | Billable | The charge item is ready for billing

not-billable | Not billable | The charge item has been determined to be not billable (e.g. due to rules associated with the billing code)

aborted | Aborted | The processing of the charge was aborted

billed | Billed | The charge item has been billed (e.g. a billing engine has generated financial transactions by applying the associated ruled for the charge item to the context of the Encounter, and placed them into Claims/Invoices

entered-in-error | Entered in Error | The charge item has been entered in error and should not be processed for billing

unknown | Unknown | The authoring system does not know which of the status values currently applies for this charge item Note: This concept is not to be used for "other" - one of the listed statuses is presumed to apply, it's just not known which one.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.823 Value Set http://hl7.org/fhir/ValueSet/chargeitem-billingcodes

URL: https://hl7.org/fhir/STU3/valueset-chargeitem-billingcodes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Administration Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/chargeitem-billingcodes

Name: | ChargeItemCode

Definition: | Example set of codes that can be used for billing purposes

Committee: | Patient Administration Work Group

OID: | 2.16.840.1.113883.4.642.3.823 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ChargeItemCode

* ChargeItem.code (Example)

4.3.1.823.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/chargeitem-billingcodes

4.3.1.823.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/chargeitem-billingcodes version 3.0.2

All codes from system http://hl7.org/fhir/chargeitem-billingcodes

Code | Display | Definition

1100 | Unvorhergesehene Inanspruchnahme | From German EBM billing system: Unvorhergesehene Inanspruchnahme des Vertragsarztes durch einen Patienten;zwischen 19:00 und 22:00 Uhr;an Samstagen, Sonntagen und gesetzlichen Feiertagen, am 24.12. und 31.12. zwischen 07:00 und 19:00 Uhr

1210 | Notfallpauschale | From German EBM billing system: Notfallpauschale im organisierten Not(-fall)dienst und für nicht an der vertragsärztlichen Versorgung teilnehmende Ärzte, Institute und Krankenhäuser bei Inanspruchnahme;zwischen 07:00 und 19:00 Uhr

1320 | Grundpauschale | From German EBM billing system: Grundpauschale für Ärzte, Institute und Krankenhäuser, die zur Erbringung von Leistungen innerhalb mindestens eines der Fachgebiete Anästhesiologie, Frauenheilkunde und Geburtshilfe, Haut- und Geschlechtskrankheiten, Mund-, Kiefer- und Gesichtschirurgie und Humangenetik ermächtigt sind

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.825 Value Set http://hl7.org/fhir/ValueSet/name-part-qualifier

URL: https://hl7.org/fhir/STU3/valueset-name-part-qualifier.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/name-part-qualifier
Name: | EntityNamePartQualifier
Definition: | A set of codes each of which specifies a certain subcategory of the name part in addition to the main name part type
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.825 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/iso21090-EN-qualifier: EN-qualifier ((Required))

4.3.1.825.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/EntityNamePartQualifierR2

Code | Display | Definition
LS | Legal status | For organizations a suffix indicating the legal status, e.g., Inc., "Co.", "AG", "GmbH", "B.V." "S.A.", "Ltd." Etc.
AC | Academic | Indicates that a prefix like "Dr." or a suffix like "M.D." or "Ph.D." is an academic title.
NB | Nobility | In Europe and Asia, there are still people with nobility titles (aristocrats). German "von" is generally a nobility title, not a mere voorvoegsel. Others are "Earl of" or "His Majesty King of..." etc. Rarely used nowadays, but some systems do keep track of this.
PR | Professional | Primarily in the British Imperial culture people tend to have an abbreviation of their professional organization as part of their credential suffices
HON | Honorific | An honorific such as "The Right Honourable" or "Weledelgeleerde Heer".
BR | Birth | A name that a person was given at birth or established as a consequence of adoption. NOTE: This is not used for temporary names assigned at birth such as 'Baby of Smith' – which is just a name with a use code of TEMP
AD | Acquired | A name part a person acquired. The name part may be acquired by adoption, or the person may have chosen to use the name part for some other reason. NOTE This differs from an other/psuedonym/alias in that an acquired name part is acquired on a formal basis rather than an informal one (e.g. registered as part of the official name)
SP | Spouse | The name assumed from the partner in a marital relationship. Usually the spouse‘s family name. No inference about gender may be made from the existence of spouse names
MID | Middle Name | Indicates that the name part is a middle name. In general, the English "middle name" concept is all of the given names after the first. This qualifier may be used to explicitly indicate which given names are considered to be middle names. The middle name qualifier may also be used with family names. This is a Scandinavian use case, matching the concept of "mellomnavn"/"mellannamn". There are specific rules that indicate what names may be taken as a mellannamnin different Scandinavian countries
CL | Call me | Callme is used to indicate which of the various name parts is used when interacting with the person
IN | Initial | Indicates that a name part is just an initial. Initials do not imply a trailing period since this would not work with non-Latin scripts. Initials may consist of more than one letter, e.g., "Ph." could stand for "Philippe" or "Th." for "Thomas"

* Include these codes as defined in

http://hl7.org/fhir/v3/EntityNamePartQualifier

Code | Display | Definition
VV | Voorvoegsel | A Dutch "voorvoegsel" is something like "van" or "de" that might have indicated nobility in the past but no longer so. Similar prefixes exist in other languages such as German, Spanish, French or Portugese

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.826 Value Set http://hl7.org/fhir/ValueSet/probability-distribution-type

URL: https://hl7.org/fhir/STU3/valueset-probability-distribution-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/probability-distribution-type
Name: | ProbabilityDistributionType
Definition: | Codes specifying the type of probability distribution
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.826 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/iso21090-uncertaintyType: uncertaintyType ((Required))

4.3.1.826.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/ProbabilityDistributionType

Code | Display | Definition
B | beta | The beta-distribution is used for data that is bounded on both sides and may or may not be skewed (e.g., occurs when probabilities are estimated.) Two parameters a and b are available to adjust the curve. The mean m and variance s2 relate as follows: m = a/ (a + b) and s2 = ab/((a + b)2 (a + b + 1)).
E | exponential | Used for data that describes extinction. The exponential distribution is a special form of g-distribution where a = 1, hence, the relationship to mean m and variance s2 are m = b and s2 = b2.
F | F | Used to describe the quotient of two c2 random variables. The F-distribution has two parameters n1 and n2, which are the numbers of degrees of freedom of the numerator and denominator variable respectively. The relationship to mean m and variance s2 are: m = n2 / (n2 - 2) and s2 = (2 n2 (n2 + n1 - 2)) / (n1 (n2 - 2)2 (n2 - 4)).
G | (gamma) | The gamma-distribution used for data that is skewed and bounded to the right, i.e. where the maximum of the distribution curve is located near the origin. The g-distribution has a two parameters a and b. The relationship to mean m and variance s2 is m = a b and s2 = a b2.
LN | log-normal | The logarithmic normal distribution is used to transform skewed random variable X into a normally distributed random variable U = log X. The log-normal distribution can be specified with the properties mean m and standard deviation s. Note however that mean m and standard deviation s are the parameters of the raw value distribution, not the transformed parameters of the lognormal distribution that are conventionally referred to by the same letters. Those log-normal parameters mlog and slog relate to the mean m and standard deviation s of the data value through slog2 = log (s2/m2 + 1) and mlog = log m - slog2/2.
N | normal (Gaussian) | This is the well-known bell-shaped normal distribution. Because of the central limit theorem, the normal distribution is the distribution of choice for an unbounded random variable that is an outcome of a combination of many stochastic processes. Even for values bounded on a single side (i.e. greater than 0) the normal distribution may be accurate enough if the mean is "far away" from the bound of the scale measured in terms of standard deviations.
T | T | Used to describe the quotient of a normal random variable and the square root of a c2 random variable. The t-distribution has one parameter n, the number of degrees of freedom. The relationship to mean m and variance s2 are: m = 0 and s2 = n / (n - 2)
U | uniform | The uniform distribution assigns a constant probability over the entire interval of possible outcomes, while all outcomes outside this interval are assumed to have zero probability. The width of this interval is 2s sqrt(3). Thus, the uniform distribution assigns the probability densities f(x) = sqrt(2 s sqrt(3)) to values m - s sqrt(3) >= x <= m + s sqrt(3) and f(x) = 0 otherwise.
X2 | chi square | Used to describe the sum of squares of random variables which occurs when a variance is estimated (rather than presumed) from the sample. The only parameter of the c2-distribution is n, so called the number of degrees of freedom (which is the number of independent parts in the sum). The c2-distribution is a special type of g-distribution with parameter a = n /2 and b = 2. Hence, m = n and s2 = 2 n.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.827 Value Set http://hl7.org/fhir/ValueSet/postal-address-use

URL: https://hl7.org/fhir/STU3/valueset-postal-address-use.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/postal-address-use
Name: | PostalAddressUse
Definition: | Uses of an address not included in Address.use
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.827 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/iso21090-AD-use: AD-use ((Required))

4.3.1.827.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/AddressUse

Code | Display | Definition
BAD | bad address | Description: A flag indicating that the address is bad, in fact, useless.
CONF | confidential address | Description: Indicates that the address is considered sensitive and should only be shared or published in accordance with organizational controls governing patient demographic information with increased sensitivity. Uses of Addresses. Lloyd to supply more complete description.
HP | primary home | Description: The primary home, to reach a person after business hours.
HV | vacation home | Description: A vacation home, to reach a person while on vacation.
DIR | direct | Description: Indicates a work place address or telecommunication address that reaches the individual or organization directly without intermediaries. For phones, often referred to as a 'private line'.
PUB | public | Description: Indicates a work place address or telecommunication address that is a 'standard' address which may reach a reception service, mail-room, or other intermediary prior to the target entity.
PHYS | physical visit address | Description: Used primarily to visit an address.
PST | postal address | Description: Used to send mail.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.828 Value Set http://hl7.org/fhir/ValueSet/name-v3-representation

URL: https://hl7.org/fhir/STU3/valueset-name-v3-representation.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/name-v3-representation
Name: | NameRepresentationUse
Definition: | A set of codes for each different representation of a name
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.828 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/iso21090-EN-representation: EN-representation ((Required))

4.3.1.828.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://hl7.org/fhir/v3/EntityNameUse

Code | Display
ABC | Alphabetic | Alphabetic transcription of name (Japanese: romaji)
IDE | Ideographic | Ideographic representation of name (e.g., Japanese kanji, Chinese characters)
SYL | Syllabic | Syllabic transcription of name (e.g., Japanese kana, Korean hangul)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.829 Value Set http://hl7.org/fhir/ValueSet/dataelement-sdcobjectclass

URL: https://hl7.org/fhir/STU3/valueset-dataelement-sdcobjectclass.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://healthit.gov .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dataelement-sdcobjectclass
Name: | DataElement SDC Object Class
Definition: | The allowed codes for identifying the ISO 11179 ObjectClass for a particular data element if intended for registration/use within the U.S. Structured Data Capture (SDC) project.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.829 (for OID based terminology systems)
Copyright: | This value set includes content from LOINC®, which is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use. This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/11179-objectClass: objectClass ((Example))

4.3.1.829.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://snomed.info/sct

* Include all codes defined in http://loinc.org

* Include all codes defined in http://www.nlm.nih.gov/research/umls/rxnorm

4.3.1.829.2 Expansion

This expansion generated 19 Apr 2017

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.830 Value Set http://hl7.org/fhir/ValueSet/dataelement-sdcobjectclassproperty

URL: https://hl7.org/fhir/STU3/valueset-dataelement-sdcobjectclassproperty.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://healthit.gov .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dataelement-sdcobjectclassproperty

Name: | DataElement SDC Object Class
Definition: | The allowed codes for identifying the ISO 11179 ObjectClass Property for a particular data element if intended for registration/use within the U.S. Structured Data Capture (SDC) project.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.830 (for OID based terminology systems)
Copyright: | This value set includes content from LOINC®, which is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use. This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/11179-objectClassProperty: objectClassProperty ((Example))

4.3.1.830.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://snomed.info/sct

* Include all codes defined in http://loinc.org

* Include all codes defined in http://www.nlm.nih.gov/research/umls/rxnorm

4.3.1.830.2 Expansion

This expansion generated 19 Apr 2017

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.831 Value Set http://hl7.org/fhir/ValueSet/ucum-units

URL: https://hl7.org/fhir/STU3/valueset-ucum-units.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ucum-units
Name: | UCUM Codes
Definition: | Unified Code for Units of Measure (UCUM). This value set includes all UCUM codes
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.831 (for OID based terminology systems)
Copyright: | The UCUM codes, UCUM table (regardless of format), and UCUM Specification are copyright © 1999-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved.
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/elementdefinition-allowedUnits: allowedUnits ((Required))

4.3.1.831.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://unitsofmeasure.org

4.3.1.831.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://unitsofmeasure.org

Code | Display

% | percent
%/100{WBC} | percent / 100 WBC
%{0to3Hours} | percent 0to3Hours
%{Abnormal} | percent Abnormal
%{Activity} | percent Activity
%{BasalActivity} | percent BasalActivity
%{Binding} | percent Binding
%{Blockade} | percent Blockade
%{Carboxyhemoglobin} | percent Carboxyhemoglobin
%{Conversion} | percent Conversion
%{Cound} | percent Cound
%{EosSeen} | percent EosSeen
%{Excretion} | percent Excretion
%{Fat} | percent Fat
%{FetalErythrocytes} | percent FetalErythrocytes
%{Hemoglobin} | percent Hemoglobin
%{HemoglobinA1C} | percent HemoglobinA1C
%{HemoglobinSaturation} | percent HemoglobinSaturation
%{Hemolysis} | percent Hemolysis
%{HumanResponse} | percent HumanResponse
%{Index} | percent Index
%{Inhibition} | percent Inhibition
%{Live} | percent Live
%{Negative Control} | percent Negative Control
%{Normal} | percent Normal
%{NormalControl} | percent NormalControl
%{NormalPooledPlasma} | percent NormalPooledPlasma
%{ofAvailable} | percent ofAvailable
%{ofBacteria} | percent ofBacteria
%{OfLymphocytes} | percent OfLymphocytes
%{OfWBCs} | percent OfWBCs
%{Oxygen} | percent Oxygen
%{Positive} | percent Positive
%{Precipitate} | percent Precipitate
%{Reactivity} | percent Reactivity
%{response} | percent response
%{risk} | percent risk
%{SpermMotility} | percent SpermMotility
%{Total} | percent Total
%{TotalProtein} | percent TotalProtein
%{Tot'Cholesterol} | percent Tot'Cholesterol
%{Tot'Hgb} | percent Tot'Hgb
%{Uptake} | percent Uptake
%{vol} | VolumePercent
%{WeightToWeight} | percent WeightToWeight
/(12.h) | per 12 * hour
/[arb'U] | per arbitrary unit
/[HPF] | per high power field
/[iU] | per international unit
/[LPF] | per low power field
/{Entity} | per Entity
/{hpf} | per hpf
/{LPF} | per LPF
/{oif} | per oif
/{Specimen} | per Specimen
/{tot} | per tot
/10*10 | PerTenGiga
/10*12 | PerTrillion
/10*12{rbc} | PerTrillionRedBloodCells
/10*6 | PerMillion
/10*9 | PerBillion
/100 | per 100
/100{cells} | per 100 cells
/100{neutrophils} | per 100 neutrophils
/100{spermatozoa} | per 100 spermatozoa
/100{WBC} | Per100WBC
/100{WBCs} | Per100WBC
/a | / year
/cm[H2O] | per centimeter of water
/d | per day
/dL | per deciliter
/g | per gram

/g{creat} | per gram creat
/g{hgb} | per gram hgb
/g{tot'nit} | per gram tot'nit
/g{tot'prot} | per gram tot'prot
/g{wet'tis} | per gram wet'tis
/h | per hour
/kg | per kilogram
/kg{body'wt} | per kilogram body wt
/L | per liter
/m2 | per square meter
/mg | per milligram
/min | per minute
/mL | per milliliter
/mm3 | per cubic millimeter
/mmol | per millimole
/mo | per month
/s | per second
/U | per enzyme unit
/ug | per microgram
/uL | per microliter
/wk | per week
[APL'U] | IgA anticardiolipin unit
[APL'U]/mL | IgA anticardiolipin unit per milliliter
[arb'U] | arbitrary unit
[arb'U]/L | arbitary unit / liter
[arb'U]/mL | arbitrary unit per milliliter
[AU] | allergy unit
[BAU] | bioequivalent allergen unit
[beth'U] | Bethesda unit
[CFU] | colony forming unit
[CFU]/L | colony forming unit per liter
[CFU]/mL | colony forming unit per milliliter
[Ch] | French (catheter gauge)
[cin_i] | cubic inch
[cup_us] | cup
[degF] | degree Fahrenheit
[dr_av] | Dram (US and British)
[drp] | drop
[drp]/{HPF} | drop / HPF
[drp]/h | drop / hour
[drp]/min | drop / minute
[drp]/mL | drop / milliliter
[drp]/s | drop / second
[fdr_us] | fluid dram
[foz_br] | fluid ounce
[foz_us] | fluid ounce
[ft_i] | Feet
[fth_i] | fathom
[gal_br] | gallon
[gal_us] | Queen Anne's wine gallon
[GPL'U] | IgG anticardiolipin unit
[gr] | grain
[in_i] | inch (international)
[iU] | international unit
[IU]/(2.h) | international unit per 2 hour
[IU]/(24.h) | international unit per 24 hour
[IU]/10*9{RBCs} | international unit per billion red blood cells
[IU]/d | international unit per day
[IU]/dL | international unit per deciliter
[IU]/g | international unit per gram
[IU]/g{Hb} | international unit per gram of hemoglobin
[iU]/g{Hgb} | international unit / gram Hgb
[IU]/h | international unit per hour
[IU]/kg | international unit per kilogram
[IU]/kg/d | international unit per kilogram per day
[IU]/L | international unit per liter
[IU]/min | international unit per minute
[IU]/mL | international unit per milliliter
[lb_av] | pound (US and British)
[mi_i] | statute mile
[mi_us] | mile
[min_us] | minim

[MPL'U] | IgM anticardiolipin unit
[M'U] | M unit
[nmi_i] | nautical mile
[oz_av] | ounce (US and British)
[oz_tr] | ounce
[pH] | pH
[pi].rad/min | the number pi * radian / minute
[ppb] | part per billion
[ppm] | part per million
[ppm]{v/v} | part per million in volume per volume
[ppt] | part per trillion
[ppth] | parts per thousand
[pptr] | parts per trillion
[psi] | pound per square inch
[pt_br] | pint
[qt_br] | quart
[qt_us] | quart
[sft_i] | square foot (international)
[sin_i] | square inch (international)
[ston_av] | short ton U.S. ton
[syd_i] | square yard
[tbs_us] | tablespoon (US)
[tb'U] | tuberculin unit
[todd'U] | Todd unit
[tsp_us] | teaspoon
[yd_i] | yard
{# of calculi} | # of calculi
{# of donor informative markers} | # of donor informative markers
{# of fetuses} | # of fetuses
{# of informative markers} | # of informative markers
{#} | #
{2 or 3 times}/d | 2 or 3 times / day
{3 times}/d | 3 times / day
{4 times}/d | 4 times / day
{5 times}/d | 5 times / day
{absorbance} | absorbance
{Absorbance'U} | Absorbance'U
{Absorbance'U}/mL | Absorbance'U / milliliter
{activity} | activity
{ActivityCoefficient} | ActivityCoefficient
{AHF'U} | AHF'U
{AntibodyResponse'U} | AntibodyResponse'U
{Applicator} | Applicator
{APS'U} | IgA antiphosphatidylserine unit
{AspirinReaction'U} | AspirinReaction'U
{Bead} | Bead
{Beats}/min | Beats / minute
{Bottle} | Bottle
{Bowls}/d | Bowls / day
{Breaths}/min | Breaths / minute
{CAE'U} | complement activity enzyme unit
{CagRepeat} | CagRepeat
{Can} | Can
{Cans}/wk | Cans / week
{Capsule} | Capsule
{Cell} | Cell
{cells} | cells
{cells}/[HPF] | cells per high power field
{Cells}/mL | Cells / milliliter
{cells}/uL | cells per microliter
{CfTiter} | CfTiter
{cfu} | cfu
{cfu}/mL | cfu / milliliter
{CGG_repeats} | CGG_repeats
{CGG} | CGG
{CH100'U} | complement CH100 unit
{clock time} | clock time
{clock_time} | clock_time
{ComplementActivityEnzyme'U} | ComplementActivityEnzyme'U
{ComplementCH100'U} | ComplementCH100'U
{ComplementCH50'U} | ComplementCH50'U
{copies}/mL | copies per milliliter

{copies}/ug | copies per microgram
{Copies}/uL | Copies / microliter
{Count} | Count
{Counts}/min | Counts / minute
{Dalton} | Dalton
{DdTiter} | DdTiter
{DeltaOpticalDensity} | DeltaOpticalDensity
{Dilution} | dilution
{Disintegrations}/min | Disintegrations / minute
{Dose} | Dose
{Drinks}/d | Drinks / day
{Each} | Each
{Ehrlich'U} | Ehrlich unit
{Ehrlich'U}/(2.h) | Ehrlich unit per 2 hour
{Ehrlich'U}/100g | Ehrlich unit per 100 gram
{Ehrlich'U}/d | Ehrlich unit per day
{Ehrlich'U}/dL | Ehrilich unit per deciliter
{Ehrlich'U}/mL | Ehrlich'U / milliliter
{EIAIndex} | EIA index
{EIATiter} | EIA titer
{EIA'U} | EIA unit
{EIA'U}/U | EIA unit per enzyme Unit
{ElisaIndex} | ElisaIndex
{ELISA'U} | ELISA unit
{Elisa'U}/mL | Elisa'U / milliliter
{ElisaValue} | ElisaValue
{ERY}/uL | erythrocyte per microliter
{Events} | Events
{FluorescenceIntensity'U} | FluorescenceIntensity'U
{G}U | G unit
{GliadinIndexValue} | GliadinIndexValue
{G-PortionPhospholipids} | G-PortionPhospholipids
{HaTiter} | HaTiter
{IfaIndex} | IfaIndex
{IfaTiter} | IfaTiter
{IgAAntiphosphatidyleserine'U} | IgAAntiphosphatidyleserine'U
{IgAPhospholipid'U} | IgAPhospholipid'U
{IgGAntiphosphatidyleserine'U} | IgGAntiphosphatidyleserine'U
{IgGIndex} | IgGIndex
{IgMAntiphosphatidyleserine'U} | IgMAntiphosphatidyleserine'U
{IgMIndex} | IgMIndex
{ImmuneComplex'U} | immune complex unit
{ImmuneStatusRatio} | ImmuneStatusRatio
{Immunity} | Immunity
{Index_val} | Index_val
{index} | index
{IndexValue} | IndexValue
{InhaledTobaccoUseAmountYears} | InhaledTobaccoUseAmountYears
{InhaledTobaccoUsePacks}/d | InhaledTobaccoUsePacks / day
{INR} | international normalized ratio
{INR'unit} | INR'unit
{JDF'U} | Juvenile Diabetes Foundation unit
{JDF'U}/L | Juvenile Diabetes Foundation unit per liter
{JuvenileDiabetesFound'U} | JuvenileDiabetesFound'U
{KCT'U} | kaolin clotting time
{KRONU'U}/L | Kronus unit per liter
{KRONU'U}/mL | Kronus unit per milliliter
{lgCopies}/ml | lgCopies / milliliter
{log_copies}/mL | log (base 10) copies per milliliter
{log_IU}/mL | log (base 10) international unit per milliliter
{LymeIndexValue} | LymeIndexValue
{M.o.M.} | M.o.M.
{M.o.M} | multiple of the median
{Markers} | Markers
{minidrp} | minidrp
{Molecule}/{Platelet} | Molecule / Platelet
{M-PortionPhospholipids} | M-PortionPhospholipids
{MPS'U} | IgM antiphosphatidylserine unit
{MPS'U}/mL | IgM antiphosphatidylserine unit per milliliter
{MultOfMean} | MultOfMean
{NonspecifcOunce} | NonspecifcOunce
{Number} | Number

{OD_unit} | optical density unit
{Once}/d | Once / day
{OpticalDensity} | OpticalDensity
{OpticalDensityIndex} | OpticalDensityIndex
{OpticalDensityRatio} | OpticalDensityRatio
{P2Y12 Reaction Units} | P2Y12 Reaction Units
{Package} | Package
{Packs}/d | Packs / day
{PackYears} | PackYears
{Patch} | Patch
{Percentile} | Percentile
{Pill} | Pill
{Pouches}/wk | Pouches / week
{RadioactiveT3UptakeRatio} | RadioactiveT3UptakeRatio
{ratio} | ratio
{RBC}/uL | red blood cell per microliter
{RecTiter} | RecTiter
{Relative'U} | Relative'U
{RelativeViscosity} | RelativeViscosity
{RPI'U} | RPI'U
{RubellaVirus} | RubellaVirus
{SatIndex} | SatIndex
{Scoop} | Scoop
{ScoreOf} | ScoreOf
{shift} | shift
{spermatozoa}/mL | spermatozoa per milliliter
{spray} | spray
{StandardDeviation} | StandardDeviation
{StandardIgA'U} | StandardIgA'U
{StandardIgG'U} | StandardIgG'U
{StandardIgM'U} | StandardIgM'U
{StdDeviation'U} | StdDeviation'U
{StimulatingIndex} | StimulatingIndex
{Streptozyme'U} | Streptozyme'U
{ThyroxinUptake'U} | ThyroxinUptake'U
{TIBC'U} | TIBC'U
{Times}/wk | Times / week
{Tine'U} | Tine'U
{titer} | titer
{ToxoplasmaIndexValue} | ToxoplasmaIndexValue
{Vial} | Vial
{Volume}/{Vvolume} | Volume / Vvolume
{WeeksDays} | WeeksDays
{WhiteBloodCell} | WhiteBloodCell
1/d | one per day
1/min | one per minute
10*12/L | trillion per liter
10*3 | Thousand
10*3.{RBC} | Thousand Red Blood Cells
10*3.U | Thousand Per * Unit
10*3/L | Thousand Per Liter
10*3/mL | Thousand Per MilliLiter
10*3/uL | Thousands Per MicroLiter
10*3{Copies}/mL | Thousand Copies Per MilliLiter
10*-3{Polarization'U} | (the number ten for arbitrary powers ^ -3) Polarization'U
10*5 | OneHundredThousand
10*6 | Million
10*6.[iU] | MillionInternationalUnit
10*6.eq/mL | MillionEquivalentsPerMilliLiter
10*6.U | (the number ten for arbitrary powers ^ 6) * Unit
10*6/{Specimen} | MillionPerSpecimen
10*6/kg | million per kilogram
10*6/L | million per liter
10*6/mL | million per milliliter
10*6/mm3 | (the number ten for arbitrary powers ^ 6) / (millimeter ^ 3)
10*6/uL | million per microliter
10*-6{Immunofluorescence'U} | (the number ten for arbitrary powers ^ -6) Immunofluorescence'U
10*8 | TenToEighth
10*9/L | billion per liter
10*9/mL | billion per milliliter
10*9/uL | billion per microliter
10.L/(min.m2) | 10 liter per minute per square meter

10.L/min | 10 liter per minute
10.uN.s/(cm.m2) | 10 * microNewton * second / centimeter * (meter ^ 2)
10.uN.s/cm | 10 * microNewton * second / centimeter
10.uN.s/cm2 | 10 * microNewton * second / (centimeter ^ 2)
a | year
A/m | Ampère / meter
att | technical atmosphere
bar | bar
Cel | degree Celsius
cg | centigram
cL | centiliter
cm | centimeter
cm[H2O] | centimeter of water
cm[H2O]/(s.m) | centimeter of water column / second * meter
cm[H2O]/L/s | centimeter of water per liter per second
cm[Hg] | centimeter of mercury
cm2 | square centimeter
cm2/s | square centimeter per second
cm3 | cubic centimeter
cP | centiPoise
cSt | centiStokes
d | day
dB | decibel
deg | degree
deg/s | degree per second
dg | decigram
dL | deciliter
dm | decimeter
dm2/s2 | square decimeter per square second
eq | equivalents
eq/L | equivalents / liter
eq/mL | equivalents / milliliter
eq/mmol | equivalents / millimole
eq/umol | equivalents / micromole
erg | erg
eV | electronvolt
fg | femtogram
fL | femtoliter
fL/nL | femtoliter / nanoliter
fm | femtometer
fmol | femtomole
fmol/g | femtomole per gram
fmol/L | femtomole per liter
fmol/mg | femtomole / milligram
fmol/mL | femtomole / milliliter
g | gram
g.m | gram * meter
g.m/({hb}.m2) | gram * meter / hb * (meter ^ 2)
g.m/{hb} | gram * meter / hb
g/(100.g) | gram per 100 gram
g/(12.h) | gram per 12 hour
g/(24.h) | gram per 24 hour
g/(3.d) | gram per 3 days
g/(4.h) | gram per 4 hour
g/(48.h) | gram per 48 hour
g/(5.h) | gram per 5 hour
g/(6.h) | gram per 6 hour
g/(72.h) | gram per 72 hour
g/(8.h) | gram / 8 * hour
g/(8.kg.h) | gram / 8 * kilogram * hour
g/(kg.h) | gram / kilogram * hour
g/(kg.min) | gram / kilogram * minute
g/{TotalWeight} | gram / TotalWeight
g/d | gram per day
g/dL | gram per deciliter
g/g | gram per gram
g/g{Cre} | gram / gram Cre
g/g{creat} | gram / gram creat
g/g{tissue} | gram per gram of tissue
g/h | gram per hour
g/h/m2 | gram per hour per square meter
g/kg | gram per kilogram

g/kg/d | gram per kilogram per day
g/L | gram per liter
g/m2 | grams Per Square Meter
g/mg | gram per milligram
g/min | gram per minute
g/mL | gram per milliliter
g/mmol | gram per millimole
g/mmol{creat} | gram / millimole creat
g/mol | gram per mole
GBq | gigaBecquerel
h | hour
hL | hectoliter
Hz | Hertz
iU | international unit
J | joule
J/L | joule per liter
K | Kelvin
K/W | Kelvin / Watt
k[IU]/L | kilo international unit per liter
k[IU]/mL | kilo international unit per milliliter
kat/kg | katal / kilogram
kat/L | katal / liter
kBq | kiloBecquerel
kcal | kilocalorie
kcal/(8.h) | kilocalorie / 8 * hour
kcal/h | kilocalorie per hour
kg | kilogram
kg.m/s | kilogram meter per second
kg/(s.m2) | kilogram per second per square meter
kg/h | kilogram per hour
kg/L | kilogram per liter
kg/m2 | kilogram / (meter ^ 2)
kg/m3 | kilogram / (meter ^ 3)
kg/min | kilogram / minute
kg/mol | kilogram per mole
kg/s | kilogram / second
kL | kiloliter
km | kilometer
kPa | kiloPascal
ks | kilosecond
kU/g | kiloenzyme Unit per gram
kU/h | kiloUnit / hour
kU/L | kiloenzyme Unit per liter
kU/mL | kilo enzyme unit per milliliter
L | liter
L.s2/s | liter * (second ^ 2) / second
L/(8.h) | liter per 8 hour
L/(min.m2) | liter per minute per square meter
L/d | liter per day
L/h | liter per hour
L/kg | liter per kilogram
L/L | liter per liter
L/min | liter per minute
L/s | liter / second
lm/m2 | lumen / (meter ^ 2)
m | meter
m/s | meter per second
m/s2 | meter per square second
m[iU] | milliinternational unit
m[IU]/L | milli international unit per liter
m[IU]/mL | milli international unit per milliliter
m2 | square meter
m2/s | square meter per second
m3/s | cubic meter per second
mA | milliAmpère
mbar | millibar
mbar.s/L | millibar second per liter
MBq | megaBecquerel
mCi | milliCurie
meq | milliequivalent
meq/(12.h) | milliequivalent per 12 hour
meq/(2.h) | milliequivalent per 2 hour

meq/(24.h) | millliequivalent per 24 hour
meq/(8.h) | milliequivalent per 8 hour
meq/(8.h.kg) | milliequivalents / 8 * hour * kilogram
meq/(kg.d) | milliequivalents / kilogram * day
meq/{Specimen} | milliequivalents / Specimen
meq/d | milliequivalent per day
meq/dL | milliequivalent per deciliter
meq/g | milliequivalent per gram
meq/g{Cre} | milliequivalents / gram Cre
meq/h | milliequivalent per hour
meq/kg | milliequivalent per kilogram
meq/kg/h | milliequivalent per kilogram per hour
meq/kg/min | milliequivalents / kilogram / minute
meq/L | milliequivalent per liter
meq/m2 | milliequivalent per square meter
meq/min | milliequivalent per minute
meq/mL | milliequivalent per milliliter
mg | milligram
mg/(10.h) | milligram per 10 hour
mg/(12.h) | milligram per 12 hour
mg/(18.h) | milligram per 18 hour
mg/(2.h) | milligram per 2 hour
mg/(24.h) | milligram per 24 hour
mg/(72.h) | milligram per 72 hour
mg/(8.h) | milligram per 8 hour
mg/(8.h.kg) | milligram / 8 * hour * kilogram
mg/(kg.h) | milligram / kilogram * hour
mg/{Hgb}/g | milligram / Hgb / gram
mg/{Specimen} | milligram / Specimen
mg/{Tot'Volume} | milligram / Tot'Volume
mg/{Volume} | milligram / Volume
mg/d | milligram per day
mg/d/(173.10*-2.m2) | milligram / day / 173 * (the number ten for arbitrary powers ^ -2) * (meter ^ 2)
mg/dL | milligram per deciliter
mg/g | milligram per gram
mg/g{Cre} | milligram / gram Cre
mg/g{creat} | milligram per gram of creatinine
mg/h | milligram per hour
mg/kg | milligram per kilogram
mg/kg/(24.h) | milligram / kilogram / 24 * hour
mg/kg/d | milligram per kilogram per day
mg/kg/min | milligram per kilogram per minute
mg/L | milligram per liter
mg/m2 | milligram per square meter
mg/m3 | milligram per cubic meter
mg/mg | milligram per milligram
mg/mg{cre} | milligram / milligram cre
mg/min | milligram per minute
mg/mL | milligram per milliliter
mg/mmol | milligram per millimole
mg/mmol{Cre} | milligram / millimole Cre
mg/mmol{creat} | milligram per millimole of creatinine
mg/wk | milligram per week
mg{Phenylketones}/dL | milligram Phenylketones / deciliter
min | minute
mL | milliliter
mL/({h'b}.m2) | milliliter / h'b * (meter ^ 2)
mL/(10.h) | milliliter per 10 hour
mL/(12.h) | milliliter per 12 hour
mL/(2.h) | milliliter per 2 hour
mL/(24.h) | milliliter per 24 hour
mL/(4.h) | milliliter per 4 hour
mL/(72.h) | milliliter per 72 hour
mL/(8.h) | milliliter per 8 hour
mL/(kg.min) | milliliter / kilogram * minute
mL/[sin_i] | milliliter per square inch (international)
mL/{h'b} | MilliLitersPerHeartbeat [SI Volume Units]
mL/cm[H2O] | milliliter / centimeter of water column
mL/d | milliliter per day
mL/dL | milliliter per deciliter
mL/h | milliliter per hour
mL/kg | milliliter per kilogram

mL/kg/(8.h) | milliliter per kilogram per 8 hour
mL/kg/d | milliliter per kilogram per day
mL/kg/h | milliliter per kilogram per hour
mL/kg/min | milliliter per kilogram per minute
mL/L | milliliter per liter
mL/m2 | milliliter per square meter
mL/mbar | milliliter per millibar
mL/min | milliliter per minute
mL/min/(173.10*-2.m2) | milliliter / minute / 173 * (the number ten for arbitrary powers ^ -2) * (meter ^ 2)
mL/min/{1.73_m2} | milliliter per minute per 1.73 square meter
mL/min/m2 | milliliter per minute per square meter
mL/mm | milliliter per millimeter
mL/s | milliliter per second
mm | millimeter
mm/h | millimeter per hour
mm/min | millimeter per minute
mm[H2O] | millimeter of water
mm[Hg] | millimeter of mercury
mm2 | square millimeter
mm3 | cubic millimeter
mmol | millimole
mmol/(12.h) | millimole per 12 hour
mmol/(18.h) | millimole per 18 hour
mmol/(2.h) | millimole per 2 hour
mmol/(24.h) | millimole per 24 hour
mmol/(6.h) | millimole per 6 hour
mmol/(8.h) | millimole per 8 hour
mmol/(8.h.kg) | millimole / 8 * hour * kilogram
mmol/{Tot'Volume} | millimole / Tot'Volume
mmol/d | millimole per day
mmol/dL | millimole per deciliter
mmol/g | millimole per gram
mmol/g{creat} | millimole per gram of creatinine
mmol/g{hemoglobin} | millimole per gram of hemoglobin
mmol/h | millimole per hour
mmol/h/mg{Hb} | millimole per hour per milligram of hemoglobin
mmol/h/mg{protein} | millimole per hour per milligram of protein
mmol/kg | millimole per kilogram
mmol/kg/d | millimole per kilogram per day
mmol/kg/h | millimole per kilogram per hour
mmol/kg/min | millimole per kilogram per minute
mmol/kg[H20] | millimole per kilogram of water
mmol/L | millimole per liter
mmol/L/s | millimole per liter per second
mmol/m | millimole / meter
mmol/m2 | millimole per square meter
mmol/min | millimole per minute
mmol/mmol | millimole per millimole
mmol/mol | millimole per mole
mmol/mol{creat} | millimole per mole of creatinine
mmol/s/L | millimole per second per liter
mo | month
mol | mole
mol/d | mole per day
mol/kg | mole per kilogram
mol/kg/s | mole per kilogram per second
mol/L | mole per liter
mol/m3 | mole per cubic meter
mol/mL | mole per milliliter
mol/mol | mole per mole
mol/mol{creat} | mole / mole creat
mol/s | mole per second
mosm | milliosmole
mosm/kg | milliosmole per kilogram
mosm/L | milliosmole per liter
mPa | millipascal
ms | millisecond
mU | millienzyme Unit
mU/g | millienzyme Unit per gram
mU/g{Hgb} | milliUnit / gram Hgb
mU/L | millienzyme Unit per liter
mU/mg | milliUnit / milligram

mU/mg{Cre} | milliUnit / milligram Cre
mU/min | milliUnit / minute
mU/mL | millienzyme Unit per milliliter
mU/mL/min | millienzyme Unit per milliliter per minute
mU/mmol{creatinine} | millienzyme Unit per millimole of creatinine
mU/mmol{RBCs} | millienzyme Unit per millimole of red blood cells
mV | milliVolt
N | Newton
N.cm | Newton centimeter
N.s | Newton second
nCi | nanoCurie
ng | nanogram
ng/(24.h) | nanogram per 24 hour
ng/(8.h) | nanogram per 8 hour
ng/(8.h.kg) | nanogram / 8 * hour * kilogram
ng/(kg.d) | nanogram / kilogram * day
ng/(kg.h) | nanogram / kilogram * hour
ng/(kg.min) | nanogram / kilogram * minute
ng/10*6 | nanogram per million
ng/d | nanogram per day
ng/dL | nanogram per deciliter
ng/dL/h | nanogram / deciliter / hour
ng/g | nanogram per gram
ng/g{Cre} | nanogram / gram Cre
ng/g{creat} | nanogram per gram of creatinine
ng/h | nanogram per hour
ng/kg | nanogram per kilogram
ng/kg/(8.h) | nanogram per kilogram per 8 hour
ng/kg/h | nanogram per kilogram per hour
ng/kg/min | nanogram per kilogram per minute
ng/L | nanogram per liter
ng/m2 | nanogram per square meter
ng/mg | nanogram per milligram
ng/mg/h | nanogram per milligram per hour
ng/mg{Protein} | nanogram / milligram Protein
ng/min | nanogram per minute
ng/mL | nanogram per millliiter
ng/mL/h | nanogram per milliliter per hour
ng/mL{rbc} | nanogram / milliliter rbc
ng/s | nanogram per second
nkat | nanokatal
nL | nanoliter
nm | nanometer
nm/s/L | nanometer per second per liter
nmol | nanomole
nmol/(24.h) | nanomole per 24 hour
nmol/d | nanomole per day
nmol/dL | nanomole per deciliter
nmol/g | nanomole per gram
nmol/g{Cre} | nanomole / gram Cre
nmol/g{creat} | nanomole per gram of creatinine
nmol/g{dry_wt} | nanomole per gram of dry weight
nmol/h/L | nanomole per hour per liter
nmol/h/mg{protein} | nanomole per hour per milligram of protein
nmol/h/mL | nanomole per hour per milliliter
nmol/L | nanomole per liter
nmol/L/mmol{creat} | nanomole per liter per millimole of creatinine
nmol/L/s | nanomole per liter per second
nmol/L{RBCs} | nanomole per liter of red blood cells
nmol/m/mg{protein} | nanomole per meter per milligram of protein
nmol/mg | nanomole per milligram
nmol/mg/h | nanomole per milligram per hour
nmol/min/mg{hemoglobin} | nanomole per minute per milligram of hemoglobin
nmol/min/mg{protein} | nanomole per minute per milligram of protein
nmol/min/mL | nanomole per minute per milliliter
nmol/mL | nanomole per milliliter
nmol/mL/h | nanomole per milliliter per hour
nmol/mL/min | nanomole per milliliter per minute
nmol/mmol | nanomole per millimole
nmol/mmol{Cre} | nanomole / millimole Cre
nmol/mmol{creat} | nanomole per millimole of creatinine
nmol/mol | nanomole per mole

nmol/nmol | nanomole per nanomole
nmol/s | nanomole per second
nmol/s/L | nanomole per second per liter
nmol/umol{creat} | nanomole per micromole of creatinine
ns | nanosecond
Ohm | Ohm
osm/kg | osmole per kilogram
osm/L | osmole per liter
Pa | Pascal
pg | picogram
pg/dL | picogram per deciliter
pg/L | picogram per liter
pg/mg | picogram per milligram
pg/mL | picogram per milliliter
pg/mm | picogram per millimeter
pkat | picokatal
pL | picoliter
pm | picometer
pmol | picomole
pmol/d | picomole per day
pmol/dL | picomole per deciliter
pmol/g | picomole per gram
pmol/h/mg{protein} | picomole per hour per milligram of protein
pmol/h/mL | picomole per hour per milliliter
pmol/L | picomole per liter
pmol/mg{protein} | picomole per milligram of protein
pmol/min | picomole per minute
pmol/min/mg{protein} | picomole per minute per milligram of protein
pmol/mL | picomole per milliliter
pmol/mmol | picomole per millimole
pmol/mmol{creat} | picomole per millimole of creatinine
pmol/mol | picomole per mole
pmol/umol | picomole per micromole
pmol/umol{creat} | picomole per micromole of creatinine
ps | picosecond
pT | picotesla
s | second
St | Stokes
t | tonne
U | enzyme Unit
U/(1.h) | enzyme Unit per 1 hour
U/(12.h) | enzyme unit per 12 hour
U/(18.h) | enzyme Unit per 18 hour
U/(2.h) | enzyme unit per 2 hour
U/(24.h) | enzyme unit per 24 hour
U/10*10{cells} | enzyme unit per 10 billion cells
U/10*12 | enzyme unit per trillion
U/10*6 | enzyme unit per million
U/10*9 | enzyme unit per billion
U/d | enzyme unit per day
U/dL | enzyme unit per deciliter
U/g | enzyme unit per gram
U/g{Cre} | Unit / gram Cre
U/g{Hb} | enzyme unit per gram of hemoglobin
U/g{hemoglobin} | enzyme Unit per gram of hemoglobin
U/g{Hgb} | UnitsPerGramHemoglobin
U/h | enzyme unit per hour
U/kg/h | Unit / kilogram / hour
U/kg{Hb} | enzyme unit per kilogram of hemoglobin
U/kg{hemoglobin} | enzyme Unit per kilogram of hemoglobin
U/L | enzyme unit per liter
U/min | enzyme unit per minute
U/mL | enzyme unit per milliliter
U/mL{RBC} | Unit / milliliter RBC
U/mL{RBCs} | enzyme unit per milliliter of red blood cells
U/mmol{creat} | enzyme unit per millimole of creatinine
U/mol | enzyme Unit per mole
U/s | enzyme unit per second
U/umol | enzyme Unit per micromole
u[IU] | micro international unit
u[IU]/L | microinternational unit per liter
u[IU]/mL | micro international unit per milliliter

ueq | microequivalents
ueq/L | microequivalent per liter
ueq/mL | microequivalent per milliliter
ug | microgram
ug/(24.h) | microgram per 24 hour
ug/(8.h) | microgram per 8 hour
ug/(kg.d) | microgram / kilogram * day
ug/(kg.h) | microgram / kilogram * hour
ug/{Specimen} | microgram / Specimen
ug/{TotalVolume} | MicroGramsPerTotalVolume
ug/d | microgram per day
ug/dL | microgram per deciliter
ug/dL{rbc} | microgram / deciliter rbc
ug/g | microgram per gram
ug/g{Cre} | microgram / gram Cre
ug/g{creat} | microgram per gram of creatinine
ug/g{DryWeight} | microgram / gram DryWeight
ug/g{Hgb} | microgram / gram Hgb
ug/g{Tissue} | microgram / gram Tissue
ug/h | microgram per hour
ug/kg | microgram per kilogram
ug/kg/(8.h) | microgram per kilogram per 8 hour
ug/kg/d | microgram per kilogram per day
ug/kg/h | microgram per kilogram per hour
ug/kg/min | microgram per kilogram per minute
ug/L | microgram per liter
ug/L/(24.h) | microgram per liter per 24 hour
ug/L{DDU} | microgram / liter DDU
ug/m2 | microgram per square meter
ug/mg | microgram per milligram
ug/mg{Cre} | microgram / milligram Cre
ug/mg{creat} | microgram per milligram of creatinine
ug/min | microgram per minute
ug/mL | microgram per milliliter
ug/mL{FEU} | microgram / milliliter FEU
ug/mmol | microgram per millimole
ug/ng | microgram per nanogram
ug{T4}/dL | microgram T4 / deciliter
ukat | microkatal
uL | microliter
uL/(2.h) | microliter per 2 hour
uL/h | microliter per hour
um | micrometer
um/s | micrometer per second
umol | micromole
umol/(24.h) | micromole per 24 hour
umol/d | micromole per day
umol/dL | micromole per deciliter
umol/g | micromole per gram
umol/g{Cre} | micromole / gram Cre
umol/g{creat} | micromole per gram of creatinine
umol/g{Hb} | micromole per gram of hemoglobin
umol/g{hemoglobin} | micromole per gram of hemoglobin
umol/g{Hgb} | micromole / gram Hgb
umol/h | micromole per hour
umol/h/g | micromole / hour / gram
umol/h/L | micromole per hour per liter
umol/h/mg{protein} | micromole per hour per milligram of protein
umol/kg | micromole per kilogram
umol/L | micromole per liter
umol/L/h | micromole per liter per hour
umol/L{rbc} | micromole per liter of red blood cells
umol/m | micromole / meter
umol/mg | micromole per milligram
umol/mg{Cre} | micromole / milligram Cre
umol/min | micromole per minute
umol/min/g | micromole per minute per gram
umol/min/g{prot} | micromole / minute / gram prot
umol/min/g{protein} | micromole per minute per gram of protein
umol/min/L | micromole per minute per liter
umol/mL | micromole per milliliter
umol/mL/min | micromole per milliliter per minute

umol/mmol | micromole per millimole
umol/mol | micromole per mole
umol/mol{Cre} | micromole / mole Cre
umol/mol{creat} | micromole per mole of creatinine
umol/mol{Hb} | micromole per mole of hemoglobin
umol/umol | micromole per micromole
uOhm | microOhm
us | microsecond
uU | microUnit
uU/g | micro enzyme unit per gram
uU/L | micro enzyme unit per liter
uU/mL | micro enzyme unit per milliliter
uV | microvolt
V | volt
wk | week
10.uN.s/(cm5.m2) | 10 micronewton second per centimeter to the fifth power per square meter
10*4/uL | 10 thousand per microliter
24.h | 24 hour
{ARU} | aspirin response unit
atm | standard atmosphere
ag/{cell} | attogram per cell
Bq | Becquerel
{binding_index} | binding index
[bdsk'U] | Bodansky unit
{CAG_repeats} | CAG trinucleotide repeats
cal | calorie
cm[H2O]/s/m | centimeter of water per second per meter
{delta_OD} | change in (delta) optical density
{copies} | copies
{CPM} | counts per minute
{CPM}/10*3{cell} | counts per minute per thousand cells
daL/min | dekaliter per minute
daL/min/m2 | dekaliter per minute per square meter
dyn.s/cm | dyne second per centimeter
dyn.s/(cm.m2) | dyne second per centimeter per square meter
{Ehrlich'U}/100.g | Ehrlich unit per 100 gram
{EIA_index} | EIA index
{EIA_titer} | EIA titer
{EV} | EIA value
U/10 | enzyme unit per 10
U/10*10 | enzyme unit per 10 billion
U/(10.g){feces} | enzyme unit per 10 gram of feces
U/g{creat} | enzyme unit per gram of creatinine
U/g{protein} | enzyme unit per gram of protein
U{25Cel}/L | enzyme unit per liter at 25 deg Celsius
U{37Cel}/L | enzyme unit per liter at 37 deg Celsius
U/10*12{RBCs} | enzyme unit per trillion red blood cells
F | Farad
fmol/mg{cytosol_protein} | femtomole per milligram of cytosol protein
fmol/mg{protein} | femtomole per milligram of protein
{FIU} | fluorescent intensity unit
{fraction} | fraction
{GAA_repeats} | GAA trinucleotide repeats
{genomes}/mL | genomes per milliliter
{Globules}/[HPF] | globules (drops) per high power field
g.m/{beat} | gram meter per heart beat
g{creat} | gram of creatinine
g{Hb} | gram of hemoglobin
g{total_nit} | gram of total nitrogen
g{total_prot} | gram of total protein
g{wet_tissue} | gram of wet tissue
g/kg/(8.h) | gram per kilogram per 8 hour
g/(8.h){shift} | gram per 8 hour shift
g/cm3 | gram per cubic centimeter
g/g{globulin} | gram per gram of globulin
g/kg/(8.h){shift} | gram per kilogram per 8 hour shift
g/kg/h | gram per kilogram per hour
g/kg/min | gram per kilogram per minute
g/mol{creat} | gram per mole of creatinine
g/{specimen} | gram per specimen
g/{total_output} | gram per total output
g/{total_weight} | gram per total weight

Gy | Gray
[HPF] | high power field
[GPL'U]/mL | IgG anticardiolipin unit per milliliter**
{GPS'U} | IgG antiphosphatidylserine unit
[MPL'U]/mL | IgM anticardiolipin unit per milliliter**
{ISR} | immune status ratio
{IFA_index} | immunofluorescence assay index
{IFA_titer} | Immunofluorescence assay titer
[in_i'H2O] | inch (international) of water
{HA_titer} | influenza hemagglutination titer
[IU]/L{37Cel} | international unit per liter at 37 degrees Celsius
[IU]/mg{creat} | international unit per milligram of creatinine
kat | katal
kU | kilo enzyme unit
kU/L{class} | kilo enzyme unit per liter class
kcal/d | kilocalorie per day
kcal/kg/(24.h) | kilocalorie per kilogram per 24 hour
kcal/[oz_av] | kilocalorie per ounce (US & British)
[ka'U] | King Armstrong unit
L/(24.h) | liter per 24 hour
L/s/s2 | liter per second per square second
{Log_IU} | log (base 10) international unit
{Log} | log base 10
[LPF] | low power field
lm | lumen
lm.m2 | lumen square meter
{Lyme_index_value} | Lyme index value
[mclg'U] | Mac Lagan unit
ug/g{feces} | microgram per gram of feces
ug{FEU}/mL | microgram fibrinogen equivalent unit per milliliter
ug/(100.g) | microgram per 100 gram
ug/m3 | microgram per cubic meter
ug/dL{RBCs} | microgram per deciliter of red blood cells
ug/g{dry_tissue} | microgram per gram of dry tissue
ug/g{dry_wt} | microgram per gram of dry weight
ug/g{hair} | microgram per gram of hair
ug/g{Hb} | microgram per gram of hemoglobin
ug/L{RBCs} | microgram per liter of red blood cells
ug/mL{class} | microgram per milliliter class
ug/mL{eqv} | microgram per milliliter equivalent
ug/mmol{creat} | microgram per millimole of creatinine
ug/[sft_i] | microgram per square foot (international)
umol{BCE}/mol | micromole bone collagen equivalent per mole
umol/(2.h) | micromole per 2 hour
umol/(8.h) | micromole per 8 hour
umol/dL{GF} | micromole per deciliter of glomerular filtrate
umol/kg{feces} | micromole per kilogram of feces
umol/L{RBCs} | micromole per liter of red blood cells
umol/umol{creat} | micromole per micromole of creatinine
umol/mg{creat} | micromole per milligram of creatinine
umol/mmol{creat} | micromole per millimole of creatinine
umol/min/g{mucosa} | micromole per minute per gram of mucosa
mU/mmol{creat} | milli enzyme unit per millimole of creatinine
mU/g{Hb} | milli enzyme unit per gram of hemoglobin
mU/g{protein} | milli enzyme unit per gram of protein
mU/mg{creat} | milli enzyme unit per milligram of creatinine
mbar/L/s | millibar per liter per second
meq/g{creat} | milliequivalent per gram of creatinine
meq/{total_volume} | milliequivalent per total volume
mg{FEU}/L | milligram fibrinogen equivalent unit per liter
mg/(6.h) | milligram per 6 hour
mg/{collection} | milligram per collection
mg/d/{1.73_m2} | milligram per day per 1.73 square meter
mg/dL{RBCs} | milligram per deciliter of red blood cells

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.832 Value Set http://hl7.org/fhir/ValueSet/name-assembly-order

URL: https://hl7.org/fhir/STU3/valueset-name-assembly-order.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/name-assembly-order
Name: | HumanNameAssemblyOrder
Definition: | A code that represents the preferred display order of the components of a human name
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.832 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for HumanNameAssemblyOrder

* Extension http://hl7.org/fhir/StructureDefinition/humanname-assembly-order: assembly-order ((Required))

4.3.1.832.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/name-assembly-order

* Include these codes as defined in

http://hl7.org/fhir/v2/0444

Code | Display
F | Prefix Family Given Suffix
G | Prefix Given Family Suffix

* Include these codes as defined in

http://hl7.org/fhir/v3/NullFlavor

Code | Display
UNK | Unknown | Description:A proper value is applicable, but not known. Usage Notes: This means the actual value is not known. If the only thing that is unknown is how to properly express the value in the necessary constraints (value set, datatype, etc.), then the OTH or UNC flavor should be used. No properties should be included for a datatype with this property unless: Those properties themselves directly translate to a semantic of "unknown". (E.g. a local code sent as a translation that conveys 'unknown') Those properties further qualify the nature of what is unknown. (E.g. specifying a use code of "H" and a URL prefix of "tel:" to convey that it is the home phone number that is unknown.)

4.3.1.832.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/v3/NullFlavor version 2016-11-11, http://hl7.org/fhir/name-assembly-order version 3.0.2, http://hl7.org/fhir/v2/0444 version 2.8.2

Code | System | Display | Definition
NL1 | http://hl7.org/fhir/name-assembly-order | Own Name
NL2 | http://hl7.org/fhir/name-assembly-order | Partner Name
NL3 | http://hl7.org/fhir/name-assembly-order | Partner Name followed by Maiden Name
NL4 | http://hl7.org/fhir/name-assembly-order | Own Name followed by Partner Name
F | http://hl7.org/fhir/v2/0444 | Prefix Family Given Suffix
G | http://hl7.org/fhir/v2/0444 | Prefix Given Family Suffix
UNK | http://hl7.org/fhir/v3/NullFlavor | Unknown | Description:A proper value is applicable, but not known. Usage Notes: This means the actual value is not known. If the only thing that is unknown is how to properly express the value in the necessary constraints (value set, datatype, etc.), then the OTH or UNC flavor should be used. No properties should be included for a datatype with this property unless: Those properties themselves directly translate to a semantic of "unknown". (E.g. a local code sent as a translation that conveys 'unknown') Those properties further qualify the nature of what is unknown. (E.g. specifying a use code of "H" and a URL prefix of "tel:" to convey that it is the home phone number that is unknown.)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.834 Value Set http://hl7.org/fhir/ValueSet/goal-relationship-type

URL: https://hl7.org/fhir/STU3/valueset-goal-relationship-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-relationship-type
Name: | GoalRelationshipType
Definition: | Types of relationships between two goals
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.834 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GoalRelationshipType

* Extension http://hl7.org/fhir/StructureDefinition/goal-relationship: relationship ((Extensible))

4.3.1.834.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/goal-relationship-type

4.3.1.834.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/goal-relationship-type version 3.0.2

All codes from system http://hl7.org/fhir/goal-relationship-type

Code | Display | Definition
predecessor | Predecessor | Indicates that the target goal is one which must be met before striving for the current goal
successor | Successor | Indicates that the target goal is a desired objective once the current goal is met
replacement | Replacement | Indicates that this goal has been replaced by the target goal
milestone | Milestone | Indicates that the target goal is considered to be a "piece" of attaining this goal.
other | Other | Indicates that the relationship is not covered by one of the pre-defined codes. (An extension may convey more information about the meaning of the relationship.)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.836 Value Set http://hl7.org/fhir/ValueSet/goal-acceptance-status

URL: https://hl7.org/fhir/STU3/valueset-goal-acceptance-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/goal-acceptance-status
Name: | GoalAcceptanceStatus
Definition: | Codes indicating whether the goal has been accepted by a stakeholder
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.836 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for GoalAcceptanceStatus

* Extension http://hl7.org/fhir/StructureDefinition/goal-acceptance: acceptance ((Required))

4.3.1.836.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/goal-acceptance-status

4.3.1.836.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/goal-acceptance-status version 3.0.2

All codes from system http://hl7.org/fhir/goal-acceptance-status

Code | Display | Definition
agree | Agree | Stakeholder supports pursuit of the goal
disagree | Disagree | Stakeholder is not in support of the pursuit of the goal
pending | Pending | Stakeholder has not yet made a decision on whether they support the goal

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.838 Value Set http://hl7.org/fhir/ValueSet/conformance-expectation

URL: https://hl7.org/fhir/STU3/valueset-conformance-expectation.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/conformance-expectation
Name: | ConformanceExpectation
Definition: | Indicates the degree of adherence to a specified behavior or capability expected for a system to be deemed conformant with a specification.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.838 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConformanceExpectation

* Extension http://hl7.org/fhir/StructureDefinition/capabilitystatement-expectation: expectation ((Required))

4.3.1.838.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/conformance-expectation

4.3.1.838.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/conformance-expectation version 3.0.2

All codes from system http://hl7.org/fhir/conformance-expectation

Code | Display | Definition
SHALL | SHALL | Support for the specified capability is required to be considered conformant.
SHOULD | SHOULD | Support for the specified capability is strongly encouraged, and failure to support it should only occur after careful consideration.

MAY | MAY | Support for the specified capability is not necessary to be considered conformant, and the requirement should be considered strictly optional.

SHOULD-NOT | SHOULD-NOT | Support for the specified capability is strongly discouraged and should occur only after careful consideration.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.840 Value Set http://hl7.org/fhir/ValueSet/parent-relationship-codes

URL: https://hl7.org/fhir/STU3/valueset-parent-relationship-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/parent-relationship-codes

Name: | Parent Relationship Codes

Definition: | The value set includes the v3 RoleCode PRN (parent), TWIN (twin) and all of their specializations. It covers the relationships needed to establish genetic pedigree relationships between family members.

Committee: | Patient Care Work Group

OID: | 2.16.840.1.113883.4.642.3.840 (for OID based terminology systems)

Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/family-member-history-genetics-parent: parent ((Required))

4.3.1.840.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://hl7.org/fhir/v3/RoleCode where concept is-a PRN

* Include codes from http://hl7.org/fhir/v3/RoleCode where concept is-a TWIN

4.3.1.840.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 21 concepts

Expansion based on http://hl7.org/fhir/v3/RoleCode version 2016-11-11

All codes from system http://hl7.org/fhir/v3/RoleCode

Code | Display | Definition

PRN | parent | The player of the role is one who begets, gives birth to, or nurtures and raises the scoping entity (child).

ADOPTP | adoptive parent | The player of the role (parent) has taken the scoper (child) into their family through legal means and raises them as his or her own child.

ADOPTF | adoptive father | The player of the role (father) is a male who has taken the scoper (child) into their family through legal means and raises them as his own child.

ADOPTM | adoptive mother | The player of the role (father) is a female who has taken the scoper (child) into their family through legal means and raises them as her own child.

FTH | father | The player of the role is a male who begets or raises or nurtures the scoping entity (child).

FTHFOST | foster father | The player of the role (parent) who is a male state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.

NFTH | natural father | The player of the role is a male who begets the scoping entity (child).

NFTHF | natural father of fetus | Indicates the biologic male parent of a fetus.

STPFTH | stepfather | The player of the role is the husband of scoping person's mother and not the scoping person's natural father.

MTH | mother | The player of the role is a female who conceives, gives birth to, or raises and nurtures the scoping entity (child).

GESTM | gestational mother | The player is a female whose womb carries the fetus of the scoper. Generally used when the gestational mother and natural mother are not the same.

MTHFOST | foster mother | The player of the role (parent) who is a female state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.

NMTH | natural mother | The player of the role is a female who conceives or gives birth to the scoping entity (child).

NMTHF | natural mother of fetus | The player is the biologic female parent of the scoping fetus.
STPMTH | stepmother | The player of the role is the wife of scoping person's father and not the scoping person's natural mother.
NPRN | natural parent | natural parent
PRNFOST | foster parent | The player of the role (parent) who is a state-certified caregiver responsible for the scoper (child) who has been placed in the parent's care. The placement of the child is usually arranged through the government or a social-service agency, and temporary. The state, via a jurisdiction recognized child protection agency, stands as in loco parentis to the child, making all legal decisions while the foster parent is responsible for the day-to-day care of the specified child.
STPPRN | step parent | The player of the role is the spouse of the scoping person's parent and not the scoping person's natural parent.
TWIN | twin | The scoper and player were carried in the same womb and shared common biological parents.
FTWIN | fraternal twin | The scoper and player were carried in the same womb and share common biological parents but are the product of distinct egg/sperm pairs.
ITWIN | identical twin | The scoper and player are offspring of the same egg-sperm pair.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.841 Value Set http://hl7.org/fhir/ValueSet/sibling-relationship-codes

URL: https://hl7.org/fhir/STU3/valueset-sibling-relationship-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/sibling-relationship-codes
Name: | Sibling Relationship Codes
Definition: | The value set includes the v3 RoleCode SIB (sibling) and all of its specializations. It covers the relationships needed to establish genetic pedigree relationships between family members.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.841 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/family-member-history-genetics-sibling: sibling ((Required))

4.3.1.841.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://hl7.org/fhir/v3/RoleCode where concept is-a SIB

4.3.1.841.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 21 concepts

Expansion based on http://hl7.org/fhir/v3/RoleCode version 2016-11-11

All codes from system http://hl7.org/fhir/v3/RoleCode

Code | Display | Definition
SIB | sibling | The player of the role shares one or both parents in common with the scoping entity.
BRO | brother | The player of the role is a male sharing one or both parents in common with the scoping entity.
HBRO | half-brother | The player of the role is a male related to the scoping entity by sharing only one biological parent.
NBRO | natural brother | The player of the role is a male having the same biological parents as the scoping entity.
TWINBRO | twin brother | The scoper was carried in the same womb as the male player and shares common biological parents.
FTWINBRO | fraternal twin brother | The scoper was carried in the same womb as the male player and shares common biological parents but is the product of a distinct egg/sperm pair.
ITWINBRO | identical twin brother | The male scoper is an offspring of the same egg-sperm pair as the male player.
STPBRO | stepbrother | The player of the role is a son of the scoping person's stepparent.
HSIB | half-sibling | The player of the role is related to the scoping entity by sharing only one biological parent.
HSIS | half-sister | The player of the role is a female related to the scoping entity by sharing only one biological parent.
NSIB | natural sibling | The player of the role has both biological parents in common with the scoping entity.
NSIS | natural sister | The player of the role is a female having the same biological parents as the scoping entity.
TWINSIS | twin sister | The scoper was carried in the same womb as the female player and shares common biological parents.

FTWINSIS | fraternal twin sister | The scoper was carried in the same womb as the female player and shares common biological parents but is the product of a distinct egg/sperm pair.
ITWINSIS | identical twin sister | The female scoper is an offspring of the same egg-sperm pair as the female player.
TWIN | twin | The scoper and player were carried in the same womb and shared common biological parents.
FTWIN | fraternal twin | The scoper and player were carried in the same womb and share common biological parents but are the product of distinct egg/sperm pairs.
ITWIN | identical twin | The scoper and player are offspring of the same egg-sperm pair.
SIS | sister | The player of the role is a female sharing one or both parents in common with the scoping entity.
STPSIS | stepsister | The player of the role is a daughter of the scoping person's stepparent.
STPSIB | step sibling | The player of the role is a child of the scoping person's stepparent.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.842 Value Set http://hl7.org/fhir/ValueSet/template-status-code

URL: https://hl7.org/fhir/STU3/valueset-template-status-code.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/template-status-code
Name: | TemplateStatusCode
Definition: | The status indicates the level of maturity of the design and may be used to manage the use of the design
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.842 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/structuredefinition-template-status: template-status ((Required))

4.3.1.842.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

urn:oid:2.16.840.1.113883.3.1937.98.5.8

Code | Display | Definition
draft | Draft | Design is under development (nascent)
pending | Under pre-publication review | Design is completed and is being reviewed
active | Active | Design has been deemed fit for the intended purpose and is published by the governance group
review | In Review | Design is active, but is under review. The review may result in a change to the design. The change may necessitate a new version to be created. This in turn may result in the prior version of the template to be retired. Alternatively, the review may result in a change to the design that does not require a new version to be created, or it may result in no change to the design at all
cancelled | Cancelled | A drafted design is determined to be erroneous or not fit for intended purpose and is discontinued before ever being published in an active state
rejected | Rejected | A previously drafted design is determined to be erroneous or not fit for intended purpose and is discontinued before ever being published for consideration in a pending state
retired | Retired | A previously active design is discontinued from use. It should no longer be used for future designs, but for historical purposes may be used to process data previously recorded using this design. A newer design may or may not exist. The design is published in the retired state
terminated | Terminated | A design is determined to be erroneous or not fit for the intended purpose and should no longer be used, even for historical purposes. No new designs can be developed for this template. The associated template no longer needs to be published, but if published, is shown in the terminated state

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.843 Value Set http://hl7.org/fhir/ValueSet/messageheader-response-request

URL: https://hl7.org/fhir/STU3/valueset-messageheader-response-request.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/messageheader-response-request
Name: | messageheader-response-request
Definition: | HL7-defined table of codes which identify conditions under which acknowledgments are required to be returned in response to a message.
Committee: | Infrastructure And Messaging Work Group
OID: | 2.16.840.1.113883.4.642.3.843 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for messageheader-response-request

* Extension http://hl7.org/fhir/StructureDefinition/messageheader-response-request: messageheader-response-request ((Required))

4.3.1.843.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/messageheader-response-request

4.3.1.843.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/messageheader-response-request version 3.0.2

All codes from system http://hl7.org/fhir/messageheader-response-request

Code | Display | Definition
always | Always | initiator expects a response for this message
on-error | Error/reject conditions only | initiator expects a response only if in error
never | Never | initiator does not expect a response
on-success | Successful completion only | initiator expects a response only if successful

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.845 Value Set http://hl7.org/fhir/ValueSet/questionnaire-category

URL: https://hl7.org/fhir/STU3/valueset-questionnaire-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-category
Name: | Questionnaire Category Codes
Definition: | Example list of potential categories for questionnaires.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.845 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this

agreement.
Source Resource | XML / JSON

This value set is not currently used

4.3.1.845.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
273601006 | Mental status questionnaire
273820006 | Social support questionnaire
273479001 | General health questionnaire
273384008 | Consumer satisfaction questionnaire
304784009 | Administrative form

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.846 Value Set http://hl7.org/fhir/ValueSet/question-max-occurs

URL: https://hl7.org/fhir/STU3/valueset-question-max-occurs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/question-max-occurs
Name: | MaxOccurs
Definition: | Flags an element as having unlimited repetitions
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.846 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MaxOccurs

4.3.1.846.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/question-max-occurs

4.3.1.846.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 1 concepts

Expansion based on http://hl7.org/fhir/question-max-occurs version 3.0.2

All codes from system http://hl7.org/fhir/question-max-occurs

Code | Display | Definition
* | Repeating | Element can repeat an unlimited number of times

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.848 Value Set http://hl7.org/fhir/ValueSet/questionnaire-item-control

URL: https://hl7.org/fhir/STU3/valueset-questionnaire-item-control.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-item-control
Name: | Questionnaire Item UI Control Codes
Definition: | Starter set of user interface control/display mechanisms that might be used when rendering an item in a questionnaire.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.848 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Questionnaire Item UI Control Codes

* Extension http://hl7.org/fhir/StructureDefinition/questionnaire-itemControl: itemControl ((Extensible))

4.3.1.848.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/questionnaire-item-control

4.3.1.848.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 22 concepts

Expansion based on http://hl7.org/fhir/questionnaire-item-control version 3.0.2

All codes from system http://hl7.org/fhir/questionnaire-item-control

Code | Display | Definition
group | | UI controls relevant to organizing groups of questions
list | List | Questions within the group should be listed sequentially
table | Table | Questions within the group are rows in the table with possible answers as columns
header | Header | The group is to be continuously visible at the top of the questionnaire
footer | Footer | The group is to be continuously visible at the bottom of the questionnaire
text | | UI controls relevant to rendering questionnaire text items
inline | In-line | Text is displayed as a paragraph in a sequential position between sibling items (default behavior)
prompt | Prompt | Text is displayed immediately below or within the answer-entry area of the containing question item (typically as a guide for what to enter)
unit | Unit | Text is displayed adjacent (horizontally or vertically) to the answer space for the parent question, typically to indicate a unit of measure
lower | Lower-bound | Text is displayed to the left of the set of answer choices or a scaling control for the parent question item to indicate the meaning of the 'lower' bound. E.g. 'Strongly disagree'
upper | Upper-bound | Text is displayed to the right of the set of answer choices or a scaling control for the parent question item to indicate the meaning of the 'upper' bound. E.g. 'Strongly agree'
flyover | Fly-over | Text is temporarily visible over top of an item if the mouse is positioned over top of the text for the containing item
help | Help-Button | Text is displayed in a dialog box or similar control if invoked by pushing a button or some other UI-appropriate action to request 'help' for a question, group or the questionnaire as a whole (depending what the text is nested within)
question | | UI controls relevant to capturing question data
autocomplete | Auto-complete | A control which provides a list of potential matches based on text entered into a control. Used for large choice sets where text-matching is an appropriate discovery mechanism.
drop-down | Drop down | A control where an item (or multiple items) can be selected from a list that is only displayed when the user is editing the field.
check-box | Check-box | A control where choices are listed with a box beside them. The box can be toggled to select or de-select a given choice. Multiple selections may be possible.
lookup | Lookup | A control where editing an item spawns a separate dialog box or screen permitting a user to navigate, filter or otherwise discover an appropriate match. Useful for large choice sets where text matching is not an appropriate discovery mechanism. Such screens must generally be tuned for the specific choice list structure.
radio-button | Radio Button | A control where choices are listed with a button beside them. The button can be toggled to select or de-select a given choice. Selecting one item deselects all others.
slider | Slider | A control where an axis is displayed between the high and low values and the control can be visually manipulated to select a value anywhere on the axis.
spinner | Spinner | A control where a list of numeric or other ordered values can be scrolled through via arrows.
text-box | Text Box | A control where a user can type in their answer freely.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.850 Value Set http://hl7.org/fhir/ValueSet/choice-list-orientation

URL: https://hl7.org/fhir/STU3/valueset-choice-list-orientation.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/choice-list-orientation
Name: | ChoiceListOrientation
Definition: | Direction in which lists of question options should be displayed
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.850 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ChoiceListOrientation

* Extension http://hl7.org/fhir/StructureDefinition/questionnaire-choiceOrientation: choiceOrientation ((Required))

4.3.1.850.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/choice-list-orientation

4.3.1.850.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/choice-list-orientation version 3.0.2

All codes from system http://hl7.org/fhir/choice-list-orientation

Code | Display | Definition
horizontal | Horizontal | List choices along the horizontal axis
vertical | Vertical | List choices down the vertical axis

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.852 Value Set http://hl7.org/fhir/ValueSet/questionnaire-display-category

URL: https://hl7.org/fhir/STU3/valueset-questionnaire-display-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://www.hl7.org/Special/committees/patientcare .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/questionnaire-display-category
Name: | Questionnaire Text Categories
Definition: | Codes defining the purpose of a Questionnaire item of type 'text'.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.852 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Questionnaire Text Categories

* Extension http://hl7.org/fhir/StructureDefinition/questionnaire-displayCategory: displayCategory ((Extensible))

4.3.1.852.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/questionnaire-display-category

4.3.1.852.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/questionnaire-display-category version 3.0.2

All codes from system http://hl7.org/fhir/questionnaire-display-category

Code	Display	Definition
instructions	Instructions	The text provides guidances on how to populate or use a portion of the questionnaire (or the questionnaire as a whole).
security	Security	The text provides guidance on how the information should be or will be handled from a security/confidentiality/access control perspective when completed

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.854 Value Set http://hl7.org/fhir/ValueSet/questionnaire-usage-mode

URL: https://hl7.org/fhir/STU3/valueset-questionnaire-usage-mode.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/questionnaire-usage-mode
Name:	QuestionnaireItemUsageMode
Definition:	Identifies the modes of usage of a questionnaire that should enable a particular questionnaire item
Committee:	FHIR Infrastructure Work Group
OID:	2.16.840.1.113883.4.642.3.854 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for QuestionnaireItemUsageMode

* Extension http://hl7.org/fhir/StructureDefinition/questionnaire-usageMode: usageMode ((Required))

4.3.1.854.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/questionnaire-usage-mode

4.3.1.854.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 5 concepts

Expansion based on http://hl7.org/fhir/questionnaire-usage-mode version 3.0.2

All codes from system http://hl7.org/fhir/questionnaire-usage-mode

Code	Display	Definition
capture-display	Capture & Display	Render the item regardless of usage mode
capture	Capture Only	Render the item only when capturing data
display	Display Only	Render the item only when displaying a completed form
display-non-empty	Display when Answered	Render the item only when displaying a completed form and the item has been answered (or has child items that have been answered)

capture-display-non-empty | Capture or, if answered, Display | Render the item when capturing data or when displaying a completed form and the item has been answered (or has child items that have been answered)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.856 Value Set http://hl7.org/fhir/ValueSet/specimen-collection-priority

URL: https://hl7.org/fhir/STU3/valueset-specimen-collection-priority.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/specimen-collection-priority
Name: | SpecimenCollectionPriority
Definition: | This example value set defines a set of codes that can be used to indicate the priority of collection of a specimen.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.856 (for OID based terminology systems)
Copyright: | TBD
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/specimen-collectionPriority: collectionPriority ((Example))

4.3.1.856.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://example.com

Code | Display
1 | STAT
2 | ASAP
3 | ASAP-ED
4 | AM
5 | ROUTINE
6 | NURSE COLLECT
7 | CALL OR FAX

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.857 Value Set http://hl7.org/fhir/ValueSet/allerg-intol-substance-exp-risk

URL: https://hl7.org/fhir/STU3/valueset-allerg-intol-substance-exp-risk.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/allerg-intol-substance-exp-risk

Name: | AllergyIntoleranceSubstanceExposureRisk
Definition: | The risk of an adverse reaction (allergy or intolerance) for this patient upon exposure to the substance (including pharmaceutical products).
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.857 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AllergyIntoleranceSubstanceExposureRisk

* Extension http://hl7.org/fhir/StructureDefinition/allergyintolerance-substanceExposureRisk: substanceExposureRisk ((Required))

4.3.1.857.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/allerg-intol-substance-exp-risk

4.3.1.857.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/allerg-intol-substance-exp-risk version 3.0.2

All codes from system http://hl7.org/fhir/allerg-intol-substance-exp-risk

Code | Display | Definition
known-reaction-risk | Known Reaction Risk | Known risk of allergy or intolerance reaction upon exposure to the specified substance.
no-known-reaction-risk | No Known Reaction Risk | No known risk of allergy or intolerance reaction upon exposure to the specified substance.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.859 Value Set http://hl7.org/fhir/ValueSet/reaction-event-certainty

URL: https://hl7.org/fhir/STU3/valueset-reaction-event-certainty.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/reaction-event-certainty
Name: | AllergyIntoleranceCertainty
Definition: | Statement about the degree of clinical certainty that a specific substance was the cause of the manifestation in a reaction event.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.859 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AllergyIntoleranceCertainty

* Extension http://hl7.org/fhir/StructureDefinition/allergyintolerance-certainty: certainty ((Required))

4.3.1.859.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/reaction-event-certainty

4.3.1.859.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/reaction-event-certainty version 3.0.2

All codes from system http://hl7.org/fhir/reaction-event-certainty

Code | Display | Definition
unlikely | Unlikely | There is a low level of clinical certainty that the reaction was caused by the identified substance.
likely | Likely | There is a high level of clinical certainty that the reaction was caused by the identified substance.
confirmed | Confirmed | There is a very high level of clinical certainty that the reaction was due to the identified substance, which may include clinical evidence by testing or rechallenge.
unknown | Unknown | The clinical certainty that the reaction was caused by the identified substance is unknown. It is an explicit assertion that certainty is not known.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.861 Value Set http://hl7.org/fhir/ValueSet/hl7-work-group

URL: https://hl7.org/fhir/STU3/valueset-hl7-work-group.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/hl7-work-group
Name: | HL7Workgroup
Definition: | An HL7 administrative unit that owns artifacts in the FHIR specification
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.861 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for HL7Workgroup

* Extension http://hl7.org/fhir/StructureDefinition/structuredefinition-wg: wg ((Required))

4.3.1.861.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/hl7-work-group

4.3.1.861.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 23 concepts

Expansion based on http://hl7.org/fhir/hl7-work-group version 3.0.2

All codes from system http://hl7.org/fhir/hl7-work-group

Code | Display | Definition
cbcc | Community Based Collaborative Care | Community Based Collaborative Care (http://www.hl7.org/Special/committees/cbcc/index.cfm)
cds | Clinical Decision Support | Clinical Decision Support (http://www.hl7.org/Special/committees/dss/index.cfm)
cqi | Clinical Quality Information | Clinical Quality Information (http://www.hl7.org/Special/committees/cqi/index.cfm)
cg | Clinical Genomics | Clinical Genomics (http://www.hl7.org/Special/committees/clingenomics/index.cfm)
dev | Health Care Devices | Health Care Devices (http://www.hl7.org/Special/committees/healthcaredevices/index.cfm)
ehr | Electronic Health Records | Electronic Health Records (http://www.hl7.org/special/committees/ehr/index.cfm)
fhir | FHIR Infrastructure | FHIR Infrastructure (http://www.hl7.org/Special/committees/fiwg/index.cfm)
fm | Financial Management | Financial Management (http://www.hl7.org/Special/committees/fm/index.cfm)
hsi | Health Standards Integration | Health Standards Integration (http://www.hl7.org/Special/committees/hsi/index.cfm)
ii | Imaging Integration | Imaging Integration (http://www.hl7.org/Special/committees/imagemgt/index.cfm)
inm | Infrastructure And Messaging | Infrastructure And Messaging (http://www.hl7.org/special/committees/inm/index.cfm)
its | Implementable Technology Specifications | Implementable Technology Specifications (http://www.hl7.org/special/committees/xml/index.cfm)
oo | Orders and Observations | Orders and Observations (http://www.hl7.org/Special/committees/orders/index.cfm)
pa | Patient Administration | Patient Administration (http://www.hl7.org/Special/committees/pafm/index.cfm)
pc | Patient Care | Patient Care (http://www.hl7.org/Special/committees/patientcare/index.cfm)
pher | Public Health and Emergency Response | Public Health and Emergency Response (http://www.hl7.org/Special/committees/pher/index.cfm)
phx | Pharmacy | Pharmacy (http://www.hl7.org/Special/committees/medication/index.cfm)
rcrim | Regulated Clinical Research Information Management | Regulated Clinical Research Information Management (http://www.hl7.org/Special/committees/rcrim/index.cfm)
sd | Structured Documents | Structured Documents (http://www.hl7.org/Special/committees/structure/index.cfm)

sec | Security | Security (http://www.hl7.org/Special/committees/secure/index.cfm)
us | US Realm Taskforce | US Realm Taskforce (http://wiki.hl7.org/index.php?title=US_Realm_Task_Force)
vocab | Vocabulary | Vocabulary (http://www.hl7.org/Special/committees/Vocab/index.cfm)
aid | Application Implementation and Design | Application Implementation and Design (http://www.hl7.org/Special/committees/java/index.cfm)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.863 Value Set http://hl7.org/fhir/ValueSet/procedure-progress-status-codes

URL: https://hl7.org/fhir/STU3/valueset-procedure-progress-status-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/procedure-progress-status-codes
Name: | Procedure Progress Status Codes
Definition: | This value set is provided as an example. The value set to instantiate this attribute should be drawn from a robust terminology code system that consists of or contains concepts to support the procedure performance process.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.863 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Procedure Progress Status Codes

* Extension http://hl7.org/fhir/StructureDefinition/procedure-progressStatus: progressStatus ((Example))

4.3.1.863.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/procedure-progress-status-code

4.3.1.863.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 6 concepts

Expansion based on http://hl7.org/fhir/procedure-progress-status-code version 3.0.2

All codes from system http://hl7.org/fhir/procedure-progress-status-code

Code | Display | Definition
in-operating-room | In Operating Room | A patient is in the Operating Room.
prepared | Prepared | The patient is prepared for a procedure.
anesthesia-induced | Anesthesia Induced | The patient is under anesthesia.
open-incision | Open Incision | The patient has open incision(s).
closed-incision | Closed Incision | The patient has incision(s) closed.
in-recovery-room | In Recovery Room | The patient is in the recovery room.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.865 Value Set http://hl7.org/fhir/ValueSet/implant-status

URL: https://hl7.org/fhir/STU3/valueset-implant-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/implant-status
Name: | Implant Status
Definition: | A set codes that define the functional status of an implanted device.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.865 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Implant Status

* Extension http://hl7.org/fhir/StructureDefinition/device-implant-status: implant-status ((Required))

4.3.1.865.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/implant-status

4.3.1.865.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/implant-status version 3.0.2

All codes from system http://hl7.org/fhir/implant-status

Code | Display | Definition
functional | Functional | The implanted device is working normally
non-functional | Non-Functional | The implanted device is not working
disabled | Disabled | The implanted device has been turned off
unknown | Unknown | the functional status of the implant has not been determined

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.867 Value Set http://hl7.org/fhir/ValueSet/flag-priority

URL: https://hl7.org/fhir/STU3/valueset-flag-priority.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/flag-priority
Name: | Flag Priority Codes
Definition: | This value set is provided as an exemplar. The value set is driven by IHE Table B.8-4: Abnormal Flags, Alert Priority.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.867 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for Flag Priority Codes

* Extension http://hl7.org/fhir/StructureDefinition/flag-priority: priority ((Example))

4.3.1.867.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/flag-priority-code

4.3.1.867.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/flag-priority-code version 3.0.2

All codes from system http://hl7.org/fhir/flag-priority-code

Code | Display | Definition
PN | No alarm | No alarm.
PL | Low priority | Low priority.
PM | Medium priority | Medium priority.
PH | High priority | High priority.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.869 Value Set http://hl7.org/fhir/ValueSet/focal-subject

URL: https://hl7.org/fhir/STU3/valueset-focal-subject.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/focal-subject
Name: | Focal Subject Codes
Definition: | Example VS composed from SNOMED CT and HL7 v3 codes for observation targets: donor, fetus, spouse. As use cases are discovered more values may be added.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.869 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/observation-focal-subject: focal-subject ((Example))

4.3.1.869.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://snomed.info/sct

Code | Display
83418008 | Fetus

* Include these codes as defined in

http://hl7.org/fhir/v3/ParticipationType

Code | Display
DON | donor | In some organ transplantation services and rarely in transfusion services a donor will be a target participant in the service. However, in most cases transplantation is decomposed in three services: explantation, transport, and implantation. The identity of the donor (recipient) is often irrelevant for the explantation (implantation) service.

* Include these codes as defined in

http://hl7.org/fhir/v3/RoleCode

Code | Display
SPS | spouse | The player of the role is a marriage partner of the scoping person.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.870 Value Set http://hl7.org/fhir/ValueSet/ucum-vitals-common

URL: https://hl7.org/fhir/STU3/valueset-ucum-vitals-common.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ucum-vitals-common
Name: | Vital Signs Units
Definition: | Common UCUM units for recording Vital Signs
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.870 (for OID based terminology systems)
Copyright: | UCUM is Copyright © 1999-2013 Regenstrief Institute, Inc. and The UCUM Organization, Indianapolis, IN. All rights reserved. See http://unitsofmeasure.org/trac//wiki/TermsOfUse for details
Source Resource | XML / JSON

This value set is used in the following places:

* StructureDefinition VitalSigns: Observation.valueQuantity ((Required))
* StructureDefinition VitalSigns: Observation.component.valueQuantity ((Required))
* StructureDefinition BodyWeight: Observation.valueQuantity ((Required))
* StructureDefinition BodyWeight: Observation.component.valueQuantity ((Required))
* StructureDefinition RespRate: Observation.valueQuantity ((Required))
* StructureDefinition RespRate: Observation.component.valueQuantity ((Required))
* StructureDefinition HeartRate: Observation.valueQuantity ((Required))
* StructureDefinition HeartRate: Observation.component.valueQuantity ((Required))
* StructureDefinition BodyTemp: Observation.valueQuantity ((Required))
* StructureDefinition BodyTemp: Observation.component.valueQuantity ((Required))
* StructureDefinition BodyHeight: Observation.valueQuantity ((Required))
* StructureDefinition BodyHeight: Observation.component.valueQuantity ((Required))
* StructureDefinition BodyLength: Observation.valueQuantity ((Required))
* StructureDefinition BodyLength: Observation.component.valueQuantity ((Required))
* StructureDefinition HeadCircum: Observation.valueQuantity ((Required))
* StructureDefinition HeadCircum: Observation.component.valueQuantity ((Required))
* StructureDefinition OxygenSat: Observation.valueQuantity ((Required))
* StructureDefinition OxygenSat: Observation.component.valueQuantity ((Required))
* StructureDefinition BMI: Observation.valueQuantity ((Required))
* StructureDefinition BMI: Observation.component.valueQuantity ((Required))
* StructureDefinition BP: Observation.valueQuantity ((Required))
* StructureDefinition BP: Observation.component.valueQuantity ((Required))
* StructureDefinition BP: Observation.component.valueQuantity ((Required))
* StructureDefinition VitalsPanel: Observation.valueQuantity ((Required))
* StructureDefinition VitalsPanel: Observation.component.valueQuantity ((Required))

4.3.1.870.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://unitsofmeasure.org

Code | Display
% | percent
cm | centimeter
[in_i] | inch (international)
kg | kilogram

g | gram
[lb_av] | pound (US and British)
Cel | degree Celsius
[degF] | degree Fahrenheit
mm[Hg] | millimeter of mercury
/min | per minute
kg/m2 | kilogram / (meter ^ 2)
m2 | square meter

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.871 Value Set http://hl7.org/fhir/ValueSet/ucum-bodyweight

URL: https://hl7.org/fhir/STU3/valueset-ucum-bodyweight.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ucum-bodyweight
Name: | Body Weight Units
Definition: | UCUM units for recording Body Weight
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.871 (for OID based terminology systems)
Copyright: | UCUM is Copyright © 1999-2013 Regenstrief Institute, Inc. and The UCUM Organization, Indianapolis, IN. All rights reserved. See http://unitsofmeasure.org/trac//wiki/TermsOfUse for details
Source Resource | XML / JSON

This value set is used in the following places:

* StructureDefinition BodyWeight: Observation.valueQuantity.code ((Required))

4.3.1.871.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://unitsofmeasure.org

Code | Display
kg | kg
[lb_av] | lb_av
g | g

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.872 Value Set http://hl7.org/fhir/ValueSet/ucum-bodytemp

URL: https://hl7.org/fhir/STU3/valueset-ucum-bodytemp.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ucum-bodytemp
Name: | Body Temperature Units
Definition: | UCUM units for recording Body Temperature
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.872 (for OID based terminology systems)
Copyright: | UCUM is Copyright © 1999-2013 Regenstrief Institute, Inc. and The UCUM Organization, Indianapolis, IN. All rights reserved. See http://unitsofmeasure.org/trac//wiki/TermsOfUse for details
Source Resource | XML / JSON

This value set is used in the following places:

* StructureDefinition BodyTemp: Observation.valueQuantity.code ((Required))

4.3.1.872.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://unitsofmeasure.org

Code | Display
Cel | Cel
[degF] | degF

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.873 Value Set http://hl7.org/fhir/ValueSet/ucum-bodylength

URL: https://hl7.org/fhir/STU3/valueset-ucum-bodylength.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ucum-bodylength
Name: | Body Length Units
Definition: | UCUM units for recording Body Length measures such as height and head circumference
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.873 (for OID based terminology systems)
Copyright: | UCUM is Copyright © 1999-2013 Regenstrief Institute, Inc. and The UCUM Organization, Indianapolis, IN. All rights reserved. See http://unitsofmeasure.org/trac//wiki/TermsOfUse for details
Source Resource | XML / JSON

This value set is used in the following places:

* StructureDefinition BodyHeight: Observation.valueQuantity.code ((Required))

* StructureDefinition BodyLength: Observation.valueQuantity.code ((Required))

* StructureDefinition HeadCircum: Observation.valueQuantity.code ((Required))

4.3.1.873.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://unitsofmeasure.org

Code | Display
cm | cm
[in_i] | in_i

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.874 Value Set http://hl7.org/fhir/ValueSet/ldlcholesterol-codes

URL: https://hl7.org/fhir/STU3/valueset-ldlcholesterol-codes.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/ldlcholesterol-codes
Name: | LDLCodes
Definition: | LDL Cholesterol codes - measured or calculated
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.874 (for OID based terminology systems)
Copyright: | This content from LOINC© is copyright © 1995 Regenstrief Institute, Inc. and the LOINC Committee, and available at no cost under the license at http://loinc.org/terms-of-use.
Source Resource | XML / JSON

This value set is used in the following places:

* StructureDefinition LDLCholesterol: Observation.code ((Required))

4.3.1.874.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://loinc.org

Code | Display
18262-6 | LDL Cholesterol (Assay)
13457-7 | LDL Cholesterol (Calc)

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.875 Value Set http://hl7.org/fhir/ValueSet/classification-or-context

URL: https://hl7.org/fhir/STU3/valueset-classification-or-context.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/classification-or-context
Name: | ClassificationOrContext
Definition: | Identifies whether a useContext represents a context or classification for the element
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.875 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ClassificationOrContext

* Extension http://hl7.org/fhir/StructureDefinition/11179-de-classification-or-context: classification-or-context ((Required))

4.3.1.875.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/classification-or-context

4.3.1.875.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 2 concepts

Expansion based on http://hl7.org/fhir/classification-or-context version 3.0.2

All codes from system http://hl7.org/fhir/classification-or-context

Code | Display | Definition
classification | Classification | Indicates the useContext is a classification - e.g. Administrative, financial, etc.
context | Context | Indicates the useContext is a context - a domain of use - e.g. Particular country, organization or system

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.877 Value Set http://hl7.org/fhir/ValueSet/condition-state

URL: https://hl7.org/fhir/STU3/valueset-condition-state.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-state
Name: | ConditionState
Definition: | Enumeration indicating whether the condition is currently active, inactive, or has been resolved.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.877 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for ConditionState

4.3.1.877.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/condition-state

4.3.1.877.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 3 concepts

Expansion based on http://hl7.org/fhir/condition-state version 3.0.2

All codes from system http://hl7.org/fhir/condition-state

Code | Display | Definition
active | Active | The condition is active.
inactive | Inactive | The condition is inactive, but not resolved.
resolved | Resolved | The condition is resolved.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.879 Value Set http://hl7.org/fhir/ValueSet/condition-cause

URL: https://hl7.org/fhir/STU3/valueset-condition-cause.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-cause
Name: | Condition Cause Codes
Definition: | Example value set for Cause of Condition codes
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.879 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/event-reasonCode: reasonCode ((Example))

* Extension http://hl7.org/fhir/StructureDefinition/condition-dueTo: dueTo ((Example))

4.3.1.879.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://snomed.info/sct

4.3.1.879.2 Expansion

This expansion generated 19 Apr 2017

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.880 Value Set http://hl7.org/fhir/ValueSet/condition-predecessor

URL: https://hl7.org/fhir/STU3/valueset-condition-predecessor.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-predecessor
Name: | Condition Predecessor Codes
Definition: | Example value set for Condition Predecessor codes
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.880 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* Extension http://hl7.org/fhir/StructureDefinition/condition-occurredFollowing: occurredFollowing ((Example))

4.3.1.880.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://snomed.info/sct

4.3.1.880.2 Expansion

This expansion generated 19 Apr 2017

This value set cannot be expanded because of the way it is defined - it has an infinite number of members

Code | System | Display

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.881 Value Set http://hl7.org/fhir/ValueSet/condition-outcome

URL: https://hl7.org/fhir/STU3/valueset-condition-outcome.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/condition-outcome
Name: | Condition Outcome Codes
Definition: | Example value set for Condition Outcomes
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.881 (for OID based terminology systems)
Copyright: | This value set includes content from SNOMED CT, which is copyright © 2002+ International Health Terminology Standards Development Organisation (IHTSDO), and distributed by agreement between IHTSDO and HL7. Implementer use of SNOMED CT is not covered by this agreement.
Source Resource | XML / JSON

This value set is used in the following places:

* FamilyMemberHistory.condition.outcome (Example)

* StructureDefinition FamilyMemberHistory-Genetic: FamilyMemberHistory.condition.outcome ((Example))

* Extension http://hl7.org/fhir/StructureDefinition/condition-outcome: outcome ((Example))

4.3.1.881.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include codes from http://snomed.info/sct where concept is-a 404684003 (Clinical finding)

4.3.1.881.2 Expansion

This expansion generated 19 Apr 2017

This value set has >1000 codes in it. In order to keep the publication size manageable, only a selection (1000 codes) of the whole set of codes is shown

All codes from system http://snomed.info/sct

Code | Display | Definition
109006 | Anxiety disorder of childhood OR adolescence
122003 | Choroidal hemorrhage
127009 | Spontaneous abortion with laceration of cervix
129007 | Homoiothermia
134006 | Decreased hair growth
140004 | Chronic pharyngitis
144008 | Normal peripheral vision
147001 | Superficial foreign body of scrotum without major open wound but with infection
150003 | Abnormal bladder continence
151004 | Gonococcal meningitis
162004 | Severe manic bipolar I disorder without psychotic features
165002 | Accident-prone
168000 | Typhlolithiasis
171008 | Injury of ascending right colon without open wound into abdominal cavity
172001 | Endometritis following molar AND/OR ectopic pregnancy
175004 | Supraorbital neuralgia
177007 | Poisoning by sawfly larvae

179005 | Apraxia of dressing
181007 | Hemorrhagic bronchopneumonia
183005 | Autoimmune pancytopenia
184004 | Withdrawal arrhythmia
188001 | Injury of intercostal artery
192008 | Congenital syphilitic hepatomegaly
193003 | Benign hypertensive renal disease
195005 | Illegal abortion with endometritis
198007 | Disease due to Filoviridae
199004 | Decreased lactation
208008 | Neurocutaneous melanosis sequence
216004 | Delusion of persecution
219006 | Alcohol user
222008 | Acute epiglottitis with obstruction
223003 | Tumor of body of uterus affecting pregnancy
228007 | Lucio phenomenon
241006 | Epilepsia partialis continua
242004 | Noninfectious jejunitis
253005 | Sycosis
257006 | Acne rosacea, erythematous telangiectatic type
258001 | Pseudoknuckle pad
264008 | Blind hypertensive eye
276008 | Poisoning by oxytocin
279001 | Senile myocarditis
281004 | Dementia associated with alcoholism
282006 | Acute myocardial infarction of basal-lateral wall
290006 | Melnick-Fraser syndrome
292003 | EEG finding
297009 | Acute myringitis
299007 | Paraffinoma of skin
303002 | Apoplectic pancreatitis
308006 | Pearly penile papules
310008 | Boil of penis
313005 | Déjà vu
317006 | Reactive hypoglycemia
320003 | Cervical dilatation, 1cm
324007 | Plaster ulcer
330007 | Occipital headache
335002 | Pylorospasm
341009 | ABO incompatibility reaction
349006 | Absent tendon reflex
355001 | Hemorrhagic shock
357009 | Closed fracture of trapezoidal bone of wrist
358004 | Poisoning by smallpox vaccine
359007 | Kernicterus due to isoimmunization
360002 | Acute radiation disease
364006 | Acute left-sided heart failure
366008 | Hidromeiosis
368009 | Heart valve disorder
369001 | Normal jugular venous pressure
378007 | Morquio syndrome
382009 | Legal history finding relating to child
383004 | Passive range of hip extension - finding
385006 | Secondary peripheral neuropathy
387003 | Melanuria
398002 | Left axis deviation greater than -90 degrees by EKG
407000 | Congenital hepatomegaly
408005 | Tooth chattering
409002 | Food allergy diet
426008 | Superficial injury of ankle without infection
431005 | Hypertrophy of scrotum
437009 | Abnormal composition of urine
440009 | Persistent hyperphenylalaninemia
442001 | Secondary hypopituitarism
443006 | Cystocele affecting pregnancy
447007 | Coach in sports activity accident
450005 | Ulcerative stomatitis
452002 | Blister of groin without infection
460001 | Squamous metaplasia of prostate gland
467003 | Old laceration of muscles of pelvic floor
470004 | Vitreous touch syndrome
479003 | Graves' disease with pretibial myxedema AND with thyrotoxic crisis

486006 | Acute vascular insufficiency
488007 | Fibroid myocarditis
490008 | Upper respiratory tract hypersensitivity reaction
496002 | Closed traumatic dislocation of third cervical vertebra
504009 | Androgen-dependent hirsutism
517007 | Foreign body in hypopharynx
518002 | Multiple aggregation
520004 | Congenital bent nose
527001 | Spontaneous fetal evolution, Roederer's method
536002 | Glissonian cirrhosis
539009 | Conjunctival argyrosis
547009 | Hypersecretion of calcitonin
548004 | 13p partial trisomy syndrome
554003 | 2p partial trisomy syndrome
555002 | Dicentra species poisoning
563001 | Nystagmus
568005 | Tic disorder
586008 | Contact dermatitis due to primrose
590005 | Congenital aneurysm of anterior communicating artery
596004 | Premenstrual dysphoric disorder
599006 | Chronic pneumothorax
600009 | Pyromania
602001 | Ross river fever
607007 | Decreased vital capacity
610000 | Spastic aphonia
613003 | Fragile X syndrome
615005 | Obstruction due to foreign body accidentally left in operative wound AND/OR body cavity during a procedure
616006 | Sensorimotor disorder of eyelid
626004 | Hypercortisolism due to nonpituitary tumor
631002 | Transfusion reaction due to minor incompatibility
634005 | Saddle boil
640003 | Injury of pneumogastric nerve
643001 | Hypertrophy of lip
646009 | Idiopathic cyst of anterior chamber
649002 | Open fracture of distal end of ulna
651003 | Root work
652005 | Gangrenous tonsillitis
655007 | Abnormal fetal heart beat noted before labor in liveborn infant
658009 | Injury of colon without open wound into abdominal cavity
663008 | Pulmonary embolism following molar AND/OR ectopic pregnancy
664002 | Delayed ovulation
666000 | Poisoning by antivaricose drug AND/OR sclerosing agent
675003 | Torsion of intestine
682004 | Thrombosis complicating pregnancy AND/OR puerperium
685002 | Acquired telangiectasia of small AND/OR large intestines
701003 | Adult osteochondritis of spine
703000 | Congenital adhesions of tongue
714002 | Abrasion AND/OR friction burn of toe with infection
715001 | Nontraumatic rupture of urethra
718004 | Acute bronchiolitis with obstruction
733007 | Superficial foreign body of groin without major open wound but with infection
734001 | Opocephalus
736004 | Abscess of hip
750009 | Schistosoma mansoni infection
755004 | Postgastrectomy phytobezoar
756003 | Chronic rheumatic myopericarditis
758002 | Cyst of uterus
775008 | Open wound of head with complication
776009 | Partial arterial retinal occlusion
781000 | Cestrum diurnum poisoning
786005 | Clinical stage I B
787001 | Rheumatic mitral stenosis with regurgitation
788006 | Disease-related diet
792004 | Jakob-Creutzfeldt disease
799008 | Sigmoid colon ulcer
801006 | Nonvenomous insect bite of foot with infection
805002 | Pneumoconiosis due to silica
811004 | Flail motion
813001 | Ankle instability
815008 | Episcleritis
816009 | Genetic recombination
818005 | Third degree burn of multiple sites of lower limb

825003 | Superficial injury of axilla with infection
827006 | Late congenital syphilis, latent (+ sero., - C.S.F., 2 years OR more)
832007 | Moderate major depression
834008 | Chair-seated facing coital position
841002 | Congenital absence of skull bone
842009 | Consanguinity
843004 | Poliomyelomalacia
844005 | Behavior finding
845006 | Injury of inferior mesenteric artery
849000 | Total cataract
857002 | Erythema simplex
862001 | Anemia due to chlorate
865004 | Hyperalimentation formula for ileus
871005 | Contracted pelvis
874002 | Therapeutic diuresis
875001 | Chalcosis of eye
888003 | Foetal or neonatal effect of maternal blood loss
890002 | Deep third degree burn of elbow
899001 | Axis I diagnosis
903008 | Chorioretinal infarction
904002 | Pinard's sign
908004 | Superficial injury of interscapular region without infection
919001 | Pseudohomosexual state
928000 | Disorder of musculoskeletal system
931004 | Gestation period, 9 weeks
932006 | Flat affect
934007 | Thalassemia intermedia
943003 | Congenital retinal aneurysm
954008 | Renon-Delille syndrome
961007 | Erythema nodosum, acute form
962000 | Disability evaluation, disability 6%
964004 | Open wound of pharynx without complication
965003 | Toxic amblyopia
975000 | Anorectal agenesis
978003 | Chronic infantile eczema
981008 | Hemorrhagic proctitis
984000 | Perirectal cellulitis
987007 | Cellulitis of temple region
991002 | Wide QRS complex
998008 | Chagas' disease with heart involvement
1003002 | Religious discrimination
1020003 | Disease due to Nairovirus
1023001 | Apnea
1027000 | Alkaline reflux disease
1031006 | Open wound of trachea without complication
1033009 | Thoracic arthritis
1034003 | Mesenteric-portal fistula
1038000 | Disaccharidurie
1045000 | Colonospasm
1046004 | Ureteritis glandularis
1051005 | Hyperplasia of islet alpha cells with gastrin excess
1055001 | Stenosis of precerebral artery
1059007 | Opisthorchiasis
1070000 | Facial myokymia
1073003 | Xeroderma pigmentosum, group B
1074009 | Glucocorticoid-responsive primary aldosteronism
1077002 | Septal infarction by EKG
1079004 | Macular retinal cyst
1085006 | Candidiasis of vulva
1089000 | Intrauterine sepsis of fetus
1102005 | Intraerythrocytic parasitosis by Nuttallia
1107004 | Early latent syphilis, positive serology, negative cerebrospinal fluid, with relapse after treatment
1108009 | Female pattern alopecia
1111005 | Normal sebaceous gland activity
1112003 | Degenerative disorder of eyelid
1116000 | Chronic aggressive type B viral hepatitis
1124005 | Postpartum period, 6 days
1125006 | Septicemia during labor
1126007 | Knee locking
1131009 | Congenital valvular insufficiency
1134001 | Muehrcke's lines
1135000 | Solar retinopathy

1139006 | Confrontation (visual) test
1140008 | Thermal hypesthesia
1141007 | Circumoral paresthesia
1145003 | Developmental speech disorder
1150009 | Congenital microcheilia
1151008 | Generalized constriction of visual field
1152001 | Skin reaction negative
1155004 | EKG hypertrophy
1156003 | Cavitary prostatitis
1168007 | Allotype
1184008 | Glasgow coma scale, 10
1192004 | Familial amyloid neuropathy, Finnish type
1194003 | Disease condition determination, well controlled
1196001 | Chronic bipolar II disorder, most recent episode major depressive
1197005 | Carbuncle of heel
1201005 | Benign essential hypertension
1203008 | Deep third degree burn of forehead AND/OR cheek with loss of body part
1207009 | Glaucomatous atrophy of optic disc
1208004 | Gastroptosis
1212005 | Childhood type dermatomyositis
1214006 | Infection by Strongyloides
1230003 | No diagnosis on Axis I
1232006 | Congenital articular rigidity with myopathy
1239002 | Congenital anteversion of femur
1240000 | Prone body position
1259003 | Schistosis
1261007 | Fracture of multiple ribs
1264004 | Injury of descending left colon without open wound into abdominal cavity
1271009 | Knuckle pads, deafness AND leukonychia syndrome
1280009 | Isologous chimera
1282001 | Perichondritis of larynx
1283006 | Visual acuity less than .02 (1/60, count fingers 1 meter) or visual field less than 5 degrees, but better than 5.
1284000 | Abnormal jaw closure
1286003 | Vitamin K deficiency coagulation disorder
1287007 | Congenital absence of bile duct
1297003 | Infection by Cladosporium carrionii
1308001 | Complication of reimplant
1310004 | Impaired glucose tolerance associated with genetic syndrome
1317001 | Injury of ovary without open wound into abdominal cavity
1318006 | Post-translational genetic protein processing
1323006 | Poisoning by kanamycin
1332008 | Conjugated visual deviation
1335005 | Induratio penis plastica
1343000 | Deep transverse arrest
1345007 | Hang nail
1351002 | Injury of iliac artery
1356007 | Calculus of common duct with obstruction
1361009 | Leukocoria
1363007 | Fetal or neonatal effect of chronic maternal respiratory disease
1367008 | Injury of superior mesenteric artery
1370007 | Open fracture of metacarpal bone
1372004 | Uterus unicornis
1376001 | Obsessive compulsive personality disorder
1378000 | Supination-eversion injury of ankle
1380006 | Agoraphobia without history of panic disorder with limited symptom attacks
1383008 | Hallucinogen mood disorder
1384002 | Diffuse cholesteatosis of middle ear
1386000 | Intracranial hemorrhage
1387009 | Solanum nigrum poisoning
1388004 | Metabolic alkalosis
1393001 | Lenz-Majewski hyperostosis syndrome
1395008 | Complication of ultrasound therapy
1402001 | Frightened
1412008 | Anterior subcapsular polar cataract
1415005 | Lymphangitis
1418007 | Hypoplastic chondrodystrophy
1419004 | Injury of prostate without open wound into abdominal cavity
1426004 | Necrotizing glomerulonephritis
1427008 | Intraspinal abscess
1430001 | Intracranial hemorrhage following injury without open intracranial wound AND with prolonged loss of consciousness (more than 24 hours) without return to pre-existing level
1447000 | Icthyoparasitism

1469007 | Spontaneous abortion with urinary tract infection
1474004 | Hypertensive heart AND renal disease complicating AND/OR reason for care during childbirth
1475003 | Herpes labialis
1478001 | Obliteration of lymphatic vessel
1479009 | 20q partial trisomy syndrome
1482004 | Chalazion
1486001 | Orbital congestion
1488000 | Postoperative nausea and vomiting
1489008 | Hordeolum externum
1492007 | Congenital anomaly of large intestine
1493002 | Acute endophthalmitis
1499003 | Bipolar I disorder, single manic episode with postpartum onset
1512006 | Congenital stricture of bile duct
1515008 | Gorham's disease
1518005 | Splenitis
1519002 | Congenital phlebectasia
1521007 | Blister of buttock without infection
1523005 | Clinical stage IV B
1525003 | Blister of foot without infection
1531000 | Poisoning by nitrofuran derivatives
1532007 | Viral pharyngitis
1534008 | Palsy of conjugate gaze
1538006 | Central nervous system malformation in fetus affecting obstetrical care
1539003 | Acquired trigger finger
1542009 | Omphalocele with obstruction
1544005 | Open dislocation of knee
1551001 | Osteomyelitis of femur
1556006 | Clark melanoma level 4
1563006 | Protein S deficiency disease
1567007 | Chronic gastric ulcer without hemorrhage, without perforation AND without obstruction
1588003 | Heterosexual precocious puberty
1592005 | Failed attempted abortion with uremia
1593000 | Infantile hemiplegia
1606009 | Infection by Macracanthorhynchus hirudinaceus
1608005 | Increased capillary permeability
1639007 | Abnormality of organs AND/OR soft tissues of pelvis affecting pregnancy
1647007 | Poisoning by primaquine
1648002 | Lymphocytic pseudotumor of lung
1654001 | Corticosteroid-induced glaucoma
1657008 | Mevinphos poisoning
1658003 | Closed fracture of acromial end of clavicle
1663004 | G2 stage
1667003 | Early fontanel closure
1670004 | Cerebral hemiparesis
1671000 | Sago spleen
1674008 | Juvenile epithelial corneal dystrophy
1679003 | Arthritis associated with another disorder
1682008 | Transitory amino acid metabolic disorder
1685005 | Rat bite fever
1686006 | Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder
1694004 | Accessory lobe of lung
1698001 | Ulcer of bile duct
1703007 | Increased leg circumference
1705000 | Closed fracture of base of neck of femur
1708003 | Open dislocation of clavicle
1714005 | Photokeratitis
1717003 | Idiopathic guttate hypomelanosis
1723008 | Urethral stricture due to schistosomiasis
1724002 | Infection by Crenosoma
1734006 | Fracture of vertebral column with spinal cord injury
1735007 | Thrill
1739001 | Fracture of occipital bone
1742007 | Female hypererotism
1744008 | Fusion of teeth
1748006 | Thrombophlebitis of deep femoral vein
1755008 | Old myocardial infarction
1761006 | Biliary cirrhosis
1763009 | Interstitial keratitis
1767005 | Fisher's syndrome
1769008 | Thoracodidymus
1771008 | Insulin biosynthesis defect
1776003 | Renal tubular acidosis

1777007 | Increased molecular dissociation
1778002 | Malocclusion due to abnormal swallowing
1779005 | Mohr syndrome
1794009 | Idiopathic corneal edema
1816003 | Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild panic attacks
1821000 | Chemoreceptor apnea
1822007 | Impaired glucose tolerance associated with pancreatic disease
1824008 | Allergic gastritis
1826005 | Granuloma of lip
1828006 | Infestation by Gasterophilus haemorrhoidalis
1829003 | Microcephalus
1833005 | Phacoanaphylactic endophthalmitis
1835003 | Necrosis of pancreas
1837006 | Poisoning by metaproterenol
1845001 | Paraparesis
1847009 | Endophthalmitis
1848004 | Poisoning by gaseous anesthetic
1852004 | Traumatic injury of sixth cranial nerve
1855002 | Developmental academic disorder
1856001 | Accessory nose
1857005 | Gestational rubella syndrome
1858000 | Infection by Stilesia globipunctata
1860003 | Fluid volume disorder
1865008 | Impaired intestinal protein absorption
1869002 | Rupture of sphincter of pupil
1881003 | Increased nutritional requirement
1892002 | Star figure at the macula
1896004 | Ectopic breast tissue
1897008 | Amsinckia species poisoning
1899006 | Autosomal hereditary disorder
1903004 | Infestation by Psorergates ovis
1908008 | von Willebrand disease, type IIC
1909000 | Impairment level: better eye: severe impairment: lesser eye: near-total impairment
1922008 | Congenital absence of urethra
1926006 | Osteopetrosis
1938002 | Emotional AND/OR mental disease in mother complicating pregnancy, childbirth AND/OR puerperium
1939005 | Abnormal vascular flow
1943009 | Left-right confusion
1953005 | Congenital deficiency of pigment of skin
1954004 | Dilated cardiomyopathy secondary to toxic reaction
1955003 | Preauricular dimple
1959009 | Encephalartos species poisoning
1961000 | Chronic polyarticular juvenile rheumatoid arthritis
1963002 | Paroxysmal nocturnal hemoglobinuria
1965009 | Normal skin pH
1967001 | Longitudinal absence of radius AND ulna
1973000 | Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with delusions
1977004 | Poisoning by oxymetholone
1979001 | Focal choroiditis
1980003 | Seromucinous otitis media
1981004 | Urhidrosis
1988005 | Late effect of injury to nerve roots, spinal plexus AND/OR other nerves of trunk
1989002 | Burn of vagina AND/OR uterus
2004005 | Normal blood pressure
2012002 | Fracture of lunate bone of wrist
2024009 | Dilated cardiomyopathy secondary to metazoal myocarditis
2028007 | Erythema induratum
2032001 | Cerebral edema
2036003 | Acquired factor VII deficiency disease
2040007 | Neurogenic thoracic outlet syndrome
2041006 | Eunuchoid gigantism
2043009 | Alcoholic gastritis
2053005 | Late effect of injury to blood vessels of thorax, abdomen AND/OR pelvis
2055003 | Recurrent erosion of cornea
2058001 | Bilateral loss of labyrinthine reactivity
2061000 | Conductive hearing loss of combined sites
2065009 | Dominant hereditary optic atrophy
2066005 | Gastric ulcer with hemorrhage AND perforation but without obstruction
2070002 | Burning sensation in eye
2073000 | Delusions
2087000 | Pulmonary nocardiosis
2089002 | Osteitis deformans

2091005 | Pharyngeal diverticulitis
2094002 | Toxic effect of carbon disulfide
2102007 | Deep vascularization of cornea
2103002 | Shoulder-hand syndrome
2107001 | Anisomelia
2109003 | Isolated somatotropin deficiency
2114004 | Infection by Cysticercus pisiformis
2116002 | Intramembranous bone formation
2120003 | Weak cry
2121004 | Poisoning by ethopropazine
2128005 | Disease of pharyngeal tonsil
2129002 | Edema of pharynx
2132004 | Meconium in amniotic fluid noted before labor in liveborn infant
2134003 | Diffuse pain
2136001 | Open wound of jaw with complication
2138000 | LSP - Left sacroposterior position
2145000 | Anal intercourse
2149006 | Decreased hormone production
2158004 | Infection by Contracaecum
2167004 | Retinal hemangioblastomatosis
2169001 | Thoracic radiculitis
2170000 | Gallop rhythm
2176006 | Halogen acne
2177002 | Postherpetic neuralgia
2186007 | Compensated metabolic alkalosis
2198002 | Visceral epilepsy
2202000 | Open posterior dislocation of distal end of femur
2204004 | Acquired deformity of pinna
2213002 | Congenital anomaly of vena cava
2216005 | Nocturnal emission
2217001 | Superficial injury of perineum without infection
2219003 | Disability evaluation, disability 100%
2224000 | Selenium poisoning
2228002 | Scintillating scotoma
2229005 | Chimera
2231001 | Nerve plexus disorder
2237002 | Pleurodynia
2239004 | Previous pregnancies 6
2241003 | X-linked absence of thyroxine-binding globulin
2243000 | Hypercalcemia due to hyperthyroidism
2245007 | Foreign body in nasopharynx
2251002 | Primary hypotony of eye
2256007 | Monozygotic twins
2261009 | Obstetrical pulmonary fat embolism
2268003 | Victim of homosexual aggression
2284002 | Pulsating exophthalmos
2295008 | Closed fracture of upper end of forearm
2296009 | Iron dextran toxicity
2298005 | Goltz syndrome
2301009 | Psychosomatic factor in physical condition, psychological component of unknown degree
2303007 | Inguinal hernia with gangrene
2304001 | Discitis
2307008 | Fat necrosis of pancreas
2308003 | Silent alleles
2312009 | Reactive attachment disorder of infancy OR early childhood, inhibited type
2314005 | Unprotected sexual intercourse
2326000 | Marriage annulment
2339001 | Sexual overexposure
2341000 | Infection by Moniliformis
2351004 | Genetic transduction
2355008 | Rud's syndrome
2359002 | Hyper-beta-alaninemia
2365002 | Chronic granular pharyngitis
2366001 | Late effect of dislocation
2367005 | Acute hemorrhagic gastritis
2374000 | Monofascicular block
2385003 | Cellulitis of pectoral region
2388001 | Normal variation in translucency
2390000 | Acute gonococcal vulvovaginitis
2391001 | Achondrogenesis
2396006 | Malignant pyoderma
2398007 | Quinidine toxicity by EKG

2403008 | Psychoactive substance dependence
2415007 | Lumbosacral root lesion
2418009 | Toxic effect of polyester fumes
2419001 | Open wound of forehead with complication
2420007 | Third degree burn of multiple sites of upper limb
2432006 | Cerebrospinal fluid circulation disorder
2435008 | Ascariasis
2437000 | Placenta circumvallata
2438005 | Iniencephaly
2439002 | Purulent endocarditis
2443003 | Hydrogen sulfide poisoning
2452007 | Fetal rotation
2463005 | Acquired heterochromia of iris
2469009 | Onychomalacia
2470005 | Brain damage
2471009 | Postoperative intra-abdominal abscess
2472002 | Anuria
2473007 | Intermittent vertical heterotropia
2477008 | Superficial thrombophlebitis
2492009 | Nutritional disorder
2495006 | Congenital cerebral arteriovenous aneurysm
2496007 | Acalculia
2506003 | Early onset dysthymia
2513003 | Tinea capitis due to Trichophyton
2518007 | Cryptogenic sexual precocity
2521009 | Bone conduction better than air
2523007 | Salmonella pneumonia
2526004 | Noninflammatory disorder of the female genital organs
2528003 | Viremia
2532009 | Choroidal rupture
2534005 | Congenital absence of vena cava
2538008 | Ketosis
2541004 | Compulsive buying
2554006 | Acute purulent pericarditis
2556008 | Periodontal disease
2560006 | Syndactyly of fingers with fusion of bones
2562003 | Athanasia trifurcata poisoning
2576002 | Trachoma
2581006 | Clasp-knife effect
2582004 | Deep third degree burn of multiple sites of lower limb
2583009 | Chiari's network
2584003 | Cerebral degeneration in childhood
2585002 | Pneumococcal pleurisy
2589008 | Acute dacryoadenitis
2591000 | Crushing injury of shoulder region
2593002 | Dubowitz's syndrome
2602008 | Hemarthrosis of shoulder region
2606006 | Furuncle of perineum
2615004 | Follicular cyst of ovary
2618002 | Chronic recurrent major depressive disorder
2622007 | Infected ulcer of skin
2624008 | Prepubertal periodontitis
2625009 | Senter syndrome
2630008 | Open wound of finger without complication
2634004 | Decreased blood erythrocyte volume
2638001 | Hypercalcemia due to a drug
2640006 | Clinical stage IV
2651006 | Closed traumatic dislocation of elbow joint
2655002 | Invalidism
2657005 | Overflow proteinuria
2663001 | Palpatory proteinuria
2665008 | Coordinate convulsion
2683000 | Nonvenomous insect bite of axilla without infection
2689001 | Dominant dystrophic epidermolysis bullosa with absence of skin
2694001 | Myelophthisic anemia
2704003 | Acute disease
2707005 | Necrotizing enterocolitis in fetus OR newborn
2713001 | Closed pneumothorax
2724004 | Recruitment
2725003 | Previous abnormality of glucose tolerance
2733002 | Heel pain
2736005 | Atrophoderma vermiculatum

2740001 | Gouty proteinuria
2749000 | Congenital deformity of hip joint
2751001 | Fibrocalculous pancreatic diabetes
2761008 | Decreased stool caliber
2764000 | Articular crepitation
2770006 | Fetal or neonatal effect of antibiotic transmitted via placenta and/or breast milk
2772003 | Acquired epidermolysis bullosa
2775001 | Loose body in joint
2776000 | Delirium
2781009 | Spontaneous abortion complicated by delayed AND/OR excessive hemorrhage
2782002 | Temporomandibular dysplasia
2783007 | Gastrojejunal ulcer without hemorrhage AND without perforation
2786004 | Epithelial ovarian tumor, FIGO stage III
2790002 | Impairment level: one eye: total impairment: other eye: not specified
2805007 | Phosmet poisoning
2806008 | Impaired psychomotor development
2807004 | Chronic gastrojejunal ulcer with perforation
2808009 | Infection by Prosthenorchis elegans
2815001 | Sexual pyromania
2816000 | Dilated cardiomyopathy secondary to myotonic dystrophy
2818004 | Congenital vascular anomaly of eye
2819007 | Poisoning by magnesium sulfate
2825006 | Abrasion AND/OR friction burn of gum without infection
2828008 | Congenital stenosis of nares
2829000 | Uhl's disease
2831009 | Pyloric antral vascular ectasia
2835000 | Traumatic cardiac hemolytic anemia
2836004 | Toxic effect of butane
2838003 | Piblokto
2840008 | Open fracture of vault of skull with cerebral laceration AND/OR contusion
2850009 | Infection by Schistosoma incognitum
2853006 | Macular keratitis
2856003 | Vitamin A-responsive dermatosis
2858002 | Puerperal septicemia
2884008 | Weill-Marchesani syndrome
2893009 | Anomaly of chromosome pair 10
2897005 | Thrombocytopenia due to immune destruction
2899008 | Thought block
2900003 | Hyperplasia of renal artery
2901004 | Melena
2902006 | Decreased lymphocyte life span
2904007 | Male infertility
2910007 | Discharge from penis
2912004 | Cystic-bullous disease of the lung
2917005 | Transient hypothyroidism
2918000 | Infection due to Bacteroides
2919008 | Nausea, vomiting and diarrhea
2929001 | Occlusion of artery
2935001 | Poisoning by antiasthmatic
2940009 | Intrabasal vesicular dermatitis
2946003 | Osmotic diarrhea
2951009 | Atopic cataract
2955000 | Chronic ulcerative pulpitis
2965006 | Congenital alopecia
2967003 | Non-comitant strabismus
2972007 | Anterior spinal artery occlusion syndrome
2973002 | Pelvic organ injury without open wound into abdominal cavity
2978006 | Aneurysm of conjunctiva
2981001 | Abdominal pulsatile mass
2989004 | Complication following molar AND/OR ectopic pregnancy
2990008 | Lymphocytic leukemoid reaction
2992000 | Pigmentary pallidal degeneration
2994004 | Brain fag
2999009 | Injury of ear
3002002 | Hemorrhage of thyroid
3004001 | Congenital dilatation of esophagus
3006004 | Disturbance of consciousness
3009006 | Solanum malacoxylon poisoning
3013004 | Open wound of ear drum without complication
3014005 | Id reaction
3018008 | Penetration of eyeball with magnetic foreign body
3019000 | Closed anterior dislocation of elbow

3021005 | Normal gastric acidity
3023008 | Acute peptic ulcer without hemorrhage, without perforation AND without obstruction
3032005 | Nonvenomous insect bite of cheek without infection
3033000 | Bone AND/OR joint disorder of pelvis in mother complicating pregnancy, childbirth AND/OR puerperium
3038009 | Acute lymphangitis of umbilicus
3044008 | Vitreous prolapse
3053001 | Poisoning by nitroglycerin
3059002 | Acute lymphangitis of thigh
3067005 | Blood group antigen C^u^
3071008 | Widow
3072001 | Hormone-induced hypopituitarism
3073006 | Ruvalcaba syndrome
3084004 | Nonvenomous insect bite of gum without infection
3089009 | Disability evaluation, impairment, class 7
3094009 | Vomiting in infants AND/OR children
3095005 | Induced malaria
3097002 | Superficial injury of lip with infection
3098007 | Rupture of interventricular septum
3105002 | Intron
3109008 | Secondary dysthymia early onset
3110003 | Acute otitis media
3119002 | Brain stem laceration with open intracranial wound AND loss of consciousness
3129009 | Infarction of ovary
3135009 | Swimmer's ear
3140001 | Citrullinemia, subacute type
3144005 | Staphylococcal pleurisy
3158007 | Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND panic attacks in partial remission
3160009 | Female infertility of cervical origin
3163006 | Acute adenoviral follicular conjunctivitis
3168002 | Thrombophlebitis of intracranial venous sinus
3185000 | Mood-congruent delusion
3199001 | Sprain of shoulder
3200003 | Sacrocoxalgia
3208005 | Open wound of ossicles without complication
3214003 | Invasive pulmonary aspergillosis
3217005 | Open dislocation of sixth cervical vertebra
3218000 | Mycosis
3219008 | Disease type AND/OR category unknown
3228009 | Closed fracture of shaft of radius
3229001 | Ulcer of trachea
3230006 | Illegal abortion with afibrinogenemia
3238004 | Pericarditis
3239007 | Lymphocyte disorder
3253007 | Discoloration of skin
3254001 | Infection by Strongyloides westeri
3259006 | Homeria species poisoning
3261002 | Migratory osteolysis
3263004 | Verumontanitis
3272007 | Stomatocytosis
3274008 | Flat chest
3275009 | Behcet's syndrome, vascular type
3276005 | Toad poisoning
3277001 | Terminal mood insomnia
3282008 | Welders' keratitis
3283003 | Feeling of sand or foreign body in eye
3286006 | Patient status determination, greatly improved
3289004 | Anisometropia
3291007 | Closed fracture of two ribs
3298001 | Amnestic disorder
3303004 | Disease due to Arenavirus
3304005 | Bronchial compression
3305006 | Disorder of lymphatics
3308008 | Atrophic-hyperplastic gastritis
3310005 | Foreign body granuloma of skin
3321001 | Renal abscess
3323003 | Leukoplakia of penis
3327002 | Jerk nystagmus
3331008 | Open fracture of neck of metacarpal bone
3344003 | Toxic labyrinthitis
3345002 | Idiopathic osteoporosis
3355003 | Poisoning by anti-common cold drug
3358001 | Lichen ruber moniliformis

3368006 | Dull chest pain
3376008 | Pseudoptyalism
3381004 | Open fracture of astragalus
3387000 | Auditory discrimination aphasia
3391005 | Negative for tumor cells
3393008 | Phlebitis following infusion, perfusion AND/OR transfusion
3398004 | Cadmium poisoning
3401001 | Cercopithecus herpesvirus 1 disease
3415004 | Cyanosis
3419005 | Faucial diphtheria
3421000 | Open fracture of orbital floor (blow-out)
3424008 | Tachycardia
3426005 | Retained magnetic intraocular foreign body
3427001 | Nonglucosuric melituria
3434004 | Myotonia
3439009 | SCID due to absent peripheral T cell maturation
3441005 | Disease of sebaceous glands
3446000 | Open fracture of T7-T12 level with spinal cord injury
3449007 | Finger agnosia
3456001 | Chronic progressive non-hereditary chorea
3458000 | Polymyositis ossificans
3461004 | Deep third degree burn of thumb
3464007 | Infection by Oesophagostomum dentatum
3468005 | Neonatal infective mastitis
3469002 | Second degree burn of thumb
3472009 | Spondylolisthesis, grade 4
3474005 | Glycine max poisoning
3480002 | Burn of wrist
3482005 | Postoperative esophagitis
3483000 | Chronic peptic ulcer with perforation
3487004 | Candidiasis of lung
3500002 | Open wound of ossicles with complication
3502005 | Cervical lymphadenitis
3503000 | Gender identity disorder of adolescence, previously asexual
3505007 | Nonallopathic lesion of upper extremities
3506008 | Stenosis of retinal artery
3507004 | Abscess of thigh
3511005 | Infectious thyroiditis
3514002 | Peribronchial fibrosis of lung
3519007 | Disorder of synovium
3528008 | Restricted carbohydrate fat controlled diet
3529000 | Infection by Sanguinicola
3530005 | Bipolar I disorder, single manic episode, in full remission
3531009 | Intrapsychic conflict
3533007 | Pustular bacterid
3539006 | Enteromenia
3542000 | Laceration extending into parenchyma of spleen with open wound into abdominal cavity
3544004 | Hair-splitting
3545003 | Diastolic dysfunction
3548001 | Brachial plexus lesion
3549009 | Pancreatic acinar atrophy
3558002 | Mesenteric infarction
3560000 | Bilateral recurrent inguinal hernia
3570003 | Increased blood erythrocyte volume
3571004 | Megaloblastic anemia due to pancreatic insufficiency
3577000 | Retinal lattice degeneration
3585009 | Blinking
3586005 | Psychogenic fugue
3589003 | Syphilitic pericarditis
3590007 | Enteroenteric fistula
3591006 | Metabolic acidosis, NAG, bicarbonate losses
3598000 | Partial recent retinal detachment with single defect
3611003 | Demeton poisoning
3633001 | Abscess of hand
3634007 | Legal abortion complicated by metabolic disorder
3639002 | Glossoptosis
3640000 | Late effect of traumatic amputation
3641001 | Infection by Coenurosis serialis
3642008 | Deficiency of steryl-sulfatase
3644009 | Macerated skin
3649004 | Contusion of multiple sites of trunk
3650004 | Congenital absence of liver

3652007 | Overproduction of growth hormone
3657001 | Osteospermum species poisoning
3660008 | Lethal glossopharyngeal defect
3662000 | Paraesophageal hernia
3677008 | Academic problem
3680009 | Monocephalus tripus dibrachius
3681008 | Thrombophlebitis of torcular Herophili
3696007 | Nonulcer dyspepsia
3699000 | Transverse deficiency of upper limb
3703002 | Ischiatic hernia with gangrene
3704008 | Diffuse endocapillary proliferative glomerulonephritis
3705009 | Congenital anomaly of anterior chamber of eye
3712000 | Degenerated eye
3716002 | Goiter
3720003 | Abnormal presence of hemoglobin
3723001 | Arthritis
3733009 | Congenital eventration of right crus of diaphragm
3736001 | Open wound of thumbnail with tendon involvement
3738000 | Viral hepatitis
3744001 | Hyperlipoproteinemia
3745000 | Sleep-wake schedule disorder
3747008 | Ejection click
3750006 | Arteriospasm
3751005 | Contusion of labium
3752003 | Trichuriasis
3754002 | Dysplasia of vagina
3755001 | Pityriasis rubra pilaris
3756000 | Static ataxia
3759007 | Injury of heart with open wound into thorax
3760002 | Familial multiple factor deficiency syndrome, type V
3762005 | Bilateral recurrent femoral hernia with gangrene
3763000 | Expected bereavement
3783004 | Enamel pearls
3797007 | Periodontal cyst
3798002 | Premature birth of identical twins, both stillborn
3815005 | Crohn's disease of rectum
3820005 | Inner ear conductive hearing loss
3827008 | Aneurysm of artery of neck
3830001 | Subcutaneous emphysema
3841004 | Blister of cheek with infection
3845008 | Congenital duplication of intestine
3855007 | Disorder of pancreas
3859001 | Late effect of open wound of extremities without tendon injury
3873005 | Failed attempted abortion with acute yellow atrophy of liver
3885002 | ABO isoimmunization affecting pregnancy
3886001 | Congenital fecaliths
3899003 | Neutropenic typhlitis
3900008 | Mixed sensory-motor polyneuropathy
3902000 | Non dose-related drug-induced neutropenia
3903005 | Traumatic pneumothorax without open wound into thorax
3908001 | Infestation by Haematopinus
3909009 | Coeur en sabot
3913002 | Injury of gastrointestinal tract with open wound into abdominal cavity
3914008 | Mental disorder in childhood
3928002 | Zika virus disease
3939004 | Bacterial colony density, transparent
3944006 | Steroid sulfatase deficiency
3947004 | High oxygen affinity hemoglobin polycythemia
3950001 | Birth
3951002 | Proctitis
3972004 | Primary insomnia
3975002 | Deep third degree burn of lower limb
3978000 | Hemolytic anemia due to warm antibody
3987009 | Congenital absence of trachea
3993001 | Infection by Muellerius
3999002 | Acute pyelitis without renal medullary necrosis
4003003 | Disease due to Alphavirus
4004009 | Monster with cranial anomalies
4006006 | Fetal tachycardia affecting management of mother
4009004 | Lower urinary tract infectious disease
4016003 | Empyema of mastoid
4017007 | Increased stratum corneum adhesiveness

4022007 | Vulvitis circumscripta plasmacellularis
4026005 | Interstitial mastitis associated with childbirth
4030008 | Le Dantec virus disease
4038001 | Myrotheciotoxicosis
4039009 | Multiple vitamin deficiency disease
4040006 | Hassall-Henle bodies
4041005 | Congenital anomaly of macula
4046000 | Degenerative spondylolisthesis
4062006 | Lumbosacral plexus lesion
4063001 | Achillodynia
4069002 | Anoxic brain damage during AND/OR resulting from a procedure
4070001 | Palinphrasia
4075006 | Peganum harmala poisoning
4082005 | Syphilitic myocarditis
4088009 | Acquired hydrocephalus
4089001 | Meningococcemia
4092002 | Nonallopathic lesion of costovertebral region
4103001 | Complex partial seizures with consciousness impaired
4106009 | Rotator cuff syndrome
4107000 | Infertile male syndrome
4113009 | Arrested hydrocephalus
4120002 | Bronchiolitis
4124006 | Nonvenomous insect bite of vagina with infection
4127004 | Prostatic obstruction
4129001 | Argyll-Robertson pupil
4135001 | 11p partial monosomy syndrome
4136000 | Macrodactylia of toes
4142001 | Muscular asthenopia
4152002 | Acquired hypoprothrombinemia
4160001 | Congenital anomaly of upper respiratory system
4168008 | Tibial plateau chondromalacia
4170004 | Ehlers-Danlos syndrome, procollagen proteinase resistant
4174008 | Placenta tripartita
4175009 | Oestrosis
4178006 | Partial recent retinal detachment with multiple defects
4181001 | Normal peak expiratory flow rate
4183003 | Charcot-Marie-Tooth disease, type IC
4184009 | Congenital anomaly of endocrine gland
4191007 | Scaphocephaly
4195003 | Congenital duplication of anus
4197006 | Disability evaluation, impairment, class 5
4199009 | 18p partial trisomy syndrome
4208000 | Closed multiple fractures of both lower limbs
4210003 | Ocular hypertension
4223005 | Parkinsonism due to drug
4224004 | Complication of infusion
4225003 | Tuberculosis of nose
4229009 | Atrophy of globe
4232007 | Chronic vulvitis
4237001 | Suppurative pulpitis
4240001 | Rupture of aorta
4241002 | Listeriosis
4242009 | 18q partial monosomy syndrome
4244005 | Urticaria neonatorum
4248008 | Synovitis AND/OR tenosynovitis associated with another disease
4249000 | Poor peripheral circulation
4251001 | Internal eye sign
4260009 | Sacral spinal cord injury without bone injury
4262001 | Phlebitis of superior sagittal sinus
4264000 | Chronic pericoronitis
4269005 | Chronic gastrojejunal ulcer without hemorrhage AND without perforation
4273008 | Closed posterior dislocation of elbow
4275001 | Spasm of conjugate gaze
4278004 | Superficial foreign body of axilla without major open wound but with infection
4283007 | Mirizzi's syndrome
4287008 | Chordee
4294006 | Isosexual precocious puberty
4300009 | Deep third degree burn of forearm
4301008 | Autoimmune state
4306003 | Cluster B personality disorder
4307007 | Pregestational diabetes mellitus AND/OR impaired glucose tolerance, modified White class F
4308002 | Repetitive strain injury

4310000 | Third degree burn of wrist AND/OR hand
4313003 | Acardiacus anceps
4316006 | Myometritis
4320005 | Factor V deficiency
4324001 | Subacute cystitis
4325000 | 11q partial monosomy syndrome
4332009 | Subarachnoid hemorrhage following injury without open intracranial wound AND with concussion
4338008 | Arnold's nerve reflex cough syndrome
4340003 | Acrodermatitis atrophicans chronica
4349002 | Open fracture of multiple sites of metacarpus
4354006 | Open dislocation of scapula
4356008 | Gingival recession
4359001 | Early congenital syphilis (less than 2 years)
4364002 | Structure of associations
4367009 | Hoover's sign
4373005 | Hippocratic nails
4374004 | Congenital anomaly of tricuspid valve
4381006 | Verbal paraphasia
4386001 | Bronchospasm
4390004 | Lithium nephropathy
4397001 | Partial congenital duodenal obstruction
4399003 | Acute hemorrhagic pancreatitis
4403007 | Exclamation point hair
4406004 | Congenital anomaly of male genital system
4409006 | Adenosylcobalamin and methylcobalamin synthesis defect
4410001 | Retroperitoneal hernia with obstruction
4412009 | Injury of digital nerve
4414005 | Infection by Setaria
4416007 | Heerfordt's syndrome
4418008 | Gangrenous ergotism
4426000 | Abortion number 10
4434006 | Bloom syndrome
4439001 | Cyclic oculomotor paralysis
4441000 | Severe bipolar disorder with psychotic features
4445009 | Tuberculosis of genitourinary system
4448006 | Allergic headache
4451004 | Illegal abortion with renal tubular necrosis
4461006 | Complication of administrative procedure
4463009 | Familial amyloid polyneuropathy, type II
4464003 | Rocio virus disease
4465002 | Spherophakia
4468000 | Oppenheim's gait
4470009 | Blanching of skin
4473006 | Migraine with aura
4477007 | Juvenile myopathy AND lactate acidosis
4478002 | Multiple fractures of upper AND lower limbs
4481007 | Abnormal gastric secretion regulation
4483005 | Syphilitic punched out ulcer

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.882 Value Set http://hl7.org/fhir/ValueSet/match-grade

URL: https://hl7.org/fhir/STU3/valueset-match-grade.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/match-grade
Name: | MatchGrade

Definition: | A Master Patient Index (MPI) assessment of whether a candidate patient record is a match or not.
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.882 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for MatchGrade

* Extension http://hl7.org/fhir/StructureDefinition/match-grade: match-grade ((Required))

4.3.1.882.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/match-grade

4.3.1.882.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 4 concepts

Expansion based on http://hl7.org/fhir/match-grade version 3.0.2

All codes from system http://hl7.org/fhir/match-grade

Code | Display | Definition
certain | Certain Match | This record meets the matching criteria to be automatically considered as a full match.
probable | Probable Match | This record is a close match, but not a certain match. Additional review (e.g. by a human) may be required before using this as a match.
possible | Possible Match | This record may be a matching one. Additional review (e.g. by a human) SHOULD be performed before using this as a match.
certainly-not | Certainly Not a Match | This record is known not to be a match. Note that usually non-matching records are not returned, but in some cases records previously or likely considered as a match may specifically be negated by the matching engine

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.891 Value Set http://hl7.org/fhir/ValueSet/languages

URL: https://hl7.org/fhir/STU3/valueset-languages.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 5 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/languages
Name: | Common Languages
Definition: | This value set includes common codes from BCP-47 (http://tools.ietf.org/html/bcp47)
Committee: | FHIR Infrastructure Work Group
OID: | 2.16.840.1.113883.4.642.3.891 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* Resource.language (Extensible)

* Practitioner.communication (Extensible)

* ExpansionProfile.designation.include.designation.language (Extensible)

* ExpansionProfile.designation.exclude.designation.language (Extensible)

* ExpansionProfile.displayLanguage (Extensible)

* DeviceComponent.languageCode (Extensible)

* StructureDefinition FamilyMemberHistory-Genetic: FamilyMemberHistory.language ((Extensible))

* ExplanationOfBenefit.processNote.language (Extensible)

* ValueSet.compose.include.concept.designation.language (Extensible)

* StructureDefinition ShareableValueSet: ValueSet.language ((Extensible))

* StructureDefinition ShareableValueSet: ValueSet.compose.include.concept.designation.language ((Extensible))
* StructureDefinition ProcedureRequest-Genetics: ProcedureRequest.language ((Extensible))
* CodeSystem.concept.designation.language (Extensible)
* StructureDefinition ShareableCodeSystem: CodeSystem.language ((Extensible))
* StructureDefinition ShareableCodeSystem: CodeSystem.concept.designation.language ((Extensible))
* StructureDefinition DeviceMetricObservation: Observation.language ((Extensible))
* StructureDefinition Observation-Genetics: Observation.language ((Extensible))
* StructureDefinition VitalSigns: Observation.language ((Extensible))
* StructureDefinition BodyWeight: Observation.language ((Extensible))
* StructureDefinition RespRate: Observation.language ((Extensible))
* StructureDefinition HeartRate: Observation.language ((Extensible))
* StructureDefinition BodyTemp: Observation.language ((Extensible))
* StructureDefinition BodyHeight: Observation.language ((Extensible))
* StructureDefinition BodyLength: Observation.language ((Extensible))
* StructureDefinition HeadCircum: Observation.language ((Extensible))
* StructureDefinition OxygenSat: Observation.language ((Extensible))
* StructureDefinition BMI: Observation.language ((Extensible))
* StructureDefinition BP: Observation.language ((Extensible))
* StructureDefinition VitalsPanel: Observation.language ((Extensible))
* ClaimResponse.processNote.language (Extensible)
* StructureDefinition LipidProfile: DiagnosticReport.language ((Extensible))
* StructureDefinition Cholesterol: Observation.language ((Extensible))
* StructureDefinition Triglyceride: Observation.language ((Extensible))
* StructureDefinition HDLCholesterol: Observation.language ((Extensible))
* StructureDefinition LDLCholesterol: Observation.language ((Extensible))
* StructureDefinition DiagnosticReport-Genetics: DiagnosticReport.language ((Extensible))
* StructureDefinition HLAResult: DiagnosticReport.language ((Extensible))
* StructureDefinition ClinicalDocument: Composition.language ((Extensible))
* Patient.communication.language (Extensible)
* Attachment.language (Extensible)
* Extension http://hl7.org/fhir/StructureDefinition/devicerequest-patientInstruction: patientInstruction ((Required))
* Extension http://hl7.org/fhir/StructureDefinition/translation: Translation ((Extensible))
* Extension http://hl7.org/fhir/StructureDefinition/cqif-guidancesystemUserLanguage: systemUserLanguage ((Extensible))
* Extension http://hl7.org/fhir/StructureDefinition/cqif-guidancerecipientLanguage: recipientLanguage ((Extensible))

4.3.1.891.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

urn:ietf:bcp:47

Code	Display
ar	Arabic
bn	Bengali
cs	Czech
da	Danish
de	German
de-AT	German (Austria)
de-CH	German (Switzerland)
de-DE	German (Germany)
el	Greek
en	English
en-AU	English (Australia)
en-CA	English (Canada)
en-GB	English (Great Britain)
en-IN	English (India)
en-NZ	English (New Zeland)
en-SG	English (Singapore)
en-US	English (United States)
es	Spanish

es-AR | Spanish (Argentina)
es-ES | Spanish (Spain)
es-UY | Spanish (Uruguay)
fi | Finnish
fr | French
fr-BE | French (Belgium)
fr-CH | French (Switzerland)
fr-FR | French (France)
fy | Frysian
fy-NL | Frysian (Netherlands)
hi | Hindi
hr | Croatian
it | Italian
it-CH | Italian (Switzerland)
it-IT | Italian (Italy)
ja | Japanese
ko | Korean
nl | Dutch
nl-BE | Dutch (Belgium)
nl-NL | Dutch (Netherlands)
no | Norwegian
no-NO | Norwegian (Norway)
pa | Punjabi
pt | Portuguese
pt-BR | Portuguese (Brazil)
ru | Russian
ru-RU | Russian (Russia)
sr | Serbian
sr-SP | Serbian (Serbia)
sv | Swedish
sv-SE | Swedish (Sweden)
te | Telegu
zh | Chinese
zh-CN | Chinese (China)
zh-HK | Chinese (Hong Kong)
zh-SG | Chinese (Singapore)
zh-TW | Chinese (Taiwan)

Additional Language Displays

Code | Dansk (Danish, da) | Deutsch (German, de) | English (English, en) | Nederlands (Dutch, nl) | ??????? (Russian, ru) | ?? (Chinese, zh)
ar | Arabisk | | Arabic | Arabisch
bn | Bengalsk | Bengalisch | Bengali | Bengaals | ??????????? | ????
cs | Tjekkisk | Tschechisch | Czech | Tsjechisch | ??????? | ???
da | Dansk | Dänisch | Danish | Deens | ??????? | ???
de | Tysk | Deutsch | German | Duits | ???????? | ??
de-AT | Tysk (Østrig | Deutsch (Österreich) | German (Austria) | Duits (Oostenrijk) | ???????? (???????) | ?? ?????
de-CH | Tysk (Schweiz) | Deutsch (Schweiz) | German (Switzerland) | Duits (Zwitserland) | ???????? (?????????) | ?? ????
de-DE | Tysk (Tyskland) | Deutsch (Deutschland) | German (Germany) | Duits (Duitsland) | ???????? (????????) | ?? ????
el | Græsk | Griechisch | Greek | Grieks | ????????? | ???
en | Engelsk | Englisch | English | Engels | ?????????? | ??
en-AU | Engelsk (Australien) | Englisch (Australien) | English (Australia) | Engels (Australië) | ?????????? (?????????) | ?? ??????
en-CA | Engelsk (Canada) | Englisch (Kanada) | English (Canada) | Engels (Canada) | ?????????? (??????) | ?? ?????
en-GB | Engelsk (Storbritannien) | Englisch (Großbritannien) | English (Great Britain) | Engels (Groot Brittannië) | ?????????? (????????????????) | ?? ????
en-IN | Engelsk (Indien) | Englisch (Indien) | English (India) | Engels (India) | ?????????? (?????) | ?? ????
en-NZ | Engelsk (New Zeeland) | Englisch (Neuseeland) | English (New Zeland) | Engels (Nieuw Zeeland) | ?????????? (????? ????????) | ?? ?????
en-SG | Engelsk (Singapore) | Englisch (Singapur) | English (Singapore) | Engels (Singapore) | ?????????? (????????) | ?? ?????
en-US | Engelsk (Amerikansk) | Englisch (USA) | English (United States) | Engels (Verenigde Staten) | ?????????? (???) | ?? ????
es | Spansk | Spanisch | Spanish | Spaans | ????????? | ????
es-AR | Spansk (Argentina) | Spanisch (Argentinien) | Spanish (Argentina) | Spaans (Argentinië) | ????????? (?????????) | ???? ?????
es-ES | Spansk (Spanien) | Spanisch (Spanien) | Spanish (Spain) | Spaans (Spanje) | ????????? (???????) | ???? ?????
es-UY | Spansk (Uruguay) | Spanisch (Uruguay) | Spanish (Uruguay) | Spaans (Uruguay) | ????????? (???????) | ???? ?????
fi | Finsk | Finnisch | Finnish | Fins | ??????? | ???
fr | Fransk | Französisch | French | Frans | ??????????? | ??
fr-BE | Finsk (Belgien) | Französisch (Belgien) | French (Belgium) | Frans (België)
fr-CH | Fransk (Schweiz) | Französisch (Schweiz) | French (Switzerland) | Frans (Zwitserland) | ??????????? (?????????) | ?? ?????
fr-FR | Fransk (Frankrig) | Französisch (Frankreich) | French (France) | Frans (Frankrijk) | ??????????? (???????) | ?? ????
fy | Frisisk | Friesisch | Frysian | Fries | | ?????
fy-NL | Frisisk (Holland) | Friesisch (Niederlande) | Frysian (Netherlands) | Fries (Nederland) | | ?????????
hi | Hindi | | Hindi | Hindi
hr | Kroatisk | Kroatisch | Croatian | Kroatisch | ?????????? | ?????
it | Italiensk | Italienisch | Italian | Italiaans | ??????????? | ????

it-CH | Italiensk (Schweiz) | Italienisch (Schweiz) | Italian (Switzerland) | Italiaans (Zwitserland) | ??????????? (?????????) | ???? ????
it-IT | Italiensk (Italien) | Italienisch (Italien) | Italian (Italy) | Italiaans (Italië) | ??????????? (??????) | ???? ?????
ja | Japansk | Japanisch | Japanese | Japans | ???????? | ??
ko | Koreansk | Koreanisch | Korean | Koreaans | ????????? | ???
nl | Hollandsk | Niederländisch | Dutch | Nederlands | ????????????? | ???
nl-BE | Hollandsk (Belgien) | Niederländisch (Belgien) | Dutch (Belgium) | Nederlands (België) | | ??? ?????
nl-NL | Hollandsk (Holland) | Niederländisch (Niederlande) | Dutch (Netherlands) | Nederlands (Nederland) | ????????????? (??????????) | ??? ????
no | Norsk | Norwegisch | Norwegian | Noors | ?????????? | ???
no-NO | Norsk (Norge) | Norwegisch (Norwegen) | Norwegian (Norway) | Noors (Noorwegen) | ?????????? (????????) | ??? ????
pa | Punjabi | | Punjabi | Punjabi
pt | Portugisisk | Portugiesisch | Portuguese | Portugees | ????????????? | ????
pt-BR | Portugisisk (Brasilien) | Portugiesisch (Brasilien) | Portuguese (Brazil) | Portugees (Brazilië) | ????????????? (????????) | ???? ????
ru | Russisk | Russisch | Russian | Russisch | ??????? | ??
ru-RU | Russisk (Rusland) | Russisch (Russland) | Russian (Russia) | Russisch (Rusland) | ??????? (??????) | ?? ?????
sr | Serbisk | Serbisch | Serbian | Servisch | ???????? | ?????
sr-SP | Serbisk (Serbien) | Serbisch (Serbien) | Serbian (Serbia) | Servisch (Servië) | ???????? (??????) | ????? ??????
sv | Svensk | Schwedisch | Swedish | Zweeds | ???????? | ???
sv-SE | Svensk (Sverige) | Schwedisch (Schweden) | Swedish (Sweden) | Zweeds (Zweden) | ???????? (??????) | ??? ????
te | Telugu | Telugu | Telegu | Teloegoe | ?????? | ????
zh | Kinesisk | Chinesisch | Chinese | Chinees | K???????? | ??
zh-CN | Kinesisk (Kina) | Chinesisch (China) | Chinese (China) | Chinees (China) | K???????? (?????) | ?? ????
zh-HK | Kinesisk (Hong Kong) | Chinesisch (Hong Kong) | Chinese (Hong Kong) | Chinees (Hong Kong) | K???????? (???????) | ?? ?????????
zh-SG | Kinesisk (Singapore) | Chinesisch (Singapur) | Chinese (Singapore) | Chinees (Singapore) | K???????? (????????) | ?? ?????
zh-TW | Kinesisk (Taiwan) | Chinesisch (Taiwan) | Chinese (Taiwan) | Chinees (Taiwan) | K???????? (???????) | ?? ????

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.892 Value Set http://hl7.org/fhir/ValueSet/care-plan-activity-category

URL: https://hl7.org/fhir/STU3/valueset-care-plan-activity-category.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Patient Care Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/care-plan-activity-category
Name: | CarePlanActivityCategory
Definition: | High-level categorization of the type of activity in a care plan.
Committee: | Patient Care Work Group
OID: | 2.16.840.1.113883.4.642.3.892 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for CarePlanActivityCategory

* CarePlan.activity.detail.category (Example)

4.3.1.892.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/care-plan-activity-category

4.3.1.892.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/care-plan-activity-category version 1.0.0

All codes from system http://hl7.org/fhir/care-plan-activity-category

Code | Display | Definition
diet | Diet | Plan for the patient to consume food of a specified nature

drug | Drug | Plan for the patient to consume/receive a drug, vaccine or other product
encounter | Encounter | Plan to meet or communicate with the patient (in-patient, out-patient, phone call, etc.)
observation | Observation | Plan to capture information about a patient (vitals, labs, diagnostic images, etc.)
procedure | Procedure | Plan to modify the patient in some way (surgery, physiotherapy, education, counseling, etc.)
supply | Supply | Plan to provide something to the patient (medication, medical supply, etc.)
other | Other | Some other form of action

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.893 Value Set http://hl7.org/fhir/ValueSet/device-safety

URL: https://hl7.org/fhir/STU3/valueset-device-safety.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Orders and Observations Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/device-safety
Name: | DeviceSafety
Definition: | Codes used to identify medical devices safety characteristics. These codes are taken from the [NCI Thesaurus](https://ncit.nci.nih.gov/ncitbrowser/pages/home.jsf) and are provided here as a suggestive example.
Committee: | Orders and Observations Work Group
OID: | 2.16.840.1.113883.4.642.3.893 (for OID based terminology systems)
Copyright: | MRI safety definitions reprinted, with permission, from F2503-08 Standard Practice for Marking Medical Devices and Other Items for Safety in the Magnetic Resonance Environment, copyright ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428. See [ASTM F2503](https://www.astm.org/Standards/F2503.htm).
Source Resource | XML / JSON

This value set is used in the following places:

* Device.safety (Example)

4.3.1.893.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

urn:oid:2.16.840.1.113883.3.26.1.1

Code | Display | Definition
C106046 | Magnetic Resonance Conditional | A device with demonstrated safety in the MR environment within defined conditions. At a minimum, address the conditions of the static magnetic field, the switched gradient magnetic field and the radiofrequency fields. Additional conditions, including specific configurations of the item, may be required. See ASTM F2503
C106045 | Magnetic Resonance Safe | The device poses no known hazards resulting from exposure to any MR environment. MR Safe items are composed of materials that are electrically nonconductive, nonmetallic, and nonmagnetic. See ASTM F2503
C106047 | Magnetic Resonance Unsafe | The device which poses unacceptable risks to the patient, medical staff or other persons within the MR environment. See ASTM F2503
C113844 | Labeling does not Contain MRI Safety Information | Information on the safety of using a device in a magnetic resonance (MR) environment has not been provided in the labeling by the labeler.
C101673 | Labeled as Containing Natural Rubber Latex | The device label indicates natural rubber latex as a component.
C106038 | Not Made with Natural Rubber Latex | The composition of the materials of an item do not contain natural rubber latex.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.894 Value Set http://hl7.org/fhir/ValueSet/audit-entity-type

URL: https://hl7.org/fhir/STU3/valueset-audit-entity-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/audit-entity-type
Name: | AuditEventEntityType
Definition: | Code for the entity type involved in the audit event.
Committee: | Security Work Group
OID: | 2.16.840.1.113883.4.642.3.894 (for OID based terminology systems)
Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for AuditEventEntityType

* AuditEvent.entity.type (Extensible)

4.3.1.894.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/audit-entity-type

* Include all codes defined in http://hl7.org/fhir/resource-types

4.3.1.894.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 123 concepts

Expansion based on http://hl7.org/fhir/resource-types version 3.0.2, http://hl7.org/fhir/audit-entity-type version 3.0.2

Code | System | Display | Definition
1 | http://hl7.org/fhir/audit-entity-type | Person | Person
2 | http://hl7.org/fhir/audit-entity-type | System Object | System Object
3 | http://hl7.org/fhir/audit-entity-type | Organization | Organization
4 | http://hl7.org/fhir/audit-entity-type | Other | Other
Account | http://hl7.org/fhir/resource-types | Account | A financial tool for tracking value accrued for a particular purpose. In the healthcare field, used to track charges for a patient, cost centers, etc.
ActivityDefinition | http://hl7.org/fhir/resource-types | ActivityDefinition | This resource allows for the definition of some activity to be performed, independent of a particular patient, practitioner, or other performance context.
AdverseEvent | http://hl7.org/fhir/resource-types | AdverseEvent | Actual or potential/avoided event causing unintended physical injury resulting from or contributed to by medical care, a research study or other healthcare setting factors that requires additional monitoring, treatment, or hospitalization, or that results in death.
AllergyIntolerance | http://hl7.org/fhir/resource-types | AllergyIntolerance | Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance.
Appointment | http://hl7.org/fhir/resource-types | Appointment | A booking of a healthcare event among patient(s), practitioner(s), related person(s) and/or device(s) for a specific date/time. This may result in one or more Encounter(s).
AppointmentResponse | http://hl7.org/fhir/resource-types | AppointmentResponse | A reply to an appointment request for a patient and/or practitioner(s), such as a confirmation or rejection.
AuditEvent | http://hl7.org/fhir/resource-types | AuditEvent | A record of an event made for purposes of maintaining a security log. Typical uses include detection of intrusion attempts and monitoring for inappropriate usage.
Basic | http://hl7.org/fhir/resource-types | Basic | Basic is used for handling concepts not yet defined in FHIR, narrative-only resources that don't map to an existing resource, and custom resources not appropriate for inclusion in the FHIR specification.
Binary | http://hl7.org/fhir/resource-types | Binary | A binary resource can contain any content, whether text, image, pdf, zip archive, etc.
BodySite | http://hl7.org/fhir/resource-types | BodySite | Record details about the anatomical location of a specimen or body part. This resource may be used when a coded concept does not provide the necessary detail needed for the use case.
Bundle | http://hl7.org/fhir/resource-types | Bundle | A container for a collection of resources.
CapabilityStatement | http://hl7.org/fhir/resource-types | CapabilityStatement | A Capability Statement documents a set of capabilities (behaviors) of a FHIR Server that may be used as a statement of actual server functionality or a statement of required or desired server implementation.
CarePlan | http://hl7.org/fhir/resource-types | CarePlan | Describes the intention of how one or more practitioners intend to deliver care for a particular patient, group or community for a period of time, possibly limited to care for a specific condition or set of conditions.
CareTeam | http://hl7.org/fhir/resource-types | CareTeam | The Care Team includes all the people and organizations who plan to participate in the coordination and delivery of care for a patient.
ChargeItem | http://hl7.org/fhir/resource-types | ChargeItem | The resource ChargeItem describes the provision of healthcare provider products for a certain patient, therefore referring not only to the product, but containing in addition details of the provision, like date, time, amounts and participating organizations and persons. Main Usage of the ChargeItem is to enable the billing process and internal cost allocation.
Claim | http://hl7.org/fhir/resource-types | Claim | A provider issued list of services and products provided, or to be provided, to a patient which is provided to an insurer for payment recovery.
ClaimResponse | http://hl7.org/fhir/resource-types | ClaimResponse | This resource provides the adjudication details from the processing of a Claim resource.
ClinicalImpression | http://hl7.org/fhir/resource-types | ClinicalImpression | A record of a clinical assessment performed to determine what problem(s) may affect the patient and before planning the treatments or management strategies that are best to manage a patient's condition. Assessments are

often 1:1 with a clinical consultation / encounter, but this varies greatly depending on the clinical workflow. This resource is called "ClinicalImpression" rather than "ClinicalAssessment" to avoid confusion with the recording of assessment tools such as Apgar score.

CodeSystem | http://hl7.org/fhir/resource-types | CodeSystem | A code system resource specifies a set of codes drawn from one or more code systems.

Communication | http://hl7.org/fhir/resource-types | Communication | An occurrence of information being transmitted; e.g. an alert that was sent to a responsible provider, a public health agency was notified about a reportable condition.

CommunicationRequest | http://hl7.org/fhir/resource-types | CommunicationRequest | A request to convey information; e.g. the CDS system proposes that an alert be sent to a responsible provider, the CDS system proposes that the public health agency be notified about a reportable condition.

CompartmentDefinition | http://hl7.org/fhir/resource-types | CompartmentDefinition | A compartment definition that defines how resources are accessed on a server.

Composition | http://hl7.org/fhir/resource-types | Composition | A set of healthcare-related information that is assembled together into a single logical document that provides a single coherent statement of meaning, establishes its own context and that has clinical attestation with regard to who is making the statement. While a Composition defines the structure, it does not actually contain the content: rather the full content of a document is contained in a Bundle, of which the Composition is the first resource contained.

ConceptMap | http://hl7.org/fhir/resource-types | ConceptMap | A statement of relationships from one set of concepts to one or more other concepts - either code systems or data elements, or classes in class models.

Condition | http://hl7.org/fhir/resource-types | Condition | A clinical condition, problem, diagnosis, or other event, situation, issue, or clinical concept that has risen to a level of concern.

Consent | http://hl7.org/fhir/resource-types | Consent | A record of a healthcare consumer’s policy choices, which permits or denies identified recipient(s) or recipient role(s) to perform one or more actions within a given policy context, for specific purposes and periods of time.

Contract | http://hl7.org/fhir/resource-types | Contract | A formal agreement between parties regarding the conduct of business, exchange of information or other matters.

Coverage | http://hl7.org/fhir/resource-types | Coverage | Financial instrument which may be used to reimburse or pay for health care products and services.

DataElement | http://hl7.org/fhir/resource-types | DataElement | The formal description of a single piece of information that can be gathered and reported.

DetectedIssue | http://hl7.org/fhir/resource-types | DetectedIssue | Indicates an actual or potential clinical issue with or between one or more active or proposed clinical actions for a patient; e.g. Drug-drug interaction, Ineffective treatment frequency, Procedure-condition conflict, etc.

Device | http://hl7.org/fhir/resource-types | Device | This resource identifies an instance or a type of a manufactured item that is used in the provision of healthcare without being substantially changed through that activity. The device may be a medical or non-medical device. Medical devices include durable (reusable) medical equipment, implantable devices, as well as disposable equipment used for diagnostic, treatment, and research for healthcare and public health. Non-medical devices may include items such as a machine, cellphone, computer, application, etc.

DeviceComponent | http://hl7.org/fhir/resource-types | DeviceComponent | The characteristics, operational status and capabilities of a medical-related component of a medical device.

DeviceMetric | http://hl7.org/fhir/resource-types | DeviceMetric | Describes a measurement, calculation or setting capability of a medical device.

DeviceRequest | http://hl7.org/fhir/resource-types | DeviceRequest | Represents a request for a patient to employ a medical device. The device may be an implantable device, or an external assistive device, such as a walker.

DeviceUseStatement | http://hl7.org/fhir/resource-types | DeviceUseStatement | A record of a device being used by a patient where the record is the result of a report from the patient or another clinician.

DiagnosticReport | http://hl7.org/fhir/resource-types | DiagnosticReport | The findings and interpretation of diagnostic tests performed on patients, groups of patients, devices, and locations, and/or specimens derived from these. The report includes clinical context such as requesting and provider information, and some mix of atomic results, images, textual and coded interpretations, and formatted representation of diagnostic reports.

DocumentManifest | http://hl7.org/fhir/resource-types | DocumentManifest | A collection of documents compiled for a purpose together with metadata that applies to the collection.

DocumentReference | http://hl7.org/fhir/resource-types | DocumentReference | A reference to a document.

DomainResource | http://hl7.org/fhir/resource-types | DomainResource | A resource that includes narrative, extensions, and contained resources.

EligibilityRequest | http://hl7.org/fhir/resource-types | EligibilityRequest | The EligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an EligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.

EligibilityResponse | http://hl7.org/fhir/resource-types | EligibilityResponse | This resource provides eligibility and plan details from the processing of an Eligibility resource.

Encounter | http://hl7.org/fhir/resource-types | Encounter | An interaction between a patient and healthcare provider(s) for the purpose of providing healthcare service(s) or assessing the health status of a patient.

Endpoint | http://hl7.org/fhir/resource-types | Endpoint | The technical details of an endpoint that can be used for electronic services, such as for web services providing XDS.b or a REST endpoint for another FHIR server. This may include any security context information.

EnrollmentRequest | http://hl7.org/fhir/resource-types | EnrollmentRequest | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.

EnrollmentResponse | http://hl7.org/fhir/resource-types | EnrollmentResponse | This resource provides enrollment and plan details from the processing of an Enrollment resource.

EpisodeOfCare | http://hl7.org/fhir/resource-types | EpisodeOfCare | An association between a patient and an organization / healthcare provider(s) during which time encounters may occur. The managing organization assumes a level of responsibility for the patient during this time.

ExpansionProfile | http://hl7.org/fhir/resource-types | ExpansionProfile | Resource to define constraints on the Expansion of a FHIR ValueSet.

ExplanationOfBenefit | http://hl7.org/fhir/resource-types | ExplanationOfBenefit | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

FamilyMemberHistory | http://hl7.org/fhir/resource-types | FamilyMemberHistory | Significant health events and conditions for a person related to the patient relevant in the context of care for the patient.

Flag | http://hl7.org/fhir/resource-types | Flag | Prospective warnings of potential issues when providing care to the patient.

Goal | http://hl7.org/fhir/resource-types | Goal | Describes the intended objective(s) for a patient, group or organization care, for example, weight loss, restoring an activity of daily living, obtaining herd immunity via immunization, meeting a process improvement objective, etc.

GraphDefinition | http://hl7.org/fhir/resource-types | GraphDefinition | A formal computable definition of a graph of resources - that is, a coherent set of resources that form a graph by following references. The Graph Definition resource defines a set and makes rules about the set.

Group | http://hl7.org/fhir/resource-types | Group | Represents a defined collection of entities that may be discussed or acted upon collectively but which are not expected to act collectively and are not formally or legally recognized; i.e. a collection of entities that isn't an Organization.

GuidanceResponse | http://hl7.org/fhir/resource-types | GuidanceResponse | A guidance response is the formal response to a guidance request, including any output parameters returned by the evaluation, as well as the description of any proposed actions to be taken.

HealthcareService | http://hl7.org/fhir/resource-types | HealthcareService | The details of a healthcare service available at a location.

ImagingManifest | http://hl7.org/fhir/resource-types | ImagingManifest | A text description of the DICOM SOP instances selected in the ImagingManifest; or the reason for, or significance of, the selection.

ImagingStudy | http://hl7.org/fhir/resource-types | ImagingStudy | Representation of the content produced in a DICOM imaging study. A study comprises a set of series, each of which includes a set of Service-Object Pair Instances (SOP Instances - images or other data) acquired or produced in a common context. A series is of only one modality (e.g. X-ray, CT, MR, ultrasound), but a study may have multiple series of different modalities.

Immunization | http://hl7.org/fhir/resource-types | Immunization | Describes the event of a patient being administered a vaccination or a record of a vaccination as reported by a patient, a clinician or another party and may include vaccine reaction information and what vaccination protocol was followed.

ImmunizationRecommendation | http://hl7.org/fhir/resource-types | ImmunizationRecommendation | A patient's point-in-time immunization and recommendation (i.e. forecasting a patient's immunization eligibility according to a published schedule) with optional supporting justification.

ImplementationGuide | http://hl7.org/fhir/resource-types | ImplementationGuide | A set of rules of how FHIR is used to solve a particular problem. This resource is used to gather all the parts of an implementation guide into a logical whole and to publish a computable definition of all the parts.

Library | http://hl7.org/fhir/resource-types | Library | The Library resource is a general-purpose container for knowledge asset definitions. It can be used to describe and expose existing knowledge assets such as logic libraries and information model descriptions, as well as to describe a collection of knowledge assets.

Linkage | http://hl7.org/fhir/resource-types | Linkage | Identifies two or more records (resource instances) that are referring to the same real-world "occurrence".

List | http://hl7.org/fhir/resource-types | List | A set of information summarized from a list of other resources.

Location | http://hl7.org/fhir/resource-types | Location | Details and position information for a physical place where services are provided and resources and participants may be stored, found, contained or accommodated.

Measure | http://hl7.org/fhir/resource-types | Measure | The Measure resource provides the definition of a quality measure.

MeasureReport | http://hl7.org/fhir/resource-types | MeasureReport | The MeasureReport resource contains the results of evaluating a measure.

Media | http://hl7.org/fhir/resource-types | Media | A photo, video, or audio recording acquired or used in healthcare. The actual content may be inline or provided by direct reference.

Medication | http://hl7.org/fhir/resource-types | Medication | This resource is primarily used for the identification and definition of a medication. It covers the ingredients and the packaging for a medication.

MedicationAdministration | http://hl7.org/fhir/resource-types | MedicationAdministration | Describes the event of a patient consuming or otherwise being administered a medication. This may be as simple as swallowing a tablet or it may be a long running infusion. Related resources tie this event to the authorizing prescription, and the specific encounter between patient and health care practitioner.

MedicationDispense | http://hl7.org/fhir/resource-types | MedicationDispense | Indicates that a medication product is to be or has been dispensed for a named person/patient. This includes a description of the medication product (supply) provided and the instructions for administering the medication. The medication dispense is the result of a pharmacy system responding to a medication order.

MedicationRequest | http://hl7.org/fhir/resource-types | MedicationRequest | An order or request for both supply of the medication and the instructions for administration of the medication to a patient. The resource is called "MedicationRequest" rather than "MedicationPrescription" or "MedicationOrder" to generalize the use across inpatient and outpatient settings, including care plans, etc., and to harmonize with workflow patterns.

MedicationStatement | http://hl7.org/fhir/resource-types | MedicationStatement | A record of a medication that is being consumed by a patient. A MedicationStatement may indicate that the patient may be taking the medication now, or has taken the medication in the past or will be taking the medication in the future. The source of this information can be the patient, significant other (such as a family member or spouse), or a clinician. A common scenario where this information is captured is during the history taking process during a patient visit or stay. The medication information may come from sources such as the patient's memory, from a prescription bottle, or from a list of medications the patient, clinician or other party maintains The primary difference between a medication statement and a medication administration is that the medication administration has complete administration information and is based on actual administration information from the person who administered the medication. A medication statement is often, if not always, less specific. There is no required date/time when the medication was administered, in fact we only know that a source has reported the patient is taking this medication, where details such as time, quantity, or rate or even medication product may be incomplete or missing or less precise. As stated earlier, the medication statement information may come from the patient's memory, from a prescription bottle or from a list of medications the patient, clinician or other party maintains. Medication administration is more formal and is not missing detailed information.

MessageDefinition | http://hl7.org/fhir/resource-types | MessageDefinition | Defines the characteristics of a message that can be shared between systems, including the type of event that initiates the message, the content to be transmitted and what response(s), if any, are permitted.

MessageHeader | http://hl7.org/fhir/resource-types | MessageHeader | The header for a message exchange that is either requesting or responding to an action. The reference(s) that are the subject of the action as well as other information related to the action are typically transmitted in a bundle in which the MessageHeader resource instance is the first resource in the bundle.

NamingSystem | http://hl7.org/fhir/resource-types | NamingSystem | A curated namespace that issues unique symbols within that namespace for the identification of concepts, people, devices, etc. Represents a "System" used within the Identifier and Coding data types.

NutritionOrder | http://hl7.org/fhir/resource-types | NutritionOrder | A request to supply a diet, formula feeding (enteral) or oral nutritional supplement to a patient/resident.

Observation | http://hl7.org/fhir/resource-types | Observation | Measurements and simple assertions made about a patient, device or other subject.

OperationDefinition | http://hl7.org/fhir/resource-types | OperationDefinition | A formal computable definition of an operation (on the RESTful interface) or a named query (using the search interaction).

OperationOutcome | http://hl7.org/fhir/resource-types | OperationOutcome | A collection of error, warning or information messages that result from a system action.

Organization | http://hl7.org/fhir/resource-types | Organization | A formally or informally recognized grouping of people or organizations formed for the purpose of achieving some form of collective action. Includes companies, institutions, corporations, departments, community groups, healthcare practice groups, etc.

Parameters | http://hl7.org/fhir/resource-types | Parameters | This special resource type is used to represent an operation request and response (operations.html). It has no other use, and there is no RESTful endpoint associated with it.

Patient | http://hl7.org/fhir/resource-types | Patient | Demographics and other administrative information about an individual or animal receiving care or other health-related services.

PaymentNotice | http://hl7.org/fhir/resource-types | PaymentNotice | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

PaymentReconciliation | http://hl7.org/fhir/resource-types | PaymentReconciliation | This resource provides payment details and claim references supporting a bulk payment.

Person | http://hl7.org/fhir/resource-types | Person | Demographics and administrative information about a person independent of a specific health-related context.

PlanDefinition | http://hl7.org/fhir/resource-types | PlanDefinition | This resource allows for the definition of various types of plans as a sharable, consumable, and executable artifact. The resource is general enough to support the description of a broad range of clinical artifacts such as clinical decision support rules, order sets and protocols.

Practitioner | http://hl7.org/fhir/resource-types | Practitioner | A person who is directly or indirectly involved in the provisioning of healthcare.

PractitionerRole | http://hl7.org/fhir/resource-types | PractitionerRole | A specific set of Roles/Locations/specialties/services that a practitioner may perform at an organization for a period of time.

Procedure | http://hl7.org/fhir/resource-types | Procedure | An action that is or was performed on a patient. This can be a physical intervention like an operation, or less invasive like counseling or hypnotherapy.

ProcedureRequest | http://hl7.org/fhir/resource-types | ProcedureRequest | A record of a request for diagnostic investigations, treatments, or operations to be performed.

ProcessRequest | http://hl7.org/fhir/resource-types | ProcessRequest | This resource provides the target, request and response, and action details for an action to be performed by the target on or about existing resources.

ProcessResponse | http://hl7.org/fhir/resource-types | ProcessResponse | This resource provides processing status, errors and notes from the processing of a resource.

Provenance | http://hl7.org/fhir/resource-types | Provenance | Provenance of a resource is a record that describes entities and processes involved in producing and delivering or otherwise influencing that resource. Provenance provides a critical foundation for assessing authenticity, enabling trust, and allowing reproducibility. Provenance assertions are a form of contextual metadata and can themselves become important records with their own provenance. Provenance statement indicates clinical significance in terms of confidence in authenticity, reliability, and trustworthiness, integrity, and stage in lifecycle (e.g. Document Completion - has the artifact been legally authenticated), all of which may impact security, privacy, and trust policies.

Questionnaire | http://hl7.org/fhir/resource-types | Questionnaire | A structured set of questions intended to guide the collection of answers from end-users. Questionnaires provide detailed control over order, presentation, phraseology and grouping to allow coherent, consistent data collection.

QuestionnaireResponse | http://hl7.org/fhir/resource-types | QuestionnaireResponse | A structured set of questions and their answers. The questions are ordered and grouped into coherent subsets, corresponding to the structure of the grouping of the questionnaire being responded to.

ReferralRequest | http://hl7.org/fhir/resource-types | ReferralRequest | Used to record and send details about a request for referral service or transfer of a patient to the care of another provider or provider organization.

RelatedPerson | http://hl7.org/fhir/resource-types | RelatedPerson | Information about a person that is involved in the care for a patient, but who is not the target of healthcare, nor has a formal responsibility in the care process.

RequestGroup | http://hl7.org/fhir/resource-types | RequestGroup | A group of related requests that can be used to capture intended activities that have inter-dependencies such as "give this medication after that one".

ResearchStudy | http://hl7.org/fhir/resource-types | ResearchStudy | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

ResearchSubject | http://hl7.org/fhir/resource-types | ResearchSubject | A process where a researcher or organization plans and then executes a series of steps intended to increase the field of healthcare-related knowledge. This includes studies of safety, efficacy, comparative effectiveness and other information about medications, devices, therapies and other interventional and investigative techniques. A ResearchStudy involves the gathering of information about human or animal subjects.

Resource | http://hl7.org/fhir/resource-types | Resource | This is the base resource type for everything.

RiskAssessment | http://hl7.org/fhir/resource-types | RiskAssessment | An assessment of the likely outcome(s) for a patient or other subject as well as the likelihood of each outcome.

Schedule | http://hl7.org/fhir/resource-types | Schedule | A container for slots of time that may be available for booking appointments.

SearchParameter | http://hl7.org/fhir/resource-types | SearchParameter | A search parameter that defines a named search item that can be used to search/filter on a resource.

Sequence | http://hl7.org/fhir/resource-types | Sequence | Raw data describing a biological sequence.

ServiceDefinition | http://hl7.org/fhir/resource-types | ServiceDefinition | The ServiceDefinition describes a unit of decision support functionality that is made available as a service, such as immunization modules or drug-drug interaction checking.

Slot | http://hl7.org/fhir/resource-types | Slot | A slot of time on a schedule that may be available for booking appointments.

Specimen | http://hl7.org/fhir/resource-types | Specimen | A sample to be used for analysis.

StructureDefinition | http://hl7.org/fhir/resource-types | StructureDefinition | A definition of a FHIR structure. This resource is used to describe the underlying resources, data types defined in FHIR, and also for describing extensions and constraints on resources and data types.

StructureMap | http://hl7.org/fhir/resource-types | StructureMap | A Map of relationships between 2 structures that can be used to transform data.

Subscription | http://hl7.org/fhir/resource-types | Subscription | The subscription resource is used to define a push based subscription from a server to another system. Once a subscription is registered with the server, the server checks every resource that is created or updated, and if the resource matches the given criteria, it sends a message on the defined "channel" so that another system is able to take an appropriate action.

Substance | http://hl7.org/fhir/resource-types | Substance | A homogeneous material with a definite composition.

SupplyDelivery | http://hl7.org/fhir/resource-types | SupplyDelivery | Record of delivery of what is supplied.

SupplyRequest | http://hl7.org/fhir/resource-types | SupplyRequest | A record of a request for a medication, substance or device used in the healthcare setting.

Task | http://hl7.org/fhir/resource-types | Task | A task to be performed.

TestReport | http://hl7.org/fhir/resource-types | TestReport | A summary of information based on the results of executing a TestScript.

TestScript | http://hl7.org/fhir/resource-types | TestScript | A structured set of tests against a FHIR server implementation to determine compliance against the FHIR specification.

ValueSet | http://hl7.org/fhir/resource-types | ValueSet | A value set specifies a set of codes drawn from one or more code systems.

VisionPrescription | http://hl7.org/fhir/resource-types | VisionPrescription | An authorization for the supply of glasses and/or contact lenses to a patient.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.895 Value Set http://hl7.org/fhir/ValueSet/devicemetric-type

URL: https://hl7.org/fhir/STU3/valueset-devicemetric-type.html

This value set could not be expanded by the publication tooling: Unable to provide support for code system urn:iso:std:iso:11073:10101

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/devicemetric-type
Name: | Device Metric and Component Types
Definition: | Codes used to identify health care device metric types and units and component types as part of the ISO/IEEE 11073-10101 Medical Device Communication Nomenclature.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.895 (for OID based terminology systems)
Copyright: | This value set is available IEEE (https://standards.ieee.org/findstds/standard/11073-10101a-2015.html) as well as at https://rtmms.nist.gov/rtmms/index.htm#!hrosetta through NIST's Rosetta Terminology Mapping Management System which has a Royalty Free Agreement with IEEE to make the terminology [specifically five attributes: Reference ID, Terminology Code, Description, Systematic Name, and Common Term] available for development of IEEE 11073 compliant products.
Source Resource | XML / JSON

This value set is used in the following places:

* DeviceMetric.unit (Preferred)

4.3.1.895.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in urn:iso:std:iso:11073:10101

4.3.1.895.2 Expansion

This expansion generated 19 Apr 2017

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.897 Value Set http://hl7.org/fhir/ValueSet/operational-status

URL: https://hl7.org/fhir/STU3/valueset-operational-status.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/operational-status
Name: | DeviceComponentOperationalStatus
Definition: | Codes representing the current status of the device - on, off, suspended, etc.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.897 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DeviceComponentOperationalStatus

* DeviceComponent.operationalStatus (Extensible)

4.3.1.897.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/operational-status

4.3.1.897.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 7 concepts

Expansion based on http://hl7.org/fhir/operational-status version 3.0.2

All codes from system http://hl7.org/fhir/operational-status

Code	Display	Definition
off	Off	The device is off.
on	On	The device is fully operational.
not-ready	Not Ready	The device is not ready.
standby	Standby	The device is ready but not actively operating.
transduc-discon	Transducer Diconnected	The device transducer is diconnected.
hw-discon	Hardware Disconnectd	The device hardware is disconnected.
entered-in-error	Entered In Error	The device was entered in error.

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level	A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source	The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code	The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display	The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition	An explanation of the meaning of the concept
Comments	Additional notes about how to use the code

4.3.1.899 Value Set http://hl7.org/fhir/ValueSet/specification-type

URL: https://hl7.org/fhir/STU3/valueset-specification-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL:	http://hl7.org/fhir/ValueSet/specification-type
Name:	DeviceSpecificationSpecType
Definition:	Codes for device specification types such as serial number, part number, hardware revision, software revision, etc.
Committee:	Health Care Devices Work Group
OID:	2.16.840.1.113883.4.642.3.899 (for OID based terminology systems)
Source Resource	XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DeviceSpecificationSpecType

* DeviceComponent.productionSpecification.specType (Extensible)

4.3.1.899.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/specification-type

4.3.1.899.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 8 concepts

Expansion based on http://hl7.org/fhir/specification-type version 3.0.2

All codes from system http://hl7.org/fhir/specification-type

Code	Display	Definition
unspecified	Unspecified Production Specification	Unspecified Production Specification - MDC_ID_PROD_SPEC_UNSPECIFIED
serial-number	Serial Number	Serial Number - MDC_ID_PROD_SPEC_SERIAL
part-number	Part Number	Part Number - MDC_ID_PROD_SPEC_PART
hardware-revision	Hardware Revision	Hardware Revision - MDC_ID_PROD_SPEC_HW
software-revision	Software Revision	Software Revision - MDC_ID_PROD_SPEC_SW
firmware-revision	Firmware Revision	Firmware Revision - MDC_ID_PROD_SPEC_FW
protocol-revision	Protocol Revision	Protocol Revision - MDC_ID_PROD_SPEC_PROTOCOL
gmdn	GMDN	GMDN - MDC_ID_PROD_SPEC_GMDN

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.901 Value Set http://hl7.org/fhir/ValueSet/parameter-group

URL: https://hl7.org/fhir/STU3/valueset-parameter-group.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Health Care Devices Work Group | Maturity Level: 1 | Informative | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/parameter-group
Name: | DeviceComponentParameterGroup
Definition: | Codes identifying groupings of parameters; e.g. Cardiovascular.
Committee: | Health Care Devices Work Group
OID: | 2.16.840.1.113883.4.642.3.901 (for OID based terminology systems)
Source Resource | XML / JSON

This value set is used in the following places:

* This value set is the designated 'entire code system' value set for DeviceComponentParameterGroup

* DeviceComponent.parameterGroup (Extensible)

4.3.1.901.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://hl7.org/fhir/parameter-group

4.3.1.901.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 9 concepts

Expansion based on http://hl7.org/fhir/parameter-group version 3.0.2

All codes from system http://hl7.org/fhir/parameter-group

Code | Display | Definition
haemodynamic | Haemodynamic Parameter Group | Haemodynamic Parameter Group - MDC_PGRP_HEMO
ecg | ECG Parameter Group | ECG Parameter Group - MDC_PGRP_ECG
respiratory | Respiratory Parameter Group | Respiratory Parameter Group - MDC_PGRP_RESP
ventilation | Ventilation Parameter Group | Ventilation Parameter Group - MDC_PGRP_VENT
neurological | Neurological Parameter Group | Neurological Parameter Group - MDC_PGRP_NEURO
drug-delivery | Drug Delivery Parameter Group | Drug Delivery Parameter Group - MDC_PGRP_DRUG
fluid-chemistry | Fluid Chemistry Parameter Group | Fluid Chemistry Parameter Group - MDC_PGRP_FLUID
blood-chemistry | Blood Chemistry Parameter Group | Blood Chemistry Parameter Group - MDC_PGRP_BLOOD_CHEM
miscellaneous | Miscellaneous Parameter Group | Miscellaneous Parameter Group - MDC_PGRP_MISC

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.902 Value Set http://hl7.org/fhir/ValueSet/provider-taxonomy

URL: https://hl7.org/fhir/STU3/valueset-provider-taxonomy.html

This value set could not be expanded by the publication tooling: Unable to provide support for code system http://nucc.org/provider-taxonomy

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: 0 | Informative | Use Context: Not Intended for Production use

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/provider-taxonomy
Name: | Provider Taxonomy Codes
Definition: | NUCC Healthcare Provider Taxonomy codes
Committee: | ??
OID: | 2.16.840.1.113883.4.642.3.902 (for OID based terminology systems)
Copyright: | The NUCC Health Care Provider Taxonomy codes are copyright © 2017, American Medical Association.
Source Resource | XML / JSON

This value set is not currently used

4.3.1.902.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include all codes defined in http://nucc.org/provider-taxonomy

4.3.1.902.2 Expansion

This expansion generated 19 Apr 2017

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.1.null Value Set http://hl7.org/fhir/ValueSet/security-role-type

URL: https://hl7.org/fhir/STU3/valueset-security-role-type.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Security Work Group | Maturity Level: 3 | Trial Use | Use Context: Any

This is a value set defined by the FHIR project.

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/security-role-type
Name: | SecurityRoleType
Definition: | This example FHIR value set is comprised of example Actor Type codes, which can be used to value FHIR agents, actors, and other role elements such as those specified in financial transactions. The FHIR Actor value set is based on DICOM Audit Message, C402; ASTM Standard, E1762-95 [2013]; selected codes and derived actor roles from HL7 RoleClass OID 2.16.840.1.113883.5.110; HL7 Role Code 2.16.840.1.113883.5.111, including AgentRoleType; HL7 ParticipationType OID: 2.16.840.1.113883.5.90; and HL7 ParticipationFunction codes OID: 2.16.840.1.113883.5.88. This value set includes, by reference, role codes from external code systems: NUCC Health Care Provider Taxonomy OID: 2.16.840.1.113883.6.101; North American Industry Classification System [NAICS]OID: 2.16.840.1.113883.6.85; IndustryClassificationSystem 2.16.840.1.113883.1.11.16039; and US Census Occupation Code OID: 2.16.840.1.113883.6.243 for relevant recipient or custodian codes not included in this value set. If no source is indicated in the definition comments, then these are example FHIR codes. It can be extended with appropriate roles described by SNOMED as well as those described in the HL7 Role Based Access Control Catalog and the HL7 Healthcare (Security and Privacy) Access Control Catalog. In Role-Based Access Control (RBAC), permissions are operations on an object that a user wishes to access. Permissions are grouped into roles. A role characterizes the functions a user is allowed to perform. Roles are assigned to users. If the user's role has the appropriate permissions to access an object, then that user is granted access to the object. FHIR readily enables RBAC, as FHIR Resources are object types and the CRUDE events (the FHIR equivalent to permissions in the RBAC scheme) are operations on those objects. In Attribute-Based Access Control (ABAC), a user requests to perform operations on objects. That user's access request is granted or denied based on a set of access control policies that are specified in terms of attributes and conditions. FHIR readily enables ABAC, as instances of a Resource in FHIR (again, Resources are object types) can have attributes associated with them. These attributes include security tags, environment conditions, and a host of user and object characteristics, which are the same attributes as those used in ABAC. Attributes help define the access control policies that determine the operations a user may perform on a Resource (in FHIR) or object (in ABAC). For example, a tag (or attribute) may specify that the identified Resource (object) is not to be further disclosed without explicit consent from the patient.
Committee: | ??
OID: | (for OID based terminology systems)
Copyright: | This is an example FHIR value set based on ASTM Standard, E1762-95 (2013) HL7 RoleClass OID 2.16.840.1.113883.5.110, HL7 Role Code 2.16.840.1.113883.5.111, HL7 ParticipationType OID: 2.16.840.1.113883.5.90, HL7 ParticipationFunction codes at OID: 2.16.840.1.113883.5.88, and HL7 Security and Privacy Domain Analysis Model roles classes. These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright © 2011 by the National Electrical Manufacturers Association.
Source Resource | XML / JSON

This value set is used in the following places:

* Consent.actor.role (Extensible)

* Consent.except.actor.role (Extensible)

* Provenance.agent.role (Extensible)

* AuditEvent.agent.role (Extensible)

4.3.1.null.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://www.hl7.org/fhir/contractsignertypecodes

Code | Display

AMENDER | Amender | A person who has corrected, edited, or amended pre-existing information.

COAUTH | Co-Author | The entity that co-authored content. There can be multiple co-authors of content,which may take such forms as a such as a contract, a healthcare record entry or document, a policy, or a consent directive.

CONT | Contact | A person or an organization that provides or receives information regarding another entity. Examples; patient NOK and emergency contacts; guarantor contact; employer contact.

EVTWIT | Event Witness | A person who attests to observing an occurrence. For example, the witness has observed a procedure and is attesting to this fact.

PRIMAUTH | Primary Author | An entity that is the primary or sole author of information content. In the healthcare context, there can be only one primary author of health information content in a record entry or document.

REVIEWER | Reviewer | A person, device, or algorithm that has used approved criteria for filtered data for inclusion into the patient record. Examples: (1) a medical records clerk who scans a document for inclusion in the medical record, enters header information, or catalogues and classifies the data, or a combination thereof; (2) a gateway that receives data from another computer system and interprets that data or changes its format, or both, before entering it into the patient record.

SOURCE | Source | An automated data source that generates a signature along with content. Examples: (1) the signature for an image that is generated by a device for inclusion in the patient record; (2) the signature for an ECG derived by an ECG system for inclusion in the patient record; (3) the data from a biomedical monitoring device or system that is for inclusion in the patient record.

TRANS | Transcriber | An entity entering the data into the originating system. This includes the transcriptionist for dictated text transcribed into electronic form.

VALID | Validator | A person who validates a health information document for inclusion in the patient record. For example, a medical student or resident is credentialed to perform history or physical examinations and to write progress notes. The attending physician signs the history and physical examination to validate the entry for inclusion in the patient's medical record.

VERF | Verifier | A person who asserts the correctness and appropriateness of an act or the recording of the act, and is accountable for the assertion that the act or the recording of the act complies with jurisdictional or organizational policy. For example, a physician is required to countersign a verbal order that has previously been recorded in the medical record by a registered nurse who has carried out the verbal order.

* Include these codes as defined in

http://hl7.org/fhir/v3/RoleClass

Code | Display

AFFL | affiliate | Player of the Affiliate role has a business/professional relationship with scoper. Player and scoper may be persons or organization. The Affiliate relationship does not imply membership in a group, nor does it exist for resource scheduling purposes. Example: A healthcare provider is affiliated with another provider as a business associate.

AGNT | agent | An entity (player) that acts or is authorized to act on behalf of another entity (scoper).

ASSIGNED | assigned entity | An agent role in which the agent is an Entity acting in the employ of an organization. The focus is on functional role on behalf of the organization, unlike the Employee role where the focus is on the 'Human Resources' relationship between the employee and the organization.

CLAIM | claimant | Description: A role played by a party making a claim for coverage under a policy or program. A claimant must be either a person or organization, or a group of persons or organizations. A claimant is not a named insured or a program eligible. Discussion: With respect to liability insurance such as property and casualty insurance, a claimant must file a claim requesting indemnification for a loss that the claimant considers covered under the policy of a named insured. The claims adjuster for the policy underwriter will review the claim to determine whether the loss meets the benefit coverage criteria under a policy, and base any indemnification or coverage payment on that review. If a third party is liable in whole or part for the loss, the underwriter may pursue third party liability recovery. A claimant may be involved in civil or criminal legal proceedings involving claims against a defendant party that is indemnified by an insurance policy or to protest the finding of a claims adjustor. With respect to life insurance, a beneficiary designated by a named insured becomes a claimant of the proceeds of coverage, as in the case of a life insurance policy. However, a claimant for coverage under life insurance is not necessarily a designated beneficiary. Note: A claimant is not a named insured. However, a named insured may make a claim under a policy, e.g., an insured driver may make a claim for an injury under his or her comprehensive automobile insurance policy. Similarly, a program eligible may make a claim under program, e.g., an unemployed worker may claim benefits under an unemployment insurance program, but parties playing these covered party role classes are not, for purposes of this vocabulary and in an effort to clearly distinguish role classes, considered claimants. In the case of a named insured making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that either a named insured or an individual insured has filed a claim for a loss. In the case of a program eligible, a role type code INJWKR (injured worker) subtypes the class to indicate that the covered party in a workers compensation program is an injured worker, and as such, has filed a "claim" under the program for benefits. Likewise, a covered role type code UNEMP (unemployed worker) subtypes the program eligible class to indicate that the covered party in an unemployment insurance program has filed a claim for unemployment benefits. Example: A claimant under automobile policy that is not the named insured.

COVPTY | covered party | A role class played by a person who receives benefit coverage under the terms of a particular insurance policy. The underwriter of that policy is the scoping entity. The covered party receives coverage because of some contractual or other relationship with the holder of that policy. Discussion:This reason for coverage is captured in 'Role.code' and a relationship link with type code of indirect authority should be included using the policy holder role as the source, and the covered party role as the target. Note that a particular policy may cover several individuals one of whom may be, but need not be, the policy holder. Thus the notion of covered party is a role that is distinct from that of the policy holder.

DEPEN | dependent | Description: A role played by a person covered under a policy or program based on an association with a subscriber, which is recognized by the policy holder. Note: The party playing the role of a dependent is not a claimant in the sense conveyed by the RoleClassCoveredParty CLAIM (claimant). However, a dependent may make a claim under a policy, e.g., a dependent under a health insurance

policy may become the claimant for coverage under that policy for wellness examines or if injured and there is no liable third party. In the case of a dependent making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that the dependent has filed a claim for services covered under the health insurance policy. Example: The dependent has an association with the subscriber such as a financial dependency or personal relationship such as that of a spouse, or a natural or adopted child. The policy holder may be required by law to recognize certain associations or may have discretion about the associations. For example, a policy holder may dictate the criteria for the dependent status of adult children who are students, such as requiring full time enrollment, or may recognize domestic partners as dependents. Under certain circumstances, the dependent may be under the indirect authority of a responsible party acting as a surrogate for the subscriber, for example, if the subscriber is differently abled or deceased, a guardian ad Lidem or estate executor may be appointed to assume the subscriberaTMs legal standing in the relationship with the dependent.

ECON | emergency contact | An entity to be contacted in the event of an emergency.

EMP | employee | A relationship between a person or organization and a person or organization formed for the purpose of exchanging work for compensation. The purpose of the role is to identify the type of relationship the employee has to the employer, rather than the nature of the work actually performed. (Contrast with AssignedEntity.)

GUARD | guardian | Guardian of a ward

INVSBJ | Investigation Subject | An entity that is the subject of an investigation. This role is scoped by the party responsible for the investigation.

NAMED | named insured | Description: A role played by a party to an insurance policy to which the insurer agrees to indemnify for losses, provides benefits for, or renders services. A named insured may be either a person, non-person living subject, or an organization, or a group of persons, non-person living subjects, or organizations. Discussion: The coded concept NAMED should not be used where a more specific child concept in this Specializable value set applies. In some cases, the named insured may not be the policy holder, e.g., where a policy holder purchases life insurance policy in which another party is the named insured and the policy holder is the beneficiary of the policy. Note: The party playing the role of a named insured is not a claimant in the sense conveyed by the RoleClassCoveredParty CLAIM (claimant). However, a named insured may make a claim under a policy, e.g., e.g., a party that is the named insured and policy holder under a comprehensive automobile insurance policy may become the claimant for coverage under that policy e.g., if injured in an automobile accident and there is no liable third party. In the case of a named insured making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that a named insured has filed a claim for a loss. Example: The named insured under a comprehensive automobile, disability, or property and casualty policy that is the named insured and may or may not be the policy holder.

NOK | next of kin | An individual designated for notification as the next of kin for a given entity.

PAT | patient | A Role of a LivingSubject (player) as an actual or potential recipient of health care services from a healthcare provider organization (scoper). Usage Note: Communication about relationships between patients and specific healthcare practitioners (people) is not done via scoper. Instead this is generally done using the CareProvision act. This allows linkage between patient and a particular healthcare practitioner role and also allows description of the type of care involved in the relationship.

PROV | healthcare provider | An Entity (player) that is authorized to provide health care services by some authorizing agency (scoper).

NOT | notary public | notary public

* Include these codes as defined in

http://hl7.org/fhir/v3/RoleCode

Code | Display

CLASSIFIER | classifier | An individual authorized to assign an original classification to information, including compilations of unclassified information, based on a determination that the information requires protection against unauthorized disclosure. The individual marks the information with immutable, computable, and human readable security labels in accordance with applicable security labeling policies. The labeling policies provide instructions on whether and if so how the security labels may be later reclassified [i.e., upgraded, downgraded, used in derivative classification, or declassified] in a manner that preserves the overridden original classification binding and provenance.

CONSENTER | consenter | An entity or an entity's delegatee who is the grantee in an agreement such as a consent for services, advanced directive, or a privacy consent directive in accordance with jurisdictional, organizational, or patient policy.

CONSWIT | consent witness | An entity which has witnessed and attests to observing another entity being counseled about an agreement such as a consent for services, advanced directive, or a privacy consent directive.

COPART | co-participant | An entity which participates in the generation of and attest to veracity of content, but is not an author or coauthor. For example a surgeon who is required by institutional, regulatory, or legal rules to sign an operative report, but who was not involved in the authorship of that report.

DECLASSIFIER | declassifier | An individual which is authorized to declassify information based on a determination that the information no longer requires protection against unauthorized disclosure. The individual marks the information being declassified using computable and human readable security labels indicating that this is copy of previously classified information is unclassified in accordance with applicable security labeling policies. The labeling policies provide instructions on whether and if so how the security labels may be later reclassified [i.e., upgraded or used in derivative classification] in a manner that preserves the overridden original classification binding and provenance.

DELEGATEE | delegatee | A party to whom some right or authority is granted by a delegator.

DELEGATOR | delegator | A party that grants all or some portion its right or authority to another party.

DOWNGRDER | downgrader | An individual authorized to lower the classification level of labeled content and provide rationale for doing so as directed by a classification guide.

DPOWATT | durable power of attorney | A relationship between two people in which one person authorizes another, usually a family member or relative, to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that is often limited in the kinds of powers that can be assigned. Unlike ordinary powers of attorney, durable powers can survive for long periods of time, and again, unlike standard powers of attorney, durable powers can continue after incompetency.

EXCEST | executor of estate | The role played by a person acting as the estate executor for a deceased subscriber or policyholder who was the responsible party

GRANTEE | grantee | An entity which accepts certain rights or authority from a grantor.

GRANTOR | grantor | An entity which agrees to confer certain rights or authority to a grantee.

GT | Guarantor | An individual or organization that makes or gives a promise, assurance, pledge to pay or has paid the healthcare service provider.

GUADLTM | guardian ad lidem | The role played by a person appointed by the court to look out for the best interests of a minor child during the course of legal proceedings.

HPOWATT | healthcare power of attorney | A relationship between two people in which one person authorizes another to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that continues (by its terms) to be effective even though the grantor has become mentally incompetent after signing the document.

INTPRTER | interpreter | An entity which converts spoken or written language into the language of key participants in an event such as when a provider is obtaining a patient's consent to treatment or permission to disclose information.

POWATT | power of attorney | A relationship between two people in which one person authorizes another to act for him in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts.

RESPRSN | responsible party | The role played by a party who has legal responsibility for another party.
SPOWATT | special power of attorney | A relationship between two people in which one person authorizes another to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that is often limited in the kinds of powers that can be assigned.

* Include codes from http://hl7.org/fhir/v3/RoleCode where concept is-a _CitizenRoleType

* Include these codes as defined in

http://hl7.org/fhir/v3/ParticipationFunction

Code | Display
AUCG | caregiver information receiver | Description:Caregiver authorized to receive patient health information.
AULR | legitimate relationship information receiver | Description:Provider with legitimate relationship authorized to receive patient health information.
AUTM | care team information receiver | Description:Member of care team authorized to receive patient health information.
AUWA | work area information receiver | Description:Entities within specified work area authorized to receive patient health information.
PROMSK | authorized provider masking author | Definition:Provider authorized to mask information to protect the patient, a third party, or to ensure that the provider has consulted with the patient prior to release of this information.

* Include these codes as defined in

http://hl7.org/fhir/v3/ParticipationType

Code | Display
AUT | author (originator) | Definition: A party that originates the Act and therefore has responsibility for the information given in the Act and ownership of this Act. Example: the report writer, the person writing the act definition, the guideline author, the placer of an order, the EKG cart (device) creating a report etc. Every Act should have an author. Authorship is regardless of mood always actual authorship. Examples of such policies might include: The author and anyone they explicitly delegate may update the report; All administrators within the same clinic may cancel and reschedule appointments created by other administrators within that clinic; A party that is neither an author nor a party who is extended authorship maintenance rights by policy, may only amend, reverse, override, replace, or follow up in other ways on this Act, whereby the Act remains intact and is linked to another Act authored by that other party.
CST | custodian | An entity (person, organization or device) that is in charge of maintaining the information of this act (e.g., who maintains the report or the master service catalog item, etc.).
INF | informant | A source of reported information (e.g., a next of kin who answers questions about the patient's history). For history questions, the patient is logically an informant, yet the informant of history questions is implicitly the subject.
IRCP | information recipient | A party, who may or should receive or who has recieved the Act or subsequent or derivative information of that Act. Information recipient is inert, i.e., independent of mood." Rationale: this is a generalization of a too diverse family that the definition can't be any more specific, and the concept is abstract so one of the specializations should be used.
LA | legal authenticator | A verifier who legally authenticates the accuracy of an act. An example would be a staff physician who sees a patient and dictates a note, then later signs it. Their signature constitutes a legal authentication.
IRCP | information recipient | A party, who may or should receive or who has recieved the Act or subsequent or derivative information of that Act. Information recipient is inert, i.e., independent of mood." Rationale: this is a generalization of a too diverse family that the definition can't be any more specific, and the concept is abstract so one of the specializations should be used.
TRC | tracker | A secondary information recipient, who receives copies (e.g., a primary care provider receiving copies of results as ordered by specialist).
WIT | witness | Only with service events. A person witnessing the action happening without doing anything. A witness is not necessarily aware, much less approves of anything stated in the service event. Example for a witness is students watching an operation or an advanced directive witness.

* Include all codes defined in http://hl7.org/fhir/extra-security-role-type

* Include these codes as defined in

http://dicom.nema.org/resources/ontology/DCM

Code | Display
110150 | Application | Audit participant role ID of software application
110151 | Application Launcher | Audit participant role ID of software application launcher, i.e., the entity that started or stopped an application
110152 | Destination Role ID | Audit participant role ID of the receiver of data
110153 | Source Role ID | Audit participant role ID of the sender of data
110154 | Destination Media | Audit participant role ID of media receiving data during an export
110155 | Source Media | Audit participant role ID of media providing data during an import

4.3.1.null.2 Expansion

This expansion generated 19 Apr 2017

This value set contains 75 concepts

Expansion based on http://www.hl7.org/fhir/contractsignertypecodes version 3.0.2, http://hl7.org/fhir/v3/RoleClass version 2016-11-11, http://hl7.org/fhir/v3/ParticipationType version 2016-11-11, http://hl7.org/fhir/extra-security-role-type version 3.0.2, http://hl7.org/fhir/v3/RoleCode version 2016-11-11, http://hl7.org/fhir/v3/ParticipationFunction version 2016-11-11, DICOM version 01

Code | System | Display | Definition
AMENDER | http://www.hl7.org/fhir/contractsignertypecodes | Amender | A person who has corrected, edited, or amended pre-existing information.
COAUTH | http://www.hl7.org/fhir/contractsignertypecodes | Co-Author | The entity that co-authored content. There can be multiple co-authors of content,which may take such forms as a such as a contract, a healthcare record entry or document, a policy, or a consent directive.
CONT | http://www.hl7.org/fhir/contractsignertypecodes | Contact | A person or an organization that provides or receives information regarding another entity. Examples; patient NOK and emergency contacts; guarantor contact; employer contact.
EVTWIT | http://www.hl7.org/fhir/contractsignertypecodes | Event Witness | A person who attests to observing an occurrence. For example, the witness has observed a procedure and is attesting to this fact.
PRIMAUTH | http://www.hl7.org/fhir/contractsignertypecodes | Primary Author | An entity that is the primary or sole author of information content. In the healthcare context, there can be only one primary author of health information content in a record entry or document.

REVIEWER | http://www.hl7.org/fhir/contractsignertypecodes | Reviewer | A person, device, or algorithm that has used approved criteria for filtered data for inclusion into the patient record. Examples: (1) a medical records clerk who scans a document for inclusion in the medical record, enters header information, or catalogues and classifies the data, or a combination thereof; (2) a gateway that receives data from another computer system and interprets that data or changes its format, or both, before entering it into the patient record.

SOURCE | http://www.hl7.org/fhir/contractsignertypecodes | Source | An automated data source that generates a signature along with content. Examples: (1) the signature for an image that is generated by a device for inclusion in the patient record; (2) the signature for an ECG derived by an ECG system for inclusion in the patient record; (3) the data from a biomedical monitoring device or system that is for inclusion in the patient record.

TRANS | http://www.hl7.org/fhir/contractsignertypecodes | Transcriber | An entity entering the data into the originating system. This includes the transcriptionist for dictated text transcribed into electronic form.

VALID | http://www.hl7.org/fhir/contractsignertypecodes | Validator | A person who validates a health information document for inclusion in the patient record. For example, a medical student or resident is credentialed to perform history or physical examinations and to write progress notes. The attending physician signs the history and physical examination to validate the entry for inclusion in the patient's medical record.

VERF | http://www.hl7.org/fhir/contractsignertypecodes | Verifier | A person who asserts the correctness and appropriateness of an act or the recording of the act, and is accountable for the assertion that the act or the recording of the act complies with jurisdictional or organizational policy. For example, a physician is required to countersign a verbal order that has previously been recorded in the medical record by a registered nurse who has carried out the verbal order.

AFFL | http://hl7.org/fhir/v3/RoleClass | affiliate | Player of the Affiliate role has a business/professional relationship with scoper. Player and scoper may be persons or organization. The Affiliate relationship does not imply membership in a group, nor does it exist for resource scheduling purposes. Example: A healthcare provider is affiliated with another provider as a business associate.

AGNT | http://hl7.org/fhir/v3/RoleClass | agent | An entity (player) that acts or is authorized to act on behalf of another entity (scoper).

ASSIGNED | http://hl7.org/fhir/v3/RoleClass | assigned entity | An agent role in which the agent is an Entity acting in the employ of an organization. The focus is on functional role on behalf of the organization, unlike the Employee role where the focus is on the 'Human Resources' relationship between the employee and the organization.

CLAIM | http://hl7.org/fhir/v3/RoleClass | claimant | Description: A role played by a party making a claim for coverage under a policy or program. A claimant must be either a person or organization, or a group of persons or organizations. A claimant is not a named insured or a program eligible. Discussion: With respect to liability insurance such as property and casualty insurance, a claimant must file a claim requesting indemnification for a loss that the claimant considers covered under the policy of a named insured. The claims adjuster for the policy underwriter will review the claim to determine whether the loss meets the benefit coverage criteria under a policy, and base any indemnification or coverage payment on that review. If a third party is liable in whole or part for the loss, the underwriter may pursue third party liability recovery. A claimant may be involved in civil or criminal legal proceedings involving claims against a defendant party that is indemnified by an insurance policy or to protest the finding of a claims adjustor. With respect to life insurance, a beneficiary designated by a named insured becomes a claimant of the proceeds of coverage, as in the case of a life insurance policy. However, a claimant for coverage under life insurance is not necessarily a designated beneficiary. Note: A claimant is not a named insured. However, a named insured may make a claim under a policy, e.g., an insured driver may make a claim for an injury under his or her comprehensive automobile insurance policy. Similarly, a program eligible may make a claim under program, e.g., an unemployed worker may claim benefits under an unemployment insurance program, but parties playing these covered party role classes are not, for purposes of this vocabulary and in an effort to clearly distinguish role classes, considered claimants. In the case of a named insured making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that either a named insured or an individual insured has filed a claim for a loss. In the case of a program eligible, a role type code INJWKR (injured worker) subtypes the class to indicate that the covered party in a workers compensation program is an injured worker, and as such, has filed a "claim" under the program for benefits. Likewise, a covered role type code UNEMP (unemployed worker) subtypes the program eligible class to indicate that the covered party in an unemployment insurance program has filed a claim for unemployment benefits. Example: A claimant under automobile policy that is not the named insured.

COVPTY | http://hl7.org/fhir/v3/RoleClass | covered party | A role class played by a person who receives benefit coverage under the terms of a particular insurance policy. The underwriter of that policy is the scoping entity. The covered party receives coverage because of some contractual or other relationship with the holder of that policy. Discussion:This reason for coverage is captured in 'Role.code' and a relationship link with type code of indirect authority should be included using the policy holder role as the source, and the covered party role as the target. Note that a particular policy may cover several individuals one of whom may be, but need not be, the policy holder. Thus the notion of covered party is a role that is distinct from that of the policy holder.

DEPEN | http://hl7.org/fhir/v3/RoleClass | dependent | Description: A role played by a person covered under a policy or program based on an association with a subscriber, which is recognized by the policy holder. Note: The party playing the role of a dependent is not a claimant in the sense conveyed by the RoleClassCoveredParty CLAIM (claimant). However, a dependent may make a claim under a policy, e.g., a dependent under a health insurance policy may become the claimant for coverage under that policy for wellness examines or if injured and there is no liable third party. In the case of a dependent making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that the dependent has filed a claim for services covered under the health insurance policy. Example: The dependent has an association with the subscriber such as a financial dependency or personal relationship such as that of a spouse, or a natural or adopted child. The policy holder may be required by law to recognize certain associations or may have discretion about the associations. For example, a policy holder may dictate the criteria for the dependent status of adult children who are students, such as requiring full time enrollment, or may recognize domestic partners as dependents. Under certain circumstances, the dependent may be under the indirect authority of a responsible party acting as a surrogate for the subscriber, for example, if the subscriber is differently abled or deceased, a guardian ad Lidem or estate executor may be appointed to assume the subscriberaTMs legal standing in the relationship with the dependent.

ECON | http://hl7.org/fhir/v3/RoleClass | emergency contact | An entity to be contacted in the event of an emergency.

EMP | http://hl7.org/fhir/v3/RoleClass | employee | A relationship between a person or organization and a person or organization formed for the purpose of exchanging work for compensation. The purpose of the role is to identify the type of relationship the employee has to the employer, rather than the nature of the work actually performed. (Contrast with AssignedEntity.)

GUARD | http://hl7.org/fhir/v3/RoleClass | guardian | Guardian of a ward

INVSBJ | http://hl7.org/fhir/v3/RoleClass | Investigation Subject | An entity that is the subject of an investigation. This role is scoped by the party responsible for the investigation.

NAMED | http://hl7.org/fhir/v3/RoleClass | named insured | Description: A role played by a party to an insurance policy to which the insurer agrees to indemnify for losses, provides benefits for, or renders services. A named insured may be either a person, non-person living subject, or an organization, or a group of persons, non-person living subjects, or organizations. Discussion: The coded concept NAMED should not be used where a more specific child concept in this Specializable value set applies. In some cases, the named insured may not be the policy holder, e.g., where a policy holder purchases life insurance policy in which another party is the named insured and the policy holder is the beneficiary of the policy. Note: The party playing the role of a named insured is not a claimant in the sense conveyed by the RoleClassCoveredParty CLAIM (claimant). However, a named insured may make a claim under a policy, e.g., e.g., a party that is the named insured and policy holder under a comprehensive automobile insurance policy may become the claimant for coverage under that policy e.g., if injured in an automobile accident and there is no liable third party. In the case of a named insured making a claim, a role type code INSCLM (insured claimant) subtypes the class to indicate that a named insured has filed a claim for a loss. Example: The named insured under a comprehensive automobile, disability, or property and casualty policy that is the named insured and may or may not be the policy holder.

NOK | http://hl7.org/fhir/v3/RoleClass | next of kin | An individual designated for notification as the next of kin for a given entity.

PAT | http://hl7.org/fhir/v3/RoleClass | patient | A Role of a LivingSubject (player) as an actual or potential recipient of health care services from a healthcare provider organization (scoper). Usage Note: Communication about relationships between patients and specific healthcare practitioners (people) is not done via scoper. Instead this is generally done using the CareProvision act. This allows linkage between patient and a particular healthcare practitioner role and also allows description of the type of care involved in the relationship.

PROV | http://hl7.org/fhir/v3/RoleClass | healthcare provider | An Entity (player) that is authorized to provide health care services by some authorizing agency (scoper).

NOT | http://hl7.org/fhir/v3/RoleClass | notary public | notary public

CLASSIFIER | http://hl7.org/fhir/v3/RoleCode | classifier | An individual authorized to assign an original classification to information, including compilations of unclassified information, based on a determination that the information requires protection against unauthorized disclosure. The individual marks the information with immutable, computable, and human readable security labels in accordance with applicable security labeling policies. The labeling policies provide instructions on whether and if so how the security labels may be later reclassified [i.e., upgraded, downgraded, used in derivative classification, or declassified] in a manner that preserves the overridden original classification binding and provenance.

CONSENTER | http://hl7.org/fhir/v3/RoleCode | consenter | An entity or an entity's delegatee who is the grantee in an agreement such as a consent for services, advanced directive, or a privacy consent directive in accordance with jurisdictional, organizational, or patient policy.

CONSWIT | http://hl7.org/fhir/v3/RoleCode | consent witness | An entity which has witnessed and attests to observing another entity being counseled about an agreement such as a consent for services, advanced directive, or a privacy consent directive.

COPART | http://hl7.org/fhir/v3/RoleCode | co-participant | An entity which participates in the generation of and attest to veracity of content, but is not an author or coauthor. For example a surgeon who is required by institutional, regulatory, or legal rules to sign an operative report, but who was not involved in the authorship of that report.

DECLASSIFIER | http://hl7.org/fhir/v3/RoleCode | declassifier | An individual which is authorized to declassify information based on a determination that the information no longer requires protection against unauthorized disclosure. The individual marks the information being declassified using computable and human readable security labels indicating that this is copy of previously classified information is unclassified in accordance with applicable security labeling policies. The labeling policies provide instructions on whether and if so how the security labels may be later reclassified [i.e., upgraded or used in derivative classification] in a manner that preserves the overridden original classification binding and provenance.

DELEGATEE | http://hl7.org/fhir/v3/RoleCode | delegatee | A party to whom some right or authority is granted by a delegator.

DELEGATOR | http://hl7.org/fhir/v3/RoleCode | delegator | A party that grants all or some portion its right or authority to another party.

DOWNGRDER | http://hl7.org/fhir/v3/RoleCode | downgrader | An individual authorized to lower the classification level of labeled content and provide rationale for doing so as directed by a classification guide.

DPOWATT | http://hl7.org/fhir/v3/RoleCode | durable power of attorney | A relationship between two people in which one person authorizes another, usually a family member or relative, to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that is often limited in the kinds of powers that can be assigned. Unlike ordinary powers of attorney, durable powers can survive for long periods of time, and again, unlike standard powers of attorney, durable powers can continue after incompetency.

EXCEST | http://hl7.org/fhir/v3/RoleCode | executor of estate | The role played by a person acting as the estate executor for a deceased subscriber or policyholder who was the responsible party

GRANTEE | http://hl7.org/fhir/v3/RoleCode | grantee | An entity which accepts certain rights or authority from a grantor.

GRANTOR | http://hl7.org/fhir/v3/RoleCode | grantor | An entity which agrees to confer certain rights or authority to a grantee.

GT | http://hl7.org/fhir/v3/RoleCode | Guarantor | An individual or organization that makes or gives a promise, assurance, pledge to pay or has paid the healthcare service provider.

GUADLTM | http://hl7.org/fhir/v3/RoleCode | guardian ad lidem | The role played by a person appointed by the court to look out for the best interests of a minor child during the course of legal proceedings.

HPOWATT | http://hl7.org/fhir/v3/RoleCode | healthcare power of attorney | A relationship between two people in which one person authorizes another to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that continues (by its terms) to be effective even though the grantor has become mentally incompetent after signing the document.

INTPRTER | http://hl7.org/fhir/v3/RoleCode | interpreter | An entity which converts spoken or written language into the language of key participants in an event such as when a provider is obtaining a patient's consent to treatment or permission to disclose information.

POWATT | http://hl7.org/fhir/v3/RoleCode | power of attorney | A relationship between two people in which one person authorizes another to act for him in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts.

RESPRSN | http://hl7.org/fhir/v3/RoleCode | responsible party | The role played by a party who has legal responsibility for another party.

SPOWATT | http://hl7.org/fhir/v3/RoleCode | special power of attorney | A relationship between two people in which one person authorizes another to act for him or her in a manner which is a legally binding upon the person giving such authority as if he or she personally were to do the acts that is often limited in the kinds of powers that can be assigned.

_CitizenRoleType | http://hl7.org/fhir/v3/RoleCode | CitizenRoleType | A role type used to qualify a person's legal status within a country or nation.

CAS | http://hl7.org/fhir/v3/RoleCode | asylum seeker | A person who has fled his or her home country to find a safe place elsewhere.

CASM | http://hl7.org/fhir/v3/RoleCode | single minor asylum seeker | A person who is someone of below legal age who has fled his or her home country, without his or her parents, to find a safe place elsewhere at time of categorization.

CN | http://hl7.org/fhir/v3/RoleCode | national | A person who is legally recognized as a member of a nation or country, with associated rights and obligations.

CNRP | http://hl7.org/fhir/v3/RoleCode | non-country member without residence permit | A foreigner who is present in a country (which is foreign to him/her) unlawfully or without the country's authorization (may be called an illegal alien).

CNRPM | http://hl7.org/fhir/v3/RoleCode | non-country member minor without residence permit | A person who is below legal age present in a country, without his or her parents, (which is foreign to him/her) unlawfully or without the country's authorization.

CPCA | http://hl7.org/fhir/v3/RoleCode | permit card applicant | A non-country member admitted to the territory of a nation or country as a non-resident for an explicit purpose.

CRP | http://hl7.org/fhir/v3/RoleCode | non-country member with residence permit | A foreigner who is a resident of the country but does not have citizenship.

CRPM | http://hl7.org/fhir/v3/RoleCode | non-country member minor with residence permit | A person who is a resident below legal age of the country without his or her parents and does not have citizenship.

AUCG | http://hl7.org/fhir/v3/ParticipationFunction | caregiver information receiver | Description:Caregiver authorized to receive patient health information.

AULR | http://hl7.org/fhir/v3/ParticipationFunction | legitimate relationship information receiver | Description:Provider with legitimate relationship authorized to receive patient health information.

AUTM | http://hl7.org/fhir/v3/ParticipationFunction | care team information receiver | Description:Member of care team authorized to receive patient health information.

AUWA | http://hl7.org/fhir/v3/ParticipationFunction | work area information receiver | Description:Entities within specified work area authorized to receive patient health information.

PROMSK | http://hl7.org/fhir/v3/ParticipationFunction | authorized provider masking author | Definition:Provider authorized to mask information to protect the patient, a third party, or to ensure that the provider has consulted with the patient prior to release of this information.

AUT | http://hl7.org/fhir/v3/ParticipationType | author (originator) | Definition: A party that originates the Act and therefore has responsibility for the information given in the Act and ownership of this Act. Example: the report writer, the person writing the act definition, the guideline author, the placer of an order, the EKG cart (device) creating a report etc. Every Act should have an author. Authorship is regardless of mood always actual authorship. Examples of such policies might include: The author and anyone they explicitly delegate may update the report; All administrators within the same clinic may cancel and reschedule appointments created by other administrators within that clinic; A party that is neither an author nor a party who is extended authorship maintenance rights by policy, may only amend, reverse, override, replace, or follow up in other ways on this Act, whereby the Act remains intact and is linked to another Act authored by that other party.

CST | http://hl7.org/fhir/v3/ParticipationType | custodian | An entity (person, organization or device) that is in charge of maintaining the information of this act (e.g., who maintains the report or the master service catalog item, etc.).

INF | http://hl7.org/fhir/v3/ParticipationType | informant | A source of reported information (e.g., a next of kin who answers questions about the patient's history). For history questions, the patient is logically an informant, yet the informant of history questions is implicitly the subject.

IRCP | http://hl7.org/fhir/v3/ParticipationType | information recipient | A party, who may or should receive or who has recieved the Act or subsequent or derivative information of that Act. Information recipient is inert, i.e., independent of mood." Rationale: this is a generalization of a too diverse family that the definition can't be any more specific, and the concept is abstract so one of the specializations should be used.

LA | http://hl7.org/fhir/v3/ParticipationType | legal authenticator | A verifier who legally authenticates the accuracy of an act. An example would be a staff physician who sees a patient and dictates a note, then later signs it. Their signature constitutes a legal authentication.

TRC | http://hl7.org/fhir/v3/ParticipationType | tracker | A secondary information recipient, who receives copies (e.g., a primary care provider receiving copies of results as ordered by specialist).

WIT | http://hl7.org/fhir/v3/ParticipationType | witness | Only with service events. A person witnessing the action happening without doing anything. A witness is not necessarily aware, much less approves of anything stated in the service event. Example for a witness is students watching an operation or an advanced directive witness.

authserver | http://hl7.org/fhir/extra-security-role-type | authorization server | An entity providing authorization services to enable the electronic sharing of health-related information based on resource owner's preapproved permissions. For example, an UMA Authorization Server[UMA]

datacollector | http://hl7.org/fhir/extra-security-role-type | data collector | An entity that collects information over which the data subject may have certain rights under policy or law to control that information's management and distribution by data collectors, including the right to access, retrieve, distribute, or delete that information.

dataprocessor | http://hl7.org/fhir/extra-security-role-type | data processor | An entity that processes collected information over which the data subject may have certain rights under policy or law to control that information's management and distribution by data processors, including the right to access, retrieve, distribute, or delete that information.

datasubject | http://hl7.org/fhir/extra-security-role-type | data subject | A person whose personal information is collected or processed, and who may have certain rights under policy or law to control that information's management and distribution by data collectors or processors, including the right to access, retrieve, distribute, or delete that information.

110150 | http://dicom.nema.org/resources/ontology/DCM | Application | Audit participant role ID of software application

110151 | http://dicom.nema.org/resources/ontology/DCM | Application Launcher | Audit participant role ID of software application launcher, i.e., the entity that started or stopped an application

110152 | http://dicom.nema.org/resources/ontology/DCM | Destination Role ID | Audit participant role ID of the receiver of data

110153 | http://dicom.nema.org/resources/ontology/DCM | Source Role ID | Audit participant role ID of the sender of data

110154 | http://dicom.nema.org/resources/ontology/DCM | Destination Media | Audit participant role ID of media receiving data during an export

110155 | http://dicom.nema.org/resources/ontology/DCM | Source Media | Audit participant role ID of media providing data during an import

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies

Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)

Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')

Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application

Definition | An explanation of the meaning of the concept

Comments | Additional notes about how to use the code

4.3.1.19 Value Set http://hl7.org/fhir/ValueSet/dicom-cid29

URL: https://hl7.org/fhir/STU3/valueset-dicom-cid29.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Imaging Integration Work Group | Maturity Level: 3 | Informative | Use Context: Not Intended for Production use

This is a value set defined at http://medical.nema.org/medical/dicom/current/output/html/part16.html#sect_CID_29 .

Summary

Defining URL: | http://hl7.org/fhir/ValueSet/dicom-cid29

Name: | Acquisition Modality Codes

Definition: | This Value Set includes codes that may be used to identify an image or waveform acquisition modality, as used in the ImagingStudy resource, Dicom Attribute Modality (0008,0060) or HL7 v2 Table 0259 (see HL7 v2.6 Chapter 8 Section 8.8.8.47). It generally corresponds to a class of diagnostic equipment, or to a specific acquisition function or technique in a device.

Committee: | Imaging Integration Work Group

OID: | 1.2.840.10008.6.1.19 (for OID based terminology systems)

Copyright: | These codes are excerpted from Digital Imaging and Communications in Medicine (DICOM) Standard, Part 16: Content Mapping Resource, Copyright 2011 by the National Electrical Manufacturers Association.

Source Resource | XML / JSON

This value set is used in the following places:

* ImagingStudy.modalityList (Extensible)

* ImagingStudy.series.modality (Extensible)

4.3.1.19.1 Content Logical Definition

This value set includes codes from the following code systems:

* Include these codes as defined in

http://dicom.nema.org/resources/ontology/DCM

Code | Display
AR | Autorefraction | Autorefraction device
BMD | Bone Mineral Densitometry | Bone Mineral Densitometry by X-Ray (modality), including dual-energy X-Ray absorptiometry (DXA) and morphometric X-Ray absorptiometry (MXA)
BDUS | Ultrasound Bone Densitometry | Ultrasound Bone Densitometry (modality)
EPS | Cardiac Electrophysiology | Cardiac Electrophysiology device
CR | Computed Radiography | Computed Radiography device
CT | Computed Tomography | Computed Tomography device
DX | Digital Radiography | Digital Radiography device
ECG | Electrocardiography | Electrocardiography device
ES | Endoscopy | Endoscopy device
XC | External-camera Photography | External-camera Photography device
GM | General Microscopy | General Microscopy device
HD | Hemodynamic Waveform | Hemodynamic Waveform acquisition device
IO | Intra-oral Radiography | Intra-oral Radiography device
IVOCT | Intravascular Optical Coherence Tomography | An acquisition device, process or method that performs intravascular optical coherence tomography
IVUS | Intravascular Ultrasound | Intravascular Ultrasound device
KER | Keratometry | Keratometry device
LEN | Lensometry | Lensometry device
MR | Magnetic Resonance | Magnetic Resonance device
MG | Mammography | Mammography device
NM | Nuclear Medicine | Nuclear Medicine device
OAM | Ophthalmic Axial Measurements | Measurements of the axial length of the eye, which are done by various devices
OCT | Optical Coherence Tomography | Modality device that uses an interferometric, non-invasive optical tomographic technique to image 2D slices and 3D volumes of tissue using visible and near visible frequencies
OPM | Ophthalmic Mapping | Modality device that measures corneal topography, corneal or retinal thickness, and other similar parameters that are typically displayed as maps
OP | Ophthalmic Photography | Ophthalmic photography modality
OPR | Ophthalmic Refraction | Modality device that measures the refractive characteristics of the eye
OPT | Ophthalmic Tomography | Tomography of the eye acquired by a modality that is based on light and optical principles. Tomography based on other principles, such as ultrasound, is excluded
OPV | Ophthalmic Visual Field | Modality device that measures visual fields and perform visual perimetry
OSS | Optical Surface Scanner | An acquisition device, process or method that performs optical surface scanning
PX | Panoramic X-Ray | Panoramic X-Ray device
PT | Positron emission tomography | Positron emission tomography (PET) device
RF | Radiofluoroscopy | Radiofluoroscopy device
RG | Radiographic imaging | Radiographic imaging (conventional film/screen)
SM | Slide Microscopy | Slide Microscopy
SRF | Subjective Refraction | Subjective Refraction device
US | Ultrasound | Ultrasound device
VA | Visual Acuity | Visual Acuity device
XA | X-Ray Angiography | X-Ray Angiography device

See the full registry of value sets defined as part of FHIR.

Explanation of the columns that may appear on this page:

Level | A few code lists that FHIR defines are hierarchical - each code is assigned a level. In this scheme, some codes are under other codes, and imply that the code they are under also applies
Source | The source of the definition of the code (when the value set draws in codes defined elsewhere)
Code | The code (used as the code in the resource instance). If the code is in italics, this indicates that the code is not selectable ('Abstract')
Display | The display (used in the display element of a Coding). If there is no display, implementers should not simply display the code, but map the concept into their application
Definition | An explanation of the meaning of the concept
Comments | Additional notes about how to use the code

4.3.2.1 HL7 v3 Code System AdministrativeGender

URL: https://hl7.org/fhir/STU3/v3/AdministrativeGender/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/AdministrativeGender) is defined as part of HL7 v3. Related FHIR content: AdministrativeGender.

Summary

Defining URL: | http://hl7.org/fhir/v3/AdministrativeGender
Name: | v3 Code System AdministrativeGender
Definition: | The gender of a person used for adminstrative purposes (as opposed to clinical gender)
OID: | 2.16.840.1.113883.5.1 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System AdministrativeGender (The gender of a person used for adminstrative purposes (as opposed to clinical gender))

4.3.2.1.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | F | Female | Female
1 | M | Male | Male
1 | UN | Undifferentiated | The gender of a person could not be uniquely defined as male or female, such as hermaphrodite.

4.3.2.2 HL7 v3 Code System MaritalStatus

URL: https://hl7.org/fhir/STU3/v3/MaritalStatus/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/MaritalStatus) is defined as part of HL7 v3. Related FHIR content: Marital Status Codes.

Summary

Defining URL: | http://hl7.org/fhir/v3/MaritalStatus
Name: | v3 Code System MaritalStatus
Definition: | * * * No description supplied * * * Open Issue: The specific meanings of these codes can vary somewhat by jurisdiction and implementation so caution should be used when determining equivalency.
OID: | 2.16.840.1.113883.5.2 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* Marital Status Codes (This value set defines the set of codes that can be used to indicate the marital status of a person.)

* v3 Code System MaritalStatus (* * * No description supplied * * * Open Issue: The specific meanings of these codes can vary somewhat by jurisdiction and implementation so caution should be used when determining equivalency.)

4.3.2.2.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | A | Annulled | Marriage contract has been declared null and to not have existed
1 | D | Divorced | Marriage contract has been declared dissolved and inactive
1 | I | Interlocutory | Subject to an Interlocutory Decree.
1 | L | Legally Separated
1 | M | Married | A current marriage contract is active
1 | P | Polygamous | More than 1 current spouse
1 | S | Never Married | No marriage contract has ever been entered
1 | T | Domestic partner | Person declares that a domestic partner relationship exists.
1 | U | unmarried | Currently not in a marriage contract.
1 | W | Widowed | The spouse has died

4.3.2.4 HL7 v3 Code System ActCode

URL: https://hl7.org/fhir/STU3/v3/ActCode/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ActCode) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ActCode
Name: | v3 Code System ActCode

Definition: | A code specifying the particular kind of Act that the Act-instance represents within its class. Constraints: The kind of Act (e.g. physical examination, serum potassium, inpatient encounter, charge financial transaction, etc.) is specified with a code from one of several, typically external, coding systems. The coding system will depend on the class of Act, such as LOINC for observations, etc. Conceptually, the Act.code must be a specialization of the Act.classCode. This is why the structure of ActClass domain should be reflected in the superstructure of the ActCode domain and then individual codes or externally referenced vocabularies subordinated under these domains that reflect the ActClass structure. Act.classCode and Act.code are not modifiers of each other but the Act.code concept should really imply the Act.classCode concept. For a negative example, it is not appropriate to use an Act.code "potassium" together with and Act.classCode for "laboratory observation" to somehow mean "potassium laboratory observation" and then use the same Act.code for "potassium" together with Act.classCode for "medication" to mean "substitution of potassium". This mutually modifying use of Act.code and Act.classCode is not permitted.
OID: | 2.16.840.1.113883.5.4 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* ActConsentDirective (ActConsentDirective codes are used to specify the type of Consent Directive to which a Consent Directive Act conforms.)

* InformationSensitivityPolicy (Sensitivity codes are not useful for interoperability outside of a policy domain because sensitivity policies are typically localized and vary drastically across policy domains even for the same information category because of differing organizational business rules, security policies, and jurisdictional requirements. For example, an "employee" sensitivity code would make little sense for use outside of a policy domain. "Taboo" would rarely be useful outside of a policy domain unless there are jurisdictional requirements requiring that a provider disclose sensitive information to a patient directly. Sensitivity codes may be more appropriate in a legacy system's Master Files in order to notify those who access a patient's orders and observations about the sensitivity policies that apply. Newer systems may have a security engine that uses a sensitivity policy's criteria directly. The specializable Sensitivity Act.code may be useful in some scenarious if used in combination with a sensitivity identifier and/or Act.title.)

* SecurityPolicy (Types of security policies that further specify the ActClassPolicy value set. Examples: encrypt prohibit redisclosure without consent directive)

* RefrainPolicy (Conveys prohibited actions which an information custodian, receiver, or user is not permitted to perform unless otherwise authorized or permitted under specified circumstances. Examples: prohibit redisclosure without consent directive)

* Account Types (This examples value set defines the set of codes that can be used to represent the type of an account.)

* ObservationType (Identifies the kinds of observations that can be performed)

* v3 Code System ActCode (A code specifying the particular kind of Act that the Act-instance represents within its class. Constraints: The kind of Act (e.g. physical examination, serum potassium, inpatient encounter, charge financial transaction, etc.) is specified with a code from one of several, typically external, coding systems. The coding system will depend on the class of Act, such as LOINC for observations, etc. Conceptually, the Act.code must be a specialization of the Act.classCode. This is why the structure of ActClass domain should be reflected in the superstructure of the ActCode domain and then individual codes or externally referenced vocabularies subordinated under these domains that reflect the ActClass structure. Act.classCode and Act.code are not modifiers of each other but the Act.code concept should really imply the Act.classCode concept. For a negative example, it is not appropriate to use an Act.code "potassium" together with and Act.classCode for "laboratory observation" to somehow mean "potassium laboratory observation" and then use the same Act.code for "potassium" together with Act.classCode for "medication" to mean "substitution of potassium". This mutually modifying use of Act.code and Act.classCode is not permitted.)

* ActCoverageTypeCode (Definition: Set of codes indicating the type of insurance policy or program that pays for the cost of benefits provided to covered parties.)

* ActConsentType (Definition: The type of consent directive, e.g., to consent or dissent to collect, access, or use in specific ways within an EHRS or for health information exchange; or to disclose health information for purposes such as research.)

* Compartment (A named tag set for metadata used to populate a security category label field that "segments" an IT resource per policy by indicating that access and use is restricted to members of a defined community or project. (HL7 Healthcare Privacy and Security Classification System) Usage Note: This is the healthcare analog to the US Intelligence Community's concept of a Special Access Program. Compartment codes may be used in as a field value in an initiator's clearance to indicate permission to access and use an IT Resource with a security label having the same compartment value in security category label field. Map: Aligns with ISO 2382-8 definition of Compartment - "A division of data into isolated blocks with separate security controls for the purpose of reducing risk.")

* Detected Issue Mitigation Action (Kinds of mitigating actions and observations that can be associated with a detected issue or contraindication, such as 'added concurrent therapy', 'prior therapy documented', etc.)

* ActEncounterCode (Domain provides codes that qualify the ActEncounterClass (ENC))

* ActIncidentCode (Set of codes indicating the type of incident or accident.)

* ActInvoiceGroupCode (Type of invoice element that is used to assist in describing an Invoice that is either submitted for adjudication or for which is returned on adjudication results. Invoice elements of this type signify a grouping of one or more children (detail) invoice elements. They do not have intrinsic costing associated with them, but merely reflect the sum of all costing for it's immediate children invoice elements.)

* ActTaskCode (Description: A task or action that a user may perform in a clinical information system.)

* ObligationPolicy (Conveys the mandated workflow action that an information custodian, receiver, or user must perform. Examples: encrypt Usage Note: Per OASIS XACML, an obligation is an operation specified in a policy or policy that is

performed in conjunction with the enforcement of an access control decision.)

* ActPharmacySupplyType (Identifies types of dispensing events)

* Detected Issue Category (Kinds of issues or contraindications, such as 'drug-drug interaction', 'duplicate therapy', etc.)

4.3.2.4.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition

1 | (_ActAccountCode) Abstract | | An account represents a grouping of financial transactions that are tracked and reported together with a single balance. Examples of account codes (types) are Patient billing accounts (collection of charges), Cost centers; Cash.

2 | ACCTRECEIVABLE | account receivable | An account for collecting charges, reversals, adjustments and payments, including deductibles, copayments, coinsurance (financial transactions) credited or debited to the account receivable account for a patient's encounter.

2 | CASH | Cash

2 | CC | credit card | Description: Types of advance payment to be made on a plastic card usually issued by a financial institution used of purchasing services and/or products.

3 | AE | American Express

3 | DN | Diner's Club

3 | DV | Discover Card

3 | MC | Master Card

3 | V | Visa

2 | PBILLACCT | patient billing account | An account representing charges and credits (financial transactions) for a patient's encounter.

1 | (_ActAdjudicationCode) Abstract | | Includes coded responses that will occur as a result of the adjudication of an electronic invoice at a summary level and provides guidance on interpretation of the referenced adjudication results.

2 | (_ActAdjudicationGroupCode) Abstract | | Catagorization of grouping criteria for the associated transactions and/or summary (totals, subtotals).

3 | CONT | contract | Transaction counts and value totals by Contract Identifier.

3 | DAY | day | Transaction counts and value totals for each calendar day within the date range specified.

3 | LOC | location | Transaction counts and value totals by service location (e.g clinic).

3 | MONTH | month | Transaction counts and value totals for each calendar month within the date range specified.

3 | PERIOD | period | Transaction counts and value totals for the date range specified.

3 | PROV | provider | Transaction counts and value totals by Provider Identifier.

3 | WEEK | week | Transaction counts and value totals for each calendar week within the date range specified.

3 | YEAR | year | Transaction counts and value totals for each calendar year within the date range specified.

2 | AA | adjudicated with adjustments | The invoice element has been accepted for payment but one or more adjustment(s) have been made to one or more invoice element line items (component charges). Also includes the concept 'Adjudicate as zero' and items not covered under a particular Policy. Invoice element can be reversed (nullified). Recommend that the invoice element is saved for DUR (Drug Utilization Reporting).

3 | ANF | adjudicated with adjustments and no financial impact | The invoice element has been accepted for payment but one or more adjustment(s) have been made to one or more invoice element line items (component charges) without changing the amount. Invoice element can be reversed (nullified). Recommend that the invoice element is saved for DUR (Drug Utilization Reporting).

2 | AR | adjudicated as refused | The invoice element has passed through the adjudication process but payment is refused due to one or more reasons. Includes items such as patient not covered, or invoice element is not constructed according to payer rules (e.g. 'invoice submitted too late'). If one invoice element line item in the invoice element structure is rejected, the remaining line items may not be adjudicated and the complete group is treated as rejected. A refused invoice element can be forwarded to the next payer (for Coordination of Benefits) or modified and resubmitted to refusing payer. Invoice element cannot be reversed (nullified) as there is nothing to reverse. Recommend that the invoice element is not saved for DUR (Drug Utilization Reporting).

2 | AS | adjudicated as submitted | The invoice element was/will be paid exactly as submitted, without financial adjustment(s). If the dollar amount stays the same, but the billing codes have been amended or financial adjustments have been applied through the adjudication process, the invoice element is treated as "Adjudicated with Adjustment". If information items are included in the adjudication results that do not affect the monetary amounts paid, then this is still Adjudicated as Submitted (e.g. 'reached Plan Maximum on this Claim'). Invoice element can be reversed (nullified). Recommend that the invoice element is saved for DUR (Drug Utilization Reporting).

1 | (_ActAdjudicationResultActionCode) Abstract | | Actions to be carried out by the recipient of the Adjudication Result information.

2 | DISPLAY | Display | The adjudication result associated is to be displayed to the receiver of the adjudication result.

2 | FORM | Print on Form | The adjudication result associated is to be printed on the specified form, which is then provided to the covered party.

1 | (_ActBillableModifierCode) Abstract | | Definition:An identifying modifier code for healthcare interventions or procedures.

2 | CPTM | CPT modifier codes | Description:CPT modifier codes are found in Appendix A of CPT 2000 Standard Edition.

2 | HCPCSA | HCPCS Level II and Carrier-assigned | Description:HCPCS Level II (HCFA-assigned) and Carrier-assigned (Level III) modifiers are reported in Appendix A of CPT 2000 Standard Edition and in the Medicare Bulletin.

1 | (_ActBillingArrangementCode) Abstract | | The type of provision(s) made for reimbursing for the deliver of healthcare services and/or goods provided by a Provider, over a specified period.

2 | BLK | block funding | A billing arrangement where a Provider charges a lump sum to provide a prescribed group (volume) of services to a single patient which occur over a period of time. Services included in the block may vary. This billing arrangement is also known as Program of Care for some specific Payors and Program Fees for other Payors.

2 | CAP | capitation funding | A billing arrangement where the payment made to a Provider is determined by analyzing one or more demographic attributes about the persons/patients who are enrolled with the Provider (in their practice).

2 | CONTF | contract funding | A billing arrangement where a Provider charges a lump sum to provide a particular volume of one or more interventions/procedures or groups of interventions/procedures.

2 | FINBILL | financial | A billing arrangement where a Provider charges for non-clinical items. This includes interest in arrears, mileage, etc. Clinical content is not included in Invoices submitted with this type of billing arrangement.

2 | ROST | roster funding | A billing arrangement where funding is based on a list of individuals registered as patients of the Provider.

2 | SESS | sessional funding | A billing arrangement where a Provider charges a sum to provide a group (volume) of interventions/procedures to one or more patients within a defined period of time, typically on the same date. Interventions/procedures included in the session may vary.

2 | FFS | fee for service | A billing arrangement where a Provider charges a separate fee for each intervention/procedure/event or product. Fee for Service is used when an individual intervention/procedure/event is used for billing purposes. In other words, fees are associated with the intervention/procedure/event. For example, a specific CCI (Canadian Classification of Interventions) code has an associated fee and is used for billing purposes.

3 | FFPS | first fill, part fill, partial strength | A first fill where the quantity supplied is less than one full repetition of the ordered amount. (e.g. If the order was 90 tablets, 3 refills, a partial fill might be for only 30 tablets.) and also where the strength supplied is less than the ordered strength (e.g. 10mg for an order of 50mg where a subsequent fill will dispense 40mg tablets)

3 | FFCS | first fill complete, partial strength | A first fill where the quantity supplied is equal to one full repetition of the ordered amount. (e.g. If the order was 90 tablets, 3 refills, a complete fill would be for the full 90 tablets) and also where the strength supplied is less than the ordered strength (e.g. 10mg for an order of 50mg where a subsequent fill will dispense 40mg tablets).

3 | TFS | trial fill partial strength | A fill where a small portion is provided to allow for determination of the therapy effectiveness and patient tolerance and also where the strength supplied is less than the ordered strength (e.g. 10mg for an order of 50mg where a subsequent fill will dispense 40mg tablets).

1 | (_ActBoundedROICode) Abstract | | Type of bounded ROI.

2 | ROIFS | fully specified ROI | A fully specified bounded Region of Interest (ROI) delineates a ROI in which only those dimensions participate that are specified by boundary criteria, whereas all other dimensions are excluded. For example a ROI to mark an episode of "ST elevation" in a subset of the EKG leads V2, V3, and V4 would include 4 boundaries, one each for time, V2, V3, and V4.

2 | ROIPS | partially specified ROI | A partially specified bounded Region of Interest (ROI) specifies a ROI in which at least all values in the dimensions specified by the boundary criteria participate. For example, if an episode of ventricular fibrillations (VFib) is observed, it usually doesn't make sense to exclude any EKG leads from the observation and the partially specified ROI would contain only one boundary for time indicating the time interval where VFib was observed.

1 | (_ActCareProvisionCode) Abstract | | Description:The type and scope of responsibility taken-on by the performer of the Act for a specific subject of care.

2 | (_ActCredentialedCareCode) Abstract | | Description:The type and scope of legal and/or professional responsibility taken-on by the performer of the Act for a specific subject of care as described by a credentialing agency, i.e. government or non-government agency. Failure in executing this Act may result in loss of credential to the person or organization who participates as performer of the Act. Excludes employment agreements. Example:Hospital license; physician license; clinic accreditation.

3 | (_ActCredentialedCareProvisionPersonCode) Abstract | | Description:The type and scope of legal and/or professional responsibility taken-on by the performer of the Act for a specific subject of care as described by an agency for credentialing individuals.

4 | CACC | certified anatomic pathology and clinical pathology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CAIC | certified allergy and immunology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CAMC | certified aerospace medicine care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CANC | certified anesthesiology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CAPC | certified anatomic pathology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CBGC | certified clinical biochemical genetics care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CCCC | certified clinical cytogenetics care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CCGC | certified clinical genetics (M.D.) care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CCPC | certified clinical pathology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CCSC | certified colon and rectal surgery care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CDEC | certified dermatology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CDRC | certified diagnostic radiology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CEMC | certified emergency medicine care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CFPC | certified family practice care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CIMC | certified internal medicine care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CMGC | certified clinical molecular genetics care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CNEC | certified neurology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board

4 | CNMC | certified nuclear medicine care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CNQC | certified neurology with special qualifications in child neurology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CNSC | certified neurological surgery care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | COGC | certified obstetrics and gynecology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | COMC | certified occupational medicine care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | COPC | certified ophthalmology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | COSC | certified orthopaedic surgery care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | COTC | certified otolaryngology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CPEC | certified pediatrics care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CPGC | certified Ph.D. medical genetics care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CPHC | certified public health and general preventive medicine care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.

4 | CPRC | certified physical medicine and rehabilitation care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.
4 | CPSC | certified plastic surgery care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.
4 | CPYC | certified psychiatry care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.
4 | CROC | certified radiation oncology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.
4 | CRPC | certified radiological physics care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.
4 | CSUC | certified surgery care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.
4 | CTSC | certified thoracic surgery care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.
4 | CURC | certified urology care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.
4 | CVSC | certified vascular surgery care | Description:Scope of responsibility taken on for specialty care as defined by the respective Specialty Board.
4 | LGPC | licensed general physician care | Description:Scope of responsibility taken-on for physician care of a patient as defined by a governmental licensing agency.
3 | (_ActCredentialedCareProvisionProgramCode) Abstract | | Description:The type and scope of legal and/or professional responsibility taken-on by the performer of the Act for a specific subject of care as described by an agency for credentialing programs within organizations.
4 | AALC | accredited assisted living care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the respective accreditation agency.
4 | AAMC | accredited ambulatory care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the respective accreditation agency.
4 | ABHC | accredited behavioral health care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the respective accreditation agency.
4 | ACAC | accredited critical access hospital care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the respective accreditation agency.
4 | ACHC | accredited hospital care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the respective accreditation agency.
4 | AHOC | accredited home care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the respective accreditation agency.
4 | ALTC | accredited long term care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the respective accreditation agency.
4 | AOSC | accredited office-based surgery care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the respective accreditation agency.
4 | CACS | certified acute coronary syndrome care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CAMI | certified acute myocardial infarction care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CAST | certified asthma care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CBAR | certified bariatric surgery care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CCAD | certified coronary artery disease care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CCAR | certified cardiac care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CDEP | certified depression care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CDGD | certified digestive/gastrointestinal disorders care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CDIA | certified diabetes care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CEPI | certified epilepsy care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CFEL | certified frail elderly care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CHFC | certified heart failure care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CHRO | certified high risk obstetrics care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CHYP | certified hyperlipidemia care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CMIH | certified migraine headache care | Description:.
4 | CMSC | certified multiple sclerosis care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | COJR | certified orthopedic joint replacement care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CONC | certified oncology care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | COPD | certified chronic obstructive pulmonary disease care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CORT | certified organ transplant care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CPAD | certified parkinsons disease care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.

4 | CPND | certified pneumonia disease care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CPST | certified primary stroke center care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CSDM | certified stroke disease management care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CSIC | certified sickle cell care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CSLD | certified sleep disorders care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CSPT | certified spine treatment care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CTBU | certified trauma/burn center care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CVDC | certified vascular diseases care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CWMA | certified wound management care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
4 | CWOH | certified women's health care | Description:Scope of responsibility taken on by an organization for care of a patient as defined by the disease management certification agency.
2 | (_ActEncounterCode) Abstract | | Domain provides codes that qualify the ActEncounterClass (ENC)
3 | AMB | ambulatory | A comprehensive term for health care provided in a healthcare facility (e.g. a practitioneraTMs office, clinic setting, or hospital) on a nonresident basis. The term ambulatory usually implies that the patient has come to the location and is not assigned to a bed. Sometimes referred to as an outpatient encounter.
3 | EMER | emergency | A patient encounter that takes place at a dedicated healthcare service delivery location where the patient receives immediate evaluation and treatment, provided until the patient can be discharged or responsibility for the patient's care is transferred elsewhere (for example, the patient could be admitted as an inpatient or transferred to another facility.)
3 | FLD | field | A patient encounter that takes place both outside a dedicated service delivery location and outside a patient's residence. Example locations might include an accident site and at a supermarket.
3 | HH | home health | Healthcare encounter that takes place in the residence of the patient or a designee
3 | IMP | inpatient encounter | A patient encounter where a patient is admitted by a hospital or equivalent facility, assigned to a location where patients generally stay at least overnight and provided with room, board, and continuous nursing service.
4 | ACUTE | inpatient acute | An acute inpatient encounter.
4 | NONAC | inpatient non-acute | Any category of inpatient encounter except 'acute'
3 | PRENC | pre-admission | A patient encounter where patient is scheduled or planned to receive service delivery in the future, and the patient is given a pre-admission account number. When the patient comes back for subsequent service, the pre-admission encounter is selected and is encapsulated into the service registration, and a new account number is generated. Usage Note: This is intended to be used in advance of encounter types such as ambulatory, inpatient encounter, virtual, etc.
3 | SS | short stay | An encounter where the patient is admitted to a health care facility for a predetermined length of time, usually less than 24 hours.
3 | VR | virtual | A patient encounter where the patient and the practitioner(s) are not in the same physical location. Examples include telephone conference, email exchange, robotic surgery, and televideo conference.
2 | (_ActMedicalServiceCode) Abstract | | General category of medical service provided to the patient during their encounter.
3 | ALC | Alternative Level of Care | Provision of Alternate Level of Care to a patient in an acute bed. Patient is waiting for placement in a long-term care facility and is unable to return home.
3 | CARD | Cardiology | Provision of diagnosis and treatment of diseases and disorders affecting the heart
3 | CHR | Chronic | Provision of recurring care for chronic illness.
3 | DNTL | Dental | Provision of treatment for oral health and/or dental surgery.
3 | DRGRHB | Drug Rehab | Provision of treatment for drug abuse.
3 | GENRL | General | General care performed by a general practitioner or family doctor as a responsible provider for a patient.
3 | MED | Medical | Provision of diagnostic and/or therapeutic treatment.
3 | OBS | Obstetrics | Provision of care of women during pregnancy, childbirth and immediate postpartum period. Also known as Maternity.
3 | ONC | Oncology | Provision of treatment and/or diagnosis related to tumors and/or cancer.
3 | PALL | Palliative | Provision of care for patients who are living or dying from an advanced illness.
3 | PED | Pediatrics | Provision of diagnosis and treatment of diseases and disorders affecting children.
3 | PHAR | Pharmaceutical | Pharmaceutical care performed by a pharmacist.
3 | PHYRHB | Physical Rehab | Provision of treatment for physical injury.
3 | PSYCH | Psychiatric | Provision of treatment of psychiatric disorder relating to mental illness.
3 | SURG | Surgical | Provision of surgical treatment.
1 | (_ActClaimAttachmentCategoryCode) Abstract | | Description: Coded types of attachments included to support a healthcare claim.
2 | AUTOATTCH | auto attachment | Description: Automobile Information Attachment
2 | DOCUMENT | document | Description: Document Attachment
2 | HEALTHREC | health record | Description: Health Record Attachment
2 | IMG | image attachment | Description: Image Attachment
2 | LABRESULTS | lab results | Description: Lab Results Attachment
2 | MODEL | model | Description: Digital Model Attachment
2 | WIATTCH | work injury report attachment | Description: Work Injury related additional Information Attachment
2 | XRAY | x-ray | Description: Digital X-Ray Attachment
1 | (_ActConsentType) Abstract | | Definition: The type of consent directive, e.g., to consent or dissent to collect, access, or use in specific ways within an EHRS or for health information exchange; or to disclose health information for purposes such as research.
2 | ICOL | information collection | Definition: Consent to have healthcare information collected in an electronic health record. This entails that the information may be used in analysis, modified, updated.
2 | IDSCL | information disclosure | Definition: Consent to have collected healthcare information disclosed.
2 | INFA | information access | Definition: Consent to access healthcare information.

3 | INFAO | access only | Definition: Consent to access or "read" only, which entails that the information is not to be copied, screen printed, saved, emailed, stored, re-disclosed or altered in any way. This level ensures that data which is masked or to which access is restricted will not be. Example: Opened and then emailed or screen printed for use outside of the consent directive purpose.

3 | INFASO | access and save only | Definition: Consent to access and save only, which entails that access to the saved copy will remain locked.

2 | IRDSCL | information redisclosure | Definition: Information re-disclosed without the patient's consent.

2 | RESEARCH | research information access | Definition: Consent to have healthcare information in an electronic health record accessed for research purposes.

3 | RSDID | de-identified information access | Definition: Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes, but without consent to re-identify the information under any circumstance.

3 | RSREID | re-identifiable information access | Definition: Consent to have de-identified healthcare information in an electronic health record that is accessed for research purposes re-identified under specific circumstances outlined in the consent. Example:: Where there is a need to inform the subject of potential health issues.

1 | (_ActContainerRegistrationCode) Abstract | | Constrains the ActCode to the domain of Container Registration

2 | ID | Identified | Used by one system to inform another that it has received a container.

2 | IP | In Position | Used by one system to inform another that the container is in position for specimen transfer (e.g., container removal from track, pipetting, etc.).

2 | L | Left Equipment | Used by one system to inform another that the container has been released from that system.

2 | M | Missing | Used by one system to inform another that the container did not arrive at its next expected location.

2 | O | In Process | Used by one system to inform another that the specific container is being processed by the equipment. It is useful as a response to a query about Container Status, when the specific step of the process is not relevant.

2 | R | Process Completed | Status is used by one system to inform another that the processing has been completed, but the container has not been released from that system.

2 | X | Container Unavailable | Used by one system to inform another that the container is no longer available within the scope of the system (e.g., tube broken or discarded).

1 | (_ActControlVariable) Abstract | | An observation form that determines parameters or attributes of an Act. Examples are the settings of a ventilator machine as parameters of a ventilator treatment act; the controls on dillution factors of a chemical analyzer as a parameter of a laboratory observation act; the settings of a physiologic measurement assembly (e.g., time skew) or the position of the body while measuring blood pressure. Control variables are forms of observations because just as with clinical observations, the Observation.code determines the parameter and the Observation.value assigns the value. While control variables sometimes can be observed (by noting the control settings or an actually measured feedback loop) they are not primary observations, in the sense that a control variable without a primary act is of no use (e.g., it makes no sense to record a blood pressure position without recording a blood pressure, whereas it does make sense to record a systolic blood pressure without a diastolic blood pressure).

2 | AUTO | auto-repeat permission | Specifies whether or not automatic repeat testing is to be initiated on specimens.

2 | ENDC | endogenous content | A baseline value for the measured test that is inherently contained in the diluent. In the calculation of the actual result for the measured test, this baseline value is normally considered.

2 | REFLEX | reflex permission | Specifies whether or not further testing may be automatically or manually initiated on specimens.

1 | (_ActCoverageConfirmationCode) Abstract | | Response to an insurance coverage eligibility query or authorization request.

2 | (_ActCoverageAuthorizationConfirmationCode) Abstract | | Indication of authorization for healthcare service(s) and/or product(s). If authorization is approved, funds are set aside.

3 | AUTH | Authorized | Authorization approved and funds have been set aside to pay for specified healthcare service(s) and/or product(s) within defined criteria for the authorization.

3 | NAUTH | Not Authorized | Authorization for specified healthcare service(s) and/or product(s) denied.

2 | (_ActCoverageEligibilityConfirmationCode) Abstract | | Indication of eligibility coverage for healthcare service(s) and/or product(s).

3 | ELG | Eligible | Insurance coverage is in effect for healthcare service(s) and/or product(s).

3 | NELG | Not Eligible | Insurance coverage is not in effect for healthcare service(s) and/or product(s). May optionally include reasons for the ineligibility.

1 | (_ActCoverageLimitCode) Abstract | | Criteria that are applicable to the authorized coverage.

2 | (_ActCoverageQuantityLimitCode) Abstract | | Maximum amount paid or maximum number of services/products covered; or maximum amount or number covered during a specified time period under the policy or program.

3 | COVPRD | coverage period | Codes representing the time period during which coverage is available; or financial participation requirements are in effect.

3 | LFEMX | life time maximum | Definition: Maximum amount paid by payer or covered party; or maximum number of services or products covered under the policy or program during a covered party's lifetime.

3 | NETAMT | Net Amount | Maximum net amount that will be covered for the product or service specified.

3 | PRDMX | period maximum | Definition: Maximum amount paid by payer or covered party; or maximum number of services/products covered under the policy or program by time period specified by the effective time on the act.

3 | UNITPRICE | Unit Price | Maximum unit price that will be covered for the authorized product or service.

3 | UNITQTY | Unit Quantity | Maximum number of items that will be covered of the product or service specified.

2 | COVMX | coverage maximum | Definition: Codes representing the maximum coverate or financial participation requirements.

3 | LFEMX

3 | PRDMX

2 | (_ActCoveredPartyLimitCode) Abstract | | Codes representing the types of covered parties that may receive covered benefits under a policy or program.

1 | (_ActCoverageTypeCode) Abstract | | Definition: Set of codes indicating the type of insurance policy or program that pays for the cost of benefits provided to covered parties.

2 | (_ActInsurancePolicyCode) Abstract | | Set of codes indicating the type of insurance policy or other source of funds to cover healthcare costs.

3 | EHCPOL | extended healthcare | Private insurance policy that provides coverage in addition to other policies (e.g. in addition to a Public Healthcare insurance policy).

3 | HSAPOL | health spending account | Insurance policy that provides for an allotment of funds replenished on a periodic (e.g. annual) basis. The use of the funds under this policy is at the discretion of the covered party.

3 | AUTOPOL | automobile | Insurance policy for injuries sustained in an automobile accident. Will also typically covered non-named parties to the policy, such as pedestrians and passengers.

4 | COL | collision coverage policy | Definition: An automobile insurance policy under which the insurance company will cover the cost of damages to an automobile owned by the named insured that are caused by accident or intentionally by another party.

4 | UNINSMOT | uninsured motorist policy | Definition: An automobile insurance policy under which the insurance company will indemnify a loss for which another motorist is liable if that motorist is unable to pay because he or she is uninsured. Coverage under the policy applies to bodily injury damages only. Injuries to the covered party caused by a hit-and-run driver are also covered.

3 | PUBLICPOL | public healthcare | Insurance policy funded by a public health system such as a provincial or national health plan. Examples include BC MSP (British Columbia Medical Services Plan) OHIP (Ontario Health Insurance Plan), NHS (National Health Service).

4 | DENTPRG | dental program | Definition: A public or government health program that administers and funds coverage for dental care to assist program eligible who meet financial and health status criteria.

4 | DISEASEPRG | public health program | Definition: A public or government health program that administers and funds coverage for health and social services to assist program eligible who meet financial and health status criteria related to a particular disease. Example: Reproductive health, sexually transmitted disease, and end renal disease programs.

5 | CANPRG | women's cancer detection program | Definition: A program that provides low-income, uninsured, and underserved women access to timely, high-quality screening and diagnostic services, to detect breast and cervical cancer at the earliest stages. Example: To improve women's access to screening for breast and cervical cancers, Congress passed the Breast and Cervical Cancer Mortality Prevention Act of 1990, which guided CDC in creating the National Breast and Cervical Cancer Early Detection Program (NBCCEDP), which provides access to critical breast and cervical cancer screening services for underserved women in the United States. An estimated 7 to 10% of U.S. women of screening age are eligible to receive NBCCEDP services. Federal guidelines establish an eligibility baseline to direct services to uninsured and underinsured women at or below 250% of federal poverty level; ages 18 to 64 for cervical screening; ages 40 to 64 for breast screening.

5 | ENDRENAL | end renal program | Definition: A public or government program that administers publicly funded coverage of kidney dialysis and kidney transplant services. Example: In the U.S., the Medicare End-stage Renal Disease program (ESRD), the National Kidney Foundation (NKF) American Kidney Fund (AKF) The Organ Transplant Fund.

5 | HIVAIDS | HIV-AIDS program | Definition: Government administered and funded HIV-AIDS program for beneficiaries meeting financial and health status criteria. Administration, funding levels, eligibility criteria, covered benefits, provider types, and financial participation are typically set by a regulatory process. Payer responsibilities for administering the program may be delegated to contractors. Example: In the U.S., the Ryan White program, which is administered by the Health Resources and Services Administration.

4 | MANDPOL | mandatory health program

4 | MENTPRG | mental health program | Definition: Government administered and funded mental health program for beneficiaries meeting financial and mental health status criteria. Administration, funding levels, eligibility criteria, covered benefits, provider types, and financial participation are typically set by a regulatory process. Payer responsibilities for administering the program may be delegated to contractors. Example: In the U.S., states receive funding for substance use programs from the Substance Abuse Mental Health Administration (SAMHSA).

4 | SAFNET | safety net clinic program | Definition: Government administered and funded program to support provision of care to underserved populations through safety net clinics. Example: In the U.S., safety net providers such as federally qualified health centers (FQHC) receive funding under PHSA Section 330 grants administered by the Health Resources and Services Administration.

4 | SUBPRG | substance use program | Definition: Government administered and funded substance use program for beneficiaries meeting financial, substance use behavior, and health status criteria. Beneficiaries may be required to enroll as a result of legal proceedings. Administration, funding levels, eligibility criteria, covered benefits, provider types, and financial participation are typically set by a regulatory process. Payer responsibilities for administering the program may be delegated to contractors. Example: In the U.S., states receive funding for substance use programs from the Substance Abuse Mental Health Administration (SAMHSA).

4 | SUBSIDIZ | subsidized health program | Definition: A government health program that provides coverage for health services to persons meeting eligibility criteria such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds.

5 | SUBSIDMC | subsidized managed care program | Definition: A government health program that provides coverage through managed care contracts for health services to persons meeting eligibility criteria such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds. Discussion: The structure and business processes for underwriting and administering a subsidized managed care program is further specified by the Underwriter and Payer Role.class and Role.code.

5 | SUBSUPP | subsidized supplemental health program | Definition: A government health program that provides coverage for health services to persons meeting eligibility criteria for a supplemental health policy or program such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds. Example: Supplemental health coverage program may cover the cost of a health program or policy financial participations, such as the copays and the premiums, and may provide coverage for services in addition to those covered under the supplemented health program or policy. In the U.S., Medicaid programs may pay the premium for a covered party who is also covered under the Medicare program or a private health policy. Discussion: The structure and business processes for underwriting and administering a subsidized supplemental retiree health program is further specified by the Underwriter and Payer Role.class and Role.code.

3 | WCBPOL | worker's compensation | Insurance policy for injuries sustained in the work place or in the course of employment.

2 | (_ActInsuranceTypeCode) Abstract | | Definition: Set of codes indicating the type of insurance policy. Insurance, in law and economics, is a form of risk management primarily used to hedge against the risk of potential financial loss. Insurance is defined as the equitable transfer of the risk of a potential loss, from one entity to another, in exchange for a premium and duty of care. A policy holder is an individual or an organization enters into a contract with an underwriter which stipulates that, in exchange for payment of a sum of money (a premium), one or more covered parties (insureds) is guaranteed compensation for losses resulting from certain perils under specified conditions. The underwriter analyzes the risk of loss, makes a decision as to whether the risk is insurable, and prices the premium accordingly. A policy provides benefits that indemnify or cover the cost of a loss incurred by a covered party, and may include coverage for services required to remediate a loss. An insurance policy contains pertinent facts about the policy holder, the insurance coverage, the covered parties, and the insurer. A policy may include exemptions and provisions specifying the extent to which the indemnification clause cannot be enforced for intentional tortious conduct of a covered party, e.g., whether the covered parties are jointly or severably insured. Discussion: In contrast to programs, an insurance policy has one or more policy holders, who own the policy. The policy holder may be the covered party, a relative of the covered party, a partnership, or a corporation, e.g., an employer. A subscriber of a self-insured health insurance policy is a policy holder. A subscriber of an employer sponsored health insurance policy is holds a certificate of coverage, but is not a policy holder; the policy holder is the employer. See CoveredRoleType.

3 | AUTOPOL

3 | (_ActHealthInsuranceTypeCode) Abstract | | Definition: Set of codes indicating the type of health insurance policy that covers health services provided to covered parties. A health insurance policy is a written contract for insurance between the insurance company and the policyholder, and contains pertinent facts about the policy owner (the policy holder), the health insurance coverage, the insured subscribers and dependents, and the insurer. Health insurance is typically administered in accordance with a plan, which specifies (1) the type of health services and health conditions that will be covered under what circumstances (e.g., exclusion of a pre-existing condition, service must be deemed medically necessary; service must not be experimental; service must provided in accordance with a protocol; drug must be on a formulary; service must be prior authorized; or be a referral from a primary care provider); (2) the type and affiliation of providers (e.g., only allopathic physicians, only in network, only providers employed by an HMO); (3) financial participations required of covered parties (e.g., co-pays, coinsurance, deductibles, out-of-pocket); and (4) the manner in which services will be paid (e.g., under indemnity or fee-for-service health plans, the covered party typically pays out-of-pocket and then file a claim for reimbursement, while health plans that have contractual relationships with providers, i.e., network providers, typically do not allow the providers to bill the covered party for the cost of the service until after filing a claim with the payer and receiving reimbursement).

4 | DENTAL | dental care policy | Definition: A health insurance policy that that covers benefits for dental services.

4 | DISEASE | disease specific policy | Definition: A health insurance policy that covers benefits for healthcare services provided for named conditions under the policy, e.g., cancer, diabetes, or HIV-AIDS.

4 | DRUGPOL | drug policy | Definition: A health insurance policy that covers benefits for prescription drugs, pharmaceuticals, and supplies.

4 | EHCPOL

4 | HIP | health insurance plan policy | Definition: A health insurance policy that covers healthcare benefits by protecting covered parties from medical expenses arising from health conditions, sickness, or accidental injury as well as preventive care. Health insurance policies explicitly exclude coverage for losses insured under a disability policy, workers' compensation program, liability insurance (including automobile insurance); or for medical expenses, coverage for on-site medical clinics or for limited dental or vision benefits when these are provided under a separate policy. Discussion: Health insurance policies are offered by health insurance plans that typically reimburse providers for covered services on a fee-for-service basis, that is, a fee that is the allowable amount that a provider may charge. This is in contrast to managed care plans, which typically prepay providers a per-member/per-month amount or capitation as reimbursement for all covered services rendered. Health insurance plans include indemnity and healthcare services plans.

4 | HSAPOL

4 | LTC | long term care policy | Definition: An insurance policy that covers benefits for long-term care services people need when they no longer can care for themselves. This may be due to an accident, disability, prolonged illness or the simple process of aging. Long-term care services assist with activities of daily living including: Help at home with day-to-day activities, such as cooking, cleaning, bathing and dressing Care in the community, such as in an adult day care facility Supervised care provided in an assisted living facility Skilled care provided in a nursing home

4 | MCPOL | managed care policy | Definition: Government mandated program providing coverage, disability income, and vocational rehabilitation for injuries sustained in the work place or in the course of employment. Employers may either self-fund the program, purchase commercial coverage, or pay a premium to a government entity that administers the program. Employees may be required to pay premiums toward the cost of coverage as well. Managed care policies specifically exclude coverage for losses insured under a disability policy, workers' compensation program, liability insurance (including automobile insurance); or for medical expenses, coverage for on-site medical clinics or for limited dental or vision benefits when these are provided under a separate policy. Discussion: Managed care policies are offered by managed care plans that contract with selected providers or health care organizations to provide comprehensive health care at a discount to covered parties and coordinate the financing and delivery of health care. Managed care uses medical protocols and procedures agreed on by the medical profession to be cost effective, also known as medical practice guidelines. Providers are typically reimbursed for covered services by a capitated amount on a per member per month basis that may reflect difference in the health status and level of services anticipated to be needed by the member.

5 | POS | point of service policy | Definition: A policy for a health plan that has features of both an HMO and a FFS plan. Like an HMO, a POS plan encourages the use its HMO network to maintain discounted fees with participating providers, but recognizes that sometimes covered parties want to choose their own provider. The POS plan allows a covered party to use providers who are not part of the HMO network (non-participating providers). However, there is a greater cost associated with choosing these non-network providers. A covered party will usually pay deductibles and coinsurances that are substantially higher than the payments when he or she uses a plan provider. Use of non-participating providers often requires the covered party to pay the provider directly and then to file a claim for reimbursement, like in an FFS plan.

5 | HMO | health maintenance organization policy | Definition: A policy for a health plan that provides coverage for health care only through contracted or employed physicians and hospitals located in particular geographic or service areas. HMOs emphasize prevention and early detection of illness. Eligibility to enroll in an HMO is determined by where a covered party lives or works.

5 | PPO | preferred provider organization policy | Definition: A network-based, managed care plan that allows a covered party to choose any health care provider. However, if care is received from a "preferred" (participating in-network) provider, there are generally higher benefit coverage and lower deductibles.

4 | MENTPOL | mental health policy | Definition: A health insurance policy that covers benefits for mental health services and prescriptions.

4 | POS

4 | SUBPOL | substance use policy | Definition: A health insurance policy that covers benefits for substance use services.

4 | VISPOL | vision care policy | Definition: Set of codes for a policy that provides coverage for health care expenses arising from vision services. A health insurance policy that covers benefits for vision care services, prescriptions, and products.

3 | DIS | disability insurance policy | Definition: An insurance policy that provides a regular payment to compensate for income lost due to the covered party's inability to work because of illness or injury.

3 | EWB | employee welfare benefit plan policy | Definition: An insurance policy under a benefit plan run by an employer or employee organization for the purpose of providing benefits other than pension-related to employees and their families. Typically provides health-related benefits, benefits for disability, disease or unemployment, or day care and scholarship benefits, among others. An employer sponsored health policy includes coverage of health care expenses arising from sickness or accidental injury, coverage for on-site medical clinics or for dental or vision benefits, which are typically provided under a separate policy. Coverage excludes health care expenses covered by accident or disability, workers' compensation, liability or automobile insurance.

3 | FLEXP | flexible benefit plan policy | Definition: An insurance policy that covers qualified benefits under a Flexible Benefit plan such as group medical insurance, long and short term disability income insurance, group term life insurance for employees only up to $50,000 face amount, specified disease coverage such as a cancer policy, dental and/or vision insurance, hospital indemnity insurance, accidental death and dismemberment insurance, a medical expense reimbursement plan and a dependent care reimbursement plan. Discussion: See UnderwriterRoleTypeCode flexible benefit plan which is defined as a benefit plan that allows employees to choose from several life, health, disability, dental, and other insurance plans according to their individual needs. Also known as cafeteria plans. Authorized under Section 125 of the Revenue Act of 1978.

3 | LIFE | life insurance policy | Definition: A policy under which the insurer agrees to pay a sum of money upon the occurrence of the covered partys death. In return, the policyholder agrees to pay a stipulated amount called a premium at regular intervals. Life insurance indemnifies the beneficiary for the loss of the insurable interest that a beneficiary has in the life of a covered party. For persons related by blood, a substantial interest established through love and affection, and for all other persons, a lawful and substantial economic interest in having the life of the insured continue. An insurable interest is required when purchasing life insurance on another person. Specific exclusions are often written into the contract to limit the liability of the insurer; for example claims resulting from suicide or relating to war, riot and civil commotion. Discussion:A life insurance policy may be used by the covered party as a source of health care coverage in the case of a viatical settlement, which is the sale of a life insurance policy by the policy owner, before the policy matures. Such a sale, at a price discounted from the face amount of the policy but usually in excess of the premiums paid or current cash surrender value, provides the seller an immediate cash settlement. Generally, viatical settlements involve insured individuals with a life expectancy of less than two years. In countries without state-subsidized healthcare and high healthcare costs (e.g. United States), this is a practical way to pay extremely high health insurance premiums that severely ill people face. Some people are also familiar with life settlements, which are similar transactions but involve insureds with longer life expectancies (two to fifteen years).

4 | ANNU | annuity policy | Definition: A policy that, after an initial premium or premiums, pays out a sum at pre-determined intervals. For example, a policy holder may pay $10,000, and in return receive $150 each month until he dies; or $1,000 for each of 14 years or death benefits if he dies before the full term of the annuity has elapsed.

4 | TLIFE | term life insurance policy | Definition: Life insurance under which the benefit is payable only if the insured dies during a specified period. If an insured dies during that period, the beneficiary receives the death payments. If the insured survives, the policy ends and the beneficiary receives nothing.

4 | ULIFE | universal life insurance policy | Definition: Life insurance under which the benefit is payable upon the insuredaTMs death or diagnosis of a terminal illness. If an insured dies during that period, the beneficiary receives the death payments. If the insured survives, the policy ends and the beneficiary receives nothing

3 | PNC | property and casualty insurance policy | Definition: A type of insurance that covers damage to or loss of the policyholderaTMs property by providing payments for damages to property damage or the injury or death of living subjects. The terms "casualty" and "liability" insurance are often used interchangeably. Both cover the policyholder's legal liability for damages caused to other persons and/or their property.

3 | REI | reinsurance policy | Definition: An agreement between two or more insurance companies by which the risk of loss is proportioned. Thus the risk of loss is spread and a disproportionately large loss under a single policy does not fall on one insurance company. Acceptance by an insurer, called a reinsurer, of all or part of the risk of loss of another insurance company. Discussion: Reinsurance is a means by which an insurance company can protect itself against the risk of losses with other insurance companies. Individuals and corporations obtain insurance policies to provide protection for various risks (hurricanes, earthquakes, lawsuits, collisions, sickness and death, etc.). Reinsurers, in turn, provide insurance to insurance companies. For example, an HMO may purchase a reinsurance policy to protect itself from losing too much money from one insured's particularly expensive health care costs. An insurance company issuing an automobile liability policy, with a limit of $100,000 per accident may reinsure its liability in excess of $10,000. A fire insurance company which issues a large policy generally reinsures a portion of the risk with one or several other companies. Also called risk control insurance or stop-loss insurance.

3 | SURPL | surplus line insurance policy | Definition: A risk or part of a risk for which there is no normal insurance market available. Insurance written by unauthorized insurance companies. Surplus lines insurance is insurance placed with unauthorized insurance companies through licensed surplus lines agents or brokers.

3 | UMBRL | umbrella liability insurance policy | Definition: A form of insurance protection that provides additional liability coverage after the limits of your underlying policy are reached. An umbrella liability policy also protects you (the insured) in many situations not covered by the usual liability policies.

2 | (_ActProgramTypeCode) Abstract | | Definition: A set of codes used to indicate coverage under a program. A program is an organized structure for administering and funding coverage of a benefit package for covered parties meeting eligibility criteria, typically related to employment, health, financial, and demographic status. Programs are typically established or permitted by legislation with provisions for ongoing government oversight. Regulations may mandate the structure of the program, the manner in which it is funded and administered, covered benefits, provider types, eligibility criteria and financial participation. A government agency may be charged with implementing the program in accordance to the regulation. Risk of loss under a program in most cases would not meet what an underwriter would consider an insurable risk, i.e., the risk is not random in nature, not financially measurable, and likely requires subsidization with government funds. Discussion: Programs do not have policy holders or subscribers. Program eligibles are enrolled based on health status, statutory eligibility, financial status, or age. Program eligibles who are covered parties under the program may be referred to as members, beneficiaries, eligibles, or recipients. Programs risk are underwritten by not for profit organizations such as governmental entities, and the beneficiaries typically do not pay for any or some portion of the cost of coverage. See CoveredPartyRoleType.

3 | PUBLICPOL

3 | WCBPOL

3 | CHAR | charity program | Definition: A program that covers the cost of services provided directly to a beneficiary who typically has no other source of coverage without charge.

3 | CRIME | crime victim program | Definition: A program that covers the cost of services provided to crime victims for injuries or losses related to the occurrence of a crime.

3 | EAP | employee assistance program | Definition: An employee assistance program is run by an employer or employee organization for the purpose of providing benefits and covering all or part of the cost for employees to receive counseling, referrals, and advice in dealing with stressful issues in their lives. These may include substance abuse, bereavement, marital problems, weight issues, or general wellness issues. The services are usually provided by a third-party, rather than the company itself, and the company receives only summary statistical data from the service provider. Employee's names and services received are kept confidential.

3 | GOVEMP | government employee health program | Definition: A set of codes used to indicate a government program that is an organized structure for administering and funding coverage of a benefit package for covered parties meeting eligibility criteria, typically related to employment, health and financial status. Government programs are established or permitted by legislation with provisions for ongoing government oversight. Regulation mandates the structure of the program, the manner in which it is funded and administered, covered benefits, provider types, eligibility criteria and financial participation. A government agency is charged with implementing the program in accordance to the regulation Example: Federal employee health benefit program in the U.S.

3 | HIRISK | high risk pool program | Definition: A government program that provides health coverage to individuals who are considered medically uninsurable or high risk, and who have been denied health insurance due to a serious health condition. In certain cases, it also applies to those who have been quoted very high premiums a" again, due to a serious health condition. The pool charges premiums for coverage. Because the pool covers high-risk people, it incurs a higher level of claims than premiums can cover. The insurance industry pays into the pool to make up the difference and help it remain viable.

3 | IND | indigenous peoples health program | Definition: Services provided directly and through contracted and operated indigenous peoples health programs. Example: Indian Health Service in the U.S.

3 | MILITARY | military health program | Definition: A government program that provides coverage for health services to military personnel, retirees, and dependents. A covered party who is a subscriber can choose from among Fee-for-Service (FFS) plans, and their Preferred Provider Organizations (PPO), or Plans offering a Point of Service (POS) Product, or Health Maintenance Organizations. Example: In the U.S., TRICARE, CHAMPUS.

3 | RETIRE | retiree health program | Definition: A government mandated program with specific eligibility requirements based on premium contributions made during employment, length of employment, age, and employment status, e.g., being retired, disabled, or a dependent of a covered party under this program. Benefits typically include ambulatory, inpatient, and long-term care, such as hospice care, home health care and respite care.

3 | SOCIAL | social service program | Definition: A social service program funded by a public or governmental entity. Example: Programs providing habilitation, food, lodging, medicine, transportation, equipment, devices, products, education, training, counseling, alteration of living or work space, and other resources to persons meeting eligibility criteria.

3 | VET | veteran health program | Definition: Services provided directly and through contracted and operated veteran health programs.

1 | (_ActDetectedIssueManagementCode) Abstract | | Codes dealing with the management of Detected Issue observations

2 | (_ActAdministrativeDetectedIssueManagementCode) Abstract | | Codes dealing with the management of Detected Issue observations for the administrative and patient administrative acts domains.

3 | (_AuthorizationIssueManagementCode) Abstract

4 | EMAUTH | emergency authorization override | Used to temporarily override normal authorization rules to gain access to data in a case of emergency. Use of this override code will typically be monitored, and a procedure to verify its proper use may be triggered when used.

5 | 21 | authorization confirmed | Description: Indicates that the permissions have been externally verified and the request should be processed.

2 | 1 | Therapy Appropriate | Confirmed drug therapy appropriate

3 | 19 | Consulted Supplier | Consulted other supplier/pharmacy, therapy confirmed

3 | 2 | Assessed Patient | Assessed patient, therapy is appropriate

3 | 22 | appropriate indication or diagnosis | Description: The patient has the appropriate indication or diagnosis for the action to be taken.
3 | 23 | prior therapy documented | Description: It has been confirmed that the appropriate pre-requisite therapy has been tried.
3 | 3 | Patient Explanation | Patient gave adequate explanation
3 | 4 | Consulted Other Source | Consulted other supply source, therapy still appropriate
3 | 5 | Consulted Prescriber | Consulted prescriber, therapy confirmed
4 | 6 | Prescriber Declined Change | Consulted prescriber and recommended change, prescriber declined
3 | 7 | Interacting Therapy No Longer Active/Planned | Concurrent therapy triggering alert is no longer on-going or planned
2 | 14 | Supply Appropriate | Confirmed supply action appropriate
3 | 15 | Replacement | Patient's existing supply was lost/wasted
3 | 16 | Vacation Supply | Supply date is due to patient vacation
3 | 17 | Weekend Supply | Supply date is intended to carry patient over weekend
3 | 18 | Leave of Absence | Supply is intended for use during a leave of absence from an institution.
3 | 20 | additional quantity on separate dispense | Description: Supply is different than expected as an additional quantity has been supplied in a separate dispense.
2 | 8 | Other Action Taken | Order is performed as issued, but other action taken to mitigate potential adverse effects
3 | 10 | Provided Patient Education | Provided education or training to the patient on appropriate therapy use
3 | 11 | Added Concurrent Therapy | Instituted an additional therapy to mitigate potential negative effects
3 | 12 | Temporarily Suspended Concurrent Therapy | Suspended existing therapy that triggered interaction for the duration of this therapy
3 | 13 | Stopped Concurrent Therapy | Aborted existing therapy that triggered interaction.
3 | 9 | Instituted Ongoing Monitoring Program | Arranged to monitor patient for adverse effects
1 | (_ActExposureCode) Abstract | | Concepts that identify the type or nature of exposure interaction. Examples include "household", "care giver", "intimate partner", "common space", "common substance", etc. to further describe the nature of interaction.
2 | CHLDCARE | Day care - Child care Interaction | Description: Exposure participants' interaction occurred in a child care setting
2 | CONVEYNC | Common Conveyance Interaction | Description: An interaction where the exposure participants traveled in/on the same vehicle (not necessarily concurrently, e.g. both are passengers of the same plane, but on different flights of that plane).
2 | HLTHCARE | Health Care Interaction - Not Patient Care | Description: Exposure participants' interaction occurred during the course of health care delivery or in a health care delivery setting, but did not involve the direct provision of care (e.g. a janitor cleaning a patient's hospital room).
2 | HOMECARE | Care Giver Interaction | Description: Exposure interaction occurred in context of one providing care for the other, i.e. a babysitter providing care for a child, a home-care aide providing assistance to a paraplegic.
2 | HOSPPTNT | Hospital Patient Interaction | Description: Exposure participants' interaction occurred when both were patients being treated in the same (acute) health care delivery facility.
2 | HOSPVSTR | Hospital Visitor Interaction | Description: Exposure participants' interaction occurred when one visited the other who was a patient being treated in a health care delivery facility.
2 | HOUSEHLD | Household Interaction | Description: Exposure interaction occurred in context of domestic interaction, i.e. both participants reside in the same household.
2 | INMATE | Inmate Interaction | Description: Exposure participants' interaction occurred in the course of one or both participants being incarcerated at a correctional facility
2 | INTIMATE | Intimate Interaction | Description: Exposure interaction was intimate, i.e. participants are intimate companions (e.g. spouses, domestic partners).
2 | LTRMCARE | Long Term Care Facility Interaction | Description: Exposure participants' interaction occurred in the course of one or both participants being resident at a long term care facility (second participant may be a visitor, worker, resident or a physical place or object within the facility).
2 | PLACE | Common Space Interaction | Description: An interaction where the exposure participants were both present in the same location/place/space.
2 | PTNTCARE | Health Care Interaction - Patient Care | Description: Exposure participants' interaction occurred during the course of health care delivery by a provider (e.g. a physician treating a patient in her office).
2 | SCHOOL2 | School Interaction | Description: Exposure participants' interaction occurred in an academic setting (e.g., participants are fellow students, or student and teacher).
2 | SOCIAL2 | Social/Extended Family Interaction | Description: An interaction where the exposure participants are social associates or members of the same extended family
2 | SUBSTNCE | Common Substance Interaction | Description: An interaction where the exposure participants shared or co-used a common substance (e.g. drugs, needles, or common food item).
2 | TRAVINT | Common Travel Interaction | Description: An interaction where the exposure participants traveled together in/on the same vehicle/trip (e.g. concurrent co-passengers).
2 | WORK2 | Work Interaction | Description: Exposure interaction occurred in a work setting, i.e. participants are co-workers.
1 | (_ActFinancialTransactionCode) Abstract
2 | CHRG | Standard Charge | A type of transaction that represents a charge for a service or product. Expressed in monetary terms.
2 | REV | Standard Charge Reversal | A type of transaction that represents a reversal of a previous charge for a service or product. Expressed in monetary terms. It has the opposite effect of a standard charge.
1 | (_ActIncidentCode) Abstract | | Set of codes indicating the type of incident or accident.
2 | MVA | Motor vehicle accident | Incident or accident as the result of a motor vehicle accident
2 | SCHOOL | School Accident | Incident or accident is the result of a school place accident.
2 | SPT | Sporting Accident | Incident or accident is the result of a sporting accident.
2 | WPA | Workplace accident | Incident or accident is the result of a work place accident
1 | (_ActInformationAccessCode) Abstract | | Description: The type of health information to which the subject of the information or the subject's delegate consents or dissents.
2 | ACADR | adverse drug reaction access | Description: Provide consent to collect, use, disclose, or access adverse drug reaction information for a patient.
2 | ACALL | all access | Description: Provide consent to collect, use, disclose, or access all information for a patient.
2 | ACALLG | allergy access | Description: Provide consent to collect, use, disclose, or access allergy information for a patient.
2 | ACCONS | informational consent access | Description: Provide consent to collect, use, disclose, or access informational consent information for a patient.
2 | ACDEMO | demographics access | Description: Provide consent to collect, use, disclose, or access demographics information for a patient.
2 | ACDI | diagnostic imaging access | Description: Provide consent to collect, use, disclose, or access diagnostic imaging information for a patient.

2 | ACIMMUN | immunization access | Description: Provide consent to collect, use, disclose, or access immunization information for a patient.
2 | ACLAB | lab test result access | Description: Provide consent to collect, use, disclose, or access lab test result information for a patient.
2 | ACMED | medication access | Description: Provide consent to collect, use, disclose, or access medical condition information for a patient.
2 | ACMEDC | medical condition access | Definition: Provide consent to view or access medical condition information for a patient.
2 | ACMEN | mental health access | Description:Provide consent to collect, use, disclose, or access mental health information for a patient.
2 | ACOBS | common observations access | Description: Provide consent to collect, use, disclose, or access common observation information for a patient.
2 | ACPOLPRG | policy or program information access | Description: Provide consent to collect, use, disclose, or access coverage policy or program for a patient.
2 | ACPROV | provider information access | Description: Provide consent to collect, use, disclose, or access provider information for a patient.
2 | ACPSERV | professional service access | Description: Provide consent to collect, use, disclose, or access professional service information for a patient.
2 | ACSUBSTAB | substance abuse access | Description:Provide consent to collect, use, disclose, or access substance abuse information for a patient.
1 | (_ActInformationAccessContextCode) Abstract | | Concepts conveying the context in which authorization given under jurisdictional law, by organizational policy, or by a patient consent directive permits the collection, access, use or disclosure of specified patient health information.
2 | INFAUT | authorized information transfer | Authorization to collect, access, use, or disclose specified patient health information in accordance with jurisdictional law, organizational policy, or a patient's consent directive, which may be implied, deemed, opt-in, opt-out, or explicit.
3 | INFCON | after explicit consent | Authorization to collect, access, use, or disclose specified patient health information as explicitly consented to by the subject of the information or the subject's representative.
2 | INFCRT | only on court order | Authorization to collect, access, use, or disclose specified patient health information in accordance with judicial system protocol, such as in the case of a subpoena or court order.
2 | INFDNG | only if danger to others | Authorization to collect, access, use, or disclose specified patient health information where deemed necessary to avert potential danger to other persons in accordance with jurisdictional law, organizational policy, or standards of practice. For example, disclosure about a person threatening violence.
2 | INFEMER | only in an emergency | Authorization to collect, access, use, or disclose specified patient health information in accordance with emergency information transfer protocol dictated by jurisdictional law, organization policy, or standards of practice. For example, sharing of health information during disaster response.
2 | INFPWR | only if public welfare risk | Authorization to collect, access, use, or disclose specified patient health information necessary to avert potential public welfare risk in accordance with jurisdictional law, organizational policy, or standards of practice. For example, reporting that a person is a victim of abuse or demonstrating suicidal tendencies.
2 | INFREG | regulatory information transfer | Authorization to collect, access, use, or disclose specified patient health information for public health, welfare, and safety purposes in accordance with jurisdictional law, organizational policy, or standards of practice. For example, public health reporting of notifiable conditions.
1 | (_ActInformationCategoryCode) Abstract | | Definition:Indicates the set of information types which may be manipulated or referenced, such as for recommending access restrictions.
2 | ALLCAT | all categories | Description: All patient information.
2 | ALLGCAT | allergy category | Definition:All information pertaining to a patient's allergy and intolerance records.
2 | ARCAT | adverse drug reaction category | Description: All information pertaining to a patient's adverse drug reactions.
2 | COBSCAT | common observation category | Definition:All information pertaining to a patient's common observation records (height, weight, blood pressure, temperature, etc.).
2 | DEMOCAT | demographics category | Definition:All information pertaining to a patient's demographics (such as name, date of birth, gender, address, etc).
2 | DICAT | diagnostic image category | Definition:All information pertaining to a patient's diagnostic image records (orders & results).
2 | IMMUCAT | immunization category | Definition:All information pertaining to a patient's vaccination records.
2 | LABCAT | lab test category | Description: All information pertaining to a patient's lab test records (orders & results)
2 | MEDCCAT | medical condition category | Definition:All information pertaining to a patient's medical condition records.
2 | MENCAT | mental health category | Description: All information pertaining to a patient's mental health records.
2 | PSVCCAT | professional service category | Definition:All information pertaining to a patient's professional service records (such as smoking cessation, counseling, medication review, mental health).
2 | RXCAT | medication category | Definition:All information pertaining to a patient's medication records (orders, dispenses and other active medications).
1 | (_ActInvoiceElementCode) Abstract | | Type of invoice element that is used to assist in describing an Invoice that is either submitted for adjudication or for which is returned on adjudication results.
2 | (_ActInvoiceAdjudicationPaymentCode) Abstract | | Codes representing a grouping of invoice elements (totals, sub-totals), reported through a Payment Advice or a Statement of Financial Activity (SOFA). The code can represent summaries by day, location, payee and other cost elements such as bonus, retroactive adjustment and transaction fees.
3 | (_ActInvoiceAdjudicationPaymentGroupCode) Abstract | | Codes representing adjustments to a Payment Advice such as retroactive, clawback, garnishee, etc.
4 | ALEC | alternate electronic | Payment initiated by the payor as the result of adjudicating a submitted invoice that arrived to the payor from an electronic source that did not provide a conformant set of HL7 messages (e.g. web claim submission).
4 | BONUS | bonus | Bonus payments based on performance, volume, etc. as agreed to by the payor.
4 | CFWD | carry forward adjusment | An amount still owing to the payor but the payment is 0$ and this cannot be settled until a future payment is made.
4 | EDU | education fees | Fees deducted on behalf of a payee for tuition and continuing education.
4 | EPYMT | early payment fee | Fees deducted on behalf of a payee for charges based on a shorter payment frequency (i.e. next day versus biweekly payments.
4 | GARN | garnishee | Fees deducted on behalf of a payee for charges based on a per-transaction or time-period (e.g. monthly) fee.
4 | INVOICE | submitted invoice | Payment is based on a payment intent for a previously submitted Invoice, based on formal adjudication results..
4 | PINV | paper invoice | Payment initiated by the payor as the result of adjudicating a paper (original, may have been faxed) invoice.
4 | PPRD | prior period adjustment | An amount that was owed to the payor as indicated, by a carry forward adjusment, in a previous payment advice
4 | PROA | professional association deduction | Professional association fee that is collected by the payor from the practitioner/provider on behalf of the association
4 | RECOV | recovery | Retroactive adjustment such as fee rate adjustment due to contract negotiations.
4 | RETRO | retro adjustment | Bonus payments based on performance, volume, etc. as agreed to by the payor.

4 | TRAN | transaction fee | Fees deducted on behalf of a payee for charges based on a per-transaction or time-period (e.g. monthly) fee.
3 | (_ActInvoiceAdjudicationPaymentSummaryCode) Abstract | | Codes representing a grouping of invoice elements (totals, sub-totals), reported through a Payment Advice or a Statement of Financial Activity (SOFA). The code can represent summaries by day, location, payee, etc.
4 | CONT
4 | DAY
4 | LOC
4 | MONTH
4 | PERIOD
4 | PROV
4 | WEEK
4 | YEAR
4 | INVTYPE | invoice type | Transaction counts and value totals by invoice type (e.g. RXDINV - Pharmacy Dispense)
4 | PAYEE | payee | Transaction counts and value totals by each instance of an invoice payee.
4 | PAYOR | payor | Transaction counts and value totals by each instance of an invoice payor.
4 | SENDAPP | sending application | Transaction counts and value totals by each instance of a messaging application on a single processor. It is a registered identifier known to the receivers.
2 | (_ActInvoiceDetailCode) Abstract | | Codes representing a service or product that is being invoiced (billed). The code can represent such concepts as "office visit", "drug X", "wheelchair" and other billable items such as taxes, service charges and discounts.
3 | (_ActInvoiceDetailClinicalProductCode) Abstract | | An identifying data string for healthcare products.
4 | UNSPSC | United Nations Standard Products and Services Classification | Description:United Nations Standard Products and Services Classification, managed by Uniform Code Council (UCC): www.unspsc.org
3 | (_ActInvoiceDetailDrugProductCode) Abstract | | An identifying data string for A substance used as a medication or in the preparation of medication.
4 | GTIN | Global Trade Item Number | Description:Global Trade Item Number is an identifier for trade items developed by GS1 (comprising the former EAN International and Uniform Code Council).
4 | UPC | Universal Product Code | Description:Universal Product Code is one of a wide variety of bar code languages widely used in the United States and Canada for items in stores.
3 | (_ActInvoiceDetailGenericCode) Abstract | | The detail item codes to identify charges or changes to the total billing of a claim due to insurance rules and payments.
4 | (_ActInvoiceDetailGenericAdjudicatorCode) Abstract | | The billable item codes to identify adjudicator specified components to the total billing of a claim.
5 | COIN | coinsurance | That portion of the eligible charges which a covered party must pay for each service and/or product. It is a percentage of the eligible amount for the service/product that is typically charged after the covered party has met the policy deductible. This amount represents the covered party's coinsurance that is applied to a particular adjudication result. It is expressed as a negative dollar amount in adjudication results.
5 | COPAYMENT | patient co-pay | That portion of the eligible charges which a covered party must pay for each service and/or product. It is a defined amount per service/product of the eligible amount for the service/product. This amount represents the covered party's copayment that is applied to a particular adjudication result. It is expressed as a negative dollar amount in adjudication results.
5 | DEDUCTIBLE | deductible | That portion of the eligible charges which a covered party must pay in a particular period (e.g. annual) before the benefits are payable by the adjudicator. This amount represents the covered party's deductible that is applied to a particular adjudication result. It is expressed as a negative dollar amount in adjudication results.
5 | PAY | payment | The guarantor, who may be the patient, pays the entire charge for a service. Reasons for such action may include: there is no insurance coverage for the service (e.g. cosmetic surgery); the patient wishes to self-pay for the service; or the insurer denies payment for the service due to contractual provisions such as the need for prior authorization.
5 | SPEND | spend down | That total amount of the eligible charges which a covered party must periodically pay for services and/or products prior to the Medicaid program providing any coverage. This amount represents the covered party's spend down that is applied to a particular adjudication result. It is expressed as a negative dollar amount in adjudication results
5 | COINS | co-insurance | The covered party pays a percentage of the cost of covered services.
4 | (_ActInvoiceDetailGenericModifierCode) Abstract | | The billable item codes to identify modifications to a billable item charge. As for example after hours increase in the office visit fee.
5 | AFTHRS | non-normal hours | Premium paid on service fees in compensation for practicing outside of normal working hours.
5 | ISOL | isolation allowance | Premium paid on service fees in compensation for practicing in a remote location.
5 | OOO | out of office | Premium paid on service fees in compensation for practicing at a location other than normal working location.
4 | (_ActInvoiceDetailGenericProviderCode) Abstract | | The billable item codes to identify provider supplied charges or changes to the total billing of a claim.
5 | CANCAPT | cancelled appointment | A charge to compensate the provider when a patient cancels an appointment with insufficient time for the provider to make another appointment with another patient.
5 | DSC | discount | A reduction in the amount charged as a percentage of the amount. For example a 5% discount for volume purchase.
5 | ESA | extraordinary service assessment | A premium on a service fee is requested because, due to extenuating circumstances, the service took an extraordinary amount of time or supplies.
5 | FFSTOP | fee for service top off | Under agreement between the parties (payor and provider), a guaranteed level of income is established for the provider over a specific, pre-determined period of time. The normal course of business for the provider is submission of fee-for-service claims. Should the fee-for-service income during the specified period of time be less than the agreed to amount, a top-up amount is paid to the provider equal to the difference between the fee-for-service total and the guaranteed income amount for that period of time. The details of the agreement may specify (or not) a requirement for repayment to the payor in the event that the fee-for-service income exceeds the guaranteed amount.
5 | FNLFEE | final fee | Anticipated or actual final fee associated with treating a patient.
5 | FRSTFEE | first fee | Anticipated or actual initial fee associated with treating a patient.
5 | MARKUP | markup or up-charge | An increase in the amount charged as a percentage of the amount. For example, 12% markup on product cost.
5 | MISSAPT | missed appointment | A charge to compensate the provider when a patient does not show for an appointment.
5 | PERFEE | periodic fee | Anticipated or actual periodic fee associated with treating a patient. For example, expected billing cycle such as monthly, quarterly. The actual period (e.g. monthly, quarterly) is specified in the unit quantity of the Invoice Element.
5 | PERMBNS | performance bonus | The amount for a performance bonus that is being requested from a payor for the performance of certain services (childhood immunizations, influenza immunizations, mammograms, pap smears) on a sliding scale. That is, for 90% of childhood immunizations to a maximum of $2200/yr. An invoice is created at the end of the service period (one year) and a code is submitted indicating the percentage achieved and the dollar amount claimed.

5 | RESTOCK | restocking fee | A charge is requested because the patient failed to pick up the item and it took an amount of time to return it to stock for future use.
5 | TRAVEL | travel | A charge to cover the cost of travel time and/or cost in conjuction with providing a service or product. It may be charged per kilometer or per hour based on the effective agreement.
5 | URGENT | urgent | Premium paid on service fees in compensation for providing an expedited response to an urgent situation.
4 | (_ActInvoiceDetailTaxCode) Abstract | | The billable item codes to identify modifications to a billable item charge by a tax factor applied to the amount. As for example 7% provincial sales tax.
5 | FST | federal sales tax | Federal tax on transactions such as the Goods and Services Tax (GST)
5 | HST | harmonized sales Tax | Joint Federal/Provincial Sales Tax
5 | PST | provincial/state sales tax | Tax levied by the provincial or state jurisdiction such as Provincial Sales Tax
3 | (_ActInvoiceDetailPreferredAccommodationCode) Abstract | | An identifying data string for medical facility accommodations.
4 | (_ActEncounterAccommodationCode) Abstract | | Accommodation type. In Intent mood, represents the accommodation type requested. In Event mood, represents accommodation assigned/used. In Definition mood, represents the available accommodation type.
5 | (_HL7AccommodationCode) Abstract | | Description:Accommodation type. In Intent mood, represents the accommodation type requested. In Event mood, represents accommodation assigned/used. In Definition mood, represents the available accommodation type.
6 | I | Isolation | Accommodations used in the care of diseases that are transmitted through casual contact or respiratory transmission.
6 | P | Private | Accommodations in which there is only 1 bed.
6 | S | Suite | Uniquely designed and elegantly decorated accommodations with many amenities available for an additional charge.
6 | SP | Semi-private | Accommodations in which there are 2 beds.
6 | W | Ward | Accommodations in which there are 3 or more beds.
3 | (_ActInvoiceDetailClinicalServiceCode) Abstract | | An identifying data string for healthcare procedures.
2 | (_ActInvoiceGroupCode) Abstract | | Type of invoice element that is used to assist in describing an Invoice that is either submitted for adjudication or for which is returned on adjudication results. Invoice elements of this type signify a grouping of one or more children (detail) invoice elements. They do not have intrinsic costing associated with them, but merely reflect the sum of all costing for it's immediate children invoice elements.
3 | (_ActInvoiceInterGroupCode) Abstract | | Type of invoice element that is used to assist in describing an Invoice that is either submitted for adjudication or for which is returned on adjudication results. Invoice elements of this type signify a grouping of one or more children (detail) invoice elements. They do not have intrinsic costing associated with them, but merely reflect the sum of all costing for it's immediate children invoice elements. The domain is only specified for an intermediate invoice element group (non-root or non-top level) for an Invoice.
4 | CPNDDRGING | compound drug invoice group | A grouping of invoice element groups and details including the ones specifying the compound ingredients being invoiced. It may also contain generic detail items such as markup.
4 | CPNDINDING | compound ingredient invoice group | A grouping of invoice element details including the one specifying an ingredient drug being invoiced. It may also contain generic detail items such as tax or markup.
4 | CPNDSUPING | compound supply invoice group | A grouping of invoice element groups and details including the ones specifying the compound supplies being invoiced. It may also contain generic detail items such as markup.
4 | DRUGING | drug invoice group | A grouping of invoice element details including the one specifying the drug being invoiced. It may also contain generic detail items such as markup.
4 | FRAMEING | frame invoice group | A grouping of invoice element details including the ones specifying the frame fee and the frame dispensing cost that are being invoiced.
4 | LENSING | lens invoice group | A grouping of invoice element details including the ones specifying the lens fee and the lens dispensing cost that are being invoiced.
4 | PRDING | product invoice group | A grouping of invoice element details including the one specifying the product (good or supply) being invoiced. It may also contain generic detail items such as tax or discount.
3 | (_ActInvoiceRootGroupCode) Abstract | | Type of invoice element that is used to assist in describing an Invoice that is either submitted for adjudication or for which is returned on adjudication results. Invoice elements of this type signify a grouping of one or more children (detail) invoice elements. They do not have intrinsic costing associated with them, but merely reflect the sum of all costing for it's immediate children invoice elements. Codes from this domain reflect the type of Invoice such as Pharmacy Dispense, Clinical Service and Clinical Product. The domain is only specified for the root (top level) invoice element group for an Invoice.
4 | CPINV | clinical product invoice | Clinical product invoice where the Invoice Grouping contains one or more billable item and is supported by clinical product(s). For example, a crutch or a wheelchair.
4 | CSINV | clinical service invoice | Clinical Services Invoice which can be used to describe a single service, multiple services or repeated services. [1] Single Clinical services invoice where the Invoice Grouping contains one billable item and is supported by one clinical service. For example, a single service for an office visit or simple clinical procedure (e.g. knee mobilization). [2] Multiple Clinical services invoice where the Invoice Grouping contains more than one billable item, supported by one or more clinical services. The services can be distinct and over multiple dates, but for the same patient. This type of invoice includes a series of treatments which must be adjudicated together. For example, an adjustment and ultrasound for a chiropractic session where fees are associated for each of the services and adjudicated (invoiced) together. [3] Repeated Clinical services invoice where the Invoice Grouping contains one or more billable item, supported by the same clinical service repeated over a period of time. For example, the same Chiropractic adjustment (service or treatment) delivered on 3 separate occasions over a period of time at the discretion of the provider (e.g. month).
4 | CSPINV | clinical service and product | A clinical Invoice Grouping consisting of one or more services and one or more product. Billing for these service(s) and product(s) are supported by multiple clinical billable events (acts). All items in the Invoice Grouping must be adjudicated together to be acceptable to the Adjudicator. For example , a brace (product) invoiced together with the fitting (service).
4 | FININV | financial invoice | Invoice Grouping without clinical justification. These will not require identification of participants and associations from a clinical context such as patient and provider. Examples are interest charges and mileage.
4 | OHSINV | oral health service | A clinical Invoice Grouping consisting of one or more oral health services. Billing for these service(s) are supported by multiple clinical billable events (acts). All items in the Invoice Grouping must be adjudicated together to be acceptable to the Adjudicator.
4 | PAINV | preferred accommodation invoice | HealthCare facility preferred accommodation invoice.
4 | RXCINV | Rx compound invoice | Pharmacy dispense invoice for a compound.
4 | RXDINV | Rx dispense invoice | Pharmacy dispense invoice not involving a compound
4 | SBFINV | sessional or block fee invoice | Clinical services invoice where the Invoice Group contains one billable item for multiple clinical services in one or more sessions.
4 | VRXINV | vision dispense invoice | Vision dispense invoice for up to 2 lens (left and right), frame and optional discount. Eye exams are invoiced as a clinical service invoice.
1 | (_ActInvoiceElementSummaryCode) Abstract | | Identifies the different types of summary information that can be reported by queries dealing with Statement of Financial Activity (SOFA). The summary information is generally used to help resolve balance discrepancies between providers and payors.

2 | (_InvoiceElementAdjudicated) Abstract | | Total counts and total net amounts adjudicated for all Invoice Groupings that were adjudicated within a time period based on the adjudication date of the Invoice Grouping.
3 | ADNFPPELAT | adjud. nullified prior-period electronic amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date), subsequently cancelled in the specified period and submitted electronically.
3 | ADNFPPELCT | adjud. nullified prior-period electronic count | Identifies the total number of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date), subsequently cancelled in the specified period and submitted electronically.
3 | ADNFPPMNAT | adjud. nullified prior-period manual amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date), subsequently cancelled in the specified period and submitted manually.
3 | ADNFPPMNCT | adjud. nullified prior-period manual count | Identifies the total number of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date), subsequently cancelled in the specified period and submitted manually.
3 | ADNFSPELAT | adjud. nullified same-period electronic amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date), subsequently nullified in the specified period and submitted electronically.
3 | ADNFSPELCT | adjud. nullified same-period electronic count | Identifies the total number of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date), subsequently nullified in the specified period and submitted electronically.
3 | ADNFSPMNAT | adjud. nullified same-period manual amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date), subsequently cancelled in the specified period and submitted manually.
3 | ADNFSPMNCT | adjud. nullified same-period manual count | Identifies the total number of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date), subsequently cancelled in the specified period and submitted manually.
3 | ADNPPPELAT | adjud. non-payee payable prior-period electronic amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date) that do not match a specified payee (e.g. pay patient) and submitted electronically.
3 | ADNPPPELCT | adjud. non-payee payable prior-period electronic count | Identifies the total number of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date) that do not match a specified payee (e.g. pay patient) and submitted electronically.
3 | ADNPPPMNAT | adjud. non-payee payable prior-period manual amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date) that do not match a specified payee (e.g. pay patient) and submitted manually.
3 | ADNPPPMNCT | adjud. non-payee payable prior-period manual count | Identifies the total number of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date) that do not match a specified payee (e.g. pay patient) and submitted manually.
3 | ADNPSPELAT | adjud. non-payee payable same-period electronic amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date) that do not match a specified payee (e.g. pay patient) and submitted electronically.
3 | ADNPSPELCT | adjud. non-payee payable same-period electronic count | Identifies the total number of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date) that do not match a specified payee (e.g. pay patient) and submitted electronically.
3 | ADNPSPMNAT | adjud. non-payee payable same-period manual amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date) that do not match a specified payee (e.g. pay patient) and submitted manually.
3 | ADNPSPMNCT | adjud. non-payee payable same-period manual count | Identifies the total number of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date) that do not match a specified payee (e.g. pay patient) and submitted manually.
3 | ADPPPPELAT | adjud. payee payable prior-period electronic amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date) that match a specified payee (e.g. pay provider) and submitted electronically.
3 | ADPPPPELCT | adjud. payee payable prior-period electronic count | Identifies the total number of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date) that match a specified payee (e.g. pay provider) and submitted electronically.
3 | ADPPPPMNAT | adjud. payee payable prior-period manual amout | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date) that match a specified payee (e.g. pay provider) and submitted manually.
3 | ADPPPPMNCT | adjud. payee payable prior-period manual count | Identifies the total number of all Invoice Groupings that were adjudicated as payable prior to the specified time period (based on adjudication date) that match a specified payee (e.g. pay provider) and submitted manually.
3 | ADPPSPELAT | adjud. payee payable same-period electronic amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date) that match a specified payee (e.g. pay provider) and submitted electronically.
3 | ADPPSPELCT | adjud. payee payable same-period electronic count | Identifies the total number of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date) that match a specified payee (e.g. pay provider) and submitted electronically.
3 | ADPPSPMNAT | adjud. payee payable same-period manual amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date) that match a specified payee (e.g. pay provider) and submitted manually.
3 | ADPPSPMNCT | adjud. payee payable same-period manual count | Identifies the total number of all Invoice Groupings that were adjudicated as payable during the specified time period (based on adjudication date) that match a specified payee (e.g. pay provider) and submitted manually.
3 | ADRFPPELAT | adjud. refused prior-period electronic amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as refused prior to the specified time period (based on adjudication date) and submitted electronically.
3 | ADRFPPELCT | adjud. refused prior-period electronic count | Identifies the total number of all Invoice Groupings that were adjudicated as refused prior to the specified time period (based on adjudication date) and submitted electronically.
3 | ADRFPPMNAT | adjud. refused prior-period manual amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as refused prior to the specified time period (based on adjudication date) and submitted manually.
3 | ADRFPPMNCT | adjud. refused prior-period manual count | Identifies the total number of all Invoice Groupings that were adjudicated as refused prior to the specified time period (based on adjudication date) and submitted manually.
3 | ADRFSPELAT | adjud. refused same-period electronic amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as refused during the specified time period (based on adjudication date) and submitted electronically.
3 | ADRFSPELCT | adjud. refused same-period electronic count | Identifies the total number of all Invoice Groupings that were adjudicated as refused during the specified time period (based on adjudication date) and submitted electronically.
3 | ADRFSPMNAT | adjud. refused same-period manual amount | Identifies the total net amount of all Invoice Groupings that were adjudicated as refused during the specified time period (based on adjudication date) and submitted manually.

3 | ADRFSPMNCT | adjud. refused same-period manual count | Identifies the total number of all Invoice Groupings that were adjudicated as refused during the specified time period (based on adjudication date) and submitted manually.
2 | (_InvoiceElementPaid) Abstract | | Total counts and total net amounts paid for all Invoice Groupings that were paid within a time period based on the payment date.
3 | PDNFPPELAT | paid nullified prior-period electronic amount | Identifies the total net amount of all Invoice Groupings that were paid prior to the specified time period (based on payment date), subsequently nullified in the specified period and submitted electronically.
3 | PDNFPPELCT | paid nullified prior-period electronic count | Identifies the total number of all Invoice Groupings that were paid prior to the specified time period (based on payment date), subsequently nullified in the specified period and submitted electronically.
3 | PDNFPPMNAT | paid nullified prior-period manual amount | Identifies the total net amount of all Invoice Groupings that were paid prior to the specified time period (based on payment date), subsequently nullified in the specified period and submitted manually.
3 | PDNFPPMNCT | paid nullified prior-period manual count | Identifies the total number of all Invoice Groupings that were paid prior to the specified time period (based on payment date), subsequently nullified in the specified period and submitted manually.
3 | PDNFSPELAT | paid nullified same-period electronic amount | Identifies the total net amount of all Invoice Groupings that were paid during the specified time period (based on payment date), subsequently nullified in the specified period and submitted electronically.
3 | PDNFSPELCT | paid nullified same-period electronic count | Identifies the total number of all Invoice Groupings that were paid during the specified time period (based on payment date), subsequently cancelled in the specified period and submitted electronically.
3 | PDNFSPMNAT | paid nullified same-period manual amount | Identifies the total net amount of all Invoice Groupings that were paid during the specified time period (based on payment date), subsequently nullified in the specified period and submitted manually.
3 | PDNFSPMNCT | paid nullified same-period manual count | Identifies the total number of all Invoice Groupings that were paid during the specified time period (based on payment date), subsequently nullified in the specified period and submitted manually.
3 | PDNPPPELAT | paid non-payee payable prior-period electronic amount | Identifies the total net amount of all Invoice Groupings that were paid prior to the specified time period (based on payment date) that do not match a specified payee (e.g. pay patient) and submitted electronically.
3 | PDNPPPELCT | paid non-payee payable prior-period electronic count | Identifies the total number of all Invoice Groupings that were paid prior to the specified time period (based on payment date) that do not match a specified payee (e.g. pay patient) and submitted electronically.
3 | PDNPPPMNAT | paid non-payee payable prior-period manual amount | Identifies the total net amount of all Invoice Groupings that were paid prior to the specified time period (based on payment date) that do not match a specified payee (e.g. pay patient) and submitted manually.
3 | PDNPPPMNCT | paid non-payee payable prior-period manual count | Identifies the total number of all Invoice Groupings that were paid prior to the specified time period (based on payment date) that do not match a specified payee (e.g. pay patient) and submitted manually.
3 | PDNPSPELAT | paid non-payee payable same-period electronic amount | Identifies the total net amount of all Invoice Groupings that were paid during the specified time period (based on payment date) that do not match a specified payee (e.g. pay patient) and submitted electronically.
3 | PDNPSPELCT | paid non-payee payable same-period electronic count | Identifies the total number of all Invoice Groupings that were paid during the specified time period (based on payment date) that do not match a specified payee (e.g. pay patient) and submitted electronically.
3 | PDNPSPMNAT | paid non-payee payable same-period manual amount | Identifies the total net amount of all Invoice Groupings that were paid during the specified time period (based on payment date) that do not match a specified payee (e.g. pay patient) and submitted manually.
3 | PDNPSPMNCT | paid non-payee payable same-period manual count | Identifies the total number of all Invoice Groupings that were paid during the specified time period (based on payment date) that do not match a specified payee (e.g. pay patient) and submitted manually.
3 | PDPPPPELAT | paid payee payable prior-period electronic amount | Identifies the total net amount of all Invoice Groupings that were paid prior to the specified time period (based on payment date) that match a specified payee (e.g. pay provider) and submitted electronically.
3 | PDPPPPELCT | paid payee payable prior-period electronic count | Identifies the total number of all Invoice Groupings that were paid prior to the specified time period (based on payment date) that match a specified payee (e.g. pay provider) and submitted electronically.
3 | PDPPPPMNAT | paid payee payable prior-period manual amount | Identifies the total net amount of all Invoice Groupings that were paid prior to the specified time period (based on payment date) that match a specified payee (e.g. pay provider) and submitted manually.
3 | PDPPPPMNCT | paid payee payable prior-period manual count | Identifies the total number of all Invoice Groupings that were paid prior to the specified time period (based on payment date) that match a specified payee (e.g. pay provider) and submitted manually.
3 | PDPPSPELAT | paid payee payable same-period electronic amount | Identifies the total net amount of all Invoice Groupings that were paid during the specified time period (based on payment date) that match a specified payee (e.g. pay provider) and submitted electronically.
3 | PDPPSPELCT | paid payee payable same-period electronic count | Identifies the total number of all Invoice Groupings that were paid during the specified time period (based on payment date) that match a specified payee (e.g. pay provider) and submitted electronically.
3 | PDPPSPMNAT | paid payee payable same-period manual amount | Identifies the total net amount of all Invoice Groupings that were paid during the specified time period (based on payment date) that match a specified payee (e.g. pay provider) and submitted manually.
3 | PDPPSPMNCT | paid payee payable same-period manual count | Identifies the total number of all Invoice Groupings that were paid during the specified time period (based on payment date) that match a specified payee (e.g. pay provider) and submitted manually.
2 | (_InvoiceElementSubmitted) Abstract | | Total counts and total net amounts billed for all Invoice Groupings that were submitted within a time period. Adjudicated invoice elements are included.
3 | SBBLELAT | submitted billed electronic amount | Identifies the total net amount billed for all submitted Invoice Groupings within a time period and submitted electronically. Adjudicated invoice elements are included.
3 | SBBLELCT | submitted billed electronic count | Identifies the total number of submitted Invoice Groupings within a time period and submitted electronically. Adjudicated invoice elements are included.
3 | SBNFELAT | submitted nullified electronic amount | Identifies the total net amount billed for all submitted Invoice Groupings that were nullified within a time period and submitted electronically. Adjudicated invoice elements are included.
3 | SBNFELCT | submitted cancelled electronic count | Identifies the total number of submitted Invoice Groupings that were nullified within a time period and submitted electronically. Adjudicated invoice elements are included.
3 | SBPDELAT | submitted pending electronic amount | Identifies the total net amount billed for all submitted Invoice Groupings that are pended or held by the payor, within a time period and submitted electronically. Adjudicated invoice elements are not included.
3 | SBPDELCT | submitted pending electronic count | Identifies the total number of submitted Invoice Groupings that are pended or held by the payor, within a time period and submitted electronically. Adjudicated invoice elements are not included.
1 | (_ActInvoiceOverrideCode) Abstract | | Includes coded responses that will occur as a result of the adjudication of an electronic invoice at a summary level and provides guidance on interpretation of the referenced adjudication results.
2 | COVGE | coverage problem | Insurance coverage problems have been encountered. Additional explanation information to be supplied.
2 | EFORM | electronic form to follow | Electronic form with supporting or additional information to follow.
2 | FAX | fax to follow | Fax with supporting or additional information to follow.
2 | GFTH | good faith indicator | The medical service was provided to a patient in good faith that they had medical coverage, although no evidence of coverage was available before service was rendered.
2 | LATE | late invoice | Knowingly over the payor's published time limit for this invoice possibly due to a previous payor's delays in processing. Additional reason information will be supplied.

2 | MANUAL | manual review | Manual review of the invoice is requested. Additional information to be supplied. This may be used in the case of an appeal.
2 | OOJ | out of jurisdiction | The medical service and/or product was provided to a patient that has coverage in another jurisdiction.
2 | ORTHO | orthodontic service | The service provided is required for orthodontic purposes. If the covered party has orthodontic coverage, then the service may be paid.
2 | PAPER | paper documentation to follow | Paper documentation (or other physical format) with supporting or additional information to follow.
2 | PIE | public insurance exhausted | Public Insurance has been exhausted. Invoice has not been sent to Public Insuror and therefore no Explanation Of Benefits (EOB) is provided with this Invoice submission.
2 | PYRDELAY | delayed by a previous payor | Allows provider to explain lateness of invoice to a subsequent payor.
2 | REFNR | referral not required | Rules of practice do not require a physician's referral for the provider to perform a billable service.
2 | REPSERV | repeated service | The same service was delivered within a time period that would usually indicate a duplicate billing. However, the repeated service is a medical necessity and therefore not a duplicate.
2 | UNRELAT | unrelated service | The service provided is not related to another billed service. For example, 2 unrelated services provided on the same day to the same patient which may normally result in a refused payment for one of the items.
2 | VERBAUTH | verbal authorization | The provider has received a verbal permission from an authoritative source to perform the service or supply the item being invoiced.
1 | (_ActListCode) Abstract | | Provides codes associated with ActClass value of LIST (working list)
2 | (_ActObservationList) Abstract
3 | CARELIST | care plan | List of acts representing a care plan. The acts can be in a varierty of moods including event (EVN) to record acts that have been carried out as part of the care plan.
3 | CONDLIST | condition list | List of condition observations.
4 | INTOLIST | intolerance list | List of intolerance observations.
4 | PROBLIST | problem list | List of problem observations.
4 | RISKLIST | risk factors | List of risk factor observations.
3 | GOALLIST | goal list | List of observations in goal mood.
2 | (_ActTherapyDurationWorkingListCode) Abstract | | Codes used to identify different types of 'duration-based' working lists. Examples include "Continuous/Chronic", "Short-Term" and "As-Needed".
3 | (_ActMedicationTherapyDurationWorkingListCode) Abstract | | Definition:A collection of concepts that identifies different types of 'duration-based' mediation working lists. Examples:"Continuous/Chronic" "Short-Term" and "As Needed"
4 | ACU | short term/acute | Definition:A list of medications which the patient is only expected to consume for the duration of the current order or limited set of orders and which is not expected to be renewed.
4 | CHRON | continuous/chronic | Definition:A list of medications which are expected to be continued beyond the present order and which the patient should be assumed to be taking unless explicitly stopped.
4 | ONET | one time | Definition:A list of medications which the patient is intended to be administered only once.
4 | PRN | as needed | Definition:A list of medications which the patient will consume intermittently based on the behavior of the condition for which the medication is indicated.
2 | MEDLIST | medication list | List of medications.
3 | CURMEDLIST | current medication list | List of current medications.
3 | DISCMEDLIST | discharge medication list | List of discharge medications.
3 | HISTMEDLIST | medication history | Historical list of medications.
1 | (_ActMonitoringProtocolCode) Abstract | | Identifies types of monitoring programs
2 | CTLSUB | Controlled Substance | A monitoring program that focuses on narcotics and/or commonly abused substances that are subject to legal restriction.
2 | INV | investigational | Definition:A monitoring program that focuses on a drug which is under investigation and has not received regulatory approval for the condition being investigated
2 | LU | limited use | Description:A drug that can be prescribed (and reimbursed) only if it meets certain criteria.
2 | OTC | non prescription medicine | Medicines designated in this way may be supplied for patient use without a prescription. The exact form of categorisation will vary in different realms.
2 | RX | prescription only medicine | Some form of prescription is required before the related medicine can be supplied for a patient. The exact form of regulation will vary in different realms.
2 | SA | special authorization | Definition:A drug that requires prior approval (to be reimbursed) before being dispensed
2 | SAC | special access | Description:A drug that requires special access permission to be prescribed and dispensed.
1 | (_ActNonObservationIndicationCode) Abstract | | Description:Concepts representing indications (reasons for clinical action) other than diagnosis and symptoms.
2 | IND01 | imaging study requiring contrast | Description:Contrast agent required for imaging study.
2 | IND02 | colonoscopy prep | Description:Provision of prescription or direction to consume a product for purposes of bowel clearance in preparation for a colonoscopy.
2 | IND03 | prophylaxis | Description:Provision of medication as a preventative measure during a treatment or other period of increased risk.
2 | IND04 | surgical prophylaxis | Description:Provision of medication during pre-operative phase; e.g., antibiotics before dental surgery or bowel prep before colon surgery.
2 | IND05 | pregnancy prophylaxis | Description:Provision of medication for pregnancy --e.g., vitamins, antibiotic treatments for vaginal tract colonization, etc.
1 | (_ActObservationVerificationType) Abstract | | Identifies the type of verification investigation being undertaken with respect to the subject of the verification activity. Examples: Verification of eligibility for coverage under a policy or program - aka enrolled/covered by a policy or program Verification of record - e.g., person has record in an immunization registry Verification of enumeration - e.g. NPI Verification of Board Certification - provider specific Verification of Certification - e.g. JAHCO, NCQA, URAC Verification of Conformance - e.g. entity use with HIPAA, conformant to the CCHIT EHR system criteria Verification of Provider Credentials Verification of no adverse findings - e.g. on National Provider Data Bank, Health Integrity Protection Data Base (HIPDB)
2 | VFPAPER | verify paper | Definition:Indicates that the paper version of the record has, should be or is being verified against the electronic version.
1 | (_ActPaymentCode) Abstract | | Code identifying the method or the movement of payment instructions. Codes are drawn from X12 data element 591 (PaymentMethodCode)
2 | ACH | Automated Clearing House | Automated Clearing House (ACH).
2 | CHK | Cheque | A written order to a bank to pay the amount specified from funds on deposit.
2 | DDP | Direct Deposit | Electronic Funds Transfer (EFT) deposit into the payee's bank account
2 | NON | Non-Payment Data | Non-Payment Data.

1 | (_ActPharmacySupplyType) Abstract | | Identifies types of dispensing events
2 | DF | Daily Fill | A fill providing sufficient supply for one day
2 | EM | Emergency Supply | A supply action where there is no 'valid' order for the supplied medication. E.g. Emergency vacation supply, weekend supply (when prescriber is unavailable to provide a renewal prescription)
3 | SO | Script Owing | An emergency supply where the expectation is that a formal order authorizing the supply will be provided at a later date.
2 | FF | First Fill | The initial fill against an order. (This includes initial fills against refill orders.)
3 | FFS
3 | FFC | First Fill - Complete | A first fill where the quantity supplied is equal to one full repetition of the ordered amount. (e.g. If the order was 90 tablets, 3 refills, a complete fill would be for the full 90 tablets).
4 | FFCS
3 | FFP | First Fill - Part Fill | A first fill where the quantity supplied is less than one full repetition of the ordered amount. (e.g. If the order was 90 tablets, 3 refills, a partial fill might be for only 30 tablets.)
3 | FFPS
3 | FFSS | first fill, partial strength | A first fill where the strength supplied is less than the ordered strength. (e.g. 10mg for an order of 50mg where a subsequent fill will dispense 40mg tablets).
4 | FFPS
4 | FFCS
4 | TFS
3 | TF | Trial Fill | A fill where a small portion is provided to allow for determination of the therapy effectiveness and patient tolerance.
4 | TFS
2 | FS | Floor stock | A supply action to restock a smaller more local dispensary.
2 | MS | Manufacturer Sample | A supply of a manufacturer sample
2 | RF | Refill | A fill against an order that has already been filled (or partially filled) at least once.
3 | DF
3 | UD | Unit Dose | A supply action that provides sufficient material for a single dose.
3 | RFC | Refill - Complete | A refill where the quantity supplied is equal to one full repetition of the ordered amount. (e.g. If the order was 90 tablets, 3 refills, a complete fill would be for the full 90 tablets.)
4 | RFCS | refill complete partial strength | A refill where the quantity supplied is equal to one full repetition of the ordered amount. (e.g. If the order was 90 tablets, 3 refills, a complete fill would be for the full 90 tablets.) and where the strength supplied is less than the ordered strength (e.g. 10mg for an order of 50mg where a subsequent fill will dispense 40mg tablets).
3 | RFF | Refill (First fill this facility) | The first fill against an order that has already been filled at least once at another facility.
4 | RFFS | refill partial strength (first fill this facility) | The first fill against an order that has already been filled at least once at another facility and where the strength supplied is less than the ordered strength (e.g. 10mg for an order of 50mg where a subsequent fill will dispense 40mg tablets).
3 | RFP | Refill - Part Fill | A refill where the quantity supplied is less than one full repetition of the ordered amount. (e.g. If the order was 90 tablets, 3 refills, a partial fill might be for only 30 tablets.)
4 | RFPS | refill part fill partial strength | A refill where the quantity supplied is less than one full repetition of the ordered amount. (e.g. If the order was 90 tablets, 3 refills, a partial fill might be for only 30 tablets.) and where the strength supplied is less than the ordered strength (e.g. 10mg for an order of 50mg where a subsequent fill will dispense 40mg tablets).
3 | RFS | refill partial strength | A fill against an order that has already been filled (or partially filled) at least once and where the strength supplied is less than the ordered strength (e.g. 10mg for an order of 50mg where a subsequent fill will dispense 40mg tablets).
3 | TB | Trial Balance | A fill where the remainder of a 'complete' fill is provided after a trial fill has been provided.
4 | TBS | trial balance partial strength | A fill where the remainder of a 'complete' fill is provided after a trial fill has been provided and where the strength supplied is less than the ordered strength (e.g. 10mg for an order of 50mg where a subsequent fill will dispense 40mg tablets).
2 | UD
2 | UDE | unit dose equivalent | A supply action that provides sufficient material for a single dose via multiple products. E.g. 2 50mg tablets for a 100mg unit dose.
1 | (_ActPolicyType) Abstract | | Description:Types of policies that further specify the ActClassPolicy value set.
2 | (_ActPrivacyPolicy) Abstract | | A policy deeming certain information to be private to an individual or organization. Definition: A mandate, obligation, requirement, rule, or expectation relating to privacy. Discussion: ActPrivacyPolicyType codes support the designation of the 1..* policies that are applicable to an Act such as a Consent Directive, a Role such as a VIP Patient, or an Entity such as a patient who is a minor. 1..* ActPrivacyPolicyType values may be associated with an Act or Role to indicate the policies that govern the assignment of an Act or Role confidentialityCode. Use of multiple ActPrivacyPolicyType values enables fine grain specification of applicable policies, but must be carefully assigned to ensure cogency and avoid creation of conflicting policy mandates. Usage Note: Statutory title may be named in the ActClassPolicy Act Act.title to specify which privacy policy is being referenced.
3 | (_ActConsentDirective) Abstract | | Specifies the type of agreement between one or more grantor and grantee in which rights and obligations related to one or more shared items of interest are allocated. Usage Note: Such agreements may be considered "consent directives" or "contracts" depending on the context, and are considered closely related or synonymous from a legal perspective. Examples: Healthcare Privacy Consent Directive permitting or restricting in whole or part the collection, access, use, and disclosure of health information, and any associated handling caveats. Healthcare Medical Consent Directive to receive medical procedures after being informed of risks and benefits, thereby reducing the grantee's liability. Research Informed Consent for participation in clinical trials and disclosure of health information after being informed of risks and benefits, thereby reducing the grantee's liability. Substitute decision maker delegation in which the grantee assumes responsibility to act on behalf of the grantor. Contracts in which the agreement requires assent/dissent by the grantor of terms offered by a grantee, a consumer opts out of an "award" system for use of a retailer's marketing or credit card vendor's point collection cards in exchange for allowing purchase tracking and profiling. A mobile device or App privacy policy and terms of service to which a user must agree in whole or in part in order to utilize the service. Agreements between a client and an authorization server or between an authorization server and a resource operator and/or resource owner permitting or restricting e.g., collection, access, use, and disclosure of information, and any associated handling caveats.
4 | EMRGONLY | emergency only | This general consent directive specifically limits disclosure of health information for purpose of emergency treatment. Additional parameters may further limit the disclosure to specific users, roles, duration, types of information, and impose uses obligations. Definition: Opt-in to disclosure of health information for emergency only consent directive.
4 | GRANTORCHOICE | grantor choice | A grantor's terms of agreement to which a grantee may assent or dissent, and which may include an opportunity for a grantee to request restrictions or extensions. Comment: A grantor typically is able to stipulate preferred terms of agreement when the grantor has control over the topic of the agreement, which a grantee must accept in full or may be offered an opportunity to extend or restrict certain terms. Usage Note: If the grantor's term of agreement must be accepted in full, then this is considered "basic consent". If a grantee is offered an opportunity to extend or restrict certain terms, then the agreement is considered "granular consent". Examples: Healthcare: A PHR account holder [grantor] may require any PHR user [grantee] to accept the terms of agreement in full, or may permit a PHR user to extend or restrict terms selected by the account holder or requested by the PHR user. Non-healthcare: The owner of a resource server [grantor] may require any authorization server

[grantee] to meet authorization requirements stipulated in the grantor's terms of agreement.

4 | IMPLIED | implied consent | A grantor's presumed assent to the grantee's terms of agreement is based on the grantor's behavior, which may result from not expressly assenting to the consent directive offered, or from having no right to assent or dissent offered by the grantee. Comment: Implied or "implicit" consent occurs when the behavior of the grantor is understood by a reasonable person to signal agreement to the grantee's terms. Usage Note: Implied consent with no opportunity to assent or dissent to certain terms is considered "basic consent". Examples: Healthcare: A patient schedules an appointment with a provider, and either does not take the opportunity to expressly assent or dissent to the provider's consent directive, does not have an opportunity to do so, as in the case where emergency care is required, or simply behaves as though the patient [grantor] agrees to the rights granted to the provider [grantee] in an implicit consent directive. An injured and unconscious patient is deemed to have assented to emergency treatment by those permitted to do so under jurisdictional laws, e.g., Good Samaritan laws. Non-healthcare: Upon receiving a driver's license, the driver is deemed to have assented without explicitly consenting to undergoing field sobriety tests. A corporation that does business in a foreign nation is deemed to have deemed to have assented without explicitly consenting to abide by that nation's laws.

4 | IMPLIEDD | implied consent with opportunity to dissent | A grantor's presumed assent to the grantee's terms of agreement, which is based on the grantor's behavior, and includes a right to dissent to certain terms. Comment: A grantor assenting to the grantee's terms of agreement may or may not exercise a right to dissent to grantor selected terms or to grantee's selected terms to which a grantor may dissent. Usage Note: Implied or "implicit" consent with an "opportunity to dissent" occurs when the grantor's behavior is understood by a reasonable person to signal assent to the grantee's terms of agreement whether the grantor requests or the grantee approves further restrictions, is considered "granular consent". Examples: Healthcare Examples: A healthcare provider deems a patient's assent to disclosure of health information to family members and friends, but offers an opportunity or permits the patient to dissent to such disclosures. A health information exchanges deems a patient to have assented to disclosure of health information for treatment purposes, but offers the patient an opportunity to dissents to disclosure to particular provider organizations. Non-healthcare Examples: A bank deems a banking customer's assent to specified collection, access, use, or disclosure of financial information as a requirement of holding a bank account, but provides the user an opportunity to limit third-party collection, access, use or disclosure of that information for marketing purposes.

4 | NOCONSENT | no consent | No notification or opportunity is provided for a grantor to assent or dissent to a grantee's terms of agreement. Comment: A "No Consent" policy scheme provides no opportunity for accommodation of an individual's preferences, and may not comply with Fair Information Practice Principles [FIPP] by enabling the data subject to object, access collected information, correct errors, or have accounting of disclosures. Usage Note: The grantee's terms of agreement, may be available to the grantor by reviewing the grantee's privacy policies, but there is no notice by which a grantor is apprised of the policy directly or able to acknowledge. Examples: Healthcare: Without notification or an opportunity to assent or dissent, a patient's health information is automatically included in and available (often according to certain rules) through a health information exchange. Note that this differs from implied consent, where the patient is assumed to have consented. Without notification or an opportunity to assent or dissent, a patient's health information is collected, accessed, used, or disclosed for research, public health, security, fraud prevention, court order, or law enforcement. Non-healthcare: Without notification or an opportunity to assent or dissent, a consumer's healthcare or non-healthcare internet searches are aggregated for secondary uses such as behavioral tracking and profiling. Without notification or an opportunity to assent or dissent, a consumer's location and activities in a shopping mall are tracked by RFID tags on purchased items.

4 | NOPP | notice of privacy practices | Acknowledgement of custodian notice of privacy practices. Usage Notes: This type of consent directive acknowledges a custodian's notice of privacy practices including its permitted collection, access, use and disclosure of health information to users and for purposes of use specified.

4 | OPTIN | opt-in | A grantor's assent to the terms of an agreement offered by a grantee without an opportunity for to dissent to any terms. Comment: Acceptance of a grantee's terms pertaining, for example, to permissible activities, purposes of use, handling caveats, expiry date, and revocation policies. Usage Note: Opt-in with no opportunity for a grantor to restrict certain permissions sought by the grantee is considered "basic consent". Examples: Healthcare: A patient [grantor] signs a provider's [grantee's] consent directive form, which lists permissible collection, access, use, or disclosure activities, purposes of use, handling caveats, and revocation policies. Non-healthcare: An employee [grantor] signs an employer's [grantee's] non-disclosure and non-compete agreement.

4 | OPTINR | opt-in with restrictions | A grantor's assent to the grantee's terms of an agreement with an opportunity for to dissent to certain grantor or grantee selected terms. Comment: A grantor dissenting to the grantee's terms of agreement may or may not exercise a right to assent to grantor's pre-approved restrictions or to grantee's selected terms to which a grantor may dissent. Usage Note: Opt-in with restrictions is considered "granular consent" because the grantor has an opportunity to narrow the permissions sought by the grantee. Examples: Healthcare: A patient assent to grantee's consent directive terms for collection, access, use, or disclosure of health information, and dissents to disclosure to certain recipients as allowed by the provider's pre-approved restriction list. Non-Healthcare: A cell phone user assents to the cell phone's privacy practices and terms of use, but dissents from location tracking by turning off the cell phone's tracking capability.

4 | OPTOUT | op-out | A grantor's dissent to the terms of agreement offered by a grantee without an opportunity for to assent to any terms. Comment: Rejection of a grantee's terms of agreement pertaining, for example, to permissible activities, purposes of use, handling caveats, expiry date, and revocation policies. Usage Note: Opt-out with no opportunity for a grantor to permit certain permissions sought by the grantee is considered "basic consent". Examples: Healthcare: A patient [grantor] declines to sign a provider's [grantee's] consent directive form, which lists permissible collection, access, use, or disclosure activities, purposes of use, handling caveats, revocation policies, and consequences of not assenting. Non-healthcare: An employee [grantor] refuses to sign an employer's [grantee's] agreement not to join unions or participate in a strike where state law protects employee's collective bargaining rights. A citizen [grantor] refuses to enroll in mandatory government [grantee] health insurance based on religious beliefs, which is an exemption.

4 | OPTOUTE | opt-out with exceptions | A grantor's dissent to the grantee's terms of agreement except for certain grantor or grantee selected terms. Comment: A rejection of a grantee's terms of agreement while assenting to certain permissions sought by the grantee or requesting approval of additional grantor terms. Usage Note: Opt-out with exceptions is considered a "granular consent" because the grantor has an opportunity to accept certain permissions sought by the grantee or request additional grantor terms, while rejecting other grantee terms. Examples: Healthcare: A patient [grantor] dissents to a health information exchange consent directive with the exception of disclosure based on a limited "time to live" shared secret [e.g., a token or password], which the patient can give to a provider when seeking care. Non-healthcare: A social media user [grantor] dissents from public access to their account, but assents to access to a circle of friends.

3 | (_ActPrivacyLaw) Abstract | | A jurisdictional mandate, regulation, obligation, requirement, rule, or expectation deeming certain information to be private to an individual or organization, which is imposed on: The activity of a governed party The behavior of a governed party The manner in which an act is executed by a governed party

4 | _ActUSPrivacyLaw | _ActUSPrivacyLaw | Definition: A jurisdictional mandate in the U.S. relating to privacy. Usage Note: ActPrivacyLaw codes may be associated with an Act or a Role to indicate the legal provision to which the assignment of an Act.confidentialityCode or Role.confidentialtyCode complies. May be used to further specify rationale for assignment of other ActPrivacyPolicy codes in the US realm, e.g., ETH and 42CFRPart2 can be differentiated from ETH and Title38Part1.

5 | 42CFRPart2 | 42 CFR Part2 | 42 CFR Part 2 stipulates the right of an individual who has applied for or been given diagnosis or treatment for alcohol or drug abuse at a federally assisted program. Definition: Non-disclosure of health information relating to health care paid for by a federally assisted substance abuse program without patient consent. Usage Note: May be associated with an Act or a Role to indicate the legal provision to which the assignment of an Act.confidentialityCode or Role.confidentialityCode complies.

5 | CommonRule | Common Rule | U.S. Federal regulations governing the protection of human subjects in research (codified at Subpart A of 45 CFR part 46) that has been adopted by 15 U.S. Federal departments and agencies in an effort to promote uniformity, understanding, and compliance with human subject protections. Existing regulations governing the protection of human subjects in Food and Drug Administration (FDA)-regulated

research (21 CFR parts 50, 56, 312, and 812) are separate from the Common Rule but include similar requirements. Definition: U.S. federal laws governing research-related privacy policies. Usage Note: May be associated with an Act or a Role to indicate the legal provision to which the assignment of an Act.confidentialityCode or Role.confidentialtyCode complies.

5 | HIPAANOPP | HIPAA notice of privacy practices | The U.S. Public Law 104-191 Health Insurance Portability and Accountability Act (HIPAA) Privacy Rule (45 CFR Part 164 Subpart E) permits access, use and disclosure of certain personal health information (PHI as defined under the law) for purposes of Treatment, Payment, and Operations, and requires that the provider ask that patients acknowledge the Provider's Notice of Privacy Practices as permitted conduct under the law. Definition: Notification of HIPAA Privacy Practices. Usage Note: May be associated with an Act or a Role to indicate the legal provision to which the assignment of an Act.confidentialityCode or Role.confidentialtyCode complies.

5 | HIPAAPsyNotes | HIPAA psychotherapy notes | The U.S. Public Law 104-191 Health Insurance Portability and Accountability Act (HIPAA) Privacy Rule (45 CFR Part 164 Section 164.508) requires authorization for certain uses and disclosure of psychotherapy notes. Definition: Authorization that must be obtained for disclosure of psychotherapy notes. Usage Note: May be associated with an Act or a Role to indicate the legal provision to which the assignment of an Act.confidentialityCode or Role.confidentialityCode complies.

5 | HIPAASelfPay | HIPAA self-pay | Section 13405(a) of the Health Information Technology for Economic and Clinical Health Act (HITECH) stipulates the right of an individual to have disclosures regarding certain health care items or services for which the individual pays out of pocket in full restricted from a health plan. Definition: Non-disclosure of health information to a health plan relating to health care items or services for which an individual pays out of pocket in full. Usage Note: May be associated with an Act or a Role to indicate the legal provision to which the assignment of an Act.confidentialityCode or Role.confidentialityCode complies.

5 | Title38Section7332 | Title 38 Section 7332 | Title 38 Part 1-protected information may only be disclosed to a third party with the special written consent of the patient except where expressly authorized by 38 USC 7332. VA may disclose this information for specific purposes to: VA employees on a need to know basis - more restrictive than Privacy Act need to know; contractors who need the information in order to perform or fulfil the duties of the contract; and researchers who provide assurances that the information will not be identified in any report. This information may also be disclosed without consent where patient lacks decision-making capacity; in a medical emergency for the purpose of treating a condition which poses an immediate threat to the health of any individual and which requires immediate medical intervention; for eye, tissue, or organ donation purposes; and disclosure of HIV information for public health purposes. Definition: Title 38 Part 1 - Section 1.462 Confidentiality restrictions. (a) General. The patient records to which Sections 1.460 through 1.499 of this part apply may be disclosed or used only as permitted by these regulations and may not otherwise be disclosed or used in any civil, criminal, administrative, or legislative proceedings conducted by any Federal, State, or local authority. Any disclosure made under these regulations must be limited to that information which is necessary to carry out the purpose of the disclosure. SUBCHAPTER III--PROTECTION OF PATIENT RIGHTS Sec. 7332. Confidentiality of certain medical records (a)(1) Records of the identity, diagnosis, prognosis, or treatment of any patient or subject which are maintained in connection with the performance of any program or activity (including education, training, treatment, rehabilitation, or research) relating to drug abuse, alcoholism or alcohol abuse, infection with the human immunodeficiency virus, or sickle cell anemia which is carried out by or for the Department under this title shall, except as provided in subsections (e) and (f), be confidential, and (section 5701 of this title to the contrary notwithstanding) such records may be disclosed only for the purposes and under the circumstances expressly authorized under subsection (b). Usage Note: May be associated with an Act or a Role to indicate the legal provision to which the assignment of an Act.confidentialityCode or Role.confidentialityCode complies.

3 | (_InformationSensitivityPolicy) Abstract | | A mandate, obligation, requirement, rule, or expectation characterizing the value or importance of a resource and may include its vulnerability. (Based on ISO7498-2:1989. Note: The vulnerability of personally identifiable sensitive information may be based on concerns that the unauthorized disclosure may result in social stigmatization or discrimination.) Description: Types of Sensitivity policy that apply to Acts or Roles. A sensitivity policy is adopted by an enterprise or group of enterprises (a 'policy domain') through a formal data use agreement that stipulates the value, importance, and vulnerability of information. A sensitivity code representing a sensitivity policy may be associated with criteria such as categories of information or sets of information identifiers (e.g., a value set of clinical codes or branch in a code system hierarchy). These criteria may in turn be used for the Policy Decision Point in a Security Engine. A sensitivity code may be used to set the confidentiality code used on information about Acts and Roles to trigger the security mechanisms required to control how security principals (i.e., a person, a machine, a software application) may act on the information (e.g., collection, access, use, or disclosure). Sensitivity codes are never assigned to the transport or business envelope containing patient specific information being exchanged outside of a policy domain as this would disclose the information intended to be protected by the policy. When sensitive information is exchanged with others outside of a policy domain, the confidentiality code on the transport or business envelope conveys the receiver's responsibilities and indicates the how the information is to be safeguarded without unauthorized disclosure of the sensitive information. This ensures that sensitive information is treated by receivers as the sender intends, accomplishing interoperability without point to point negotiations. Usage Note: Sensitivity codes are not useful for interoperability outside of a policy domain because sensitivity policies are typically localized and vary drastically across policy domains even for the same information category because of differing organizational business rules, security policies, and jurisdictional requirements. For example, an employee's sensitivity code would make little sense for use outside of a policy domain. 'Taboo' would rarely be useful outside of a policy domain unless there are jurisdictional requirements requiring that a provider disclose sensitive information to a patient directly. Sensitivity codes may be more appropriate in a legacy system's Master Files in order to notify those who access a patient's orders and observations about the sensitivity policies that apply. Newer systems may have a security engine that uses a sensitivity policy's criteria directly. The specializable InformationSensitivityPolicy Act.code may be useful in some scenarios if used in combination with a sensitivity identifier and/or Act.title.

4 | (_ActInformationSensitivityPolicy) Abstract | | Types of sensitivity policies that apply to Acts. Act.confidentialityCode is defined in the RIM as "constraints around appropriate disclosure of information about this Act, regardless of mood." Usage Note: ActSensitivity codes are used to bind information to an Act.confidentialityCode according to local sensitivity policy so that those confidentiality codes can then govern its handling across enterprises. Internally to a policy domain, however, local policies guide the access control system on how end users in that policy domain are able to use information tagged with these sensitivity values.

5 | ETH | substance abuse information sensitivity | Policy for handling alcohol or drug-abuse information, which will be afforded heightened confidentiality. Information handling protocols based on organizational policies related to alcohol or drug-abuse information that is deemed sensitive. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | GDIS | genetic disease information sensitivity | Policy for handling genetic disease information, which will be afforded heightened confidentiality. Information handling protocols based on organizational policies related to genetic disease information that is deemed sensitive. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | HIV | HIV/AIDS information sensitivity | Policy for handling HIV or AIDS information, which will be afforded heightened confidentiality. Information handling protocols based on organizational policies related to HIV or AIDS information that is deemed sensitive. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | PSY | psychiatry information sensitivity | Policy for handling psychiatry information, which will be afforded heightened confidentiality. Information handling protocols based on organizational policies related to psychiatry information that is deemed sensitive. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | SCA | sickle cell anemia | Policy for handling sickle cell disease information, which is afforded heightened confidentiality. Information handling protocols are based on organizational policies related to sickle cell disease information, which is deemed sensitive. Usage Note: If there is a jurisdictional mandate, then the Act valued with this ActCode should be associated with an Act valued with any applicable laws from the ActPrivacyLaw code system.

5 | SOC | social services sensitivity | Information about provision of social services. Usage Note: This is a temporary addition to FHIR to be proposed in harmonization.

5 | SDV | sexual assault, abuse, or domestic violence information sensitivity | Policy for handling sexual assault, abuse, or domestic violence information, which will be afforded heightened confidentiality. Information handling protocols based on organizational policies related to sexual assault, abuse, or domestic violence information that is deemed sensitive. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | SEX | sexuality and reproductive health information sensitivity | Policy for handling sexuality and reproductive health information, which will be afforded heightened confidentiality. Information handling protocols based on organizational policies related to sexuality and reproductive health information that is deemed sensitive. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | STD | sexually transmitted disease information sensitivity | Policy for handling sexually transmitted disease information, which will be afforded heightened confidentiality. Information handling protocols based on organizational policies related to sexually transmitted disease information that is deemed sensitive. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | TBOO | taboo | Policy for handling information not to be initially disclosed or discussed with patient except by a physician assigned to patient in this case. Information handling protocols based on organizational policies related to sensitive patient information that must be initially discussed with the patient by an attending physician before being disclosed to the patient. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code. Open Issue: This definition conflates a rule and a characteristic, and there may be a similar issue with ts sibling codes.

5 | SICKLE | sickle cell | Types of sensitivity policies that apply to Acts. Act.confidentialityCode is defined in the RIM as "constraints around appropriate disclosure of information about this Act, regardless of mood." Usage Note: ActSensitivity codes are used to bind information to an Act.confidentialityCode according to local sensitivity policy so that those confidentiality codes can then govern its handling across enterprises. Internally to a policy domain, however, local policies guide the access control system on how end users in that policy domain are able to use information tagged with these sensitivity values.

4 | (_EntitySensitivityPolicyType) Abstract | | Types of sensitivity policies that may apply to a sensitive attribute on an Entity. Usage Note: EntitySensitivity codes are used to convey a policy that is applicable to sensitive information conveyed by an entity attribute. May be used to bind a Role.confidentialityCode associated with an Entity per organizational policy. Role.confidentialityCode is defined in the RIM as "an indication of the appropriate disclosure of information about this Role with respect to the playing Entity."

5 | DEMO | all demographic information sensitivity | Policy for handling all demographic information about an information subject, which will be afforded heightened confidentiality. Policies may govern sensitivity of information related to all demographic about an information subject, the disclosure of which could impact the privacy, well-being, or safety of that subject. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | DOB | date of birth information sensitivity | Policy for handling information related to an information subject's date of birth, which will be afforded heightened confidentiality.Policies may govern sensitivity of information related to an information subject's date of birth, the disclosure of which could impact the privacy, well-being, or safety of that subject. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | GENDER | gender and sexual orientation information sensitivity | Policy for handling information related to an information subject's gender and sexual orientation, which will be afforded heightened confidentiality. Policies may govern sensitivity of information related to an information subject's gender and sexual orientation, the disclosure of which could impact the privacy, well-being, or safety of that subject. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | LIVARG | living arrangement information sensitivity | Policy for handling information related to an information subject's living arrangement, which will be afforded heightened confidentiality. Policies may govern sensitivity of information related to an information subject's living arrangement, the disclosure of which could impact the privacy, well-being, or safety of that subject. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | MARST | marital status information sensitivity | Policy for handling information related to an information subject's marital status, which will be afforded heightened confidentiality. Policies may govern sensitivity of information related to an information subject's marital status, the disclosure of which could impact the privacy, well-being, or safety of that subject. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | RACE | race information sensitivity | Policy for handling information related to an information subject's race, which will be afforded heightened confidentiality. Policies may govern sensitivity of information related to an information subject's race, the disclosure of which could impact the privacy, well-being, or safety of that subject. Usage Note: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | REL | religion information sensitivity | Policy for handling information related to an information subject's religious affiliation, which will be afforded heightened confidentiality. Policies may govern sensitivity of information related to an information subject's religion, the disclosure of which could impact the privacy, well-being, or safety of that subject. Usage Notes: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

4 | (_RoleInformationSensitivityPolicy) Abstract | | Types of sensitivity policies that apply to Roles. Usage Notes: RoleSensitivity codes are used to bind information to a Role.confidentialityCode per organizational policy. Role.confidentialityCode is defined in the RIM as "an indication of the appropriate disclosure of information about this Role with respect to the playing Entity."

5 | B | business information sensitivity | Policy for handling trade secrets such as financial information or intellectual property, which will be afforded heightened confidentiality. Description: Since the service class can represent knowledge structures that may be considered a trade or business secret, there is sometimes (though rarely) the need to flag those items as of business level confidentiality. Usage Notes: No patient related information may ever be of this confidentiality level. If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | EMPL | employer information sensitivity | Policy for handling information related to an employer which is deemed classified to protect an employee who is the information subject, and which will be afforded heightened confidentiality. Description: Policies may govern sensitivity of information related to an employer, such as law enforcement or national security, the identity of which could impact the privacy, well-being, or safety of an information subject who is an employee. Usage Notes: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | LOCIS | location information sensitivity | Policy for handling information related to the location of the information subject, which will be afforded heightened confidentiality. Description: Policies may govern sensitivity of information related to the location of the information subject, the disclosure of which could impact the privacy, well-being, or safety of that subject. Usage Notes: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

5 | SSP | sensitive service provider information sensitivity | Policy for handling information related to a provider of sensitive services, which will be afforded heightened confidentiality. Description: Policies may govern sensitivity of information related to providers who deliver sensitive healthcare services in order to protect the privacy, well-being, and safety of the provider and of patients receiving sensitive services. Usage Notes: If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

4 | ADOL | adolescent information sensitivity | Policy for handling information related to an adolescent, which will be afforded heightened confidentiality per applicable organizational or jurisdictional policy. An enterprise may have a policy that requires that adolescent patient information be provided heightened confidentiality. Information deemed sensitive typically includes health information and patient role information including patient status, demographics, next of kin, and location. Usage Note: For use within an enterprise in which an adolescent is the information subject. If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

4 | CEL | celebrity information sensitivity | Policy for handling information related to a celebrity (people of public interest (VIP), which will be afforded heightened confidentiality. Celebrities are people of public interest (VIP) about whose information an enterprise may have a policy that requires heightened confidentiality. Information deemed sensitive may include health information and patient role information including patient status, demographics, next of kin, and location. Usage Note: For use within an enterprise in which the information subject is deemed a celebrity or very important person. If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

4 | DIA | diagnosis information sensitivity | Policy for handling information related to a diagnosis, health condition or health problem, which will be afforded heightened confidentiality. Diagnostic, health condition or health problem related information may be deemed sensitive by organizational policy, and require heightened confidentiality. Usage Note: For use within an enterprise that provides heightened confidentiality to diagnostic, health condition or health problem related information deemed sensitive. If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

4 | DRGIS | drug information sensitivity | Policy for handling information related to a drug, which will be afforded heightened confidentiality. Drug information may be deemed sensitive by organizational policy, and require heightened confidentiality. Usage Note: For use within an enterprise that provides heightened confidentiality to drug information deemed sensitive. If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

4 | EMP | employee information sensitivity | Policy for handling information related to an employee, which will be afforded heightened confidentiality. When a patient is an employee, an enterprise may have a policy that requires heightened confidentiality. Information deemed sensitive typically includes health information and patient role information including patient status, demographics, next of kin, and location. Usage Note: Policy for handling information related to an employee, which will be afforded heightened confidentiality. Description: When a patient is an employee, an enterprise may have a policy that requires heightened confidentiality. Information deemed sensitive typically includes health information and patient role information including patient status, demographics, next of kin, and location.

4 | PDS | patient default sensitivity | Policy for handling information reported by the patient about another person, e.g., a family member, which will be afforded heightened confidentiality. Sensitive information reported by the patient about another person, e.g., family members may be deemed sensitive by default. The flag may be set or cleared on patient's request. Usage Note: For sensitive information relayed by or about a patient, which is deemed sensitive within the enterprise (i.e., by default regardless of whether the patient requested that the information be deemed sensitive.) If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

4 | PRS | patient requested sensitivity | For sensitive information relayed by or about a patient, which is deemed sensitive within the enterprise (i.e., by default regardless of whether the patient requested that the information be deemed sensitive.) If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code. Usage Note: For use within an enterprise that provides heightened confidentiality to certain types of information designated by a patient as sensitive. If there is a jurisdictional mandate, then use the applicable ActPrivacyLaw code system, and specify the law rather than or in addition to this more generic code.

3 | COMPT | compartment | This is the healthcare analog to the US Intelligence Community's concept of a Special Access Program. Compartment codes may be used in as a field value in an initiator's clearance to indicate permission to access and use an IT Resource with a security label having the same compartment value in security category label field. Map: Aligns with ISO 2382-8 definition of Compartment - "A division of data into isolated blocks with separate security controls for the purpose of reducing risk."

4 | HRCOMPT | human resource compartment | A security category label field value, which indicates that access and use of an IT resource is restricted to members of human resources department or workflow.

4 | RESCOMPT | research project compartment | A security category label field value, which indicates that access and use of an IT resource is restricted to members of a research project.

4 | RMGTCOMPT | records management compartment | A security category label field value, which indicates that access and use of an IT resource is restricted to members of records management department or workflow.

2 | (ActTrustPolicyType) Abstract | | A mandate, obligation, requirement, rule, or expectation conveyed as security metadata between senders and receivers required to establish the reliability, authenticity, and trustworthiness of their transactions. Trust security metadata are observation made about aspects of trust applicable to an IT resource (data, information object, service, or system capability). Trust applicable to IT resources is established and maintained in and among security domains, and may be comprised of observations about the domain's trust authority, trust framework, trust policy, trust interaction rules, means for assessing and monitoring adherence to trust policies, mechanisms that enforce trust, and quality and reliability measures of assurance in those mechanisms. [Based on ISO IEC 10181-1 and NIST SP 800-63-2] For example, identity proofing , level of assurance, and Trust Framework.

3 | TRSTACCRD | trust accreditation | Type of security metadata about the formal declaration by an authority or neutral third party that validates the technical, security, trust, and business practice conformance of Trust Agents to facilitate security, interoperability, and trust among participants within a security domain or trust framework.

3 | TRSTAGRE | trust agreement | Type of security metadata about privacy and security requirements with which a security domain must comply. [ISO IEC 10181-1]

3 | TRSTASSUR | trust assurance | Type of security metadata about the digital quality or reliability of a trust assertion, activity, capability, information exchange, mechanism, process, or protocol.

3 | TRSTCERT | trust certificate | Type of security metadata about a set of security-relevant data issued by a security authority or trusted third party, together with security information which is used to provide the integrity and data origin authentication services for an IT resource (data, information object, service, or system capability). [Based on ISO IEC 10181-1]

3 | TRSTFWK | trust framework | Type of security metadata about a complete set of contracts, regulations, or commitments that enable participating actors to rely on certain assertions by other actors to fulfill their information security requirements. [Kantara Initiative]

3 | TRSTMEC | trust mechanism | Type of security metadata about a security architecture system component that supports enforcement of security policies.

2 | COVPOL | benefit policy | Description:A mandate, obligation, requirement, rule, or expectation unilaterally imposed on benefit coverage under a policy or program by a sponsor, underwriter or payor on: The activity of another party The behavior of another party The manner in which an act is executed Examples:A clinical protocol imposed by a payer to which a provider must adhere in order to be paid for providing the service. A formulary from which a provider must select prescribed drugs in order for the patient to incur a lower copay.

2 | SecurityPolicy | security policy | Types of security policies that further specify the ActClassPolicy value set. Examples: obligation to encrypt refrain from redisclosure without consent

3 | ObligationPolicy | obligation policy | Conveys the mandated workflow action that an information custodian, receiver, or user must perform. Usage Notes: Per ISO 22600-2, ObligationPolicy instances 'are event-triggered and define actions to be performed by manager agent'. Per HL7 Composite Security and Privacy Domain Analysis Model: This value set refers to the action required to receive the permission specified in the privacy rule. Per

OASIS XACML, an obligation is an operation specified in a policy or policy that is performed in conjunction with the enforcement of an access control decision.

4 | ANONY | anonymize | Custodian system must remove any information that could result in identifying the information subject.

4 | AOD | accounting of disclosure | Custodian system must make available to an information subject upon request an accounting of certain disclosures of the individualâ€™s protected health information over a period of time. Policy may dictate that the accounting include information about the information disclosed, the date of disclosure, the identification of the receiver, the purpose of the disclosure, the time in which the disclosing entity must provide a response and the time period for which accountings of disclosure can be requested.

4 | AUDIT | audit | Custodian system must monitor systems to ensure that all users are authorized to operate on information objects.

4 | AUDTR | audit trail | Custodian system must monitor and maintain retrievable log for each user and operation on information.

4 | CPLYCC | comply with confidentiality code | Custodian security system must retrieve, evaluate, and comply with the information handling directions of the Confidentiality Code associated with an information target.

4 | CPLYCD | comply with consent directive | Custodian security system must retrieve, evaluate, and comply with applicable information subject consent directives.

4 | CPLYJPP | comply with jurisdictional privacy policy | Custodian security system must retrieve, evaluate, and comply with applicable jurisdictional privacy policies associated with the target information.

4 | CPLYOPP | comply with organizational privacy policy | Custodian security system must retrieve, evaluate, and comply with applicable organizational privacy policies associated with the target information.

4 | CPLYOSP | comply with organizational security policy | Custodian security system must retrieve, evaluate, and comply with the organizational security policies associated with the target information.

4 | CPLYPOL | comply with policy | Custodian security system must retrieve, evaluate, and comply with applicable policies associated with the target information.

4 | DECLASSIFYLABEL | declassify security label | Custodian security system must declassify information assigned security labels by instantiating a new version of the classified information so as to break the binding of the classifying security label when assigning a new security label that marks the information as unclassified in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the previous assignment and binding.

4 | DEID | deidentify | Custodian system must strip information of data that would allow the identification of the source of the information or the information subject.

4 | DELAU | delete after use | Custodian system must remove target information from access after use.

4 | DOWNGRDLABEL | downgrade security label | Custodian security system must downgrade information assigned security labels by instantiating a new version of the classified information so as to break the binding of the classifying security label when assigning a new security label that marks the information as classified at a less protected level in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the previous assignment and binding.

4 | DRIVLABEL | derive security label | Custodian security system must assign and bind security labels derived from compilations of information by aggregation or disaggregation in order to classify information compiled in the information systems under its control for collection, access, use and disclosure in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the previous assignment and binding.

4 | ENCRYPT | encrypt | Custodian system must render information unreadable by algorithmically transforming plaintext into ciphertext. Usage Notes: A mathematical transposition of a file or data stream so that it cannot be deciphered at the receiving end without the proper key. Encryption is a security feature that assures that only the parties who are supposed to be participating in a videoconference or data transfer are able to do so. It can include a password, public and private keys, or a complex combination of all. (Per Infoway.)

5 | ENCRYPTR | encrypt at rest | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext when "at rest" or in storage.

5 | ENCRYPTT | encrypt in transit | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext while "in transit" or being transported by any means.

5 | ENCRYPTU | encrypt in use | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext while in use such that operations permitted on the target information are limited by the license granted to the end user.

4 | HUAPRV | human approval | Custodian system must require human review and approval for permission requested.

4 | LABEL | assign security label | Custodian security system must assign and bind security labels in order to classify information created in the information systems under its control for collection, access, use and disclosure in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the assignment and binding. Usage Note: In security systems, security policy label assignments do not change, they may supersede prior assignments, and such reassignments are always tracked for auditing and other purposes.

4 | MASK | mask | Custodian system must render information unreadable and unusable by algorithmically transforming plaintext into ciphertext. User may be provided a key to decrypt per license or "shared secret".

4 | MINEC | minimum necessary | Custodian must limit access and disclosure to the minimum information required to support an authorized user's purpose of use. Usage Note: Limiting the information available for access and disclosure to that an authorized user or receiver "needs to know" in order to perform permitted workflow or purpose of use.

4 | PERSISTLABEL | persist security label | Custodian security system must persist the binding of security labels to classify information received or imported by information systems under its control for collection, access, use and disclosure in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the assignment and binding.

4 | PRIVMARK | privacy mark | Custodian must create and/or maintain human readable security label tags as required by policy. Map: Aligns with ISO 22600-3 Section A.3.4.3 description of privacy mark: "If present, the privacy-mark is not used for access control. The content of the privacy-mark may be defined by the security policy in force (identified by the security-policy-identifier) which may define a list of values to be used. Alternately, the value may be determined by the originator of the security-label."

4 | PSEUD | pseudonymize | Custodian system must strip information of data that would allow the identification of the source of the information or the information subject. Custodian may retain a key to relink data necessary to reidentify the information subject.

4 | REDACT | redact | Custodian system must remove information, which is not authorized to be access, used, or disclosed from records made available to otherwise authorized users.

4 | UPGRDLABEL | upgrade security label | Custodian security system must declassify information assigned security labels by instantiating a new version of the classified information so as to break the binding of the classifying security label when assigning a new security label that marks the information as classified at a more protected level in accordance with applicable jurisdictional privacy policies associated with the target information. The system must retain an immutable record of the previous assignment and binding.

3 | RefrainPolicy | refrain policy | Conveys prohibited actions which an information custodian, receiver, or user is not permitted to perform unless otherwise authorized or permitted under specified circumstances. Usage Notes: ISO 22600-2 species that a Refrain Policy "defines actions the subjects must refrain from performing". Per HL7 Composite Security and Privacy Domain Analysis Model: May be used to indicate that a specific action is prohibited based on specific access control attributes e.g., purpose of use, information type, user role, etc.

4 | NOAUTH | no disclosure without subject authorization | Prohibition on disclosure without information subject's authorization.

4 | NOCOLLECT | no collection | Prohibition on collection or storage of the information.
4 | NODSCLCD | no disclosure without consent directive | Prohibition on disclosure without organizational approved patient restriction.
4 | NODSCLCDS | no disclosure without information subject's consent directive | Prohibition on disclosure without a consent directive from the information subject.
4 | NOINTEGRATE | no integration | Prohibition on Integration into other records.
4 | NOLIST | no unlisted entity disclosure | Prohibition on disclosure except to entities on specific access list.
4 | NOMOU | no disclosure without MOU | Prohibition on disclosure without an interagency service agreement or memorandum of understanding (MOU).
4 | NOORGPOL | no disclosure without organizational authorization | Prohibition on disclosure without organizational authorization.
4 | NOPAT | no disclosure to patient, family or caregivers without attending provider's authorization | Prohibition on disclosing information to patient, family or caregivers without attending provider's authorization. Usage Note: The information may be labeled with the ActInformationSensitivity TBOO code, triggering application of this RefrainPolicy code as a handling caveat controlling access. Maps to FHIR NOPAT: Typically, this is used on an Alert resource, when the alert records information on patient abuse or non-compliance. FHIR print name is "keep information from patient". Maps to the French realm - code: INVISIBLE_PATIENT. displayName: Document non visible par le patient codingScheme: 1.2.250.1.213.1.1.4.13 French use case: A label for documents that the author chose to hide from the patient until the content can be disclose to the patient in a face to face meeting between a healthcare professional and the patient (in French law some results like cancer diagnosis or AIDS diagnosis must be announced to the patient by a healthcare professional and should not be find out by the patient alone).
4 | NOPERSISTP | no collection beyond purpose of use | Prohibition on collection of the information beyond time necessary to accomplish authorized purpose of use is prohibited.
4 | NORDSCLCD | no redisclosure without consent directive | Prohibition on redisclosure without patient consent directive.
4 | NORDSCLCDS | no redisclosure without information subject's consent directive | Prohibition on redisclosure without a consent directive from the information subject.
4 | NORDSCLW | no disclosure without jurisdictional authorization | Prohibition on disclosure without authorization under jurisdictional law.
4 | NORELINK | no relinking | Prohibition on associating de-identified or pseudonymized information with other information in a manner that could or does result in disclosing information intended to be masked.
4 | NOREUSE | no reuse beyond purpose of use | Prohibition on use of the information beyond the purpose of use initially authorized.
4 | NOVIP | no unauthorized VIP disclosure | Prohibition on disclosure except to principals with access permission to specific VIP information.
4 | ORCON | no disclosure without originator authorization | Prohibition on disclosure except as permitted by the information originator.
1 | (_ActProductAcquisitionCode) Abstract | | The method that a product is obtained for use by the subject of the supply act (e.g. patient). Product examples are consumable or durable goods.
2 | LOAN | Loan | Temporary supply of a product without transfer of ownership for the product.
3 | RENT | Rent | Temporary supply of a product with financial compensation, without transfer of ownership for the product.
2 | TRANSFER | Transfer | Transfer of ownership for a product.
3 | SALE | Sale | Transfer of ownership for a product for financial compensation.
1 | (_ActSpecimenTransportCode) Abstract | | Transportation of a specimen.
2 | SREC | specimen received | Description:Specimen has been received by the participating organization/department.
2 | SSTOR | specimen in storage | Description:Specimen has been placed into storage at a participating location.
2 | STRAN | specimen in transit | Description:Specimen has been put in transit to a participating receiver.
1 | (_ActSpecimenTreatmentCode) Abstract | | Set of codes related to specimen treatments
2 | ACID | Acidification | The lowering of specimen pH through the addition of an acid
2 | ALK | Alkalization | The act rendering alkaline by impregnating with an alkali; a conferring of alkaline qualities.
2 | DEFB | Defibrination | The removal of fibrin from whole blood or plasma through physical or chemical means
2 | FILT | Filtration | The passage of a liquid through a filter, accomplished by gravity, pressure or vacuum (suction).
2 | LDLP | LDL Precipitation
2 | NEUT | Neutralization | The act or process by which an acid and a base are combined in such proportions that the resulting compound is neutral.
2 | RECA | Recalcification | The addition of calcium back to a specimen after it was removed by chelating agents
2 | UFIL | Ultrafiltration | The filtration of a colloidal substance through a semipermeable medium that allows only the passage of small molecules.
1 | (_ActSubstanceAdministrationCode) Abstract | | Description: Describes the type of substance administration being performed. This should not be used to carry codes for identification of products. Use an associated role or entity to carry such information.
2 | DRUG | Drug therapy | The introduction of a drug into a subject with the intention of altering its biologic state with the intent of improving its health status.
2 | FD | food | Description: The introduction of material into a subject with the intent of providing nutrition or other dietary supplements (e.g. minerals or vitamins).
2 | IMMUNIZ | Immunization | The introduction of an immunogen with the intent of stimulating an immune response, aimed at preventing subsequent infections by more viable agents.
3 | BOOSTER | Booster Immunization | An additional immunization administration within a series intended to bolster or enhance immunity.
3 | INITIMMUNIZ | Initial Immunization | The first immunization administration in a series intended to produce immunity
1 | (_ActTaskCode) Abstract | | Description: A task or action that a user may perform in a clinical information system (e.g., medication order entry, laboratory test results review, problem list entry).
2 | OE | order entry task | A clinician creates a request for a service to be performed for a given patient.
3 | LABOE | laboratory test order entry task | A clinician creates a request for a laboratory test to be done for a given patient.
3 | MEDOE | medication order entry task | A clinician creates a request for the administration of one or more medications to a given patient.
2 | PATDOC | patient documentation task | A person enters documentation about a given patient.
3 | ALLERLREV | allergy list review | Description: A person reviews a list of known allergies of a given patient.
3 | CLINNOTEE | clinical note entry task | A clinician enters a clinical note about a given patient
4 | DIAGLISTE | diagnosis list entry task | A clinician enters a diagnosis for a given patient.
4 | DISCHINSTE | discharge instruction entry | A person provides a discharge instruction to a patient.
4 | DISCHSUME | discharge summary entry task | A clinician enters a discharge summary for a given patient.
4 | PATEDUE | patient education entry | A person provides a patient-specific education handout to a patient.
4 | PATREPE | pathology report entry task | A pathologist enters a report for a given patient.
4 | PROBLISTE | problem list entry task | A clinician enters a problem for a given patient.
4 | RADREPE | radiology report entry task | A radiologist enters a report for a given patient.
3 | IMMLREV | immunization list review | Description: A person reviews a list of immunizations due or received for a given patient.
3 | REMLREV | reminder list review | Description: A person reviews a list of health care reminders for a given patient.

4 | WELLREMLREV | wellness reminder list review | Description: A person reviews a list of wellness or preventive care reminders for a given patient.
2 | PATINFO | patient information review task | A person (e.g., clinician, the patient herself) reviews patient information in the electronic medical record.
3 | ALLERLE | allergy list entry | Description: A person enters a known allergy for a given patient.
3 | CDSREV | clinical decision support intervention review | A person reviews a recommendation/assessment provided automatically by a clinical decision support application for a given patient.
3 | CLINNOTEREV | clinical note review task | A person reviews a clinical note of a given patient.
4 | DISCHSUMREV | discharge summary review task | A person reviews a discharge summary of a given patient.
3 | DIAGLISTREV | diagnosis list review task | A person reviews a list of diagnoses of a given patient.
3 | IMMLE | immunization list entry | Description: A person enters an immunization due or received for a given patient.
3 | LABRREV | laboratory results review task | A person reviews a list of laboratory results of a given patient.
3 | MICRORREV | microbiology results review task | A person reviews a list of microbiology results of a given patient.
4 | MICROORGRREV | microbiology organisms results review task | A person reviews organisms of microbiology results of a given patient.
4 | MICROSENSRREV | microbiology sensitivity test results review task | A person reviews the sensitivity test of microbiology results of a given patient.
3 | MLREV | medication list review task | A person reviews a list of medication orders submitted to a given patient
4 | MARWLREV | medication administration record work list review task | A clinician reviews a work list of medications to be administered to a given patient.
3 | OREV | orders review task | A person reviews a list of orders submitted to a given patient.
3 | PATREPREV | pathology report review task | A person reviews a pathology report of a given patient.
3 | PROBLISTREV | problem list review task | A person reviews a list of problems of a given patient.
3 | RADREPREV | radiology report review task | A person reviews a radiology report of a given patient.
3 | REMLE | reminder list entry | Description: A person enters a health care reminder for a given patient.
4 | WELLREMLE | wellness reminder list entry | Description: A person enters a wellness or preventive care reminder for a given patient.
3 | RISKASSESS | risk assessment instrument task | A person reviews a Risk Assessment Instrument report of a given patient.
4 | FALLRISK | falls risk assessment instrument task | A person reviews a Falls Risk Assessment Instrument report of a given patient.
1 | (_ActTransportationModeCode) Abstract | | Characterizes how a transportation act was or will be carried out. Examples: Via private transport, via public transit, via courier.
2 | (_ActPatientTransportationModeCode) Abstract | | Definition: Characterizes how a patient was or will be transported to the site of a patient encounter. Examples: Via ambulance, via public transit, on foot.
3 | AFOOT | pedestrian transport
3 | AMBT | ambulance transport
4 | AMBAIR | fixed-wing ambulance transport
4 | AMBGRND | ground ambulance transport
4 | AMBHELO | helicopter ambulance transport
3 | LAWENF | law enforcement transport
3 | PRVTRN | private transport
3 | PUBTRN | public transport
1 | (_ObservationType) Abstract | | Identifies the kinds of observations that can be performed
2 | (_ActSpecObsCode) Abstract | | Identifies the type of observation that is made about a specimen that may affect its processing, analysis or further result interpretation
3 | ARTBLD | ActSpecObsArtBldCode | Describes the artificial blood identifier that is associated with the specimen.
3 | DILUTION | ActSpecObsDilutionCode | An observation that reports the dilution of a sample.
4 | AUTO-HIGH | Auto-High Dilution | The dilution of a sample performed by automated equipment. The value is specified by the equipment
4 | AUTO-LOW | Auto-Low Dilution | The dilution of a sample performed by automated equipment. The value is specified by the equipment
4 | PRE | Pre-Dilution | The dilution of the specimen made prior to being loaded onto analytical equipment
4 | RERUN | Rerun Dilution | The value of the dilution of a sample after it had been analyzed at a prior dilution value
3 | EVNFCTS | ActSpecObsEvntfctsCode | Domain provides codes that qualify the ActLabObsEnvfctsCode domain. (Environmental Factors)
3 | INTFR | ActSpecObsInterferenceCode | An observation that relates to factors that may potentially cause interference with the observation
4 | FIBRIN | Fibrin | The Fibrin Index of the specimen. In the case of only differentiating between Absent and Present, recommend using 0 and 1
4 | HEMOLYSIS | Hemolysis | An observation of the hemolysis index of the specimen in g/L
4 | ICTERUS | Icterus | An observation that describes the icterus index of the specimen. It is recommended to use mMol/L of bilirubin
4 | LIPEMIA | Lipemia | An observation used to describe the Lipemia Index of the specimen. It is recommended to use the optical turbidity at 600 nm (in absorbance units).
3 | VOLUME | ActSpecObsVolumeCode | An observation that reports the volume of a sample.
4 | AVAILABLE | Available Volume | The available quantity of specimen. This is the current quantity minus any planned consumption (e.g., tests that are planned)
4 | CONSUMPTION | Consumption Volume | The quantity of specimen that is used each time the equipment uses this substance
4 | CURRENT | Current Volume | The current quantity of the specimen, i.e., initial quantity minus what has been actually used.
4 | INITIAL | Initial Volume | The initial quantity of the specimen in inventory
2 | (_AnnotationType) Abstract
3 | _ActPatientAnnotationType | ActPatientAnnotationType | Description:Provides a categorization for annotations recorded directly against the patient .
4 | ANNDI | diagnostic image note | Description:A note that is specific to a patient's diagnostic images, either historical, current or planned.
4 | ANNGEN | general note | Description:A general or uncategorized note.
4 | ANNIMM | immunization note | A note that is specific to a patient's immunizations, either historical, current or planned.
4 | ANNLAB | laboratory note | Description:A note that is specific to a patient's laboratory results, either historical, current or planned.
4 | ANNMED | medication note | Description:A note that is specific to a patient's medications, either historical, current or planned.
2 | (_GeneticObservationType) Abstract | | Description: None provided
3 | GENE | gene | Description: A DNA segment that contributes to phenotype/function. In the absence of demonstrated function a gene may be characterized by sequence, transcription or homology
2 | _ImmunizationObservationType | ImmunizationObservationType | Description: Observation codes which describe characteristics of the immunization material.

3 | OBSANTC | antigen count | Description: Indicates the valid antigen count.

3 | OBSANTV | antigen validity | Description: Indicates whether an antigen is valid or invalid.

2 | (_IndividualCaseSafetyReportType) Abstract | | A code that is used to indicate the type of case safety report received from sender. The current code example reference is from the International Conference on Harmonisation (ICH) Expert Workgroup guideline on Clinical Safety Data Management: Data Elements for Transmission of Individual Case Safety Reports. The unknown/unavailable option allows the transmission of information from a secondary sender where the initial sender did not specify the type of report. Example concepts include: Spontaneous, Report from study, Other.

3 | PAT_ADV_EVNT | patient adverse event | Indicates that the ICSR is describing problems that a patient experienced after receiving a vaccine product.

3 | VAC_PROBLEM | vaccine product problem | Indicates that the ICSR is describing a problem with the actual vaccine product such as physical defects (cloudy, particulate matter) or inability to confer immunity.

2 | (_LOINCObservationActContextAgeType) Abstract | | Definition:The set of LOINC codes for the act of determining the period of time that has elapsed since an entity was born or created.

3 | 21611-9 | age patient qn est | Definition:Estimated age.

3 | 21612-7 | age patient qn reported | Definition:Reported age.

3 | 29553-5 | age patient qn calc | Definition:Calculated age.

3 | 30525-0 | age patient qn definition | Definition:General specification of age with no implied method of determination.

3 | 30972-4 | age at onset of adverse event | Definition:Age at onset of associated adverse event; no implied method of determination.

2 | (_MedicationObservationType) Abstract

3 | REP_HALF_LIFE | representative half-life | Description:This observation represents an 'average' or 'expected' half-life typical of the product.

3 | SPLCOATING | coating | Definition: A characteristic of an oral solid dosage form of a medicinal product, indicating whether it has one or more coatings such as sugar coating, film coating, or enteric coating. Only coatings to the external surface or the dosage form should be considered (for example, coatings to individual pellets or granules inside a capsule or tablet are excluded from consideration). Constraints: The Observation.value must be a Boolean (BL) with true for the presence or false for the absence of one or more coatings on a solid dosage form.

3 | SPLCOLOR | color | Definition: A characteristic of an oral solid dosage form of a medicinal product, specifying the color or colors that most predominantly define the appearance of the dose form. SPLCOLOR is not an FDA specification for the actual color of solid dosage forms or the names of colors that can appear in labeling. Constraints: The Observation.value must be a single coded value or a list of multiple coded values, specifying one or more distinct colors that approximate of the color(s) of distinct areas of the solid dosage form, such as the different sides of a tablet or one-part capsule, or the different halves of a two-part capsule. Bands on banded capsules, regardless of the color, are not considered when assigning an SPLCOLOR. Imprints on the dosage form, regardless of their color are not considered when assigning an SPLCOLOR. If more than one color exists on a particular side or half, then the most predominant color on that side or half is recorded. If the gelatin capsule shell is colorless and transparent, use the predominant color of the contents that appears through the colorless and transparent capsule shell. Colors can include: Black;Gray;White;Red;Pink;Purple;Green;Yellow;Orange;Brown;Blue;Turquoise.

3 | SPLIMAGE | image | Description: A characteristic representing a single file reference that contains two or more views of the same dosage form of the product; in most cases this should represent front and back views of the dosage form, but occasionally additional views might be needed in order to capture all of the important physical characteristics of the dosage form. Any imprint and/or symbol should be clearly identifiable, and the viewer should not normally need to rotate the image in order to read it. Images that are submitted with SPL should be included in the same directory as the SPL file.

3 | SPLIMPRINT | imprint | Definition: A characteristic of an oral solid dosage form of a medicinal product, specifying the alphanumeric text that appears on the solid dosage form, including text that is embossed, debossed, engraved or printed with ink. The presence of other non-textual distinguishing marks or symbols is recorded by SPLSYMBOL. Examples: Included in SPLIMPRINT are alphanumeric text that appears on the bands of banded capsules and logos and other symbols that can be interpreted as letters or numbers. Constraints: The Observation.value must be of type Character String (ST). Excluded from SPLIMPRINT are internal and external cut-outs in the form of alphanumeric text and the letter 'R' with a circle around it (when referring to a registered trademark) and the letters 'TM' (when referring to a 'trade mark'). To record text, begin on either side or part of the dosage form. Start at the top left and progress as one would normally read a book. Enter a semicolon to show separation between words or line divisions.

3 | SPLSCORING | scoring | Definition: A characteristic of an oral solid dosage form of a medicinal product, specifying the number of equal pieces that the solid dosage form can be divided into using score line(s). Example: One score line creating two equal pieces is given a value of 2, two parallel score lines creating three equal pieces is given a value of 3. Constraints: Whether three parallel score lines create four equal pieces or two intersecting score lines create two equal pieces using one score line and four equal pieces using both score lines, both have the scoring value of 4. Solid dosage forms that are not scored are given a value of 1. Solid dosage forms that can only be divided into unequal pieces are given a null-value with nullFlavor other (OTH).

3 | SPLSHAPE | shape | Description: A characteristic of an oral solid dosage form of a medicinal product, specifying the two dimensional representation of the solid dose form, in terms of the outside perimeter of a solid dosage form when the dosage form, resting on a flat surface, is viewed from directly above, including slight rounding of corners. SPLSHAPE does not include embossing, scoring, debossing, or internal cut-outs. SPLSHAPE is independent of the orientation of the imprint and logo. Shapes can include: Triangle (3 sided); Square; Round; Semicircle; Pentagon (5 sided); Diamond; Double circle; Bullet; Hexagon (6 sided); Rectangle; Gear; Capsule; Heptagon (7 sided); Trapezoid; Oval; Clover; Octagon (8 sided); Tear; Freeform.

3 | SPLSIZE | size | Definition: A characteristic of an oral solid dosage form of a medicinal product, specifying the longest single dimension of the solid dosage form as a physical quantity in the dimension of length (e.g., 3 mm). The length is should be specified in millimeters and should be rounded to the nearest whole millimeter. Example: SPLSIZE for a rectangular shaped tablet is the length and SPLSIZE for a round shaped tablet is the diameter.

3 | SPLSYMBOL | symbol | Definition: A characteristic of an oral solid dosage form of a medicinal product, to describe whether or not the medicinal product has a mark or symbol appearing on it for easy and definite recognition. Score lines, letters, numbers, and internal and external cut-outs are not considered marks or symbols. See SPLSCORING and SPLIMPRINT for these characteristics. Constraints: The Observation.value must be a Boolean (BL) with <u>true</u> indicating the presence and <u>false</u> for the absence of marks or symbols. Example:

2 | (_ObservationIssueTriggerCodedObservationType) Abstract | | Distinguishes the kinds of coded observations that could be the trigger for clinical issue detection. These are observations that are not measurable, but instead can be defined with codes. Coded observation types include: Allergy, Intolerance, Medical Condition, Pregnancy status, etc.

3 | (_CaseTransmissionMode) Abstract | | Code for the mechanism by which disease was acquired by the living subject involved in the public health case. Includes sexually transmitted, airborne, bloodborne, vectorborne, foodborne, zoonotic, nosocomial, mechanical, dermal, congenital, environmental exposure, indeterminate.

4 | AIRTRNS | airborne transmission | Communication of an agent from a living subject or environmental source to a living subject through indirect contact via oral or nasal inhalation.

4 | ANANTRNS | animal to animal transmission | Communication of an agent from one animal to another proximate animal.

4 | ANHUMTRNS | animal to human transmission | Communication of an agent from an animal to a proximate person.

4 | BDYFLDTRNS | body fluid contact transmission | Communication of an agent from one living subject to another living subject through direct contact with any body fluid.
4 | BLDTRNS | blood borne transmission | Communication of an agent to a living subject through direct contact with blood or blood products whether the contact with blood is part of a therapeutic procedure or not.
4 | DERMTRNS | transdermal transmission | Communication of an agent from a living subject or environmental source to a living subject via agent migration through intact skin.
4 | ENVTRNS | environmental exposure transmission | Communication of an agent from an environmental surface or source to a living subject by direct contact.
4 | FECTRNS | fecal-oral transmission | Communication of an agent from a living subject or environmental source to a living subject through oral contact with material contaminated by person or animal fecal material.
4 | FOMTRNS | fomite transmission | Communication of an agent from an non-living material to a living subject through direct contact.
4 | FOODTRNS | food-borne transmission | Communication of an agent from a food source to a living subject via oral consumption.
4 | HUMHUMTRNS | human to human transmission | Communication of an agent from a person to a proximate person.
4 | INDTRNS | indeterminate disease transmission mode | Communication of an agent to a living subject via an undetermined route.
4 | LACTTRNS | lactation transmission | Communication of an agent from one living subject to another living subject through direct contact with mammalian milk or colostrum.
4 | NOSTRNS | nosocomial transmission | Communication of an agent from any entity to a living subject while the living subject is in the patient role in a healthcare facility.
4 | PARTRNS | parenteral transmission | Communication of an agent from a living subject or environmental source to a living subject where the acquisition of the agent is not via the alimentary canal.
4 | PLACTRNS | transplacental transmission | Communication of an agent from a living subject to the progeny of that living subject via agent migration across the maternal-fetal placental membranes while in utero.
4 | SEXTRNS | sexual transmission | Communication of an agent from one living subject to another living subject through direct contact with genital or oral tissues as part of a sexual act.
4 | TRNSFTRNS | transfusion transmission | Communication of an agent from one living subject to another living subject through direct contact with blood or blood products where the contact with blood is part of a therapeutic procedure.
4 | VECTRNS | vector-borne transmission | Communication of an agent from a living subject acting as a required intermediary in the agent transmission process to a recipient living subject via direct contact.
4 | WATTRNS | water-borne transmission | Communication of an agent from a contaminated water source to a living subject whether the water is ingested as a food or not. The route of entry of the water may be through any bodily orifice.
2 | _ObservationQualityMeasureAttribute | ObservationQualityMeasureAttribute | Codes used to define various metadata aspects of a health quality measure.
3 | AGGREGATE | aggregate measure observation | Indicates that the observation is carrying out an aggregation calculation, contained in the value element.
3 | CMPMSRMTH | composite measure method | Indicates what method is used in a quality measure to combine the component measure results included in an composite measure.
3 | CMPMSRSCRWGHT | component measure scoring weight | An attribute of a quality measure describing the weight this component measure score is to carry in determining the overall composite measure final score. The value is real value greater than 0 and less than 1.0. Each component measure score will be multiplied by its CMPMSRSCRWGHT and then summed with the other component measures to determine the final overall composite measure score. The sum across all CMPMSRSCRWGHT values within a single composite measure SHALL be 1.0. The value assigned is scoped to the composite measure referencing this component measure only.
3 | COPY | copyright | Identifies the organization(s) who own the intellectual property represented by the eMeasure.
3 | CRS | clinical recommendation statement | Summary of relevant clinical guidelines or other clinical recommendations supporting this eMeasure.
3 | DEF | definition | Description of individual terms, provided as needed.
3 | DISC | disclaimer | Disclaimer information for the eMeasure.
3 | FINALDT | finalized date/time | The timestamp when the eMeasure was last packaged in the Measure Authoring Tool.
3 | GUIDE | guidance | Used to allow measure developers to provide additional guidance for implementers to understand greater specificity than could be provided in the logic for data criteria.
3 | IDUR | improvement notation | Information on whether an increase or decrease in score is the preferred result (e.g., a higher score indicates better quality OR a lower score indicates better quality OR quality is within a range).
3 | ITMCNT | items counted | Describes the items counted by the measure (e.g., patients, encounters, procedures, etc.)
3 | KEY | keyword | A significant word that aids in discoverability.
3 | MEDT | measurement end date | The end date of the measurement period.
3 | MSD | measurement start date | The start date of the measurement period.
3 | MSRADJ | risk adjustment | The method of adjusting for clinical severity and conditions present at the start of care that can influence patient outcomes for making valid comparisons of outcome measures across providers. Indicates whether an eMeasure is subject to the statistical process for reducing, removing, or clarifying the influences of confounding factors to allow more useful comparisons.
3 | MSRAGG | rate aggregation | Describes how to combine information calculated based on logic in each of several populations into one summarized result. It can also be used to describe how to risk adjust the data based on supplemental data elements described in the eMeasure. (e.g., pneumonia hospital measures antibiotic selection in the ICU versus non-ICU and then the roll-up of the two). Open Issue: The description does NOT align well with the definition used in the HQMF specfication; correct the MSGAGG definition, and the possible distinction of MSRAGG as a child of AGGREGATE.
3 | MSRIMPROV | health quality measure improvement notation | Information on whether an increase or decrease in score is the preferred result. This should reflect information on which way is better, an increase or decrease in score.
3 | MSRJUR | jurisdiction | The list of jurisdiction(s) for which the measure applies.
3 | MSRRPTR | reporter type | Type of person or organization that is expected to report the issue.
3 | MSRRPTTIME | timeframe for reporting | The maximum time that may elapse following completion of the measure until the measure report must be sent to the receiver.
3 | MSRSCORE | measure scoring | Indicates how the calculation is performed for the eMeasure (e.g., proportion, continuous variable, ratio)
3 | MSRSET | health quality measure care setting | Location(s) in which care being measured is rendered Usage Note: MSRSET is used rather than RoleCode because the setting applies to what is being measured, as opposed to participating directly in the health quality measure documantion itself).
3 | MSRTOPIC | health quality measure topic type
3 | MSRTP | measurement period | The time period for which the eMeasure applies.

3 | MSRTYPE | measure type | Indicates whether the eMeasure is used to examine a process or an outcome over time (e.g., Structure, Process, Outcome).

3 | RAT | rationale | Succinct statement of the need for the measure. Usually includes statements pertaining to Importance criterion: impact, gap in care and evidence.

3 | REF | reference | Identifies bibliographic citations or references to clinical practice guidelines, sources of evidence, or other relevant materials supporting the intent and rationale of the eMeasure.

3 | SDE | supplemental data elements | Comparison of results across strata can be used to show where disparities exist or where there is a need to expose differences in results. For example, Centers for Medicare & Medicaid Services (CMS) in the U.S. defines four required Supplemental Data Elements (payer, ethnicity, race, and gender), which are variables used to aggregate data into various subgroups. Additional supplemental data elements required for risk adjustment or other purposes of data aggregation can be included in the Supplemental Data Element section.

3 | STRAT | stratification | Describes the strata for which the measure is to be evaluated. There are three examples of reasons for stratification based on existing work. These include: (1) evaluate the measure based on different age groupings within the population described in the measure (e.g., evaluate the whole [age 14-25] and each sub-stratum [14-19] and [20-25]); (2) evaluate the eMeasure based on either a specific condition, a specific discharge location, or both; (3) evaluate the eMeasure based on different locations within a facility (e.g., evaluate the overall rate for all intensive care units and also some strata include additional findings [specific birth weights for neonatal intensive care units]).

3 | TRANF | transmission format | Can be a URL or hyperlinks that link to the transmission formats that are specified for a particular reporting program.

3 | USE | notice of use | Usage notes.

2 | (_ObservationSequenceType) Abstract

3 | TIME_ABSOLUTE | absolute time sequence | A sequence of values in the "absolute" time domain. This is the same time domain that all HL7 timestamps use. It is time as measured by the Gregorian calendar

3 | TIME_RELATIVE | relative time sequence | A sequence of values in a "relative" time domain. The time is measured relative to the earliest effective time in the Observation Series containing this sequence.

2 | (_ObservationSeriesType) Abstract

3 | (_ECGObservationSeriesType) Abstract

4 | REPRESENTATIVE_BEAT | ECG representative beat waveforms | This Observation Series type contains waveforms of a "representative beat" (a.k.a. "median beat" or "average beat"). The waveform samples are measured in relative time, relative to the beginning of the beat as defined by the Observation Series effective time. The waveforms are not directly acquired from the subject, but rather algorithmically derived from the "rhythm" waveforms.

4 | RHYTHM | ECG rhythm waveforms | This Observation type contains ECG "rhythm" waveforms. The waveform samples are measured in absolute time (a.k.a. "subject time" or "effective time"). These waveforms are usually "raw" with some minimal amount of noise reduction and baseline filtering applied.

2 | _PatientImmunizationRelatedObservationType | PatientImmunizationRelatedObservationType | Description: Reporting codes that are related to an immunization event.

3 | CLSSRM | classroom | Description: The class room associated with the patient during the immunization event.

3 | GRADE | grade | Description: The school grade or level the patient was in when immunized.

3 | SCHL | school | Description: The school the patient attended when immunized.

3 | SCHLDIV | school division | Description: The school division or district associated with the patient during the immunization event.

3 | TEACHER | teacher | Description: The patient's teacher when immunized.

2 | (_PopulationInclusionObservationType) Abstract | | Observation types for specifying criteria used to assert that a subject is included in a particular population.

3 | DENEX | denominator exclusions | Criteria which specify subjects who should be removed from the eMeasure population and denominator before determining if numerator criteria are met. Denominator exclusions are used in proportion and ratio measures to help narrow the denominator.

3 | DENEXCEP | denominator exceptions | Criteria which specify the removal of a subject, procedure or unit of measurement from the denominator, only if the numerator criteria are not met. Denominator exceptions allow for adjustment of the calculated score for those providers with higher risk populations. Denominator exceptions are used only in proportion eMeasures. They are not appropriate for ratio or continuous variable eMeasures. Denominator exceptions allow for the exercise of clinical judgment and should be specifically defined where capturing the information in a structured manner fits the clinical workflow. Generic denominator exception reasons used in proportion eMeasures fall into three general categories: Medical reasons Patient (or subject) reasons System reasons

3 | DENOM | denominator | Criteria for specifying the entities to be evaluated by a specific quality measure, based on a shared common set of characteristics (within a specific measurement set to which a given measure belongs). The denominator can be the same as the initial population, or it may be a subset of the initial population to further constrain it for the purpose of the eMeasure. Different measures within an eMeasure set may have different denominators. Continuous Variable eMeasures do not have a denominator, but instead define a measure population.

3 | IPOP | initial population | Criteria for specifying the entities to be evaluated by a specific quality measure, based on a shared common set of characteristics (within a specific measurement set to which a given measure belongs).

4 | IPPOP | initial patient population | Criteria for specifying the patients to be evaluated by a specific quality measure, based on a shared common set of characteristics (within a specific measurement set to which a given measure belongs). Details often include information based upon specific age groups, diagnoses, diagnostic and procedure codes, and enrollment periods.

3 | MSRPOPL | measure population | Criteria for specifying the measure population as a narrative description (e.g., all patients seen in the Emergency Department during the measurement period). This is used only in continuous variable eMeasures.

3 | MSRPOPLEX | measure population exclusions | Criteria for specifying subjects who should be removed from the eMeasure's Initial Population and Measure Population. Measure Population Exclusions are used in Continuous Variable measures to help narrow the Measure Population before determining the value(s) of the continuous variable(s).

3 | NUMER | numerator | Criteria for specifying the processes or outcomes expected for each patient, procedure, or other unit of measurement defined in the denominator for proportion measures, or related to (but not directly derived from) the denominator for ratio measures (e.g., a numerator listing the number of central line blood stream infections and a denominator indicating the days per thousand of central line usage in a specific time period).

3 | NUMEX | numerator exclusions | Criteria for specifying instances that should not be included in the numerator data. (e.g., if the number of central line blood stream infections per 1000 catheter days were to exclude infections with a specific bacterium, that bacterium would be listed as a numerator exclusion). Numerator Exclusions are used only in ratio eMeasures.

2 | (_PreferenceObservationType) Abstract | | Types of observations that can be made about Preferences.

3 | PREFSTRENGTH | preference strength | An observation about how important a preference is to the target of the preference.

2 | ADVERSE_REACTION | Adverse Reaction | Indicates that the observation is of an unexpected negative occurrence in the subject suspected to result from the subject's exposure to one or more agents. Observation values would be the symptom resulting from the reaction.

2 | ASSERTION | Assertion | Description:Refines classCode OBS to indicate an observation in which observation.value contains a finding or other nominalized statement, where the encoded information in Observation.value is not altered by Observation.code. For instance,

observation.code="ASSERTION" and observation.value="fracture of femur present" is an assertion of a clinical finding of femur fracture.
2 | CASESER | case seriousness criteria | Definition:An observation that provides a characterization of the level of harm to an investigation subject as a result of a reaction or event.
2 | CDIO | case disease imported observation | An observation that states whether the disease was likely acquired outside the jurisdiction of observation, and if so, the nature of the inter-jurisdictional relationship. OpenIssue: This code could be moved to LOINC if it can be done before there are significant implemenations using it.
2 | CRIT | criticality | A clinical judgment as to the worst case result of a future exposure (including substance administration). When the worst case result is assessed to have a life-threatening or organ system threatening potential, it is considered to be of high criticality.
2 | CTMO | case transmission mode observation | An observation that states the mechanism by which disease was acquired by the living subject involved in the public health case. OpenIssue: This code could be moved to LOINC if it can be done before there are significant implemenations using it.
2 | DX | ObservationDiagnosisTypes | Includes all codes defining types of indications such as diagnosis, symptom and other indications such as contrast agents for lab tests.
3 | ADMDX | admitting diagnosis | Admitting diagnosis are the diagnoses documented for administrative purposes as the basis for a hospital admission.
3 | DISDX | discharge diagnosis | Discharge diagnosis are the diagnoses documented for administrative purposes as the time of hospital discharge.
3 | INTDX | intermediate diagnosis | Intermediate diagnoses are those diagnoses documented for administrative purposes during the course of a hospital stay.
3 | NOI | nature of injury | The type of injury that the injury coding specifies.
2 | GISTIER | GIS tier | Description: Accuracy determined as per the GIS tier code system.
2 | HHOBS | household situation observation | Indicates that the observation is of a person’s living situation in a household including the household composition and circumstances.
2 | ISSUE | detected issue | There is a clinical issue for the therapy that makes continuation of the therapy inappropriate. Open Issue: The definition of this code does not correctly represent the concept space of its specializations (children)
3 | (_ActAdministrativeDetectedIssueCode) Abstract | | Identifies types of detectyed issues for Act class "ALRT" for the administrative and patient administrative acts domains.
4 | (_ActAdministrativeAuthorizationDetectedIssueCode) Abstract
5 | NAT | Insufficient authorization | The requesting party has insufficient authorization to invoke the interaction.
5 | SUPPRESSED | record suppressed | Description: One or more records in the query response have been suppressed due to consent or privacy restrictions.
5 | VALIDAT | validation issue | Description:The specified element did not pass business-rule validation.
6 | KEY204 | Unknown key identifier | The ID of the patient, order, etc., was not found. Used for transactions other than additions, e.g. transfer of a non-existent patient.
6 | KEY205 | Duplicate key identifier | The ID of the patient, order, etc., already exists. Used in response to addition transactions (Admit, New Order, etc.).
6 | COMPLY | Compliance Alert | There may be an issue with the patient complying with the intentions of the proposed therapy
7 | DUPTHPY | Duplicate Therapy Alert | The proposed therapy appears to duplicate an existing therapy
8 | DUPTHPCLS | duplicate therapeutic alass alert | Description:The proposed therapy appears to have the same intended therapeutic benefit as an existing therapy, though the specific mechanisms of action vary.
8 | DUPTHPGEN | duplicate generic alert | Description:The proposed therapy appears to have the same intended therapeutic benefit as an existing therapy and uses the same mechanisms of action as the existing therapy.
7 | ABUSE | commonly abused/misused alert | Description:The proposed therapy is frequently misused or abused and therefore should be used with caution and/or monitoring.
7 | FRAUD | potential fraud | Description:The request is suspected to have a fraudulent basis.
7 | PLYDOC | Poly-orderer Alert | A similar or identical therapy was recently ordered by a different practitioner.
7 | PLYPHRM | Poly-supplier Alert | This patient was recently supplied a similar or identical therapy from a different pharmacy or supplier.
6 | DOSE | Dosage problem | Proposed dosage instructions for therapy differ from standard practice.
7 | DOSECOND | dosage-condition alert | Description:Proposed dosage is inappropriate due to patient's medical condition.
7 | DOSEDUR | Dose-Duration Alert | Proposed length of therapy differs from standard practice.
8 | DOSEDURH | Dose-Duration High Alert | Proposed length of therapy is longer than standard practice
9 | DOSEDURHIND | Dose-Duration High for Indication Alert | Proposed length of therapy is longer than standard practice for the identified indication or diagnosis
8 | DOSEDURL | Dose-Duration Low Alert | Proposed length of therapy is shorter than that necessary for therapeutic effect
9 | DOSEDURLIND | Dose-Duration Low for Indication Alert | Proposed length of therapy is shorter than standard practice for the identified indication or diagnosis
7 | DOSEH | High Dose Alert | Proposed dosage exceeds standard practice
8 | DOSEHINDA | High Dose for Age Alert | Proposed dosage exceeds standard practice for the patient's age
8 | DOSEHIND | High Dose for Indication Alert
8 | DOSEHINDSA | High Dose for Height/Surface Area Alert | Proposed dosage exceeds standard practice for the patient's height or body surface area
8 | DOSEHINDW | High Dose for Weight Alert | Proposed dosage exceeds standard practice for the patient's weight
7 | DOSEIVL | Dose-Interval Alert | Proposed dosage interval/timing differs from standard practice
8 | DOSEIVLIND | Dose-Interval for Indication Alert | Proposed dosage interval/timing differs from standard practice for the identified indication or diagnosis
7 | DOSEL | Low Dose Alert | Proposed dosage is below suggested therapeutic levels
8 | DOSELINDA | Low Dose for Age Alert | Proposed dosage is below suggested therapeutic levels for the patient's age
8 | DOSELIND | Low Dose for Indication Alert
8 | DOSELINDSA | Low Dose for Height/Surface Area Alert | Proposed dosage is below suggested therapeutic levels for the patient's height or body surface area
8 | DOSELINDW | Low Dose for Weight Alert | Proposed dosage is below suggested therapeutic levels for the patient's weight
7 | MDOSE | maximum dosage reached | Description:The maximum quantity of this drug allowed to be administered within a particular time-range (month, year, lifetime) has been reached or exceeded.
6 | OBSA | Observation Alert | Proposed therapy may be inappropriate or contraindicated due to conditions or characteristics of the patient
7 | AGE | Age Alert | Proposed therapy may be inappropriate or contraindicated due to patient age

8 | ADALRT | adult alert | Proposed therapy is outside of the standard practice for an adult patient.
8 | DOSEHINDA
8 | DOSELINDA
8 | GEALRT | geriatric alert | Proposed therapy is outside of standard practice for a geriatric patient.
8 | PEALRT | pediatric alert | Proposed therapy is outside of the standard practice for a pediatric patient.
7 | COND | Condition Alert | Proposed therapy may be inappropriate or contraindicated due to an existing/recent patient condition or diagnosis
8 | HGHT
8 | LACT | Lactation Alert | Proposed therapy may be inappropriate or contraindicated when breast-feeding
8 | PREG | Pregnancy Alert | Proposed therapy may be inappropriate or contraindicated during pregnancy
8 | WGHT
7 | CREACT | common reaction alert | Description:Proposed therapy may be inappropriate or contraindicated because of a common but non-patient specific reaction to the product. Example:There is no record of a specific sensitivity for the patient, but the presence of the sensitivity is common and therefore caution is warranted.
7 | GEN | Genetic Alert | Proposed therapy may be inappropriate or contraindicated due to patient genetic indicators.
7 | GEND | Gender Alert | Proposed therapy may be inappropriate or contraindicated due to patient gender.
7 | LAB | Lab Alert | Proposed therapy may be inappropriate or contraindicated due to recent lab test results
7 | REACT | Reaction Alert | Proposed therapy may be inappropriate or contraindicated based on the potential for a patient reaction to the proposed product
8 | ALGY | Allergy Alert | Proposed therapy may be inappropriate or contraindicated because of a recorded patient allergy to the proposed product. (Allergies are immune based reactions.)
8 | INT | Intolerance Alert | Proposed therapy may be inappropriate or contraindicated because of a recorded patient intolerance to the proposed product. (Intolerances are non-immune based sensitivities.)
7 | RREACT | Related Reaction Alert | Proposed therapy may be inappropriate or contraindicated because of a potential patient reaction to a cross-sensitivity related product.
8 | RALG | Related Allergy Alert | Proposed therapy may be inappropriate or contraindicated because of a recorded patient allergy to a cross-sensitivity related product. (Allergies are immune based reactions.)
8 | RAR | Related Prior Reaction Alert | Proposed therapy may be inappropriate or contraindicated because of a recorded prior adverse reaction to a cross-sensitivity related product.
8 | RINT | Related Intolerance Alert | Proposed therapy may be inappropriate or contraindicated because of a recorded patient intolerance to a cross-sensitivity related product. (Intolerances are non-immune based sensitivities.)
6 | BUS | business constraint violation | Description:A local business rule relating multiple elements has been violated.
6 | CODE_INVAL | code is not valid | Description:The specified code is not valid against the list of codes allowed for the element.
7 | CODE_DEPREC | code has been deprecated | Description:The specified code has been deprecated and should no longer be used. Select another code from the code system.
6 | FORMAT | invalid format | Description:The element does not follow the formatting or type rules defined for the field.
6 | ILLEGAL | illegal | Description:The request is missing elements or contains elements which cause it to not meet the legal standards for actioning.
6 | LEN_RANGE | length out of range | Description:The length of the data specified falls out of the range defined for the element.
7 | LEN_LONG | length is too long | Description:The length of the data specified is greater than the maximum length defined for the element.
7 | LEN_SHORT | length is too short | Description:The length of the data specified is less than the minimum length defined for the element.
6 | MISSCOND | conditional element missing | Description:The specified element must be specified with a non-null value under certain conditions. In this case, the conditions are true but the element is still missing or null.
6 | MISSMAND | mandatory element missing | Description:The specified element is mandatory and was not included in the instance.
6 | NODUPS | duplicate values are not permitted | Description:More than one element with the same value exists in the set. Duplicates not permission in this set in a set.
6 | NOPERSIST | element will not be persisted | Description: Element in submitted message will not persist in data storage based on detected issue.
6 | REP_RANGE | repetitions out of range | Description:The number of repeating elements falls outside the range of the allowed number of repetitions.
7 | MAXOCCURS | repetitions above maximum | Description:The number of repeating elements is above the maximum number of repetitions allowed.
7 | MINOCCURS | repetitions below minimum | Description:The number of repeating elements is below the minimum number of repetitions allowed.
4 | (_ActAdministrativeRuleDetectedIssueCode) Abstract
5 | KEY204
5 | KEY205
5 | KEY206 | non-matching identification | Description: Metadata associated with the identification (e.g. name or gender) does not match the identification being verified.
5 | OBSOLETE | obsolete record returned | Description: One or more records in the query response have a status of 'obsolete'.
3 | (_ActSuppliedItemDetectedIssueCode) Abstract | | Identifies types of detected issues regarding the administration or supply of an item to a patient.
4 | (_AdministrationDetectedIssueCode) Abstract | | Administration of the proposed therapy may be inappropriate or contraindicated as proposed
5 | (_AppropriatenessDetectedIssueCode) Abstract
6 | (_InteractionDetectedIssueCode) Abstract
7 | FOOD | Food Interaction Alert | Proposed therapy may interact with certain foods
7 | TPROD | Therapeutic Product Alert | Proposed therapy may interact with an existing or recent therapeutic product
8 | DRG | Drug Interaction Alert | Proposed therapy may interact with an existing or recent drug therapy
8 | NHP | Natural Health Product Alert | Proposed therapy may interact with existing or recent natural health product therapy
8 | NONRX | Non-Prescription Interaction Alert | Proposed therapy may interact with a non-prescription drug (e.g. alcohol, tobacco, Aspirin)
6 | OBSA
6 | PREVINEF | previously ineffective | Definition:The same or similar treatment has previously been attempted with the patient without achieving a positive effect.
5 | COMPLY
5 | DACT | drug action detected issue | Description:Proposed therapy may be contraindicated or ineffective based on an existing or recent drug therapy.
5 | DOSE
5 | DUPTHPY

5 | TIME | timing detected issue | Description:Proposed therapy may be inappropriate or ineffective based on the proposed start or end time.
6 | ALRTENDLATE | end too late alert | Definition:Proposed therapy may be inappropriate or ineffective because the end of administration is too close to another planned therapy.
6 | ALRTSTRTLATE | start too late alert | Definition:Proposed therapy may be inappropriate or ineffective because the start of administration is too late after the onset of the condition.
5 | (_TimingDetectedIssueCode) Abstract | | Proposed therapy may be inappropriate or ineffective based on the proposed start or end time.
6 | ENDLATE | End Too Late Alert | Proposed therapy may be inappropriate or ineffective because the end of administration is too close to another planned therapy
6 | STRTLATE | Start Too Late Alert | Proposed therapy may be inappropriate or ineffective because the start of administration is too late after the onset of the condition
4 | (_SupplyDetectedIssueCode) Abstract | | Supplying the product at this time may be inappropriate or indicate compliance issues with the associated therapy
5 | ALLDONE | already performed | Definition:The requested action has already been performed and so this request has no effect
5 | FULFIL | fulfillment alert | Definition:The therapy being performed is in some way out of alignment with the requested therapy.
6 | NOTACTN | no longer actionable | Definition:The status of the request being fulfilled has changed such that it is no longer actionable. This may be because the request has expired, has already been completely fulfilled or has been otherwise stopped or disabled. (Not used for 'suspended' orders.)
6 | NOTEQUIV | not equivalent alert | Definition:The therapy being performed is not sufficiently equivalent to the therapy which was requested.
7 | NOTEQUIVGEN | not generically equivalent alert | Definition:The therapy being performed is not generically equivalent (having the identical biological action) to the therapy which was requested.
7 | NOTEQUIVTHER | not therapeutically equivalent alert | Definition:The therapy being performed is not therapeutically equivalent (having the same overall patient effect) to the therapy which was requested.
6 | TIMING | event timing incorrect alert | Definition:The therapy is being performed at a time which diverges from the time the therapy was requested
7 | INTERVAL | outside requested time | Definition:The therapy action is being performed outside the bounds of the time period requested
7 | MINFREQ | too soon within frequency based on the usage | Definition:The therapy action is being performed too soon after the previous occurrence based on the requested frequency
5 | HELD | held/suspended alert | Definition:There should be no actions taken in fulfillment of a request that has been held or suspended.
5 | TOOLATE | Refill Too Late Alert | The patient is receiving a subsequent fill significantly later than would be expected based on the amount previously supplied and the therapy dosage instructions
5 | TOOSOON | Refill Too Soon Alert | The patient is receiving a subsequent fill significantly earlier than would be expected based on the amount previously supplied and the therapy dosage instructions
4 | HISTORIC | record recorded as historical | Description: While the record was accepted in the repository, there is a more recent version of a record of this type.
4 | PATPREF | violates stated preferences | Definition:The proposed therapy goes against preferences or consent constraints recorded in the patient's record.
5 | PATPREFALT | violates stated preferences, alternate available | Definition:The proposed therapy goes against preferences or consent constraints recorded in the patient's record. An alternate therapy meeting those constraints is available.
2 | KSUBJ | knowledge subject | Categorization of types of observation that capture the main clinical knowledge subject which may be a medication, a laboratory test, a disease.
2 | KSUBT | knowledge subtopic | Categorization of types of observation that capture a knowledge subtopic which might be treatment, etiology, or prognosis.
2 | OINT | intolerance | Hypersensitivity resulting in an adverse reaction upon exposure to an agent.
3 | ALG | Allergy | Hypersensitivity to an agent caused by an immunologic response to an initial exposure
4 | DALG | Drug Allergy | An allergy to a pharmaceutical product.
4 | EALG | Environmental Allergy | An allergy to a substance other than a drug or a food. E.g. Latex, pollen, etc.
4 | FALG | Food Allergy | An allergy to a substance generally consumed for nutritional purposes.
3 | DINT | Drug Intolerance | Hypersensitivity resulting in an adverse reaction upon exposure to a drug.
4 | DALG
4 | DNAINT | Drug Non-Allergy Intolerance | Hypersensitivity to an agent caused by a mechanism other than an immunologic response to an initial exposure
3 | EINT | Environmental Intolerance | Hypersensitivity resulting in an adverse reaction upon exposure to environmental conditions.
4 | EALG
4 | ENAINT | Environmental Non-Allergy Intolerance | Hypersensitivity to an agent caused by a mechanism other than an immunologic response to an initial exposure
3 | FINT | Food Intolerance | Hypersensitivity resulting in an adverse reaction upon exposure to food.
4 | FALG
4 | FNAINT | Food Non-Allergy Intolerance | Hypersensitivity to an agent caused by a mechanism other than an immunologic response to an initial exposure
3 | NAINT | Non-Allergy Intolerance | Hypersensitivity to an agent caused by a mechanism other than an immunologic response to an initial exposure
4 | DNAINT
4 | ENAINT
4 | FNAINT
2 | SEV | Severity Observation | A subjective evaluation of the seriousness or intensity associated with another observation.
2 | (_FDALabelData) Abstract | | FDA label data
3 | FDACOATING | coating | FDA label coating
3 | FDACOLOR | color | FDA label color
3 | FDAIMPRINTCD | imprint code | FDA label imprint code
3 | FDALOGO | logo | FDA label logo
3 | FDASCORING | scoring | FDA label scoring
3 | FDASHAPE | shape | FDA label shape
3 | FDASIZE | size | FDA label size
1 | (_ROIOverlayShape) Abstract | | Shape of the region on the object being referenced
2 | CIRCLE | circle | A circle defined by two (column,row) pairs. The first point is the center of the circle and the second point is a point on the perimeter of the circle.

2 | ELLIPSE | ellipse | An ellipse defined by four (column,row) pairs, the first two points specifying the endpoints of the major axis and the second two points specifying the endpoints of the minor axis.
2 | POINT | point | A single point denoted by a single (column,row) pair, or multiple points each denoted by a (column,row) pair.
2 | POLY | polyline | A series of connected line segments with ordered vertices denoted by (column,row) pairs; if the first and last vertices are the same, it is a closed polygon.
1 | C | corrected | Description:Indicates that result data has been corrected.
1 | DIET | Diet | Code set to define specialized/allowed diets
2 | BR | breikost (GE) | A diet exclusively composed of oatmeal, semolina, or rice, to be extremely easy to eat and digest.
2 | DM | diabetes mellitus diet | A diet that uses carbohydrates sparingly. Typically with a restriction in daily energy content (e.g. 1600-2000 kcal).
2 | FAST | fasting | No enteral intake of foot or liquids whatsoever, no smoking. Typically 6 to 8 hours before anesthesia.
2 | FORMULA | formula diet | A diet consisting of a formula feeding, either for an infant or an adult, to provide nutrition either orally or through the gastrointestinal tract via tube, catheter or stoma.
2 | GF | gluten free | Gluten free diet for celiac disease.
2 | LF | low fat | A diet low in fat, particularly to patients with hepatic diseases.
2 | LP | low protein | A low protein diet for patients with renal failure.
2 | LQ | liquid | A strictly liquid diet, that can be fully absorbed in the intestine, and therefore may not contain fiber. Used before enteral surgeries.
2 | LS | low sodium | A diet low in sodium for patients with congestive heart failure and/or renal failure.
2 | N | normal diet | A normal diet, i.e. no special preparations or restrictions for medical reasons. This is notwithstanding any preferences the patient might have regarding special foods, such as vegetarian, kosher, etc.
2 | NF | no fat | A no fat diet for acute hepatic diseases.
2 | PAF | phenylalanine free | Phenylketonuria diet.
2 | PAR | parenteral | Patient is supplied with parenteral nutrition, typically described in terms of i.v. medications.
2 | RD | reduction diet | A diet that seeks to reduce body fat, typically low energy content (800-1600 kcal).
2 | SCH | schonkost (GE) | A diet that avoids ingredients that might cause digestion problems, e.g., avoid excessive fat, avoid too much fiber (cabbage, peas, beans).
2 | SUPPLEMENT | nutritional supplement | A diet that is not intended to be complete but is added to other diets.
2 | T | tea only | This is not really a diet, since it contains little nutritional value, but is essentially just water. Used before coloscopy examinations.
2 | VLI | low valin, leucin, isoleucin | Diet with low content of the amino-acids valin, leucin, and isoleucin, for "maple syrup disease."
1 | DRUGPRG | drug program | Definition: A public or government health program that administers and funds coverage for prescription drugs to assist program eligible who meet financial and health status criteria.
1 | F | final | Description:Indicates that a result is complete. No further results are to come. This maps to the 'complete' state in the observation result status code.
1 | PRLMN | preliminary | Description:Indicates that a result is incomplete. There are further results to come. This maps to the 'active' state in the observation result status code.
1 | (SECOBS) Abstract | | An observation identifying security metadata about an IT resource (data, information object, service, or system capability), which may be used to make access control decisions. Security metadata are used to name security labels. Rationale: According to ISO/TS 22600-3:2009(E) A.9.1.7 SECURITY LABEL MATCHING, Security label matching compares the initiator's clearance to the target's security label. All of the following must be true for authorization to be granted: The security policy identifiers shall be identical The classification level of the initiator shall be greater than or equal to that of the target (that is, there shall be at least one value in the classification list of the clearance greater than or equal to the classification of the target), and For each security category in the target label, there shall be a security category of the same type in the initiator's clearance and the initiator's classification level shall dominate that of the target. Examples: SecurityObservationType security label fields include: Confidentiality classification Compartment category Sensitivity category Security mechanisms used to ensure data integrity or to perform authorized data transformation Indicators of an IT resource completeness, veracity, reliability, trustworthiness, or provenance. Usage Note: SecurityObservationType codes designate security label field types, which are valued with an applicable SecurityObservationValue code as the "security label tag".
2 | SECCATOBS | security category observation | Type of security metadata observation made about the category of an IT resource (data, information object, service, or system capability), which may be used to make access control decisions. Security category metadata is defined by ISO/IEC 2382-8:1998(E/F)/ T-REC-X.812-1995 as: "A nonhierarchical grouping of sensitive information used to control access to data more finely than with hierarchical security classification alone." Rationale: A security category observation supports requirement to specify the type of IT resource to facilitate application of appropriate levels of information security according to a range of levels of impact or consequences that might result from the unauthorized disclosure, modification, or use of the information or information system. A resource is assigned to a specific category of information (e.g., privacy, medical, proprietary, financial, investigative, contractor sensitive, security management) defined by an organization or in some instances, by a specific law, Executive Order, directive, policy, or regulation. [FIPS 199] Examples: Types of security categories include: Compartment: A division of data into isolated blocks with separate security controls for the purpose of reducing risk. (ISO 2382-8). A security label tag that "segments" an IT resource by indicating that access and use is restricted to members of a defined community or project. (HL7 Healthcare Classification System) Sensitivity: The characteristic of an IT resource which implies its value or importance and may include its vulnerability. (ISO 7492-2) Privacy metadata for information perceived as undesirable to share. (HL7 Healthcare Classification System)
2 | SECCLASSOBS | security classification observation | Type of security metadata observation made about the classification of an IT resource (data, information object, service, or system capability), which may be used to make access control decisions. Security classification is defined by ISO/IEC 2382-8:1998(E/F)/ T-REC-X.812-1995 as: "The determination of which specific degree of protection against access the data or information requires, together with a designation of that degree of protection." Security classification metadata is based on an analysis of applicable policies and the risk of financial, reputational, or other harm that could result from unauthorized disclosure. Rationale: A security classification observation may indicate that the confidentiality level indicated by an Act or Role confidentiality attribute has been overridden by the entity responsible for ascribing the SecurityClassificationObservationValue. This supports the business requirement for increasing or decreasing the level of confidentiality (classification or declassification) based on parameters beyond the original assignment of an Act or Role confidentiality. Examples: Types of security classification include: HL7 Confidentiality Codes such as very restricted, unrestricted, and normal. Intelligence community examples include top secret, secret, and confidential. Usage Note: Security classification observation type codes designate security label field types, which are valued with an applicable SecurityClassificationObservationValue code as the "security label tag".
2 | SECCONOBS | security control observation | Type of security metadata observation made about the control of an IT resource (data, information object, service, or system capability), which may be used to make access control decisions. Security control metadata convey instructions to users and receivers for secure distribution, transmission, and storage; dictate obligations or mandated actions; specify any action prohibited by refrain policy such as dissemination controls; and stipulate the permissible purpose of use of an IT resource. Rationale: A security control observation supports requirement to specify applicable management, operational, and technical controls (i.e., safeguards or countermeasures) prescribed for an information system to protect the confidentiality, integrity, and availability of the system and its information. [FIPS 199] Examples: Types of security control metadata include: handling caveats dissemination controls obligations refrain policies purpose of use constraints
2 | SECINTOBS | security integrity observation | Type of security metadata observation made about the integrity of an IT resource (data, information object, service, or system capability), which may be used to make access control decisions. Rationale: A security integrity observation supports the

requirement to guard against improper information modification or destruction, and includes ensuring information non-repudiation and authenticity. (44 U.S.C., SEC. 3542) Examples: Types of security integrity metadata include: Integrity status, which indicates the completeness or workflow status of an IT resource (data, information object, service, or system capability) Integrity confidence, which indicates the reliability and trustworthiness of an IT resource Integrity control, which indicates pertinent handling caveats, obligations, refrain policies, and purpose of use for the resource Data integrity, which indicate the security mechanisms used to ensure that the accuracy and consistency are preserved regardless of changes made (ISO/IEC DIS 2382-8) Alteration integrity, which indicate the security mechanisms used for authorized transformations of the resource Integrity provenance, which indicates the entity responsible for a report or assertion relayed "second-hand" about an IT resource

3 | SECALTINTOBS | security alteration integrity observation | Type of security metadata observation made about the alteration integrity of an IT resource (data, information object, service, or system capability), which indicates the mechanism used for authorized transformations of the resource. Examples: Types of security alteration integrity observation metadata, which may value the observation with a code used to indicate the mechanism used for authorized transformation of an IT resource, including: translation syntactic transformation semantic mapping redaction masking pseudonymization anonymization

3 | SECDATINTOBS | security data integrity observation | Type of security metadata observation made about the data integrity of an IT resource (data, information object, service, or system capability), which indicates the security mechanism used to preserve resource accuracy and consistency. Data integrity is defined by ISO 22600-23.3.21 as: "The property that data has not been altered or destroyed in an unauthorized manner", and by ISO/IEC 2382-8: The property of data whose accuracy and consistency are preserved regardless of changes made." Examples: Types of security data integrity observation metadata, which may value the observation, include cryptographic hash function and digital signature.

3 | SECINTCONOBS | security integrity confidence observation | Type of security metadata observation made about the integrity confidence of an IT resource (data, information object, service, or system capability), which may be used to make access control decisions. Examples: Types of security integrity confidence observation metadata, which may value the observation, include highly reliable, uncertain reliability, and not reliable. Usage Note: A security integrity confidence observation on an Act may indicate that a valued Act.uncertaintycode attribute has been overridden by the entity responsible for ascribing the SecurityIntegrityConfidenceObservationValue. This supports the business requirements for increasing or decreasing the assessment of the reliability or trustworthiness of an IT resource based on parameters beyond the original assignment of an Act statement level of uncertainty.

3 | (SECINTPRVOBS) Abstract | | Type of security metadata observation made about the provenance integrity of an IT resource (data, information object, service, or system capability), which indicates the lifecycle completeness of an IT resource in terms of workflow status such as its creation, modification, suspension, and deletion; locations in which the resource has been collected or archived, from which it may be retrieved, and the history of its distribution and disclosure. Integrity provenance metadata about an IT resource may be used to assess its veracity, reliability, and trustworthiness. Examples: Types of security integrity provenance observation metadata, which may value the observation about an IT resource, include: completeness or workflow status, such as authentication the entity responsible for original authoring or informing about an IT resource the entity responsible for a report or assertion about an IT resource relayed â€œsecond-handâ€? the entity responsible for excerpting, transforming, or compiling an IT resource

4 | SECINTPRVABOBS | security integrity provenance asserted by observation | Type of security metadata observation made about the integrity provenance of an IT resource (data, information object, service, or system capability), which indicates the entity that made assertions about the resource. The asserting entity may not be the original informant about the resource. Examples: Types of security integrity provenance asserted by observation metadata, which may value the observation, including: assertions about an IT resource by a patient assertions about an IT resource by a clinician assertions about an IT resource by a device

4 | SECINTPRVRBOBS | security integrity provenance reported by observation | Type of security metadata observation made about the integrity provenance of an IT resource (data, information object, service, or system capability), which indicates the entity that reported the existence of the resource. The reporting entity may not be the original author of the resource. Examples: Types of security integrity provenance reported by observation metadata, which may value the observation, include: reports about an IT resource by a patient reports about an IT resource by a clinician reports about an IT resource by a device

3 | SECINTSTOBS | security integrity status observation | Type of security metadata observation made about the integrity status of an IT resource (data, information object, service, or system capability), which may be used to make access control decisions. Indicates the completeness of an IT resource in terms of workflow status, which may impact users that are authorized to access and use the resource. Examples: Types of security integrity status observation metadata, which may value the observation, include codes from the HL7 DocumentCompletion code system such as legally authenticated, in progress, and incomplete.

2 | (SECTRSTOBS) Abstract | | An observation identifying trust metadata about an IT resource (data, information object, service, or system capability), which may be used as a trust attribute to populate a computable trust policy, trust credential, trust assertion, or trust label field in a security label or trust policy, which are principally used for authentication, authorization, and access control decisions.

3 | TRSTACCRDOBS | trust accreditation observation | Type of security metadata observation made about the formal declaration by an authority or neutral third party that validates the technical, security, trust, and business practice conformance of Trust Agents to facilitate security, interoperability, and trust among participants within a security domain or trust framework.

3 | TRSTAGREOBS | trust agreement observation | Type of security metadata observation made about privacy and security requirements with which a security domain must comply. [ISO IEC 10181-1]

3 | TRSTCERTOBS | trust certificate observation | Type of security metadata observation made about a set of security-relevant data issued by a security authority or trusted third party, together with security information which is used to provide the integrity and data origin authentication services for an IT resource (data, information object, service, or system capability). [Based on ISO IEC 10181-1] For example, A Certificate Policy (CP), which is a named set of rules that indicates the applicability of a certificate to a particular community and/or class of application with common security requirements. For example, a particular Certificate Policy might indicate the applicability of a type of certificate to the authentication of electronic data interchange transactions for the trading of goods within a given price range. [Trust Service Principles and Criteria for Certification Authorities Version 2.0 March 2011 Copyright 2011 by Canadian Institute of Chartered Accountants. A Certificate Practice Statement (CSP), which is a statement of the practices which an Authority employs in issuing and managing certificates. [Trust Service Principles and Criteria for Certification Authorities Version 2.0 March 2011 Copyright 2011 by Canadian Institute of Chartered Accountants.]

3 | TRSTFWKOBS | trust framework observation | Type of security metadata observation made about a complete set of contracts, regulations or commitments that enable participating actors to rely on certain assertions by other actors to fulfill their information security requirements. [Kantara Initiative]

3 | TRSTLOAOBS | trust assurance observation | Type of security metadata observation made about the digital quality or reliability of a trust assertion, activity, capability, information exchange, mechanism, process, or protocol.

3 | TRSTMECOBS | trust mechanism observation | Type of security metadata observation made about a security architecture system component that supports enforcement of security policies.

1 | SUBSIDFFS | subsidized fee for service program | Definition: A government health program that provides coverage on a fee for service basis for health services to persons meeting eligibility criteria such as income, location of residence, access to other coverages, health condition, and age, the cost of which is to some extent subsidized by public funds. Discussion: The structure and business processes for underwriting and administering a subsidized fee for service program is further specified by the Underwriter and Payer Role.class and Role.code.

1 | WRKCOMP | (workers compensation program | Definition: Government mandated program providing coverage, disability income, and vocational rehabilitation for injuries sustained in the work place or in the course of employment. Employers may either self-fund the program, purchase commercial coverage, or pay a premium to a government entity that administers the program. Employees may be required to pay premiums toward

the cost of coverage as well.
1 | (_ActProcedureCode) Abstract | | An identifying code for healthcare interventions/procedures.
2 | (_ActBillableServiceCode) Abstract | | Definition: An identifying code for billable services, as opposed to codes for similar services used to identify them for functional purposes.
1 | (_HL7DefinedActCodes) Abstract | | Domain provides the root for HL7-defined detailed or rich codes for the Act classes.
1 | COPAY
1 | DEDUCT
1 | DOSEIND
1 | PRA
1 | STORE Deprecated | Storage | The act of putting something away for safe keeping. The "something" may be physical object such as a specimen, or information, such as observations regarding a specimen.

4.3.2.6 HL7 v3 Code System ActClass

URL: https://hl7.org/fhir/STU3/v3/ActClass/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ActClass) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ActClass
Name: | v3 Code System ActClass
Definition: | **** MISSING DEFINITIONS ****
OID: | 2.16.840.1.113883.5.6 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* ActClassSupply (Supply orders and deliveries are simple Acts that focus on the delivered product. The product is associated with the Supply Act via Participation.typeCode="product". With general Supply Acts, the precise identification of the Material (manufacturer, serial numbers, etc.) is important. Most of the detailed information about the Supply should be represented using the Material class. If delivery needs to be scheduled, tracked, and billed separately, one can associate a Transportation Act with the Supply Act. Pharmacy dispense services are represented as Supply Acts, associated with a SubstanceAdministration Act. The SubstanceAdministration class represents the administration of medication, while dispensing is supply.)

* ActClassDocument (Specialization of Act to add the characteristics unique to document management services.)

* ActClassROI (Regions of Interest (ROI) within a subject Act. Primarily used for making secondary observations on a subset of a subject observation. The relationship between a ROI and its referenced Act is specified through an ActRelationship of type "subject" (SUBJ), which must always be present.)

* ActClassClinicalDocument (A clinical document is a documentation of clinical observations and services, with the following characteristics: (1) Persistence - A clinical document continues to exist in an unaltered state, for a time period defined by local and regulatory requirements; (2) Stewardship - A clinical document is maintained by a person or organization entrusted with its care; (3) Potential for authentication - A clinical document is an assemblage of information that is intended to be legally authenticated; (4) Wholeness - Authentication of a clinical document applies to the whole and does not apply to portions of the document without the full context of the document; (5) Human readability - A clinical document is human readable.")

* ActClassObservation (Description: An act that is intended to result in new information about a subject. The main difference between Observations and other Acts is that Observations have a value attribute. Thecode attribute of Observation and thevalue attribute of Observation must be considered in combination to determine the semantics of the observation. Discussion: Structurally, many observations are name-value-pairs, where the Observation.code (inherited from Act) is the name and the Observation.value is the value of the property. Such a construct is also known as a variable (a named feature that can assume a value) hence, the Observation class is always used to hold generic name-value-pairs or variables, even though the variable valuation may not be the result of an elaborate observation method. It may be a simple answer to a question or it may be an assertion or setting of a parameter. As with all Act statements, Observation statements describe what was done, and in the case of Observations, this includes a description of what was actually observed (results or answers); and those results or answers are part of the observation and not split off into other objects. The method of action is asserted by the Observation classCode or its subclasses at the least granular level, by the Observation.code attribute value at the medium level of granularity, and by the attribute value of observation.methodCode when a finer level of granularity is required. The method in whole or in part may also appear in the attribute value of Observation.value when using coded data types to express the value of the attribute. Relevant aspects of methodology may also be restated in value when the results themselves imply or state a methodology. An observation may consist of component observations each having their own Observation.code and Observation.value. In this case, the composite observation may not have an Observation.value for itself. For instance, a white blood cell count consists of the sub-observations for the counts of the various granulocytes, lymphocytes and other normal or abnormal blood cells (e.g., blasts). The overall white blood cell count Observation itself may therefore not have a value by itself (even though it could have one, e.g., the sum total of white blood cells). Thus, as long as an Act is essentially an Act of recognizing and noting information about a subject, it is an Observation, regardless of whether it has a simple value by itself or whether it has sub-observations. Even though observations are professional acts (see Act) and as such are intentional actions, this does not require that every possible outcome of an observation be pondered in

advance of it being actually made. For instance, differential white blood cell counts (WBC) rarely show blasts, but if they do, this is part of the WBC observation even though blasts might not be predefined in the structure of a normal WBC. Clinical documents commonly have Subjective and Objective findings, both of which are kinds of Observations. In addition, clinical documents commonly contain Assessments, which are also kinds of Observations. Thus, the establishment of a diagnosis is an Observation. Examples: Recording the results of a Family History Assessment Laboratory test and associated result Physical exam test and associated result Device temperature Soil lead level)

* v3 Code System ActClass (**** MISSING DEFINITIONS ****)

* ActClassProcedure (An Act whose immediate and primary outcome (post-condition) is the alteration of the physical condition of the subject. Examples: : Procedures may involve the disruption of some body surface (e.g. an incision in a surgical procedure), but they also include conservative procedures such as reduction of a luxated join, chiropractic treatment, massage, balneotherapy, acupuncture, shiatsu, etc. Outside of clinical medicine, procedures may be such things as alteration of environments (e.g. straightening rivers, draining swamps, building dams) or the repair or change of machinery etc.)

* ActClassInvestigation (An formalized inquiry into the circumstances surrounding a particular unplanned event or potential event for the purposes of identifying possible causes and contributing factors for the event. This investigation could be conducted at a local institutional level or at the level of a local or national government.)

4.3.2.6.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition

1 | ACT | act | A record of something that is being done, has been done, can be done, or is intended or requested to be done. Examples:The kinds of acts that are common in health care are (1) a clinical observation, (2) an assessment of health condition (such as problems and diagnoses), (3) healthcare goals, (4) treatment services (such as medication, surgery, physical and psychological therapy), (5) assisting, monitoring or attending, (6) training and education services to patients and their next of kin, (7) and notary services (such as advanced directives or living will), (8) editing and maintaining documents, and many others. Discussion and Rationale: Acts are the pivot of the RIM; all domain information and processes are represented primarily in Acts. Any profession or business, including healthcare, is primarily constituted of intentional and occasionally non-intentional actions, performed and recorded by responsible actors. An Act-instance is a record of such an action. Acts connect to Entities in their Roles through Participations and connect to other Acts through ActRelationships. Participations are the authors, performers and other responsible parties as well as subjects and beneficiaries (which includes tools and material used in the performance of the act, which are also subjects). The moodCode distinguishes between Acts that are meant as factual records, vs. records of intended or ordered services, and the other modalities in which act can appear. One of the Participations that all acts have (at least implicitly) is a primary author, who is responsible of the Act and who "owns" the act. Responsibility for the act means responsibility for what is being stated in the Act and as what it is stated. Ownership of the act is assumed in the sense of who may operationally modify the same act. Ownership and responsibility of the Act is not the same as ownership or responsibility of what the Act-object refers to in the real world. The same real world activity can be described by two people, each being the author of their Act, describing the same real world activity. Yet one can be a witness while the other can be a principal performer. The performer has responsibilities for the physical actions; the witness only has responsibility for making a true statement to the best of his or her ability. The two Act-instances may even disagree, but because each is properly attributed to its author, such disagreements can exist side by side and left to arbitration by a recipient of these Act-instances. In this sense, an Act-instance represents a "statement" according to Rector and Nowlan (1991) [Foundations for an electronic medical record. Methods Inf Med. 30.] Rector and Nowlan have emphasized the importance of understanding the medical record not as a collection of facts, but "a faithful record of what clinicians have heard, seen, thought, and done." Rector and Nowlan go on saying that "the other requirements for a medical record, e.g., that it be attributable and permanent, follow naturally from this view." Indeed the Act class is this attributable statement, and the rules of updating acts (discussed in the state-transition model, see Act.statusCode) versus generating new Act-instances are designed according to this principle of permanent attributable statements. Rector and Nolan focus on the electronic medical record as a collection of statements, while attributed statements, these are still mostly factual statements. However, the Act class goes beyond this limitation to attributed factual statements, representing what is known as "speech-acts" in linguistics and philosophy. The notion of speech-act includes that there is pragmatic meaning in language utterances, aside from just factual statements; and that these utterances interact with the real world to change the state of affairs, even directly cause physical activities to happen. For example, an order is a speech act that (provided it is issued adequately) will cause the ordered action to be physically performed. The speech act theory has culminated in the seminal work by Austin (1962) [How to do things with words. Oxford University Press]. An activity in the real world may progress from defined, through planned and ordered to executed, which is represented as the mood of the Act. Even though one might think of a single activity as progressing from planned to executed, this progression is reflected by multiple Act-instances, each having one and only one mood that will not change along the Act-instance life cycle. This is because the attribution and content of speech acts along this progression of an activity may be different, and it is often critical that a permanent and faithful record be maintained of this progression. The specification of orders or promises or plans must not be overwritten by the specification of what was actually done, so as to allow comparing actions with their earlier specifications. Act-instances that describe this progression of the same real world activity are linked through the ActRelationships (of the relationship category "sequel"). Act as statements or speech-acts are the only representation of real world facts or processes in the HL7 RIM. The truth about the real world is constructed through a combination (and arbitration) of such attributed statements only, and there is no class in the RIM whose objects represent "objective state of affairs" or "real processes" independent from attributed statements. As such, there is no distinction between an activity and its documentation. Every Act includes both to varying degrees. For example, a factual statement made about recent (but past) activities, authored (and signed) by the performer of such activities, is commonly known as a procedure report or original documentation (e.g., surgical procedure report, clinic note etc.). Conversely, a status update on an activity that is presently in progress, authored by the performer (or a close observer) is considered to capture that activity (and is later superceded by a full procedure report). However, both status update and procedure report are acts of the same kind, only distinguished by mood and state (see statusCode) and completeness of the information.

2 | (_ActClassRecordOrganizer) Abstract | | Used to group a set of acts sharing a common context. Organizer structures can nest within other context structures - such as where a document is contained within a folder, or a folder is contained within an EHR extract.

3 | COMPOSITION | composition | A context representing a grouped commitment of information to the EHR. It is considered the unit of modification of the record, the unit of transmission in record extracts, and the unit of attestation by authorizing clinicians. A composition represents part of a patient record originating from a single interaction between an authenticator and the record. Unless otherwise stated all statements within a composition have the same authenticator, apply to the same patient and were recorded in a single session of use of a single application. A composition contains organizers and entries.

4 | DOC | document | The notion of a document comes particularly from the paper world, where it corresponds to the contents recorded on discrete pieces of paper. In the electronic world, a document is a kind of composition that bears resemblance to their paper world counter-parts. Documents typically are meant to be human-readable. HL7's notion of document differs from that described in the W3C XML Recommendation, in which a document refers specifically to the contents that fall between the root element's start-tag and end-tag. Not all XML documents are HL7 documents.

5 | DOCCLIN | clinical document | A clinical document is a documentation of clinical observations and services, with the following characteristics: Persistence - A clinical document continues to exist in an unaltered state, for a time period defined by local and regulatory requirements; Stewardship - A clinical document is maintained by a person or organization entrusted with its care; Potential for authentication - A clinical document is an assemblage of information that is intended to be legally authenticated; Wholeness - Authentication of a clinical document applies to the whole and does not apply to portions of the document without the full context of the document; Human readability - A clinical document is human readable.

6 | CDALVLONE | CDA Level One clinical document | A clinical document that conforms to Level One of the HL7 Clinical Document Architecture (CDA)

3 | CONTAINER | record container | Description: Container of clinical statements. Navigational. No semantic content. Knowledge of the section code is not required to interpret contained observations. Represents a heading in a heading structure, or "container tree". The record entries relating to a single clinical session are usually grouped under headings that represent phases of the encounter, or assist with layout and navigation. Clinical headings usually reflect the clinical workflow during a care session, and might also reflect the main author's reasoning processes. Much research has demonstrated that headings are used differently by different professional groups and specialties, and that headings are not used consistently enough to support safe automatic processing of the E H R.

4 | CATEGORY | category | A group of entries within a composition or topic that have a common characteristic - for example, Examination, Diagnosis, Management OR Subjective, Objective, Analysis, Plan. The distinction from Topic relates to value sets. For Category there is a bounded list of things like "Examination", "Diagnosis" or SOAP categories. For Topic the list is wide open to any clinical condition or reason for a part of an encounter. A CATEGORY MAY CONTAIN ENTRIES.

4 | DOCBODY | document body | A context that distinguishes the body of a document from the document header. This is seen, for instance, in HTML documents, which have discrete <head> and <body> elements.

4 | DOCSECT | document section | A context that subdivides the body of a document. Document sections are typically used for human navigation, to give a reader a clue as to the expected content. Document sections are used to organize and provide consistency to the contents of a document body. Document sections can contain document sections and can contain entries.

4 | TOPIC | topic | A group of entries within a composition that are related to a common clinical theme - such as a specific disorder or problem, prevention, screening and provision of contraceptive services. A topic may contain categories and entries.

3 | EXTRACT | extract | This context represents the part of a patient record conveyed in a single communication. It is drawn from a providing system for the purposes of communication to a requesting process (which might be another repository, a client application or a middleware service such as an electronic guideline engine), and supporting the faithful inclusion of the communicated data in the receiving system. An extract may be the entirety of the patient record as held by the sender or it may be a part of that record (e.g. changes since a specified date). An extract contains folders or compositions. An extract cannot contain another extract.

4 | EHR | electronic health record | A context that comprises all compositions. The EHR is an extract that includes the entire chart. NOTE: In an exchange scenario, an EHR is a specialization of an extract.

3 | FOLDER | folder | A context representing the high-level organization of an extract e.g. to group parts of the record by episode, care team, clinical specialty, clinical condition, or source application. Internationally, this kind of organizing structure is used variably: in some centers and systems the folder is treated as an informal compartmentalization of the overall health record; in others it might represent a significant legal portion of the EHR relating to the originating enterprise or team. A folder contains compositions. Folders may be nested within folders.

3 | GROUPER | grouper | Definition: An ACT that organizes a set of component acts into a semantic grouping that share a particular context such as timeframe, patient, etc. UsageNotes: The focus in a GROUPER act is the grouping of the contained acts. For example "a request to group" (RQO), "a type of grouping that is allowed to occur" (DEF), etc. Unlike WorkingList, which represents a dynamic, shared, continuously updated collection to provide a "view" of a set of objects, GROUPER collections tend to be static and simply indicate a shared set of semantics. Note that sharing of semantics can be achieved using ACT as well. However, with GROUPER, the sole semantic is of grouping.

4 | CLUSTER | Cluster | Description:An ACT that organizes a set of component acts into a semantic grouping that have a shared subject. The subject may be either a subject participation (SBJ), subject act relationship (SUBJ), or child participation/act relationship types. Discussion: The focus in a CLUSTER act is the grouping of the contained acts. For example "a request to cluster" (RQO), "a type of cluster that is allowed to occur" (DEF), etc. Examples: Radiologic investigations that might include administration of a dye, followed by radiographic observations; "Isolate cluster" which includes all testing and specimen processing performed on a specific isolate; a set of actions to perform at a particular stage in a clinical trial.

2 | ACCM | accommodation | An accommodation is a service provided for a Person or other LivingSubject in which a place is provided for the subject to reside for a period of time. Commonly used to track the provision of ward, private and semi-private accommodations for a patient.

2 | ACCT | account | A financial account established to track the net result of financial acts.

2 | ACSN | accession | A unit of work, a grouper of work items as defined by the system performing that work. Typically some laboratory order fulfillers communicate references to accessions in their communications regarding laboratory orders. Often one or more specimens are related to an accession such that in some environments the accession number is taken as an identifier for a specimen (group).

2 | ADJUD | financial adjudication | A transformation process where a requested invoice is transformed into an agreed invoice. Represents the adjudication processing of an invoice (claim). Adjudication results can be adjudicated as submitted, with adjustments or refused. Adjudication results comprise 2 components: the adjudication processing results and a restated (or adjudicated) invoice or claim

2 | CACT | control act | An act representing a system action such as the change of state of another act or the initiation of a query. All control acts represent trigger events in the HL7 context. ControlActs may occur in different moods.

3 | ACTN | action | Sender asks addressee to do something depending on the focal Act of the payload. An example is "fulfill this order". Addressee has responsibilities to either reject the message or to act on it in an appropriate way (specified by the specific receiver responsibilities for the interaction).

3 | INFO | information | Sender sends payload to addressee as information. Addressee does not have responsibilities beyond serving addressee's own interest (i.e., read and memorize if you see fit). This is equivalent to an FYI on a memo.

3 | STC | state transition control | Description: Sender transmits a status change pertaining to the focal act of the payload. This status of the focal act is the final state of the state transition. This can be either a request or an event, according to the mood of the control act.

2 | CNTRCT | contract | An agreement of obligation between two or more parties that is subject to contractual law and enforcement.

3 | FCNTRCT | financial contract | A contract whose value is measured in monetary terms.

4 | COV | coverage | When used in the EVN mood, this concept means with respect to a covered party: A health care insurance policy or plan that is contractually binding between two or more parties; or A health care program, usually administered by government entities, that provides coverage to persons determined eligible under the terms of the program. When used in the definition (DEF) mood, COV means potential coverage for a patient who may or may not be a covered party. The concept's meaning is fully specified by the choice of ActCoverageTypeCode (abstract) ActProgramCode or ActInsurancePolicyCode.

2 | CONC | concern | Definition: A worry that tends to persist over time and has as its subject a state or process. The subject of the worry has the potential to require intervention or management. Examples: an observation result, procedure, substance administration, equipment repair status, device recall status, a health risk, a financial risk, public health risk, pregnancy, health maintenance, allergy, and acute or chronic illness.

3 | HCASE | public health case | A public health case is a Concern about an observation or event that has a specific significance for public health. The creation of a PublicHealthCase initiates the tracking of the object of concern. The decision to track is related to but somewhat independent of the underlying event or observation. UsageNotes: Typically a Public Health Case involves an instance or instances of a reportable infectious disease or other condition. The public health case can include a health-related event concerning a single individual or it may refer to multiple health-related

events that are occurrences of the same disease or condition of interest to public health. A public health case definition (Act.moodCode = "definition") includes the description of the clinical, laboratory, and epidemiologic indicators associated with a disease or condition of interest to public health. There are case definitions for conditions that are reportable, as well as for those that are not. A public health case definition is a construct used by public health for the purpose of counting cases, and should not be used as clinical indications for treatment. Examples include AIDS, toxic-shock syndrome, and salmonellosis and their associated indicators that are used to define a case.

3 | OUTBR | outbreak | An Outbreak is a concern resulting from a series of public health cases. UsageNotes: The date on which an outbreak starts is the earliest date of onset among the cases assigned to the outbreak and its ending date is the last date of onset among the cases assigned to the outbreak. The effectiveTime attribute is used to convey the relevant dates for the case. An outbreak definition (Act.moodCode = "definition" includes the criteria for the number, types and occurrence pattern of cases necessary to declare an outbreak and to judge the severity of an outbreak.

2 | CONS | consent | The Consent class represents informed consents and all similar medico-legal transactions between the patient (or his legal guardian) and the provider. Examples are informed consent for surgical procedures, informed consent for clinical trials, advanced beneficiary notice, against medical advice decline from service, release of information agreement, etc. The details of consents vary. Often an institution has a number of different consent forms for various purposes, including reminding the physician about the topics to mention. Such forms also include patient education material. In electronic medical record communication, consents thus are information-generating acts on their own and need to be managed similar to medical activities. Thus, Consent is modeled as a special class of Act. The "signatures" to the consent document are represented electronically through Participation instances to the consent object. Typically an informed consent has Participation.typeCode of "performer", the healthcare provider informing the patient, and "consenter", the patient or legal guardian. Some consent may associate a witness or a notary public (e.g., living wills, advanced directives). In consents where a healthcare provider is not required (e.g. living will), the performer may be the patient himself or a notary public. Some consent has a minimum required delay between the consent and the service, so as to allow the patient to rethink his decisions. This minimum delay can be expressed in the act definition by the ActRelationship.pauseQuantity attribute that delays the service until the pause time has elapsed after the consent has been completed.

2 | CONTREG | container registration | An Act where a container is registered either via an automated sensor, such as a barcode reader, or by manual receipt

2 | CTTEVENT | clinical trial timepoint event | An identified point during a clinical trial at which one or more actions are scheduled to be performed (definition mood), or are actually performed (event mood). The actions may or may not involve an encounter between the subject and a healthcare professional.

2 | DISPACT | disciplinary action | An action taken with respect to a subject Entity by a regulatory or authoritative body with supervisory capacity over that entity. The action is taken in response to behavior by the subject Entity that body finds to be undesirable. Suspension, license restrictions, monetary fine, letter of reprimand, mandated training, mandated supervision, etc.Examples:

2 | EXPOS | exposure | An interaction between entities that provides opportunity for transmission of a physical, chemical, or biological agent from an exposure source entity to an exposure target entity. Examples: The following examples are provided to indicate what interactions are considered exposures rather than other types of Acts: A patient accidentally receives three times the recommended dose of their medication due to a dosing error. This is a substance administration. Public health and/or safety authorities may also be interested in documenting this with an associated exposure. A patient accidentally is dispensed an incorrect medicine (e.g., clomiphene instead of clomipramine). They have taken several doses before the mistake is detected. They are therefore "exposed" to a medicine that there was no therapeutic indication for them to receive. There are several substance administrations in this example. Public health and/or safety authorities may also be interested in documenting this with associated exposures. In a busy medical ward, a patient is receiving chemotherapy for a lymphoma. Unfortunately, the IV infusion bag containing the medicine splits, spraying cytotoxic medication over the patient being treated and the patient in the adjacent bed. There are three substance administrations in this example. The first is the intended one (IV infusion) with its associated (implicit) exposure. There is an incident with an associated substance administration to the same patient involving the medication sprayed over the patient as well as an associated exposure. Additionally, the incident includes a substance administration involving the spraying of medication on the adjacent patient, also with an associated exposure. A patient who is a refugee from a war-torn African nation arrives in a busy inner city A&E department suffering from a cough with bloody sputum. Not understanding the registration and triage process, they sit in the waiting room for several hours before it is noticed that they have not booked in. As soon as they are being processed, it is suspected that they are suffering from TB. Vulnerable (immunosuppressed) patients who were sharing the waiting room with this patient may have been exposed to the tubercule bacillus, and must be traced for investigation. This is an exposure (or possibly multiple exposures) in the waiting room involving the refugee and everyone else in the waiting room during the period. There might also be a number of known or presumed substance administrations (coughing) via several possible routes. The substance administrations are only hypotheses until confirmed by further testing. A patient who has received an elective total hip replacement procedure suffers a prolonged stay in hospital, due to contracting an MRSA infection in the surgical wound site after the surgery. This is an exposure to MRSA. Although there was some sort of substance administration, it's possible the exact mechanism for introduction of the MRSA into the wound will not be identified. Routine maintenance of the X-ray machines at a local hospital reveals a serious breach of the shielding on one of the machines. Patients who have undergone investigations using that machine in the last month are likely to have been exposed to significantly higher doses of X-rays than was intended, and must be tracked for possible adverse effects. There has been an exposure of each patient who used the machine in the past 30 days. Some patients may have had substance administrations. A new member of staff is employed in the laundry processing room of a small cottage hospital, and a misreading of the instructions for adding detergents results in fifty times the usual concentration of cleaning materials being added to a batch of hospital bedding. As a result, several patients have been exposed to very high levels of detergents still present in the "clean" bedding, and have experienced dermatological reactions to this. There has been an incident with multiple exposures to several patients. Although there are substance administrations involving the application of the detergent to the skin of the patients, it is expected that the substance administrations would not be directly documented. Seven patients who are residents in a health care facility for the elderly mentally ill have developed respiratory problems. After several months of various tests having been performed and various medications prescribed to these patients, the problem is traced to their being "sensitive" to a new fungicide used in the wall plaster of the ward where these patients reside. The patients have been continuously exposed to the fungicide. Although there have been continuous substance administrations (via breathing) this would not normally be documented as a substance administration. A patient with osteoarthritis of the knees is treated symptomatically using analgesia, paracetamol (acetaminophen) 1g up to four times a day for pain relief. His GP does not realize that the patient has, 20 years previously (while at college) had severe alcohol addiction problems, and now, although this is completely under control, his liver has suffered significantly, leaving him more sensitive to hepatic toxicity from paracetamol use. Later that year, the patient returns with a noticeable level of jaundice. Paracetamol is immediately withdrawn and alternative solutions for the knee pain are sought. The jaundice gradually subsides with conservative management, but referral to the gastroenterologist is required for advice and monitoring. There is a substance administration with an associated exposure. The exposure component is based on the relative toxic level of the substance to a patient with a compromised liver function. A patient goes to their GP complaining of abdominal pain, having been discharged from the local hospital ten days' previously after an emergency appendectomy. The GP can find nothing particularly amiss, and presumes it is post operative surgical pain that will resolve. The patient returns a fortnight later, when the GP prescribes further analgesia, but does decide to request an outpatient surgical follow-up appointment. At this post-surgical outpatient review, the registrar decides to order an ultrasound, which, when performed three weeks later, shows a small faint inexplicable mass. A laparoscopy is then performed, as a day case procedure, and a piece of a surgical swab is removed from the patient's abdominal cavity. Thankfully, a full recovery then takes place. This is a procedural sequelae. There may be an Incident recorded for this also. A patient is slightly late for a regular pacemaker battery check in the Cardiology department of the local hospital. They are hurrying down the second floor corridor. A sudden summer squall has recently passed over the area, and rain has come in through an open corridor window leaving a small puddle on the corridor floor. In their haste, the patient slips in the puddle and falls so badly that they have to be taken to the A&E department, where it is discovered on investigation they have slightly torn the cruciate ligament in their left knee. This is not an exposure. There has been an incident. Usage Notes: This class deals only with opportunity and not the outcome of the exposure; i.e. not all exposed parties will necessarily

experience actual harm or benefit. Exposure differs from Substance Administration by the absence of the participation of a performer in the act. The following participations SHOULD be used with the following participations to distinguish the specific entities: The exposed entity participates via the "exposure target" (EXPTRGT) participation. An entity that has carried the agent transmitted in the exposure participates via the "exposure source" (EXSRC) participation. For example: a person or animal who carried an infectious disease and interacts (EXSRC) with another person or animal (EXPTRGT) transmitting the disease agent; a place or other environment (EXSRC) and a person or animal (EXPTRGT) who is exposed in the presence of this environment. When it is unknown whether a participating entity is the source of the agent (EXSRC) or the target of the transmission (EXPTRGT), the "exposure participant" (EXPART) is used. The physical (including energy), chemical or biological substance which is participating in the exposure uses the "exposure agent" (EXPAGNT) participation. There are at least three scenarios: the player of the Role that participates as EXPAGNT is the chemical or biological substance mixed or carried by the scoper-entity of the Role (e.g., ingredient role); or the player of the Role that participates as EXPAGNT is a mixture known to contain the chemical, radiological or biological substance of interest; or the player of the Role that participates as a EXPAGNT is known to carry the agent (i.e., the player is a fomite, vector, etc.). The Exposure.statusCode attribute should be interpreted as the state of the Exposure business object (e.g., active, aborted, completed) and not the clinical status of the exposure (e.g., probable, confirmed). The clinical status of the exposure should be associated with the exposure via a subject observation. Design Comment: The usage notes require a clear criterion for determining whether an act is an exposure or substance administration-deleterious potential, uncertainty of actual transmission, or otherwise. SBADM states that the criterion is the presence of a performer-but there are examples above that call this criterion into question (e.g., the first one, concerning a dosing error).

3 | AEXPOS | acquisition exposure | Description: An acquisition exposure act describes the proximity (location and time) through which the participating entity was potentially exposed to a physical (including energy), chemical or biological agent from another entity. The acquisition exposure act is used in conjunction with transmission exposure acts as part of an analysis technique for contact tracing. Although an exposure can be decomposed into transmission and acquisition exposures, there is no requirement that all exposures be treated in this fashion. Constraints: The Acquisition Exposure inherits the participation constraints that apply to Exposure with the following exception. The EXPSRC (exposure source) participation must never be associated with the Transmission Exposure either directly or via context conduction.

3 | TEXPOS | transmission exposure | Description: A transmission exposure act describes the proximity (time and location) over which the participating source entity was capable of transmitting a physical (including energy), chemical or biological substance agent to another entity. The transmission exposure act is used in conjunction with acquisition exposure acts as part of an analysis technique for contact tracing. Although an exposure can be decomposed into transmission and acquisition exposures, there is no requirement that all exposures be treated in this fashion. Constraints: The Transmission Exposure inherits the participation constraints that apply to Exposure with the following exception. The EXPTRGT (exposure target) participation must never be associated with the Transmission Exposure either directly or via context conduction.

2 | INC | incident | An event that occurred outside of the control of one or more of the parties involved. Includes the concept of an accident.

2 | INFRM | inform | The act of transmitting information and understanding about a topic to a subject where the participation association must be SBJ. Discussion: This act may be used to request that a patient or provider be informed about an Act, or to indicate that a person was informed about a particular act.

2 | INVE | invoice element | Represents concepts related to invoice processing in health care

2 | LIST | working list | Working list collects a dynamic list of individual instances of Act via ActRelationship which reflects the need of an individual worker, team of workers, or an organization to manage lists of acts for many different clinical and administrative reasons. Examples of working lists include problem lists, goal lists, allergy lists, and to-do lists.

2 | MPROT | monitoring program | An officially or unofficially instituted program to track acts of a particular type or categorization.

2 | OBS | observation | Description:An act that is intended to result in new information about a subject. The main difference between Observations and other Acts is that Observations have a value attribute. The code attribute of Observation and the value attribute of Observation must be considered in combination to determine the semantics of the observation. Discussion: Structurally, many observations are name-value-pairs, where the Observation.code (inherited from Act) is the name and the Observation.value is the value of the property. Such a construct is also known as a variable (a named feature that can assume a value) hence, the Observation class is always used to hold generic name-value-pairs or variables, even though the variable valuation may not be the result of an elaborate observation method. It may be a simple answer to a question or it may be an assertion or setting of a parameter. As with all Act statements, Observation statements describe what was done, and in the case of Observations, this includes a description of what was actually observed (results or answers); and those results or answers are part of the observation and not split off into other objects. The method of action is asserted by the Observation classCode or its subclasses at the least granular level, by the Observation.code attribute value at the medium level of granularity, and by the attribute value of observation.methodCode when a finer level of granularity is required. The method in whole or in part may also appear in the attribute value of Observation.value when using coded data types to express the value of the attribute. Relevant aspects of methodology may also be restated in value when the results themselves imply or state a methodology. An observation may consist of component observations each having their own Observation.code and Observation.value. In this case, the composite observation may not have an Observation.value for itself. For instance, a white blood cell count consists of the sub-observations for the counts of the various granulocytes, lymphocytes and other normal or abnormal blood cells (e.g., blasts). The overall white blood cell count Observation itself may therefore not have a value by itself (even though it could have one, e.g., the sum total of white blood cells). Thus, as long as an Act is essentially an Act of recognizing and noting information about a subject, it is an Observation, regardless of whether it has a simple value by itself or whether it has sub-observations. Even though observations are professional acts (see Act) and as such are intentional actions, this does not require that every possible outcome of an observation be pondered in advance of it being actually made. For instance, differential white blood cell counts (WBC) rarely show blasts, but if they do, this is part of the WBC observation even though blasts might not be predefined in the structure of a normal WBC. Clinical documents commonly have Subjective and Objective findings, both of which are kinds of Observations. In addition, clinical documents commonly contain Assessments, which are also kinds of Observations. Thus, the establishment of a diagnosis is an Observation. Examples: Recording the results of a Family History Assessment Laboratory test and associated result Physical exam test and associated result Device temperature Soil lead level

3 | (_ActClassROI) Abstract | | Regions of Interest (ROI) within a subject Act. Primarily used for making secondary observations on a subset of a subject observation. The relationship between a ROI and its referenced Act is specified through an ActRelationship of type "subject" (SUBJ), which must always be present.

4 | ROIBND | bounded ROI | A Region of Interest (ROI) specified for a multidimensional observation, such as an Observation Series (OBSSER). The ROI is specified using a set of observation criteria, each delineating the boundary of the region in one of the dimensions in the multidimensional observation. The relationship between a ROI and its referenced Act is specified through an ActRelationship of type subject (SUBJ), which must always be present. Each of the boundary criteria observations is connected with the ROI using ActRelationships of type "has component" (COMP). In each boundary criterion, the Act.code names the dimension and the Observation.value specifies the range of values inside the region. Typically the bounded dimension is continuous, and so the Observation.value will be an interval (IVL) data type. The Observation.value need not be specified if the respective dimension is only named but not constrained. For example, an ROI for the QT interval of a certain beat in ECG Lead II would contain 2 boundary criteria, one naming the interval in time (constrained), and the other naming the interval in ECG Lead II (only named, but not constrained).

4 | ROIOVL | overlay ROI | A Region of Interest (ROI) specified for an image using an overlay shape. Typically used to make reference to specific regions in images, e.g., to specify the location of a radiologic finding in an image or to specify the site of a physical finding by "circling" a region in a schematic picture of a human body. The units of the coordinate values are in pixels. The origin is in the upper left hand corner, with positive X values going to the right and positive Y values going down. The relationship between a ROI and its referenced Act is specified through an ActRelationship of type "subject" (SUBJ), which must always be present.

3 | (_SubjectPhysicalPosition) Abstract | | The spatial relationship of a subject whether human, other animal, or plant, to a frame of reference such as gravity or a collection device.

4 | (_SubjectBodyPosition) Abstract Deprecated | | Contains codes for defining the observed, physical position of a subject, such as during an observation, assessment, collection of a specimen, etc. ECG waveforms and vital signs, such as blood pressure, are two examples where a general, observed position typically needs to be noted. Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

5 | LLD Deprecated | left lateral decubitus | Lying on the left side. Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

5 | PRN Deprecated | prone | Lying with the front or ventral surface downward; lying face down. Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

5 | RLD Deprecated | right lateral decubitus | Lying on the right side. Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

5 | SFWL Deprecated | Semi-Fowler's | A semi-sitting position in bed with the head of the bed elevated approximately 45 degrees. Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

5 | SIT Deprecated | sitting | Resting the body on the buttocks, typically with upper torso erect or semi erect. Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

5 | STN Deprecated | standing | To be stationary, upright, vertical, on one's legs. Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

5 | SUP Deprecated | supine | Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

6 | RTRD Deprecated | reverse trendelenburg | Lying on the back, on an inclined plane, typically about 30-45 degrees with head raised and feet lowered. Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

6 | TRD Deprecated | trendelenburg | Lying on the back, on an inclined plane, typically about 30-45 degrees, with head lowered and feet raised. Deprecation Comment: This concept has been deprecated because it does not describe a type of Act (as it should in the ActClass code system), but rather encodes the result or value of an observation. The same code has been added to the ObservationValue code system.

3 | ALRT | detected issue | An observation identifying a potential adverse outcome as a result of an Act or combination of Acts. Examples: Detection of a drug-drug interaction; Identification of a late-submission for an invoice; Requesting discharge for a patient who does not meet hospital-defined discharge criteria. Discussion: This class is commonly used for identifying 'business rule' or 'process' problems that may result in a refusal to carry out a particular request. In some circumstances it may be possible to 'bypass' a problem by modifying the request to acknowledge the issue and/or by providing some form of mitigation. Constraints: the Act or Acts that may cause the the adverse outcome are the target of a subject ActRelationship. The subbtypes of this concept indicate the type of problem being detected (e.g. drug-drug interaction) while the Observation.value is used to repesent a specific problem code (e.g. specific drug-drug interaction id).

3 | BATTERY | battery | Definition: An observation that is composed of a set of observations. These observations typically have a logical or practical grouping for generally accepted clinical or functional purposes, such as observations that are run together because of automation. A battery can define required and optional component observations and, in some cases, will define complex rules that determine whether or not a particular observation is made. BATTERY is a constraint on the Observation class in that it is understood to always be composed of component observations. UsageNotes: The focus in a BATTERY is that it is composed of individual observations. In request (RQO) mood, a battery is a request to perform the component observations. In event (EVN) mood a battery is a reporting of associated set of observation events. In definition mood a battery is the definition of the associated set of observations. Examples: Vital signs, Full blood count, Chemistry panel.

3 | CLNTRL | clinical trial | The set of actions that define an experiment to assess the effectiveness and/or safety of a biopharmaceutical product (food, drug, device, etc.). In definition mood, this set of actions is often embodied in a clinical trial protocol; in event mood, this designates the aggregate act of applying the actions to one or more subjects.

3 | CNOD Deprecated | Condition Node | An instance of Observation of a Condition at a point in time that includes any Observations or Procedures associated with that Condition as well as links to previous instances of Condition Node for the same Condition Deprecation Comment: This concept has been deprecated because an alternative structure for tracking the evolution of a problem has been presented and adopted by the Care Provision Work Group.

3 | COND Deprecated | Condition | An observable finding or state that persists over time and tends to require intervention or management, and, therefore, distinguished from an Observation made at a point in time; may exist before an Observation of the Condition is made or after interventions to manage the Condition are undertaken. Examples: equipment repair status, device recall status, a health risk, a financial risk, public health risk, pregnancy, health maintenance, chronic illness

4 | CASE Deprecated | public health case | A public health case is an Observation representing a condition or event that has a specific significance for public health. Typically it involves an instance or instances of a reportable infectious disease or other condition. The public health case can include a health-related event concerning a single individual or it may refer to multiple health-related events that are occurrences of the same disease or condition of interest to public health. An outbreak involving multiple individuals may be considered as a type of public health case. A public health case definition (Act.moodCode = "definition") includes the description of the clinical, laboratory, and epidemiologic indicators associated with a disease or condition of interest to public health. There are case definitions for conditions that are reportable, as well as for those that are not. There are also case definitions for outbreaks. A public health case definition is a construct used by public health for the purpose of counting cases, and should not be used as clinical indications for treatment. Examples include AIDS, toxic-shock syndrome, and salmonellosis and their associated indicators that are used to define a case.

5 | OUTB Deprecated | outbreak | An outbreak represents a series of public health cases. The date on which an outbreak starts is the earliest date of onset among the cases assigned to the outbreak, and its ending date is the last date of onset among the cases assigned to the outbreak.

3 | DGIMG | diagnostic image | Class for holding attributes unique to diagnostic images.

3 | GEN | genomic observation | Description:An observation of genomic phenomena.

4 | DETPOL | determinant peptide | Description:A determinant peptide in a polypeptide as described by polypeptide.

4 | EXP | expression level | Description:An expression level of genes/proteins or other expressed genomic entities.

4 | LOC | locus | Description:The position of a gene (or other significant sequence) on the genome.

4 | PHN | phenotype | Description:A genomic phenomenon that is expressed externally in the organism.

4 | POL | polypeptide | Description:A polypeptide resulting from the translation of a gene.

4 | SEQ | bio sequence | Description:A sequence of biomolecule like the DNA, RNA, protein and the like.

4 | SEQVAR | bio sequence variation | Description:A variation in a sequence as described by BioSequence.

3 | INVSTG | investigation | An formalized inquiry into the circumstances surrounding a particular unplanned event or potential event for the purposes of identifying possible causes and contributing factors for the event. This investigation could be conducted at a local institutional level or at the level of a local or national government.

3 | OBSSER | observation series | Container for Correlated Observation Sequences sharing a common frame of reference. All Observations of the same cd must be comparable and relative to the common frame of reference. For example, a 3-channel ECG device records a 12-lead ECG in 4 steps (3 leads at a time). Each of the separate 3-channel recordings would be in their own "OBSCOR". And, all 4 OBSCOR would be contained in one OBSSER because all the times are relative to the same origin (beginning of the recording) and all the ECG signals were from a fixed set of electrodes.

4 | OBSCOR | correlated observation sequences | Container for Observation Sequences (Observations whose values are contained in LIST<>'s) having values correlated with each other. Each contained Observation Sequence LIST<> must be the same length. Values in the LIST<>'s are correlated based on index. E.g. the values in position 2 in all the LIST<>'s are correlated. This is analogous to a table where each column is an Observation Sequence with a LIST<> of values, and each row in the table is a correlation between the columns. For example, a 12-lead ECG would contain 13 sequences: one sequence for time, and a sequence for each of the 12 leads.

3 | POS | position | An observation denoting the physical location of a person or thing based on a reference coordinate system.

4 | POSACC | position accuracy | Description:An observation representing the degree to which the assignment of the spatial coordinates, based on a matching algorithm by a geocoding engine against a reference spatial database, matches true or accepted values.

4 | POSCOORD | position coordinate | Description:An observation representing one of a set of numerical values used to determine the position of a place. The name of the coordinate value is determined by the reference coordinate system.

3 | SPCOBS | specimen observation | An observation on a specimen in a laboratory environment that may affect processing, analysis or result interpretation

3 | VERIF | Verification | An act which describes the process whereby a 'verifying party' validates either the existence of the Role attested to by some Credential or the actual Vetting act and its details.

2 | PCPR | care provision | An Act that of taking on whole or partial responsibility for, or attention to, safety and well-being of a subject of care. Discussion: A care provision event may exist without any other care actions taking place. For example, when a patient is assigned to the care of a particular health professional. In request (RQO) mood care provision communicates a referral, which is a request: from one party (linked as a participant of type author (AUT)), to another party (linked as a participant of type performer (PRF), to take responsibility for a scope specified by the code attribute, for an entity (linked as a participant of type subject (SBJ)). The scope of the care for which responsibility is taken is identified by code attribute. In event (EVN) mood care provision indicates the effective time interval of a specified scope of responsibility by a performer (PRF) or set of performers (PRF) for a subject (SBJ). Examples: Referral from GP to a specialist. Assignment of a patient or group of patients to the case list of a health professional. Assignment of inpatients to the care of particular nurses for a working shift.

3 | ENC | encounter | An interaction between a patient and healthcare participant(s) for the purpose of providing patient service(s) or assessing the health status of a patient. For example, outpatient visit to multiple departments, home health support (including physical therapy), inpatient hospital stay, emergency room visit, field visit (e.g., traffic accident), office visit, occupational therapy, telephone call.

2 | POLICY | policy | Description:A mandate, regulation, obligation, requirement, rule, or expectation unilaterally imposed by one party on: The activity of another party The behavior of another party The manner in which an act is executed

3 | JURISPOL | jurisdictional policy | Description:A mandate, regulation, obligation, requirement, rule, or expectation unilaterally imposed by a jurisdiction on: The activity of another party The behavior of another party The manner in which an act is executed Examples:A jurisdictional mandate regarding the prescribing and dispensing of a particular medication. A jurisdictional privacy or security regulation dictating the manner in which personal health information is disclosed. A jurisdictional requirement that certain services or health conditions are reported to a monitoring program, e.g., immunizations, methadone treatment, or cancer registries.

3 | ORGPOL | organizational policy | Description:A mandate, obligation, requirement, rule, or expectation unilaterally imposed by an organization on: The activity of another party The behavior of another party The manner in which an act is executed Examples:A clinical or research protocols imposed by a payer, a malpractice insurer, or an institution to which a provider must adhere. A mandate imposed by a denominational institution for a provider to provide or withhold certain information from the patient about treatment options.

3 | SCOPOL | scope of practice policy | Description:An ethical or clinical obligation, requirement, rule, or expectation imposed or strongly encouraged by organizations that oversee particular clinical domains or provider certification which define the boundaries within which a provider may practice and which may have legal basis or ramifications on: The activity of another party The behavior of another party The manner in which an act is executed Examples:An ethical obligation for a provider to fully inform a patient about all treatment options. An ethical obligation for a provider not to disclose personal health information that meets certain criteria, e.g., where disclosure might result in harm to the patient or another person. The set of health care services which a provider is credentialed or privileged to provide.

3 | STDPOL | standard of practice policy | Description:A requirement, rule, or expectation typically documented as guidelines, protocols, or formularies imposed or strongly encouraged by an organization that oversees or has authority over the practices within a domain, and which may have legal basis or ramifications on: The activity of another party The behavior of another party The manner in which an act is executed Examples:A payer may require a prescribing provider to adhere to formulary guidelines. An institution may adopt clinical guidelines and protocols and implement these within its electronic health record and decision support systems.

2 | PROC | procedure | An Act whose immediate and primary outcome (post-condition) is the alteration of the physical condition of the subject. Examples: : Procedures may involve the disruption of some body surface (e.g. an incision in a surgical procedure), but they also include conservative procedures such as reduction of a luxated join, chiropractic treatment, massage, balneotherapy, acupuncture, shiatsu, etc. Outside of clinical medicine, procedures may be such things as alteration of environments (e.g. straightening rivers, draining swamps, building dams) or the repair or change of machinery etc.

3 | SBADM | substance administration | The act of introducing or otherwise applying a substance to the subject. Discussion: The effect of the substance is typically established on a biochemical basis, however, that is not a requirement. For example, radiotherapy can largely be described in the same way, especially if it is a systemic therapy such as radio-iodine. This class also includes the application of chemical treatments to an area. Examples: Chemotherapy protocol; Drug prescription; Vaccination record

3 | SBEXT | Substance Extraction | Description: The act of removing a substance from the subject.

4 | SPECCOLLECT | Specimen Collection | A procedure for obtaining a specimen from a source entity.

2 | REG | registration | Represents the act of maintaining information about the registration of its associated registered subject. The subject can be either an Act or a Role, and includes subjects such as lab exam definitions, drug protocol definitions, prescriptions, persons, patients, practitioners, and equipment. The registration may have a unique identifier - separate from the unique identification of the subject - as well as a core set of related participations and act relationships that characterize the registration event and aid in the disposition of the subject information by a receiving system.

2 | REV | review | The act of examining and evaluating the subject, usually another act. For example, "This prescription needs to be reviewed in 2 months."

2 | SPCTRT | specimen treatment | A procedure or treatment performed on a specimen to prepare it for analysis

2 | SPLY | supply | Supply orders and deliveries are simple Acts that focus on the delivered product. The product is associated with the Supply Act via Participation.typeCode="product". With general Supply Acts, the precise identification of the Material (manufacturer, serial numbers, etc.) is

important. Most of the detailed information about the Supply should be represented using the Material class. If delivery needs to be scheduled, tracked, and billed separately, one can associate a Transportation Act with the Supply Act. Pharmacy dispense services are represented as Supply Acts, associated with a SubstanceAdministration Act. The SubstanceAdministration class represents the administration of medication, while dispensing is supply.

3 | DIET Deprecated | diet | Diet services are supply services, with some aspects resembling Medication services: the detail of the diet is given as a description of the Material associated via Participation.typeCode="product". Medically relevant diet types may be communicated in the Diet.code attribute using domain ActDietCode, however, the detail of the food supplied and the various combinations of dishes should be communicated as Material instances. Deprecation Note Class: Use either the Supply class (if dealing with what should be given to the patient) or SubstanceAdministration class (if dealing with what the patient should consume) energyQuantity: This quantity can be conveyed by using a Content relationship with a quantity attribute expressing the calories carbohydrateQuantity:This quantity can be conveyed using a Content relationship to an Entity with a code of carbohydrate and a quantity attribute on the content relationship.

2 | STORE | storage | The act of putting something away for safe keeping. The "something" may be physical object such as a specimen, or information, such as observations regarding a specimen.

2 | SUBST | Substitution | Definition: Indicates that the subject Act has undergone or should undergo substitution of a type indicated by Act.code. Rationale: Used to specify "allowed" substitution when creating orders, "actual" susbstitution when sending events, as well as the reason for the substitution and who was responsible for it.

2 | TRFR | transfer | Definition: The act of transferring information without the intent of imparting understanding about a topic to the subject that is the recipient or holder of the transferred information where the participation association must be RCV or HLD.

2 | TRNS | transportation | Transportation is the moving of a payload (people or material) from a location of origin to a destination location. Thus, any transport service has the three target instances of type payload, origin, and destination, besides the targets that are generally used for any service (i.e., performer, device, etc.)

2 | XACT | financial transaction | A sub-class of Act representing any transaction between two accounts whose value is measured in monetary terms. In the "intent" mood, communicates a request for a transaction to be initiated, or communicates a transfer of value between two accounts. In the "event" mood, communicates the posting of a transaction to an account.

2 | (_ActClassContainer) Abstract

3 | ENTRY | entry | This context represents the information acquired and recorded for an observation, a clinical statement such as a portion of the patient's history or an inference or assertion, or an action that might be intended or has actually been performed. This class may represent both the actual data describing the observation, inference, or action, and optionally the details supporting the clinical reasoning process such as a reference to an electronic guideline, decision support system, or other knowledge reference.

3 | ORGANIZER | organizer | Organizer of entries. Navigational. No semantic content. Knowledge of the section code is not required to interpret contained observations. Represents a heading in a heading structure, or "organizer tree". The record entries relating to a single clinical session are usually grouped under headings that represent phases of the encounter, or assist with layout and navigation. Clinical headings usually reflect the clinical workflow during a care session, and might also reflect the main author's reasoning processes. Much research has demonstrated that headings are used differently by different professional groups and specialties, and that headings are not used consistently enough to support safe automatic processing of the E H R.

1 | DOCCNTNT
1 | DOCLIST
1 | DOCLSTITM
1 | DOCPARA
1 | DOCTBL
1 | LINKHTML
1 | LOCALATTR
1 | LOCALMRKP
1 | ordered
1 | REFR
1 | TBLCOL
1 | TBLCOLGP
1 | TBLDATA
1 | TBLHDR
1 | TBLROW
1 | tbody
1 | tfoot
1 | thead
1 | unordered

4.3.2.7 HL7 v3 Code System ActPriority

URL: https://hl7.org/fhir/STU3/v3/ActPriority/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ActPriority) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ActPriority
Name: | v3 Code System ActPriority
Definition: | A set of codes (e.g., for routine, emergency), specifying the urgency under which the Act happened, can happen, is happening, is intended to happen, or is requested/demanded to happen.
OID: | 2.16.840.1.113883.5.7 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System ActPriority (A set of codes (e.g., for routine, emergency), specifying the urgency under which the Act happened, can happen, is happening, is intended to happen, or is requested/demanded to happen.)

4.3.2.7.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | A | ASAP | As soon as possible, next highest priority after stat.
1 | CR | callback results | Filler should contact the placer as soon as results are available, even for preliminary results. (Was "C" in HL7 version 2.3's reporting priority.)
1 | CS | callback for scheduling | Filler should contact the placer (or target) to schedule the service. (Was "C" in HL7 version 2.3's TQ-priority component.)
2 | CSP | callback placer for scheduling | Filler should contact the placer to schedule the service. (Was "C" in HL7 version 2.3's TQ-priority component.)
2 | CSR | contact recipient for scheduling | Filler should contact the service recipient (target) to schedule the service. (Was "C" in HL7 version 2.3's TQ-priority component.)
1 | EL | elective | Beneficial to the patient but not essential for survival.
1 | EM | emergency | An unforeseen combination of circumstances or the resulting state that calls for immediate action.
1 | P | preop | Used to indicate that a service is to be performed prior to a scheduled surgery. When ordering a service and using the pre-op priority, a check is done to see the amount of time that must be allowed for performance of the service. When the order is placed, a message can be generated indicating the time needed for the service so that it is not ordered in conflict with a scheduled operation.
1 | PRN | as needed | An "as needed" order should be accompanied by a description of what constitutes a need. This description is represented by an observation service predicate as a precondition.
1 | R | routine | Routine service, do at usual work hours.
1 | RR | rush reporting | A report should be prepared and sent as quickly as possible.
1 | S | stat | With highest priority (e.g., emergency).
1 | T | timing critical | It is critical to come as close as possible to the requested time (e.g., for a through antimicrobial level).
1 | UD | use as directed | Drug is to be used as directed by the prescriber.
1 | UR | urgent | Calls for prompt action.

4.3.2.8 HL7 v3 Code System ActReason

URL: https://hl7.org/fhir/STU3/v3/ActReason/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ActReason) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ActReason
Name: | v3 Code System ActReason
Definition: | A set of codes specifying the motivation, cause, or rationale of an Act, when such rationale is not reasonably represented as an ActRelationship of type "has reason" linking to another Act. Examples: Example reasons that might qualify for being coded in this field might be: "routine requirement", "infectious disease reporting requirement", "on patient request", "required by law".
OID: | 2.16.840.1.113883.5.8 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* SubstanceAdminSubstitutionReason (No Description Provided)

* v3 Code System ActReason (A set of codes specifying the motivation, cause, or rationale of an Act, when such rationale is not reasonably represented as an ActRelationship of type "has reason" linking to another Act. Examples: Example reasons that might qualify for being coded in this field might be: "routine requirement", "infectious disease reporting requirement", "on patient request", "required by law".)

* Immunization Reasons for Not Immunizing Codes (The value set to instantiate this attribute should be drawn from a terminologically robust code system that consists of or contains concepts to support describing the reason why a dose of vaccine was not administered. This value set is provided as a suggestive example.)

* PurposeOfUse (Supports communication of purpose of use at a general level.)

* GeneralPurposeOfUse (Supports communication of purpose of use at a general level.)

4.3.2.8.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | (_ActAccommodationReason) Abstract | | Identifies the reason the patient is assigned to this accommodation type
2 | ACCREQNA | Accommodation Requested Not Available | Accommodation requested is not available.
2 | FLRCNV | Floor Convenience | Accommodation is assigned for floor convenience.
2 | MEDNEC | Medical Necessity | Required for medical reasons(s).
2 | PAT | Patient request | The Patient requested the action
1 | (_ActCoverageReason) Abstract | | Description:Codes used to specify reasons or criteria relating to coverage provided under a policy or program. May be used to convey reasons pertaining to coverage contractual provisions, including criteria for eligibility, coverage limitations, coverage maximums, or financial participation required of covered parties.
2 | (_EligibilityActReasonCode) Abstract | | Identifies the reason or rational for why a person is eligibile for benefits under an insurance policy or progam. Examples: A person is a claimant under an automobile insurance policy are client deceased & adopted client has been given a new policy identifier. A new employee is eligible for health insurance as an employment benefit. A person meets a government program eligibility criteria for

financial, age or health status.

3 | (_ActIneligibilityReason) Abstract | | Identifies the reason or rational for why a person is not eligibile for benefits under an insurance policy. Examples are client deceased & adopted client has been given a new policy identifier.

4 | COVSUS | coverage suspended | When a client has no contact with the health system for an extended period, coverage is suspended. Client will be reinstated to original start date upon proof of identification, residency etc. Example: Coverage may be suspended during a strike situation, when employer benefits for employees are not covered (i.e. not in effect).

4 | DECSD | deceased | Client deceased.

4 | REGERR | registered in error | Client was registered in error.

3 | (_CoverageEligibilityReason) Abstract | | Definition: Identifies the reason or rational for why a person is eligibile for benefits under an insurance policy or progam. Examples: A person is a claimant under an automobile insurance policy are client deceased & adopted client has been given a new policy identifier. A new employee is eligible for health insurance as an employment benefit. A person meets a government program eligibility criteria for financial, age or health status.

4 | AGE | age eligibility | A person becomes eligible for a program based on age. Example: In the U.S., a person who is 65 years of age or older is eligible for Medicare.

4 | CRIME | crime victim | A person becomes eligible for insurance or a program because of crime related health condition or injury. Example: A person is a claimant under the U.S. Crime Victims Compensation program.

4 | DIS | disability | A person becomes a claimant under a disability income insurance policy or a disability rehabilitation program because of a health condition or injury which limits the person's ability to earn an income or function without institutionalization.

4 | EMPLOY | employment benefit | A person becomes eligible for insurance provided as an employment benefit based on employment status.

4 | FINAN | financial eligibility | A person becomes eligible for a program based on financial criteria. Example: A person whose family income is below a financial threshold for eligibility for Medicaid or SCHIP.

4 | HEALTH | health status | A person becomes eligible for a program because of a qualifying health condition or injury. Examples: A person is determined to have a qualifying health conditions include pregnancy, HIV/AIDs, tuberculosis, end stage renal disease, breast or cervical cancer, or other condition requiring specialized health services, hospice, institutional or community based care provided under a program

4 | MULTI | multiple criteria eligibility | A person becomes eligible for a program based on more than one criterion. Examples: In the U.S., a child whose familiy income meets Medicaid financial thresholds and whose age is less than 18 is eligible for the Early and Periodic Screening, Diagnostic, and Treatment program (EPSDT). A person whose family income meets Medicaid financial thresholds and whose age is 65 years or older is eligible for Medicaid and Medicare, and are referred to as dual eligibles.

4 | PNC | property and casualty condition | A person becomes a claimant under a property and casualty insurance policy because of a related health condition or injury resulting from a circumstance covered under the terms of the policy. Example: A person is a claimant under a homeowners insurance policy because of an injury sustained on the policyholderaTMs premises.

4 | STATUTORY | statutory eligibility | A person becomes eligible for a program based on statutory criteria. Examples: A person is a member of an indigenous group, a veteran of military service, or in the U.S., a recipient of adoption assistance and foster care under Title IV-E of the Social Security.

4 | VEHIC | motor vehicle accident victim | A person becomes a claimant under a motor vehicle accident insurance because of a motor vehicle accident related health condition or injury.

4 | WORK | work related | A person becomes eligible for insurance or a program because of a work related health condition or injury. Example: A person is a claimant under the U.S. Black Lung Program.

1 | (_ActInformationManagementReason) Abstract | | Description:The rationale or purpose for an act relating to information management, such as archiving information for the purpose of complying with an enterprise data retention policy.

2 | (_ActHealthInformationManagementReason) Abstract | | Description:The rationale or purpose for an act relating to health information management, such as archiving information for the purpose of complying with an organization policy or jurisdictional law relating to data retention.

3 | (_ActConsentInformationAccessOverrideReason) Abstract | | To perform one or more operations on information to which the patient has not consented as deemed necessary by authorized entities for providing care in the best interest of the patient; providing immediately needed health care for an emergent condition; or for protecting public or third party safety. Usage Notes: Used to convey the reason that a provider or other entity may or has accessed personal healthcare information. Typically, this involves overriding the subject's consent directives.

4 | OVRER | emergency treatment override | To perform one or more operations on information to which the patient has not consented by authorized entities for treating a condition which poses an immediate threat to the patient's health and which requires immediate medical intervention. Usage Notes: The patient is unable to provide consent, but the provider determines they have an urgent healthcare related reason to access the record.

4 | OVRPJ | professional judgment override | To perform one or more operations on information to which the patient declined to consent for providing health care. Usage Notes: The patient, while able to give consent, has not. However the provider believes it is in the patient's interest to access the record without patient consent.

4 | OVRPS | public safety override | To perform one or more operations on information to which the patient has not consented for public safety reasons. Usage Notes: The patient, while able to give consent, has not. However, the provider believes that access to masked patient information is justified because of concerns related to public safety.

4 | OVRTPS | third party safety override | To perform one or more operations on information to which the patient has not consented for third party safety. Usage Notes: The patient, while able to give consent, has not. However, the provider believes that access to masked patient information is justified because of concerns related to the health and safety of one or more third parties.

3 | PurposeOfUse | purpose of use | Reason for performing one or more operations on information, which may be permitted by source system's security policy in accordance with one or more privacy policies and consent directives. Usage Notes: The rationale or purpose for an act relating to the management of personal health information, such as collecting personal health information for research or public health purposes.

4 | HMARKT | healthcare marketing | To perform one or more operations on information for marketing services and products related to health care.

4 | HOPERAT | healthcare operations | To perform one or more operations on information used for conducting administrative and contractual activities related to the provision of health care.

5 | DONAT | donation | To perform one or more operations on information used for cadaveric organ, eye or tissue donation.

5 | FRAUD | fraud | To perform one or more operations on information used for fraud detection and prevention processes.

5 | GOV | government | To perform one or more operations on information used within government processes.

5 | HACCRED | health accreditation | To perform one or more operations on information for conducting activities related to meeting accreditation criteria.

5 | HCOMPL | health compliance | To perform one or more operations on information used for conducting activities required to meet a mandate.

5 | HDECD | decedent | To perform one or more operations on information used for handling deceased patient matters.

5 | HDIRECT | directory | To perform one or more operation operations on information used to manage a patient directory. Examples: facility enterprise payer health information exchange patient directory

5 | HLEGAL | legal | To perform one or more operations on information for conducting activities required by legal proceeding.

5 | HOUTCOMS | health outcome measure | To perform one or more operations on information used for assessing results and comparative effectiveness achieved by health care practices and interventions.

5 | HPRGRP | health program reporting | To perform one or more operations on information used for conducting activities to meet program accounting requirements.
5 | HQUALIMP | health quality improvement | To perform one or more operations on information used for conducting administrative activities to improve health care quality.
5 | HSYSADMIN | health system administration | To perform one or more operations on information to administer the electronic systems used for the delivery of health care.
5 | MEMADMIN | member administration | To perform one or more operations on information to administer health care coverage to an enrollee under a policy or program.
5 | PATADMIN | patient administration | To perform one or more operations on information used for operational activities conducted to administer the delivery of health care to a patient.
5 | PATSFTY | patient safety | To perform one or more operations on information in processes related to ensuring the safety of health care.
5 | PERFMSR | performance measure | To perform one or more operations on information used for monitoring performance of recommended health care practices and interventions.
5 | RECORDMGT | records management | To perform one or more operations on information used within the health records management process.
5 | TRAIN | training | To perform one or more operations on information used in training and education.
4 | HPAYMT | healthcare payment | To perform one or more operations on information for conducting financial or contractual activities related to payment for provision of health care.
5 | CLMATTCH | claim attachment | To perform one or more operations on information for provision of additional clinical evidence in support of a request for coverage or payment for health services.
5 | COVAUTH | coverage authorization | To perform one or more operations on information for conducting prior authorization or predetermination of coverage for services.
5 | COVERAGE | coverage under policy or program | To perform one or more operations on information for conducting activities related to coverage under a program or policy.
6 | ELIGDTRM | eligibility determination | To perform one or more operations on information used for conducting eligibility determination for coverage in a program or policy. May entail review of financial status or disability assessment.
6 | ELIGVER | eligibility verification | To perform one or more operations on information used for conducting eligibility verification of coverage in a program or policy. May entail provider contacting coverage source (e.g., government health program such as workers compensation or health plan) for confirmation of enrollment, eligibility for specific services, and any applicable copays.
6 | ENROLLM | enrollment | To perform one or more operations on information used for enrolling a covered party in a program or policy. May entail recording of covered party's and any dependent's demographic information and benefit choices.
5 | REMITADV | remittance advice | To perform one or more operations on information about the amount remitted for a health care claim.
4 | HRESCH | healthcare research | To perform one or more operations on information for conducting scientific investigations to obtain health care knowledge.
5 | CLINTRCH | clinical trial research | To perform one or more operations on information for conducting scientific investigations in accordance with clinical trial protocols to obtain health care knowledge.
4 | PATRQT | patient requested | To perform one or more operations on information in response to a patient's request.
5 | FAMRQT | family requested | To perform one or more operations on information in response to a request by a family member authorized by the patient.
5 | PWATRNY | power of attorney | To perform one or more operations on information in response to a request by a person appointed as the patient's legal representative.
5 | SUPNWK | support network | To perform one or more operations on information in response to a request by a person authorized by the patient.
4 | PUBHLTH | public health | To perform one or more operations on information for conducting public health activities, such as the reporting of notifiable conditions.
5 | DISASTER | disaster | To perform one or more operations on information used for provision of immediately needed health care to a population of living subjects located in a disaster zone.
5 | THREAT | threat | To perform one or more operations on information used to prevent injury or disease to living subjects who may be the target of violence.
4 | TREAT | treatment | To perform one or more operations on information for provision of health care.
5 | CAREMGT | Care Management | To perform one or more operations on information for provision of health care coordination.
5 | CLINTRL | clinical trial | To perform health care as part of the clinical trial protocol.
5 | ETREAT | Emergency Treatment | To perform one or more operations on information for provision of immediately needed health care for an emergent condition.
5 | POPHLTH | population health | To perform one or more operations on information for provision of health care to a population of living subjects, e.g., needle exchange program.
2 | (_ActInformationPrivacyReason) Abstract | | Description:The rationale or purpose for an act relating to the management of personal information, such as disclosing personal tax information for the purpose of complying with a court order.
3 | MARKT | marketing | Description:
3 | OPERAT | operations | Description:Administrative and contractual processes required to support an activity, product, or service
4 | LEGAL | subpoena | Definition:To provide information as a result of a subpoena.
4 | ACCRED | accreditation | Description:Operational activities conducted for the purposes of meeting of criteria defined by an accrediting entity for an activity, product, or service
4 | COMPL | compliance | Description:Operational activities required to meet a mandate related to an activity, product, or service
4 | ENADMIN | entity administration | Description:Operational activities conducted to administer information relating to entities involves with an activity, product, or service
4 | OUTCOMS | outcome measure | Description:Operational activities conducted for the purposes of assessing the results of an activity, product, or service
4 | PRGRPT | program reporting | Description:Operational activities conducted to meet program accounting requirements related to an activity, product, or service
4 | QUALIMP | quality improvement | Description:Operational activities conducted for the purposes of improving the quality of an activity, product, or service
4 | SYSADMN | system administration | Description:Operational activities conducted to administer the electronic systems used for an activity, product, or service
3 | PAYMT | payment | Description:Administrative, financial, and contractual processes related to payment for an activity, product, or service
3 | RESCH | research | Description:Investigative activities conducted for the purposes of obtaining knowledge
3 | SRVC | service | Description:Provision of a service, product, or capability to an individual or organization

1 | _ActInvalidReason | ActInvalidReason | Description: Types of reasons why a substance is invalid for use.
2 | ADVSTORAGE | adverse storage condition | Description: Storage conditions caused the substance to be ineffective.
3 | COLDCHNBRK | cold chain break | Description: Cold chain was not maintained for the substance.
2 | EXPLOT | expired lot | Description: The lot from which the substance was drawn was expired.
2 | OUTSIDESCHED | administered outside recommended schedule or practice | The substance was administered outside of the recommended schedule or practice.
2 | PRODRECALL | product recall | Description: The substance was recalled by the manufacturer.
1 | (_ActInvoiceCancelReason) Abstract | | Domain specifies the codes used to describe reasons why a Provider is cancelling an Invoice or Invoice Grouping.
2 | INCCOVPTY | incorrect covered party as patient | The covered party (patient) specified with the Invoice is not correct.
2 | INCINVOICE | incorrect billing | The billing information, specified in the Invoice Elements, is not correct. This could include incorrect costing for items included in the Invoice.
2 | INCPOLICY | incorrect policy | The policy specified with the Invoice is not correct. For example, it may belong to another Adjudicator or Covered Party.
2 | INCPROV | incorrect provider | The provider specified with the Invoice is not correct.
1 | (_ActNoImmunizationReason) Abstract | | A coded description of the reason for why a patient did not receive a scheduled immunization. (important for public health strategy
2 | IMMUNE | immunity | Definition:Testing has shown that the patient already has immunity to the agent targeted by the immunization.
2 | MEDPREC | medical precaution | Definition:The patient currently has a medical condition for which the vaccine is contraindicated or for which precaution is warranted.
2 | OSTOCK | product out of stock | Definition:There was no supply of the product on hand to perform the service.
2 | PATOBJ | patient objection | Definition:The patient or their guardian objects to receiving the vaccine.
2 | PHILISOP | philosophical objection | Definition:The patient or their guardian objects to receiving the vaccine because of philosophical beliefs.
2 | RELIG | religious objection | Definition:The patient or their guardian objects to receiving the vaccine on religious grounds.
2 | VACEFF | vaccine efficacy concerns | Definition:The intended vaccine has expired or is otherwise believed to no longer be effective. Example:Due to temperature exposure.
2 | VACSAF | vaccine safety concerns | Definition:The patient or their guardian objects to receiving the vaccine because of concerns over its safety.
1 | (_ActSupplyFulfillmentRefusalReason) Abstract | | Indicates why a fulfiller refused to fulfill a supply order, and considered it important to notify other providers of their decision. E.g. "Suspect fraud", "Possible abuse", "Contraindicated". (used when capturing 'refusal to fill' annotations)
2 | FRR01 | order stopped | Definition:The order has been stopped by the prescriber but this fact has not necessarily captured electronically. Example:A verbal stop, a fax, etc.
2 | FRR02 | stale-dated order | Definition:Order has not been fulfilled within a reasonable amount of time, and may not be current.
2 | FRR03 | incomplete data | Definition:Data needed to safely act on the order which was expected to become available independent of the order is not yet available Example:Lab results, diagnostic imaging, etc.
2 | FRR04 | product unavailable | Definition:Product not available or manufactured. Cannot supply.
2 | FRR05 | ethical/religious | Definition:The dispenser has ethical, religious or moral objections to fulfilling the order/dispensing the product.
2 | FRR06 | unable to provide care | Definition:Fulfiller not able to provide appropriate care associated with fulfilling the order. Example:Therapy requires ongoing monitoring by fulfiller and fulfiller will be ending practice, leaving town, unable to schedule necessary time, etc.
1 | (_ClinicalResearchEventReason) Abstract | | Definition:Specifies the reason that an event occurred in a clinical research study.
2 | RET | retest | Definition:The event occurred so that a test or observation performed at a prior event could be performed again due to conditions set forth in the protocol.
2 | SCH | scheduled | Definition:The event occurred due to it being scheduled in the research protocol.
2 | TRM | termination | Definition:The event occurred in order to terminate the subject's participation in the study.
2 | UNS | unscheduled | Definition:The event that occurred was initiated by a study participant (e.g. the subject or the investigator), and did not occur for protocol reasons.
1 | (_ClinicalResearchObservationReason) Abstract | | Definition:SSpecifies the reason that a test was performed or observation collected in a clinical research study. Note:This set of codes are not strictly reasons, but are used in the currently Normative standard. Future revisions of the specification will model these as ActRelationships and thes codes may subsequently be retired. Thus, these codes should not be used for new specifications.
2 | NPT | non-protocol | Definition:The observation or test was neither defined or scheduled in the study protocol.
2 | PPT | per protocol | Definition:The observation or test occurred due to it being defined in the research protocol, and during an activity or event that was scheduled in the protocol.
2 | UPT | per definition | :The observation or test occurred as defined in the research protocol, but at a point in time not specified in the study protocol.
1 | (_CombinedPharmacyOrderSuspendReasonCode) Abstract | | Description:Indicates why the prescription should be suspended.
2 | ALTCHOICE | try another treatment first | Description:This therapy has been ordered as a backup to a preferred therapy. This order will be released when and if the preferred therapy is unsuccessful.
2 | CLARIF | prescription requires clarification | Description:Clarification is required before the order can be acted upon.
2 | DRUGHIGH | drug level too high | Description:The current level of the medication in the patient's system is too high. The medication is suspended to allow the level to subside to a safer level.
2 | HOSPADM | admission to hospital | Description:The patient has been admitted to a care facility and their community medications are suspended until hospital discharge.
2 | LABINT | lab interference issues | Description:The therapy would interfere with a planned lab test and the therapy is being withdrawn until the test is completed.
2 | NON-AVAIL | patient not-available | Description:Patient not available for a period of time due to a scheduled therapy, leave of absence or other reason.
2 | PREG | parent is pregnant/breast feeding | Description:The patient is pregnant or breast feeding. The therapy will be resumed when the pregnancy is complete and the patient is no longer breastfeeding.
2 | SALG | allergy | Description:The patient is believed to be allergic to a substance that is part of the therapy and the therapy is being temporarily withdrawn to confirm.
2 | SDDI | drug interacts with another drug | Description:The drug interacts with a short-term treatment that is more urgently required. This order will be resumed when the short-term treatment is complete.
2 | SDUPTHER | duplicate therapy | Description:Another short-term co-occurring therapy fulfills the same purpose as this therapy. This therapy will be resumed when the co-occuring therapy is complete.
2 | SINTOL | suspected intolerance | Description:The patient is believed to have an intolerance to a substance that is part of the therapy and the therapy is being temporarily withdrawn to confirm.

2 | SURG | patient scheduled for surgery | Description:The drug is contraindicated for patients receiving surgery and the patient is scheduled to be admitted for surgery in the near future. The drug will be resumed when the patient has sufficiently recovered from the surgery.
2 | WASHOUT | waiting for old drug to wash out | Description:The patient was previously receiving a medication contraindicated with the current medication. The current medication will remain on hold until the prior medication has been cleansed from their system.
1 | _ControlActNullificationReasonCode | ControlActNullificationReasonCode | Description:Identifies reasons for nullifying (retracting) a particular control act.
2 | ALTD | altered decision | Description:The decision on which the recorded information was based was changed before the decision had an effect. Example:Aborted prescription before patient left office, released prescription before suspend took effect.
2 | EIE | entered in error | Description:The information was recorded incorrectly or was recorded in the wrong record.
2 | NORECMTCH | no record match | Description: There is no match for the record in the database.
1 | (_ControlActNullificationRefusalReasonType) Abstract | | Description: Reasons to refuse a transaction to be undone.
2 | INRQSTATE | in requested state | The record is already in the requested state.
2 | NOMATCH | no match | Description: There is no match.
3 | NORECMTCH
3 | NOPRODMTCH | no product match | Description: There is no match for the product in the master file repository.
3 | NOSERMTCH | no service match | Description: There is no match for the service in the master file repository.
3 | NOVERMTCH | no version match | Description: There is no match for the record and version.
2 | NOPERM | no permission | Description: There is no permission.
3 | NOUSERPERM | no user permission | Definition:The user does not have permission
3 | NOAGNTPERM | no agent permission | Description: The agent does not have permission.
3 | NOUSRPERM | no user permission | Description: The user does not have permission.
2 | WRNGVER | wrong version | Description: The record and version requested to update is not the current version.
1 | (_ControlActReason) Abstract | | Identifies why a specific query, request, or other trigger event occurred.
2 | (_MedicationOrderAbortReasonCode) Abstract | | Description:Indicates the reason the medication order should be aborted.
3 | DISCONT | product discontinued | Description:The medication is no longer being manufactured or is otherwise no longer available.
3 | INEFFECT | ineffective | Description:The therapy has been found to not have the desired therapeutic benefit on the patient.
3 | MONIT | response to monitoring | Description:Monitoring the patient while taking the medication, the decision has been made that the therapy is no longer appropriate.
3 | NOREQ | no longer required for treatment | Description:The underlying condition has been resolved or has evolved such that a different treatment is no longer needed.
3 | NOTCOVER | not covered | Description:The product does not have (or no longer has) coverage under the patientaTMs insurance policy.
3 | PREFUS | patient refuse | Description:The patient refused to take the product.
3 | RECALL | product recalled | Description:The manufacturer or other agency has requested that stocks of a medication be removed from circulation.
3 | REPLACE | change in order | Description:Item in current order is no longer in use as requested and a new one has/will be created to replace it.
4 | DOSECHG | change in medication/dose | Description:The medication is being re-prescribed at a different dosage.
3 | REPLACEFIX | error in order | Description:Current order was issued with incorrect data and a new order has/will be created to replace it.
3 | UNABLE | unable to use | Description:<The patient is not (or is no longer) able to use the medication in a manner prescribed. Example:CanaTMt swallow.
2 | (_MedicationOrderReleaseReasonCode) Abstract | | Definition:A collection of concepts that indicate why the prescription should be released from suspended state.
3 | HOLDDONE | suspend reason no longer applies | Definition:The original reason for suspending the medication has ended.
3 | HOLDINAP | suspend reason inappropriate | Definition:
2 | (_ModifyPrescriptionReasonType) Abstract | | Types of reason why a prescription is being changed.
3 | ADMINERROR | administrative error in order | Order was created with incorrect data and is changed to reflect the intended accuracy of the order.
3 | CLINMOD | clinical modification | Order is changed based on a clinical reason.
2 | _PharmacySupplyEventAbortReason | PharmacySupplyEventAbortReason | Definition:Identifies why the dispense event was not completed.
3 | CONTRA | contraindication | Definition:Contraindication identified
3 | FOABORT | order aborted | Definition:Order to be fulfilled was aborted
3 | FOSUSP | order suspended | Definition:Order to be fulfilled was suspended
3 | NOPICK | not picked up | Definition:Patient did not come to get medication
3 | PATDEC | patient changed mind | Definition:Patient changed their mind regarding obtaining medication
3 | QUANTCHG | change supply quantity | Definition:Patient requested a revised quantity of medication
2 | (_PharmacySupplyEventStockReasonCode) Abstract | | Definition:A collection of concepts that indicates the reason for a "bulk supply" of medication.
3 | FLRSTCK | floor stock | Definition:The bulk supply is issued to replenish a ward for local dispensing. (Includes both mobile and fixed-location ward stocks.)
3 | LTC | long term care use | Definition:The bulk supply will be administered within a long term care facility.
3 | OFFICE | office use | Definition:The bulk supply is intended for general clinician office use.
3 | PHARM | pharmacy transfer | Definition:The bulk supply is being transferred to another dispensing facility to. Example:Alleviate a temporary shortage.
3 | PROG | program use | Definition:The bulk supply is intended for dispensing according to a specific program. Example:Mass immunization.
2 | (_PharmacySupplyRequestRenewalRefusalReasonCode) Abstract | | Definition:A collection of concepts that identifies why a renewal prescription has been refused.
3 | DISCONT
3 | ALREADYRX | new prescription exists | Definition:Patient has already been given a new (renewal) prescription.
3 | FAMPHYS | family physician must authorize further fills | Definition:Request for further authorization must be done through patient's family physician.
3 | MODIFY | modified prescription exists | Definition:Therapy has been changed and new prescription issued
3 | NEEDAPMT | patient must make appointment | Definition:Patient must see prescriber prior to further fills.
3 | NOTAVAIL | prescriber not available | Definition:Original prescriber is no longer available to prescribe and no other prescriber has taken responsibility for the patient.
3 | NOTPAT | patient no longer in this practice | Definition:Patient no longer or has never been under this prescribers care.
3 | ONHOLD | medication on hold | Definition:This medication is on hold.

3 | PRNA | product not available | Description:This product is not available or manufactured.
3 | STOPMED | prescriber stopped medication for patient | Renewing or original prescriber informed patient to stop using the medication.
3 | TOOEARLY | too early | Definition:The patient should have medication remaining.
2 | (_SupplyOrderAbortReasonCode) Abstract | | Definition:A collection of concepts that indicates why the prescription should no longer be allowed to be dispensed (but can still administer what is already being dispensed).
3 | IMPROV | condition improved | Definition:The patient's medical condition has nearly abated.
3 | INTOL | intolerance | Description:The patient has an intolerance to the medication.
3 | NEWSTR | new strength | Definition:The current medication will be replaced by a new strength of the same medication.
3 | NEWTHER | new therapy | Definition:A new therapy will be commenced when current supply exhausted.
1 | (_GenericUpdateReasonCode) Abstract | | Description:Identifies why a change is being made to a record.
2 | CHGDATA | information change | Description:Information has changed since the record was created.
2 | FIXDATA | error correction | Description:Previously recorded information was erroneous and is being corrected.
2 | MDATA | merge data | Information is combined into the record.
2 | NEWDATA | new information | Description:New information has become available to supplement the record.
2 | UMDATA | unmerge data | Information is separated from the record.
1 | (_PatientProfileQueryReasonCode) Abstract | | Definition:A collection of concepts identifying why the patient's profile is being queried.
2 | ADMREV | administrative review | Definition: To evaluate for service authorization, payment, reporting, or performance/outcome measures.
2 | LEGAL
2 | PATCAR | patient care | Definition:To obtain records as part of patient care.
2 | PATREQ | patient request query | Definition:Patient requests information from their profile.
2 | PRCREV | practice review | Definition:To evaluate the provider's current practice for professional-improvement reasons.
2 | REGUL | regulatory review | Description:Review for the purpose of regulatory compliance.
2 | RSRCH | research | Definition:To provide research data, as authorized by the patient.
2 | VALIDATION | validation review | Description:To validate the patient's record. Example:Merging or unmerging records.
1 | _PharmacySupplyRequestFulfillerRevisionRefusalReasonCode | PharmacySupplyRequestFulfillerRevisionRefusalReasonCode | Definition:Indicates why the request to transfer a prescription from one dispensing facility to another has been refused.
2 | LOCKED | locked | Definition:The prescription may not be reassigned from the original pharmacy.
2 | NOUSERPERM
2 | UNKWNTARGET | unknown target | Definition:The target facility does not recognize the dispensing facility.
1 | (_RefusalReasonCode) Abstract | | Description: Identifies why a request to add (or activate) a record is being refused. Examples include the receiving system not able to match the identifier and find that record in the receiving system, having no permission, or a detected issue exists which precludes the requested action.
2 | NOMATCH
2 | NOPERM
1 | (_SchedulingActReason) Abstract | | Reasons for cancelling or rescheduling an Appointment
2 | PAT
2 | BLK | Unexpected Block (of Schedule) | The time slots previously allocated are now blocked and no longer available for booking Appointments
2 | DEC | Patient Deceased | The Patient is deceased
2 | FIN | No Financial Backing | Patient unable to pay and not covered by insurance
2 | MED | Medical Status Altered | The medical condition of the Patient has changed
2 | MTG | In an outside meeting | The Physician is in a meeting. For example, he/she may request administrative time to talk to family after appointment
2 | PHY | Physician request | The Physician requested the action
1 | _StatusRevisionRefusalReasonCode | StatusRevisionRefusalReasonCode | Indicates why the act revision (status update) is being refused.
2 | NORECMTCH
2 | INRQSTATE
2 | NOUSERPERM
2 | FILLED | fully filled | Ordered quantity has already been completely fulfilled.
1 | _SubstanceAdministrationPermissionRefusalReasonCode | SubstanceAdministrationPermissionRefusalReasonCode | Definition:Indicates why the requested authorization to prescribe or dispense a medication has been refused.
2 | NOUSERPERM
2 | PATINELIG | patient not eligible | Definition:Patient not eligible for drug
2 | PROTUNMET | protocol not met | Definition:Patient does not meet required protocol
2 | PROVUNAUTH | provider not authorized | Definition:Provider is not authorized to prescribe or dispense
1 | (_SubstanceAdminSubstitutionNotAllowedReason) Abstract | | Reasons why substitution of a substance administration request is not permitted.
2 | PAT
2 | ALGINT | allergy intolerance | Definition: Patient has had a prior allergic intolerance response to alternate product or one of its components.
2 | COMPCON | compliance concern | Definition: Patient has compliance issues with medication such as differing appearance, flavor, size, shape or consistency.
2 | THERCHAR | therapeutic characteristics | The prescribed product has specific clinical release or other therapeutic characteristics not shared by other substitutable medications.
2 | TRIAL | clinical trial drug | Definition: The specific manufactured drug is part of a clinical trial.
1 | (_SubstanceAdminSubstitutionReason) Abstract
2 | CT | continuing therapy | Indicates that the decision to substitute or to not substitute was driven by a desire to maintain consistency with a pre-existing therapy. I.e. The performer provided the same item/service as had been previously provided rather than providing exactly what was ordered, or rather than substituting with a lower-cost equivalent.
2 | FP | formulary policy | Indicates that the decision to substitute or to not substitute was driven by a policy expressed within the formulary.
2 | OS | out of stock | In the case of 'substitution', indicates that the substitution occurred because the ordered item was not in stock. In the case of 'no substitution', indicates that a cheaper equivalent was not substituted because it was not in stock.
2 | RR | regulatory requirement | Indicates that the decision to substitute or to not substitute was driven by a jurisdictional regulatory requirement mandating or prohibiting substitution.
1 | (_TransferActReason) Abstract | | The explanation for why a patient is moved from one location to another within the organization
2 | ER | Error | Moved to an error in placing the patient in the original location.

2 | RQ | Request | Moved at the request of the patient.
1 | (_ActBillableServiceReason) Abstract | | Definition: This domain is used to document reasons for providing a billable service; the billable services may include both clinical services and social services.
2 | (_ActBillableClinicalServiceReason) Abstract | | Reason for Clinical Service being performed. This domain excludes reasons specified by diagnosed conditions. Examples of values from this domain include duplicate therapy and fraudulent prescription.
1 | BONUS
1 | CHD | Children only | Description:The level of coverage under the policy or program is available only to children
1 | DEP | Dependents only | Description:The level of coverage under the policy or program is available only to a subscriber's dependents.
1 | ECH | Employee and children | Description:The level of coverage under the policy or program is available to an employee and his or her children.
1 | EDU
1 | EMP | Employee only | Description:The level of coverage under the policy or program is available only to an employee.
1 | ESP | Employee and spouse | Description:The level of coverage under the policy or program is available to an employee and his or her spouse.
1 | FAM | Family | Description:The level of coverage under the policy or program is available to a subscriber's family.
1 | IND | Individual | Description:The level of coverage under the policy or program is available to an individual.
1 | INVOICE
1 | PROA
1 | RECOV
1 | RETRO
1 | SPC | Spouse and children | Description:The level of coverage under the policy or program is available to a subscriber's spouse and children
1 | SPO | Spouse only | Description:The level of coverage under the policy or program is available only to a subscribers spouse
1 | TRAN

4.3.2.9 HL7 v3 Code System CalendarCycle

URL: https://hl7.org/fhir/STU3/v3/CalendarCycle/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/CalendarCycle) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/CalendarCycle
Name: | v3 Code System CalendarCycle
Definition: | Calendar cycle identifiers
OID: | 2.16.840.1.113883.5.9 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System CalendarCycle (Calendar cycle identifiers)

4.3.2.9.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | (_CalendarCycleOneLetter) Abstract Deprecated
2 | CW | week (continuous)
2 | CY | year
2 | D | day of the month
2 | DW | day of the week (begins with Monday)
2 | H | hour of the day
2 | M | month of the year
2 | N | minute of the hour
2 | S | second of the minute
1 | (_CalendarCycleTwoLetter) Abstract Deprecated
2 | CW
2 | CY
2 | D
2 | DW
2 | H
2 | M
2 | N
2 | S
2 | CD | day (continuous)
2 | CH | hour (continuous)
2 | CM | month (continuous)
2 | CN | minute (continuous)
2 | CS | second (continuous)
2 | DY | day of the year
2 | WY | week of the year
1 | WM | week of the month | The week with the month's first Thursday in it (analagous to the ISO 8601 definition for week of the year).

4.3.2.10 HL7 v3 Code System ActRelationshipCheckpoint

URL: https://hl7.org/fhir/STU3/v3/ActRelationshipCheckpoint/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ActRelationshipCheckpoint) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ActRelationshipCheckpoint
Name: | v3 Code System ActRelationshipCheckpoint
Definition: | **** MISSING DEFINITIONS ****
OID: | 2.16.840.1.113883.5.10 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System ActRelationshipCheckpoint (**** MISSING DEFINITIONS ****)

4.3.2.10.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | B | beginning | Condition is tested every time before execution of the service (WHILE condition DO service).
1 | E | end | Condition is tested at the end of a repeated service execution. The service is repeated only if the condition is true (DO service WHILE condition).
1 | S | entry | Condition is tested once before the service is executed (IF condition THEN service).
1 | T | through | Condition must be true throughout the execution and the service is interrupted (asynchronously) as soon as the condition turns false (asynchronous WHILE loop). The service must be interruptible.
1 | X | exit | Condition is a loop checkpoint, i.e. it is a step of an activity plan and, if negative causes the containing loop to exit.

4.3.2.12 HL7 v3 Code System ActRelationshipJoin

URL: https://hl7.org/fhir/STU3/v3/ActRelationshipJoin/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ActRelationshipJoin) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ActRelationshipJoin
Name: | v3 Code System ActRelationshipJoin
Definition: | **** MISSING DEFINITIONS ****
OID: | 2.16.840.1.113883.5.12 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System ActRelationshipJoin (**** MISSING DEFINITIONS ****)

4.3.2.12.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | D | detached | Detach this branch from the other branches so it will not be resynchronized with the other branches.
1 | K | kill | When all other concurrent branches are terminated, interrupt and discontinue this branch.
1 | W | wait | Wait for this branch to terminate.
1 | X | exclusive wait | Wait for any one of the branches in the set of exclusive wait branches to terminate, then discontinue all the other exclusive wait branches.

4.3.2.13 HL7 v3 Code System ActRelationshipSplit

URL: https://hl7.org/fhir/STU3/v3/ActRelationshipSplit/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ActRelationshipSplit) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ActRelationshipSplit
Name: | v3 Code System ActRelationshipSplit
Definition: | **** MISSING DEFINITIONS ****
OID: | 2.16.840.1.113883.5.13 (for OID based terminology systems)

Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System ActRelationshipSplit (**** MISSING DEFINITIONS ****)

4.3.2.13.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition

1 | E1 | exclusive try once | The pre-condition associated with the branch is evaluated once and if true the branch may be entered. All other exclusive branches compete with each other and only one will be selected. This implements a COND, IF and CASE conditionals, or "XOR-split." The order in which the branches are considered may be specified in the priorityNumber attribute.

1 | EW | exclusive wait | A branch is selected as soon as the pre-condition associated with the branch evaluates to true. If the condition is false, the branch may be entered later, when the condition turns true. All other exclusive branches compete with each other and only one will be selected. Each waiting branch executes in parallel with the default join code wait (see below). The order in which the branches are considered may be specified in the Service_relationship.priority_nmb.

1 | I1 | inclusive try once | A branch is executed if its associated preconditions permit. If associated preconditions do not permit, the branch is dropped. Inclusive branches are not suppressed and do not suppress other branches.

1 | IW | inclusive wait | A branch is executed as soon as its associated conditions permit. If the condition is false, the branch may be entered later, when the condition turns true. Inclusive branches are not suppressed and do not suppress other branches. Each waiting branch executes in parallel with the default join code wait (see below).

4.3.2.14 HL7 v3 Code System ActStatus

URL: https://hl7.org/fhir/STU3/v3/ActStatus/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ActStatus) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ActStatus

Name: | v3 Code System ActStatus

Definition: | Codes representing the defined possible states of an Act, as defined by the Act class state machine.

OID: | 2.16.840.1.113883.5.14 (for OID based terminology systems)

Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System ActStatus (Codes representing the defined possible states of an Act, as defined by the Act class state machine.)

* ProvenanceEventCurrentState-AS (Specifies the state change of a target Act, using ActStatus codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted".)

* ProvenanceActivityType (This value set contains representative Activity Type codes, which includes codes from the HL7 DocumentCompletion, ActStatus, and DataOperations code system, W3C PROV-DM and PROV-N concepts and display names, several HL7 Lifecycle Event codes for which there are agreed upon definitions, and non-duplicated codes from the HL7 Security and Privacy Ontology Operations codes.)

4.3.2.14.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition

1 | normal | normal | Encompasses the expected states of an Act, but excludes "nullified" and "obsolete" which represent unusual terminal states for the life-cycle.

2 | aborted | aborted | The Act has been terminated prior to the originally intended completion.

2 | active | active | The Act can be performed or is being performed

2 | cancelled | cancelled | The Act has been abandoned before activation.

2 | completed | completed | An Act that has terminated normally after all of its constituents have been performed.

2 | held | held | An Act that is still in the preparatory stages has been put aside. No action can occur until the Act is released.

2 | new | new | An Act that is in the preparatory stages and may not yet be acted upon

2 | suspended | suspended | An Act that has been activated (actions could or have been performed against it), but has been temporarily disabled. No further action should be taken against it until it is released

1 | nullified | nullified | This Act instance was created in error and has been 'removed' and is treated as though it never existed. A record is retained for audit purposes only.

1 | obsolete | obsolete | This Act instance has been replaced by a new instance.

4.3.2.16 HL7 v3 Code System AddressPartType

URL: https://hl7.org/fhir/STU3/v3/AddressPartType/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/AddressPartType) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/AddressPartType
Name: | v3 Code System AddressPartType
Definition: | Description: Code that specifies whether an address part names the street, city, country, postal code, post box, etc. Discussion: The hierarchical nature of these concepts shows composition. E.g. "Street Name" is part of "Street Address Line"
OID: | 2.16.840.1.113883.5.16 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System AddressPartType (Description: Code that specifies whether an address part names the street, city, country, postal code, post box, etc. Discussion: The hierarchical nature of these concepts shows composition. E.g. "Street Name" is part of "Street Address Line")

4.3.2.16.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition | PartOf
1 | ADL | additional locator | This can be a unit designator, such as apartment number, suite number, or floor. There may be several unit designators in an address (e.g., "3rd floor, Appt. 342"). This can also be a designator pointing away from the location, rather than specifying a smaller location within some larger one (e.g., Dutch "t.o." means "opposite to" for house boats located across the street facing houses). | AL
1 | AL | address line | Description: An address line is for either an additional locator, a delivery address or a street address.
2 | DAL | delivery address line | A delivery address line is frequently used instead of breaking out delivery mode, delivery installation, etc. An address generally has only a delivery address line or a street address line, but not both.
2 | SAL | street address line | Description: A street address line is frequently used instead of breaking out build number, street name, street type, etc. An address generally has only a delivery address line or a street address line, but not both.
1 | BNN | building number numeric | The numeric portion of a building number | BNR
1 | BNR | building number | The number of a building, house or lot alongside the street. Also known as "primary street number". This does not number the street but rather the building. | SAL
1 | BNS | building number suffix | Any alphabetic character, fraction or other text that may appear after the numeric portion of a building number | BNR
1 | CAR | care of | The name of the party who will take receipt at the specified address, and will take on responsibility for ensuring delivery to the target recipient
1 | CEN | census tract | A geographic sub-unit delineated for demographic purposes.
1 | CNT | country | Country
1 | CPA | county or parish | A sub-unit of a state or province. (49 of the United States of America use the term "county;" Louisiana uses the term "parish".)
1 | CTY | municipality | The name of the city, town, village, or other community or delivery center
1 | DEL | delimiter | Delimiters are printed without framing white space. If no value component is provided, the delimiter appears as a line break.
1 | DINST | delivery installation type | Indicates the type of delivery installation (the facility to which the mail will be delivered prior to final shipping via the delivery mode.) Example: post office, letter carrier depot, community mail center, station, etc. | DAL
1 | DINSTA | delivery installation area | The location of the delivery installation, usually a town or city, and is only required if the area is different from the municipality. Area to which mail delivery service is provided from any postal facility or service such as an individual letter carrier, rural route, or postal route. | DAL
1 | DINSTQ | delivery installation qualifier | A number, letter or name identifying a delivery installation. E.g., for Station A, the delivery installation qualifier would be 'A'. | DAL
1 | DIR | direction | Direction (e.g., N, S, W, E) | SAL
1 | DMOD | delivery mode | Indicates the type of service offered, method of delivery. For example: post office box, rural route, general delivery, etc. | DAL
1 | DMODID | delivery mode identifier | Represents the routing information such as a letter carrier route number. It is the identifying number of the designator (the box number or rural route number). | DAL
1 | DPID | delivery point identifier | A value that uniquely identifies the postal address.
1 | INT | intersection | Description:An intersection denotes that the actual address is located AT or CLOSE TO the intersection OF two or more streets. | AL
1 | POB | post box | A numbered box located in a post station. | DMODID
1 | PRE | precinct | A subsection of a municipality
1 | STA | state or province | A sub-unit of a country with limited sovereignty in a federally organized country.
1 | STB | street name base | The base name of a roadway or artery recognized by a municipality (excluding street type and direction) | STR
1 | STR | street name | | SAL
1 | STTYP | street type | The designation given to the street. (e.g. Street, Avenue, Crescent, etc.) | STR
1 | UNID | unit identifier | The number or name of a specific unit contained within a building or complex, as assigned by that building or complex. | ADL
1 | UNIT | unit designator | Indicates the type of specific unit contained within a building or complex. E.g. Appartment, Floor | ADL
1 | ZIP | postal code | A postal code designating a region defined by the postal service.

4.3.2.18 HL7 v3 Code System AcknowledgementType

URL: https://hl7.org/fhir/STU3/v3/AcknowledgementType/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/AcknowledgementType) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/AcknowledgementType
Name: | v3 Code System AcknowledgementType
Definition: | This attribute contains an acknowledgement code as described in the HL7 message processing rules. OpenIssue: Description was copied from attribute and needs to be improved to be appropriate for a code system.
OID: | 2.16.840.1.113883.5.18 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System AcknowledgementType (This attribute contains an acknowledgement code as described in the HL7 message processing rules. OpenIssue: Description was copied from attribute and needs to be improved to be appropriate for a code system.)

4.3.2.18.1 Code System Content

Release Date: 2016-11-11

Level	Code	Display	Definition
1	AA	Application Acknowledgement Accept	Receiving application successfully processed message.
1	AE	Application Acknowledgement Error	Receiving application found error in processing message. Sending error response with additional error detail information.
1	AR	Application Acknowledgement Reject	Receiving application failed to process message for reason unrelated to content or format. Original message sender must decide on whether to automatically send message again.
1	CA	Accept Acknowledgement Commit Accept	Receiving message handling service accepts responsibility for passing message onto receiving application.
1	CE	Accept Acknowledgement Commit Error	Receiving message handling service cannot accept message for any other reason (e.g. message sequence number, etc.).
1	CR	Accept Acknowledgement Commit Reject	Receiving message handling service rejects message if interaction identifier, version or processing mode is incompatible with known receiving application role information.

4.3.2.21 HL7 v3 Code System Charset

URL: https://hl7.org/fhir/STU3/v3/Charset/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/Charset) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/Charset
Name: | v3 Code System Charset
Definition: | Internet Assigned Numbers Authority (IANA) Charset Types
OID: | 2.16.840.1.113883.5.21 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System Charset (Internet Assigned Numbers Authority (IANA) Charset Types)

4.3.2.21.1 Code System Content

Release Date: 2016-11-11

Level	Code	Display	Definition
1	EBCDIC	EBCDIC	HL7 is indifferent to the use of this Charset.
1	ISO-10646-UCS-2	ISO-10646-UCS-2	Deprecated for HL7 use.
1	ISO-10646-UCS-4	ISO-10646-UCS-4	Deprecated for HL7 use.
1	ISO-8859-1	ISO-8859-1	HL7 is indifferent to the use of this Charset.
1	ISO-8859-2	ISO-8859-2	HL7 is indifferent to the use of this Charset.
1	ISO-8859-5	ISO-8859-5	HL7 is indifferent to the use of this Charset.
1	JIS-2022-JP	JIS-2022-JP	HL7 is indifferent to the use of this Charset.
1	US-ASCII	US-ASCII	Required for HL7 use.
1	UTF-7	UTF-7	HL7 is indifferent to the use of this Charset.
1	UTF-8	UTF-8	Required for Unicode support.

4.3.2.25 HL7 v3 Code System Confidentiality

URL: https://hl7.org/fhir/STU3/v3/Confidentiality/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/Confidentiality) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/Confidentiality
Name: | v3 Code System Confidentiality
Definition: | A set of codes specifying the security classification of acts and roles in accordance with the definition for concept domain "Confidentiality".
OID: | 2.16.840.1.113883.5.25 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* ConfidentialityClassification (Set of codes used to value Act.Confidentiality and Role.Confidentiality attribute in accordance with the definition for concept domain "Confidentiality".)

* v3 Code System Confidentiality (A set of codes specifying the security classification of acts and roles in accordance with the definition for concept domain "Confidentiality".)

* x_BasicConfidentialityKind (Description: Used to enumerate the typical confidentiality constraints placed upon a clinical document. Usage Note: x_BasicConfidentialityKind is a subset of Confidentiality codes that are used as metadata indicating the receiver responsibility to comply with normally applicable jurisdictional privacy law or disclosure authorization; that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject; or that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject.)

4.3.2.25.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition

1 | _Confidentiality | Confidentiality | A specializable code and its leaf codes used in Confidentiality value sets to value the Act.Confidentiality and Role.Confidentiality attribute in accordance with the definition for concept domain "Confidentiality".

2 | L | low | Definition: Privacy metadata indicating that the information has been de-identified, and there are mitigating circumstances that prevent re-identification, which minimize risk of harm from unauthorized disclosure. The information requires protection to maintain low sensitivity. Examples: Includes anonymized, pseudonymized, or non-personally identifiable information such as HIPAA limited data sets. Map: No clear map to ISO 13606-4 Sensitivity Level (1) Care Management: RECORD_COMPONENTs that might need to be accessed by a wide range of administrative staff to manage the subject of care's access to health services. Usage Note: This metadata indicates the receiver may have an obligation to comply with a data use agreement.

2 | M | moderate | Definition: Privacy metadata indicating moderately sensitive information, which presents moderate risk of harm if disclosed without authorization. Examples: Includes allergies of non-sensitive nature used inform food service; health information a patient authorizes to be used for marketing, released to a bank for a health credit card or savings account; or information in personal health record systems that are not governed under health privacy laws. Map: Partial Map to ISO 13606-4 Sensitivity Level (2) Clinical Management: Less sensitive RECORD_COMPONENTs that might need to be accessed by a wider range of personnel not all of whom are actively caring for the patient (e.g. radiology staff). Usage Note: This metadata indicates that the receiver may be obligated to comply with the receiver's terms of use or privacy policies.

2 | N | normal | Definition: Privacy metadata indicating that the information is typical, non-stigmatizing health information, which presents typical risk of harm if disclosed without authorization. Examples: In the US, this includes what HIPAA identifies as the minimum necessary protected health information (PHI) given a covered purpose of use (treatment, payment, or operations). Includes typical, non-stigmatizing health information disclosed in an application for health, workers compensation, disability, or life insurance. Map: Partial Map to ISO 13606-4 Sensitivity Level (3) Clinical Care: Default for normal clinical care access (i.e. most clinical staff directly caring for the patient should be able to access nearly all of the EHR). Maps to normal confidentiality for treatment information but not to ancillary care, payment and operations. Usage Note: This metadata indicates that the receiver may be obligated to comply with applicable jurisdictional privacy law or disclosure authorization.

2 | R | restricted | Privacy metadata indicating highly sensitive, potentially stigmatizing information, which presents a high risk to the information subject if disclosed without authorization. May be pre-empted by jurisdictional law, e.g., for public health reporting or emergency treatment. Examples: Includes information that is additionally protected such as sensitive conditions mental health, HIV, substance abuse, domestic violence, child abuse, genetic disease, and reproductive health; or sensitive demographic information such as a patient's standing as an employee or a celebrity. May be used to indicate proprietary or classified information that is not related to an individual, e.g., secret ingredients in a therapeutic substance; or the name of a manufacturer. Map: Partial Map to ISO 13606-4 Sensitivity Level (3) Clinical Care: Default for normal clinical care access (i.e. most clinical staff directly caring for the patient should be able to access nearly all of the EHR). Maps to normal confidentiality for treatment information but not to ancillary care, payment and operations.. Usage Note: This metadata indicates that the receiver may be obligated to comply with applicable, prevailing (default) jurisdictional privacy law or disclosure authorization..

2 | U | unrestricted | Definition: Privacy metadata indicating that the information is not classified as sensitive. Examples: Includes publicly available information, e.g., business name, phone, email or physical address. Usage Note: This metadata indicates that the receiver has no obligation to consider additional policies when making access control decisions. Note that in some jurisdictions, personally identifiable information must be protected as confidential, so it would not be appropriate to assign a confidentiality code of "unrestricted" to that information even if it is publicly available.

2 | V | very restricted | . Privacy metadata indicating that the information is extremely sensitive and likely stigmatizing health information that presents a very high risk if disclosed without authorization. This information must be kept in the highest confidence. Examples: Includes information about a victim of abuse, patient requested information sensitivity, and taboo subjects relating to health status that must be discussed with the patient by an attending provider before sharing with the patient. May also include information held under â€œlegal lockâ€? or attorney-client privilege Map: This metadata indicates that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject. Usage Note: This metadata indicates that the receiver may not disclose this information except as directed by the information custodian, who may be the information subject.

1 | (_ConfidentialityByAccessKind) Abstract Deprecated | | Description: By accessing subject / role and relationship based rights (These concepts are mutually exclusive, one and only one is required for a valid confidentiality coding.) Deprecation Comment:Deprecated due to updated confidentiality codes under ActCode

2 | B Deprecated | business | Description: Since the service class can represent knowledge structures that may be considered a trade or business secret, there is sometimes (though rarely) the need to flag those items as of business level confidentiality. However, no patient related information may ever be of this confidentiality level. Deprecation Comment: Replced by ActCode.B

2 | D Deprecated | clinician | Description: Only clinicians may see this item, billing and administration persons can not access this item without special permission. Deprecation Comment:Deprecated due to updated confidentiality codes under ActCode

2 | I Deprecated | individual | Description: Access only to individual persons who are mentioned explicitly as actors of this service and whose actor type warrants that access (cf. to actor type code). Deprecation Comment:Deprecated due to updated confidentiality codes under ActCode

1 | (_ConfidentialityByInfoType) Abstract Deprecated | | Description: By information type, only for service catalog entries (multiples allowed). Not to be used with actual patient data! Deprecation Comment:Deprecated due to updated confidentiality codes under ActCode

2 | ETH Deprecated | substance abuse related | Description: Alcohol/drug-abuse related item Deprecation Comment:Replced by ActCode.ETH

2 | HIV Deprecated | HIV related | Description: HIV and AIDS related item Deprecation Comment:Replced by ActCode.HIV

2 | PSY Deprecated | psychiatry relate | Description: Psychiatry related item Deprecation Comment:Replced by ActCode.PSY

2 | SDV Deprecated | sexual and domestic violence related | Description: Sexual assault / domestic violence related item Deprecation Comment:Replced by ActCode.SDV

1 | (_ConfidentialityModifiers) Abstract Deprecated | | Description: Modifiers of role based access rights (multiple allowed) Deprecation Comment:Deprecated due to updated confidentiality codes under ActCode

2 | C Deprecated | celebrity | Description: Celebrities are people of public interest (VIP) including employees, whose information require special protection. Deprecation Comment:Replced by ActCode.CEL

2 | S Deprecated | sensitive | Description: Information for which the patient seeks heightened confidentiality. Sensitive information is not to be shared with family members. Information reported by the patient about family members is sensitive by default. Flag can be set or cleared on patient's request. Deprecation Comment:Deprecated due to updated confidentiality codes under ActCode

2 | T Deprecated | taboo | Description: Information not to be disclosed or discussed with patient except through physician assigned to patient in this case. This is usually a temporary constraint only, example use is a new fatal diagnosis or finding, such as malignancy or HIV. Deprecation Note:Replced by ActCode.TBOO

4.3.2.26 HL7 v3 Code System ContainerCap

URL: https://hl7.org/fhir/STU3/v3/ContainerCap/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ContainerCap) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ContainerCap
Name: | v3 Code System ContainerCap
Definition: | The type of cap associated with a container
OID: | 2.16.840.1.113883.5.26 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System ContainerCap (The type of cap associated with a container)

4.3.2.26.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | (_MedicationCap) Abstract | | Cap types for medication containers
2 | CHILD | ChildProof | A cap designed to be difficult to open for children. Generally requires multiple simultaneous actions (e.g. squeeze and twist) to open. Used for products that may be dangerous if ingested or overdosed by children.
2 | EASY | EasyOpen | A cap designed to be easily removed. For products intended to be opened by persons with limited strength or dexterity.
1 | FILM | Film | A non-reactive plastic film covering over the opening of a container.
1 | FOIL | Foil | A foil covering (type of foil not specified) over the opening of a container
1 | PUSH | Push Cap | A non-threaded cap that forms a tight-fitting closure on a container by pushing the fitted end into the conatiner opening
1 | SCR | Screw Cap | A threaded cap that is screwed onto the opening of a container

4.3.2.27 HL7 v3 Code System ContainerSeparator

URL: https://hl7.org/fhir/STU3/v3/ContainerSeparator/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/ContainerSeparator) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/ContainerSeparator
Name: | v3 Code System ContainerSeparator
Definition: | A material in a blood collection container that facilites the separation of of blood cells from serum or plasma
OID: | 2.16.840.1.113883.5.27 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System ContainerSeparator (A material in a blood collection container that facilites the separation of of blood cells from serum or plasma)

4.3.2.27.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | GEL | Gel | A gelatinous type of separator material.
1 | NONE | None | No separator material is present in the container.

4.3.2.30 HL7 v3 Code System EntityDeterminer

URL: https://hl7.org/fhir/STU3/v3/EntityDeterminer/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/EntityDeterminer) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/EntityDeterminer
Name: | v3 Code System EntityDeterminer
Definition: | EntityDeterminer in natural language grammar is the class of words that comprises articles, demonstrative pronouns, and quantifiers. In the RIM, determiner is a structural code in the Entity class to distinguish whether any given Entity object stands for some, any one, or a specific thing.
OID: | 2.16.840.1.113883.5.30 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* EntityDeterminerDetermined (The described determiner is used to indicate that the given Entity is taken as a general description of a kind of thing that can be taken in whole, in part, or in multiples.)

* v3 Code System EntityDeterminer (EntityDeterminer in natural language grammar is the class of words that comprises articles, demonstrative pronouns, and quantifiers. In the RIM, determiner is a structural code in the Entity class to distinguish whether any given Entity object stands for some, any one, or a specific thing.)

4.3.2.30.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | INSTANCE | specific | Description:A determiner that specifies that the Entity object represents a particular physical thing (as opposed to a universal, kind, or class of physical thing). Discussion: It does not matter whether an INSTANCE still exists as a whole at the point in time (or process) when we mention it, for example, a drug product lot is an INSTANCE even though it has been portioned out for retail purpose.
2 | GROUP | specific group | A determiner that specifies that the Entity object represents a particular collection of physical things (as opposed to a universal, kind, or class of physical thing). While the collection may resolve to having only a single individual (or even no individuals), the potential should exist for it to cover multiple individuals.
1 | KIND | described | Description:A determiner that specifies that the Entity object represents a universal, kind or class of physical thing (as opposed to a particular thing).
2 | GROUPKIND | described group | A determiner that specifies that the Entity object represents a universal, kind or class of collections physical things. While the collection may resolve to having only a single individual (or even no individuals), the potential should exist for it to cover multiple individuals.
2 | QUANTIFIED_KIND Deprecated | described quantified | The described quantified determiner indicates that the given Entity is taken as a general description of a specific amount of a thing. For example, QUANTIFIED_KIND of syringe (quantity = 3,) stands for exactly three syringes.

4.3.2.31 HL7 v3 Code System DeviceAlertLevel

URL: https://hl7.org/fhir/STU3/v3/DeviceAlertLevel/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/DeviceAlertLevel) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/DeviceAlertLevel
Name: | v3 Code System DeviceAlertLevel
Definition: | Domain values for the Device.Alert_levelCode
OID: | 2.16.840.1.113883.5.31 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System DeviceAlertLevel (Domain values for the Device.Alert_levelCode)

4.3.2.31.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | C | Critical | Shut Down, Fix Problem and Re-initialize
1 | N | Normal | No Corrective Action Needed
1 | S | Serious | Corrective Action Required

1 | W | Warning | Corrective Action Anticipated

4.3.2.33 HL7 v3 Code System DocumentCompletion

URL: https://hl7.org/fhir/STU3/v3/DocumentCompletion/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/DocumentCompletion) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/DocumentCompletion
Name: | v3 Code System DocumentCompletion
Definition: | Identifies the current completion state of a clinical document.
OID: | 2.16.840.1.113883.5.33 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* ProvenanceEventCurrentState-DC (Specifies the state change of a target Act using DocuymentCompletion codes, from its previous state as a predecessor Act. For example, if the target Act is the result of a predecessor Act being "obsoleted" and replaced with the target Act, the source ProvenanceEventCurrentState Act code would be "obsoleted".)

* v3 Code System DocumentCompletion (Identifies the current completion state of a clinical document.)

* ProvenanceActivityType (This value set contains representative Activity Type codes, which includes codes from the HL7 DocumentCompletion, ActStatus, and DataOperations code system, W3C PROV-DM and PROV-N concepts and display names, several HL7 Lifecycle Event codes for which there are agreed upon definitions, and non-duplicated codes from the HL7 Security and Privacy Ontology Operations codes.)

4.3.2.33.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | AU | authenticated | A completion status in which a document has been signed manually or electronically by one or more individuals who attest to its accuracy. No explicit determination is made that the assigned individual has performed the authentication. While the standard allows multiple instances of authentication, it would be typical to have a single instance of authentication, usually by the assigned individual.
1 | DI | dictated | A completion status in which information has been orally recorded but not yet transcribed.
1 | DO | documented | A completion status in which document content, other than dictation, has been received but has not been translated into the final electronic format. Examples include paper documents, whether hand-written or typewritten, and intermediate electronic forms, such as voice to text.
1 | IN | incomplete | A completion status in which information is known to be missing from a transcribed document.
1 | IP | in progress | A workflow status where the material has been assigned to personnel to perform the task of transcription. The document remains in this state until the document is transcribed.
1 | LA | legally authenticated | A completion status in which a document has been signed manually or electronically by the individual who is legally responsible for that document. This is the most mature state in the workflow progression.
1 | NU | nullified document | A completion status in which a document was created in error or was placed in the wrong chart. The document is no longer available.
1 | PA | pre-authenticated | A completion status in which a document is transcribed but not authenticated.
1 | UC | unsigned completed document | A completion status where the document is complete and there is no expectation that the document will be signed.

4.3.2.34 HL7 v3 Code System DocumentStorage

URL: https://hl7.org/fhir/STU3/v3/DocumentStorage/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/DocumentStorage) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/DocumentStorage
Name: | v3 Code System DocumentStorage
Definition: | Identifies the storage status of a document.
OID: | 2.16.840.1.113883.5.34 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System DocumentStorage (Identifies the storage status of a document.)

4.3.2.34.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition

1 | AC | active | A storage status in which a document is available on-line.
2 | AA | active and archived | A storage status in which a document is available on-line and is also stored off-line for long-term access.
1 | AR | archived (not active) | A storage status in which a document has been stored off-line for long-term access.
1 | PU | purged | A storage status in which a document is no longer available in this system.

4.3.2.37 HL7 v3 Code System EncounterAdmissionSource

URL: https://hl7.org/fhir/STU3/v3/EncounterAdmissionSource/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/EncounterAdmissionSource) is defined as part of HL7 v3.

Summary

Defining URL: | http://hl7.org/fhir/v3/EncounterAdmissionSource
Name: | v3 Code System EncounterAdmissionSource
Definition: | **** MISSING DEFINITIONS ****
OID: | 2.16.840.1.113883.5.37 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* v3 Code System EncounterAdmissionSource (**** MISSING DEFINITIONS ****)

4.3.2.37.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | E | emergency
1 | LD | labor and delivery
1 | NB | newborn

4.3.2.40 HL7 v3 Code System EncounterSpecialCourtesy

URL: https://hl7.org/fhir/STU3/v3/EncounterSpecialCourtesy/cs.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Vocabulary Work Group | Maturity Level: N/A | External | Use Context: Any

This code system (http://hl7.org/fhir/v3/EncounterSpecialCourtesy) is defined as part of HL7 v3. Related FHIR content: SpecialCourtesy.

Summary

Defining URL: | http://hl7.org/fhir/v3/EncounterSpecialCourtesy
Name: | v3 Code System EncounterSpecialCourtesy
Definition: | **** MISSING DEFINITIONS ****
OID: | 2.16.840.1.113883.5.40 (for OID based terminology systems)
Source Resource | XML / JSON

This Code system is used in the following value sets:

* SpecialCourtesy (This value set defines a set of codes that can be used to indicate special courtesies provided to the patient.)

* v3 Code System EncounterSpecialCourtesy (**** MISSING DEFINITIONS ****)

4.3.2.40.1 Code System Content

Release Date: 2016-11-11

Level | Code | Display | Definition
1 | EXT | extended courtesy
1 | NRM | normal courtesy
1 | PRF | professional courtesy
1 | STF | staff | Courtesies extended to the staff of the entity providing service.
1 | VIP | very important person