FHIR-STU3 — Financial Module (sections 13 – 13.11.10)

Source: HL7 FHIR STU3 (v3.0.2). Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

13 Financial Module

URL: https://hl7.org/fhir/STU3/financial-module.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Work Group Financial Management | Ballot Status: Informative

13.0 Financial Module

13.0.1 Introduction

The Financial module covers the resources and services provided by FHIR to support the costing, financial transactions and billing which occur within a healthcare provider as well as the eligibility, enrollment, authorizations, claims and payments which occur between healthcare providers and insurers and the reporting and notification between insurers and subscribers and patients.

See also the Administration and WorkFlow modules.

13.0.2 Index

Account Coverage EligibilityRequest EligibilityResponse | EnrollmentRequest EnrollmentResponse Claim ClaimResponse | PaymentNotice PaymentReconciliation ExplanationOfBenefit

13.0.2.1 Support

Administrative

Name | Aliases | Description

Account | Cost center | A financial tool for tracking value accrued for a particular purpose. In the healthcare field, used to track charges for a patient, cost centers, etc.

Coverage | | Financial instrument which may be used to reimburse or pay for health care products and services.

EligibilityRequest | | The EligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an EligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.

EligibilityResponse | | This resource provides eligibility and plan details from the processing of an Eligibility resource.

EnrollmentRequest | | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.

EnrollmentResponse | | This resource provides enrollment and plan details from the processing of an Enrollment resource.

13.0.2.2 Billing

Claims, processing and responses

Name | Aliases | Description

Claim | | A provider issued list of services and products provided, or to be provided, to a patient which is provided to an insurer for payment recovery.

ClaimResponse | Remittance Advice | This resource provides the adjudication details from the processing of a Claim resource.

13.0.2.3 Payment

Used to support service payment processing and reporting

Name | Aliases | Description

PaymentNotice | | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

PaymentReconciliation | | This resource provides payment details and claim references supporting a bulk payment.

13.0.2.4 Other

Patient reporting and other purposes

Name | Aliases | Description

ExplanationOfBenefit | EOB | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

Additional Resources will be added in the future. A list of hypothesized resources can be found on the HL7 wiki . Feel free to add any you think are missing or engage with one of the HL7 Work Groups to submit a proposal to define a resource of particular interest.

13.0.3 Security and Privacy

Financial information in general and in particular when related to or including health information, such as claims data, are typically considered Protected Health Information and as such must be afforded the same protection and safeguards as would be afforded to purely clinical identified health data.

The Security and Privacy measures associated with FHIR, such as the use of Security labels and tags in the resource.meta, is encouraged as are the use of whatever measures for authorization and encryption are supported by the chosen exchange

model, e.g. FHIR REST, Web Services, Direct, MLLP, SMTP and others.

For more general considerations, see the Security and Privacy module.

13.0.4 Common Use Cases

The table below details various common business activities which occur in the financial realm, and the focal resources which may be exchanged, along with supporting resources, to accomplish the business activities. Whether the resources specified are actually needed requires consideration of the business itself and the exchange methodology and transport being used.

For example: If a content model is not required to obtain the appropriate status element then a SEARCH (GET) may be used, however if a content model is required to support the request for information then the content model will need to be CREATEd (POST). Alternately, if FHIR Operations are being used then the specified focal resource may be employed as one of the Operation parameters or may not be required.

Business Activity | Request Resource | Response Resource
Eligibility Check | EligibilityRequest | EligibilityResponse
Enrollment Update | EnrollmentRequest | EnrollmentResponse
Claim | Claim (type={discipline}, use=complete) | ClaimResponse
Pre-determination | Claim (type={discipline}, use=exploratory) | ClaimResponse
Pre-Authorization | Claim (type={discipline}, use=proposed) | ClaimResponse
Reversal | ProcessRequest (action=cancel, nullify=false) | ClaimResponse
Nullify | ProcessRequest (action=cancel, nullify=true) | ClaimResponse
Re-adjudication | ProcessRequest (action=reprocess) | ClaimResponse
Status Check | ProcessRequest (action=status) | ProcessResponse
Pended Check (Polling) | ProcessRequest (action=poll) | {Resource} or ProcessResponse
Payment Notice | PaymentNotice | ProcessResponse
Payment Reconciliation | ProcessRequest (action=poll, include=PaymentReconciliation) | PaymentReconciliation
Send Attachments | Communication | ProcessResponse
Request Attachments | ProcessRequest (action=poll, include=CommunicationRequest) | CommunicationRequest
Request an Explanation of Benefits | ProcessRequest (action=poll, include=ExplanationOfBenefit) | ExplanationOfBenefit

{discipline} means the type of claim: OralHealth, Vision, Pharmacy, Professional or Institutional.

{Resource} means any pended or undelivered resource subject to the selection details specified in the request.

13.0.5 Relative Order of Use

The table below details the relative order of events and use of financial resources for patient care during the care cycle. Not all steps or information exchanges may occur, and supporting information may be required more frequently than has been depicted below.

Business Activity | Focal Resource
Patient visits Provider
Provider checks for valid insurance coverage | EligibilityRequest
Insurer responds with coverage status and optional plan details | EligibilityResponse
Provider examines Patient and reviews treatment options
Provider submits Pre-determination(s) for treatment options to determine potential reimbursement | Claim {use=exploratory}
Insurer responds with potential reimbursement | ClaimResponse
Provider and Patient determine treatment plan
Treatment plan submitted to Insurer to reserve funds | Claim {use=proposed}
Insurer acknowledges receipt of pre-authorization | ClaimResponse
Insurer requests additional information | CommunicationRequest
Provider submits supporting information | Communication
Insurer provides adjudicated response to pre-authorization | ClaimResponse
Provider checks on status of pre-authorization processing | ProcessRequest {action=status}
Insurer responds indicating adjudication is ready | ProcessResponse
Provider retrieves pre-authorization adjudication | READ or ProcessRequest {action=poll}
Provider provides treatment
Provider submits patient's claim for reimbursement | Claim {use=complete}
Insurer responds with claim adjudication | ClaimResponse
Patient leaves treatment setting
Patient requests an Explanation of Benefit for their Personal Health Record application | READ or ProcessRequest {action=poll}
Insurer responds with Explanation of Benefit | ExplanationOfBenefit
Provider requests the payment details associated with a bulk payment | SEARCH or ProcessRequest {action=poll}
Insurer responds with a Payment Reconciliation | PaymentReconciliation
Insurer notifies provider that payment has been issued | PaymentNotice
Insurer notifies parties that payment funds have been received | PaymentNotice

13.0.6 Secondary Uses

In addition to their primary use of conveying patient billing information to insurers for reimbursement either to the subscriber or the provider (assignment of benefit), many of the financial resources, such as Claim and ExplanationOfBenefit, may be used to export data to other agencies to support reporting and analytics.

13.0.7 Attachments - Supporting Information

There is often a need to provide supporting information, commonly referred to as attachments, to document the need for a service and/or to confirm that the good or service was authorized or rendered. This information may be in many forms, including: scanned documents, PDFs, word processing files, XRays, images, CDAs and FHIR Resources.

Supporting information may be provided, as a reference or the actual material, to support the Claim (complete claim or Pre-Authorization) or ExplanationOfBenefit in a variety of manners:

* Included: in the {resource}.information section;

* Unsolicited: in a Communication which refers to the Claim or Explanation Of Benefit; or

* Solicited: in a Communication in response to a CommunicationRequest from the insurer requesting more information; or

* Input: in the input parameters of a FHIR operation or Task.input element if a Task resource is used.

13.0.8 Developmental Roadmap

The Financial Management Work Group (FM) is responsible for two subdomains:

Financial Accounts and Billing (FIAB) - resources for accounts, charges (internal costing transactions) and patient billing, and Financial Claims and Reimbursement (FICR) - insurance information, enrollment, eligibility, pre-authorization, claims, patient reporting and payments.

To date FM has been focusing on the resources required to support the exchange of claims and related information between healthcare providers and insurers. The first draft of this work is nearing completion with the release of the first Financial Standard for Trial Use in STU3 of FHIR. Over the next year further refinements will be expected as we begin developing regional profiles and begin live pilots with resources.

Once the above is well underway FM can then look to developing the Enrollment-related resources and the resources to support the FIAB functions.

13.0.9 Terminology

In many cases an example valueset has been provided in this release. Financal Management will be devoting effort in the preparation to Release 4 of FHIR to develop more representative example sets and to determine where global codesets exist such that some of the valuesets may be elevated in strength to extensible or required.

13.1 Resource Coverage - Content

URL: https://hl7.org/fhir/STU3/coverage.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, RelatedPerson

Financial instrument which may be used to reimburse or pay for health care products and services.

13.1.1 Scope and Usage

The Coverage resource is intended to provide the high level identifiers and potentially descriptors of an insurance plan which may used to pay for, in part or in whole, the provision of health care products and services.

This resource may also be used to register 'SelfPay' where an individual or organization other than an insurer is taking responsibility for payment for a portion of the health care costs.

This resource is referenced by Account, Claim, ClaimResponse, EligibilityRequest, EligibilityResponse, EnrollmentRequest and ExplanationOfBenefit

13.1.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
Coverage | | | DomainResource | Insurance or medical plan or a payment agreement Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | ? | 0..* | Identifier | The primary coverage ID
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | ? | 0..1 | CodeableConcept | Type of coverage such as medical or accident Coverage Type and Self-Pay Codes (Preferred)
policyHolder | ? | 0..1 | Reference(Patient | RelatedPerson | Organization) | Owner of the policy
subscriber | ? | 0..1 | Reference(Patient | RelatedPerson) | Subscriber to the policy
subscriberId | ? | 0..1 | string | ID assigned to the Subscriber
beneficiary | ? | 0..1 | Reference(Patient) | Plan Beneficiary

relationship | | 0..1 | CodeableConcept | Beneficiary relationship to the Subscriber Policyholder Relationship Codes (Example)
period | ? | 0..1 | Period | Coverage start and end dates
payor | ? | 0..* | Reference(Organization | Patient | RelatedPerson) | Identifier for the plan or agreement issuer
grouping | | 0..1 | BackboneElement | Additional coverage classifications
group | ? | 0..1 | string | An identifier for the group
groupDisplay | ? | 0..1 | string | Display text for an identifier for the group
subGroup | ? | 0..1 | string | An identifier for the subsection of the group
subGroupDisplay | ? | 0..1 | string | Display text for the subsection of the group
plan | ? | 0..1 | string | An identifier for the plan
planDisplay | ? | 0..1 | string | Display text for the plan
subPlan | ? | 0..1 | string | An identifier for the subsection of the plan
subPlanDisplay | ? | 0..1 | string | Display text for the subsection of the plan
class | ? | 0..1 | string | An identifier for the class
classDisplay | ? | 0..1 | string | Display text for the class
subClass | ? | 0..1 | string | An identifier for the subsection of the class
subClassDisplay | ? | 0..1 | string | Display text for the subsection of the subclass
dependent | ? | 0..1 | string | Dependent number
sequence | ? | 0..1 | string | The plan instance or sequence counter
order | ? | 0..1 | positiveInt | Relative order of the coverage
network | ? | 0..1 | string | Insurer network
contract | | 0..* | Reference(Contract) | Contract details
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Coverage xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier The primary coverage ID --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Type of coverage such as medical or accident --></type>
 <policyHolder><!-- 0..1 Reference(Patient|RelatedPerson|Organization) Owner of the policy --></policyHolder>
 <subscriber><!-- 0..1 Reference(Patient|RelatedPerson) Subscriber to the policy --></subscriber>
 <subscriberId value="[string]"/><!-- 0..1 ID assigned to the Subscriber -->
 <beneficiary><!-- 0..1 Reference(Patient) Plan Beneficiary --></beneficiary>
 <relationship><!-- 0..1 CodeableConcept Beneficiary relationship to the Subscriber --></relationship>
 <period><!-- 0..1 Period Coverage start and end dates --></period>
 <payor><!-- 0..* Reference(Organization|Patient|RelatedPerson) Identifier for the plan or agreement issuer --></payor>
 <grouping>  <!-- 0..1 Additional coverage classifications -->
  <group value="[string]"/><!-- 0..1 An identifier for the group -->
  <groupDisplay value="[string]"/><!-- 0..1 Display text for an identifier for the group -->
  <subGroup value="[string]"/><!-- 0..1 An identifier for the subsection of the group -->
  <subGroupDisplay value="[string]"/><!-- 0..1 Display text for the subsection of the group -->
  <plan value="[string]"/><!-- 0..1 An identifier for the plan -->
  <planDisplay value="[string]"/><!-- 0..1 Display text for the plan -->
  <subPlan value="[string]"/><!-- 0..1 An identifier for the subsection of the plan -->
  <subPlanDisplay value="[string]"/><!-- 0..1 Display text for the subsection of the plan -->
  <class value="[string]"/><!-- 0..1 An identifier for the class -->
  <classDisplay value="[string]"/><!-- 0..1 Display text for the class -->
  <subClass value="[string]"/><!-- 0..1 An identifier for the subsection of the class -->
  <subClassDisplay value="[string]"/><!-- 0..1 Display text for the subsection of the subclass -->
 </grouping>
 <dependent value="[string]"/><!-- 0..1 Dependent number -->
 <sequence value="[string]"/><!-- 0..1 The plan instance or sequence counter -->
 <order value="[positiveInt]"/><!-- 0..1 Relative order of the coverage -->
 <network value="[string]"/><!-- 0..1 Insurer network -->
 <contract><!-- 0..* Reference(Contract) Contract details --></contract>
</Coverage>
```

JSON Template

```
{
  "resourceType" : "Coverage",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // The primary coverage ID
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // Type of coverage such as medical or accident
  "policyHolder" : { Reference(Patient|RelatedPerson|Organization) }, // Owner of the policy
  "subscriber" : { Reference(Patient|RelatedPerson) }, // Subscriber to the policy
  "subscriberId" : "<string>", // ID assigned to the Subscriber
  "beneficiary" : { Reference(Patient) }, // Plan Beneficiary
  "relationship" : { CodeableConcept }, // Beneficiary relationship to the Subscriber
  "period" : { Period }, // Coverage start and end dates
  "payor" : [{ Reference(Organization|Patient|RelatedPerson) }], // Identifier for the plan or agreement issuer
  "grouping" : { // Additional coverage classifications
    "group" : "<string>", // An identifier for the group
    "groupDisplay" : "<string>", // Display text for an identifier for the group
    "subGroup" : "<string>", // An identifier for the subsection of the group
    "subGroupDisplay" : "<string>", // Display text for the subsection of the group
    "plan" : "<string>", // An identifier for the plan
    "planDisplay" : "<string>", // Display text for the plan
    "subPlan" : "<string>", // An identifier for the subsection of the plan
    "subPlanDisplay" : "<string>", // Display text for the subsection of the plan
```

```
    "class" : "<string>", // An identifier for the class
    "classDisplay" : "<string>", // Display text for the class
    "subClass" : "<string>", // An identifier for the subsection of the class
    "subClassDisplay" : "<string>" // Display text for the subsection of the subclass
  },
  "dependent" : "<string>", // Dependent number
  "sequence" : "<string>", // The plan instance or sequence counter
  "order" : "<positiveInt>", // Relative order of the coverage
  "network" : "<string>", // Insurer network
  "contract" : [{ Reference(Contract) }] // Contract details
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Coverage;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Coverage.identifier [ Identifier ], ... ; # 0..* The primary coverage ID
  fhir:Coverage.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:Coverage.type [ CodeableConcept ]; # 0..1 Type of coverage such as medical or accident
  fhir:Coverage.policyHolder [ Reference(Patient|RelatedPerson|Organization) ]; # 0..1 Owner of the policy
  fhir:Coverage.subscriber [ Reference(Patient|RelatedPerson) ]; # 0..1 Subscriber to the policy
  fhir:Coverage.subscriberId [ string ]; # 0..1 ID assigned to the Subscriber
  fhir:Coverage.beneficiary [ Reference(Patient) ]; # 0..1 Plan Beneficiary
  fhir:Coverage.relationship [ CodeableConcept ]; # 0..1 Beneficiary relationship to the Subscriber
  fhir:Coverage.period [ Period ]; # 0..1 Coverage start and end dates
  fhir:Coverage.payor [ Reference(Organization|Patient|RelatedPerson) ], ... ; # 0..* Identifier for the plan or
    agreement issuer
  fhir:Coverage.grouping [ # 0..1 Additional coverage classifications
    fhir:Coverage.grouping.group [ string ]; # 0..1 An identifier for the group
    fhir:Coverage.grouping.groupDisplay [ string ]; # 0..1 Display text for an identifier for the group
    fhir:Coverage.grouping.subGroup [ string ]; # 0..1 An identifier for the subsection of the group
    fhir:Coverage.grouping.subGroupDisplay [ string ]; # 0..1 Display text for the subsection of the group
    fhir:Coverage.grouping.plan [ string ]; # 0..1 An identifier for the plan
    fhir:Coverage.grouping.planDisplay [ string ]; # 0..1 Display text for the plan
    fhir:Coverage.grouping.subPlan [ string ]; # 0..1 An identifier for the subsection of the plan
    fhir:Coverage.grouping.subPlanDisplay [ string ]; # 0..1 Display text for the subsection of the plan
    fhir:Coverage.grouping.class [ string ]; # 0..1 An identifier for the class
    fhir:Coverage.grouping.classDisplay [ string ]; # 0..1 Display text for the class
    fhir:Coverage.grouping.subClass [ string ]; # 0..1 An identifier for the subsection of the class
    fhir:Coverage.grouping.subClassDisplay [ string ]; # 0..1 Display text for the subsection of the subclass
  ];
  fhir:Coverage.dependent [ string ]; # 0..1 Dependent number
  fhir:Coverage.sequence [ string ]; # 0..1 The plan instance or sequence counter
  fhir:Coverage.order [ positiveInt ]; # 0..1 Relative order of the coverage
  fhir:Coverage.network [ string ]; # 0..1 Insurer network
  fhir:Coverage.contract [ Reference(Contract) ], ... ; # 0..* Contract details
]
```

Changes since DSTU2

Coverage
Coverage.status | Added Element
Coverage.type | Type changed from Coding to CodeableConcept
Coverage.policyHolder | Added Element
Coverage.subscriber | Add Reference(RelatedPerson) No longer marked as Modifier
Coverage.subscriberId | Type changed from Identifier to string
Coverage.beneficiary | Added Element
Coverage.relationship | Added Element
Coverage.payor | Added Element
Coverage.grouping | Added Element
Coverage.grouping.group | Added Element
Coverage.grouping.groupDisplay | Added Element
Coverage.grouping.subGroup | Added Element
Coverage.grouping.subGroupDisplay | Added Element
Coverage.grouping.plan | Added Element
Coverage.grouping.planDisplay | Added Element
Coverage.grouping.subPlan | Added Element
Coverage.grouping.subPlanDisplay | Added Element
Coverage.grouping.class | Added Element
Coverage.grouping.classDisplay | Added Element
Coverage.grouping.subClass | Added Element
Coverage.grouping.subClassDisplay | Added Element
Coverage.dependent | Type changed from positiveInt to string
Coverage.sequence | Type changed from positiveInt to string
Coverage.order | Added Element
Coverage.network | Type changed from Identifier to string
Coverage.issuer | deleted
Coverage.bin | deleted

Coverage.group | deleted
Coverage.plan | deleted
Coverage.subPlan | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints
Coverage | | | DomainResource | Insurance or medical plan or a payment agreement Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | ? | 0..* | Identifier | The primary coverage ID
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | ? | 0..1 | CodeableConcept | Type of coverage such as medical or accident Coverage Type and Self-Pay Codes (Preferred)
policyHolder | ? | 0..1 | Reference(Patient | RelatedPerson | Organization) | Owner of the policy
subscriber | ? | 0..1 | Reference(Patient | RelatedPerson) | Subscriber to the policy
subscriberId | ? | 0..1 | string | ID assigned to the Subscriber
beneficiary | ? | 0..1 | Reference(Patient) | Plan Beneficiary
relationship | | 0..1 | CodeableConcept | Beneficiary relationship to the Subscriber Policyholder Relationship Codes (Example)
period | ? | 0..1 | Period | Coverage start and end dates
payor | ? | 0..* | Reference(Organization | Patient | RelatedPerson) | Identifier for the plan or agreement issuer
grouping | | 0..1 | BackboneElement | Additional coverage classifications
group | ? | 0..1 | string | An identifier for the group
groupDisplay | ? | 0..1 | string | Display text for an identifier for the group
subGroup | ? | 0..1 | string | An identifier for the subsection of the group
subGroupDisplay | ? | 0..1 | string | Display text for the subsection of the group
plan | ? | 0..1 | string | An identifier for the plan
planDisplay | ? | 0..1 | string | Display text for the plan
subPlan | ? | 0..1 | string | An identifier for the subsection of the plan
subPlanDisplay | ? | 0..1 | string | Display text for the subsection of the plan
class | ? | 0..1 | string | An identifier for the class
classDisplay | ? | 0..1 | string | Display text for the class
subClass | ? | 0..1 | string | An identifier for the subsection of the class
subClassDisplay | ? | 0..1 | string | Display text for the subsection of the subclass
dependent | ? | 0..1 | string | Dependent number
sequence | ? | 0..1 | string | The plan instance or sequence counter
order | ? | 0..1 | positiveInt | Relative order of the coverage
network | ? | 0..1 | string | Insurer network
contract | | 0..* | Reference(Contract) | Contract details
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Coverage xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier The primary coverage ID --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Type of coverage such as medical or accident --></type>
 <policyHolder><!-- 0..1 Reference(Patient|RelatedPerson|Organization) Owner of the policy --></policyHolder>
 <subscriber><!-- 0..1 Reference(Patient|RelatedPerson) Subscriber to the policy --></subscriber>
 <subscriberId value="[string]"/><!-- 0..1 ID assigned to the Subscriber -->
 <beneficiary><!-- 0..1 Reference(Patient) Plan Beneficiary --></beneficiary>
 <relationship><!-- 0..1 CodeableConcept Beneficiary relationship to the Subscriber --></relationship>
 <period><!-- 0..1 Period Coverage start and end dates --></period>
 <payor><!-- 0..* Reference(Organization|Patient|RelatedPerson) Identifier for the plan or agreement issuer --></payor>
 <grouping>  <!-- 0..1 Additional coverage classifications -->
  <group value="[string]"/><!-- 0..1 An identifier for the group -->
  <groupDisplay value="[string]"/><!-- 0..1 Display text for an identifier for the group -->
  <subGroup value="[string]"/><!-- 0..1 An identifier for the subsection of the group -->
  <subGroupDisplay value="[string]"/><!-- 0..1 Display text for the subsection of the group -->
  <plan value="[string]"/><!-- 0..1 An identifier for the plan -->
  <planDisplay value="[string]"/><!-- 0..1 Display text for the plan -->
  <subPlan value="[string]"/><!-- 0..1 An identifier for the subsection of the plan -->
  <subPlanDisplay value="[string]"/><!-- 0..1 Display text for the subsection of the plan -->
  <class value="[string]"/><!-- 0..1 An identifier for the class -->
  <classDisplay value="[string]"/><!-- 0..1 Display text for the class -->
  <subClass value="[string]"/><!-- 0..1 An identifier for the subsection of the class -->
  <subClassDisplay value="[string]"/><!-- 0..1 Display text for the subsection of the subclass -->
 </grouping>
 <dependent value="[string]"/><!-- 0..1 Dependent number -->
 <sequence value="[string]"/><!-- 0..1 The plan instance or sequence counter -->
 <order value="[positiveInt]"/><!-- 0..1 Relative order of the coverage -->
 <network value="[string]"/><!-- 0..1 Insurer network -->
 <contract><!-- 0..* Reference(Contract) Contract details --></contract>
</Coverage>
```

JSON Template

```
{
  "resourceType" : "Coverage",
```

```
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // The primary coverage ID
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // Type of coverage such as medical or accident
  "policyHolder" : { Reference(Patient|RelatedPerson|Organization) }, // Owner of the policy
  "subscriber" : { Reference(Patient|RelatedPerson) }, // Subscriber to the policy
  "subscriberId" : "<string>", // ID assigned to the Subscriber
  "beneficiary" : { Reference(Patient) }, // Plan Beneficiary
  "relationship" : { CodeableConcept }, // Beneficiary relationship to the Subscriber
  "period" : { Period }, // Coverage start and end dates
  "payor" : [{ Reference(Organization|Patient|RelatedPerson) }], // Identifier for the plan or agreement issuer
  "grouping" : { // Additional coverage classifications
    "group" : "<string>", // An identifier for the group
    "groupDisplay" : "<string>", // Display text for an identifier for the group
    "subGroup" : "<string>", // An identifier for the subsection of the group
    "subGroupDisplay" : "<string>", // Display text for the subsection of the group
    "plan" : "<string>", // An identifier for the plan
    "planDisplay" : "<string>", // Display text for the plan
    "subPlan" : "<string>", // An identifier for the subsection of the plan
    "subPlanDisplay" : "<string>", // Display text for the subsection of the plan
    "class" : "<string>", // An identifier for the class
    "classDisplay" : "<string>", // Display text for the class
    "subClass" : "<string>", // An identifier for the subsection of the class
    "subClassDisplay" : "<string>" // Display text for the subsection of the subclass
  },
  "dependent" : "<string>", // Dependent number
  "sequence" : "<string>", // The plan instance or sequence counter
  "order" : "<positiveInt>", // Relative order of the coverage
  "network" : "<string>", // Insurer network
  "contract" : [{ Reference(Contract) }] // Contract details
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Coverage;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Coverage.identifier [ Identifier ], ... ; # 0..* The primary coverage ID
  fhir:Coverage.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:Coverage.type [ CodeableConcept ]; # 0..1 Type of coverage such as medical or accident
  fhir:Coverage.policyHolder [ Reference(Patient|RelatedPerson|Organization) ]; # 0..1 Owner of the policy
  fhir:Coverage.subscriber [ Reference(Patient|RelatedPerson) ]; # 0..1 Subscriber to the policy
  fhir:Coverage.subscriberId [ string ]; # 0..1 ID assigned to the Subscriber
  fhir:Coverage.beneficiary [ Reference(Patient) ]; # 0..1 Plan Beneficiary
  fhir:Coverage.relationship [ CodeableConcept ]; # 0..1 Beneficiary relationship to the Subscriber
  fhir:Coverage.period [ Period ]; # 0..1 Coverage start and end dates
  fhir:Coverage.payor [ Reference(Organization|Patient|RelatedPerson) ], ... ; # 0..* Identifier for the plan or
    agreement issuer
  fhir:Coverage.grouping [ # 0..1 Additional coverage classifications
    fhir:Coverage.grouping.group [ string ]; # 0..1 An identifier for the group
    fhir:Coverage.grouping.groupDisplay [ string ]; # 0..1 Display text for an identifier for the group
    fhir:Coverage.grouping.subGroup [ string ]; # 0..1 An identifier for the subsection of the group
    fhir:Coverage.grouping.subGroupDisplay [ string ]; # 0..1 Display text for the subsection of the group
    fhir:Coverage.grouping.plan [ string ]; # 0..1 An identifier for the plan
    fhir:Coverage.grouping.planDisplay [ string ]; # 0..1 Display text for the plan
    fhir:Coverage.grouping.subPlan [ string ]; # 0..1 An identifier for the subsection of the plan
    fhir:Coverage.grouping.subPlanDisplay [ string ]; # 0..1 Display text for the subsection of the plan
    fhir:Coverage.grouping.class [ string ]; # 0..1 An identifier for the class
    fhir:Coverage.grouping.classDisplay [ string ]; # 0..1 Display text for the class
    fhir:Coverage.grouping.subClass [ string ]; # 0..1 An identifier for the subsection of the class
    fhir:Coverage.grouping.subClassDisplay [ string ]; # 0..1 Display text for the subsection of the subclass
  ];
  fhir:Coverage.dependent [ string ]; # 0..1 Dependent number
  fhir:Coverage.sequence [ string ]; # 0..1 The plan instance or sequence counter
  fhir:Coverage.order [ positiveInt ]; # 0..1 Relative order of the coverage
  fhir:Coverage.network [ string ]; # 0..1 Insurer network
  fhir:Coverage.contract [ Reference(Contract) ], ... ; # 0..* Contract details
]
```

Changes since DSTU2

Coverage

Coverage.status | Added Element

Coverage.type | Type changed from Coding to CodeableConcept

Coverage.policyHolder | Added Element

Coverage.subscriber | Add Reference(RelatedPerson) No longer marked as Modifier

Coverage.subscriberId | Type changed from Identifier to string

Coverage.beneficiary | Added Element

Coverage.relationship | Added Element

Coverage.payor | Added Element

Coverage.grouping | Added Element

Coverage.grouping.group | Added Element

Coverage.grouping.groupDisplay | Added Element
Coverage.grouping.subGroup | Added Element
Coverage.grouping.subGroupDisplay | Added Element
Coverage.grouping.plan | Added Element
Coverage.grouping.planDisplay | Added Element
Coverage.grouping.subPlan | Added Element
Coverage.grouping.subPlanDisplay | Added Element
Coverage.grouping.class | Added Element
Coverage.grouping.classDisplay | Added Element
Coverage.grouping.subClass | Added Element
Coverage.grouping.subClassDisplay | Added Element
Coverage.dependent | Type changed from positiveInt to string
Coverage.sequence | Type changed from positiveInt to string
Coverage.order | Added Element
Coverage.network | Type changed from Identifier to string
Coverage.issuer | deleted
Coverage.bin | deleted
Coverage.group | deleted
Coverage.plan | deleted
Coverage.subPlan | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.1.2.1 Terminology Bindings

Path | Definition | Type | Reference
Coverage.status | A code specifying the state of the resource instance. | Required | Financial Resource Status Codes
Coverage.type | The type of insurance: public health, worker compensation; private accident, auto, private health, etc.) or a direct payment by an individual or organization. | Preferred | Coverage Type and Self-Pay Codes
Coverage.relationship | The relationship between the Policyholder and the Beneficiary (insured/covered party/patient). | Example | Policyholder Relationship Codes

13.1.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
beneficiary | reference | Covered party | Coverage.beneficiary (Patient)
class | string | Class identifier | Coverage.grouping.class
dependent | string | Dependent number | Coverage.dependent
group | string | Group identifier | Coverage.grouping.group
identifier | token | The primary identifier of the insured and the coverage | Coverage.identifier
payor | reference | The identity of the insurer or party paying for services | Coverage.payor (Organization, Patient, RelatedPerson)
plan | string | A plan or policy identifier | Coverage.grouping.plan
policy-holder | reference | Reference to the policyholder | Coverage.policyHolder (Organization, Patient, RelatedPerson)
sequence | string | Sequence number | Coverage.sequence
subclass | string | Sub-class identifier | Coverage.grouping.subClass
subgroup | string | Sub-group identifier | Coverage.grouping.subGroup
subplan | string | Sub-plan identifier | Coverage.grouping.subPlan
subscriber | reference | Reference to the subscriber | Coverage.subscriber (Patient, RelatedPerson)
type | token | The kind of coverage (health plan, auto, Workers Compensation) | Coverage.type

13.1.4 Resource Coverage - Examples

URL: https://hl7.org/fhir/STU3/coverage-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.1.4 Resource Coverage - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient, RelatedPerson

Example List:

General Person Primary Coverage Example | 9876B1 | XML | JSON | Turtle
General Person Secondary Coverage Example | 7546D | XML | JSON | Turtle
European Health Insurance Card | 7547E | XML | JSON | Turtle
Self Payment Example | SP1234 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.1.5 Resource Coverage - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/coverage-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.1.5 Resource Coverage - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, RelatedPerson

Detailed Descriptions for the elements in the Coverage resource.

Coverage
Definition | Financial instrument which may be used to reimburse or pay for health care products and services.
Control | 1..1
Requirements | Health care programs and insurers are significant payors of health service costs.
Coverage.identifier
Definition | The main (and possibly only) identifier for the coverage - often referred to as a Member Id, Certificate number, Personal Health Number or Case ID. May be constructed as the concatination of the Coverage.SubscriberID and the Coverage.dependant.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
Requirements | This value may uniquely identify the coverage or it may be used in conjunction with the additional identifiers below.
Summary | true
Coverage.status
Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains the code entered-in-error that marks the coverage as not currently valid.
Coverage.type
Definition | The type of coverage: social program, medical plan, accident coverage (workers compensation, auto), group health or payment by an individual or organization.
Control | 0..1
Terminology Binding | Coverage Type and Self-Pay Codes (Preferred)
Type | CodeableConcept
Requirements | The order of application of coverages is dependent on the types of coverage.
Summary | true
Coverage.policyHolder
Definition | The party who 'owns' the insurance policy, may be an individual, corporation or the subscriber's employer.
Control | 0..1
Type | Reference(Patient | RelatedPerson | Organization)
Summary | true
Coverage.subscriber
Definition | The party who has signed-up for or 'owns' the contractual relationship to the policy or to whom the benefit of the policy for services rendered to them or their family is due.
Control | 0..1
Type | Reference(Patient | RelatedPerson)
Summary | true
Coverage.subscriberId
Definition | The insurer assigned ID for the Subscriber.
Control | 0..1
Type | string
Summary | true
Coverage.beneficiary
Definition | The party who benefits from the insurance coverage., the patient when services are provided.
Control | 0..1
Type | Reference(Patient)
Summary | true
Coverage.relationship
Definition | The relationship of beneficiary (patient) to the subscriber.
Control | 0..1
Terminology Binding | Policyholder Relationship Codes (Example)
Type | CodeableConcept
Requirements | To determine relationship between the patient and the subscriber.
Coverage.period
Definition | Time period during which the coverage is in force. A missing start date indicates the start date isn't known, a missing end date means the coverage is continuing to be in force.
Control | 0..1
Type | Period
Summary | true

Coverage.payor
Definition | The program or plan underwriter or payor including both insurance and non-insurance agreements, such as patient-pay agreements. May provide multiple identifiers such as insurance company identifier or business identifier (BIN number).
Control | 0..*
Type | Reference(Organization | Patient | RelatedPerson)
Requirements | Need to identify the issuer to target for processing and for coordination of benefit processing.
Summary | true
Coverage.grouping
Definition | A suite of underwrite specific classifiers, for example may be used to identify a class of coverage or employer group, Policy, Plan.
Control | 0..1
Coverage.grouping.group
Definition | Identifies a style or collective of coverage issued by the underwriter, for example may be used to identify an employer group. May also be referred to as a Policy or Group ID.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.groupDisplay
Definition | A short description for the group.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.subGroup
Definition | Identifies a style or collective of coverage issued by the underwriter, for example may be used to identify a subset of an employer group.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.subGroupDisplay
Definition | A short description for the subgroup.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.plan
Definition | Identifies a style or collective of coverage issued by the underwriter, for example may be used to identify a collection of benefits provided to employees. May be referred to as a Section or Division ID.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.planDisplay
Definition | A short description for the plan.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.subPlan
Definition | Identifies a sub-style or sub-collective of coverage issued by the underwriter, for example may be used to identify a subset of a collection of benefits provided to employees.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.subPlanDisplay
Definition | A short description for the subplan.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.class
Definition | Identifies a style or collective of coverage issues by the underwriter, for example may be used to identify a class of coverage such as a level of deductables or co-payment.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.classDisplay
Definition | A short description for the class.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.subClass
Definition | Identifies a sub-style or sub-collective of coverage issues by the underwriter, for example may be used to identify a subclass of coverage such as a sub-level of deductables or co-payment.
Control | 0..1
Type | string
Summary | true
Coverage.grouping.subClassDisplay
Definition | A short description for the subclass.
Control | 0..1

Type | string
Summary | true
Coverage.dependent
Definition | A unique identifier for a dependent under the coverage.
Control | 0..1
Type | string
Requirements | For some coverage a single identifier is issued to the Subscriber and a dependent number issued to each beneficiary.
Summary | true
Coverage.sequence
Definition | An optional counter for a particular instance of the identified coverage which increments upon each renewal.
Control | 0..1
Type | string
Requirements | Some coverage, for example social plans, may be offered in short time increments, for example for a week or a month at a time, so while the rest of the plan details and identifiers may remain constant over time, the instance is incremented with each renewal and provided to the covered party on their 'card'.
Summary | true
Coverage.order
Definition | The order of applicability of this coverage relative to other coverages which are currently inforce. Note, there may be gaps in the numbering and this does not imply primary, secondard etc. as the specific positioning of coverages depends upon the episode of care.
Control | 0..1
Type | positiveInt
Summary | true
Coverage.network
Definition | The insurer-specific identifier for the insurer-defined network of providers to which the beneficiary may seek treatment which will be covered at the 'in-network' rate, otherwise 'out of network' terms and conditions apply.
Control | 0..1
Type | string
Summary | true
Coverage.contract
Definition | The policy(s) which constitute this insurance coverage.
Control | 0..*
Type | Reference(Contract)

13.1.6 Resource Coverage - Mappings

URL: https://hl7.org/fhir/STU3/coverage-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.1.6 Resource Coverage - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient, RelatedPerson

Mappings:

RIM Mapping

HL7 v2 Mapping

Canadian Dental Association eclaims standard

Canadian Pharmacy Associaiton eclaims standard

Workflow Mapping

Mappings for the coverage resource.

13.1.6.1 Mappings for RIM Mapping (http://hl7.org/v3)

Coverage | Coverage
identifier
status
type
policyHolder
subscriber
subscriberId
beneficiary
relationship
period
payor
grouping
group
groupDisplay
subGroup
subGroupDisplay
plan
planDisplay
subPlan

subPlanDisplay
class
classDisplay
subClass
subClassDisplay
dependent
sequence
order
network
contract

13.1.6.2 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

Coverage
identifier | IN1-2
status
type | IN1-15
policyHolder | IN1-16, 18, 19-name of insured, address, date of birth
subscriber | IN1-16, 18, 19-name of insured, address, date of birth
subscriberId | IN1-16, 18, 19-name of insured, address, date of birth
beneficiary | IN1-16, 18, 19-name of insured, address, date of birth
relationship
period | IN1-12 / IN1-13
payor | IN1-3
grouping
group | IN1-8
groupDisplay | IN1-8
subGroup | IN1-8
subGroupDisplay | IN1-8
plan | IN1-35
planDisplay | IN1-35
subPlan | IN1-10
subPlanDisplay | IN1-10
class | IN1-35
classDisplay | IN1-35
subClass | IN1-35
subClassDisplay | IN1-35
dependent | - No exact HL7 v2 equivalent concept seems to exist;
sequence | No HL7 v2 equivalent concept seems to exist
order | - No exact HL7 v2 equivalent concept seems to exist;
network
contract | IN1-16, 18, 19

13.1.6.3 Mappings for Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

Coverage
identifier | C02
status
type
policyHolder | D01 through D09
subscriber | D01 through D09
subscriberId | D01 through D09
beneficiary | D01 through D09
relationship | C03
period
payor | A05
grouping
group | C11 (Division,Section)
groupDisplay | C11 (Division,Section)
subGroup
subGroupDisplay
plan | C01
planDisplay | C01
subPlan
subPlanDisplay
class | C01
classDisplay | C01
subClass | C01
subClassDisplay | C01
dependent | C17
sequence | D11
order

network | D10
contract | D01 through D09

13.1.6.4 Mappings for Canadian Pharmacy Associaiton eclaims standard (http://www.pharmacists.ca/)

Coverage
identifier | C.32, C.33, C.39
status
type
policyHolder | C.35
subscriber | C.35
subscriberId | C.35
beneficiary | C.35
relationship
period
payor | C.30
grouping
group | C.31
groupDisplay | C.31
subGroup
subGroupDisplay
plan
planDisplay
subPlan
subPlanDisplay
class
classDisplay
subClass
subClassDisplay
dependent
sequence
order
network
contract | C.35

13.1.6.5 Mappings for Workflow Mapping (http://hl7.org/fhir/workflow)

Coverage | Event
identifier | Event.identifier
status | Event.status
type
policyHolder
subscriber
subscriberId
beneficiary | Event.subject
relationship
period | Event.occurrence
payor
grouping
group
groupDisplay
subGroup
subGroupDisplay
plan
planDisplay
subPlan
subPlanDisplay
class
classDisplay
subClass
subClassDisplay
dependent
sequence
order
network
contract

13.1.7 Resource Coverage - Design Notes

URL: https://hl7.org/fhir/STU3/coverage-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.1.7 Resource Coverage - Design Notes

to do

13.1.8 Resource Coverage - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/coverage-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.1.8 Resource Coverage - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Coverage resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.1.8.1 Profiles

No Profiles defined for this resource

13.1.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.1.8.3 Search Extensions

No Search Extensions defined for this resource

13.2 Resource EligibilityRequest - Content

URL: https://hl7.org/fhir/STU3/eligibilityrequest.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, Practitioner

The EligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an EligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.

13.2.1 Scope and Usage

The EligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an Eligibility Response, with information regarding whether the stated coverage is valid and in-force, and potentially the amount of coverage which may be available to any services classes identified in this request. Todo

This resource is referenced by eligibilityresponse

13.2.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
EligibilityRequest | | | DomainResource | Determine insurance validity and scope of coverage Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
priority | | 0..1 | CodeableConcept | Desired processing priority Process Priority Codes (Example)
patient | | 0..1 | Reference(Patient) | The subject of the Products and Services
serviced[x] | | 0..1 | | Estimated date or dates of Service
servicedDate | | | date
servicedPeriod | | | Period
created | | 0..1 | dateTime | Creation date
enterer | | 0..1 | Reference(Practitioner) | Author

provider | | 0..1 | Reference(Practitioner) | Responsible practitioner
organization | | 0..1 | Reference(Organization) | Responsible organization
insurer | | 0..1 | Reference(Organization) | Target
facility | | 0..1 | Reference(Location) | Servicing Facility
coverage | | 0..1 | Reference(Coverage) | Insurance or medical plan
businessArrangement | | 0..1 | string | Business agreement
benefitCategory | | 0..1 | CodeableConcept | Type of services covered Benefit Category Codes (Example)
benefitSubCategory | | 0..1 | CodeableConcept | Detailed services covered within the type Benefit SubCategory Codes (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<EligibilityRequest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <priority><!-- 0..1 CodeableConcept Desired processing priority --></priority>
 <patient><!-- 0..1 Reference(Patient) The subject of the Products and Services --></patient>
 <serviced[x]><!-- 0..1 date|Period Estimated date or dates of Service --></serviced[x]>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <enterer><!-- 0..1 Reference(Practitioner) Author --></enterer>
 <provider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></provider>
 <organization><!-- 0..1 Reference(Organization) Responsible organization --></organization>
 <insurer><!-- 0..1 Reference(Organization) Target --></insurer>
 <facility><!-- 0..1 Reference(Location) Servicing Facility --></facility>
 <coverage><!-- 0..1 Reference(Coverage) Insurance or medical plan --></coverage>
 <businessArrangement value="[string]"/><!-- 0..1 Business agreement -->
 <benefitCategory><!-- 0..1 CodeableConcept Type of services covered --></benefitCategory>
 <benefitSubCategory><!-- 0..1 CodeableConcept Detailed services covered within the type --></benefitSubCategory>
</EligibilityRequest>
```

JSON Template

```
{
  "resourceType" : "EligibilityRequest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "priority" : { CodeableConcept }, // Desired processing priority
  "patient" : { Reference(Patient) }, // The subject of the Products and Services
  // serviced[x]: Estimated date or dates of Service. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  "created" : "<dateTime>", // Creation date
  "enterer" : { Reference(Practitioner) }, // Author
  "provider" : { Reference(Practitioner) }, // Responsible practitioner
  "organization" : { Reference(Organization) }, // Responsible organization
  "insurer" : { Reference(Organization) }, // Target
  "facility" : { Reference(Location) }, // Servicing Facility
  "coverage" : { Reference(Coverage) }, // Insurance or medical plan
  "businessArrangement" : "<string>", // Business agreement
  "benefitCategory" : { CodeableConcept }, // Type of services covered
  "benefitSubCategory" : { CodeableConcept } // Detailed services covered within the type
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EligibilityRequest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EligibilityRequest.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EligibilityRequest.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EligibilityRequest.priority [ CodeableConcept ]; # 0..1 Desired processing priority
  fhir:EligibilityRequest.patient [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  # EligibilityRequest.serviced[x] : 0..1 Estimated date or dates of Service. One of these 2
    fhir:EligibilityRequest.servicedDate [ date ]
    fhir:EligibilityRequest.servicedPeriod [ Period ]
  fhir:EligibilityRequest.created [ dateTime ]; # 0..1 Creation date
  fhir:EligibilityRequest.enterer [ Reference(Practitioner) ]; # 0..1 Author
  fhir:EligibilityRequest.provider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:EligibilityRequest.organization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:EligibilityRequest.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:EligibilityRequest.facility [ Reference(Location) ]; # 0..1 Servicing Facility
  fhir:EligibilityRequest.coverage [ Reference(Coverage) ]; # 0..1 Insurance or medical plan
  fhir:EligibilityRequest.businessArrangement [ string ]; # 0..1 Business agreement
  fhir:EligibilityRequest.benefitCategory [ CodeableConcept ]; # 0..1 Type of services covered
  fhir:EligibilityRequest.benefitSubCategory [ CodeableConcept ]; # 0..1 Detailed services covered within the type
]
```

Changes since DSTU2

EligibilityRequest

EligibilityRequest.status | Added Element
EligibilityRequest.priority | Added Element
EligibilityRequest.patient | Added Element
EligibilityRequest.serviced[x] | Added Element
EligibilityRequest.enterer | Added Element
EligibilityRequest.insurer | Added Element
EligibilityRequest.facility | Added Element
EligibilityRequest.coverage | Added Element
EligibilityRequest.businessArrangement | Added Element
EligibilityRequest.benefitCategory | Added Element
EligibilityRequest.benefitSubCategory | Added Element
EligibilityRequest.ruleset | deleted
EligibilityRequest.originalRuleset | deleted
EligibilityRequest.target | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints
EligibilityRequest | | | DomainResource | Determine insurance validity and scope of coverage Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
priority | | 0..1 | CodeableConcept | Desired processing priority Process Priority Codes (Example)
patient | | 0..1 | Reference(Patient) | The subject of the Products and Services
serviced[x] | | 0..1 | | Estimated date or dates of Service
servicedDate | | | date
servicedPeriod | | | Period
created | | 0..1 | dateTime | Creation date
enterer | | 0..1 | Reference(Practitioner) | Author
provider | | 0..1 | Reference(Practitioner) | Responsible practitioner
organization | | 0..1 | Reference(Organization) | Responsible organization
insurer | | 0..1 | Reference(Organization) | Target
facility | | 0..1 | Reference(Location) | Servicing Facility
coverage | | 0..1 | Reference(Coverage) | Insurance or medical plan
businessArrangement | | 0..1 | string | Business agreement
benefitCategory | | 0..1 | CodeableConcept | Type of services covered Benefit Category Codes (Example)
benefitSubCategory | | 0..1 | CodeableConcept | Detailed services covered within the type Benefit SubCategory Codes (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<EligibilityRequest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <priority><!-- 0..1 CodeableConcept Desired processing priority --></priority>
 <patient><!-- 0..1 Reference(Patient) The subject of the Products and Services --></patient>
 <serviced[x]><!-- 0..1 date|Period Estimated date or dates of Service --></serviced[x]>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <enterer><!-- 0..1 Reference(Practitioner) Author --></enterer>
 <provider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></provider>
 <organization><!-- 0..1 Reference(Organization) Responsible organization --></organization>
 <insurer><!-- 0..1 Reference(Organization) Target --></insurer>
 <facility><!-- 0..1 Reference(Location) Servicing Facility --></facility>
 <coverage><!-- 0..1 Reference(Coverage) Insurance or medical plan --></coverage>
 <businessArrangement value="[string]"/><!-- 0..1 Business agreement -->
 <benefitCategory><!-- 0..1 CodeableConcept Type of services covered --></benefitCategory>
 <benefitSubCategory><!-- 0..1 CodeableConcept Detailed services covered within the type --></benefitSubCategory>
</EligibilityRequest>
```

JSON Template

```
{
  "resourceType" : "EligibilityRequest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "priority" : { CodeableConcept }, // Desired processing priority
  "patient" : { Reference(Patient) }, // The subject of the Products and Services
  // serviced[x]: Estimated date or dates of Service. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  "created" : "<dateTime>", // Creation date
  "enterer" : { Reference(Practitioner) }, // Author
  "provider" : { Reference(Practitioner) }, // Responsible practitioner
  "organization" : { Reference(Organization) }, // Responsible organization
  "insurer" : { Reference(Organization) }, // Target
```

```
  "facility" : { Reference(Location) }, // Servicing Facility
  "coverage" : { Reference(Coverage) }, // Insurance or medical plan
  "businessArrangement" : "<string>", // Business agreement
  "benefitCategory" : { CodeableConcept }, // Type of services covered
  "benefitSubCategory" : { CodeableConcept } // Detailed services covered within the type
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EligibilityRequest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EligibilityRequest.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EligibilityRequest.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EligibilityRequest.priority [ CodeableConcept ]; # 0..1 Desired processing priority
  fhir:EligibilityRequest.patient [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  # EligibilityRequest.serviced[x] : 0..1 Estimated date or dates of Service. One of these 2
    fhir:EligibilityRequest.servicedDate [ date ]
    fhir:EligibilityRequest.servicedPeriod [ Period ]
  fhir:EligibilityRequest.created [ dateTime ]; # 0..1 Creation date
  fhir:EligibilityRequest.enterer [ Reference(Practitioner) ]; # 0..1 Author
  fhir:EligibilityRequest.provider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:EligibilityRequest.organization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:EligibilityRequest.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:EligibilityRequest.facility [ Reference(Location) ]; # 0..1 Servicing Facility
  fhir:EligibilityRequest.coverage [ Reference(Coverage) ]; # 0..1 Insurance or medical plan
  fhir:EligibilityRequest.businessArrangement [ string ]; # 0..1 Business agreement
  fhir:EligibilityRequest.benefitCategory [ CodeableConcept ]; # 0..1 Type of services covered
  fhir:EligibilityRequest.benefitSubCategory [ CodeableConcept ]; # 0..1 Detailed services covered within the type
]
```

Changes since DSTU2

EligibilityRequest
EligibilityRequest.status | Added Element
EligibilityRequest.priority | Added Element
EligibilityRequest.patient | Added Element
EligibilityRequest.serviced[x] | Added Element
EligibilityRequest.enterer | Added Element
EligibilityRequest.insurer | Added Element
EligibilityRequest.facility | Added Element
EligibilityRequest.coverage | Added Element
EligibilityRequest.businessArrangement | Added Element
EligibilityRequest.benefitCategory | Added Element
EligibilityRequest.benefitSubCategory | Added Element
EligibilityRequest.ruleset | deleted
EligibilityRequest.originalRuleset | deleted
EligibilityRequest.target | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.2.2.1 Terminology Bindings

Path | Definition | Type | Reference
EligibilityRequest.status | A code specifying the state of the resource instance. | Required | Financial Resource Status Codes
EligibilityRequest.priority | The timeliness with which processing is required: STAT, normal, Deferred | Example | Process Priority Codes
EligibilityRequest.benefitCategory | Benefit categories such as: oral, medical, vision etc. | Example | Benefit Category Codes
EligibilityRequest.benefitSubCategory | Benefit subcategories such as: oral-basic, major, glasses | Example | Benefit SubCategory Codes

13.2.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
created | date | The creation date for the EOB | EligibilityRequest.created
enterer | reference | The party who is responsible for the request | EligibilityRequest.enterer (Practitioner)
facility | reference | Facility responsible for the goods and services | EligibilityRequest.facility (Location)
identifier | token | The business identifier of the Eligibility | EligibilityRequest.identifier
organization | reference | The reference to the providing organization | EligibilityRequest.organization (Organization)
patient | reference | The reference to the patient | EligibilityRequest.patient (Patient)
provider | reference | The reference to the provider | EligibilityRequest.provider (Practitioner)

13.2.4 Resource EligibilityRequest - Examples

URL: https://hl7.org/fhir/STU3/eligibilityrequest-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.2.4 Resource EligibilityRequest - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient, Practitioner

Example List:

General Person Primary Coverage Example | 52345 | XML | JSON | Turtle
Primary Coverage specifying Benefit Example | 52346 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.2.5 Resource EligibilityRequest - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/eligibilityrequest-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.2.5 Resource EligibilityRequest - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, Practitioner

Detailed Descriptions for the elements in the EligibilityRequest resource.

EligibilityRequest
Definition | The EligibilityRequest provides patient and insurance coverage information to an insurer for them to respond, in the form of an EligibilityResponse, with information regarding whether the stated coverage is valid and in-force and optionally to provide the insurance details of the policy.
Control | 1..1
EligibilityRequest.identifier
Definition | The Response business identifier.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
EligibilityRequest.status
Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true
Requirements | This element is labeled as a modifier because the status contains codes that mark the request as not currently valid.
Summary | true
EligibilityRequest.priority
Definition | Immediate (STAT), best effort (NORMAL), deferred (DEFER).
Control | 0..1
Terminology Binding | Process Priority Codes (Example)
Type | CodeableConcept
EligibilityRequest.patient
Definition | Patient Resource.
Control | 0..1
Type | Reference(Patient)
Comments | 1..1.
EligibilityRequest.serviced[x]
Definition | The date or dates when the enclosed suite of services were performed or completed.
Control | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
EligibilityRequest.created
Definition | The date when this resource was created.
Control | 0..1
Type | dateTime
EligibilityRequest.enterer
Definition | Person who created the invoice/claim/pre-determination or pre-authorization.
Control | 0..1
Type | Reference(Practitioner)
EligibilityRequest.provider
Definition | The practitioner who is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Practitioner)
EligibilityRequest.organization
Definition | The organization which is responsible for the services rendered to the patient.
Control | 0..1

Type | Reference(Organization)
EligibilityRequest.insurer
Definition | The Insurer who is target of the request.
Control | 0..1
Type | Reference(Organization)
EligibilityRequest.facility
Definition | Facility where the services were provided.
Control | 0..1
Type | Reference(Location)
EligibilityRequest.coverage
Definition | Financial instrument by which payment information for health care.
Control | 0..1
Type | Reference(Coverage)
Requirements | Need to identify the issuer to target for processing and for coordination of benefit processing.
Comments | 1..1.
EligibilityRequest.businessArrangement
Definition | The contract number of a business agreement which describes the terms and conditions.
Control | 0..1
Type | string
EligibilityRequest.benefitCategory
Definition | Dental, Vision, Medical, Pharmacy, Rehab etc.
Control | 0..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
EligibilityRequest.benefitSubCategory
Definition | Dental: basic, major, ortho; Vision exam, glasses, contacts; etc.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept

13.2.6 Resource EligibilityRequest - Mappings

URL: https://hl7.org/fhir/STU3/eligibilityrequest-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.2.6 Resource EligibilityRequest - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient, Practitioner

Mappings:

Canadian Dental Association eclaims standard

Workflow Mapping

Mappings for the eligibilityrequest resource.

13.2.6.1 Mappings for Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

EligibilityRequest
identifier
status
priority
patient | C06,C07,C08, C05, C04
serviced[x] | F09
created
enterer
provider | B01
organization
insurer
facility
coverage
businessArrangement
benefitCategory
benefitSubCategory

13.2.6.2 Mappings for Workflow Mapping (http://hl7.org/fhir/workflow)

EligibilityRequest | Request
identifier | Request.identifier
status | Request.status
priority | Request.priority
patient | Request.subject
serviced[x]

created | Request.authoredOn
enterer
provider | Request.requester.agent
organization | Request.requester.onBehalfOf
insurer | Request.performer
facility
coverage
businessArrangement
benefitCategory
benefitSubCategory

13.2.7 Resource EligibilityRequest - Design Notes

URL: https://hl7.org/fhir/STU3/eligibilityrequest-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.2.7 Resource EligibilityRequest - Design Notes

to do

13.2.8 Resource EligibilityRequest - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/eligibilityrequest-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.2.8 Resource EligibilityRequest - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the EligibilityRequest resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.2.8.1 Profiles

No Profiles defined for this resource

13.2.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.2.8.3 Search Extensions

No Search Extensions defined for this resource

13.3 Resource EligibilityResponse - Content

URL: https://hl7.org/fhir/STU3/eligibilityresponse.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Practitioner

This resource provides eligibility and plan details from the processing of an Eligibility resource.

13.3.1 Scope and Usage

The EligibilityResponse resource provides eligibility and plan details from the processing of an EligibilityRequest resource. It combines key information from a payor as to whether a Coverage is in-force, and optionally the nature of the Policy details.

13.3.2 Resource Content

* Structure
* UML
* XML
* JSON
* Turtle
* R2 Diff
* All

Structure

Name | Flags | Card. | Type | Description & Constraints
EligibilityResponse | | | DomainResource | EligibilityResponse resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
created | | 0..1 | dateTime | Creation date
requestProvider | | 0..1 | Reference(Practitioner) | Responsible practitioner
requestOrganization | | 0..1 | Reference(Organization) | Responsible organization
request | | 0..1 | Reference(EligibilityRequest) | Eligibility reference
outcome | | 0..1 | CodeableConcept | complete | error | partial RemittanceOutcome (Required)
disposition | | 0..1 | string | Disposition Message
insurer | | 0..1 | Reference(Organization) | Insurer issuing the coverage
inforce | | 0..1 | boolean | Coverage inforce indicator
insurance | | 0..* | BackboneElement | Details by insurance coverage
coverage | | 0..1 | Reference(Coverage) | Updated Coverage details
contract | | 0..1 | Reference(Contract) | Contract details
benefitBalance | | 0..* | BackboneElement | Benefits by Category
category | | 1..1 | CodeableConcept | Type of services covered Benefit Category Codes (Example)
subCategory | | 0..1 | CodeableConcept | Detailed services covered within the type Benefit SubCategory Codes (Example)
excluded | | 0..1 | boolean | Excluded from the plan
name | | 0..1 | string | Short name for the benefit
description | | 0..1 | string | Description of the benefit or services covered
network | | 0..1 | CodeableConcept | In or out of network Network Type Codes (Example)
unit | | 0..1 | CodeableConcept | Individual or family Unit Type Codes (Example)
term | | 0..1 | CodeableConcept | Annual or lifetime Benefit Term Codes (Example)
financial | | 0..* | BackboneElement | Benefit Summary
type | | 1..1 | CodeableConcept | Deductable, visits, benefit amount Benefit Type Codes (Example)
allowed[x] | | 0..1 | | Benefits allowed
allowedUnsignedInt | | | unsignedInt
allowedString | | | string
allowedMoney | | | Money
used[x] | | 0..1 | | Benefits used
usedUnsignedInt | | | unsignedInt
usedMoney | | | Money
form | | 0..1 | CodeableConcept | Printed Form Identifier Form Codes (Example)
error | | 0..* | BackboneElement | Processing errors
code | | 1..1 | CodeableConcept | Error code detailing processing issues Adjudication Error Codes (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<EligibilityResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <requestProvider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></requestProvider>
 <requestOrganization><!-- 0..1 Reference(Organization) Responsible organization --></requestOrganization>
 <request><!-- 0..1 Reference(EligibilityRequest) Eligibility reference --></request>
 <outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <insurer><!-- 0..1 Reference(Organization) Insurer issuing the coverage --></insurer>
 <inforce value="[boolean]"/><!-- 0..1 Coverage inforce indicator -->
 <insurance>  <!-- 0..* Details by insurance coverage -->
  <coverage><!-- 0..1 Reference(Coverage) Updated Coverage details --></coverage>
  <contract><!-- 0..1 Reference(Contract) Contract details --></contract>
  <benefitBalance>  <!-- 0..* Benefits by Category -->
   <category><!-- 1..1 CodeableConcept Type of services covered --></category>
   <subCategory><!-- 0..1 CodeableConcept Detailed services covered within the type --></subCategory>
   <excluded value="[boolean]"/><!-- 0..1 Excluded from the plan -->
   <name value="[string]"/><!-- 0..1 Short name for the benefit -->
   <description value="[string]"/><!-- 0..1 Description of the benefit or services covered -->
   <network><!-- 0..1 CodeableConcept In or out of network --></network>
   <unit><!-- 0..1 CodeableConcept Individual or family --></unit>
   <term><!-- 0..1 CodeableConcept Annual or lifetime --></term>
   <financial>  <!-- 0..* Benefit Summary -->
    <type><!-- 1..1 CodeableConcept Deductable, visits, benefit amount --></type>
    <allowed[x]><!-- 0..1 unsignedInt|string|Money Benefits allowed --></allowed[x]>
    <used[x]><!-- 0..1 unsignedInt|Money Benefits used --></used[x]>
   </financial>
  </benefitBalance>
 </insurance>
 <form><!-- 0..1 CodeableConcept Printed Form Identifier --></form>
 <error>  <!-- 0..* Processing errors -->
  <code><!-- 1..1 CodeableConcept Error code detailing processing issues --></code>
 </error>
</EligibilityResponse>
```

JSON Template

```
{
  "resourceType" : "EligibilityResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "created" : "<dateTime>", // Creation date
  "requestProvider" : { Reference(Practitioner) }, // Responsible practitioner
  "requestOrganization" : { Reference(Organization) }, // Responsible organization
  "request" : { Reference(EligibilityRequest) }, // Eligibility reference
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "insurer" : { Reference(Organization) }, // Insurer issuing the coverage
  "inforce" : <boolean>, // Coverage inforce indicator
  "insurance" : [{ // Details by insurance coverage
    "coverage" : { Reference(Coverage) }, // Updated Coverage details
    "contract" : { Reference(Contract) }, // Contract details
    "benefitBalance" : [{ // Benefits by Category
      "category" : { CodeableConcept }, // R!  Type of services covered
      "subCategory" : { CodeableConcept }, // Detailed services covered within the type
      "excluded" : <boolean>, // Excluded from the plan
      "name" : "<string>", // Short name for the benefit
      "description" : "<string>", // Description of the benefit or services covered
      "network" : { CodeableConcept }, // In or out of network
      "unit" : { CodeableConcept }, // Individual or family
      "term" : { CodeableConcept }, // Annual or lifetime
      "financial" : [{ // Benefit Summary
        "type" : { CodeableConcept }, // R!  Deductable, visits, benefit amount
        // allowed[x]: Benefits allowed. One of these 3:
        "allowedUnsignedInt" : "<unsignedInt>",
        "allowedString" : "<string>",
        "allowedMoney" : { Money },
        // used[x]: Benefits used. One of these 2:
        "usedUnsignedInt" : "<unsignedInt>"
        "usedMoney" : { Money }
      }]
    }]
  }],
  "form" : { CodeableConcept }, // Printed Form Identifier
  "error" : [{ // Processing errors
    "code" : { CodeableConcept } // R!  Error code detailing processing issues
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EligibilityResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EligibilityResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EligibilityResponse.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EligibilityResponse.created [ dateTime ]; # 0..1 Creation date
  fhir:EligibilityResponse.requestProvider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:EligibilityResponse.requestOrganization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:EligibilityResponse.request [ Reference(EligibilityRequest) ]; # 0..1 Eligibility reference
  fhir:EligibilityResponse.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:EligibilityResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:EligibilityResponse.insurer [ Reference(Organization) ]; # 0..1 Insurer issuing the coverage
  fhir:EligibilityResponse.inforce [ boolean ]; # 0..1 Coverage inforce indicator
  fhir:EligibilityResponse.insurance [ # 0..* Details by insurance coverage
    fhir:EligibilityResponse.insurance.coverage [ Reference(Coverage) ]; # 0..1 Updated Coverage details
    fhir:EligibilityResponse.insurance.contract [ Reference(Contract) ]; # 0..1 Contract details
    fhir:EligibilityResponse.insurance.benefitBalance [ # 0..* Benefits by Category
      fhir:EligibilityResponse.insurance.benefitBalance.category [ CodeableConcept ]; # 1..1 Type of services covered
      fhir:EligibilityResponse.insurance.benefitBalance.subCategory [ CodeableConcept ]; # 0..1 Detailed services
    covered within the type
      fhir:EligibilityResponse.insurance.benefitBalance.excluded [ boolean ]; # 0..1 Excluded from the plan
      fhir:EligibilityResponse.insurance.benefitBalance.name [ string ]; # 0..1 Short name for the benefit
      fhir:EligibilityResponse.insurance.benefitBalance.description [ string ]; # 0..1 Description of the benefit or
    services covered
      fhir:EligibilityResponse.insurance.benefitBalance.network [ CodeableConcept ]; # 0..1 In or out of network
      fhir:EligibilityResponse.insurance.benefitBalance.unit [ CodeableConcept ]; # 0..1 Individual or family
      fhir:EligibilityResponse.insurance.benefitBalance.term [ CodeableConcept ]; # 0..1 Annual or lifetime
      fhir:EligibilityResponse.insurance.benefitBalance.financial [ # 0..* Benefit Summary
        fhir:EligibilityResponse.insurance.benefitBalance.financial.type [ CodeableConcept ]; # 1..1 Deductable, visits,
     benefit amount
        # EligibilityResponse.insurance.benefitBalance.financial.allowed[x] : 0..1 Benefits allowed. One of these 3
          fhir:EligibilityResponse.insurance.benefitBalance.financial.allowedUnsignedInt [ unsignedInt ]
          fhir:EligibilityResponse.insurance.benefitBalance.financial.allowedString [ string ]
          fhir:EligibilityResponse.insurance.benefitBalance.financial.allowedMoney [ Money ]
        # EligibilityResponse.insurance.benefitBalance.financial.used[x] : 0..1 Benefits used. One of these 2
          fhir:EligibilityResponse.insurance.benefitBalance.financial.usedUnsignedInt [ unsignedInt ]
          fhir:EligibilityResponse.insurance.benefitBalance.financial.usedMoney [ Money ]
```

```
      ], ...;
    ], ...;
  ], ...;
  fhir:EligibilityResponse.form [ CodeableConcept ]; # 0..1 Printed Form Identifier
  fhir:EligibilityResponse.error [ # 0..* Processing errors
    fhir:EligibilityResponse.error.code [ CodeableConcept ]; # 1..1 Error code detailing processing issues
  ], ...;
]
```

Changes since DSTU2

EligibilityResponse
EligibilityResponse.status | Added Element
EligibilityResponse.outcome | Type changed from code to CodeableConcept
EligibilityResponse.insurer | Added Element
EligibilityResponse.inforce | Added Element
EligibilityResponse.insurance | Added Element
EligibilityResponse.insurance.coverage | Added Element
EligibilityResponse.insurance.contract | Added Element
EligibilityResponse.insurance.benefitBalance | Added Element
EligibilityResponse.insurance.benefitBalance.category | Added Element
EligibilityResponse.insurance.benefitBalance.subCategory | Added Element
EligibilityResponse.insurance.benefitBalance.excluded | Added Element
EligibilityResponse.insurance.benefitBalance.name | Added Element
EligibilityResponse.insurance.benefitBalance.description | Added Element
EligibilityResponse.insurance.benefitBalance.network | Added Element
EligibilityResponse.insurance.benefitBalance.unit | Added Element
EligibilityResponse.insurance.benefitBalance.term | Added Element
EligibilityResponse.insurance.benefitBalance.financial | Added Element
EligibilityResponse.insurance.benefitBalance.financial.type | Added Element
EligibilityResponse.insurance.benefitBalance.financial.allowed[x] | Added Element
EligibilityResponse.insurance.benefitBalance.financial.used[x] | Added Element
EligibilityResponse.form | Added Element
EligibilityResponse.error | Added Element
EligibilityResponse.error.code | Added Element
EligibilityResponse.ruleset | deleted
EligibilityResponse.originalRuleset | deleted
EligibilityResponse.organization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints
EligibilityResponse | | | DomainResource | EligibilityResponse resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
created | | 0..1 | dateTime | Creation date
requestProvider | | 0..1 | Reference(Practitioner) | Responsible practitioner
requestOrganization | | 0..1 | Reference(Organization) | Responsible organization
request | | 0..1 | Reference(EligibilityRequest) | Eligibility reference
outcome | | 0..1 | CodeableConcept | complete | error | partial RemittanceOutcome (Required)
disposition | | 0..1 | string | Disposition Message
insurer | | 0..1 | Reference(Organization) | Insurer issuing the coverage
inforce | | 0..1 | boolean | Coverage inforce indicator
insurance | | 0..* | BackboneElement | Details by insurance coverage
coverage | | 0..1 | Reference(Coverage) | Updated Coverage details
contract | | 0..1 | Reference(Contract) | Contract details
benefitBalance | | 0..* | BackboneElement | Benefits by Category
category | | 1..1 | CodeableConcept | Type of services covered Benefit Category Codes (Example)
subCategory | | 0..1 | CodeableConcept | Detailed services covered within the type Benefit SubCategory Codes (Example)
excluded | | 0..1 | boolean | Excluded from the plan
name | | 0..1 | string | Short name for the benefit
description | | 0..1 | string | Description of the benefit or services covered
network | | 0..1 | CodeableConcept | In or out of network Network Type Codes (Example)
unit | | 0..1 | CodeableConcept | Individual or family Unit Type Codes (Example)
term | | 0..1 | CodeableConcept | Annual or lifetime Benefit Term Codes (Example)
financial | | 0..* | BackboneElement | Benefit Summary
type | | 1..1 | CodeableConcept | Deductable, visits, benefit amount Benefit Type Codes (Example)
allowed[x] | | 0..1 | | Benefits allowed
allowedUnsignedInt | | | unsignedInt
allowedString | | | string
allowedMoney | | | Money
used[x] | | 0..1 | | Benefits used
usedUnsignedInt | | | unsignedInt

usedMoney | | | Money
form | | 0..1 | CodeableConcept | Printed Form Identifier Form Codes (Example)
error | | 0..* | BackboneElement | Processing errors
code | | 1..1 | CodeableConcept | Error code detailing processing issues Adjudication Error Codes (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<EligibilityResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <requestProvider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></requestProvider>
 <requestOrganization><!-- 0..1 Reference(Organization) Responsible organization --></requestOrganization>
 <request><!-- 0..1 Reference(EligibilityRequest) Eligibility reference --></request>
 <outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <insurer><!-- 0..1 Reference(Organization) Insurer issuing the coverage --></insurer>
 <inforce value="[boolean]"/><!-- 0..1 Coverage inforce indicator -->
 <insurance>  <!-- 0..* Details by insurance coverage -->
  <coverage><!-- 0..1 Reference(Coverage) Updated Coverage details --></coverage>
  <contract><!-- 0..1 Reference(Contract) Contract details --></contract>
  <benefitBalance>  <!-- 0..* Benefits by Category -->
   <category><!-- 1..1 CodeableConcept Type of services covered --></category>
   <subCategory><!-- 0..1 CodeableConcept Detailed services covered within the type --></subCategory>
   <excluded value="[boolean]"/><!-- 0..1 Excluded from the plan -->
   <name value="[string]"/><!-- 0..1 Short name for the benefit -->
   <description value="[string]"/><!-- 0..1 Description of the benefit or services covered -->
   <network><!-- 0..1 CodeableConcept In or out of network --></network>
   <unit><!-- 0..1 CodeableConcept Individual or family --></unit>
   <term><!-- 0..1 CodeableConcept Annual or lifetime --></term>
   <financial>  <!-- 0..* Benefit Summary -->
    <type><!-- 1..1 CodeableConcept Deductable, visits, benefit amount --></type>
    <allowed[x]><!-- 0..1 unsignedInt|string|Money Benefits allowed --></allowed[x]>
    <used[x]><!-- 0..1 unsignedInt|Money Benefits used --></used[x]>
   </financial>
  </benefitBalance>
 </insurance>
 <form><!-- 0..1 CodeableConcept Printed Form Identifier --></form>
 <error>  <!-- 0..* Processing errors -->
  <code><!-- 1..1 CodeableConcept Error code detailing processing issues --></code>
 </error>
</EligibilityResponse>
```

JSON Template

```
{
  "resourceType" : "EligibilityResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "created" : "<dateTime>", // Creation date
  "requestProvider" : { Reference(Practitioner) }, // Responsible practitioner
  "requestOrganization" : { Reference(Organization) }, // Responsible organization
  "request" : { Reference(EligibilityRequest) }, // Eligibility reference
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "insurer" : { Reference(Organization) }, // Insurer issuing the coverage
  "inforce" : <boolean>, // Coverage inforce indicator
  "insurance" : [{ // Details by insurance coverage
    "coverage" : { Reference(Coverage) }, // Updated Coverage details
    "contract" : { Reference(Contract) }, // Contract details
    "benefitBalance" : [{ // Benefits by Category
      "category" : { CodeableConcept }, // R!  Type of services covered
      "subCategory" : { CodeableConcept }, // Detailed services covered within the type
      "excluded" : <boolean>, // Excluded from the plan
      "name" : "<string>", // Short name for the benefit
      "description" : "<string>", // Description of the benefit or services covered
      "network" : { CodeableConcept }, // In or out of network
      "unit" : { CodeableConcept }, // Individual or family
      "term" : { CodeableConcept }, // Annual or lifetime
      "financial" : [{ // Benefit Summary
        "type" : { CodeableConcept }, // R!  Deductable, visits, benefit amount
        // allowed[x]: Benefits allowed. One of these 3:
        "allowedUnsignedInt" : "<unsignedInt>",
        "allowedString" : "<string>",
        "allowedMoney" : { Money },
        // used[x]: Benefits used. One of these 2:
        "usedUnsignedInt" : "<unsignedInt>"
        "usedMoney" : { Money }
      }]
    }]
  }],
  "form" : { CodeableConcept }, // Printed Form Identifier
  "error" : [{ // Processing errors
```

```
    "code" : { CodeableConcept } // R!  Error code detailing processing issues
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EligibilityResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EligibilityResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EligibilityResponse.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EligibilityResponse.created [ dateTime ]; # 0..1 Creation date
  fhir:EligibilityResponse.requestProvider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:EligibilityResponse.requestOrganization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:EligibilityResponse.request [ Reference(EligibilityRequest) ]; # 0..1 Eligibility reference
  fhir:EligibilityResponse.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:EligibilityResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:EligibilityResponse.insurer [ Reference(Organization) ]; # 0..1 Insurer issuing the coverage
  fhir:EligibilityResponse.inforce [ boolean ]; # 0..1 Coverage inforce indicator
  fhir:EligibilityResponse.insurance [ # 0..* Details by insurance coverage
    fhir:EligibilityResponse.insurance.coverage [ Reference(Coverage) ]; # 0..1 Updated Coverage details
    fhir:EligibilityResponse.insurance.contract [ Reference(Contract) ]; # 0..1 Contract details
    fhir:EligibilityResponse.insurance.benefitBalance [ # 0..* Benefits by Category
      fhir:EligibilityResponse.insurance.benefitBalance.category [ CodeableConcept ]; # 1..1 Type of services covered
      fhir:EligibilityResponse.insurance.benefitBalance.subCategory [ CodeableConcept ]; # 0..1 Detailed services
    covered within the type
      fhir:EligibilityResponse.insurance.benefitBalance.excluded [ boolean ]; # 0..1 Excluded from the plan
      fhir:EligibilityResponse.insurance.benefitBalance.name [ string ]; # 0..1 Short name for the benefit
      fhir:EligibilityResponse.insurance.benefitBalance.description [ string ]; # 0..1 Description of the benefit or
    services covered
      fhir:EligibilityResponse.insurance.benefitBalance.network [ CodeableConcept ]; # 0..1 In or out of network
      fhir:EligibilityResponse.insurance.benefitBalance.unit [ CodeableConcept ]; # 0..1 Individual or family
      fhir:EligibilityResponse.insurance.benefitBalance.term [ CodeableConcept ]; # 0..1 Annual or lifetime
      fhir:EligibilityResponse.insurance.benefitBalance.financial [ # 0..* Benefit Summary
        fhir:EligibilityResponse.insurance.benefitBalance.financial.type [ CodeableConcept ]; # 1..1 Deductable, visits,
     benefit amount
        # EligibilityResponse.insurance.benefitBalance.financial.allowed[x] : 0..1 Benefits allowed. One of these 3
          fhir:EligibilityResponse.insurance.benefitBalance.financial.allowedUnsignedInt [ unsignedInt ]
          fhir:EligibilityResponse.insurance.benefitBalance.financial.allowedString [ string ]
          fhir:EligibilityResponse.insurance.benefitBalance.financial.allowedMoney [ Money ]
        # EligibilityResponse.insurance.benefitBalance.financial.used[x] : 0..1 Benefits used. One of these 2
          fhir:EligibilityResponse.insurance.benefitBalance.financial.usedUnsignedInt [ unsignedInt ]
          fhir:EligibilityResponse.insurance.benefitBalance.financial.usedMoney [ Money ]
      ], ...;
    ], ...;
  ], ...;
  fhir:EligibilityResponse.form [ CodeableConcept ]; # 0..1 Printed Form Identifier
  fhir:EligibilityResponse.error [ # 0..* Processing errors
    fhir:EligibilityResponse.error.code [ CodeableConcept ]; # 1..1 Error code detailing processing issues
  ], ...;
]
```

Changes since DSTU2

EligibilityResponse
EligibilityResponse.status | Added Element
EligibilityResponse.outcome | Type changed from code to CodeableConcept
EligibilityResponse.insurer | Added Element
EligibilityResponse.inforce | Added Element
EligibilityResponse.insurance | Added Element
EligibilityResponse.insurance.coverage | Added Element
EligibilityResponse.insurance.contract | Added Element
EligibilityResponse.insurance.benefitBalance | Added Element
EligibilityResponse.insurance.benefitBalance.category | Added Element
EligibilityResponse.insurance.benefitBalance.subCategory | Added Element
EligibilityResponse.insurance.benefitBalance.excluded | Added Element
EligibilityResponse.insurance.benefitBalance.name | Added Element
EligibilityResponse.insurance.benefitBalance.description | Added Element
EligibilityResponse.insurance.benefitBalance.network | Added Element
EligibilityResponse.insurance.benefitBalance.unit | Added Element
EligibilityResponse.insurance.benefitBalance.term | Added Element
EligibilityResponse.insurance.benefitBalance.financial | Added Element
EligibilityResponse.insurance.benefitBalance.financial.type | Added Element
EligibilityResponse.insurance.benefitBalance.financial.allowed[x] | Added Element
EligibilityResponse.insurance.benefitBalance.financial.used[x] | Added Element
EligibilityResponse.form | Added Element
EligibilityResponse.error | Added Element
EligibilityResponse.error.code | Added Element
EligibilityResponse.ruleset | deleted
EligibilityResponse.originalRuleset | deleted

EligibilityResponse.organization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.3.2.1 Terminology Bindings

Path | Definition | Type | Reference
EligibilityResponse.status | A code specifying the state of the resource instance. | Required | Financial Resource Status Codes
EligibilityResponse.outcome | The outcome of the processing. | Required | RemittanceOutcome
EligibilityResponse.insurance.benefitBalance.category | Benefit categories such as: oral, medical, vision etc. | Example | Benefit Category Codes
EligibilityResponse.insurance.benefitBalance.subCategory | Benefit subcategories such as: oral-basic, major, glasses | Example | Benefit SubCategory Codes
EligibilityResponse.insurance.benefitBalance.network | Code to classify in or out of network services | Example | Network Type Codes
EligibilityResponse.insurance.benefitBalance.unit | Unit covered/serviced - individual or family | Example | Unit Type Codes
EligibilityResponse.insurance.benefitBalance.term | Coverage unit - annual, lifetime | Example | Benefit Term Codes
EligibilityResponse.insurance.benefitBalance.financial.type | Deductable, visits, co-pay, etc. | Example | Benefit Type Codes
EligibilityResponse.form | The forms codes. | Example | Form Codes
EligibilityResponse.error.code | The error codes for adjudication processing. | Example | Adjudication Error Codes

13.3.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
created | date | The creation date | EligibilityResponse.created
disposition | string | The contents of the disposition message | EligibilityResponse.disposition
identifier | token | The business identifier | EligibilityResponse.identifier
insurer | reference | The organization which generated this resource | EligibilityResponse.insurer (Organization)
outcome | token | The processing outcome | EligibilityResponse.outcome
request | reference | The EligibilityRequest reference | EligibilityResponse.request (EligibilityRequest)
request-organization | reference | The EligibilityRequest organization | EligibilityResponse.requestOrganization (Organization)
request-provider | reference | The EligibilityRequest provider | EligibilityResponse.requestProvider (Practitioner)

13.3.4 Resource EligibilityResponse - Examples

URL: https://hl7.org/fhir/STU3/eligibilityresponse-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.3.4 Resource EligibilityResponse - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Practitioner

Example List:

General Person Primary Coverage Example | E2500 | XML | JSON | Turtle
General Person Primary Coverage with Benefit Details | E2501 | XML | JSON | Turtle
General Person Primary Coverage with Benefit Details and new insurance | E2502 | XML | JSON | Turtle
General Person Primary Coverage with error | E2503 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.3.5 Resource EligibilityResponse - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/eligibilityresponse-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.3.5 Resource EligibilityResponse - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Practitioner

Detailed Descriptions for the elements in the EligibilityResponse resource.

EligibilityResponse
Definition | This resource provides eligibility and plan details from the processing of an Eligibility resource.
Control | 1..1
EligibilityResponse.identifier
Definition | The Response business identifier.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
EligibilityResponse.status

Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the response as not currently valid.
EligibilityResponse.created
Definition | The date when the enclosed suite of services were performed or completed.
Control | 0..1
Type | dateTime
EligibilityResponse.requestProvider
Definition | The practitioner who is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Practitioner)
EligibilityResponse.requestOrganization
Definition | The organization which is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Organization)
EligibilityResponse.request
Definition | Original request resource reference.
Control | 0..1
Type | Reference(EligibilityRequest)
EligibilityResponse.outcome
Definition | Transaction status: error, complete.
Control | 0..1
Terminology Binding | RemittanceOutcome (Required)
Type | CodeableConcept
EligibilityResponse.disposition
Definition | A description of the status of the adjudication.
Control | 0..1
Type | string
EligibilityResponse.insurer
Definition | The Insurer who produced this adjudicated response.
Control | 0..1
Type | Reference(Organization)
EligibilityResponse.inforce
Definition | Flag indicating if the coverage provided is inforce currently if no service date(s) specified or for the whole duration of the service dates.
Control | 0..1
Type | boolean
EligibilityResponse.insurance
Definition | The insurer may provide both the details for the requested coverage as well as details for additional coverages known to the insurer.
Control | 0..*
EligibilityResponse.insurance.coverage
Definition | A suite of updated or additional Coverages from the Insurer.
Control | 0..1
Type | Reference(Coverage)
EligibilityResponse.insurance.contract
Definition | The contract resource which may provide more detailed information.
Control | 0..1
Type | Reference(Contract)
EligibilityResponse.insurance.benefitBalance
Definition | Benefits and optionally current balances by Category.
Control | 0..*
EligibilityResponse.insurance.benefitBalance.category
Definition | Dental, Vision, Medical, Pharmacy, Rehab etc.
Control | 1..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
EligibilityResponse.insurance.benefitBalance.subCategory
Definition | Dental: basic, major, ortho; Vision exam, glasses, contacts; etc.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
EligibilityResponse.insurance.benefitBalance.excluded
Definition | True if the indicated class of service is excluded from the plan, missing or False indicated the service is included in the coverage.
Control | 0..1
Type | boolean
EligibilityResponse.insurance.benefitBalance.name
Definition | A short name or tag for the benefit, for example MED01, or DENT2.
Control | 0..1
Type | string

EligibilityResponse.insurance.benefitBalance.description
Definition | A richer description of the benefit, for example 'DENT2 covers 100% of basic, 50% of major but exclused Ortho, Implants and Costmetic services'.
Control | 0..1
Type | string
EligibilityResponse.insurance.benefitBalance.network
Definition | Network designation.
Control | 0..1
Terminology Binding | Network Type Codes (Example)
Type | CodeableConcept
EligibilityResponse.insurance.benefitBalance.unit
Definition | Unit designation: individual or family.
Control | 0..1
Terminology Binding | Unit Type Codes (Example)
Type | CodeableConcept
EligibilityResponse.insurance.benefitBalance.term
Definition | The term or period of the values such as 'maximum lifetime benefit' or 'maximum annual vistis'.
Control | 0..1
Terminology Binding | Benefit Term Codes (Example)
Type | CodeableConcept
EligibilityResponse.insurance.benefitBalance.financial
Definition | Benefits Used to date.
Control | 0..*
EligibilityResponse.insurance.benefitBalance.financial.type
Definition | Deductable, visits, benefit amount.
Control | 1..1
Terminology Binding | Benefit Type Codes (Example)
Type | CodeableConcept
EligibilityResponse.insurance.benefitBalance.financial.allowed[x]
Definition | Benefits allowed.
Control | 0..1
Type | unsignedInt|string|Money
[x] Note | See Choice of Data Types for further information about how to use [x]
EligibilityResponse.insurance.benefitBalance.financial.used[x]
Definition | Benefits used.
Control | 0..1
Type | unsignedInt|Money
[x] Note | See Choice of Data Types for further information about how to use [x]
EligibilityResponse.form
Definition | The form to be used for printing the content.
Control | 0..1
Terminology Binding | Form Codes (Example)
Type | CodeableConcept
EligibilityResponse.error
Definition | Mutually exclusive with Services Provided (Item).
Control | 0..*
EligibilityResponse.error.code
Definition | An error code,from a specified code system, which details why the eligibility check could not be performed.
Control | 1..1
Terminology Binding | Adjudication Error Codes (Example)
Type | CodeableConcept

13.3.6 Resource EligibilityResponse - Mappings

URL: https://hl7.org/fhir/STU3/eligibilityresponse-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.3.6 Resource EligibilityResponse - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Practitioner

Mappings:

Canadian Dental Association eclaims standard

Workflow Mapping

Mappings for the eligibilityresponse resource.

13.3.6.1 Mappings for Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

EligibilityResponse
identifier

status
created
requestProvider | B01
requestOrganization
request | A02|G01
outcome
disposition
insurer
inforce
insurance
coverage
contract
benefitBalance
category
subCategory
excluded
name
description
network
unit
term
financial
type
allowed[x]
used[x]
form | G42
error
code

13.3.6.2 Mappings for Workflow Mapping (http://hl7.org/fhir/workflow)

EligibilityResponse | Event
identifier | Event.identifier
status | Event.status
created
requestProvider
requestOrganization | Event.performer.onBehalfOf
request | Event.basedOn
outcome
disposition | Event.note
insurer
inforce
insurance
coverage
contract
benefitBalance
category
subCategory
excluded
name
description
network
unit
term
financial
type
allowed[x]
used[x]
form
error
code

13.3.7 Resource EligibilityResponse - Design Notes

URL: https://hl7.org/fhir/STU3/eligibilityresponse-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.3.7 Resource EligibilityResponse - Design Notes

to do

13.3.8 Resource EligibilityResponse - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/eligibilityresponse-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.3.8 Resource EligibilityResponse - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the EligibilityResponse resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.3.8.1 Profiles

No Profiles defined for this resource

13.3.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.3.8.3 Search Extensions

No Search Extensions defined for this resource

13.4 Resource EnrollmentRequest - Content

URL: https://hl7.org/fhir/STU3/enrollmentrequest.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 0 | Draft | Compartments: Patient

This resource provides the insurance enrollment details to the insurer regarding a specified coverage.

13.4.1 Scope and Usage

This resource has not yet undergone proper review by FM. At this time it is a 'stub', is known to be incomplete, and is to be considered as a draft.

The EnrollmentRequest resource allows for the addition and removal of plan subscribers and their dependents to health insurance coverage.

Todo

This resource is referenced by enrollmentresponse

13.4.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
EnrollmentRequest | | | DomainResource | Enrollment request Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
created | | 0..1 | dateTime | Creation date
insurer | | 0..1 | Reference(Organization) | Target
provider | | 0..1 | Reference(Practitioner) | Responsible practitioner
organization | | 0..1 | Reference(Organization) | Responsible organization
subject | | 0..1 | Reference(Patient) | The subject of the Products and Services
coverage | | 0..1 | Reference(Coverage) | Insurance information
Documentation for this format

UML Diagram (Legend)

XML Template

```
<EnrollmentRequest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <insurer><!-- 0..1 Reference(Organization) Target --></insurer>
 <provider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></provider>
 <organization><!-- 0..1 Reference(Organization) Responsible organization --></organization>
 <subject><!-- 0..1 Reference(Patient) The subject of the Products and Services --></subject>
 <coverage><!-- 0..1 Reference(Coverage) Insurance information --></coverage>
</EnrollmentRequest>
```

JSON Template

```
{
  "resourceType" : "EnrollmentRequest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "created" : "<dateTime>", // Creation date
  "insurer" : { Reference(Organization) }, // Target
  "provider" : { Reference(Practitioner) }, // Responsible practitioner
  "organization" : { Reference(Organization) }, // Responsible organization
  "subject" : { Reference(Patient) }, // The subject of the Products and Services
  "coverage" : { Reference(Coverage) } // Insurance information
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EnrollmentRequest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EnrollmentRequest.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EnrollmentRequest.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EnrollmentRequest.created [ dateTime ]; # 0..1 Creation date
  fhir:EnrollmentRequest.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:EnrollmentRequest.provider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:EnrollmentRequest.organization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:EnrollmentRequest.subject [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  fhir:EnrollmentRequest.coverage [ Reference(Coverage) ]; # 0..1 Insurance information
]
```

Changes since DSTU2

EnrollmentRequest

EnrollmentRequest.status | Added Element

EnrollmentRequest.insurer | Added Element

EnrollmentRequest.subject | Min Cardinality changed from 1 to 0

EnrollmentRequest.coverage | Min Cardinality changed from 1 to 0

EnrollmentRequest.ruleset | deleted

EnrollmentRequest.originalRuleset | deleted

EnrollmentRequest.target | deleted

EnrollmentRequest.relationship | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints

EnrollmentRequest | | | DomainResource | Enrollment request Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | | 0..* | Identifier | Business Identifier

status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)

created | | 0..1 | dateTime | Creation date

insurer | | 0..1 | Reference(Organization) | Target

provider | | 0..1 | Reference(Practitioner) | Responsible practitioner

organization | | 0..1 | Reference(Organization) | Responsible organization

subject | | 0..1 | Reference(Patient) | The subject of the Products and Services

coverage | | 0..1 | Reference(Coverage) | Insurance information

Documentation for this format

UML Diagram (Legend)

XML Template

```
<EnrollmentRequest xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
```

```
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <insurer><!-- 0..1 Reference(Organization) Target --></insurer>
 <provider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></provider>
 <organization><!-- 0..1 Reference(Organization) Responsible organization --></organization>
 <subject><!-- 0..1 Reference(Patient) The subject of the Products and Services --></subject>
 <coverage><!-- 0..1 Reference(Coverage) Insurance information --></coverage>
</EnrollmentRequest>
```

JSON Template

```
{
  "resourceType" : "EnrollmentRequest",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "created" : "<dateTime>", // Creation date
  "insurer" : { Reference(Organization) }, // Target
  "provider" : { Reference(Practitioner) }, // Responsible practitioner
  "organization" : { Reference(Organization) }, // Responsible organization
  "subject" : { Reference(Patient) }, // The subject of the Products and Services
  "coverage" : { Reference(Coverage) } // Insurance information
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EnrollmentRequest;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EnrollmentRequest.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EnrollmentRequest.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EnrollmentRequest.created [ dateTime ]; # 0..1 Creation date
  fhir:EnrollmentRequest.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:EnrollmentRequest.provider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:EnrollmentRequest.organization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:EnrollmentRequest.subject [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  fhir:EnrollmentRequest.coverage [ Reference(Coverage) ]; # 0..1 Insurance information
]
```

Changes since DSTU2

EnrollmentRequest
EnrollmentRequest.status | Added Element
EnrollmentRequest.insurer | Added Element
EnrollmentRequest.subject | Min Cardinality changed from 1 to 0
EnrollmentRequest.coverage | Min Cardinality changed from 1 to 0
EnrollmentRequest.ruleset | deleted
EnrollmentRequest.originalRuleset | deleted
EnrollmentRequest.target | deleted
EnrollmentRequest.relationship | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.4.2.1 Terminology Bindings

Path | Definition | Type | Reference
EnrollmentRequest.status | A code specifying the state of the resource instance. | Required | Financial Resource Status Codes

13.4.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
identifier | token | The business identifier of the Enrollment | EnrollmentRequest.identifier
organization | reference | The organization who generated this resource | EnrollmentRequest.organization (Organization)
patient | reference | The party to be enrolled | EnrollmentRequest.subject (Patient)
subject | reference | The party to be enrolled | EnrollmentRequest.subject (Patient)

13.4.4 Resource EnrollmentRequest - Examples

URL: https://hl7.org/fhir/STU3/enrollmentrequest-examples.html

13.4.4 Resource EnrollmentRequest - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient

Example List:

General Simple Enrollment Example | 22345 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.4.5 Resource EnrollmentRequest - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/enrollmentrequest-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.4.5 Resource EnrollmentRequest - Detailed Descriptions

Financial Management Work Group | Maturity Level: 0 | Draft | Compartments: Patient

Detailed Descriptions for the elements in the EnrollmentRequest resource.

EnrollmentRequest
Definition | This resource provides the insurance enrollment details to the insurer regarding a specified coverage.
Control | 1..1
EnrollmentRequest.identifier
Definition | The Response business identifier.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
EnrollmentRequest.status
Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the request as not currently valid.
EnrollmentRequest.created
Definition | The date when this resource was created.
Control | 0..1
Type | dateTime
EnrollmentRequest.insurer
Definition | The Insurer who is target of the request.
Control | 0..1
Type | Reference(Organization)
EnrollmentRequest.provider
Definition | The practitioner who is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Practitioner)
EnrollmentRequest.organization
Definition | The organization which is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Organization)
EnrollmentRequest.subject
Definition | Patient Resource.
Control | 0..1
Type | Reference(Patient)
EnrollmentRequest.coverage
Definition | Reference to the program or plan identification, underwriter or payor.
Control | 0..1
Type | Reference(Coverage)
Requirements | Need to identify the issuer to target for processing and for coordination of benefit processing.

13.4.6 Resource EnrollmentRequest - Mappings

URL: https://hl7.org/fhir/STU3/enrollmentrequest-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.4.6 Resource EnrollmentRequest - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient

Mappings:

Canadian Dental Association eclaims standard

Mappings for the enrollmentrequest resource.

13.4.6.1 Mappings for Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

EnrollmentRequest
identifier
status
created
insurer
provider | B01
organization
subject | C06,C07,C08, C05, C04
coverage

13.4.7 Resource EnrollmentRequest - Design Notes

URL: https://hl7.org/fhir/STU3/enrollmentrequest-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.4.7 Resource EnrollmentRequest - Design Notes

to do

13.4.8 Resource EnrollmentRequest - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/enrollmentrequest-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.4.8 Resource EnrollmentRequest - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the EnrollmentRequest resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.4.8.1 Profiles

No Profiles defined for this resource

13.4.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.4.8.3 Search Extensions

No Search Extensions defined for this resource

13.4.9 Resource EnrollmentRequest - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/enrollmentrequest-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.4.9 Resource EnrollmentRequest - Detailed Descriptions

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient

R2 : R3 Converson maps for EnrollmentRequest.

Functional status for this map: 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid. (see documentation)

13.4.9.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/EnrollmentRequest2to3" = "R2 to R3 Conversions for EnrollmentRequest"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/EnrollmentRequest" alias EnrollmentRequestR2 as source
uses "http://hl7.org/fhir/StructureDefinition/EnrollmentRequest" alias EnrollmentRequest as target

imports "http://hl7.org/fhir/StructureMap/primitives2to3"
imports "http://hl7.org/fhir/StructureMap/DomainResource2to3"
```

```
imports "http://hl7.org/fhir/StructureMap/Identifier2to3"
imports "http://hl7.org/fhir/StructureMap/Reference2to3"

group for type+types  EnrollmentRequest extends DomainResource
  input src : EnrollmentRequestR2 as source
  input tgt : EnrollmentRequest as target

  "EnrollmentRequest-identifier" : for src.identifier make tgt.identifier
  "EnrollmentRequest-created" : for src.created make tgt.created
  "EnrollmentRequest-provider" : for src.provider make tgt.provider
  "EnrollmentRequest-organization" : for src.organization make tgt.organization
  "EnrollmentRequest-subject" : for src.subject make tgt.subject
  "EnrollmentRequest-coverage" : for src.coverage make tgt.coverage

endgroup
```

13.4.9.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/EnrollmentRequest3to2" = "R3 to R2 Conversion for EnrollmentRequest"

uses "http://hl7.org/fhir/StructureDefinition/EnrollmentRequest" alias EnrollmentRequest as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/EnrollmentRequest" alias EnrollmentRequestR2 as target

imports "http://hl7.org/fhir/StructureMap/primitives3to2"
imports "http://hl7.org/fhir/StructureMap/DomainResource3to2"
imports "http://hl7.org/fhir/StructureMap/Identifier3to2"
imports "http://hl7.org/fhir/StructureMap/Reference3to2"

group for type+types  EnrollmentRequest extends DomainResource
  input src : EnrollmentRequest as source
  input tgt : EnrollmentRequestR2 as target

  "EnrollmentRequest-identifier" : for src.identifier make tgt.identifier
  "EnrollmentRequest-created" : for src.created make tgt.created
  "EnrollmentRequest-coverage" : for src.coverage make tgt.coverage

endgroup
```

13.4.9.3 R3 Validation Errors

13.5 Resource EnrollmentResponse - Content

URL: https://hl7.org/fhir/STU3/enrollmentresponse.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 0 | Draft | Compartments: Not linked to any defined compartments

This resource provides enrollment and plan details from the processing of an Enrollment resource.

13.5.1 Scope and Usage

This resource has not yet undergone proper review by FM. At this time it is a 'stub', is known to be incomplete, and is to be considered as a draft.

The EnrollmentResponse resource provides enrollment and plan details from the processing of an Enrollment resource.

13.5.2 Resource Content

* Structure
* UML
* XML
* JSON
* Turtle
* R2 Diff
* All

Structure

Name | Flags | Card. | Type | Description & Constraints
EnrollmentResponse | | | DomainResource | EnrollmentResponse resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
request | | 0..1 | Reference(EnrollmentRequest) | Claim reference
outcome | | 0..1 | CodeableConcept | complete | error | partial RemittanceOutcome (Required)
disposition | | 0..1 | string | Disposition Message
created | | 0..1 | dateTime | Creation date
organization | | 0..1 | Reference(Organization) | Insurer
requestProvider | | 0..1 | Reference(Practitioner) | Responsible practitioner
requestOrganization | | 0..1 | Reference(Organization) | Responsible organization

Documentation for this format

UML Diagram (Legend)

XML Template

```
<EnrollmentResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <request><!-- 0..1 Reference(EnrollmentRequest) Claim reference --></request>
 <outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <organization><!-- 0..1 Reference(Organization) Insurer --></organization>
 <requestProvider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></requestProvider>
 <requestOrganization><!-- 0..1 Reference(Organization) Responsible organization --></requestOrganization>
</EnrollmentResponse>
```

JSON Template

```
{
  "resourceType" : "EnrollmentResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "request" : { Reference(EnrollmentRequest) }, // Claim reference
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "created" : "<dateTime>", // Creation date
  "organization" : { Reference(Organization) }, // Insurer
  "requestProvider" : { Reference(Practitioner) }, // Responsible practitioner
  "requestOrganization" : { Reference(Organization) } // Responsible organization
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EnrollmentResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EnrollmentResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EnrollmentResponse.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EnrollmentResponse.request [ Reference(EnrollmentRequest) ]; # 0..1 Claim reference
  fhir:EnrollmentResponse.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:EnrollmentResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:EnrollmentResponse.created [ dateTime ]; # 0..1 Creation date
  fhir:EnrollmentResponse.organization [ Reference(Organization) ]; # 0..1 Insurer
  fhir:EnrollmentResponse.requestProvider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:EnrollmentResponse.requestOrganization [ Reference(Organization) ]; # 0..1 Responsible organization
]
```

Changes since DSTU2

EnrollmentResponse

EnrollmentResponse.status | Added Element

EnrollmentResponse.outcome | Type changed from code to CodeableConcept

EnrollmentResponse.ruleset | deleted

EnrollmentResponse.originalRuleset | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints

EnrollmentResponse | | | DomainResource | EnrollmentResponse resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | | 0..* | Identifier | Business Identifier

status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)

request | | 0..1 | Reference(EnrollmentRequest) | Claim reference

outcome | | 0..1 | CodeableConcept | complete | error | partial RemittanceOutcome (Required)

disposition | | 0..1 | string | Disposition Message

created | | 0..1 | dateTime | Creation date

organization | | 0..1 | Reference(Organization) | Insurer

requestProvider | | 0..1 | Reference(Practitioner) | Responsible practitioner

requestOrganization | | 0..1 | Reference(Organization) | Responsible organization

Documentation for this format

UML Diagram (Legend)

XML Template

```
<EnrollmentResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <request><!-- 0..1 Reference(EnrollmentRequest) Claim reference --></request>
 <outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <organization><!-- 0..1 Reference(Organization) Insurer --></organization>
 <requestProvider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></requestProvider>
 <requestOrganization><!-- 0..1 Reference(Organization) Responsible organization --></requestOrganization>
</EnrollmentResponse>
```

JSON Template

```
{
  "resourceType" : "EnrollmentResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "request" : { Reference(EnrollmentRequest) }, // Claim reference
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "created" : "<dateTime>", // Creation date
  "organization" : { Reference(Organization) }, // Insurer
  "requestProvider" : { Reference(Practitioner) }, // Responsible practitioner
  "requestOrganization" : { Reference(Organization) } // Responsible organization
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:EnrollmentResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:EnrollmentResponse.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:EnrollmentResponse.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:EnrollmentResponse.request [ Reference(EnrollmentRequest) ]; # 0..1 Claim reference
  fhir:EnrollmentResponse.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:EnrollmentResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:EnrollmentResponse.created [ dateTime ]; # 0..1 Creation date
  fhir:EnrollmentResponse.organization [ Reference(Organization) ]; # 0..1 Insurer
  fhir:EnrollmentResponse.requestProvider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:EnrollmentResponse.requestOrganization [ Reference(Organization) ]; # 0..1 Responsible organization
]
```

Changes since DSTU2

EnrollmentResponse
EnrollmentResponse.status | Added Element
EnrollmentResponse.outcome | Type changed from code to CodeableConcept
EnrollmentResponse.ruleset | deleted
EnrollmentResponse.originalRuleset | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.5.2.1 Terminology Bindings

Path | Definition | Type | Reference
EnrollmentResponse.status | A code specifying the state of the resource instance. | Required | Financial Resource Status Codes
EnrollmentResponse.outcome | The outcome of the processing. | Required | RemittanceOutcome

13.5.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
identifier | token | The business identifier of the EnrollmentResponse | EnrollmentResponse.identifier
organization | reference | The organization who generated this resource | EnrollmentResponse.organization (Organization)
request | reference | The reference to the claim | EnrollmentResponse.request (EnrollmentRequest)

13.5.4 Resource EnrollmentResponse - Examples

URL: https://hl7.org/fhir/STU3/enrollmentresponse-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.5.4 Resource EnrollmentResponse - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Example List:

General Person Enrollment Response Example | ER2500 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.5.5 Resource EnrollmentResponse - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/enrollmentresponse-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.5.5 Resource EnrollmentResponse - Detailed Descriptions

Financial Management Work Group | Maturity Level: 0 | Draft | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the EnrollmentResponse resource.

EnrollmentResponse
Definition | This resource provides enrollment and plan details from the processing of an Enrollment resource.
Control | 1..1
EnrollmentResponse.identifier
Definition | The Response business identifier.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
EnrollmentResponse.status
Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the response as not currently valid.
EnrollmentResponse.request
Definition | Original request resource reference.
Control | 0..1
Type | Reference(EnrollmentRequest)
EnrollmentResponse.outcome
Definition | Processing status: error, complete.
Control | 0..1
Terminology Binding | RemittanceOutcome (Required)
Type | CodeableConcept
EnrollmentResponse.disposition
Definition | A description of the status of the adjudication.
Control | 0..1
Type | string
EnrollmentResponse.created
Definition | The date when the enclosed suite of services were performed or completed.
Control | 0..1
Type | dateTime
EnrollmentResponse.organization
Definition | The Insurer who produced this adjudicated response.
Control | 0..1
Type | Reference(Organization)
EnrollmentResponse.requestProvider
Definition | The practitioner who is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Practitioner)
EnrollmentResponse.requestOrganization
Definition | The organization which is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Organization)

13.5.6 Resource EnrollmentResponse - Mappings

URL: https://hl7.org/fhir/STU3/enrollmentresponse-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.5.6 Resource EnrollmentResponse - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Mappings:

Canadian Dental Association eclaims standard

Mappings for the enrollmentresponse resource.

13.5.6.1 Mappings for Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

EnrollmentResponse
identifier
status
request | A02|G01
outcome
disposition
created
organization
requestProvider | B01
requestOrganization

13.5.7 Resource EnrollmentResponse - Design Notes

URL: https://hl7.org/fhir/STU3/enrollmentresponse-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.5.7 Resource EnrollmentResponse - Design Notes

to do

13.5.8 Resource EnrollmentResponse - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/enrollmentresponse-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.5.8 Resource EnrollmentResponse - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the EnrollmentResponse resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.5.8.1 Profiles

No Profiles defined for this resource

13.5.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.5.8.3 Search Extensions

No Search Extensions defined for this resource

13.5.9 Resource EnrollmentResponse - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/enrollmentresponse-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.5.9 Resource EnrollmentResponse - Detailed Descriptions

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

R2 : R3 Converson maps for EnrollmentResponse.

Functional status for this map: 1 test that all execute ok. 1 fail round-trip testing and all r3 resources are valid. (see documentation)

13.5.9.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/EnrollmentResponse2to3" = "R2 to R3 Conversions for EnrollmentResponse"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/EnrollmentResponse" alias EnrollmentResponseR2 as source
uses "http://hl7.org/fhir/StructureDefinition/EnrollmentResponse" alias EnrollmentResponse as target

imports "http://hl7.org/fhir/StructureMap/primitives2to3"
imports "http://hl7.org/fhir/StructureMap/DomainResource2to3"
imports "http://hl7.org/fhir/StructureMap/Identifier2to3"
imports "http://hl7.org/fhir/StructureMap/Reference2to3"

group for type+types  EnrollmentResponse extends DomainResource
  input src : EnrollmentResponseR2 as source
  input tgt : EnrollmentResponse as target

  "EnrollmentResponse-identifier" : for src.identifier make tgt.identifier
  "EnrollmentResponse-request" : for src.request make tgt.request
  "EnrollmentResponse-disposition" : for src.disposition make tgt.disposition
  "EnrollmentResponse-created" : for src.created make tgt.created
  "EnrollmentResponse-organization" : for src.organization make tgt.organization
  "EnrollmentResponse-requestProvider" : for src.requestProvider make tgt.requestProvider
  "EnrollmentResponse-requestOrganization" : for src.requestOrganization make tgt.requestOrganization

endgroup
```

13.5.9.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/EnrollmentResponse3to2" = "R3 to R2 Conversion for EnrollmentResponse"

uses "http://hl7.org/fhir/StructureDefinition/EnrollmentResponse" alias EnrollmentResponse as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/EnrollmentResponse" alias EnrollmentResponseR2 as target

imports "http://hl7.org/fhir/StructureMap/primitives3to2"
imports "http://hl7.org/fhir/StructureMap/DomainResource3to2"
imports "http://hl7.org/fhir/StructureMap/Identifier3to2"

group for type+types  EnrollmentResponse extends DomainResource
  input src : EnrollmentResponse as source
  input tgt : EnrollmentResponseR2 as target

  "EnrollmentResponse-identifier" : for src.identifier make tgt.identifier
  "EnrollmentResponse-disposition" : for src.disposition make tgt.disposition
  "EnrollmentResponse-created" : for src.created make tgt.created

endgroup
```

13.5.9.3 R3 Validation Errors

13.6 Resource Claim - Content

URL: https://hl7.org/fhir/STU3/claim.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Encounter, Patient, Practitioner, RelatedPerson

A provider issued list of services and products provided, or to be provided, to a patient which is provided to an insurer for payment recovery.

13.6.1 Scope and Usage

The Claim is used by providers and payors, insurers, to exchange the financial information, and supporting clinical information, regarding the provision of healthcare services with payors an firms which provide data analytics. The primary uses of this resource is to support eClaims, the exchange of proposed or actual services to benefit payors, insurers and national health programs, for treatment payment planning and reimbursement.

The Claim is intended to support:

* Claims - where the provision of goods and services is complete and reimbursement is sought.

* Pre-Authorization - where the provision of goods and services is proposed and either authorization and/or the reservation of funds is desired.

* Pre-Determination - where the provision of goods and services is explored to determine what services may be covered and to what amount. Essentially a 'what if' claim.

The Claim also supports:

* Up to a 3 tier hierarchy of Goods, products, and Services, to support simple to complex billing.

* Multiple insurance programs arranged in a Coordination of Benefit sequence to enable exchange with primary, secondary, tertiary etc. insurance coverages.

* Assignment of benefit - the benefit may be requested to be directed to the subscriber, the provider or another party.

This resource is referenced by ClaimResponse and ExplanationOfBenefit

13.6.2 Resource Content

* Structure
* UML
* XML
* JSON
* Turtle
* R2 Diff
* All

Structure

Name | Flags | Card. | Type | Description & Constraints
Claim | | | DomainResource | Claim, Pre-determination or Pre-authorization Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Claim number
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | | 0..1 | CodeableConcept | Type or discipline Example Claim Type Codes (Required)
subType | | 0..* | CodeableConcept | Finer grained claim type information Example Claim SubType Codes (Example)
use | | 0..1 | code | complete | proposed | exploratory | other Use (Required)
patient | | 0..1 | Reference(Patient) | The subject of the Products and Services
billablePeriod | | 0..1 | Period | Period for charge submission
created | | 0..1 | dateTime | Creation date
enterer | | 0..1 | Reference(Practitioner) | Author
insurer | | 0..1 | Reference(Organization) | Target
provider | | 0..1 | Reference(Practitioner) | Responsible provider
organization | | 0..1 | Reference(Organization) | Responsible organization
priority | | 0..1 | CodeableConcept | Desired processing priority Process Priority Codes (Example)
fundsReserve | | 0..1 | CodeableConcept | Funds requested to be reserved Funds Reservation Codes (Example)
related | | 0..* | BackboneElement | Related Claims which may be revelant to processing this claimn
claim | | 0..1 | Reference(Claim) | Reference to the related claim
relationship | | 0..1 | CodeableConcept | How the reference claim is related Example Related Claim Relationship Codes (Example)
reference | | 0..1 | Identifier | Related file or case reference
prescription | | 0..1 | Reference(MedicationRequest | VisionPrescription) | Prescription authorizing services or products
originalPrescription | | 0..1 | Reference(MedicationRequest) | Original prescription if superceded by fulfiller
payee | | 0..1 | BackboneElement | Party to be paid any benefits payable
type | | 1..1 | CodeableConcept | Type of party: Subscriber, Provider, other Claim Payee Type Codes (Example)
resourceType | | 0..1 | Coding | organization | patient | practitioner | relatedperson ClaimPayeeResourceType (Example)
party | | 0..1 | Reference(Practitioner | Organization | Patient | RelatedPerson) | Party to receive the payable
referral | | 0..1 | Reference(ReferralRequest) | Treatment Referral
facility | | 0..1 | Reference(Location) | Servicing Facility
careTeam | | 0..* | BackboneElement | Members of the care team
sequence | | 1..1 | positiveInt | Number to covey order of careTeam
provider | | 1..1 | Reference(Practitioner | Organization) | Provider individual or organization
responsible | | 0..1 | boolean | Billing provider
role | | 0..1 | CodeableConcept | Role on the team Claim Care Team Role Codes (Example)
qualification | | 0..1 | CodeableConcept | Type, classification or Specialization Example Provider Qualification Codes (Example)
information | | 0..* | BackboneElement | Exceptions, special considerations, the condition, situation, prior or concurrent issues
sequence | | 1..1 | positiveInt | Information instance identifier
category | | 1..1 | CodeableConcept | General class of information Claim Information Category Codes (Example)
code | | 0..1 | CodeableConcept | Type of information Exception Codes (Example)
timing[x] | | 0..1 | | When it occurred
timingDate | | | date
timingPeriod | | | Period
value[x] | | 0..1 | | Additional Data or supporting information
valueString | | | string
valueQuantity | | | Quantity
valueAttachment | | | Attachment
valueReference | | | Reference(Any)
reason | | 0..1 | CodeableConcept | Reason associated with the information Missing Tooth Reason Codes (Example)
diagnosis | | 0..* | BackboneElement | List of Diagnosis
sequence | | 1..1 | positiveInt | Number to covey order of diagnosis
diagnosis[x] | | 1..1 | | Patient's diagnosis ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
type | | 0..* | CodeableConcept | Timing or nature of the diagnosis Example Diagnosis Type Codes (Example)
packageCode | | 0..1 | CodeableConcept | Package billing code Example Diagnosis Related Group Codes (Example)
procedure | | 0..* | BackboneElement | Procedures performed
sequence | | 1..1 | positiveInt | Procedure sequence for reference
date | | 0..1 | dateTime | When the procedure was performed

procedure[x] | | 1..1 | | Patient's list of procedures performed ICD-10 Procedure Codes (Example)
procedureCodeableConcept | | | CodeableConcept
procedureReference | | | Reference(Procedure)
insurance | | 0..* | BackboneElement | Insurance or medical plan
sequence | | 1..1 | positiveInt | Service instance identifier
focal | | 1..1 | boolean | Is the focal Coverage
coverage | | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Business agreement
preAuthRef | | 0..* | string | Pre-Authorization/Determination Reference
claimResponse | | 0..1 | Reference(ClaimResponse) | Adjudication results
accident | | 0..1 | BackboneElement | Details about an accident
date | | 1..1 | date | When the accident occurred see information codes see information codes
type | | 0..1 | CodeableConcept | The nature of the accident ActIncidentCode (Required)
location[x] | | 0..1 | | Accident Place
locationAddress | | | Address
locationReference | | | Reference(Location)
employmentImpacted | | 0..1 | Period | Period unable to work
hospitalization | | 0..1 | Period | Period in hospital
item | | 0..* | BackboneElement | Goods and Services
sequence | | 1..1 | positiveInt | Service instance
careTeamLinkId | | 0..* | positiveInt | Applicable careTeam members
diagnosisLinkId | | 0..* | positiveInt | Applicable diagnoses
procedureLinkId | | 0..* | positiveInt | Applicable procedures
informationLinkId | | 0..* | positiveInt | Applicable exception and supporting information
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of Service
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
bodySite | | 0..1 | CodeableConcept | Service Location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Service Sub-location Surface Codes (Example)
encounter | | 0..* | Reference(Encounter) | Encounters related to this billed item
detail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Service instance
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total additional item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
subDetail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Service instance
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Net additional item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
total | | 0..1 | Money | Total claim cost
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Claim xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Claim number --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Type or discipline --></type>
 <subType><!-- 0..* CodeableConcept Finer grained claim type information --></subType>
 <use value="[code]"/><!-- 0..1 complete | proposed | exploratory | other -->
 <patient><!-- 0..1 Reference(Patient) The subject of the Products and Services --></patient>
 <billablePeriod><!-- 0..1 Period Period for charge submission --></billablePeriod>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <enterer><!-- 0..1 Reference(Practitioner) Author --></enterer>
 <insurer><!-- 0..1 Reference(Organization) Target --></insurer>
 <provider><!-- 0..1 Reference(Practitioner) Responsible provider --></provider>
 <organization><!-- 0..1 Reference(Organization) Responsible organization --></organization>
 <priority><!-- 0..1 CodeableConcept Desired processing priority --></priority>
 <fundsReserve><!-- 0..1 CodeableConcept Funds requested to be reserved --></fundsReserve>
 <related>  <!-- 0..* Related Claims which may be revelant to processing this claimn -->
  <claim><!-- 0..1 Reference(Claim) Reference to the related claim --></claim>
  <relationship><!-- 0..1 CodeableConcept How the reference claim is related --></relationship>
  <reference><!-- 0..1 Identifier Related file or case reference --></reference>
 </related>
 <prescription><!-- 0..1 Reference(MedicationRequest|VisionPrescription) Prescription authorizing services or products
    --></prescription>
 <originalPrescription><!-- 0..1 Reference(MedicationRequest) Original prescription if superceded by fulfiller
    --></originalPrescription>
 <payee>  <!-- 0..1 Party to be paid any benefits payable -->
  <type><!-- 1..1 CodeableConcept Type of party: Subscriber, Provider, other --></type>
  <resourceType><!-- 0..1 Coding organization | patient | practitioner | relatedperson --></resourceType>
  <party><!-- 0..1 Reference(Practitioner|Organization|Patient|RelatedPerson) Party to receive the payable --></party>
 </payee>
 <referral><!-- 0..1 Reference(ReferralRequest) Treatment Referral --></referral>
 <facility><!-- 0..1 Reference(Location) Servicing Facility --></facility>
 <careTeam>  <!-- 0..* Members of the care team -->
  <sequence value="[positiveInt]"/><!-- 1..1 Number to covey order of careTeam -->
  <provider><!-- 1..1 Reference(Practitioner|Organization) Provider individual or organization --></provider>
  <responsible value="[boolean]"/><!-- 0..1 Billing provider -->
  <role><!-- 0..1 CodeableConcept Role on the team --></role>
  <qualification><!-- 0..1 CodeableConcept Type, classification or Specialization --></qualification>
 </careTeam>
 <information>  <!-- 0..* Exceptions, special considerations, the condition, situation, prior or concurrent issues -->
  <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
  <category><!-- 1..1 CodeableConcept General class of information --></category>
  <code><!-- 0..1 CodeableConcept Type of information --></code>
  <timing[x]><!-- 0..1 date|Period When it occurred --></timing[x]>
  <value[x]><!-- 0..1 string|Quantity|Attachment|Reference(Any) Additional Data or supporting information --></value[x]>
  <reason><!-- 0..1 CodeableConcept Reason associated with the information --></reason>
 </information>
 <diagnosis>  <!-- 0..* List of Diagnosis -->
  <sequence value="[positiveInt]"/><!-- 1..1 Number to covey order of diagnosis -->
  <diagnosis[x]><!-- 1..1 CodeableConcept|Reference(Condition) Patient's diagnosis --></diagnosis[x]>
  <type><!-- 0..* CodeableConcept Timing or nature of the diagnosis --></type>
  <packageCode><!-- 0..1 CodeableConcept Package billing code --></packageCode>
 </diagnosis>
 <procedure>  <!-- 0..* Procedures performed -->
  <sequence value="[positiveInt]"/><!-- 1..1 Procedure sequence for reference -->
  <date value="[dateTime]"/><!-- 0..1 When the procedure was performed -->
  <procedure[x]><!-- 1..1 CodeableConcept|Reference(Procedure) Patient's list of procedures performed --></procedure[x]>
 </procedure>
 <insurance>  <!-- 0..* Insurance or medical plan -->
  <sequence value="[positiveInt]"/><!-- 1..1 Service instance identifier -->
  <focal value="[boolean]"/><!-- 1..1 Is the focal Coverage -->
  <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
  <businessArrangement value="[string]"/><!-- 0..1 Business agreement -->
  <preAuthRef value="[string]"/><!-- 0..* Pre-Authorization/Determination Reference -->
  <claimResponse><!-- 0..1 Reference(ClaimResponse) Adjudication results --></claimResponse>
 </insurance>
 <accident>  <!-- 0..1 Details about an accident -->
  <date value="[date]"/><!-- 1..1 When the accident occurred
see information codes
see information codes -->
  <type><!-- 0..1 CodeableConcept The nature of the accident --></type>
  <location[x]><!-- 0..1 Address|Reference(Location) Accident Place --></location[x]>
 </accident>
 <employmentImpacted><!-- 0..1 Period Period unable to work --></employmentImpacted>
 <hospitalization><!-- 0..1 Period Period in hospital --></hospitalization>
 <item>  <!-- 0..* Goods and Services -->
  <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
  <careTeamLinkId value="[positiveInt]"/><!-- 0..* Applicable careTeam members -->
  <diagnosisLinkId value="[positiveInt]"/><!-- 0..* Applicable diagnoses -->
  <procedureLinkId value="[positiveInt]"/><!-- 0..* Applicable procedures -->
  <informationLinkId value="[positiveInt]"/><!-- 0..* Applicable exception and supporting information -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Type of service or product --></category>
  <service><!-- 0..1 CodeableConcept Billing Code --></service>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
```

```
  <serviced[x]><!-- 0..1 date|Period Date or dates of Service --></serviced[x]>
  <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service --></location[x]>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
  <net><!-- 0..1 Money Total item cost --></net>
  <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
  <bodySite><!-- 0..1 CodeableConcept Service Location --></bodySite>
  <subSite><!-- 0..* CodeableConcept Service Sub-location --></subSite>
  <encounter><!-- 0..* Reference(Encounter) Encounters related to this billed item --></encounter>
  <detail>  <!-- 0..* Additional items -->
   <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Type of service or product --></category>
   <service><!-- 0..1 CodeableConcept Billing Code --></service>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total additional item cost --></net>
   <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
   <subDetail>  <!-- 0..* Additional items -->
    <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
    <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
    <category><!-- 0..1 CodeableConcept Type of service or product --></category>
    <service><!-- 0..1 CodeableConcept Billing Code --></service>
    <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
    <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
    <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
    <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
    <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
    <net><!-- 0..1 Money Net additional item cost --></net>
    <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
   </subDetail>
  </detail>
 </item>
 <total><!-- 0..1 Money Total claim cost --></total>
</Claim>
```

JSON Template

```
{
  "resourceType" : "Claim",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Claim number
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // Type or discipline
  "subType" : [{ CodeableConcept }], // Finer grained claim type information
  "use" : "<code>", // complete | proposed | exploratory | other
  "patient" : { Reference(Patient) }, // The subject of the Products and Services
  "billablePeriod" : { Period }, // Period for charge submission
  "created" : "<dateTime>", // Creation date
  "enterer" : { Reference(Practitioner) }, // Author
  "insurer" : { Reference(Organization) }, // Target
  "provider" : { Reference(Practitioner) }, // Responsible provider
  "organization" : { Reference(Organization) }, // Responsible organization
  "priority" : { CodeableConcept }, // Desired processing priority
  "fundsReserve" : { CodeableConcept }, // Funds requested to be reserved
  "related" : [{ // Related Claims which may be revelant to processing this claimn
    "claim" : { Reference(Claim) }, // Reference to the related claim
    "relationship" : { CodeableConcept }, // How the reference claim is related
    "reference" : { Identifier } // Related file or case reference
  }],
  "prescription" : { Reference(MedicationRequest|VisionPrescription) }, // Prescription authorizing services or products
  "originalPrescription" : { Reference(MedicationRequest) }, // Original prescription if superceded by fulfiller
  "payee" : { // Party to be paid any benefits payable
    "type" : { CodeableConcept }, // R!  Type of party: Subscriber, Provider, other
    "resourceType" : { Coding }, // organization | patient | practitioner | relatedperson
    "party" : { Reference(Practitioner|Organization|Patient|RelatedPerson) } // Party to receive the payable
  },
  "referral" : { Reference(ReferralRequest) }, // Treatment Referral
  "facility" : { Reference(Location) }, // Servicing Facility
  "careTeam" : [{ // Members of the care team
    "sequence" : "<positiveInt>", // R!  Number to covey order of careTeam
    "provider" : { Reference(Practitioner|Organization) }, // R!  Provider individual or organization
    "responsible" : <boolean>, // Billing provider
    "role" : { CodeableConcept }, // Role on the team
    "qualification" : { CodeableConcept } // Type, classification or Specialization
  }],
  "information" : [{ // Exceptions, special considerations, the condition, situation, prior or concurrent issues
    "sequence" : "<positiveInt>", // R!  Information instance identifier
    "category" : { CodeableConcept }, // R!  General class of information
    "code" : { CodeableConcept }, // Type of information
    // timing[x]: When it occurred. One of these 2:
    "timingDate" : "<date>",
    "timingPeriod" : { Period },
    // value[x]: Additional Data or supporting information. One of these 4:
```

```
    "valueString" : "<string>",
    "valueQuantity" : { Quantity },
    "valueAttachment" : { Attachment },
    "valueReference" : { Reference(Any) },
    "reason" : { CodeableConcept } // Reason associated with the information
  }],
  "diagnosis" : [{ // List of Diagnosis
    "sequence" : "<positiveInt>", // R!  Number to covey order of diagnosis
    // diagnosis[x]: Patient's diagnosis. One of these 2:
    "diagnosisCodeableConcept" : { CodeableConcept },
    "diagnosisReference" : { Reference(Condition) },
    "type" : [{ CodeableConcept }], // Timing or nature of the diagnosis
    "packageCode" : { CodeableConcept } // Package billing code
  }],
  "procedure" : [{ // Procedures performed
    "sequence" : "<positiveInt>", // R!  Procedure sequence for reference
    "date" : "<dateTime>", // When the procedure was performed
    // procedure[x]: Patient's list of procedures performed. One of these 2:
    "procedureCodeableConcept" : { CodeableConcept }
    "procedureReference" : { Reference(Procedure) }
  }],
  "insurance" : [{ // Insurance or medical plan
    "sequence" : "<positiveInt>", // R!  Service instance identifier
    "focal" : <boolean>, // R!  Is the focal Coverage
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "businessArrangement" : "<string>", // Business agreement
    "preAuthRef" : ["<string>"], // Pre-Authorization/Determination Reference
    "claimResponse" : { Reference(ClaimResponse) } // Adjudication results
  }],
  "accident" : { // Details about an accident
    "date" : "<date>", // R!  When the accident occurred
see information codes
see information codes
    "type" : { CodeableConcept }, // The nature of the accident
    // location[x]: Accident Place. One of these 2:
    "locationAddress" : { Address }
    "locationReference" : { Reference(Location) }
  },
  "employmentImpacted" : { Period }, // Period unable to work
  "hospitalization" : { Period }, // Period in hospital
  "item" : [{ // Goods and Services
    "sequence" : "<positiveInt>", // R!  Service instance
    "careTeamLinkId" : ["<positiveInt>"], // Applicable careTeam members
    "diagnosisLinkId" : ["<positiveInt>"], // Applicable diagnoses
    "procedureLinkId" : ["<positiveInt>"], // Applicable procedures
    "informationLinkId" : ["<positiveInt>"], // Applicable exception and supporting information
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Type of service or product
    "service" : { CodeableConcept }, // Billing Code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
    // serviced[x]: Date or dates of Service. One of these 2:
    "servicedDate" : "<date>",
    "servicedPeriod" : { Period },
    // location[x]: Place of service. One of these 3:
    "locationCodeableConcept" : { CodeableConcept },
    "locationAddress" : { Address },
    "locationReference" : { Reference(Location) },
    "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
    "unitPrice" : { Money }, // Fee, charge or cost per point
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "udi" : [{ Reference(Device) }], // Unique Device Identifier
    "bodySite" : { CodeableConcept }, // Service Location
    "subSite" : [{ CodeableConcept }], // Service Sub-location
    "encounter" : [{ Reference(Encounter) }], // Encounters related to this billed item
    "detail" : [{ // Additional items
      "sequence" : "<positiveInt>", // R!  Service instance
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Type of service or product
      "service" : { CodeableConcept }, // Billing Code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
      "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
      "unitPrice" : { Money }, // Fee, charge or cost per point
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total additional item cost
      "udi" : [{ Reference(Device) }], // Unique Device Identifier
      "subDetail" : [{ // Additional items
        "sequence" : "<positiveInt>", // R!  Service instance
        "revenue" : { CodeableConcept }, // Revenue or cost center code
        "category" : { CodeableConcept }, // Type of service or product
        "service" : { CodeableConcept }, // Billing Code
        "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
        "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
        "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
        "unitPrice" : { Money }, // Fee, charge or cost per point
        "factor" : <decimal>, // Price scaling factor
        "net" : { Money }, // Net additional item cost
```

```
      "udi" : [{ Reference(Device) }] // Unique Device Identifier
    }]
  }]
}],
"total" : { Money } // Total claim cost
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Claim;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Claim.identifier [ Identifier ], ... ; # 0..* Claim number
  fhir:Claim.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:Claim.type [ CodeableConcept ]; # 0..1 Type or discipline
  fhir:Claim.subType [ CodeableConcept ], ... ; # 0..* Finer grained claim type information
  fhir:Claim.use [ code ]; # 0..1 complete | proposed | exploratory | other
  fhir:Claim.patient [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  fhir:Claim.billablePeriod [ Period ]; # 0..1 Period for charge submission
  fhir:Claim.created [ dateTime ]; # 0..1 Creation date
  fhir:Claim.enterer [ Reference(Practitioner) ]; # 0..1 Author
  fhir:Claim.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:Claim.provider [ Reference(Practitioner) ]; # 0..1 Responsible provider
  fhir:Claim.organization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:Claim.priority [ CodeableConcept ]; # 0..1 Desired processing priority
  fhir:Claim.fundsReserve [ CodeableConcept ]; # 0..1 Funds requested to be reserved
  fhir:Claim.related [ # 0..* Related Claims which may be revelant to processing this claimn
    fhir:Claim.related.claim [ Reference(Claim) ]; # 0..1 Reference to the related claim
    fhir:Claim.related.relationship [ CodeableConcept ]; # 0..1 How the reference claim is related
    fhir:Claim.related.reference [ Identifier ]; # 0..1 Related file or case reference
  ], ...;
  fhir:Claim.prescription [ Reference(MedicationRequest|VisionPrescription) ]; # 0..1 Prescription authorizing services
    or products
  fhir:Claim.originalPrescription [ Reference(MedicationRequest) ]; # 0..1 Original prescription if superceded by
    fulfiller
  fhir:Claim.payee [ # 0..1 Party to be paid any benefits payable
    fhir:Claim.payee.type [ CodeableConcept ]; # 1..1 Type of party: Subscriber, Provider, other
    fhir:Claim.payee.resourceType [ Coding ]; # 0..1 organization | patient | practitioner | relatedperson
    fhir:Claim.payee.party [ Reference(Practitioner|Organization|Patient|RelatedPerson) ]; # 0..1 Party to receive the
    payable
  ];
  fhir:Claim.referral [ Reference(ReferralRequest) ]; # 0..1 Treatment Referral
  fhir:Claim.facility [ Reference(Location) ]; # 0..1 Servicing Facility
  fhir:Claim.careTeam [ # 0..* Members of the care team
    fhir:Claim.careTeam.sequence [ positiveInt ]; # 1..1 Number to covey order of careTeam
    fhir:Claim.careTeam.provider [ Reference(Practitioner|Organization) ]; # 1..1 Provider individual or organization
    fhir:Claim.careTeam.responsible [ boolean ]; # 0..1 Billing provider
    fhir:Claim.careTeam.role [ CodeableConcept ]; # 0..1 Role on the team
    fhir:Claim.careTeam.qualification [ CodeableConcept ]; # 0..1 Type, classification or Specialization
  ], ...;
  fhir:Claim.information [ # 0..* Exceptions, special considerations, the condition, situation, prior or concurrent
    issues
    fhir:Claim.information.sequence [ positiveInt ]; # 1..1 Information instance identifier
    fhir:Claim.information.category [ CodeableConcept ]; # 1..1 General class of information
    fhir:Claim.information.code [ CodeableConcept ]; # 0..1 Type of information
    # Claim.information.timing[x] : 0..1 When it occurred. One of these 2
      fhir:Claim.information.timingDate [ date ]
      fhir:Claim.information.timingPeriod [ Period ]
    # Claim.information.value[x] : 0..1 Additional Data or supporting information. One of these 4
      fhir:Claim.information.valueString [ string ]
      fhir:Claim.information.valueQuantity [ Quantity ]
      fhir:Claim.information.valueAttachment [ Attachment ]
      fhir:Claim.information.valueReference [ Reference(Any) ]
    fhir:Claim.information.reason [ CodeableConcept ]; # 0..1 Reason associated with the information
  ], ...;
  fhir:Claim.diagnosis [ # 0..* List of Diagnosis
    fhir:Claim.diagnosis.sequence [ positiveInt ]; # 1..1 Number to covey order of diagnosis
    # Claim.diagnosis.diagnosis[x] : 1..1 Patient's diagnosis. One of these 2
      fhir:Claim.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
      fhir:Claim.diagnosis.diagnosisReference [ Reference(Condition) ]
    fhir:Claim.diagnosis.type [ CodeableConcept ], ... ; # 0..* Timing or nature of the diagnosis
    fhir:Claim.diagnosis.packageCode [ CodeableConcept ]; # 0..1 Package billing code
  ], ...;
  fhir:Claim.procedure [ # 0..* Procedures performed
    fhir:Claim.procedure.sequence [ positiveInt ]; # 1..1 Procedure sequence for reference
    fhir:Claim.procedure.date [ dateTime ]; # 0..1 When the procedure was performed
    # Claim.procedure.procedure[x] : 1..1 Patient's list of procedures performed. One of these 2
      fhir:Claim.procedure.procedureCodeableConcept [ CodeableConcept ]
      fhir:Claim.procedure.procedureReference [ Reference(Procedure) ]
  ], ...;
  fhir:Claim.insurance [ # 0..* Insurance or medical plan
    fhir:Claim.insurance.sequence [ positiveInt ]; # 1..1 Service instance identifier
    fhir:Claim.insurance.focal [ boolean ]; # 1..1 Is the focal Coverage
    fhir:Claim.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
    fhir:Claim.insurance.businessArrangement [ string ]; # 0..1 Business agreement
```

```
    fhir:Claim.insurance.preAuthRef [ string ], ... ; # 0..* Pre-Authorization/Determination Reference
    fhir:Claim.insurance.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Adjudication results
  ], ...;
  fhir:Claim.accident [ # 0..1 Details about an accident
    fhir:Claim.accident.date [ date ]; # 1..1 When the accident occurred
see information codes
see information codes
    fhir:Claim.accident.type [ CodeableConcept ]; # 0..1 The nature of the accident
    # Claim.accident.location[x] : 0..1 Accident Place. One of these 2
      fhir:Claim.accident.locationAddress [ Address ]
      fhir:Claim.accident.locationReference [ Reference(Location) ]
  ];
  fhir:Claim.employmentImpacted [ Period ]; # 0..1 Period unable to work
  fhir:Claim.hospitalization [ Period ]; # 0..1 Period in hospital
  fhir:Claim.item [ # 0..* Goods and Services
    fhir:Claim.item.sequence [ positiveInt ]; # 1..1 Service instance
    fhir:Claim.item.careTeamLinkId [ positiveInt ], ... ; # 0..* Applicable careTeam members
    fhir:Claim.item.diagnosisLinkId [ positiveInt ], ... ; # 0..* Applicable diagnoses
    fhir:Claim.item.procedureLinkId [ positiveInt ], ... ; # 0..* Applicable procedures
    fhir:Claim.item.informationLinkId [ positiveInt ], ... ; # 0..* Applicable exception and supporting information
    fhir:Claim.item.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:Claim.item.category [ CodeableConcept ]; # 0..1 Type of service or product
    fhir:Claim.item.service [ CodeableConcept ]; # 0..1 Billing Code
    fhir:Claim.item.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:Claim.item.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for item inclusion
    # Claim.item.serviced[x] : 0..1 Date or dates of Service. One of these 2
      fhir:Claim.item.servicedDate [ date ]
      fhir:Claim.item.servicedPeriod [ Period ]
    # Claim.item.location[x] : 0..1 Place of service. One of these 3
      fhir:Claim.item.locationCodeableConcept [ CodeableConcept ]
      fhir:Claim.item.locationAddress [ Address ]
      fhir:Claim.item.locationReference [ Reference(Location) ]
    fhir:Claim.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
    fhir:Claim.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
    fhir:Claim.item.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:Claim.item.net [ Money ]; # 0..1 Total item cost
    fhir:Claim.item.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
    fhir:Claim.item.bodySite [ CodeableConcept ]; # 0..1 Service Location
    fhir:Claim.item.subSite [ CodeableConcept ], ... ; # 0..* Service Sub-location
    fhir:Claim.item.encounter [ Reference(Encounter) ], ... ; # 0..* Encounters related to this billed item
    fhir:Claim.item.detail [ # 0..* Additional items
      fhir:Claim.item.detail.sequence [ positiveInt ]; # 1..1 Service instance
      fhir:Claim.item.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
      fhir:Claim.item.detail.category [ CodeableConcept ]; # 0..1 Type of service or product
      fhir:Claim.item.detail.service [ CodeableConcept ]; # 0..1 Billing Code
      fhir:Claim.item.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
      fhir:Claim.item.detail.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for item inclusion
      fhir:Claim.item.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
      fhir:Claim.item.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
      fhir:Claim.item.detail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:Claim.item.detail.net [ Money ]; # 0..1 Total additional item cost
      fhir:Claim.item.detail.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
      fhir:Claim.item.detail.subDetail [ # 0..* Additional items
        fhir:Claim.item.detail.subDetail.sequence [ positiveInt ]; # 1..1 Service instance
        fhir:Claim.item.detail.subDetail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
        fhir:Claim.item.detail.subDetail.category [ CodeableConcept ]; # 0..1 Type of service or product
        fhir:Claim.item.detail.subDetail.service [ CodeableConcept ]; # 0..1 Billing Code
        fhir:Claim.item.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
        fhir:Claim.item.detail.subDetail.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for item
    inclusion
        fhir:Claim.item.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
        fhir:Claim.item.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
        fhir:Claim.item.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
        fhir:Claim.item.detail.subDetail.net [ Money ]; # 0..1 Net additional item cost
        fhir:Claim.item.detail.subDetail.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
      ], ...;
    ], ...;
  ], ...;
  fhir:Claim.total [ Money ]; # 0..1 Total claim cost
]
```

Changes since DSTU2

Claim

Claim.status | Added Element

Claim.type | Min Cardinality changed from 1 to 0 Type changed from code to CodeableConcept Change value set from http://hl7.org/fhir/ValueSet/claim-type-link to http://hl7.org/fhir/ValueSet/claim-type

Claim.subType | Added Element

Claim.use | Change value set from http://hl7.org/fhir/ValueSet/claim-use-link to http://hl7.org/fhir/ValueSet/claim-use

Claim.patient | Min Cardinality changed from 1 to 0

Claim.billablePeriod | Added Element

Claim.insurer | Added Element

Claim.priority | Type changed from Coding to CodeableConcept

Claim.fundsReserve | Type changed from Coding to CodeableConcept

Claim.related | Added Element

Claim.related.claim | Added Element

Claim.related.relationship | Added Element
Claim.related.reference | Added Element
Claim.prescription | Remove Reference(MedicationOrder), Add Reference(MedicationRequest)
Claim.originalPrescription | Type changed from Reference(MedicationOrder) to Reference(MedicationRequest)
Claim.payee.type | Min Cardinality changed from 0 to 1 Type changed from Coding to CodeableConcept
Claim.payee.resourceType | Added Element
Claim.payee.party | Added Element
Claim.careTeam | Added Element
Claim.careTeam.sequence | Added Element
Claim.careTeam.provider | Added Element
Claim.careTeam.responsible | Added Element
Claim.careTeam.role | Added Element
Claim.careTeam.qualification | Added Element
Claim.information | Added Element
Claim.information.sequence | Added Element
Claim.information.category | Added Element
Claim.information.code | Added Element
Claim.information.timing[x] | Added Element
Claim.information.value[x] | Added Element
Claim.information.reason | Added Element
Claim.diagnosis.diagnosis[x] | Renamed from diagnosis to diagnosis[x] Remove Coding, Add CodeableConcept, Add Reference(Condition)
Claim.diagnosis.type | Added Element
Claim.diagnosis.packageCode | Added Element
Claim.procedure | Added Element
Claim.procedure.sequence | Added Element
Claim.procedure.date | Added Element
Claim.procedure.procedure[x] | Added Element
Claim.insurance | Added Element
Claim.insurance.sequence | Added Element
Claim.insurance.focal | Added Element
Claim.insurance.coverage | Added Element
Claim.insurance.businessArrangement | Added Element
Claim.insurance.preAuthRef | Added Element
Claim.insurance.claimResponse | Added Element
Claim.accident | Type changed from date to BackboneElement
Claim.accident.date | Added Element
Claim.accident.type | Added Element
Claim.accident.location[x] | Added Element
Claim.employmentImpacted | Added Element
Claim.hospitalization | Added Element
Claim.item.careTeamLinkId | Added Element
Claim.item.procedureLinkId | Added Element
Claim.item.informationLinkId | Added Element
Claim.item.revenue | Added Element
Claim.item.category | Added Element
Claim.item.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
Claim.item.modifier | Type changed from Coding to CodeableConcept
Claim.item.programCode | Added Element
Claim.item.serviced[x] | Added Element
Claim.item.location[x] | Added Element
Claim.item.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.udi | Max Cardinality changed from 1 to * Type changed from Coding to Reference(Device)
Claim.item.bodySite | Type changed from Coding to CodeableConcept
Claim.item.subSite | Type changed from Coding to CodeableConcept
Claim.item.encounter | Added Element
Claim.item.detail.revenue | Added Element
Claim.item.detail.category | Added Element
Claim.item.detail.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
Claim.item.detail.modifier | Added Element
Claim.item.detail.programCode | Added Element
Claim.item.detail.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.detail.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.detail.udi | Max Cardinality changed from 1 to * Type changed from Coding to Reference(Device)
Claim.item.detail.subDetail.revenue | Added Element
Claim.item.detail.subDetail.category | Added Element
Claim.item.detail.subDetail.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
Claim.item.detail.subDetail.modifier | Added Element
Claim.item.detail.subDetail.programCode | Added Element
Claim.item.detail.subDetail.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.detail.subDetail.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.detail.subDetail.udi | Max Cardinality changed from 1 to * Type changed from Coding to Reference(Device)

Claim.total | Added Element
Claim.ruleset | deleted
Claim.originalRuleset | deleted
Claim.target | deleted
Claim.payee.provider | deleted
Claim.payee.organization | deleted
Claim.payee.person | deleted
Claim.condition | deleted
Claim.coverage | deleted
Claim.exception | deleted
Claim.school | deleted
Claim.accidentType | deleted
Claim.interventionException | deleted
Claim.item.type | deleted
Claim.item.provider | deleted
Claim.item.serviceDate | deleted
Claim.item.points | deleted
Claim.item.detail.type | deleted
Claim.item.detail.points | deleted
Claim.item.detail.subDetail.type | deleted
Claim.item.detail.subDetail.points | deleted
Claim.item.prosthesis | deleted
Claim.additionalMaterials | deleted
Claim.missingTeeth | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints
Claim | | | DomainResource | Claim, Pre-determination or Pre-authorization Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Claim number
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
type | | 0..1 | CodeableConcept | Type or discipline Example Claim Type Codes (Required)
subType | | 0..* | CodeableConcept | Finer grained claim type information Example Claim SubType Codes (Example)
use | | 0..1 | code | complete | proposed | exploratory | other Use (Required)
patient | | 0..1 | Reference(Patient) | The subject of the Products and Services
billablePeriod | | 0..1 | Period | Period for charge submission
created | | 0..1 | dateTime | Creation date
enterer | | 0..1 | Reference(Practitioner) | Author
insurer | | 0..1 | Reference(Organization) | Target
provider | | 0..1 | Reference(Practitioner) | Responsible provider
organization | | 0..1 | Reference(Organization) | Responsible organization
priority | | 0..1 | CodeableConcept | Desired processing priority Process Priority Codes (Example)
fundsReserve | | 0..1 | CodeableConcept | Funds requested to be reserved Funds Reservation Codes (Example)
related | | 0..* | BackboneElement | Related Claims which may be revelant to processing this claimn
claim | | 0..1 | Reference(Claim) | Reference to the related claim
relationship | | 0..1 | CodeableConcept | How the reference claim is related Example Related Claim Relationship Codes (Example)
reference | | 0..1 | Identifier | Related file or case reference
prescription | | 0..1 | Reference(MedicationRequest | VisionPrescription) | Prescription authorizing services or products
originalPrescription | | 0..1 | Reference(MedicationRequest) | Original prescription if superceded by fulfiller
payee | | 0..1 | BackboneElement | Party to be paid any benefits payable
type | | 1..1 | CodeableConcept | Type of party: Subscriber, Provider, other Claim Payee Type Codes (Example)
resourceType | | 0..1 | Coding | organization | patient | practitioner | relatedperson ClaimPayeeResourceType (Example)
party | | 0..1 | Reference(Practitioner | Organization | Patient | RelatedPerson) | Party to receive the payable
referral | | 0..1 | Reference(ReferralRequest) | Treatment Referral
facility | | 0..1 | Reference(Location) | Servicing Facility
careTeam | | 0..* | BackboneElement | Members of the care team
sequence | | 1..1 | positiveInt | Number to covey order of careTeam
provider | | 1..1 | Reference(Practitioner | Organization) | Provider individual or organization
responsible | | 0..1 | boolean | Billing provider
role | | 0..1 | CodeableConcept | Role on the team Claim Care Team Role Codes (Example)
qualification | | 0..1 | CodeableConcept | Type, classification or Specialization Example Provider Qualification Codes (Example)
information | | 0..* | BackboneElement | Exceptions, special considerations, the condition, situation, prior or concurrent issues
sequence | | 1..1 | positiveInt | Information instance identifier
category | | 1..1 | CodeableConcept | General class of information Claim Information Category Codes (Example)
code | | 0..1 | CodeableConcept | Type of information Exception Codes (Example)
timing[x] | | 0..1 | | When it occurred
timingDate | | | date
timingPeriod | | | Period
value[x] | | 0..1 | | Additional Data or supporting information
valueString | | | string

valueQuantity | | | Quantity
valueAttachment | | | Attachment
valueReference | | | Reference(Any)
reason | | 0..1 | CodeableConcept | Reason associated with the information Missing Tooth Reason Codes (Example)
diagnosis | | 0..* | BackboneElement | List of Diagnosis
sequence | | 1..1 | positiveInt | Number to covey order of diagnosis
diagnosis[x] | | 1..1 | | Patient's diagnosis ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
type | | 0..* | CodeableConcept | Timing or nature of the diagnosis Example Diagnosis Type Codes (Example)
packageCode | | 0..1 | CodeableConcept | Package billing code Example Diagnosis Related Group Codes (Example)
procedure | | 0..* | BackboneElement | Procedures performed
sequence | | 1..1 | positiveInt | Procedure sequence for reference
date | | 0..1 | dateTime | When the procedure was performed
procedure[x] | | 1..1 | | Patient's list of procedures performed ICD-10 Procedure Codes (Example)
procedureCodeableConcept | | | CodeableConcept
procedureReference | | | Reference(Procedure)
insurance | | 0..* | BackboneElement | Insurance or medical plan
sequence | | 1..1 | positiveInt | Service instance identifier
focal | | 1..1 | boolean | Is the focal Coverage
coverage | | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Business agreement
preAuthRef | | 0..* | string | Pre-Authorization/Determination Reference
claimResponse | | 0..1 | Reference(ClaimResponse) | Adjudication results
accident | | 0..1 | BackboneElement | Details about an accident
date | | 1..1 | date | When the accident occurred see information codes see information codes
type | | 0..1 | CodeableConcept | The nature of the accident ActIncidentCode (Required)
location[x] | | 0..1 | | Accident Place
locationAddress | | | Address
locationReference | | | Reference(Location)
employmentImpacted | | 0..1 | Period | Period unable to work
hospitalization | | 0..1 | Period | Period in hospital
item | | 0..* | BackboneElement | Goods and Services
sequence | | 1..1 | positiveInt | Service instance
careTeamLinkId | | 0..* | positiveInt | Applicable careTeam members
diagnosisLinkId | | 0..* | positiveInt | Applicable diagnoses
procedureLinkId | | 0..* | positiveInt | Applicable procedures
informationLinkId | | 0..* | positiveInt | Applicable exception and supporting information
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of Service
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
bodySite | | 0..1 | CodeableConcept | Service Location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Service Sub-location Surface Codes (Example)
encounter | | 0..* | Reference(Encounter) | Encounters related to this billed item
detail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Service instance
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total additional item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
subDetail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Service instance

revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Net additional item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
total | | 0..1 | Money | Total claim cost
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Claim xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Claim number --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Type or discipline --></type>
 <subType><!-- 0..* CodeableConcept Finer grained claim type information --></subType>
 <use value="[code]"/><!-- 0..1 complete | proposed | exploratory | other -->
 <patient><!-- 0..1 Reference(Patient) The subject of the Products and Services --></patient>
 <billablePeriod><!-- 0..1 Period Period for charge submission --></billablePeriod>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <enterer><!-- 0..1 Reference(Practitioner) Author --></enterer>
 <insurer><!-- 0..1 Reference(Organization) Target --></insurer>
 <provider><!-- 0..1 Reference(Practitioner) Responsible provider --></provider>
 <organization><!-- 0..1 Reference(Organization) Responsible organization --></organization>
 <priority><!-- 0..1 CodeableConcept Desired processing priority --></priority>
 <fundsReserve><!-- 0..1 CodeableConcept Funds requested to be reserved --></fundsReserve>
 <related>  <!-- 0..* Related Claims which may be revelant to processing this claimn -->
  <claim><!-- 0..1 Reference(Claim) Reference to the related claim --></claim>
  <relationship><!-- 0..1 CodeableConcept How the reference claim is related --></relationship>
  <reference><!-- 0..1 Identifier Related file or case reference --></reference>
 </related>
 <prescription><!-- 0..1 Reference(MedicationRequest|VisionPrescription) Prescription authorizing services or products
    --></prescription>
 <originalPrescription><!-- 0..1 Reference(MedicationRequest) Original prescription if superceded by fulfiller
    --></originalPrescription>
 <payee>  <!-- 0..1 Party to be paid any benefits payable -->
  <type><!-- 1..1 CodeableConcept Type of party: Subscriber, Provider, other --></type>
  <resourceType><!-- 0..1 Coding organization | patient | practitioner | relatedperson --></resourceType>
  <party><!-- 0..1 Reference(Practitioner|Organization|Patient|RelatedPerson) Party to receive the payable --></party>
 </payee>
 <referral><!-- 0..1 Reference(ReferralRequest) Treatment Referral --></referral>
 <facility><!-- 0..1 Reference(Location) Servicing Facility --></facility>
 <careTeam>  <!-- 0..* Members of the care team -->
  <sequence value="[positiveInt]"/><!-- 1..1 Number to covey order of careTeam -->
  <provider><!-- 1..1 Reference(Practitioner|Organization) Provider individual or organization --></provider>
  <responsible value="[boolean]"/><!-- 0..1 Billing provider -->
  <role><!-- 0..1 CodeableConcept Role on the team --></role>
  <qualification><!-- 0..1 CodeableConcept Type, classification or Specialization --></qualification>
 </careTeam>
 <information>  <!-- 0..* Exceptions, special considerations, the condition, situation, prior or concurrent issues -->
  <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
  <category><!-- 1..1 CodeableConcept General class of information --></category>
  <code><!-- 0..1 CodeableConcept Type of information --></code>
  <timing[x]><!-- 0..1 date|Period When it occurred --></timing[x]>
  <value[x]><!-- 0..1 string|Quantity|Attachment|Reference(Any) Additional Data or supporting information --></value[x]>
  <reason><!-- 0..1 CodeableConcept Reason associated with the information --></reason>
 </information>
 <diagnosis>  <!-- 0..* List of Diagnosis -->
  <sequence value="[positiveInt]"/><!-- 1..1 Number to covey order of diagnosis -->
  <diagnosis[x]><!-- 1..1 CodeableConcept|Reference(Condition) Patient's diagnosis --></diagnosis[x]>
  <type><!-- 0..* CodeableConcept Timing or nature of the diagnosis --></type>
  <packageCode><!-- 0..1 CodeableConcept Package billing code --></packageCode>
 </diagnosis>
 <procedure>  <!-- 0..* Procedures performed -->
  <sequence value="[positiveInt]"/><!-- 1..1 Procedure sequence for reference -->
  <date value="[dateTime]"/><!-- 0..1 When the procedure was performed -->
  <procedure[x]><!-- 1..1 CodeableConcept|Reference(Procedure) Patient's list of procedures performed --></procedure[x]>
 </procedure>
 <insurance>  <!-- 0..* Insurance or medical plan -->
  <sequence value="[positiveInt]"/><!-- 1..1 Service instance identifier -->
  <focal value="[boolean]"/><!-- 1..1 Is the focal Coverage -->
  <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
  <businessArrangement value="[string]"/><!-- 0..1 Business agreement -->
  <preAuthRef value="[string]"/><!-- 0..* Pre-Authorization/Determination Reference -->
  <claimResponse><!-- 0..1 Reference(ClaimResponse) Adjudication results --></claimResponse>
 </insurance>
 <accident>  <!-- 0..1 Details about an accident -->
  <date value="[date]"/><!-- 1..1 When the accident occurred
see information codes
see information codes -->
```

```
  <type><!-- 0..1 CodeableConcept The nature of the accident --></type>
  <location[x]><!-- 0..1 Address|Reference(Location) Accident Place --></location[x]>
 </accident>
 <employmentImpacted><!-- 0..1 Period Period unable to work --></employmentImpacted>
 <hospitalization><!-- 0..1 Period Period in hospital --></hospitalization>
 <item>  <!-- 0..* Goods and Services -->
  <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
  <careTeamLinkId value="[positiveInt]"/><!-- 0..* Applicable careTeam members -->
  <diagnosisLinkId value="[positiveInt]"/><!-- 0..* Applicable diagnoses -->
  <procedureLinkId value="[positiveInt]"/><!-- 0..* Applicable procedures -->
  <informationLinkId value="[positiveInt]"/><!-- 0..* Applicable exception and supporting information -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Type of service or product --></category>
  <service><!-- 0..1 CodeableConcept Billing Code --></service>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
  <serviced[x]><!-- 0..1 date|Period Date or dates of Service --></serviced[x]>
  <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service --></location[x]>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
  <net><!-- 0..1 Money Total item cost --></net>
  <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
  <bodySite><!-- 0..1 CodeableConcept Service Location --></bodySite>
  <subSite><!-- 0..* CodeableConcept Service Sub-location --></subSite>
  <encounter><!-- 0..* Reference(Encounter) Encounters related to this billed item --></encounter>
  <detail>  <!-- 0..* Additional items -->
   <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Type of service or product --></category>
   <service><!-- 0..1 CodeableConcept Billing Code --></service>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total additional item cost --></net>
   <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
   <subDetail>  <!-- 0..* Additional items -->
    <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
    <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
    <category><!-- 0..1 CodeableConcept Type of service or product --></category>
    <service><!-- 0..1 CodeableConcept Billing Code --></service>
    <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
    <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
    <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
    <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
    <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
    <net><!-- 0..1 Money Net additional item cost --></net>
    <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
   </subDetail>
  </detail>
 </item>
 <total><!-- 0..1 Money Total claim cost --></total>
</Claim>
```

JSON Template

```
{
  "resourceType" : "Claim",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Claim number
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // Type or discipline
  "subType" : [{ CodeableConcept }], // Finer grained claim type information
  "use" : "<code>", // complete | proposed | exploratory | other
  "patient" : { Reference(Patient) }, // The subject of the Products and Services
  "billablePeriod" : { Period }, // Period for charge submission
  "created" : "<dateTime>", // Creation date
  "enterer" : { Reference(Practitioner) }, // Author
  "insurer" : { Reference(Organization) }, // Target
  "provider" : { Reference(Practitioner) }, // Responsible provider
  "organization" : { Reference(Organization) }, // Responsible organization
  "priority" : { CodeableConcept }, // Desired processing priority
  "fundsReserve" : { CodeableConcept }, // Funds requested to be reserved
  "related" : [{ // Related Claims which may be revelant to processing this claimn
    "claim" : { Reference(Claim) }, // Reference to the related claim
    "relationship" : { CodeableConcept }, // How the reference claim is related
    "reference" : { Identifier } // Related file or case reference
  }],
  "prescription" : { Reference(MedicationRequest|VisionPrescription) }, // Prescription authorizing services or products
  "originalPrescription" : { Reference(MedicationRequest) }, // Original prescription if superceded by fulfiller
  "payee" : { // Party to be paid any benefits payable
    "type" : { CodeableConcept }, // R!  Type of party: Subscriber, Provider, other
    "resourceType" : { Coding }, // organization | patient | practitioner | relatedperson
    "party" : { Reference(Practitioner|Organization|Patient|RelatedPerson) } // Party to receive the payable
  },
  "referral" : { Reference(ReferralRequest) }, // Treatment Referral
```

```
  "facility" : { Reference(Location) }, // Servicing Facility
  "careTeam" : [{ // Members of the care team
    "sequence" : "<positiveInt>", // R!  Number to covey order of careTeam
    "provider" : { Reference(Practitioner|Organization) }, // R!  Provider individual or organization
    "responsible" : <boolean>, // Billing provider
    "role" : { CodeableConcept }, // Role on the team
    "qualification" : { CodeableConcept } // Type, classification or Specialization
  }],
  "information" : [{ // Exceptions, special considerations, the condition, situation, prior or concurrent issues
    "sequence" : "<positiveInt>", // R!  Information instance identifier
    "category" : { CodeableConcept }, // R!  General class of information
    "code" : { CodeableConcept }, // Type of information
    // timing[x]: When it occurred. One of these 2:
    "timingDate" : "<date>",
    "timingPeriod" : { Period },
    // value[x]: Additional Data or supporting information. One of these 4:
    "valueString" : "<string>",
    "valueQuantity" : { Quantity },
    "valueAttachment" : { Attachment },
    "valueReference" : { Reference(Any) },
    "reason" : { CodeableConcept } // Reason associated with the information
  }],
  "diagnosis" : [{ // List of Diagnosis
    "sequence" : "<positiveInt>", // R!  Number to covey order of diagnosis
    // diagnosis[x]: Patient's diagnosis. One of these 2:
    "diagnosisCodeableConcept" : { CodeableConcept },
    "diagnosisReference" : { Reference(Condition) },
    "type" : [{ CodeableConcept }], // Timing or nature of the diagnosis
    "packageCode" : { CodeableConcept } // Package billing code
  }],
  "procedure" : [{ // Procedures performed
    "sequence" : "<positiveInt>", // R!  Procedure sequence for reference
    "date" : "<dateTime>", // When the procedure was performed
    // procedure[x]: Patient's list of procedures performed. One of these 2:
    "procedureCodeableConcept" : { CodeableConcept }
    "procedureReference" : { Reference(Procedure) }
  }],
  "insurance" : [{ // Insurance or medical plan
    "sequence" : "<positiveInt>", // R!  Service instance identifier
    "focal" : <boolean>, // R!  Is the focal Coverage
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "businessArrangement" : "<string>", // Business agreement
    "preAuthRef" : ["<string>"], // Pre-Authorization/Determination Reference
    "claimResponse" : { Reference(ClaimResponse) } // Adjudication results
  }],
  "accident" : { // Details about an accident
    "date" : "<date>", // R!  When the accident occurred
see information codes
see information codes
    "type" : { CodeableConcept }, // The nature of the accident
    // location[x]: Accident Place. One of these 2:
    "locationAddress" : { Address }
    "locationReference" : { Reference(Location) }
  },
  "employmentImpacted" : { Period }, // Period unable to work
  "hospitalization" : { Period }, // Period in hospital
  "item" : [{ // Goods and Services
    "sequence" : "<positiveInt>", // R!  Service instance
    "careTeamLinkId" : ["<positiveInt>"], // Applicable careTeam members
    "diagnosisLinkId" : ["<positiveInt>"], // Applicable diagnoses
    "procedureLinkId" : ["<positiveInt>"], // Applicable procedures
    "informationLinkId" : ["<positiveInt>"], // Applicable exception and supporting information
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Type of service or product
    "service" : { CodeableConcept }, // Billing Code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
    // serviced[x]: Date or dates of Service. One of these 2:
    "servicedDate" : "<date>",
    "servicedPeriod" : { Period },
    // location[x]: Place of service. One of these 3:
    "locationCodeableConcept" : { CodeableConcept },
    "locationAddress" : { Address },
    "locationReference" : { Reference(Location) },
    "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
    "unitPrice" : { Money }, // Fee, charge or cost per point
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total item cost
    "udi" : [{ Reference(Device) }], // Unique Device Identifier
    "bodySite" : { CodeableConcept }, // Service Location
    "subSite" : [{ CodeableConcept }], // Service Sub-location
    "encounter" : [{ Reference(Encounter) }], // Encounters related to this billed item
    "detail" : [{ // Additional items
      "sequence" : "<positiveInt>", // R!  Service instance
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Type of service or product
      "service" : { CodeableConcept }, // Billing Code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
```

```
      "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
      "unitPrice" : { Money }, // Fee, charge or cost per point
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Total additional item cost
      "udi" : [{ Reference(Device) }], // Unique Device Identifier
      "subDetail" : [{ // Additional items
        "sequence" : "<positiveInt>", // R!  Service instance
        "revenue" : { CodeableConcept }, // Revenue or cost center code
        "category" : { CodeableConcept }, // Type of service or product
        "service" : { CodeableConcept }, // Billing Code
        "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
        "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
        "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
        "unitPrice" : { Money }, // Fee, charge or cost per point
        "factor" : <decimal>, // Price scaling factor
        "net" : { Money }, // Net additional item cost
        "udi" : [{ Reference(Device) }] // Unique Device Identifier
      }]
    }]
  }],
  "total" : { Money } // Total claim cost
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Claim;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Claim.identifier [ Identifier ], ... ; # 0..* Claim number
  fhir:Claim.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:Claim.type [ CodeableConcept ]; # 0..1 Type or discipline
  fhir:Claim.subType [ CodeableConcept ], ... ; # 0..* Finer grained claim type information
  fhir:Claim.use [ code ]; # 0..1 complete | proposed | exploratory | other
  fhir:Claim.patient [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  fhir:Claim.billablePeriod [ Period ]; # 0..1 Period for charge submission
  fhir:Claim.created [ dateTime ]; # 0..1 Creation date
  fhir:Claim.enterer [ Reference(Practitioner) ]; # 0..1 Author
  fhir:Claim.insurer [ Reference(Organization) ]; # 0..1 Target
  fhir:Claim.provider [ Reference(Practitioner) ]; # 0..1 Responsible provider
  fhir:Claim.organization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:Claim.priority [ CodeableConcept ]; # 0..1 Desired processing priority
  fhir:Claim.fundsReserve [ CodeableConcept ]; # 0..1 Funds requested to be reserved
  fhir:Claim.related [ # 0..* Related Claims which may be revelant to processing this claimn
    fhir:Claim.related.claim [ Reference(Claim) ]; # 0..1 Reference to the related claim
    fhir:Claim.related.relationship [ CodeableConcept ]; # 0..1 How the reference claim is related
    fhir:Claim.related.reference [ Identifier ]; # 0..1 Related file or case reference
  ], ...;
  fhir:Claim.prescription [ Reference(MedicationRequest|VisionPrescription) ]; # 0..1 Prescription authorizing services
    or products
  fhir:Claim.originalPrescription [ Reference(MedicationRequest) ]; # 0..1 Original prescription if superceded by
    fulfiller
  fhir:Claim.payee [ # 0..1 Party to be paid any benefits payable
    fhir:Claim.payee.type [ CodeableConcept ]; # 1..1 Type of party: Subscriber, Provider, other
    fhir:Claim.payee.resourceType [ Coding ]; # 0..1 organization | patient | practitioner | relatedperson
    fhir:Claim.payee.party [ Reference(Practitioner|Organization|Patient|RelatedPerson) ]; # 0..1 Party to receive the
    payable
  ];
  fhir:Claim.referral [ Reference(ReferralRequest) ]; # 0..1 Treatment Referral
  fhir:Claim.facility [ Reference(Location) ]; # 0..1 Servicing Facility
  fhir:Claim.careTeam [ # 0..* Members of the care team
    fhir:Claim.careTeam.sequence [ positiveInt ]; # 1..1 Number to covey order of careTeam
    fhir:Claim.careTeam.provider [ Reference(Practitioner|Organization) ]; # 1..1 Provider individual or organization
    fhir:Claim.careTeam.responsible [ boolean ]; # 0..1 Billing provider
    fhir:Claim.careTeam.role [ CodeableConcept ]; # 0..1 Role on the team
    fhir:Claim.careTeam.qualification [ CodeableConcept ]; # 0..1 Type, classification or Specialization
  ], ...;
  fhir:Claim.information [ # 0..* Exceptions, special considerations, the condition, situation, prior or concurrent
    issues
    fhir:Claim.information.sequence [ positiveInt ]; # 1..1 Information instance identifier
    fhir:Claim.information.category [ CodeableConcept ]; # 1..1 General class of information
    fhir:Claim.information.code [ CodeableConcept ]; # 0..1 Type of information
    # Claim.information.timing[x] : 0..1 When it occurred. One of these 2
      fhir:Claim.information.timingDate [ date ]
      fhir:Claim.information.timingPeriod [ Period ]
    # Claim.information.value[x] : 0..1 Additional Data or supporting information. One of these 4
      fhir:Claim.information.valueString [ string ]
      fhir:Claim.information.valueQuantity [ Quantity ]
      fhir:Claim.information.valueAttachment [ Attachment ]
      fhir:Claim.information.valueReference [ Reference(Any) ]
    fhir:Claim.information.reason [ CodeableConcept ]; # 0..1 Reason associated with the information
  ], ...;
  fhir:Claim.diagnosis [ # 0..* List of Diagnosis
    fhir:Claim.diagnosis.sequence [ positiveInt ]; # 1..1 Number to covey order of diagnosis
    # Claim.diagnosis.diagnosis[x] : 1..1 Patient's diagnosis. One of these 2
      fhir:Claim.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
```

```
      fhir:Claim.diagnosis.diagnosisReference [ Reference(Condition) ]
    fhir:Claim.diagnosis.type [ CodeableConcept ], ... ; # 0..* Timing or nature of the diagnosis
    fhir:Claim.diagnosis.packageCode [ CodeableConcept ]; # 0..1 Package billing code
  ], ...;
  fhir:Claim.procedure [ # 0..* Procedures performed
    fhir:Claim.procedure.sequence [ positiveInt ]; # 1..1 Procedure sequence for reference
    fhir:Claim.procedure.date [ dateTime ]; # 0..1 When the procedure was performed
    # Claim.procedure.procedure[x] : 1..1 Patient's list of procedures performed. One of these 2
      fhir:Claim.procedure.procedureCodeableConcept [ CodeableConcept ]
      fhir:Claim.procedure.procedureReference [ Reference(Procedure) ]
  ], ...;
  fhir:Claim.insurance [ # 0..* Insurance or medical plan
    fhir:Claim.insurance.sequence [ positiveInt ]; # 1..1 Service instance identifier
    fhir:Claim.insurance.focal [ boolean ]; # 1..1 Is the focal Coverage
    fhir:Claim.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
    fhir:Claim.insurance.businessArrangement [ string ]; # 0..1 Business agreement
    fhir:Claim.insurance.preAuthRef [ string ], ... ; # 0..* Pre-Authorization/Determination Reference
    fhir:Claim.insurance.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Adjudication results
  ], ...;
  fhir:Claim.accident [ # 0..1 Details about an accident
    fhir:Claim.accident.date [ date ]; # 1..1 When the accident occurred
see information codes
see information codes
    fhir:Claim.accident.type [ CodeableConcept ]; # 0..1 The nature of the accident
    # Claim.accident.location[x] : 0..1 Accident Place. One of these 2
      fhir:Claim.accident.locationAddress [ Address ]
      fhir:Claim.accident.locationReference [ Reference(Location) ]
  ];
  fhir:Claim.employmentImpacted [ Period ]; # 0..1 Period unable to work
  fhir:Claim.hospitalization [ Period ]; # 0..1 Period in hospital
  fhir:Claim.item [ # 0..* Goods and Services
    fhir:Claim.item.sequence [ positiveInt ]; # 1..1 Service instance
    fhir:Claim.item.careTeamLinkId [ positiveInt ], ... ; # 0..* Applicable careTeam members
    fhir:Claim.item.diagnosisLinkId [ positiveInt ], ... ; # 0..* Applicable diagnoses
    fhir:Claim.item.procedureLinkId [ positiveInt ], ... ; # 0..* Applicable procedures
    fhir:Claim.item.informationLinkId [ positiveInt ], ... ; # 0..* Applicable exception and supporting information
    fhir:Claim.item.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:Claim.item.category [ CodeableConcept ]; # 0..1 Type of service or product
    fhir:Claim.item.service [ CodeableConcept ]; # 0..1 Billing Code
    fhir:Claim.item.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:Claim.item.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for item inclusion
    # Claim.item.serviced[x] : 0..1 Date or dates of Service. One of these 2
      fhir:Claim.item.servicedDate [ date ]
      fhir:Claim.item.servicedPeriod [ Period ]
    # Claim.item.location[x] : 0..1 Place of service. One of these 3
      fhir:Claim.item.locationCodeableConcept [ CodeableConcept ]
      fhir:Claim.item.locationAddress [ Address ]
      fhir:Claim.item.locationReference [ Reference(Location) ]
    fhir:Claim.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
    fhir:Claim.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
    fhir:Claim.item.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:Claim.item.net [ Money ]; # 0..1 Total item cost
    fhir:Claim.item.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
    fhir:Claim.item.bodySite [ CodeableConcept ]; # 0..1 Service Location
    fhir:Claim.item.subSite [ CodeableConcept ], ... ; # 0..* Service Sub-location
    fhir:Claim.item.encounter [ Reference(Encounter) ], ... ; # 0..* Encounters related to this billed item
    fhir:Claim.item.detail [ # 0..* Additional items
      fhir:Claim.item.detail.sequence [ positiveInt ]; # 1..1 Service instance
      fhir:Claim.item.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
      fhir:Claim.item.detail.category [ CodeableConcept ]; # 0..1 Type of service or product
      fhir:Claim.item.detail.service [ CodeableConcept ]; # 0..1 Billing Code
      fhir:Claim.item.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
      fhir:Claim.item.detail.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for item inclusion
      fhir:Claim.item.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
      fhir:Claim.item.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
      fhir:Claim.item.detail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:Claim.item.detail.net [ Money ]; # 0..1 Total additional item cost
      fhir:Claim.item.detail.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
      fhir:Claim.item.detail.subDetail [ # 0..* Additional items
        fhir:Claim.item.detail.subDetail.sequence [ positiveInt ]; # 1..1 Service instance
        fhir:Claim.item.detail.subDetail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
        fhir:Claim.item.detail.subDetail.category [ CodeableConcept ]; # 0..1 Type of service or product
        fhir:Claim.item.detail.subDetail.service [ CodeableConcept ]; # 0..1 Billing Code
        fhir:Claim.item.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
        fhir:Claim.item.detail.subDetail.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for item
    inclusion
        fhir:Claim.item.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
        fhir:Claim.item.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
        fhir:Claim.item.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
        fhir:Claim.item.detail.subDetail.net [ Money ]; # 0..1 Net additional item cost
        fhir:Claim.item.detail.subDetail.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
      ], ...;
    ], ...;
  ], ...;
  fhir:Claim.total [ Money ]; # 0..1 Total claim cost
]
```

Changes since DSTU2

Claim
Claim.status | Added Element
Claim.type | Min Cardinality changed from 1 to 0 Type changed from code to CodeableConcept Change value set from http://hl7.org/fhir/ValueSet/claim-type-link to http://hl7.org/fhir/ValueSet/claim-type
Claim.subType | Added Element
Claim.use | Change value set from http://hl7.org/fhir/ValueSet/claim-use-link to http://hl7.org/fhir/ValueSet/claim-use
Claim.patient | Min Cardinality changed from 1 to 0
Claim.billablePeriod | Added Element
Claim.insurer | Added Element
Claim.priority | Type changed from Coding to CodeableConcept
Claim.fundsReserve | Type changed from Coding to CodeableConcept
Claim.related | Added Element
Claim.related.claim | Added Element
Claim.related.relationship | Added Element
Claim.related.reference | Added Element
Claim.prescription | Remove Reference(MedicationOrder), Add Reference(MedicationRequest)
Claim.originalPrescription | Type changed from Reference(MedicationOrder) to Reference(MedicationRequest)
Claim.payee.type | Min Cardinality changed from 0 to 1 Type changed from Coding to CodeableConcept
Claim.payee.resourceType | Added Element
Claim.payee.party | Added Element
Claim.careTeam | Added Element
Claim.careTeam.sequence | Added Element
Claim.careTeam.provider | Added Element
Claim.careTeam.responsible | Added Element
Claim.careTeam.role | Added Element
Claim.careTeam.qualification | Added Element
Claim.information | Added Element
Claim.information.sequence | Added Element
Claim.information.category | Added Element
Claim.information.code | Added Element
Claim.information.timing[x] | Added Element
Claim.information.value[x] | Added Element
Claim.information.reason | Added Element
Claim.diagnosis.diagnosis[x] | Renamed from diagnosis to diagnosis[x] Remove Coding, Add CodeableConcept, Add Reference(Condition)
Claim.diagnosis.type | Added Element
Claim.diagnosis.packageCode | Added Element
Claim.procedure | Added Element
Claim.procedure.sequence | Added Element
Claim.procedure.date | Added Element
Claim.procedure.procedure[x] | Added Element
Claim.insurance | Added Element
Claim.insurance.sequence | Added Element
Claim.insurance.focal | Added Element
Claim.insurance.coverage | Added Element
Claim.insurance.businessArrangement | Added Element
Claim.insurance.preAuthRef | Added Element
Claim.insurance.claimResponse | Added Element
Claim.accident | Type changed from date to BackboneElement
Claim.accident.date | Added Element
Claim.accident.type | Added Element
Claim.accident.location[x] | Added Element
Claim.employmentImpacted | Added Element
Claim.hospitalization | Added Element
Claim.item.careTeamLinkId | Added Element
Claim.item.procedureLinkId | Added Element
Claim.item.informationLinkId | Added Element
Claim.item.revenue | Added Element
Claim.item.category | Added Element
Claim.item.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
Claim.item.modifier | Type changed from Coding to CodeableConcept
Claim.item.programCode | Added Element
Claim.item.serviced[x] | Added Element
Claim.item.location[x] | Added Element
Claim.item.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.udi | Max Cardinality changed from 1 to * Type changed from Coding to Reference(Device)
Claim.item.bodySite | Type changed from Coding to CodeableConcept
Claim.item.subSite | Type changed from Coding to CodeableConcept
Claim.item.encounter | Added Element
Claim.item.detail.revenue | Added Element
Claim.item.detail.category | Added Element
Claim.item.detail.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept

Claim.item.detail.modifier | Added Element
Claim.item.detail.programCode | Added Element
Claim.item.detail.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.detail.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.detail.udi | Max Cardinality changed from 1 to * Type changed from Coding to Reference(Device)
Claim.item.detail.subDetail.revenue | Added Element
Claim.item.detail.subDetail.category | Added Element
Claim.item.detail.subDetail.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
Claim.item.detail.subDetail.modifier | Added Element
Claim.item.detail.subDetail.programCode | Added Element
Claim.item.detail.subDetail.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.detail.subDetail.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Claim.item.detail.subDetail.udi | Max Cardinality changed from 1 to * Type changed from Coding to Reference(Device)
Claim.total | Added Element
Claim.ruleset | deleted
Claim.originalRuleset | deleted
Claim.target | deleted
Claim.payee.provider | deleted
Claim.payee.organization | deleted
Claim.payee.person | deleted
Claim.condition | deleted
Claim.coverage | deleted
Claim.exception | deleted
Claim.school | deleted
Claim.accidentType | deleted
Claim.interventionException | deleted
Claim.item.type | deleted
Claim.item.provider | deleted
Claim.item.serviceDate | deleted
Claim.item.points | deleted
Claim.item.detail.type | deleted
Claim.item.detail.points | deleted
Claim.item.detail.subDetail.type | deleted
Claim.item.detail.subDetail.points | deleted
Claim.item.prosthesis | deleted
Claim.additionalMaterials | deleted
Claim.missingTeeth | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.6.2.1 Terminology Bindings

Path | Definition | Type | Reference
Claim.status | A code specifying the state of the resource instance. | Required | Financial Resource Status Codes
Claim.type | The type or discipline-style of the claim | Required | Example Claim Type Codes
Claim.subType | A more granular claim typecode | Example | Example Claim SubType Codes
Claim.use | Complete, proposed, exploratory, other | Required | Use
Claim.priority | The timeliness with which processing is required: STAT, normal, Deferred | Example | Process Priority Codes
Claim.fundsReserve | For whom funds are to be reserved: (Patient, Provider, None). | Example | Funds Reservation Codes
Claim.related.relationship | Relationship of this claim to a related Claim | Example | Example Related Claim Relationship Codes
Claim.payee.type | A code for the party to be reimbursed. | Example | Claim Payee Type Codes
Claim.payee.resourceType | The type of Claim payee Resource | Example | ClaimPayeeResourceType
Claim.careTeam.role | The role codes for the care team members. | Example | Claim Care Team Role Codes
Claim.careTeam.qualification | Provider professional qualifications | Example | Example Provider Qualification Codes
Claim.information.category | The valuset used for additional information category codes. | Example | Claim Information Category Codes
Claim.information.code | The valuset used for additional information codes. | Example | Exception Codes
Claim.information.reason | Reason codes for the missing teeth | Example | Missing Tooth Reason Codes
Claim.diagnosis.diagnosis[x] | ICD10 Diagnostic codes | Example | ICD-10 Codes
Claim.diagnosis.type | The type of the diagnosis: admitting, principal, discharge | Example | Example Diagnosis Type Codes
Claim.diagnosis.packageCode | The DRG codes associated with the diagnosis | Example | Example Diagnosis Related Group Codes
Claim.procedure.procedure[x] | ICD10 Procedure codes | Example | ICD-10 Procedure Codes
Claim.accident.type | Type of accident: work place, auto, etc. | Required | ActIncidentCode
Claim.item.revenue Claim.item.detail.revenue Claim.item.detail.subDetail.revenue | Codes for the revenue or cost centers supplying the service and/or products. | Example | Example Revenue Center Codes
Claim.item.category Claim.item.detail.category Claim.item.detail.subDetail.category | Benefit subcategories such as: oral-basic, major, glasses | Example | Benefit SubCategory Codes
Claim.item.service Claim.item.detail.service Claim.item.detail.subDetail.service | Allowable service and product codes | Example | USCLS Codes
Claim.item.modifier Claim.item.detail.modifier Claim.item.detail.subDetail.modifier | Item type or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or an appliance was lost or stolen. | Example | Modifier type Codes
Claim.item.programCode Claim.item.detail.programCode Claim.item.detail.subDetail.programCode | Program specific reason codes | Example | Example Program Reason Codes

Claim.item.location[x] | Place of service: pharmacy,school, prison, etc. | Example | Example Service Place Codes
Claim.item.bodySite | The code for the teeth, quadrant, sextant and arch | Example | Oral Site Codes
Claim.item.subSite | The code for the tooth surface and surface combinations | Example | Surface Codes

13.6.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
care-team | reference | Member of the CareTeam | Claim.careTeam.provider (Practitioner, Organization)
created | date | The creation date for the Claim | Claim.created
encounter | reference | Encounters associated with a billed line item | Claim.item.encounter (Encounter)
enterer | reference | The party responsible for the entry of the Claim | Claim.enterer (Practitioner)
facility | reference | Facility responsible for the goods and services | Claim.facility (Location)
identifier | token | The primary identifier of the financial resource | Claim.identifier
insurer | reference | The target payor/insurer for the Claim | Claim.insurer (Organization)
organization | reference | The reference to the providing organization | Claim.organization (Organization)
patient | reference | Patient receiving the services | Claim.patient (Patient)
payee | reference | The party receiving any payment for the Claim | Claim.payee.party (Practitioner, Organization, Patient, RelatedPerson)
priority | token | Processing priority requested | Claim.priority
provider | reference | Provider responsible for the Claim | Claim.provider (Practitioner)
use | token | The kind of financial resource | Claim.use

13.6.4 Resource Claim - Examples

URL: https://hl7.org/fhir/STU3/claim-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.6.4 Resource Claim - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Encounter, Patient, Practitioner, RelatedPerson

Example List:

Simple dental Claim | 100150 | XML | JSON | Turtle
Average dental Claim with Information (Missing Teeth and Student) | 100151 | XML | JSON | Turtle
SOA Dental Claim (Contained) | 100152 | XML | JSON | Turtle
SOA Dental Claim using identifiers | 100154 | XML | JSON | Turtle
SOA Dental Claim using identifiers and Contained | 100155 | XML | JSON | Turtle
PreAuthorization with Bridge and Crown | 100156 | XML | JSON | Turtle
PreAuthorization with Orthodontic Treatment Plan | 100153 | XML | JSON | Turtle
Simple Vision Claim | 660150 | XML | JSON | Turtle
Glasses Claim | 660151 | XML | JSON | Turtle
Glasses Claim, 3 Tier, Secondary Coverage | 660152 | XML | JSON | Turtle
Simple Institutional Service Claim | 960150 | XML | JSON | Turtle
Rich Institutional Service Claim | 960151 | XML | JSON | Turtle
Simple Pharmacy Service Claim | 860150 | XML | JSON | Turtle
Simple Pharmacy Service Claim | 760150 | XML | JSON | Turtle
Simple Pharmacy Medication Claim | 760151 | XML | JSON | Turtle
Simple Pharmacy Compound Claim | 760152 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.6.5 Resource Claim - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/claim-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.6.5 Resource Claim - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Encounter, Patient, Practitioner, RelatedPerson

Detailed Descriptions for the elements in the Claim resource.

Claim
Definition | A provider issued list of services and products provided, or to be provided, to a patient which is provided to an insurer for payment recovery.
Control | 1..1
Claim.identifier
Definition | The business identifier for the instance: claim number, pre-determination or pre-authorization number.
Note | This is a business identifer, not a resource identifier (see discussion)

Control | 0..*
Type | Identifier
Claim.status
Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains the code entered-in-error that marks the claim as not currently valid.
Claim.type
Definition | The category of claim, eg, oral, pharmacy, vision, insitutional, professional.
Control | 0..1
Terminology Binding | Example Claim Type Codes (Required)
Type | CodeableConcept
Comments | Affects which fields and value sets are used.
Claim.subType
Definition | A finer grained suite of claim subtype codes which may convey Inpatient vs Outpatient and/or a specialty service. In the US the BillType.
Control | 0..*
Terminology Binding | Example Claim SubType Codes (Example)
Type | CodeableConcept
Comments | This may contain the local bill type codes such as the US UB-04 bill type code.
Claim.use
Definition | Complete (Bill or Claim), Proposed (Pre-Authorization), Exploratory (Pre-determination).
Control | 0..1
Terminology Binding | Use (Required)
Type | code
Claim.patient
Definition | Patient Resource.
Control | 0..1
Type | Reference(Patient)
Claim.billablePeriod
Definition | The billable period for which charges are being submitted.
Control | 0..1
Type | Period
Claim.created
Definition | The date when the enclosed suite of services were performed or completed.
Control | 0..1
Type | dateTime
Claim.enterer
Definition | Person who created the invoice/claim/pre-determination or pre-authorization.
Control | 0..1
Type | Reference(Practitioner)
Claim.insurer
Definition | The Insurer who is target of the request.
Control | 0..1
Type | Reference(Organization)
Claim.provider
Definition | The provider which is responsible for the bill, claim pre-determination, pre-authorization.
Control | 0..1
Type | Reference(Practitioner)
Claim.organization
Definition | The organization which is responsible for the bill, claim pre-determination, pre-authorization.
Control | 0..1
Type | Reference(Organization)
Claim.priority
Definition | Immediate (STAT), best effort (NORMAL), deferred (DEFER).
Control | 0..1
Terminology Binding | Process Priority Codes (Example)
Type | CodeableConcept
Claim.fundsReserve
Definition | In the case of a Pre-Determination/Pre-Authorization the provider may request that funds in the amount of the expected Benefit be reserved ('Patient' or 'Provider') to pay for the Benefits determined on the subsequent claim(s). 'None' explicitly indicates no funds reserving is requested.
Control | 0..1
Terminology Binding | Funds Reservation Codes (Example)
Type | CodeableConcept
Claim.related
Definition | Other claims which are related to this claim such as prior claim versions or for related services.
Control | 0..*
Claim.related.claim
Definition | Other claims which are related to this claim such as prior claim versions or for related services.

Control | 0..1
Type | Reference(Claim)
Comments | Do we need a relationship code?
Claim.related.relationship
Definition | For example prior or umbrella.
Control | 0..1
Terminology Binding | Example Related Claim Relationship Codes (Example)
Type | CodeableConcept
Claim.related.reference
Definition | An alternate organizational reference to the case or file to which this particular claim pertains - eg Property/Casualy insurer claim # or Workers Compensation case # .
Control | 0..1
Type | Identifier
Claim.prescription
Definition | Prescription to support the dispensing of Pharmacy or Vision products.
Control | 0..1
Type | Reference(MedicationRequest | VisionPrescription)
Requirements | For type=Pharmacy and Vision only.
Comments | Should we create a group to hold multiple prescriptions and add a sequence number and on the line items a link to the sequence.
Claim.originalPrescription
Definition | Original prescription which has been superceded by this prescription to support the dispensing of pharmacy services, medications or products. For example, a physician may prescribe a medication which the pharmacy determines is contraindicated, or for which the patient has an intolerance, and therefor issues a new precription for an alternate medication which has the same theraputic intent. The prescription from the pharmacy becomes the 'prescription' and that from the physician becomes the 'original prescription'.
Control | 0..1
Type | Reference(MedicationRequest)
Comments | as above.
Claim.payee
Definition | The party to be reimbursed for the services.
Control | 0..1
Claim.payee.type
Definition | Type of Party to be reimbursed: Subscriber, provider, other.
Control | 1..1
Terminology Binding | Claim Payee Type Codes (Example)
Type | CodeableConcept
Claim.payee.resourceType
Definition | organization | patient | practitioner | relatedperson.
Control | 0..1
Terminology Binding | ClaimPayeeResourceType (Example)
Type | Coding
Claim.payee.party
Definition | Party to be reimbursed: Subscriber, provider, other.
Control | 0..1
Type | Reference(Practitioner | Organization | Patient | RelatedPerson)
Claim.referral
Definition | The referral resource which lists the date, practitioner, reason and other supporting information.
Control | 0..1
Type | Reference(ReferralRequest)
Claim.facility
Definition | Facility where the services were provided.
Control | 0..1
Type | Reference(Location)
Claim.careTeam
Definition | The members of the team who provided the overall service as well as their role and whether responsible and qualifications.
Control | 0..*
Requirements | Role and Responsible may not be required when there is only a single provider listed.
Claim.careTeam.sequence
Definition | Sequence of the careTeam which serves to order and provide a link.
Control | 1..1
Type | positiveInt
Requirements | Required to maintain order of the careTeam.
Claim.careTeam.provider
Definition | Member of the team who provided the overall service.
Control | 1..1
Type | Reference(Practitioner | Organization)
Claim.careTeam.responsible
Definition | The party who is billing and responsible for the claimed good or service rendered to the patient.
Control | 0..1
Type | boolean
Claim.careTeam.role
Definition | The lead, assisting or supervising practitioner and their discipline if a multidisiplinary team.
Control | 0..1
Terminology Binding | Claim Care Team Role Codes (Example)

Type | CodeableConcept
Claim.careTeam.qualification
Definition | The qualification which is applicable for this service.
Control | 0..1
Terminology Binding | Example Provider Qualification Codes (Example)
Type | CodeableConcept
Claim.information
Definition | Additional information codes regarding exceptions, special considerations, the condition, situation, prior or concurrent issues. Often there are mutiple jurisdiction specific valuesets which are required.
Control | 0..*
Requirements | Typically these information codes are required to support the services rendered or the adjudication of the services rendered.
Claim.information.sequence
Definition | Sequence of the information element which serves to provide a link.
Control | 1..1
Type | positiveInt
Requirements | To provide a reference link.
Claim.information.category
Definition | The general class of the information supplied: information; exception; accident, employment; onset, etc.
Control | 1..1
Terminology Binding | Claim Information Category Codes (Example)
Type | CodeableConcept
Comments | This may contain the local bill type codes such as the US UB-04 bill type code.
Claim.information.code
Definition | System and code pertaining to the specific information regarding special conditions relating to the setting, treatment or patient for which care is sought which may influence the adjudication.
Control | 0..1
Terminology Binding | Exception Codes (Example)
Type | CodeableConcept
Comments | This may contain the local bill type codes such as the US UB-04 bill type code.
Claim.information.timing[x]
Definition | The date when or period to which this information refers.
Control | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Claim.information.value[x]
Definition | Additional data or information such as resources, documents, images etc. including references to the data or the actual inclusion of the data.
Control | 0..1
Type | string|Quantity|Attachment|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Claim.information.reason
Definition | For example, provides the reason for: the additional stay, or missing tooth or any other situation where a reason code is required in addition to the content.
Control | 0..1
Terminology Binding | Missing Tooth Reason Codes (Example)
Type | CodeableConcept
Claim.diagnosis
Definition | List of patient diagnosis for which care is sought.
Control | 0..*
Claim.diagnosis.sequence
Definition | Sequence of diagnosis which serves to provide a link.
Control | 1..1
Type | positiveInt
Requirements | Required to allow line items to reference the diagnoses.
Claim.diagnosis.diagnosis[x]
Definition | The diagnosis.
Control | 1..1
Terminology Binding | ICD-10 Codes (Example)
Type | CodeableConcept|Reference(Condition)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Required to adjudicate services rendered to condition presented.
Claim.diagnosis.type
Definition | The type of the Diagnosis, for example: admitting, primary, secondary, discharge.
Control | 0..*
Terminology Binding | Example Diagnosis Type Codes (Example)
Type | CodeableConcept
Requirements | May be required to adjudicate services rendered.
Comments | Diagnosis are presented in list order to their expected importance: primary, secondary, etc.
Claim.diagnosis.packageCode
Definition | The package billing code, for example DRG, based on the assigned grouping code system.
Control | 0..1
Terminology Binding | Example Diagnosis Related Group Codes (Example)
Type | CodeableConcept

Requirements | May be required to adjudicate services rendered to the mandated grouping system.
Claim.procedure
Definition | Ordered list of patient procedures performed to support the adjudication.
Control | 0..*
Claim.procedure.sequence
Definition | Sequence of procedures which serves to order and provide a link.
Control | 1..1
Type | positiveInt
Requirements | Required to maintain order of the procudures.
Claim.procedure.date
Definition | Date and optionally time the procedure was performed .
Control | 0..1
Type | dateTime
Requirements | Required to adjudicate services rendered.
Comments | SB DateTime??
Claim.procedure.procedure[x]
Definition | The procedure code.
Control | 1..1
Terminology Binding | ICD-10 Procedure Codes (Example)
Type | CodeableConcept|Reference(Procedure)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Required to adjudicate services rendered.
Claim.insurance
Definition | Financial instrument by which payment information for health care.
Control | 0..*
Requirements | Health care programs and insurers are significant payors of health service costs.
Claim.insurance.sequence
Definition | Sequence of coverage which serves to provide a link and convey coordination of benefit order.
Control | 1..1
Type | positiveInt
Requirements | To maintain order of the coverages.
Claim.insurance.focal
Definition | A flag to indicate that this Coverage is the focus for adjudication. The Coverage against which the claim is to be adjudicated.
Control | 1..1
Type | boolean
Requirements | To identify which coverage is being adjudicated.
Claim.insurance.coverage
Definition | Reference to the program or plan identification, underwriter or payor.
Control | 1..1
Type | Reference(Coverage)
Requirements | Need to identify the issuer to target for processing and for coordination of benefit processing.
Claim.insurance.businessArrangement
Definition | The contract number of a business agreement which describes the terms and conditions.
Control | 0..1
Type | string
Claim.insurance.preAuthRef
Definition | A list of references from the Insurer to which these services pertain.
Control | 0..*
Type | string
Requirements | To provide any pre=determination or prior authorization reference.
Claim.insurance.claimResponse
Definition | The Coverages adjudication details.
Control | 0..1
Type | Reference(ClaimResponse)
Requirements | Used by downstream payers to determine what balance remains and the net payable.
Claim.accident
Definition | An accident which resulted in the need for healthcare services.
Control | 0..1
Claim.accident.date
Definition | Date of an accident which these services are addressing.
Control | 1..1
Type | date
Requirements | Coverage may be dependant on accidents.
Claim.accident.type
Definition | Type of accident: work, auto, etc.
Control | 0..1
Terminology Binding | ActIncidentCode (Required)
Type | CodeableConcept
Requirements | Coverage may be dependant on the type of accident.
Claim.accident.location[x]
Definition | Accident Place.
Control | 0..1

Type | Address|Reference(Location)
[x] Note | See Choice of Data Types for further information about how to use [x]
Claim.employmentImpacted
Definition | The start and optional end dates of when the patient was precluded from working due to the treatable condition(s).
Control | 0..1
Type | Period
Claim.hospitalization
Definition | The start and optional end dates of when the patient was confined to a treatment center.
Control | 0..1
Type | Period
Claim.item
Definition | First tier of goods and services.
Control | 0..*
Claim.item.sequence
Definition | A service line number.
Control | 1..1
Type | positiveInt
Claim.item.careTeamLinkId
Definition | CareTeam applicable for this service or product line.
Control | 0..*
Type | positiveInt
Claim.item.diagnosisLinkId
Definition | Diagnosis applicable for this service or product line.
Control | 0..*
Type | positiveInt
Claim.item.procedureLinkId
Definition | Procedures applicable for this service or product line.
Control | 0..*
Type | positiveInt
Claim.item.informationLinkId
Definition | Exceptions, special conditions and supporting information pplicable for this service or product line.
Control | 0..*
Type | positiveInt
Claim.item.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
Claim.item.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
Claim.item.service
Definition | If this is an actual service or product line, ie. not a Group, then use code to indicate the Professional Service or Product supplied (eg. CTP, HCPCS,USCLS,ICD10, NCPDP,DIN,RXNorm,ACHI,CCI). If a grouping item then use a group code to indicate the type of thing being grouped eg. 'glasses' or 'compound'.
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Claim.item.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
Claim.item.programCode
Definition | For programs which require reason codes for the inclusion or covering of this billed item under the program or sub-program.
Control | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Claim.item.serviced[x]
Definition | The date or dates when the enclosed suite of services were performed or completed.
Control | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
Claim.item.location[x]
Definition | Where the service was provided.
Control | 0..1
Terminology Binding | Example Service Place Codes (Example)
Type | CodeableConcept|Address|Reference(Location)

[x] Note | See Choice of Data Types for further information about how to use [x]
Claim.item.quantity
Definition | The number of repetitions of a service or product.
Control | 0..1
Type | SimpleQuantity
Claim.item.unitPrice
Definition | If the item is a node then this is the fee for the product or service, otherwise this is the total of the fees for the children of the group.
Control | 0..1
Type | Money
Claim.item.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Control | 0..1
Type | decimal
Requirements | If a fee is present the associated product/service code must be present.
Claim.item.net
Definition | The quantity times the unit price for an addittional service or product or charge. For example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number * points = net Amount. Quantity, factor and points are assumed to be 1 if not supplied.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.
Claim.item.udi
Definition | List of Unique Device Identifiers associated with this line item.
Control | 0..*
Type | Reference(Device)
Requirements | The UDI code and issuer if applicable for the supplied product.
Claim.item.bodySite
Definition | Physical service site on the patient (limb, tooth, etc).
Control | 0..1
Terminology Binding | Oral Site Codes (Example)
Type | CodeableConcept
Claim.item.subSite
Definition | A region or surface of the site, eg. limb region or tooth surface(s).
Control | 0..*
Terminology Binding | Surface Codes (Example)
Type | CodeableConcept
Claim.item.encounter
Definition | A billed item may include goods or services provided in multiple encounters.
Control | 0..*
Type | Reference(Encounter)
Claim.item.detail
Definition | Second tier of goods and services.
Control | 0..*
Claim.item.detail.sequence
Definition | A service line number.
Control | 1..1
Type | positiveInt
Claim.item.detail.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
Claim.item.detail.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
Claim.item.detail.service
Definition | If this is an actual service or product line, ie. not a Group, then use code to indicate the Professional Service or Product supplied (eg. CTP, HCPCS,USCLS,ICD10, NCPDP,DIN,ACHI,CCI). If a grouping item then use a group code to indicate the type of thing being grouped eg. 'glasses' or 'compound'.
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Claim.item.detail.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
Claim.item.detail.programCode
Definition | For programs which require reson codes for the inclusion, covering, of this billed item under the program or sub-program.

Control | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Claim.item.detail.quantity
Definition | The number of repetitions of a service or product.
Control | 0..1
Type | SimpleQuantity
Claim.item.detail.unitPrice
Definition | If the item is a node then this is the fee for the product or service, otherwise this is the total of the fees for the children of the group.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.
Claim.item.detail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Control | 0..1
Type | decimal
Requirements | If a fee is present the associated product/service code must be present.
Claim.item.detail.net
Definition | The quantity times the unit price for an addittional service or product or charge. For example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number * points = net Amount. Quantity, factor and points are assumed to be 1 if not supplied.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.
Claim.item.detail.udi
Definition | List of Unique Device Identifiers associated with this line item.
Control | 0..*
Type | Reference(Device)
Requirements | The UDI code and issuer if applicable for the supplied product.
Claim.item.detail.subDetail
Definition | Third tier of goods and services.
Control | 0..*
Claim.item.detail.subDetail.sequence
Definition | A service line number.
Control | 1..1
Type | positiveInt
Claim.item.detail.subDetail.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
Claim.item.detail.subDetail.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
Claim.item.detail.subDetail.service
Definition | A code to indicate the Professional Service or Product supplied (eg. CTP, HCPCS,USCLS,ICD10, NCPDP,DIN,ACHI,CCI).
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
Claim.item.detail.subDetail.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
Claim.item.detail.subDetail.programCode
Definition | For programs which require reson codes for the inclusion, covering, of this billed item under the program or sub-program.
Control | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
Claim.item.detail.subDetail.quantity
Definition | The number of repetitions of a service or product.
Control | 0..1
Type | SimpleQuantity
Claim.item.detail.subDetail.unitPrice
Definition | The fee for an addittional service or product or charge.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.

Claim.item.detail.subDetail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Control | 0..1
Type | decimal
Requirements | If a fee is present the associated product/service code must be present.
Claim.item.detail.subDetail.net
Definition | The quantity times the unit price for an addittional service or product or charge. For example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number * points = net Amount. Quantity, factor and points are assumed to be 1 if not supplied.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.
Claim.item.detail.subDetail.udi
Definition | List of Unique Device Identifiers associated with this line item.
Control | 0..*
Type | Reference(Device)
Requirements | The UDI code and issuer if applicable for the supplied product.
Claim.total
Definition | The total value of the claim.
Control | 0..1
Type | Money

13.6.6 Resource Claim - Mappings

URL: https://hl7.org/fhir/STU3/claim-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.6.6 Resource Claim - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Encounter, Patient, Practitioner, RelatedPerson

Mappings:

RIM Mapping

Workflow Mapping

Mappings for the claim resource.

13.6.6.1 Mappings for RIM Mapping (http://hl7.org/v3)

Claim
identifier
status
type
subType
use
patient
billablePeriod
created
enterer
insurer
provider
organization
priority
fundsReserve
related
claim
relationship
reference
prescription
originalPrescription
payee
type
resourceType
party
referral
facility
careTeam
sequence
provider
responsible
role
qualification

information
sequence
category
code
timing[x]
value[x]
reason
diagnosis
sequence
diagnosis[x]
type
packageCode
procedure
sequence
date
procedure[x]
insurance | Coverage
sequence
focal
coverage
businessArrangement
preAuthRef
claimResponse
accident
date
type
location[x]
employmentImpacted
hospitalization
item
sequence
careTeamLinkId
diagnosisLinkId
procedureLinkId
informationLinkId
revenue
category
service
modifier
programCode
serviced[x]
location[x]
quantity
unitPrice
factor
net
udi
bodySite
subSite
encounter
detail
sequence
revenue
category
service
modifier
programCode
quantity
unitPrice
factor
net
udi
subDetail
sequence
revenue
category
service
modifier
programCode
quantity
unitPrice
factor

net
udi
total

13.6.6.2 Mappings for Workflow Mapping (http://hl7.org/fhir/workflow)

Claim | Request
identifier | Request.identifier
status | Request.status
type
subType
use
patient | Request.subject
billablePeriod
created | Request.authoredOn
enterer
insurer | Request.performer
provider | Request.requester.agent
organization | Request.requester.onBehalfOf
priority | Request.priority
fundsReserve
related
claim | Request.replaces
relationship
reference
prescription
originalPrescription
payee
type
resourceType
party
referral
facility
careTeam
sequence
provider
responsible
role
qualification
information | Request.supportingInfo
sequence
category
code
timing[x]
value[x]
reason
diagnosis | Request.reasonReference
sequence
diagnosis[x]
type
packageCode
procedure
sequence
date
procedure[x]
insurance
sequence
focal
coverage
businessArrangement
preAuthRef
claimResponse
accident
date
type
location[x]
employmentImpacted
hospitalization
item
sequence
careTeamLinkId
diagnosisLinkId
procedureLinkId

informationLinkId
revenue
category
service
modifier
programCode
serviced[x]
location[x]
quantity
unitPrice
factor
net
udi
bodySite
subSite
encounter | Request.context
detail
sequence
revenue
category
service
modifier
programCode
quantity
unitPrice
factor
net
udi
subDetail
sequence
revenue
category
service
modifier
programCode
quantity
unitPrice
factor
net
udi
total

13.6.7 Resource Claim - Design Notes

URL: https://hl7.org/fhir/STU3/claim-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.6.7 Resource Claim - Design Notes

to do

13.6.8 Resource Claim - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/claim-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.6.8 Resource Claim - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Claim resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.6.8.1 Profiles

No Profiles defined for this resource

13.6.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.6.8.3 Search Extensions

No Search Extensions defined for this resource

13.7 Resource ClaimResponse - Content

URL: https://hl7.org/fhir/STU3/claimresponse.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, Practitioner

This resource provides the adjudication details from the processing of a Claim resource.

13.7.1 Scope and Usage

The ClaimResponse resource provides application level error or application level adjudication results which are the result of processing a submitted Claim resource where that Claim may be which is the functional corollary of a Claim, Pre-Determination or a Pre-Authorization.

This is the adjudicated response to a Claim, Pre-determination or Pre-Authorization. The strength of the payment aspect of the response is matching to the strength of the original request. For a Claim the adjudication indicates payment which is intended to be made, for Pre-Authorization and Pre-Determination no payment will actually be made however funds may be reserved to settle a claim submitted later. Only an actual claim may be expected to result in actual payment.

The ClaimResponse resource is the response for the submission of: Claim, Re-adjudication and Reversals.

This resource is referenced by Claim and ExplanationOfBenefit

13.7.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
ClaimResponse | | | DomainResource | Remittance resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Response number
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
patient | | 0..1 | Reference(Patient) | The subject of the Products and Services
created | | 0..1 | dateTime | Creation date
insurer | | 0..1 | Reference(Organization) | Insurance issuing organization
requestProvider | | 0..1 | Reference(Practitioner) | Responsible practitioner
requestOrganization | | 0..1 | Reference(Organization) | Responsible organization
request | | 0..1 | Reference(Claim) | Id of resource triggering adjudication
outcome | | 0..1 | CodeableConcept | complete | error | partial Claim Processing Codes (Example)
disposition | | 0..1 | string | Disposition Message
payeeType | | 0..1 | CodeableConcept | Party to be paid any benefits payable Claim Payee Type Codes (Example)
item | | 0..* | BackboneElement | Line items
sequenceLinkId | | 1..1 | positiveInt | Service instance
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | BackboneElement | Adjudication details
category | | 1..1 | CodeableConcept | Adjudication category such as co-pay, eligible, benefit, etc. Adjudication Value Codes (Example)
reason | | 0..1 | CodeableConcept | Explanation of Adjudication outcome Adjudication Reason Codes (Example)
amount | | 0..1 | Money | Monetary amount
value | | 0..1 | decimal | Non-monetary value
detail | | 0..* | BackboneElement | Detail line items
sequenceLinkId | | 1..1 | positiveInt | Service instance
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Detail level adjudication details
subDetail | | 0..* | BackboneElement | Subdetail line items
sequenceLinkId | | 1..1 | positiveInt | Service instance
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Subdetail level adjudication details
addItem | | 0..* | BackboneElement | Insurer added line items
sequenceLinkId | | 0..* | positiveInt | Service instances

revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Group, Service or Product USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
fee | | 0..1 | Money | Professional fee or Product charge
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Added items adjudication
detail | | 0..* | BackboneElement | Added items details
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Service or Product USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
fee | | 0..1 | Money | Professional fee or Product charge
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Added items detail adjudication
error | | 0..* | BackboneElement | Processing errors
sequenceLinkId | | 0..1 | positiveInt | Item sequence number
detailSequenceLinkId | | 0..1 | positiveInt | Detail sequence number
subdetailSequenceLinkId | | 0..1 | positiveInt | Subdetail sequence number
code | | 1..1 | CodeableConcept | Error code detailing processing issues Adjudication Error Codes (Example)
totalCost | | 0..1 | Money | Total Cost of service from the Claim
unallocDeductable | | 0..1 | Money | Unallocated deductible
totalBenefit | | 0..1 | Money | Total benefit payable for the Claim
payment | | 0..1 | BackboneElement | Payment details, if paid
type | | 0..1 | CodeableConcept | Partial or Complete Example Payment Type Codes (Example)
adjustment | | 0..1 | Money | Payment adjustment for non-Claim issues
adjustmentReason | | 0..1 | CodeableConcept | Explanation for the non-claim adjustment Payment Adjustment Reason Codes (Example)
date | | 0..1 | date | Expected data of Payment
amount | | 0..1 | Money | Payable amount after adjustment
identifier | | 0..1 | Identifier | Identifier of the payment instrument
reserved | | 0..1 | Coding | Funds reserved status Funds Reservation Codes (Example)
form | | 0..1 | CodeableConcept | Printed Form Identifier Form Codes (Example)
processNote | | 0..* | BackboneElement | Processing notes
number | | 0..1 | positiveInt | Sequence Number for this note
type | | 0..1 | CodeableConcept | display | print | printoper NoteType (Required)
text | | 0..1 | string | Note explanatory text
language | | 0..1 | CodeableConcept | Language if different from the resource Common Languages (Extensible but limited to All Languages)
communicationRequest | | 0..* | Reference(CommunicationRequest) | Request for additional information
insurance | | 0..* | BackboneElement | Insurance or medical plan
sequence | | 1..1 | positiveInt | Service instance identifier
focal | | 1..1 | boolean | Is the focal Coverage
coverage | | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Business agreement
preAuthRef | | 0..* | string | Pre-Authorization/Determination Reference
claimResponse | | 0..1 | Reference(ClaimResponse) | Adjudication results
Documentation for this format

UML Diagram (Legend)

XML Template

```
<ClaimResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Response  number --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <patient><!-- 0..1 Reference(Patient) The subject of the Products and Services --></patient>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <insurer><!-- 0..1 Reference(Organization) Insurance issuing organization --></insurer>
 <requestProvider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></requestProvider>
 <requestOrganization><!-- 0..1 Reference(Organization) Responsible organization --></requestOrganization>
 <request><!-- 0..1 Reference(Claim) Id of resource triggering adjudication --></request>
 <outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <payeeType><!-- 0..1 CodeableConcept Party to be paid any benefits payable --></payeeType>
 <item>  <!-- 0..* Line items -->
  <sequenceLinkId value="[positiveInt]"/><!-- 1..1 Service instance -->
  <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
  <adjudication>  <!-- 0..* Adjudication details -->
   <category><!-- 1..1 CodeableConcept Adjudication category such as co-pay, eligible, benefit, etc. --></category>
   <reason><!-- 0..1 CodeableConcept Explanation of Adjudication outcome --></reason>
   <amount><!-- 0..1 Money Monetary amount --></amount>
   <value value="[decimal]"/><!-- 0..1 Non-monetary value -->
  </adjudication>
  <detail>  <!-- 0..* Detail line items -->
   <sequenceLinkId value="[positiveInt]"/><!-- 1..1 Service instance -->
   <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
   <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Detail level adjudication details
    --></adjudication>
   <subDetail>  <!-- 0..* Subdetail line items -->
```

```
    <sequenceLinkId value="[positiveInt]"/><!-- 1..1 Service instance -->
    <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
    <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Subdetail level adjudication details
    --></adjudication>
   </subDetail>
  </detail>
 </item>
 <addItem>  <!-- 0..* Insurer added line items -->
  <sequenceLinkId value="[positiveInt]"/><!-- 0..* Service instances -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Type of service or product --></category>
  <service><!-- 0..1 CodeableConcept Group, Service or Product --></service>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <fee><!-- 0..1 Money Professional fee or Product charge --></fee>
  <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
  <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Added items adjudication --></adjudication>
  <detail>  <!-- 0..* Added items details -->
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Type of service or product --></category>
   <service><!-- 0..1 CodeableConcept Service or Product --></service>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <fee><!-- 0..1 Money Professional fee or Product charge --></fee>
   <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
   <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Added items detail adjudication
    --></adjudication>
  </detail>
 </addItem>
 <error>  <!-- 0..* Processing errors -->
  <sequenceLinkId value="[positiveInt]"/><!-- 0..1 Item sequence number -->
  <detailSequenceLinkId value="[positiveInt]"/><!-- 0..1 Detail sequence number -->
  <subdetailSequenceLinkId value="[positiveInt]"/><!-- 0..1 Subdetail sequence number -->
  <code><!-- 1..1 CodeableConcept Error code detailing processing issues --></code>
 </error>
 <totalCost><!-- 0..1 Money Total Cost of service from the Claim --></totalCost>
 <unallocDeductable><!-- 0..1 Money Unallocated deductible --></unallocDeductable>
 <totalBenefit><!-- 0..1 Money Total benefit payable for the Claim --></totalBenefit>
 <payment>  <!-- 0..1 Payment details, if paid -->
  <type><!-- 0..1 CodeableConcept Partial or Complete --></type>
  <adjustment><!-- 0..1 Money Payment adjustment for non-Claim issues --></adjustment>
  <adjustmentReason><!-- 0..1 CodeableConcept Explanation for the non-claim adjustment --></adjustmentReason>
  <date value="[date]"/><!-- 0..1 Expected data of Payment -->
  <amount><!-- 0..1 Money Payable amount after adjustment --></amount>
  <identifier><!-- 0..1 Identifier Identifier of the payment instrument --></identifier>
 </payment>
 <reserved><!-- 0..1 Coding Funds reserved status --></reserved>
 <form><!-- 0..1 CodeableConcept Printed Form Identifier --></form>
 <processNote>  <!-- 0..* Processing notes -->
  <number value="[positiveInt]"/><!-- 0..1 Sequence Number for this note -->
  <type><!-- 0..1 CodeableConcept display | print | printoper --></type>
  <text value="[string]"/><!-- 0..1 Note explanatory text -->
  <language><!-- 0..1 CodeableConcept Language if different from the resource --></language>
 </processNote>
 <communicationRequest><!-- 0..* Reference(CommunicationRequest) Request for additional information
    --></communicationRequest>
 <insurance>  <!-- 0..* Insurance or medical plan -->
  <sequence value="[positiveInt]"/><!-- 1..1 Service instance identifier -->
  <focal value="[boolean]"/><!-- 1..1 Is the focal Coverage -->
  <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
  <businessArrangement value="[string]"/><!-- 0..1 Business agreement -->
  <preAuthRef value="[string]"/><!-- 0..* Pre-Authorization/Determination Reference -->
  <claimResponse><!-- 0..1 Reference(ClaimResponse) Adjudication results --></claimResponse>
 </insurance>
</ClaimResponse>
```

JSON Template

```
{
  "resourceType" : "ClaimResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Response  number
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "patient" : { Reference(Patient) }, // The subject of the Products and Services
  "created" : "<dateTime>", // Creation date
  "insurer" : { Reference(Organization) }, // Insurance issuing organization
  "requestProvider" : { Reference(Practitioner) }, // Responsible practitioner
  "requestOrganization" : { Reference(Organization) }, // Responsible organization
  "request" : { Reference(Claim) }, // Id of resource triggering adjudication
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "payeeType" : { CodeableConcept }, // Party to be paid any benefits payable
  "item" : [{ // Line items
    "sequenceLinkId" : "<positiveInt>", // R!  Service instance
    "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
    "adjudication" : [{ // Adjudication details
      "category" : { CodeableConcept }, // R!  Adjudication category such as co-pay, eligible, benefit, etc.
      "reason" : { CodeableConcept }, // Explanation of Adjudication outcome
      "amount" : { Money }, // Monetary amount
      "value" : <decimal> // Non-monetary value
    }],
```

```
    "detail" : [{ // Detail line items
      "sequenceLinkId" : "<positiveInt>", // R!  Service instance
      "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
      "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // Detail level adjudication details
      "subDetail" : [{ // Subdetail line items
        "sequenceLinkId" : "<positiveInt>", // R!  Service instance
        "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
        "adjudication" : [{ Content as for ClaimResponse.item.adjudication }] // Subdetail level adjudication details
      }]
    }]
  }],
  "addItem" : [{ // Insurer added line items
    "sequenceLinkId" : ["<positiveInt>"], // Service instances
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Type of service or product
    "service" : { CodeableConcept }, // Group, Service or Product
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "fee" : { Money }, // Professional fee or Product charge
    "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
    "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // Added items adjudication
    "detail" : [{ // Added items details
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Type of service or product
      "service" : { CodeableConcept }, // Service or Product
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "fee" : { Money }, // Professional fee or Product charge
      "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
      "adjudication" : [{ Content as for ClaimResponse.item.adjudication }] // Added items detail adjudication
    }]
  }],
  "error" : [{ // Processing errors
    "sequenceLinkId" : "<positiveInt>", // Item sequence number
    "detailSequenceLinkId" : "<positiveInt>", // Detail sequence number
    "subdetailSequenceLinkId" : "<positiveInt>", // Subdetail sequence number
    "code" : { CodeableConcept } // R!  Error code detailing processing issues
  }],
  "totalCost" : { Money }, // Total Cost of service from the Claim
  "unallocDeductable" : { Money }, // Unallocated deductible
  "totalBenefit" : { Money }, // Total benefit payable for the Claim
  "payment" : { // Payment details, if paid
    "type" : { CodeableConcept }, // Partial or Complete
    "adjustment" : { Money }, // Payment adjustment for non-Claim issues
    "adjustmentReason" : { CodeableConcept }, // Explanation for the non-claim adjustment
    "date" : "<date>", // Expected data of Payment
    "amount" : { Money }, // Payable amount after adjustment
    "identifier" : { Identifier } // Identifier of the payment instrument
  },
  "reserved" : { Coding }, // Funds reserved status
  "form" : { CodeableConcept }, // Printed Form Identifier
  "processNote" : [{ // Processing notes
    "number" : "<positiveInt>", // Sequence Number for this note
    "type" : { CodeableConcept }, // display | print | printoper
    "text" : "<string>", // Note explanatory text
    "language" : { CodeableConcept } // Language if different from the resource
  }],
  "communicationRequest" : [{ Reference(CommunicationRequest) }], // Request for additional information
  "insurance" : [{ // Insurance or medical plan
    "sequence" : "<positiveInt>", // R!  Service instance identifier
    "focal" : <boolean>, // R!  Is the focal Coverage
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "businessArrangement" : "<string>", // Business agreement
    "preAuthRef" : ["<string>"], // Pre-Authorization/Determination Reference
    "claimResponse" : { Reference(ClaimResponse) } // Adjudication results
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:ClaimResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:ClaimResponse.identifier [ Identifier ], ... ; # 0..* Response  number
  fhir:ClaimResponse.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:ClaimResponse.patient [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  fhir:ClaimResponse.created [ dateTime ]; # 0..1 Creation date
  fhir:ClaimResponse.insurer [ Reference(Organization) ]; # 0..1 Insurance issuing organization
  fhir:ClaimResponse.requestProvider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:ClaimResponse.requestOrganization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:ClaimResponse.request [ Reference(Claim) ]; # 0..1 Id of resource triggering adjudication
  fhir:ClaimResponse.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:ClaimResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:ClaimResponse.payeeType [ CodeableConcept ]; # 0..1 Party to be paid any benefits payable
  fhir:ClaimResponse.item [ # 0..* Line items
    fhir:ClaimResponse.item.sequenceLinkId [ positiveInt ]; # 1..1 Service instance
    fhir:ClaimResponse.item.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
```

```
    fhir:ClaimResponse.item.adjudication [ # 0..* Adjudication details
      fhir:ClaimResponse.item.adjudication.category [ CodeableConcept ]; # 1..1 Adjudication category such as co-pay,
    eligible, benefit, etc.
      fhir:ClaimResponse.item.adjudication.reason [ CodeableConcept ]; # 0..1 Explanation of Adjudication outcome
      fhir:ClaimResponse.item.adjudication.amount [ Money ]; # 0..1 Monetary amount
      fhir:ClaimResponse.item.adjudication.value [ decimal ]; # 0..1 Non-monetary value
    ], ...;
    fhir:ClaimResponse.item.detail [ # 0..* Detail line items
      fhir:ClaimResponse.item.detail.sequenceLinkId [ positiveInt ]; # 1..1 Service instance
      fhir:ClaimResponse.item.detail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
      fhir:ClaimResponse.item.detail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..* Detail level
    adjudication details
      fhir:ClaimResponse.item.detail.subDetail [ # 0..* Subdetail line items
        fhir:ClaimResponse.item.detail.subDetail.sequenceLinkId [ positiveInt ]; # 1..1 Service instance
        fhir:ClaimResponse.item.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which
    apply
        fhir:ClaimResponse.item.detail.subDetail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..*
    Subdetail level adjudication details
      ], ...;
    ], ...;
  ], ...;
  fhir:ClaimResponse.addItem [ # 0..* Insurer added line items
    fhir:ClaimResponse.addItem.sequenceLinkId [ positiveInt ], ... ; # 0..* Service instances
    fhir:ClaimResponse.addItem.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:ClaimResponse.addItem.category [ CodeableConcept ]; # 0..1 Type of service or product
    fhir:ClaimResponse.addItem.service [ CodeableConcept ]; # 0..1 Group, Service or Product
    fhir:ClaimResponse.addItem.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:ClaimResponse.addItem.fee [ Money ]; # 0..1 Professional fee or Product charge
    fhir:ClaimResponse.addItem.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
    fhir:ClaimResponse.addItem.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..* Added items
    adjudication
    fhir:ClaimResponse.addItem.detail [ # 0..* Added items details
      fhir:ClaimResponse.addItem.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
      fhir:ClaimResponse.addItem.detail.category [ CodeableConcept ]; # 0..1 Type of service or product
      fhir:ClaimResponse.addItem.detail.service [ CodeableConcept ]; # 0..1 Service or Product
      fhir:ClaimResponse.addItem.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
      fhir:ClaimResponse.addItem.detail.fee [ Money ]; # 0..1 Professional fee or Product charge
      fhir:ClaimResponse.addItem.detail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
      fhir:ClaimResponse.addItem.detail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..* Added items
    detail adjudication
    ], ...;
  ], ...;
  fhir:ClaimResponse.error [ # 0..* Processing errors
    fhir:ClaimResponse.error.sequenceLinkId [ positiveInt ]; # 0..1 Item sequence number
    fhir:ClaimResponse.error.detailSequenceLinkId [ positiveInt ]; # 0..1 Detail sequence number
    fhir:ClaimResponse.error.subdetailSequenceLinkId [ positiveInt ]; # 0..1 Subdetail sequence number
    fhir:ClaimResponse.error.code [ CodeableConcept ]; # 1..1 Error code detailing processing issues
  ], ...;
  fhir:ClaimResponse.totalCost [ Money ]; # 0..1 Total Cost of service from the Claim
  fhir:ClaimResponse.unallocDeductable [ Money ]; # 0..1 Unallocated deductible
  fhir:ClaimResponse.totalBenefit [ Money ]; # 0..1 Total benefit payable for the Claim
  fhir:ClaimResponse.payment [ # 0..1 Payment details, if paid
    fhir:ClaimResponse.payment.type [ CodeableConcept ]; # 0..1 Partial or Complete
    fhir:ClaimResponse.payment.adjustment [ Money ]; # 0..1 Payment adjustment for non-Claim issues
    fhir:ClaimResponse.payment.adjustmentReason [ CodeableConcept ]; # 0..1 Explanation for the non-claim adjustment
    fhir:ClaimResponse.payment.date [ date ]; # 0..1 Expected data of Payment
    fhir:ClaimResponse.payment.amount [ Money ]; # 0..1 Payable amount after adjustment
    fhir:ClaimResponse.payment.identifier [ Identifier ]; # 0..1 Identifier of the payment instrument
  ];
  fhir:ClaimResponse.reserved [ Coding ]; # 0..1 Funds reserved status
  fhir:ClaimResponse.form [ CodeableConcept ]; # 0..1 Printed Form Identifier
  fhir:ClaimResponse.processNote [ # 0..* Processing notes
    fhir:ClaimResponse.processNote.number [ positiveInt ]; # 0..1 Sequence Number for this note
    fhir:ClaimResponse.processNote.type [ CodeableConcept ]; # 0..1 display | print | printoper
    fhir:ClaimResponse.processNote.text [ string ]; # 0..1 Note explanatory text
    fhir:ClaimResponse.processNote.language [ CodeableConcept ]; # 0..1 Language if different from the resource
  ], ...;
  fhir:ClaimResponse.communicationRequest [ Reference(CommunicationRequest) ], ... ; # 0..* Request for additional
    information
  fhir:ClaimResponse.insurance [ # 0..* Insurance or medical plan
    fhir:ClaimResponse.insurance.sequence [ positiveInt ]; # 1..1 Service instance identifier
    fhir:ClaimResponse.insurance.focal [ boolean ]; # 1..1 Is the focal Coverage
    fhir:ClaimResponse.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
    fhir:ClaimResponse.insurance.businessArrangement [ string ]; # 0..1 Business agreement
    fhir:ClaimResponse.insurance.preAuthRef [ string ], ... ; # 0..* Pre-Authorization/Determination Reference
    fhir:ClaimResponse.insurance.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Adjudication results
  ], ...;
]
```

Changes since DSTU2

ClaimResponse

ClaimResponse.status | Added Element

ClaimResponse.patient | Added Element

ClaimResponse.insurer | Added Element

ClaimResponse.outcome | Type changed from code to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/remittance-outcome (required)

ClaimResponse.payeeType | Type changed from Coding to CodeableConcept

ClaimResponse.item.adjudication.category | Added Element

ClaimResponse.item.adjudication.reason | Added Element
ClaimResponse.item.adjudication.amount | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.item.detail.noteNumber | Added Element
ClaimResponse.item.detail.adjudication | Remove BackboneElement
ClaimResponse.item.detail.subDetail.noteNumber | Added Element
ClaimResponse.item.detail.subDetail.adjudication | Remove BackboneElement
ClaimResponse.addItem.revenue | Added Element
ClaimResponse.addItem.category | Added Element
ClaimResponse.addItem.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
ClaimResponse.addItem.modifier | Added Element
ClaimResponse.addItem.fee | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.addItem.noteNumber | Added Element
ClaimResponse.addItem.adjudication | Remove BackboneElement
ClaimResponse.addItem.detail.revenue | Added Element
ClaimResponse.addItem.detail.category | Added Element
ClaimResponse.addItem.detail.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
ClaimResponse.addItem.detail.modifier | Added Element
ClaimResponse.addItem.detail.fee | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.addItem.detail.noteNumber | Added Element
ClaimResponse.addItem.detail.adjudication | Remove BackboneElement
ClaimResponse.error.code | Type changed from Coding to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/adjudication-error (required)
ClaimResponse.totalCost | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.unallocDeductable | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.totalBenefit | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.payment | Added Element
ClaimResponse.payment.type | Added Element
ClaimResponse.payment.adjustment | Added Element
ClaimResponse.payment.adjustmentReason | Added Element
ClaimResponse.payment.date | Added Element
ClaimResponse.payment.amount | Added Element
ClaimResponse.payment.identifier | Added Element
ClaimResponse.form | Type changed from Coding to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/forms (required)
ClaimResponse.processNote | Added Element
ClaimResponse.processNote.number | Added Element
ClaimResponse.processNote.type | Added Element
ClaimResponse.processNote.text | Added Element
ClaimResponse.processNote.language | Added Element
ClaimResponse.communicationRequest | Added Element
ClaimResponse.insurance | Added Element
ClaimResponse.insurance.sequence | Added Element
ClaimResponse.insurance.focal | Added Element
ClaimResponse.insurance.coverage | Added Element
ClaimResponse.insurance.businessArrangement | Added Element
ClaimResponse.insurance.preAuthRef | Added Element
ClaimResponse.insurance.claimResponse | Added Element
ClaimResponse.ruleset | deleted
ClaimResponse.originalRuleset | deleted
ClaimResponse.organization | deleted
ClaimResponse.item.adjudication.code | deleted
ClaimResponse.item.detail.adjudication.code | deleted
ClaimResponse.item.detail.adjudication.amount | deleted
ClaimResponse.item.detail.adjudication.value | deleted
ClaimResponse.item.detail.subDetail.adjudication.code | deleted
ClaimResponse.item.detail.subDetail.adjudication.amount | deleted
ClaimResponse.item.detail.subDetail.adjudication.value | deleted
ClaimResponse.addItem.noteNumberLinkId | deleted
ClaimResponse.addItem.adjudication.code | deleted
ClaimResponse.addItem.adjudication.amount | deleted
ClaimResponse.addItem.adjudication.value | deleted
ClaimResponse.addItem.detail.adjudication.code | deleted
ClaimResponse.addItem.detail.adjudication.amount | deleted
ClaimResponse.addItem.detail.adjudication.value | deleted
ClaimResponse.paymentAdjustment | deleted
ClaimResponse.paymentAdjustmentReason | deleted
ClaimResponse.paymentDate | deleted
ClaimResponse.paymentAmount | deleted
ClaimResponse.paymentRef | deleted
ClaimResponse.note | deleted
ClaimResponse.coverage | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints
ClaimResponse | | | DomainResource | Remittance resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Response number
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
patient | | 0..1 | Reference(Patient) | The subject of the Products and Services
created | | 0..1 | dateTime | Creation date
insurer | | 0..1 | Reference(Organization) | Insurance issuing organization
requestProvider | | 0..1 | Reference(Practitioner) | Responsible practitioner
requestOrganization | | 0..1 | Reference(Organization) | Responsible organization
request | | 0..1 | Reference(Claim) | Id of resource triggering adjudication
outcome | | 0..1 | CodeableConcept | complete | error | partial Claim Processing Codes (Example)
disposition | | 0..1 | string | Disposition Message
payeeType | | 0..1 | CodeableConcept | Party to be paid any benefits payable Claim Payee Type Codes (Example)
item | | 0..* | BackboneElement | Line items
sequenceLinkId | | 1..1 | positiveInt | Service instance
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | BackboneElement | Adjudication details
category | | 1..1 | CodeableConcept | Adjudication category such as co-pay, eligible, benefit, etc. Adjudication Value Codes (Example)
reason | | 0..1 | CodeableConcept | Explanation of Adjudication outcome Adjudication Reason Codes (Example)
amount | | 0..1 | Money | Monetary amount
value | | 0..1 | decimal | Non-monetary value
detail | | 0..* | BackboneElement | Detail line items
sequenceLinkId | | 1..1 | positiveInt | Service instance
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Detail level adjudication details
subDetail | | 0..* | BackboneElement | Subdetail line items
sequenceLinkId | | 1..1 | positiveInt | Service instance
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Subdetail level adjudication details
addItem | | 0..* | BackboneElement | Insurer added line items
sequenceLinkId | | 0..* | positiveInt | Service instances
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Group, Service or Product USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
fee | | 0..1 | Money | Professional fee or Product charge
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Added items adjudication
detail | | 0..* | BackboneElement | Added items details
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Service or Product USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
fee | | 0..1 | Money | Professional fee or Product charge
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Added items detail adjudication
error | | 0..* | BackboneElement | Processing errors
sequenceLinkId | | 0..1 | positiveInt | Item sequence number
detailSequenceLinkId | | 0..1 | positiveInt | Detail sequence number
subdetailSequenceLinkId | | 0..1 | positiveInt | Subdetail sequence number
code | | 1..1 | CodeableConcept | Error code detailing processing issues Adjudication Error Codes (Example)
totalCost | | 0..1 | Money | Total Cost of service from the Claim
unallocDeductable | | 0..1 | Money | Unallocated deductible
totalBenefit | | 0..1 | Money | Total benefit payable for the Claim
payment | | 0..1 | BackboneElement | Payment details, if paid
type | | 0..1 | CodeableConcept | Partial or Complete Example Payment Type Codes (Example)
adjustment | | 0..1 | Money | Payment adjustment for non-Claim issues
adjustmentReason | | 0..1 | CodeableConcept | Explanation for the non-claim adjustment Payment Adjustment Reason Codes (Example)
date | | 0..1 | date | Expected data of Payment
amount | | 0..1 | Money | Payable amount after adjustment
identifier | | 0..1 | Identifier | Identifier of the payment instrument
reserved | | 0..1 | Coding | Funds reserved status Funds Reservation Codes (Example)
form | | 0..1 | CodeableConcept | Printed Form Identifier Form Codes (Example)
processNote | | 0..* | BackboneElement | Processing notes
number | | 0..1 | positiveInt | Sequence Number for this note
type | | 0..1 | CodeableConcept | display | print | printoper NoteType (Required)
text | | 0..1 | string | Note explanatory text
language | | 0..1 | CodeableConcept | Language if different from the resource Common Languages (Extensible but limited to All Languages)

communicationRequest | | 0..* | Reference(CommunicationRequest) | Request for additional information
insurance | | 0..* | BackboneElement | Insurance or medical plan
sequence | | 1..1 | positiveInt | Service instance identifier
focal | | 1..1 | boolean | Is the focal Coverage
coverage | | 1..1 | Reference(Coverage) | Insurance information
businessArrangement | | 0..1 | string | Business agreement
preAuthRef | | 0..* | string | Pre-Authorization/Determination Reference
claimResponse | | 0..1 | Reference(ClaimResponse) | Adjudication results
Documentation for this format

UML Diagram (Legend)

XML Template

```
<ClaimResponse xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Response  number --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <patient><!-- 0..1 Reference(Patient) The subject of the Products and Services --></patient>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <insurer><!-- 0..1 Reference(Organization) Insurance issuing organization --></insurer>
 <requestProvider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></requestProvider>
 <requestOrganization><!-- 0..1 Reference(Organization) Responsible organization --></requestOrganization>
 <request><!-- 0..1 Reference(Claim) Id of resource triggering adjudication --></request>
 <outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <payeeType><!-- 0..1 CodeableConcept Party to be paid any benefits payable --></payeeType>
 <item>  <!-- 0..* Line items -->
  <sequenceLinkId value="[positiveInt]"/><!-- 1..1 Service instance -->
  <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
  <adjudication>  <!-- 0..* Adjudication details -->
   <category><!-- 1..1 CodeableConcept Adjudication category such as co-pay, eligible, benefit, etc. --></category>
   <reason><!-- 0..1 CodeableConcept Explanation of Adjudication outcome --></reason>
   <amount><!-- 0..1 Money Monetary amount --></amount>
   <value value="[decimal]"/><!-- 0..1 Non-monetary value -->
  </adjudication>
  <detail>  <!-- 0..* Detail line items -->
   <sequenceLinkId value="[positiveInt]"/><!-- 1..1 Service instance -->
   <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
   <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Detail level adjudication details
    --></adjudication>
   <subDetail>  <!-- 0..* Subdetail line items -->
    <sequenceLinkId value="[positiveInt]"/><!-- 1..1 Service instance -->
    <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
    <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Subdetail level adjudication details
    --></adjudication>
   </subDetail>
  </detail>
 </item>
 <addItem>  <!-- 0..* Insurer added line items -->
  <sequenceLinkId value="[positiveInt]"/><!-- 0..* Service instances -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Type of service or product --></category>
  <service><!-- 0..1 CodeableConcept Group, Service or Product --></service>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <fee><!-- 0..1 Money Professional fee or Product charge --></fee>
  <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
  <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Added items adjudication --></adjudication>
  <detail>  <!-- 0..* Added items details -->
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Type of service or product --></category>
   <service><!-- 0..1 CodeableConcept Service or Product --></service>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <fee><!-- 0..1 Money Professional fee or Product charge --></fee>
   <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
   <adjudication><!-- 0..* Content as for ClaimResponse.item.adjudication Added items detail adjudication
    --></adjudication>
  </detail>
 </addItem>
 <error>  <!-- 0..* Processing errors -->
  <sequenceLinkId value="[positiveInt]"/><!-- 0..1 Item sequence number -->
  <detailSequenceLinkId value="[positiveInt]"/><!-- 0..1 Detail sequence number -->
  <subdetailSequenceLinkId value="[positiveInt]"/><!-- 0..1 Subdetail sequence number -->
  <code><!-- 1..1 CodeableConcept Error code detailing processing issues --></code>
 </error>
 <totalCost><!-- 0..1 Money Total Cost of service from the Claim --></totalCost>
 <unallocDeductable><!-- 0..1 Money Unallocated deductible --></unallocDeductable>
 <totalBenefit><!-- 0..1 Money Total benefit payable for the Claim --></totalBenefit>
 <payment>  <!-- 0..1 Payment details, if paid -->
  <type><!-- 0..1 CodeableConcept Partial or Complete --></type>
  <adjustment><!-- 0..1 Money Payment adjustment for non-Claim issues --></adjustment>
  <adjustmentReason><!-- 0..1 CodeableConcept Explanation for the non-claim adjustment --></adjustmentReason>
  <date value="[date]"/><!-- 0..1 Expected data of Payment -->
  <amount><!-- 0..1 Money Payable amount after adjustment --></amount>
  <identifier><!-- 0..1 Identifier Identifier of the payment instrument --></identifier>
 </payment>
 <reserved><!-- 0..1 Coding Funds reserved status --></reserved>
```

```
 <form><!-- 0..1 CodeableConcept Printed Form Identifier --></form>
 <processNote>  <!-- 0..* Processing notes -->
  <number value="[positiveInt]"/><!-- 0..1 Sequence Number for this note -->
  <type><!-- 0..1 CodeableConcept display | print | printoper --></type>
  <text value="[string]"/><!-- 0..1 Note explanatory text -->
  <language><!-- 0..1 CodeableConcept Language if different from the resource --></language>
 </processNote>
 <communicationRequest><!-- 0..* Reference(CommunicationRequest) Request for additional information
    --></communicationRequest>
 <insurance>  <!-- 0..* Insurance or medical plan -->
  <sequence value="[positiveInt]"/><!-- 1..1 Service instance identifier -->
  <focal value="[boolean]"/><!-- 1..1 Is the focal Coverage -->
  <coverage><!-- 1..1 Reference(Coverage) Insurance information --></coverage>
  <businessArrangement value="[string]"/><!-- 0..1 Business agreement -->
  <preAuthRef value="[string]"/><!-- 0..* Pre-Authorization/Determination Reference -->
  <claimResponse><!-- 0..1 Reference(ClaimResponse) Adjudication results --></claimResponse>
 </insurance>
</ClaimResponse>
```

JSON Template

```
{
  "resourceType" : "ClaimResponse",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Response  number
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "patient" : { Reference(Patient) }, // The subject of the Products and Services
  "created" : "<dateTime>", // Creation date
  "insurer" : { Reference(Organization) }, // Insurance issuing organization
  "requestProvider" : { Reference(Practitioner) }, // Responsible practitioner
  "requestOrganization" : { Reference(Organization) }, // Responsible organization
  "request" : { Reference(Claim) }, // Id of resource triggering adjudication
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "payeeType" : { CodeableConcept }, // Party to be paid any benefits payable
  "item" : [{ // Line items
    "sequenceLinkId" : "<positiveInt>", // R!  Service instance
    "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
    "adjudication" : [{ // Adjudication details
      "category" : { CodeableConcept }, // R!  Adjudication category such as co-pay, eligible, benefit, etc.
      "reason" : { CodeableConcept }, // Explanation of Adjudication outcome
      "amount" : { Money }, // Monetary amount
      "value" : <decimal> // Non-monetary value
    }],
    "detail" : [{ // Detail line items
      "sequenceLinkId" : "<positiveInt>", // R!  Service instance
      "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
      "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // Detail level adjudication details
      "subDetail" : [{ // Subdetail line items
        "sequenceLinkId" : "<positiveInt>", // R!  Service instance
        "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
        "adjudication" : [{ Content as for ClaimResponse.item.adjudication }] // Subdetail level adjudication details
      }]
    }]
  }],
  "addItem" : [{ // Insurer added line items
    "sequenceLinkId" : ["<positiveInt>"], // Service instances
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Type of service or product
    "service" : { CodeableConcept }, // Group, Service or Product
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "fee" : { Money }, // Professional fee or Product charge
    "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
    "adjudication" : [{ Content as for ClaimResponse.item.adjudication }], // Added items adjudication
    "detail" : [{ // Added items details
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Type of service or product
      "service" : { CodeableConcept }, // Service or Product
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "fee" : { Money }, // Professional fee or Product charge
      "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
      "adjudication" : [{ Content as for ClaimResponse.item.adjudication }] // Added items detail adjudication
    }]
  }],
  "error" : [{ // Processing errors
    "sequenceLinkId" : "<positiveInt>", // Item sequence number
    "detailSequenceLinkId" : "<positiveInt>", // Detail sequence number
    "subdetailSequenceLinkId" : "<positiveInt>", // Subdetail sequence number
    "code" : { CodeableConcept } // R!  Error code detailing processing issues
  }],
  "totalCost" : { Money }, // Total Cost of service from the Claim
  "unallocDeductable" : { Money }, // Unallocated deductible
  "totalBenefit" : { Money }, // Total benefit payable for the Claim
  "payment" : { // Payment details, if paid
    "type" : { CodeableConcept }, // Partial or Complete
    "adjustment" : { Money }, // Payment adjustment for non-Claim issues
    "adjustmentReason" : { CodeableConcept }, // Explanation for the non-claim adjustment
    "date" : "<date>", // Expected data of Payment
    "amount" : { Money }, // Payable amount after adjustment
```

```
    "identifier" : { Identifier } // Identifier of the payment instrument
  },
  "reserved" : { Coding }, // Funds reserved status
  "form" : { CodeableConcept }, // Printed Form Identifier
  "processNote" : [{ // Processing notes
    "number" : "<positiveInt>", // Sequence Number for this note
    "type" : { CodeableConcept }, // display | print | printoper
    "text" : "<string>", // Note explanatory text
    "language" : { CodeableConcept } // Language if different from the resource
  }],
  "communicationRequest" : [{ Reference(CommunicationRequest) }], // Request for additional information
  "insurance" : [{ // Insurance or medical plan
    "sequence" : "<positiveInt>", // R!  Service instance identifier
    "focal" : <boolean>, // R!  Is the focal Coverage
    "coverage" : { Reference(Coverage) }, // R!  Insurance information
    "businessArrangement" : "<string>", // Business agreement
    "preAuthRef" : ["<string>"], // Pre-Authorization/Determination Reference
    "claimResponse" : { Reference(ClaimResponse) } // Adjudication results
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:ClaimResponse;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:ClaimResponse.identifier [ Identifier ], ... ; # 0..* Response  number
  fhir:ClaimResponse.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:ClaimResponse.patient [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  fhir:ClaimResponse.created [ dateTime ]; # 0..1 Creation date
  fhir:ClaimResponse.insurer [ Reference(Organization) ]; # 0..1 Insurance issuing organization
  fhir:ClaimResponse.requestProvider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:ClaimResponse.requestOrganization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:ClaimResponse.request [ Reference(Claim) ]; # 0..1 Id of resource triggering adjudication
  fhir:ClaimResponse.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:ClaimResponse.disposition [ string ]; # 0..1 Disposition Message
  fhir:ClaimResponse.payeeType [ CodeableConcept ]; # 0..1 Party to be paid any benefits payable
  fhir:ClaimResponse.item [ # 0..* Line items
    fhir:ClaimResponse.item.sequenceLinkId [ positiveInt ]; # 1..1 Service instance
    fhir:ClaimResponse.item.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
    fhir:ClaimResponse.item.adjudication [ # 0..* Adjudication details
      fhir:ClaimResponse.item.adjudication.category [ CodeableConcept ]; # 1..1 Adjudication category such as co-pay,
    eligible, benefit, etc.
      fhir:ClaimResponse.item.adjudication.reason [ CodeableConcept ]; # 0..1 Explanation of Adjudication outcome
      fhir:ClaimResponse.item.adjudication.amount [ Money ]; # 0..1 Monetary amount
      fhir:ClaimResponse.item.adjudication.value [ decimal ]; # 0..1 Non-monetary value
    ], ...;
    fhir:ClaimResponse.item.detail [ # 0..* Detail line items
      fhir:ClaimResponse.item.detail.sequenceLinkId [ positiveInt ]; # 1..1 Service instance
      fhir:ClaimResponse.item.detail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
      fhir:ClaimResponse.item.detail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..* Detail level
    adjudication details
      fhir:ClaimResponse.item.detail.subDetail [ # 0..* Subdetail line items
        fhir:ClaimResponse.item.detail.subDetail.sequenceLinkId [ positiveInt ]; # 1..1 Service instance
        fhir:ClaimResponse.item.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which
    apply
        fhir:ClaimResponse.item.detail.subDetail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..*
    Subdetail level adjudication details
      ], ...;
    ], ...;
  ], ...;
  fhir:ClaimResponse.addItem [ # 0..* Insurer added line items
    fhir:ClaimResponse.addItem.sequenceLinkId [ positiveInt ], ... ; # 0..* Service instances
    fhir:ClaimResponse.addItem.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:ClaimResponse.addItem.category [ CodeableConcept ]; # 0..1 Type of service or product
    fhir:ClaimResponse.addItem.service [ CodeableConcept ]; # 0..1 Group, Service or Product
    fhir:ClaimResponse.addItem.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:ClaimResponse.addItem.fee [ Money ]; # 0..1 Professional fee or Product charge
    fhir:ClaimResponse.addItem.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
    fhir:ClaimResponse.addItem.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..* Added items
    adjudication
    fhir:ClaimResponse.addItem.detail [ # 0..* Added items details
      fhir:ClaimResponse.addItem.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
      fhir:ClaimResponse.addItem.detail.category [ CodeableConcept ]; # 0..1 Type of service or product
      fhir:ClaimResponse.addItem.detail.service [ CodeableConcept ]; # 0..1 Service or Product
      fhir:ClaimResponse.addItem.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
      fhir:ClaimResponse.addItem.detail.fee [ Money ]; # 0..1 Professional fee or Product charge
      fhir:ClaimResponse.addItem.detail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
      fhir:ClaimResponse.addItem.detail.adjudication [ See ClaimResponse.item.adjudication ], ... ; # 0..* Added items
    detail adjudication
    ], ...;
  ], ...;
  fhir:ClaimResponse.error [ # 0..* Processing errors
    fhir:ClaimResponse.error.sequenceLinkId [ positiveInt ]; # 0..1 Item sequence number
    fhir:ClaimResponse.error.detailSequenceLinkId [ positiveInt ]; # 0..1 Detail sequence number
```

```
    fhir:ClaimResponse.error.subdetailSequenceLinkId [ positiveInt ]; # 0..1 Subdetail sequence number
    fhir:ClaimResponse.error.code [ CodeableConcept ]; # 1..1 Error code detailing processing issues
  ], ...;
  fhir:ClaimResponse.totalCost [ Money ]; # 0..1 Total Cost of service from the Claim
  fhir:ClaimResponse.unallocDeductable [ Money ]; # 0..1 Unallocated deductible
  fhir:ClaimResponse.totalBenefit [ Money ]; # 0..1 Total benefit payable for the Claim
  fhir:ClaimResponse.payment [ # 0..1 Payment details, if paid
    fhir:ClaimResponse.payment.type [ CodeableConcept ]; # 0..1 Partial or Complete
    fhir:ClaimResponse.payment.adjustment [ Money ]; # 0..1 Payment adjustment for non-Claim issues
    fhir:ClaimResponse.payment.adjustmentReason [ CodeableConcept ]; # 0..1 Explanation for the non-claim adjustment
    fhir:ClaimResponse.payment.date [ date ]; # 0..1 Expected data of Payment
    fhir:ClaimResponse.payment.amount [ Money ]; # 0..1 Payable amount after adjustment
    fhir:ClaimResponse.payment.identifier [ Identifier ]; # 0..1 Identifier of the payment instrument
  ];
  fhir:ClaimResponse.reserved [ Coding ]; # 0..1 Funds reserved status
  fhir:ClaimResponse.form [ CodeableConcept ]; # 0..1 Printed Form Identifier
  fhir:ClaimResponse.processNote [ # 0..* Processing notes
    fhir:ClaimResponse.processNote.number [ positiveInt ]; # 0..1 Sequence Number for this note
    fhir:ClaimResponse.processNote.type [ CodeableConcept ]; # 0..1 display | print | printoper
    fhir:ClaimResponse.processNote.text [ string ]; # 0..1 Note explanatory text
    fhir:ClaimResponse.processNote.language [ CodeableConcept ]; # 0..1 Language if different from the resource
  ], ...;
  fhir:ClaimResponse.communicationRequest [ Reference(CommunicationRequest) ], ... ; # 0..* Request for additional
    information
  fhir:ClaimResponse.insurance [ # 0..* Insurance or medical plan
    fhir:ClaimResponse.insurance.sequence [ positiveInt ]; # 1..1 Service instance identifier
    fhir:ClaimResponse.insurance.focal [ boolean ]; # 1..1 Is the focal Coverage
    fhir:ClaimResponse.insurance.coverage [ Reference(Coverage) ]; # 1..1 Insurance information
    fhir:ClaimResponse.insurance.businessArrangement [ string ]; # 0..1 Business agreement
    fhir:ClaimResponse.insurance.preAuthRef [ string ], ... ; # 0..* Pre-Authorization/Determination Reference
    fhir:ClaimResponse.insurance.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Adjudication results
  ], ...;
]
```

Changes since DSTU2

ClaimResponse
ClaimResponse.status | Added Element
ClaimResponse.patient | Added Element
ClaimResponse.insurer | Added Element
ClaimResponse.outcome | Type changed from code to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/remittance-outcome (required)
ClaimResponse.payeeType | Type changed from Coding to CodeableConcept
ClaimResponse.item.adjudication.category | Added Element
ClaimResponse.item.adjudication.reason | Added Element
ClaimResponse.item.adjudication.amount | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.item.detail.noteNumber | Added Element
ClaimResponse.item.detail.adjudication | Remove BackboneElement
ClaimResponse.item.detail.subDetail.noteNumber | Added Element
ClaimResponse.item.detail.subDetail.adjudication | Remove BackboneElement
ClaimResponse.addItem.revenue | Added Element
ClaimResponse.addItem.category | Added Element
ClaimResponse.addItem.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
ClaimResponse.addItem.modifier | Added Element
ClaimResponse.addItem.fee | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.addItem.noteNumber | Added Element
ClaimResponse.addItem.adjudication | Remove BackboneElement
ClaimResponse.addItem.detail.revenue | Added Element
ClaimResponse.addItem.detail.category | Added Element
ClaimResponse.addItem.detail.service | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
ClaimResponse.addItem.detail.modifier | Added Element
ClaimResponse.addItem.detail.fee | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.addItem.detail.noteNumber | Added Element
ClaimResponse.addItem.detail.adjudication | Remove BackboneElement
ClaimResponse.error.code | Type changed from Coding to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/adjudication-error (required)
ClaimResponse.totalCost | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.unallocDeductable | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.totalBenefit | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
ClaimResponse.payment | Added Element
ClaimResponse.payment.type | Added Element
ClaimResponse.payment.adjustment | Added Element
ClaimResponse.payment.adjustmentReason | Added Element
ClaimResponse.payment.date | Added Element
ClaimResponse.payment.amount | Added Element
ClaimResponse.payment.identifier | Added Element
ClaimResponse.form | Type changed from Coding to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/forms (required)
ClaimResponse.processNote | Added Element
ClaimResponse.processNote.number | Added Element
ClaimResponse.processNote.type | Added Element
ClaimResponse.processNote.text | Added Element

ClaimResponse.processNote.language | Added Element
ClaimResponse.communicationRequest | Added Element
ClaimResponse.insurance | Added Element
ClaimResponse.insurance.sequence | Added Element
ClaimResponse.insurance.focal | Added Element
ClaimResponse.insurance.coverage | Added Element
ClaimResponse.insurance.businessArrangement | Added Element
ClaimResponse.insurance.preAuthRef | Added Element
ClaimResponse.insurance.claimResponse | Added Element
ClaimResponse.ruleset | deleted
ClaimResponse.originalRuleset | deleted
ClaimResponse.organization | deleted
ClaimResponse.item.adjudication.code | deleted
ClaimResponse.item.detail.adjudication.code | deleted
ClaimResponse.item.detail.adjudication.amount | deleted
ClaimResponse.item.detail.adjudication.value | deleted
ClaimResponse.item.detail.subDetail.adjudication.code | deleted
ClaimResponse.item.detail.subDetail.adjudication.amount | deleted
ClaimResponse.item.detail.subDetail.adjudication.value | deleted
ClaimResponse.addItem.noteNumberLinkId | deleted
ClaimResponse.addItem.adjudication.code | deleted
ClaimResponse.addItem.adjudication.amount | deleted
ClaimResponse.addItem.adjudication.value | deleted
ClaimResponse.addItem.detail.adjudication.code | deleted
ClaimResponse.addItem.detail.adjudication.amount | deleted
ClaimResponse.addItem.detail.adjudication.value | deleted
ClaimResponse.paymentAdjustment | deleted
ClaimResponse.paymentAdjustmentReason | deleted
ClaimResponse.paymentDate | deleted
ClaimResponse.paymentAmount | deleted
ClaimResponse.paymentRef | deleted
ClaimResponse.note | deleted
ClaimResponse.coverage | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.7.2.1 Terminology Bindings

Path | Definition | Type | Reference
ClaimResponse.status | A code specifying the state of the resource instance. | Required | Financial Resource Status Codes
ClaimResponse.outcome | The result of the claim processing | Example | Claim Processing Codes
ClaimResponse.payeeType | A code for the party to be reimbursed. | Example | Claim Payee Type Codes
ClaimResponse.item.adjudication.category | The adjudication codes. | Example | Adjudication Value Codes
ClaimResponse.item.adjudication.reason | The adjudication reason codes. | Example | Adjudication Reason Codes
ClaimResponse.addItem.revenue ClaimResponse.addItem.detail.revenue | Codes for the revenue or cost centers supplying the service and/or products. | Example | Example Revenue Center Codes
ClaimResponse.addItem.category ClaimResponse.addItem.detail.category | Benefit subcategories such as: oral-basic, major, glasses | Example | Benefit SubCategory Codes
ClaimResponse.addItem.service ClaimResponse.addItem.detail.service | Allowable service and product codes. | Example | USCLS Codes
ClaimResponse.addItem.modifier ClaimResponse.addItem.detail.modifier | Item type or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or an appliance was lost or stolen. | Example | Modifier type Codes
ClaimResponse.error.code | The adjudication error codes. | Example | Adjudication Error Codes
ClaimResponse.payment.type | The type (partial, complete) of the payment | Example | Example Payment Type Codes
ClaimResponse.payment.adjustmentReason | Payment Adjustment reason codes. | Example | Payment Adjustment Reason Codes
ClaimResponse.reserved | For whom funds are to be reserved: (Patient, Provider, None). | Example | Funds Reservation Codes
ClaimResponse.form | The forms codes. | Example | Form Codes
ClaimResponse.processNote.type | The presentation types of notes. | Required | NoteType
ClaimResponse.processNote.language | A human language. | Extensible, but limited to All Languages | Common Languages

13.7.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
created | date | The creation date | ClaimResponse.created
disposition | string | The contents of the disposition message | ClaimResponse.disposition
identifier | token | The identity of the claimresponse | ClaimResponse.identifier
insurer | reference | The organization who generated this resource | ClaimResponse.insurer (Organization)
outcome | token | The processing outcome | ClaimResponse.outcome
patient | reference | The subject of care. | ClaimResponse.patient (Patient)
payment-date | date | The expected paymentDate | ClaimResponse.payment.date

request | reference | The claim reference | ClaimResponse.request (Claim)
request-provider | reference | The Provider of the claim | ClaimResponse.requestProvider (Practitioner)

13.7.4 Resource ClaimResponse - Examples

URL: https://hl7.org/fhir/STU3/claimresponse-examples.html
This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.7.4 Resource ClaimResponse - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient, Practitioner

Example List:

General Person Primary Coverage Example | R3500 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.7.5 Resource ClaimResponse - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/claimresponse-definitions.html
This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.7.5 Resource ClaimResponse - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Patient, Practitioner

Detailed Descriptions for the elements in the ClaimResponse resource.

ClaimResponse
Definition | This resource provides the adjudication details from the processing of a Claim resource.
Control | 1..1
Alternate Names | Remittance Advice
ClaimResponse.identifier
Definition | The Response business identifier.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
ClaimResponse.status
Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains the code cancelled and entered-in-error that mark the response as not currently valid.
ClaimResponse.patient
Definition | Patient Resource.
Control | 0..1
Type | Reference(Patient)
ClaimResponse.created
Definition | The date when the enclosed suite of services were performed or completed.
Control | 0..1
Type | dateTime
ClaimResponse.insurer
Definition | The Insurer who produced this adjudicated response.
Control | 0..1
Type | Reference(Organization)
ClaimResponse.requestProvider
Definition | The practitioner who is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Practitioner)
ClaimResponse.requestOrganization
Definition | The organization which is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Organization)
ClaimResponse.request
Definition | Original request resource referrence.
Control | 0..1
Type | Reference(Claim)
ClaimResponse.outcome
Definition | Processing outcome errror, partial or complete processing.

Control | 0..1
Terminology Binding | Claim Processing Codes (Example)
Type | CodeableConcept
ClaimResponse.disposition
Definition | A description of the status of the adjudication.
Control | 0..1
Type | string
ClaimResponse.payeeType
Definition | Party to be reimbursed: Subscriber, provider, other.
Control | 0..1
Terminology Binding | Claim Payee Type Codes (Example)
Type | CodeableConcept
ClaimResponse.item
Definition | The first tier service adjudications for submitted services.
Control | 0..*
ClaimResponse.item.sequenceLinkId
Definition | A service line number.
Control | 1..1
Type | positiveInt
ClaimResponse.item.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ClaimResponse.item.adjudication
Definition | The adjudication results.
Control | 0..*
ClaimResponse.item.adjudication.category
Definition | Code indicating: Co-Pay, deductible, eligible, benefit, tax, etc.
Control | 1..1
Terminology Binding | Adjudication Value Codes (Example)
Type | CodeableConcept
ClaimResponse.item.adjudication.reason
Definition | Adjudication reason such as limit reached.
Control | 0..1
Terminology Binding | Adjudication Reason Codes (Example)
Type | CodeableConcept
ClaimResponse.item.adjudication.amount
Definition | Monetary amount associated with the code.
Control | 0..1
Type | Money
ClaimResponse.item.adjudication.value
Definition | A non-monetary value for example a percentage. Mutually exclusive to the amount element above.
Control | 0..1
Type | decimal
ClaimResponse.item.detail
Definition | The second tier service adjudications for submitted services.
Control | 0..*
ClaimResponse.item.detail.sequenceLinkId
Definition | A service line number.
Control | 1..1
Type | positiveInt
ClaimResponse.item.detail.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ClaimResponse.item.detail.adjudication
Definition | The adjudications results.
Control | 0..*
Type | See ClaimResponse.item.adjudication
ClaimResponse.item.detail.subDetail
Definition | The third tier service adjudications for submitted services.
Control | 0..*
ClaimResponse.item.detail.subDetail.sequenceLinkId
Definition | A service line number.
Control | 1..1
Type | positiveInt
ClaimResponse.item.detail.subDetail.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ClaimResponse.item.detail.subDetail.adjudication
Definition | The adjudications results.

Control | 0..*
Type | See ClaimResponse.item.adjudication
ClaimResponse.addItem
Definition | The first tier service adjudications for payor added services.
Control | 0..*
ClaimResponse.addItem.sequenceLinkId
Definition | List of input service items which this service line is intended to replace.
Control | 0..*
Type | positiveInt
ClaimResponse.addItem.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
ClaimResponse.addItem.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
ClaimResponse.addItem.service
Definition | A code to indicate the Professional Service or Product supplied.
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
ClaimResponse.addItem.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
ClaimResponse.addItem.fee
Definition | The fee charged for the professional service or product..
Control | 0..1
Type | Money
ClaimResponse.addItem.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ClaimResponse.addItem.adjudication
Definition | The adjudications results.
Control | 0..*
Type | See ClaimResponse.item.adjudication
ClaimResponse.addItem.detail
Definition | The second tier service adjudications for payor added services.
Control | 0..*
ClaimResponse.addItem.detail.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
ClaimResponse.addItem.detail.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
ClaimResponse.addItem.detail.service
Definition | A code to indicate the Professional Service or Product supplied.
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
ClaimResponse.addItem.detail.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
ClaimResponse.addItem.detail.fee
Definition | The fee charged for the professional service or product..
Control | 0..1
Type | Money

ClaimResponse.addItem.detail.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ClaimResponse.addItem.detail.adjudication
Definition | The adjudications results.
Control | 0..*
Type | See ClaimResponse.item.adjudication
ClaimResponse.error
Definition | Mutually exclusive with Services Provided (Item).
Control | 0..*
ClaimResponse.error.sequenceLinkId
Definition | The sequence number of the line item submitted which contains the error. This value is omitted when the error is elsewhere.
Control | 0..1
Type | positiveInt
ClaimResponse.error.detailSequenceLinkId
Definition | The sequence number of the addition within the line item submitted which contains the error. This value is omitted when the error is not related to an Addition.
Control | 0..1
Type | positiveInt
ClaimResponse.error.subdetailSequenceLinkId
Definition | The sequence number of the addition within the line item submitted which contains the error. This value is omitted when the error is not related to an Addition.
Control | 0..1
Type | positiveInt
ClaimResponse.error.code
Definition | An error code,from a specified code system, which details why the claim could not be adjudicated.
Control | 1..1
Terminology Binding | Adjudication Error Codes (Example)
Type | CodeableConcept
ClaimResponse.totalCost
Definition | The total cost of the services reported.
Control | 0..1
Type | Money
Requirements | This is a check value that the receiver calculates and returns.
ClaimResponse.unallocDeductable
Definition | The amount of deductible applied which was not allocated to any particular service line.
Control | 0..1
Type | Money
ClaimResponse.totalBenefit
Definition | Total amount of benefit payable (Equal to sum of the Benefit amounts from all detail lines and additions less the Unallocated Deductible).
Control | 0..1
Type | Money
ClaimResponse.payment
Definition | Payment details for the claim if the claim has been paid.
Control | 0..1
ClaimResponse.payment.type
Definition | Whether this represents partial or complete payment of the claim.
Control | 0..1
Terminology Binding | Example Payment Type Codes (Example)
Type | CodeableConcept
ClaimResponse.payment.adjustment
Definition | Adjustment to the payment of this transaction which is not related to adjudication of this transaction.
Control | 0..1
Type | Money
ClaimResponse.payment.adjustmentReason
Definition | Reason for the payment adjustment.
Control | 0..1
Terminology Binding | Payment Adjustment Reason Codes (Example)
Type | CodeableConcept
ClaimResponse.payment.date
Definition | Estimated payment data.
Control | 0..1
Type | date
ClaimResponse.payment.amount
Definition | Payable less any payment adjustment.
Control | 0..1
Type | Money
ClaimResponse.payment.identifier
Definition | Payment identifier.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1

Type | Identifier
ClaimResponse.reserved
Definition | Status of funds reservation (For provider, for Patient, None).
Control | 0..1
Terminology Binding | Funds Reservation Codes (Example)
Type | Coding
ClaimResponse.form
Definition | The form to be used for printing the content.
Control | 0..1
Terminology Binding | Form Codes (Example)
Type | CodeableConcept
ClaimResponse.processNote
Definition | Note text.
Control | 0..*
ClaimResponse.processNote.number
Definition | An integer associated with each note which may be referred to from each service line item.
Control | 0..1
Type | positiveInt
ClaimResponse.processNote.type
Definition | The note purpose: Print/Display.
Control | 0..1
Terminology Binding | NoteType (Required)
Type | CodeableConcept
ClaimResponse.processNote.text
Definition | The note text.
Control | 0..1
Type | string
ClaimResponse.processNote.language
Definition | The ISO-639-1 alpha 2 code in lower case for the language, optionally followed by a hyphen and the ISO-3166-1 alpha 2 code for the region in upper case; e.g. "en" for English, or "en-US" for American English versus "en-EN" for England English.
Control | 0..1
Terminology Binding | Common Languages (Extensible but limited to ??)
Type | CodeableConcept
ClaimResponse.communicationRequest
Definition | Request for additional supporting or authorizing information, such as: documents, images or resources.
Control | 0..*
Type | Reference(CommunicationRequest)
ClaimResponse.insurance
Definition | Financial instrument by which payment information for health care.
Control | 0..*
Requirements | Health care programs and insurers are significant payors of health service costs.
ClaimResponse.insurance.sequence
Definition | A service line item.
Control | 1..1
Type | positiveInt
Requirements | To maintain order of the coverages.
ClaimResponse.insurance.focal
Definition | The instance number of the Coverage which is the focus for adjudication. The Coverage against which the claim is to be adjudicated.
Control | 1..1
Type | boolean
Requirements | To identify which coverage is being adjudicated.
ClaimResponse.insurance.coverage
Definition | Reference to the program or plan identification, underwriter or payor.
Control | 1..1
Type | Reference(Coverage)
Requirements | Need to identify the issuer to target for processing and for coordination of benefit processing.
ClaimResponse.insurance.businessArrangement
Definition | The contract number of a business agreement which describes the terms and conditions.
Control | 0..1
Type | string
ClaimResponse.insurance.preAuthRef
Definition | A list of references from the Insurer to which these services pertain.
Control | 0..*
Type | string
Requirements | To provide any pre-determination or prior authorization reference.
ClaimResponse.insurance.claimResponse
Definition | The Coverages adjudication details.
Control | 0..1
Type | Reference(ClaimResponse)
Requirements | Used by downstream payers to determine what balance remains and the net payable.

13.7.6 Resource ClaimResponse - Mappings

URL: https://hl7.org/fhir/STU3/claimresponse-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.7.6 Resource ClaimResponse - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Patient, Practitioner

Mappings:

RIM Mapping

Canadian Dental Association eclaims standard

Workflow Mapping

Mappings for the claimresponse resource.

13.7.6.1 Mappings for RIM Mapping (http://hl7.org/v3)

ClaimResponse
identifier
status
patient
created
insurer
requestProvider
requestOrganization
request
outcome
disposition
payeeType
item
sequenceLinkId
noteNumber
adjudication
category
reason
amount
value
detail
sequenceLinkId
noteNumber
adjudication
subDetail
sequenceLinkId
noteNumber
adjudication
addItem
sequenceLinkId
revenue
category
service
modifier | 24.C, 24.D mods
fee
noteNumber
adjudication
detail
revenue
category
service
modifier | 24.C, 24.D mods
fee
noteNumber
adjudication
error
sequenceLinkId
detailSequenceLinkId
subdetailSequenceLinkId
code
totalCost
unallocDeductable
totalBenefit
payment

type
adjustment
adjustmentReason
date
amount
identifier
reserved
form
processNote
number
type
text
language
communicationRequest
insurance | Coverage
sequence
focal
coverage
businessArrangement
preAuthRef
claimResponse

13.7.6.2 Mappings for Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

ClaimResponse
identifier
status
patient
created
insurer
requestProvider | B01
requestOrganization
request | A02|G01
outcome
disposition
payeeType
item
sequenceLinkId | F07
noteNumber
adjudication
category
reason
amount
value
detail
sequenceLinkId | F07
noteNumber
adjudication
subDetail
sequenceLinkId | F07
noteNumber
adjudication
addItem
sequenceLinkId
revenue
category
service
modifier
fee
noteNumber
adjudication
detail
revenue
category
service
modifier
fee
noteNumber
adjudication
error
sequenceLinkId
detailSequenceLinkId

subdetailSequenceLinkId
code
totalCost
unallocDeductable
totalBenefit
payment
type
adjustment
adjustmentReason
date
amount
identifier
reserved
form | G42
processNote
number
type
text | G32
language
communicationRequest
insurance
sequence
focal
coverage
businessArrangement
preAuthRef | F03
claimResponse | EOB

13.7.6.3 Mappings for Workflow Mapping (http://hl7.org/fhir/workflow)

ClaimResponse | Event
identifier | Event.identifier
status | Event.status
patient
created | Event.occurrence
insurer | Event.performer.onBehalfOf
requestProvider
requestOrganization
request | Event.basedOn
outcome
disposition | Event.note
payeeType
item
sequenceLinkId
noteNumber
adjudication
category
reason
amount
value
detail
sequenceLinkId
noteNumber
adjudication
subDetail
sequenceLinkId
noteNumber
adjudication
addItem
sequenceLinkId
revenue
category
service
modifier
fee
noteNumber
adjudication
detail
revenue
category
service
modifier
fee

noteNumber
adjudication
error
sequenceLinkId
detailSequenceLinkId
subdetailSequenceLinkId
code
totalCost
unallocDeductable
totalBenefit
payment
type
adjustment
adjustmentReason
date
amount
identifier
reserved
form
processNote
number
type
text
language
communicationRequest
insurance
sequence
focal
coverage
businessArrangement
preAuthRef
claimResponse

13.7.7 Resource ClaimResponse - Design Notes

URL: https://hl7.org/fhir/STU3/claimresponse-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.7.7 Resource ClaimResponse - Design Notes

to do

13.7.8 Resource ClaimResponse - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/claimresponse-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.7.8 Resource ClaimResponse - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the ClaimResponse resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.7.8.1 Profiles

No Profiles defined for this resource

13.7.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.7.8.3 Search Extensions

No Search Extensions defined for this resource

13.8 Resource PaymentNotice - Content

URL: https://hl7.org/fhir/STU3/paymentnotice.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Practitioner

This resource provides the status of the payment for goods and services rendered, and the request and response resource references.

13.8.1 Scope and Usage

The PaymentNotice resource indicates the resource for which the payment has been indicated and reports the current status information of that payment. The payment notice may be used by providers and payors to advise the Provider or regulatory bodies of the state of a payment (cheque in the mail/EFT sent, payment cashed, payment cancelled). Employers or Insurance Exchanges may use this to advise payors of premium payment.

Payors and /or providers may have the need to advise providers and/or regulators of the status of claim settlement and payment completion. This same resource may be used by employers and insurance exchanges to advise payors that premium payments have been issued and settled.

13.8.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
PaymentNotice | | | DomainResource | PaymentNotice request Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
request | | 0..1 | Reference(Any) | Request reference
response | | 0..1 | Reference(Any) | Response reference
statusDate | | 0..1 | date | Payment or clearing date
created | | 0..1 | dateTime | Creation date
target | | 0..1 | Reference(Organization) | Insurer or Regulatory body
provider | | 0..1 | Reference(Practitioner) | Responsible practitioner
organization | | 0..1 | Reference(Organization) | Responsible organization
paymentStatus | | 0..1 | CodeableConcept | Whether payment has been sent or cleared Payment Status Codes (Example)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<PaymentNotice xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <request><!-- 0..1 Reference(Any) Request reference --></request>
 <response><!-- 0..1 Reference(Any) Response reference --></response>
 <statusDate value="[date]"/><!-- 0..1 Payment or clearing date -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <target><!-- 0..1 Reference(Organization) Insurer or Regulatory body --></target>
 <provider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></provider>
 <organization><!-- 0..1 Reference(Organization) Responsible organization --></organization>
 <paymentStatus><!-- 0..1 CodeableConcept Whether payment has been sent or cleared --></paymentStatus>
</PaymentNotice>
```

JSON Template

```
{
  "resourceType" : "PaymentNotice",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "request" : { Reference(Any) }, // Request reference
  "response" : { Reference(Any) }, // Response reference
  "statusDate" : "<date>", // Payment or clearing date
  "created" : "<dateTime>", // Creation date
  "target" : { Reference(Organization) }, // Insurer or Regulatory body
  "provider" : { Reference(Practitioner) }, // Responsible practitioner
  "organization" : { Reference(Organization) }, // Responsible organization
  "paymentStatus" : { CodeableConcept } // Whether payment has been sent or cleared
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:PaymentNotice;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:PaymentNotice.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:PaymentNotice.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:PaymentNotice.request [ Reference(Any) ]; # 0..1 Request reference
  fhir:PaymentNotice.response [ Reference(Any) ]; # 0..1 Response reference
  fhir:PaymentNotice.statusDate [ date ]; # 0..1 Payment or clearing date
  fhir:PaymentNotice.created [ dateTime ]; # 0..1 Creation date
  fhir:PaymentNotice.target [ Reference(Organization) ]; # 0..1 Insurer or Regulatory body
  fhir:PaymentNotice.provider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:PaymentNotice.organization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:PaymentNotice.paymentStatus [ CodeableConcept ]; # 0..1 Whether payment has been sent or cleared
]
```

Changes since DSTU2

PaymentNotice

PaymentNotice.status | Added Element

PaymentNotice.statusDate | Added Element

PaymentNotice.paymentStatus | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept

PaymentNotice.ruleset | deleted

PaymentNotice.originalRuleset | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints

PaymentNotice | | | DomainResource | PaymentNotice request Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension

identifier | | 0..* | Identifier | Business Identifier

status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)

request | | 0..1 | Reference(Any) | Request reference

response | | 0..1 | Reference(Any) | Response reference

statusDate | | 0..1 | date | Payment or clearing date

created | | 0..1 | dateTime | Creation date

target | | 0..1 | Reference(Organization) | Insurer or Regulatory body

provider | | 0..1 | Reference(Practitioner) | Responsible practitioner

organization | | 0..1 | Reference(Organization) | Responsible organization

paymentStatus | | 0..1 | CodeableConcept | Whether payment has been sent or cleared Payment Status Codes (Example)

Documentation for this format

UML Diagram (Legend)

XML Template

```
<PaymentNotice xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <request><!-- 0..1 Reference(Any) Request reference --></request>
 <response><!-- 0..1 Reference(Any) Response reference --></response>
 <statusDate value="[date]"/><!-- 0..1 Payment or clearing date -->
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <target><!-- 0..1 Reference(Organization) Insurer or Regulatory body --></target>
 <provider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></provider>
 <organization><!-- 0..1 Reference(Organization) Responsible organization --></organization>
 <paymentStatus><!-- 0..1 CodeableConcept Whether payment has been sent or cleared --></paymentStatus>
</PaymentNotice>
```

JSON Template

```
{
  "resourceType" : "PaymentNotice",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "request" : { Reference(Any) }, // Request reference
  "response" : { Reference(Any) }, // Response reference
  "statusDate" : "<date>", // Payment or clearing date
  "created" : "<dateTime>", // Creation date
  "target" : { Reference(Organization) }, // Insurer or Regulatory body
  "provider" : { Reference(Practitioner) }, // Responsible practitioner
  "organization" : { Reference(Organization) }, // Responsible organization
  "paymentStatus" : { CodeableConcept } // Whether payment has been sent or cleared
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:PaymentNotice;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:PaymentNotice.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:PaymentNotice.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:PaymentNotice.request [ Reference(Any) ]; # 0..1 Request reference
  fhir:PaymentNotice.response [ Reference(Any) ]; # 0..1 Response reference
  fhir:PaymentNotice.statusDate [ date ]; # 0..1 Payment or clearing date
  fhir:PaymentNotice.created [ dateTime ]; # 0..1 Creation date
  fhir:PaymentNotice.target [ Reference(Organization) ]; # 0..1 Insurer or Regulatory body
  fhir:PaymentNotice.provider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:PaymentNotice.organization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:PaymentNotice.paymentStatus [ CodeableConcept ]; # 0..1 Whether payment has been sent or cleared
]
```

Changes since DSTU2

PaymentNotice
PaymentNotice.status | Added Element
PaymentNotice.statusDate | Added Element
PaymentNotice.paymentStatus | Min Cardinality changed from 1 to 0 Type changed from Coding to CodeableConcept
PaymentNotice.ruleset | deleted
PaymentNotice.originalRuleset | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.8.2.1 Terminology Bindings

Path | Definition | Type | Reference
PaymentNotice.status | A code specifying the state of the resource instance. | Required | Financial Resource Status Codes
PaymentNotice.paymentStatus | The payment conveyance status codes | Example | Payment Status Codes

13.8.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
created | date | Creation date fro the notice | PaymentNotice.created
identifier | token | The business identifier of the notice | PaymentNotice.identifier
organization | reference | The organization who generated this resource | PaymentNotice.organization (Organization)
payment-status | token | The type of payment notice | PaymentNotice.paymentStatus
provider | reference | The reference to the provider | PaymentNotice.provider (Practitioner)
request | reference | The Claim | PaymentNotice.request (Any)
response | reference | The ClaimResponse | PaymentNotice.response (Any)
statusdate | date | The date of the payment action | PaymentNotice.statusDate

13.8.4 Resource PaymentNotice - Examples

URL: https://hl7.org/fhir/STU3/paymentnotice-examples.html
This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.8.4 Resource PaymentNotice - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Practitioner

Example List:

Claim PaymentNotice Example | 77654 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.8.5 Resource PaymentNotice - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/paymentnotice-definitions.html
This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.8.5 Resource PaymentNotice - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Practitioner

Detailed Descriptions for the elements in the PaymentNotice resource.

PaymentNotice
Definition | This resource provides the status of the payment for goods and services rendered, and the request and response resource references.
Control | 1..1
PaymentNotice.identifier
Definition | The notice business identifier.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
PaymentNotice.status
Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
PaymentNotice.request
Definition | Reference of resource for which payment is being made.
Control | 0..1
Type | Reference(Any)
PaymentNotice.response
Definition | Reference of response to resource for which payment is being made.
Control | 0..1
Type | Reference(Any)
PaymentNotice.statusDate
Definition | The date when the above payment action occurrred.
Control | 0..1
Type | date
PaymentNotice.created
Definition | The date when this resource was created.
Control | 0..1
Type | dateTime
PaymentNotice.target
Definition | The Insurer who is target of the request.
Control | 0..1
Type | Reference(Organization)
PaymentNotice.provider
Definition | The practitioner who is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Practitioner)
PaymentNotice.organization
Definition | The organization which is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Organization)
PaymentNotice.paymentStatus
Definition | The payment status, typically paid: payment sent, cleared: payment received.
Control | 0..1
Terminology Binding | Payment Status Codes (Example)
Type | CodeableConcept

13.8.6 Resource PaymentNotice - Mappings

URL: https://hl7.org/fhir/STU3/paymentnotice-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.8.6 Resource PaymentNotice - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Practitioner

Mappings:

RIM Mapping

HL7 v2 Mapping

Canadian Dental Association eclaims standard

Workflow Mapping

Mappings for the paymentnotice resource.

13.8.6.1 Mappings for RIM Mapping (http://hl7.org/v3)

PaymentNotice | n/a

13.8.6.2 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

PaymentNotice
identifier
status
request
response
statusDate
created
target
provider | B01
organization | B02
paymentStatus

13.8.6.3 Mappings for Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

PaymentNotice
identifier
status
request
response
statusDate
created
target
provider | B01
organization | B02
paymentStatus

13.8.6.4 Mappings for Workflow Mapping (http://hl7.org/fhir/workflow)

PaymentNotice | Event
identifier | Event.identifier
status | Event.status
request | Event.basedOn
response
statusDate
created | Event.occurrence
target
provider | Event.performer.actor
organization | Event.performer.onBehalfOf
paymentStatus

13.8.7 Resource PaymentNotice - Design Notes

URL: https://hl7.org/fhir/STU3/paymentnotice-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.8.7 Resource PaymentNotice - Design Notes

to do

13.8.8 Resource PaymentNotice - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/paymentnotice-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.8.8 Resource PaymentNotice - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the PaymentNotice resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.8.8.1 Profiles

No Profiles defined for this resource

13.8.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.8.8.3 Search Extensions

No Search Extensions defined for this resource

13.9 Resource PaymentReconciliation - Content

URL: https://hl7.org/fhir/STU3/paymentreconciliation.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Practitioner

This resource provides payment details and claim references supporting a bulk payment.

13.9.1 Scope and Usage

The PaymentReconciliation resource provides the bulk payment details associated with a payment by the payor for goods and services rendered by a provider to patients covered by insurance plans offered by that payor. These are the payment reconciliation details which align to the individual payment amounts indicated on discrete ClaimResponses.

Bulk payments need to provide a means to associate the amounts paid again specific Claims, and other financial exchanges and adjustments, to the bulk payment itself in order to reconcile provider accounts receivable.

13.9.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
PaymentReconciliation | | | DomainResource | PaymentReconciliation resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
period | | 0..1 | Period | Period covered
created | | 0..1 | dateTime | Creation date
organization | | 0..1 | Reference(Organization) | Insurer
request | | 0..1 | Reference(ProcessRequest) | Claim reference
outcome | | 0..1 | CodeableConcept | complete | error | partial RemittanceOutcome (Required)
disposition | | 0..1 | string | Disposition Message
requestProvider | | 0..1 | Reference(Practitioner) | Responsible practitioner
requestOrganization | | 0..1 | Reference(Organization) | Responsible organization
detail | | 0..* | BackboneElement | List of settlements
type | | 1..1 | CodeableConcept | Type code Payment Type Codes (Example)
request | | 0..1 | Reference(Any) | Claim
response | | 0..1 | Reference(Any) | Claim Response
submitter | | 0..1 | Reference(Organization) | Organization which submitted the claim
payee | | 0..1 | Reference(Organization) | Organization which is receiving the payment
date | | 0..1 | date | Invoice date
amount | | 0..1 | Money | Amount being paid
form | | 0..1 | CodeableConcept | Printed Form Identifier Form Codes (Example)
total | | 0..1 | Money | Total amount of Payment
processNote | | 0..* | BackboneElement | Processing comments
type | | 0..1 | CodeableConcept | display | print | printoper NoteType (Required)
text | | 0..1 | string | Comment on the processing
Documentation for this format

UML Diagram (Legend)

XML Template

```
<PaymentReconciliation xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <period><!-- 0..1 Period Period covered --></period>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
```

```
 <organization><!-- 0..1 Reference(Organization) Insurer --></organization>
 <request><!-- 0..1 Reference(ProcessRequest) Claim reference --></request>
 <outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <requestProvider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></requestProvider>
 <requestOrganization><!-- 0..1 Reference(Organization) Responsible organization --></requestOrganization>
 <detail>  <!-- 0..* List of settlements -->
  <type><!-- 1..1 CodeableConcept Type code --></type>
  <request><!-- 0..1 Reference(Any) Claim --></request>
  <response><!-- 0..1 Reference(Any) Claim Response --></response>
  <submitter><!-- 0..1 Reference(Organization) Organization which submitted the claim --></submitter>
  <payee><!-- 0..1 Reference(Organization) Organization which is receiving the payment --></payee>
  <date value="[date]"/><!-- 0..1 Invoice date -->
  <amount><!-- 0..1 Money Amount being paid --></amount>
 </detail>
 <form><!-- 0..1 CodeableConcept Printed Form Identifier --></form>
 <total><!-- 0..1 Money Total amount of Payment --></total>
 <processNote>  <!-- 0..* Processing comments -->
  <type><!-- 0..1 CodeableConcept display | print | printoper --></type>
  <text value="[string]"/><!-- 0..1 Comment on the processing -->
 </processNote>
</PaymentReconciliation>
```

JSON Template

```
{
  "resourceType" : "PaymentReconciliation",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "period" : { Period }, // Period covered
  "created" : "<dateTime>", // Creation date
  "organization" : { Reference(Organization) }, // Insurer
  "request" : { Reference(ProcessRequest) }, // Claim reference
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "requestProvider" : { Reference(Practitioner) }, // Responsible practitioner
  "requestOrganization" : { Reference(Organization) }, // Responsible organization
  "detail" : [{ // List of settlements
    "type" : { CodeableConcept }, // R!  Type code
    "request" : { Reference(Any) }, // Claim
    "response" : { Reference(Any) }, // Claim Response
    "submitter" : { Reference(Organization) }, // Organization which submitted the claim
    "payee" : { Reference(Organization) }, // Organization which is receiving the payment
    "date" : "<date>", // Invoice date
    "amount" : { Money } // Amount being paid
  }],
  "form" : { CodeableConcept }, // Printed Form Identifier
  "total" : { Money }, // Total amount of Payment
  "processNote" : [{ // Processing comments
    "type" : { CodeableConcept }, // display | print | printoper
    "text" : "<string>" // Comment on the processing
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:PaymentReconciliation;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:PaymentReconciliation.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:PaymentReconciliation.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:PaymentReconciliation.period [ Period ]; # 0..1 Period covered
  fhir:PaymentReconciliation.created [ dateTime ]; # 0..1 Creation date
  fhir:PaymentReconciliation.organization [ Reference(Organization) ]; # 0..1 Insurer
  fhir:PaymentReconciliation.request [ Reference(ProcessRequest) ]; # 0..1 Claim reference
  fhir:PaymentReconciliation.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:PaymentReconciliation.disposition [ string ]; # 0..1 Disposition Message
  fhir:PaymentReconciliation.requestProvider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:PaymentReconciliation.requestOrganization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:PaymentReconciliation.detail [ # 0..* List of settlements
    fhir:PaymentReconciliation.detail.type [ CodeableConcept ]; # 1..1 Type code
    fhir:PaymentReconciliation.detail.request [ Reference(Any) ]; # 0..1 Claim
    fhir:PaymentReconciliation.detail.response [ Reference(Any) ]; # 0..1 Claim Response
    fhir:PaymentReconciliation.detail.submitter [ Reference(Organization) ]; # 0..1 Organization which submitted the
    claim
    fhir:PaymentReconciliation.detail.payee [ Reference(Organization) ]; # 0..1 Organization which is receiving the
    payment
    fhir:PaymentReconciliation.detail.date [ date ]; # 0..1 Invoice date
    fhir:PaymentReconciliation.detail.amount [ Money ]; # 0..1 Amount being paid
  ], ...;
  fhir:PaymentReconciliation.form [ CodeableConcept ]; # 0..1 Printed Form Identifier
  fhir:PaymentReconciliation.total [ Money ]; # 0..1 Total amount of Payment
  fhir:PaymentReconciliation.processNote [ # 0..* Processing comments
    fhir:PaymentReconciliation.processNote.type [ CodeableConcept ]; # 0..1 display | print | printoper
```

```
    fhir:PaymentReconciliation.processNote.text [ string ]; # 0..1 Comment on the processing
  ], ...;
]
```

Changes since DSTU2

PaymentReconciliation
PaymentReconciliation.status | Added Element
PaymentReconciliation.outcome | Type changed from code to CodeableConcept
PaymentReconciliation.detail.type | Type changed from Coding to CodeableConcept
PaymentReconciliation.detail.response | Added Element
PaymentReconciliation.detail.amount | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
PaymentReconciliation.form | Type changed from Coding to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/forms (required)
PaymentReconciliation.total | Min Cardinality changed from 1 to 0 Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
PaymentReconciliation.processNote | Added Element
PaymentReconciliation.processNote.type | Added Element
PaymentReconciliation.processNote.text | Added Element
PaymentReconciliation.ruleset | deleted
PaymentReconciliation.originalRuleset | deleted
PaymentReconciliation.detail.responce | deleted
PaymentReconciliation.note | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints
PaymentReconciliation | | | DomainResource | PaymentReconciliation resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error Financial Resource Status Codes (Required)
period | | 0..1 | Period | Period covered
created | | 0..1 | dateTime | Creation date
organization | | 0..1 | Reference(Organization) | Insurer
request | | 0..1 | Reference(ProcessRequest) | Claim reference
outcome | | 0..1 | CodeableConcept | complete | error | partial RemittanceOutcome (Required)
disposition | | 0..1 | string | Disposition Message
requestProvider | | 0..1 | Reference(Practitioner) | Responsible practitioner
requestOrganization | | 0..1 | Reference(Organization) | Responsible organization
detail | | 0..* | BackboneElement | List of settlements
type | | 1..1 | CodeableConcept | Type code Payment Type Codes (Example)
request | | 0..1 | Reference(Any) | Claim
response | | 0..1 | Reference(Any) | Claim Response
submitter | | 0..1 | Reference(Organization) | Organization which submitted the claim
payee | | 0..1 | Reference(Organization) | Organization which is receiving the payment
date | | 0..1 | date | Invoice date
amount | | 0..1 | Money | Amount being paid
form | | 0..1 | CodeableConcept | Printed Form Identifier Form Codes (Example)
total | | 0..1 | Money | Total amount of Payment
processNote | | 0..* | BackboneElement | Processing comments
type | | 0..1 | CodeableConcept | display | print | printoper NoteType (Required)
text | | 0..1 | string | Comment on the processing
Documentation for this format

UML Diagram (Legend)

XML Template

```
<PaymentReconciliation xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <period><!-- 0..1 Period Period covered --></period>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <organization><!-- 0..1 Reference(Organization) Insurer --></organization>
 <request><!-- 0..1 Reference(ProcessRequest) Claim reference --></request>
 <outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <requestProvider><!-- 0..1 Reference(Practitioner) Responsible practitioner --></requestProvider>
 <requestOrganization><!-- 0..1 Reference(Organization) Responsible organization --></requestOrganization>
 <detail>  <!-- 0..* List of settlements -->
  <type><!-- 1..1 CodeableConcept Type code --></type>
  <request><!-- 0..1 Reference(Any) Claim --></request>
  <response><!-- 0..1 Reference(Any) Claim Response --></response>
  <submitter><!-- 0..1 Reference(Organization) Organization which submitted the claim --></submitter>
  <payee><!-- 0..1 Reference(Organization) Organization which is receiving the payment --></payee>
  <date value="[date]"/><!-- 0..1 Invoice date -->
  <amount><!-- 0..1 Money Amount being paid --></amount>
 </detail>
```

```
 <form><!-- 0..1 CodeableConcept Printed Form Identifier --></form>
 <total><!-- 0..1 Money Total amount of Payment --></total>
 <processNote>  <!-- 0..* Processing comments -->
  <type><!-- 0..1 CodeableConcept display | print | printoper --></type>
  <text value="[string]"/><!-- 0..1 Comment on the processing -->
 </processNote>
</PaymentReconciliation>
```

JSON Template

```
{
  "resourceType" : "PaymentReconciliation",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "period" : { Period }, // Period covered
  "created" : "<dateTime>", // Creation date
  "organization" : { Reference(Organization) }, // Insurer
  "request" : { Reference(ProcessRequest) }, // Claim reference
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "requestProvider" : { Reference(Practitioner) }, // Responsible practitioner
  "requestOrganization" : { Reference(Organization) }, // Responsible organization
  "detail" : [{ // List of settlements
    "type" : { CodeableConcept }, // R!  Type code
    "request" : { Reference(Any) }, // Claim
    "response" : { Reference(Any) }, // Claim Response
    "submitter" : { Reference(Organization) }, // Organization which submitted the claim
    "payee" : { Reference(Organization) }, // Organization which is receiving the payment
    "date" : "<date>", // Invoice date
    "amount" : { Money } // Amount being paid
  }],
  "form" : { CodeableConcept }, // Printed Form Identifier
  "total" : { Money }, // Total amount of Payment
  "processNote" : [{ // Processing comments
    "type" : { CodeableConcept }, // display | print | printoper
    "text" : "<string>" // Comment on the processing
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:PaymentReconciliation;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:PaymentReconciliation.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:PaymentReconciliation.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:PaymentReconciliation.period [ Period ]; # 0..1 Period covered
  fhir:PaymentReconciliation.created [ dateTime ]; # 0..1 Creation date
  fhir:PaymentReconciliation.organization [ Reference(Organization) ]; # 0..1 Insurer
  fhir:PaymentReconciliation.request [ Reference(ProcessRequest) ]; # 0..1 Claim reference
  fhir:PaymentReconciliation.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:PaymentReconciliation.disposition [ string ]; # 0..1 Disposition Message
  fhir:PaymentReconciliation.requestProvider [ Reference(Practitioner) ]; # 0..1 Responsible practitioner
  fhir:PaymentReconciliation.requestOrganization [ Reference(Organization) ]; # 0..1 Responsible organization
  fhir:PaymentReconciliation.detail [ # 0..* List of settlements
    fhir:PaymentReconciliation.detail.type [ CodeableConcept ]; # 1..1 Type code
    fhir:PaymentReconciliation.detail.request [ Reference(Any) ]; # 0..1 Claim
    fhir:PaymentReconciliation.detail.response [ Reference(Any) ]; # 0..1 Claim Response
    fhir:PaymentReconciliation.detail.submitter [ Reference(Organization) ]; # 0..1 Organization which submitted the
    claim
    fhir:PaymentReconciliation.detail.payee [ Reference(Organization) ]; # 0..1 Organization which is receiving the
    payment
    fhir:PaymentReconciliation.detail.date [ date ]; # 0..1 Invoice date
    fhir:PaymentReconciliation.detail.amount [ Money ]; # 0..1 Amount being paid
  ], ...;
  fhir:PaymentReconciliation.form [ CodeableConcept ]; # 0..1 Printed Form Identifier
  fhir:PaymentReconciliation.total [ Money ]; # 0..1 Total amount of Payment
  fhir:PaymentReconciliation.processNote [ # 0..* Processing comments
    fhir:PaymentReconciliation.processNote.type [ CodeableConcept ]; # 0..1 display | print | printoper
    fhir:PaymentReconciliation.processNote.text [ string ]; # 0..1 Comment on the processing
  ], ...;
]
```

Changes since DSTU2

PaymentReconciliation

PaymentReconciliation.status | Added Element

PaymentReconciliation.outcome | Type changed from code to CodeableConcept

PaymentReconciliation.detail.type | Type changed from Coding to CodeableConcept

PaymentReconciliation.detail.response | Added Element

PaymentReconciliation.detail.amount | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money

PaymentReconciliation.form | Type changed from Coding to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/forms (required)

PaymentReconciliation.total | Min Cardinality changed from 1 to 0 Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
PaymentReconciliation.processNote | Added Element
PaymentReconciliation.processNote.type | Added Element
PaymentReconciliation.processNote.text | Added Element
PaymentReconciliation.ruleset | deleted
PaymentReconciliation.originalRuleset | deleted
PaymentReconciliation.detail.responce | deleted
PaymentReconciliation.note | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.9.2.1 Terminology Bindings

Path | Definition | Type | Reference
PaymentReconciliation.status | A code specifying the state of the resource instance. | Required | Financial Resource Status Codes
PaymentReconciliation.outcome | The outcome of the processing. | Required | RemittanceOutcome
PaymentReconciliation.detail.type | The reason for the amount: payment, adjustment, advance. | Example | Payment Type Codes
PaymentReconciliation.form | The forms codes. | Example | Form Codes
PaymentReconciliation.processNote.type | The presentation types of notes. | Required | NoteType

13.9.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
created | date | The creation date | PaymentReconciliation.created
disposition | string | The contents of the disposition message | PaymentReconciliation.disposition
identifier | token | The business identifier of the Explanation of Benefit | PaymentReconciliation.identifier
organization | reference | The organization who generated this resource | PaymentReconciliation.organization (Organization)
outcome | token | The processing outcome | PaymentReconciliation.outcome
request | reference | The reference to the claim | PaymentReconciliation.request (ProcessRequest)
request-organization | reference | The organization who generated this resource | PaymentReconciliation.requestOrganization (Organization)
request-provider | reference | The reference to the provider who sumbitted the claim | PaymentReconciliation.requestProvider (Practitioner)

13.9.4 Resource PaymentReconciliation - Examples

URL: https://hl7.org/fhir/STU3/paymentreconciliation-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.9.4 Resource PaymentReconciliation - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Practitioner

Example List:

General Payment Reconciliation Example | ER2500 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.9.5 Resource PaymentReconciliation - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/paymentreconciliation-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.9.5 Resource PaymentReconciliation - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Practitioner

Detailed Descriptions for the elements in the PaymentReconciliation resource.

PaymentReconciliation
Definition | This resource provides payment details and claim references supporting a bulk payment.
Control | 1..1
PaymentReconciliation.identifier
Definition | The Response business identifier.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..*
Type | Identifier
PaymentReconciliation.status
Definition | The status of the resource instance.

Control | 0..1
Terminology Binding | Financial Resource Status Codes (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
PaymentReconciliation.period
Definition | The period of time for which payments have been gathered into this bulk payment for settlement.
Control | 0..1
Type | Period
PaymentReconciliation.created
Definition | The date when the enclosed suite of services were performed or completed.
Control | 0..1
Type | dateTime
PaymentReconciliation.organization
Definition | The Insurer who produced this adjudicated response.
Control | 0..1
Type | Reference(Organization)
PaymentReconciliation.request
Definition | Original request resource reference.
Control | 0..1
Type | Reference(ProcessRequest)
PaymentReconciliation.outcome
Definition | Transaction status: error, complete.
Control | 0..1
Terminology Binding | RemittanceOutcome (Required)
Type | CodeableConcept
PaymentReconciliation.disposition
Definition | A description of the status of the adjudication.
Control | 0..1
Type | string
PaymentReconciliation.requestProvider
Definition | The practitioner who is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Practitioner)
PaymentReconciliation.requestOrganization
Definition | The organization which is responsible for the services rendered to the patient.
Control | 0..1
Type | Reference(Organization)
PaymentReconciliation.detail
Definition | List of individual settlement amounts and the corresponding transaction.
Control | 0..*
PaymentReconciliation.detail.type
Definition | Code to indicate the nature of the payment, adjustment, funds advance, etc.
Control | 1..1
Terminology Binding | Payment Type Codes (Example)
Type | CodeableConcept
PaymentReconciliation.detail.request
Definition | The claim or financial resource.
Control | 0..1
Type | Reference(Any)
PaymentReconciliation.detail.response
Definition | The claim response resource.
Control | 0..1
Type | Reference(Any)
PaymentReconciliation.detail.submitter
Definition | The Organization which submitted the claim or financial transaction.
Control | 0..1
Type | Reference(Organization)
PaymentReconciliation.detail.payee
Definition | The organization which is receiving the payment.
Control | 0..1
Type | Reference(Organization)
PaymentReconciliation.detail.date
Definition | The date of the invoice or financial resource.
Control | 0..1
Type | date
PaymentReconciliation.detail.amount
Definition | Amount paid for this detail.
Control | 0..1
Type | Money
PaymentReconciliation.form

Definition | The form to be used for printing the content.
Control | 0..1
Terminology Binding | Form Codes (Example)
Type | CodeableConcept
PaymentReconciliation.total
Definition | Total payment amount.
Control | 0..1
Type | Money
PaymentReconciliation.processNote
Definition | Suite of notes.
Control | 0..*
PaymentReconciliation.processNote.type
Definition | The note purpose: Print/Display.
Control | 0..1
Terminology Binding | NoteType (Required)
Type | CodeableConcept
PaymentReconciliation.processNote.text
Definition | The note text.
Control | 0..1
Type | string

13.9.6 Resource PaymentReconciliation - Mappings

URL: https://hl7.org/fhir/STU3/paymentreconciliation-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.9.6 Resource PaymentReconciliation - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Practitioner

Mappings:

Canadian Dental Association eclaims standard

Workflow Mapping

Mappings for the paymentreconciliation resource.

13.9.6.1 Mappings for Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

PaymentReconciliation
identifier
status
period
created
organization
request | A02|G01
outcome
disposition
requestProvider | B01
requestOrganization
detail
type
request
response
submitter
payee
date
amount
form | G42
total
processNote
type
text | G32

13.9.6.2 Mappings for Workflow Mapping (http://hl7.org/fhir/workflow)

PaymentReconciliation | Event
identifier | Event.identifier
status | Event.status
period
created | Event.occurrence[x]
organization | Event.performer.onBehalfOf
request

outcome
disposition | Event.note
requestProvider
requestOrganization
detail
type
request
response
submitter
payee
date
amount
form
total
processNote
type
text

13.9.7 Resource PaymentReconciliation - Design Notes

URL: https://hl7.org/fhir/STU3/paymentreconciliation-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.9.7 Resource PaymentReconciliation - Design Notes

to do

13.9.8 Resource PaymentReconciliation - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/paymentreconciliation-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.9.8 Resource PaymentReconciliation - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the PaymentReconciliation resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.9.8.1 Profiles

No Profiles defined for this resource

13.9.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.9.8.3 Search Extensions

No Search Extensions defined for this resource

13.10 Resource ExplanationOfBenefit - Content

URL: https://hl7.org/fhir/STU3/explanationofbenefit.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Encounter, Patient, Practitioner, RelatedPerson

This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.

13.10.1 Scope and Usage

The ExplanationOfBenefit resource combines key information from a Claim, a ClaimResponse and optional Account information to inform a patient of the goods and services rendered by a provider and the settlement made under the patient's coverage in respect of that Claim.

This is the logical combination of the Claim, ClaimResponse and some Coverage accounting information in respect of a single payor prepared for consumption by the subscriber and/or patient. It is not simply a series of pointers to referred-to

content models, is a physical subset scoped to the adjudication by a single payor which details the services rendered, the amounts to be settled and to whom, and optionally the coverage used and/or remaining.

13.10.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
ExplanationOfBenefit | | | DomainResource | Explanation of Benefit resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error ExplanationOfBenefitStatus (Required)
type | | 0..1 | CodeableConcept | Type or discipline Example Claim Type Codes (Required)
subType | | 0..* | CodeableConcept | Finer grained claim type information Example Claim SubType Codes (Example)
patient | | 0..1 | Reference(Patient) | The subject of the Products and Services
billablePeriod | | 0..1 | Period | Period for charge submission
created | | 0..1 | dateTime | Creation date
enterer | | 0..1 | Reference(Practitioner) | Author
insurer | | 0..1 | Reference(Organization) | Insurer responsible for the EOB
provider | | 0..1 | Reference(Practitioner) | Responsible provider for the claim
organization | | 0..1 | Reference(Organization) | Responsible organization for the claim
referral | | 0..1 | Reference(ReferralRequest) | Treatment Referral
facility | | 0..1 | Reference(Location) | Servicing Facility
claim | | 0..1 | Reference(Claim) | Claim reference
claimResponse | | 0..1 | Reference(ClaimResponse) | Claim response reference
outcome | | 0..1 | CodeableConcept | complete | error | partial Claim Processing Codes (Example)
disposition | | 0..1 | string | Disposition Message
related | | 0..* | BackboneElement | Related Claims which may be revelant to processing this claim
claim | | 0..1 | Reference(Claim) | Reference to the related claim
relationship | | 0..1 | CodeableConcept | How the reference claim is related Example Related Claim Relationship Codes (Example)
reference | | 0..1 | Identifier | Related file or case reference
prescription | | 0..1 | Reference(MedicationRequest | VisionPrescription) | Prescription authorizing services or products
originalPrescription | | 0..1 | Reference(MedicationRequest) | Original prescription if superceded by fulfiller
payee | | 0..1 | BackboneElement | Party to be paid any benefits payable
type | | 0..1 | CodeableConcept | Type of party: Subscriber, Provider, other Claim Payee Type Codes (Example)
resourceType | | 0..1 | CodeableConcept | organization | patient | practitioner | relatedperson PayeeResourceType (Required)
party | | 0..1 | Reference(Practitioner | Organization | Patient | RelatedPerson) | Party to receive the payable
information | | 0..* | BackboneElement | Exceptions, special considerations, the condition, situation, prior or concurrent issues
sequence | | 1..1 | positiveInt | Information instance identifier
category | | 1..1 | CodeableConcept | General class of information Claim Information Category Codes (Example)
code | | 0..1 | CodeableConcept | Type of information Exception Codes (Example)
timing[x] | | 0..1 | | When it occurred
timingDate | | | date
timingPeriod | | | Period
value[x] | | 0..1 | | Additional Data or supporting information
valueString | | | string
valueQuantity | | | Quantity
valueAttachment | | | Attachment
valueReference | | | Reference(Any)
reason | | 0..1 | Coding | Reason associated with the information Missing Tooth Reason Codes (Example)
careTeam | | 0..* | BackboneElement | Care Team members
sequence | | 1..1 | positiveInt | Number to covey order of careteam
provider | | 1..1 | Reference(Practitioner | Organization) | Member of the Care Team
responsible | | 0..1 | boolean | Billing practitioner
role | | 0..1 | CodeableConcept | Role on the team Claim Care Team Role Codes (Example)
qualification | | 0..1 | CodeableConcept | Type, classification or Specialization Example Provider Qualification Codes (Example)
diagnosis | | 0..* | BackboneElement | List of Diagnosis
sequence | | 1..1 | positiveInt | Number to covey order of diagnosis
diagnosis[x] | | 1..1 | | Patient's diagnosis ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
type | | 0..* | CodeableConcept | Timing or nature of the diagnosis Example Diagnosis Type Codes (Example)
packageCode | | 0..1 | CodeableConcept | Package billing code Example Diagnosis Related Group Codes (Example)
procedure | | 0..* | BackboneElement | Procedures performed

sequence | | 1..1 | positiveInt | Procedure sequence for reference
date | | 0..1 | dateTime | When the procedure was performed
procedure[x] | | 1..1 | | Patient's list of procedures performed ICD-10 Procedure Codes (Example)
procedureCodeableConcept | | | CodeableConcept
procedureReference | | | Reference(Procedure)
precedence | | 0..1 | positiveInt | Precedence (primary, secondary, etc.)
insurance | | 0..1 | BackboneElement | Insurance or medical plan
coverage | | 0..1 | Reference(Coverage) | Insurance information
preAuthRef | | 0..* | string | Pre-Authorization/Determination Reference
accident | | 0..1 | BackboneElement | Details of an accident
date | | 0..1 | date | When the accident occurred
type | | 0..1 | CodeableConcept | The nature of the accident ActIncidentCode (Required)
location[x] | | 0..1 | | Accident Place
locationAddress | | | Address
locationReference | | | Reference(Location)
employmentImpacted | | 0..1 | Period | Period unable to work
hospitalization | | 0..1 | Period | Period in hospital
item | | 0..* | BackboneElement | Goods and Services
sequence | | 1..1 | positiveInt | Service instance
careTeamLinkId | | 0..* | positiveInt | Applicable careteam members
diagnosisLinkId | | 0..* | positiveInt | Applicable diagnoses
procedureLinkId | | 0..* | positiveInt | Applicable procedures
informationLinkId | | 0..* | positiveInt | Applicable exception and supporting information
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of Service
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
bodySite | | 0..1 | CodeableConcept | Service Location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Service Sub-location Surface Codes (Example)
encounter | | 0..* | Reference(Encounter) | Encounters related to this billed item
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | BackboneElement | Adjudication details
category | | 1..1 | CodeableConcept | Adjudication category such as co-pay, eligible, benefit, etc. Adjudication Value Codes (Example)
reason | | 0..1 | CodeableConcept | Explanation of Adjudication outcome Adjudication Reason Codes (Example)
amount | | 0..1 | Money | Monetary amount
value | | 0..1 | decimal | Non-monitory value
detail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Service instance
type | | 1..1 | CodeableConcept | Group or type of product or service ActInvoiceGroupCode (Required)
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total additional item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Detail level adjudication details
subDetail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Service instance
type | | 1..1 | CodeableConcept | Type of product or service ActInvoiceGroupCode (Required)
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)

quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Net additional item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Language if different from the resource
addItem | | 0..* | BackboneElement | Insurer added line items
sequenceLinkId | | 0..* | positiveInt | Service instances
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
fee | | 0..1 | Money | Professional fee or Product charge
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Added items adjudication
detail | | 0..* | BackboneElement | Added items details
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
fee | | 0..1 | Money | Professional fee or Product charge
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Added items detail adjudication
totalCost | | 0..1 | Money | Total Cost of service from the Claim
unallocDeductable | | 0..1 | Money | Unallocated deductable
totalBenefit | | 0..1 | Money | Total benefit payable for the Claim
payment | | 0..1 | BackboneElement | Payment (if paid)
type | | 0..1 | CodeableConcept | Partial or Complete Example Payment Type Codes (Example)
adjustment | | 0..1 | Money | Payment adjustment for non-Claim issues
adjustmentReason | | 0..1 | CodeableConcept | Explanation for the non-claim adjustment Payment Adjustment Reason Codes (Example)
date | | 0..1 | date | Expected date of Payment
amount | | 0..1 | Money | Payable amount after adjustment
identifier | | 0..1 | Identifier | Identifier of the payment instrument
form | | 0..1 | CodeableConcept | Printed Form Identifier Form Codes (Example)
processNote | | 0..* | BackboneElement | Processing notes
number | | 0..1 | positiveInt | Sequence number for this note
type | | 0..1 | CodeableConcept | display | print | printoper NoteType (Required)
text | | 0..1 | string | Note explanitory text
language | | 0..1 | CodeableConcept | Language if different from the resource Common Languages (Extensible but limited to All Languages)
benefitBalance | | 0..* | BackboneElement | Balance by Benefit Category
category | | 1..1 | CodeableConcept | Type of services covered Benefit Category Codes (Example)
subCategory | | 0..1 | CodeableConcept | Detailed services covered within the type Benefit SubCategory Codes (Example)
excluded | | 0..1 | boolean | Excluded from the plan
name | | 0..1 | string | Short name for the benefit
description | | 0..1 | string | Description of the benefit or services covered
network | | 0..1 | CodeableConcept | In or out of network Network Type Codes (Example)
unit | | 0..1 | CodeableConcept | Individual or family Unit Type Codes (Example)
term | | 0..1 | CodeableConcept | Annual or lifetime Benefit Term Codes (Example)
financial | | 0..* | BackboneElement | Benefit Summary
type | | 1..1 | CodeableConcept | Deductable, visits, benefit amount Benefit Type Codes (Example)
allowed[x] | | 0..1 | | Benefits allowed
allowedUnsignedInt | | | unsignedInt
allowedString | | | string
allowedMoney | | | Money
used[x] | | 0..1 | | Benefits used
usedUnsignedInt | | | unsignedInt
usedMoney | | | Money
Documentation for this format

UML Diagram (Legend)

XML Template

```
<ExplanationOfBenefit xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Type or discipline --></type>
 <subType><!-- 0..* CodeableConcept Finer grained claim type information --></subType>
 <patient><!-- 0..1 Reference(Patient) The subject of the Products and Services --></patient>
 <billablePeriod><!-- 0..1 Period Period for charge submission --></billablePeriod>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <enterer><!-- 0..1 Reference(Practitioner) Author --></enterer>
 <insurer><!-- 0..1 Reference(Organization) Insurer responsible for the EOB --></insurer>
```

```
<provider><!-- 0..1 Reference(Practitioner) Responsible provider for the claim --></provider>
<organization><!-- 0..1 Reference(Organization) Responsible organization for the claim --></organization>
<referral><!-- 0..1 Reference(ReferralRequest) Treatment Referral --></referral>
<facility><!-- 0..1 Reference(Location) Servicing Facility --></facility>
<claim><!-- 0..1 Reference(Claim) Claim reference --></claim>
<claimResponse><!-- 0..1 Reference(ClaimResponse) Claim response reference --></claimResponse>
<outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
<disposition value="[string]"/><!-- 0..1 Disposition Message -->
<related>  <!-- 0..* Related Claims which may be revelant to processing this claim -->
 <claim><!-- 0..1 Reference(Claim) Reference to the related claim --></claim>
 <relationship><!-- 0..1 CodeableConcept How the reference claim is related --></relationship>
 <reference><!-- 0..1 Identifier Related file or case reference --></reference>
</related>
<prescription><!-- 0..1 Reference(MedicationRequest|VisionPrescription) Prescription authorizing services or products
   --></prescription>
<originalPrescription><!-- 0..1 Reference(MedicationRequest) Original prescription if superceded by fulfiller
   --></originalPrescription>
<payee>  <!-- 0..1 Party to be paid any benefits payable -->
 <type><!-- 0..1 CodeableConcept Type of party: Subscriber, Provider, other --></type>
 <resourceType><!-- 0..1 CodeableConcept organization | patient | practitioner | relatedperson --></resourceType>
 <party><!-- 0..1 Reference(Practitioner|Organization|Patient|RelatedPerson) Party to receive the payable --></party>
</payee>
<information>  <!-- 0..* Exceptions, special considerations, the condition, situation, prior or concurrent issues -->
 <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
 <category><!-- 1..1 CodeableConcept General class of information --></category>
 <code><!-- 0..1 CodeableConcept Type of information --></code>
 <timing[x]><!-- 0..1 date|Period When it occurred --></timing[x]>
 <value[x]><!-- 0..1 string|Quantity|Attachment|Reference(Any) Additional Data or supporting information --></value[x]>
 <reason><!-- 0..1 Coding Reason associated with the information --></reason>
</information>
<careTeam>  <!-- 0..* Care Team members -->
 <sequence value="[positiveInt]"/><!-- 1..1 Number to covey order of careteam -->
 <provider><!-- 1..1 Reference(Practitioner|Organization) Member of the Care Team --></provider>
 <responsible value="[boolean]"/><!-- 0..1 Billing practitioner -->
 <role><!-- 0..1 CodeableConcept Role on the team --></role>
 <qualification><!-- 0..1 CodeableConcept Type, classification or Specialization --></qualification>
</careTeam>
<diagnosis>  <!-- 0..* List of Diagnosis -->
 <sequence value="[positiveInt]"/><!-- 1..1 Number to covey order of diagnosis -->
 <diagnosis[x]><!-- 1..1 CodeableConcept|Reference(Condition) Patient's diagnosis --></diagnosis[x]>
 <type><!-- 0..* CodeableConcept Timing or nature of the diagnosis --></type>
 <packageCode><!-- 0..1 CodeableConcept Package billing code --></packageCode>
</diagnosis>
<procedure>  <!-- 0..* Procedures performed -->
 <sequence value="[positiveInt]"/><!-- 1..1 Procedure sequence for reference -->
 <date value="[dateTime]"/><!-- 0..1 When the procedure was performed -->
 <procedure[x]><!-- 1..1 CodeableConcept|Reference(Procedure) Patient's list of procedures performed --></procedure[x]>
</procedure>
<precedence value="[positiveInt]"/><!-- 0..1 Precedence (primary, secondary, etc.) -->
<insurance>  <!-- 0..1 Insurance or medical plan -->
 <coverage><!-- 0..1 Reference(Coverage) Insurance information --></coverage>
 <preAuthRef value="[string]"/><!-- 0..* Pre-Authorization/Determination Reference -->
</insurance>
<accident>  <!-- 0..1 Details of an accident -->
 <date value="[date]"/><!-- 0..1 When the accident occurred -->
 <type><!-- 0..1 CodeableConcept The nature of the accident --></type>
 <location[x]><!-- 0..1 Address|Reference(Location) Accident Place --></location[x]>
</accident>
<employmentImpacted><!-- 0..1 Period Period unable to work --></employmentImpacted>
<hospitalization><!-- 0..1 Period Period in hospital --></hospitalization>
<item>  <!-- 0..* Goods and Services -->
 <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
 <careTeamLinkId value="[positiveInt]"/><!-- 0..* Applicable careteam members -->
 <diagnosisLinkId value="[positiveInt]"/><!-- 0..* Applicable diagnoses -->
 <procedureLinkId value="[positiveInt]"/><!-- 0..* Applicable procedures -->
 <informationLinkId value="[positiveInt]"/><!-- 0..* Applicable exception and supporting information -->
 <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
 <category><!-- 0..1 CodeableConcept Type of service or product --></category>
 <service><!-- 0..1 CodeableConcept Billing Code --></service>
 <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
 <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
 <serviced[x]><!-- 0..1 date|Period Date or dates of Service --></serviced[x]>
 <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service --></location[x]>
 <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
 <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
 <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
 <net><!-- 0..1 Money Total item cost --></net>
 <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
 <bodySite><!-- 0..1 CodeableConcept Service Location --></bodySite>
 <subSite><!-- 0..* CodeableConcept Service Sub-location --></subSite>
 <encounter><!-- 0..* Reference(Encounter) Encounters related to this billed item --></encounter>
 <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
 <adjudication>  <!-- 0..* Adjudication details -->
  <category><!-- 1..1 CodeableConcept Adjudication category such as co-pay, eligible, benefit, etc. --></category>
  <reason><!-- 0..1 CodeableConcept Explanation of Adjudication outcome --></reason>
  <amount><!-- 0..1 Money Monetary amount --></amount>
  <value value="[decimal]"/><!-- 0..1 Non-monitory value -->
 </adjudication>
 <detail>  <!-- 0..* Additional items -->
```

```
   <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
   <type><!-- 1..1 CodeableConcept Group or type of product or service --></type>
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Type of service or product --></category>
   <service><!-- 0..1 CodeableConcept Billing Code --></service>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Total additional item cost --></net>
   <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
   <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
   <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Detail level adjudication details
    --></adjudication>
   <subDetail>  <!-- 0..* Additional items -->
    <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
    <type><!-- 1..1 CodeableConcept Type of product or service --></type>
    <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
    <category><!-- 0..1 CodeableConcept Type of service or product --></category>
    <service><!-- 0..1 CodeableConcept Billing Code --></service>
    <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
    <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
    <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
    <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
    <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
    <net><!-- 0..1 Money Net additional item cost --></net>
    <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
    <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
    <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Language if different from the
    resource --></adjudication>
   </subDetail>
  </detail>
 </item>
 <addItem>  <!-- 0..* Insurer added line items -->
  <sequenceLinkId value="[positiveInt]"/><!-- 0..* Service instances -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Type of service or product --></category>
  <service><!-- 0..1 CodeableConcept Billing Code --></service>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <fee><!-- 0..1 Money Professional fee or Product charge --></fee>
  <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
  <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items adjudication
    --></adjudication>
  <detail>  <!-- 0..* Added items details -->
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Type of service or product --></category>
   <service><!-- 0..1 CodeableConcept Billing Code --></service>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <fee><!-- 0..1 Money Professional fee or Product charge --></fee>
   <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
   <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items detail adjudication
    --></adjudication>
  </detail>
 </addItem>
 <totalCost><!-- 0..1 Money Total Cost of service from the Claim --></totalCost>
 <unallocDeductable><!-- 0..1 Money Unallocated deductable --></unallocDeductable>
 <totalBenefit><!-- 0..1 Money Total benefit payable for the Claim --></totalBenefit>
 <payment>  <!-- 0..1 Payment (if paid) -->
  <type><!-- 0..1 CodeableConcept Partial or Complete --></type>
  <adjustment><!-- 0..1 Money Payment adjustment for non-Claim issues --></adjustment>
  <adjustmentReason><!-- 0..1 CodeableConcept Explanation for the non-claim adjustment --></adjustmentReason>
  <date value="[date]"/><!-- 0..1 Expected date of Payment -->
  <amount><!-- 0..1 Money Payable amount after adjustment --></amount>
  <identifier><!-- 0..1 Identifier Identifier of the payment instrument --></identifier>
 </payment>
 <form><!-- 0..1 CodeableConcept Printed Form Identifier --></form>
 <processNote>  <!-- 0..* Processing notes -->
  <number value="[positiveInt]"/><!-- 0..1 Sequence number for this note -->
  <type><!-- 0..1 CodeableConcept display | print | printoper --></type>
  <text value="[string]"/><!-- 0..1 Note explanitory text -->
  <language><!-- 0..1 CodeableConcept Language if different from the resource --></language>
 </processNote>
 <benefitBalance>  <!-- 0..* Balance by Benefit Category -->
  <category><!-- 1..1 CodeableConcept Type of services covered --></category>
  <subCategory><!-- 0..1 CodeableConcept Detailed services covered within the type --></subCategory>
  <excluded value="[boolean]"/><!-- 0..1 Excluded from the plan -->
  <name value="[string]"/><!-- 0..1 Short name for the benefit -->
  <description value="[string]"/><!-- 0..1 Description of the benefit or services covered -->
  <network><!-- 0..1 CodeableConcept In or out of network --></network>
  <unit><!-- 0..1 CodeableConcept Individual or family --></unit>
  <term><!-- 0..1 CodeableConcept Annual or lifetime --></term>
  <financial>  <!-- 0..* Benefit Summary -->
   <type><!-- 1..1 CodeableConcept Deductable, visits, benefit amount --></type>
   <allowed[x]><!-- 0..1 unsignedInt|string|Money Benefits allowed --></allowed[x]>
   <used[x]><!-- 0..1 unsignedInt|Money Benefits used --></used[x]>
  </financial>
 </benefitBalance>
</ExplanationOfBenefit>
```

JSON Template

```
{
  "resourceType" : "ExplanationOfBenefit",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // Type or discipline
  "subType" : [{ CodeableConcept }], // Finer grained claim type information
  "patient" : { Reference(Patient) }, // The subject of the Products and Services
  "billablePeriod" : { Period }, // Period for charge submission
  "created" : "<dateTime>", // Creation date
  "enterer" : { Reference(Practitioner) }, // Author
  "insurer" : { Reference(Organization) }, // Insurer responsible for the EOB
  "provider" : { Reference(Practitioner) }, // Responsible provider for the claim
  "organization" : { Reference(Organization) }, // Responsible organization for the claim
  "referral" : { Reference(ReferralRequest) }, // Treatment Referral
  "facility" : { Reference(Location) }, // Servicing Facility
  "claim" : { Reference(Claim) }, // Claim reference
  "claimResponse" : { Reference(ClaimResponse) }, // Claim response reference
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "related" : [{ // Related Claims which may be revelant to processing this claim
    "claim" : { Reference(Claim) }, // Reference to the related claim
    "relationship" : { CodeableConcept }, // How the reference claim is related
    "reference" : { Identifier } // Related file or case reference
  }],
  "prescription" : { Reference(MedicationRequest|VisionPrescription) }, // Prescription authorizing services or products
  "originalPrescription" : { Reference(MedicationRequest) }, // Original prescription if superceded by fulfiller
  "payee" : { // Party to be paid any benefits payable
    "type" : { CodeableConcept }, // Type of party: Subscriber, Provider, other
    "resourceType" : { CodeableConcept }, // organization | patient | practitioner | relatedperson
    "party" : { Reference(Practitioner|Organization|Patient|RelatedPerson) } // Party to receive the payable
  },
  "information" : [{ // Exceptions, special considerations, the condition, situation, prior or concurrent issues
    "sequence" : "<positiveInt>", // R!  Information instance identifier
    "category" : { CodeableConcept }, // R!  General class of information
    "code" : { CodeableConcept }, // Type of information
    // timing[x]: When it occurred. One of these 2:
    "timingDate" : "<date>",
    "timingPeriod" : { Period },
    // value[x]: Additional Data or supporting information. One of these 4:
    "valueString" : "<string>",
    "valueQuantity" : { Quantity },
    "valueAttachment" : { Attachment },
    "valueReference" : { Reference(Any) },
    "reason" : { Coding } // Reason associated with the information
  }],
  "careTeam" : [{ // Care Team members
    "sequence" : "<positiveInt>", // R!  Number to covey order of careteam
    "provider" : { Reference(Practitioner|Organization) }, // R!  Member of the Care Team
    "responsible" : <boolean>, // Billing practitioner
    "role" : { CodeableConcept }, // Role on the team
    "qualification" : { CodeableConcept } // Type, classification or Specialization
  }],
  "diagnosis" : [{ // List of Diagnosis
    "sequence" : "<positiveInt>", // R!  Number to covey order of diagnosis
    // diagnosis[x]: Patient's diagnosis. One of these 2:
    "diagnosisCodeableConcept" : { CodeableConcept },
    "diagnosisReference" : { Reference(Condition) },
    "type" : [{ CodeableConcept }], // Timing or nature of the diagnosis
    "packageCode" : { CodeableConcept } // Package billing code
  }],
  "procedure" : [{ // Procedures performed
    "sequence" : "<positiveInt>", // R!  Procedure sequence for reference
    "date" : "<dateTime>", // When the procedure was performed
    // procedure[x]: Patient's list of procedures performed. One of these 2:
    "procedureCodeableConcept" : { CodeableConcept }
    "procedureReference" : { Reference(Procedure) }
  }],
  "precedence" : "<positiveInt>", // Precedence (primary, secondary, etc.)
  "insurance" : { // Insurance or medical plan
    "coverage" : { Reference(Coverage) }, // Insurance information
    "preAuthRef" : ["<string>"] // Pre-Authorization/Determination Reference
  },
  "accident" : { // Details of an accident
    "date" : "<date>", // When the accident occurred
    "type" : { CodeableConcept }, // The nature of the accident
    // location[x]: Accident Place. One of these 2:
    "locationAddress" : { Address }
    "locationReference" : { Reference(Location) }
  },
  "employmentImpacted" : { Period }, // Period unable to work
  "hospitalization" : { Period }, // Period in hospital
  "item" : [{ // Goods and Services
    "sequence" : "<positiveInt>", // R!  Service instance
    "careTeamLinkId" : ["<positiveInt>"], // Applicable careteam members
    "diagnosisLinkId" : ["<positiveInt>"], // Applicable diagnoses
```

```
  "procedureLinkId" : ["<positiveInt>"], // Applicable procedures
  "informationLinkId" : ["<positiveInt>"], // Applicable exception and supporting information
  "revenue" : { CodeableConcept }, // Revenue or cost center code
  "category" : { CodeableConcept }, // Type of service or product
  "service" : { CodeableConcept }, // Billing Code
  "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
  "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
  // serviced[x]: Date or dates of Service. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  // location[x]: Place of service. One of these 3:
  "locationCodeableConcept" : { CodeableConcept },
  "locationAddress" : { Address },
  "locationReference" : { Reference(Location) },
  "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
  "unitPrice" : { Money }, // Fee, charge or cost per point
  "factor" : <decimal>, // Price scaling factor
  "net" : { Money }, // Total item cost
  "udi" : [{ Reference(Device) }], // Unique Device Identifier
  "bodySite" : { CodeableConcept }, // Service Location
  "subSite" : [{ CodeableConcept }], // Service Sub-location
  "encounter" : [{ Reference(Encounter) }], // Encounters related to this billed item
  "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
  "adjudication" : [{ // Adjudication details
    "category" : { CodeableConcept }, // R!  Adjudication category such as co-pay, eligible, benefit, etc.
    "reason" : { CodeableConcept }, // Explanation of Adjudication outcome
    "amount" : { Money }, // Monetary amount
    "value" : <decimal> // Non-monitory value
  }],
  "detail" : [{ // Additional items
    "sequence" : "<positiveInt>", // R!  Service instance
    "type" : { CodeableConcept }, // R!  Group or type of product or service
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Type of service or product
    "service" : { CodeableConcept }, // Billing Code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
    "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
    "unitPrice" : { Money }, // Fee, charge or cost per point
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total additional item cost
    "udi" : [{ Reference(Device) }], // Unique Device Identifier
    "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
    "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Detail level adjudication details
    "subDetail" : [{ // Additional items
      "sequence" : "<positiveInt>", // R!  Service instance
      "type" : { CodeableConcept }, // R!  Type of product or service
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Type of service or product
      "service" : { CodeableConcept }, // Billing Code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
      "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
      "unitPrice" : { Money }, // Fee, charge or cost per point
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Net additional item cost
      "udi" : [{ Reference(Device) }], // Unique Device Identifier
      "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
      "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }] // Language if different from the
  resource
    }]
  }]
}],
"addItem" : [{ // Insurer added line items
  "sequenceLinkId" : ["<positiveInt>"], // Service instances
  "revenue" : { CodeableConcept }, // Revenue or cost center code
  "category" : { CodeableConcept }, // Type of service or product
  "service" : { CodeableConcept }, // Billing Code
  "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
  "fee" : { Money }, // Professional fee or Product charge
  "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
  "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Added items adjudication
  "detail" : [{ // Added items details
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Type of service or product
    "service" : { CodeableConcept }, // Billing Code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "fee" : { Money }, // Professional fee or Product charge
    "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
    "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }] // Added items detail adjudication
  }]
}],
"totalCost" : { Money }, // Total Cost of service from the Claim
"unallocDeductable" : { Money }, // Unallocated deductable
"totalBenefit" : { Money }, // Total benefit payable for the Claim
"payment" : { // Payment (if paid)
  "type" : { CodeableConcept }, // Partial or Complete
  "adjustment" : { Money }, // Payment adjustment for non-Claim issues
  "adjustmentReason" : { CodeableConcept }, // Explanation for the non-claim adjustment
```

```
    "date" : "<date>", // Expected date of Payment
    "amount" : { Money }, // Payable amount after adjustment
    "identifier" : { Identifier } // Identifier of the payment instrument
  },
  "form" : { CodeableConcept }, // Printed Form Identifier
  "processNote" : [{ // Processing notes
    "number" : "<positiveInt>", // Sequence number for this note
    "type" : { CodeableConcept }, // display | print | printoper
    "text" : "<string>", // Note explanitory text
    "language" : { CodeableConcept } // Language if different from the resource
  }],
  "benefitBalance" : [{ // Balance by Benefit Category
    "category" : { CodeableConcept }, // R!  Type of services covered
    "subCategory" : { CodeableConcept }, // Detailed services covered within the type
    "excluded" : <boolean>, // Excluded from the plan
    "name" : "<string>", // Short name for the benefit
    "description" : "<string>", // Description of the benefit or services covered
    "network" : { CodeableConcept }, // In or out of network
    "unit" : { CodeableConcept }, // Individual or family
    "term" : { CodeableConcept }, // Annual or lifetime
    "financial" : [{ // Benefit Summary
      "type" : { CodeableConcept }, // R!  Deductable, visits, benefit amount
      // allowed[x]: Benefits allowed. One of these 3:
      "allowedUnsignedInt" : "<unsignedInt>",
      "allowedString" : "<string>",
      "allowedMoney" : { Money },
      // used[x]: Benefits used. One of these 2:
      "usedUnsignedInt" : "<unsignedInt>"
      "usedMoney" : { Money }
    }]
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:ExplanationOfBenefit;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:ExplanationOfBenefit.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:ExplanationOfBenefit.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:ExplanationOfBenefit.type [ CodeableConcept ]; # 0..1 Type or discipline
  fhir:ExplanationOfBenefit.subType [ CodeableConcept ], ... ; # 0..* Finer grained claim type information
  fhir:ExplanationOfBenefit.patient [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  fhir:ExplanationOfBenefit.billablePeriod [ Period ]; # 0..1 Period for charge submission
  fhir:ExplanationOfBenefit.created [ dateTime ]; # 0..1 Creation date
  fhir:ExplanationOfBenefit.enterer [ Reference(Practitioner) ]; # 0..1 Author
  fhir:ExplanationOfBenefit.insurer [ Reference(Organization) ]; # 0..1 Insurer responsible for the EOB
  fhir:ExplanationOfBenefit.provider [ Reference(Practitioner) ]; # 0..1 Responsible provider for the claim
  fhir:ExplanationOfBenefit.organization [ Reference(Organization) ]; # 0..1 Responsible organization for the claim
  fhir:ExplanationOfBenefit.referral [ Reference(ReferralRequest) ]; # 0..1 Treatment Referral
  fhir:ExplanationOfBenefit.facility [ Reference(Location) ]; # 0..1 Servicing Facility
  fhir:ExplanationOfBenefit.claim [ Reference(Claim) ]; # 0..1 Claim reference
  fhir:ExplanationOfBenefit.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Claim response reference
  fhir:ExplanationOfBenefit.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:ExplanationOfBenefit.disposition [ string ]; # 0..1 Disposition Message
  fhir:ExplanationOfBenefit.related [ # 0..* Related Claims which may be revelant to processing this claim
    fhir:ExplanationOfBenefit.related.claim [ Reference(Claim) ]; # 0..1 Reference to the related claim
    fhir:ExplanationOfBenefit.related.relationship [ CodeableConcept ]; # 0..1 How the reference claim is related
    fhir:ExplanationOfBenefit.related.reference [ Identifier ]; # 0..1 Related file or case reference
  ], ...;
  fhir:ExplanationOfBenefit.prescription [ Reference(MedicationRequest|VisionPrescription) ]; # 0..1 Prescription
    authorizing services or products
  fhir:ExplanationOfBenefit.originalPrescription [ Reference(MedicationRequest) ]; # 0..1 Original prescription if
    superceded by fulfiller
  fhir:ExplanationOfBenefit.payee [ # 0..1 Party to be paid any benefits payable
    fhir:ExplanationOfBenefit.payee.type [ CodeableConcept ]; # 0..1 Type of party: Subscriber, Provider, other
    fhir:ExplanationOfBenefit.payee.resourceType [ CodeableConcept ]; # 0..1 organization | patient | practitioner |
    relatedperson
    fhir:ExplanationOfBenefit.payee.party [ Reference(Practitioner|Organization|Patient|RelatedPerson) ]; # 0..1 Party
    to receive the payable
  ];
  fhir:ExplanationOfBenefit.information [ # 0..* Exceptions, special considerations, the condition, situation, prior or
    concurrent issues
    fhir:ExplanationOfBenefit.information.sequence [ positiveInt ]; # 1..1 Information instance identifier
    fhir:ExplanationOfBenefit.information.category [ CodeableConcept ]; # 1..1 General class of information
    fhir:ExplanationOfBenefit.information.code [ CodeableConcept ]; # 0..1 Type of information
    # ExplanationOfBenefit.information.timing[x] : 0..1 When it occurred. One of these 2
      fhir:ExplanationOfBenefit.information.timingDate [ date ]
      fhir:ExplanationOfBenefit.information.timingPeriod [ Period ]
    # ExplanationOfBenefit.information.value[x] : 0..1 Additional Data or supporting information. One of these 4
      fhir:ExplanationOfBenefit.information.valueString [ string ]
      fhir:ExplanationOfBenefit.information.valueQuantity [ Quantity ]
      fhir:ExplanationOfBenefit.information.valueAttachment [ Attachment ]
      fhir:ExplanationOfBenefit.information.valueReference [ Reference(Any) ]
    fhir:ExplanationOfBenefit.information.reason [ Coding ]; # 0..1 Reason associated with the information
```

```
], ...;
fhir:ExplanationOfBenefit.careTeam [ # 0..* Care Team members
  fhir:ExplanationOfBenefit.careTeam.sequence [ positiveInt ]; # 1..1 Number to covey order of careteam
  fhir:ExplanationOfBenefit.careTeam.provider [ Reference(Practitioner|Organization) ]; # 1..1 Member of the Care Team
  fhir:ExplanationOfBenefit.careTeam.responsible [ boolean ]; # 0..1 Billing practitioner
  fhir:ExplanationOfBenefit.careTeam.role [ CodeableConcept ]; # 0..1 Role on the team
  fhir:ExplanationOfBenefit.careTeam.qualification [ CodeableConcept ]; # 0..1 Type, classification or Specialization
], ...;
fhir:ExplanationOfBenefit.diagnosis [ # 0..* List of Diagnosis
  fhir:ExplanationOfBenefit.diagnosis.sequence [ positiveInt ]; # 1..1 Number to covey order of diagnosis
  # ExplanationOfBenefit.diagnosis.diagnosis[x] : 1..1 Patient's diagnosis. One of these 2
    fhir:ExplanationOfBenefit.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.diagnosis.diagnosisReference [ Reference(Condition) ]
  fhir:ExplanationOfBenefit.diagnosis.type [ CodeableConcept ], ... ; # 0..* Timing or nature of the diagnosis
  fhir:ExplanationOfBenefit.diagnosis.packageCode [ CodeableConcept ]; # 0..1 Package billing code
], ...;
fhir:ExplanationOfBenefit.procedure [ # 0..* Procedures performed
  fhir:ExplanationOfBenefit.procedure.sequence [ positiveInt ]; # 1..1 Procedure sequence for reference
  fhir:ExplanationOfBenefit.procedure.date [ dateTime ]; # 0..1 When the procedure was performed
  # ExplanationOfBenefit.procedure.procedure[x] : 1..1 Patient's list of procedures performed. One of these 2
    fhir:ExplanationOfBenefit.procedure.procedureCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.procedure.procedureReference [ Reference(Procedure) ]
], ...;
fhir:ExplanationOfBenefit.precedence [ positiveInt ]; # 0..1 Precedence (primary, secondary, etc.)
fhir:ExplanationOfBenefit.insurance [ # 0..1 Insurance or medical plan
  fhir:ExplanationOfBenefit.insurance.coverage [ Reference(Coverage) ]; # 0..1 Insurance information
  fhir:ExplanationOfBenefit.insurance.preAuthRef [ string ], ... ; # 0..* Pre-Authorization/Determination Reference
];
fhir:ExplanationOfBenefit.accident [ # 0..1 Details of an accident
  fhir:ExplanationOfBenefit.accident.date [ date ]; # 0..1 When the accident occurred
  fhir:ExplanationOfBenefit.accident.type [ CodeableConcept ]; # 0..1 The nature of the accident
  # ExplanationOfBenefit.accident.location[x] : 0..1 Accident Place. One of these 2
    fhir:ExplanationOfBenefit.accident.locationAddress [ Address ]
    fhir:ExplanationOfBenefit.accident.locationReference [ Reference(Location) ]
];
fhir:ExplanationOfBenefit.employmentImpacted [ Period ]; # 0..1 Period unable to work
fhir:ExplanationOfBenefit.hospitalization [ Period ]; # 0..1 Period in hospital
fhir:ExplanationOfBenefit.item [ # 0..* Goods and Services
  fhir:ExplanationOfBenefit.item.sequence [ positiveInt ]; # 1..1 Service instance
  fhir:ExplanationOfBenefit.item.careTeamLinkId [ positiveInt ], ... ; # 0..* Applicable careteam members
  fhir:ExplanationOfBenefit.item.diagnosisLinkId [ positiveInt ], ... ; # 0..* Applicable diagnoses
  fhir:ExplanationOfBenefit.item.procedureLinkId [ positiveInt ], ... ; # 0..* Applicable procedures
  fhir:ExplanationOfBenefit.item.informationLinkId [ positiveInt ], ... ; # 0..* Applicable exception and supporting
  information
  fhir:ExplanationOfBenefit.item.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
  fhir:ExplanationOfBenefit.item.category [ CodeableConcept ]; # 0..1 Type of service or product
  fhir:ExplanationOfBenefit.item.service [ CodeableConcept ]; # 0..1 Billing Code
  fhir:ExplanationOfBenefit.item.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
  fhir:ExplanationOfBenefit.item.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for item
  inclusion
  # ExplanationOfBenefit.item.serviced[x] : 0..1 Date or dates of Service. One of these 2
    fhir:ExplanationOfBenefit.item.servicedDate [ date ]
    fhir:ExplanationOfBenefit.item.servicedPeriod [ Period ]
  # ExplanationOfBenefit.item.location[x] : 0..1 Place of service. One of these 3
    fhir:ExplanationOfBenefit.item.locationCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.item.locationAddress [ Address ]
    fhir:ExplanationOfBenefit.item.locationReference [ Reference(Location) ]
  fhir:ExplanationOfBenefit.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
  fhir:ExplanationOfBenefit.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
  fhir:ExplanationOfBenefit.item.factor [ decimal ]; # 0..1 Price scaling factor
  fhir:ExplanationOfBenefit.item.net [ Money ]; # 0..1 Total item cost
  fhir:ExplanationOfBenefit.item.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
  fhir:ExplanationOfBenefit.item.bodySite [ CodeableConcept ]; # 0..1 Service Location
  fhir:ExplanationOfBenefit.item.subSite [ CodeableConcept ], ... ; # 0..* Service Sub-location
  fhir:ExplanationOfBenefit.item.encounter [ Reference(Encounter) ], ... ; # 0..* Encounters related to this billed
  item
  fhir:ExplanationOfBenefit.item.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
  fhir:ExplanationOfBenefit.item.adjudication [ # 0..* Adjudication details
    fhir:ExplanationOfBenefit.item.adjudication.category [ CodeableConcept ]; # 1..1 Adjudication category such as co-
  pay, eligible, benefit, etc.
    fhir:ExplanationOfBenefit.item.adjudication.reason [ CodeableConcept ]; # 0..1 Explanation of Adjudication outcome
    fhir:ExplanationOfBenefit.item.adjudication.amount [ Money ]; # 0..1 Monetary amount
    fhir:ExplanationOfBenefit.item.adjudication.value [ decimal ]; # 0..1 Non-monitory value
  ], ...;
  fhir:ExplanationOfBenefit.item.detail [ # 0..* Additional items
    fhir:ExplanationOfBenefit.item.detail.sequence [ positiveInt ]; # 1..1 Service instance
    fhir:ExplanationOfBenefit.item.detail.type [ CodeableConcept ]; # 1..1 Group or type of product or service
    fhir:ExplanationOfBenefit.item.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:ExplanationOfBenefit.item.detail.category [ CodeableConcept ]; # 0..1 Type of service or product
    fhir:ExplanationOfBenefit.item.detail.service [ CodeableConcept ]; # 0..1 Billing Code
    fhir:ExplanationOfBenefit.item.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:ExplanationOfBenefit.item.detail.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for
  item inclusion
    fhir:ExplanationOfBenefit.item.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
    fhir:ExplanationOfBenefit.item.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
    fhir:ExplanationOfBenefit.item.detail.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:ExplanationOfBenefit.item.detail.net [ Money ]; # 0..1 Total additional item cost
    fhir:ExplanationOfBenefit.item.detail.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
    fhir:ExplanationOfBenefit.item.detail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
```

```
    fhir:ExplanationOfBenefit.item.detail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..*
  Detail level adjudication details
    fhir:ExplanationOfBenefit.item.detail.subDetail [ # 0..* Additional items
      fhir:ExplanationOfBenefit.item.detail.subDetail.sequence [ positiveInt ]; # 1..1 Service instance
      fhir:ExplanationOfBenefit.item.detail.subDetail.type [ CodeableConcept ]; # 1..1 Type of product or service
      fhir:ExplanationOfBenefit.item.detail.subDetail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
      fhir:ExplanationOfBenefit.item.detail.subDetail.category [ CodeableConcept ]; # 0..1 Type of service or product
      fhir:ExplanationOfBenefit.item.detail.subDetail.service [ CodeableConcept ]; # 0..1 Billing Code
      fhir:ExplanationOfBenefit.item.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product
  billing modifiers
      fhir:ExplanationOfBenefit.item.detail.subDetail.programCode [ CodeableConcept ], ... ; # 0..* Program specific
  reason for item inclusion
      fhir:ExplanationOfBenefit.item.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products
  or Services
      fhir:ExplanationOfBenefit.item.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
      fhir:ExplanationOfBenefit.item.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:ExplanationOfBenefit.item.detail.subDetail.net [ Money ]; # 0..1 Net additional item cost
      fhir:ExplanationOfBenefit.item.detail.subDetail.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
      fhir:ExplanationOfBenefit.item.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers
  which apply
      fhir:ExplanationOfBenefit.item.detail.subDetail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ...
   ; # 0..* Language if different from the resource
    ], ...;
  ], ...;
], ...;
fhir:ExplanationOfBenefit.addItem [ # 0..* Insurer added line items
  fhir:ExplanationOfBenefit.addItem.sequenceLinkId [ positiveInt ], ... ; # 0..* Service instances
  fhir:ExplanationOfBenefit.addItem.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
  fhir:ExplanationOfBenefit.addItem.category [ CodeableConcept ]; # 0..1 Type of service or product
  fhir:ExplanationOfBenefit.addItem.service [ CodeableConcept ]; # 0..1 Billing Code
  fhir:ExplanationOfBenefit.addItem.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
  fhir:ExplanationOfBenefit.addItem.fee [ Money ]; # 0..1 Professional fee or Product charge
  fhir:ExplanationOfBenefit.addItem.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
  fhir:ExplanationOfBenefit.addItem.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..* Added
  items adjudication
  fhir:ExplanationOfBenefit.addItem.detail [ # 0..* Added items details
    fhir:ExplanationOfBenefit.addItem.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:ExplanationOfBenefit.addItem.detail.category [ CodeableConcept ]; # 0..1 Type of service or product
    fhir:ExplanationOfBenefit.addItem.detail.service [ CodeableConcept ]; # 0..1 Billing Code
    fhir:ExplanationOfBenefit.addItem.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing
  modifiers
    fhir:ExplanationOfBenefit.addItem.detail.fee [ Money ]; # 0..1 Professional fee or Product charge
    fhir:ExplanationOfBenefit.addItem.detail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
    fhir:ExplanationOfBenefit.addItem.detail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..*
   Added items detail adjudication
  ], ...;
], ...;
fhir:ExplanationOfBenefit.totalCost [ Money ]; # 0..1 Total Cost of service from the Claim
fhir:ExplanationOfBenefit.unallocDeductable [ Money ]; # 0..1 Unallocated deductable
fhir:ExplanationOfBenefit.totalBenefit [ Money ]; # 0..1 Total benefit payable for the Claim
fhir:ExplanationOfBenefit.payment [ # 0..1 Payment (if paid)
  fhir:ExplanationOfBenefit.payment.type [ CodeableConcept ]; # 0..1 Partial or Complete
  fhir:ExplanationOfBenefit.payment.adjustment [ Money ]; # 0..1 Payment adjustment for non-Claim issues
  fhir:ExplanationOfBenefit.payment.adjustmentReason [ CodeableConcept ]; # 0..1 Explanation for the non-claim
  adjustment
  fhir:ExplanationOfBenefit.payment.date [ date ]; # 0..1 Expected date of Payment
  fhir:ExplanationOfBenefit.payment.amount [ Money ]; # 0..1 Payable amount after adjustment
  fhir:ExplanationOfBenefit.payment.identifier [ Identifier ]; # 0..1 Identifier of the payment instrument
];
fhir:ExplanationOfBenefit.form [ CodeableConcept ]; # 0..1 Printed Form Identifier
fhir:ExplanationOfBenefit.processNote [ # 0..* Processing notes
  fhir:ExplanationOfBenefit.processNote.number [ positiveInt ]; # 0..1 Sequence number for this note
  fhir:ExplanationOfBenefit.processNote.type [ CodeableConcept ]; # 0..1 display | print | printoper
  fhir:ExplanationOfBenefit.processNote.text [ string ]; # 0..1 Note explanitory text
  fhir:ExplanationOfBenefit.processNote.language [ CodeableConcept ]; # 0..1 Language if different from the resource
], ...;
fhir:ExplanationOfBenefit.benefitBalance [ # 0..* Balance by Benefit Category
  fhir:ExplanationOfBenefit.benefitBalance.category [ CodeableConcept ]; # 1..1 Type of services covered
  fhir:ExplanationOfBenefit.benefitBalance.subCategory [ CodeableConcept ]; # 0..1 Detailed services covered within
  the type
  fhir:ExplanationOfBenefit.benefitBalance.excluded [ boolean ]; # 0..1 Excluded from the plan
  fhir:ExplanationOfBenefit.benefitBalance.name [ string ]; # 0..1 Short name for the benefit
  fhir:ExplanationOfBenefit.benefitBalance.description [ string ]; # 0..1 Description of the benefit or services
  covered
  fhir:ExplanationOfBenefit.benefitBalance.network [ CodeableConcept ]; # 0..1 In or out of network
  fhir:ExplanationOfBenefit.benefitBalance.unit [ CodeableConcept ]; # 0..1 Individual or family
  fhir:ExplanationOfBenefit.benefitBalance.term [ CodeableConcept ]; # 0..1 Annual or lifetime
  fhir:ExplanationOfBenefit.benefitBalance.financial [ # 0..* Benefit Summary
    fhir:ExplanationOfBenefit.benefitBalance.financial.type [ CodeableConcept ]; # 1..1 Deductable, visits, benefit
  amount
    # ExplanationOfBenefit.benefitBalance.financial.allowed[x] : 0..1 Benefits allowed. One of these 3
      fhir:ExplanationOfBenefit.benefitBalance.financial.allowedUnsignedInt [ unsignedInt ]
      fhir:ExplanationOfBenefit.benefitBalance.financial.allowedString [ string ]
      fhir:ExplanationOfBenefit.benefitBalance.financial.allowedMoney [ Money ]
    # ExplanationOfBenefit.benefitBalance.financial.used[x] : 0..1 Benefits used. One of these 2
      fhir:ExplanationOfBenefit.benefitBalance.financial.usedUnsignedInt [ unsignedInt ]
      fhir:ExplanationOfBenefit.benefitBalance.financial.usedMoney [ Money ]
  ], ...;
], ...;
```

]

Changes since DSTU2

ExplanationOfBenefit
ExplanationOfBenefit.status | Added Element
ExplanationOfBenefit.type | Added Element
ExplanationOfBenefit.subType | Added Element
ExplanationOfBenefit.patient | Added Element
ExplanationOfBenefit.billablePeriod | Added Element
ExplanationOfBenefit.enterer | Added Element
ExplanationOfBenefit.insurer | Added Element
ExplanationOfBenefit.provider | Added Element
ExplanationOfBenefit.referral | Added Element
ExplanationOfBenefit.facility | Added Element
ExplanationOfBenefit.claim | Added Element
ExplanationOfBenefit.claimResponse | Added Element
ExplanationOfBenefit.outcome | Type changed from code to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/remittance-outcome (required)
ExplanationOfBenefit.related | Added Element
ExplanationOfBenefit.related.claim | Added Element
ExplanationOfBenefit.related.relationship | Added Element
ExplanationOfBenefit.related.reference | Added Element
ExplanationOfBenefit.prescription | Added Element
ExplanationOfBenefit.originalPrescription | Added Element
ExplanationOfBenefit.payee | Added Element
ExplanationOfBenefit.payee.type | Added Element
ExplanationOfBenefit.payee.resourceType | Added Element
ExplanationOfBenefit.payee.party | Added Element
ExplanationOfBenefit.information | Added Element
ExplanationOfBenefit.information.sequence | Added Element
ExplanationOfBenefit.information.category | Added Element
ExplanationOfBenefit.information.code | Added Element
ExplanationOfBenefit.information.timing[x] | Added Element
ExplanationOfBenefit.information.value[x] | Added Element
ExplanationOfBenefit.information.reason | Added Element
ExplanationOfBenefit.careTeam | Added Element
ExplanationOfBenefit.careTeam.sequence | Added Element
ExplanationOfBenefit.careTeam.provider | Added Element
ExplanationOfBenefit.careTeam.responsible | Added Element
ExplanationOfBenefit.careTeam.role | Added Element
ExplanationOfBenefit.careTeam.qualification | Added Element
ExplanationOfBenefit.diagnosis | Added Element
ExplanationOfBenefit.diagnosis.sequence | Added Element
ExplanationOfBenefit.diagnosis.diagnosis[x] | Added Element
ExplanationOfBenefit.diagnosis.type | Added Element
ExplanationOfBenefit.diagnosis.packageCode | Added Element
ExplanationOfBenefit.procedure | Added Element
ExplanationOfBenefit.procedure.sequence | Added Element
ExplanationOfBenefit.procedure.date | Added Element
ExplanationOfBenefit.procedure.procedure[x] | Added Element
ExplanationOfBenefit.precedence | Added Element
ExplanationOfBenefit.insurance | Added Element
ExplanationOfBenefit.insurance.coverage | Added Element
ExplanationOfBenefit.insurance.preAuthRef | Added Element
ExplanationOfBenefit.accident | Added Element
ExplanationOfBenefit.accident.date | Added Element
ExplanationOfBenefit.accident.type | Added Element
ExplanationOfBenefit.accident.location[x] | Added Element
ExplanationOfBenefit.employmentImpacted | Added Element
ExplanationOfBenefit.hospitalization | Added Element
ExplanationOfBenefit.item | Added Element
ExplanationOfBenefit.item.sequence | Added Element
ExplanationOfBenefit.item.careTeamLinkId | Added Element
ExplanationOfBenefit.item.diagnosisLinkId | Added Element
ExplanationOfBenefit.item.procedureLinkId | Added Element
ExplanationOfBenefit.item.informationLinkId | Added Element
ExplanationOfBenefit.item.revenue | Added Element
ExplanationOfBenefit.item.category | Added Element
ExplanationOfBenefit.item.service | Added Element
ExplanationOfBenefit.item.modifier | Added Element
ExplanationOfBenefit.item.programCode | Added Element
ExplanationOfBenefit.item.serviced[x] | Added Element
ExplanationOfBenefit.item.location[x] | Added Element

ExplanationOfBenefit.item.quantity | Added Element
ExplanationOfBenefit.item.unitPrice | Added Element
ExplanationOfBenefit.item.factor | Added Element
ExplanationOfBenefit.item.net | Added Element
ExplanationOfBenefit.item.udi | Added Element
ExplanationOfBenefit.item.bodySite | Added Element
ExplanationOfBenefit.item.subSite | Added Element
ExplanationOfBenefit.item.encounter | Added Element
ExplanationOfBenefit.item.noteNumber | Added Element
ExplanationOfBenefit.item.adjudication | Added Element
ExplanationOfBenefit.item.adjudication.category | Added Element
ExplanationOfBenefit.item.adjudication.reason | Added Element
ExplanationOfBenefit.item.adjudication.amount | Added Element
ExplanationOfBenefit.item.adjudication.value | Added Element
ExplanationOfBenefit.item.detail | Added Element
ExplanationOfBenefit.item.detail.sequence | Added Element
ExplanationOfBenefit.item.detail.type | Added Element
ExplanationOfBenefit.item.detail.revenue | Added Element
ExplanationOfBenefit.item.detail.category | Added Element
ExplanationOfBenefit.item.detail.service | Added Element
ExplanationOfBenefit.item.detail.modifier | Added Element
ExplanationOfBenefit.item.detail.programCode | Added Element
ExplanationOfBenefit.item.detail.quantity | Added Element
ExplanationOfBenefit.item.detail.unitPrice | Added Element
ExplanationOfBenefit.item.detail.factor | Added Element
ExplanationOfBenefit.item.detail.net | Added Element
ExplanationOfBenefit.item.detail.udi | Added Element
ExplanationOfBenefit.item.detail.noteNumber | Added Element
ExplanationOfBenefit.item.detail.adjudication | Added Element
ExplanationOfBenefit.item.detail.subDetail | Added Element
ExplanationOfBenefit.item.detail.subDetail.sequence | Added Element
ExplanationOfBenefit.item.detail.subDetail.type | Added Element
ExplanationOfBenefit.item.detail.subDetail.revenue | Added Element
ExplanationOfBenefit.item.detail.subDetail.category | Added Element
ExplanationOfBenefit.item.detail.subDetail.service | Added Element
ExplanationOfBenefit.item.detail.subDetail.modifier | Added Element
ExplanationOfBenefit.item.detail.subDetail.programCode | Added Element
ExplanationOfBenefit.item.detail.subDetail.quantity | Added Element
ExplanationOfBenefit.item.detail.subDetail.unitPrice | Added Element
ExplanationOfBenefit.item.detail.subDetail.factor | Added Element
ExplanationOfBenefit.item.detail.subDetail.net | Added Element
ExplanationOfBenefit.item.detail.subDetail.udi | Added Element
ExplanationOfBenefit.item.detail.subDetail.noteNumber | Added Element
ExplanationOfBenefit.item.detail.subDetail.adjudication | Added Element
ExplanationOfBenefit.addItem | Added Element
ExplanationOfBenefit.addItem.sequenceLinkId | Added Element
ExplanationOfBenefit.addItem.revenue | Added Element
ExplanationOfBenefit.addItem.category | Added Element
ExplanationOfBenefit.addItem.service | Added Element
ExplanationOfBenefit.addItem.modifier | Added Element
ExplanationOfBenefit.addItem.fee | Added Element
ExplanationOfBenefit.addItem.noteNumber | Added Element
ExplanationOfBenefit.addItem.adjudication | Added Element
ExplanationOfBenefit.addItem.detail | Added Element
ExplanationOfBenefit.addItem.detail.revenue | Added Element
ExplanationOfBenefit.addItem.detail.category | Added Element
ExplanationOfBenefit.addItem.detail.service | Added Element
ExplanationOfBenefit.addItem.detail.modifier | Added Element
ExplanationOfBenefit.addItem.detail.fee | Added Element
ExplanationOfBenefit.addItem.detail.noteNumber | Added Element
ExplanationOfBenefit.addItem.detail.adjudication | Added Element
ExplanationOfBenefit.totalCost | Added Element
ExplanationOfBenefit.unallocDeductable | Added Element
ExplanationOfBenefit.totalBenefit | Added Element
ExplanationOfBenefit.payment | Added Element
ExplanationOfBenefit.payment.type | Added Element
ExplanationOfBenefit.payment.adjustment | Added Element
ExplanationOfBenefit.payment.adjustmentReason | Added Element
ExplanationOfBenefit.payment.date | Added Element
ExplanationOfBenefit.payment.amount | Added Element
ExplanationOfBenefit.payment.identifier | Added Element
ExplanationOfBenefit.form | Added Element

ExplanationOfBenefit.processNote | Added Element
ExplanationOfBenefit.processNote.number | Added Element
ExplanationOfBenefit.processNote.type | Added Element
ExplanationOfBenefit.processNote.text | Added Element
ExplanationOfBenefit.processNote.language | Added Element
ExplanationOfBenefit.benefitBalance | Added Element
ExplanationOfBenefit.benefitBalance.category | Added Element
ExplanationOfBenefit.benefitBalance.subCategory | Added Element
ExplanationOfBenefit.benefitBalance.excluded | Added Element
ExplanationOfBenefit.benefitBalance.name | Added Element
ExplanationOfBenefit.benefitBalance.description | Added Element
ExplanationOfBenefit.benefitBalance.network | Added Element
ExplanationOfBenefit.benefitBalance.unit | Added Element
ExplanationOfBenefit.benefitBalance.term | Added Element
ExplanationOfBenefit.benefitBalance.financial | Added Element
ExplanationOfBenefit.benefitBalance.financial.type | Added Element
ExplanationOfBenefit.benefitBalance.financial.allowed[x] | Added Element
ExplanationOfBenefit.benefitBalance.financial.used[x] | Added Element
ExplanationOfBenefit.request | deleted
ExplanationOfBenefit.ruleset | deleted
ExplanationOfBenefit.originalRuleset | deleted
ExplanationOfBenefit.requestProvider | deleted
ExplanationOfBenefit.requestOrganization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Structure

Name | Flags | Card. | Type | Description & Constraints
ExplanationOfBenefit | | | DomainResource | Explanation of Benefit resource Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | | 0..* | Identifier | Business Identifier
status | ?!? | 0..1 | code | active | cancelled | draft | entered-in-error ExplanationOfBenefitStatus (Required)
type | | 0..1 | CodeableConcept | Type or discipline Example Claim Type Codes (Required)
subType | | 0..* | CodeableConcept | Finer grained claim type information Example Claim SubType Codes (Example)
patient | | 0..1 | Reference(Patient) | The subject of the Products and Services
billablePeriod | | 0..1 | Period | Period for charge submission
created | | 0..1 | dateTime | Creation date
enterer | | 0..1 | Reference(Practitioner) | Author
insurer | | 0..1 | Reference(Organization) | Insurer responsible for the EOB
provider | | 0..1 | Reference(Practitioner) | Responsible provider for the claim
organization | | 0..1 | Reference(Organization) | Responsible organization for the claim
referral | | 0..1 | Reference(ReferralRequest) | Treatment Referral
facility | | 0..1 | Reference(Location) | Servicing Facility
claim | | 0..1 | Reference(Claim) | Claim reference
claimResponse | | 0..1 | Reference(ClaimResponse) | Claim response reference
outcome | | 0..1 | CodeableConcept | complete | error | partial Claim Processing Codes (Example)
disposition | | 0..1 | string | Disposition Message
related | | 0..* | BackboneElement | Related Claims which may be revelant to processing this claim
claim | | 0..1 | Reference(Claim) | Reference to the related claim
relationship | | 0..1 | CodeableConcept | How the reference claim is related Example Related Claim Relationship Codes (Example)
reference | | 0..1 | Identifier | Related file or case reference
prescription | | 0..1 | Reference(MedicationRequest | VisionPrescription) | Prescription authorizing services or products
originalPrescription | | 0..1 | Reference(MedicationRequest) | Original prescription if superceded by fulfiller
payee | | 0..1 | BackboneElement | Party to be paid any benefits payable
type | | 0..1 | CodeableConcept | Type of party: Subscriber, Provider, other Claim Payee Type Codes (Example)
resourceType | | 0..1 | CodeableConcept | organization | patient | practitioner | relatedperson PayeeResourceType (Required)
party | | 0..1 | Reference(Practitioner | Organization | Patient | RelatedPerson) | Party to receive the payable
information | | 0..* | BackboneElement | Exceptions, special considerations, the condition, situation, prior or concurrent issues
sequence | | 1..1 | positiveInt | Information instance identifier
category | | 1..1 | CodeableConcept | General class of information Claim Information Category Codes (Example)
code | | 0..1 | CodeableConcept | Type of information Exception Codes (Example)
timing[x] | | 0..1 | | When it occurred
timingDate | | | date
timingPeriod | | | Period
value[x] | | 0..1 | | Additional Data or supporting information
valueString | | | string
valueQuantity | | | Quantity
valueAttachment | | | Attachment
valueReference | | | Reference(Any)
reason | | 0..1 | Coding | Reason associated with the information Missing Tooth Reason Codes (Example)
careTeam | | 0..* | BackboneElement | Care Team members
sequence | | 1..1 | positiveInt | Number to covey order of careteam

provider | | 1..1 | Reference(Practitioner | Organization) | Member of the Care Team
responsible | | 0..1 | boolean | Billing practitioner
role | | 0..1 | CodeableConcept | Role on the team Claim Care Team Role Codes (Example)
qualification | | 0..1 | CodeableConcept | Type, classification or Specialization Example Provider Qualification Codes (Example)
diagnosis | | 0..* | BackboneElement | List of Diagnosis
sequence | | 1..1 | positiveInt | Number to covey order of diagnosis
diagnosis[x] | | 1..1 | | Patient's diagnosis ICD-10 Codes (Example)
diagnosisCodeableConcept | | | CodeableConcept
diagnosisReference | | | Reference(Condition)
type | | 0..* | CodeableConcept | Timing or nature of the diagnosis Example Diagnosis Type Codes (Example)
packageCode | | 0..1 | CodeableConcept | Package billing code Example Diagnosis Related Group Codes (Example)
procedure | | 0..* | BackboneElement | Procedures performed
sequence | | 1..1 | positiveInt | Procedure sequence for reference
date | | 0..1 | dateTime | When the procedure was performed
procedure[x] | | 1..1 | | Patient's list of procedures performed ICD-10 Procedure Codes (Example)
procedureCodeableConcept | | | CodeableConcept
procedureReference | | | Reference(Procedure)
precedence | | 0..1 | positiveInt | Precedence (primary, secondary, etc.)
insurance | | 0..1 | BackboneElement | Insurance or medical plan
coverage | | 0..1 | Reference(Coverage) | Insurance information
preAuthRef | | 0..* | string | Pre-Authorization/Determination Reference
accident | | 0..1 | BackboneElement | Details of an accident
date | | 0..1 | date | When the accident occurred
type | | 0..1 | CodeableConcept | The nature of the accident ActIncidentCode (Required)
location[x] | | 0..1 | | Accident Place
locationAddress | | | Address
locationReference | | | Reference(Location)
employmentImpacted | | 0..1 | Period | Period unable to work
hospitalization | | 0..1 | Period | Period in hospital
item | | 0..* | BackboneElement | Goods and Services
sequence | | 1..1 | positiveInt | Service instance
careTeamLinkId | | 0..* | positiveInt | Applicable careteam members
diagnosisLinkId | | 0..* | positiveInt | Applicable diagnoses
procedureLinkId | | 0..* | positiveInt | Applicable procedures
informationLinkId | | 0..* | positiveInt | Applicable exception and supporting information
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
serviced[x] | | 0..1 | | Date or dates of Service
servicedDate | | | date
servicedPeriod | | | Period
location[x] | | 0..1 | | Place of service Example Service Place Codes (Example)
locationCodeableConcept | | | CodeableConcept
locationAddress | | | Address
locationReference | | | Reference(Location)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Total item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
bodySite | | 0..1 | CodeableConcept | Service Location Oral Site Codes (Example)
subSite | | 0..* | CodeableConcept | Service Sub-location Surface Codes (Example)
encounter | | 0..* | Reference(Encounter) | Encounters related to this billed item
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | BackboneElement | Adjudication details
category | | 1..1 | CodeableConcept | Adjudication category such as co-pay, eligible, benefit, etc. Adjudication Value Codes (Example)
reason | | 0..1 | CodeableConcept | Explanation of Adjudication outcome Adjudication Reason Codes (Example)
amount | | 0..1 | Money | Monetary amount
value | | 0..1 | decimal | Non-monitory value
detail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Service instance
type | | 1..1 | CodeableConcept | Group or type of product or service ActInvoiceGroupCode (Required)
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor

net | | 0..1 | Money | Total additional item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Detail level adjudication details
subDetail | | 0..* | BackboneElement | Additional items
sequence | | 1..1 | positiveInt | Service instance
type | | 1..1 | CodeableConcept | Type of product or service ActInvoiceGroupCode (Required)
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
programCode | | 0..* | CodeableConcept | Program specific reason for item inclusion Example Program Reason Codes (Example)
quantity | | 0..1 | SimpleQuantity | Count of Products or Services
unitPrice | | 0..1 | Money | Fee, charge or cost per point
factor | | 0..1 | decimal | Price scaling factor
net | | 0..1 | Money | Net additional item cost
udi | | 0..* | Reference(Device) | Unique Device Identifier
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Language if different from the resource
addItem | | 0..* | BackboneElement | Insurer added line items
sequenceLinkId | | 0..* | positiveInt | Service instances
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
fee | | 0..1 | Money | Professional fee or Product charge
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Added items adjudication
detail | | 0..* | BackboneElement | Added items details
revenue | | 0..1 | CodeableConcept | Revenue or cost center code Example Revenue Center Codes (Example)
category | | 0..1 | CodeableConcept | Type of service or product Benefit SubCategory Codes (Example)
service | | 0..1 | CodeableConcept | Billing Code USCLS Codes (Example)
modifier | | 0..* | CodeableConcept | Service/Product billing modifiers Modifier type Codes (Example)
fee | | 0..1 | Money | Professional fee or Product charge
noteNumber | | 0..* | positiveInt | List of note numbers which apply
adjudication | | 0..* | see adjudication | Added items detail adjudication
totalCost | | 0..1 | Money | Total Cost of service from the Claim
unallocDeductable | | 0..1 | Money | Unallocated deductable
totalBenefit | | 0..1 | Money | Total benefit payable for the Claim
payment | | 0..1 | BackboneElement | Payment (if paid)
type | | 0..1 | CodeableConcept | Partial or Complete Example Payment Type Codes (Example)
adjustment | | 0..1 | Money | Payment adjustment for non-Claim issues
adjustmentReason | | 0..1 | CodeableConcept | Explanation for the non-claim adjustment Payment Adjustment Reason Codes (Example)
date | | 0..1 | date | Expected date of Payment
amount | | 0..1 | Money | Payable amount after adjustment
identifier | | 0..1 | Identifier | Identifier of the payment instrument
form | | 0..1 | CodeableConcept | Printed Form Identifier Form Codes (Example)
processNote | | 0..* | BackboneElement | Processing notes
number | | 0..1 | positiveInt | Sequence number for this note
type | | 0..1 | CodeableConcept | display | print | printoper NoteType (Required)
text | | 0..1 | string | Note explanitory text
language | | 0..1 | CodeableConcept | Language if different from the resource Common Languages (Extensible but limited to All Languages)
benefitBalance | | 0..* | BackboneElement | Balance by Benefit Category
category | | 1..1 | CodeableConcept | Type of services covered Benefit Category Codes (Example)
subCategory | | 0..1 | CodeableConcept | Detailed services covered within the type Benefit SubCategory Codes (Example)
excluded | | 0..1 | boolean | Excluded from the plan
name | | 0..1 | string | Short name for the benefit
description | | 0..1 | string | Description of the benefit or services covered
network | | 0..1 | CodeableConcept | In or out of network Network Type Codes (Example)
unit | | 0..1 | CodeableConcept | Individual or family Unit Type Codes (Example)
term | | 0..1 | CodeableConcept | Annual or lifetime Benefit Term Codes (Example)
financial | | 0..* | BackboneElement | Benefit Summary
type | | 1..1 | CodeableConcept | Deductable, visits, benefit amount Benefit Type Codes (Example)
allowed[x] | | 0..1 | | Benefits allowed
allowedUnsignedInt | | | unsignedInt
allowedString | | | string
allowedMoney | | | Money
used[x] | | 0..1 | | Benefits used
usedUnsignedInt | | | unsignedInt
usedMoney | | | Money
Documentation for this format

UML Diagram (Legend)

XML Template

```
<ExplanationOfBenefit xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..* Identifier Business Identifier --></identifier>
 <status value="[code]"/><!-- 0..1 active | cancelled | draft | entered-in-error -->
 <type><!-- 0..1 CodeableConcept Type or discipline --></type>
 <subType><!-- 0..* CodeableConcept Finer grained claim type information --></subType>
 <patient><!-- 0..1 Reference(Patient) The subject of the Products and Services --></patient>
 <billablePeriod><!-- 0..1 Period Period for charge submission --></billablePeriod>
 <created value="[dateTime]"/><!-- 0..1 Creation date -->
 <enterer><!-- 0..1 Reference(Practitioner) Author --></enterer>
 <insurer><!-- 0..1 Reference(Organization) Insurer responsible for the EOB --></insurer>
 <provider><!-- 0..1 Reference(Practitioner) Responsible provider for the claim --></provider>
 <organization><!-- 0..1 Reference(Organization) Responsible organization for the claim --></organization>
 <referral><!-- 0..1 Reference(ReferralRequest) Treatment Referral --></referral>
 <facility><!-- 0..1 Reference(Location) Servicing Facility --></facility>
 <claim><!-- 0..1 Reference(Claim) Claim reference --></claim>
 <claimResponse><!-- 0..1 Reference(ClaimResponse) Claim response reference --></claimResponse>
 <outcome><!-- 0..1 CodeableConcept complete | error | partial --></outcome>
 <disposition value="[string]"/><!-- 0..1 Disposition Message -->
 <related>  <!-- 0..* Related Claims which may be revelant to processing this claim -->
  <claim><!-- 0..1 Reference(Claim) Reference to the related claim --></claim>
  <relationship><!-- 0..1 CodeableConcept How the reference claim is related --></relationship>
  <reference><!-- 0..1 Identifier Related file or case reference --></reference>
 </related>
 <prescription><!-- 0..1 Reference(MedicationRequest|VisionPrescription) Prescription authorizing services or products
    --></prescription>
 <originalPrescription><!-- 0..1 Reference(MedicationRequest) Original prescription if superceded by fulfiller
    --></originalPrescription>
 <payee>  <!-- 0..1 Party to be paid any benefits payable -->
  <type><!-- 0..1 CodeableConcept Type of party: Subscriber, Provider, other --></type>
  <resourceType><!-- 0..1 CodeableConcept organization | patient | practitioner | relatedperson --></resourceType>
  <party><!-- 0..1 Reference(Practitioner|Organization|Patient|RelatedPerson) Party to receive the payable --></party>
 </payee>
 <information>  <!-- 0..* Exceptions, special considerations, the condition, situation, prior or concurrent issues -->
  <sequence value="[positiveInt]"/><!-- 1..1 Information instance identifier -->
  <category><!-- 1..1 CodeableConcept General class of information --></category>
  <code><!-- 0..1 CodeableConcept Type of information --></code>
  <timing[x]><!-- 0..1 date|Period When it occurred --></timing[x]>
  <value[x]><!-- 0..1 string|Quantity|Attachment|Reference(Any) Additional Data or supporting information --></value[x]>
  <reason><!-- 0..1 Coding Reason associated with the information --></reason>
 </information>
 <careTeam>  <!-- 0..* Care Team members -->
  <sequence value="[positiveInt]"/><!-- 1..1 Number to covey order of careteam -->
  <provider><!-- 1..1 Reference(Practitioner|Organization) Member of the Care Team --></provider>
  <responsible value="[boolean]"/><!-- 0..1 Billing practitioner -->
  <role><!-- 0..1 CodeableConcept Role on the team --></role>
  <qualification><!-- 0..1 CodeableConcept Type, classification or Specialization --></qualification>
 </careTeam>
 <diagnosis>  <!-- 0..* List of Diagnosis -->
  <sequence value="[positiveInt]"/><!-- 1..1 Number to covey order of diagnosis -->
  <diagnosis[x]><!-- 1..1 CodeableConcept|Reference(Condition) Patient's diagnosis --></diagnosis[x]>
  <type><!-- 0..* CodeableConcept Timing or nature of the diagnosis --></type>
  <packageCode><!-- 0..1 CodeableConcept Package billing code --></packageCode>
 </diagnosis>
 <procedure>  <!-- 0..* Procedures performed -->
  <sequence value="[positiveInt]"/><!-- 1..1 Procedure sequence for reference -->
  <date value="[dateTime]"/><!-- 0..1 When the procedure was performed -->
  <procedure[x]><!-- 1..1 CodeableConcept|Reference(Procedure) Patient's list of procedures performed --></procedure[x]>
 </procedure>
 <precedence value="[positiveInt]"/><!-- 0..1 Precedence (primary, secondary, etc.) -->
 <insurance>  <!-- 0..1 Insurance or medical plan -->
  <coverage><!-- 0..1 Reference(Coverage) Insurance information --></coverage>
  <preAuthRef value="[string]"/><!-- 0..* Pre-Authorization/Determination Reference -->
 </insurance>
 <accident>  <!-- 0..1 Details of an accident -->
  <date value="[date]"/><!-- 0..1 When the accident occurred -->
  <type><!-- 0..1 CodeableConcept The nature of the accident --></type>
  <location[x]><!-- 0..1 Address|Reference(Location) Accident Place --></location[x]>
 </accident>
 <employmentImpacted><!-- 0..1 Period Period unable to work --></employmentImpacted>
 <hospitalization><!-- 0..1 Period Period in hospital --></hospitalization>
 <item>  <!-- 0..* Goods and Services -->
  <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
  <careTeamLinkId value="[positiveInt]"/><!-- 0..* Applicable careteam members -->
  <diagnosisLinkId value="[positiveInt]"/><!-- 0..* Applicable diagnoses -->
  <procedureLinkId value="[positiveInt]"/><!-- 0..* Applicable procedures -->
  <informationLinkId value="[positiveInt]"/><!-- 0..* Applicable exception and supporting information -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Type of service or product --></category>
  <service><!-- 0..1 CodeableConcept Billing Code --></service>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
  <serviced[x]><!-- 0..1 date|Period Date or dates of Service --></serviced[x]>
  <location[x]><!-- 0..1 CodeableConcept|Address|Reference(Location) Place of service --></location[x]>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
```

```
 <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
 <net><!-- 0..1 Money Total item cost --></net>
 <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
 <bodySite><!-- 0..1 CodeableConcept Service Location --></bodySite>
 <subSite><!-- 0..* CodeableConcept Service Sub-location --></subSite>
 <encounter><!-- 0..* Reference(Encounter) Encounters related to this billed item --></encounter>
 <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
 <adjudication>  <!-- 0..* Adjudication details -->
  <category><!-- 1..1 CodeableConcept Adjudication category such as co-pay, eligible, benefit, etc. --></category>
  <reason><!-- 0..1 CodeableConcept Explanation of Adjudication outcome --></reason>
  <amount><!-- 0..1 Money Monetary amount --></amount>
  <value value="[decimal]"/><!-- 0..1 Non-monitory value -->
 </adjudication>
 <detail>  <!-- 0..* Additional items -->
  <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
  <type><!-- 1..1 CodeableConcept Group or type of product or service --></type>
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Type of service or product --></category>
  <service><!-- 0..1 CodeableConcept Billing Code --></service>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
  <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
  <net><!-- 0..1 Money Total additional item cost --></net>
  <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
  <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
  <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Detail level adjudication details
   --></adjudication>
  <subDetail>  <!-- 0..* Additional items -->
   <sequence value="[positiveInt]"/><!-- 1..1 Service instance -->
   <type><!-- 1..1 CodeableConcept Type of product or service --></type>
   <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
   <category><!-- 0..1 CodeableConcept Type of service or product --></category>
   <service><!-- 0..1 CodeableConcept Billing Code --></service>
   <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
   <programCode><!-- 0..* CodeableConcept Program specific reason for item inclusion --></programCode>
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Products or Services --></quantity>
   <unitPrice><!-- 0..1 Money Fee, charge or cost per point --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Price scaling factor -->
   <net><!-- 0..1 Money Net additional item cost --></net>
   <udi><!-- 0..* Reference(Device) Unique Device Identifier --></udi>
   <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
   <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Language if different from the
   resource --></adjudication>
  </subDetail>
 </detail>
</item>
<addItem>  <!-- 0..* Insurer added line items -->
 <sequenceLinkId value="[positiveInt]"/><!-- 0..* Service instances -->
 <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
 <category><!-- 0..1 CodeableConcept Type of service or product --></category>
 <service><!-- 0..1 CodeableConcept Billing Code --></service>
 <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
 <fee><!-- 0..1 Money Professional fee or Product charge --></fee>
 <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
 <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items adjudication
   --></adjudication>
 <detail>  <!-- 0..* Added items details -->
  <revenue><!-- 0..1 CodeableConcept Revenue or cost center code --></revenue>
  <category><!-- 0..1 CodeableConcept Type of service or product --></category>
  <service><!-- 0..1 CodeableConcept Billing Code --></service>
  <modifier><!-- 0..* CodeableConcept Service/Product billing modifiers --></modifier>
  <fee><!-- 0..1 Money Professional fee or Product charge --></fee>
  <noteNumber value="[positiveInt]"/><!-- 0..* List of note numbers which apply -->
  <adjudication><!-- 0..* Content as for ExplanationOfBenefit.item.adjudication Added items detail adjudication
   --></adjudication>
 </detail>
</addItem>
<totalCost><!-- 0..1 Money Total Cost of service from the Claim --></totalCost>
<unallocDeductable><!-- 0..1 Money Unallocated deductable --></unallocDeductable>
<totalBenefit><!-- 0..1 Money Total benefit payable for the Claim --></totalBenefit>
<payment>  <!-- 0..1 Payment (if paid) -->
 <type><!-- 0..1 CodeableConcept Partial or Complete --></type>
 <adjustment><!-- 0..1 Money Payment adjustment for non-Claim issues --></adjustment>
 <adjustmentReason><!-- 0..1 CodeableConcept Explanation for the non-claim adjustment --></adjustmentReason>
 <date value="[date]"/><!-- 0..1 Expected date of Payment -->
 <amount><!-- 0..1 Money Payable amount after adjustment --></amount>
 <identifier><!-- 0..1 Identifier Identifier of the payment instrument --></identifier>
</payment>
<form><!-- 0..1 CodeableConcept Printed Form Identifier --></form>
<processNote>  <!-- 0..* Processing notes -->
 <number value="[positiveInt]"/><!-- 0..1 Sequence number for this note -->
 <type><!-- 0..1 CodeableConcept display | print | printoper --></type>
 <text value="[string]"/><!-- 0..1 Note explanitory text -->
 <language><!-- 0..1 CodeableConcept Language if different from the resource --></language>
</processNote>
<benefitBalance>  <!-- 0..* Balance by Benefit Category -->
 <category><!-- 1..1 CodeableConcept Type of services covered --></category>
```

```
  <subCategory><!-- 0..1 CodeableConcept Detailed services covered within the type --></subCategory>
  <excluded value="[boolean]"/><!-- 0..1 Excluded from the plan -->
  <name value="[string]"/><!-- 0..1 Short name for the benefit -->
  <description value="[string]"/><!-- 0..1 Description of the benefit or services covered -->
  <network><!-- 0..1 CodeableConcept In or out of network --></network>
  <unit><!-- 0..1 CodeableConcept Individual or family --></unit>
  <term><!-- 0..1 CodeableConcept Annual or lifetime --></term>
  <financial>  <!-- 0..* Benefit Summary -->
   <type><!-- 1..1 CodeableConcept Deductable, visits, benefit amount --></type>
   <allowed[x]><!-- 0..1 unsignedInt|string|Money Benefits allowed --></allowed[x]>
   <used[x]><!-- 0..1 unsignedInt|Money Benefits used --></used[x]>
  </financial>
 </benefitBalance>
</ExplanationOfBenefit>
```

JSON Template

```
{
  "resourceType" : "ExplanationOfBenefit",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : [{ Identifier }], // Business Identifier
  "status" : "<code>", // active | cancelled | draft | entered-in-error
  "type" : { CodeableConcept }, // Type or discipline
  "subType" : [{ CodeableConcept }], // Finer grained claim type information
  "patient" : { Reference(Patient) }, // The subject of the Products and Services
  "billablePeriod" : { Period }, // Period for charge submission
  "created" : "<dateTime>", // Creation date
  "enterer" : { Reference(Practitioner) }, // Author
  "insurer" : { Reference(Organization) }, // Insurer responsible for the EOB
  "provider" : { Reference(Practitioner) }, // Responsible provider for the claim
  "organization" : { Reference(Organization) }, // Responsible organization for the claim
  "referral" : { Reference(ReferralRequest) }, // Treatment Referral
  "facility" : { Reference(Location) }, // Servicing Facility
  "claim" : { Reference(Claim) }, // Claim reference
  "claimResponse" : { Reference(ClaimResponse) }, // Claim response reference
  "outcome" : { CodeableConcept }, // complete | error | partial
  "disposition" : "<string>", // Disposition Message
  "related" : [{ // Related Claims which may be revelant to processing this claim
    "claim" : { Reference(Claim) }, // Reference to the related claim
    "relationship" : { CodeableConcept }, // How the reference claim is related
    "reference" : { Identifier } // Related file or case reference
  }],
  "prescription" : { Reference(MedicationRequest|VisionPrescription) }, // Prescription authorizing services or products
  "originalPrescription" : { Reference(MedicationRequest) }, // Original prescription if superceded by fulfiller
  "payee" : { // Party to be paid any benefits payable
    "type" : { CodeableConcept }, // Type of party: Subscriber, Provider, other
    "resourceType" : { CodeableConcept }, // organization | patient | practitioner | relatedperson
    "party" : { Reference(Practitioner|Organization|Patient|RelatedPerson) } // Party to receive the payable
  },
  "information" : [{ // Exceptions, special considerations, the condition, situation, prior or concurrent issues
    "sequence" : "<positiveInt>", // R!  Information instance identifier
    "category" : { CodeableConcept }, // R!  General class of information
    "code" : { CodeableConcept }, // Type of information
    // timing[x]: When it occurred. One of these 2:
    "timingDate" : "<date>",
    "timingPeriod" : { Period },
    // value[x]: Additional Data or supporting information. One of these 4:
    "valueString" : "<string>",
    "valueQuantity" : { Quantity },
    "valueAttachment" : { Attachment },
    "valueReference" : { Reference(Any) },
    "reason" : { Coding } // Reason associated with the information
  }],
  "careTeam" : [{ // Care Team members
    "sequence" : "<positiveInt>", // R!  Number to covey order of careteam
    "provider" : { Reference(Practitioner|Organization) }, // R!  Member of the Care Team
    "responsible" : <boolean>, // Billing practitioner
    "role" : { CodeableConcept }, // Role on the team
    "qualification" : { CodeableConcept } // Type, classification or Specialization
  }],
  "diagnosis" : [{ // List of Diagnosis
    "sequence" : "<positiveInt>", // R!  Number to covey order of diagnosis
    // diagnosis[x]: Patient's diagnosis. One of these 2:
    "diagnosisCodeableConcept" : { CodeableConcept },
    "diagnosisReference" : { Reference(Condition) },
    "type" : [{ CodeableConcept }], // Timing or nature of the diagnosis
    "packageCode" : { CodeableConcept } // Package billing code
  }],
  "procedure" : [{ // Procedures performed
    "sequence" : "<positiveInt>", // R!  Procedure sequence for reference
    "date" : "<dateTime>", // When the procedure was performed
    // procedure[x]: Patient's list of procedures performed. One of these 2:
    "procedureCodeableConcept" : { CodeableConcept }
    "procedureReference" : { Reference(Procedure) }
  }],
  "precedence" : "<positiveInt>", // Precedence (primary, secondary, etc.)
  "insurance" : { // Insurance or medical plan
    "coverage" : { Reference(Coverage) }, // Insurance information
    "preAuthRef" : ["<string>"] // Pre-Authorization/Determination Reference
```

```
},
"accident" : { // Details of an accident
  "date" : "<date>", // When the accident occurred
  "type" : { CodeableConcept }, // The nature of the accident
  // location[x]: Accident Place. One of these 2:
  "locationAddress" : { Address }
  "locationReference" : { Reference(Location) }
},
"employmentImpacted" : { Period }, // Period unable to work
"hospitalization" : { Period }, // Period in hospital
"item" : [{ // Goods and Services
  "sequence" : "<positiveInt>", // R!  Service instance
  "careTeamLinkId" : ["<positiveInt>"], // Applicable careteam members
  "diagnosisLinkId" : ["<positiveInt>"], // Applicable diagnoses
  "procedureLinkId" : ["<positiveInt>"], // Applicable procedures
  "informationLinkId" : ["<positiveInt>"], // Applicable exception and supporting information
  "revenue" : { CodeableConcept }, // Revenue or cost center code
  "category" : { CodeableConcept }, // Type of service or product
  "service" : { CodeableConcept }, // Billing Code
  "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
  "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
  // serviced[x]: Date or dates of Service. One of these 2:
  "servicedDate" : "<date>",
  "servicedPeriod" : { Period },
  // location[x]: Place of service. One of these 3:
  "locationCodeableConcept" : { CodeableConcept },
  "locationAddress" : { Address },
  "locationReference" : { Reference(Location) },
  "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
  "unitPrice" : { Money }, // Fee, charge or cost per point
  "factor" : <decimal>, // Price scaling factor
  "net" : { Money }, // Total item cost
  "udi" : [{ Reference(Device) }], // Unique Device Identifier
  "bodySite" : { CodeableConcept }, // Service Location
  "subSite" : [{ CodeableConcept }], // Service Sub-location
  "encounter" : [{ Reference(Encounter) }], // Encounters related to this billed item
  "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
  "adjudication" : [{ // Adjudication details
    "category" : { CodeableConcept }, // R!  Adjudication category such as co-pay, eligible, benefit, etc.
    "reason" : { CodeableConcept }, // Explanation of Adjudication outcome
    "amount" : { Money }, // Monetary amount
    "value" : <decimal> // Non-monitory value
  }],
  "detail" : [{ // Additional items
    "sequence" : "<positiveInt>", // R!  Service instance
    "type" : { CodeableConcept }, // R!  Group or type of product or service
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Type of service or product
    "service" : { CodeableConcept }, // Billing Code
    "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
    "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
    "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
    "unitPrice" : { Money }, // Fee, charge or cost per point
    "factor" : <decimal>, // Price scaling factor
    "net" : { Money }, // Total additional item cost
    "udi" : [{ Reference(Device) }], // Unique Device Identifier
    "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
    "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Detail level adjudication details
    "subDetail" : [{ // Additional items
      "sequence" : "<positiveInt>", // R!  Service instance
      "type" : { CodeableConcept }, // R!  Type of product or service
      "revenue" : { CodeableConcept }, // Revenue or cost center code
      "category" : { CodeableConcept }, // Type of service or product
      "service" : { CodeableConcept }, // Billing Code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "programCode" : [{ CodeableConcept }], // Program specific reason for item inclusion
      "quantity" : { Quantity(SimpleQuantity) }, // Count of Products or Services
      "unitPrice" : { Money }, // Fee, charge or cost per point
      "factor" : <decimal>, // Price scaling factor
      "net" : { Money }, // Net additional item cost
      "udi" : [{ Reference(Device) }], // Unique Device Identifier
      "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
      "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }] // Language if different from the
  resource
    }]
  }]
}],
"addItem" : [{ // Insurer added line items
  "sequenceLinkId" : ["<positiveInt>"], // Service instances
  "revenue" : { CodeableConcept }, // Revenue or cost center code
  "category" : { CodeableConcept }, // Type of service or product
  "service" : { CodeableConcept }, // Billing Code
  "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
  "fee" : { Money }, // Professional fee or Product charge
  "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
  "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }], // Added items adjudication
  "detail" : [{ // Added items details
    "revenue" : { CodeableConcept }, // Revenue or cost center code
    "category" : { CodeableConcept }, // Type of service or product
```

```
      "service" : { CodeableConcept }, // Billing Code
      "modifier" : [{ CodeableConcept }], // Service/Product billing modifiers
      "fee" : { Money }, // Professional fee or Product charge
      "noteNumber" : ["<positiveInt>"], // List of note numbers which apply
      "adjudication" : [{ Content as for ExplanationOfBenefit.item.adjudication }] // Added items detail adjudication
    }]
  }],
  "totalCost" : { Money }, // Total Cost of service from the Claim
  "unallocDeductable" : { Money }, // Unallocated deductable
  "totalBenefit" : { Money }, // Total benefit payable for the Claim
  "payment" : { // Payment (if paid)
    "type" : { CodeableConcept }, // Partial or Complete
    "adjustment" : { Money }, // Payment adjustment for non-Claim issues
    "adjustmentReason" : { CodeableConcept }, // Explanation for the non-claim adjustment
    "date" : "<date>", // Expected date of Payment
    "amount" : { Money }, // Payable amount after adjustment
    "identifier" : { Identifier } // Identifier of the payment instrument
  },
  "form" : { CodeableConcept }, // Printed Form Identifier
  "processNote" : [{ // Processing notes
    "number" : "<positiveInt>", // Sequence number for this note
    "type" : { CodeableConcept }, // display | print | printoper
    "text" : "<string>", // Note explanitory text
    "language" : { CodeableConcept } // Language if different from the resource
  }],
  "benefitBalance" : [{ // Balance by Benefit Category
    "category" : { CodeableConcept }, // R!  Type of services covered
    "subCategory" : { CodeableConcept }, // Detailed services covered within the type
    "excluded" : <boolean>, // Excluded from the plan
    "name" : "<string>", // Short name for the benefit
    "description" : "<string>", // Description of the benefit or services covered
    "network" : { CodeableConcept }, // In or out of network
    "unit" : { CodeableConcept }, // Individual or family
    "term" : { CodeableConcept }, // Annual or lifetime
    "financial" : [{ // Benefit Summary
      "type" : { CodeableConcept }, // R!  Deductable, visits, benefit amount
      // allowed[x]: Benefits allowed. One of these 3:
      "allowedUnsignedInt" : "<unsignedInt>",
      "allowedString" : "<string>",
      "allowedMoney" : { Money },
      // used[x]: Benefits used. One of these 2:
      "usedUnsignedInt" : "<unsignedInt>"
      "usedMoney" : { Money }
    }]
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:ExplanationOfBenefit;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:ExplanationOfBenefit.identifier [ Identifier ], ... ; # 0..* Business Identifier
  fhir:ExplanationOfBenefit.status [ code ]; # 0..1 active | cancelled | draft | entered-in-error
  fhir:ExplanationOfBenefit.type [ CodeableConcept ]; # 0..1 Type or discipline
  fhir:ExplanationOfBenefit.subType [ CodeableConcept ], ... ; # 0..* Finer grained claim type information
  fhir:ExplanationOfBenefit.patient [ Reference(Patient) ]; # 0..1 The subject of the Products and Services
  fhir:ExplanationOfBenefit.billablePeriod [ Period ]; # 0..1 Period for charge submission
  fhir:ExplanationOfBenefit.created [ dateTime ]; # 0..1 Creation date
  fhir:ExplanationOfBenefit.enterer [ Reference(Practitioner) ]; # 0..1 Author
  fhir:ExplanationOfBenefit.insurer [ Reference(Organization) ]; # 0..1 Insurer responsible for the EOB
  fhir:ExplanationOfBenefit.provider [ Reference(Practitioner) ]; # 0..1 Responsible provider for the claim
  fhir:ExplanationOfBenefit.organization [ Reference(Organization) ]; # 0..1 Responsible organization for the claim
  fhir:ExplanationOfBenefit.referral [ Reference(ReferralRequest) ]; # 0..1 Treatment Referral
  fhir:ExplanationOfBenefit.facility [ Reference(Location) ]; # 0..1 Servicing Facility
  fhir:ExplanationOfBenefit.claim [ Reference(Claim) ]; # 0..1 Claim reference
  fhir:ExplanationOfBenefit.claimResponse [ Reference(ClaimResponse) ]; # 0..1 Claim response reference
  fhir:ExplanationOfBenefit.outcome [ CodeableConcept ]; # 0..1 complete | error | partial
  fhir:ExplanationOfBenefit.disposition [ string ]; # 0..1 Disposition Message
  fhir:ExplanationOfBenefit.related [ # 0..* Related Claims which may be revelant to processing this claim
    fhir:ExplanationOfBenefit.related.claim [ Reference(Claim) ]; # 0..1 Reference to the related claim
    fhir:ExplanationOfBenefit.related.relationship [ CodeableConcept ]; # 0..1 How the reference claim is related
    fhir:ExplanationOfBenefit.related.reference [ Identifier ]; # 0..1 Related file or case reference
  ], ...;
  fhir:ExplanationOfBenefit.prescription [ Reference(MedicationRequest|VisionPrescription) ]; # 0..1 Prescription
    authorizing services or products
  fhir:ExplanationOfBenefit.originalPrescription [ Reference(MedicationRequest) ]; # 0..1 Original prescription if
    superceded by fulfiller
  fhir:ExplanationOfBenefit.payee [ # 0..1 Party to be paid any benefits payable
    fhir:ExplanationOfBenefit.payee.type [ CodeableConcept ]; # 0..1 Type of party: Subscriber, Provider, other
    fhir:ExplanationOfBenefit.payee.resourceType [ CodeableConcept ]; # 0..1 organization | patient | practitioner |
    relatedperson
    fhir:ExplanationOfBenefit.payee.party [ Reference(Practitioner|Organization|Patient|RelatedPerson) ]; # 0..1 Party
    to receive the payable
  ];
```

```
fhir:ExplanationOfBenefit.information [ # 0..* Exceptions, special considerations, the condition, situation, prior or
  concurrent issues
  fhir:ExplanationOfBenefit.information.sequence [ positiveInt ]; # 1..1 Information instance identifier
  fhir:ExplanationOfBenefit.information.category [ CodeableConcept ]; # 1..1 General class of information
  fhir:ExplanationOfBenefit.information.code [ CodeableConcept ]; # 0..1 Type of information
  # ExplanationOfBenefit.information.timing[x] : 0..1 When it occurred. One of these 2
    fhir:ExplanationOfBenefit.information.timingDate [ date ]
    fhir:ExplanationOfBenefit.information.timingPeriod [ Period ]
  # ExplanationOfBenefit.information.value[x] : 0..1 Additional Data or supporting information. One of these 4
    fhir:ExplanationOfBenefit.information.valueString [ string ]
    fhir:ExplanationOfBenefit.information.valueQuantity [ Quantity ]
    fhir:ExplanationOfBenefit.information.valueAttachment [ Attachment ]
    fhir:ExplanationOfBenefit.information.valueReference [ Reference(Any) ]
  fhir:ExplanationOfBenefit.information.reason [ Coding ]; # 0..1 Reason associated with the information
], ...;
fhir:ExplanationOfBenefit.careTeam [ # 0..* Care Team members
  fhir:ExplanationOfBenefit.careTeam.sequence [ positiveInt ]; # 1..1 Number to covey order of careteam
  fhir:ExplanationOfBenefit.careTeam.provider [ Reference(Practitioner|Organization) ]; # 1..1 Member of the Care Team
  fhir:ExplanationOfBenefit.careTeam.responsible [ boolean ]; # 0..1 Billing practitioner
  fhir:ExplanationOfBenefit.careTeam.role [ CodeableConcept ]; # 0..1 Role on the team
  fhir:ExplanationOfBenefit.careTeam.qualification [ CodeableConcept ]; # 0..1 Type, classification or Specialization
], ...;
fhir:ExplanationOfBenefit.diagnosis [ # 0..* List of Diagnosis
  fhir:ExplanationOfBenefit.diagnosis.sequence [ positiveInt ]; # 1..1 Number to covey order of diagnosis
  # ExplanationOfBenefit.diagnosis.diagnosis[x] : 1..1 Patient's diagnosis. One of these 2
    fhir:ExplanationOfBenefit.diagnosis.diagnosisCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.diagnosis.diagnosisReference [ Reference(Condition) ]
  fhir:ExplanationOfBenefit.diagnosis.type [ CodeableConcept ], ... ; # 0..* Timing or nature of the diagnosis
  fhir:ExplanationOfBenefit.diagnosis.packageCode [ CodeableConcept ]; # 0..1 Package billing code
], ...;
fhir:ExplanationOfBenefit.procedure [ # 0..* Procedures performed
  fhir:ExplanationOfBenefit.procedure.sequence [ positiveInt ]; # 1..1 Procedure sequence for reference
  fhir:ExplanationOfBenefit.procedure.date [ dateTime ]; # 0..1 When the procedure was performed
  # ExplanationOfBenefit.procedure.procedure[x] : 1..1 Patient's list of procedures performed. One of these 2
    fhir:ExplanationOfBenefit.procedure.procedureCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.procedure.procedureReference [ Reference(Procedure) ]
], ...;
fhir:ExplanationOfBenefit.precedence [ positiveInt ]; # 0..1 Precedence (primary, secondary, etc.)
fhir:ExplanationOfBenefit.insurance [ # 0..1 Insurance or medical plan
  fhir:ExplanationOfBenefit.insurance.coverage [ Reference(Coverage) ]; # 0..1 Insurance information
  fhir:ExplanationOfBenefit.insurance.preAuthRef [ string ], ... ; # 0..* Pre-Authorization/Determination Reference
];
fhir:ExplanationOfBenefit.accident [ # 0..1 Details of an accident
  fhir:ExplanationOfBenefit.accident.date [ date ]; # 0..1 When the accident occurred
  fhir:ExplanationOfBenefit.accident.type [ CodeableConcept ]; # 0..1 The nature of the accident
  # ExplanationOfBenefit.accident.location[x] : 0..1 Accident Place. One of these 2
    fhir:ExplanationOfBenefit.accident.locationAddress [ Address ]
    fhir:ExplanationOfBenefit.accident.locationReference [ Reference(Location) ]
];
fhir:ExplanationOfBenefit.employmentImpacted [ Period ]; # 0..1 Period unable to work
fhir:ExplanationOfBenefit.hospitalization [ Period ]; # 0..1 Period in hospital
fhir:ExplanationOfBenefit.item [ # 0..* Goods and Services
  fhir:ExplanationOfBenefit.item.sequence [ positiveInt ]; # 1..1 Service instance
  fhir:ExplanationOfBenefit.item.careTeamLinkId [ positiveInt ], ... ; # 0..* Applicable careteam members
  fhir:ExplanationOfBenefit.item.diagnosisLinkId [ positiveInt ], ... ; # 0..* Applicable diagnoses
  fhir:ExplanationOfBenefit.item.procedureLinkId [ positiveInt ], ... ; # 0..* Applicable procedures
  fhir:ExplanationOfBenefit.item.informationLinkId [ positiveInt ], ... ; # 0..* Applicable exception and supporting
  information
  fhir:ExplanationOfBenefit.item.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
  fhir:ExplanationOfBenefit.item.category [ CodeableConcept ]; # 0..1 Type of service or product
  fhir:ExplanationOfBenefit.item.service [ CodeableConcept ]; # 0..1 Billing Code
  fhir:ExplanationOfBenefit.item.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
  fhir:ExplanationOfBenefit.item.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for item
  inclusion
  # ExplanationOfBenefit.item.serviced[x] : 0..1 Date or dates of Service. One of these 2
    fhir:ExplanationOfBenefit.item.servicedDate [ date ]
    fhir:ExplanationOfBenefit.item.servicedPeriod [ Period ]
  # ExplanationOfBenefit.item.location[x] : 0..1 Place of service. One of these 3
    fhir:ExplanationOfBenefit.item.locationCodeableConcept [ CodeableConcept ]
    fhir:ExplanationOfBenefit.item.locationAddress [ Address ]
    fhir:ExplanationOfBenefit.item.locationReference [ Reference(Location) ]
  fhir:ExplanationOfBenefit.item.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
  fhir:ExplanationOfBenefit.item.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
  fhir:ExplanationOfBenefit.item.factor [ decimal ]; # 0..1 Price scaling factor
  fhir:ExplanationOfBenefit.item.net [ Money ]; # 0..1 Total item cost
  fhir:ExplanationOfBenefit.item.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
  fhir:ExplanationOfBenefit.item.bodySite [ CodeableConcept ]; # 0..1 Service Location
  fhir:ExplanationOfBenefit.item.subSite [ CodeableConcept ], ... ; # 0..* Service Sub-location
  fhir:ExplanationOfBenefit.item.encounter [ Reference(Encounter) ], ... ; # 0..* Encounters related to this billed
  item
  fhir:ExplanationOfBenefit.item.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
  fhir:ExplanationOfBenefit.item.adjudication [ # 0..* Adjudication details
    fhir:ExplanationOfBenefit.item.adjudication.category [ CodeableConcept ]; # 1..1 Adjudication category such as co-
  pay, eligible, benefit, etc.
    fhir:ExplanationOfBenefit.item.adjudication.reason [ CodeableConcept ]; # 0..1 Explanation of Adjudication outcome
    fhir:ExplanationOfBenefit.item.adjudication.amount [ Money ]; # 0..1 Monetary amount
    fhir:ExplanationOfBenefit.item.adjudication.value [ decimal ]; # 0..1 Non-monitory value
  ], ...;
  fhir:ExplanationOfBenefit.item.detail [ # 0..* Additional items
```

```
    fhir:ExplanationOfBenefit.item.detail.sequence [ positiveInt ]; # 1..1 Service instance
    fhir:ExplanationOfBenefit.item.detail.type [ CodeableConcept ]; # 1..1 Group or type of product or service
    fhir:ExplanationOfBenefit.item.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:ExplanationOfBenefit.item.detail.category [ CodeableConcept ]; # 0..1 Type of service or product
    fhir:ExplanationOfBenefit.item.detail.service [ CodeableConcept ]; # 0..1 Billing Code
    fhir:ExplanationOfBenefit.item.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
    fhir:ExplanationOfBenefit.item.detail.programCode [ CodeableConcept ], ... ; # 0..* Program specific reason for
  item inclusion
    fhir:ExplanationOfBenefit.item.detail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products or Services
    fhir:ExplanationOfBenefit.item.detail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
    fhir:ExplanationOfBenefit.item.detail.factor [ decimal ]; # 0..1 Price scaling factor
    fhir:ExplanationOfBenefit.item.detail.net [ Money ]; # 0..1 Total additional item cost
    fhir:ExplanationOfBenefit.item.detail.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
    fhir:ExplanationOfBenefit.item.detail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
    fhir:ExplanationOfBenefit.item.detail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..*
  Detail level adjudication details
    fhir:ExplanationOfBenefit.item.detail.subDetail [ # 0..* Additional items
      fhir:ExplanationOfBenefit.item.detail.subDetail.sequence [ positiveInt ]; # 1..1 Service instance
      fhir:ExplanationOfBenefit.item.detail.subDetail.type [ CodeableConcept ]; # 1..1 Type of product or service
      fhir:ExplanationOfBenefit.item.detail.subDetail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
      fhir:ExplanationOfBenefit.item.detail.subDetail.category [ CodeableConcept ]; # 0..1 Type of service or product
      fhir:ExplanationOfBenefit.item.detail.subDetail.service [ CodeableConcept ]; # 0..1 Billing Code
      fhir:ExplanationOfBenefit.item.detail.subDetail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product
  billing modifiers
      fhir:ExplanationOfBenefit.item.detail.subDetail.programCode [ CodeableConcept ], ... ; # 0..* Program specific
  reason for item inclusion
      fhir:ExplanationOfBenefit.item.detail.subDetail.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Products
  or Services
      fhir:ExplanationOfBenefit.item.detail.subDetail.unitPrice [ Money ]; # 0..1 Fee, charge or cost per point
      fhir:ExplanationOfBenefit.item.detail.subDetail.factor [ decimal ]; # 0..1 Price scaling factor
      fhir:ExplanationOfBenefit.item.detail.subDetail.net [ Money ]; # 0..1 Net additional item cost
      fhir:ExplanationOfBenefit.item.detail.subDetail.udi [ Reference(Device) ], ... ; # 0..* Unique Device Identifier
      fhir:ExplanationOfBenefit.item.detail.subDetail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers
  which apply
      fhir:ExplanationOfBenefit.item.detail.subDetail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ...
   ; # 0..* Language if different from the resource
    ], ...;
  ], ...;
], ...;
fhir:ExplanationOfBenefit.addItem [ # 0..* Insurer added line items
  fhir:ExplanationOfBenefit.addItem.sequenceLinkId [ positiveInt ], ... ; # 0..* Service instances
  fhir:ExplanationOfBenefit.addItem.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
  fhir:ExplanationOfBenefit.addItem.category [ CodeableConcept ]; # 0..1 Type of service or product
  fhir:ExplanationOfBenefit.addItem.service [ CodeableConcept ]; # 0..1 Billing Code
  fhir:ExplanationOfBenefit.addItem.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing modifiers
  fhir:ExplanationOfBenefit.addItem.fee [ Money ]; # 0..1 Professional fee or Product charge
  fhir:ExplanationOfBenefit.addItem.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
  fhir:ExplanationOfBenefit.addItem.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..* Added
  items adjudication
  fhir:ExplanationOfBenefit.addItem.detail [ # 0..* Added items details
    fhir:ExplanationOfBenefit.addItem.detail.revenue [ CodeableConcept ]; # 0..1 Revenue or cost center code
    fhir:ExplanationOfBenefit.addItem.detail.category [ CodeableConcept ]; # 0..1 Type of service or product
    fhir:ExplanationOfBenefit.addItem.detail.service [ CodeableConcept ]; # 0..1 Billing Code
    fhir:ExplanationOfBenefit.addItem.detail.modifier [ CodeableConcept ], ... ; # 0..* Service/Product billing
  modifiers
    fhir:ExplanationOfBenefit.addItem.detail.fee [ Money ]; # 0..1 Professional fee or Product charge
    fhir:ExplanationOfBenefit.addItem.detail.noteNumber [ positiveInt ], ... ; # 0..* List of note numbers which apply
    fhir:ExplanationOfBenefit.addItem.detail.adjudication [ See ExplanationOfBenefit.item.adjudication ], ... ; # 0..*
   Added items detail adjudication
  ], ...;
], ...;
fhir:ExplanationOfBenefit.totalCost [ Money ]; # 0..1 Total Cost of service from the Claim
fhir:ExplanationOfBenefit.unallocDeductable [ Money ]; # 0..1 Unallocated deductable
fhir:ExplanationOfBenefit.totalBenefit [ Money ]; # 0..1 Total benefit payable for the Claim
fhir:ExplanationOfBenefit.payment [ # 0..1 Payment (if paid)
  fhir:ExplanationOfBenefit.payment.type [ CodeableConcept ]; # 0..1 Partial or Complete
  fhir:ExplanationOfBenefit.payment.adjustment [ Money ]; # 0..1 Payment adjustment for non-Claim issues
  fhir:ExplanationOfBenefit.payment.adjustmentReason [ CodeableConcept ]; # 0..1 Explanation for the non-claim
  adjustment
  fhir:ExplanationOfBenefit.payment.date [ date ]; # 0..1 Expected date of Payment
  fhir:ExplanationOfBenefit.payment.amount [ Money ]; # 0..1 Payable amount after adjustment
  fhir:ExplanationOfBenefit.payment.identifier [ Identifier ]; # 0..1 Identifier of the payment instrument
];
fhir:ExplanationOfBenefit.form [ CodeableConcept ]; # 0..1 Printed Form Identifier
fhir:ExplanationOfBenefit.processNote [ # 0..* Processing notes
  fhir:ExplanationOfBenefit.processNote.number [ positiveInt ]; # 0..1 Sequence number for this note
  fhir:ExplanationOfBenefit.processNote.type [ CodeableConcept ]; # 0..1 display | print | printoper
  fhir:ExplanationOfBenefit.processNote.text [ string ]; # 0..1 Note explanitory text
  fhir:ExplanationOfBenefit.processNote.language [ CodeableConcept ]; # 0..1 Language if different from the resource
], ...;
fhir:ExplanationOfBenefit.benefitBalance [ # 0..* Balance by Benefit Category
  fhir:ExplanationOfBenefit.benefitBalance.category [ CodeableConcept ]; # 1..1 Type of services covered
  fhir:ExplanationOfBenefit.benefitBalance.subCategory [ CodeableConcept ]; # 0..1 Detailed services covered within
  the type
  fhir:ExplanationOfBenefit.benefitBalance.excluded [ boolean ]; # 0..1 Excluded from the plan
  fhir:ExplanationOfBenefit.benefitBalance.name [ string ]; # 0..1 Short name for the benefit
  fhir:ExplanationOfBenefit.benefitBalance.description [ string ]; # 0..1 Description of the benefit or services
  covered
  fhir:ExplanationOfBenefit.benefitBalance.network [ CodeableConcept ]; # 0..1 In or out of network
```

```
    fhir:ExplanationOfBenefit.benefitBalance.unit [ CodeableConcept ]; # 0..1 Individual or family
    fhir:ExplanationOfBenefit.benefitBalance.term [ CodeableConcept ]; # 0..1 Annual or lifetime
    fhir:ExplanationOfBenefit.benefitBalance.financial [ # 0..* Benefit Summary
      fhir:ExplanationOfBenefit.benefitBalance.financial.type [ CodeableConcept ]; # 1..1 Deductable, visits, benefit
    amount
      # ExplanationOfBenefit.benefitBalance.financial.allowed[x] : 0..1 Benefits allowed. One of these 3
        fhir:ExplanationOfBenefit.benefitBalance.financial.allowedUnsignedInt [ unsignedInt ]
        fhir:ExplanationOfBenefit.benefitBalance.financial.allowedString [ string ]
        fhir:ExplanationOfBenefit.benefitBalance.financial.allowedMoney [ Money ]
      # ExplanationOfBenefit.benefitBalance.financial.used[x] : 0..1 Benefits used. One of these 2
        fhir:ExplanationOfBenefit.benefitBalance.financial.usedUnsignedInt [ unsignedInt ]
        fhir:ExplanationOfBenefit.benefitBalance.financial.usedMoney [ Money ]
    ], ...;
  ], ...;
]
```

Changes since DSTU2

ExplanationOfBenefit

ExplanationOfBenefit.status | Added Element

ExplanationOfBenefit.type | Added Element

ExplanationOfBenefit.subType | Added Element

ExplanationOfBenefit.patient | Added Element

ExplanationOfBenefit.billablePeriod | Added Element

ExplanationOfBenefit.enterer | Added Element

ExplanationOfBenefit.insurer | Added Element

ExplanationOfBenefit.provider | Added Element

ExplanationOfBenefit.referral | Added Element

ExplanationOfBenefit.facility | Added Element

ExplanationOfBenefit.claim | Added Element

ExplanationOfBenefit.claimResponse | Added Element

ExplanationOfBenefit.outcome | Type changed from code to CodeableConcept Remove Binding http://hl7.org/fhir/ValueSet/remittance-outcome (required)

ExplanationOfBenefit.related | Added Element

ExplanationOfBenefit.related.claim | Added Element

ExplanationOfBenefit.related.relationship | Added Element

ExplanationOfBenefit.related.reference | Added Element

ExplanationOfBenefit.prescription | Added Element

ExplanationOfBenefit.originalPrescription | Added Element

ExplanationOfBenefit.payee | Added Element

ExplanationOfBenefit.payee.type | Added Element

ExplanationOfBenefit.payee.resourceType | Added Element

ExplanationOfBenefit.payee.party | Added Element

ExplanationOfBenefit.information | Added Element

ExplanationOfBenefit.information.sequence | Added Element

ExplanationOfBenefit.information.category | Added Element

ExplanationOfBenefit.information.code | Added Element

ExplanationOfBenefit.information.timing[x] | Added Element

ExplanationOfBenefit.information.value[x] | Added Element

ExplanationOfBenefit.information.reason | Added Element

ExplanationOfBenefit.careTeam | Added Element

ExplanationOfBenefit.careTeam.sequence | Added Element

ExplanationOfBenefit.careTeam.provider | Added Element

ExplanationOfBenefit.careTeam.responsible | Added Element

ExplanationOfBenefit.careTeam.role | Added Element

ExplanationOfBenefit.careTeam.qualification | Added Element

ExplanationOfBenefit.diagnosis | Added Element

ExplanationOfBenefit.diagnosis.sequence | Added Element

ExplanationOfBenefit.diagnosis.diagnosis[x] | Added Element

ExplanationOfBenefit.diagnosis.type | Added Element

ExplanationOfBenefit.diagnosis.packageCode | Added Element

ExplanationOfBenefit.procedure | Added Element

ExplanationOfBenefit.procedure.sequence | Added Element

ExplanationOfBenefit.procedure.date | Added Element

ExplanationOfBenefit.procedure.procedure[x] | Added Element

ExplanationOfBenefit.precedence | Added Element

ExplanationOfBenefit.insurance | Added Element

ExplanationOfBenefit.insurance.coverage | Added Element

ExplanationOfBenefit.insurance.preAuthRef | Added Element

ExplanationOfBenefit.accident | Added Element

ExplanationOfBenefit.accident.date | Added Element

ExplanationOfBenefit.accident.type | Added Element

ExplanationOfBenefit.accident.location[x] | Added Element

ExplanationOfBenefit.employmentImpacted | Added Element

ExplanationOfBenefit.hospitalization | Added Element

ExplanationOfBenefit.item | Added Element

ExplanationOfBenefit.item.sequence | Added Element
ExplanationOfBenefit.item.careTeamLinkId | Added Element
ExplanationOfBenefit.item.diagnosisLinkId | Added Element
ExplanationOfBenefit.item.procedureLinkId | Added Element
ExplanationOfBenefit.item.informationLinkId | Added Element
ExplanationOfBenefit.item.revenue | Added Element
ExplanationOfBenefit.item.category | Added Element
ExplanationOfBenefit.item.service | Added Element
ExplanationOfBenefit.item.modifier | Added Element
ExplanationOfBenefit.item.programCode | Added Element
ExplanationOfBenefit.item.serviced[x] | Added Element
ExplanationOfBenefit.item.location[x] | Added Element
ExplanationOfBenefit.item.quantity | Added Element
ExplanationOfBenefit.item.unitPrice | Added Element
ExplanationOfBenefit.item.factor | Added Element
ExplanationOfBenefit.item.net | Added Element
ExplanationOfBenefit.item.udi | Added Element
ExplanationOfBenefit.item.bodySite | Added Element
ExplanationOfBenefit.item.subSite | Added Element
ExplanationOfBenefit.item.encounter | Added Element
ExplanationOfBenefit.item.noteNumber | Added Element
ExplanationOfBenefit.item.adjudication | Added Element
ExplanationOfBenefit.item.adjudication.category | Added Element
ExplanationOfBenefit.item.adjudication.reason | Added Element
ExplanationOfBenefit.item.adjudication.amount | Added Element
ExplanationOfBenefit.item.adjudication.value | Added Element
ExplanationOfBenefit.item.detail | Added Element
ExplanationOfBenefit.item.detail.sequence | Added Element
ExplanationOfBenefit.item.detail.type | Added Element
ExplanationOfBenefit.item.detail.revenue | Added Element
ExplanationOfBenefit.item.detail.category | Added Element
ExplanationOfBenefit.item.detail.service | Added Element
ExplanationOfBenefit.item.detail.modifier | Added Element
ExplanationOfBenefit.item.detail.programCode | Added Element
ExplanationOfBenefit.item.detail.quantity | Added Element
ExplanationOfBenefit.item.detail.unitPrice | Added Element
ExplanationOfBenefit.item.detail.factor | Added Element
ExplanationOfBenefit.item.detail.net | Added Element
ExplanationOfBenefit.item.detail.udi | Added Element
ExplanationOfBenefit.item.detail.noteNumber | Added Element
ExplanationOfBenefit.item.detail.adjudication | Added Element
ExplanationOfBenefit.item.detail.subDetail | Added Element
ExplanationOfBenefit.item.detail.subDetail.sequence | Added Element
ExplanationOfBenefit.item.detail.subDetail.type | Added Element
ExplanationOfBenefit.item.detail.subDetail.revenue | Added Element
ExplanationOfBenefit.item.detail.subDetail.category | Added Element
ExplanationOfBenefit.item.detail.subDetail.service | Added Element
ExplanationOfBenefit.item.detail.subDetail.modifier | Added Element
ExplanationOfBenefit.item.detail.subDetail.programCode | Added Element
ExplanationOfBenefit.item.detail.subDetail.quantity | Added Element
ExplanationOfBenefit.item.detail.subDetail.unitPrice | Added Element
ExplanationOfBenefit.item.detail.subDetail.factor | Added Element
ExplanationOfBenefit.item.detail.subDetail.net | Added Element
ExplanationOfBenefit.item.detail.subDetail.udi | Added Element
ExplanationOfBenefit.item.detail.subDetail.noteNumber | Added Element
ExplanationOfBenefit.item.detail.subDetail.adjudication | Added Element
ExplanationOfBenefit.addItem | Added Element
ExplanationOfBenefit.addItem.sequenceLinkId | Added Element
ExplanationOfBenefit.addItem.revenue | Added Element
ExplanationOfBenefit.addItem.category | Added Element
ExplanationOfBenefit.addItem.service | Added Element
ExplanationOfBenefit.addItem.modifier | Added Element
ExplanationOfBenefit.addItem.fee | Added Element
ExplanationOfBenefit.addItem.noteNumber | Added Element
ExplanationOfBenefit.addItem.adjudication | Added Element
ExplanationOfBenefit.addItem.detail | Added Element
ExplanationOfBenefit.addItem.detail.revenue | Added Element
ExplanationOfBenefit.addItem.detail.category | Added Element
ExplanationOfBenefit.addItem.detail.service | Added Element
ExplanationOfBenefit.addItem.detail.modifier | Added Element
ExplanationOfBenefit.addItem.detail.fee | Added Element
ExplanationOfBenefit.addItem.detail.noteNumber | Added Element

ExplanationOfBenefit.addItem.detail.adjudication | Added Element
ExplanationOfBenefit.totalCost | Added Element
ExplanationOfBenefit.unallocDeductable | Added Element
ExplanationOfBenefit.totalBenefit | Added Element
ExplanationOfBenefit.payment | Added Element
ExplanationOfBenefit.payment.type | Added Element
ExplanationOfBenefit.payment.adjustment | Added Element
ExplanationOfBenefit.payment.adjustmentReason | Added Element
ExplanationOfBenefit.payment.date | Added Element
ExplanationOfBenefit.payment.amount | Added Element
ExplanationOfBenefit.payment.identifier | Added Element
ExplanationOfBenefit.form | Added Element
ExplanationOfBenefit.processNote | Added Element
ExplanationOfBenefit.processNote.number | Added Element
ExplanationOfBenefit.processNote.type | Added Element
ExplanationOfBenefit.processNote.text | Added Element
ExplanationOfBenefit.processNote.language | Added Element
ExplanationOfBenefit.benefitBalance | Added Element
ExplanationOfBenefit.benefitBalance.category | Added Element
ExplanationOfBenefit.benefitBalance.subCategory | Added Element
ExplanationOfBenefit.benefitBalance.excluded | Added Element
ExplanationOfBenefit.benefitBalance.name | Added Element
ExplanationOfBenefit.benefitBalance.description | Added Element
ExplanationOfBenefit.benefitBalance.network | Added Element
ExplanationOfBenefit.benefitBalance.unit | Added Element
ExplanationOfBenefit.benefitBalance.term | Added Element
ExplanationOfBenefit.benefitBalance.financial | Added Element
ExplanationOfBenefit.benefitBalance.financial.type | Added Element
ExplanationOfBenefit.benefitBalance.financial.allowed[x] | Added Element
ExplanationOfBenefit.benefitBalance.financial.used[x] | Added Element
ExplanationOfBenefit.request | deleted
ExplanationOfBenefit.ruleset | deleted
ExplanationOfBenefit.originalRuleset | deleted
ExplanationOfBenefit.requestProvider | deleted
ExplanationOfBenefit.requestOrganization | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.10.2.1 Terminology Bindings

Path | Definition | Type | Reference
ExplanationOfBenefit.status | A code specifying the state of the resource instance. | Required | ExplanationOfBenefitStatus
ExplanationOfBenefit.type | The type or discipline-style of the claim | Required | Example Claim Type Codes
ExplanationOfBenefit.subType | A more granulat claim typecode | Example | Example Claim SubType Codes
ExplanationOfBenefit.outcome | The result of the claim processing | Example | Claim Processing Codes
ExplanationOfBenefit.related.relationship | Relationship of this claim to a related Claim | Example | Example Related Claim Relationship Codes
ExplanationOfBenefit.payee.type | A code for the party to be reimbursed. | Example | Claim Payee Type Codes
ExplanationOfBenefit.payee.resourceType | The type of payee Resource | Required | PayeeResourceType
ExplanationOfBenefit.information.category | The valuset used for additional information category codes. | Example | Claim Information Category Codes
ExplanationOfBenefit.information.code | The valuset used for additional information codes. | Example | Exception Codes
ExplanationOfBenefit.information.reason | Reason codes for the missing teeth | Example | Missing Tooth Reason Codes
ExplanationOfBenefit.careTeam.role | The role codes for the care team members. | Example | Claim Care Team Role Codes
ExplanationOfBenefit.careTeam.qualification | Provider professional qualifications | Example | Example Provider Qualification Codes
ExplanationOfBenefit.diagnosis.diagnosis[x] | ICD10 Diagnostic codes | Example | ICD-10 Codes
ExplanationOfBenefit.diagnosis.type | The type of the diagnosis: admitting, principal, discharge | Example | Example Diagnosis Type Codes
ExplanationOfBenefit.diagnosis.packageCode | The DRG codes associated with the diagnosis | Example | Example Diagnosis Related Group Codes
ExplanationOfBenefit.procedure.procedure[x] | ICD10 Procedure codes | Example | ICD-10 Procedure Codes
ExplanationOfBenefit.accident.type | Type of accident: work place, auto, etc. | Required | ActIncidentCode
ExplanationOfBenefit.item.revenue ExplanationOfBenefit.item.detail.revenue ExplanationOfBenefit.item.detail.subDetail.revenue
ExplanationOfBenefit.addItem.revenue ExplanationOfBenefit.addItem.detail.revenue | Codes for the revenue or cost centers supplying the service and/or products. | Example | Example Revenue Center Codes
ExplanationOfBenefit.item.category ExplanationOfBenefit.item.detail.category ExplanationOfBenefit.item.detail.subDetail.category
ExplanationOfBenefit.addItem.category ExplanationOfBenefit.addItem.detail.category ExplanationOfBenefit.benefitBalance.subCategory | Benefit subcategories such as: oral-basic, major, glasses | Example | Benefit SubCategory Codes
ExplanationOfBenefit.item.service ExplanationOfBenefit.item.detail.service ExplanationOfBenefit.item.detail.subDetail.service
ExplanationOfBenefit.addItem.service ExplanationOfBenefit.addItem.detail.service | Allowable service and product codes | Example | USCLS Codes
ExplanationOfBenefit.item.modifier ExplanationOfBenefit.item.detail.modifier ExplanationOfBenefit.item.detail.subDetail.modifier
ExplanationOfBenefit.addItem.modifier ExplanationOfBenefit.addItem.detail.modifier | Item type or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or an appliance was lost or stolen. | Example | Modifier type Codes
ExplanationOfBenefit.item.programCode ExplanationOfBenefit.item.detail.programCode ExplanationOfBenefit.item.detail.subDetail.programCode | Program specific reason codes | Example | Example Program Reason Codes

ExplanationOfBenefit.item.location[x] | Place where the service is rendered | Example | Example Service Place Codes
ExplanationOfBenefit.item.bodySite | The code for the teeth, quadrant, sextant and arch | Example | Oral Site Codes
ExplanationOfBenefit.item.subSite | The code for the tooth surface and surface combinations | Example | Surface Codes
ExplanationOfBenefit.item.adjudication.category | The adjudication codes. | Example | Adjudication Value Codes
ExplanationOfBenefit.item.adjudication.reason | Adjudication reason codes. | Example | Adjudication Reason Codes
ExplanationOfBenefit.item.detail.type ExplanationOfBenefit.item.detail.subDetail.type | Service, Product, Rx Dispense, Rx Compound etc. | Required | ActInvoiceGroupCode
ExplanationOfBenefit.payment.type | The type (partial, complete) of the payment | Example | Example Payment Type Codes
ExplanationOfBenefit.payment.adjustmentReason | Payment Adjustment reason codes. | Example | Payment Adjustment Reason Codes
ExplanationOfBenefit.form | The forms codes. | Example | Form Codes
ExplanationOfBenefit.processNote.type | The presentation types of notes. | Required | NoteType
ExplanationOfBenefit.processNote.language | A human language. | Extensible, but limited to All Languages | Common Languages
ExplanationOfBenefit.benefitBalance.category | Benefit categories such as: oral, medical, vision etc. | Example | Benefit Category Codes
ExplanationOfBenefit.benefitBalance.network | Code to classify in or out of network services | Example | Network Type Codes
ExplanationOfBenefit.benefitBalance.unit | Unit covered/serviced - individual or family | Example | Unit Type Codes
ExplanationOfBenefit.benefitBalance.term | Coverage unit - annual, lifetime | Example | Benefit Term Codes
ExplanationOfBenefit.benefitBalance.financial.type | Deductable, visits, co-pay, etc. | Example | Benefit Type Codes

13.10.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
care-team | reference | Member of the CareTeam | ExplanationOfBenefit.careTeam.provider (Practitioner, Organization)
claim | reference | The reference to the claim | ExplanationOfBenefit.claim (Claim)
coverage | reference | The plan under which the claim was adjudicated | ExplanationOfBenefit.insurance.coverage (Coverage)
created | date | The creation date for the EOB | ExplanationOfBenefit.created
disposition | string | The contents of the disposition message | ExplanationOfBenefit.disposition
encounter | reference | Encounters associated with a billed line item | ExplanationOfBenefit.item.encounter (Encounter)
enterer | reference | The party responsible for the entry of the Claim | ExplanationOfBenefit.enterer (Practitioner)
facility | reference | Facility responsible for the goods and services | ExplanationOfBenefit.facility (Location)
identifier | token | The business identifier of the Explanation of Benefit | ExplanationOfBenefit.identifier
organization | reference | The reference to the providing organization | ExplanationOfBenefit.organization (Organization)
patient | reference | The reference to the patient | ExplanationOfBenefit.patient (Patient)
payee | reference | The party receiving any payment for the Claim | ExplanationOfBenefit.payee.party (Practitioner, Organization, Patient, RelatedPerson)
provider | reference | The reference to the provider | ExplanationOfBenefit.provider (Practitioner)

13.10.4 Resource ExplanationOfBenefit - Examples

URL: https://hl7.org/fhir/STU3/explanationofbenefit-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.10.4 Resource ExplanationOfBenefit - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Encounter, Patient, Practitioner, RelatedPerson

Example List:

General Person Primary Coverage EOB Example | EB3500 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.10.5 Resource ExplanationOfBenefit - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/explanationofbenefit-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.10.5 Resource ExplanationOfBenefit - Detailed Descriptions

Financial Management Work Group | Maturity Level: 2 | Trial Use | Compartments: Encounter, Patient, Practitioner, RelatedPerson

Detailed Descriptions for the elements in the ExplanationOfBenefit resource.

ExplanationOfBenefit
Definition | This resource provides: the claim details; adjudication details from the processing of a Claim; and optionally account balance information, for informing the subscriber of the benefits provided.
Control | 1..1
Alternate Names | EOB
ExplanationOfBenefit.identifier
Definition | The EOB Business Identifier.
Note | This is a business identifer, not a resource identifier (see discussion)

Control | 0..*
Type | Identifier
ExplanationOfBenefit.status
Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | ExplanationOfBenefitStatus (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the resource as not currently valid.
ExplanationOfBenefit.type
Definition | The category of claim, eg, oral, pharmacy, vision, insitutional, professional.
Control | 0..1
Terminology Binding | Example Claim Type Codes (Required)
Type | CodeableConcept
Comments | Affects which fields and value sets are used.
ExplanationOfBenefit.subType
Definition | A finer grained suite of claim subtype codes which may convey Inpatient vs Outpatient and/or a specialty service. In the US the BillType.
Control | 0..*
Terminology Binding | Example Claim SubType Codes (Example)
Type | CodeableConcept
Comments | This may contain the local bill type codes such as the US UB-04 bill type code.
ExplanationOfBenefit.patient
Definition | Patient Resource.
Control | 0..1
Type | Reference(Patient)
ExplanationOfBenefit.billablePeriod
Definition | The billable period for which charges are being submitted.
Control | 0..1
Type | Period
ExplanationOfBenefit.created
Definition | The date when the EOB was created.
Control | 0..1
Type | dateTime
ExplanationOfBenefit.enterer
Definition | The person who created the explanation of benefit.
Control | 0..1
Type | Reference(Practitioner)
ExplanationOfBenefit.insurer
Definition | The insurer which is responsible for the explanation of benefit.
Control | 0..1
Type | Reference(Organization)
ExplanationOfBenefit.provider
Definition | The provider which is responsible for the claim.
Control | 0..1
Type | Reference(Practitioner)
ExplanationOfBenefit.organization
Definition | The provider which is responsible for the claim.
Control | 0..1
Type | Reference(Organization)
ExplanationOfBenefit.referral
Definition | The referral resource which lists the date, practitioner, reason and other supporting information.
Control | 0..1
Type | Reference(ReferralRequest)
ExplanationOfBenefit.facility
Definition | Facility where the services were provided.
Control | 0..1
Type | Reference(Location)
ExplanationOfBenefit.claim
Definition | The business identifier for the instance: invoice number, claim number, pre-determination or pre-authorization number.
Control | 0..1
Type | Reference(Claim)
ExplanationOfBenefit.claimResponse
Definition | The business identifier for the instance: invoice number, claim number, pre-determination or pre-authorization number.
Control | 0..1
Type | Reference(ClaimResponse)
ExplanationOfBenefit.outcome
Definition | Processing outcome errror, partial or complete processing.
Control | 0..1
Terminology Binding | Claim Processing Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.disposition

Definition | A description of the status of the adjudication.
Control | 0..1
Type | string
Comments | Do we need a disposition code?
ExplanationOfBenefit.related
Definition | Other claims which are related to this claim such as prior claim versions or for related services.
Control | 0..*
ExplanationOfBenefit.related.claim
Definition | Other claims which are related to this claim such as prior claim versions or for related services.
Control | 0..1
Type | Reference(Claim)
Comments | Do we need a relationship code?
ExplanationOfBenefit.related.relationship
Definition | For example prior or umbrella.
Control | 0..1
Terminology Binding | Example Related Claim Relationship Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.related.reference
Definition | An alternate organizational reference to the case or file to which this particular claim pertains - eg Property/Casualy insurer claim # or Workers Compensation case # .
Control | 0..1
Type | Identifier
ExplanationOfBenefit.prescription
Definition | Prescription to support the dispensing of Pharmacy or Vision products.
Control | 0..1
Type | Reference(MedicationRequest | VisionPrescription)
Requirements | For type=Pharmacy and Vision only.
ExplanationOfBenefit.originalPrescription
Definition | Original prescription which has been superceded by this prescription to support the dispensing of pharmacy services, medications or products. For example, a physician may prescribe a medication which the pharmacy determines is contraindicated, or for which the patient has an intolerance, and therefor issues a new precription for an alternate medication which has the same theraputic intent. The prescription from the pharmacy becomes the 'prescription' and that from the physician becomes the 'original prescription'.
Control | 0..1
Type | Reference(MedicationRequest)
ExplanationOfBenefit.payee
Definition | The party to be reimbursed for the services.
Control | 0..1
ExplanationOfBenefit.payee.type
Definition | Type of Party to be reimbursed: Subscriber, provider, other.
Control | 0..1
Terminology Binding | Claim Payee Type Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.payee.resourceType
Definition | organization | patient | practitioner | relatedperson.
Control | 0..1
Terminology Binding | PayeeResourceType (Required)
Type | CodeableConcept
ExplanationOfBenefit.payee.party
Definition | Party to be reimbursed: Subscriber, provider, other.
Control | 0..1
Type | Reference(Practitioner | Organization | Patient | RelatedPerson)
ExplanationOfBenefit.information
Definition | Additional information codes regarding exceptions, special considerations, the condition, situation, prior or concurrent issues. Often there are mutiple jurisdiction specific valuesets which are required.
Control | 0..*
Requirements | Typically these information codes are required to support the services rendered or the adjudication of the services rendered.
ExplanationOfBenefit.information.sequence
Definition | Sequence of the information element which serves to provide a link.
Control | 1..1
Type | positiveInt
Requirements | To provide a reference link.
ExplanationOfBenefit.information.category
Definition | The general class of the information supplied: information; exception; accident, employment; onset, etc.
Control | 1..1
Terminology Binding | Claim Information Category Codes (Example)
Type | CodeableConcept
Comments | This may contain the local bill type codes such as the US UB-04 bill type code.
ExplanationOfBenefit.information.code
Definition | System and code pertaining to the specific information regarding special conditions relating to the setting, treatment or patient for which care is sought which may influence the adjudication.
Control | 0..1
Terminology Binding | Exception Codes (Example)
Type | CodeableConcept

Comments | This may contain the local bill type codes such as the US UB-04 bill type code.
ExplanationOfBenefit.information.timing[x]
Definition | The date when or period to which this information refers.
Control | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
ExplanationOfBenefit.information.value[x]
Definition | Additional data or information such as resources, documents, images etc. including references to the data or the actual inclusion of the data.
Control | 0..1
Type | string|Quantity|Attachment|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
ExplanationOfBenefit.information.reason
Definition | For example, provides the reason for: the additional stay, or missing tooth or any other situation where a reason code is required in addition to the content.
Control | 0..1
Terminology Binding | Missing Tooth Reason Codes (Example)
Type | Coding
ExplanationOfBenefit.careTeam
Definition | The members of the team who provided the overall service as well as their role and whether responsible and qualifications.
Control | 0..*
Requirements | Role and Responsible may not be required when there is only a single provider listed.
ExplanationOfBenefit.careTeam.sequence
Definition | Sequence of careteam which serves to order and provide a link.
Control | 1..1
Type | positiveInt
Requirements | Required to maintain order of the careteam members.
ExplanationOfBenefit.careTeam.provider
Definition | The members of the team who provided the overall service.
Control | 1..1
Type | Reference(Practitioner | Organization)
ExplanationOfBenefit.careTeam.responsible
Definition | The practitioner who is billing and responsible for the claimed services rendered to the patient.
Control | 0..1
Type | boolean
ExplanationOfBenefit.careTeam.role
Definition | The lead, assisting or supervising practitioner and their discipline if a multidisiplinary team.
Control | 0..1
Terminology Binding | Claim Care Team Role Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.careTeam.qualification
Definition | The qualification which is applicable for this service.
Control | 0..1
Terminology Binding | Example Provider Qualification Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.diagnosis
Definition | Ordered list of patient diagnosis for which care is sought.
Control | 0..*
ExplanationOfBenefit.diagnosis.sequence
Definition | Sequence of diagnosis which serves to provide a link.
Control | 1..1
Type | positiveInt
Requirements | Required to allow line items to reference the diagnoses.
ExplanationOfBenefit.diagnosis.diagnosis[x]
Definition | The diagnosis.
Control | 1..1
Terminology Binding | ICD-10 Codes (Example)
Type | CodeableConcept|Reference(Condition)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Required to adjudicate services rendered to condition presented.
ExplanationOfBenefit.diagnosis.type
Definition | The type of the Diagnosis, for example: admitting, primary, secondary, discharge.
Control | 0..*
Terminology Binding | Example Diagnosis Type Codes (Example)
Type | CodeableConcept
Requirements | Required to adjudicate services rendered to the mandated diagnosis grouping system.
Comments | Diagnosis are presented in list order to their expected importance: primary, secondary, etc.
ExplanationOfBenefit.diagnosis.packageCode
Definition | The package billing code, for example DRG, based on the assigned grouping code system.
Control | 0..1
Terminology Binding | Example Diagnosis Related Group Codes (Example)
Type | CodeableConcept

Requirements | Required to adjudicate services rendered to the mandated grouping system.
ExplanationOfBenefit.procedure
Definition | Ordered list of patient procedures performed to support the adjudication.
Control | 0..*
ExplanationOfBenefit.procedure.sequence
Definition | Sequence of procedures which serves to order and provide a link.
Control | 1..1
Type | positiveInt
Requirements | Required to maintain order of the procudures.
ExplanationOfBenefit.procedure.date
Definition | Date and optionally time the procedure was performed .
Control | 0..1
Type | dateTime
Requirements | Required to adjudicate services rendered.
Comments | SB DateTime??
ExplanationOfBenefit.procedure.procedure[x]
Definition | The procedure code.
Control | 1..1
Terminology Binding | ICD-10 Procedure Codes (Example)
Type | CodeableConcept|Reference(Procedure)
[x] Note | See Choice of Data Types for further information about how to use [x]
Requirements | Required to adjudicate services rendered.
ExplanationOfBenefit.precedence
Definition | Precedence (primary, secondary, etc.).
Control | 0..1
Type | positiveInt
Requirements | Health care programs and insurers are significant payors of health service costs.
ExplanationOfBenefit.insurance
Definition | Financial instrument by which payment information for health care.
Control | 0..1
Requirements | Health care programs and insurers are significant payors of health service costs.
ExplanationOfBenefit.insurance.coverage
Definition | Reference to the program or plan identification, underwriter or payor.
Control | 0..1
Type | Reference(Coverage)
Requirements | Need to identify the issuer to target for processing and for coordination of benefit processing.
ExplanationOfBenefit.insurance.preAuthRef
Definition | A list of references from the Insurer to which these services pertain.
Control | 0..*
Type | string
Requirements | To provide any pre=determination or prior authorization reference.
ExplanationOfBenefit.accident
Definition | An accident which resulted in the need for healthcare services.
Control | 0..1
ExplanationOfBenefit.accident.date
Definition | Date of an accident which these services are addressing.
Control | 0..1
Type | date
Requirements | Coverage may be dependant on accidents.
ExplanationOfBenefit.accident.type
Definition | Type of accident: work, auto, etc.
Control | 0..1
Terminology Binding | ActIncidentCode (Required)
Type | CodeableConcept
Requirements | Coverage may be dependant on the type of accident.
ExplanationOfBenefit.accident.location[x]
Definition | Where the accident occurred.
Control | 0..1
Type | Address|Reference(Location)
[x] Note | See Choice of Data Types for further information about how to use [x]
ExplanationOfBenefit.employmentImpacted
Definition | The start and optional end dates of when the patient was precluded from working due to the treatable condition(s).
Control | 0..1
Type | Period
ExplanationOfBenefit.hospitalization
Definition | The start and optional end dates of when the patient was confined to a treatment center.
Control | 0..1
Type | Period
ExplanationOfBenefit.item
Definition | First tier of goods and services.
Control | 0..*
ExplanationOfBenefit.item.sequence

Definition | A service line number.
Control | 1..1
Type | positiveInt
ExplanationOfBenefit.item.careTeamLinkId
Definition | Careteam applicable for this service or product line.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.item.diagnosisLinkId
Definition | Diagnosis applicable for this service or product line.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.item.procedureLinkId
Definition | Procedures applicable for this service or product line.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.item.informationLinkId
Definition | Exceptions, special conditions and supporting information pplicable for this service or product line.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.item.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.service
Definition | If this is an actual service or product line, ie. not a Group, then use code to indicate the Professional Service or Product supplied (eg. CTP, HCPCS,USCLS,ICD10, NCPDP,DIN,ACHI,CCI). If a grouping item then use a group code to indicate the type of thing being grouped eg. 'glasses' or 'compound'.
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
ExplanationOfBenefit.item.programCode
Definition | For programs which require reson codes for the inclusion, covering, of this billed item under the program or sub-program.
Control | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.serviced[x]
Definition | The date or dates when the enclosed suite of services were performed or completed.
Control | 0..1
Type | date|Period
[x] Note | See Choice of Data Types for further information about how to use [x]
ExplanationOfBenefit.item.location[x]
Definition | Where the service was provided.
Control | 0..1
Terminology Binding | Example Service Place Codes (Example)
Type | CodeableConcept|Address|Reference(Location)
[x] Note | See Choice of Data Types for further information about how to use [x]
ExplanationOfBenefit.item.quantity
Definition | The number of repetitions of a service or product.
Control | 0..1
Type | SimpleQuantity
ExplanationOfBenefit.item.unitPrice
Definition | If the item is a node then this is the fee for the product or service, otherwise this is the total of the fees for the children of the group.
Control | 0..1
Type | Money
ExplanationOfBenefit.item.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Control | 0..1
Type | decimal
Requirements | If a fee is present the associated product/service code must be present.

ExplanationOfBenefit.item.net
Definition | The quantity times the unit price for an addittional service or product or charge. For example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number * points = net Amount. Quantity, factor and points are assumed to be 1 if not supplied.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.
ExplanationOfBenefit.item.udi
Definition | List of Unique Device Identifiers associated with this line item.
Control | 0..*
Type | Reference(Device)
Requirements | The UDI code and issuer if applicable for the supplied product.
ExplanationOfBenefit.item.bodySite
Definition | Physical service site on the patient (limb, tooth, etc).
Control | 0..1
Terminology Binding | Oral Site Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.subSite
Definition | A region or surface of the site, eg. limb region or tooth surface(s).
Control | 0..*
Terminology Binding | Surface Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.encounter
Definition | A billed item may include goods or services provided in multiple encounters.
Control | 0..*
Type | Reference(Encounter)
ExplanationOfBenefit.item.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.item.adjudication
Definition | The adjudications results.
Control | 0..*
ExplanationOfBenefit.item.adjudication.category
Definition | Code indicating: Co-Pay, deductable, elegible, benefit, tax, etc.
Control | 1..1
Terminology Binding | Adjudication Value Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.adjudication.reason
Definition | Adjudication reason such as limit reached.
Control | 0..1
Terminology Binding | Adjudication Reason Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.adjudication.amount
Definition | Monitory amount associated with the code.
Control | 0..1
Type | Money
ExplanationOfBenefit.item.adjudication.value
Definition | A non-monetary value for example a percentage. Mutually exclusive to the amount element above.
Control | 0..1
Type | decimal
ExplanationOfBenefit.item.detail
Definition | Second tier of goods and services.
Control | 0..*
ExplanationOfBenefit.item.detail.sequence
Definition | A service line number.
Control | 1..1
Type | positiveInt
ExplanationOfBenefit.item.detail.type
Definition | The type of product or service.
Control | 1..1
Terminology Binding | ActInvoiceGroupCode (Required)
Type | CodeableConcept
Comments | ItemType.
ExplanationOfBenefit.item.detail.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.detail.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)

Type | CodeableConcept
ExplanationOfBenefit.item.detail.service
Definition | If this is an actual service or product line, ie. not a Group, then use code to indicate the Professional Service or Product supplied (eg. CTP, HCPCS,USCLS,ICD10, NCPDP,DIN,ACHI,CCI). If a grouping item then use a group code to indicate the type of thing being grouped eg. 'glasses' or 'compound'.
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.detail.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
ExplanationOfBenefit.item.detail.programCode
Definition | For programs which require reson codes for the inclusion, covering, of this billed item under the program or sub-program.
Control | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.detail.quantity
Definition | The number of repetitions of a service or product.
Control | 0..1
Type | SimpleQuantity
ExplanationOfBenefit.item.detail.unitPrice
Definition | If the item is a node then this is the fee for the product or service, otherwise this is the total of the fees for the children of the group.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.
ExplanationOfBenefit.item.detail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Control | 0..1
Type | decimal
Requirements | If a fee is present the associated product/service code must be present.
ExplanationOfBenefit.item.detail.net
Definition | The quantity times the unit price for an addittional service or product or charge. For example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number * points = net Amount. Quantity, factor and points are assumed to be 1 if not supplied.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.
ExplanationOfBenefit.item.detail.udi
Definition | List of Unique Device Identifiers associated with this line item.
Control | 0..*
Type | Reference(Device)
Requirements | The UDI code and issuer if applicable for the supplied product.
ExplanationOfBenefit.item.detail.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.item.detail.adjudication
Definition | The adjudications results.
Control | 0..*
Type | See ExplanationOfBenefit.item.adjudication
ExplanationOfBenefit.item.detail.subDetail
Definition | Third tier of goods and services.
Control | 0..*
ExplanationOfBenefit.item.detail.subDetail.sequence
Definition | A service line number.
Control | 1..1
Type | positiveInt
ExplanationOfBenefit.item.detail.subDetail.type
Definition | The type of product or service.
Control | 1..1
Terminology Binding | ActInvoiceGroupCode (Required)
Type | CodeableConcept
ExplanationOfBenefit.item.detail.subDetail.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.detail.subDetail.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.

Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.detail.subDetail.service
Definition | A code to indicate the Professional Service or Product supplied (eg. CTP, HCPCS,USCLS,ICD10, NCPDP,DIN,ACHI,CCI).
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.detail.subDetail.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
ExplanationOfBenefit.item.detail.subDetail.programCode
Definition | For programs which require reson codes for the inclusion, covering, of this billed item under the program or sub-program.
Control | 0..*
Terminology Binding | Example Program Reason Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.item.detail.subDetail.quantity
Definition | The number of repetitions of a service or product.
Control | 0..1
Type | SimpleQuantity
ExplanationOfBenefit.item.detail.subDetail.unitPrice
Definition | The fee for an addittional service or product or charge.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.
ExplanationOfBenefit.item.detail.subDetail.factor
Definition | A real number that represents a multiplier used in determining the overall value of services delivered and/or goods received. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Control | 0..1
Type | decimal
Requirements | If a fee is present the associated product/service code must be present.
ExplanationOfBenefit.item.detail.subDetail.net
Definition | The quantity times the unit price for an addittional service or product or charge. For example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number * points = net Amount. Quantity, factor and points are assumed to be 1 if not supplied.
Control | 0..1
Type | Money
Requirements | If a fee is present the associated product/service code must be present.
ExplanationOfBenefit.item.detail.subDetail.udi
Definition | List of Unique Device Identifiers associated with this line item.
Control | 0..*
Type | Reference(Device)
Requirements | The UDI code and issuer if applicable for the supplied product.
ExplanationOfBenefit.item.detail.subDetail.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.item.detail.subDetail.adjudication
Definition | The adjudications results.
Control | 0..*
Type | See ExplanationOfBenefit.item.adjudication
ExplanationOfBenefit.addItem
Definition | The first tier service adjudications for payor added services.
Control | 0..*
ExplanationOfBenefit.addItem.sequenceLinkId
Definition | List of input service items which this service line is intended to replace.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.addItem.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.addItem.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.addItem.service

Definition | If this is an actual service or product line, ie. not a Group, then use code to indicate the Professional Service or Product supplied (eg. CTP, HCPCS,USCLS,ICD10, NCPDP,DIN,ACHI,CCI). If a grouping item then use a group code to indicate the type of thing being grouped eg. 'glasses' or 'compound'.
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.addItem.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
ExplanationOfBenefit.addItem.fee
Definition | The fee charged for the professional service or product.
Control | 0..1
Type | Money
ExplanationOfBenefit.addItem.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.addItem.adjudication
Definition | The adjudications results.
Control | 0..*
Type | See ExplanationOfBenefit.item.adjudication
ExplanationOfBenefit.addItem.detail
Definition | The second tier service adjudications for payor added services.
Control | 0..*
ExplanationOfBenefit.addItem.detail.revenue
Definition | The type of reveneu or cost center providing the product and/or service.
Control | 0..1
Terminology Binding | Example Revenue Center Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.addItem.detail.category
Definition | Health Care Service Type Codes to identify the classification of service or benefits.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.addItem.detail.service
Definition | A code to indicate the Professional Service or Product supplied (eg. CTP, HCPCS,USCLS,ICD10, NCPDP,DIN,ACHI,CCI).
Control | 0..1
Terminology Binding | USCLS Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.addItem.detail.modifier
Definition | Item typification or modifiers codes, eg for Oral whether the treatment is cosmetic or associated with TMJ, or for medical whether the treatment was outside the clinic or out of office hours.
Control | 0..*
Terminology Binding | Modifier type Codes (Example)
Type | CodeableConcept
Requirements | May impact on adjudication.
ExplanationOfBenefit.addItem.detail.fee
Definition | The fee charged for the professional service or product.
Control | 0..1
Type | Money
ExplanationOfBenefit.addItem.detail.noteNumber
Definition | A list of note references to the notes provided below.
Control | 0..*
Type | positiveInt
ExplanationOfBenefit.addItem.detail.adjudication
Definition | The adjudications results.
Control | 0..*
Type | See ExplanationOfBenefit.item.adjudication
ExplanationOfBenefit.totalCost
Definition | The total cost of the services reported.
Control | 0..1
Type | Money
Requirements | This is a check value that the receiver calculates and returns.
ExplanationOfBenefit.unallocDeductable
Definition | The amount of deductable applied which was not allocated to any particular service line.
Control | 0..1
Type | Money
ExplanationOfBenefit.totalBenefit
Definition | Total amount of benefit payable (Equal to sum of the Benefit amounts from all detail lines and additions less the Unallocated Deductable).

Control | 0..1
Type | Money
ExplanationOfBenefit.payment
Definition | Payment details for the claim if the claim has been paid.
Control | 0..1
ExplanationOfBenefit.payment.type
Definition | Whether this represents partial or complete payment of the claim.
Control | 0..1
Terminology Binding | Example Payment Type Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.payment.adjustment
Definition | Adjustment to the payment of this transaction which is not related to adjudication of this transaction.
Control | 0..1
Type | Money
ExplanationOfBenefit.payment.adjustmentReason
Definition | Reason for the payment adjustment.
Control | 0..1
Terminology Binding | Payment Adjustment Reason Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.payment.date
Definition | Estimated payment date.
Control | 0..1
Type | date
ExplanationOfBenefit.payment.amount
Definition | Payable less any payment adjustment.
Control | 0..1
Type | Money
ExplanationOfBenefit.payment.identifier
Definition | Payment identifer.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1
Type | Identifier
ExplanationOfBenefit.form
Definition | The form to be used for printing the content.
Control | 0..1
Terminology Binding | Form Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.processNote
Definition | Note text.
Control | 0..*
ExplanationOfBenefit.processNote.number
Definition | An integer associated with each note which may be referred to from each service line item.
Control | 0..1
Type | positiveInt
ExplanationOfBenefit.processNote.type
Definition | The note purpose: Print/Display.
Control | 0..1
Terminology Binding | NoteType (Required)
Type | CodeableConcept
ExplanationOfBenefit.processNote.text
Definition | The note text.
Control | 0..1
Type | string
ExplanationOfBenefit.processNote.language
Definition | The ISO-639-1 alpha 2 code in lower case for the language, optionally followed by a hyphen and the ISO-3166-1 alpha 2 code for the region in upper case; e.g. "en" for English, or "en-US" for American English versus "en-EN" for England English.
Control | 0..1
Terminology Binding | Common Languages (Extensible but limited to ??)
Type | CodeableConcept
ExplanationOfBenefit.benefitBalance
Definition | Balance by Benefit Category.
Control | 0..*
ExplanationOfBenefit.benefitBalance.category
Definition | Dental, Vision, Medical, Pharmacy, Rehab etc.
Control | 1..1
Terminology Binding | Benefit Category Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.benefitBalance.subCategory
Definition | Dental: basic, major, ortho; Vision exam, glasses, contacts; etc.
Control | 0..1
Terminology Binding | Benefit SubCategory Codes (Example)
Type | CodeableConcept

ExplanationOfBenefit.benefitBalance.excluded
Definition | True if the indicated class of service is excluded from the plan, missing or False indicated the service is included in the coverage.
Control | 0..1
Type | boolean
ExplanationOfBenefit.benefitBalance.name
Definition | A short name or tag for the benefit, for example MED01, or DENT2.
Control | 0..1
Type | string
ExplanationOfBenefit.benefitBalance.description
Definition | A richer description of the benefit, for example 'DENT2 covers 100% of basic, 50% of major but exclused Ortho, Implants and Costmetic services'.
Control | 0..1
Type | string
ExplanationOfBenefit.benefitBalance.network
Definition | Network designation.
Control | 0..1
Terminology Binding | Network Type Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.benefitBalance.unit
Definition | Unit designation: individual or family.
Control | 0..1
Terminology Binding | Unit Type Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.benefitBalance.term
Definition | The term or period of the values such as 'maximum lifetime benefit' or 'maximum annual vistis'.
Control | 0..1
Terminology Binding | Benefit Term Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.benefitBalance.financial
Definition | Benefits Used to date.
Control | 0..*
ExplanationOfBenefit.benefitBalance.financial.type
Definition | Deductable, visits, benefit amount.
Control | 1..1
Terminology Binding | Benefit Type Codes (Example)
Type | CodeableConcept
ExplanationOfBenefit.benefitBalance.financial.allowed[x]
Definition | Benefits allowed.
Control | 0..1
Type | unsignedInt|string|Money
[x] Note | See Choice of Data Types for further information about how to use [x]
ExplanationOfBenefit.benefitBalance.financial.used[x]
Definition | Benefits used.
Control | 0..1
Type | unsignedInt|Money
[x] Note | See Choice of Data Types for further information about how to use [x]

13.10.6 Resource ExplanationOfBenefit - Mappings

URL: https://hl7.org/fhir/STU3/explanationofbenefit-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.10.6 Resource ExplanationOfBenefit - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Encounter, Patient, Practitioner, RelatedPerson

Mappings:

HL7 v2 Mapping

Canadian Dental Association eclaims standard

Mappings for the explanationofbenefit resource.

13.10.6.1 Mappings for HL7 v2 Mapping (http://hl7.org/v2)

ExplanationOfBenefit
identifier
status
type
subType
patient
billablePeriod
created

enterer
insurer
provider
organization
referral
facility
claim
claimResponse
outcome
disposition
related
claim
relationship
reference
prescription
originalPrescription
payee
type
resourceType
party
information
sequence
category
code
timing[x]
value[x]
reason
careTeam
sequence
provider
responsible
role
qualification
diagnosis
sequence
diagnosis[x]
type
packageCode
procedure
sequence
date
procedure[x]
precedence
insurance | Coverage
coverage
preAuthRef
accident
date
type
location[x]
employmentImpacted
hospitalization
item
sequence
careTeamLinkId
diagnosisLinkId
procedureLinkId
informationLinkId
revenue
category
service
modifier
programCode
serviced[x]
location[x]
quantity
unitPrice
factor
net
udi
bodySite
subSite

encounter
noteNumber
adjudication
category
reason
amount
value
detail
sequence
type
revenue
category
service
modifier
programCode
quantity
unitPrice
factor
net
udi
noteNumber
adjudication
subDetail
sequence
type
revenue
category
service
modifier
programCode
quantity
unitPrice
factor
net
udi
noteNumber
adjudication
addItem
sequenceLinkId
revenue
category
service
modifier
fee
noteNumber
adjudication
detail
revenue
category
service
modifier
fee
noteNumber
adjudication
totalCost
unallocDeductable
totalBenefit
payment
type
adjustment
adjustmentReason
date
amount
identifier
form
processNote
number
type
text
language
benefitBalance
category

subCategory
excluded
name
description
network
unit
term
financial
type
allowed[x]
used[x]

13.10.6.2 Mappings for Canadian Dental Association eclaims standard (http://www.cda-adc.ca/en/services/cdanet/)

ExplanationOfBenefit
identifier
status
type
subType
patient | C06,C07,C08, C05, C04
billablePeriod
created
enterer
insurer | B02
provider | B02
organization | B02
referral | B05
facility
claim | A02|G01
claimResponse | A02|G01
outcome
disposition
related
claim
relationship
reference
prescription
originalPrescription
payee | F02
type
resourceType
party | B03, B04
information
sequence
category
code | F23
timing[x] | F24
value[x]
reason
careTeam
sequence
provider
responsible
role
qualification
diagnosis
sequence
diagnosis[x]
type
packageCode
procedure
sequence
date
procedure[x]
precedence
insurance
coverage
preAuthRef | F03
accident
date | F02
type
location[x]

employmentImpacted
hospitalization
item
sequence | F07
careTeamLinkId
diagnosisLinkId
procedureLinkId
informationLinkId
revenue
category
service | F06
modifier | F16 (required field for Oral) and F05
programCode
serviced[x] | F09
location[x]
quantity
unitPrice | F12
factor | F13/F14
net | F13/F14
udi
bodySite | F10
subSite | F11
encounter
noteNumber
adjudication
category
reason
amount
value
detail
sequence | F07
type
revenue
category
service | F34/F35
modifier | F16 (required field for Oral) and F05
programCode
quantity
unitPrice | F13/F14
factor | F13/F14
net | F13/F14
udi
noteNumber
adjudication
subDetail
sequence | F07
type
revenue
category
service | F34/F35
modifier | F16 (required field for Oral) and F05
programCode
quantity
unitPrice | F13/F14
factor | F13/F14
net | F13/F14
udi
noteNumber
adjudication
addItem
sequenceLinkId
revenue
category | F06
service
modifier | F16 (required field for Oral) and F05
fee
noteNumber
adjudication
detail
revenue
category | F06
service

modifier | F16 (required field for Oral) and F05
fee
noteNumber
adjudication
totalCost
unallocDeductable
totalBenefit
payment
type
adjustment
adjustmentReason
date
amount
identifier | G01, B.23
form | G42
processNote
number
type
text | G32
language
benefitBalance
category
subCategory
excluded
name
description
network
unit
term
financial
type
allowed[x]
used[x]

13.10.7 Resource ExplanationOfBenefit - Design Notes

URL: https://hl7.org/fhir/STU3/explanationofbenefit-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.10.7 Resource ExplanationOfBenefit - Design Notes

to do

13.10.8 Resource ExplanationOfBenefit - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/explanationofbenefit-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.10.8 Resource ExplanationOfBenefit - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the ExplanationOfBenefit resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.10.8.1 Profiles

No Profiles defined for this resource

13.10.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.10.8.3 Search Extensions

No Search Extensions defined for this resource

13.11 Resource Contract - Content

URL: https://hl7.org/fhir/STU3/contract.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

Financial Management Work Group | Maturity Level: 1 | Trial Use | Compartments: Not linked to any defined compartments

A formal agreement between parties regarding the conduct of business, exchange of information or other matters.

13.11.1 Scope and Usage

The Contract resource is the basal resource to convey information of all manner of contracts for financial (e.g. Insurance policies), business arrangements (eg. supply contracts) and privacy and security (e.g. consent directives). Todo

This resource is referenced by Consent, Coverage, EligibilityResponse and SupplyDelivery

13.11.2 Resource Content

* Structure

* UML

* XML

* JSON

* Turtle

* R2 Diff

* All

Structure

Name | Flags | Card. | Type | Description & Constraints
Contract | | | DomainResource | Legal Agreement Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | ? | 0..1 | Identifier | Contract number
status | ?!? | 0..1 | code | amended | appended | cancelled | disputed | entered-in-error | executable | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated Contract Resource Status Codes (Required)
issued | ? | 0..1 | dateTime | When this Contract was issued
applies | ? | 0..1 | Period | Effective time
subject | ? | 0..* | Reference(Any) | Contract Target Entity
topic | ? | 0..* | Reference(Any) | Context of the Contract
authority | | 0..* | Reference(Organization) | Authority under which this Contract has standing
domain | | 0..* | Reference(Location) | Domain in which this Contract applies
type | ? | 0..1 | CodeableConcept | Type or form Contract Type Codes (Example)
subType | ? | 0..* | CodeableConcept | Subtype within the context of type Contract Subtype Codes (Example)
action | | 0..* | CodeableConcept | Action stipulated by this Contract Contract Action Codes (Example)
actionReason | | 0..* | CodeableConcept | Rationale for the stiplulated action PurposeOfUse (Example)
decisionType | | 0..1 | CodeableConcept | Decision by Grantor ActConsentDirective (Extensible)
contentDerivative | | 0..1 | CodeableConcept | Content derived from the basal information Contract Content Derivation Codes (Example)
securityLabel | ? | 0..* | Coding | Security Labels that define affected resources All Security Labels (Extensible)
agent | | 0..* | BackboneElement | Entity being ascribed responsibility
actor | | 1..1 | Reference(Contract | Device | Group | Location | Organization | Patient | Practitioner | RelatedPerson | Substance) | Contract Agent Type
role | | 0..* | CodeableConcept | Role type of the agent Contract Actor Role Codes (Example)
signer | | 0..* | BackboneElement | Contract Signatory
type | | 1..1 | Coding | Contract Signatory Role Contract Signer Type Codes (Preferred)
party | | 1..1 | Reference(Organization | Patient | Practitioner | RelatedPerson) | Contract Signatory Party
signature | | 1..* | Signature | Contract Documentation Signature
valuedItem | | 0..* | BackboneElement | Contract Valued Item List
entity[x] | | 0..1 | | Contract Valued Item Type
entityCodeableConcept | | | CodeableConcept
entityReference | | | Reference(Any)
identifier | | 0..1 | Identifier | Contract Valued Item Number
effectiveTime | | 0..1 | dateTime | Contract Valued Item Effective Tiem
quantity | | 0..1 | SimpleQuantity | Count of Contract Valued Items
unitPrice | | 0..1 | Money | Contract Valued Item fee, charge, or cost
factor | | 0..1 | decimal | Contract Valued Item Price Scaling Factor
points | | 0..1 | decimal | Contract Valued Item Difficulty Scaling Factor
net | | 0..1 | Money | Total Contract Valued Item Value
term | | 0..* | BackboneElement | Contract Term List
identifier | ? | 0..1 | Identifier | Contract Term Number
issued | ? | 0..1 | dateTime | Contract Term Issue Date Time
applies | ? | 0..1 | Period | Contract Term Effective Time
type | | 0..1 | CodeableConcept | Contract Term Type or Form Contract Term Type Codes (Example)
subType | | 0..1 | CodeableConcept | Contract Term Type specific classification Contract Term Subtype Codes (Example)
topic | ? | 0..* | Reference(Any) | Context of the Contract term
action | | 0..* | CodeableConcept | Contract Term Activity Contract Action Codes (Example)
actionReason | | 0..* | CodeableConcept | Purpose for the Contract Term Action PurposeOfUse (Example)

securityLabel | ? | 0..* | Coding | Security Labels that define affected terms All Security Labels (Extensible)
agent | | 0..* | BackboneElement | Contract Term Agent List
actor | | 1..1 | Reference(Contract | Device | Group | Location | Organization | Patient | Practitioner | RelatedPerson | Substance) | Contract Term Agent Subject
role | | 0..* | CodeableConcept | Type of the Contract Term Agent Contract Actor Role Codes (Example)
text | | 0..1 | string | Human readable Contract term text
valuedItem | | 0..* | BackboneElement | Contract Term Valued Item List
entity[x] | | 0..1 | | Contract Term Valued Item Type
entityCodeableConcept | | | CodeableConcept
entityReference | | | Reference(Any)
identifier | | 0..1 | Identifier | Contract Term Valued Item Number
effectiveTime | | 0..1 | dateTime | Contract Term Valued Item Effective Tiem
quantity | | 0..1 | SimpleQuantity | Contract Term Valued Item Count
unitPrice | | 0..1 | Money | Contract Term Valued Item fee, charge, or cost
factor | | 0..1 | decimal | Contract Term Valued Item Price Scaling Factor
points | | 0..1 | decimal | Contract Term Valued Item Difficulty Scaling Factor
net | | 0..1 | Money | Total Contract Term Valued Item Value
group | | 0..* | see term | Nested Contract Term Group
binding[x] | | 0..1 | | Binding Contract
bindingAttachment | | | Attachment
bindingReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
friendly | | 0..* | BackboneElement | Contract Friendly Language
content[x] | | 1..1 | | Easily comprehended representation of this Contract
contentAttachment | | | Attachment
contentReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
legal | | 0..* | BackboneElement | Contract Legal Language
content[x] | | 1..1 | | Contract Legal Text
contentAttachment | | | Attachment
contentReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
rule | | 0..* | BackboneElement | Computable Contract Language
content[x] | | 1..1 | | Computable Contract Rules
contentAttachment | | | Attachment
contentReference | | | Reference(DocumentReference)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Contract xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..1 Identifier Contract number --></identifier>
 <status value="[code]"/><!-- 0..1 amended | appended | cancelled | disputed | entered-in-error | executable | executed
    | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated -->
 <issued value="[dateTime]"/><!-- 0..1 When this Contract was issued -->
 <applies><!-- 0..1 Period Effective time --></applies>
 <subject><!-- 0..* Reference(Any) Contract Target Entity --></subject>
 <topic><!-- 0..* Reference(Any) Context of the Contract --></topic>
 <authority><!-- 0..* Reference(Organization) Authority under which this Contract has standing --></authority>
 <domain><!-- 0..* Reference(Location) Domain in which this Contract applies --></domain>
 <type><!-- 0..1 CodeableConcept Type or form --></type>
 <subType><!-- 0..* CodeableConcept Subtype within the context of type --></subType>
 <action><!-- 0..* CodeableConcept Action stipulated by this Contract --></action>
 <actionReason><!-- 0..* CodeableConcept Rationale for the stiplulated action --></actionReason>
 <decisionType><!-- 0..1 CodeableConcept Decision by Grantor --></decisionType>
 <contentDerivative><!-- 0..1 CodeableConcept Content derived from the basal information --></contentDerivative>
 <securityLabel><!-- 0..* Coding Security Labels that define affected resources --></securityLabel>
 <agent>  <!-- 0..* Entity being ascribed responsibility -->
  <actor><!-- 1..1 Reference(Contract|Device|Group|Location|Organization|Patient|
    Practitioner|RelatedPerson|Substance) Contract Agent Type --></actor>
  <role><!-- 0..* CodeableConcept Role type of the agent --></role>
 </agent>
 <signer>  <!-- 0..* Contract Signatory -->
  <type><!-- 1..1 Coding Contract Signatory Role --></type>
  <party><!-- 1..1 Reference(Organization|Patient|Practitioner|RelatedPerson) Contract Signatory Party --></party>
  <signature><!-- 1..* Signature Contract Documentation Signature --></signature>
 </signer>
 <valuedItem>  <!-- 0..* Contract Valued Item List -->
  <entity[x]><!-- 0..1 CodeableConcept|Reference(Any) Contract Valued Item Type --></entity[x]>
  <identifier><!-- 0..1 Identifier Contract Valued Item Number --></identifier>
  <effectiveTime value="[dateTime]"/><!-- 0..1 Contract Valued Item Effective Tiem -->
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Contract Valued Items --></quantity>
  <unitPrice><!-- 0..1 Money Contract Valued Item fee, charge, or cost --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Contract Valued Item Price Scaling Factor -->
  <points value="[decimal]"/><!-- 0..1 Contract Valued Item Difficulty Scaling Factor -->
  <net><!-- 0..1 Money Total Contract Valued Item Value --></net>
 </valuedItem>
 <term>  <!-- 0..* Contract Term List -->
  <identifier><!-- 0..1 Identifier Contract Term Number --></identifier>
  <issued value="[dateTime]"/><!-- 0..1 Contract Term Issue Date Time -->
  <applies><!-- 0..1 Period Contract Term Effective Time --></applies>
```

```
  <type><!-- 0..1 CodeableConcept Contract Term Type or Form --></type>
  <subType><!-- 0..1 CodeableConcept Contract Term Type specific classification --></subType>
  <topic><!-- 0..* Reference(Any) Context of the Contract term --></topic>
  <action><!-- 0..* CodeableConcept Contract Term Activity --></action>
  <actionReason><!-- 0..* CodeableConcept Purpose for the Contract Term Action --></actionReason>
  <securityLabel><!-- 0..* Coding Security Labels that define affected terms --></securityLabel>
  <agent>  <!-- 0..* Contract Term Agent List -->
   <actor><!-- 1..1 Reference(Contract|Device|Group|Location|Organization|Patient|
     Practitioner|RelatedPerson|Substance) Contract Term Agent Subject --></actor>
   <role><!-- 0..* CodeableConcept Type of the Contract Term Agent --></role>
  </agent>
  <text value="[string]"/><!-- 0..1 Human readable Contract term text -->
  <valuedItem>  <!-- 0..* Contract Term Valued Item List -->
   <entity[x]><!-- 0..1 CodeableConcept|Reference(Any) Contract Term Valued Item Type --></entity[x]>
   <identifier><!-- 0..1 Identifier Contract Term Valued Item Number --></identifier>
   <effectiveTime value="[dateTime]"/><!-- 0..1 Contract Term Valued Item Effective Tiem -->
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Contract Term Valued Item Count --></quantity>
   <unitPrice><!-- 0..1 Money Contract Term Valued Item fee, charge, or cost --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Contract Term Valued Item Price Scaling Factor -->
   <points value="[decimal]"/><!-- 0..1 Contract Term Valued Item Difficulty Scaling Factor -->
   <net><!-- 0..1 Money Total Contract Term Valued Item Value --></net>
  </valuedItem>
  <group><!-- 0..* Content as for Contract.term Nested Contract Term Group --></group>
 </term>
 <binding[x]><!-- 0..1 Attachment|Reference(Composition|DocumentReference|
   QuestionnaireResponse) Binding Contract --></binding[x]>
 <friendly>  <!-- 0..* Contract Friendly Language -->
  <content[x]><!-- 1..1 Attachment|Reference(Composition|DocumentReference|
    QuestionnaireResponse) Easily comprehended representation of this Contract --></content[x]>
 </friendly>
 <legal>  <!-- 0..* Contract Legal Language -->
  <content[x]><!-- 1..1 Attachment|Reference(Composition|DocumentReference|
    QuestionnaireResponse) Contract Legal Text --></content[x]>
 </legal>
 <rule>  <!-- 0..* Computable Contract Language -->
  <content[x]><!-- 1..1 Attachment|Reference(DocumentReference) Computable Contract Rules --></content[x]>
 </rule>
</Contract>
```

JSON Template

```
{
  "resourceType" : "Contract",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : { Identifier }, // Contract number
  "status" : "<code>", // amended | appended | cancelled | disputed | entered-in-error | executable | executed |
    negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
  "issued" : "<dateTime>", // When this Contract was issued
  "applies" : { Period }, // Effective time
  "subject" : [{ Reference(Any) }], // Contract Target Entity
  "topic" : [{ Reference(Any) }], // Context of the Contract
  "authority" : [{ Reference(Organization) }], // Authority under which this Contract has standing
  "domain" : [{ Reference(Location) }], // Domain in which this Contract applies
  "type" : { CodeableConcept }, // Type or form
  "subType" : [{ CodeableConcept }], // Subtype within the context of type
  "action" : [{ CodeableConcept }], // Action stipulated by this Contract
  "actionReason" : [{ CodeableConcept }], // Rationale for the stiplulated action
  "decisionType" : { CodeableConcept }, // Decision by Grantor
  "contentDerivative" : { CodeableConcept }, // Content derived from the basal information
  "securityLabel" : [{ Coding }], // Security Labels that define affected resources
  "agent" : [{ // Entity being ascribed responsibility
    "actor" : { Reference(Contract|Device|Group|Location|Organization|Patient|
    Practitioner|RelatedPerson|Substance) }, // R!  Contract Agent Type
    "role" : [{ CodeableConcept }] // Role type of the agent
  }],
  "signer" : [{ // Contract Signatory
    "type" : { Coding }, // R!  Contract Signatory Role
    "party" : { Reference(Organization|Patient|Practitioner|RelatedPerson) }, // R!  Contract Signatory Party
    "signature" : [{ Signature }] // R!  Contract Documentation Signature
  }],
  "valuedItem" : [{ // Contract Valued Item List
    // entity[x]: Contract Valued Item Type. One of these 2:
    "entityCodeableConcept" : { CodeableConcept },
    "entityReference" : { Reference(Any) },
    "identifier" : { Identifier }, // Contract Valued Item Number
    "effectiveTime" : "<dateTime>", // Contract Valued Item Effective Tiem
    "quantity" : { Quantity(SimpleQuantity) }, // Count of Contract Valued Items
    "unitPrice" : { Money }, // Contract Valued Item fee, charge, or cost
    "factor" : <decimal>, // Contract Valued Item Price Scaling Factor
    "points" : <decimal>, // Contract Valued Item Difficulty Scaling Factor
    "net" : { Money } // Total Contract Valued Item Value
  }],
  "term" : [{ // Contract Term List
    "identifier" : { Identifier }, // Contract Term Number
    "issued" : "<dateTime>", // Contract Term Issue Date Time
    "applies" : { Period }, // Contract Term Effective Time
    "type" : { CodeableConcept }, // Contract Term Type or Form
    "subType" : { CodeableConcept }, // Contract Term Type specific classification
    "topic" : [{ Reference(Any) }], // Context of the Contract term
```

```
    "action" : [{ CodeableConcept }], // Contract Term Activity
    "actionReason" : [{ CodeableConcept }], // Purpose for the Contract Term Action
    "securityLabel" : [{ Coding }], // Security Labels that define affected terms
    "agent" : [{ // Contract Term Agent List
      "actor" : { Reference(Contract|Device|Group|Location|Organization|Patient|
     Practitioner|RelatedPerson|Substance) }, // R!  Contract Term Agent Subject
      "role" : [{ CodeableConcept }] // Type of the Contract Term Agent
    }],
    "text" : "<string>", // Human readable Contract term text
    "valuedItem" : [{ // Contract Term Valued Item List
      // entity[x]: Contract Term Valued Item Type. One of these 2:
      "entityCodeableConcept" : { CodeableConcept },
      "entityReference" : { Reference(Any) },
      "identifier" : { Identifier }, // Contract Term Valued Item Number
      "effectiveTime" : "<dateTime>", // Contract Term Valued Item Effective Tiem
      "quantity" : { Quantity(SimpleQuantity) }, // Contract Term Valued Item Count
      "unitPrice" : { Money }, // Contract Term Valued Item fee, charge, or cost
      "factor" : <decimal>, // Contract Term Valued Item Price Scaling Factor
      "points" : <decimal>, // Contract Term Valued Item Difficulty Scaling Factor
      "net" : { Money } // Total Contract Term Valued Item Value
    }],
    "group" : [{ Content as for Contract.term }] // Nested Contract Term Group
  }],
  // binding[x]: Binding Contract. One of these 2:
  "bindingAttachment" : { Attachment },
  "bindingReference" : { Reference(Composition|DocumentReference|
   QuestionnaireResponse) },
  "friendly" : [{ // Contract Friendly Language
    // content[x]: Easily comprehended representation of this Contract. One of these 2:
    "contentAttachment" : { Attachment }
    "contentReference" : { Reference(Composition|DocumentReference|
    QuestionnaireResponse) }
  }],
  "legal" : [{ // Contract Legal Language
    // content[x]: Contract Legal Text. One of these 2:
    "contentAttachment" : { Attachment }
    "contentReference" : { Reference(Composition|DocumentReference|
    QuestionnaireResponse) }
  }],
  "rule" : [{ // Computable Contract Language
    // content[x]: Computable Contract Rules. One of these 2:
    "contentAttachment" : { Attachment }
    "contentReference" : { Reference(DocumentReference) }
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Contract;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Contract.identifier [ Identifier ]; # 0..1 Contract number
  fhir:Contract.status [ code ]; # 0..1 amended | appended | cancelled | disputed | entered-in-error | executable |
    executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
  fhir:Contract.issued [ dateTime ]; # 0..1 When this Contract was issued
  fhir:Contract.applies [ Period ]; # 0..1 Effective time
  fhir:Contract.subject [ Reference(Any) ], ... ; # 0..* Contract Target Entity
  fhir:Contract.topic [ Reference(Any) ], ... ; # 0..* Context of the Contract
  fhir:Contract.authority [ Reference(Organization) ], ... ; # 0..* Authority under which this Contract has standing
  fhir:Contract.domain [ Reference(Location) ], ... ; # 0..* Domain in which this Contract applies
  fhir:Contract.type [ CodeableConcept ]; # 0..1 Type or form
  fhir:Contract.subType [ CodeableConcept ], ... ; # 0..* Subtype within the context of type
  fhir:Contract.action [ CodeableConcept ], ... ; # 0..* Action stipulated by this Contract
  fhir:Contract.actionReason [ CodeableConcept ], ... ; # 0..* Rationale for the stiplulated action
  fhir:Contract.decisionType [ CodeableConcept ]; # 0..1 Decision by Grantor
  fhir:Contract.contentDerivative [ CodeableConcept ]; # 0..1 Content derived from the basal information
  fhir:Contract.securityLabel [ Coding ], ... ; # 0..* Security Labels that define affected resources
  fhir:Contract.agent [ # 0..* Entity being ascribed responsibility
    fhir:Contract.agent.actor [
    Reference(Contract|Device|Group|Location|Organization|Patient|Practitioner|RelatedPerson|
  Substance) ]; # 1..1 Contract Agent Type
    fhir:Contract.agent.role [ CodeableConcept ], ... ; # 0..* Role type of the agent
  ], ...;
  fhir:Contract.signer [ # 0..* Contract Signatory
    fhir:Contract.signer.type [ Coding ]; # 1..1 Contract Signatory Role
    fhir:Contract.signer.party [ Reference(Organization|Patient|Practitioner|RelatedPerson) ]; # 1..1 Contract Signatory
     Party
    fhir:Contract.signer.signature [ Signature ], ... ; # 1..* Contract Documentation Signature
  ], ...;
  fhir:Contract.valuedItem [ # 0..* Contract Valued Item List
    # Contract.valuedItem.entity[x] : 0..1 Contract Valued Item Type. One of these 2
      fhir:Contract.valuedItem.entityCodeableConcept [ CodeableConcept ]
      fhir:Contract.valuedItem.entityReference [ Reference(Any) ]
    fhir:Contract.valuedItem.identifier [ Identifier ]; # 0..1 Contract Valued Item Number
    fhir:Contract.valuedItem.effectiveTime [ dateTime ]; # 0..1 Contract Valued Item Effective Tiem
```

```
    fhir:Contract.valuedItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Contract Valued Items
    fhir:Contract.valuedItem.unitPrice [ Money ]; # 0..1 Contract Valued Item fee, charge, or cost
    fhir:Contract.valuedItem.factor [ decimal ]; # 0..1 Contract Valued Item Price Scaling Factor
    fhir:Contract.valuedItem.points [ decimal ]; # 0..1 Contract Valued Item Difficulty Scaling Factor
    fhir:Contract.valuedItem.net [ Money ]; # 0..1 Total Contract Valued Item Value
  ], ...;
  fhir:Contract.term [ # 0..* Contract Term List
    fhir:Contract.term.identifier [ Identifier ]; # 0..1 Contract Term Number
    fhir:Contract.term.issued [ dateTime ]; # 0..1 Contract Term Issue Date Time
    fhir:Contract.term.applies [ Period ]; # 0..1 Contract Term Effective Time
    fhir:Contract.term.type [ CodeableConcept ]; # 0..1 Contract Term Type or Form
    fhir:Contract.term.subType [ CodeableConcept ]; # 0..1 Contract Term Type specific classification
    fhir:Contract.term.topic [ Reference(Any) ], ... ; # 0..* Context of the Contract term
    fhir:Contract.term.action [ CodeableConcept ], ... ; # 0..* Contract Term Activity
    fhir:Contract.term.actionReason [ CodeableConcept ], ... ; # 0..* Purpose for the Contract Term Action
    fhir:Contract.term.securityLabel [ Coding ], ... ; # 0..* Security Labels that define affected terms
    fhir:Contract.term.agent [ # 0..* Contract Term Agent List
      fhir:Contract.term.agent.actor [
    Reference(Contract|Device|Group|Location|Organization|Patient|Practitioner|RelatedPerson|
  Substance) ]; # 1..1 Contract Term Agent Subject
      fhir:Contract.term.agent.role [ CodeableConcept ], ... ; # 0..* Type of the Contract Term Agent
    ], ...;
    fhir:Contract.term.text [ string ]; # 0..1 Human readable Contract term text
    fhir:Contract.term.valuedItem [ # 0..* Contract Term Valued Item List
      # Contract.term.valuedItem.entity[x] : 0..1 Contract Term Valued Item Type. One of these 2
        fhir:Contract.term.valuedItem.entityCodeableConcept [ CodeableConcept ]
        fhir:Contract.term.valuedItem.entityReference [ Reference(Any) ]
      fhir:Contract.term.valuedItem.identifier [ Identifier ]; # 0..1 Contract Term Valued Item Number
      fhir:Contract.term.valuedItem.effectiveTime [ dateTime ]; # 0..1 Contract Term Valued Item Effective Tiem
      fhir:Contract.term.valuedItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Contract Term Valued Item Count
      fhir:Contract.term.valuedItem.unitPrice [ Money ]; # 0..1 Contract Term Valued Item fee, charge, or cost
      fhir:Contract.term.valuedItem.factor [ decimal ]; # 0..1 Contract Term Valued Item Price Scaling Factor
      fhir:Contract.term.valuedItem.points [ decimal ]; # 0..1 Contract Term Valued Item Difficulty Scaling Factor
      fhir:Contract.term.valuedItem.net [ Money ]; # 0..1 Total Contract Term Valued Item Value
    ], ...;
    fhir:Contract.term.group [ See Contract.term ], ... ; # 0..* Nested Contract Term Group
  ], ...;
  # Contract.binding[x] : 0..1 Binding Contract. One of these 2
    fhir:Contract.bindingAttachment [ Attachment ]
    fhir:Contract.bindingReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  fhir:Contract.friendly [ # 0..* Contract Friendly Language
    # Contract.friendly.content[x] : 1..1 Easily comprehended representation of this Contract. One of these 2
      fhir:Contract.friendly.contentAttachment [ Attachment ]
      fhir:Contract.friendly.contentReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  ], ...;
  fhir:Contract.legal [ # 0..* Contract Legal Language
    # Contract.legal.content[x] : 1..1 Contract Legal Text. One of these 2
      fhir:Contract.legal.contentAttachment [ Attachment ]
      fhir:Contract.legal.contentReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  ], ...;
  fhir:Contract.rule [ # 0..* Computable Contract Language
    # Contract.rule.content[x] : 1..1 Computable Contract Rules. One of these 2
      fhir:Contract.rule.contentAttachment [ Attachment ]
      fhir:Contract.rule.contentReference [ Reference(DocumentReference) ]
  ], ...;
]
```

Changes since DSTU2

Contract
Contract.status | Added Element
Contract.topic | Added Element
Contract.decisionType | Added Element
Contract.contentDerivative | Added Element
Contract.securityLabel | Added Element
Contract.agent | Added Element
Contract.agent.actor | Added Element
Contract.agent.role | Added Element
Contract.signer.signature | Max Cardinality changed from 1 to * Type changed from string to Signature
Contract.valuedItem.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Contract.valuedItem.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Contract.term.topic | Renamed from subject to topic Max Cardinality changed from 1 to *
Contract.term.securityLabel | Added Element
Contract.term.agent | Added Element
Contract.term.agent.actor | Added Element
Contract.term.agent.role | Added Element
Contract.term.valuedItem.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Contract.term.valuedItem.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Contract.actor | deleted
Contract.term.actor | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Structure

Name | Flags | Card. | Type | Description & Constraints
Contract | | | DomainResource | Legal Agreement Elements defined in Ancestors: id, meta, implicitRules, language, text, contained, extension, modifierExtension
identifier | ? | 0..1 | Identifier | Contract number
status | ?!? | 0..1 | code | amended | appended | cancelled | disputed | entered-in-error | executable | executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated Contract Resource Status Codes (Required)
issued | ? | 0..1 | dateTime | When this Contract was issued
applies | ? | 0..1 | Period | Effective time
subject | ? | 0..* | Reference(Any) | Contract Target Entity
topic | ? | 0..* | Reference(Any) | Context of the Contract
authority | | 0..* | Reference(Organization) | Authority under which this Contract has standing
domain | | 0..* | Reference(Location) | Domain in which this Contract applies
type | ? | 0..1 | CodeableConcept | Type or form Contract Type Codes (Example)
subType | ? | 0..* | CodeableConcept | Subtype within the context of type Contract Subtype Codes (Example)
action | | 0..* | CodeableConcept | Action stipulated by this Contract Contract Action Codes (Example)
actionReason | | 0..* | CodeableConcept | Rationale for the stiplulated action PurposeOfUse (Example)
decisionType | | 0..1 | CodeableConcept | Decision by Grantor ActConsentDirective (Extensible)
contentDerivative | | 0..1 | CodeableConcept | Content derived from the basal information Contract Content Derivation Codes (Example)
securityLabel | ? | 0..* | Coding | Security Labels that define affected resources All Security Labels (Extensible)
agent | | 0..* | BackboneElement | Entity being ascribed responsibility
actor | | 1..1 | Reference(Contract | Device | Group | Location | Organization | Patient | Practitioner | RelatedPerson | Substance) | Contract Agent Type
role | | 0..* | CodeableConcept | Role type of the agent Contract Actor Role Codes (Example)
signer | | 0..* | BackboneElement | Contract Signatory
type | | 1..1 | Coding | Contract Signatory Role Contract Signer Type Codes (Preferred)
party | | 1..1 | Reference(Organization | Patient | Practitioner | RelatedPerson) | Contract Signatory Party
signature | | 1..* | Signature | Contract Documentation Signature
valuedItem | | 0..* | BackboneElement | Contract Valued Item List
entity[x] | | 0..1 | | Contract Valued Item Type
entityCodeableConcept | | | CodeableConcept
entityReference | | | Reference(Any)
identifier | | 0..1 | Identifier | Contract Valued Item Number
effectiveTime | | 0..1 | dateTime | Contract Valued Item Effective Tiem
quantity | | 0..1 | SimpleQuantity | Count of Contract Valued Items
unitPrice | | 0..1 | Money | Contract Valued Item fee, charge, or cost
factor | | 0..1 | decimal | Contract Valued Item Price Scaling Factor
points | | 0..1 | decimal | Contract Valued Item Difficulty Scaling Factor
net | | 0..1 | Money | Total Contract Valued Item Value
term | | 0..* | BackboneElement | Contract Term List
identifier | ? | 0..1 | Identifier | Contract Term Number
issued | ? | 0..1 | dateTime | Contract Term Issue Date Time
applies | ? | 0..1 | Period | Contract Term Effective Time
type | | 0..1 | CodeableConcept | Contract Term Type or Form Contract Term Type Codes (Example)
subType | | 0..1 | CodeableConcept | Contract Term Type specific classification Contract Term Subtype Codes (Example)
topic | ? | 0..* | Reference(Any) | Context of the Contract term
action | | 0..* | CodeableConcept | Contract Term Activity Contract Action Codes (Example)
actionReason | | 0..* | CodeableConcept | Purpose for the Contract Term Action PurposeOfUse (Example)
securityLabel | ? | 0..* | Coding | Security Labels that define affected terms All Security Labels (Extensible)
agent | | 0..* | BackboneElement | Contract Term Agent List
actor | | 1..1 | Reference(Contract | Device | Group | Location | Organization | Patient | Practitioner | RelatedPerson | Substance) | Contract Term Agent Subject
role | | 0..* | CodeableConcept | Type of the Contract Term Agent Contract Actor Role Codes (Example)
text | | 0..1 | string | Human readable Contract term text
valuedItem | | 0..* | BackboneElement | Contract Term Valued Item List
entity[x] | | 0..1 | | Contract Term Valued Item Type
entityCodeableConcept | | | CodeableConcept
entityReference | | | Reference(Any)
identifier | | 0..1 | Identifier | Contract Term Valued Item Number
effectiveTime | | 0..1 | dateTime | Contract Term Valued Item Effective Tiem
quantity | | 0..1 | SimpleQuantity | Contract Term Valued Item Count
unitPrice | | 0..1 | Money | Contract Term Valued Item fee, charge, or cost
factor | | 0..1 | decimal | Contract Term Valued Item Price Scaling Factor
points | | 0..1 | decimal | Contract Term Valued Item Difficulty Scaling Factor
net | | 0..1 | Money | Total Contract Term Valued Item Value
group | | 0..* | see term | Nested Contract Term Group
binding[x] | | 0..1 | | Binding Contract
bindingAttachment | | | Attachment
bindingReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
friendly | | 0..* | BackboneElement | Contract Friendly Language

content[x] | | 1..1 | | Easily comprehended representation of this Contract
contentAttachment | | | Attachment
contentReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
legal | | 0..* | BackboneElement | Contract Legal Language
content[x] | | 1..1 | | Contract Legal Text
contentAttachment | | | Attachment
contentReference | | | Reference(Composition | DocumentReference | QuestionnaireResponse)
rule | | 0..* | BackboneElement | Computable Contract Language
content[x] | | 1..1 | | Computable Contract Rules
contentAttachment | | | Attachment
contentReference | | | Reference(DocumentReference)
Documentation for this format

UML Diagram (Legend)

XML Template

```
<Contract xmlns="http://hl7.org/fhir">
 <!-- from Resource: id, meta, implicitRules, and language -->
 <!-- from DomainResource: text, contained, extension, and modifierExtension -->
 <identifier><!-- 0..1 Identifier Contract number --></identifier>
 <status value="[code]"/><!-- 0..1 amended | appended | cancelled | disputed | entered-in-error | executable | executed
    | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated -->
 <issued value="[dateTime]"/><!-- 0..1 When this Contract was issued -->
 <applies><!-- 0..1 Period Effective time --></applies>
 <subject><!-- 0..* Reference(Any) Contract Target Entity --></subject>
 <topic><!-- 0..* Reference(Any) Context of the Contract --></topic>
 <authority><!-- 0..* Reference(Organization) Authority under which this Contract has standing --></authority>
 <domain><!-- 0..* Reference(Location) Domain in which this Contract applies --></domain>
 <type><!-- 0..1 CodeableConcept Type or form --></type>
 <subType><!-- 0..* CodeableConcept Subtype within the context of type --></subType>
 <action><!-- 0..* CodeableConcept Action stipulated by this Contract --></action>
 <actionReason><!-- 0..* CodeableConcept Rationale for the stiplulated action --></actionReason>
 <decisionType><!-- 0..1 CodeableConcept Decision by Grantor --></decisionType>
 <contentDerivative><!-- 0..1 CodeableConcept Content derived from the basal information --></contentDerivative>
 <securityLabel><!-- 0..* Coding Security Labels that define affected resources --></securityLabel>
 <agent>  <!-- 0..* Entity being ascribed responsibility -->
  <actor><!-- 1..1 Reference(Contract|Device|Group|Location|Organization|Patient|
    Practitioner|RelatedPerson|Substance) Contract Agent Type --></actor>
  <role><!-- 0..* CodeableConcept Role type of the agent --></role>
 </agent>
 <signer>  <!-- 0..* Contract Signatory -->
  <type><!-- 1..1 Coding Contract Signatory Role --></type>
  <party><!-- 1..1 Reference(Organization|Patient|Practitioner|RelatedPerson) Contract Signatory Party --></party>
  <signature><!-- 1..* Signature Contract Documentation Signature --></signature>
 </signer>
 <valuedItem>  <!-- 0..* Contract Valued Item List -->
  <entity[x]><!-- 0..1 CodeableConcept|Reference(Any) Contract Valued Item Type --></entity[x]>
  <identifier><!-- 0..1 Identifier Contract Valued Item Number --></identifier>
  <effectiveTime value="[dateTime]"/><!-- 0..1 Contract Valued Item Effective Tiem -->
  <quantity><!-- 0..1 Quantity(SimpleQuantity) Count of Contract Valued Items --></quantity>
  <unitPrice><!-- 0..1 Money Contract Valued Item fee, charge, or cost --></unitPrice>
  <factor value="[decimal]"/><!-- 0..1 Contract Valued Item Price Scaling Factor -->
  <points value="[decimal]"/><!-- 0..1 Contract Valued Item Difficulty Scaling Factor -->
  <net><!-- 0..1 Money Total Contract Valued Item Value --></net>
 </valuedItem>
 <term>  <!-- 0..* Contract Term List -->
  <identifier><!-- 0..1 Identifier Contract Term Number --></identifier>
  <issued value="[dateTime]"/><!-- 0..1 Contract Term Issue Date Time -->
  <applies><!-- 0..1 Period Contract Term Effective Time --></applies>
  <type><!-- 0..1 CodeableConcept Contract Term Type or Form --></type>
  <subType><!-- 0..1 CodeableConcept Contract Term Type specific classification --></subType>
  <topic><!-- 0..* Reference(Any) Context of the Contract term --></topic>
  <action><!-- 0..* CodeableConcept Contract Term Activity --></action>
  <actionReason><!-- 0..* CodeableConcept Purpose for the Contract Term Action --></actionReason>
  <securityLabel><!-- 0..* Coding Security Labels that define affected terms --></securityLabel>
  <agent>  <!-- 0..* Contract Term Agent List -->
   <actor><!-- 1..1 Reference(Contract|Device|Group|Location|Organization|Patient|
     Practitioner|RelatedPerson|Substance) Contract Term Agent Subject --></actor>
   <role><!-- 0..* CodeableConcept Type of the Contract Term Agent --></role>
  </agent>
  <text value="[string]"/><!-- 0..1 Human readable Contract term text -->
  <valuedItem>  <!-- 0..* Contract Term Valued Item List -->
   <entity[x]><!-- 0..1 CodeableConcept|Reference(Any) Contract Term Valued Item Type --></entity[x]>
   <identifier><!-- 0..1 Identifier Contract Term Valued Item Number --></identifier>
   <effectiveTime value="[dateTime]"/><!-- 0..1 Contract Term Valued Item Effective Tiem -->
   <quantity><!-- 0..1 Quantity(SimpleQuantity) Contract Term Valued Item Count --></quantity>
   <unitPrice><!-- 0..1 Money Contract Term Valued Item fee, charge, or cost --></unitPrice>
   <factor value="[decimal]"/><!-- 0..1 Contract Term Valued Item Price Scaling Factor -->
   <points value="[decimal]"/><!-- 0..1 Contract Term Valued Item Difficulty Scaling Factor -->
   <net><!-- 0..1 Money Total Contract Term Valued Item Value --></net>
  </valuedItem>
  <group><!-- 0..* Content as for Contract.term Nested Contract Term Group --></group>
 </term>
 <binding[x]><!-- 0..1 Attachment|Reference(Composition|DocumentReference|
   QuestionnaireResponse) Binding Contract --></binding[x]>
 <friendly>  <!-- 0..* Contract Friendly Language -->
  <content[x]><!-- 1..1 Attachment|Reference(Composition|DocumentReference|
```

```
    QuestionnaireResponse) Easily comprehended representation of this Contract --></content[x]>
 </friendly>
 <legal>  <!-- 0..* Contract Legal Language -->
  <content[x]><!-- 1..1 Attachment|Reference(Composition|DocumentReference|
    QuestionnaireResponse) Contract Legal Text --></content[x]>
 </legal>
 <rule>  <!-- 0..* Computable Contract Language -->
  <content[x]><!-- 1..1 Attachment|Reference(DocumentReference) Computable Contract Rules --></content[x]>
 </rule>
</Contract>
```

JSON Template

```
{
  "resourceType" : "Contract",
  // from Resource: id, meta, implicitRules, and language
  // from DomainResource: text, contained, extension, and modifierExtension
  "identifier" : { Identifier }, // Contract number
  "status" : "<code>", // amended | appended | cancelled | disputed | entered-in-error | executable | executed |
    negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
  "issued" : "<dateTime>", // When this Contract was issued
  "applies" : { Period }, // Effective time
  "subject" : [{ Reference(Any) }], // Contract Target Entity
  "topic" : [{ Reference(Any) }], // Context of the Contract
  "authority" : [{ Reference(Organization) }], // Authority under which this Contract has standing
  "domain" : [{ Reference(Location) }], // Domain in which this Contract applies
  "type" : { CodeableConcept }, // Type or form
  "subType" : [{ CodeableConcept }], // Subtype within the context of type
  "action" : [{ CodeableConcept }], // Action stipulated by this Contract
  "actionReason" : [{ CodeableConcept }], // Rationale for the stiplulated action
  "decisionType" : { CodeableConcept }, // Decision by Grantor
  "contentDerivative" : { CodeableConcept }, // Content derived from the basal information
  "securityLabel" : [{ Coding }], // Security Labels that define affected resources
  "agent" : [{ // Entity being ascribed responsibility
    "actor" : { Reference(Contract|Device|Group|Location|Organization|Patient|
    Practitioner|RelatedPerson|Substance) }, // R!  Contract Agent Type
    "role" : [{ CodeableConcept }] // Role type of the agent
  }],
  "signer" : [{ // Contract Signatory
    "type" : { Coding }, // R!  Contract Signatory Role
    "party" : { Reference(Organization|Patient|Practitioner|RelatedPerson) }, // R!  Contract Signatory Party
    "signature" : [{ Signature }] // R!  Contract Documentation Signature
  }],
  "valuedItem" : [{ // Contract Valued Item List
    // entity[x]: Contract Valued Item Type. One of these 2:
    "entityCodeableConcept" : { CodeableConcept },
    "entityReference" : { Reference(Any) },
    "identifier" : { Identifier }, // Contract Valued Item Number
    "effectiveTime" : "<dateTime>", // Contract Valued Item Effective Tiem
    "quantity" : { Quantity(SimpleQuantity) }, // Count of Contract Valued Items
    "unitPrice" : { Money }, // Contract Valued Item fee, charge, or cost
    "factor" : <decimal>, // Contract Valued Item Price Scaling Factor
    "points" : <decimal>, // Contract Valued Item Difficulty Scaling Factor
    "net" : { Money } // Total Contract Valued Item Value
  }],
  "term" : [{ // Contract Term List
    "identifier" : { Identifier }, // Contract Term Number
    "issued" : "<dateTime>", // Contract Term Issue Date Time
    "applies" : { Period }, // Contract Term Effective Time
    "type" : { CodeableConcept }, // Contract Term Type or Form
    "subType" : { CodeableConcept }, // Contract Term Type specific classification
    "topic" : [{ Reference(Any) }], // Context of the Contract term
    "action" : [{ CodeableConcept }], // Contract Term Activity
    "actionReason" : [{ CodeableConcept }], // Purpose for the Contract Term Action
    "securityLabel" : [{ Coding }], // Security Labels that define affected terms
    "agent" : [{ // Contract Term Agent List
      "actor" : { Reference(Contract|Device|Group|Location|Organization|Patient|
     Practitioner|RelatedPerson|Substance) }, // R!  Contract Term Agent Subject
      "role" : [{ CodeableConcept }] // Type of the Contract Term Agent
    }],
    "text" : "<string>", // Human readable Contract term text
    "valuedItem" : [{ // Contract Term Valued Item List
      // entity[x]: Contract Term Valued Item Type. One of these 2:
      "entityCodeableConcept" : { CodeableConcept },
      "entityReference" : { Reference(Any) },
      "identifier" : { Identifier }, // Contract Term Valued Item Number
      "effectiveTime" : "<dateTime>", // Contract Term Valued Item Effective Tiem
      "quantity" : { Quantity(SimpleQuantity) }, // Contract Term Valued Item Count
      "unitPrice" : { Money }, // Contract Term Valued Item fee, charge, or cost
      "factor" : <decimal>, // Contract Term Valued Item Price Scaling Factor
      "points" : <decimal>, // Contract Term Valued Item Difficulty Scaling Factor
      "net" : { Money } // Total Contract Term Valued Item Value
    }],
    "group" : [{ Content as for Contract.term }] // Nested Contract Term Group
  }],
  // binding[x]: Binding Contract. One of these 2:
  "bindingAttachment" : { Attachment },
  "bindingReference" : { Reference(Composition|DocumentReference|
   QuestionnaireResponse) },
  "friendly" : [{ // Contract Friendly Language
```

```
    // content[x]: Easily comprehended representation of this Contract. One of these 2:
    "contentAttachment" : { Attachment }
    "contentReference" : { Reference(Composition|DocumentReference|
    QuestionnaireResponse) }
  }],
  "legal" : [{ // Contract Legal Language
    // content[x]: Contract Legal Text. One of these 2:
    "contentAttachment" : { Attachment }
    "contentReference" : { Reference(Composition|DocumentReference|
    QuestionnaireResponse) }
  }],
  "rule" : [{ // Computable Contract Language
    // content[x]: Computable Contract Rules. One of these 2:
    "contentAttachment" : { Attachment }
    "contentReference" : { Reference(DocumentReference) }
  }]
}
```

Turtle Template

```
@prefix fhir: <http://hl7.org/fhir/> .


[ a fhir:Contract;
  fhir:nodeRole fhir:treeRoot; # if this is the parser root

  # from Resource: .id, .meta, .implicitRules, and .language
  # from DomainResource: .text, .contained, .extension, and .modifierExtension
  fhir:Contract.identifier [ Identifier ]; # 0..1 Contract number
  fhir:Contract.status [ code ]; # 0..1 amended | appended | cancelled | disputed | entered-in-error | executable |
    executed | negotiable | offered | policy | rejected | renewed | revoked | resolved | terminated
  fhir:Contract.issued [ dateTime ]; # 0..1 When this Contract was issued
  fhir:Contract.applies [ Period ]; # 0..1 Effective time
  fhir:Contract.subject [ Reference(Any) ], ... ; # 0..* Contract Target Entity
  fhir:Contract.topic [ Reference(Any) ], ... ; # 0..* Context of the Contract
  fhir:Contract.authority [ Reference(Organization) ], ... ; # 0..* Authority under which this Contract has standing
  fhir:Contract.domain [ Reference(Location) ], ... ; # 0..* Domain in which this Contract applies
  fhir:Contract.type [ CodeableConcept ]; # 0..1 Type or form
  fhir:Contract.subType [ CodeableConcept ], ... ; # 0..* Subtype within the context of type
  fhir:Contract.action [ CodeableConcept ], ... ; # 0..* Action stipulated by this Contract
  fhir:Contract.actionReason [ CodeableConcept ], ... ; # 0..* Rationale for the stiplulated action
  fhir:Contract.decisionType [ CodeableConcept ]; # 0..1 Decision by Grantor
  fhir:Contract.contentDerivative [ CodeableConcept ]; # 0..1 Content derived from the basal information
  fhir:Contract.securityLabel [ Coding ], ... ; # 0..* Security Labels that define affected resources
  fhir:Contract.agent [ # 0..* Entity being ascribed responsibility
    fhir:Contract.agent.actor [
    Reference(Contract|Device|Group|Location|Organization|Patient|Practitioner|RelatedPerson|
  Substance) ]; # 1..1 Contract Agent Type
    fhir:Contract.agent.role [ CodeableConcept ], ... ; # 0..* Role type of the agent
  ], ...;
  fhir:Contract.signer [ # 0..* Contract Signatory
    fhir:Contract.signer.type [ Coding ]; # 1..1 Contract Signatory Role
    fhir:Contract.signer.party [ Reference(Organization|Patient|Practitioner|RelatedPerson) ]; # 1..1 Contract Signatory
     Party
    fhir:Contract.signer.signature [ Signature ], ... ; # 1..* Contract Documentation Signature
  ], ...;
  fhir:Contract.valuedItem [ # 0..* Contract Valued Item List
    # Contract.valuedItem.entity[x] : 0..1 Contract Valued Item Type. One of these 2
      fhir:Contract.valuedItem.entityCodeableConcept [ CodeableConcept ]
      fhir:Contract.valuedItem.entityReference [ Reference(Any) ]
    fhir:Contract.valuedItem.identifier [ Identifier ]; # 0..1 Contract Valued Item Number
    fhir:Contract.valuedItem.effectiveTime [ dateTime ]; # 0..1 Contract Valued Item Effective Tiem
    fhir:Contract.valuedItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Count of Contract Valued Items
    fhir:Contract.valuedItem.unitPrice [ Money ]; # 0..1 Contract Valued Item fee, charge, or cost
    fhir:Contract.valuedItem.factor [ decimal ]; # 0..1 Contract Valued Item Price Scaling Factor
    fhir:Contract.valuedItem.points [ decimal ]; # 0..1 Contract Valued Item Difficulty Scaling Factor
    fhir:Contract.valuedItem.net [ Money ]; # 0..1 Total Contract Valued Item Value
  ], ...;
  fhir:Contract.term [ # 0..* Contract Term List
    fhir:Contract.term.identifier [ Identifier ]; # 0..1 Contract Term Number
    fhir:Contract.term.issued [ dateTime ]; # 0..1 Contract Term Issue Date Time
    fhir:Contract.term.applies [ Period ]; # 0..1 Contract Term Effective Time
    fhir:Contract.term.type [ CodeableConcept ]; # 0..1 Contract Term Type or Form
    fhir:Contract.term.subType [ CodeableConcept ]; # 0..1 Contract Term Type specific classification
    fhir:Contract.term.topic [ Reference(Any) ], ... ; # 0..* Context of the Contract term
    fhir:Contract.term.action [ CodeableConcept ], ... ; # 0..* Contract Term Activity
    fhir:Contract.term.actionReason [ CodeableConcept ], ... ; # 0..* Purpose for the Contract Term Action
    fhir:Contract.term.securityLabel [ Coding ], ... ; # 0..* Security Labels that define affected terms
    fhir:Contract.term.agent [ # 0..* Contract Term Agent List
      fhir:Contract.term.agent.actor [
    Reference(Contract|Device|Group|Location|Organization|Patient|Practitioner|RelatedPerson|
  Substance) ]; # 1..1 Contract Term Agent Subject
      fhir:Contract.term.agent.role [ CodeableConcept ], ... ; # 0..* Type of the Contract Term Agent
    ], ...;
    fhir:Contract.term.text [ string ]; # 0..1 Human readable Contract term text
    fhir:Contract.term.valuedItem [ # 0..* Contract Term Valued Item List
      # Contract.term.valuedItem.entity[x] : 0..1 Contract Term Valued Item Type. One of these 2
        fhir:Contract.term.valuedItem.entityCodeableConcept [ CodeableConcept ]
        fhir:Contract.term.valuedItem.entityReference [ Reference(Any) ]
      fhir:Contract.term.valuedItem.identifier [ Identifier ]; # 0..1 Contract Term Valued Item Number
```

```
      fhir:Contract.term.valuedItem.effectiveTime [ dateTime ]; # 0..1 Contract Term Valued Item Effective Tiem
      fhir:Contract.term.valuedItem.quantity [ Quantity(SimpleQuantity) ]; # 0..1 Contract Term Valued Item Count
      fhir:Contract.term.valuedItem.unitPrice [ Money ]; # 0..1 Contract Term Valued Item fee, charge, or cost
      fhir:Contract.term.valuedItem.factor [ decimal ]; # 0..1 Contract Term Valued Item Price Scaling Factor
      fhir:Contract.term.valuedItem.points [ decimal ]; # 0..1 Contract Term Valued Item Difficulty Scaling Factor
      fhir:Contract.term.valuedItem.net [ Money ]; # 0..1 Total Contract Term Valued Item Value
    ], ...;
    fhir:Contract.term.group [ See Contract.term ], ... ; # 0..* Nested Contract Term Group
  ], ...;
  # Contract.binding[x] : 0..1 Binding Contract. One of these 2
    fhir:Contract.bindingAttachment [ Attachment ]
    fhir:Contract.bindingReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  fhir:Contract.friendly [ # 0..* Contract Friendly Language
    # Contract.friendly.content[x] : 1..1 Easily comprehended representation of this Contract. One of these 2
      fhir:Contract.friendly.contentAttachment [ Attachment ]
      fhir:Contract.friendly.contentReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  ], ...;
  fhir:Contract.legal [ # 0..* Contract Legal Language
    # Contract.legal.content[x] : 1..1 Contract Legal Text. One of these 2
      fhir:Contract.legal.contentAttachment [ Attachment ]
      fhir:Contract.legal.contentReference [ Reference(Composition|DocumentReference|QuestionnaireResponse) ]
  ], ...;
  fhir:Contract.rule [ # 0..* Computable Contract Language
    # Contract.rule.content[x] : 1..1 Computable Contract Rules. One of these 2
      fhir:Contract.rule.contentAttachment [ Attachment ]
      fhir:Contract.rule.contentReference [ Reference(DocumentReference) ]
  ], ...;
]
```

Changes since DSTU2

Contract
Contract.status | Added Element
Contract.topic | Added Element
Contract.decisionType | Added Element
Contract.contentDerivative | Added Element
Contract.securityLabel | Added Element
Contract.agent | Added Element
Contract.agent.actor | Added Element
Contract.agent.role | Added Element
Contract.signer.signature | Max Cardinality changed from 1 to * Type changed from string to Signature
Contract.valuedItem.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Contract.valuedItem.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Contract.term.topic | Renamed from subject to topic Max Cardinality changed from 1 to *
Contract.term.securityLabel | Added Element
Contract.term.agent | Added Element
Contract.term.agent.actor | Added Element
Contract.term.agent.role | Added Element
Contract.term.valuedItem.unitPrice | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Contract.term.valuedItem.net | Type changed from Quantity{http://hl7.org/fhir/StructureDefinition/Money} to Money
Contract.actor | deleted
Contract.term.actor | deleted

See the Full Difference for further information

This analysis is available as XML or JSON.

See R2 <--> R3 Conversion Maps (status = 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid.).

Alternate definitions: Master Definition (XML, JSON), XML Schema/Schematron (for) + JSON Schema, ShEx (for Turtle)

13.11.2.1 Terminology Bindings

Path | Definition | Type | Reference
Contract.status | A code specifying the state of the resource instance. | Required | Contract Resource Status Codes
Contract.type | List of overall contract codes. | Example | Contract Type Codes
Contract.subType | Detailed codes within the above. | Example | Contract Subtype Codes
Contract.action Contract.term.action | Detailed codes for the contract action. | Example | Contract Action Codes
Contract.actionReason Contract.term.actionReason | Detailed codes for the contract action reason. | Example | PurposeOfUse
Contract.decisionType | The type of decision made by a grantor with respect to an offer made by a grantee. | Extensible | ActConsentDirective
Contract.contentDerivative | This is an example set of Content Derivative type codes, which represent the minimal content derived from the basal information source. | Example | Contract Content Derivation Codes
Contract.securityLabel Contract.term.securityLabel | Security Labels from the Healthcare Privacy and Security Classification System. | Extensible | All Security Labels
Contract.agent.role Contract.term.agent.role | Detailed codes for the contract actor role. | Example | Contract Actor Role Codes
Contract.signer.type | List of parties who may be signing. | Preferred | Contract Signer Type Codes
Contract.term.type | Detailed codes for the types of contract provisions. | Example | Contract Term Type Codes
Contract.term.subType | Detailed codes for the subtypes of contract provisions. | Example | Contract Term Subtype Codes

13.11.3 Search Parameters

Search parameters for this resource. The common parameters also apply. See Searching for more information about searching in REST, messaging, and services.

Name | Type | Description | Expression | In Common
agent | reference | Agent to the Contact | Contract.agent.actor (Practitioner, Group, Organization, Device, Patient, Substance, Contract, RelatedPerson, Location)
authority | reference | The authority of the contract | Contract.authority (Organization)
domain | reference | The domain of the contract | Contract.domain (Location)
identifier | token | The identity of the contract | Contract.identifier
issued | date | The date/time the contract was issued | Contract.issued
patient | reference | The identity of the subject of the contract (if a patient) | Contract.subject (Patient)
signer | reference | Contract Signatory Party | Contract.signer.party (Practitioner, Organization, Patient, RelatedPerson)
subject | reference | The identity of the subject of the contract | Contract.subject (Any)
term-topic | reference | The identity of the topic of the contract terms | Contract.term.topic (Any)

13.11.4 Resource Contract - Examples

URL: https://hl7.org/fhir/STU3/contract-examples.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.11.4 Resource Contract - Examples

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Example List:

General Contract Example | C-123 | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notOrg | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notThem | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notThis | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notAuthor | XML | JSON | Turtle
ConsentDirective Example | pcd-example-notLabs | XML | JSON | Turtle
42 CFR Part 2 Consent Directive | C-2121 | XML | JSON | Turtle

Usage note: every effort has been made to ensure that the examples are correct and useful, but they are not a normative part of the specification.

13.11.5 Resource Contract - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/contract-definitions.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.11.5 Resource Contract - Detailed Descriptions

Financial Management Work Group | Maturity Level: 1 | Trial Use | Compartments: Not linked to any defined compartments

Detailed Descriptions for the elements in the Contract resource.

Contract
Definition | A formal agreement between parties regarding the conduct of business, exchange of information or other matters.
Control | 1..1
Contract.identifier
Definition | Unique identifier for this Contract.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1
Type | Identifier
Summary | true
Contract.status
Definition | The status of the resource instance.
Control | 0..1
Terminology Binding | Contract Resource Status Codes (Required)
Type | code
Is Modifier | true
Summary | true
Comments | This element is labeled as a modifier because the status contains codes that mark the contract as not currently valid or active.
Contract.issued
Definition | When this Contract was issued.
Control | 0..1
Type | dateTime
Summary | true
Contract.applies
Definition | Relevant time or time-period when this Contract is applicable.
Control | 0..1
Type | Period

Summary | true
Contract.subject
Definition | The target entity impacted by or of interest to parties to the agreement.
Control | 0..*
Type | Reference(Any)
Requirements | The Contract.subject is an entity that has some role with respect to the Contract.topic and Contract.topic.term, which is of focal interest to the parties to the contract and likely impacted in a significant way by the Contract.action/Contract.action.reason and the Contract.term.action/Contract.action.reason. In many cases, the Contract.subject is a Contract.signer if the subject is an adult; has a legal interest in the contract; and incompetent to participate in the contract agreement.
Alternate Names | Patient
Summary | true
Comments | The Contract.subject is an entity that has some role with respect to the Contract.topic and Contract.topic.term, which is of focal interest to the parties to the contract and likely impacted in a significant way by the Contract.action/Contract.action.reason and the Contract.term.action/Contract.action.reason. In many cases, the Contract.subject is a Contract.signer if the subject is an adult; has a legal interest in the contract; and incompetent to participate in the contract agreement.
Contract.topic
Definition | The matter of concern in the context of this agreement.
Control | 0..*
Type | Reference(Any)
Requirements | In the context of a contract, the topic is the matter under consideration in regards to which specific rights, privileges, obligations, restrictions, and prohibitions are binding on any grantor and grantee parties upon the execution of the contract. Given the wide range of contract topics, implementers need to be cognizant of the business use case for which they are designing a FHIR Contract, and narrowly specify the topic being represented with respect to the Contract.type and any specializing Contract.subtype. The same topic, e.g., an asset such as a good or service, such as a real property, medical supply, insurance, information, a procedure or employment, or a manner of conduct, such adherence to a privacy, trust, or security policy, may be the topic of multiple types of contracts. One way to determine the Contract.topic is to answer the question: “What is the object of negotiation?” Answer: The Contract.topic, which may be described with more detail in the [0..*]Contract.valuedItem @ [0..1] Contract.valuedItem.entity[x] Definition: Specific type of Contract Valued Item that may be priced. CodeableConcept|Reference(Any) Contract.topic is “the what” that a grantor is exchanging with a grantee in return for some benefit. Contract.topic is “the what” to which any Contract.action is being applied for any stipulated Contract.action.reason. AContract.topic is “the what” governed by the execution of the contract to which any party’s rights, privileges, obligations, restrictions, and prohibitions apply.
Summary | true
Comments | The Contract.topic may be an application for or offer of a policy or service (e.g., uri to a consent directive form or a health insurance policy), which becomes the Contract once accepted by both the grantor and grantee. The Contract Resource may function simply as the computable representation of the executed contract, which may be the attached to the Contract Resource as the “binding” or as the “friendly” electronic form. For example, a Contract Resource may be automatically populated with the values expressed in a related QuestionnaireResponse. However, the Contract Resource may be considered the legally binding contract if it is the only “executed” form of this contract, and includes the signatures as *The Contract Resource may function as the computable representation of an application or offer in a pre-executed Contract if the grantor has not entered any values. In this case, it is populated with values in a “legal” form of the application or offer or by the values in an associated Questionnaire. If the grantor has filled in the legal form or the associated Questionnaire Response, then these values are used to populate a pre-executed Contract Resource. If the Contract.topic is considered an application or offer, then the policy is often required to be attached as the “legal” basis for the application to ensure “informed consent” to the contract, and that any discrepancy between the application and the policy are interpreted against the policy. Implementers should check organizational and jurisdictional policies to determine the relationship among multiple representations of a contract pre- and post-execution.
Contract.authority
Definition | A formally or informally recognized grouping of people, principals, organizations, or jurisdictions formed for the purpose of achieving some form of collective action such as the promulgation, administration and enforcement of contracts and policies.
Control | 0..*
Type | Reference(Organization)
Contract.domain
Definition | Recognized governance framework or system operating with a circumscribed scope in accordance with specified principles, policies, processes or procedures for managing rights, actions, or behaviors of parties or principals relative to resources.
Control | 0..*
Type | Reference(Location)
Alternate Names | scope of governance jurisdiction
Contract.type
Definition | Type of Contract such as an insurance policy, real estate contract, a will, power of attorny, Privacy or Security policy , trust framework agreement, etc.
Control | 0..1
Terminology Binding | Contract Type Codes (Example)
Type | CodeableConcept
Summary | true
Contract.subType
Definition | More specific type or specialization of an overarching or more general contract such as auto insurance, home owner insurance, prenupial agreement, Advanced-Directive, or privacy consent.
Control | 0..*
Terminology Binding | Contract Subtype Codes (Example)
Type | CodeableConcept
Summary | true
Contract.action
Definition | Action stipulated by this Contract.
Control | 0..*
Terminology Binding | Contract Action Codes (Example)
Type | CodeableConcept
Contract.actionReason
Definition | Reason for action stipulated by this Contract.

Control | 0..*
Terminology Binding | PurposeOfUse (Example)
Type | CodeableConcept
Contract.decisionType
Definition | The type of decision made by a grantor with respect to an offer made by a grantee.
Control | 0..1
Terminology Binding | ActConsentDirective (Extensible)
Type | CodeableConcept
Contract.contentDerivative
Definition | The minimal content derived from the basal information source at a specific stage in its lifecycle.
Control | 0..1
Terminology Binding | Contract Content Derivation Codes (Example)
Type | CodeableConcept
Contract.securityLabel
Definition | A set of security labels that define which resources are controlled by this consent. If more than one label is specified, all resources must have all the specified labels.
Control | 0..*
Terminology Binding | All Security Labels (Extensible)
Type | Coding
Summary | true
Contract.agent
Definition | An actor taking a role in an activity for which it can be assigned some degree of responsibility for the activity taking place.
Control | 0..*
Requirements | An agent can be a person, an organization, software, device, or other entities that may be ascribed responsibility.
Comments | Several agents may be associated (i.e. has some responsibility for an activity) with an activity and vice-versa. For example, in cases of actions initiated by one user for other users, or in events that involve more than one user, hardware device, software, or system process. However, only one user may be the initiator/requestor for the event.
Contract.agent.actor
Definition | Who or what parties are assigned roles in this Contract.
Control | 1..1
Type | Reference(Contract | Device | Group | Location | Organization | Patient | Practitioner | RelatedPerson | Substance)
Contract.agent.role
Definition | Role type of agent assigned roles in this Contract.
Control | 0..*
Terminology Binding | Contract Actor Role Codes (Example)
Type | CodeableConcept
Contract.signer
Definition | Parties with legal standing in the Contract, including the principal parties, the grantor(s) and grantee(s), which are any person or organization bound by the contract, and any ancillary parties, which facilitate the execution of the contract such as a notary or witness.
Control | 0..*
Requirements | The Contract.signer applies a signature to the Contract.binding referenced resource, which is the documentation that is the legal "source of truth". The Contract.signer may delegate, such as a legally recognized personal representative, or have a delegate assigned e.g., by a court of law, to actually sign the Contract, such as a trustee in the case of incompetence.
Comments | Signers who are principal parties to the contract are bound by the Contract.activity related to the Contract.topic, and the Contract.term(s), which either extend or restrict the overall action on the topic by, for example, stipulating specific policies or obligations constraining actions, action reason, or agents with respect to some or all of the topic. For example, specifying how policies or obligations shall constrain actions and action reasons permitted or denied on all or a subset of the Contract.topic (e.g., all or a portion of property being transferred by the contract), agents (e.g., who can resell, assign interests, or alter the property being transferred by the contract), actions, and action reasons; or with respect to Contract.terms, stipulating, extending, or limiting the Contract.period of applicability or valuation of items under consideration.
Contract.signer.type
Definition | Role of this Contract signer, e.g. notary, grantee.
Control | 1..1
Terminology Binding | Contract Signer Type Codes (Preferred)
Type | Coding
Contract.signer.party
Definition | Party which is a signator to this Contract.
Control | 1..1
Type | Reference(Organization | Patient | Practitioner | RelatedPerson)
Contract.signer.signature
Definition | Legally binding Contract DSIG signature contents in Base64.
Control | 1..*
Type | Signature
Contract.valuedItem
Definition | Contract Valued Item List.
Control | 0..*
Contract.valuedItem.entity[x]
Definition | Specific type of Contract Valued Item that may be priced.
Control | 0..1
Type | CodeableConcept|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.valuedItem.identifier
Definition | Identifies a Contract Valued Item instance.
Note | This is a business identifer, not a resource identifier (see discussion)

Control | 0..1
Type | Identifier
Contract.valuedItem.effectiveTime
Definition | Indicates the time during which this Contract ValuedItem information is effective.
Control | 0..1
Type | dateTime
Contract.valuedItem.quantity
Definition | Specifies the units by which the Contract Valued Item is measured or counted, and quantifies the countable or measurable Contract Valued Item instances.
Control | 0..1
Type | SimpleQuantity
Contract.valuedItem.unitPrice
Definition | A Contract Valued Item unit valuation measure.
Control | 0..1
Type | Money
Contract.valuedItem.factor
Definition | A real number that represents a multiplier used in determining the overall value of the Contract Valued Item delivered. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Control | 0..1
Type | decimal
Contract.valuedItem.points
Definition | An amount that expresses the weighting (based on difficulty, cost and/or resource intensiveness) associated with the Contract Valued Item delivered. The concept of Points allows for assignment of point values for a Contract Valued Item, such that a monetary amount can be assigned to each point.
Control | 0..1
Type | decimal
Contract.valuedItem.net
Definition | Expresses the product of the Contract Valued Item unitQuantity and the unitPriceAmt. For example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number * points = net Amount. Quantity, factor and points are assumed to be 1 if not supplied.
Control | 0..1
Type | Money
Contract.term
Definition | One or more Contract Provisions, which may be related and conveyed as a group, and may contain nested groups.
Control | 0..*
Contract.term.identifier
Definition | Unique identifier for this particular Contract Provision.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1
Type | Identifier
Summary | true
Contract.term.issued
Definition | When this Contract Provision was issued.
Control | 0..1
Type | dateTime
Summary | true
Contract.term.applies
Definition | Relevant time or time-period when this Contract Provision is applicable.
Control | 0..1
Type | Period
Summary | true
Contract.term.type
Definition | Type of Contract Provision such as specific requirements, purposes for actions, obligations, prohibitions, e.g. life time maximum benefit.
Control | 0..1
Terminology Binding | Contract Term Type Codes (Example)
Type | CodeableConcept
Contract.term.subType
Definition | Subtype of this Contract Provision, e.g. life time maximum payment for a contract term for specific valued item, e.g. disability payment.
Control | 0..1
Terminology Binding | Contract Term Subtype Codes (Example)
Type | CodeableConcept
Contract.term.topic
Definition | The matter of concern in the context of this provision of the agrement.
Control | 0..*
Type | Reference(Any)
Requirements | A contract term topic is typically about a portion of the contract topic which has additional or specialized rights, privileges, obligations, restrictions, and prohibitions that are binding on any grantor and grantee parties upon the execution of the contract. Contract.term.topic may be described in more detail in the [0..*] Contract.term.valuedItem @[0..1] Contract.term.valuedItem [x] Definition: Specific type of Contract Provision Valued Item that may be priced. CodeableConcept|Reference(Any) [See Contract.topic Requirements for further elaboration on this requirement.].
Summary | true
Comments | The Contract.term.topic, as a Contract Resource subpart, is handled in the same manner as the Contract Resource as discussed above.
Contract.term.action
Definition | Action stipulated by this Contract Provision.

Control | 0..*
Terminology Binding | Contract Action Codes (Example)
Type | CodeableConcept
Contract.term.actionReason
Definition | Reason or purpose for the action stipulated by this Contract Provision.
Control | 0..*
Terminology Binding | PurposeOfUse (Example)
Type | CodeableConcept
Contract.term.securityLabel
Definition | A set of security labels that define which terms are controlled by this condition.
Control | 0..*
Terminology Binding | All Security Labels (Extensible)
Type | Coding
Summary | true
Contract.term.agent
Definition | An actor taking a role in an activity for which it can be assigned some degree of responsibility for the activity taking place.
Control | 0..*
Requirements | An agent can be a person, an organization, software, device, or other entities that may be ascribed responsibility.
Comments | Several agents may be associated (i.e. has some responsibility for an activity) with an activity and vice-versa. For example, in cases of actions initiated by one user for other users, or in events that involve more than one user, hardware device, software, or system process. However, only one user may be the initiator/requestor for the event.
Contract.term.agent.actor
Definition | The agent assigned a role in this Contract Provision.
Control | 1..1
Type | Reference(Contract | Device | Group | Location | Organization | Patient | Practitioner | RelatedPerson | Substance)
Contract.term.agent.role
Definition | Role played by the agent assigned this role in the execution of this Contract Provision.
Control | 0..*
Terminology Binding | Contract Actor Role Codes (Example)
Type | CodeableConcept
Contract.term.text
Definition | Human readable form of this Contract Provision.
Control | 0..1
Type | string
Contract.term.valuedItem
Definition | Contract Provision Valued Item List.
Control | 0..*
Contract.term.valuedItem.entity[x]
Definition | Specific type of Contract Provision Valued Item that may be priced.
Control | 0..1
Type | CodeableConcept|Reference(Any)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.term.valuedItem.identifier
Definition | Identifies a Contract Provision Valued Item instance.
Note | This is a business identifer, not a resource identifier (see discussion)
Control | 0..1
Type | Identifier
Contract.term.valuedItem.effectiveTime
Definition | Indicates the time during which this Contract Term ValuedItem information is effective.
Control | 0..1
Type | dateTime
Contract.term.valuedItem.quantity
Definition | Specifies the units by which the Contract Provision Valued Item is measured or counted, and quantifies the countable or measurable Contract Term Valued Item instances.
Control | 0..1
Type | SimpleQuantity
Contract.term.valuedItem.unitPrice
Definition | A Contract Provision Valued Item unit valuation measure.
Control | 0..1
Type | Money
Contract.term.valuedItem.factor
Definition | A real number that represents a multiplier used in determining the overall value of the Contract Provision Valued Item delivered. The concept of a Factor allows for a discount or surcharge multiplier to be applied to a monetary amount.
Control | 0..1
Type | decimal
Contract.term.valuedItem.points
Definition | An amount that expresses the weighting (based on difficulty, cost and/or resource intensiveness) associated with the Contract Provision Valued Item delivered. The concept of Points allows for assignment of point values for a Contract ProvisionValued Item, such that a monetary amount can be assigned to each point.
Control | 0..1
Type | decimal
Contract.term.valuedItem.net

Definition | Expresses the product of the Contract Provision Valued Item unitQuantity and the unitPriceAmt. For example, the formula: unit Quantity * unit Price (Cost per Point) * factor Number * points = net Amount. Quantity, factor and points are assumed to be 1 if not supplied.
Control | 0..1
Type | Money
Contract.term.group
Definition | Nested group of Contract Provisions.
Control | 0..*
Type | See Contract.term
Contract.binding[x]
Definition | Legally binding Contract: This is the signed and legally recognized representation of the Contract, which is considered the "source of truth" and which would be the basis for legal action related to enforcement of this Contract.
Control | 0..1
Type | Attachment|Reference(Composition | DocumentReference | QuestionnaireResponse)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.friendly
Definition | The "patient friendly language" versionof the Contract in whole or in parts. "Patient friendly language" means the representation of the Contract and Contract Provisions in a manner that is readily accessible and understandable by a layperson in accordance with best practices for communication styles that ensure that those agreeing to or signing the Contract understand the roles, actions, obligations, responsibilities, and implication of the agreement.
Control | 0..*
Contract.friendly.content[x]
Definition | Human readable rendering of this Contract in a format and representation intended to enhance comprehension and ensure understandability.
Control | 1..1
Type | Attachment|Reference(Composition | DocumentReference | QuestionnaireResponse)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.legal
Definition | List of Legal expressions or representations of this Contract.
Control | 0..*
Contract.legal.content[x]
Definition | Contract legal text in human renderable form.
Control | 1..1
Type | Attachment|Reference(Composition | DocumentReference | QuestionnaireResponse)
[x] Note | See Choice of Data Types for further information about how to use [x]
Contract.rule
Definition | List of Computable Policy Rule Language Representations of this Contract.
Control | 0..*
Contract.rule.content[x]
Definition | Computable Contract conveyed using a policy rule language (e.g. XACML, DKAL, SecPal).
Control | 1..1
Type | Attachment|Reference(DocumentReference)
[x] Note | See Choice of Data Types for further information about how to use [x]

13.11.6 Resource Contract - Mappings

URL: https://hl7.org/fhir/STU3/contract-mappings.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.11.6 Resource Contract - Mappings

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

Mappings:

RIM Mapping

Workflow Mapping

Mappings for the contract resource.

13.11.6.1 Mappings for RIM Mapping (http://hl7.org/v3)

Contract | FinancialContract
identifier | FinancialContract id
status
issued | Act.availabilityTime. Definition: A time expression specifying when an Observation, Procedure, or other Act occurs, or, depending on the mood, is supposed to occur, scheduled to occur, etc. The activityTime includes the times of component actions (such as preparation and clean-up). For Procedures and SubstanceAdministrations, the activityTime can provide a needed administrative function by providing a more inclusive time to be anticipated in scheduling. UsageNotes:The activityTime is primarily of administrative rather than clinical use. The clinically relevant time is the effectiveTime. When an observation of a prior symptom is made, the activityTime describes the time the observation is made, as opposed to effectiveTime which is the time the symptom is reported to have occurred. Thus the activityTime may be entirely different from the effectiveTime of the same Act. However, even apart from clinical use cases, designers should first consider effectiveTime as the primary relevant time for an Act. ActivityTime indicates when an Act occurs, not when it is recorded.
applies | Act.effectiveTime Definition: The clinically or operationally relevant time of an act, exclusive of administrative activity.
subject | RoleClass, RoleCode

topic | Includes many ActClass, ActCode, RoleClass, RoleCode, EntityClass, EntityCode, ParticipationType codes from HL7 concept domains and code systems. For example, RoleCode: HLD (held entity) Description: Entity that is currently in the possession of a holder (scoper), who holds, or uses it, usually based on some agreement with the owner. MANU (manufactured product) Description: Scoped by the manufacturer. OWN (owned entity) Description: An Entity (player) for which someone (scoper) is granted by law the right to call the material (player) his own. This entitles the scoper to make decisions about the disposition of that material. WRTE (warranted product) Description: A role a product plays when a guarantee is given to the purchaser by the seller (scoping entity) stating that the product is reliable and free from known defects and that the seller will repair or replace defective parts within a given time limit and under certain conditions.

authority | Organization Role. CONCEPT DOMAIN: OrganizationEntityType Description: Further classifies entities of EntityClass ORG.

domain | TERR (territory of authority) Description: Relates a place entity (player) as the region over which the scoper (typically an Organization) has certain authority (jurisdiction). For example, the Calgary Regional Health Authority (scoper) has authority over the territory "Region 4 of Alberta" (player) in matters of health. Entity Class = Place? A physical place or site with its containing structure. May be natural or man-made. The geographic position of a place may or may not be constant. CONCEPT DOMAIN: TerritoryEntityType Description: A territorial entity that may be cited as the body over which an agency exercises jurisdiction, or which defines a sphere in which a party has a particular responsibility. CONCEPT DOMAIN: OrganizationEntityType Description: Further classifies entities of EntityClass ORG.

type | Maps to multiple ActClass and ActCode Concept Domains and Code Systems such as the following: In the ActClass Concept Domain: ActClassPolicy. In the ActCode Concept Domain: ActContractType, which generalizes ActFinancialContractType, ActCoverageType, ActBillingArrangementType. ActConsentType, which generalizes ActDataConsentType; ActFinancialParticipationConsentType; ActInformationAccessCode; AdvanceBeneficiaryNoticeType. ActPolicyType, which generalizes: ActPrivacyPolicyType, ActSensitivityPrivacyPolicyType, ActSecurityPolicyType. In the ActClass Code System: CNTRCT (contract) Description: An agreement of obligation between two or more parties that is subject to contractual law and enforcement, lwhich generalizes FCNTRCT (financial contract) and COV (coverage). POLICY (policy) - Description: A mandate, regulation, obligation, requirement, rule, or expectation unilaterally imposed by one party on: The activity of another party; the behavior of another party; or the manner in which an act is executed. LEAF CONCEPTS: JURISPOL (jurisdictional policy) Description:A mandate, regulation, obligation, requirement, rule, or expectation unilaterally imposed by a jurisdiction on: The activity of another party; the behavior of another party; or the manner in which an act is executed.Examples:A jurisdictional mandate regarding the prescribing and dispensing of a particular medication. A jurisdictional privacy or security regulation dictating the manner in which personal health information is disclosed. A jurisdictional requirement that certain services or health conditions are reported to a monitoring program, e.g., immunizations, methadone treatment, or cancer registries.ORGPOL (organizational policy)Examples:A clinical or research protocols imposed by a payer, a malpractice insurer, or an institution to which a provider must adhere. A mandate imposed by a denominational institution for a provider to provide or withhold certain information from the patient about treatment options.SCOPOL (scope of practice policy)Description:An ethical or clinical obligation, requirement, rule, or expectation imposed or strongly encouraged by organizations that oversee particular clinical domains or provider certification which define the boundaries within which a provider may practice and which may have legal basis or ramifications.Examples:An ethical obligation for a provider to fully inform a patient about all treatment options. An ethical obligation for a provider not to disclose personal health information that meets certain criteria, e.g., where disclosure might result in harm to the patient or another person. The set of health care services which a provider is credentialed or privileged to provide. STDPOL (standard of practice policy) Examples:A payer may require a prescribing provider to adhere to formulary guidelines. An institution may adopt clinical guidelines and protocols and implement these within its electronic health record and decision support systems. CONS (consent)Description: The Consent class represents informed consents and all similar medico-legal transactions between the patient (or his legal guardian) and the provider. Examples are informed consent for surgical procedures, informed consent for clinical trials, advanced beneficiary notice, against medical advice decline from service, release of information agreement, etc. The details of consents vary. Often an institution has a number of different consent forms for various purposes, including reminding the physician about the topics to mention. Such forms also include patient education material. In electronic medical record communication, consents thus are information-generating acts on their own and need to be managed similar to medical activities. Thus, Consent is modeled as a special class of Act. The "signatures" to the consent document are represented electronically through Participation instances to the consent object. Typically an informed consent has Participation.typeCode of "performer", the healthcare provider informing the patient, and "consenter", the patient or legal guardian. Some consent may associate a witness or a notary public (e.g., living wills, advanced directives). In consents where a healthcare provider is not required (e.g. living will), the performer may be the patient himself or a notary public.

subType | Examples of Contract or Policy subtypes in ActCodes:_ActCoverageTypeCode Definition: Set of codes indicating the type of insurance policy or program that pays for the cost of benefits provided to covered parties. Generalizes: _ActInsurancePolicyCode; _ActInsuranceTypeCode; ActProgramTypeCode. _ActPolicyType Description:Types of policies that further specify the ActClassPolicy value set. Generalizes: _ActPrivacyPolicy; _ActPrivacyLaw; _InformationSensitivityPolicy; ActTrustPolicyType; SecurityPolicy. _ActInvoiceAdjudicationPaymentGroupCode Description: Codes representing adjustments to a Payment Advice such as retroactive, clawback, garnishee, etc., e.g. RECOV (recovery) Description: Retroactive adjustment such as fee rate adjustment due to contract negotiations.

action | Maps to multiple ActClass and ActCode Concept Domains and Code Systems.

actionReason | Examples from ActReason Concept Domains: ActCoverageReason Description:Codes used to specify reasons or criteria relating to coverage provided under a policy or program. May be used to convey reasons pertaining to coverage contractual provisions, including criteria for eligibility, coverage limitations, coverage maximums, or financial participation required of covered parties. ActInformationPrivacyReason Description: The rationale or purpose for an act relating to the management of personal information, such as disclosing personal tax information for the purpose of complying with a court order. ClinicalResearchObservationReason Definition: Specifies the reason that a test was performed or observation collected in a clinical research study. SafetyInvestigationReportReasonType Description: Possible reasons generating a report providing information developed during the investigation of an adverse event or a product problem. ControlActReason Description: Indicates the motivation, cause or rationale of an Act which results in a trigger event. NonPerformanceReasonCode Description: The reason the action was not performed, e.g. why the medication was not taken. If an action was not performed, it is often clinically important to know why the action was not taken. RefusalReasonCode Description: Identifies why a request to add (or activate) a record is being refused. Examples include the receiving system not able to match the identifier and find that record in the receiving system, having no permission, or a detected issue exists which precludes the requested action. Examples from HL7 ActReason Code System: QUALIMP (quality improvement) Description:Operational activities conducted for the purposes of improving the quality of an activity, product, or service. _PatientProfileQueryReasonCode Description: A collection of concepts identifying why the patient's profile is being queried. _ActInformationManagementReason Description:The rationale or purpose for an act relating to information management, such as archiving information for the purpose of complying with an enterprise data retention policy. _ActInvalidReason (ActInvalidReason) Description: Types of reasons why a substance is invalid for use. _NonPerformanceReasonCode Description: The reason the action wasn't performed, e.g. why the medication was not taken. If an action wasn"t performed, it is often clinically important to know why the action wasn"t taken.

decisionType | ActCode: _ActConsentDirective [abstract term] Description: Specifies the type of agreement between one or more grantor and grantee in which rights and obligations related to one or more shared items of interest are allocated. Usage Note: Such agreements may be considered "consent directives" or "contracts" depending on the context, and are considered closely related or synonymous from a legal perspective.

contentDerivative | Maps partially to several v3 codes: ActClass: REG (registration) Description: Represents the act of maintaining information about the registration of its associated registered subject. The subject can be either an Act or a Role, and includes subjects such as lab exam definitions, drug protocol definitions, prescriptions, persons, patients, practitioners, and equipment. The registration may have a unique identifier - separate from the unique identification of the subject - as well as a core set of related participations and act relationships that characterize the registration event and aid in the disposition of the subject information by a receiving system. Observation: VERIF (Verification) Description: An act which describes the process whereby a 'verifying party' validates either the existence of the Role attested to by some Credential or the actual Vetting act and its details.

TRFR (transfer) Description: The act of transferring information without the intent of imparting understanding about a topic to the subject that is the recipient or holder of the transferred information where the participation association must be RCV or HLD. _ActDetectedIssueManagementCode [abstract term] Description: Codes dealing with the management of Detected Issue observations. _ActInformationAccessContextCode [abstract term] Description: Concepts conveying the context in which authorization given under jurisdictional law, by organizational policy, or by a patient consent directive permits the collection, access, use or disclosure of specified patient health information. _ActListCode [abstract term]vDescription: Provides codes associated with ActClass value of LIST (working list). RefusalReasonCode [abstract term] Description: Description: Identifies why a request to add (or activate) a record is being refused. Examples include the receiving system not able to match the identifier and find that record in the receiving system, having no permission, or a detected issue exists which precludes the requested action.

securityLabel | ActCode ObservationType:SECOBS [abstract term] Description: An observation identifying security metadata about an IT resource (data, information object, service, or system capability), which may be used to make access control decisions. Security metadata are used to name security labels. Rationale: According to ISO/TS 22600-3:2009(E) A.9.1.7 SECURITY LABEL MATCHING, Security label matching compares the initiator's clearance to the target's security label. All of the following must be true for authorization to be granted: The security policy identifiers shall be identical. The classification level of the initiator shall be greater than or equal to that of the target (that is, there shall be at least one value in the classification list of the clearance greater than or equal to the classification of the target), and For each security category in the target label, there shall be a security category of the same type in the initiator's clearance and the initiator's classification level shall dominate that of the target. Examples: SecurityObservationType security label fields include: Confidentiality classification; Compartment category; Sensitivity category Security mechanisms used to ensure data integrity or to perform authorized data transformation Indicators of an IT resource completeness, veracity, reliability, trustworthiness, or provenance. Usage Note: SecurityObservationType codes designate security label field types, which are valued with an applicable SecurityObservationValue code as the "security label tag". _SecurityObservationValue [abstract term] Description: Observation values used to indicate security observation metadata.

agent

actor | RIM Role, Participation Type classes

role | RoleClass, RoleCode, ParticipationType, ParticipationFunction codes

signer

type | RoleClass, RoleCode, ParticipationType, ParticipationFunction class codes.

party | Role Class

signature | Participation.signatureCode :: CD (0..1) Definition: Whether the participant has attested participation through a signature, or whether such a signature is needed. Examples: A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants; The participant intends to provide a signature. Participation.signatureText :: ED (0..1) Definition: A textual or multimedia depiction of the signature by which the participant endorses and accepts responsibility for his or her participation in the Act as specified in the Participation.typeCode. UsageNotes: The signature can be represented either inline or by reference according to the ED data type. Typical cases are 1) Paper-based signatures: the ED data type may refer to a document or other resource that can be retrieved through an electronic interface to a hardcopy archive. 2) Electronic signature: this attribute can represent virtually any electronic signature scheme. 3) Digital signature: this attribute can represent digital signatures by reference to a signature data block that is constructed in accordance to a digital signature standard, such as XML-DSIG, PKCS#7, PGP, etc. Examples: 1) An "author" participant assumes accountability for the truth of the Act statement to the best of his knowledge. 2) An information recipient only attests to the fact that he or she has received the information.

valuedItem | COCT_RM440000UV09 ValuedItem classCode INVE

entity[x] | COCT_RM440000UV09 ValuedItem code

identifier | COCT_RM440000UV09 ValuedItem id

effectiveTime | COCT_RM440000UV09 ValuedItem effectiveTime

quantity | COCT_RM440000UV09 ValuedItem unitQuantity

unitPrice | COCT_RM440000UV09 ValuedItem unitPriceAmt

factor | COCT_RM440000UV09 ValuedItem factorNumber

points | COCT_RM440000UV09 ValuedItem pointNumber

net | COCT_RM440000UV09 ValuedItem netAmt

term | RIM mechanism for grouping or nesting rules, which are likely Acts and Observations.

identifier | Act or Observation identifier.

issued | Act availabilityTime

applies | Act effectiveTime

type | See Contract.term mapping.

subType | See Contract.topic mapping.

topic | See Contract.subType mapping.

action | See Contract.action mapping.

actionReason | See Contract.actionReason mapping.

securityLabel | See Contract.securityLabel mapping.

agent | See Contract.agent mapping.

actor | See Contract.agent.actor mapping.

role | See Contract.agent.role mapping.

text

valuedItem | COCT_RM440000UV09 ValuedUnitItem classCode INVE

entity[x] | COCT_RM440000UV09 ValuedUnitItem code

identifier | COCT_RM440000UV09 ValuedUnitItem id

effectiveTime | COCT_RM440000UV09 ValuedUnitItem effectiveTime

quantity | COCT_RM440000UV09 ValuedUnitItem unitQuantity

unitPrice | COCT_RM440000UV09 ValuedUnitItem unitPriceAmt

factor | COCT_RM440000UV09 ValuedUnitItem factorNumber

points | COCT_RM440000UV09 ValuedUnitItem pointNumber

net | COCT_RM440000UV09 ValuedUnitItem net

group | RIM Grouping or Nesting mechanisms

binding[x] | DocumentCompletion code system AU (authenticated) Description: A completion status in which a document has been signed manually or electronically by one or more individuals who attest to its accuracy. No explicit determination is made that the assigned individual has performed the authentication. While the standard allows multiple instances of authentication, it would be typical to have a single instance of authentication, usually by the assigned individual.

friendly

content[x] | Act.text Definition: A renderable textual or multimedia description (or reference to a description) of the complete information which would reasonably be expected to be displayed to a human reader conveyed by the Act.
legal
content[x] | Example: Act.text of an Act coded as with ActPrivacyLaw, ActPolicy code
rule
content[x] | Computable Policy Consent [Observation: templateId 2.16.840.1.113883.3.445.16] This template is used to represent an alternative representation of the Privacy Consent Directive (e.g.,ODRL, XrML, XACML) as a computer-readable set of rules. An implementation may use any appropriate representations of the privacy consent in addition to the "ConsentDirectiveStructuredDefinition" which uses the Clinical Template structure to express the elements of a consent directive in an interoperable way. 1. SHALL contain exactly one [1..1] templateId (CONF-CD-16) such that it a. SHALL contain exactly one [1..1] @root="2.16.840.1.113883.3.445.16" 2. SHALL contain exactly one [1..1] @moodCode="DEF" (CodeSystem: 2.16.840.1.113883.5.1001 HL7ActMood) (CONF:14912) 3. SHALL contain exactly one [1..1] code (CONF:9139)/@code="57016-8" Privacy Policy Acknowledgement Document (CodeSystem: 2.16.840.1.113883.6.1 LOINC) (CONF:9138) It specifies the LOINC code corresponding to "Privacy Policy Acknowledgement Document", it is fixed at this value. 4. SHOULD contain zero or more [0..*] value with @xsi:type="ANY" (CONF:9140) The value contains the computable representation of the policy. This may be a standard-based access control or attribute control based policy (See "References"). Computable Policy Consent example <!-- Sample computable policy language representation --> <entryRelationship typeCode="COMP"> <templateId root="2.16.840.1.113883.3.445.16" /> <observationMedia classCode="OBS" moodCode="EVN"> <value mediaType="text/xml" representation="TXT"> ... </value> </observationMedia> </entryRelationship>

13.11.6.2 Mappings for Workflow Mapping (http://hl7.org/fhir/workflow)

Contract | Event
identifier | Event.identifier
status | Event.status
issued | Event.occurrence
applies
subject | Event.subject
topic | Event.context
authority
domain
type
subType
action
actionReason
decisionType
contentDerivative
securityLabel
agent
actor | Event.performer.actor
role
signer
type
party
signature
valuedItem
entity[x]
identifier
effectiveTime
quantity
unitPrice
factor
points
net
term
identifier
issued
applies
type
subType
topic
action
actionReason
securityLabel
agent
actor
role
text
valuedItem
entity[x]
identifier
effectiveTime
quantity
unitPrice
factor
points

net
group
binding[x]
friendly
content[x]
legal
content[x]
rule
content[x]

13.11.7 Resource Contract - Design Notes

URL: https://hl7.org/fhir/STU3/contract-explanations.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.11.7 Resource Contract - Design Notes

to do

13.11.8 Resource Contract - Extensions & Profiles

URL: https://hl7.org/fhir/STU3/contract-profiles.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.11.8 Resource Contract - Extensions & Profiles

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative

This table lists profiles and extensions for the Contract resource. For background information, see Profiling Resources and Extensibility. Additional profiles and resources may be found in published Implementation Guides , or in the Conformance resource registry .

13.11.8.1 Profiles

Consent Directive | to do | for

13.11.8.2 Extensions

No Extensions defined for this resource

Extensions that reference this resource:

No Extensions refer to this resource

13.11.8.3 Search Extensions

No Search Extensions defined for this resource

13.11.9

URL: https://hl7.org/fhir/STU3/consentdirective-pack.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.11.9

(No assigned work group) | Maturity Level: N/A | Ballot Status: Informative

to do

13.11.9.1 Content

Profiles:
Consent Directive | Consent Directive

13.11.9.2 StructureDefinition: Consent Directive

URL: https://hl7.org/fhir/STU3/consentdirective.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.11.9.2 StructureDefinition: Consent Directive

(No assigned work group) | Maturity Level: 1 | Informative | Use Context: Any

The official URL for this profile is:

http://hl7.org/fhir/StructureDefinition/consentdirective

Consent Directive

This profile was published on Fri, Jan 31, 2014 00:00+1100 as a draft by .

13.11.9.2.1 Formal Views of Profile Content

Description of Profiles, Differentials, Snapshots, and how the XML and JSON presentations work.

* Text Summary

* Differential Table

* Snapshot Table

* XML Template

* JSON Template

* All

This structure is derived from Contract.

Summary

Mandatory: 0 element (+11 nested mandatory elements) Fixed Value: 2 elements Prohibited: 2 elements

This structure is derived from Contract.

Name | Flags | Card. | Type | Description & Constraints
Contract | | 0..* | | Consent Directive
actor | | 0..* | BackboneElement | Consent Directive Actor
entity | | 1..1 | Reference(Contract), Reference(Device), Reference(Group), Reference(Location), Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson), Reference(Substance) | Consent Directive Actor Type
role | | 0..* | CodeableConcept | Consent Directive Actor Role Binding: Contract Actor Role Codes (example)
identifier | ? | 0..1 | Identifier | Consent Directive identifier
issued | ? | 0..1 | dateTime | When this Consent Directive was issued
applies | ? | 0..1 | Period | Effective time
topic | ? | 1..1 | Reference(Patient) | The Patient is the topic of this Consent Directive
authority | | 0..* | Reference(Organization) | Authority under which this Consent Directive has standing
domain | | 0..* | Reference(Location) | Domain in which this Consent Directive applies
type | ? | 1..1 | CodeableConcept | Consent Directive Type Binding: Contract Type Codes (example)
subType | ? | 0..* | CodeableConcept | Consent Directive Subtype Binding: Contract Subtype Codes (example)
action | | 0..* | CodeableConcept | Consent Directive Action Binding: Contract Action Codes (example)
actionReason | | 0..* | CodeableConcept | Consent Directive Action Reason Binding: PurposeOfUse (example)
signer | | 0..* | BackboneElement | Consent Directive Signer
type | | 1..1 | Coding | Consent Directive Signer Type Binding: Contract Signer Type Codes (preferred)
party | | 1..1 | Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson) | Consent Directive Signatory party
signature | | 1..1 | string | Consent Directive Documentation Signature
valuedItem | | 0..0
term | | 0..* | BackboneElement | Consent Directive Term List
actor | | 0..* | BackboneElement | Consent Directive Term Actor List
entity | | 1..1 | Reference(Contract), Reference(Device), Reference(Group), Reference(Location), Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson), Reference(Substance) | Consent Directive Term Actor
role | | 0..* | CodeableConcept | Consent Directive Term Actor Role Binding: Contract Actor Role Codes (example)
identifier | ? | 0..1 | Identifier | Consent Directive Term identifier
issued | ? | 0..1 | dateTime | Consent Directive Term Issue Date Time
applies | ? | 0..1 | Period | Consent Directive Term Effective Time
type | | 0..1 | CodeableConcept | Consent Directive Term Type Binding: Contract Term Type Codes (example)
subType | | 0..1 | CodeableConcept | Consent Directive Term Subtype Binding: Contract Term Subtype Codes (example)
topic | | 0..* | Reference(Resource) | Topic of this Consent Directive Term
action | | 0..* | CodeableConcept | Consent Directive Term Action Binding: Contract Action Codes (example)
actionReason | | 0..* | CodeableConcept | Consent Directive Term Action Reason Binding: PurposeOfUse (example)
text | | 0..1 | string | Human readable Consent Directive term text
valuedItem | | 0..0
group | | 0..* | | Unknown reference to #term Nested Consent DirectiveTerm Group
binding[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Binding Consent Directive
friendly | | 0..* | BackboneElement | Consent Directive Friendly Language
content[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Easily comprehended representation of this Consent Directive
legal | | 0..* | BackboneElement | Consent Directive Legal Language
content[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Consent Directive Legal Text
rule | | 0..* | BackboneElement | Computable Consent Directive Language
content[x] | | 1..1 | Attachment, Reference(DocumentReference) | Computable Consent Directive Rules

Documentation for this format

Name | Flags | Card. | Type | Description & Constraints
Contract | | 0..* | | Consent Directive
id | ? | 0..1 | id | Logical id of this artifact

meta | ? | 0..1 | Meta | Metadata about the resource
implicitRules | ?!? | 0..1 | uri | A set of rules under which this content was created
language | | 0..1 | code | Language of the resource content Binding: IETF BCP-47 (required)
text | I | 0..1 | Narrative | Text summary of the resource, for human interpretation
contained | | 0..* | Resource | Contained, inline Resources
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
identifier | ? | 0..1 | Identifier | Consent Directive identifier
issued | ? | 0..1 | dateTime | When this Consent Directive was issued
applies | ? | 0..1 | Period | Effective time
subject | ? | 0..* | Reference(Resource) | Patient who is the subject of this Privacy Consent Directive
authority | | 0..* | Reference(Organization) | Authority under which this Consent Directive has standing
domain | | 0..* | Reference(Location) | Domain in which this Consent Directive applies
type | ? | 0..1 | CodeableConcept | Consent Directive Type Binding: Contract Type Codes (example)
subType | ? | 0..* | CodeableConcept | Consent Directive Subtype Binding: Contract Subtype Codes (example)
action | | 0..* | CodeableConcept | Consent Directive Action Binding: Contract Action Codes (example)
actionReason | | 0..* | CodeableConcept | Consent Directive Action Reason Binding: PurposeOfUse (example)
actor | | 0..* | BackboneElement | Consent Directive Actor
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
entity | | 1..1 | Reference(Contract), Reference(Device), Reference(Group), Reference(Location), Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson), Reference(Substance) | Consent Directive Actor Type
role | | 0..* | CodeableConcept | Consent Directive Actor Role Binding: Contract Actor Role Codes (example)
signer | | 0..* | BackboneElement | Consent Directive Signer
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
type | | 1..1 | Coding | Consent Directive Signer Type Binding: Contract Signer Type Codes (preferred)
party | | 1..1 | Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson) | Consent Directive Signatory party
signature | | 1..1 | string | Consent Directive Documentation Signature
term | | 0..* | BackboneElement | Consent Directive Term List
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
identifier | ? | 0..1 | Identifier | Consent Directive Term identifier
issued | ? | 0..1 | dateTime | Consent Directive Term Issue Date Time
applies | ? | 0..1 | Period | Consent Directive Term Effective Time
type | | 0..1 | CodeableConcept | Consent Directive Term Type Binding: Contract Term Type Codes (example)
subType | | 0..1 | CodeableConcept | Consent Directive Term Subtype Binding: Contract Term Subtype Codes (example)
topic | | 0..1 | Reference(Resource) | Topic of this Consent Directive Term
action | | 0..* | CodeableConcept | Consent Directive Term Action Binding: Contract Action Codes (example)
actionReason | | 0..* | CodeableConcept | Consent Directive Term Action Reason Binding: PurposeOfUse (example)
actor | | 0..* | BackboneElement | Consent Directive Term Actor List
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
entity | | 1..1 | Reference(Contract), Reference(Device), Reference(Group), Reference(Location), Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson), Reference(Substance) | Consent Directive Term Actor
role | | 0..* | CodeableConcept | Consent Directive Term Actor Role Binding: Contract Actor Role Codes (example)
text | | 0..1 | string | Human readable Consent Directive term text
group | | 0..* | | Unknown reference to #Contract.term Nested Consent DirectiveTerm Group
binding[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Binding Consent Directive
friendly | | 0..* | BackboneElement | Consent Directive Friendly Language
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
content[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Easily comprehended representation of this Consent Directive
legal | | 0..* | BackboneElement | Consent Directive Legal Language
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
content[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Consent Directive Legal Text
rule | | 0..* | BackboneElement | Computable Consent Directive Language
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
content[x] | | 1..1 | Attachment, Reference(DocumentReference) | Computable Consent Directive Rules
Documentation for this format

```
<!-- Consent Directive -->

<Contract xmlns="http://hl7.org/fhir"
>
  <!-- from Element: extension -->
 <id value="[id]"/><!-- 0..1 Logical id of this artifact -->
 <meta><!-- 0..1 Meta Metadata about the resource --></meta>
 <implicitRules value="[uri]"/><!-- 0..1 A set of rules under which this content was created -->
 <language value="[code]"/><!-- 0..1 Language of the resource content  -->
 <text><!-- 0..1 Narrative
     Text summary of the resource, for human interpretation --></text>
 <contained><!-- 0..* Resource Contained, inline Resources --></contained>
 <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
 <identifier><!-- 0..1 Identifier Consent Directive identifier --></identifier>
 <issued value="[dateTime]"/><!-- 0..1 When this Consent Directive was issued -->
 <applies><!-- 0..1 Period Effective time --></applies>
 <subject><!-- 0..* Reference(Resource)
     Patient who is the subject of this Privacy Consent Directive --></subject>
 <authority><!-- 0..* Reference(Organization)
     Authority under which this Consent Directive has standing --></authority>
 <domain><!-- 0..* Reference(Location)
     Domain in which this Consent Directive applies --></domain>
 <type><!-- 0..1 CodeableConcept Consent Directive Type  --></type>
 <subType><!-- 0..* CodeableConcept Consent Directive Subtype  --></subType>
 <action><!-- 0..* CodeableConcept Consent Directive Action  --></action>
 <actionReason><!-- 0..* CodeableConcept Consent Directive Action Reason  --></actionReason>
 <actor> 0..* BackboneElement  <!-- 0..* Consent Directive Actor -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <entity><!-- 1..1 Reference(Contract)|Reference(Device)|Reference(Group)|Reference(Location)|
    Reference(Organization)|Reference(Patient)|Reference(Practitioner)|Reference(RelatedPerson)|Reference(Substance)
      Consent Directive Actor Type --></entity>
  <role><!-- 0..* CodeableConcept Consent Directive Actor Role  --></role>
 </actor>
 <valuedItem> 0..0 BackboneElement  <!-- 0..0 Contract Valued Item -->
 </valuedItem>
 <signer> 0..* BackboneElement  <!-- 0..* Consent Directive Signer -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <type><!-- 1..1 Coding Consent Directive Signer Type  --></type>
  <party><!-- 1..1 Reference(Organization)|Reference(Patient)|Reference(Practitioner)|Reference(RelatedPerson)
     Consent Directive Signatory party --></party>
  <signature value="[string]"/><!-- 1..1 Consent Directive Documentation Signature -->
 </signer>
 <term> 0..* BackboneElement  <!-- 0..* Consent Directive Term List -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <identifier><!-- 0..1 Identifier
     Consent Directive Term identifier --></identifier>
  <issued value="[dateTime]"/><!-- 0..1 Consent Directive Term Issue Date Time -->
  <applies><!-- 0..1 Period
     Consent Directive Term Effective Time --></applies>
  <type><!-- 0..1 CodeableConcept Consent Directive Term Type  --></type>
  <subType><!-- 0..1 CodeableConcept Consent Directive Term Subtype  --></subType>
  <topic><!-- 0..1 Reference(Resource) Topic of this Consent Directive Term --></topic>
  <action><!-- 0..* CodeableConcept Consent Directive Term Action  --></action>
  <actionReason><!-- 0..* CodeableConcept Consent Directive Term Action Reason  --></actionReason>
  <actor> 0..* BackboneElement  <!-- 0..* Consent Directive  Term Actor List -->
   <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
   <entity><!-- 1..1 Reference(Contract)|Reference(Device)|Reference(Group)|Reference(Location)|
     Reference(Organization)|Reference(Patient)|Reference(Practitioner)|Reference(RelatedPerson)|Reference(Substance)
       Consent Directive Term Actor --></entity>
   <role><!-- 0..* CodeableConcept Consent Directive Term Actor Role  --></role>
  </actor>
  <text value="[string]"/><!-- 0..1 Human readable Consent Directive term text -->
  <valuedItem> 0..0 BackboneElement  <!-- 0..0 Contract Term Valued Item -->
  </valuedItem>
  <group><!-- See #Contract.term  Nested Consent DirectiveTerm Group --></group>
 </term>
 <binding[x]><!-- 1..1 Attachment|Reference(Composition)|Reference(DocumentReference)|Reference(QuestionnaireResponse)
     Binding Consent Directive --></binding[x]>
 <friendly> 0..* BackboneElement  <!-- 0..* Consent Directive Friendly Language -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <content[x]><!-- 1..1 Attachment|Reference(Composition)|Reference(DocumentReference)|
    Reference(QuestionnaireResponse)
     Easily comprehended representation of this Consent Directive --></content[x]>
 </friendly>
 <legal> 0..* BackboneElement  <!-- 0..* Consent Directive Legal Language -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <content[x]><!-- 1..1 Attachment|Reference(Composition)|Reference(DocumentReference)|Reference(QuestionnaireResponse)
     Consent Directive Legal Text --></content[x]>
 </legal>
 <rule> 0..* BackboneElement  <!-- 0..* Computable Consent Directive Language -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <content[x]><!-- 1..1 Attachment|Reference(DocumentReference)
     Computable Consent Directive Rules --></content[x]>
 </rule>
</Contract>
```

```
{ // Consent Directive
  // from Element: extension
    "meta" : { Meta }, //Metadata about the resource
    "implicitRules" : "<uri>", //A set of rules under which this content was created
```

```
    "language" : "<code>", //Language of the resource content
    "text" : { Narrative }, //Text summary of the resource, for human interpretation
    "contained" : [{ Resource }], //Contained, inline Resources
    "modifierExtension" : [{ Extension }], //Extensions that cannot be ignored
    "identifier" : { Identifier }, //Consent Directive identifier
    "issued" : "<dateTime>", //When this Consent Directive was issued
    "applies" : { Period }, //Effective time
    "subject" : [{ Reference(Resource) }], //Patient who is the subject of this Privacy Consent Directive
    "authority" : [{ Reference(Organization) }], //Authority under which this Consent Directive has standing
    "domain" : [{ Reference(Location) }], //Domain in which this Consent Directive applies
    "type" : { CodeableConcept }, //Consent Directive Type
    "subType" : [{ CodeableConcept }], //Consent Directive Subtype
    "action" : [{ CodeableConcept }], //Consent Directive Action
    "actionReason" : [{ CodeableConcept }], //Consent Directive Action Reason
    "actor" : [{ BackboneElement }], //Consent Directive Actor
    "signer" : [{ BackboneElement }], //Consent Directive Signer
    "term" : [{ BackboneElement }], //Consent Directive Term List
// value[x]: Binding Consent Directive. One of these 4:
    "bindingAttachment" : { Attachment }, // R! Binding Consent Directive
    "bindingReference" : { Reference(Composition) }, // R! Binding Consent Directive
    "bindingReference" : { Reference(DocumentReference) }, // R! Binding Consent Directive
    "bindingReference" : { Reference(QuestionnaireResponse) } // R! Binding Consent Directive
    "friendly" : [{ BackboneElement }], //Consent Directive Friendly Language
    "legal" : [{ BackboneElement }], //Consent Directive Legal Language
    "rule" : [{ BackboneElement }], //Computable Consent Directive Language
  }
```

This structure is derived from Contract.

Summary

Mandatory: 0 element (+11 nested mandatory elements) Fixed Value: 2 elements Prohibited: 2 elements

Differential View

This structure is derived from Contract.

Name | Flags | Card. | Type | Description & Constraints
Contract | | 0..* | | Consent Directive
actor | | 0..* | BackboneElement | Consent Directive Actor
entity | | 1..1 | Reference(Contract), Reference(Device), Reference(Group), Reference(Location), Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson), Reference(Substance) | Consent Directive Actor Type
role | | 0..* | CodeableConcept | Consent Directive Actor Role Binding: Contract Actor Role Codes (example)
identifier | ? | 0..1 | Identifier | Consent Directive identifier
issued | ? | 0..1 | dateTime | When this Consent Directive was issued
applies | ? | 0..1 | Period | Effective time
topic | ? | 1..1 | Reference(Patient) | The Patient is the topic of this Consent Directive
authority | | 0..* | Reference(Organization) | Authority under which this Consent Directive has standing
domain | | 0..* | Reference(Location) | Domain in which this Consent Directive applies
type | ? | 1..1 | CodeableConcept | Consent Directive Type Binding: Contract Type Codes (example)
subType | ? | 0..* | CodeableConcept | Consent Directive Subtype Binding: Contract Subtype Codes (example)
action | | 0..* | CodeableConcept | Consent Directive Action Binding: Contract Action Codes (example)
actionReason | | 0..* | CodeableConcept | Consent Directive Action Reason Binding: PurposeOfUse (example)
signer | | 0..* | BackboneElement | Consent Directive Signer
type | | 1..1 | Coding | Consent Directive Signer Type Binding: Contract Signer Type Codes (preferred)
party | | 1..1 | Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson) | Consent Directive Signatory party
signature | | 1..1 | string | Consent Directive Documentation Signature
valuedItem | | 0..0
term | | 0..* | BackboneElement | Consent Directive Term List
actor | | 0..* | BackboneElement | Consent Directive Term Actor List
entity | | 1..1 | Reference(Contract), Reference(Device), Reference(Group), Reference(Location), Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson), Reference(Substance) | Consent Directive Term Actor
role | | 0..* | CodeableConcept | Consent Directive Term Actor Role Binding: Contract Actor Role Codes (example)
identifier | ? | 0..1 | Identifier | Consent Directive Term identifier
issued | ? | 0..1 | dateTime | Consent Directive Term Issue Date Time
applies | ? | 0..1 | Period | Consent Directive Term Effective Time
type | | 0..1 | CodeableConcept | Consent Directive Term Type Binding: Contract Term Type Codes (example)
subType | | 0..1 | CodeableConcept | Consent Directive Term Subtype Binding: Contract Term Subtype Codes (example)
topic | | 0..* | Reference(Resource) | Topic of this Consent Directive Term
action | | 0..* | CodeableConcept | Consent Directive Term Action Binding: Contract Action Codes (example)
actionReason | | 0..* | CodeableConcept | Consent Directive Term Action Reason Binding: PurposeOfUse (example)
text | | 0..1 | string | Human readable Consent Directive term text
valuedItem | | 0..0
group | | 0..* | | Unknown reference to #term Nested Consent DirectiveTerm Group
binding[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Binding Consent Directive
friendly | | 0..* | BackboneElement | Consent Directive Friendly Language
content[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Easily comprehended representation of this Consent Directive
legal | | 0..* | BackboneElement | Consent Directive Legal Language

content[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Consent Directive Legal Text
rule | | 0..* | BackboneElement | Computable Consent Directive Language
content[x] | | 1..1 | Attachment, Reference(DocumentReference) | Computable Consent Directive Rules
Documentation for this format

Snapshot View

Name | Flags | Card. | Type | Description & Constraints
Contract | | 0..* | | Consent Directive
id | ? | 0..1 | id | Logical id of this artifact
meta | ? | 0..1 | Meta | Metadata about the resource
implicitRules | ?!? | 0..1 | uri | A set of rules under which this content was created
language | | 0..1 | code | Language of the resource content Binding: IETF BCP-47 (required)
text | I | 0..1 | Narrative | Text summary of the resource, for human interpretation
contained | | 0..* | Resource | Contained, inline Resources
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
identifier | ? | 0..1 | Identifier | Consent Directive identifier
issued | ? | 0..1 | dateTime | When this Consent Directive was issued
applies | ? | 0..1 | Period | Effective time
subject | ? | 0..* | Reference(Resource) | Patient who is the subject of this Privacy Consent Directive
authority | | 0..* | Reference(Organization) | Authority under which this Consent Directive has standing
domain | | 0..* | Reference(Location) | Domain in which this Consent Directive applies
type | ? | 0..1 | CodeableConcept | Consent Directive Type Binding: Contract Type Codes (example)
subType | ? | 0..* | CodeableConcept | Consent Directive Subtype Binding: Contract Subtype Codes (example)
action | | 0..* | CodeableConcept | Consent Directive Action Binding: Contract Action Codes (example)
actionReason | | 0..* | CodeableConcept | Consent Directive Action Reason Binding: PurposeOfUse (example)
actor | | 0..* | BackboneElement | Consent Directive Actor
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
entity | | 1..1 | Reference(Contract), Reference(Device), Reference(Group), Reference(Location), Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson), Reference(Substance) | Consent Directive Actor Type
role | | 0..* | CodeableConcept | Consent Directive Actor Role Binding: Contract Actor Role Codes (example)
signer | | 0..* | BackboneElement | Consent Directive Signer
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
type | | 1..1 | Coding | Consent Directive Signer Type Binding: Contract Signer Type Codes (preferred)
party | | 1..1 | Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson) | Consent Directive Signatory party
signature | | 1..1 | string | Consent Directive Documentation Signature
term | | 0..* | BackboneElement | Consent Directive Term List
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
identifier | ? | 0..1 | Identifier | Consent Directive Term identifier
issued | ? | 0..1 | dateTime | Consent Directive Term Issue Date Time
applies | ? | 0..1 | Period | Consent Directive Term Effective Time
type | | 0..1 | CodeableConcept | Consent Directive Term Type Binding: Contract Term Type Codes (example)
subType | | 0..1 | CodeableConcept | Consent Directive Term Subtype Binding: Contract Term Subtype Codes (example)
topic | | 0..1 | Reference(Resource) | Topic of this Consent Directive Term
action | | 0..* | CodeableConcept | Consent Directive Term Action Binding: Contract Action Codes (example)
actionReason | | 0..* | CodeableConcept | Consent Directive Term Action Reason Binding: PurposeOfUse (example)
actor | | 0..* | BackboneElement | Consent Directive Term Actor List
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
entity | | 1..1 | Reference(Contract), Reference(Device), Reference(Group), Reference(Location), Reference(Organization), Reference(Patient), Reference(Practitioner), Reference(RelatedPerson), Reference(Substance) | Consent Directive Term Actor
role | | 0..* | CodeableConcept | Consent Directive Term Actor Role Binding: Contract Actor Role Codes (example)
text | | 0..1 | string | Human readable Consent Directive term text
group | | 0..* | | Unknown reference to #Contract.term Nested Consent DirectiveTerm Group
binding[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Binding Consent Directive
friendly | | 0..* | BackboneElement | Consent Directive Friendly Language
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
content[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Easily comprehended representation of this Consent Directive
legal | | 0..* | BackboneElement | Consent Directive Legal Language
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations

modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
content[x] | | 1..1 | Attachment, Reference(Composition), Reference(DocumentReference), Reference(QuestionnaireResponse) | Consent Directive Legal Text
rule | | 0..* | BackboneElement | Computable Consent Directive Language
id | | 0..1 | id | xml:id (or equivalent in JSON)
extension | | 0..* | Extension | Additional Content defined by implementations
modifierExtension | ?! | 0..* | Extension | Extensions that cannot be ignored
content[x] | | 1..1 | Attachment, Reference(DocumentReference) | Computable Consent Directive Rules
Documentation for this format

XML Template

```
<!-- Consent Directive -->

<Contract xmlns="http://hl7.org/fhir"
>
  <!-- from Element: extension -->
 <id value="[id]"/><!-- 0..1 Logical id of this artifact -->
 <meta><!-- 0..1 Meta Metadata about the resource --></meta>
 <implicitRules value="[uri]"/><!-- 0..1 A set of rules under which this content was created -->
 <language value="[code]"/><!-- 0..1 Language of the resource content  -->
 <text><!-- 0..1 Narrative
     Text summary of the resource, for human interpretation --></text>
 <contained><!-- 0..* Resource Contained, inline Resources --></contained>
 <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
 <identifier><!-- 0..1 Identifier Consent Directive identifier --></identifier>
 <issued value="[dateTime]"/><!-- 0..1 When this Consent Directive was issued -->
 <applies><!-- 0..1 Period Effective time --></applies>
 <subject><!-- 0..* Reference(Resource)
     Patient who is the subject of this Privacy Consent Directive --></subject>
 <authority><!-- 0..* Reference(Organization)
     Authority under which this Consent Directive has standing --></authority>
 <domain><!-- 0..* Reference(Location)
     Domain in which this Consent Directive applies --></domain>
 <type><!-- 0..1 CodeableConcept Consent Directive Type  --></type>
 <subType><!-- 0..* CodeableConcept Consent Directive Subtype  --></subType>
 <action><!-- 0..* CodeableConcept Consent Directive Action  --></action>
 <actionReason><!-- 0..* CodeableConcept Consent Directive Action Reason  --></actionReason>
 <actor> 0..* BackboneElement  <!-- 0..* Consent Directive Actor -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <entity><!-- 1..1 Reference(Contract)|Reference(Device)|Reference(Group)|Reference(Location)|
    Reference(Organization)|Reference(Patient)|Reference(Practitioner)|Reference(RelatedPerson)|Reference(Substance)
      Consent Directive Actor Type --></entity>
  <role><!-- 0..* CodeableConcept Consent Directive Actor Role  --></role>
 </actor>
 <valuedItem> 0..0 BackboneElement  <!-- 0..0 Contract Valued Item -->
 </valuedItem>
 <signer> 0..* BackboneElement  <!-- 0..* Consent Directive Signer -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <type><!-- 1..1 Coding Consent Directive Signer Type  --></type>
  <party><!-- 1..1 Reference(Organization)|Reference(Patient)|Reference(Practitioner)|Reference(RelatedPerson)
      Consent Directive Signatory party --></party>
  <signature value="[string]"/><!-- 1..1 Consent Directive Documentation Signature -->
 </signer>
 <term> 0..* BackboneElement  <!-- 0..* Consent Directive Term List -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <identifier><!-- 0..1 Identifier
      Consent Directive Term identifier --></identifier>
  <issued value="[dateTime]"/><!-- 0..1 Consent Directive Term Issue Date Time -->
  <applies><!-- 0..1 Period
      Consent Directive Term Effective Time --></applies>
  <type><!-- 0..1 CodeableConcept Consent Directive Term Type  --></type>
  <subType><!-- 0..1 CodeableConcept Consent Directive Term Subtype  --></subType>
  <topic><!-- 0..1 Reference(Resource) Topic of this Consent Directive Term --></topic>
  <action><!-- 0..* CodeableConcept Consent Directive Term Action  --></action>
  <actionReason><!-- 0..* CodeableConcept Consent Directive Term Action Reason  --></actionReason>
  <actor> 0..* BackboneElement  <!-- 0..* Consent Directive  Term Actor List -->
   <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
   <entity><!-- 1..1 Reference(Contract)|Reference(Device)|Reference(Group)|Reference(Location)|
     Reference(Organization)|Reference(Patient)|Reference(Practitioner)|Reference(RelatedPerson)|Reference(Substance)
       Consent Directive Term Actor --></entity>
   <role><!-- 0..* CodeableConcept Consent Directive Term Actor Role  --></role>
  </actor>
  <text value="[string]"/><!-- 0..1 Human readable Consent Directive term text -->
  <valuedItem> 0..0 BackboneElement  <!-- 0..0 Contract Term Valued Item -->
  </valuedItem>
  <group><!-- See #Contract.term  Nested Consent DirectiveTerm Group --></group>
 </term>
 <binding[x]><!-- 1..1 Attachment|Reference(Composition)|Reference(DocumentReference)|Reference(QuestionnaireResponse)
     Binding Consent Directive --></binding[x]>
 <friendly> 0..* BackboneElement  <!-- 0..* Consent Directive Friendly Language -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <content[x]><!-- 1..1 Attachment|Reference(Composition)|Reference(DocumentReference)|
    Reference(QuestionnaireResponse)
      Easily comprehended representation of this Consent Directive --></content[x]>
 </friendly>
 <legal> 0..* BackboneElement  <!-- 0..* Consent Directive Legal Language -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
```

```
  <content[x]><!-- 1..1 Attachment|Reference(Composition)|Reference(DocumentReference)|Reference(QuestionnaireResponse)
      Consent Directive Legal Text --></content[x]>
 </legal>
 <rule> 0..* BackboneElement  <!-- 0..* Computable Consent Directive Language -->
  <modifierExtension><!-- 0..* Extension  Extensions that cannot be ignored  --></modifierExtension>
  <content[x]><!-- 1..1 Attachment|Reference(DocumentReference)
      Computable Consent Directive Rules --></content[x]>
 </rule>
</Contract>
```

JSON Template

```
{ // Consent Directive
  // from Element: extension
    "meta" : { Meta }, //Metadata about the resource
    "implicitRules" : "<uri>", //A set of rules under which this content was created
    "language" : "<code>", //Language of the resource content
    "text" : { Narrative }, //Text summary of the resource, for human interpretation
    "contained" : [{ Resource }], //Contained, inline Resources
    "modifierExtension" : [{ Extension }], //Extensions that cannot be ignored
    "identifier" : { Identifier }, //Consent Directive identifier
    "issued" : "<dateTime>", //When this Consent Directive was issued
    "applies" : { Period }, //Effective time
    "subject" : [{ Reference(Resource) }], //Patient who is the subject of this Privacy Consent Directive
    "authority" : [{ Reference(Organization) }], //Authority under which this Consent Directive has standing
    "domain" : [{ Reference(Location) }], //Domain in which this Consent Directive applies
    "type" : { CodeableConcept }, //Consent Directive Type
    "subType" : [{ CodeableConcept }], //Consent Directive Subtype
    "action" : [{ CodeableConcept }], //Consent Directive Action
    "actionReason" : [{ CodeableConcept }], //Consent Directive Action Reason
    "actor" : [{ BackboneElement }], //Consent Directive Actor
    "signer" : [{ BackboneElement }], //Consent Directive Signer
    "term" : [{ BackboneElement }], //Consent Directive Term List
// value[x]: Binding Consent Directive. One of these 4:
    "bindingAttachment" : { Attachment }, // R! Binding Consent Directive
    "bindingReference" : { Reference(Composition) }, // R! Binding Consent Directive
    "bindingReference" : { Reference(DocumentReference) }, // R! Binding Consent Directive
    "bindingReference" : { Reference(QuestionnaireResponse) } // R! Binding Consent Directive
    "friendly" : [{ BackboneElement }], //Consent Directive Friendly Language
    "legal" : [{ BackboneElement }], //Consent Directive Legal Language
    "rule" : [{ BackboneElement }], //Computable Consent Directive Language
  }
```

Other representations of profile: Schematron

13.11.9.2.2 Terminology Bindings

Path	Name	Conformance	ValueSet
Contract.language	?ext	required	http://tools.ietf.org/html/bcp47
Contract.type	Contract Type Codes	example	Contract Type Codes
Contract.subType	Contract Subtype Codes	example	Contract Subtype Codes
Contract.action	Contract Action Codes	example	Contract Action Codes
Contract.actionReason	PurposeOfUse	example	PurposeOfUse
Contract.actor.role	Contract Actor Role Codes	example	Contract Actor Role Codes
Contract.signer.type	Contract Signer Type Codes	preferred	Contract Signer Type Codes
Contract.term.type	Contract Term Type Codes	example	Contract Term Type Codes
Contract.term.subType	Contract Term Subtype Codes	example	Contract Term Subtype Codes
Contract.term.action	Contract Action Codes	example	Contract Action Codes
Contract.term.actionReason	PurposeOfUse	example	PurposeOfUse
Contract.term.actor.role	Contract Actor Role Codes	example	Contract Actor Role Codes

13.11.9.2.3 Constraints

Id	Path	Details	Requirements
qty-3	Contract.valuedItem.quantity	If a code for the unit is present, the system SHALL also be present Expression : code.empty() or system	
sqty-1	Contract.valuedItem.quantity	The comparator is not used on a SimpleQuantity Expression : comparator.empty()	
qty-3	Contract.valuedItem.unitPrice	If a code for the unit is present, the system SHALL also be present Expression : code.empty() or system	
mny-1	Contract.valuedItem.unitPrice	There SHALL be a code if there is a value and it SHALL be an expression of currency. If system is present, it SHALL be ISO 4217 (system = "urn:iso:std:iso:4217" - currency). Expression : (code or value.empty()) and (system.empty() or system = 'urn:iso:std:iso:4217')	
qty-3	Contract.valuedItem.net	If a code for the unit is present, the system SHALL also be present Expression : code.empty() or system	
mny-1	Contract.valuedItem.net	There SHALL be a code if there is a value and it SHALL be an expression of currency. If system is present, it SHALL be ISO 4217 (system = "urn:iso:std:iso:4217" - currency). Expression : (code or value.empty()) and (system.empty() or system = 'urn:iso:std:iso:4217')	
qty-3	Contract.term.valuedItem.quantity	If a code for the unit is present, the system SHALL also be present Expression : code.empty() or system	
sqty-1	Contract.term.valuedItem.quantity	The comparator is not used on a SimpleQuantity Expression : comparator.empty()	
qty-3	Contract.term.valuedItem.unitPrice	If a code for the unit is present, the system SHALL also be present Expression : code.empty() or system	
mny-1	Contract.term.valuedItem.unitPrice	There SHALL be a code if there is a value and it SHALL be an expression of currency. If system is present, it SHALL be ISO 4217 (system = "urn:iso:std:iso:4217" - currency). Expression : (code or value.empty()) and (system.empty() or system = 'urn:iso:std:iso:4217')	
qty-3	Contract.term.valuedItem.net	If a code for the unit is present, the system SHALL also be present Expression : code.empty() or system	
mny-1	Contract.term.valuedItem.net	There SHALL be a code if there is a value and it SHALL be an expression of currency. If system is present, it SHALL be ISO 4217 (system = "urn:iso:std:iso:4217" - currency). Expression : (code or value.empty()) and (system.empty() or system = 'urn:iso:std:iso:4217')	

13.11.10 Resource Contract - Detailed Descriptions

URL: https://hl7.org/fhir/STU3/contract-version-maps.html

This page is part of the FHIR Specification (v3.0.2: STU 3). The current version which supercedes this version is 4.0.1. For a full list of available versions, see the Directory of published versions

13.11.10 Resource Contract - Detailed Descriptions

Financial Management Work Group | Maturity Level: N/A | Ballot Status: Informative | Compartments: Not linked to any defined compartments

R2 : R3 Converson maps for Contract.

Functional status for this map: 1 test that all execute ok. All tests pass round-trip testing and all r3 resources are valid. (see documentation)

13.11.10.1 R2 to R3

```
map "http://hl7.org/fhir/StructureMap/Contract2to3" = "R2 to R3 Conversions for Contract"

uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Contract" alias ContractR2 as source
uses "http://hl7.org/fhir/StructureDefinition/Contract" alias Contract as target

imports "http://hl7.org/fhir/StructureMap/primitives2to3"
imports "http://hl7.org/fhir/StructureMap/DomainResource2to3"
imports "http://hl7.org/fhir/StructureMap/Attachment2to3"
imports "http://hl7.org/fhir/StructureMap/Identifier2to3"
imports "http://hl7.org/fhir/StructureMap/Reference2to3"
imports "http://hl7.org/fhir/StructureMap/Period2to3"
imports "http://hl7.org/fhir/StructureMap/CodeableConcept2to3"

group for type+types  Contract extends DomainResource
  input src : ContractR2 as source
  input tgt : Contract as target

  "Contract-identifier" : for src.identifier make tgt.identifier
  "Contract-issued" : for src.issued make tgt.issued
  "Contract-applies" : for src.applies make tgt.applies
  "Contract-subject" : for src.subject make tgt.subject
  "Contract-authority" : for src.authority make tgt.authority
  "Contract-domain" : for src.domain make tgt.domain
  "Contract-type" : for src.type make tgt.type
  "Contract-subType" : for src.subType make tgt.subType
  "Contract-action" : for src.action make tgt.action
  "Contract-actionReason" : for src.actionReason make tgt.actionReason
  "Contract-actor" : for src.actor as vs make tgt.agent as vt then cntActor(vs, vt)
  "Contract-valuedItem" : for src.valuedItem as vs make tgt.valuedItem as vt then cntValuedItem(vs, vt)
  "Contract-signer" : for src.signer as vs make tgt.signer as vt then cntSigner(vs, vt)
  "Contract-term" : for src.term as vs make tgt.term as vt then cntTerm(vs, vt)
  "Contract-binding" : for src.binding make tgt.binding
  "Contract-friendly" : for src.friendly as vs make tgt.friendly as vt then cntContent(vs, vt)
  "Contract-legal" : for src.legal as vs make tgt.legal as vt then cntContent(vs, vt)
  "Contract-rule" : for src.rule as vs make tgt.rule as vt then cntContent(vs, vt)
endgroup

group cntActor extends BackboneElement
  input src as source
  input tgt as target

  "Contract.actor-entity" : for src.entity make tgt.actor
  "Contract.actor-role" : for src.role make tgt.role
endgroup

group cntValuedItem extends BackboneElement
  input src as source
  input tgt as target

  "Contract.valuedItem-entity" : for src.entity make tgt.entity
  "Contract.valuedItem-identifier" : for src.identifier make tgt.identifier
  "Contract.valuedItem-effectiveTime" : for src.effectiveTime make tgt.effectiveTime
  "Contract.valuedItem-quantity" : for src.quantity make tgt.quantity
  "Contract.valuedItem-unitPrice" : for src.unitPrice make tgt.unitPrice
  "Contract.valuedItem-factor" : for src.factor make tgt.factor
  "Contract.valuedItem-points" : for src.points make tgt.points
  "Contract.valuedItem-net" : for src.net make tgt.net
endgroup

group cntSigner extends BackboneElement
  input src as source
  input tgt as target

  "Contract.signer-type" : for src.type make tgt.type
  "Contract.signer-party" : for src.party make tgt.party
  "Contract.signer-signature" : for src.signature make tgt.signature
endgroup

group cntTerm extends BackboneElement
```

```
  input src as source
  input tgt as target

  "Contract.term-identifier" : for src.identifier make tgt.identifier
  "Contract.term-issued" : for src.issued make tgt.issued
  "Contract.term-applies" : for src.applies make tgt.applies
  "Contract.term-type" : for src.type make tgt.type
  "Contract.term-subType" : for src.subType make tgt.subType
  "Contract.term-subject" : for src.subject make tgt.topic
  "Contract.term-action" : for src.action make tgt.action
  "Contract.term-actionReason" : for src.actionReason make tgt.actionReason
  "Contract.term-actor" : for src.actor as vs make tgt.agent as vt then cntActor(vs, vt)
  "Contract.term-text" : for src.text make tgt.text
  "Contract.term-valuedItem" : for src.valuedItem as vs make tgt.valuedItem as vt then cntValuedItem(vs, vt)
  "Contract.term-group" : for src.group as vs make tgt.group as vt then cntTerm(vs, vt)
endgroup

group cntContent extends BackboneElement
  input src as source
  input tgt as target

  "Contract.content-content" : for src.content make tgt.content
endgroup
```

13.11.10.2 R3 to R2

```
map "http://hl7.org/fhir/StructureMap/Contract3to2" = "R3 to R2 Conversion for Contract"

uses "http://hl7.org/fhir/StructureDefinition/Contract" alias Contract as source
uses "http://hl7.org/fhir/DSTU2/StructureDefinition/Contract" alias ContractR2 as target

imports "http://hl7.org/fhir/StructureMap/primitives3to2"
imports "http://hl7.org/fhir/StructureMap/DomainResource3to2"
imports "http://hl7.org/fhir/StructureMap/Attachment3to2"
imports "http://hl7.org/fhir/StructureMap/Identifier3to2"
imports "http://hl7.org/fhir/StructureMap/Reference3to2"
imports "http://hl7.org/fhir/StructureMap/Period3to2"
imports "http://hl7.org/fhir/StructureMap/CodeableConcept3to2"

group for type+types  Contract extends DomainResource
  input src : Contract as source
  input tgt : ContractR2 as target

  "Contract-identifier" : for src.identifier make tgt.identifier
  "Contract-issued" : for src.issued make tgt.issued
  "Contract-applies" : for src.applies make tgt.applies
  "Contract-subject" : for src.subject make tgt.subject
  "Contract-authority" : for src.authority make tgt.authority
  "Contract-domain" : for src.domain make tgt.domain
  "Contract-type" : for src.type make tgt.type
  "Contract-subType" : for src.subType make tgt.subType
  "Contract-action" : for src.action make tgt.action
  "Contract-actionReason" : for src.actionReason make tgt.actionReason
  "Contract-actor" : for src.agent as vs make tgt.actor as vt then cntActor(vs, vt)
  "Contract-valuedItem" : for src.valuedItem as vs make tgt.valuedItem as vt then cntValuedItem(vs, vt)
  "Contract-signer" : for src.signer as vs make tgt.signer as vt then cntSigner(vs, vt)
  "Contract-term" : for src.term as vs make tgt.term as vt then cntTerm(vs, vt)
  "Contract-binding" : for src.binding make tgt.binding
  "Contract-friendly" : for src.friendly as vs make tgt.friendly as vt then cntContent(vs, vt)
  "Contract-legal" : for src.legal as vs make tgt.legal as vt then cntContent(vs, vt)
  "Contract-rule" : for src.rule as vs make tgt.rule as vt then cntContent(vs, vt)
endgroup

group cntActor extends BackboneElement
  input src as source
  input tgt as target

  "Contract.actor-entity" : for src.actor make tgt.entity
  "Contract.actor-role" : for src.role make tgt.role
endgroup

group cntValuedItem extends BackboneElement
  input src as source
  input tgt as target

  "Contract.valuedItem-entity" : for src.entity make tgt.entity
  "Contract.valuedItem-identifier" : for src.identifier make tgt.identifier
  "Contract.valuedItem-effectiveTime" : for src.effectiveTime make tgt.effectiveTime
  "Contract.valuedItem-quantity" : for src.quantity make tgt.quantity
  "Contract.valuedItem-unitPrice" : for src.unitPrice make tgt.unitPrice
  "Contract.valuedItem-factor" : for src.factor make tgt.factor
  "Contract.valuedItem-points" : for src.points make tgt.points
  "Contract.valuedItem-net" : for src.net make tgt.net
endgroup

group cntSigner extends BackboneElement
  input src as source
  input tgt as target

  "Contract.signer-type" : for src.type make tgt.type
```

```
  "Contract.signer-party" : for src.party make tgt.party
  "Contract.signer-signature" : for src.signature make tgt.signature
endgroup

group cntTerm extends BackboneElement
  input src as source
  input tgt as target

  "Contract.term-identifier" : for src.identifier make tgt.identifier
  "Contract.term-issued" : for src.issued make tgt.issued
  "Contract.term-applies" : for src.applies make tgt.applies
  "Contract.term-type" : for src.type make tgt.type
  "Contract.term-subType" : for src.subType make tgt.subType
  "Contract.term-subject" : for src.topic make tgt.subject
  "Contract.term-action" : for src.action make tgt.action
  "Contract.term-actionReason" : for src.actionReason make tgt.actionReason
  "Contract.term-actor" : for src.agent as vs make tgt.actor as vt then cntActor(vs, vt)
  "Contract.term-text" : for src.text make tgt.text
  "Contract.term-valuedItem" : for src.valuedItem as vs make tgt.valuedItem as vt then cntValuedItem(vs, vt)
  "Contract.term-group" : for src.group as vs make tgt.group as vt then cntTerm(vs, vt)
endgroup

group cntContent extends BackboneElement
  input src as source
  input tgt as target

  "Contract.content-content" : for src.content make tgt.content
endgroup
```

13.11.10.3 R3 Validation Errors