Oracle-FHIR â€” Guides (sections guides/01_api-access-and-fees.md â€“ guides/09_smart-overview.md)

Source: Oracle Health Millennium FHIR R4 REST API Guide v32, Bulk Data Access Guide v10 and API guides (oracle-fhir-docs.zip). Text-only edition for AI ingestion (NotebookLM); pages follow the source order (its table of contents when one exists).

Millennium Platform API Access and Fees for Registering an App

File: guides/01_api-access-and-fees.md

Source: https://wiki.cerner.com/display/APIDoc/Millennium+Platform+API+Access+and+Fees+for+Registering+an+App

Introduction

Application programming interfaces (APIs) spur innovation and collaboration among a broader community of developers, enabling the creation of new technology that unlocks opportunities to advance healthcare. Oracle Health APIs are cloud-based, allowing for rapid, agile deployment of future updates or enhancements. Implementation of the APIs is simplified for healthcare providers because the ontology mapping process is centralized, which requires less effort than when performed on a per-deployment basis.

CARIN Alliance Code of Conduct

The CARIN Alliance Code of Conduct represents consensus best practices for protecting the privacy of consumers' electronic health information. Oracle encourages all consumer app developers to formally attest to the code of conduct to promote a more transparent and safe health app ecosystem. Health apps that attest to the CARIN Alliance Code of Conduct are published at myhealthapplication.com.

Registering a Consumer Access App

Complete the following steps to register your app for consumer use:

* Review and accept the [Terms and Conditions for Oracle Health APIs](https://www.oracle.com/a/ocom/docs/industries/healthcare/terms-and-conditions-oracle-health-api.pdf) (PDF).

* Review the [Oracle Health Millennium Platform](https://docs.oracle.com/en/industries/health/millennium-platform-apis/index.html) and [Soarian Clinicals](https://docs.oracle.com/en/industries/health/soarian-clinicals-apis/index.html) API documentation, including the list of available FHIR API resources.

* Review the developers guide for consumer application best practices.

* Review and attest to the [CARIN Alliance Code of Conduct](https://www.carinalliance.com/code-of-conduct) (strongly recommended but not required).

* Register your application in the [Oracle Health Developer Program console](https://code-console.cerner.com/).

* Test in the [Oracle Health Millennium Platform sandbox](https://docs.oracle.com/en/industries/health/millennium-platform-apis/mfrap/r4_overview.html) or [Soarian Clinicals sandbox](https://docs.oracle.com/en/industries/health/soarian-clinicals-apis/sfrap/r4_overview.html) (strongly recommended but not required).

After registering, your app will be provisioned for all active Millennium Platform and Soarian Clinicals FHIR API consumer access endpoints, which can be accessed in a machine-readable format.

Registering a Provider or System Access App

Complete the following steps to register your app for provider or system access:

* Review and accept the [Terms and Conditions for Oracle Health APIs](https://www.oracle.com/a/ocom/docs/industries/healthcare/terms-and-conditions-oracle-health-api.pdf) (PDF).

* Review the [Oracle Health Millennium Platform](https://docs.oracle.com/en/industries/health/millennium-platform-apis/index.html) and [Soarian Clinicals](https://docs.oracle.com/en/industries/health/soarian-clinicals-apis/index.html) API documentation, including the list of available FHIR API resources, and document a gap analysis for your app.

* Review the frequently asked questions (FAQ) to understand the process and all technical, security, and validation requirements.

* Register your application in the [Oracle Health Developer Program console](https://code-console.cerner.com/).

* Develop a working app demo, connecting with the [Oracle Health Millennium Platform sandbox](https://docs.oracle.com/en/industries/health/millennium-platform-apis/mfrap/r4_overview.html) or [Soarian Clinicals sandbox](https://docs.oracle.com/en/industries/health/soarian-clinicals-apis/sfrap/r4_overview.html).

After registering, your app will be available for Oracle Health Developer Program customers to consider for implementation.

Join the Oracle PartnerNetwork to Achieve Expertise

To help application developers establish a predictable, standard, and secure FHIR integration within Millennium Platform, we offer an Oracle Validated Integration with Millennium Platform through the Oracle PartnerNetwork

Review the [Industry Healthcare Track Journey](https://www.oracle.com/partnernetwork/journey/employee/company/track/build/integrated-with-health-platform/) to get your application to market.

Fees

Oracle Health offers value-added services to developers through the Oracle PartnerNetwork. These services are not required to develop and deploy apps.

Service | Annual Fee
OPN Membership | $500
(Available with OPN Membership Only) | $3000
Oracle Health Millennium Platform Environment Access | $5000

The pricing is subject to change. Capacity may be limited. These fees apply to developers using certified APIs. Pricing may vary for developers using noncertified (proprietary) APIs.

Developers choosing to forgo the validation process may connect to and access API resources but will not have access to value-added services and must follow marketing guidelines outlined in the [Terms and Conditions for Oracle Health APIs](https://www.oracle.com/a/ocom/docs/industries/healthcare/terms-and-conditions-oracle-health-api.pdf) (PDF).

This page includes links to external resources. These resources are provided for reference purposes and should be used with caution. Contact your Oracle support team for more information about third-party content.

Authorization

File: guides/02_authorization-framework.md

Table of Contents

* 1 [Authorization](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Authorization)

* 1.1 [Features of the Authorization Model](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-FeaturesoftheAuthorizationModel)

* 1.2 [Differentiating SMART and FHIR](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-DifferentiatingSMARTandFHIR)

* 2 [Registering an Application](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-RegisteringanApplication)

* 2.1 [Registering a System Account](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-RegisteringaSystemAccount)

* 3 [Discovering Authorization URLs for FHIR APIs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-DiscoveringAuthorizationURLsforFHIRAPIs)

* 4 [Discovering Authorization URLs for EHR APIs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-DiscoveringAuthorizationURLsforEHRAPIs)

* 5 [Requesting Authorization on Behalf of a User](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-RequestingAuthorizationonBehalfofaUser)

* 5.1 [Constructing the Authorization Request URL](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ConstructingtheAuthorizationRequestURL)

* 5.1.1 [Scopes](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Scopes)

* 5.1.1.1 [Scopes for FHIR Services](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ScopesforFHIRServices)

* 5.1.1.2 [Scopes for Legacy EHR Services](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ScopesforLegacyEHRServices)

* 5.1.1.3 [Additional Scopes](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AdditionalScopes)

* 5.1.1.3.1 [Identity Scopes](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-IdentityScopes)

* 5.1.1.3.2 [Duration Scopes](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-DurationScopes)

* 5.1.1.3.3 [Supported Scopes](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SupportedScopes)

* 5.1.1.3.4 [State](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-State)

* 5.1.2 [Audience](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Audience)

* 5.1.3 [Redirect URI](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-RedirectURI)

* 5.1.4 [Launch](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Launch)

* 5.1.5 [Examples](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Examples)

* 5.2 [Calling an Appropriate User Agent](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-CallinganAppropriateUserAgent)

* 5.2.1 [Client Applications Delivered Through the Browser](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ClientApplicationsDeliveredThroughtheBrowser)

* 5.2.1.1 [Example Javascript for Opening the Authorization Workflow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ExampleJavascriptforOpeningtheAuthorizationWorkflow)

* 5.2.1.1.1 [Other User Experience Considerations](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-OtherUserExperienceConsiderations)

* 5.2.2 [Native Client Applications](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-NativeClientApplications)

* 5.2.2.1 [Microsoft Windows-Based Applications](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-MicrosoftWindows-BasedApplications)

* 5.3 [Processing the Authorization Grant Response](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ProcessingtheAuthorizationGrantResponse)

* 5.3.1 [Closing the Grant Interaction](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ClosingtheGrantInteraction)

* 5.3.2 [Exception Handling](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ExceptionHandling)

* 5.4 [Using Refresh Tokens](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-UsingRefreshTokens)

* 5.4.1 [Access Token Request and Response](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AccessTokenRequestandResponse)

* 5.4.2 [Considerations for Handling online_access](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ConsiderationsforHandlingonline_access)

* 5.4.3 [Considerations for Handling offline_access](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ConsiderationsforHandlingoffline_access)

* 6 [Using Authorization](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-UsingAuthorization)

* 7 [User Experience](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-UserExperience)

* 7.1 [Handling the Authorization Request Window Being Closed](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-HandlingtheAuthorizationRequestWindowBeingClosed)

* 7.2 [Providing a Link to Manage Authorized Applications](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ProvidingaLinktoManageAuthorizedApplications)

* 8 [Requesting Authorization on Behalf of a System](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-RequestingAuthorizationonBehalfofaSystem)

* 8.1 [Basic Authentication](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-BasicAuthentication)

* 8.2 [JWT Authentication](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-JWTAuthentication)

* 9 [FHIR Service Authorization Specification v1.0](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-FHIRServiceAuthorizationSpecificationv1.0)

* 9.1 [License](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-License)

* 9.2 [Introduction](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Introduction)

* 9.2.1 [Terminology](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Terminology)

* 9.2.2 [Notational Convention](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-NotationalConvention)

* 9.3 [Specification](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Specification)

* 9.3.1 [Contextless Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlow)

* 9.3.1.1 [Usage](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Usage)

* 9.3.1.2 [Contextless Flow Authorization Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlowAuthorizationRequest)

* 9.3.1.3 [Contextless Flow Authorization Response](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlowAuthorizationResponse)

* 9.3.1.4 [Contextless Flow Access Token Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlowAccessTokenRequest)

* 9.3.1.5 [Contextless Flow Access Token Response](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlowAccessTokenResponse)

* 9.3.1.6 [Contextless Flow Resource Server Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlowResourceServerRequest)

* 9.3.2 [EHR Launch Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-EHRLaunchFlow)

* 9.3.2.1 [EHR Launch Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-EHRLaunchRequest)

* 9.3.2.2 [EHR Launch Flow Authorization Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-EHRLaunchFlowAuthorizationRequest)

* 9.3.2.3 [EHR Launch Flow Authorization Response](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-EHRLaunchFlowAuthorizationResponse)

* 9.3.2.4 [EHR Launch Flow Access Token Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-EHRLaunchFlowAccessTokenRequest)

* 9.3.2.5 [EHR Launch Flow Access Token Response](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-EHRLaunchFlowAccessTokenResponse)

* 9.3.2.6 [Launch Intent](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-LaunchIntent)

* 9.3.2.7 [EHR Launch Flow Resource Server Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-EHRLaunchFlowResourceServerRequest)

* 9.3.3 [SMART Application Launch Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SMARTApplicationLaunchFlow)

* 9.3.3.1 [SMART Application Launch Flow Authorization Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SMARTApplicationLaunchFlowAuthorizationRequest)

* 9.3.3.2 [SMART Application Launch Flow Authorization Response](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SMARTApplicationLaunchFlowAuthorizationResponse)

* 9.3.3.3 [SMART Application Launch Flow Access Token Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SMARTApplicationLaunchFlowAccessTokenRequest)

* 9.3.3.4 [SMART Application Launch Flow Access Token Response](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SMARTApplicationLaunchFlowAccessTokenResponse)

* 9.3.3.5 [SMART Application Launch Flow Resource Server Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SMARTApplicationLaunchFlowResourceServerRequest)

* 9.3.4 [Client Credentials Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ClientCredentialsFlow)

* 9.3.4.1 [Client Credentials Flow Access Token Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ClientCredentialsFlowAccessTokenRequest)

* 9.3.4.2 [Client Credentials Flow Access Token Response](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ClientCredentialsFlowAccessTokenResponse)

* 9.3.4.3 [Client Credentials Flow Resource Server Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ClientCredentialsFlowResourceServerRequest)

* 9.3.5 [Scopes](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Scopes.1)

* 9.3.5.1 [Resource Access](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ResourceAccess)

* 9.3.5.2 [Resource Context](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ResourceContext)

* 9.3.5.3 [Resource Type](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ResourceType)

* 9.3.5.4 [Modification Rights](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ModificationRights)

* 9.3.5.5 [Finer-Grained Resource Constraints Using Search Parameters](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Finer-GrainedResourceConstraintsUsingSearchParameters)

* 9.3.5.6 [Examples](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Examples.1)

* 9.3.5.7 [Scopes for Identity Information](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ScopesforIdentityInformation)

* 9.3.5.8 [Scopes for Launch Information](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ScopesforLaunchInformation)

* 9.3.5.9 [Scopes for Longevity](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ScopesforLongevity)

* 9.3.5.10 [Disambiguation of Scopes Between Competing Protocols](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-DisambiguationofScopesBetweenCompetingProtocols)

* 9.3.6 [User Identity](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-UserIdentity)

* 9.3.6.1 [OpenID Connect Identifier Permanency](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-OpenIDConnectIdentifierPermanency)

* 9.3.6.2 [Nonrepudiation of OpenID Connect id_tokens](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-NonrepudiationofOpenIDConnectid_tokens)

* 9.3.6.3 [fhirUser Resource](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-fhirUserResource)

* 9.3.7 [Client Authentication](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ClientAuthentication)

* 9.3.8 [Registration](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Registration)

* 9.3.9 [Exception Conditions](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ExceptionConditions)

* 10 [Authorization Server OpenID Connect Support](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AuthorizationServerOpenIDConnectSupport)

* 10.1 [Requesting OpenID Connect](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-RequestingOpenIDConnect)

* 10.2 [Identifying the User](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-IdentifyingtheUser)

* 10.3 [Validating OpenID Connect Identity Tokens](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ValidatingOpenIDConnectIdentityTokens)

* 10.4 [Managing a Session](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ManagingaSession)

* 11 [Guidance for the Use of TLS With Oracle Health APIs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-GuidancefortheUseofTLSWithOracleHealthAPIs)

* 11.1 [Establishing TLS Connections to Oracle Health](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-EstablishingTLSConnectionstoOracleHealth)

* 11.1.1 [Supported Versions of HTTP](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SupportedVersionsofHTTP)

* 11.1.2 [TLS Versions and Cipher Suites](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-TLSVersionsandCipherSuites)

* 11.1.3 [Certificate Chain Validation Process](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-CertificateChainValidationProcess)

* 11.1.4 [Trusted Certificate Authorities](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-TrustedCertificateAuthorities)

* 11.2 [Developer-Operated TLS Endpoints](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Developer-OperatedTLSEndpoints)

* 11.2.1 [Supported Versions of HTTPS](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SupportedVersionsofHTTPS)

* 11.2.2 [TLS Versions and Cipher Suites](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-TLSVersionsandCipherSuites.1)

* 11.2.3 [Trusted Certificate Authorities](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-TrustedCertificateAuthorities.1)

* 12 [Application Registration Prerequisites for Developers](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ApplicationRegistrationPrerequisitesforDevelopers)

* 12.1 [Audience](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Audience.1)

* 12.2 [Overview and Purpose](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-OverviewandPurpose)

* 12.2.1 [Glossary of Terms](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-GlossaryofTerms)

* 12.2.2 [Technical Requirements](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-TechnicalRequirements)

* 12.2.3 [Setting Up Your Domain’s DNS TXT Record](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SettingUpYourDomain%E2%80%99sDNSTXTRecord)

* 12.2.4 [Steps to Verify That Your Application is Compliant](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-StepstoVerifyThatYourApplicationisCompliant)

* 12.2.4.1 [Determine Your eTLD+1](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-DetermineYoureTLD+1)

* 12.2.4.2 [Querying DNS for Your TXT Record](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-QueryingDNSforYourTXTRecord)

* 12.2.4.3 [Inspecting Your TLS Certificate](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-InspectingYourTLSCertificate)

* 12.2.4.4 [Examples](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Examples.2)

* 12.3 [Information Displayed to Users](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-InformationDisplayedtoUsers)

* 12.3.1 [Application and Business Details](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ApplicationandBusinessDetails)

* 12.3.2 [Labels](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Labels)

* 13 [HL7 SMART App Launch Active User Presence Extension](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-HL7SMARTAppLaunchActiveUserPresenceExtension)

* 13.1 [Protocol Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ProtocolFlow)

* 13.2 [Notational Conventions](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-NotationalConventions)

* 13.3 [Terminology](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Terminology.1)

* 13.4 [Protocol](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Protocol)

* 13.4.1 [Authorization Server Declares Active User Presence Requirement](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AuthorizationServerDeclaresActiveUserPresenceRequirement)

* 13.4.2 [Application Performs Token Refresh](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ApplicationPerformsTokenRefresh)

* 14 [FAQs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-FAQs)

* 14.1 [General](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-General)

* 14.1.1 [How can I allow users to use devices that do not provide a browser (user agent) to facilitate the authorization workflow?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-HowcanIallowuserstousedevicesthatdonotprovideabrowser(useragent)tofacilitatetheauthorizationworkflow?)

* 14.1.2 [What happens when a user revokes my application’s access to their data?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhathappenswhenauserrevokesmyapplicationE2%80%99saccesstotheirdata?)

* 14.1.3 [What happens if a refresh token is suspended?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Whathappensifarefreshtokenissuspended?)

* 14.1.4 [How can my application revoke a refresh token on behalf of a user?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-HowcanmyapplicationrevokearefreshtokenonbehalfofauserHowcanmyapplicationrevokearefreshtokenonbehalfofauser?)

* 14.1.5 [How can my application participate in log-out mechanisms provided by the organization’s single sign-on (SSO) ecosystem?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-HowcanmyapplicationparticipateinlogoutmechanismsprovidedbytheorganizationE2%80%99ssinglesignon(SSO)ecosystem?)

* 14.1.6 [A browser window or tab remains after the completion of the authorization workflow. How should my application handle this?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Abrowserwindowortabremainsafterthecompletionoftheauthorizationworkflow.HowshouldmyapplicationhandlethisHowshouldmyapplicationhandlethis?)

* 14.1.7 [Does the Oracle Health authorization server offer an authentication-only workflow (through OpenID Connect) for patients or their authorized representatives?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-DoestheOracleHealthauthorizationserverofferanauthentication-onlyworkflow(throughOpenIDConnect)forpatientsortheirauthorizedrepresentatives?)

* 14.1.8 [Can I append additional query parameters to my redirection URI when I send my authorization grant request?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-CanIappendadditionalqueryparameterstomyredirectionURIwhenIsendmyauthorizationgrantre

quest?)

* 14.1.9 [I am having trouble registering my redirection URI, what advice can you offer?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-IamhavingtroubleregisteringmyredirectionURI,whatadvicecanyouoffer?)

* 14.1.10 [Can I register multiple redirect URIs?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-CanIregistermultipleredirectURIs?)

* 14.1.11 [Can an application developed by an Oracle Health customer skip the authorization interaction with users?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-CananapplicationdevelopedbyanOracleHealthcustomerskiptheauthorizationinteractionwithusers?)

* 14.1.12 [How can I embed my SMART application in another application, such as inside a web view or iframe and still orchestrate the authorization workflow?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-HowcanIembedmySMARTapplicationinanotherapplication,suchasinsideawebvieworiframeandstillorchestratetheauthorizationworkflow?)

* 14.1.13 [What do I do when one or more offline access tokens stored by my application may have been compromised?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhatdoIdowhenoneormoreofflineaccesstokensstoredbymyapplicationmayhavebeencompromised?)

* 14.1.14 [How can I deliver my solution to users using its own Citrix instance with XenApp?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-HowcanIdelivermysolutiontousersusingitsownCitrixinstancewithXenApp?)

* 14.1.15 [Why am I getting an error message about having too many scopes?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhyamIgettinganerrormessageabouthavingtoomanyscopes?)

* 14.1.16 [Why are some of the scopes that I requested absent from my token?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhyaresomeofthescopesthatIrequestedabsentfrommytoken?)

* 14.2 [Application Registration Prerequisites](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ApplicationRegistrationPrerequisites)

* 14.2.1 [Are these security requirements required for all Oracle Health APIs applications?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AretheresecurityrequirementsrequiredforallOracleHealthAPIsapplications?)

* 14.2.2 [Does my development environment need to comply with these security requirements?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Doesmydevelopmentenvironmentneedtocomplywiththesesecurityrequirements?)

* 14.2.3 [Why are OV and EV certificates preferred by Oracle Health?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhyareOVandEVcertificatespreferredbyOracleHealth?)

* 14.2.4 [Is either an OV or EV certificate acceptable?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-IseitheranOVorEVcertificateacceptable?)

* 14.2.5 [Are self-signed certificates acceptable?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Areself-signedcertificatesacceptable?)

* 14.2.6 [What Certificate Authorities (CAs) does Oracle Health trust?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhatCertificateAuthorities(CAs)doesOracleHealthtrust?)

* 14.2.7 [How or when does Oracle Health use eTLD+1 values?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-HoworwhendoesOracleHealthuseeTLD+1values?)

* 14.2.8 [Why does Oracle Health only display the eTLD+1 portion of the domain name?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhydoesOracleHealthonlydisplaytheeTLD+1portionofthedomainname?)

* 14.2.9 [How do I get an Oracle Health client identifier for my application?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-HowdoIgetanOracleHealthclientidentifierformyapplication?)

* 14.2.10 [Why is a DNS TXT record recommended?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhyisaDNSTXTrecordrecommended?)

* 14.2.11 [Where should the DNS TXT record be placed?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhereshouldtheDNSTXTrec

ordbeplaced?)

* 14.2.12 [What happens if I do not provide the DNS TXT record?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhathappensifIdonotprovidetheDNSTXTrecord?)

* 14.2.13 [Why does Oracle Health recommend that an application's name align with the name of the website hosting it or the legal entity operating it?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhydoesOracleHealthrecommendthatanapplication%E2%80%99snamealignwiththenameofthewebsitehostingitorthelegalentityoperatingit?)

* 14.2.14 [If I modify my application's TLS certificate or DNS TXT record, how long before the Oracle Health workflow recognizes and displays these changes?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-IfImodifymyapplication%E2%80%99sTLScertificateorDNSTXTrecord,howlongbeforetheOracleHealthworkflowrecognizesanddisplaysthesechanges?)

* 14.2.15 [What should I do if the organization information being displayed for my application seems incorrect?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-WhatshouldIdoiftheorganizationinformationbeingdisplayedformyapplicationseemsincorrect?)

* 15 [Additional Resources](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AdditionalResources)

* 16 [Appendix](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Appendix)

* 16.1 [Appendix A: FHIR Resource Scope Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixAAppendixA:FHIRResourceScopeSyntax)

* 16.2 [Appendix B: Launch Scope Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixBAppendixB:LaunchScopeSyntax)

* 16.3 [Appendix C: Launch Code Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixCAppendixC:LaunchCodeSyntax)

* 16.4 [Appendix D: Launch Issuer Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixDAppendixD:LaunchIssuerSyntax)

* 16.5 [Appendix E: Launch Intent Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixEAppendixE:LaunchIntentSyntax)

Note

You must have a preexisting account (username and password) to access Oracle Health and permission to use the REST API. To request access to the REST API, contact your Oracle Health administrator.

Oracle Health EHR APIs are protected with SMART authorization, enabling the development of applications that are secured through a single authorization mechanism. SMART defines profiles of the [OAuth 2.0](https://tools.ietf.org/html/rfc6749) framework for obtaining authorization to act on behalf of users and nonperson system actors. Review and understand the OAuth 2.0 framework before implementing the authorization workflow.

The following IETF publications are recommended for review:

* [The OAuth 2.0 Authorization Framework](https://tools.ietf.org/html/rfc6749)

* [OAuth 2.0 Threat Model and Security Considerations](https://tools.ietf.org/html/rfc6819)

* [OAuth 2.0 Security Best Current Practice](https://datatracker.ietf.org/doc/html/draft-ietf-oauth-security-topics)

* [The OAuth 2.0 Authorization Framework: Bearer Token Usage](https://tools.ietf.org/html/rfc6750)

* [OAuth 2.0 for Native Apps](https://tools.ietf.org/html/rfc8252)

This guide provides the following information:

* A technical overview for securely obtaining authorization on behalf of a user or a system, using Oracle Health authorization server.

* Guidance for providing an optimal authorization user experience across a broad range of platforms.

* Guidance for ensuring broad compatibility across a diverse range of deployment scenarios.

* Answers to frequently asked questions.

Features of the Authorization Model

The use of an authorization protocol offers additional security for users and enterprises by abstracting the credentials used to authenticate to the EHR away from client applications. Under this model, restrictions can be applied to what actions a client application can perform on behalf of the user. These restrictions are not possible in traditional models where the application has direct access to the user's credentials.

Furthermore, by abstracting authentication away from client applications, the risk of compromising credentials is decreased, and organizations have more flexibility to offer differing forms of authentication, such as MicrosoftWindows Hello or Apple Touch ID.

The token model employed by the OAuth 2.0 framework provides a useful means in a distributed-service ecosystem to enforce frequent validation that access has not otherwise been revoked or expired.

A formal technical specification for authorization may be found in the [FHIR Service Authorization Specification v1.0](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-FHIRServiceAuthorizationSpecificationv1.0).

Differentiating SMART and FHIR

The HL7FHIR standard defines an API to access information in an EHR system.

SMART defines an API for applications to obtain authorization access toFHIR or otherOracle HealthAPI resources and exchange context information with client applications.

Oracle Healthimplements the following versions of SMART:

* [HL7 SMART Application Launch 1.0.0 - STU1](https://hl7.org/fhir/smart-app-launch/1.0.0/)

* [HL7 SMART Application Launch 2.0.0 - STU2](https://hl7.org/fhir/smart-app-launch/STU2/)

* [HL7 SMART Backend Services](https://hl7.org/fhir/smart-app-launch/backend-services.html)

Registering an Application

To use any protected resources, your client application must first be registered. A free CernerCare account is required to register applications.

Complete the following steps to register a new application:

* Log in to code Console.

* Register a new application with your intended application type and application privacy, and complete the registration process.

Once registered, a client ID is provided for use with the Oracle Health authorization server. Oracle Health customers may then enable client applications to access their protected resources.

Registering a System Account

If an application has its own server responsible for making API requests, you can register your application as a confidential client. Check the respective FHIR implementation documentation to determine availability. Confidential client applications are issued customer secrets, which are managed through Cerner Central system accounts. This system account is automatically generated and available in Cerner Central after you register your application in code Console.

Complete the following steps to obtain and manage a system account in code Console:

* Register a new application with an application type of **System** or an application privacy of **Confidential**, and complete the registration process.

* On the application details page, select the link to manage your system account details, such as the customer secret or setting up JWKS for bulk applications.

When you complete the registration, a new system account is issued to the same CernerCare account used to log in and register the application. A confirmation email is sent to the address associated with the CernerCare account.

Remember to protect the secret received through this process. Do not post this secret or email it in an insecure method. Do not include this secret or the credentials requests for the authorization server in online forums. If you do compromise the secret, you can rotate the credentials using Cerner Central system accounts.

Discovering Authorization URLs for FHIR APIs

Each EHR's instance of our FHIR APIs advertises the URLs of its respective authorization server (for each persona) in its Well-Known SMART Configuration document. See the [Conformance - SMART App Launch 2.2.0](https://build.fhir.org/ig/HL7/smart-app-launch/conformance.html) page on the HL7FHIR website for more information.

To retrieve the Well-Known SMART Configuration document, perform a `GET` request against the resource located at the relative path of `/.well-known/smart-configuration` from the FHIR base URL. See the Get Well-Known SMART Configuration operation in the appropriate REST API guide for examples of this request.

The most notable fields are the `authorization_endpoint` and the `token_endpoint`, which are used in various examples throughout the remainder of this document.

These URLs must be discovered (rather than hard-coded into your client application) because they can and may change on occasion.

The following text is a partial and non-normative example of a document containing this information:

```
{
  "authorization_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/protocols/oauth2/profiles/smart-v1/personas/provider/authorize",
  "token_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/hosts/fhir-ehr-
    code.cerner.com/protocols/oauth2/profiles/smart-v1/token",
  "revocation_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/protocols/oauth2/profiles/smart-v1/token/revoke",
  "management_endpoint":
    "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/personas/provider/my-authorizations",
```

```
  "introspection_endpoint": "https://authorization.cerner.com/tokeninfo"
}
```

Discovering Authorization URLs for EHR APIs

Unlike FHIR resources, Oracle Health EHR APIs currently do not offer a discovery mechanism for their associated authorization, token, or management endpoints. Your application must compute such URLs instead. When registering to use Oracle Health EHR APIs, the base URL for the authorization server, identifiers for your environments, and base URLs for Oracle Health EHR APIs are provided.

Use the following URL patterns to compute the endpoints for your environment:

* **Authorization Endpoint (Provider or Clinician Access):**`{base-url}/tenants/{your-environment-id}/protocols/oauth2/profiles/smart-v1/personas/provider/authorize`

* **Authorization Endpoint (Patient Access):**`{base-url}/tenants/{your-environment-id}/protocols/oauth2/profiles/smart-v1/personas/patient/authorize`

* **Token Endpoint:**`{base-url}/tenants/{your-environment-id}/hosts/{hostname}/protocols/oauth2/profiles/smart-v1/token`

* **Revocation Endpoint:**`{base-url}/tenants/{your-environment-id}/protocols/oauth2/profiles/smart-v1/token/revoke`

* **Introspection Endpoint:**`{base-url}/tokeninfo`

* **User Authorization Management Interface:**`{base-url}/tenants/{your-environment-id}/personas/provider/my-authorizations`

The following URLs are computed for the Oracle Health developer sandbox:

```
{
  "authorization_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/protocols/oauth2/profiles/smart-v1/personas/provider/authorize",
  "token_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/hosts/api.cernermillennium.com/protocols/oauth2/profiles/smart-v1/token",
  "revocation_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/protocols/oauth2/profiles/smart-v1/token/revoke",
  "introspection_endpoint": "https://authorization.cerner.com/tokeninfo",
  "management_endpoint":
    "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/personas/provider/my-authorizations"
}
```

Requesting Authorization on Behalf of a User

To access our APIs on behalf of a user, your client application must make an authorization request through a user agent on the user's device.

This process involves the following steps:

* Discover the authorization and token endpoint URLs.

* Construct an authorization grant request URL.

* Call a browser with the authorization grant request URL.

* Receive the OAuth callback.

* Exchange the received grant for a token.

* Close the browser.

* Handle any exceptions encountered.

* Use refresh tokens.

A formal technical specification for this process may be found in the [FHIR Service Authorization Specification v1.0](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-FHIRServiceAuthorizationSpecificationv1.0).

Constructing the Authorization Request URL

An authorization request uses the format of an `x-www-form-urlencoded` query string, appended to the authorization endpoint's URL as discovered from the previous sections. The base specification for the structure of this request is defined in section [4.1, Authorization Code Grant of RFC 6749](https://datatracker.ietf.org/doc/html/rfc6749#section-4.1).

At minimum, include the following parameters in the authorization request:

* **`scope`:** The requested scopes for services to access.

* **`state`:** A value used to prevent certain classes of malicious attacks.

* **`aud`:** The parameter designating the target audience server URL.

* **`redirect_uri`:** Optionally, a redirect URI of the application.

* **`launch`:** Optionally, a launch code when a supporting application opens from external sources.

Note

Applications that use SMART Backend Services directly request a token. The below information about OAuth scopes still applies to those requests.

Scopes

During the authorization process, client applications identify a collection of API entitlements that the application requires to operate. In OAuth 2.0, the client application conveys this information to the authorization server in the form of scope.

The [OAuth 2.0 Authorization Framework](https://datatracker.ietf.org/doc/html/rfc6749) defines the scope of a request as follows:

"The value of the scope parameter is expressed as a list of space-delimited, case-sensitive strings. The strings are defined by the authorization server."

For workflows that use an authorization code, an authenticated user may be prompted for permission to authorize your application. This workflow can present the user with the list of scopes being requested, which are framed as human-meaningful permissions. As such, it is good practice to request only the minimum set of scopes used by your application.

Scopes for FHIR Services

The SMART specification defines the structure of scopes for FHIR services. This structure varies between versions of SMART.

See one of the following resources based on which version of SMART your application uses:

* [SMART App Launch: Scopes and Launch Context (v1.0.0: STU 1)](https://hl7.org/fhir/smart-app-launch/1.0.0/scopes-and-launch-context/index.html)

* [SMART Backend Services: Authorization Guide (v1.0.1: STU1)](https://www.hl7.org/fhir/smart-app-launch/backend-services.html#scopes)

Examples of scopes include:

* **`user/Observation.read`:** Read all values from the Observation resource that the user has access to.

* **`patient/MedicationOrder.read`:** Read medications for a specific patient.

* **`user/Appointment.write`:** Create appointments (SMART 1.0).

* **`user/Appointment.c`:** Create appointments (SMART 2.0).

A resource context prefixes each FHIR scope in SMART. This value represents one of three possible use cases:

* **`user`:** Access to the resource is only constrained by the access of the user.

* **`patient`:** Access to the resource is constrained within context of a single patient.

* **`system`:** Used in system-based authorization workflows, as described in [Requesting Authorization on Behalf of a System](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-RequestingAuthorizationonBehalfofaSystem).

Applications must explicitly request each scope it requires to operate, as we do not support [Wildcard scopes](https://hl7.org/fhir/smart-app-launch/1.0.0/scopes-and-launch-context/index.html#wildcard-scopes). See the linked document for a more detailed discussion of the challenges that they pose.

Scopes for Legacy EHR Services

See the Oracle Health EHR APIs documentation for scope values that are accepted for each API.

Additional Scopes

The SMART authorization framework defines the following scopes that further govern the behavior of authorization:

* **`openid`:** Provides access to the principal of the authenticated user per the [OpenID Connect](http://openid.net/specs/openid-connect-core-1_0.html) specification.

* **`fhirUser`:** Provides an OpenID Connect token that contains the URL of the authenticated user's FHIR resource. This scope was formerly known as profile, but that name has since been retired.

* **`online_access`:** Allows an application to obtain tokens through a refresh process while the authenticated user remains online.

* **`offline_access`:** Allows an application to obtain tokens on behalf of the authenticated user through a refresh process, even after they are no longer online. The user, an administrator, or your application must explicitly revoke the token. An offline access refresh token is revoked automatically if its access is unused for more than three months.

See the [FAQs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-FAQs) for other scope limitations.

Identity Scopes

Certain classes of applications may need to identify the user for whom it is acting on behalf of.

Such requirements can include but are not limited to the following examples:

* Audit or log activity using the user identifier or person's name.

* Display the user's name in the application or in out-of-band (email) communications with the user.

* Perform identity matching to other non-EHR resources managed by the application.

* Authenticate the user in subsequent visits to provide an enriched experience, such as retaining user preferences or protecting access to other non-EHR-managed information (for example, user-created information).

The `openid` scope requests that the Oracle Health authorization server supplies an [OpenID Connect](https://openid.net/specs/openid-connect-core-1_0.html) identity token as part of the authorization workflow.

See [Authorization Server OpenID Connect Support](https://docs.oracle.com/en/industries/health/millennium-platform-apis/authorization-framework/#authorization-server-openID-connect-support) for more information on using the OpenID token.

The `fhirUser` scope also requests that the OpenID Connect token includes a `fhirUser` claim, as defined by the SMART authorization framework. This URL identifies the specific FHIR resource URL of the authenticated user. This resource may be a Patient, Practitioner, or Person resource, depending on the type of user who is authenticated.

Duration Scopes

The default duration of access received through the authorization grant workflow is a single token that is valid for 570 seconds (approximately 10 minutes). For applications that need access to services for longer durations, Oracle HealthFHIR APIs platform supports the concept of refresh tokens.

With the `online_access` scope, your application can continue to obtain access tokens on behalf of the user until one of the following actions occurs:

* The user explicitly logs out using their respective session authority.

* The user’s session expires or is administratively terminated.

* The given organization terminates your application’s access.

With the `offline_access` scope, your application can continue to obtain access tokens in perpetuity on behalf of the user until one of the following actions occurs:

* The user or administrator explicitly terminates the original authorization grant.

* The user’s access to the resources from the original authorization grant is terminated.

* Your application’s access goes unused for more than three months.

* The given organization terminates your application’s access.

Supported Scopes

[Wildcard Scopes](https://hl7.org/fhir/smart-app-launch/scopes-and-launch-context.html#wildcard-scopes) are currently not supported. See the linked document for a more detailed discussion of the challenges that they pose. An application is currently required to specifically request each scope that it needs to run.

Other combinations of scopes may be limited. See the [FAQs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-FAQs) for known limitations.

State

When performing an authorization grant request, Oracle Health recommends that your client application establish a transient, single-use state value for each request. If your application receives an authorization response that does not include a value known to the current user’s device, it should reject the response. This mechanism is to protect your application against cross-site request forgery attacks.

For more information on these types of exploits, see [RFC 6819 - OAuth 2.0 Threat Model and Security Considerations](https://tools.ietf.org/html/rfc6819).

Audience

When performing an authorization grant request, your client application must send the base URL of the resource server for which you are sending access tokens to. This information is conveyed through the `aud` query parameter in the grant request. Our authorization server uses this parameter to protect your application against a form of exploit where an untrusted resource server advertises a legitimate authorization server in its conformance document. Without this feature, your application could inadvertently send a valid, authorized access token to the untrusted party.

The authorization server automatically rejects authorization grant requests that do not contain the audience parameter.

The following fragment is from a `x-www-form-urlencoded` grant request query string where the audience is provided:

```
&aud=https%3A%2F%2Ffhir-ehr-code.cerner.com%2Fdstu2%2Fec2458f2-1e24-41c8-b71b-0e701af7583d%2F
```

Redirect URI

When performing an authorization grant request, the application may provide a `redirect_uri`. This URI should match the redirect URI provided during the registration phase of the SMART application.

If your application has multiple redirect URIs registered, you must include a `redirect_uri` with your authorization grant request.

The `redirect_uri` must be an absolute URI. For more information, see the [Redirection Endpoint](https://datatracker.ietf.org/doc/html/rfc6749#section-3.1.2) section of RFC 6749.

The following fragment is from a `x-www-form-urlencoded` grant request query string where the `redirect_uri` is provided:

```
&redirect_uri=https%3A%2F%2Fapp%2Fafter-auth
```

Launch

Some Oracle Health products support the launch feature of the SMART authorization framework.

This feature provides the following capabilities for your application:

* Oracle Health products can go to the URL of your application in the user's context. When requested by the user, the FHIR base URL is passed to your application, thus avoiding the need for the user to specify which organization or FHIR endpoints the application should interact with.

* Your client application can request contextual information such as the identifiers of the patient record, the encounter being viewed, or the current user.

Examples

See the following examples of authorization requests using SMART Application Launch 1.0.0 - STU1:

```
client id:    bb318a62-fa61-49ae-b692-7d99214f0ec7
scopes:       patient/Observation.read patient/MedicationHistory.read launch
audience:     https://fhir-ehr-code.cerner.com/dstu2/ec2458f2-1e24-41c8-b71b-0e701af7583d/
state:        a4c16a46-2c46-482c-8d66-4cc4a2990bda
launch:       a17aba51-1395-48d3-b3a9-73f2baf784da

https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/protocols/oauth2/profiles/smart-
    v1/personas/patient/authorize?client_id=bb318a62-fa61-49ae-b692-
    7d99214f0ec7&response_type=code&redirect_uri=&scope=patient%2FObservation.read%20patient%2FMedicationHistory.read%20
    launch&launch=a17aba51-1395-48d3-b3a9-73f2baf784da&aud=https%3A%2F%2Ffhir-ehr-
    code.cerner.com%2Fdstu2%2Fec2458f2-1e24-41c8-b71b-0e701af7583d%2F&state=a4c16a46-2c46-482c-8d66-4cc4a2990bda
```

```
client id:    bb318a62-fa61-49ae-b692-7d99214f0ec7
scopes:       user/Observation.read user/MedicationHistory.read
audience:     https://fhir-ehr-code.cerner.com/dstu2/ec2458f2-1e24-41c8-b71b-0e701af7583d/
state:        a4c16a46-2c46-482c-8d66-4cc4a2990bda

https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/protocols/oauth2/profiles/smart-
    v1/personas/patient/authorize?client_id=bb318a62-fa61-49ae-b692-
    7d99214f0ec7&response_type=code&redirect_uri=&scope=user%2FObservation.read%20user%2FMedicationHistory.read%20&launc
    h=&aud=https%3A%2F%2Ffhir-ehr-
    code.cerner.com%2Fdstu2%2Fec2458f2-1e24-41c8-b71b-0e701af7583d%2F&state=a4c16a46-2c46-482c-8d66-4cc4a2990bda
```

Calling an Appropriate User Agent

Once an authorization code grant request URL has been generated, you need an appropriate user agent to call the authorization request. In all scenarios, this web page interacts with the user agent to determine the identity of the user. This process may involve further redirects to other identity providers (web applications designed to authenticate users), interaction with browser JavaScript APIs, or direct interactions with the user to obtain their approval during the authorization process.

This particular part of the process has various complexities. The recommendations offered in this section are designed to ensure that the following expectations are met:

* The user is offered a single sign-on and single log-out experience.

* The authentication and authorization workflows do not affect browser history navigation.

* The use of browser frames and web views do not interfere with the authentication and authorization workflows. Clickjacking defenses, browser plug-ins, and access to local storage or certificates used in authentication may be interfered with.

The sections below discuss how to call the proper user agent for specific platforms.

Client Applications Delivered Through the Browser

For applications delivered through the https scheme in a browser, Oracle Health recommends calling the authorization workflow in a separate window for desktop browsers or a separate tab for mobile browsers. The use of a separate window or tab ensures that any navigation that occurs while servicing the authentication or authorization workflows is maintained separately from your initial tab. The user can then properly navigate backwards in their browser history once the authorization workflow has been completed. On desktop and mobile device platforms that offer split-screen browsing, this methodology creates a clean delineation between your application's workflow and the authorization workflow.

Due to the nature of built-in pop-up blocking functionality, your application may need to open the window based on a user interaction (for example, select or touch). In certain venues, alternatives may be possible to avoid this requirement; further guidance is outside the scope of this guide.

Web-based applications must not attempt to perform the authorization workflow in an iframe. Doing so may have unexpected results caused by clickjacking protection mechanisms, anti-phishing protection mechanisms, browser third-party cookie policy, and so on.

When opening an additional browser window, Oracle Health recommends including the location "chrome" of the browser such that TLS/EVSSL indicators are included for display to the user. These visual cues are an important part of security for some authentication systems.

Your authorization response is in the form of a redirect orchestrated in the subwindow to your registered redirect URI. Once your server has processed the response, JavaScript can be used to notify the main window that the workflow is complete. In turn, the main window can close the subwindow.

Example Javascript for Opening the Authorization Workflow

The JavaScript below demonstrates how an application could open the authorization workflow as a dialog box on desktop platforms. In addition to desktop platforms, this method automatically functions on mobile device platforms by creating an additional tab or split-screen browsing window.

```
var width = 780,
    height = 550,
    left = (screen.width - width) / 2,
    top = (screen.height - height) / 2,
    uniqueWindowId = "authorization-" + yourAppClientId
    params,
    location;
if (top > 20) {
    top = top - 20;
}
params = 'width=' + width + ', height=' + height;
params += ', top=' + top + ', left=' + left;
params += 'titlebar=no, location=yes';
location = build_oauth_request_url();
loginWindow = window.open(location, uniqueWindowId, params);
```

The JavaScript snippets below demonstrate how your application can notify the main window of the completion of the workflow.

The following script allows your main window to listen to `postMessage` calls from subwindows:

```
window.addEventListener("message", function (e) {
    var oauthMessage = e.data;
    loginWindow.close();
    processOAuthMessage(oauthMessage);
}, false);
```

The web page serves the following script at your callback URI:

```
window.opener.postMessage(oauthMessage, 'https://example.com/');
```

The contents of the `oauthMessage` could be the entirety of the query string or the result of any server-side processing handled by your server as a result of the `GET` request to the callback URI.

Other User Experience Considerations

* Use the same window name in the request to `window.open()` to avoid scenarios where a user accidentally opens multiple authorization windows for your application simultaneously.

* Include visual cues to indicate that your application is waiting on the authorization process. For example, a translucent curtain or dialog box with a progress indicator, with text that indicates that you are waiting on user interaction in another window.

* Provide a link or button to cancel the authorization process and close the subwindow.

* Have the Script served at your callback URI check for a main window, and if not present, notify the user. Including a link whose target opens in a new window allows the user to proceed with their original workflow if the user closes the original window that initiated the authorization workflow.

Native Client Applications

Recently, OS platforms have been forced to lock down certain behaviors in their browsers that were traditionally used to facilitate OAuth2-based authorization workflows. Specifically, browsers now interrupt any attempt to direct a user to a native application due to abuse from advertisers of mobile apps. As a result, OS platforms now offer in-app browsers useful for orchestrating authorization workflows that are free of such impediments. These in-app browsers also improve the user experience of OAuth2-based workflows by preventing remnant browser tabs and smoothing the transition between browser and application. No OS app-switching occurs.

Refresh tokens for native applications are handled the same way as web-based applications. See the [Using Refresh Tokens](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework) section below for more information.

See the IETF Best Current Practices (BCP) [OAuth 2.0 for Native Apps](https://tools.ietf.org/html/rfc8252) for more information on best practices for OAuth2-based workflows for native applications.

Note

For the implicit grant authorization flow, the Oracle Health authorization server does not implement PKCE, which is noted in section 8.2 of the native applications BCP.

The sections below discuss specific special cases not covered by the OAuth native application BCP guide.

MicrosoftWindows-Based Applications

Oracle Health currently supports only explicit internet hosts or explicit URI activation schemes for redirection URIs. Developers of traditional MicrosoftWindows applications should complete the Microsoft Learn steps for [Registering an Application to a URI scheme](https://msdn.microsoft.com/en-us/library/aa767914(v=vs.85).aspx) for their application.

The following example is a sample registry file for a hypothetical scheme registration of `sample.application://`:

```
Windows Registry Editor Version 5.00

[HKEY_CLASSES_ROOT\sample.application]
@="URL:Sample Authorization App"
"URL Protocol"=""
"UseOriginalUrlEncoding"="1"

[HKEY_CLASSES_ROOT\sample.application\DefaultIcon]
@="sample.exe,1"
```

```
[HKEY_CLASSES_ROOT\sample.application\shell]

[HKEY_CLASSES_ROOT\sample.application\shell\open]

[HKEY_CLASSES_ROOT\sample.application\shell\open\command]
@="c:\\sample.exe \"%1\""
```

For the above registration, the client application is registered with a redirection URI whose scheme begins with `sample.application://` (for example, `sample.application://callback`). Upon redirection to this scheme, the MicrosoftWindows operating system calls the registered application with the OAuth 2.0 response URI passed as the first argument. The client application can then parse the URI and, in turn, determine which instance of the application initiated the request through examination of the state parameter.

Additional registry settings may be required as browser vendors implement mitigations for scheme flooding vulnerabilities. See the following Fingerprint article for more information: [Exploiting custom protocol handlers for cross-browser tracking in Tor, Safari, Chrome and Firefox](https://fingerprint.com/blog/external-protocol-flooding/).

For example, in recent versions of MicrosoftMicrosoft Edge, the relevant registry settings are `AutoLaunchProtocolsComponentEnabled`, `AutoLaunchProtocolsFromOrigins`, and `DoNotSilentlyBlockProtocolsFromOrigins`. Without these settings, the browser may log error messages to the console such as `Not allowed to launch <your application scheme>` because a user gesture is required. See [Microsoft Edge - Policies](https://learn.microsoft.com/en-us/deployedge/microsoft-edge-policies) for more information.

Processing the Authorization Grant Response

The authorization grant response comes in the form of an `x-www-form-urlencoded` query string, appended to your redirection URI. The base specification for the structure of this response is defined in the [Authorization Code Grant](https://datatracker.ietf.org/doc/html/rfc6749#section-4.1) section of The OAuth 2.0 Authorization Framework.

See the following example:

```
https://example.com/callback?code=0c8b259b-d716-4712-ad6a-1d22d92523fa&state=a4c16a46-2c46-482c-8d66-4cc4a2990bda
```

A successful response has a `code` parameter, and a `state` parameter is also present if your application included state in the initial request.

First, validate that the `state` parameter matches a request that the current device or user agent initiated.

Next, exchange the code for a token per the [Access Token Request](https://www.rfc-editor.org/rfc/rfc6749#section-4.1.3) section of The OAuth 2.0 Authorization Framework.

Note

If the `redirect_uri` parameter was not provided during the authorization request, the `redirect_uri` must be omitted in the token request. Otherwise, if the `redirect_uri` parameter was provided in the authorization request as described in the [Authorization Code Grant](https://datatracker.ietf.org/doc/html/rfc6749#section-4.1) section of The OAuth 2.0 Authorization Framework, the parameter must also be present in the token request and their values must be identical.

See the following example requests and responses:

Request:

```
POST /tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/protocols/oauth2/profiles/smart-v1/token HTTP/1.1
Host: authorization.cerner.com
Accept: application/json
Content-Type: application/x-www-form-urlencoded
Content-Length: 161
Connection: close
grant_type=authorization_code&code=0c8b259b-d716-4712-ad6a-1d22d92523fa&redirect_uri=&client_id=bb318a62-fa61-49ae-b692-
    7d99214f0ec7
```

Response:

```
HTTP/1.1 200 OK
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: OPTIONS, POST
Access-Control-Allow-Headers: Content-Type, Authorization
Cache-Control: no-store
Pragma: no-cache
Content-Type: application/json
Content-Length: 1462
Date: Tue, 01 Nov 2016 19:20:25 GMT

{
  "access_token": "eyJraWQiOiIyMDIwLTA3LTI4VDE3OjM2OjA5LjAwNC5lYyIsInR5cCI6IkpXVCIsImFsZyI6IkVTMjU2In0.eyJzdWIiOiJwb3J0Y
    WwiLCJ1cm46Y29tOmNlcm5lcjphdXRob3JpemF0aW9uOmNsYWltcyI6eyJ2ZXIiOiIxLjAiLCJ0bnQiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZ
    TcwMWFmNzU4M2QiLCJhenMiOiJ1c2VyXC9PYnNlcnZhdGlvbi5yZWFkIn0sImF6cCI6ImZoaXItbG9jYWwiLCJpc3MiOiJodHRwczpcL1wvYXV0aG9ya
    XphdGlvbi5jZXJuZXIuY29tXC8iLCJleHAiOjE1OTYwNTYwNjEsImlhdCI6MTU5NjA1NTQ2MSwianRpIjoiYmMwMzIwYTMtN2E3Yi00MmVkLTgzZDAtM
    WMxMTVlMjBkMDQzIiwidXJuOmNlcm5lcjphdXRob3JpemF0aW9uOmNsYWltczp2ZXJzaW9uOjEiOnsidmVyIjoiMS4wIiwicHJvZmlsZXMiOnsic21hc
    nQtdjEiOnsiYXpzIjoidXNlclwvT2JzZXJ2YXRpb24ucmVhZCJ9fSwiY2xpZW50Ijp7Im5hbWUiOiJGSElSIExvY2FsIFRlc3QgQ2xpZW50IiwiaWQiO
    iJmaGlyLWxvY2FsIn0sInVzZXIiOnsicHJpbmNpcGFsIjoicG9ydGFsIiwicGVyc29uYSI6InByb3ZpZGVyIiwiaWRzcCI6ImVjMjQ1OGYyLTFlMjQtN
    DFjOC1iNzFiLTBlNzAxYWY3NTgzZCIsInNlc3Npb25JZCI6IjFiYmEyOGQ0LTUwM2YtNDgyNi04OTE3LTJhOTIzMzczZjE2YyIsInByaW5jaXBhbFR5c
    GUiOiJ1c2VybmFtZSIsInByaW5jaXBhbFVyaSI6Imh0dHBzOlwvXC9taWxsZW5uaWEuY2VybmVyLmNvbVwvaW5zdGFuY2VcL2VjMjQ1OGYyLTFlMjQtN
    DFjOC1iNzFiLTBlNzAxYWY3NTgzZFwvcHJpbmNpcGFsXC8wMDAwLjAwMDAuMDBDMi42REI1IiwiaWRzcFVyaSI6Imh0dHBzOlwvXC9taWxsZW5uaWEuY
    2VybmVyLmNvbVwvYWNjb3VudHNcL2MxOTQxLmNlcm5fYWJjbi5jZXJuZXJhc3AuY29tXC9lYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M
    2RcL2xvZ2luIn0sInRlbmFudCI6ImVjMjQ1OGYyLTFlMjQtNDFjOC1iNzFiLTBlNzAxYWY3NTgzZCJ9fQ.AruMhr4eaG3QHb794wzavhcD8NQAnao5sZ
    WAe4cFbX4-oSd3pUwomoZ-zR8stSKhnaodS0l5bKGkd72goX0PNQ",
  "scope": "user/Observation.read",
```

```
  "token_type": "Bearer",
  "expires_in": 570
}
```

Evaluate the following elements of the response:

* **`access_token`:** This element is the secret content to send to a FHIR service to prove authorization for acting on behalf of a user.

* **`scope`:** This element is the space-delimited list of scopes that were authorized for use. This list may differ from the list of scopes included in the initial request. In some circumstances, the server may redact scopes, and in others, users may have the capacity to redact scopes.

* **`expires_in`:** This element is the number of seconds before the token expires. If access is required for longer than the expiration of the token, consider requesting `online_access` or `offline_access`, as needed.

The following additional elements may be returned:

* **`patient`:** The FHIR ID of a Patient resource in context of the current launch.

* **`encounter`:** The FHIR ID of an Encounter resource in context of the current launch.

* **`refresh_token`:** A token that can be exchanged at the token endpoint for new access tokens.

* **`id_token`:** An OpenID Connect identity token that can be used as authentication to your application.

Closing the Grant Interaction

Once the authorization grant response is received, the separate window or user agent for facilitating the grant interaction should be automatically closed, where possible. An example for web-based applications is included in the JavaScript example mentioned above. If this step is unsuccessful or not possible, content is provided by the authorization server to inform the user if the additional window can be safely closed. The authorization server itself does not attempt to self-close the window, as this generally results in a prompt from the browser asking for permission.

Exception Handling

Both the authorization grant response and access token response can result in error messages.

The following example is an error message response from the grant workflow:

```
https://example.com/callback?state=f09dcfff-95ff-4e86-a689-
    05c8dd9719a2&error=access_denied&error_uri=https%3A%2F%2Fauthorization.cerner.com%2Ferrors%2Furn%253Acerner%253Aerro
    r%253Aauthorization-server%253Aoauth2%253Agrant%253Adenied-by-server%2Finstances%2F42925fc9-7a7e-4cb0-95e4-
    4d3f178f68b7%3Fpersona%3Dprovider%26client%3Ddevjs%26tenant%3Dec2458f2-1e24-41c8-b71b-0e701af7583d
```

The following example is an error message response from an access token request:

```
{
  "error": "invalid_grant",
  "error_uri": "https://authorization.cerner.com/errors/urn%3Acerner%3Aerror%3Aauthorization-
    server%3Aoauth2%3Atoken%3Acode-invalid-or-
    expired/instances/6359728c-c966-4929-bbf6-2388d353d89e?client=devjs&tenant=ec2458f2-1e24-41c8-b71b-0e701af7583d"
}
```

In either circumstance, the Oracle Health authorization server communicates the `error_uri` parameter, which represents a URI containing additional information useful for users, client application developers, and support personnel, with support contact information for the associated organization. In addition to your application's support instructions displayed to the user, a **More Information** link or button that is hyperlinked to the value of the URI should be presented to the user. Your application can also display a **Retry** or **Start Over** mechanism so that the user can retry the operation once the problem is corrected.

Using Refresh Tokens

If your application is designed to interact with a user over periods of time longer than what a single access token allows, you must use refresh tokens. A refresh token is an additional secret value returned as part of the initial access token response that can be used to obtain additional access tokens. Two forms of access exist; each is requested as a special scope in the authorization grant request.

* **`online_access`:** Grants a refresh token that can be used during a user's authenticated session. These refresh tokens are valid until the user explicitly logs out, an administrator terminates the session, or other risk mechanisms, such as timeouts, require a user to be reauthenticated.

* **`offline_access`:** Grants a refresh token that can be used until a user or administrator revokes it, or until the token is revoked automatically because access is unused for more than three months.

As access tokens are valid for periods that are less than ten minutes, Oracle Health recommends retrieving and caching new tokens before the previous token expires. Doing so out-of-band of a user's interaction reduces the perception of application latency. Refresh attempts at intervals lower than one minute may result in throttling. Using tokens that are near the precipice of expiry is not recommended because latency could result in token rejection.

Access Token Request and Response

See the following examples of the request-response mechanism defined in the [Refreshing an Access Token](https://datatracker.ietf.org/doc/html/rfc6749#section-6) section of The OAuth 2.0 Authorization Framework.

Request:

```
POST /tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/protocols/oauth2/profiles/smart-v1/token HTTP/1.1
Host: authorization.cerner.com
Accept: application/json
Content-Type: application/x-www-form-urlencoded
Content-Length: 75
Connection: close

grant_type=refresh_token&refresh_token=b30911a8-9278-45aa-bbd9-aa05244faf3b
```

Response:

```
HTTP/1.1 200 OK
Access-Control-Allow-Origin: *
Access-Control-Allow-Methods: OPTIONS, POST
Access-Control-Allow-Headers: Content-Type, Authorization
Cache-Control: no-store
Pragma: no-cache
Content-Type: application/json
Content-Length: 1514
Date: Tue, 01 Nov 2016 20:48:32 GMT

{
  "access_token": "eyJraWQiOiIyMDIwLTA3LTI4VDE3OjM2OjA5LjAwNC5lYyIsInR5cCI6IkpXVCIsImFsZyI6IkVTMjU2In0.eyJzdWIiOiJwb3J0Y
    WwiLCJ1cm46Y29tOmNlcm5lcjphdXRob3JpemF0aW9uOmNsYWltcyI6eyJ2ZXIiOiIxLjAiLCJ0bnQiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZ
    TcwMWFmNzU4M2QiLCJhenMiOiJvbmxpbmVfYWNjZXNzIHVzZXJcL09ic2VydmF0aW9uLnJlYWQifSwiYXpwIjoiZmhpci1sb2NhbCIsImlzcyI6Imh0d
    HBzOlwvXC9hdXRob3JpemF0aW9uLmNlcm5lci5jb21cLyIsImV4cCI6MTU5NjA1NjIyOCwiaWF0IjoxNTk2MDU1NjI4LCJqdGkiOiI4YzdjNDBlMy00N
    DA0LTQ4MmMtYjY2MC0xOTFhNWQ1M2ViNjAiLCJ1cm46Y2VybmVyOmF1dGhvcml6YXRpb246Y2xhaW1zOnZlcnNpb246MSI6eyJ2ZXIiOiIxLjAiLCJwc
    m9maWxlcyI6eyJzbWFydC12MSI6eyJhenMiOiJvbmxpbmVfYWNjZXNzIHVzZXJcL09ic2VydmF0aW9uLnJlYWQifX0sImNsaWVudCI6eyJuYW1lIjoiR
    khJUiBMb2NhbCBUZXN0IENsaWVudCIsImlkIjoiZmhpci1sb2NhbCJ9LCJ1c2VyIjp7InByaW5jaXBhbCI6InBvcnRhbCIsInBlcnNvbmEiOiJwcm92a
    WRlciIsImlkc3AiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2QiLCJzZXNzaW9uSWQiOiIxYmJhMjhkNC01MDNmLTQ4MjYtODkxN
    y0yYTkyMzM3M2YxNmMiLCJwcmluY2lwYWxUeXBlIjoidXNlcm5hbWUiLCJwcmluY2lwYWxVcmkiOiJodHRwczpcL1wvbWlsbGVubmlhLmNlcm5lci5jb
    21cL2luc3RhbmNlXC9lYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2RcL3ByaW5jaXBhbFwvMDAwMC4wMDAwLjAwQzIuNkRCNSIsImlkc
    3BVcmkiOiJodHRwczpcL1wvbWlsbGVubmlhLmNlcm5lci5jb21cL2FjY291bnRzXC9jMTk0MS5jZXJuX2FiY24uY2VybmVyYXNwLmNvbVwvZWMyNDU4Z
    jItMWUyNC00MWM4LWI3MWItMGU3MDFhZjc1ODNkXC9sb2dpbiJ9LCJ0ZW5hbnQiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2Qif
    X0.e0fhw5QGS_Nf2GQw5zdPOr79j-NQkk5pWQKuvXgo_jMW3Nwqi47KKrMF2eUkAtf9-_hyHEU_R6Ri8Je5FRfjoA",
  "scope": "user/Observation.read online_access",
  "token_type": "Bearer",
  "expires_in": 570
}
```

Note

The token response from a refresh does not contain a new refresh token. The refresh token from the initial grant response must be retained.

Considerations for Handling `online_access`

When retrieving an access token using an `online_access` refresh, the most likely cause of failures is that the user's session has been terminated.

The following steps are recommended for the user experience:

* Indicate that the user may have logged out, or that the server otherwise requires that they log in again.

* If your application was called through a launch, and the persona being serviced is a provider, direct the user to open the application again.

* Offer the user the opportunity to log in again (start the authorization grant workflow again) as appropriate.

* Offer a **More Information** link or button hyperlinked to the `error_uri` value.

Considerations for Handling `offline_access`

The Oracle Health authorization server can be used as an authentication mechanism by using the `openid` scope. In this scenario, an offline access refresh token can be stored in your application's service tier and associated with the user's OpenID Connect principal and issuer. Upon subsequent access, the client application calls an authorization request containing the `openid` scope to solely perform authentication. This authentication allows your service tier to identify the user and any refresh tokens your application currently possesses for the user.

Note

The Oracle Health authorization server currently does not support the stand-alone OpenID workflow for patient application use cases.

When retrieving an access token using an offline_access refresh, the most likely cause of failures is that access has been suspended or revoked.

The following steps are recommended for the user experience:

* Indicate that the application's access may have been suspended or revoked.

* Offer a **More Information** link or button hyperlinked to the `error_uri` value.

* Offer the ability for the user to rerequest authorization for your client application.

Note

The authorization server does not explicitly indicate whether a token was revoked or suspended. As a result, additional recommendations are provided below to improve the overall interaction with the user.

The `error_uri` used in the link or button should open a separate browser window. This function is recommended because the user has no callback or redirect mechanism to get back into the application once they perform an action. The `error_uri` only provides an opportunity for the user to reapprove the application if it was temporarily suspended.

Also, your application should provide a dialog box to prompt the user for an action that coincides with their choice or action in the separate window. This dialog box should include options to retry the token refresh, request an entirely new authorization grant, and stop using the application (and log out, if necessary).

Note that the automatic suspension of a token can occur when the TLS or DNS information has changed since the original authorization. For example, if your application's TLS certificate has expired, then your application's refresh token is suspended. See the [Application Registration Prerequisites for Developers](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework) section for additional information about TLS and DNS requirements.

Using Authorization

To use our API resources, include an Authorization header with your bearer token in the HTTP request per [The OAuth 2.0 Authorization Framework: Bearer Token Usage](https://tools.ietf.org/html/rfc6750).

See the following example request header:

```
Authorization: Bearer eyJraWQiOiIyMDIwLTA3LTI4VDE3OjM2OjA5LjAwNC5lYyIsInR5cCI6IkpXVCIsImFsZyI6IkVTMjU2In0.eyJzdWIiOiJwb3
    J0YWwiLCJ1cm46Y29tOmNlcm5lcjphdXRob3JpemF0aW9uOmNsYWltcyI6eyJ2ZXIiOiIxLjAiLCJ0bnQiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi
    0wZTcwMWFmNzU4M2QiLCJhenMiOiJvbmxpbmVfYWNjZXNzIHVzZXJcL09ic2VydmF0aW9uLnJlYWQifSwiYXpwIjoiZmhpci1sb2NhbCIsImlzcyI6Im
    h0dHBzOlwvXC9hdXRob3JpemF0aW9uLmNlcm5lci5jb21cLyIsImV4cCI6MTU5NjA1NjIyOCwiaWF0IjoxNTk2MDU1NjI4LCJqdGkiOiI4YzdjNDBlMy
    00NDA0LTQ4MmMtYjY2MC0xOTFhNWQ1M2ViNjAiLCJ1cm46Y2VybmVyOmF1dGhvcml6YXRpb246Y2xhaW1zOnZlcnNpb246MSI6eyJ2ZXIiOiIxLjAiLC
    Jwcm9maWxlcyI6eyJzbWFydC12MSI6eyJhenMiOiJvbmxpbmVfYWNjZXNzIHVzZXJcL09ic2VydmF0aW9uLnJlYWQifX0sImNsaWVudCI6eyJuYW1lIj
    oiRkhJUiBMb2NhbCBUZXN0IENsaWVudCIsImlkIjoiZmhpci1sb2NhbCJ9LCJ1c2VyIjp7InByaW5jaXBhbCI6InBvcnRhbCIsInBlcnNvbmEiOiJwcm
    92aWRlciIsImlkc3AiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2QiLCJzZXNzaW9uSWQiOiIxYmJhMjhkNC01MDNmLTQ4MjYtOD
    kxNy0yYTkyMzM3M2YxNmMiLCJwcmluY2lwYWxUeXBlIjoidXNlcm5hbWUiLCJwcmluY2lwYWxVcmkiOiJodHRwczpcL1wvbWlsbGVubmlhLmNlcm5lci
    5jb21cL2luc3RhbmNlXC9lYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2RcL3ByaW5jaXBhbFwvMDAwMC4wMDAwLjAwQzIuNkRCNSIsIm
    lkc3BVcmkiOiJodHRwczpcL1wvbWlsbGVubmlhLmNlcm5lci5jb21cL2FjY291bnRzXC9jMTk0MS5jZXJuX2FiY24uY2VybmVyYXNwLmNvbVwvZWMyND
    U4ZjItMWUyNC00MWM4LWI3MWItMGU3MDFhZjc1ODNkXC9sb2dpbiJ9LCJ0ZW5hbnQiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2
    QifX0.e0fhw5QGS_Nf2GQw5zdPOr79j-NQkk5pWQKuvXgo_jMW3Nwqi47KKrMF2eUkAtf9-_hyHEU_R6Ri8Je5FRfjoA
```

If the access token is invalid, the FHIR resource returns a `WWW-Authenticate` header in the response with additional details per [The OAuth 2.0 Authorization Framework: Bearer Token Usage](https://tools.ietf.org/html/rfc6750).

User Experience

The next sections provide user experience recommendations to incorporate in your application's design.

Handling the Authorization Request Window Being Closed

When presenting an authorization request to the user, the user might close the window. This scenario could occur if the user does not accept the terms or if the content is not displayed.

In this scenario, your application detects if the window closes and allows the user to try again or to cancel, explaining any consequences.

Providing a Link to Manage Authorized Applications

If your application is interactive and uses `online_access` or `offline_access`, it presents an option to the user to manage their current authorizations. Generally, such options are presented with a menu from a status bar.

See the [Discovering Authorization URLs for FHIR APIs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-DiscoveringAuthorizationURLsforFHIRAPIs) section for information on how to discover the management endpoint for a user.

Requesting Authorization on Behalf of a System

Certain types of applications and automated processes do not act on behalf of users. This use case is used by a covered entity itself or another entity covered under a business associate agreement.

Some Oracle Health APIs support this model, allowing a client application to directly authenticate for access using a system account issued through [System Account Management Help](https://wiki.cerner.com/display/CernerCentral/System+Account+Management+Help).

See the [Registering a System Account](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-RegisteringaSystemAccount) section for more information on how to register these applications.

Note

This access model is only supported on resources where explicitly indicated in their respective API resource documentation.

Basic Authentication

A customer performs this request using the customer credentials flow of OAuth2 to request an access token, using the Basic authentication scheme as described in [RFC 2617 - HTTP Authentication: Basic and Digest Access Authentication](https://tools.ietf.org/html/rfc2617). The credentials used to perform this request are based on the system account.

Create the access token using the system account's ID and secret, which are then encoded using the Base64 encoding scheme. The token can then be used as the Basic authorization for an API request.

The following example is an access token using the Basic authentication scheme:

```
System account id / Client id: bb318a62-fa61-49ae-b692-7d99214f0ec7
Secret: secret

Base64 encode "clientid:secret":
"bb318a62-fa61-49ae-b692-7d99214f0ec7:secret" => YmIzMThhNjItZmE2MS00OWFlLWI2OTItN2Q5OTIxNGYwZWM3OnNlY3JldA==

Use this value in Authorization header:
Authorization: Basic YmIzMThhNjItZmE2MS00OWFlLWI2OTItN2Q5OTIxNGYwZWM3OnNlY3JldA==
```

The following non-normative example is a request made using the system account credentials:

```
POST /tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/protocols/oauth2/profiles/smart-v1/token HTTP/1.1
Host: authorization.cerner.com
Authorization: Basic YmIzMThhNjItZmE2MS00OWFlLWI2OTItN2Q5OTIxNGYwZWM3OnNlY3JldA==
Accept: application/json
Content-Type: application/x-www-form-urlencoded
Content-Length: 61
Connection: close
grant_type=client_credentials&scope=system%2FObservation.read%20system%2FPatient.read
```

The following example demonstrates how the token may be requested through cURL:

```
export SYSTEM_ACCOUNT_CLIENT_ID="bb318a62-fa61-49ae-b692-7d99214f0ec7"
export SYSTEM_ACCOUNT_CLIENT_SECRET="secret"

curl -X POST
    'https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/protocols/oauth2/profiles/smart-
    v1/token' \
  -H 'Accept: application/json' \
  -H "Authorization: Basic $(echo -n $SYSTEM_ACCOUNT_CLIENT_ID:$SYSTEM_ACCOUNT_CLIENT_SECRET | base64)" \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -H 'cache-control: no-cache' \
  -d 'grant_type=client_credentials&scope=system%2FObservation.read%20system%2FPatient.read'
```

JWT Authentication

Alternatively, client applications may authenticate themselves using signed JSON Web Tokens (JWTs), which is the appropriate mode of authentication for Bulk Data Access.

See [Bulk Data Access](http://hl7.org/fhir/uv/bulkdata/) and [SMART App Launch: Backend Services](http://hl7.org/fhir/smart-app-launch/STU2/backend-services.html) on the HL7FHIR website for more information.

Note that client applications using this type of authentication must also preregister their JSON Web Key Sets (JWKS) using [System Account Management Help](https://wiki.cerner.com/display/CernerCentral/System+Account+Management+Help). For complete details, see [Managing JSON Web Key Sets in System Account Management](https://wiki.cerner.com/display/CernerCentral/Managing+JSON+Web+Key+Sets+in+System+Account+Management).

FHIR Service Authorization Specification v1.0

SMART on FHIR is a framework designed to enable the secure integration of applications with electronic health records (EHRs), portals, health information exchanges (HIEs), and other health IT systems through the FHIR standard. This document codifies a formal technical specification based on the open source SMART on FHIR framework. This specification is targeted at both client application developers and developers of EHRs for securely consuming and securely offering FHIR services, respectively.

License

This document is licensed under [Creative Commons Attribution 4.0 International (CC BY 4.0)](https://creativecommons.org/licenses/by/4.0/).

Introduction

Within the healthcare environment, multiple actors may be involved with an individual's health record. When an application needs to access data in an EHR through a FHIR service, it may need to interact (directly or indirectly) with one or more of these actors to obtain authorization to perform work.

The SMART on FHIR framework standardizes the mechanisms under which an application obtains authorization to the following types of resources:

* Clinical information.

* Contextual information for the resources currently of interest to an individual accessing the EHR.

* Identity information for the individual currently accessing the EHR.

To orchestrate this interaction, SMART on FHIR defines a set of authorization profiles and extensions for [The OAuth 2.0 Authorization Framework](https://tools.ietf.org/html/rfc6749).

Terminology

The following terms are used in this specification:

* **Application:** Synonymous with client or SMART application, a piece computer software designed to use FHIR services to orchestrate an activity for the user.

* **Electronic Health Record (EHR):** Computer software designed to store and process information about a person's health information, such as medications, allergies, medical history, and so on. The EHR acts as a resource server by providing FHIR services, is responsible for authenticating end users, and is responsible for providing an authorization server.

* **Healthcare Institution:** An organization that operates an EHR for use in providing healthcare to a population of users and is responsible for policy decisions regarding the use of the record. The healthcare institution has ultimate ownership of the information in the EHR, but in certain cases may delegate the role of resource ownership to end users.

* **Patient:** An individual whose personal health information is stored in the EHR. A patient may also be the end user, acting in the capacity of a resource owner.

* **EHR Application:** A piece of computer software that is directly part of the EHR implementation and tracks the end user's current context.

Notational Convention

The key words "MUST," "MUST NOT," "REQUIRED," "SHALL," "SHALL NOT," "SHOULD," "SHOULD NOT," "RECOMMENDED," "MAY," and "OPTIONAL" in this document are to be interpreted as described in [Key Words for Use in RFCs to Indicate Requirement Levels](https://datatracker.ietf.org/doc/html/rfc2119).

Unless otherwise noted, all the protocol parameter names and values are case-sensitive.

Specification

SMART on FHIR describes the following types of workflows:

* **Contextless Flow:** Used where a SMART application seeks to acquire authorization to access clinical information and does not require context from the EHR.

* **EHR Launch Flow:** Used by an EHR application to pass a specific context to a SMART application, which in turn attempts to acquire authorization from the EHR.

* **SMART Application Launch Flow:** Used by a SMART application to request context and authorization from an EHR to access resources.

Contextless Flow

* The end user begins a workflow in the SMART application that requires access to FHIR resources. The SMART application has either been preconfigured to work with a specific FHIR resource server, or the user has instructed the SMART application as to the location of the FHIR resource server, or the application is accessing a record it had previously accessed.

* The SMART application performs discovery by requesting the FHIR server's conformance statement.

* The FHIR server returns the conformance statement, which provides the needed endpoints for Steps 4 and 8.

* The SMART application creates an OAuth 2.0 authorization grant request, then directs the end user to the authorization server's authorization endpoint through a browser with said request. This request contains a request for the appropriate scopes necessary to access the FHIR resource.

* The authorization server interacts with the resource owner to verify identity or other information required by the authorization server.

* The end user provides any information needed by the authorization server to proceed.

* An authorization grant is sent through the OAuth 2.0 framework back to the SMART application.

* The SMART application requests an access token using the authorization code.

* The authorization server returns the access token.

* The SMART application uses the access token to request a FHIR resource.

* The FHIR resource server returns the requested resource.

Usage

The contextless flow constitutes the most basic use of SMART workflows and is used where the FHIR resource needed by the SMART application is already known.

Such scenarios include the following examples:

* The application is provided context through some other means, such as a system-generated hyperlink to the application.

* The resource was previously used by the application, but access has expired and a new request for authorization needs to be generated.

Contextless Flow Authorization Request

SMART applications SHALL use an [authorization code grant](http://tools.ietf.org/html/rfc6749#section-4.1) to request authorization to FHIR resources. A SMART application SHOULD request scopes needed to access the resource (per the Scopes section of this topic) for maximum interoperability. The application MAY omit the redirect URI, as SMART registration

requires a default redirect URI.

In addition, SMART applications MUST send the state parameter, as detailed in the [OAuth 2.0 Threat Model and Security Considerations](https://tools.ietf.org/html/rfc6819).

SMART applications that are written natively for a platform SHOULD use the operating system's default browser when performing the authorization request such that the authorization server may comply with any security controls that are imparted upon it.

Such controls may include the following examples:

* Support for single sign-on.

* Support for anti-phishing controls implemented through persistent browser state or browser plug-ins.

* Support for external native applications for sign-on.

* External regulatory requirements that would prohibit user credentials from being entered through an embedded browser in the SMART application.

Such "native" applications MAY support orchestrating the authorization flow in an embedded browser where requested out-of-band by the EHR provider.

Contextless Flow Authorization Response

Authorization servers SHALL return an [OAuth 2.0 authorization code grant](http://tools.ietf.org/html/rfc6749#section-4.1) to exchange authorization with the SMART application. Authorization servers MAY ask the end user for explicit approval to allow the SMART application to complete this workflow.

Contextless Flow Access Token Request

SMART applications SHALL use an access token request as described in the [Access Token Request](https://www.rfc-editor.org/rfc/rfc6749#section-4.1.3) section of The OAuth 2.0 Authorization Framework. The authorization server MAY conditionally require customer authentication, depending on the use case.

Contextless Flow Access Token Response

Authorization servers SHALL use an access token response as described in the [Access Token Response](https://www.rfc-editor.org/rfc/rfc6749#section-4.1.4) section of The OAuth 2.0 Authorization Framework to respond to the SMART application's request. As part of the token response, authorization servers SHALL support the return of an `id_token` where requested and authorized containing a minimal set of identity data, as described in the User Identity section.

Contextless Flow Resource Server Request

To request a FHIR resource, SMART applications SHALL send the bearer token as an authorization header, as defined in the [Authorization Request Header Field](https://datatracker.ietf.org/doc/html/rfc6750#section-2.1) section of The OAuth 2.0 Authorization Framework: Bearer Token Usage.

EHR Launch Flow

![Diagram of the SMART Application EHR Launch Flow](https://wiki.cerner.com/download/attachments/3216480818/Millennium_SMART_App_EHR_Launch_Flow_v1.png?version=2&modificationDate=1785875105000&api=v2)

* The end user selects to open a SMART application from within an EHR application.

* The EHR directs the user to a URI endpoint registered for the SMART application containing a reference to the current context information, and the location of the EHR's FHIR API.

* The SMART application performs discovery by requesting the FHIR server's conformance statement.

* The FHIR server returns the conformance statement, which provides the needed endpoints for Steps 5 and 9.

* The SMART application creates an OAuth 2.0 authorization grant request, then directs the end user to the authorization server's authorization endpoint through a browser with said request. This request contains a request for the appropriate scopes necessary to access the FHIR resource.

* The authorization server interacts with the resource owner to verify identity or other information required by the authorization server.

* The end user provides any information needed by the authorization server to proceed.

* An authorization grant is sent through the OAuth 2.0 framework back to the SMART application.

* The SMART application requests an access token using the authorization code.

* The authorization server returns the access token.

* The SMART application uses the access token to request a FHIR resource.

* The FHIR resource server returns the requested resource.

EHR Launch Request

In the EHR application launch flow, the end user opens a SMART application from the EHR. To receive such a launch, the SMART application implements an endpoint at a specific URI that accepts the following query parameters:

* **`iss`:** Identifies the EHR's FHIR endpoint, which the application can use to obtain additional details about the EHR, including its authorization URL.

* **`launch`:** An opaque identifier for this specific launch and any EHR context associated with it.

Normative example:

```
https://example.org/launch?iss=https%3A%2F%2Fehr%2FFHIR&launch=ef1e6860-db06-4572-b311-02881d01d03d
```

The syntax for such `launch` codes is defined in [Appendix C: Launch Code Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixC). The syntax for the `iss` value is defined in [Appendix D: Launch Issuer Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixD).

EHR Launch Flow Authorization Request

Upon receipt of a launch context, a SMART application SHALL initiate an authorization grant request to the EHR's authorization server as previously described in the [Contextless Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlow) section. The SMART application SHALL include the following extension parameters with the request:

* **`aud`:** The value of the issuer parameter received by the SMART application from the EHR launch request.

* **`launch`:** The value of the launch parameter received by the SMART application from the EHR launch request.

In addition, the SMART application MUST include the scope of launch as indicated in the [Resource Server Request](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ResourceServerRequest) section.

EHR Launch Flow Authorization Response

Authorization servers SHALL return an [OAuth 2.0 authorization code grant](http://tools.ietf.org/html/rfc6749#section-4.1) to exchange authorization with the SMART application. Authorization servers SHOULD reject the request if the authorization code is not associated with the current user. This step prevents cross-site request forgery of SMART application launches.

Upon successful authorization, the authorization server SHALL associate the resulting authorization code with the context information associated with the launch code for retrieval through an access token request.

EHR Launch Flow Access Token Request

SMART applications SHALL use an access token request as described in the [Access Token Request](http://tools.ietf.org/html/rfc6749#section-4.1.3) section of The OAuth 2.0 Authorization Framework.

EHR Launch Flow Access Token Response

When the SMART application exchanges the authorization code for an access token, the authorization server SHALL return the associated context information as parameters in the token response.

The following custom parameters are defined by this specification:

Parameter | Example value | Meaning

`patient` | `123` | A string value with a patient ID, indicating that the launch was in the context of FHIR Patient 123. All scopes with a resource context of`patient`are constrained to Patient 123.

`encounter` | `123` | A string value with an encounter ID, indicating that the launch was in the context of FHIR Encounter 123.

`resource` | `MedicationPrescription/123` | A string value with a relative resource link, describing a specific resource context (in this example, a particular medication prescription). This parameter is a generic mechanism to communicate to an application that a particular resource is of interest at launch time.

`intent` | `reconcile-medications` | A string value describing the intent of the application launch.

Launch Intent

Some SMART applications might offer more than one context or user interface that can be accessed during the EHR launch. An authorization server MAY include the intent parameter to communicate the specific user interface that the SMART application should display.

Launch intent values are not defined by this specification, but most conform to the syntax defined in [Appendix E: Launch Intent Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixE). Such values and their associated semantics are decided through out-of-band agreement between SMART applications and EHR implementations.

EHR Launch Flow Resource Server Request

SMART applications use the bearer token from the token response as described in the [Contextless Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlow) section to access resources.

SMART Application Launch Flow

* The end user selects an option in a SMART application to retrieve context from the EHR application.

* The SMART application performs discovery by requesting the FHIR server's conformance statement. The mechanism for how the SMART application is provided the URL for the FHIR server is not defined by this specification.

* The FHIR server returns the conformance statement, which provides the needed endpoints for Steps 4 and 8.

* The SMART application creates an OAuth 2.0 authorization grant request, then directs the end user to the authorization server's authorization endpoint through a browser with said request. This request contains a request for the appropriate scopes necessary to access the FHIR resource, with scopes to request the specific types of context information.

* The authorization server extrapolates the current context in the EHR for the user. This process may involve direct interaction with the user to confirm such context, or to prompt the user to establish context, or to authenticate the user.

* The user confirms or establishes the necessary context for the authorization server.

* An authorization grant is sent through the OAuth 2.0 framework back to the SMART application.

* The SMART application requests an access token using the authorization code.

* The authorization server returns the access token.

* The SMART application uses the access token to request a FHIR resource.

* The FHIR resource server returns the requested resource.

SMART Application Launch Flow Authorization Request

In the SMART application launch flow, the end user initiates an action in a SMART application that requires access to context in the EHR. The SMART application in some way is supplied the base URL for the FHIR service of the EHR; the details of such provisioning are not defined by this specification. After performing discovery, the SMART application SHALL initiate an authorization grant request to the EHR's authorization server as described previously in the [Contextless Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlow) section.

The SMART application SHALL include one or more scopes that convey the information that is needed for launch as defined in the [Scopes](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-Scopes) section of this topic.

SMART Application Launch Flow Authorization Response

The authorization server returns a response as described in the [Contextless Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlow) section.

Upon successful authorization, the authorization server SHALL associate the resulting authorization code with the current context information.

SMART Application Launch Flow Access Token Request

SMART applications SHALL use an access token request as described in the [Access Token Request](https://datatracker.ietf.org/doc/html/rfc6749#section-4.1.3) section of The OAuth 2.0 Authorization Framework.

SMART Application Launch Flow Access Token Response

The authorization server returns a response as described previously in the [Contextless Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlow) section.

SMART Application Launch Flow Resource Server Request

SMART applications use the bearer token from the token response as described previously in the [Contextless Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlow) section to access resources.

Client Credentials Flow

![Diagram of the SMART Application Client Credentials Flow](https://wiki.cerner.com/download/attachments/3216480818/Millennium_SMART_App_Client_Credentials_Flow_v1.png?version=1&modificationDate=1785876103000&api=v2)

* The SMART application performsdiscoveryby requesting the FHIR server's conformance statement. The mechanism for how the SMART application is provided the URL for the FHIR server is not defined by this specification.

* The FHIR server returns the conformance statement, which provides the needed endpoint for Step 3.

* The SMART application requests an access token using its credentials.

* The authorization server returns the access token.

* The SMART application uses the access token to request a FHIR resource.

* The FHIR resource server returns the requested resource.

Client Credentials Flow Access Token Request

SMART applications SHALL use an access token request as described in the [Access Token Response](https://datatracker.ietf.org/doc/html/rfc6749#section-4.4.3) section of The OAuth 2.0 Authorization Framework. The application MUST include credentials; it is RECOMMENDED that authorization servers support basic authentication per

[HTTP Authentication: Basic and Digest Access Authentication](https://datatracker.ietf.org/doc/html/rfc2617), and MAY offer other authentication mechanisms to customers.

Client Credentials Flow Access Token Response

The authorization server returns a response as described previously in the [Contextless Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlow) section.

Client Credentials Flow Resource Server Request

SMART applications use the bearer token from the token response as described previously in the [Contextless Flow](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ContextlessFlow) section.

Scopes

To obtain access to resources, an application must request the set of scopes necessary for it to perform work on behalf of the end user.

The SMART on FHIR framework describes the following distinct collections of scopes:

* Resource access

* Access to identity information

* Requests for launch information

* Longevity modifiers

Resource Access

A request to access a collection of FHIR resources consists of one or more SMART scopes.

Each SMART scope is constructed per the structure defined in [Appendix A: Resource Scope Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixA) and contains the following elements:

* **Resource Context:** The context in which rights are being requested, described in the [Resource Context](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ResourceContext) section.

* **Resource Type:** A FHIR resource type whose name is constrained by Name.

* **Modification Rights:** The rights to read, write, or both to the given type-level or instance-level resources.

Resource Context

The following contexts are defined:

* **User:** User access allows an application access to any individual resource instance that the authenticated end user is authorized to access.

* **Patient:** Patient access restricts an application’s access to only the individual resource instances that are associated with the patient who is directly or indirectly in context. Requests for such scopes may only occur with the use of a launch flow.

* **System:** System access allows an application to access a resource directly, without an authenticated user present. This access can only be used with the client credentials flow, and MUST NOT be combined with other contexts.

Resource Type

The resource type of a resource scope must conform with a valid resource type as defined in the [FHIR Resource Index](https://www.hl7.org/fhir/resourcelist.html).

Modification Rights

The following rights are defined by SMART 1.0:

* **Read:** Corresponds with `read`, `vread`, and `history` for instance-level interactions as defined by the [FHIR RESTful API](https://hl7.org/fhir/) specification. When the resource context is **User**, type-level interactions of `search` and `history` are also allowed.

* **Write:** Corresponds with `update` and `delete` for instance-level interactions. When the resource context is **User**, type-level interactions of `create` and `validate` are also allowed.

* ***:** Corresponds with both `read` and `write` access, as defined above. This modification right is not supported in the Oracle Health implementation.

The following rights are defined by SMART 2.0 (and must be used in this specific order):

* **Create:** The ability to insert new records.

* **Read:** The ability to retrieve records.

* **Update:** The ability to make changes to existing records.

* **Delete:** The ability to remove records.

* **Search:** The ability to locate records that match some criteria.

Finer-Grained Resource Constraints Using Search Parameters

As of SMART 2.0, patients can optionally use search parameters to impose finer-grained resource constraints. The Oracle Health implementation of this feature is limited to the `category` search parameter for the Condition and Observation FHIR resources, for the categories listed in the [HTI-1 Final Rule](https://www.federalregister.gov/d/2023-28857/p-1245).

For example, if your application requests `patient/Condition.rs`, it might only receive `patient/Condition.rs?category=http://terminology.hl7.org/CodeSystem/condition-category|health-concern` in response, if the patient decides to limit your application's access to include only the Health Concerns category of Conditions. See [App Launch: Scopes and Launch Context](https://hl7.org/fhir/smart-app-launch/STU2/scopes-and-launch-context.html#finer-grained-resource-constraints-using-search-parameters) for further technical details.

Examples

The following scopes are normative examples of the resource scopes in SMART 1.0:

Scope | Authorizes Access to
`patient/Observation.read` | Read all observations about the patient in context.
`patient/Observation.write` | Add new observations about the patient, such as new blood pressure readings.
`user/Observation.read` | Read a feed of all new laboratory observations across a patient population.
`user/Appointment.write` | Add new appointments for the user.
`system/Patient.read` | Read all patient records accessible to the given client using its own credentials.

The following scopes are normative examples of the resource scopes in SMART 2.0:

cope | Authorizes Access to
`patient/Observation.rs` | Read all observations about the patient in context.
`patient/Observation.cu` | Add new observations about the patient, such as new blood pressure readings.
`user/Observation.rs` | Read a feed of all new laboratory observations across a patient population.
`user/Appointment.cu` | Add new appointments for the user.
`system/Patient.rs` | Read all patient records accessible to the given client using its own credentials.

Scopes for Identity Information

The following scopes are defined for requesting identity information:

* **`openid`:** Requests that an OpenID Connect `id_token` be returned with the access token.

* **`fhirUser`:** Requests access to the FHIR resource that represents the user, and that the location of said resource is returned in the OpenID token.

See the [User Identity](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-UserIdentity) section for more information on how to use the identity information.

Scopes for Launch Information

When servicing a launch request, a SMART application MUST include the scope of launch in its list of requested scopes.

For SMART applications performing the SMART Application Launch Flow, the following scopes are defined by this specification:

Scope | Requests context
`launch/patient` | Requests the EHR to provide context regarding a patient.
`launch/encounter` | Requests the EHR to provide context regarding an encounter.

An EHR MAY support additional custom launch scopes. When doing so, the scope name must conform to the syntax defined in [Appendix B: Launch Scope Syntax](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-AppendixB).

Scopes for Longevity

SMART on FHIR provides a mechanism for a client application to request a longevity for the access that is being requested. Without such modifiers, no assumptions can be made about how long access may be granted. A given authorization server SHOULD generate access tokens that have short lifetimes by default, and provide a refresh token where longer access is explicitly requested.

To request longevity, a SMART application MAY include one of the following scopes:

* **`online_access`:** Where authorized, the authorization server SHALL provide a refresh token that may be used to obtain new access tokens as long as the user has an active session with the EHR.

* **`offline_access`:** Where authorized, the authorization server SHALL provide a refresh token that may be used to obtain new access tokens even when the user is no longer authenticated. This refresh token remains valid until individually revoked at the authorization server or until the

SMART application's relationship with the EHR is terminated.

These scopes MUST NOT be used with the client credentials flow, as they are not applicable to that use case.

Disambiguation of Scopes Between Competing Protocols

If an authorization request is used with a protocol that defines a competing scope, a SMART application or authorization server MAY prepend the following prefix to a scope:

`http://smarthealthit.org/FHIR/scopes/`

Normative example:

`http://smarthealthit.org/FHIR/scopes/user/Observation.read`

Applications and authorization servers MUST consider the fully qualified scope names semantically equivalent to the shorthand versions where no conflicts exist with other values. For example, an authorization server MAY return the fully qualified scopes in the authorized access token response in response to the short-hand versions being used.

Note

The `openid` and `fhirUser` scopes are defined by the OpenID Connect specification, which does not define a prefix.

User Identity

SMART on FHIR allows for identity information about the end user to be obtained through an [OpenID Connect Core 1.0 Incorporating Errata Set 1](http://openid.net/specs/openid-connect-core-1_0.html) identity token. SMART applications MAY request such identity information by requesting the scope of `openid` during its authorization request. Authorization servers MUST provide an `id_token` as part of the access token response if the SMART application is authorized to obtain the information.

OpenID Connect Identifier Permanency

The authorization server MUST include a permanent URL for the issuer (`iss`) value of the token. The URL MUST NOT contain path segments that vary over time, such as version information for the FHIR or SMART protocol being used. The value of the subject (`sub`) of the `id_token` must be a permanent identifier for the end user, whose value is stable. SMART applications MUST treat the combination of issuer and subject as the universally unique identifier for the end user.

Nonrepudiation of OpenID Connect id_tokens

The authorization server SHALL sign the `id_token` per the OpenID Connect specification using the RS256 algorithm.

The authorization server SHALL make its public keys available as described in [OpenID Connect Discovery 1.0 Incorporating Errata Set 1](https://openid.net/specs/openid-connect-discovery-1_0.html), incorporating both an OpenID Provider Configuration document and a JSON Web Key document describing the public keys used to sign tokens.

SMART applications MUST validate the token per the token validation section of [OpenID Connect Core 1.0 Incorporating Errata Set 1](http://openid.net/specs/openid-connect-core-1_0.html).

`fhirUser` Resource

In addition to the to requesting access to the user's OpenID identity, a SMART application MAY request access to the FHIR resource that represents the user through the addition of the `fhirUser` scope. The authorization server SHALL fulfill such by including a `fhirUser` claim in the `id_token`.

An EHR MAY include the URI of the user's FHIR resource. This resource may be a Patient, Practitioner, RelatedPerson, or Person resource as described by the [FHIR Specification](https://www.hl7.org/fhir/). SMART applications that want to retrieve that resource MUST explicitly include the relevant scopes when requesting their access tokens.

Client Authentication

To mitigate the risk of compromised refresh tokens, SMART applications SHOULD leverage client authentication when storing such refresh tokens outside of the client component of their application (for example, storing in a central database, in memory on an application server, and so on). This authentication ensures that if such refresh tokens are compromised, then the tokens do not need to be revoked. If the client's credentials are stolen in addition to the tokens, a client application needs only to revoke its previous credentials with EHRs.

Registration

A SMART application that uses the Contextless Flow, EHR Launch Flow, or SMART Application Launch Flow MUST supply the following information when registering with an EHR:

* The application's `launch` URL.

* The application's redirection URI for receiving authorization code grants.

Exception Conditions

During the processes of obtaining access tokens and using access tokens, exceptions can occur.

The following conditions can cause exceptions:

* The SMART application is not registered with the given EHR.

* The SMART application's access to an EHR is suspended.

* The end user's access is suspended.

* The end user has terminated the SMART application's access or has logged off.

* The end user did not have sufficient privileges to access a specific resource.

* Internal errors in the EHR system.

Usually, the EHR system has the most information about the cause of the failure, and is in the best position to offer assistance to the user or individuals who support the SMART application. As such, it is RECOMMENDED that authorization

servers and resource servers use the error_uri parameter as detailed in the following specifications:

* [4.1.2.1 Error Response](https://datatracker.ietf.org/doc/html/rfc6749#section-4.1.2.1) section of The OAuth 2.0 Authorization Framework

* [5.2 Error Response](https://datatracker.ietf.org/doc/html/rfc6749#section-5.2) section of The OAuth 2.0 Authorization Framework

* [The WWW-Authenticate Response Header Field](https://datatracker.ietf.org/doc/html/rfc6750#section-3) section of The OAuth 2.0 Authorization Framework: Bearer Token Usage

SMART applications that receive such information in error responses SHOULD present such links to end users.

It is RECOMMENDED that such links provide actionable instructions for the end user or for individuals who are supporting the SMART application. It is RECOMMENDED for SMART applications to provide a mechanism to retry a specific action after an error to assist users in recovering from transient error conditions.

Security Considerations

* It is RECOMMENDED that EHRs issue access tokens for short durations (for example, ten minutes or less) to minimize the window in which a compromised token could be exercised. Otherwise, an EHR SHOULD provide mechanisms accessible to administrators and end users to revoke tokens in the event of a security incident.

* Authorization servers MUST NOT use the value of the launch code as a mechanism for passing an authenticated state. Doing so opens the possibility to a session injection attack, and could open the possibility of a session fixation attack.

* SMART applications MUST assure that sensitive information (authentication secrets, authorization codes, tokens, PHI) are transmitted ONLY to authenticated servers, over TLS-secured channels.

* Resource servers MUST be TLS-secured.

* All use of TLS MUST incorporate the best current practices for transport layer security described in Recommendations for [Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)](https://datatracker.ietf.org/doc/html/rfc7525). EHRs and SMART applications SHOULD continue to incorporate updates to current practices and SHOULD document their policies for staying current.

Authorization Server OpenID Connect Support

OpenID Connect describes itself as, “a simple identity layer on top of the OAuth 2.0 protocol.” The specification provides a set of message structures, a messaging protocol, and a security framework to allow a system that has authenticated a user to securely convey said identity to another service provider (relying party). The Oracle Health authorization server implements support for OpenID Connect with the [SMART on FHIR](http://hl7.org/fhir/smart-app-launch/#smart-authorization-and-resource-retrieval) profile of OAuth 2. Client applications may use this as a source of single sign-on (SSO) for users when protecting resources outside of the EHR (for example, user-generated data that is stored by the client application).

In addition to SSO, SMART on FHIR also leverages OpenID Connect to convey the location of the authenticated user’s FHIR endpoint, as described by the HL7FHIR standard.

Requesting OpenID Connect

Per [OpenID Connect](http://openid.net/specs/openid-connect-core-1_0.html) and [SMART on FHIR](http://hl7.org/fhir/smart-app-launch/#smart-authorization-and-resource-retrieval), a client application requests the scope of `openid` to receive an identity token in the access token response.

Identifying the User

Upon retrieving an access token, an identity token is presented in the access token response. These tokens are parsed as JSON Web Tokens per the [OpenID Connect](http://openid.net/specs/openid-connect-core-1_0.html) specification.

The following values in the identity tokens are important for identifying the user:

* Issuer (`iss`)

* Subject (`sub`)

The subject value of the identity assertion corresponds with the user identifier asserted by the authentication system being used, locally unique in context of the issuer. This value may be a user’s username or an opaque identifier (such as a UUID), depending on the tenant’s identity strategy. Both the issuer and subject value combined constitute a globally unique identifier for the authenticated user.

User identifiers remain permanent, except in the following conditions:

* The EHR switches a group of users to use a new authentication system.

* A user’s identifier is changed in the upstream authentication system.

* The organization changes EHR systems.

OpenID Connect and SMART on FHIR do not prescribe mechanisms for addressing the above scenarios. As such, application developers should consider proprietary mechanisms for handling such scenarios if critical user information is managed outside of the EHR.

Validating OpenID Connect Identity Tokens

The client application receiving the identity token must validate that the audience (`aud`) claim matches its own client identifier per the [ID Token Validation](http://openid.net/specs/openid-connect-core-1_0.html#IDTokenValidation) section of OpenID Connect Core.

For applications interoperating only with the Oracle Health authorization server, no explicit signature validation is required when retrieving the access token directly from the token endpoint (as advertised in the FHIR Conformance document).

For applications that interoperate with multiple implementations, or are distributed in nature, identity tokens should be verified (including signature) per the [ID Token Validation](http://openid.net/specs/openid-connect-core-1_0.html#IDTokenValidation) section of OpenID Connect Core.

Signing keys may be retrieved through the following steps:

* Retrieve the OpenID Provider configuration information per the [OpenID Provider Configuration Request](http://openid.net/specs/openid-connect-discovery-1_0.html#ProviderConfigurationRequest) section of OpenID Connect Discovery.

* Extract the URI of the JSON Web Key Set (jwks_uri).

* Examine the ID of the JSON Web Key used to sign the OpenID Connect token, and retrieve it from the JSON Web Key Set.

The following access token response is an example containing an OpenID Connect identity token:


```
{
    "access_token": "eyJraWQiOiIyMDIwLTA4LTE1VDE3OjM2OjE0Ljg1Ni5lYyIsInR5cCI6IkpXVCIsImFsZyI6IkVTMjU2In0.eyJzdWIiOiJwb3J
    0YWwiLCJ1cm46Y29tOmNlcm5lcjphdXRob3JpemF0aW9uOmNsYWltcyI6eyJ2ZXIiOiIxLjAiLCJ0bnQiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0
    wZTcwMWFmNzU4M2QiLCJhenMiOiJvcGVuaWQgcHJvZmlsZSB1c2VyXC9QYXRpZW50LnJlYWQifSwiYXpwIjoiZmhpci1sb2NhbCIsImlzcyI6Imh0dHB
    zOlwvXC9hdXRob3JpemF0aW9uLmNlcm5lci5jb21cLyIsImV4cCI6MTU5NzYyNjgxOCwiaWF0IjoxNTk3NjI2MjE4LCJqdGkiOiIzNGRkZWZiMC0wMzU
    5LTQwOTctYWJiZS00ZTk2YWFlY2NhNjUiLCJ1cm46Y2VybmVyOmF1dGhvcml6YXRpb246Y2xhaW1zOnZlcnNpb246MSI6eyJ2ZXIiOiIxLjAiLCJwcm9
    maWxlcyI6eyJzbWFydC12MSI6eyJhenMiOiJvcGVuaWQgcHJvZmlsZSB1c2VyXC9QYXRpZW50LnJlYWQifX0sImNsaWVudCI6eyJuYW1lIjoiRkhJUiB
    Mb2NhbCBUZXN0IENsaWVudCIsImlkIjoiZmhpci1sb2NhbCJ9LCJ1c2VyIjp7InByaW5jaXBhbCI6InBvcnRhbCIsInBlcnNvbmEiOiJwcm92aWRlciI
    sImlkc3AiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2QiLCJzZXNzaW9uSWQiOiIxYjBhZDY3Mi1mZjRmLTRiYzItYTNhNi05ZmU
    zOWI2N2JiZWIiLCJwcmluY2lwYWxUeXBlIjoidXNlcm5hbWUiLCJwcmluY2lwYWxVcmkiOiJodHRwczpcL1wvbWlsbGVubmlhLmNlcm5lci5jb21cL2l
    uc3RhbmNlXC9lYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2RcL3byaW5jaXBhbFwvMDAwMC4wMDAwLjAwQzIuNkRCNSIsImlkc3BVcmk
    iOiJodHRwczpcL1wvbWlsbGVubmlhLmNlcm5lci5jb21cL2FjY291bnRzXC9jMTk0MS5jZXJuX2FiY24uY2VybmVyYXNwLmNvbVwvZWMyNDU4ZjItMWU
    yNC00MWM4LWI3MWItMGU3MDFhZjc1ODNkXC9sb2dpbiJ9LCJ0ZW5hbnQiOiJlYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2QifX0.-
    ZfKiTNE2mv28HnussbTu4T3Pq9r_UPo1wYCHu46L6KO9objSEfUJKV4SA8JYoMtBwlH85DoR26Btl5fZ5zK4g",
    "scope": "openid fhirUser user/Patient.read",
    "id_token": "eyJraWQiOiIyMDIwLTA4LTE1VDE3OjM2OjE0Ljg1OS5yc2EiLCJ0eXAiOiJKV1QiLCJhbGciOiJSUzI1NiJ9.eyJzdWIiOiJwb3J0YW
    wiLCJhdWQiOiJmaGlyLWxvY2FsIiwicHJvZmlsZSI6Imh0dHBzOlwvXC9maGlyLWVoci1jb2RlLmNlcm5lci5jb21cL2RzdHUyXC9lYzI0NThmMi0xZT
    I0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2RcL1ByYWN0aXRpb25lclwvMTI3NDIwNjkiLCJpc3MiOiJodHRwczpcL1wvYXV0aG9yaXphdGlvbi5jZXJuZX
    IuY29tXC90ZW5hbnRzXC9lYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2RcL29pZGNcL2lkc3BzXC9lYzI0NThmMi0xZTI0LTQxYzgtYj
    cxYi0wZTcwMWFmNzU4M2RcLyIsIm5hbWUiOiJQb3J0YWwsIFBvcnRhbCIsImV4cCI6MTU5NzYyNjgxOCwiaWF0IjoxNTk3NjI2MjE4LCJmaGlyVXNlci
    I6Imh0dHBzOlwvXC9maGlyLWVoci1jb2RlLmNlcm5lci5jb21cL2RzdHUyXC9lYzI0NThmMi0xZTI0LTQxYzgtYjcxYi0wZTcwMWFmNzU4M2RcL1ByYW
    N0aXRpb25lclwvMTI3NDIwNjkifQ.N-5R_9mZ2zmJGTiiwkPhnhOCbjpod9ghjQFuSK4imUNwYI-
    9po3eyjPB1IcZKkFCEZ0flZRZ8vmEUgj5EyMPA8xdiXPo5C3PQDMbKMw1wm_5nS95XGKNBNBgaQ7Nff69nRF4i4y9IhMO9ndxA7VtNCqP3NnxpeOXLCo
    v-yl7zGlZLKJZ3DTQpBGhWOrWuH16Usk1UuXFp7-6Ih4e6DKkooJyUedEY0_fJ6i36_4xrFZ9D6wlP6F5F3hWbkTbrFEN239jnie8f-tr-
    mGr0r-KaxQqpG1pa_6UofopK7ngT_Guh46Ib0bUrgTlYDJ5EUDETIjvAwR3kA_2pPgJHfwjaw",
    "token_type": "Bearer",
    "expires_in": 570
}
```


The claims of the identity token in the above example are as follows:


```
{
  "sub": "portal",
  "aud": "94bbd90d-482a-4a10-b7df-b40edb278da2",
  "fhirUser": "https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Practitioner/12742069",
  "iss": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/oidc/idsps/ec2458f2-1e24-41c8-
    b71b-0e701af7583d/",
  "name": "Portal, Portal",
  "exp": 1597626818,
  "iat": 1597626218,
  "fhirUser": "https://fhir-ehr-code.cerner.com/r4/ec2458f2-1e24-41c8-b71b-0e701af7583d/Practitioner/12742069"
}
```


In this example, the user identifier is `portal`, the issuer is `https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/oidc/idsps/ec2458f2-1e24-41c8-b71b-0e701af7583d/`, and the recipient client ID is `94bbd90d-482a-4a10-b7df-b40edb278da2`.

The following URL is an example for the location of an OpenID Connect configuration document, derived from the issuer in the above `id_token`:

`https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/oidc/idsps/ec2458f2-1e24-41c8-b71b-0e701af7583d/.well-known/openid-configuration`

The following example is the content of the configuration document:


```
{
    "response_types_supported": ["code"],
    "request_parameter_supported": false,
    "require_request_uri_registration": false,
    "request_uri_parameter_supported": true,
    "claims_parameter_supported": false,
    "jwks_uri": "https://authorization.cerner.com/jwk",
    "subject_types_supported": ["public"],
    "id_token_signing_alg_values_supported": ["RS256"],
    "issuer": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-0e701af7583d/oidc/idsps/ec2458f2-1e24-
    41c8-b71b-0e701af7583d/",
    "authorization_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
```

```
    0e701af7583d/oidc/idsps/ec2458f2-1e24-41c8-b71b-0e701af7583d/",
    "token_endpoint": "https://authorization.cerner.com/tenants/ec2458f2-1e24-41c8-b71b-
    0e701af7583d/oidc/idsps/ec2458f2-1e24-41c8-b71b-0e701af7583d/"
}
```

In this example, the `jwks_uri` is `https://authorization.cerner.com/jwk`.

Managing a Session

SMART on FHIR currently does not prescribe mechanisms for managing a session state between applications, or providing a sign-out experience for users.

Guidance for the Use of TLS With Oracle Health APIs

All HL7FHIR and HL7 SMART endpoints offered by Oracle Health use the Secure HyperText Transfer Protocol (HTTPS) to ensure the confidentiality and integrity of data transmissions. Oracle Health RECOMMENDS that application developers also use HTTPS for protecting their own application endpoints.

The HTTPS protocol relies on public key infrastructure (PKI) as the means by which client applications can verify the authenticity of each remote service endpoint. This document provides guidance to developers on how to use HTTPS and PKI with Oracle Health services.

Establishing TLS Connections to Oracle Health

The requirements and recommendations below apply to any software connecting to the Oracle Health implementation of HL7FHIR or HL7 SMART.

Supported Versions of HTTP

Oracle Health currently supports the HTTP 1.1 protocol. Connectivity to certain endpoints using newer versions MAY be technically possible, but are not guaranteed to be available in all service deployments.

TLS Versions and Cipher Suites

Oracle Health ascribes to follow all best current practices (BCPs) published by the IETF.

The following BCPs are included:

* [Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)](https://datatracker.ietf.org/doc/html/rfc7525)

* [Deprecating TLS 1.0 and TLS 1.1](https://datatracker.ietf.org/doc/html/rfc8996)

As of this writing, these best current practices dictate the use of TLS versions 1.2 and 1.3, with a recommended suite of minimum encryption cipher suites.

Oracle Health RECOMMENDS one of the following actions to developers:

* Use an evergreen TLS implementation that similarly implements best current practices. For example, most operating systems provide implementations that maintain best practices through automated patching. Similarly, browser-based applications benefit from the browser’s built-in TLS implementation, in which most browsers are delivered in an evergreen fashion to end users.

* Maintain patching of the application’s TLS implementation to stay current with best practices.

Certificate Chain Validation Process

Developers writing software that interoperates with the Oracle HealthHL7FHIR and HL7 SMART components should use HTTPS implementations that implement [RFC 6125](https://datatracker.ietf.org/doc/html/rfc6125) for certificate validation.

Trusted Certificate Authorities

Oracle Health relies on public PKI systems (specifically, certificate authorities participating in the [CA/Browser Forum](https://cabforum.org/)) as the means by which it identifies its services to customers and third-party applications. Multiple vendors of operating systems, browsers, and other layered software components publish their own vetted list of certificate authorities that participate in the CA/Browser Forum.

Oracle Health REQUIRES developers to choose one or more vetted sources of certificate authorities that participate in the CA/Browser Forum to trust within their application, as Oracle Health does not guarantee it will source certificates from any one specific certificate authority.

Oracle Health RECOMMENDS the use of any of the following programs that provide vetted certificate authority lists:

* [Common CCADB](https://www.ccadb.org/policy)

* [Microsoft Trusted Root Program](https://docs.microsoft.com/en-us/security/trusted-root/participants-list)

* [Chrome Root Program](https://www.chromium.org/Home/chromium-security/root-ca-policy/)

* [Oracle Java Root Certificate Program](https://www.oracle.com/java/technologies/javase/carootcertsprogram.html)

* [Apple Root Certificate Program](https://www.apple.com/certificateauthority/ca_program.html)

Developer-Operated TLS Endpoints

Most applications integrating with the Oracle Health implementations of HL7FHIR and HL7 SMART have endpoints that receive communication from browsers or Oracle Health software.

Examples include, but are not limited to:

* Web-based SMART Launch applications that render markup to a user’s browser through an HTTPS endpoint.

* SMART Backend Services applications that publish their JSON Web Key Sets through an HTTPS endpoint.

* CDS Hooks services that receive publications from Oracle Health CDS Hooks infrastructure through an HTTPS endpoint.

Supported Versions of HTTPS

Oracle Health REQUIRES developers to support the HTTPS 1.1 protocol.

TLS Versions and Cipher Suites

Oracle Health RECOMMENDS developers use an evergreen TLS implementation to protect HTTPS endpoints. Developers MUST use an implementation that supports current IETF best practices for TLS to guarantee interoperability with browsers and Oracle Health infrastructure. Cerner RECOMMENDS developers use public testing tools, such as [Qualsys SSL Labs](https://www.ssllabs.com/) to verify proper functioning of their HTTPS implementation.

Trusted Certificate Authorities

To achieve interoperability with customer deployments and Oracle Health infrastructure, Oracle Health RECOMMENDS developers use certificates from public certificate authorities that participate in the CA/Browser Forum and that have been accepted into root certificate programs of the major browser vendors (Google, Apple, Microsoft, Mozilla).

Application Registration Prerequisites for Developers

Audience

This technical specification is targeted at software developers building applications on top of the Oracle Health APIs platform as part of the [Oracle Health Developer Program](https://www.oracle.com/health/developer/).

Overview and Purpose

This technical specification outlines a series of security best practices that, if followed, enable Oracle Health to provide more detailed information about your application to end users. The goal of these best practices is to encourage the use of existing internet security features and standards.

In particular, we want users to:

* Be assured that their data is being securely transmitted using modern transport layer security and encryption protocols

* Understand what legal entity they are sharing their data with

These best practices should be considered as recommended prerequisites that software developers address during the application registration process, before making their applications available for general use. Failure to comply with these prerequisites can result in Oracle Health describing your application as an **Unknown Application** to users during the OAuth authorization workflow.

Glossary of Terms

* **Effective Top-Level Domain (eTLD):** The base domain. eTLD values are defined in the [Public Suffix List](https://publicsuffix.org/list/public_suffix_list.dat). Examples include .com, .edu, .org, and .co.uk.

* **Effective Top-Level Domain Plus 1 (eTLD+1):** A domain name that is one level deeper than the effective top-level domain (eTLD). Examples include examplehealth.com, cerner.com, and cerner.co.uk.

* **Organization Validated (OV):** A certificate issuance process that involves the certificate authority validating the organization (business entity) requesting the certificate.

* **Extended Validation (EV):** A certificate issuance process that involves the certificate authority performing extended validation of the organization (business entity) requesting the certificate.

* **Domain Validated (DV):** A certificate issuance process that involves the certificate authority validating that the requester owns the domain. No validation of the business entity is performed.

* **Transport Layer Security (TLS):** A protocol for providing secure connections over a network.

* **DNS TXT Record:** A text record in the Domain Name System (DNS). TXT records usually have a format of `name=value`.

Technical Requirements

The technical requirements below are stated using [RFC 2119](https://datatracker.ietf.org/doc/html/rfc2119) terminology. These requirements focus on the security best practices that Oracle Health expects application developers to adhere to for Oracle Health to provide the best description of your application to end users.

* Web applications MUST support the HTTPS 1.1 protocol.

* Application SHOULD support TLS. See the [Guidance for the Use of TLS With Oracle Health APIs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-GuidancefortheUseofTLSWithOracleHealthAPIs) section for further detailed practices related to TLS.

* Application SHOULD use (only) port 443 for TLS.

* Application SHOULD support and prefer TLS 1.2 or higher.

* Application SHOULD have a valid, nonexpired TLS certificate issued from a [trusted authority](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-TrustedCertificateAuthorities).

* Application SHOULD use an OV or EV certificate, if possible, instead of a DV certificate.

* Application's web site SHOULD [host a DNS TXT record](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-SettingUpYourDomain%E2%80%99sDNSTXTRecord) containing the Oracle Health-issued client identifier for the application (also known as a system account ID in CernerCentral or a client identifier in the [OAuth 2.0 specification](https://datatracker.ietf.org/doc/html/rfc6749#page-15)). This TXT record should be added to the eTLD+1 for the domain hosting the application.

* Application's name SHOULD align with the name of the website hosting it or the legal entity operating it.

* Mobile or native applications SHOULD (as suggested by [RFC-8252](https://tools.ietf.org/html/rfc8252)) use [claimed "https" scheme URI redirection](https://datatracker.ietf.org/doc/html/rfc8252#section-7.2) instead of private-use URI scheme redirection.

Adhering to all the above requirements ensures that Oracle Health can convey the most meaningful, descriptive information about your application to end users. Failure to follow recommended (SHOULD) requirements can result in users seeing less information about your application. When Oracle Health is unable to determine information about your application because one or more of the requirements above have not been implemented, Oracle Health displays **Unknown** when describing your application to users.

If you want to better understand why Oracle Healthhas these technical requirements, see the following resources:

* [Information Displayed to Users](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-InformationDisplayedtoUsers) section

* [Application Registration Prerequisites](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-ApplicationRegistrationPrerequisites) section

Note

Consider the [Oracle Health Developer Program](https://www.oracle.com/health/developer/) if you want Oracle Health to perform a deeper security assessment of your application.

Setting Up Your Domain's DNS TXT Record

To follow the security best practices, add a DNS TXT record to your application's website containing the Oracle Health-issued client identifier for the application (also known as a system account ID in CernerCentral or a client identifier in the [OAuth 2.0 specification](https://datatracker.ietf.org/doc/html/rfc6749#page-15)). This TXT record should be added to the eTLD+1 for the domain hosting the application.

Consult your ISP's documentation for the steps to set up a DNS TXT record at your application's eTLD+1 domain.

The DNS TXT record of your application must match the following key-value format, where xxxxx is the Oracle Health-issued client identifier for your application:

```
cerner-client-id=xxxxx
```

See the following example:

```
cerner-client-id=bxdcd0ff-5der-4c15-b2tf-r28b105aa845
```

If multiple applications are registered for the same eTLD+1 domain, you can add multiple TXT records that each have the `cerner-client-id` for a specific application.

See the following examples:

```
cerner-client-id=value1
cerner-client-id=value2
...
cerner-client-id=valueN
```

Steps to Verify That Your Application is Compliant

The steps outlined below show how you can check to see if your application complies with the technical requirements listed above.

Determine Your eTLD+1

The eTLD+1 is the effective top-level domain (TLD) and the part of the domain just before it. For example, given a URL of `https://my-project.github.io`, the TLD is io and the eTLD+1 is `github.io`, which is considered a site. This domain is displayed to end users.

To determine eTLD+1, check public domains that are defined in the [Public Suffix List](https://publicsuffix.org/list/public_suffix_list.dat).

Querying DNS for Your TXT Record

TXT records are a type of Domain Name System (DNS) record that contains text information for sources outside of your domain. You add these records to your domain settings for further domain ownership verification by Oracle Health.

To follow the security best practices, the DNS TXT record of your application must match the following key-value format, where xxxxx is the Oracle Health-issued client identifier for your application:

```
cerner-client-id=xxxxx
```

If multiple applications are registered for the same domain, `cerner-client-ids` are stored in the same TXT record in the following format:

```
cerner-client-id=value1
cerner-client-id=value2
...
cerner-client-id=valueN
```

You can use the following commands and tools to check the DNS TXT records:

* Using the MicrosoftWindows CLI:

* `nslookup`

* For example, `nslookup -type=TXT examplehealth.com`

* Using the Mac or Linux terminal:

* `dig`

* For example, `dig examplehealth.com TXT`

* Using the following online resources:

* [MxToolBox - DNS Lookup Text Record](https://mxtoolbox.com/txtlookup.aspx)

* [Geekflare - DNS Record Lookup](https://domsignal.com/dns-lookup)

Inspecting Your TLS Certificate

TLS certificates are used to protect the end users' information while in transfer and to authenticate the website's organization identity to ensure that users are interacting with legitimate website owners.

To follow the security best practices, use TLS implementations that support current IETF best practices for TLS. See the [Guidance for the Use of TLS With Oracle Health APIs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-GuidancefortheUseofTLSWithOracleHealthAPIs) section for more details.

Oracle Health RECOMMENDS that you use public testing tools, such as [Qualsys SSL Labs](https://www.ssllabs.com/), to verify that your HTTPS implementation is functioning properly.

Use one of the following approaches to check TLS certificates for your application:

* OpenSSLMacorLinux:

* [Feisty Duck - OpenSSL Cookbook 3rd Edition](https://www.feistyduck.com/library/openssl-cookbook/online/)

* Online resources:

* [Qualys SSL Labs - SSL Server Test](https://www.ssllabs.com/ssltest/index.html)

* [Digicert - Security Tools and Resources](https://www.digicert.com/tools)

* [The SSL Store - SSL Checker](https://www.thesslstore.com/ssltools/ssl-checker.php)

* Web browser (MozillaFirefoxis recommended):

* Open the URL in the browser.

* Select the **lock** icon in the browser's address bar.

* Select **Connection Secure**.

* Select **More Information**.

* Select **View Certificate**.

Note

For other browsers, use the Certificate Policy and look up the OID for the policy.

Pay attention to the following information:

* Supported TLS certificates types (usually in a section called Certificate Policies, as is the case if you view the certification in Mozilla Firefox):

* Domain Validated (DV)

* Organization Validated (OV)

* Extended Validation (EV)

* Supported TLS protocols:

* TLS 1.2

* TLS 1.3

* The Certificate Revoked/Not Revoked status

* The Certificate Valid From date

* The Certificate expiration date

* The Certificate issued by one of the public [Certificate Authorities](https://wiki.mozilla.org/CA/Included_Certificates)

Examples

Using Mozilla Firefox to view your TLS certificate may result in a similar Organization Validated certificate as in the following example:

![Organization Validated Certificate Example](https://wiki.cerner.com/download/attachments/3216480818/Millennium_Certificate_Policies_v1.png?version=1&modificationDate=1785879661000&api=v2)

Using the [Qualsys SSL Labs](https://www.ssllabs.com/) online resource to check your TLS certificate may result in the following example:

![TLS Certificate Example](https://wiki.cerner.com/download/attachments/3216480818/Millennium_New_Cert_Example_v1.png?version=1&modificationDate=1785879662000&api=v2)

Information Displayed to Users

Application and Business Details

The table below explains how following the security practices provide more information to users about your application and the business or organization offering it. The table shows what information Oracle Health displays to end users, where the information is sourced from, and under what conditions the information is used.

Information | Example | Source | Conditions

Application Name | Example Health App | Oracle Health CODE Portal - Application Registration | Application name is only displayed to users if a legal entity can be associated with the application's website by using a valid, trusted EV or OV certificate.

Organization Name | Example Health Corporation | EV or OV TLS Certificate | Organization name is only displayed to users if a legal entity can be associated with the application's website by using a valid, trusted EV or OV certificate.

Organization Location | US, MO, Kansas City | EV or OV TLS Certificate | Organization location is only displayed to users if a legal entity can be associated with the application's website by using a valid, trusted EV or OV certificate.

Website Domain (eTLD+1) | examplehealth.com | Oracle Health CODE Portal - Application Registration | The eTLD+1 portion of the host domain of the redirect URI is displayed to the end user.

Labels

The following table explains the labeling that Oracle Health applies to applications in certain conditions:

Label | Conditions

Validated | This label is displayed when an application is formally Validated through the [Developer Program](https://www.oracle.com/health/developer/ "Oracle Health Developer Program").

Unknown App | This label indicates that an application does not employ enough of the security best practices listed in the [Technical Requirements](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-TechnicalRequirements) section above for Oracle Health to describe the application.

HL7 SMART App Launch Active User Presence Extension

The HL7 SMART App Launch specification [defines the scope](http://hl7.org/fhir/smart-app-launch/1.0.0/scopes-and-launch-context/index.html#scopes-for-requesting-a-refresh-token) of `online_access` as enabling an application to obtain [refresh tokens](https://tools.ietf.org/html/rfc6749#section-6) that _"will be usable for as long as the end-user remains online"_. In certain use cases, conflicts between user experience and security can arise when the user's primary interaction with the EHR is through a SMART on FHIR application. In these scenarios, the EHR may have awareness that an application is continuing to use FHIR resources and refresh tokens, but such activity may not constitute active user presence. Best practices for session management, such as those prescribed by [NIST 800-63B](https://pages.nist.gov/800-63-3/sp800-63b.html#63bSec4-Table1), describe requirements for users to be reauthenticated after inactivity. When users are not directly interacting with an application that is part of the EHR, a SMART on FHIR application can communicate active user presence to prevent the user from experiencing unnecessary reauthentication events.

This extension provides a mechanism by which a SMART on FHIR authorization server may declare that a refresh token is subject to inactivity constraints as part of its own token responses. Through this extension, a SMART on FHIR application may correspondingly include a parameter in token refresh requests that conveys how long ago the application last detected active user presence.

Protocol Flow

![Diagram of the Protocol Flow](https://wiki.cerner.com/download/attachments/3216480818/Millennium_Protocol_Flow_v1.png?version=1&modificationDate=1785880084000&api=v2)

* The client performs an Access Token Request using an established authorization code that was established with an`online_access`scope.

* The Token Endpoint responds with an access token and refresh token as usual, but also includes the`active_ttl`parameter. This value signifies the quantity of seconds (time-to-live) remaining before the user is no longer considered active, which automatically invalidates the refresh token without further activity.

* Before the invalidation time specified by`active_ttl`, the client application performs a Refresh Request as usual but includes a`active_at`parameter that specifies how many seconds in the past the client application last detected active user presence.

* The Token Endpoint responds as usual but includes another`active_ttl`value, again signifying the new quantity of seconds remaining before the refresh token is automatically invalidated without active user presence.

This specification uses time vectors in seconds rather than absolute date and time objects to avoid issues with clock skew between the authorization server and the application.

Notational Conventions

The key words “MUST,” “MUST NOT,” “REQUIRED,” “SHALL,” “SHALL NOT,” “SHOULD,” “SHOULD NOT,” “RECOMMENDED,” “NOT RECOMMENDED,” “MAY,” and “OPTIONAL” in this document are to be interpreted as described in [Key Words for Use in RFCs to Indicate Requirement Levels](https://datatracker.ietf.org/doc/html/rfc2119). If these words are used without being spelled in uppercase, then they are to be interpreted with their natural language meanings.

This specification uses the [Augmented Backus-Naur Form (ABNF) notation of RFC 5234](https://datatracker.ietf.org/doc/html/rfc5234).

Terminology

Active User Presence: Any event that can be construed as a human interaction with a computing device. These interactions include, but are not limited to mouse, keyboard, scroll, click, tap, and gesture interactions.

Protocol

Authorization Server Declares Active User Presence Requirement

When issuing token responses containing refresh tokens scoped for `online_access`, the SMART on FHIR authorization server returns the number of seconds after which the session is considered inactive, `active_ttl`, in the following format:

```
active_ttl = 1*DIGIT
```

The inclusion of this attribute in a token response from an authorization server signals to the SMART application that the authorization server supports or has implemented this specification, and that it accepts additional parameters to signal user presence as part of the token refresh process.

If no active user presence is detected by an actor participating with the authorization server (the EHR or a SMART on FHIR application) after this number of seconds has passed, the authorization server SHOULD invalidate any refresh tokens associated with the user session.

Application Performs Token Refresh

When an application sends a Refresh Request, it MAY include the `active_at` parameter to specify the number of seconds that have passed since active user presence was detected, in the following format:

```
active_at = 1*DIGIT
```

If the refresh token is still valid and the `active_at` parameter is present, the authorization server calculates the instance of the last activity in the SMART application by subtracting `active_at` from the current date and time:

```
current date/time - active_at = instance of user's last activity in the SMART app
```

If the instance of the user’s last activity in the SMART application is more recent than the instance of the user’s last activity known to the authorization server, then the authorization server SHALL update its record of the instance of the user’s last activity for the session and use that in its calculation of an updated active_ttl value to return in the response to the Refresh Request.

Negative `active_at` values MUST be rejected, treating the request as if the `active_at` parameter were not included.

If the refresh token is invalid, either due to lapse of user activity or other invalidation, the server responds per section 5.2. The application MAY initiate a new authorization grant request, if appropriate. An authorization server MAY allow other means (outside of the scope of this specification) to re-enable the refresh token. As such, applications SHOULD provide a retry option to end users.

FAQs

General

How can I allow users to use devices that do not provide a browser (user agent) to facilitate the authorization workflow?

Answer

Oracle Health currently does not have a mechanism to allow such devices to participate in the authorization ecosystem.

What happens when a user revokes my application’s access to their data?

Answer

When a user revokes an application’s access, its refresh tokens immediately become nonfunctional. Access tokens cannot be directly revoked; however, they are only valid for a brief period of a few minutes. As a result, applications generally do not need to check for access token validity using an introspection endpoint. This behavior is discussed in more detail in [RFC

7009 OAuth 2.0 Token Revocation: Implementation Note](https://datatracker.ietf.org/doc/html/rfc7009#section-3) and [OpenID Connect Core 1.0: Lifetimes of Access Tokens and Refresh Tokens](https://openid.net/specs/openid-connect-core-1_0.html#TokenLifetime).

What happens if a refresh token is suspended?

Answer

When the authorization server suspends a refresh token, the user can reapprove the application so that a subsequent token refresh succeeds. The application must present the error_uri link to the user so that they can open the management application to reapprove the token. However, if the user does not open the application, or they deny the reapproval, then the token refresh continues to fail. As an alternative, the application can request an entirely new token through a new authorization grant request.

How can my application revoke a refresh token on behalf of a user?

Answer

The location of an RFC 7009 token revocation endpoint is advertised at the relative path of `./.well-known/smart-configuration` from the FHIR base URL.

See the Get Well-Known SMART Configuration operation in the appropriate REST API guide for further details.

How can my application participate in log-out mechanisms provided by the organization's single sign-on (SSO) ecosystem?

Answer

While the Oracle Health authorization server provides OpenID Connect support, it does not currently implement any of OpenID Connect's various log-out specifications, and the SMART specifications do not currently require them.

As an alternative, you may provide a link to manage authorized applications, which allows the user to log out through their SSO system.

A browser window or tab remains after the completion of the authorization workflow. How should my application handle this?

Answer

Depending on how the browser was opened, your application may be unable to close the browser window. If you opened a fresh browser window directly, you can use MicrosoftWindows APIs to find and send a close command directly to the window.

Does the Oracle Health authorization server offer an authentication-only workflow (through OpenID Connect) for patients or their authorized representatives?

Answer

Oracle Health does not currently offer this capability.

Can I append additional query parameters to my redirection URI when I send my authorization grant request?

Answer

Yes, the Oracle Health redirection URI validation allows for additional query parameters, per the OAuth specification.

Note

The Oracle Health implementation uses strict path validation, which includes trailing slashes in your redirection URI.

I am having trouble registering my redirection URI, what advice can you offer?

Answer

URIs must conform with RFC 2396 and must be an absolute URI, per that specification. A common issue is attempting to register URIs with schemes containing a net path ("//") but are missing an authority component. For example, app:// is an invalid URI, but `app://callback is` valid.

Can I register multiple redirect URIs?

Answer

This functionality is not yet exposed in our developer tooling, but our operations team can register multiple redirect URIs for your application.

Can an application developed by an Oracle Health customer skip the authorization interaction with users?

Answer

Yes, we offer the ability for organizations providing their own application to disable the patient-mediated authorization workflow when used in context with their organization. Contact support to request that explicit consent requirements be disabled for your application in your environment. Note that your application should avoid making repeated requests for `offline_access`, as these requests accumulate in the user's Manage Authorizations workflow.

How can I embed my SMART application in another application, such as inside a web view or iframe and still orchestrate the authorization workflow?

Answer

A general-purpose framework for embedding SMART applications does not currently exist.

What do I do when one or more offline access tokens stored by my application may have been compromised?

Answer

Disable or rotate your system account in Cerner Central as soon as possible with [System Account Management Help](https://wiki.cerner.com/display/CernerCentral/System+Account+Management+Help).

How can I deliver my solution to users using its own Citrix instance with XenApp?

Answer

Oracle Health currently does not have guidance on how to deliver native applications running in their own dedicated Citrix container. Such applications generally interact with the authorization server from a browser hosted in the application's Citrix environment, unless interaction is allowed with the browser on the device where Citrix Receiver is run.

Why am I getting an error message about having too many scopes?

Answer

Access tokens are conveyed to resource servers as HTTP headers, and most web servers place an upper limit on the largest allowable HTTP header. The exact value varies between vendors, but is typically in the 4K to 8K range. Because scopes are included in access tokens, using more of them makes the access token larger. If the authorization server detects that it is about to return an access token that would be unusably large, it returns this error message instead. Try reducing the number of scopes in your request to the minimum necessary for your application.

Why are some of the scopes that I requested absent from my token?

Answer

A scope requested by your application could be absent from the token for one of the following reasons:

* Your application is not registered for the scope in code Console.

* The patient chose to veto, redact, or overrule your application's request for certain parts of their health record.

* Your application sent a nonsensical request; for example (as of SMART 2.0), if you simultaneously request both `user/SomeResource.cruds` and `patient/SomeResource.cruds` for the same FHIR resource, the `user/` version of the scope is ignored.

Application Registration Prerequisites

Are these security requirements required for all Oracle Health APIs applications?

Answer

The security requirements outlined in this document are currently only required for all applications targeting the patient persona. Though, Oracle Health encourages the use of these best practices for all end user-facing applications.

Does my development environment need to comply with these security requirements?

Answer

No. You can have development environments that use private domains (such as localhost), unsecured connections (non-HTTPS), or nonstandard ports (non-443).

However, Oracle Health is unable to automatically assess such environments' compliance with security best practices. Therefore, Oracle Health recommends that you also have one or more development environments that do comply with this page's recommendations, allowing you to receive an accurate preview of your patients' user experience in production.

Why are OV and EV certificates preferred by Oracle Health?

Answer

Organization-Validated (OV) and Extended-Validation (EV) certificates ensure that the certificate is being issued to an official business entity (with a name and address). This helps provide transparency to users (patients) about who they are sharing their data with. Oracle Health does not perform validation of the incorporation of your business. By using an OV or EV certificate, Oracle Health trusts that the certificate authority has performed such validation and correspondingly displays your organization's name in association with the application.

Is either an OV or EV certificate acceptable?

Answer

Yes, Oracle Health does not distinguish between OV and EV certificates, so either is acceptable. However, some web browsers might give preferential treatment to EV certificates.

Are self-signed certificates acceptable?

Answer

No. Oracle Health does not support the use of self-signed certificates.

What Certificate Authorities (CAs) does Oracle Health trust?

Answer

See the [Guidance for the Use of TLS With Oracle Health APIs](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework#OracleHealthMillenniumPlatformAuthorizationFramework-GuidancefortheUseofTLSWithOracleHealthAPIs) section for a summary of the CAs that Oracle Health trusts.

How or when does Oracle Health use eTLD+1 values?

Answer

In some situations where Oracle Health cannot determine the business entity providing an application, Oracle Health falls back to using the domain name of the application's primary redirect URI to describe the application. For brevity and consistency, the eTLD+1 value is used in these situations.

Why does Oracle Health only display the eTLD+1 portion of the domain name?

Answer

The eTLD+1 portion is displayed to help avoid confusing users (patients).

How do I get an Oracle Health client identifier for my application?

Answer

Oracle Health assigns your application a unique client identifier as part of the registration process in code Console. This Oracle Health client identifier is also known as a system account ID in some [Cerner Central tooling](https://cernercentral.com/system-accounts/).

Why is a DNS TXT record recommended?

Answer

The DNS TXT record helps prove that the website intends to host your application. Oracle Health does not automatically assume that URLs provided by a developer are associated with the website operator. By publishing a DNS TXT record, Oracle Health can verify that the party that controls the website address intends to associate itself with your registered application.

Where should the DNS TXT record be placed?

Answer

The DNS TXT record should be located on the DNS record for the eTLD+1 domain name of your application's primary redirect URI.

What happens if I do not provide the DNS TXT record?

Answer

Oracle Health is unable to determine if the website intends to host your application. Therefore, Oracle Health labels the application as Unknown Application and no information about your application except the domain name (ETLD+1) is displayed to the user. Users can still use your application if they are comfortable with it.

Why does Oracle Health recommend that an application's name align with the name of the website hosting it or the legal entity operating it?

Answer

As mentioned in the overview, the goal of the practices outlined in this document is to enable users (patients) to have a better understanding of who or what they are considering sharing their protected health information (PHI) with. Having a series of seemingly unrelated names (application name, organization name, and website name) makes it more difficult to achieve this goal.

If I modify my application's TLS certificate or DNS TXT record, how long before the Oracle Health workflow recognizes and displays these changes?

Answer

It may take up to 12 hours before the Oracle Health workflow recognizes TLS certificate or DNS TXT record changes.

What should I do if the organization information being displayed for my application seems incorrect?

Answer

Use the steps outlined above to check the certificate being returned from the URL of your application's redirect URI. Your organization may be employing a content delivery network (CDN) that serves up its own certificate for your website. If you determine this to be the case, work with your CDN provider to ensure that the proper certificate is served for your URL.

Additional Resources

* [Augmented BNF for Syntax Specifications: ABNF](https://datatracker.ietf.org/doc/html/rfc5234)

* [code Console](https://code-console.cerner.com/ "code Console")

* [Creative Commons Attribution 4.0 International (CC BY 4.0)](https://creativecommons.org/licenses/by/4.0/)

* [FHIR Specification](https://www.hl7.org/fhir/)

* [HTTP Authentication: Basic and Digest Access Authentication](https://datatracker.ietf.org/doc/html/rfc2617)

* [Key Words for Use in RFCs to Indicate Requirement Levels](https://datatracker.ietf.org/doc/html/rfc2119)

* [NIST Special Publication 800-63B Digital Identity Guidelines, Authentication and Lifecycle Management - Table 4-1 AAL Summary of Requirements](https://pages.nist.gov/800-63-3/sp800-63b.html#63bSec4-Table1)

* [OAuth 2.0 for Native Apps](https://datatracker.ietf.org/doc/html/rfc8252)

* [OAuth 2.0 Security Best Current Practice](https://datatracker.ietf.org/doc/html/draft-ietf-oauth-security-topics)

* [OAuth 2.0 Threat Model and Security Considerations](https://datatracker.ietf.org/doc/html/rfc6819)

* [OpenID Connect Core 1.0 Incorporating Errata Set 1](https://openid.net/specs/openid-connect-core-1_0.html)

* [OpenID Connect Discovery 1.0 Incorporating Errata Set 1](https://openid.net/specs/openid-connect-discovery-1_0.html)

* [Oracle Health Developer Program](https://www.oracle.com/health/developer/ "Oracle Health Developer Program")

* [Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)](https://datatracker.ietf.org/doc/html/rfc7525)

* [Registering an Application to a URI Scheme (Windows API)](https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/platform-apis/aa767914(v=vs.85)?redirectedfrom=MSDN)

* [SMART App Launch: Scopes and Launch Context - Scopes for Requesting a Refresh Token](https://hl7.org/fhir/smart-app-launch/1.0.0/scopes-and-launch-context/index.html#scopes-for-requesting-a-refresh-token)

* [System Account Management Help](https://wiki.cerner.com/display/CernerCentral/System+Account+Management+Help)

* [The OAuth 2.0 Authorization Framework](https://datatracker.ietf.org/doc/html/rfc6749)

* [The OAuth 2.0 Authorization Framework: Bearer Token Usage](https://datatracker.ietf.org/doc/html/rfc6750)

* [The OAuth 2.0 Authorization Framework: Refreshing an Access Token](https://datatracker.ietf.org/doc/html/rfc6749#section-6)

Appendix

This section provides Augmented Backus-Naur Form (ABNF) syntax descriptions for the elements defined in this specification using the notation of Augmented BNF for Syntax Specifications: ABNF, and also uses other syntax definitions defined in [Appendix A of the OAuth 2.0 Framework](http://tools.ietf.org/html/rfc6749#appendix-A).

Appendix A:FHIRResource Scope Syntax

```
scope-name          = resource-context "/" resource-type "." modification-rights
resource-context    = ("user" / "patient")
resource-type       = (Name)
modification-rights = ("read" / "write");
```

Appendix B: Launch Scope Syntax

```
  launch-scope      = "launch/" *( SP scope-token )
```

Appendix C: Launch Code Syntax

```
  launch-code       = 1*VSCHAR
```

Appendix D: Launch Issuer Syntax

```
  launch-issuer     = URI-reference
```

Appendix E: Launch Intent Syntax

```
  launch-intent     = 1*VSCHAR
```

This page includes links to external resources. These resources are provided for reference purposes and should be used with caution. Contact your Oracle support team for more information about third-party content.

Build and Test SMART on FHIR Applications

File: guides/03_build-and-test-smart-on-fhir-applications.md

Source: https://wiki.cerner.com/display/APIDoc/Build+and+Test+SMART+on+FHIR+Applications

Overview

This page provides the resources and steps for developers to build and test applications using the SMART on FHIR specification.

You can use the [SMART on FHIR tutorial page](https://engineering.cerner.com/smart-on-fhir-tutorial/) as a reference for SMART applications built with Oracle Health FHIR APIs.

Prerequisites

* If you are not familiar with FHIR or SMART specifications, see the [SMART on FHIR](https://docs.smarthealthit.org/) documentation on the SMART Health IT website. The Tutorial section provides an overview of the SMART framework for applications.

* Review the [FHIR R4 v4.0.1](https://hl7.org/fhir/R4/) documentation on the HL7 FHIR website. The executive summary, developer's introduction, and clinical introduction are recommended.

* Review the [FHIR R4 REST API endpoints](https://docs.oracle.com/en/industries/health/millennium-platform-apis/mfrap/rest-endpoints.html) for information on the Oracle Health implementation of the FHIR standard. Develop your application for R4 as DSTU 2 is being retired.

* Review [Oracle Health Millennium Platform SMART Overview](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview) for information on the Oracle Health SMART framework. If you plan to use SMART to open your application from PowerChart (PowerChart.exe) with a patient selected, then ensure that your launch supports both of the following access points: the PowerChart table of contents (TOC) and an MPages component embedded in PowerChart.

Build and Test an Application

Complete the following steps to build and test a SMART on FHIR application:

* Use the open endpoint to access the sandbox without authentication. See the Open Sandbox section of the [Service Root URL](https://docs.oracle.com/en/industries/health/millennium-platform-apis/mfrap/srv_root_url.html) page for more information. This endpoint is recommended for initial proof of concepts and integration.

Note: The open endpoint exposes read-only resources. Writes are available only when using authentication.

* If you encounter issues as you create your application, you can post questions on the [Oracle Health Developer Forums](https://forums.oracle.com/ords/apexds/domain/open-developer-experience). Questions and answers are also available to view on the archived [Oracle Cerner FHIR Developers](https://groups.google.com/g/cerner-fhir-developers) Google group.

* When you are ready to test your application against the authenticated endpoint, review the [Authorization Framework](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework) page.

* Register your application in [code Console](https://code-console.cerner.com/) to test the authentication and use of all the declared scopes. code Console requires a CernerCare account, which you can create upon initial use. For provider-facing applications, you can select any patient from a list of patients in the sandbox environment to begin testing. After selecting a patient to test, you can open your application from a new browser window in code Console.

* Once your application is registered in code Console, you can use the authenticated endpoint (secure sandbox) to test the authentication and use of all declared scopes. See the Secure Sandbox section of the [Service Root URL](https://docs.oracle.com/en/industries/health/millennium-platform-apis/mfrap/srv_root_url.html) page for more information.

Additional Resources

* [Cerner Ignite APIs for Millennium Reference Pages](https://wiki.cerner.com/pages/viewpage.action?pageId=1370794191)

* [code Console Help](https://wiki.cerner.com/display/smartHP/code+Console+Help)

* [Oracle Health Millennium Platform](https://docs.oracle.com/en/industries/health/millennium-platform-apis/index.html)

This page includes links to external resources. These resources are provided for reference purposes and should be used with caution. Contact your Oracle support team for more information about third-party content.

Oracle Health Millennium Platform FHIR FAQs and Common Issues

File: guides/04_fhir-faqs-and-common-issues.md

Source: https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues

Table of Contents

* 1 [FAQs by Topic](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-FAQsbyTopic)

* 1.1 [General](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-General)

* 1.1.1 [What is the Oracle Health roadmap for FHIR standard implementation?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-WhatistheOracleHealthroadmapforFHIRstandardimplementation?)

* 1.1.2 [What is the Oracle Health Millennium Web Services toolkit?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-WhatistheOracleHealthMillenniumWebServicestoolkit?)

* 1.1.3 [What is the future of Millennium Web Services?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-Whatisthefutur

eofMillenniumWebServices?)

* 1.1.4 [How will Oracle Health implement the FHIR standard?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-HowwillOracleHealthimplementtheFHIRstandard?)

* 1.1.5 [With the Oracle Health implementation of the FHIR standard, what service and protocol is supported?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-WiththeOracleHealthimplementationoftheFHIRstandard,whatserviceandprotocolissupported?)

* 1.1.6 [What are SMART applications and what is the Oracle Health position on usage with the FHIR standard?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-WhatareSMARTapplicationsandwhatistheOracleHealthpositiononusagewiththeFHIRstandard?)

* 1.1.7 [Where can I ask a question?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-WherecanIaskaquestion?)

* 1.2 [Rate Limits](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-RateLimits)

* 1.2.1 [Are there rate limits for the FHIR services?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-AretherateratelimitsfortheFHIRservices?)

* 1.2.2 [What happens if I exceed the rate limit?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-WhathappensifIexceedtheratelimit?)

* 1.2.3 [How should I handle a 429 status code?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-HowshouldIhandlea429statuscode?)

* 2 [Common Issues](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-CommonIssues)

* 2.1 [API Usage](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-APIUsage)

* 2.1.1 [Avoid Multiple Resource Calls](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-AvoidMultipleResourceCalls)

* 2.1.2 [Implement Paging](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-ImplementPaging)

* 2.1.3 [Posting Documents Using the DocumentReference Resource](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-PostingDocumentsUsingtheDocumentReferenceResource)

* 2.1.4 [Requests by Specific LOINC Codes](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-RequestsbySpecificLOINCCodes)

* 2.1.5 [Use Query Parameters](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-UseQueryParameters)

* 2.1.6 [Review Filtering Options](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-ReviewFilteringOptions)

* 2.1.7 [Data Differences for Users and Applications](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-DataDifferencesforUsersandApplications)

* 2.1.8 [Using Appropriate Scopes for SMART Launch](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-UsingAppropriateScopesforSMARTLaunch)

* 2.1.9 [Registering More Scopes Than Application Uses](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-RegisteringMoreScopesThanApplicationUses)

* 2.1.10 [Authorization Durations Longer Than 10 Minutes](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-AuthorizationDurationsLongerThan10Minutes)

* 2.2 [Oracle Health Customer Deployment](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-OracleHealthCustomerDeployment)

* 2.2.1 [Using Video in Your Application](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-UsingVideoinYourApplication)

* 2.2.2 [Single Patient and Multi-Patient Views](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-SinglePatientandMulti-PatientViews)

* 2.2.2.1 [Organizer Views](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-OrganizerViews)

* 2.2.2.2 [Patient Chart View](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-PatientChartView)

* 2.2.3 [Session Bleed Issue](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-SessionBleedIssue)

* 2.2.4 [Security](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+FHIR+FAQs+and+Common+Issues#OracleHealthMillenniumPlatformFHIRFAQsandCommonIssues-Security)

FAQs by Topic

This page categorizes the frequently asked questions (FAQs) by topic. Select **Answer** under each question to view the answer. If you do not find an answer to your question, you can log a product-specific service record (SR) in [eService](https://eservice.ucern.com/). See [Submitting a Service Record in eService](https://wiki.cerner.com/display/eServiceHP/Submitting+a+Service+Record+in+eService) for more information about logging an SR.

General

What is the Oracle Health roadmap for FHIR standard implementation?

Answer

Both the retired May2015 and current DSTU 2 Final versions of our HL7FHIR standard implementation are available in production. Our roadmap includes helping provide feedback to the current draft of the FHIR standard, and updating to the latest release. Also, our roadmap is prioritized depending on the maturity of the resources in the FHIR standard (in other words, how stable they are considered), and the needs of our business partners. Some external forces, such as Promoting Interoperability, also help determine the priorities and order for the FHIR standard resources we implement. If you want to create a business partnership with us and help guide our roadmap, see the [Oracle Health Developer Program](https://www.oracle.com/health/developer/) for more information. Once an application is tested in our secure sandbox, read through the Developer Program documentation before submitting your application.

What is the Oracle Health Millennium Web Services toolkit?

Answer

Millennium Web Services is an application programming interface (API) that exposes a set of Millennium Platform business and application logic through person-centric web interfaces. The Oracle Health Millennium Web Services toolkit includes web services that provide access to a range of the clinical services that are available on the Millennium Platform. These services include concepts around patient demographics, clinical results, clinical documentation, reporting, and scheduling. The Millennium Web Services are exposed using standard protocols (for example, SOAP, REST, and HTTPS).

What is the future of Millennium Web Services?

Answer

With the emergence of the FHIR standard, we expect to migrate Millennium Web Services to the FHIR standard for all services that have a standard resource equivalent. Oracle Health expects that some of the services may never have standard equivalents, and so we maintain those services in addition to the Oracle HealthFHIR implementation.

How will Oracle Health implement the FHIR standard?

Answer

Oracle Health is currently in the process of implementing the FHIR standard to expose Millennium Platform data to our customers and third-party developers. Oracle Health believes that the FHIR standard can become the public API that the JASON report and the JASON Task Force have called for. We believe the FHIR standard, along with SMART and OAuth2, enable Millennium Platform to become an open electronic health record (EHR) platform that supports innovative developers.

With the Oracle Health implementation of the FHIR standard, what service and protocol is supported?

Answer

The current FHIR standard implementation supports the REST API through the HTTPS protocol. Any application capable of making an HTTPS call can consume the Oracle Health implementation of the FHIR standard. We currently have desktop, web, and mobile applications that consume our resources in varying stages of development. We support the SMART platform, OAuth2 authentication, and authorization profiles.

What are SMART applications and what is the Oracle Health position on usage with the FHIR standard?

Answer

The SMART (Substitutable Medical applications & Reusable Technology) platform defines a specification for an EHR to safely and securely open other applications with context. These SMART applications are commonly web applications but may

also be native mobile applications and use the FHIR standard to read and write data from the EHR. With SMART, Oracle Health can embed a SMART application in the EHR. Oracle Health believes that SMART applications will be a major user of implementations of the FHIR standard resources. We will also support access through mobile SMART applications, as those specifications emerge from the [SMART](https://smarthealthit.org/) website.

Where can I ask a question?

Answer

Anyone can post a question to the community using the [Oracle Health Developer Forums](https://forums.oracle.com/ords/apexds/domain/open-developer-experience).

Rate Limits

Are there rate limits for the FHIR services?

Answer

Yes, we enforce rate limits to preserve performance of the underlying EHR.

* Rate limits vary between customers based on agreed usage levels.

* If you need to determine or adjust your rate limit, work with the customer to establish a plan that fits your needs.

What happens if I exceed the rate limit?

Answer

If you exceed the rate limit, you receive a 429 (Too Many Requests) status code. This status code indicates that you should reduce the frequency of your requests.

How should I handle a 429 status code?

Answer

To handle a `429` status code, implement a progressive retry strategy.

* **Pause:** Wait briefly before retrying the request.

* **Retry:** Use an exponential backoff approach.

* Retry once after a short delay (for example, one second).

* If unsuccessful, double the delay for each subsequent retry (for example, two seconds, then four seconds).

* Limit the number of retries performed (for example, a maximum of three retries).

This approach is intended to help reduce strain on the service and increase the chance of success.

Common Issues

This topic describes the most common issues that we identify when validating applications to run on our platform. We suggest that you work through each of these topics before submitting an application for validation.

API Usage

Avoid Multiple Resource Calls

Ensure that your application can make efficient API calls. Remove duplicate API calls to avoid additional performance load on the system and to improve application load time. As part of the technical review process, we review logs to see if calls are identical each time and if they are retrieving the same data set.

Implement Paging

Your application should handle paging for all resources, even if our server does not support it yet. This recommendation ensures that your application is compatible with more implementations (including future versions of our server if we add paging to improve performance of resources that do not currently page).

Queries on some resources can result in large data sets. If you do not implement paging logic, the application can miss relevant information because the system does not load more than just the initial page. As a result, the system may not account for the entire patient dataset.

In addition, if your application displays results directly to the user, you probably do not want to display hundreds of records at a time. Your application may not have the memory available to hold all data at one time. Consider these factors when determining the appropriate page size for your application.

Oracle Health recommends one of the following ways to test your logic once implemented:

* You can set the page size to a lower value using the `_count` parameter in the API calls.

* You can make calls for a patient with a lot of data in the Sandbox domain. You can read about our [available sandbox test patients](https://groups.google.com/g/cerner-fhir-developers/c/edPUbVPIag0/m/LgD4mGTXBAAJ?pli=1) to find a patient who has sufficient data for paging.

Posting Documents Using the DocumentReference Resource

If your application uses the DocumentReference resource to post clinical notes back to the system, the following parameters can help ensure that your document is displayed as intended:

* **Document Type:** We accept HTML5 conventions and only XHTML formatted documents are supported. Our system converts them to RTF because that is the current requirement for posting to the Oracle Health EHR. When documents are converted from one format type to another, fidelity can potentially be lost.

* A common error can occur with the use of
 tags. In XHTML, they need to be self-closed as in the following example:
. This format enhances the accuracy our internal conversion tools.

* Some sanitization is run on provided XHMTL. For example: Applet, iframe, link, script, and style tags are removed. Other tags (a, button, form, frame, frameset, input, object, option, select, textarea) may be removed but the text within remains.

* Table styling is not fully supported.

* An HTML entity must end with a semicolon (;).

* If a meta tag is provided in HTML, it must be self-closed (example:).

* **Modifier Elements:** [implicitRules](https://www.hl7.org/FHIR/DSTU2/resource-definitions.html#Resource.implicitRules) and
[modifierExtension](https://www.hl7.org/FHIR/DSTU2/domainresource-definitions.html#DomainResource.modifierExtension) are not supported and are rejected if present. The documentation for each resource identifies modifier elements that are not supported.

* **Special Formatting:** Do not use specialized formatting dependent on CSS or JavaScript. This formatting is stripped out of your document. Oracle Health also does not recommend that you support multiple languages in your documents, which can be error prone with our current conversion tools. If special formatting is needed, Oracle Health recommends that you post your formatted text as image files in the HTML.

* **Images:** If posting images in your documents or as the documents themselves, external image links do not function as intended. All images must be embedded Base64 encoded files using web-safe image formats due to file size. See the following example:

```
<img alt="image" src=' <-ENCODED IMAGE-> ' />
```

* **Testing:**Several XHTML validators are available to test your document. We suggest using XHTML 1.0 strict as the document type to run your validation with. See the following examples:

* [Markup Validation Service](https://validator.w3.org/#validate_by_upload+with_options)

* [Nu Html Checker](https://html5.validator.nu/)

Requests by Specific LOINC Codes

Oracle Health maps proprietary codes to standard terminologies as part of our implementation process. For example, LOINC codes are exposed in some resources. Sometimes, these mappings do not cover all the possible variances in the ways hospitals have implemented their EHRs. When EHRs were originally implemented, it was common to use proprietary codes to document laboratory results and measurements that do not map directly to the LOINC codes defined by the FHIR specification.

For the Observation resource, we have seen applications developed that use a set of LOINC codes as a filter to get specific results. If your application uses specific codes to query for data, determine if the request should be broader and include more possible codes to account for different ways data might be coded. You can also work with us to determine the appropriate way to return the information you need.

For example, lead can be performed on blood, capillary blood, or venous blood.

* Hospital A uses a proprietary code for lead that maps to LOINC code `5671-3 - (Lead [Mass/volume] in Blood)`

* Hospital B uses a proprietary code for lead that maps to LOINC code `77307-71 - (Lead [Mass/volume] in Venous blood)`

If you are using a specific code to query for lead and use code `5671-3`, then your application would only return results when installed at Hospital A. Your application would return nothing if installed at Hospital B. You need to ensure that all codes are accounted for so that the application works at all sites.

Another scenario is where hospitals have different tests and codes set up for different methodologies. An example is when a separate test and code is created to document blood lead collected by venipuncture versus a capillary draw, which is a common collection method for children. On occasion, customer proprietary codes may not map directly to any LOINC code. For special cases where we discover a proprietary code that does not map cleanly to any standard, we can work with you to figure out the appropriate option for that mapping during deployment.

For each of these scenarios, in addition to validating against our sandbox to adhere to the FHIR specification, we also need to validate your application at each customer site to check for hospital-specific considerations. This validation occurs when we connect your application to a hospital domain. We can work with you to resolve any of these hospital-specific considerations.

The above examples use lead, but similar considerations could exist for virtually any laboratory result or measurement where concept mapping and specific LOINC codes are used. If your application uses specific LOINC codes to query for information, contact us on the [Oracle Health Developer
Forums](https://forums.oracle.com/ords/apexds/domain/open-developer-experience), and we can help you work through any considerations that might exist.

Use Query Parameters

In many instances, developers perform post-query filtering rather than use the query parameters defined by the API. Oracle Health recommends using the available query parameters. Query parameters make the dataset more predictable, speed up your searches, and are more reliable than relying on post-query filtering.

Review Filtering Options

Using query parameters is recommended over post-query filtering (when possible). Regardless of the method used to filter results, ensure that your application handles resources that have been marked in error or invalid using the appropriate status fields for each resource.

Review your application's status filtering logic to ensure that the appropriate results are displayed. For the Oracle Health implementation of the HL7FHIR standard (based on DSTU 2 Final (1.0.2)), this review is important for the MedicationOrder or Observation resources. A patient safety issue can occur if an uncharted value is displayed to a user. Double-check the status codes that you use from the `MedicationOrderStatus` or `ObservationStatus` value sets.

Typically, for MedicationOrder, only medications in **Active**, **On-Hold**, or **Completed** statuses are displayed. For Observation, only results in **Final** and **Amended** statuses are displayed.

You can read about our [available sandbox test patients](https://groups.google.com/g/cerner-fhir-developers/c/edPUbVPIag0/m/LgD4mGTXBAAJ) to find a patient that has some entered-in-error results to test with.

The Condition, MedicationStatement, and Observation resources do not support filtering by the `encounter` parameter in the current implantation of Oracle HealthFHIR APIs. If you do use these resources, your application may need to implement a post-filter to display only the current encounter.

Data Differences for Users and Applications

Data can be filtered for various reasons. Resources with a status of **entered-in-error** and sensitive data are filtered out for patient personas. Providers, systems, and applications may have data filtered for encounter and organization security reasons and privilege and preference build in the domain.

If your application is accessing data with a patient persona, your application should handle filtered data.

Using Appropriate Scopes for SMART Launch

SMART on FHIR defines OAuth2 access scopes that correspond directly with FHIR resource types. We define read and write permissions for patient-specific and user-level access. Patient-specific scopes allow access to specific data about a single patient. User-level scopes allow access to specific data that a user can access.

In some situations, user-level scopes are appropriate, but with a patient in context, you use patient-centric scopes.

Registering More Scopes Than Application Uses

Ensure that you are only requesting scopes that are used. You are asked to remove unused scopes from registration if you do not use those resources or actions.

Authorization Durations Longer Than 10 Minutes

The default duration of access received through the authorization grant workflow is a single token that is valid for 570 seconds (~10 minutes). For applications that need access to services for longer durations, some validated applications request a new token each time, but a more streamlined method is available.

By requesting the `online_access` scope, the system grants a refresh token that can be used during a user's authenticated session (for more information, see the [Authorization Framework](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework)). Such refresh tokens are valid until the user explicitly logs out, an administrator terminates the session, or other risk mechanisms (such as timeouts) require a user to be re-authenticated.

Oracle Health Customer Deployment

Using Video in Your Application

Most Oracle Health customers deploy Millennium Platform user applications as a Citrix XenApp session connected from a shared server-based computing environment. If your application uses videos, they can challenge the Citrix connection because only so much bandwidth can be assigned to each Citrix connection.

The appropriate method for your application to play video is to open a new window using a custom code and load the web page containing the video. The video opens using the hospital's network and the Citrix connection is not affected.

Also, when the application is deployed, the hospital's IT staff need to ensure that the following conditions are met:

* The device running the video must have the correct video codec installed.

* A proper speaker or headset must be connected for sound.

To open a new window through content redirection, the underlying Oracle Health platform supports the following APPLINK routine for opening a new window through content redirection instead of window.open through JavaScript. If content redirection is enabled and the URL is accessible by the local device, the video is played locally. If neither of those conditions are met, it is opened on the Citrix server.

For this routine to work, the following META tag must be included in the HEAD of the HTML file: `<META content='APPLINK' name='discern'>`

The following example illustrates opening a web page through a shell execute. When Citrix is configured for server-to-client redirection and the link is selected, your local default web browser opens and is directed to the link provided.

```
<a href='javascript:APPLINK(100,"http://www.cerner.com","")'>Launch "http://www.cerner.com" in local web browser</a>
```

Single Patient and Multi-Patient Views

The Oracle Health EHR, PowerChart (PowerChart.exe), has two main views that can be used to view patient information: the patient chart view and organizer view. Determine which view is appropriate for the functionality of your application and design your application accordingly.

Organizer Views

The MPages worklist framework allows hospitals to use multipatient and multi-item views at the organizer level of PowerChart. These views assist clinicians in organizing and prioritizing their work by providing key information about a population of patients or items. The views can also allow quick access to patients' medical records, improving their efficiency and productivity. The most common worklist layout type currently available is the patient organizer view, which supports the display of multiple patients with key information about status and care.

Patient Chart View

The patient chart view in PowerChart displays information for a single patient. To open the patient chart, a patient is selected from one of the organizer views or from the patient search results. Multiple patient charts can be open at the same time, and you can select the patient's name in the patient context toolbar to move between open charts. The patient chart view consists of two panes: the table of contents (TOC) and the workspace. The TOC is displayed on the left side of the window and allows you to move through any area of the patient's chart. Selecting a PowerChart component in the TOC, such as a SMART application, opens that component's workspace view. The workspace view displays and changes based on which PowerChart component is selected from the TOC. Each view can include multiple windows that are opened by selecting tabs or buttons in that view. If you open your SMART application from the TOC, information for the patient is displayed in the workspace view.

If your application is used for managing a population of patients, then it should be optimized for use at the organizer view level. If your application is used in the context of a single patient, it is critical that the user should not have access to organizer-level information, such as patient lists or other patients' data. This information may not be appropriate in a single-patient chart view because users could become confused as to which patient's information they are viewing. This issue is especially critical if you are porting your application to be used within the SMART on FHIR framework. For example, if developers did not remove functionality such as patient search, they had to restart their validation process once that functionality was removed.

Session Bleed Issue

When you are running a SMART application in multiple open charts in PowerChart, the application instance may share patient context and display the same patient's data in two separate charts. To avoid this issue, see the [HTML5 Session Storage](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview) section on Oracle Health Millennium Platform SMART Overview for information on sessionStorage.

If your application uses the open source fhir-client.js library, see the [Open Source FHIR Client Libraries](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-OpenSourceFHIRClientLibraries) section on Oracle Health Millennium Platform SMART Overview for more information on the minimum required version and additional code that must be added to fix a session bleed issue.

Note

This issue cannot be properly tested until you are beginning validation and we are running your application directly in PowerChart. The re-creation steps below are for your information once you have access to PowerChart.

Complete the following steps to re-create this issue:

* Open the chart for Patient A and open an application.

* Go back to the patient list and open an additional chart for Patient B, then open an application for that patient.

* On Patient A's chart, select As Of in the upper-right corner to refresh PowerChart. If the application displays the information for Patient B in the chart for Patient A, then you need to implement the change mentioned above.

Security

As a part of your application's validation, we perform a security review. After joining the program but before validation begins, you are provided with a security welcome packet that includes up-to-date and specific information on what is looked at during security validation. The items indicated in the packet should be fully completed as described to avoid delays in completing your application's validation in a timely manner.

While the packet has a comprehensive list of required documentation to submit, you can expect to have items from the following topics requested:

* Threat model of the application's architecture and interactions with systems or services external to the application.

* Static analysis, dynamic analysis, dependency vulnerability check, and operating system level security scan reports.

* Reports indicating use of secure TLS standards and web standards.

* Patching policies and privacy policies.

Our current recommended tooling is documented in the packet. Contact us if you have any concerns or questions regarding your application’s security validation.

This page includes links to external resources. These resources are provided for reference purposes and should be used with caution. Contact your Oracle support team for more information about third-party content.

Millennium Platform Public Endpoints for Patients

File: guides/05_public-endpoints-for-patients.md

Source: https://wiki.cerner.com/display/APIDoc/Millennium+Platform+Public+Endpoints+for+Patients

Table of Contents

* 1 [Overview](https://wiki.cerner.com/display/APIDoc/Millennium+Platform+Public+Endpoints+for+Patients#MillenniumPlatformPublicEndpointsforPatients-Overview)

* 2 [Millennium Platform Public Endpoints for Patients](https://wiki.cerner.com/display/APIDoc/Millennium+Platform+Public+Endpoints+for+Patients#MillenniumPlatformPublicEndpointsforPatients-MillenniumPublicEndpointsforPatients)

Overview

The endpoints list assists developers of consumer applications and patients in identifying the organizations that they can connect to and use to retrieve their patient records through Oracle HealthFHIR APIs, EHR APIs, or both. The list is in FHIR resource format (Endpoint and Organization) and includes organization details such as the organization name, address, and identifiers to assist patients with identifying the correct organization.

The table below contains the organizations and their endpoint URLs. To view the whole list, select the link for the JSON file.

Some healthcare organizations have many facilities with different names and addresses contained within one or more endpoints, and you may be unable to locate one of those organizations in the endpoints list. In this case, work directly with the healthcare organization to identify the appropriate endpoint URL.

Millennium Platform Public Endpoints for Patients

This table contains public endpoints for patients. You can download these endpoints at the following link: https://raw.githubusercontent.com/oracle-samples/ignite-endpoints/refs/heads/main/oracle_health_fhir_endpoints/millennium_patient_r4_endpoints.json

Organization Name | Endpoints URL
Oscar Matthews, MD | https://fhir-myrecord.cerner.com/r4/-KzIoYV6gk-ILcHOWbsH2m9KsSdDgi12/
Vishen, R K MD | https://fhir-myrecord.cerner.com/r4/-MIuTZfWACgngV9YTgKmhcl1PVL8iu53/
Treasure Coast Podiatry | https://fhir-myrecord.cerner.com/r4/-c6Xwd-UlrvkHnaNj_A8a39Pa03efHEX/
ALASKA NATIVE MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/-yJKGL5-49LdGDJaxmfdb85K2Njr-hkB/
COUNTY OF ORANGE HEALTH CARE AGENCY | https://fhir-myrecord.cerner.com/r4/00647884-2425-4aef-9dfc-60b7447da45a/
Encompass Health Corporation | https://fhir-myrecord.cerner.com/r4/00a074df-768e-479f-9c8c-52c5c5bbe010/
Earl Jacobson, DPM | https://fhir-myrecord.cerner.com/r4/00a934e0-7e93-4023-8ce4-79bbebc496ce/
CarolinaEast Health System | https://fhir-myrecord.cerner.com/r4/00bf2f08-38fe-4c4c-8207-96dbe42a9302/
Ozaukee Medical Group, LLC | https://fhir-myrecord.cerner.com/r4/0140a543-52ac-47d8-8221-0c88870f0a9b/
Fredonia Regional Hospital | https://fhir-myrecord.cerner.com/r4/0153994b-73fd-40ca-acc3-d43bb5781a7b/
Hancock County Health System | https://fhir-myrecord.cerner.com/r4/0187d1c0-26b8-42cb-81e4-84d2429978e8/
Crawford County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/01ac1fad-f809-4c54-8fbc-c098bfca6c66/
Smoky Mountain Foot Clinic | https://fhir-myrecord.cerner.com/r4/01b09d82-4514-482c-85d3-2d53721811fb/
Chicago Wellness Center Coalition | https://fhir-myrecord.cerner.com/r4/01e186a8-87ec-4e25-bc02-8b7eb7d8fa78/
North Atlantic Medical Associates, P.C. | https://fhir-myrecord.cerner.com/r4/01f94e02-09c3-48f8-b3d5-d9516d905113/
Center of Women's Health of Lansdale | https://fhir-myrecord.cerner.com/r4/025a0f3c-14a7-44fd-90f4-ebf1f0e1cd9e/
Hardin Medical Center | https://fhir-myrecord.cerner.com/r4/0276a61d-cfb3-486e-9665-b29201df0391/
JE Dunn Construction Co. | https://fhir-myrecord.cerner.com/r4/02a7a8bc-d7be-4d03-9c99-4404e94deb88/
Blair Foot & Ankle | https://fhir-myrecord.cerner.com/r4/02cf5ef5-9abb-4937-8933-e06c47e975a4/
Clay Platte Family Medicine Clinic | https://fhir-myrecord.cerner.com/r4/032e9fee-d494-4ca3-97ce-b40c8d2eecf6/
Family Practice Clinic of Dothan, PA | https://fhir-myrecord.cerner.com/r4/03348304-a437-4d8f-97f2-4441978ac448/
Physician's Care Surgical Hospital | https://fhir-myrecord.cerner.com/r4/034829e3-fb2f-4c45-a30d-58b145c5a0f3/
Primary Care Specialists, Inc. | https://fhir-myrecord.cerner.com/r4/036f7da9-ca9c-4c26-bc90-ad8f4c7667ec/
Valentenia Daugherty and Alvin R. Smith, PC | https://fhir-myrecord.cerner.com/r4/038d560d-2426-45c9-9ab5-03b271fcacb7/
Cochise Surgical Care, PLLC | https://fhir-myrecord.cerner.com/r4/03906e1b-719a-4ab5-b702-13836594a66d/
Dr Pepper Snapple Group - Irving | https://fhir-myrecord.cerner.com/r4/039c5844-07d3-4b98-88f9-0db4fea884ad/
Midwest Surgical Hospital | https://fhir-myrecord.cerner.com/r4/0434cb5f-f658-4821-a9c3-c13cf287f39b/
Dr. Suganthini Umakanthan, MD | https://fhir-myrecord.cerner.com/r4/045b627f-46d4-4a3f-ac6b-f056b251cd0e/
Baraga County Memorial Hospital (inc) | https://fhir-myrecord.cerner.com/r4/045c8928-6944-45ab-848b-c64a6a14eb07/
State of New Mexico | https://fhir-myrecord.cerner.com/r4/04b7d73f-0769-4509-8cd9-c3061dc75979/
Weld County, Colorado | https://fhir-myrecord.cerner.com/r4/04ef40f1-a235-4643-beed-2150fa89cc96/
Jefferson Psychiatric Associates, LLC | https://fhir-myrecord.cerner.com/r4/05a97b88-f719-405f-abbb-125ac71b7cee/
Healthe Employer Clinic | https://fhir-myrecord.cerner.com/r4/0635029c-ad2b-4c76-90de-10b216b6fefa/

Montgomery County Pulmonary & Sleep Consultants, PC | https://fhir-myrecord.cerner.com/r4/065b8b09-4f7d-467b-8952-a1ff3f821682/
The Recovery Center | https://fhir-myrecord.cerner.com/r4/069aa823-6cc6-4055-a813-dbffdfcd16ac/
Palo Alto County Health System | https://fhir-myrecord.cerner.com/r4/06ad70d1-0ea3-42fa-b01a-c8e7e524255d/
SAUNDERS MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/06e9d567-9657-447f-97fb-d967654387e7/
Nicholas S. Guittari, MD | https://fhir-myrecord.cerner.com/r4/06f3e7b9-e238-4c7d-9b45-146676e73d3c/
VCU Health System Authority | https://fhir-myrecord.cerner.com/r4/072ee25e-9ba2-4626-bd4b-17ff1ccdc763/
Specialists in Spine Surgery | https://fhir-myrecord.cerner.com/r4/0748ed02-a595-4783-955c-c255cede53e3/
Gavy MD CSP | https://fhir-myrecord.cerner.com/r4/07816ee1-ddda-45ce-ac7b-e8d3ee5f4c74/
Luxer Urgent Care | https://fhir-myrecord.cerner.com/r4/08216604-fc95-489b-8e5b-408e049ac03c/
CHSPSC LLC-2 Client | https://fhir-myrecord.cerner.com/r4/082fe843-d2e4-4f68-96c9-531186c7d48d/
Charleston Area Medical Center, Inc | https://fhir-myrecord.cerner.com/r4/0857bd9d-3fb8-4b0a-9180-f75d160828c9/
Masonicare | https://fhir-myrecord.cerner.com/r4/0902817a-ed68-43fa-954a-bea5acd79d50/
Old Naples Concierge Medicine | https://fhir-myrecord.cerner.com/r4/0923cfa9-b935-457b-863a-3708d0944463/
Tenet HealthSystem Medical | https://fhir-myrecord.cerner.com/r4/097a1a4a-da6a-404d-812e-08a4b71d143f/
Warren E. Kaplan, DPM | https://fhir-myrecord.cerner.com/r4/09ea3bf2-1790-4a4b-8cf3-6344789bb530/
Littleton Hospital Association D/B/A LRH | https://fhir-myrecord.cerner.com/r4/09f87210-eeaa-4491-a502-556546cf5c51/
Dr. Nizar Salek | https://fhir-myrecord.cerner.com/r4/0EL6mHQUuEUp0VBVOJiTAngI8mfrXEFB/
St. Christopher's Inn, Inc. | https://fhir-myrecord.cerner.com/r4/0a1d8e09-c5b6-42c3-8311-cf5af3665cbe/
Srinivasa Rao Movva | https://fhir-myrecord.cerner.com/r4/0a308bb2-a313-4473-991c-9bf6e3578c55/
Heart & Vascular Specialists of South Texas | https://fhir-myrecord.cerner.com/r4/0aa75aff-7eca-4255-be9e-a914bffb6f20/
Johnson County Hospital | https://fhir-myrecord.cerner.com/r4/0abc5c50-19e6-4961-a76b-384f0caca068/
Dr. Manuel Lovo | https://fhir-myrecord.cerner.com/r4/0abea9c0-1e9f-4430-ab68-c2420de4e9fb/
Martinsville Womens Health | https://fhir-myrecord.cerner.com/r4/0ac5dcf7-3334-4643-8007-dc41e0e6c361/
Consultants In Infectious Disease | https://fhir-myrecord.cerner.com/r4/0afb6793-ac40-40a5-8123-d13a308d2792/
Blanchard Valley Health System | https://fhir-myrecord.cerner.com/r4/0affe579-9d95-4ec1-b178-1df7328cc0a1/
South Minneapolis Walk-in Clinic | https://fhir-myrecord.cerner.com/r4/0b25ce83-fe52-4222-8ff2-02c9187687e9/
Good Samaritan Hospital | https://fhir-myrecord.cerner.com/r4/0b68d467-99ef-4e61-8d13-42f723ecabc5/
Total Body Pain Institute, LLC | https://fhir-myrecord.cerner.com/r4/0b6b0303-cbdd-4ff9-91bf-eeb5a4c8911b/
SHARON REGIONAL HEALTH SYSTEM | https://fhir-myrecord.cerner.com/r4/0c45d456-c156-4baa-b6a0-bf60418740f7/
Adventist Health Delano | https://fhir-myrecord.cerner.com/r4/0ca83d5d-e2a2-460f-9fe7-e5dfa535cbb3/
Orthopedic & Sports Medicine Specialists of Green Bay | https://fhir-myrecord.cerner.com/r4/0cda6ed7-9e18-4112-ab11-d5a45a40c8d5/
My Kidney Care, LLC | https://fhir-myrecord.cerner.com/r4/0cf77109-e68f-4848-a530-1f53e0c2db32/
UPMC Children's Hospital | https://fhir-myrecord.cerner.com/r4/0d020f94-2b1e-4cb2-a9d2-eecf3a1a0504/
Associates In Anesthesia | https://fhir-myrecord.cerner.com/r4/0d26bd04-9128-4f58-8e6d-ffda5cd00f89/
Community Medical Centers, California Street (Pediatrics) | https://fhir-myrecord.cerner.com/r4/0d6b7f8e-7f46-4dfd-a38d-383c25bb2b73/
Margaret Mary Community Hospital | https://fhir-myrecord.cerner.com/r4/0d93d980-a159-4c3e-9a19-131175682196/
Jeffrey Lubell, DPM | https://fhir-myrecord.cerner.com/r4/0dd23348-ab65-4cd7-899a-47a7e7f6edaf/
Central Community Hospital | https://fhir-myrecord.cerner.com/r4/0e14dd7a-54b5-4e15-8bd7-0053cd69b1ac/
Westchester Medical Center | https://fhir-myrecord.cerner.com/r4/0e5efebe-b60c-458e-971a-ee39e08a2178/
Seiff Center for Aesthetic and Reconstructive Surgery | https://fhir-myrecord.cerner.com/r4/0f01f77a-8c85-47f1-aaa5-2b7968c0806e/
MERCY HOSPITAL INC | https://fhir-myrecord.cerner.com/r4/0f28b1ab-8e47-4a25-b8ea-aeb6ede39b7d/
Allouez Avenue Foot Clinic | https://fhir-myrecord.cerner.com/r4/0f970415-9de4-4c5e-8ee7-703c79a9cc98/
Regional Medical Center of Orangeburg and Calhoun Counties | https://fhir-myrecord.cerner.com/r4/0fba742b-eec1-4103-87e5-edbdf1fe1e30/
Lake Health | https://fhir-myrecord.cerner.com/r4/0febeb13-8e64-489b-8219-6b0ac5c29683/
hypertension nephrology associates | https://fhir-myrecord.cerner.com/r4/0ffe150c-5435-4b81-b402-c9449af1a376/
DrumHill Pediatrics | https://fhir-myrecord.cerner.com/r4/0gHAygDLlJOak6hn-5BrJ04gaSGnHqqo/
Dignity Health CAREB | https://fhir-myrecord.cerner.com/r4/0qElfuk7cvLgJndB7hTiCVck6NR0D5uM/
Gabbie Medical Clinic | https://fhir-myrecord.cerner.com/r4/0vrdpNH7rwpdKHXHV32pI9kiii8_MVX2/
Medical Clinic of Red Bay | https://fhir-myrecord.cerner.com/r4/0w2X68WoJybtavj9KNOUNqH4zjiuzU9x/
SAN JOAQUIN GENERAL HOSPITAL | https://fhir-myrecord.cerner.com/r4/1014839d-07f9-4c12-a617-3f1d8afea267/
Chinese Hospital | https://fhir-myrecord.cerner.com/r4/101c0869-4f3e-4fdb-af79-02ba9f712e30/
Indiana Regional Medical Center | https://fhir-myrecord.cerner.com/r4/1031a3cd-9903-4995-baa5-734895a3e2a2/
Kathryn Amacher, D.O. | https://fhir-myrecord.cerner.com/r4/10521376-f6e6-41c2-a307-0de4e8ac5c2b/
Cullman Medical & Pediatric Assoc. PC | https://fhir-myrecord.cerner.com/r4/10SsEyRV6mB-ixPURUQbSLUZ7vtegZBi/
Warren Washington Association for MH | https://fhir-myrecord.cerner.com/r4/10d65d12-0ecf-4613-84df-07c7c4f09ca4/
McKnight Clinic | https://fhir-myrecord.cerner.com/r4/110cb3c6-b110-474f-9f37-1dc02438d0c6/
Cardiology Associates Inc. | https://fhir-myrecord.cerner.com/r4/11bc0c3c-c195-42b2-ba3e-5064c5f00185/
Jerome A. Cohn, DPM PC | https://fhir-myrecord.cerner.com/r4/11c92883-3ba8-4054-8136-467108df0876/
Dinesh Lahoti, MD | https://fhir-myrecord.cerner.com/r4/11c9f394-ec26-4c20-ab5b-88e040706ab4/
Pioneers Memorial Healthcare District | https://fhir-myrecord.cerner.com/r4/11d6e9da-d3d5-4352-8d64-f06e0d461c57/
UAB Hospital | https://fhir-myrecord.cerner.com/r4/11e960ca-465e-403d-a8ac-dfa9be65dd83/
SILVER CROSS HOSPITAL | https://fhir-myrecord.cerner.com/r4/11ea0cbd-06f9-4ba7-9e47-64230780fa06/
Hidenao Kimura, MD, LLC | https://fhir-myrecord.cerner.com/r4/11ec782a-a256-41d9-a180-ba3424536d6e/
The Steven A. Cohen Military Family Clinic At Centerstone | https://fhir-myrecord.cerner.com/r4/11f5b60c-7ccb-45b6-9c17-e5bc03ab46bd/
Tri-City Medical Center | https://fhir-myrecord.cerner.com/r4/124c0226-4a30-493e-919a-d360c6c85fa7/
G. Perrin Underwood, MD | https://fhir-myrecord.cerner.com/r4/12a1c355-c61a-45a8-a04e-bf576ee7490b/
Surgery Partners - Nashville | https://fhir-myrecord.cerner.com/r4/12e6e189-04bb-431f-917c-32d5c1bc83d5/
Dr. Kostecke | https://fhir-myrecord.cerner.com/r4/1343d08e-d344-4cf3-8b4c-00d3bf2d2f22/
William Defeo, DPM | https://fhir-myrecord.cerner.com/r4/135a9a14-5851-4db5-b6e4-bd9037eef316/
LifeBridge Health | https://fhir-myrecord.cerner.com/r4/136fea15-c667-40bc-9ed2-b1115d62123b/
BEEBE HEALTHCARE | https://fhir-myrecord.cerner.com/r4/13b50b3e-3008-4cea-8436-d50ebe0744e1/
George L. Thaler, DPM | https://fhir-myrecord.cerner.com/r4/13e0424e-cf2d-4fa1-8eeb-46000e113cfb/

Anderson Dermatology and Skin Surgery | https://fhir-myrecord.cerner.com/r4/14194f57-1cf1-4d77-801e-4659b5b99d4c/
Asheville Podiatry Associates | https://fhir-myrecord.cerner.com/r4/1426d78c-0f62-4721-863e-5a04f771d495/
Physician In-Home Services | https://fhir-myrecord.cerner.com/r4/1489851f-6448-4afb-9a0e-12d9d94aa987/
Atlanta Rehabilitation Physicians, P.C. | https://fhir-myrecord.cerner.com/r4/148d0862-3261-4a44-ba2d-29293ff91161/
POARCH BAND OF CREEK INDIANS | https://fhir-myrecord.cerner.com/r4/148f5931-d9cf-4d65-8c66-7021ed161b73/
El Centro Regional Medical Center | https://fhir-myrecord.cerner.com/r4/1511ffe1-3474-454c-96b9-25125c8182f0/
Miami Dade College Medical Campus Clinic | https://fhir-myrecord.cerner.com/r4/1557c3e2-181e-4d57-8141-b8fe7c0185ed/
Bacharach Institute for Rehabilitation | https://fhir-myrecord.cerner.com/r4/15758d3c-e7f4-4df2-8236-c16c5a55011e/
Continuum Of Care Domain A | https://fhir-myrecord.cerner.com/r4/15ab3360-8b18-4c92-8b21-d637c03dc09c/
ENT & Allergy Associates, P.C. | https://fhir-myrecord.cerner.com/r4/15dd2bda-9d00-4c3d-967c-f374acf8d6ab/
Capital Region Health Care | https://fhir-myrecord.cerner.com/r4/16386a34-20a6-42d6-bf13-226b287a42a5/
Fernandes Banerjee Shenoy Kidney Center LLC | https://fhir-myrecord.cerner.com/r4/164776a0-ef92-46b0-b574-bc0e63ed9671/
Beaver Medical Clinic | https://fhir-myrecord.cerner.com/r4/1689f559-34cb-4d05-ae6b-0d5c8a6ea89c/
Bellville Medical Center | https://fhir-myrecord.cerner.com/r4/16a6a2d0-9070-4585-9404-d87e500b89cb/
California Correctional Health Care Services | https://fhir-myrecord.cerner.com/r4/171973c1-c2f6-42fa-96ac-2222224c476e/
Frank J. Killian, DPM | https://fhir-myrecord.cerner.com/r4/1737f32c-1a16-4660-8f22-545d69ce01dc/
Five Mountains Hawaii, Inc- Dba: Kipuka o ke Ola | https://fhir-myrecord.cerner.com/r4/17479dfb-b021-49d0-9c8a-9247a410a2a3/
American ID Group | https://fhir-myrecord.cerner.com/r4/1756cd29-c2db-4030-a36b-04c68ddb9ca5/
Miners' Colfax Medical Center | https://fhir-myrecord.cerner.com/r4/1762c86e-d105-4afc-a3d1-9e89748c9af3/
Jaime E. Campos, MD, PA | https://fhir-myrecord.cerner.com/r4/177ce732-146d-43d6-b1f2-f27ab10b5dfe/
Alamo Psychiatric Care PA | https://fhir-myrecord.cerner.com/r4/1845df8d-054c-4f01-87bb-96587b55c793/
Southdale Pediatrics Assoc., Ltd. | https://fhir-myrecord.cerner.com/r4/1846cf9e-8006-4277-b72f-3cbbe8a8f5ca/
Kiowa District Hospital | https://fhir-myrecord.cerner.com/r4/18873135-3bbb-44c9-950a-a010c0269f4b/
GC USA of Florida, LLC | https://fhir-myrecord.cerner.com/r4/188a9934-272e-40a6-b77d-07674ebcbb4e/
Urology Partners of North Texas | https://fhir-myrecord.cerner.com/r4/18f5d65c-83f0-435a-868c-70ce5a6de90a/
Magruder Hospital | https://fhir-myrecord.cerner.com/r4/19553296-f85a-48c6-9c93-313791e9f18b/
Robert S. Stipek, DPM | https://fhir-myrecord.cerner.com/r4/1AN2znHfTFaFUc4YPucjdabPqWM4Ifu6/
David L. Crowder, M.D., Inc | https://fhir-myrecord.cerner.com/r4/1Dszw2goTz-HRPQAjnp5h-SWxEe2-Tfi/
Gillette Children's Specialty Healthcare | https://fhir-myrecord.cerner.com/r4/1a27c25c-f98c-457f-a68f-46b79305bda6/
Michael A. Marvin, DPM | https://fhir-myrecord.cerner.com/r4/1a2e2e0d-8e43-4f2f-8b9e-bbbe114275a3/
Johnson Regional Medical Center | https://fhir-myrecord.cerner.com/r4/1a399bfe-f78b-4bd3-b22b-301d9fc9736a/
Washington Regional Medical Center | https://fhir-myrecord.cerner.com/r4/1a55666e-0320-4f6b-b276-8ad1178a06d1/
Horn Memorial Hospital | https://fhir-myrecord.cerner.com/r4/1aa4438a-2520-42f9-8b43-85785136e80e/
Professional OB/GYN Doctors | https://fhir-myrecord.cerner.com/r4/1aaa2297-cd97-4f91-84aa-bfa4adb4e672/
W. David Mello, M.D. | https://fhir-myrecord.cerner.com/r4/1ac545fd-ef52-46ef-9d44-79bace12a10b/
Eugene Shteerman, MD | https://fhir-myrecord.cerner.com/r4/1acb1d90-1c8d-4447-b242-48d6b194317b/
Renal-Hypertension Clinic, PC | https://fhir-myrecord.cerner.com/r4/1ad2a81d-d102-4f59-a87a-db4fa01056bd/
Mountain Grove Health Clinic | https://fhir-myrecord.cerner.com/r4/1b1e5c61-56d7-451b-9b71-92a7bd3e453e/
Dr. Bose Industrial & Family Medicine | https://fhir-myrecord.cerner.com/r4/1b2b742f-42bf-43a5-8c28-95e9ccd18862/
Tallahassee Podiatry Associates | https://fhir-myrecord.cerner.com/r4/1b51b01a-cf35-4022-974c-7633d8b348f9/
Metro Infectious Disease Consultants | https://fhir-myrecord.cerner.com/r4/1b768eee-dd17-4e01-8b1e-f5330ffd0ffa/
Little Colorado Medical Center | https://fhir-myrecord.cerner.com/r4/1b77ef85-4263-4810-a991-372a36dc4ff0/
Personalized Primary Care Atlanta | https://fhir-myrecord.cerner.com/r4/1bd57171-f0fc-42ae-9baf-e255a76f2819/
The Steven A. Cohen Military Family Clinic At Veterans Village | https://fhir-myrecord.cerner.com/r4/1c0a08f9-9cc4-4641-ba0f-c38d264c2529/
Caribou Medical Center | https://fhir-myrecord.cerner.com/r4/1c1a9f5d-79fb-4003-8c99-6287771c0404/
Morrow County Health District | https://fhir-myrecord.cerner.com/r4/1c1bd3d4-4a26-4d40-b6ea-57e1e5c43016/
Liberty Dayton Regional Medical Center | https://fhir-myrecord.cerner.com/r4/1c4e6005-70c8-4848-94e1-292ffa50fed2/
Hemphill County Hospital | https://fhir-myrecord.cerner.com/r4/1c565283-08b7-4811-af3a-d8ab0c3d5260/
Northland Health Care Access | https://fhir-myrecord.cerner.com/r4/1c9815c7-2fbe-40be-9813-e5639c105f69/
South Florida Pediatric Partners | https://fhir-myrecord.cerner.com/r4/1c9cb0c5-1db1-401e-9a06-132d030c72c2/
Ascension Providence Rochester Hospital | https://fhir-myrecord.cerner.com/r4/1co7TB-AnE4kKYvBDzXBJf-MlYrYrEnf/
Texas Tech University Health Sciences Center El Paso | https://fhir-myrecord.cerner.com/r4/1d0193b5-c6df-4894-ba58-5a49f2d64f8f/
Kane County Hospital | https://fhir-myrecord.cerner.com/r4/1d0400a3-4b8b-4837-b984-e3261fda469a/
Indianapolis Gastroenterology, Inc. | https://fhir-myrecord.cerner.com/r4/1d5dc169-f536-4ee1-9c67-c93c23521729/
Raso and Cohen Gastroenterology | https://fhir-myrecord.cerner.com/r4/1d6c3167-ceed-47b0-b6f7-156a9cb2ffbe/
Neurology & Sleep Solutions LLC | https://fhir-myrecord.cerner.com/r4/1d6c927a-8fe8-4114-911c-8498e2eb642e/
Merrimack Valley Orthopaedic Associates | https://fhir-myrecord.cerner.com/r4/1e6e321c-be51-4a82-a0ac-c7ba981fee78/
Heritage Medical Associates, PA | https://fhir-myrecord.cerner.com/r4/1e751165-d0f5-47ed-aa9b-1a8abb55d1d6/
Emory Healthcare, Inc | https://fhir-myrecord.cerner.com/r4/1ea8551e-0fb1-4703-8c98-94d25868feac/
Goldsboro Podiatry | https://fhir-myrecord.cerner.com/r4/1ee7fa8c-2604-4e16-b1f2-79febf0fab94/
Domain K CommunityWorks | https://fhir-myrecord.cerner.com/r4/1fa69ab9-9d8c-4a5c-bc87-6030844e033a/
Iredell Memorial Hospital | https://fhir-myrecord.cerner.com/r4/1faf3cea-e504-4363-85be-017534ea9e27/
City of Asheville Health Services | https://fhir-myrecord.cerner.com/r4/1fc28530-8f60-48e4-aea0-77fe08e0b8d3/
Mountain View Child Care, Inc. d/b/a Totally Kids Rehabilitation Hospital | https://fhir-myrecord.cerner.com/r4/1fec57aa-48c4-4598-a98f-f72022b4a4cc/
G. Scot Johnson MD | https://fhir-myrecord.cerner.com/r4/1iSUCOMo-1LnA2beSKjvOuwrZcTnFbq7/
Dr. Tilak Mallik | https://fhir-myrecord.cerner.com/r4/1pr65N3sygbkRcFn_c89F-donYqb1-Dt/
Cullman Surgical Assoc., P. C. | https://fhir-myrecord.cerner.com/r4/2017165a-e6da-4297-96d2-0da8973a33da/
James Rommer, MD | https://fhir-myrecord.cerner.com/r4/20233ef0-1a16-48bd-a934-aa148473a80d/
New Coast Cardiology | https://fhir-myrecord.cerner.com/r4/204a45c4-fa47-4c88-b6c6-15100f41107e/
Tallahassee Memorial HealthCare | https://fhir-myrecord.cerner.com/r4/20840a0f-84f0-4541-a74c-e4481222809f/
LOS ANGELES COUNTY DEPT OF HEALTH SERVICES | https://fhir-myrecord.cerner.com/r4/208486af-ceea-4a7d-b4d7-95c884a327df/

Kidz Medical Services - Miami | https://fhir-myrecord.cerner.com/r4/2088f28f-3c6b-4771-b216-22a921e823e3/
bioMerieux US | https://fhir-myrecord.cerner.com/r4/20a3a78c-c5c6-45f6-a1b4-84caff15a9cb/
Women's Medical Center of Meridian | https://fhir-myrecord.cerner.com/r4/20d7d246-549d-436f-88f7-e8d24a8a542b/
Kingsley E. Agbeyegbe, MD | https://fhir-myrecord.cerner.com/r4/20f03d9b-a36a-4840-9108-358bfe8520a9/
Drs. West, Scharf, Conte and Bastianelli | https://fhir-myrecord.cerner.com/r4/20f47704-6d52-45dd-af98-57014a72c180/
Effingham Health System | https://fhir-myrecord.cerner.com/r4/210c1b9f-8bdc-4fc0-af1b-d0a64f9c307f/
Jackson Parish Hospital | https://fhir-myrecord.cerner.com/r4/21ed112e-ec5e-43b1-8ddc-cd3753841e6e/
Montgomery County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/2204183e-6c83-4c63-94c0-94d8c17a6ef8/
Many Rivers Whole Health | https://fhir-myrecord.cerner.com/r4/2229c7e9-33af-4844-8811-015c0ae6032b/
McGehee Hospital Inc. | https://fhir-myrecord.cerner.com/r4/226835e4-1cc9-4406-a88a-250212c16ce2/
Stewart, John A., MD, PC | https://fhir-myrecord.cerner.com/r4/22Uc-fJDB9OVJIDl_oIBMMN7nEcPcLZt/
M.E.N.D., PA | https://fhir-myrecord.cerner.com/r4/22d22c3c-8384-4172-b58d-229dd78c4154/
Trego County-Lemke Memorial Hospital | https://fhir-myrecord.cerner.com/r4/235ba15f-6bef-42d8-831c-5f3f60c7755f/
CHILDRENS HOSPITAL OF THE KINGS DAUGHTERS | https://fhir-myrecord.cerner.com/r4/237789e0-8b40-4355-aefd-25694ca16391/
Nicholas S. Vachon, DPM | https://fhir-myrecord.cerner.com/r4/237aa410-7cb8-4ac1-ba42-3944408d6c7f/
Cleveland Family Care | https://fhir-myrecord.cerner.com/r4/237d7594-4541-4b90-ad67-9467f72ad1ef/
Kittitas Valley Healthcare | https://fhir-myrecord.cerner.com/r4/23941371-53b3-4b40-a249-d9e5af645869/
General John J. Pershing Memorial Hospital Association DBA Pershing Memorial Hospital | https://fhir-myrecord.cerner.com/r4/23d7eb1d-294f-4546-883b-c856fcd53f34/
Scott A. Groat, DPM | https://fhir-myrecord.cerner.com/r4/2473c3e4-a3db-44eb-852b-6c845f6e5961/
Precision Surgical Specialists of Lowell | https://fhir-myrecord.cerner.com/r4/248c4eac-ef54-410c-af1d-d3a135ccb339/
Van Diest Medical Center | https://fhir-myrecord.cerner.com/r4/24c3ea72-6b18-4192-9262-677c412fb10a/
T.J. Regional Health | https://fhir-myrecord.cerner.com/r4/24e03c9a-e2fd-45f4-8243-e38cc7e8418d/
Paul Potach D.P.M | https://fhir-myrecord.cerner.com/r4/25323118-f910-447e-97a3-efa84a07950e/
Rock Regional Hospital | https://fhir-myrecord.cerner.com/r4/2563cb1b-8ed5-4fa8-82ee-eb933a99c9c2/
Joel L. Gellen, DPM | https://fhir-myrecord.cerner.com/r4/25641f20-a69b-41d6-9c60-3287d9431b57/
Toyota Industrial Equipment | https://fhir-myrecord.cerner.com/r4/256e21d7-83b6-43a8-a945-8a46e496b3df/
Central Valley Medical Center Inc | https://fhir-myrecord.cerner.com/r4/26081706-bf97-4a1b-96e4-2d82c3343f85/
Walnut Lake Ob/Gyn | https://fhir-myrecord.cerner.com/r4/26519c41-5760-4666-aec7-131cba00ac7b/
AdventHealth Ottawa | https://fhir-myrecord.cerner.com/r4/2706bae0-904c-4f4d-a308-d6dab1fc6e73/
Colorado Canyons Hospital & Medical Center | https://fhir-myrecord.cerner.com/r4/2727d563-1937-4182-91c8-c6faf5efe876/
Edward L. Murray, DPM | https://fhir-myrecord.cerner.com/r4/274f233e-d0c5-4660-bb64-e2ff085087aa/
Tropical Texas Behavioral Health | https://fhir-myrecord.cerner.com/r4/2806d8de-ae12-4b18-ae66-9968e4959f3b/
Caritas Clinics | https://fhir-myrecord.cerner.com/r4/282ac7c4-9db7-44ff-9e15-9477722bfca6/
Anita Pavels, MD | https://fhir-myrecord.cerner.com/r4/2888fe54-ff91-4fa6-98a5-712a99f44d2f/
Beacon Health System | https://fhir-myrecord.cerner.com/r4/28FMw_aQtzSqkrYbQSc2Fss9Rc_nhEOH/
Healthe Employer Clinic | https://fhir-myrecord.cerner.com/r4/28b635e9-1338-4104-a4e8-4056bb914688/
Adventist Health System/West | https://fhir-myrecord.cerner.com/r4/29a5ccea-f4ab-4447-a191-56b20695970f/
Blair Foot & Ankle | https://fhir-myrecord.cerner.com/r4/29bd7f74-505f-4da0-ab1b-2b3301332cd9/
St. Joseph's Regional Medical Center | https://fhir-myrecord.cerner.com/r4/29f657f0-c982-48e4-aa91-691f7be0aedf/
Mid-Nassau Medical Care for Kidz LLC | https://fhir-myrecord.cerner.com/r4/2QFBP_GpXSU7KIclk_f76cqIGbQoW5zf/
University Medical Center | https://fhir-myrecord.cerner.com/r4/2RN95TVx9sVNwZUXvBjAMhoPj5vjnRtA/
Weisbrod Memorial County Hospital | https://fhir-myrecord.cerner.com/r4/2a26b890-db17-4a7e-9202-2a2892d9bf86/
Methodist Health System | https://fhir-myrecord.cerner.com/r4/2ae7d625-833b-4a4d-a216-8fc7be3f9894/
Allen A. Flood, MD | https://fhir-myrecord.cerner.com/r4/2b2a3443-b072-4bef-8852-df9682c77c5c/
Evolution Health | https://fhir-myrecord.cerner.com/r4/2b4ecf8d-3f0b-405c-8db8-17bbbe95252b/
Vail Health | https://fhir-myrecord.cerner.com/r4/2b53e1a6-a4f0-4eb4-9db6-d7bb72f1c188/
The Steven A. Cohen Military Family Clinic At Child & Family Service | https://fhir-myrecord.cerner.com/r4/2b6bf215-e418-4787-a3e4-daea65e4cf1a/
Saint Thomas Health | https://fhir-myrecord.cerner.com/r4/2b718c34-d07f-43cc-9f41-df1abcd82912/
Suburban Pulmonary Medicine | https://fhir-myrecord.cerner.com/r4/2b76d21c-b20a-42c8-bad0-54a58e0ed059/
Colonial Behavioral Health | https://fhir-myrecord.cerner.com/r4/2b8c86f5-c497-45b0-94ed-0102e20d1c70/
Jefferson Community Health & Life | https://fhir-myrecord.cerner.com/r4/2b9c31ea-6ddc-4b55-946f-2c60cc32be99/
Gibson County Podiatry | https://fhir-myrecord.cerner.com/r4/2bc71e38-c7fb-4443-b9ec-1941e90edee2/
Dr. William Strazzella DO | https://fhir-myrecord.cerner.com/r4/2c050f9f-35c2-457e-bf0d-830a643051e4/
Burrell Podiatry Clinic | https://fhir-myrecord.cerner.com/r4/2c42bde2-96fc-4b1a-a5b7-e9138619239c/
The Foot Care Group, PC. | https://fhir-myrecord.cerner.com/r4/2c834eee-5231-4dd1-ba8d-28931b99c0cc/
South Central Regional Medical Center | https://fhir-myrecord.cerner.com/r4/2c98a2ec-4d1e-465a-85ea-978418d9b03d/
Warren J. Degatur Jr. MD, FAAFP | https://fhir-myrecord.cerner.com/r4/2cb3d6db-a361-49b3-a3c3-68fe3216159f/
Foot And Ankle Associates of Maine, PA | https://fhir-myrecord.cerner.com/r4/2ccb01ad-4a64-4074-9560-d61ce84ce4ce/
Eye Specialists | https://fhir-myrecord.cerner.com/r4/2cde80e5-c678-4804-afb2-5ad93811f383/
Arkansas Heart Hospital | https://fhir-myrecord.cerner.com/r4/2d323e4d-c76a-4e6b-ac13-659410ca60ea/
Cherokee Nation | https://fhir-myrecord.cerner.com/r4/2d405cde-1d8b-4a50-adff-ca7776cd856e/
Dr. Donald Huang | https://fhir-myrecord.cerner.com/r4/2da544c8-ef40-4e26-86e5-29350376d197/
Jewell County Hospital | https://fhir-myrecord.cerner.com/r4/2daa157e-8b5f-4b5c-b571-5b57834b9765/
First Choice Community Healthcare | https://fhir-myrecord.cerner.com/r4/2e044b81-e4a1-4dfe-8ce3-5d982e938db0/
Martin County Hospital District | https://fhir-myrecord.cerner.com/r4/2e0b373c-6849-4975-9202-a3b4d9fb20f3/
Wills Memorial Hospital | https://fhir-myrecord.cerner.com/r4/2e91391f-862e-482e-a486-1862f5b91400/
South Texas Kidney Specialists | https://fhir-myrecord.cerner.com/r4/2e9e3915-1773-46fb-b3fa-81cf91ffa56b/
Digestive Disease Consultants | https://fhir-myrecord.cerner.com/r4/2ed1c574-c5ac-427e-a2ed-e9f8b5471f70/
Tenet HealthSystem Medical | https://fhir-myrecord.cerner.com/r4/2ee676c7-a169-4238-a242-e953ca559f22/
Vascular Surgery Associates | https://fhir-myrecord.cerner.com/r4/2eeadd18-0e47-46b5-b124-bf3110ed368e/
Oncology Associates, PC | https://fhir-myrecord.cerner.com/r4/2ef7a227-7c5f-434c-8ef1-c7b04bd0431e/

College Medical Center | https://fhir-myrecord.cerner.com/r4/2f200361-7791-4302-badd-31bba76d31ab/
American Fork Pediatrics | https://fhir-myrecord.cerner.com/r4/2f242d85-274e-4e3f-a641-44b7b63bac25/
Institute of Neurology and Neurosurgery at St. Barnabas | https://fhir-myrecord.cerner.com/r4/2f26dc99-c358-4b2b-a63e-0bdfec0a9b98/
BOONE COUNTY HEALTH CENTER | https://fhir-myrecord.cerner.com/r4/2f32da6e-80b8-497f-843c-a19a93e136d5/
Mid Valley Hospital | https://fhir-myrecord.cerner.com/r4/2f4c5ffc-f00d-4f5a-b6ca-21795d2aa680/
UHS_Ambulatory_West | https://fhir-myrecord.cerner.com/r4/2f4f2c9e-c9c5-48b1-95a2-1ba6a49a76fd/
Arlington Podiatry | https://fhir-myrecord.cerner.com/r4/2fc0a311-4308-49e6-8f80-b20728e79c72/
Northern Inyo Healthcare District | https://fhir-myrecord.cerner.com/r4/2fc0be4f-8d9d-4f3f-89d9-ee59fb2aaa86/
Blue Ridge Behavioral Healthcare | https://fhir-myrecord.cerner.com/r4/2ff6a8d5-57b7-42f5-afd5-bfc08b37bd8f/
Prospect Medical Holdings - Waterbury Hospital | https://fhir-myrecord.cerner.com/r4/2ff937d5-49c0-4d88-b923-0f5bdcf3b04f/
Kathryn L. Ford Family Practice Center | https://fhir-myrecord.cerner.com/r4/30290204-0354-41d4-82d0-b5e3a0bc4ec5/
RENAISSANCE HEALTH LLC | https://fhir-myrecord.cerner.com/r4/30367288-af74-4979-9ada-cd518e69cb2c/
GERALD CHAMPION REGIONAL MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/304d13bb-2c34-4ffe-bf3e-d4d17562b002/
Neshoba County General Hospital | https://fhir-myrecord.cerner.com/r4/30747ffd-8a27-4deb-952a-ce2992dc36bd/
Stafford District Hospital | https://fhir-myrecord.cerner.com/r4/30cec37b-518a-4b38-8069-430360af95cf/
San Juan Regional Medical Center | https://fhir-myrecord.cerner.com/r4/30ec54bc-d6f1-41e4-8f29-88104e9b8ee6/
Premier OB/GYN | https://fhir-myrecord.cerner.com/r4/31c1d82c-d665-40a0-b8bd-9d7f82d8d52b/
Dover Cardiology Center | https://fhir-myrecord.cerner.com/r4/31d30d44-6840-4141-93e1-b13c2f0041c7/
MH Master Holdings, LLLP by its general partner, MH Master, LLC | https://fhir-myrecord.cerner.com/r4/31d3d17c-a50c-4d78-bc5b-e9716826315e/
Huron Regional Medical Center | https://fhir-myrecord.cerner.com/r4/31fef104-c81e-4b2e-b1c2-a11a2b75de40/
Apex Partners, LLC | https://fhir-myrecord.cerner.com/r4/320cb157-6a7c-4bbf-99c2-9adf12a908e0/
Dignity Health Yavapai Regional Medical Center | https://fhir-myrecord.cerner.com/r4/325e1759-f94c-41b9-87e4-ef568789898b/
New York Comprehensive Care P.C. | https://fhir-myrecord.cerner.com/r4/329afbd4-f1aa-4709-b672-086217c311d9/
Foot & Ankle Center of SJ | https://fhir-myrecord.cerner.com/r4/32e03c95-b309-4594-826f-8331ad619414/
Choctaw Health Center | https://fhir-myrecord.cerner.com/r4/3333adb6-d9a3-40bc-bd12-147d265f6db2/
Joseph W Strangarity, MD | https://fhir-myrecord.cerner.com/r4/3337e6ed-5252-430d-9683-b149b59b10c0/
Rush Memorial Hospital | https://fhir-myrecord.cerner.com/r4/333e9bbc-c795-477c-b297-aba3ff88fb23/
Concierge Sports and Family Health | https://fhir-myrecord.cerner.com/r4/3395c71b-af87-4a04-a6d7-5b165990cf12/
Columbus Regional Healthcare System | https://fhir-myrecord.cerner.com/r4/343172e7-a805-41c0-9b12-57213fdd82cd/
Stephen Vile, M. D. | https://fhir-myrecord.cerner.com/r4/349347bc-b57a-40bd-9d6e-a0d5831d7c75/
Dr. Vincent Reyes | https://fhir-myrecord.cerner.com/r4/3496639b-bf45-42dc-8e9b-e1a123f14b1a/
New England Foot & Ankle PC | https://fhir-myrecord.cerner.com/r4/34UBEiA4BbjrlyKzOs77LsHNvAbVl0ub/
Veronica Kacmar-Fedorchak, DPM | https://fhir-myrecord.cerner.com/r4/34c7ad52-72ac-4308-ba34-6fd734dc9209/
Boyle Heights Nephrology | https://fhir-myrecord.cerner.com/r4/34e9cf55-d4f0-4e9c-8676-4a0b3dc4bae0/
Crisp Regional Hospital | https://fhir-myrecord.cerner.com/r4/34ff5e8d-9e6e-46ac-96bc-b559872b0325/
The Steven A. Cohen Military Family Clinic At Endeavors | https://fhir-myrecord.cerner.com/r4/351587b9-2bb4-44d5-9024-e475e0b7510e/
Sturdy Memorial Hospital | https://fhir-myrecord.cerner.com/r4/3518be8a-ee50-46dd-887a-a3e6e4fc9294/
Iron County Medical Center | https://fhir-myrecord.cerner.com/r4/3585fb85-29d2-4cc4-ba39-28265125f97f/
James T. Cort Internal Medicine | https://fhir-myrecord.cerner.com/r4/35e4307a-9a7e-4250-8069-e6f294ff562b/
Gothenburg Memorial Hospital | https://fhir-myrecord.cerner.com/r4/3674500c-a3e1-42b1-b8ad-0a387ebf7b32/
Lowell Surgical Associates | https://fhir-myrecord.cerner.com/r4/36adad9c-8758-4091-9c08-d4e8de999cfb/
Surgeons Choice Medical Center | https://fhir-myrecord.cerner.com/r4/36d07840-c916-4ccf-aa2f-8bc252a8face/
Cardio MD | https://fhir-myrecord.cerner.com/r4/36d990dd-0e06-4a85-bc0f-4a8859d77748/
Dr. Neal Suares | https://fhir-myrecord.cerner.com/r4/36e35b4b-e4c5-4e91-9408-cf0fec2fda80/
Southwest Memorial Hospital | https://fhir-myrecord.cerner.com/r4/370a27ae-e433-405a-8270-a345a875a69f/
Pediatric Services of Springfield | https://fhir-myrecord.cerner.com/r4/374254e6-8a71-4f61-90b5-064a630a4cd8/
Hunt Memorial Hospital District | https://fhir-myrecord.cerner.com/r4/37516537-a669-4ba7-bc89-308a17141fc4/
Washington Regional Medical System | https://fhir-myrecord.cerner.com/r4/3768b58f-9087-4dfa-842c-2b8faa633af3/
The Steven A. Cohen Military Family Clinic At Alaska Behavioral Health | https://fhir-myrecord.cerner.com/r4/37729496-dd1e-4fc3-8c61-2567a329f99d/
OKLAHOMA SURGICAL HOSPITAL | https://fhir-myrecord.cerner.com/r4/37d0fa6b-e0f7-4581-adbb-f9e2eac855e1/
Minneola District Hospital | https://fhir-myrecord.cerner.com/r4/37f6d032-7bca-45b8-891c-69b79d7f4de8/
Nevada Regional Medical Center | https://fhir-myrecord.cerner.com/r4/3813b615-6514-44ac-92c9-256417b57cd1/
Okanogan County Public Hospital District No 4 d/b/a North Valley Hospital District | https://fhir-myrecord.cerner.com/r4/3886e5cc-74f6-4658-9302-8c8ffe285776/
Kevin R. Henry, DPM | https://fhir-myrecord.cerner.com/r4/38b800d7-d14c-4f4e-8156-bce045188911/
Brodstone Healthcare | https://fhir-myrecord.cerner.com/r4/392964be-b711-4e7a-a97d-b35e931678a8/
Livingston Hospital and Healthcare Services Inc | https://fhir-myrecord.cerner.com/r4/3979aec0-01c5-4867-872c-320311ff1822/
Dr. Israel Alvarez | https://fhir-myrecord.cerner.com/r4/39daffa1-6093-4b32-b0bb-17d705a8f06d/
CABELL HUNTINGTON HOSPITAL | https://fhir-myrecord.cerner.com/r4/3N1pCmlUG0710nvlzCuO977VaU0tztwr/
Raritan Family Healthcare | https://fhir-myrecord.cerner.com/r4/3a1dfc54-3ef1-4d24-a87c-45de2dcda2e0/
Atlanta Ropheka Medical Center | https://fhir-myrecord.cerner.com/r4/3a26afd9-920c-4709-8b6b-367ca80f62e3/
Decatur County Hospital | https://fhir-myrecord.cerner.com/r4/3a35c68f-f24b-40b5-8425-cac7e4d992c3/
Sepulveda & Associates, PC | https://fhir-myrecord.cerner.com/r4/3a5f2b67-21a2-4bcc-959e-bdff6da685ae/
SMP Health - St. Andrew | https://fhir-myrecord.cerner.com/r4/3a78ca0f-dec6-4126-bc01-09e0bce30400/
Stonewall Jackson Memorial Hospital | https://fhir-myrecord.cerner.com/r4/3af1289d-eb50-43a1-88d7-f9212538b9d6/
M. Edwin Davis, M.D., P.C. | https://fhir-myrecord.cerner.com/r4/3b1ec0f9-269d-4e41-99b2-594fce574943/
DaVita Inc. | https://fhir-myrecord.cerner.com/r4/3b23ba82-4045-4c42-b34e-b749fc14463d/
Belkys Bravo, MD | https://fhir-myrecord.cerner.com/r4/3b364ba7-1e24-4e24-b187-fb3fc86431d8/
Namita Mohideen MD Inc. | https://fhir-myrecord.cerner.com/r4/3b6634a9-9b43-4d04-9164-67830eddec34/
Medical Clinic of Northville PC | https://fhir-myrecord.cerner.com/r4/3bd112f2-a293-4bc2-86f3-8aca32fd3911/
COVENANT HEALTH | https://fhir-myrecord.cerner.com/r4/3c4a889f-c0c4-4f50-90d1-60f6a5ad9e7d/

Niagara Falls Memorial Medical Center | https://fhir-myrecord.cerner.com/r4/3c975af8-28ae-4d97-adec-66228015b5a8/
Nephrology Consultants, PA | https://fhir-myrecord.cerner.com/r4/3c97fd5e-8596-4941-825c-71277aadd345/
West Alabama Pediatrics | https://fhir-myrecord.cerner.com/r4/3d32fa57-0589-4d21-9742-97970793cb6a/
Strand Psychiatric Associates, PA | https://fhir-myrecord.cerner.com/r4/3d3dd162-fab9-4f80-ae08-54f08e64d788/
Tenet HealthSystem Medical | https://fhir-myrecord.cerner.com/r4/3d7077ef-b320-499e-93ef-04794be13f6c/
Catholic Charities Trenton | https://fhir-myrecord.cerner.com/r4/3d9cd35a-d012-4d0a-9edd-67d1e56d2a64/
Doctors For Senior Health PC | https://fhir-myrecord.cerner.com/r4/3d9dbe31-b367-4223-9466-3a189a9f7ec9/
San Francisco Foot & Ankle Center | https://fhir-myrecord.cerner.com/r4/3dd204c7-56e5-4b85-94ad-73d0aa33f7f3/
OSF Saint Clare Medical Center | https://fhir-myrecord.cerner.com/r4/3e12b969-e9cf-4559-9980-aa408e074b16/
ATLANTICARE HEALTH SYSTEM | https://fhir-myrecord.cerner.com/r4/3e8d4a4e-e1e9-4f4d-8b87-af7fa09f6ac8/
Dutchess County Department of Mental Health | https://fhir-myrecord.cerner.com/r4/3eaae75d-13f1-4578-a896-2c3cd494568d/
Executive Health of Coral Gables | https://fhir-myrecord.cerner.com/r4/3ed38101-a312-4a4c-8cad-0627a5c63d9e/
Doctors Hospital at Renaissance | https://fhir-myrecord.cerner.com/r4/3fe59471-3589-4f65-b447-b92822bfc057/
Platinum Digestive Health | https://fhir-myrecord.cerner.com/r4/3fe60ded-faad-4fdb-aaa0-2885c5eec160/
Medsouth Associates, PC | https://fhir-myrecord.cerner.com/r4/3iBzJkAlx2Dh_gbW0DPrMPITOG-k7xrK/
The Foot & Leg Specialty Center | https://fhir-myrecord.cerner.com/r4/3jN56CzgE42qN67V-lipLF6k9nZSJJYD/
Associated Nephrology Consultants | https://fhir-myrecord.cerner.com/r4/3y297hHso-SAgtaVMIScpv67gSH7SYy3/
Lexington Cardiology Associates | https://fhir-myrecord.cerner.com/r4/401be0da-78bd-4f38-816f-7ed627bf5b4c/
Premier Surgical | https://fhir-myrecord.cerner.com/r4/40521fdf-a90b-4eb2-b8bc-77e90b0288d6/
Digestive Disease Consultants | https://fhir-myrecord.cerner.com/r4/415f73c4-eb26-4a2f-bd48-682d90f715e0/
Colon & Rectal Surgery Associates | https://fhir-myrecord.cerner.com/r4/4186e40c-ae1e-4c84-b5ea-1707df8e59de/
Neurology LLP | https://fhir-myrecord.cerner.com/r4/41c6ed25-3515-4b65-ae90-1ce32a76404d/
MONONGALIA COUNTY GEN HOSP CO | https://fhir-myrecord.cerner.com/r4/41e7ed61-011a-4b3f-8e27-7aa832467b04/
CITY OF CHANDLER | https://fhir-myrecord.cerner.com/r4/4211ccc0-df3c-4100-a077-f6b59ef3ddba/
Great River Health System | https://fhir-myrecord.cerner.com/r4/42531be2-cc81-4ca4-b6c8-9b0ab56190c5/
HHP Internal Medicine Associates | https://fhir-myrecord.cerner.com/r4/4286a155-8d38-4f8a-8d99-037dcb62ebaa/
Hudson Physicians, S.C. | https://fhir-myrecord.cerner.com/r4/42a1ed53-a9ac-42b2-918f-be592f726951/
American Anesthesiology of NJ | https://fhir-myrecord.cerner.com/r4/430a7ff7-9999-4cda-a19f-fb8b573704c8/
Pedro J. Carvajal, MD | https://fhir-myrecord.cerner.com/r4/433d186d-e7ed-4937-b3fc-cb398ca4e3d1/
Adult and Pediatric Neurology Diplomate ABPN | https://fhir-myrecord.cerner.com/r4/433f567d-975b-4902-8c4f-47b718ca6b5a/
Tenet HealthSystem Medical | https://fhir-myrecord.cerner.com/r4/4347afb7-6eab-41ed-8727-c40ab6d6cd93/
Katherine Shaw Bethea Hospital | https://fhir-myrecord.cerner.com/r4/43b952fe-d2a5-473b-b04a-92c422b758a3/
The Steven A. Cohen Military Family Clinic At Metrocare | https://fhir-myrecord.cerner.com/r4/4402b652-4a96-42fb-a377-6cc6100998fc/
North Caddo Medical Center | https://fhir-myrecord.cerner.com/r4/440a8ebc-db01-474a-8d18-2ca626c92c6c/
Gary L. Adsit, DPM | https://fhir-myrecord.cerner.com/r4/443f9f6a-5b23-4b72-82a6-952cfef57015/
ELLIS HOSPITAL | https://fhir-myrecord.cerner.com/r4/44449a6c-e014-4a84-b9a2-5f63676d31de/
Internal Medicine Physicians PC | https://fhir-myrecord.cerner.com/r4/4492e985-44bf-43dd-a2f3-262f81a54d5c/
Kadin Foot & Ankle Center | https://fhir-myrecord.cerner.com/r4/44ca39cf-2a83-44a1-9f1c-726bd1023e23/
McLeod Health | https://fhir-myrecord.cerner.com/r4/4505c6b8-b247-4d01-9a89-0b566587111a/
Central Maine Medical Center | https://fhir-myrecord.cerner.com/r4/4517c430-03bf-4e32-b324-1387cc4e73f3/
Heidi Brewer, DPM | https://fhir-myrecord.cerner.com/r4/45fd479e-4bcb-44bd-af7f-1d81650d7682/
Logansport Memorial Hospital | https://fhir-myrecord.cerner.com/r4/46286911-5e07-45f3-b3ed-613a98a13430/
Boca Raton Regional Hospital | https://fhir-myrecord.cerner.com/r4/4680ff74-0924-406e-b918-8a3dc5ea07ee/
New Richmond Clinic | https://fhir-myrecord.cerner.com/r4/469198d4-e8c3-4208-8246-4a46a3b54553/
Gastroenterology Center- MS | https://fhir-myrecord.cerner.com/r4/47494c44-199d-4eaa-a659-6335d3720af2/
Indiana Foot & Ankle Specialist | https://fhir-myrecord.cerner.com/r4/474ddf0e-e459-4fdc-bb00-29da6ac3f85d/
Norton County Hospital | https://fhir-myrecord.cerner.com/r4/47504f24-8f33-46ef-bd43-36455bc94e0b/
University Health System, Inc. | https://fhir-myrecord.cerner.com/r4/479d1758-f967-4c2c-8306-7960101dd8ca/
CHCC Medical Group | https://fhir-myrecord.cerner.com/r4/47b1c0d3-481a-4b04-b2c8-b105e0d45af5/
Copper Queen Community Hospital | https://fhir-myrecord.cerner.com/r4/484401dc-c1cd-4d26-9e99-5c49739bf05b/
University Medical Center of El Paso | https://fhir-myrecord.cerner.com/r4/487b1ee3-44e2-439f-85f0-68e5e235e27a/
Garland ISD Clinic | https://fhir-myrecord.cerner.com/r4/48aa961c-db21-4ffc-8eb3-e4c75d7c7c56/
Kern County Hospital Authority | https://fhir-myrecord.cerner.com/r4/48b0ed26-b687-4cf9-9aa1-7924cd98c950/
South Mountain Nephrology, LLC | https://fhir-myrecord.cerner.com/r4/490f08f3-38d3-444b-88f1-9798dea724e4/
Asim Chohan, MD | https://fhir-myrecord.cerner.com/r4/4974de56-3f16-48b8-8593-c9b5a146fe18/
Hamilton General Hospital | https://fhir-myrecord.cerner.com/r4/49e93315-a94f-4ee4-9fb8-52170ea80976/
Infectious Diseases Associates, PC | https://fhir-myrecord.cerner.com/r4/49ec4064-7609-4f62-b5e6-20a05e00549b/
Kansas Medical Center | https://fhir-myrecord.cerner.com/r4/4D1ac_Ty5h2vV–oigqxzpJxwsTeHb_k/
Surgical Arts | https://fhir-myrecord.cerner.com/r4/4Nv9eay1aGUcDHoNoFvAiD-lWQW2B96h/
Clem Kirkland MD Inc. | https://fhir-myrecord.cerner.com/r4/4WhyRArSk37mMNgPi8abRFnlJRbnJPpW/
Excela Health | https://fhir-myrecord.cerner.com/r4/4a05505e-47a0-4af0-ad3e-f068134bca65/
Southeast Missouri Hospital | https://fhir-myrecord.cerner.com/r4/4a0f2b1c-3433-4080-963d-5ef416dec69b/
North Country Hospital & Health Center | https://fhir-myrecord.cerner.com/r4/4a15a283-6747-4ef7-984f-ce0e904fd6f0/
MEMORIAL HOSPITAL AT GULFPORT | https://fhir-myrecord.cerner.com/r4/4a2476ac-8e51-4591-af31-2fc7fcc3fc0d/
Concierge Medical of Naples, LLC | https://fhir-myrecord.cerner.com/r4/4aa55378-e9dd-4080-8ff1-d4ff4a0842d3/
Facv Consultants PC | https://fhir-myrecord.cerner.com/r4/4b3fb786-b574-41dd-9f14-c2679485ee61/
Winfield OB-GYN | https://fhir-myrecord.cerner.com/r4/4b5a41d6-4f6b-4c64-a2f5-0ec9374f0afa/
Hutchinson Regional Medical Center | https://fhir-myrecord.cerner.com/r4/4b9f5490-74cd-4f99-afff-f874348363bf/
California Coast Physicians | https://fhir-myrecord.cerner.com/r4/4ba49078-9665-4e9e-a0c8-bbc03a3add1d/
Ralph Zagha MD PA | https://fhir-myrecord.cerner.com/r4/4c236d22-a5ee-4e8f-ba94-5b9c7200c22a/
Syracuse Area Health | https://fhir-myrecord.cerner.com/r4/4c47f81f-d032-407c-bff2-76a77bc90bd3/
Black & Veatch | https://fhir-myrecord.cerner.com/r4/4c6adde2-a0d9-4a6e-863e-ae8135e53612/

Morton County Health Systems, Inc. | https://fhir-myrecord.cerner.com/r4/4cd1a241-f46d-4f25-80f2-af2c26c515bc/
Cibola General Hospital | https://fhir-myrecord.cerner.com/r4/4d334a73-dc4a-445d-a950-509dd7bc0fd9/
North Canton Podiatry Inc | https://fhir-myrecord.cerner.com/r4/4d4f1d55-8274-42f9-8e8e-37c848659018/
Dr. Ellbogen, MD | https://fhir-myrecord.cerner.com/r4/4dcb773c-b035-4184-96ff-d8e4a6592906/
Eastland Memorial Hospital | https://fhir-myrecord.cerner.com/r4/4dfa8a9b-1737-4e29-9540-cdf160fd93d1/
Azhar Khan MD PC | https://fhir-myrecord.cerner.com/r4/4e25fccd-d74e-480d-8ad9-77a7a01a54de/
Memorial Hospital | https://fhir-myrecord.cerner.com/r4/4e999ac6-c999-420e-9519-39e393fb5133/
Fernando L Martinez-Catinchi MD PA | https://fhir-myrecord.cerner.com/r4/4e9afe93-70c0-4e43-adb4-49ec1d261955/
Gros Ventre OB/GYN | https://fhir-myrecord.cerner.com/r4/4ea2101b-bb2d-4211-bc53-3120cb72bcc5/
The Hypertension Clinic | https://fhir-myrecord.cerner.com/r4/4ea8f953-b718-4128-8919-0106a77acc02/
NORTH BROWARD HOSPITAL DISTRICT | https://fhir-myrecord.cerner.com/r4/4ec99ef7-2f74-4efb-9ab9-a702c7c570f4/
Midwest Regional Health Service | https://fhir-myrecord.cerner.com/r4/4ed2ef3a-53e1-48ef-b364-a16c512d3488/
Indiana University Health | https://fhir-myrecord.cerner.com/r4/4ek42qnrCibOKYPH3Swwzqc3pT1bonJw/
Rostana Said, D.P.M. | https://fhir-myrecord.cerner.com/r4/4f354041-938e-4d10-ad51-d4d0faeb8f7d/
Huntington Hospital | https://fhir-myrecord.cerner.com/r4/4f35ff00-14bf-43a5-ae42-4f4f2c554bc0/
Ochsner LSU Health System of North Louisiana | https://fhir-myrecord.cerner.com/r4/4f368659-4db2-486e-913c-e2c2f5852845/
Children's Endocrinology & Diabetes Center | https://fhir-myrecord.cerner.com/r4/4f93f8d3-0d33-4c91-972a-a4eea318b39f/
Blue Mountain Hospital District | https://fhir-myrecord.cerner.com/r4/4fb2ef4c-fc22-4675-b38f-5641155a5454/
Ascension Seton | https://fhir-myrecord.cerner.com/r4/4ff3b259-e48d-4066-8b35-a6a051f2802a/
University of New Mexico Health Sciences Center | https://fhir-myrecord.cerner.com/r4/4nwOwRkG2bMG2PY-W1zZZrlh0VQphgtr/
Iowa Foot Care Center | https://fhir-myrecord.cerner.com/r4/4pSnl_JZLf4SWeoz2R9X-DNm9lx_iwaz/
Mosaic Mental Health | https://fhir-myrecord.cerner.com/r4/507190e3-553c-45ab-80f1-7f5686edd221/
County of San Diego Federal | https://fhir-myrecord.cerner.com/r4/508d381f-127f-4481-b25d-15bac563369c/
PNC Financial Services Group | https://fhir-myrecord.cerner.com/r4/50cd0cd2-ca52-4b72-b171-92a8aa1b1cda/
Petersburg Medical Center | https://fhir-myrecord.cerner.com/r4/5118b28a-7a06-4865-8078-64025151437b/
TPMD, LLC | https://fhir-myrecord.cerner.com/r4/512dcccf-0a75-4766-98d4-6cd215ee010d/
Richard M. Sooy, DPM | https://fhir-myrecord.cerner.com/r4/51439fee-4f26-4c5b-b9eb-6e943125896d/
California Kidney Specialists | https://fhir-myrecord.cerner.com/r4/5192cc27-2764-47df-a8de-8ad1cf29ade6/
Michael F. Esber, DPM PC | https://fhir-myrecord.cerner.com/r4/51f96a70-43c0-40c0-931a-19c1f8bc3766/
Mecklenburg Health Department | https://fhir-myrecord.cerner.com/r4/5213ec22-3df5-4b49-ab92-487589c502a5/
Dr. Mariela Urbina, MD | https://fhir-myrecord.cerner.com/r4/5235b747-55be-4dca-a84a-6c74c3aea914/
The National Diabetes & Obesity Research Institute | https://fhir-myrecord.cerner.com/r4/5253c5ce-87ba-4ca8-80b4-c943a8098fc6/
Lakes Regional MHMR | https://fhir-myrecord.cerner.com/r4/5264162f-aa78-4667-a679-fe27952281ff/
Emma Goldman Clinic | https://fhir-myrecord.cerner.com/r4/52689f1e-9825-4b5d-8853-96de57ae62a9/
Weaver, Kenneth R., MD | https://fhir-myrecord.cerner.com/r4/5285d7cf-1d9d-45e6-b50a-a38a52ab319a/
Pomona Valley Hospital Medical Center | https://fhir-myrecord.cerner.com/r4/52bd19c6-70df-487b-85b8-29be7abf17a1/
Premier Suburban Medical Group | https://fhir-myrecord.cerner.com/r4/53113a2f-ce08-426c-a627-1d944f724a9e/
Renal Medical Associations, LLC | https://fhir-myrecord.cerner.com/r4/53393c7a-0b87-4dcb-bbca-68e82f45f8dc/
Kaweah Health | https://fhir-myrecord.cerner.com/r4/53c0399e-61c8-4d87-b605-11883089184d/
NICKLAUS CHILDREN'S PEDIATRIC SPECIALISITS | https://fhir-myrecord.cerner.com/r4/53e6a1e6-ae3a-42a1-b1de-6de5bdf38a06/
Dr. Nelson Vega | https://fhir-myrecord.cerner.com/r4/547e0be6-20fb-42dc-9ff2-a10bcd0f2637/
West Broadway Clinic | https://fhir-myrecord.cerner.com/r4/54bd9abd-9cf5-47af-bd4c-c4fcdbd30c2f/
Rice Medical Center | https://fhir-myrecord.cerner.com/r4/54cec28b-dd40-47a8-a1d4-c74a4844f39d/
Kearny County Hospital | https://fhir-myrecord.cerner.com/r4/554843c8-8d71-4199-8499-511dff49069d/
Belladonna Medical, P.C. | https://fhir-myrecord.cerner.com/r4/5551d496-d540-4465-98ab-26d3cd0731b3/
Mental Health Resources, Inc. | https://fhir-myrecord.cerner.com/r4/557d7750-391a-46cd-b368-48399c62b8b9/
Alan L. Kalischer, M.D. | https://fhir-myrecord.cerner.com/r4/559fe11a-8e88-4e27-80a3-8c19d661fd5c/
Emory Clinic at Coke | https://fhir-myrecord.cerner.com/r4/55a5c77f-3c48-4025-a938-86c4c8770d6f/
Franklin Medical Center | https://fhir-myrecord.cerner.com/r4/562bb897-15aa-4c27-8c59-a5185eb0d309/
Senta Clinic | https://fhir-myrecord.cerner.com/r4/5632fbae-577c-4a2c-bb09-322e166c2db1/
New England Hernia Center | https://fhir-myrecord.cerner.com/r4/5702a1ef-1ffa-4749-8a59-5b2ca3bf45eb/
Allina Health | https://fhir-myrecord.cerner.com/r4/571892a5-3ae5-45ee-800d-36f0ad04078d/
Premier Health Care Group, PLLC | https://fhir-myrecord.cerner.com/r4/57555142-fd4d-44f9-b414-6223f59f4079/
Margaret Zakanycz, DPM | https://fhir-myrecord.cerner.com/r4/57Qg7kR2kdfct_V85kTstH_EBqhrbO84/
RCHP Billings - Missoula LLC d/b/a Community Medical Center | https://fhir-myrecord.cerner.com/r4/57e9b20b-351b-4b85-8ec7-ce273f1da74c/
Rockland Thoracic Associates | https://fhir-myrecord.cerner.com/r4/5821737a-9839-4bff-9449-7d869c0a4a4a/
FastTrack Immediate Care | https://fhir-myrecord.cerner.com/r4/58454b2e-331d-455c-9a19-f10338217401/
Haskell Memorial Hospital | https://fhir-myrecord.cerner.com/r4/58719a2f-ec28-4116-b1e7-a70dee5ac969/
Rocky Mountain Infectious Disease, PC | https://fhir-myrecord.cerner.com/r4/58a432b4-e1e9-4961-babc-ff3b87eb8606/
Novato Advanced Foot & Ankle | https://fhir-myrecord.cerner.com/r4/58af3cfb-25bc-40a1-b39f-a39b55dc2d85/
Seneca Healthcare District Hospital | https://fhir-myrecord.cerner.com/r4/58c7ab72-0260-42da-abd7-afdb8366fc20/
First Baptist Medical Center | https://fhir-myrecord.cerner.com/r4/58cb9d91-2948-4de3-bf50-27f99b3c33d9/
Riverside Medical Center | https://fhir-myrecord.cerner.com/r4/58e257bc-e191-4a35-bf38-51c1ed2d9839/
Tyler Holmes Memorial Hospital | https://fhir-myrecord.cerner.com/r4/597f09fe-69bc-4621-95bd-45f5516bc666/
Kahuku Medical Center | https://fhir-myrecord.cerner.com/r4/59b2bfcf-adfa-48b5-8352-526929b8ba96/
Greenwood County Hospital | https://fhir-myrecord.cerner.com/r4/59ddc031-60ca-4feb-adf7-162696421640/
SpiriTrust Lutheran LIFE | https://fhir-myrecord.cerner.com/r4/5Gnoym9jLjd2Os4NZp-YnJHFwjsCsY-K/
Cardiovascular Hospitals of America, International | https://fhir-myrecord.cerner.com/r4/5QMHXtuuhmfMbm6YvBGNx6XMTSKhG4po/
Carondelet Health Network | https://fhir-myrecord.cerner.com/r4/5Rx5ezruUpSXrd5Aut0-NzcXZSNNi8DC/
Barclay Internist | https://fhir-myrecord.cerner.com/r4/5a379cca-ccf1-43ac-a865-97b631da6504/
Acenda Integrated Health | https://fhir-myrecord.cerner.com/r4/5ac1e57b-e918-4133-bda2-dccfdc407094/
Medical Associates Clinic P C | https://fhir-myrecord.cerner.com/r4/5ad9a857-21fb-4664-ba2a-5c537d9921b6/

Complete Cardiology, P.C. | https://fhir-myrecord.cerner.com/r4/5ae19d71-7c48-44aa-b10b-af198fa0cb1a/
Philip Siebert, DPM | https://fhir-myrecord.cerner.com/r4/5b1ccb05-83b0-455f-a36d-ab0c7e695794/
Roper St. Francis Healthcare | https://fhir-myrecord.cerner.com/r4/5b3de6b7-e81f-4297-bc82-78ac9e1083cc/
Dermatology Associates of Northwest | https://fhir-myrecord.cerner.com/r4/5baf204a-7e7e-47b6-b4db-d848c55eb2f5/
Capital Health System Inc. | https://fhir-myrecord.cerner.com/r4/5bb47b8f-8587-42a0-80df-8d4eecf69db3/
Coquille Valley Hospital | https://fhir-myrecord.cerner.com/r4/5c5c3b5c-6128-40bc-b71b-102ccb82d7e7/
Hutzel Womens Health Specialists | https://fhir-myrecord.cerner.com/r4/5c654365-4e23-4939-9491-d281db1c1688/
Knoxville Neurology Clinic | https://fhir-myrecord.cerner.com/r4/5c708613-7ed9-4580-a79f-48a3fd861b6b/
Christiana Care Health Services, Inc. | https://fhir-myrecord.cerner.com/r4/5c7467fb-60f9-4172-add4-57667a5dfcfa/
Health Quest | https://fhir-myrecord.cerner.com/r4/5ce1dfad-1169-4dc3-a793-3ed399b70e67/
Community Healthcare System, Inc. | https://fhir-myrecord.cerner.com/r4/5d5c0d2d-0eb7-48af-8536-161bb1a08f58/
Animas Surgical Hospital, LLC | https://fhir-myrecord.cerner.com/r4/5e345d7e-ad6a-4acc-afd2-8a8d30a43ef2/
Munising Memorial Hospital | https://fhir-myrecord.cerner.com/r4/5f5b322c-2217-4325-ad8e-025b10008aca/
West Jefferson Pulmonary Associates | https://fhir-myrecord.cerner.com/r4/5z2vc_BqCThe9SF0zyVci517P1gq6r4l/
Akron Ambulatory Foot Surgeons | https://fhir-myrecord.cerner.com/r4/60151f1c-ed83-486a-b2ca-e2046f99f575/
The Resource Center | https://fhir-myrecord.cerner.com/r4/6045c542-91fb-42f0-88cd-540b035e6ca7/
Ankle & Foot Associates, PA | https://fhir-myrecord.cerner.com/r4/60738f4a-38f3-44cc-a527-32ebee139f3f/
Cullman Regional Medical Center | https://fhir-myrecord.cerner.com/r4/60763645-ac00-4eaa-9f95-71337d5e80c1/
Julie Lorber, MD | https://fhir-myrecord.cerner.com/r4/60edb781-d390-460f-addf-01761109a186/
Lincoln Community Hospital and Nursing Home | https://fhir-myrecord.cerner.com/r4/612049ca-ad54-424a-803a-7ad03f0a9824/
Positive Impact Health Centers | https://fhir-myrecord.cerner.com/r4/6123adb2-d0d2-485a-9dcf-5fba87efb2ef/
Ranken Jordan Pediatric Bridge Hospital | https://fhir-myrecord.cerner.com/r4/613818d8-6255-42aa-8e2d-afc019a7c2f8/
Dr. Brandon Holloway | https://fhir-myrecord.cerner.com/r4/6215f07a-9916-4137-9055-84bc5a503a57/
Family Healthcare of Smyrna, PC | https://fhir-myrecord.cerner.com/r4/623b1fd6-a78d-4d9b-8087-fcf4e551f4dc/
Stony Brook Business Ventures, LLC | https://fhir-myrecord.cerner.com/r4/624a554a-fb79-4703-86d3-5d635620055e/
St. Lukes Hospital SF | https://fhir-myrecord.cerner.com/r4/6250bb55-ad93-47a0-aec6-517b10254738/
McLaren Health Care Corporation | https://fhir-myrecord.cerner.com/r4/627b435a-9f3b-46fa-98a6-9a699e37eec6/
Milton Hershey School | https://fhir-myrecord.cerner.com/r4/62b49e98-30bd-422f-99ce-a2bf06848427/
Memorial Hospital | https://fhir-myrecord.cerner.com/r4/62ec6f7d-af4b-46d8-93b5-703ae9be8c7e/
CHSPSC LLC-5 Client | https://fhir-myrecord.cerner.com/r4/62f3918e-1f4f-42f1-a374-2667f4059c19/
Pandi Capital, LLC | https://fhir-myrecord.cerner.com/r4/62f77950-855b-4619-afdc-c0f78ebee30a/
Winchester Foot and Ankle Associates, PLLC | https://fhir-myrecord.cerner.com/r4/635f51c4-b647-4331-af69-de60fc5578b8/
DAVIS COUNTY HOSPITAL | https://fhir-myrecord.cerner.com/r4/639e10d5-cd9b-4520-ac16-cab58cec3fc7/
Martin Luther King Jr. Community Hospital | https://fhir-myrecord.cerner.com/r4/63bb0c78-dbbf-4de7-9bf4-daff7df1cfd4/
Odessa Memorial Health Care Center | https://fhir-myrecord.cerner.com/r4/6437d534-74f4-4c4d-974f-f529c9435777/
Fairfield Memorial Hospital | https://fhir-myrecord.cerner.com/r4/64706c27-8401-4242-8ca4-f0b7c493efc2/
Lakewood Foot and Ankle Specialists LLC | https://fhir-myrecord.cerner.com/r4/64878668-706f-45bc-9263-a39f3c254f68/
Golden Plains Community Hospital | https://fhir-myrecord.cerner.com/r4/64a4a959-a993-4956-922c-afcb600ae549/
VHS Physicians of Michigan | https://fhir-myrecord.cerner.com/r4/65462acd-8903-4686-b436-2e6d88ad8c3c/
Mercy Medical Center-New Hampton | https://fhir-myrecord.cerner.com/r4/657e1fae-2721-4373-98ee-a5ae763a6e77/
Jay Jazayeri, MD., Inc | https://fhir-myrecord.cerner.com/r4/659004c0-9168-411b-8f01-5cd89f032f16/
Basel Refai MD | https://fhir-myrecord.cerner.com/r4/65979035-1557-4261-8de9-caa332ef8187/
Archbold Medical Center | https://fhir-myrecord.cerner.com/r4/66097e3b-7cef-4b96-acca-38bfaae85903/
Yukon-Kuskokwim Health Corporation | https://fhir-myrecord.cerner.com/r4/663c4c6d-1396-44a4-b589-c11a968d4876/
Penn State Health Care Partners | https://fhir-myrecord.cerner.com/r4/66620725-6ef3-4a7f-a15f-88b48c4af7dd/
Family Footcare | https://fhir-myrecord.cerner.com/r4/669434cc-a457-4ea9-9824-8a9fc6bc2975/
VIRGINIA MASON MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/66ad9a50-d7f7-4c21-b933-2ba90047388e/
Allen County Regional Hospital | https://fhir-myrecord.cerner.com/r4/6724d0cd-db84-40bf-a313-88dc7a6cd497/
Empower Psychiatry and Sleep LLC | https://fhir-myrecord.cerner.com/r4/67e5ec72-de88-4fc7-ba34-a88699b7a637/
Marshfield Clinic Health System, Inc | https://fhir-myrecord.cerner.com/r4/67ff075a-8289-4f2d-a8eb-5dc1f0d954ab/
Dr. Joaquin Gomez | https://fhir-myrecord.cerner.com/r4/6859fc00-fade-4513-94e1-93ef2b0f345b/
University of South Carolina School of Medicine Educational Trust | https://fhir-myrecord.cerner.com/r4/685fe42d-fc55-43db-9f82-d66c673ec539/
Yeaman Signature Health Clinic | https://fhir-myrecord.cerner.com/r4/68902e51-a40f-4bd3-a87c-4a2e859e7200/
Southeast Colorado Hospital District | https://fhir-myrecord.cerner.com/r4/68fd0d26-06fa-4584-8f6d-b42cfd864525/
Oxford Hills Foot & Ankle Center | https://fhir-myrecord.cerner.com/r4/6978cc8c-2f09-418c-808e-8cf4513d296c/
Southeast Georgia Health System Inc. | https://fhir-myrecord.cerner.com/r4/6996dfed-5d48-4d59-8b7b-8bd86c9887c0/
IFAS Management, LLC | https://fhir-myrecord.cerner.com/r4/6a316867-5684-4988-b95c-94ce28d46d1f/
Ultimate Access Primary Care | https://fhir-myrecord.cerner.com/r4/6a4397dc-1436-41a9-b8c9-171f0d1bd37f/
Eminent Medical Center | https://fhir-myrecord.cerner.com/r4/6a5c785f-c1ec-46b8-a0ea-6498bdab016c/
PICKENS COUNTY MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/6ad4f704-f405-4202-8945-20913573c2bf/
West Alabama Internal Medicine | https://fhir-myrecord.cerner.com/r4/6ae415b4-ecb2-449e-8c4e-c5f9a5303c05/
Thayer County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/6aeeb1a0-1a0d-40b6-a477-0bb70c9416f3/
Greenville Surgical Clinic, PA | https://fhir-myrecord.cerner.com/r4/6af660a6-1deb-4c41-a9ac-8c8750f37b1d/
Down East Community Hospital | https://fhir-myrecord.cerner.com/r4/6b68bc92-a317-4686-a79a-fbb1b58a509e/
Avala Health | https://fhir-myrecord.cerner.com/r4/6b993c00-9c88-470f-88b4-6f0fe190a331/
Mitchell County Hospital Health System | https://fhir-myrecord.cerner.com/r4/6c22a45f-4292-4a09-83f4-40d88482c128/
Obstetrics And Gynecology Professionals Of East Tennessee | https://fhir-myrecord.cerner.com/r4/6c3494f8-7b9b-4ede-8c64-fe61ee38010c/
Union Hospital Inc. | https://fhir-myrecord.cerner.com/r4/6c5673bf-1576-4b76-b281-a10d81e39c32/
Kamran Khan SC | https://fhir-myrecord.cerner.com/r4/6cca5710-6b31-4150-9a3a-a57cd751124f/
Mission Vascular and Vein Institute | https://fhir-myrecord.cerner.com/r4/6ced2343-be23-4638-ae8b-2d350b5289bb/
CPHY Production Central Time Zone | https://fhir-myrecord.cerner.com/r4/6csa4Z8P3czmfJqzbWGv1g4x4Fsb2Dkm/
UHS_Ambulatory_East | https://fhir-myrecord.cerner.com/r4/6d80f5c7-212b-4be1-9709-7bad9391b694/

Tift Regional Health System, Inc. | https://fhir-myrecord.cerner.com/r4/6e2dde13-d4ea-4659-900f-6a252ed00859/
BestSelf Behavioral Health Inc | https://fhir-myrecord.cerner.com/r4/6e4def70-1dc1-4769-a067-b144af5e540a/
Olean Medical Practice PLLC | https://fhir-myrecord.cerner.com/r4/6edd93a1-7391-4938-bcd9-ebe248fd573e/
David C Morley Jr, MD | https://fhir-myrecord.cerner.com/r4/6ee7bac8-8522-4f04-83ae-d5a91089775d/
MD West One | https://fhir-myrecord.cerner.com/r4/6ef32936-a17b-48b0-8e6b-9fac7c18f46b/
St. Joseph's Regional Medical Center | https://fhir-myrecord.cerner.com/r4/6f2341d3-c614-4a71-9cef-bdca1a222d48/
The Rutland Hospital, Inc. d/b/a Rutland Regional Medical Center | https://fhir-myrecord.cerner.com/r4/6f43d0e7-6ff2-489b-abdc-44e8a5e0ca0a/
Tri-City Primary Care Medical Group, Inc. | https://fhir-myrecord.cerner.com/r4/6f6fa04d-6294-46cb-a755-92fcf4395ad8/
Palomar Health | https://fhir-myrecord.cerner.com/r4/6f73eb02-7a46-4cae-8907-0208d6de890c/
Kiowa County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/6f9e2eb1-49bb-4863-9a96-e4549126af91/
Renal Associates of LaGrange | https://fhir-myrecord.cerner.com/r4/6fa252c3-32fe-4cd1-9a6f-9884e79f34f6/
Wilson Medical Center - Reese Campus | https://fhir-myrecord.cerner.com/r4/6facadf3-e724-4db7-a26f-0449710dbd8a/
MARY FREE BED REHABILITATION HOSPITAL | https://fhir-myrecord.cerner.com/r4/7006fdc7-df54-41b9-a969-0708fc6f2031/
Clara Barton Hospital | https://fhir-myrecord.cerner.com/r4/70091b8b-c363-42f8-b4d5-3b99f0fb60f1/
Alabama Foot Care | https://fhir-myrecord.cerner.com/r4/703ad69f-3b2b-4332-b74a-2a8a2b8cfcf4/
Spectrum Human Services | https://fhir-myrecord.cerner.com/r4/704a1319-18d8-48a8-90a4-1ca0fbc05de6/
St. Mary's Medical Center | https://fhir-myrecord.cerner.com/r4/704af85e-ff7f-4141-a47d-5f79ab640202/
University Health System, Inc. | https://fhir-myrecord.cerner.com/r4/70957d54-2475-4916-a6e9-8796f340a1a0/
Sarah Bush Lincoln Health System | https://fhir-myrecord.cerner.com/r4/70a80a72-e84a-495e-83fd-937e0d2effcd/
Rockefeller University Hospital | https://fhir-myrecord.cerner.com/r4/70be2934-ad89-4799-aefd-32f31fb0f9ef/
Dr. Kumar | https://fhir-myrecord.cerner.com/r4/70d6fbd2-5812-4281-8f18-df88161f8bc5/
Dr. Lucia Zamorano | https://fhir-myrecord.cerner.com/r4/711b57d3-78b2-41c6-971b-59cee3e8c70b/
Lake Havasu Unified School District | https://fhir-myrecord.cerner.com/r4/712e1ffa-9f67-48bf-9982-5320fbfe6aed/
Care New England Health System | https://fhir-myrecord.cerner.com/r4/713ac9f5-15a6-4520-831d-8a5ba81c49d0/
Noxubee Medical Complex | https://fhir-myrecord.cerner.com/r4/71747401-1366-4bfa-a42b-aee2082f7da8/
Schoolcraft Memorial Hospital | https://fhir-myrecord.cerner.com/r4/71812193-7aa5-42d8-ba4c-ee45e2ea853f/
ST. JAMES PARISH HOSPITAL | https://fhir-myrecord.cerner.com/r4/71db284b-f315-4638-addc-f58faa7c70f7/
Cullman Regional Medical Center | https://fhir-myrecord.cerner.com/r4/71dfa678-f830-441a-8b12-bf5b951424f4/
University Hospitals Samaritan Medical Center | https://fhir-myrecord.cerner.com/r4/728ef80e-de1b-4c4d-b27c-2c7ac1cd8b9f/
Rehoboth McKinley Christian Health Care Services | https://fhir-myrecord.cerner.com/r4/7290ec87-8419-47fa-9f4c-2ce723e9fe8b/
Northern Light Mayo Hospital | https://fhir-myrecord.cerner.com/r4/7327d6db-1ee3-44fd-8eae-02972f435e62/
Adult Medicine Specialists | https://fhir-myrecord.cerner.com/r4/73913c65-6ffa-4558-9bd4-9feeebb396eb/
Meridian Medical Group, PC | https://fhir-myrecord.cerner.com/r4/73bc01f5-9bdd-4e4b-ba52-efb00b8cec28/
Richard S. Warner, MD | https://fhir-myrecord.cerner.com/r4/740aa98a-caaf-451b-aae6-eb82372d1859/
Automation Direct | https://fhir-myrecord.cerner.com/r4/744c96da-65d7-4e37-a00c-996f4b604c11/
Choc Children's Hospital Of Orange County | https://fhir-myrecord.cerner.com/r4/7477d6d6-6e4b-48c8-a228-9a3bdab172a0/
Rehab JV, LLC d/b/a Sheltering Arms Institute | https://fhir-myrecord.cerner.com/r4/74ae929c-3b50-4f7a-9a1c-18042b69a652/
Baptist Health South Florida | https://fhir-myrecord.cerner.com/r4/7517efed-1048-4d65-8b97-98e147342cf5/
Ansari Pediatrics | https://fhir-myrecord.cerner.com/r4/75356e65-cb1f-4ae8-8e4b-769ebb19838c/
District Medical Group | https://fhir-myrecord.cerner.com/r4/75620b41-1ac4-4c73-abd7-1415dc6810c3/
Dr. Kenneth Treadwell | https://fhir-myrecord.cerner.com/r4/757da266-83a7-4662-92da-34d0fca08f54/
Rumi Mind Health | https://fhir-myrecord.cerner.com/r4/757da7e0-03b8-44ae-ae29-c8503bbfb4b0/
Maury Regional Healthcare System | https://fhir-myrecord.cerner.com/r4/763a86fd-c545-483a-9179-bb60864b329a/
Glacier Pediatrics | https://fhir-myrecord.cerner.com/r4/766713c8-6704-4cf2-bcff-6dfc96f148b0/
Northern maine medical center | https://fhir-myrecord.cerner.com/r4/7722ef4c-2455-48ad-a4fa-814cb1ac7718/
Sumner Regional Medical Center | https://fhir-myrecord.cerner.com/r4/7727cc5d-24db-49d2-897b-a2a11f267be7/
Affiliated Podiatrists of South Jersey | https://fhir-myrecord.cerner.com/r4/7753d029-0f68-4c26-8081-55eb23bb5866/
Perry County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/775a5afe-736f-4ab9-8474-145e99d69207/
Pagosa Springs Medical Center | https://fhir-myrecord.cerner.com/r4/7771e67c-eed3-4c07-8b39-4ee1de7dfb76/
Hardtner Medical Center | https://fhir-myrecord.cerner.com/r4/777b5367-b223-44ce-9be8-fc23b019a51a/
Adventist Health Delano | https://fhir-myrecord.cerner.com/r4/77b46b85-adb4-49fe-86ec-bf3171ce92c8/
Association for Mental Health and Wellness | https://fhir-myrecord.cerner.com/r4/77c2b089-5ae8-473f-98a4-de9173e168aa/
Wyandotte County | https://fhir-myrecord.cerner.com/r4/77cef438-d9a8-4c2b-a90a-6d877ebd2afb/
Winkler County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/77dc4f13-4542-4087-9840-c260ca5742e2/
Saint Thomas Medical Partners GI | https://fhir-myrecord.cerner.com/r4/78709fbe-29be-43bf-a468-23ceedbc9496/
Horizon Health Services | https://fhir-myrecord.cerner.com/r4/78f4cdd4-55a7-4d47-b25a-4d044d550506/
Asquam Community Health Collaborative, LLC | https://fhir-myrecord.cerner.com/r4/792eb4ff-2422-4781-8cdc-7969fda08ada/
Lake Health District | https://fhir-myrecord.cerner.com/r4/794039a8-89a5-42e7-a8af-b2a702849aea/
Ascension via Christi Hospitals, Wichita KS, Inc | https://fhir-myrecord.cerner.com/r4/79a09fdd-d4ce-4b27-b1e2-f7fe68705a34/
Laurel OB/GYN | https://fhir-myrecord.cerner.com/r4/7a0e2187-5703-429e-8775-3b6e1de88486/
Indiana Spine Group, P.C. | https://fhir-myrecord.cerner.com/r4/7a3454c5-556e-484a-9fb6-35b5426763b2/
Simi Obstetrics and Gynecology | https://fhir-myrecord.cerner.com/r4/7acc477c-8372-44ca-ae6e-bcc04c61490f/
CPHY Production Central Time Zone B | https://fhir-myrecord.cerner.com/r4/7af19993-3b76-4864-901f-f150f1fe4982/
Black River Memorial Hospital | https://fhir-myrecord.cerner.com/r4/7b17929a-d976-4002-b080-2a37b05f2444/
Macon Community Hospital | https://fhir-myrecord.cerner.com/r4/7b9c3187-d5a9-4f6c-ab6d-6c3b4f2632bc/
Castro County Hospital District | https://fhir-myrecord.cerner.com/r4/7bceb249-cbfe-4868-961e-9518d1afdb86/
Anne-Marie Gracia | https://fhir-myrecord.cerner.com/r4/7bgA5p-Jyk4Mxwneej09P02G7MB2Ivog/
Rochester Rehabilitation Center Inc | https://fhir-myrecord.cerner.com/r4/7c4ed6b7-c140-41eb-bc5a-5ee81640f80d/
Coulter Clinic | https://fhir-myrecord.cerner.com/r4/7c8c7300-43e9-473e-badd-c134996bff81/
Dr. Sonny Park | https://fhir-myrecord.cerner.com/r4/7d7f9694-46c9-4670-abeb-9400514e3b75/
Southwest General Health Center | https://fhir-myrecord.cerner.com/r4/7e89f9ba-2516-4eb3-98da-9f8cb196a8d0/
Healthe Employer Clinic | https://fhir-myrecord.cerner.com/r4/7e8a1d3b-132c-4f07-97be-f81fc4642359/

Phung Ngoc Le | https://fhir-myrecord.cerner.com/r4/7ed31fb5-e400-4548-abad-bc7a3710bd4a/
Inspira Health Network, Inc. | https://fhir-myrecord.cerner.com/r4/7f0d0b79-8c30-43ae-a149-9e0c2340daac/
Refugio County Memorial Hospital District | https://fhir-myrecord.cerner.com/r4/7f96711f-afb0-4764-969a-c5d57fe30c59/
GWYNEDD MERCY COLLEGE | https://fhir-myrecord.cerner.com/r4/7f97a135-de8b-4d0d-8cae-944f42aa5be1/
Donald M. Birch, MD | https://fhir-myrecord.cerner.com/r4/7fIEmT-aoS0xFmowQrxBz0hBdpd93tVq/
Salem Memorial District Hospital | https://fhir-myrecord.cerner.com/r4/7fa95236-8ac0-416b-a8ed-2e866ba26ee3/
BRMC Medical Specialists | https://fhir-myrecord.cerner.com/r4/802a71be-a559-4f91-97b8-8d4875271bca/
M. Munir Zaitoon, M.D | https://fhir-myrecord.cerner.com/r4/803d7d4c-e9ff-4575-b218-a37e8af02d5f/
Ascension Eastern Domain | https://fhir-myrecord.cerner.com/r4/808f1961-f350-4340-88a7-c16f525788e6/
Nephrology Associates, Inc. | https://fhir-myrecord.cerner.com/r4/80a80d81-3c72-4157-aef6-3c0ada81718a/
Missouri Delta Medical Center | https://fhir-myrecord.cerner.com/r4/80babf0e-2f7d-4b87-9cc1-ea74c9b22a40/
Texas Tech Health Sciences Center - Permian Basin | https://fhir-myrecord.cerner.com/r4/811b53d6-0f4b-471a-8da0-071261666340/
Lata Mundkur, MD | https://fhir-myrecord.cerner.com/r4/812e0a2c-a2ee-43b3-baef-01bf949ae18f/
NeuroPsychiatric Hospitals | https://fhir-myrecord.cerner.com/r4/81ae421e-0273-40bd-85b5-5e4a188d476b/
MCHCP Missouri Consolidated Health Care Plan | https://fhir-myrecord.cerner.com/r4/81eb3df5-7690-4c07-9f5d-6ffda1c2ed5c/
Associated Podiatrists, LLP | https://fhir-myrecord.cerner.com/r4/81ed713e-778e-4b5c-9b69-03c747a235d6/
New York Neurology Associates | https://fhir-myrecord.cerner.com/r4/8222ab26-0827-407d-9156-c671dd2b93d6/
Madison County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/823d67d6-97c5-40a2-b084-56d06cb82099/
Peter Barrett, DPM | https://fhir-myrecord.cerner.com/r4/8261cbcc-fb41-4727-8758-abc015287dfe/
Coastal Pulmonary | https://fhir-myrecord.cerner.com/r4/82b0ad09-dd0a-4a8a-9439-0c935213f8f1/
Prisma Health-Midlands | https://fhir-myrecord.cerner.com/r4/82b5c78e-3511-4091-8bf4-9b7dbe078f0c/
Memorial Hospital of Sweetwater County | https://fhir-myrecord.cerner.com/r4/82c1b592-2342-43bd-a292-07e36f400517/
Dubuque Orthopaedic Surgeons, PC | https://fhir-myrecord.cerner.com/r4/82ffc56e-a8c8-428a-a28b-8c9d0bafcb76/
AU Medical Center, Inc. | https://fhir-myrecord.cerner.com/r4/83090b64-9cdb-4df9-93d3-bb2473dfa7f3/
ENT Associates of Metairie | https://fhir-myrecord.cerner.com/r4/8348592b-95fc-4d23-9be6-0b25765fe907/
Mercy Medical Center - Des Moines | https://fhir-myrecord.cerner.com/r4/83b42fa0-a249-40c9-aee4-6a0b70e02e38/
Humboldt General Hospital | https://fhir-myrecord.cerner.com/r4/84057439-c01a-4bda-b31b-652cf17a67ad/
OPELOUSAS GENERAL HOSPITAL | https://fhir-myrecord.cerner.com/r4/840cfaf0-ce3e-493c-a182-e85f2fdef4ac/
Sheridan Community Hospital | https://fhir-myrecord.cerner.com/r4/84290569-a747-4440-964c-bf6fb9f7826f/
Kossuth Regional Health Center | https://fhir-myrecord.cerner.com/r4/8461b39c-bf4d-446e-92d9-25827935f03f/
Atlanta Infectious Disease Specialists | https://fhir-myrecord.cerner.com/r4/846d4f57-4fd5-404c-9981-9b5cd4ada783/
Baxter Regional Medical Center | https://fhir-myrecord.cerner.com/r4/84d755f8-a304-4a2c-b470-52d3a7d1b018/
Mission Pediatric Center | https://fhir-myrecord.cerner.com/r4/858b0c69-6e2c-49ec-82b4-fd8c90a5ba5c/
Dr. Bob Health Centre | https://fhir-myrecord.cerner.com/r4/85966690-f0af-4f43-9fef-36dfaadaf204/
Surgical Multispecialties Medical Group | https://fhir-myrecord.cerner.com/r4/85e438cb-0cb2-4c78-a169-d659fe5b2dde/
Clay County Medical Center | https://fhir-myrecord.cerner.com/r4/85e4e207-a7a6-47a1-8e35-8e04fe8019c4/
Dr. Padma Gupta, MD, PA | https://fhir-myrecord.cerner.com/r4/86251441-7ffd-4c0e-91b6-1c16f5c92270/
Odessa Medical Enterprises, PLLC | https://fhir-myrecord.cerner.com/r4/86d17ea7-c0d4-4a9e-851b-e7036c82ae16/
St. Joseph's Medical Center | https://fhir-myrecord.cerner.com/r4/86d69b79-55d0-4afd-bc39-aeeb3d4c8e8d/
VIASAT, INC. | https://fhir-myrecord.cerner.com/r4/86fe2a9d-7304-48e6-91d1-0feeb3fee8ac/
UHS_Ambulatory_Central | https://fhir-myrecord.cerner.com/r4/870ba945-f258-4fb9-a3f5-2c79586392b9/
Lake Washington Center for Cardiovascular Disease PLLC | https://fhir-myrecord.cerner.com/r4/8717a3df-3396-4fec-bfa3-724001fec2f0/
Medicine Lodge Memorial Hospital | https://fhir-myrecord.cerner.com/r4/8772d9b7-4fc0-47d2-b0dc-6592e9edd5a0/
Nisha Varghese, MD | https://fhir-myrecord.cerner.com/r4/8778d8f2-34ff-41a0-84f8-16d4375c53fe/
Breckinridge Memorial Hospital | https://fhir-myrecord.cerner.com/r4/8806eaa8-0846-445b-9986-4a26037c881b/
Cottage Hospital | https://fhir-myrecord.cerner.com/r4/880dcefd-f3ae-43c2-83e6-1ba1a7fc665c/
Whitehall Medical Center | https://fhir-myrecord.cerner.com/r4/88Br3I-ehV_mZejJLzCjr37wE_2hm9s-/
Cathy Berens, NP | https://fhir-myrecord.cerner.com/r4/88e82c33-1d49-4d68-b406-6fe26c643c6f/
Phillips County Hospital | https://fhir-myrecord.cerner.com/r4/88f6f0ad-680b-460f-ba7c-9dd496dece04/
Pike County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/89787a16-eaf7-491e-bab0-d804157796a5/
The Steven A. Cohen Military Family Clinic at Aspire Health Partners | https://fhir-myrecord.cerner.com/r4/89aa3c8a-5af5-4166-add0-a8ea5eb1afec/
CARROLL COUNTY MEMORIAL HOSPITAL | https://fhir-myrecord.cerner.com/r4/89am5gSIswYvqOJuGoJ38cMjxUeNFOma/
MAMMOTH HOSPITAL | https://fhir-myrecord.cerner.com/r4/89b7757a-432f-4f56-8638-86920235f2d0/
Murray Calloway County Hospital | https://fhir-myrecord.cerner.com/r4/89be43d0-c3c6-4e26-832c-349bbbe11892/
Southern Iowa Orthopedics | https://fhir-myrecord.cerner.com/r4/89ded511-67c4-400b-8714-ed51dd046b01/
Podiatry Associates | https://fhir-myrecord.cerner.com/r4/89eb3e3a-72ad-4166-b9d4-91005de7fa29/
Dr. Juan B. Martinez Jr, MD | https://fhir-myrecord.cerner.com/r4/89ef8fdf-150d-47da-bc0d-912cd1a74b4c/
Western Oh Podiatric Medical Ctr | https://fhir-myrecord.cerner.com/r4/89qRxg50XNEvJ1rMzQ6E1GUFVYLjKcWl/
Fort Healthcare Inc | https://fhir-myrecord.cerner.com/r4/8F7rulta-JA7ecm4ommy-Q50dF1FkFe4/
Crystal Clinic Orthopaedic Center, LLC | https://fhir-myrecord.cerner.com/r4/8a12d269-bbac-4647-8604-a4aa813b261a/
Hollister Incorporated | https://fhir-myrecord.cerner.com/r4/8a1730d0-bc79-40c2-8aef-2fa30e00e904/
Vista Women's Health, PA | https://fhir-myrecord.cerner.com/r4/8a279096-6ad2-4c68-ac31-bf88e291604e/
JOSEPH F. ROBERTS MD | https://fhir-myrecord.cerner.com/r4/8ae75827-0f9b-457f-be6b-a17f2d896c19/
Metro Obstetrics and Gynecology | https://fhir-myrecord.cerner.com/r4/8ae7fa71-909e-4322-ac88-fac3d825c75a/
Complete Care Medical Center | https://fhir-myrecord.cerner.com/r4/8aea60f2-7e84-4f0f-9c4a-ad23740ef3c8/
Astria Sunnyside Hospital | https://fhir-myrecord.cerner.com/r4/8af40abf-26a7-44e3-a87a-572c3d78131b/
Lane County Hospital | https://fhir-myrecord.cerner.com/r4/8b00a59f-c52d-4a54-aef2-92355b29c54b/
Richard Price MD | https://fhir-myrecord.cerner.com/r4/8b00b995-da1d-4629-ae3d-d15b056f592a/
Glenn Hurst MD, P.C. | https://fhir-myrecord.cerner.com/r4/8b21b716-2aba-46ab-a59f-946c67cb0eb9/
Richard M. Adams, DPM | https://fhir-myrecord.cerner.com/r4/8b5675f4-fabf-49b9-90d5-2630480a3d7a/
Union General Hospital Inc | https://fhir-myrecord.cerner.com/r4/8bbd570d-db8f-4e0a-abe5-48b447c735fb/
Wills Eye Hospital - Philadelphia | https://fhir-myrecord.cerner.com/r4/8c9075b2-19d9-450c-8d32-ee60408fe15b/

General Surgical Associates, P.C. | https://fhir-myrecord.cerner.com/r4/8ce5d363-ea3e-4f6f-a99f-e6d83ae8306f/
COUNTY OF VENTURA | https://fhir-myrecord.cerner.com/r4/8cf1bb66-7b18-4eaa-b641-538f19feb923/
Fort Peck Assiniboine & Sioux Tribes | https://fhir-myrecord.cerner.com/r4/8d007b18-c3d3-41d8-9174-c3a42d88ce7b/
University of South Alabama Hospitals and Clinics | https://fhir-myrecord.cerner.com/r4/8d555f5f-2441-4690-bfdd-d2697379c3d6/
Pipeline Health | https://fhir-myrecord.cerner.com/r4/8d72d1d0-5e06-4c91-a553-c2a44e6b7fe5/
Cook County Health and Hospitals System | https://fhir-myrecord.cerner.com/r4/8d8e2b72-238a-4f00-88a3-8ba1a0a2d561/
Americo Services Inc. | https://fhir-myrecord.cerner.com/r4/8dc8f3b9-781b-44a1-8832-9b919d42e2ad/
Abigail Family Medicine L.L.C. | https://fhir-myrecord.cerner.com/r4/8e2e78e9-d967-4216-a71d-852255f558ed/
Albany Surgical, PC | https://fhir-myrecord.cerner.com/r4/8e2ece22-3efe-4cb1-860b-5b67b6cf3ea9/
Bellevue Heart Group | https://fhir-myrecord.cerner.com/r4/8e5952e2-57ae-4f09-837e-37dc76b6aa95/
Comprehensive Counseling Center | https://fhir-myrecord.cerner.com/r4/8e77b480-944d-4d4a-a93e-e5a9fd83d5c6/
Nemaha Valley Community Hospital | https://fhir-myrecord.cerner.com/r4/8e95a1ff-1887-4987-a791-2170776e0067/
Hawaii Foot & Ankle Associates | https://fhir-myrecord.cerner.com/r4/8f6ecc28-1041-4fcd-81c1-b28615978693/
Ector County Hospital District/Medical Center Health System | https://fhir-myrecord.cerner.com/r4/8f9a7649-0fa8-479b-a649-15bf2ad877a3/
Delaware County Memorial Hospital dba Regional Medical Center | https://fhir-myrecord.cerner.com/r4/8fdd186f-a014-47f3-8c9e-d61f95a9a6ea/
Allentown Family Foot Care | https://fhir-myrecord.cerner.com/r4/8jbgxuNWdtuelGLFHIXdkqcQh-JLjFrK/
Long Island Surgery, PC | https://fhir-myrecord.cerner.com/r4/8u8tjEclnkYFNZ5jrEAJ1UOfzxVcOv0c/
Sierra Vista Hospital & Clinics | https://fhir-myrecord.cerner.com/r4/9013796a-6c95-4914-9dd4-358554d0a3b0/
Raymond D. Hansen, MD, PA | https://fhir-myrecord.cerner.com/r4/90c1c564-ec35-4c40-b3c5-6cbeb6d0ad79/
Dr. James Russell MD | https://fhir-myrecord.cerner.com/r4/90e0c07c-ef75-44b1-9b9f-f5e17886a9ca/
Regional West Medical Center | https://fhir-myrecord.cerner.com/r4/91542431-e1b2-4164-9745-f5cf28cc4ca5/
Lake Health District | https://fhir-myrecord.cerner.com/r4/91732642-b694-4776-bbd7-c7859cc968c4/
Manila Zaman, MD Inc. | https://fhir-myrecord.cerner.com/r4/91c4c3f3-36f9-4b17-8704-234555a2c4c6/
Eastern Plumas Hospital District | https://fhir-myrecord.cerner.com/r4/91ce0f5a-eaec-4ac5-8575-4a3202e9921f/
Lavaca Medical Center | https://fhir-myrecord.cerner.com/r4/91d3bb95-7713-4c15-beda-b8a73ec1b5e6/
Stephens Memorial Hospital | https://fhir-myrecord.cerner.com/r4/92203b6c-8a1d-486c-8366-7f6d6d640e08/
City of Virginia Beach | https://fhir-myrecord.cerner.com/r4/9229a1fd-2cd1-41dc-9da8-258046291286/
Stony Brook University Hospital | https://fhir-myrecord.cerner.com/r4/929sni9vNtBT8k3NbtgAnVZlZv_TYNXC/
Butler County Health Care Center | https://fhir-myrecord.cerner.com/r4/92c98ce4-86aa-46dd-ad49-f999f20da53c/
Northeastern Health System | https://fhir-myrecord.cerner.com/r4/932b43fb-c766-413c-a343-640549d20cb3/
Healthcare Exclusively for Women | https://fhir-myrecord.cerner.com/r4/933edef4-eba4-44c0-a5ce-a34dcfcf6c06/
Otakar Hubschmann, MD, PA | https://fhir-myrecord.cerner.com/r4/93462298-4bdc-4b5e-ab96-39df8bb9a9b2/
CHI2_CO | https://fhir-myrecord.cerner.com/r4/93480d7a-3b80-4883-ade6-d60a76bef7e6/
Internal Medicine and Pediatrics of Cullman, P.C. | https://fhir-myrecord.cerner.com/r4/93522848-eb1f-4ed3-b857-907cddfe003b/
CHSPSC LLC-4 Client | https://fhir-myrecord.cerner.com/r4/9366dc53-07b6-47b5-8809-6f7b8a082b2d/
ASCHINBERG PEDIATRICS | https://fhir-myrecord.cerner.com/r4/9376d5c9-afda-4b32-a319-0c1c159dffd7/
Virginia Department of Behavioral Health & Developmental Services |
https://fhir-myrecord.cerner.com/r4/93e78106-37c0-4154-b468-1c807e894bac/
Richards Memorial Hospital | https://fhir-myrecord.cerner.com/r4/940a6958-277a-4baa-b4ad-64568a7458eb/
Primary Care Physicians | https://fhir-myrecord.cerner.com/r4/948ddc3f-5cc9-41d2-8d7f-5b15b32755b8/
Southern Orthopaedics & Sports Med. Asso | https://fhir-myrecord.cerner.com/r4/94907365-1bae-4b91-8efe-455bfcdb37f6/
Lewis County Hospital District No. 1 | https://fhir-myrecord.cerner.com/r4/94967595-d5d8-4052-92a3-32cb047ee8dd/
Sharpe Medical Consulting | https://fhir-myrecord.cerner.com/r4/94cbcd71-bcb5-444e-b8e3-2b9b0923b3a1/
Montgomery Pulmonary Cons. | https://fhir-myrecord.cerner.com/r4/94cd7aa5-f2cb-40d7-948e-fda3af64de2b/
LifePoint Corporate Services, General Partnership. | https://fhir-myrecord.cerner.com/r4/94fb32bd-11fc-46c8-aef4-90035a0718bb/
Mobridge Regional Hospital | https://fhir-myrecord.cerner.com/r4/95143858-4077-4cf1-b5d2-c2a999f62bb3/
Philip Gachassin MD APMC | https://fhir-myrecord.cerner.com/r4/9529c62f-bc91-44f2-abdb-c398d2e65a54/
Sedgwick County Health Center | https://fhir-myrecord.cerner.com/r4/95483bf0-dc8f-4b45-ba9e-bc3492402317/
Ozlem Goker-Alpan MD LLC | https://fhir-myrecord.cerner.com/r4/95bfb368-cccf-467f-b483-6c8f83ef71d6/
Advanced Care Providers | https://fhir-myrecord.cerner.com/r4/95c62f9d-2884-4fa0-94af-73dfa538010c/
Ashland Health Center | https://fhir-myrecord.cerner.com/r4/95fb61bf-febe-40ea-9e3b-6043dff13427/
St. Louis Kansas City Carpenters Regional Council | https://fhir-myrecord.cerner.com/r4/96697297-dedb-4b9a-a814-def7ebf7578f/
New Birth Company: Kansas City | https://fhir-myrecord.cerner.com/r4/9680e723-25c7-4fd0-85d5-1a4b8d8c4e0b/
Premier Medical Concierge, LLC | https://fhir-myrecord.cerner.com/r4/96f8a1f0-44bc-4559-a027-d622dd33d06e/
Variety Children's Hospital d/b/a Nicklaus Children's Hospital | https://fhir-myrecord.cerner.com/r4/96fd612b-7f6c-4509-9e0b-25e1bdc16363/
St. Francis Memorial Hospital | https://fhir-myrecord.cerner.com/r4/9708be61-c717-4b6d-90d3-c1efafc5bba6/
KALEIDA HEALTH | https://fhir-myrecord.cerner.com/r4/977e949f-0f0b-4a36-bf59-4f0819b90ab8/
CARROLL COUNTY MEMORIAL HOSPITAL | https://fhir-myrecord.cerner.com/r4/9785b033-fa30-4746-84ca-c07c9380c88e/
O&O Alpan LLC | https://fhir-myrecord.cerner.com/r4/9786e81f-9564-4e31-8df6-fde152b07608/
Delta Medical Clinic | https://fhir-myrecord.cerner.com/r4/98457c6b-63ef-4752-8922-1770c81bf95b/
North Carolina Neurology and Sleep Center | https://fhir-myrecord.cerner.com/r4/9866d918-4ba0-4040-b294-ab19b8bedf0b/
State of Delaware Health and Social Services | https://fhir-myrecord.cerner.com/r4/987954ae-9180-4ce0-afd9-4dd65628349b/
Free State Dermatology | https://fhir-myrecord.cerner.com/r4/987b7d37-b031-4fc2-a4e7-a26373f40c27/
H. Lee Moffitt Cancer Center and Research Institute, Inc. | https://fhir-myrecord.cerner.com/r4/993df7f9-6163-4b2c-9388-9d472c4ef3f9/
Lubbock Heart and Surgical Hospital | https://fhir-myrecord.cerner.com/r4/998628fb-23ae-4895-80fe-41f7930e56a2/
Olathe Medical Center Inc | https://fhir-myrecord.cerner.com/r4/9997a5fc-aad4-42a6-b005-45276937bbd0/
Harrison County Hospital | https://fhir-myrecord.cerner.com/r4/99ffa44e-e4f1-4a92-b7bf-d707fe48f277/
Public Health Trust of Miami-Dade County | https://fhir-myrecord.cerner.com/r4/9NRYwNOTpYhpe-Vh6-aSWRYPlx02SAgP/
University Medicine and Cardiology | https://fhir-myrecord.cerner.com/r4/9V4jT5mKo7NZgJpxVx0fBwOkw7fWIJBf/
SHOSHONE MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/9a0a9763-cc6e-4ca0-bdec-c16291c965b9/
Osmond General Hospital | https://fhir-myrecord.cerner.com/r4/9a33b0f6-bb54-4b97-805f-5e0a81abf079/
Family Podiatry | https://fhir-myrecord.cerner.com/r4/9a5aef48-14ba-4f58-b31d-60b57310cb21/

Abbeville General Hospital | https://fhir-myrecord.cerner.com/r4/9abe5281-fb44-4a76-833b-172cdda3a495/
Kuakini Medical Center | https://fhir-myrecord.cerner.com/r4/9b1379b7-10bf-4227-b712-fc713ef35c39/
Springfield Pediatrics - NJ | https://fhir-myrecord.cerner.com/r4/9b1dd89d-f09d-45d9-ac67-d4ba4699db91/
Dr. Timothy J. Killeen, MD | https://fhir-myrecord.cerner.com/r4/9b2bceea-9933-492a-a11c-72e48b2960e6/
Peter Zauber, MD | https://fhir-myrecord.cerner.com/r4/9b87cc2e-198e-4079-8e40-cd1ffc39f973/
Golden Isles Colon & Rectal Clinic, PC | https://fhir-myrecord.cerner.com/r4/9bdf80eb-5b60-4906-912d-ba32f1633a1e/
Ottawa County Health Center | https://fhir-myrecord.cerner.com/r4/9bff9324-b2ff-4506-8825-324d6cd35169/
Perry Mansfield MD Inc | https://fhir-myrecord.cerner.com/r4/9c14889b-5c15-4fbc-9176-47ac68d769a1/
Urology Associates of the Central Coast | https://fhir-myrecord.cerner.com/r4/9c3d5f6c-4d59-4a7f-9170-c96c3d9e561c/
Central Jersey Sports Medicine and Orthopaedic Center | https://fhir-myrecord.cerner.com/r4/9c59f03b-784a-48b1-8226-af2410d7e79f/
MCDONOUGH DISTRICT HOSPITAL | https://fhir-myrecord.cerner.com/r4/9c9d3cdf-0f7f-4b63-979a-f711747b3e95/
Miami Associates in Pediatric Surgery, PA | https://fhir-myrecord.cerner.com/r4/9d02172d-d861-4f2f-87b5-3b1c5ad61f32/
CHSPSC LLC-1 Client | https://fhir-myrecord.cerner.com/r4/9d2c8ef0-9a25-45b4-b53b-3738c3eda603/
Lakeside Pain Center | https://fhir-myrecord.cerner.com/r4/9d6b5484-5a6e-4277-a298-c488b306f27b/
Lincoln Community Hospital and Nursing Home | https://fhir-myrecord.cerner.com/r4/9d77d985-edbe-4a35-adeb-c90c1d0fe7de/
U of L Health, Inc. | https://fhir-myrecord.cerner.com/r4/9d8de80b-ba56-4cc1-9cf8-cb9f0520d151/
COVENANT HEALTH | https://fhir-myrecord.cerner.com/r4/9d9ce2ac-65e8-4488-a0f0-ba102e060a58/
Mayers Memorial Hospital District | https://fhir-myrecord.cerner.com/r4/9e09a9e0-82cb-49ff-b12a-2b6fea0b48fa/
Crook County Medical Services District | https://fhir-myrecord.cerner.com/r4/9e1c46ab-19e0-4fcc-9634-a468798d997d/
Robert H. Flannery, DPM | https://fhir-myrecord.cerner.com/r4/9ebecf01-3d92-4d80-8298-e431bde0bd5e/
Alan Yager, MD | https://fhir-myrecord.cerner.com/r4/9f256476-d263-4340-85b9-e872137a0274/
Alfieri Cardiology PA | https://fhir-myrecord.cerner.com/r4/9f2b41af-66c5-4f3f-b955-096365a05e2c/
Jose Ramon Azaret, MD | https://fhir-myrecord.cerner.com/r4/9fb39fb5-678e-4dfc-bb70-bc9a0f72bc42/
Scott County Hospital | https://fhir-myrecord.cerner.com/r4/9fb5a2bd-a55d-48eb-b83b-63c1c6fa3826/
United Hospitalist Group | https://fhir-myrecord.cerner.com/r4/9fc30ecc-7a77-4f7f-b2de-a7bf4f53247e/
Dr. Jeffrey J. Betman, Podiatric Physician and Surgeon, PC | https://fhir-myrecord.cerner.com/r4/9fd8edc6-b948-4724-a29c-1558edd5eb23/
Monroe Foot Clinic | https://fhir-myrecord.cerner.com/r4/9feb53c1-4d54-4b5c-a925-41e507b3918a/
St. Vincent's Medical Center | https://fhir-myrecord.cerner.com/r4/A8JBVvRX_lChZDLoNxFeQ8N_64m_7so-/
Robert Sussman, DPM | https://fhir-myrecord.cerner.com/r4/APNTfmJzokp1NjKs1VyzBk1ajdBrJYMF/
Everett J. Mason, III, DPM | https://fhir-myrecord.cerner.com/r4/AcoGxeqgq_UrHoDpyzXXx7HW8reQGSlo/
Trinity Health | https://fhir-myrecord.cerner.com/r4/AdmVvrbHriE7AWDLGoyfeuamNXOy9O_a/
Methodist Le Bonheur Healthcare | https://fhir-myrecord.cerner.com/r4/AhjJMjQtLMWypw5HhAKlG2VQs9XvM676/
MacArthur Primary Care | https://fhir-myrecord.cerner.com/r4/B5Y5ZienVxjgCQmW_iKfuE1CW27UK8yA/
Anthony Medical Center | https://fhir-myrecord.cerner.com/r4/B7F4hVCEUUKLely3RU0W7_wMcuPLet5m/
Insight Hospital & Medical Center Chicago | https://fhir-myrecord.cerner.com/r4/BImYYihq-pkQ_BjNU9dZcYYz6hkmX_7A/
Tina Bhutani Jacques, MD INC. | https://fhir-myrecord.cerner.com/r4/BY9je2QQBegY9p6M_ESNA4Q4nh7IiN-r/
Suburban Foot Physicians | https://fhir-myrecord.cerner.com/r4/BguK45g6jzlyWbV8aA_pUBqa6WtQIC87/
Albert Einstein Healthcare Network | https://fhir-myrecord.cerner.com/r4/CZXZx6LxE-L3UYv_vYuZuKXOvALyMhgz/
West Jefferson Holdings, LLC d/b/a West Jefferson Medical Center | https://fhir-myrecord.cerner.com/r4/Cdexwx1cxINR0Iguyu5-xIb5GOBkUQFE/
Caneva Foot & Ankle Clinic, LTD. | https://fhir-myrecord.cerner.com/r4/Cjes5HkVls0-AOSEdGoBEur2OUfYZvUw/
Dr. Munif Salek | https://fhir-myrecord.cerner.com/r4/CnXmEagKas-yXlBLaNNR0bxofL-jnEs3/
Dr. Jose Pena MD | https://fhir-myrecord.cerner.com/r4/DM0AwKVZp31J_av2gClWDZB8oYdLOUJ3/
TORRANCE MEMORIAL MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/Dbsl25a-uo0gf9Q0PnfwA_QlUbZ5qTHL/
Baxter Regional Medical Center | https://fhir-myrecord.cerner.com/r4/E7o20T_kvrkmWyJzCB8osorjliMeLXLl/
Health Partners Management Group Inc | https://fhir-myrecord.cerner.com/r4/EB87749h5gFXR747moCjBvZnLkChVxMK/
Edward Yavitz, MD | https://fhir-myrecord.cerner.com/r4/EZGME5eaCSDAVOXwAl-ayebjMHV3ysNU/
Solano Kidney Care, Inc | https://fhir-myrecord.cerner.com/r4/ErJOAfNQnxUFOkKvroFspS3XwC0I_BKr/
Neurological Surgery Associates, PC | https://fhir-myrecord.cerner.com/r4/FbEd2u1hjjAzrJT3wpsP33KAKZk6Vh2g/
Lakeland Regional Health Systems, Inc. | https://fhir-myrecord.cerner.com/r4/Frl5JaixaVfSFyjwSToZ4YMYtvsBctDq/
Sicher Foot Center | https://fhir-myrecord.cerner.com/r4/G__Wo5W0WCpQT7T6QvV3hXEro56vpA07/
Singh Surgical Associates | https://fhir-myrecord.cerner.com/r4/HHnW3DiyRSQ3xCoCWdDAngjb0weHlq9K/
Ridge Family Practice | https://fhir-myrecord.cerner.com/r4/HYem62jAGgg_5fV9EEjMvZqF_I7hxCPq/
Advocate Aurora Health, Inc. | https://fhir-myrecord.cerner.com/r4/Hhyp0HLTvlWluJy7STHeGfBt6VssX-DH/
Cartersville Ob/Gyn Associates | https://fhir-myrecord.cerner.com/r4/Hn5sEtQzojwl35Jt9y2Zkrc_h-YSYc1T/
GENESIS HEALTH SYSTEM | https://fhir-myrecord.cerner.com/r4/Hq9lMFKIau9MlCiBN698ZPzTKNvsMrCb/
OKLAHOMA HEART HOSPITAL, LLC. | https://fhir-myrecord.cerner.com/r4/I-7_h5bO8aC4DcrZl24eCXsg8gA1KGV3/
Steven DelMaestro, M.D. | https://fhir-myrecord.cerner.com/r4/IO_kO4Kkq0aG92emh0jZF2-SsK4nWzI-/
Glens Falls Hospital | https://fhir-myrecord.cerner.com/r4/J3Pj9g-143lbW_EOI9Oq1DsbsQDB7jLs/
University Dermatology and Vein Clinic, LLC | https://fhir-myrecord.cerner.com/r4/J3trBeALwJU1F3hepm2v21jJ96hxu50P/
Kennrick J. Dennis, DPM | https://fhir-myrecord.cerner.com/r4/Jq1h-Z1Yyu4OyupN7ciHN171trNUbJQP/
The Children's Mercy Hospital | https://fhir-myrecord.cerner.com/r4/Jst2t4B3tQ_LvMKd5zgnH8scFXxFjMAP/
Montgomery Rheumatology | https://fhir-myrecord.cerner.com/r4/Ju4SLrJ8HE83ty66H2bgjEBnrvB-FIla/
West Central Ohio Podiatry Inc. | https://fhir-myrecord.cerner.com/r4/K-cN4tVgW_1xlTS_2tRMxdUMCQhBSDfG/
Michael F. Lett | https://fhir-myrecord.cerner.com/r4/K50zk9n5d0FtfHiP6kL9kMMGuWk1O10F/
Rockland Thoracic Associates | https://fhir-myrecord.cerner.com/r4/K7r0JqNzwCCreORLHDZNhTb7SEfo_ZjL/
UHS of Delaware, Inc | https://fhir-myrecord.cerner.com/r4/KOZ64ZU-fJam5DNQB3C21wHed7uKMN5J/
Onslow Medical Specialties Clinic | https://fhir-myrecord.cerner.com/r4/Kh3I89FnZzehL9RP43jjzXcrZ9CMElX0/
Apex Partners, LLC | https://fhir-myrecord.cerner.com/r4/KmHuSfpK2MXZbZ39Qy2JLIVVSEo-tvRd/
Manistee Clinic | https://fhir-myrecord.cerner.com/r4/LrBRdknyIcS91xa0tYfjhd5nC_WGfHSe/
Beach Cities Dermatology | https://fhir-myrecord.cerner.com/r4/M1jf01xe1APukiXfw25S4b_jE1CIaZBQ/
Mohammad Ismail, MD | https://fhir-myrecord.cerner.com/r4/M2R0_m2IUHctNyO_gPCACDfAwqslpW-C/
James M. Hurst, DPM | https://fhir-myrecord.cerner.com/r4/MRCAWChGRfj5b1ODnhqVgy_ttSr3D2p4/

Tucson Physician Group Holdings LLC | https://fhir-myrecord.cerner.com/r4/MmWbh382tKlbvAIA1_DeLIljYVSwroch/
NORTH KANSAS CITY HOSPITAL | https://fhir-myrecord.cerner.com/r4/MtxVU3dbzZwHcvfCb2vTAE2_Nwhai9Oq/
Jose Valena, MD | https://fhir-myrecord.cerner.com/r4/N2XC_7Q96eOzsSZ8_M2qi0JA5Q0wEnRZ/
MidAtlantic Eye Center | https://fhir-myrecord.cerner.com/r4/N6G4uZFC_0VHckv5d67VADXkySFwDJK1/
Penn Highlands DuBois | https://fhir-myrecord.cerner.com/r4/N7LD0qx6O97vWG2K68nV0s0G4Xzq2rtM/
Ballard Family Medical | https://fhir-myrecord.cerner.com/r4/NIiS30uhuk8X8j0rh7g_x24gSD2gAgj9/
Valley's Kids and Teens Clinic PA | https://fhir-myrecord.cerner.com/r4/NJKfTJEh1zcbACZlgIDQXFg1pMIt6s2k/
Syringa Hospital & Clinics | https://fhir-myrecord.cerner.com/r4/NPuuJBwmCt5825nd4RiHb2IYqE3xpZAv/
Florida Neurology | https://fhir-myrecord.cerner.com/r4/OOz5hkiC68x4B2tV8TWG2SVCrgoGQtPF/
Oaklawn Hospital | https://fhir-myrecord.cerner.com/r4/OSDxeVkxstnXkDtx-wIZj-GXD6nmeJaU/
Dermatology Institute | https://fhir-myrecord.cerner.com/r4/OUq4sfoCPKtQL-ACHoGyRXMXcfN_WjFC/
AdventHealth | https://fhir-myrecord.cerner.com/r4/OgZyfqFCSddL-itIAURNqB8312aD4fxe/
East Bank Gastroenterology | https://fhir-myrecord.cerner.com/r4/Oy9v_722D9bcevVKOcXOLbc6xptKxGMe/
Sage Plastic Surgery | https://fhir-myrecord.cerner.com/r4/PBxXyBpjIJSsFZVJZMPquS1RJJ3_fyh3/
S.P. Associates D.O., P.C. | https://fhir-myrecord.cerner.com/r4/PYvsXOYiL9Kg269uLlyr8nOudyrp1k0M/
Healthe Kids Institute | https://fhir-myrecord.cerner.com/r4/PaGO9hNZ6QOevGkHyfhxLfTV37qhMwrk/
First Coast Surgical Associates | https://fhir-myrecord.cerner.com/r4/PlW-EjC8LXq2pLtfi8pP4Fb9PQcNWAMu/
Children's National Medical Center | https://fhir-myrecord.cerner.com/r4/QvKCOrGcsj2hJ6sASbt18oYJYaBlOEXZ/
BILLINGS CLINIC | https://fhir-myrecord.cerner.com/r4/R0BnjtS1Cg4P990d7iegvoMVqlnOQ9OI/
Adult Internal Medicine | https://fhir-myrecord.cerner.com/r4/R7Xi5VKCF7I0nz39ERM0XL_mBu0AaiHV/
Vatsal H. Mody, M.D | https://fhir-myrecord.cerner.com/r4/RNC0mGAiXtkLtK00WOVGaq2OiSLKKj4V/
MacArthur Primary Care | https://fhir-myrecord.cerner.com/r4/RSiVkOMaHv5sLlFx1B8RLDUMq_Pfsl_h/
Pawnee County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/SjBKUOzn0fvamYJNg6kz0qALjGnkLLd4/
Sunnyside Pediatrics | https://fhir-myrecord.cerner.com/r4/TGXWVOelATtk6ci_q_H9utj9QjU3VuOR/
Jay G. Levine, DPM | https://fhir-myrecord.cerner.com/r4/TI7fF1-TbIN0NND9yAO9GkU8NUabQTWT/
Pedro J. Penalo, PLLC | https://fhir-myrecord.cerner.com/r4/TsPhzaqUt_a0RHCDBKHbD1NfbKTYyx5W/
Riverside Medical Group | https://fhir-myrecord.cerner.com/r4/TtBa6m0CO2ykz03C9oGIAfs1lSi1ZBkp/
Cerner Healthe Clinic | https://fhir-myrecord.cerner.com/r4/U23aYKs_PV7Hmhkg4hb3eaygsqW71fRD/
NorthBay Health | https://fhir-myrecord.cerner.com/r4/UMZ-Uxn6V9x08sH5gCnG-5yPg9ZX7et6/
Edward D. Hutson Jr, DPM | https://fhir-myrecord.cerner.com/r4/UmST5Nz0TFWN1WTGDQw7-TwaxvLREKn_/
Anniston Neurology & Headache | https://fhir-myrecord.cerner.com/r4/VFsZVt00usha-W5_7KX0hu6HzzIrMX3Q/
Patrick J. Clauss, DPM | https://fhir-myrecord.cerner.com/r4/Vc_QWiREZa95EPT5Nx8RKuWcE-Mc1NaL/
The Curators of the University of Missouri on behalf of University of Missouri Health Care | https://fhir-myrecord.cerner.com/r4/Vo3nb7XNL_9G2kQXBPPW3-r0QcpkrCy7/
Dubuque Orthopaedic Surgeons, PC | https://fhir-myrecord.cerner.com/r4/WFOlwheC6aKuCJYbPTtM9YxT0wMlV2rb/
San Antonio Regional Hospital | https://fhir-myrecord.cerner.com/r4/WKlSSS89qvhKmD7tJUsOt0whh7EBmDD-/
Kado Podiatry | https://fhir-myrecord.cerner.com/r4/WQkVjQa0YhqVbUBQhUWeiP3ltAmffqww/
Family Podiatry Group of Tampa, PA | https://fhir-myrecord.cerner.com/r4/WpueQ59D-7qcu1Z24coDRM6Ii1_UOg9Y/
Rochester Internists | https://fhir-myrecord.cerner.com/r4/WwToQxBJNcC5xuy44-6eC2mX1ULkeGiM/
St. John Health System, Inc. | https://fhir-myrecord.cerner.com/r4/X1J37H-QXH9V3MP4KYWMOTDwG4C2MnHw/
Baystate Health Inc | https://fhir-myrecord.cerner.com/r4/XLdX047SCzOOTrtRZ4O8eaQwl3uRN9YN/
Shahla Medical Associates | https://fhir-myrecord.cerner.com/r4/Xn4xUXZWRzcyVaayUfDGK1rXLAig3w6X/
SHARON REGIONAL HEALTH SYSTEM | https://fhir-myrecord.cerner.com/r4/XxCJ99kCIg2i3KfxlKhrZa_KjVzO5m_9/
BANNER HEALTH | https://fhir-myrecord.cerner.com/r4/Y62ncCuwN85GGa7s0iz44XRnQoc9qr60/
Family Foot & Ankle Clinic, PA | https://fhir-myrecord.cerner.com/r4/YABuj1qyp0U_XWojJG2Hj5hEws9N2IN7/
S. F. Hartley, DPM, PC | https://fhir-myrecord.cerner.com/r4/Z-NGhaoKbaEuTYlFPEiqS3Vb3zxVYtv3/
Dr. Albert Boyd, MD | https://fhir-myrecord.cerner.com/r4/Z7xHii9RfplEhMFkoLTbtu4zeKZi3tFC/
U of L Physicians | https://fhir-myrecord.cerner.com/r4/ZDeZ2YCfDO83BznnU2d6jrTVmnIa197z/
Bryan Neff, DPM | https://fhir-myrecord.cerner.com/r4/ZKUyr6Kl3RZ_2jbMXb86LpQdf9wgFkxb/
Floyd Healthcare Management, Inc | https://fhir-myrecord.cerner.com/r4/ZfysrRkN6BMVsGu-olfQgalxgHmZoVii/
HCA Florida Citrus Hospital | https://fhir-myrecord.cerner.com/r4/_Q_nrOmD9N2KAAS0PB_pqGQ9_bB3ecQc/
David H. Warner, DPM | https://fhir-myrecord.cerner.com/r4/_byMhQ2TvVtBFrxJSYiBZz55T5g1Rbw2/
BayCare Health System, Inc | https://fhir-myrecord.cerner.com/r4/a01cc5e9-1755-468c-b41c-495a18dec39f/
Ascension Central Domain | https://fhir-myrecord.cerner.com/r4/a03a0cab-f0e8-4c09-b504-1f5b4ebcf684/
Eureka Springs Hospital | https://fhir-myrecord.cerner.com/r4/a05aad53-87be-4c79-8f53-c66bebc6e96c/
Antelope Valley Medical Center | https://fhir-myrecord.cerner.com/r4/a09bca45-00ba-4256-923c-f4e9ac2f9535/
Barnegat Medical Associates | https://fhir-myrecord.cerner.com/r4/a0d69a10-dbbc-41b9-901f-3656554c58e0/
B.K. Gupta, MD | https://fhir-myrecord.cerner.com/r4/a0e6d050-95dc-4004-8859-fe5d0d9bed79/
Adult Medical Associates | https://fhir-myrecord.cerner.com/r4/a124d63f-4821-4c46-aa22-72b63de7afb9/
Dr. Irwin Buchwald | https://fhir-myrecord.cerner.com/r4/a1a7e971-49fe-4ce0-8575-d8dc8b864c18/
Coxhealth | https://fhir-myrecord.cerner.com/r4/a1b70c2c-780f-4d21-a690-3d71302d3d4f/
Rankin County Hospital | https://fhir-myrecord.cerner.com/r4/a1c02c8d-1bac-499e-a65c-6c958b95811a/
UCI Medical Affiliates of South Carolina, Inc | https://fhir-myrecord.cerner.com/r4/a1e03df3-d2c1-4196-a5dc-f9fb4460babe/
Tenet HealthSystem Medical | https://fhir-myrecord.cerner.com/r4/a1e8a0f5-46c8-471e-b8cc-601e5d91f41a/
Barker Sleep Medicine, PLLC | https://fhir-myrecord.cerner.com/r4/a2046a67-5779-48ce-913d-700822c2360e/
Wichita County Health Center | https://fhir-myrecord.cerner.com/r4/a23f1f77-4149-4903-a9ce-5c317ba44205/
Northern Arizona HealthCare | https://fhir-myrecord.cerner.com/r4/a2460eef-8cb2-4549-ae05-e195b0a28c42/
Pana Community Hospital | https://fhir-myrecord.cerner.com/r4/a264d319-abe3-49cd-84c9-cb6403a03aa6/
Pami | https://fhir-myrecord.cerner.com/r4/a2TfVcNaJGlijn6zzBhUnZFJmQJWpoQ7/
St. Clair Pulmonary & Critical Care PC | https://fhir-myrecord.cerner.com/r4/a2aabeb9-840e-4290-b28b-f0bb3ed955f9/
Leland T. Gilmore, DPM | https://fhir-myrecord.cerner.com/r4/a2be18e0-7f28-4d4f-a48e-668c32f30fa0/
Family Practice Clinic of Dothan, PA | https://fhir-myrecord.cerner.com/r4/a2e55d9d-6e60-45c1-8f2f-fb6b0d44a9d7/

Edgar Sandoval, MD | https://fhir-myrecord.cerner.com/r4/a30d0d06-099c-49a3-9d40-270ed7523c28/
UPMC Core Zone | https://fhir-myrecord.cerner.com/r4/a33bb2f7-1f6a-4097-bd5f-175f3ee1706d/
Crossroads for Women, Inc. | https://fhir-myrecord.cerner.com/r4/a349a661-1153-4053-a40b-30cb284c6ffc/
Adventist Health Tulare | https://fhir-myrecord.cerner.com/r4/a36dfa71-4dd3-4608-9cfb-c7a63ade5531/
Lewis Hargett, MD | https://fhir-myrecord.cerner.com/r4/a3d3e55e-4682-4bdf-aa49-2213dcdd95d7/
Casa Colina Hospital and Centers for Healthcare | https://fhir-myrecord.cerner.com/r4/a477462c-6289-4395-a870-ea27830a6de9/
MEMORIAL COMMUNITY HEALTH INC | https://fhir-myrecord.cerner.com/r4/a4c7307b-5132-41db-ae59-8b3c5b480948/
Southeast Georgia Gastroenterology | https://fhir-myrecord.cerner.com/r4/a5287c52-a68a-471c-ad99-6b7cc3d9fc8e/
Goose Creek Pediatrics | https://fhir-myrecord.cerner.com/r4/a59cbcd4-c01a-47b0-9162-736ddb19e2b1/
The Children's Mercy Hospital | https://fhir-myrecord.cerner.com/r4/a5d42041-57d2-4517-b428-b2228e570f69/
Tri-City Mental Health Authority | https://fhir-myrecord.cerner.com/r4/a64573bd-48d1-453d-bc0b-03ac15ad915e/
Felix Stanziola, MD | https://fhir-myrecord.cerner.com/r4/a64bacdf-7122-42ec-b408-85ca6a1c0d9d/
CareWell Health Medical Center | https://fhir-myrecord.cerner.com/r4/a65c889c-5800-4966-9f18-2b11c55e40a9/
Excelsior Springs Hospital | https://fhir-myrecord.cerner.com/r4/a703c1c1-ff1b-4801-8b94-d0b101bbd1a1/
Surgical Associates of Atlanta, P.C. | https://fhir-myrecord.cerner.com/r4/a74b5677-a506-4100-881e-d18e68399558/
Albuquerque Center for Rheumatology, P.C | https://fhir-myrecord.cerner.com/r4/a7511550-a8b1-48d8-b97c-d2a4596e52d2/
Orthopedic & Sports Medicine of Saint Joseph | https://fhir-myrecord.cerner.com/r4/a75267f5-7095-45ca-bda5-935aade48fcf/
North River Primary Care Associates | https://fhir-myrecord.cerner.com/r4/a7589f07-8bb4-4104-b753-dd6b92bda7bd/
Escambia County Healthcare Authority | https://fhir-myrecord.cerner.com/r4/a7b7f339-eea5-408f-8f14-ad4341b10c45/
Reeves Regional Health | https://fhir-myrecord.cerner.com/r4/a7e8884c-0f8a-4040-a7e2-b8409572d6c9/
Hillsboro Ortho Grp, PC | https://fhir-myrecord.cerner.com/r4/a80e5974-f906-4d6f-8d3c-77165a60dc71/
ENGINEERED FLOORS, LLC | https://fhir-myrecord.cerner.com/r4/a81eaf84-1569-4eed-953e-1a3a88244dfa/
Biltmore Family Medicine, PLLC | https://fhir-myrecord.cerner.com/r4/a8569da8-2be1-4a1c-a10c-8effbdf16e4c/
Columbus Community Hospital | https://fhir-myrecord.cerner.com/r4/a87187e5-fe2f-447e-bf32-4eeb3954a735/
Shore Medical Center | https://fhir-myrecord.cerner.com/r4/a873c085-bb43-46f8-8d4e-db05392761e1/
West Point Medical Group | https://fhir-myrecord.cerner.com/r4/a8a7b4a9-8001-4d41-bf60-417974db31cb/
Miami Pulmonary Specialists | https://fhir-myrecord.cerner.com/r4/a8e6f633-5cc5-4e18-8fe7-d085d8909630/
Elion Krok, MD | https://fhir-myrecord.cerner.com/r4/a908c3c1-d57b-4b71-a356-fc8946aff540/
Neosho Memorial Regional Medical Center | https://fhir-myrecord.cerner.com/r4/a9daee2a-e42f-4702-9c42-486fbda403f6/
Tulane Doctors Connected Care | https://fhir-myrecord.cerner.com/r4/aE6oKaDmDLfrLKjprLJ-m3sxRFENsPKE/
Ocean County Foot & Ankle Surgical Associates | https://fhir-myrecord.cerner.com/r4/aa8f482a-8515-48ba-93c5-7ed1e81290f5/
Ascension Alexian Brothers Behavioral Health Hospital | https://fhir-myrecord.cerner.com/r4/aa9a3bec-4c8c-4fc5-b283-495def30e623/
Awani Kumar, MD, PC | https://fhir-myrecord.cerner.com/r4/aacbdb31-a2b4-4f14-9ce9-7a927513087d/
Centra Health, Inc. | https://fhir-myrecord.cerner.com/r4/ab208292-75a1-4788-9fc7-1e9a40a7eee3/
Sweeny Community Hospital | https://fhir-myrecord.cerner.com/r4/ab4ef341-80b4-40a7-999d-52b52314ec6e/
Regional One Health | https://fhir-myrecord.cerner.com/r4/ab796338-ac9c-40c5-863d-ce75caaa302c/
Permian Women's Center | https://fhir-myrecord.cerner.com/r4/abd8726a-ad55-4f85-8206-9ee9deb6ac7b/
Northeast Montana Health Services, Inc d/b/a Poplar Community Hospital and Trinity Hospital | https://fhir-myrecord.cerner.com/r4/ac22fd4c-796d-4bb8-9292-da1e40231549/
ClearSky Health | https://fhir-myrecord.cerner.com/r4/ac2ef729-5b74-4f97-be5e-101a996a9360/
Skyline Hospital | https://fhir-myrecord.cerner.com/r4/ac6e817f-dc27-43e8-b886-6559f137e853/
Billie A. Bondar, DPM | https://fhir-myrecord.cerner.com/r4/acc087bc-aed4-43c6-bea6-f2d5e7395282/
Orthopedics Unlimited, LLC | https://fhir-myrecord.cerner.com/r4/acd48832-2c61-46af-89fc-a48e69546675/
Republic County Hospital | https://fhir-myrecord.cerner.com/r4/acf4b954-5b17-47d8-9d5a-ae7d4cae4b35/
Dr. Adekunle Adeoti | https://fhir-myrecord.cerner.com/r4/acfb0414-085a-4a86-bff7-56c553089272/
Simpson General Hospital | https://fhir-myrecord.cerner.com/r4/ad408f3e-a4ef-4981-b9b9-d19f9315fe54/
Hiren Patel, MD | https://fhir-myrecord.cerner.com/r4/ad85122c-2b5b-437a-b79b-6ab4b32cc134/
Wayne State University | https://fhir-myrecord.cerner.com/r4/ad8ce5cb-076d-4b2f-a3c8-94b0574f0516/
Unified Health Associates | https://fhir-myrecord.cerner.com/r4/adcf8c94-9b00-4842-a377-0e772d7d3145/
Pacific Neurosurgery & Spine Medical Group, Inc | https://fhir-myrecord.cerner.com/r4/ae3cc072-efac-4b88-a7b6-55306d11cb60/
H. Charles-Harris, MD PA | https://fhir-myrecord.cerner.com/r4/aeb798ea-59c0-4b01-80ca-75ffd22a2d37/
City Creek Internal Medicine | https://fhir-myrecord.cerner.com/r4/aefbe38d-e684-40e3-a49e-b011e4d43dac/
Kearney County Health Services | https://fhir-myrecord.cerner.com/r4/afb10dcd-fcfe-4394-bcee-f9c44a02df40/
Ronald Teed, MD | https://fhir-myrecord.cerner.com/r4/akXjjWGxUrRAGrtTo1EakM-WJa1twLjW/
Swisher Memorial Hospital | https://fhir-myrecord.cerner.com/r4/b1ca1c78-3ab5-405e-b1b1-fc89e2712a56/
Delaware Valley Municipal Mgmt. Association | https://fhir-myrecord.cerner.com/r4/b1ef87a9-8303-439c-bd5c-f767f2077a02/
Ventura Eye Institute | https://fhir-myrecord.cerner.com/r4/b210b38c-c8df-4e23-a364-b958c576d48b/
Sapphire Community Health, Inc. | https://fhir-myrecord.cerner.com/r4/b2651172-99ed-43dd-9814-59d9dbd8df43/
Kids and Teens Pediatrics of Dover, Inc. | https://fhir-myrecord.cerner.com/r4/b2acb63a-e605-4540-a24a-621fa8cc64e6/
Metropolitan Nashville General Hospital | https://fhir-myrecord.cerner.com/r4/b2cf1748-d074-4519-b006-042b74c78195/
Nachiket Patel MDPA | https://fhir-myrecord.cerner.com/r4/b2cf1c2c-a7b5-473b-8c37-e405a6e7bbb7/
Cure Cardiovascular Consultants, Inc | https://fhir-myrecord.cerner.com/r4/b325db1e-d278-48b7-aa98-97fb6faadab8/
East Alabama Medical & GI Clinic, LLC | https://fhir-myrecord.cerner.com/r4/b362c1f3-597f-4469-8522-c052fca7c0a4/
T-Mobile | https://fhir-myrecord.cerner.com/r4/b363650e-9d3c-47f1-8011-4943dcc79def/
The Steven A. Cohen Military Family Clinic At Red Rock | https://fhir-myrecord.cerner.com/r4/b3b1f767-47ed-4b48-a4ad-d6b16e6b1d96/
Last Frontier Healthcare District d.b.a. Modoc Medical Center | https://fhir-myrecord.cerner.com/r4/b3e057a3-ecc6-4280-9206-7b1ecb90a801/
Gulfshore Concierge Medicine | https://fhir-myrecord.cerner.com/r4/b428538a-637c-48b7-b539-ff9e23bd629f/
The Steven A. Cohen Military Family Clinic At Hope For The Warriors | https://fhir-myrecord.cerner.com/r4/b42e48de-7b98-4d90-940b-5df7b37922b0/
Crockett Medical Center | https://fhir-myrecord.cerner.com/r4/b4348b5b-bd9c-4bea-a3a3-0691137fbf46/
Advanced Skin and Mohs Surgery Center, SC | https://fhir-myrecord.cerner.com/r4/b438bc62-3485-4cac-8230-6d587898797b/
OTSEGO COUNTY | https://fhir-myrecord.cerner.com/r4/b4c98020-9abb-4401-82af-2d9776616390/

Pulmonary and Critical Care Specialists of Princeton, P.C. | https://fhir-myrecord.cerner.com/r4/b4fc8c7a-4685-46ad-866e-a6b49b921c08/
Coryell Memorial Healthcare System | https://fhir-myrecord.cerner.com/r4/b521788a-adbe-4a3e-b071-9a158daabf49/
Ellinwood District Hospital and Clinic | https://fhir-myrecord.cerner.com/r4/b578459b-7bee-4adb-9713-0cef1d841bee/
Eric J. Schultis, MD | https://fhir-myrecord.cerner.com/r4/b57bb259-2b3e-4755-8a51-bd771e26c3b0/
Mount Desert Island Hospital | https://fhir-myrecord.cerner.com/r4/b5eba017-85d4-4b6c-a2f0-9b2c7b0c38dd/
Missouri Cancer Associates, LLC | https://fhir-myrecord.cerner.com/r4/b61b0e89-adcf-4d35-8153-8c055ce48a52/
WEST TENNESSEE HEALTHCARE | https://fhir-myrecord.cerner.com/r4/b673e6c7-c87b-498f-86b2-99b24c52c924/
Webster County Community Hospital | https://fhir-myrecord.cerner.com/r4/b68d0a04-43b9-441e-a3e1-bbf0caaa35f9/
Michael J. Everoski, M.D., P.C. | https://fhir-myrecord.cerner.com/r4/b69fa4dd-a04c-4304-b660-7554d71b5970/
Holland Hospital | https://fhir-myrecord.cerner.com/r4/b7350dfb-b26c-45d0-a644-be758c7d66ad/
Grisell Memorial Hospital District #1 | https://fhir-myrecord.cerner.com/r4/b7d97c24-76cc-4a74-827a-3cd7c83065ba/
Southview Clinic | https://fhir-myrecord.cerner.com/r4/b7fee4ea-79bc-41bc-ae6c-4d9cef251670/
The Menninger Clinic | https://fhir-myrecord.cerner.com/r4/b8b96c9f-ac27-4b9e-954e-4833a13f19d5/
CHSPSC LLC-3 Client | https://fhir-myrecord.cerner.com/r4/b92996e8-6deb-4500-b78a-e05435af1db3/
Dr. Maria Fernandez | https://fhir-myrecord.cerner.com/r4/b96617cd-e9a9-4deb-8d02-58e8c5cb1ed6/
Culbertson Memorial Hospital | https://fhir-myrecord.cerner.com/r4/b9ce8d80-ae29-4a99-b82f-4b62ef47b7a2/
Douglas Green, MD | https://fhir-myrecord.cerner.com/r4/bSvS6zPH2BVEWPgareZvFWvxdHHA6Pab/
Dr. Brian Harkins MD | https://fhir-myrecord.cerner.com/r4/ba40796e-8707-4090-9556-3c8b839b86b5/
Rehabilitation Hospital of the Pacific | https://fhir-myrecord.cerner.com/r4/ba83b482-215a-4958-9629-47fddfaae0e6/
Eric Fontenot, MD | https://fhir-myrecord.cerner.com/r4/ba8bce9c-529e-4c80-844b-1ca88f89a8bf/
County of Harrison | https://fhir-myrecord.cerner.com/r4/baa3016e-4126-494b-9b58-2e20bc13f248/
Foot Specialists of Greater Cincinnati | https://fhir-myrecord.cerner.com/r4/bb0f3815-61cd-44f3-85f8-eeb2e99ef22a/
Comprehensive Medical Healthcare | https://fhir-myrecord.cerner.com/r4/bb3cf3a9-5187-4a0d-84d3-85d28a9b9a1a/
Hereford Regional Medical Center | https://fhir-myrecord.cerner.com/r4/bbbbf2b2-cfef-49ba-b1d3-f1f87b5e9013/
Pedro P. Llaneza, MD, PA | https://fhir-myrecord.cerner.com/r4/bc1213be-2063-4c75-b0c0-c9285ec4abac/
Pulmonary, Allergy, Critical Care and Sleep Associates | https://fhir-myrecord.cerner.com/r4/bc71e42e-6e3a-4ef9-a8b0-54cac01ec656/
Jay A. Levin, MD, PC | https://fhir-myrecord.cerner.com/r4/bd05c5b1-188e-4fdd-808f-1d6e5be95377/
Dr. R Daniel Jacob | https://fhir-myrecord.cerner.com/r4/bd679eca-e104-439f-8551-b38107963507/
Eye Vision International | https://fhir-myrecord.cerner.com/r4/bda8206b-2b36-455e-b305-1bae21f5b548/
Osborne County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/bda9c6b4-e0b0-49ed-9423-c0c3e2ff982a/
Jasper Memorial Hospital | https://fhir-myrecord.cerner.com/r4/bdbd4616-e8ad-4c16-a1c5-42c7683bcd27/
Cardiovascular Specialist, Inc., P.C. | https://fhir-myrecord.cerner.com/r4/bdd61ccd-8502-4f34-8f72-a5af1c755ae0/
ENT and Allergy Center PA | https://fhir-myrecord.cerner.com/r4/bde9959c-b44e-4698-a1d4-e1ee4cc98a86/
Bosque County Hospital District D/B/A Goodall-Witcher Hospital | https://fhir-myrecord.cerner.com/r4/bdec8271-a893-4107-ba66-c0b4272fe522/
Western Missouri Medical Center | https://fhir-myrecord.cerner.com/r4/be23e9e1-90d2-4a37-b049-059a92ffad6d/
Bay Clinic | https://fhir-myrecord.cerner.com/r4/bea62b1d-5b0c-4c1a-bdbd-eaa129312421/
Marshall Browning Hospital | https://fhir-myrecord.cerner.com/r4/bea9f66b-3601-4346-be31-6a76d7e93b2c/
Intermountain Healthcare | https://fhir-myrecord.cerner.com/r4/bec2533f-556b-4412-813d-c5ad8dc7a1e3/
Hampton Roads Orthopaedics | https://fhir-myrecord.cerner.com/r4/bed3d35e-3090-48a3-846e-89c1619e8fbd/
Primary Pediatrics | https://fhir-myrecord.cerner.com/r4/bee4e7d6-454c-40de-9abd-9e2eb1cc9600/
BAPTIST HEALTH | https://fhir-myrecord.cerner.com/r4/bef96e27-b3e6-4b62-ab3e-78a9a16c8040/
Anthony Vasile, MD | https://fhir-myrecord.cerner.com/r4/bf28f0a0-d643-4b62-bbfa-515a5b632b83/
SCOTLAND MEMORIAL HOSPITAL | https://fhir-myrecord.cerner.com/r4/bf2bc40a-17cb-4353-8de2-68c75c849bc8/
Berkely Family Medicine Associates | https://fhir-myrecord.cerner.com/r4/bf5eb65c-cdc6-4156-8349-5fcd9a13f4a2/
Children's Skin Center | https://fhir-myrecord.cerner.com/r4/bf8f05ba-6e12-4216-9197-5290cecb808c/
Cumberland Mountain Community Services Board | https://fhir-myrecord.cerner.com/r4/bf94e4d0-3a14-41fb-bd44-4abbe957f297/
Providence Medical Center | https://fhir-myrecord.cerner.com/r4/bf97af92-8bdf-44b3-b6ce-a415e2d7e017/
Dimmit Regional Hospital | https://fhir-myrecord.cerner.com/r4/bfa557fc-696e-49f4-8d78-7cdfe1e82721/
Peachtree Nephrology, PC | https://fhir-myrecord.cerner.com/r4/c063783f-c1a8-47a6-bf5b-d87d5981e7cb/
Smith County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/c0c316ba-6c8e-4f8d-898b-bb21c58aa05f/
Medical health center of Middletown, INC. | https://fhir-myrecord.cerner.com/r4/c0c965cf-92cd-4218-9112-e865b2347771/
MADISON VALLEY MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/c11411f4-01ed-4048-962f-685091adad2f/
Joseph Orraca-Tetteh | https://fhir-myrecord.cerner.com/r4/c147b1f8-e253-413c-bddc-5e02b8bf2d5e/
Saleem Husain, MD | https://fhir-myrecord.cerner.com/r4/c14a6098-afeb-4e0c-bf3a-408fab49f73e/
St. Johns Medical Center | https://fhir-myrecord.cerner.com/r4/c1a92d40-9e4c-42a9-a69d-27d782800e16/
Pediatrix Medical Group of FL, Inc | https://fhir-myrecord.cerner.com/r4/c27de2ed-48d8-4303-8e9b-4f2faf8e4ea6/
Inspira Medical Center Woodbury, Inc. | https://fhir-myrecord.cerner.com/r4/c2a40efd-16d2-4828-be53-a20ad0090e09/
MedStar Health Hosted Environment | https://fhir-myrecord.cerner.com/r4/c2a9aaad-29f4-4d5d-87b0-388c13a9b433/
Primary Care Specialists P.A. | https://fhir-myrecord.cerner.com/r4/c2c641c8-5233-4dab-bc71-a8eadb28e83d/
Munson Healthcare Charlevoix Hospital | https://fhir-myrecord.cerner.com/r4/c2zKUJGtYfzLNz84SXqRj8NdAMFQCK1P/
Fitzgibbon Hospital | https://fhir-myrecord.cerner.com/r4/c30ce58a-2367-49b7-9f61-141cafe7a3eb/
Greater Salem Family Footcare Associates | https://fhir-myrecord.cerner.com/r4/c3T6PEIfPZoUF9gf3uvco_NB4kf7flWo/
Allergy & Asthma Assoc | https://fhir-myrecord.cerner.com/r4/c3d6a188-86bd-4e90-a26d-5bfd89cb9cd7/
Yuma District Hospital | https://fhir-myrecord.cerner.com/r4/c3e623e4-47c2-48c0-8c45-866563c97ee6/
WILKES REGIONAL MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/c3fd4b2e-3df5-4463-9a73-d51db35baf91/
Monroe County Hospital | https://fhir-myrecord.cerner.com/r4/c4077300-4993-4503-8ecf-1bd837357695/
MADISON WOMEN'S CLINIC P.L.L.C. | https://fhir-myrecord.cerner.com/r4/c46a5838-35ac-47fa-bfe5-86530b685fbb/
Georgia Center for Women | https://fhir-myrecord.cerner.com/r4/c4a6a212-76d6-464f-ba2c-c6e11ea9c530/
The Steven A. Cohen Military Family Clinic At The Up Center | https://fhir-myrecord.cerner.com/r4/c4f2491a-95ed-4fe6-a71d-a2eb4e47373a/
Celebration Minimally Invasive Spine Institute | https://fhir-myrecord.cerner.com/r4/c4f78536-22cf-4253-bd59-727d2da9d3dc/
The East Alabama Health Care Authority | https://fhir-myrecord.cerner.com/r4/c5013bf3-ebba-4bda-8574-ed83da9e1633/
Olson Memorial Clinic | https://fhir-myrecord.cerner.com/r4/c5259d19-f4df-485f-85ba-303153b1ff25/

Palo Verde Hospital | https://fhir-myrecord.cerner.com/r4/c544ef48-999b-4c8c-97ef-842ce47fcc3b/
Wayne General Hospital | https://fhir-myrecord.cerner.com/r4/c57b8fef-3c95-4d31-a1ba-989525848740/
Massachusetts Institute of Technology | https://fhir-myrecord.cerner.com/r4/c5cd8f23-ae54-4fcb-84cc-92eea9354e2b/
Hospital District #6 of Harper County KS | https://fhir-myrecord.cerner.com/r4/c63e0ebe-63f4-43e1-a630-b2adca03ff23/
Henry Mayo MSO | https://fhir-myrecord.cerner.com/r4/c65052a3-5b56-4bc7-9da4-b721aa72fb0c/
Dr. William J Hicks | https://fhir-myrecord.cerner.com/r4/c75536dc-dc0f-4d24-99bf-fa4c77623097/
Community Pulmonary Associates | https://fhir-myrecord.cerner.com/r4/c7797114-dad6-4d8b-8399-0e9448563368/
Iglesias Medical Clinic | https://fhir-myrecord.cerner.com/r4/c7d64ae9-fd64-4f4f-859d-299415240ffc/
CITY OF LENEXA | https://fhir-myrecord.cerner.com/r4/c8195850-d43d-46f4-bc2c-43fec4b8b989/
Internal Medicine LLC | https://fhir-myrecord.cerner.com/r4/c858c747-c492-4c80-b098-823abe48bb82/
Bryce Beseth | https://fhir-myrecord.cerner.com/r4/c884454b-a4fd-4744-9d6a-4bee42b3e7fa/
Knoxville Hospitals & Clinics | https://fhir-myrecord.cerner.com/r4/c8a72a6e-62c3-45d0-9495-592759355e6a/
Miller County Hospital | https://fhir-myrecord.cerner.com/r4/c8e98568-c4c1-4ca8-9ccd-db28e9b32c4a/
Premier Medical Group Of California | https://fhir-myrecord.cerner.com/r4/c8f45fa0-e85f-40b9-9ed7-e942e5e7dfff/
Lexington Regional Health Center | https://fhir-myrecord.cerner.com/r4/c90f55a1-9dfe-4440-9b93-7346ef821f3b/
Neurology Center of East Alabama | https://fhir-myrecord.cerner.com/r4/c9412242-3040-4b44-a832-9e0c2378c87d/
The Steven A. Cohen Military Family Clinic At Valley Cities | https://fhir-myrecord.cerner.com/r4/c94ce1de-8ba2-4394-973b-793fb06a2e01/
Primary Care Professionals | https://fhir-myrecord.cerner.com/r4/c99a2c68-ceff-41e7-a9fb-11e1e806ec3a/
Carolina Vascular | https://fhir-myrecord.cerner.com/r4/cGr6mCA1DbzMHHPoXdGLeAeuLqt6f0Ks/
Navicent Health | https://fhir-myrecord.cerner.com/r4/cPXkxGWnH-HHwThIezCJp4EJYz7iHU2Y/
Milwaukee Foot Specialists | https://fhir-myrecord.cerner.com/r4/cQCyYza_NNRL3fDPuYBFegoP-zJkDNOr/
Ibrahim H Amjad MD FACS | https://fhir-myrecord.cerner.com/r4/c_GakPKBwGEp9LXRCx-dgLzSCTzRDPZ4/
Wellpath | https://fhir-myrecord.cerner.com/r4/ca02c823-7600-4deb-87ac-1a00a1f8f2a3/
Gibson Area Hospital & Health Services | https://fhir-myrecord.cerner.com/r4/ca474ce8-3721-4dfa-ad48-2cc396fe7390/
Midwest Medical Center | https://fhir-myrecord.cerner.com/r4/caa256dd-47f1-49dc-8288-dfc601f2ffbb/
ABHA MISHRA NEUROLOGY PLLC | https://fhir-myrecord.cerner.com/r4/cafecfe3-1c38-4574-90a6-d2bb7610e4a4/
Coastal Plain Community MHMR Center | https://fhir-myrecord.cerner.com/r4/cbd4218b-836f-4885-9bb3-ad046fcc104f/
Satanta District Hospital | https://fhir-myrecord.cerner.com/r4/cbeeaf3b-295c-4ed3-bee9-82bd88557832/
Nebraska Foot and Ankle PC | https://fhir-myrecord.cerner.com/r4/cc2a26ba-74cf-4fec-a5d2-d806d101d413/
UHS of Delaware, Inc | https://fhir-myrecord.cerner.com/r4/ccc9af17-4ec5-4dee-8735-97dd2f249def/
Mt. Ascutney Hospital & Health Center | https://fhir-myrecord.cerner.com/r4/cccde49a-ee51-4ec8-9936-cc3836c11c2a/
South Texas Children's Health Center | https://fhir-myrecord.cerner.com/r4/cd0af118-6cf4-4017-b601-b5e761f852f2/
Whiteville Eye Associates, P.A. | https://fhir-myrecord.cerner.com/r4/cd0e7390-249a-4a9b-90a3-cd8f40025a49/
OSS Orthopaedic Hospital, LLC dba OSS Health | https://fhir-myrecord.cerner.com/r4/cda87002-30a4-40c7-b49e-55f8a753c2c8/
Texas Native Health | https://fhir-myrecord.cerner.com/r4/cdf42bb0-51f6-4504-b5a7-cccb830ef48f/
St Luke's Hospital | https://fhir-myrecord.cerner.com/r4/ce02d798-0df3-49b1-b868-83babab6d7e6/
Bridges Medical Services | https://fhir-myrecord.cerner.com/r4/ce3945bd-6cea-4e7f-8854-a7e8b58f614b/
Midland Memorial Hospital | https://fhir-myrecord.cerner.com/r4/ce473a90-8f1a-4986-bfd2-44af80062115/
Maryland Live Casino | https://fhir-myrecord.cerner.com/r4/ce7022a6-97a9-4e1d-a690-ced5152ae1da/
Creek Nation Community Hospital | https://fhir-myrecord.cerner.com/r4/cecd1e64-dce0-42d7-821c-54ece9b4bad8/
David Plotkin, DPM | https://fhir-myrecord.cerner.com/r4/cehQG_SigJUv0o-Q08WrVZtDzYZ_7ohK/
Hawaii Health Systems Corp.-Kauai Region | https://fhir-myrecord.cerner.com/r4/cf1fd70b-ce58-46c2-8a48-b5fabf717168/
North Central Health Care | https://fhir-myrecord.cerner.com/r4/cf58ffc5-3496-47e2-bf0d-3a926e61ae7d/
Leslie C. Norman, MD | https://fhir-myrecord.cerner.com/r4/cf64663f-bdef-4b1d-a35b-95627bc92438/
Dr. Francisco Martinez, MD PA | https://fhir-myrecord.cerner.com/r4/cfba5949-af14-421b-84cb-50f19cad7661/
Ricardo Cigarroa, MD | https://fhir-myrecord.cerner.com/r4/cfe0cbb7-718e-4bd6-83ee-6633504bbad2/
Vicki Raab, M.D. | https://fhir-myrecord.cerner.com/r4/cps3xefvhcSt0AY7eotQvR92zVwh8r6g/
Circle Health, Inc | https://fhir-myrecord.cerner.com/r4/d04f75c7-2a62-4686-b520-7bf0635f38f0/
United Medical, LLC | https://fhir-myrecord.cerner.com/r4/d0607508-3922-4bbc-924a-d608b5ffe3b7/
Plumas District Hospital | https://fhir-myrecord.cerner.com/r4/d09b5303-02b3-4cca-b4b2-ddf355d54e88/
Memorial Health System | https://fhir-myrecord.cerner.com/r4/d14690d6-3018-4bc8-945e-f3e2f9884f7f/
Convenient Care Family Medicine | https://fhir-myrecord.cerner.com/r4/d178af2b-123e-4a0a-98a1-88f04fb5a18d/
FISHER TITUS MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/d1e1772a-df16-459e-9e9d-ac11507ad967/
Callaway District Hospital | https://fhir-myrecord.cerner.com/r4/d20828fa-18c8-4d75-9900-c8e656d360ce/
Morris County Hospital | https://fhir-myrecord.cerner.com/r4/d20ca4de-00bb-48dc-a30c-dec35eefeee0/
Spring ENT, LLC | https://fhir-myrecord.cerner.com/r4/d20e093f-31a9-4605-82c5-86f95f98be05/
Greensboro Pediatricians | https://fhir-myrecord.cerner.com/r4/d229eaa4-39ac-4ce1-9bf0-8c3742977a5b/
Salina Surgical Center | https://fhir-myrecord.cerner.com/r4/d29c89d3-f6e3-483d-8d3d-4a628849f568/
San Juan Hospital | https://fhir-myrecord.cerner.com/r4/d2bc3d5a-3c39-4553-86b1-b3aa0a5429a7/
FAIRBANKS MEMORIAL HOSPITAL | https://fhir-myrecord.cerner.com/r4/d2e61489-9680-4a3d-974a-fc8d705fc283/
Celebration Foot and Ankle Institute | https://fhir-myrecord.cerner.com/r4/d4005c17-185b-4cb4-bca7-c5c6e6a820d3/
Fillmore County Hospital | https://fhir-myrecord.cerner.com/r4/d4036e7f-af75-4bea-9808-6df2d5355c9c/
Johnson Memorial Hospital | https://fhir-myrecord.cerner.com/r4/d4279a55-0a99-43d7-81b9-5e54f94665c6/
Rock County Hospital | https://fhir-myrecord.cerner.com/r4/d4a56ff5-f6ae-4ca3-b326-1973b3579459/
Moundview Memorial Hospital | https://fhir-myrecord.cerner.com/r4/d4f9e3fa-7388-47bf-b87f-9c8679219c91/
Mee Memorial Hospital | https://fhir-myrecord.cerner.com/r4/d520cb3f-b7f8-4cdd-842c-667f4e1d6459/
The Performing, Endurance, and Artistic Athlete Clinic, PLLC | https://fhir-myrecord.cerner.com/r4/d540673c-303d-49d9-a9e1-a1fb4df27dc9/
Pediatric Pulmonology of Central Georgia, LLC | https://fhir-myrecord.cerner.com/r4/d56d19c5-1f59-4682-8c35-bc6d80287bb8/
Conway Medical Center | https://fhir-myrecord.cerner.com/r4/d5d04c85-2e0a-49b7-a0e9-5d5feaebb4a4/
Shepherd's Hope | https://fhir-myrecord.cerner.com/r4/d60ebf1e-4f43-4ee3-aa8d-81eddc9a9b5d/
Madison Memorial Hospital | https://fhir-myrecord.cerner.com/r4/d61ab3e4-55bb-4859-99e6-22c413b48f2a/
MUNSON HEALTHCARE | https://fhir-myrecord.cerner.com/r4/d63001e8-2b2d-46b2-9b8b-4bc37428b829/

Brian J. Lipman M.D PC | https://fhir-myrecord.cerner.com/r4/d632725e-d12a-4178-a468-d2bf3b7c775c/
Gregg Harris, DPM | https://fhir-myrecord.cerner.com/r4/d65aae46-5133-440d-81d0-4cf7c38d4aec/
Ideal Gastro | https://fhir-myrecord.cerner.com/r4/d6d1b112-9099-4ef4-a649-a1adf35b40e6/
Dr. Charles Schlosser | https://fhir-myrecord.cerner.com/r4/d70f3182-cccd-4885-a851-68a653a0125b/
Apex Partners, LLC | https://fhir-myrecord.cerner.com/r4/d7365098-6d60-4ec8-86ad-b746a939e4ed/
Hansen Family Hospital | https://fhir-myrecord.cerner.com/r4/d792478d-c7a5-4028-84d0-ae569d6b0c53/
Too Tall Doc's, P.A. | https://fhir-myrecord.cerner.com/r4/d7b2ef3a-7b20-4ec5-af14-9c525d5c485d/
Sheridan Memorial Hospital | https://fhir-myrecord.cerner.com/r4/d7c7003a-96ae-4246-aaaa-19b18f13056e/
Dr. Rafael Abreu | https://fhir-myrecord.cerner.com/r4/d802373d-49ea-4d93-af84-022b330fd6e1/
Dean Bright, DPM | https://fhir-myrecord.cerner.com/r4/d8054bdb-86d4-407b-be85-631802b56471/
Northside Hospital - Atlanta | https://fhir-myrecord.cerner.com/r4/d88010de-d791-42d4-b72d-513f9afc5ed1/
SMP Health - St. Kateri | https://fhir-myrecord.cerner.com/r4/d880411f-de2e-4d8f-9a4b-216f05332fc5/
Pediatrics at Oyster Point LLC | https://fhir-myrecord.cerner.com/r4/d885e14c-8eac-4d07-896e-861d8309023d/
Dr. Kermani | https://fhir-myrecord.cerner.com/r4/d8a66cd8-2aa3-4c46-bd99-c97f0bd810bf/
CHADRON COMMUNITY HOSPITAL | https://fhir-myrecord.cerner.com/r4/d8abdf5e-a2d6-41b9-bff8-4f8bef8b37dd/
StatCare Outpatient | https://fhir-myrecord.cerner.com/r4/d924d991-43c4-4c48-b322-4525ba4c2001/
Crawford Memorial Hospital | https://fhir-myrecord.cerner.com/r4/d97362bf-37fe-407d-8a05-be96ba9615b1/
Roger's Memorial Hospital, Inc. | https://fhir-myrecord.cerner.com/r4/d9c821ad-f606-4b46-ae24-763b32cdc289/
Anuva Health | https://fhir-myrecord.cerner.com/r4/d9d6c818-9b40-4c9f-8171-72c8c7a8d62d/
BRATTLEBORO MEMORIAL HOSPITAL | https://fhir-myrecord.cerner.com/r4/d9dc001d-1bc5-42f9-bd4d-eb79208fd32a/
David Hamilos, DPM | https://fhir-myrecord.cerner.com/r4/dBicsLkd3XVQrgQlh28QIWbKwqoho4uN/
UHS of Delaware, Inc | https://fhir-myrecord.cerner.com/r4/da0b5d99-573c-4f5e-aaf6-8d39fa93d033/
Charles Murphy, DPM | https://fhir-myrecord.cerner.com/r4/da2180c9-bd45-4fd0-aaf0-2b4abda5475d/
Cogdell Memorial Hospital | https://fhir-myrecord.cerner.com/r4/da594151-329c-4768-a26a-5c6b74be997b/
Jewish Family Services of Atlantic and Cape May Counties | https://fhir-myrecord.cerner.com/r4/da70f33d-e31d-497a-8eef-34fb466312cb/
Tuality Physicians, PC | https://fhir-myrecord.cerner.com/r4/dab37ab4-940f-46d2-83dd-9830ab97c4d5/
Polar Wind Medical Center, Inc. | https://fhir-myrecord.cerner.com/r4/dacaffe7-8a80-45f7-8229-32bd110ee86a/
Western Connecticut Health Network | https://fhir-myrecord.cerner.com/r4/db9c2801-7026-47b6-a85f-5d485070d969/
Richard J. Loesch, DPM | https://fhir-myrecord.cerner.com/r4/dbf295bc-ae33-44c8-8de8-75a887cfb796/
Hospital Espanol Auxilio Mutuo de Puerto Rico Inc. | https://fhir-myrecord.cerner.com/r4/dc1174e6-86ee-45ec-8d08-d4cb3d1d2286/
Mineral Community Hospital | https://fhir-myrecord.cerner.com/r4/dc5f8db7-e9a3-4070-8bcb-b87b0fc836dc/
Advantage Healthcare For Women | https://fhir-myrecord.cerner.com/r4/dc96a33f-fb3c-4ad3-8d24-0941136c69c8/
American Century | https://fhir-myrecord.cerner.com/r4/dc9cc670-c6ff-4240-acb5-59e5ad786041/
Paul Greco, M.D., Concierge Medical Services, P.L. | https://fhir-myrecord.cerner.com/r4/dca1cfb3-683c-4835-9b66-95a129c0bbc2/
Wyoming Medical Center | https://fhir-myrecord.cerner.com/r4/dcf3b1c6-3971-4673-962e-8b2cce0ff827/
Mitchell T. Zimmel, DPM | https://fhir-myrecord.cerner.com/r4/dd839e2d-c171-46e8-bad2-f7adc1f055dd/
Westmoreland & Arnold, MD, PLLC | https://fhir-myrecord.cerner.com/r4/defbea08-f7c0-41b2-bfd7-5c64c68d3dd5/
Steve Lovelady MD LLC | https://fhir-myrecord.cerner.com/r4/df01cf33-b6d1-4222-ab6f-d5b35ecdd012/
Dr. Neal Suares | https://fhir-myrecord.cerner.com/r4/df0ee526-959a-4abd-bc92-e5a1c513a0cb/
Memorial Hospital of Carbon County | https://fhir-myrecord.cerner.com/r4/df6c8393-ac58-4a86-8a27-38dc34fcee7e/
Tenet HealthSystem Medical | https://fhir-myrecord.cerner.com/r4/dfb1cd74-983a-49dc-aede-abe989223110/
Kingfisher Family Clinic | https://fhir-myrecord.cerner.com/r4/e0aed929-e53b-4d96-a40c-36cb9539f12f/
Orthopaedic Institute for Children | https://fhir-myrecord.cerner.com/r4/e0af8ad8-b54e-46fe-a442-6f887f68ff27/
SMP Health - St. Aloisius | https://fhir-myrecord.cerner.com/r4/e0cb84ac-5315-42ed-a2ae-7e46d00bcf9d/
Touro University Medical Group | https://fhir-myrecord.cerner.com/r4/e0d732aa-1d5c-42bf-b672-8fabe3feb437/
State Of Kansas | https://fhir-myrecord.cerner.com/r4/e13c1e21-bd04-471c-b46a-cb74f87dcaaa/
Internal Medicine | https://fhir-myrecord.cerner.com/r4/e1517302-aa9f-41f1-ba0a-8919fe6c6001/
Yvel P. Moreau M.D | https://fhir-myrecord.cerner.com/r4/e1cd2646-a978-48a1-b1dd-27086f7bcfa4/
Detroit Surgical Group | https://fhir-myrecord.cerner.com/r4/e27d84dc-9e4f-4f10-a9eb-f14826a234e3/
Rockland Thoracic Associates | https://fhir-myrecord.cerner.com/r4/e2ad55a9-c891-4848-8484-9308538693a3/
South Central Health | https://fhir-myrecord.cerner.com/r4/e2ca5a14-2e79-4b49-ba4a-3cc6ac280cc6/
Lake Region Healthcare Corporation | https://fhir-myrecord.cerner.com/r4/e35355ac-dfca-48b9-9dd9-0b7c408c2a66/
Pami | https://fhir-myrecord.cerner.com/r4/e38cae97-dc5c-44e2-8dda-ca848530d8cd/
Green Valley Hospital | https://fhir-myrecord.cerner.com/r4/e3c3f29b-49ce-4329-ade7-4c5593d87595/
Clinch Memorial Hospital | https://fhir-myrecord.cerner.com/r4/e3eb99b3-ff90-4d59-9be0-218269c9d4cf/
Mid-America Internal Medicine | https://fhir-myrecord.cerner.com/r4/e3f39aec-5b1f-4457-b1e5-9098a4b10cae/
Hillsboro Gastroenterology P.C. | https://fhir-myrecord.cerner.com/r4/e472be88-5795-469f-aa11-18b9f51c16f8/
Monongalia County General Hospital Company | https://fhir-myrecord.cerner.com/r4/e4a5b337-4c87-45bf-ab09-077b7fc19e84/
Johnny Arruda MD INC | https://fhir-myrecord.cerner.com/r4/e4ed3cc1-426d-4144-a9f2-f9eab264d97b/
Hazelden Betty Ford Foundation | https://fhir-myrecord.cerner.com/r4/e54ca37d-332e-47f6-85c8-4b653eedbcbc/
Dr. Donald Huang | https://fhir-myrecord.cerner.com/r4/e6567e17-7548-4791-8688-4e41c1c041ad/
Chase County Community Hospital | https://fhir-myrecord.cerner.com/r4/e699c25a-4b9f-4771-9576-e790a1116e0f/
Upstate Podiatry Group | https://fhir-myrecord.cerner.com/r4/e69c2bef-d9f0-4b8f-8ad3-47f8715149b1/
Associates in Gastroenterology, P.C. | https://fhir-myrecord.cerner.com/r4/e6a2c484-1066-4f3f-be44-cc7c2a79d6c3/
USC Health System on behalf of its inpatient and outpatient facilities | https://fhir-myrecord.cerner.com/r4/e6f9b4bf-142e-47be-8246-33cebe5229b6/
Grace Cottage Hospital | https://fhir-myrecord.cerner.com/r4/e7974a89-7cd2-4b5f-95db-82e9a908402d/
William R. Burden, MD, PA | https://fhir-myrecord.cerner.com/r4/e7b98fe9-c1c7-41df-9bd1-3564793164ce/
Tender Care Pediatrics | https://fhir-myrecord.cerner.com/r4/e7eee8ee-10a0-491b-8be6-a8be12c18675/
Faulkton Area Medical Center | https://fhir-myrecord.cerner.com/r4/e7f1db76-681a-46a3-9951-b0b343a47d69/
Franklin General Hospital | https://fhir-myrecord.cerner.com/r4/e84122bd-f46f-49c7-bf07-41bc9eda3960/
Nebraska Cardiac Care | https://fhir-myrecord.cerner.com/r4/e8483750-562b-433d-9f50-10942f0fbd4f/
Benewah Community Hospital | https://fhir-myrecord.cerner.com/r4/e8b4f872-6ea1-4b26-a974-041b5fb4c57b/

Mitchell County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/e8b4fcb7-9efb-4d05-b7ad-848dd8674433/
Wombkeepers AZ Obstetrics and Gynecology, PC | https://fhir-myrecord.cerner.com/r4/e8e8bad8-b3b5-4f34-b7c8-aa8579a771d2/
Remi Vista, Inc. | https://fhir-myrecord.cerner.com/r4/e917cccf-ef86-42c5-a988-a3b636c7a1c6/
Avinash Gupta, MD, PC | https://fhir-myrecord.cerner.com/r4/eME9di7OkJfK0Dd-1ZlVnxRWlL5I7oU5/
The Steven A. Cohen Military Family Clinic At Easterseals | https://fhir-myrecord.cerner.com/r4/ea58a6c7-91a7-4c12-b7a2-85fb3bc9550c/
Weirton Medical Center | https://fhir-myrecord.cerner.com/r4/ea592379-b0ed-4cfa-aa0c-6e5256a40b54/
Womens Choice Oncology PLLC | https://fhir-myrecord.cerner.com/r4/ea87e17a-d61e-4405-a8d8-e999d9a648b3/
Columbus Pain Center, P.C. | https://fhir-myrecord.cerner.com/r4/eab031dc-b014-4e04-af2a-409cb0a42bac/
Henry A. Pretus, MD | https://fhir-myrecord.cerner.com/r4/eab0e7ae-9234-494a-b931-951d942d180e/
Dr Anuradha Kollipara | https://fhir-myrecord.cerner.com/r4/eb20a6ef-52fb-42cb-a510-0a41e19f393a/
Walter Knox Memorial Hospital | https://fhir-myrecord.cerner.com/r4/eb237299-e2be-4fd4-aca6-5fa7adcd28c1/
Spectrum Healthcare | https://fhir-myrecord.cerner.com/r4/ebc46185-d254-4127-aaac-ce969218157e/
Catherine Chiodo DPM | https://fhir-myrecord.cerner.com/r4/ec02c4f4-91a2-412a-bcbb-74b4b09ac019/
Marcus Lee, M.D. | https://fhir-myrecord.cerner.com/r4/ec6b7097-8351-4185-ba79-b9f0c80b045f/
Humane Center for Arthritis and Rheumatism | https://fhir-myrecord.cerner.com/r4/ecb0768b-f462-488f-a03b-0c40f4d77fbb/
Tomeka Roberts, MD, PC | https://fhir-myrecord.cerner.com/r4/eccb6e09-c137-4463-964b-10c8a4da7c61/
Stacy Frankel MD PA | https://fhir-myrecord.cerner.com/r4/ece3b0d0-e9d1-4d87-8810-05245549aaf1/
Seasons Center for Community Mental Health | https://fhir-myrecord.cerner.com/r4/ed13fa1e-5e6c-45da-822a-ab9435740c2e/
Pami | https://fhir-myrecord.cerner.com/r4/ed1a6436-bdd3-4803-83f1-a24346db7ed7/
UNITED SURGICAL PARTNERS INTERNATIONAL INC | https://fhir-myrecord.cerner.com/r4/ed29dd2e-7f6b-4b48-93ba-6ba78c79cd2d/
Public Hospital District One (dba) Mason Health | https://fhir-myrecord.cerner.com/r4/ed3f5ef0-1e43-4472-a811-c1c95f23d109/
Michigan Institute for Interventional Pain | https://fhir-myrecord.cerner.com/r4/ed6140a2-373e-4f70-84aa-c25e94497b9f/
Sabetha Community Hospital | https://fhir-myrecord.cerner.com/r4/ed8a62d9-e900-4503-b1c6-0e092e2ef12a/
The Hospital of Central Connecticut | https://fhir-myrecord.cerner.com/r4/ed8d75e5-e406-4ba4-8ab5-2d4dda194818/
Su and Chang Dermatology Associates, APMC | https://fhir-myrecord.cerner.com/r4/ee3151e0-eab6-428c-81ce-718262289f98/
Aveon Health | https://fhir-myrecord.cerner.com/r4/ee4e5494-2c92-4d67-a270-fa42d8538b42/
TMH Physician Partners | https://fhir-myrecord.cerner.com/r4/ee8aa586-4745-4cbd-ac14-f90bc6a4297e/
Changing Tides Family Services | https://fhir-myrecord.cerner.com/r4/eef7bdb7-cd7b-4ec1-b846-cf9ec1db80c8/
Operating Engineers Local 101 Health and Welfare Fund | https://fhir-myrecord.cerner.com/r4/ef0bf930-6b2b-4701-ae80-fb69fe6af070/
Yakima Valley Memorial | https://fhir-myrecord.cerner.com/r4/ef853cc1-94e4-4ed7-883a-9be7485e458e/
Cheyenne County Hospital | https://fhir-myrecord.cerner.com/r4/ef894d13-ce69-42f0-bfe5-f1607027bc20/
Nebraska Orthopaedic Hospital LLC | https://fhir-myrecord.cerner.com/r4/efffdd49-80a8-4c46-87e6-e53d54707ef3/
Jersey Rehab, P.A. | https://fhir-myrecord.cerner.com/r4/f0cfd11a-8550-4ab1-abda-1200b8b852fa/
Three Crosses Regional Hospital | https://fhir-myrecord.cerner.com/r4/f0d5c852-07f4-485f-99fa-b042a7a7a20e/
Uintah Basin Medical Center | https://fhir-myrecord.cerner.com/r4/f11b499f-f009-416a-ba91-79d8b37ce81a/
Kishwar Shareef MD, PC | https://fhir-myrecord.cerner.com/r4/f16ab50d-5d7f-40fe-8c31-87d7133c9e42/
FAIRFIELD MEDICAL CENTER | https://fhir-myrecord.cerner.com/r4/f17aed19-e2f6-49d4-bba0-64508a2357d2/
Douglas, Grant, Lincoln & Okanogan Counties Public Hospital District #6 d/b/a Coulee Medical Center | https://fhir-myrecord.cerner.com/r4/f18be9cb-2758-4a4b-a2a6-5e5131bfb5bc/
Henry County Memorial Hospital | https://fhir-myrecord.cerner.com/r4/f1bb4645-ebf5-4d16-800a-fd209b7f9cb1/
James C. Crittenden, MD | https://fhir-myrecord.cerner.com/r4/f2435108-6ac5-4b8c-a0fd-046ed852f786/
Brown County Hospital | https://fhir-myrecord.cerner.com/r4/f24ac13d-3953-486e-b046-3f6f7cc41dd9/
Madelia Health | https://fhir-myrecord.cerner.com/r4/f2aa0e6f-59f8-4af5-916b-5f2f9445c1cb/
Roger Duber, DO | https://fhir-myrecord.cerner.com/r4/f2d842ce-493a-4093-99fd-17ce5bfafb71/
James Fierro, DO | https://fhir-myrecord.cerner.com/r4/f2e24f7b-9e64-4332-8401-3c349ad6c7fb/
Jason Defrancis,MD, PA | https://fhir-myrecord.cerner.com/r4/f2f8af61-ce86-434e-9d4f-b09a982ce734/
Alabama Medicine and Rheumatology, LLC | https://fhir-myrecord.cerner.com/r4/f342f1fe-7dbf-445a-81a0-f5820c7e8814/
Beloit Health System, Inc. | https://fhir-myrecord.cerner.com/r4/f4477d7c-dbb4-4046-92c9-1cc56c248ecb/
Continuum Of Care Domain A | https://fhir-myrecord.cerner.com/r4/f451fa90-c3fa-46d1-afef-950c87917649/
Jersey Community Hospital | https://fhir-myrecord.cerner.com/r4/f4be81d1-a15e-4e19-9601-5214010ddaac/
Drs. Chadband & Rowland, PC | https://fhir-myrecord.cerner.com/r4/f4dfe6d5-e4f8-4229-a115-f303f19f0084/
Columbia Memorial Hospital | https://fhir-myrecord.cerner.com/r4/f4f5fc7f-b635-4b26-8ba6-058ca1c8dc4d/
Timothy J. Graham, D.P.M. | https://fhir-myrecord.cerner.com/r4/f52e395b-cb40-4c80-96f8-ef6241b5512c/
Jupiter Medical Center | https://fhir-myrecord.cerner.com/r4/f5c2ab60-651e-4c3b-8f81-7ac7322f77b0/
Hermann Area District Hospital | https://fhir-myrecord.cerner.com/r4/f62890b5-77ff-44bd-a981-0a0981047b35/
Tanveer Ahmad MD | https://fhir-myrecord.cerner.com/r4/f65dbd8b-ab9d-477a-9002-1607571da950/
Cleveland Area Hospital Holdin | https://fhir-myrecord.cerner.com/r4/f686027e-6665-41bf-82f5-c9d2a9f004d7/
Endeavor Health Services | https://fhir-myrecord.cerner.com/r4/f691d777-e7de-4ba5-bbc2-a5052e2f6912/
Beaver Valley Hospital | https://fhir-myrecord.cerner.com/r4/f694aea7-f3a7-40e8-9148-3e4c7d86718c/
Eastern Medical Specialists PC | https://fhir-myrecord.cerner.com/r4/f6960be4-ec5f-4de6-8b4b-e2f3c6a9bd30/
Delaware Foot & Ankle Group | https://fhir-myrecord.cerner.com/r4/f6b3438e-050c-4890-a29f-e0ac33bb956c/
Centene Corporation | https://fhir-myrecord.cerner.com/r4/f6ee9d18-ffc2-4889-9056-9398524e1476/
Huntsville Podiatry Center, PC | https://fhir-myrecord.cerner.com/r4/f6fa7381-903b-4783-8911-188a44e03a3f/
Och Regional Medical Center | https://fhir-myrecord.cerner.com/r4/f7116466-8e41-49c8-9954-f17bc6610b23/
ADVENTIST HEALTHCARE | https://fhir-myrecord.cerner.com/r4/f71725f4-8a5d-45dc-9e68-6ddbc583dfb3/
Jaisohn Medical Center | https://fhir-myrecord.cerner.com/r4/f749ac8e-846a-4185-aba6-92d85a38f519/
Christina Goodridge MD, LLC | https://fhir-myrecord.cerner.com/r4/f7b34135-f483-4274-a0f0-9aa8d656a86f/
Dr. Susan Hunter-Joerns, MD | https://fhir-myrecord.cerner.com/r4/f7ee1b9a-ee95-47a7-b4a5-4902951fcb85/
ADAIR COUNTY MEMORIAL HOSPITAL | https://fhir-myrecord.cerner.com/r4/f904b187-16a4-4582-8ea3-887d87de0011/
Dallas Center Medical | https://fhir-myrecord.cerner.com/r4/f921a378-be2d-4c05-908f-c400501abbd0/
Your Next Step, PC | https://fhir-myrecord.cerner.com/r4/f94c51a0-56e8-4b6b-b7fc-444d2a37a178/
Neighborhood Health Clinic | https://fhir-myrecord.cerner.com/r4/f95f1525-0f2e-4884-bae5-8f36736ae7b1/

Jeff Davis Hospital | https://fhir-myrecord.cerner.com/r4/f98028ac-bce8-4115-85e2-9556668ed9dd/
Advanced Pediatric Care Ltd. | https://fhir-myrecord.cerner.com/r4/f99feffa-a04a-4042-9325-6ec22532618b/
Bridge Counseling Associates | https://fhir-myrecord.cerner.com/r4/f9a6475a-3dbd-47b2-979a-55064cfdbd51/
Radiology Associates of South Florida | https://fhir-myrecord.cerner.com/r4/f9aed9f4-5c6e-4527-8cf9-3a241a404968/
American Cardiology | https://fhir-myrecord.cerner.com/r4/f9dfebfc-b50e-4045-a2f3-bb8ed7deceb7/
Brian Weeks, MD Inc. | https://fhir-myrecord.cerner.com/r4/f9f2e2ba-3339-41a9-9c68-c52b1c13921e/
Peak Vision Eye Center | https://fhir-myrecord.cerner.com/r4/fa0f517f-db34-4a7a-98d2-758b513b2168/
Kennrick J. Dennis, DPM | https://fhir-myrecord.cerner.com/r4/faa53cfe-86c4-4c37-b87e-a425abe8cc46/
Boulder City Hospital Inc | https://fhir-myrecord.cerner.com/r4/fab57722-243a-4069-b32a-bcc74c7779f7/
Children's Urology | https://fhir-myrecord.cerner.com/r4/fb1a9a08-013f-4e81-9e96-ab9b9040386e/
South Texas Infectious Diseases Consultants, PA | https://fhir-myrecord.cerner.com/r4/fb7b0281-6ccf-430e-a59f-d7e9d3834a96/
Allergy & Asthma Clinic of Alexandria | https://fhir-myrecord.cerner.com/r4/fbc8c866-997f-48a9-94e2-a511f307192d/
S. Rick Miller, DPM | https://fhir-myrecord.cerner.com/r4/fc560d6f-3a3b-46f9-a29b-c2da7f788404/
Ellsworth County Medical Center | https://fhir-myrecord.cerner.com/r4/fca01075-736c-4da3-b816-2ead95b5dce5/
The Health Care Authority of the City of Huntsville | https://fhir-myrecord.cerner.com/r4/fca878a1-6c97-4ecb-b6e7-eb5d7cde15ab/
Neil S. Ozer, MD., Pa. | https://fhir-myrecord.cerner.com/r4/fd185037-bf1a-4d86-8438-6657be53ce04/
Independence Park Medical Servs. | https://fhir-myrecord.cerner.com/r4/fdbc9673-c618-4425-b458-9d4512be1bb3/
Gastro Pediatric Partners | https://fhir-myrecord.cerner.com/r4/fdbebc86-839d-40a6-a52c-f292220e6f36/
CommonSpirit Health | https://fhir-myrecord.cerner.com/r4/fdqklJrzTg5-JsHjn6gcvJbZmmigMGfd/
Russell Barone, DPM | https://fhir-myrecord.cerner.com/r4/fe81710a-637d-4db2-97ce-b53c4afe449d/
Saint Gregory Heart & Vascular Center, Inc. | https://fhir-myrecord.cerner.com/r4/fe81ea45-4e0e-4dc1-a82a-ac3412315182/
Joel Frankel MD PA | https://fhir-myrecord.cerner.com/r4/ff12e4c4-d870-4293-8118-95d9d426fb5d/
Dewitt Hospital and Nursing Home | https://fhir-myrecord.cerner.com/r4/ff3e5cd9-c23e-4fa5-b77d-dca4a39aa946/
Sierra Nevada Management Services LLC | https://fhir-myrecord.cerner.com/r4/ff97dd98-9ceb-4fc9-aa7e-fa79a17e946a/
Southern Maryland Electric Cooperative, Inc | https://fhir-myrecord.cerner.com/r4/ffda347f-dd5c-4ddb-8491-9dc707da579f/
Children's Hospital Los Angeles | https://fhir-myrecord.cerner.com/r4/fjycTxieSBez9BFs-LP0YIikqnvefkZc/
University Health | https://fhir-myrecord.cerner.com/r4/gF4lFO34tdbrCuznA3JTeuZ_9C_vRKZf/
Chelmsford Pediatrics | https://fhir-myrecord.cerner.com/r4/gNshjM5O9NNHo91poBY-hsv5tXiOvke8/
Foot & Ankle Clinic LLP | https://fhir-myrecord.cerner.com/r4/gOP4994uTxKCP3l4vJ7Jqo6k1NZgHGsz/
Shirley Ryan AbilityLab | https://fhir-myrecord.cerner.com/r4/gQLsUwK-sX1j_JHv5H2t4FlFphw_xyX9/
Jeffrey W. Watson, DPM | https://fhir-myrecord.cerner.com/r4/gVhfMvu-XwQRgQosgHcm4vmauyjhpt-k/
The Center For Reproductive Health | https://fhir-myrecord.cerner.com/r4/gc3D2uUK9_wiMPvEUVjpk1l2BlYpBT7b/
Middlebrook Family Physicians, PA | https://fhir-myrecord.cerner.com/r4/gec4dOg2yghesFrkYuCFDQ-HfVUq5AqK/
Rockland Thoracic Associates | https://fhir-myrecord.cerner.com/r4/gzygYmj_ixxj0K8SMYuNLmEP8OHSt4DS/
WINONA HEALTH SERVICES INC | https://fhir-myrecord.cerner.com/r4/h-wugRRmXDZkm9_GMtf9rhlhb3aHTbV5/
Anthony Parks, M.D. | https://fhir-myrecord.cerner.com/r4/h3vXgKcy9xzmARVPPGTm-aPdZWF6hpS3/
Olson Memorial Clinic | https://fhir-myrecord.cerner.com/r4/h7Ihx8KqeFMoV6aVE3v7wQPvUnR9Dqw0/
White Sands Family Practice Clinic | https://fhir-myrecord.cerner.com/r4/h9KqHATFapnAh9QYI0aR69I-qK5X4t_N/
Jason Amato, MD Dermatology LLC | https://fhir-myrecord.cerner.com/r4/hHhBZnqD5ZnFB3frpd36dudKBHu6EKvB/
James Brungo, DPM | https://fhir-myrecord.cerner.com/r4/hRl8JDuP-2CULrcrMMdYM6D-1ltmi-Hy/
Enrique Griego, M.D. | https://fhir-myrecord.cerner.com/r4/hf5J5V1F8weuXDjNzKXwtL9lyl3y33_0/
Professional Associates in Surgery, LLP | https://fhir-myrecord.cerner.com/r4/hk3a_n9kE2iADMEcT-8aONHluTmOxrTW/
Marlette Regional Hospital | https://fhir-myrecord.cerner.com/r4/i-zcCbJ35X2O5bJkqEF8dvUIAeQf3o9y/
Metuchen Cardio Associates, P.A. | https://fhir-myrecord.cerner.com/r4/i5Jn6dkai40kwQ-Ttd6yts8LatmIDujZ/
LMH Health | https://fhir-myrecord.cerner.com/r4/iNB6hL-tYJggf7je2gx1HftngxiOxAQ3/
Columbia St Mary's | https://fhir-myrecord.cerner.com/r4/idzZ7Xu4K4e6cf6O6PqH5zcqaSD8_vYU/
Grace OB/GYN | https://fhir-myrecord.cerner.com/r4/j1IyQmGp5_V_WwI9QPYQIpekJfKTa5u7/
Amanda Meszaros, DPM, FACFAS | https://fhir-myrecord.cerner.com/r4/kM_99Orj1Rg3wRNHtR8VeEA5tc_onQVr/
Medical Center Podiatry PC | https://fhir-myrecord.cerner.com/r4/kRYst33szaxuWCcieqasTJv68zF9577y/
Advanced Foot & Ankle Clinic, LLP | https://fhir-myrecord.cerner.com/r4/kSfiRTuNDYx_39U4kLLwpT-2wyiW22lf/
Borgess Health Alliance | https://fhir-myrecord.cerner.com/r4/l0sV4kAP8XYUeDPWgsblj-f2yztSg0Ya/
Southern Internal Medicine LLC | https://fhir-myrecord.cerner.com/r4/lKCPDiQgazoGE3paP2y6xrcZ5A3i0bDn/
Thomas Rich, DPM | https://fhir-myrecord.cerner.com/r4/lKtfa5-PPcTSlw3G84vjcA2C5nRSdCGY/
Juan J Salazar MD | https://fhir-myrecord.cerner.com/r4/lPF6Nmtsq7QZn3Z4mj6UwIY-rfDIdNIc/
WOOD COUNTY HOSPITAL | https://fhir-myrecord.cerner.com/r4/m6q718FZg_-IH-imjhHk1P9jJGSwQzGK/
Aultman Health Foundation | https://fhir-myrecord.cerner.com/r4/mP6IHJrv4n0_mPZFBm5GcbTX3TNMQJqa/
St. John Providence Health System | https://fhir-myrecord.cerner.com/r4/mQjCqHb5rkr1u1foU4dqhQPBpi7Qk9R4/
Southwest Foot & Ankle Center, PLC | https://fhir-myrecord.cerner.com/r4/mX7hxwEYErARs9T3I5uOZJg78CvtCjXk/
Dan Bangart, DPM | https://fhir-myrecord.cerner.com/r4/mXy5ruQtMW3KrdcgJMyfKw06O9IkfnI0/
Solano Kidney Care, Inc | https://fhir-myrecord.cerner.com/r4/mpHeoGaxK5S85g1wJYZSJQd5Cv8j4Vx4/
Tod S. Reed, DPM | https://fhir-myrecord.cerner.com/r4/n-IthgIyDeEmqX148ukfLpw4d7XKXejt/
Chestertown Cardiology | https://fhir-myrecord.cerner.com/r4/nI1GEqv2GptXSzP6SLPD5eHiyiISgxr0/
Pensacola Foot & Ankle Center | https://fhir-myrecord.cerner.com/r4/nf8U42ELfecnNzeE3KFMRXwJoUOMBep7/
Wray Community District Hospital | https://fhir-myrecord.cerner.com/r4/ntTlZxOIDS2tB2PUqr33FYQo0UWd2W9R/
North Canyon Medical Center, Inc | https://fhir-myrecord.cerner.com/r4/o5pd3b6-cuxAhiQtysTRpegXDGjPAEUV/
Pine Street Podiatry | https://fhir-myrecord.cerner.com/r4/oftb6hxIHnNtZxMiREGYvNaJbaPmNQ7p/
Emmanuel Emelle, MD | https://fhir-myrecord.cerner.com/r4/otCmFR9xLPoc2YGLoEEuj1ulH3uzON_F/
Neurological Associates of St. Paul, Na | https://fhir-myrecord.cerner.com/r4/p84Vhuk4mPWFXFbQg94FgStyyPbRtG_D/
Rio Grande Heart Specialists | https://fhir-myrecord.cerner.com/r4/pfPtWFyx8DThC8Zai2vpgBwaBZV28KWi/
CPHY Production Central Time Zone B | https://fhir-myrecord.cerner.com/r4/pnbHyG7RagseR2fWr8smIQIcWYdHzI-0/
Dr. Hussain Al-darsani, MD | https://fhir-myrecord.cerner.com/r4/q-3vUFaQmB_tKrR0ZIC4Z4u1bJnjsSJr/
Apex Partners, LLC | https://fhir-myrecord.cerner.com/r4/q3J1m5qc22mRRs5Ad6fw1pFcqnkVdus_/

D.V. Pasupuleti, MD | https://fhir-myrecord.cerner.com/r4/qAVEa7m1IQ-JEiYJqzzgxOEBv0A3Rmhs/
Dublin Womens Center | https://fhir-myrecord.cerner.com/r4/qJCdeykC_0FoLWOQ15eYFbhjDQNwFiDg/
Amador Hormilla, M.D. | https://fhir-myrecord.cerner.com/r4/qSQQl2ShxAvRHD2W70uxQVtT7BNMIXXO/
Naples Premier Concierge, P.L. | https://fhir-myrecord.cerner.com/r4/qxwleH164DZXpWMqxaJrMbQUqnnRWJfq/
Center for Manual Medicine | https://fhir-myrecord.cerner.com/r4/r2GtnbpYK4vtuAbMjau8TiI_I1r8CPyN/
Northern Light Health | https://fhir-myrecord.cerner.com/r4/rii-5tqZIeHcg01uWOcN3lATP151-1Q9/
Physician Associates of Jacksonville | https://fhir-myrecord.cerner.com/r4/sJsiTAK78Ymqden_ZevYBEoppqMpQx2F/
Scituate Podiatry Group, Inc. | https://fhir-myrecord.cerner.com/r4/sbZmqu_ebJfkW97fOWCec4QJKCw6sjcW/
Mercedes Medical Clinic | https://fhir-myrecord.cerner.com/r4/slYc7WiVO_dzl3tGHo9GBCymITDhz-sg/
A Woman's Place, LLC | https://fhir-myrecord.cerner.com/r4/sqiH60CNKO9o0PByEO9XAxX0dZX5s5b2/
Dr. Rodrigo Argenal MD | https://fhir-myrecord.cerner.com/r4/sw4tW_HCNxON0WgWbRHaakuPPu_xXIN6/
Penndoc Foot & Ankle Center Llc | https://fhir-myrecord.cerner.com/r4/t0FnDeiv5UB5yBJtCG5ByjAAa3LXYuNV/
Vibrant Health Family Clinics | https://fhir-myrecord.cerner.com/r4/tQB5_7uQVbVZScakpLQEzBwfBS_4PTHH/
Stormont-Vail Healthcare Inc | https://fhir-myrecord.cerner.com/r4/tSoPH8IMQuFTAj8CJZrbUMvKrv1i9WlM/
Podiatry Foot and Ankle Care, PLLC | https://fhir-myrecord.cerner.com/r4/tW68ZW-Hmy7Lzce-ns8ohuxjCYcMJFzU/
Thomas J. Hagan, DPM | https://fhir-myrecord.cerner.com/r4/u6U0gXkDqjtHVjydWZoD3S2kqgtUZm30/
Larry Campoli, DPM | https://fhir-myrecord.cerner.com/r4/uOQzJcWKhFvl4J-SfFSpaG622G8TwRPZ/
Morgan Medical Center | https://fhir-myrecord.cerner.com/r4/v561Je5dfmji-4BVw-9Mkp1hj_V8JdmU/
Ashland Mansfield Foot & Ankle Specialist | https://fhir-myrecord.cerner.com/r4/v7_ZWNDo44D5rdNkeMtK4_1va3H09PQq/
Associates In Otolaryngology of New Jersey, LLC | https://fhir-myrecord.cerner.com/r4/vHLmhTUEuZU9-C7EaUC6GMW9dKqEQxFt/
Bright Future Pediatrics PSC | https://fhir-myrecord.cerner.com/r4/vvWOESzbUe72lEl5ItnHhnlfe3uimw2P/
Colonial Healthcare | https://fhir-myrecord.cerner.com/r4/wZCgH1CWyIXU4RnwCSTNxxMaI62WkSe4/
Deer Chase Medical Associates | https://fhir-myrecord.cerner.com/r4/wrew10vD3jepzbTifdu3IylT2gxN5jJt/
Dover Foot Specialty Center, Inc. | https://fhir-myrecord.cerner.com/r4/xCzjlohQb7LjffswhVfzHuvSjTl4Y9sP/
Bitterroot Health - Daly Hospital | https://fhir-myrecord.cerner.com/r4/xGC8us00w6i72tkLoWiE0pdWD5WWsJe5/
Tey Women's Health Center | https://fhir-myrecord.cerner.com/r4/xV4nbZGmDts5h0cW_qqdfyysQaM9g4Uc/
RWJ Barnabas Health | https://fhir-myrecord.cerner.com/r4/xYxhuXIFsLg59PaSNJv_x-piAtPKX3W8/
Jeffrey A. Fischer, DPM | https://fhir-myrecord.cerner.com/r4/xsi8i2IV7_2GY-SfeLLZ0w2vRcPnO9Sk/
Neurology and Spine Center | https://fhir-myrecord.cerner.com/r4/yM1TVbA1pYVBqAL5r6hrPXGVr5nFBJbP/
Affiliated Podiatrists, Ltd. | https://fhir-myrecord.cerner.com/r4/yNokLJokA2wmiV0j4EDnXS-uMoIhGKVB/
Children's Health Care | https://fhir-myrecord.cerner.com/r4/ya_22VheLN-3mn5hR1J6QJ0Z8rMCHJ7F/
Detroit Medical Center | https://fhir-myrecord.cerner.com/r4/ynC9J_dODQE9MboiEOzSXwBNhdrTWHFe/
Marble Valley Healthworks, LLC | https://fhir-myrecord.cerner.com/r4/zA015PZlU6y4mS2M66rhwFskWFFyp2EA/
Klass & Wasserman, MD | https://fhir-myrecord.cerner.com/r4/zQbuaOz8Rb6ie3Ivt6H_LeKnU4TVuNuA/
GENESIS HEALTH SYSTEM | https://fhir-myrecord.cerner.com/r4/zRBZsbKdoME7HivKpjAL4ZEb8JQBD9Cn/
Dr. Chad Smoker MD | https://fhir-myrecord.cerner.com/r4/zf0glaGG5hLhMMZqeh2-kRj3FD2n6MNs/

Millennium Platform Public Endpoints for Providers

File: guides/06_public-endpoints-for-providers.md

Source: https://wiki.cerner.com/display/APIDoc/Millennium+Platform+Public+Endpoints+for+Providers

Table of Contents

* 1 [Overview](https://wiki.cerner.com/display/APIDoc/Millennium+Platform+Public+Endpoints+for+Providers#MillenniumPlatformPublicEndpointsforProviders-Overview)

* 2 [Millennium Platform Public Endpoints for Providers](https://wiki.cerner.com/display/APIDoc/Millennium+Platform+Public+Endpoints+for+Providers#MillenniumPlatformPublicEndpointsforProviders-MillenniumPublicEndpointsforProviders)

Overview

The endpoints list assists developers of consumer applications and patients in identifying the organizations that they can connect to and use to retrieve their patient records through Oracle HealthFHIR APIs, EHR APIs, or both. The list is in FHIR resource format (Endpoint and Organization) and includes organization details such as the organization name, address, and identifiers to assist patients with identifying the correct organization.

The table below contains the organizations and their endpoint URLs. To view the whole list, select the link for the JSON file.

Some healthcare organizations have many facilities with different names and addresses contained within one or more endpoints, and you may be unable to locate one of those organizations in the endpoints list. In this case, work directly with the healthcare organization to identify the appropriate endpoint URL.

Millennium Platform Public Endpoints for Providers

This table contains public endpoints for providers. You can download these endpoints at the following link: https://raw.githubusercontent.com/oracle-samples/ignite-endpoints/refs/heads/main/oracle_health_fhir_endpoints/millennium_provider_r4_endpoints.json

Organization Name | Endpoints URL
Oscar Matthews, MD | https://fhir-ehr.cerner.com/r4/-KzIoYV6gk-ILcHOWbsH2m9KsSdDgi12/
Vishen, R K MD | https://fhir-ehr.cerner.com/r4/-MIuTZfWACgngV9YTgKmhcl1PVL8iu53/
Laurel Pediatrics | https://fhir-ehr.cerner.com/r4/-PfaU8OdmNJOCEa6gZfariChFiIaTEYA/
Treasure Coast Podiatry | https://fhir-ehr.cerner.com/r4/-c6Xwd-UlrvkHnaNj_A8a39Pa03efHEX/

ALASKA NATIVE MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/-yJKGL5-49LdGDJaxmfdb85K2Njr-hkB/
COUNTY OF ORANGE HEALTH CARE AGENCY | https://fhir-ehr.cerner.com/r4/00647884-2425-4aef-9dfc-60b7447da45a/
Encompass Health Corporation | https://fhir-ehr.cerner.com/r4/00a074df-768e-479f-9c8c-52c5c5bbe010/
Earl Jacobson, DPM | https://fhir-ehr.cerner.com/r4/00a934e0-7e93-4023-8ce4-79bbebc496ce/
CarolinaEast Health System | https://fhir-ehr.cerner.com/r4/00bf2f08-38fe-4c4c-8207-96dbe42a9302/
St. Anthony's Primary Care | https://fhir-ehr.cerner.com/r4/00f37c04-43c3-4ddc-ac68-d7a0479d717b/
Ozaukee Medical Group, LLC | https://fhir-ehr.cerner.com/r4/0140a543-52ac-47d8-8221-0c88870f0a9b/
Fredonia Regional Hospital | https://fhir-ehr.cerner.com/r4/0153994b-73fd-40ca-acc3-d43bb5781a7b/
Hancock County Health System | https://fhir-ehr.cerner.com/r4/0187d1c0-26b8-42cb-81e4-84d2429978e8/
Crawford County Memorial Hospital | https://fhir-ehr.cerner.com/r4/01ac1fad-f809-4c54-8fbc-c098bfca6c66/
Smoky Mountain Foot Clinic | https://fhir-ehr.cerner.com/r4/01b09d82-4514-482c-85d3-2d53721811fb/
North Atlantic Medical Associates, P.C. | https://fhir-ehr.cerner.com/r4/01f94e02-09c3-48f8-b3d5-d9516d905113/
Jeff Pan, MD, PC | https://fhir-ehr.cerner.com/r4/021ccf32-cac0-4b15-95d2-1f0aa35704ca/
Center of Women's Health of Lansdale | https://fhir-ehr.cerner.com/r4/025a0f3c-14a7-44fd-90f4-ebf1f0e1cd9e/
Hardin Medical Center | https://fhir-ehr.cerner.com/r4/0276a61d-cfb3-486e-9665-b29201df0391/
Blair Foot & Ankle | https://fhir-ehr.cerner.com/r4/02cf5ef5-9abb-4937-8933-e06c47e975a4/
Clay Platte Family Medicine Clinic | https://fhir-ehr.cerner.com/r4/032e9fee-d494-4ca3-97ce-b40c8d2eecf6/
Family Practice Clinic of Dothan, PA | https://fhir-ehr.cerner.com/r4/03348304-a437-4d8f-97f2-4441978ac448/
Physician's Care Surgical Hospital | https://fhir-ehr.cerner.com/r4/034829e3-fb2f-4c45-a30d-58b145c5a0f3/
Primary Care Specialists, Inc. | https://fhir-ehr.cerner.com/r4/036f7da9-ca9c-4c26-bc90-ad8f4c7667ec/
Valentenia Daugherty and Alvin R. Smith, PC | https://fhir-ehr.cerner.com/r4/038d560d-2426-45c9-9ab5-03b271fcacb7/
Cochise Surgical Care, PLLC | https://fhir-ehr.cerner.com/r4/03906e1b-719a-4ab5-b702-13836594a66d/
Midwest Surgical Hospital | https://fhir-ehr.cerner.com/r4/0434cb5f-f658-4821-a9c3-c13cf287f39b/
Dr. Suganthini Umakanthan, MD | https://fhir-ehr.cerner.com/r4/045b627f-46d4-4a3f-ac6b-f056b251cd0e/
Baraga County Memorial Hospital (inc) | https://fhir-ehr.cerner.com/r4/045c8928-6944-45ab-848b-c64a6a14eb07/
Jefferson Psychiatric Associates, LLC | https://fhir-ehr.cerner.com/r4/05a97b88-f719-405f-abbb-125ac71b7cee/
Montgomery County Pulmonary & Sleep Consultants, PC | https://fhir-ehr.cerner.com/r4/065b8b09-4f7d-467b-8952-a1ff3f821682/
The Recovery Center | https://fhir-ehr.cerner.com/r4/069aa823-6cc6-4055-a813-dbffdfcd16ac/
Palo Alto County Health System | https://fhir-ehr.cerner.com/r4/06ad70d1-0ea3-42fa-b01a-c8e7e524255d/
SAUNDERS MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/06e9d567-9657-447f-97fb-d967654387e7/
Nicholas S. Guittari, MD | https://fhir-ehr.cerner.com/r4/06f3e7b9-e238-4c7d-9b45-146676e73d3c/
Rheumatology and Immunotherapy Center | https://fhir-ehr.cerner.com/r4/070774ed-b306-4327-820a-1c8972c30c5d/
VCU Health System Authority | https://fhir-ehr.cerner.com/r4/072ee25e-9ba2-4626-bd4b-17ff1ccdc763/
Specialists in Spine Surgery | https://fhir-ehr.cerner.com/r4/0748ed02-a595-4783-955c-c255cede53e3/
Gavy MD CSP | https://fhir-ehr.cerner.com/r4/07816ee1-ddda-45ce-ac7b-e8d3ee5f4c74/
Valley Heart Consultants | https://fhir-ehr.cerner.com/r4/07af479d-1794-4b56-b7f8-74ad337e7233/
Luxer Urgent Care | https://fhir-ehr.cerner.com/r4/08216604-fc95-489b-8e5b-408e049ac03c/
CHSPSC LLC-2 Client | https://fhir-ehr.cerner.com/r4/082fe843-d2e4-4f68-96c9-531186c7d48d/
Charleston Area Medical Center, Inc | https://fhir-ehr.cerner.com/r4/0857bd9d-3fb8-4b0a-9180-f75d160828c9/
Masonicare | https://fhir-ehr.cerner.com/r4/0902817a-ed68-43fa-954a-bea5acd79d50/
Old Naples Concierge Medicine | https://fhir-ehr.cerner.com/r4/0923cfa9-b935-457b-863a-3708d0944463/
Tenet HealthSystem Medical | https://fhir-ehr.cerner.com/r4/097a1a4a-da6a-404d-812e-08a4b71d143f/
Warren E. Kaplan, DPM | https://fhir-ehr.cerner.com/r4/09ea3bf2-1790-4a4b-8cf3-6344789bb530/
Littleton Hospital Association D/B/A LRH | https://fhir-ehr.cerner.com/r4/09f87210-eeaa-4491-a502-556546cf5c51/
Dr. Nizar Salek | https://fhir-ehr.cerner.com/r4/0EL6mHQUuEUp0VBVOJiTAngI8mfrXEFB/
St. Christopher's Inn, Inc. | https://fhir-ehr.cerner.com/r4/0a1d8e09-c5b6-42c3-8311-cf5af3665cbe/
Srinivasa Rao Movva | https://fhir-ehr.cerner.com/r4/0a308bb2-a313-4473-991c-9bf6e3578c55/
Heart & Vascular Specialists of South Texas | https://fhir-ehr.cerner.com/r4/0aa75aff-7eca-4255-be9e-a914bffb6f20/
Johnson County Hospital | https://fhir-ehr.cerner.com/r4/0abc5c50-19e6-4961-a76b-384f0caca068/
Dr. Manuel Lovo | https://fhir-ehr.cerner.com/r4/0abea9c0-1e9f-4430-ab68-c2420de4e9fb/
Martinsville Womens Health | https://fhir-ehr.cerner.com/r4/0ac5dcf7-3334-4643-8007-dc41e0e6c361/
Consultants In Infectious Disease | https://fhir-ehr.cerner.com/r4/0afb6793-ac40-40a5-8123-d13a308d2792/
Blanchard Valley Health System | https://fhir-ehr.cerner.com/r4/0affe579-9d95-4ec1-b178-1df7328cc0a1/
South Minneapolis Walk-in Clinic | https://fhir-ehr.cerner.com/r4/0b25ce83-fe52-4222-8ff2-02c9187687e9/
Good Samaritan Hospital | https://fhir-ehr.cerner.com/r4/0b68d467-99ef-4e61-8d13-42f723ecabc5/
Total Body Pain Institute, LLC | https://fhir-ehr.cerner.com/r4/0b6b0303-cbdd-4ff9-91bf-eeb5a4c8911b/
Council Bluffs Surgical Associates | https://fhir-ehr.cerner.com/r4/0b85a188-4e79-4276-b029-bbb0ec6e4802/
SHARON REGIONAL HEALTH SYSTEM | https://fhir-ehr.cerner.com/r4/0c45d456-c156-4baa-b6a0-bf60418740f7/
Adventist Health Delano | https://fhir-ehr.cerner.com/r4/0ca83d5d-e2a2-460f-9fe7-e5dfa535cbb3/
Orthopedic & Sports Medicine Specialists of Green Bay | https://fhir-ehr.cerner.com/r4/0cda6ed7-9e18-4112-ab11-d5a45a40c8d5/
My Kidney Care, LLC | https://fhir-ehr.cerner.com/r4/0cf77109-e68f-4848-a530-1f53e0c2db32/
UPMC Children's Hospital | https://fhir-ehr.cerner.com/r4/0d020f94-2b1e-4cb2-a9d2-eecf3a1a0504/
Associates In Anesthesia | https://fhir-ehr.cerner.com/r4/0d26bd04-9128-4f58-8e6d-ffda5cd00f89/
Community Medical Centers, California Street (Pediatrics) | https://fhir-ehr.cerner.com/r4/0d6b7f8e-7f46-4dfd-a38d-383c25bb2b73/
Margaret Mary Community Hospital | https://fhir-ehr.cerner.com/r4/0d93d980-a159-4c3e-9a19-131175682196/
Jeffrey Lubell, DPM | https://fhir-ehr.cerner.com/r4/0dd23348-ab65-4cd7-899a-47a7e7f6edaf/
Central Community Hospital | https://fhir-ehr.cerner.com/r4/0e14dd7a-54b5-4e15-8bd7-0053cd69b1ac/
Westchester Medical Center | https://fhir-ehr.cerner.com/r4/0e5efebe-b60c-458e-971a-ee39e08a2178/
Seiff Center for Aesthetic and Reconstructive Surgery | https://fhir-ehr.cerner.com/r4/0f01f77a-8c85-47f1-aaa5-2b7968c0806e/
MERCY HOSPITAL INC | https://fhir-ehr.cerner.com/r4/0f28b1ab-8e47-4a25-b8ea-aeb6ede39b7d/
Allouez Avenue Foot Clinic | https://fhir-ehr.cerner.com/r4/0f970415-9de4-4c5e-8ee7-703c79a9cc98/
Regional Medical Center of Orangeburg and Calhoun Counties | https://fhir-ehr.cerner.com/r4/0fba742b-eec1-4103-87e5-edbdf1fe1e30/

Lake Health | https://fhir-ehr.cerner.com/r4/0febeb13-8e64-489b-8219-6b0ac5c29683/
hypertension nephrology associates | https://fhir-ehr.cerner.com/r4/0ffe150c-5435-4b81-b402-c9449af1a376/
DrumHill Pediatrics | https://fhir-ehr.cerner.com/r4/0gHAygDLIJOak6hn-5BrJ04gaSGnHqqo/
Dignity Health CAREB | https://fhir-ehr.cerner.com/r4/0qElfuk7cvLgJndB7hTiCVck6NR0D5uM/
Gabbie Medical Clinic | https://fhir-ehr.cerner.com/r4/0vrdpNH7rwpdKHXHV32pI9kiii8_MVX2/
Medical Clinic of Red Bay | https://fhir-ehr.cerner.com/r4/0w2X68WoJybtavj9KNOUNqH4zjiuzU9x/
SAN JOAQUIN GENERAL HOSPITAL | https://fhir-ehr.cerner.com/r4/1014839d-07f9-4c12-a617-3f1d8afea267/
Chinese Hospital | https://fhir-ehr.cerner.com/r4/101c0869-4f3e-4fdb-af79-02ba9f712e30/
Indiana Regional Medical Center | https://fhir-ehr.cerner.com/r4/1031a3cd-9903-4995-baa5-734895a3e2a2/
Kathryn Amacher, D.O. | https://fhir-ehr.cerner.com/r4/10521376-f6e6-41c2-a307-0de4e8ac5c2b/
Cullman Medical & Pediatric Assoc. PC | https://fhir-ehr.cerner.com/r4/10SsEyRV6mB-ixPURUQbSLUZ7vtegZBi/
Warren Washington Association for MH | https://fhir-ehr.cerner.com/r4/10d65d12-0ecf-4613-84df-07c7c4f09ca4/
McKnight Clinic | https://fhir-ehr.cerner.com/r4/110cb3c6-b110-474f-9f37-1dc02438d0c6/
Cardiology Associates Inc. | https://fhir-ehr.cerner.com/r4/11bc0c3c-c195-42b2-ba3e-5064c5f00185/
Jerome A. Cohn, DPM PC | https://fhir-ehr.cerner.com/r4/11c92883-3ba8-4054-8136-467108df0876/
Dinesh Lahoti, MD | https://fhir-ehr.cerner.com/r4/11c9f394-ec26-4c20-ab5b-88e040706ab4/
Pioneers Memorial Healthcare District | https://fhir-ehr.cerner.com/r4/11d6e9da-d3d5-4352-8d64-f06e0d461c57/
UAB Hospital | https://fhir-ehr.cerner.com/r4/11e960ca-465e-403d-a8ac-dfa9be65dd83/
SILVER CROSS HOSPITAL | https://fhir-ehr.cerner.com/r4/11ea0cbd-06f9-4ba7-9e47-64230780fa06/
Hidenao Kimura, MD, LLC | https://fhir-ehr.cerner.com/r4/11ec782a-a256-41d9-a180-ba3424536d6e/
The Steven A. Cohen Military Family Clinic At Centerstone | https://fhir-ehr.cerner.com/r4/11f5b60c-7ccb-45b6-9c17-e5bc03ab46bd/
Tri-City Medical Center | https://fhir-ehr.cerner.com/r4/124c0226-4a30-493e-919a-d360c6c85fa7/
G. Perrin Underwood, MD | https://fhir-ehr.cerner.com/r4/12a1c355-c61a-45a8-a04e-bf576ee7490b/
Surgery Partners - Nashville | https://fhir-ehr.cerner.com/r4/12e6e189-04bb-431f-917c-32d5c1bc83d5/
Dr. Kostecke | https://fhir-ehr.cerner.com/r4/1343d08e-d344-4cf3-8b4c-00d3bf2d2f22/
William Defeo, DPM | https://fhir-ehr.cerner.com/r4/135a9a14-5851-4db5-b6e4-bd9037eef316/
LifeBridge Health | https://fhir-ehr.cerner.com/r4/136fea15-c667-40bc-9ed2-b1115d62123b/
BEEBE HEALTHCARE | https://fhir-ehr.cerner.com/r4/13b50b3e-3008-4cea-8436-d50ebe0744e1/
George L. Thaler, DPM | https://fhir-ehr.cerner.com/r4/13e0424e-cf2d-4fa1-8eeb-46000e113cfb/
Anderson Dermatology and Skin Surgery | https://fhir-ehr.cerner.com/r4/14194f57-1cf1-4d77-801e-4659b5b99d4c/
Asheville Podiatry Associates | https://fhir-ehr.cerner.com/r4/1426d78c-0f62-4721-863e-5a04f771d495/
Physician In-Home Services | https://fhir-ehr.cerner.com/r4/1489851f-6448-4afb-9a0e-12d9d94aa987/
Atlanta Rehabilitation Physicians, P.C. | https://fhir-ehr.cerner.com/r4/148d0862-3261-4a44-ba2d-29293ff91161/
POARCH BAND OF CREEK INDIANS | https://fhir-ehr.cerner.com/r4/148f5931-d9cf-4d65-8c66-7021ed161b73/
El Centro Regional Medical Center | https://fhir-ehr.cerner.com/r4/1511ffe1-3474-454c-96b9-25125c8182f0/
Chattanooga Eye Institute | https://fhir-ehr.cerner.com/r4/155265c8-cc75-4495-acc6-6ac5bd3a872e/
Miami Dade College Medical Campus Clinic | https://fhir-ehr.cerner.com/r4/1557c3e2-181e-4d57-8141-b8fe7c0185ed/
Bacharach Institute for Rehabilitation | https://fhir-ehr.cerner.com/r4/15758d3c-e7f4-4df2-8236-c16c5a55011e/
Continuum Of Care Domain A | https://fhir-ehr.cerner.com/r4/15ab3360-8b18-4c92-8b21-d637c03dc09c/
ENT & Allergy Associates, P.C. | https://fhir-ehr.cerner.com/r4/15dd2bda-9d00-4c3d-967c-f374acf8d6ab/
Capital Region Health Care | https://fhir-ehr.cerner.com/r4/16386a34-20a6-42d6-bf13-226b287a42a5/
Fernandes Banerjee Shenoy Kidney Center LLC | https://fhir-ehr.cerner.com/r4/164776a0-ef92-46b0-b574-bc0e63ed9671/
Beaver Medical Clinic | https://fhir-ehr.cerner.com/r4/1689f559-34cb-4d05-ae6b-0d5c8a6ea89c/
Bellville Medical Center | https://fhir-ehr.cerner.com/r4/16a6a2d0-9070-4585-9404-d87e500b89cb/
California Correctional Health Care Services | https://fhir-ehr.cerner.com/r4/171973c1-c2f6-42fa-96ac-2222224c476e/
Frank J. Killian, DPM | https://fhir-ehr.cerner.com/r4/1737f32c-1a16-4660-8f22-545d69ce01dc/
Five Mountains Hawaii, Inc- Dba: Kipuka o ke Ola | https://fhir-ehr.cerner.com/r4/17479dfb-b021-49d0-9c8a-9247a410a2a3/
American ID Group | https://fhir-ehr.cerner.com/r4/1756cd29-c2db-4030-a36b-04c68ddb9ca5/
Miners' Colfax Medical Center | https://fhir-ehr.cerner.com/r4/1762c86e-d105-4afc-a3d1-9e89748c9af3/
Jaime E. Campos, MD, PA | https://fhir-ehr.cerner.com/r4/177ce732-146d-43d6-b1f2-f27ab10b5dfe/
Alamo Psychiatric Care PA | https://fhir-ehr.cerner.com/r4/1845df8d-054c-4f01-87bb-96587b55c793/
Southdale Pediatrics Assoc., Ltd. | https://fhir-ehr.cerner.com/r4/1846cf9e-8006-4277-b72f-3cbbe8a8f5ca/
Kiowa District Hospital | https://fhir-ehr.cerner.com/r4/18873135-3bbb-44c9-950a-a010c0269f4b/
GC USA of Florida, LLC | https://fhir-ehr.cerner.com/r4/188a9934-272e-40a6-b77d-07674ebcbb4e/
Urology Partners of North Texas | https://fhir-ehr.cerner.com/r4/18f5d65c-83f0-435a-868c-70ce5a6de90a/
Magruder Hospital | https://fhir-ehr.cerner.com/r4/19553296-f85a-48c6-9c93-313791e9f18b/
Robert S. Stipek, DPM | https://fhir-ehr.cerner.com/r4/1AN2znHfTFaFUc4YPucjdabPqWM4Ifu6/
David L. Crowder, M.D., Inc | https://fhir-ehr.cerner.com/r4/1Dszw2goTz-HRPQAjnp5h-SWxEe2-Tfi/
Gillette Children's Specialty Healthcare | https://fhir-ehr.cerner.com/r4/1a27c25c-f98c-457f-a68f-46b79305bda6/
Michael A. Marvin, DPM | https://fhir-ehr.cerner.com/r4/1a2e2e0d-8e43-4f2f-8b9e-bbbe114275a3/
Johnson Regional Medical Center | https://fhir-ehr.cerner.com/r4/1a399bfe-f78b-4bd3-b22b-301d9fc9736a/
Washington Regional Medical Center | https://fhir-ehr.cerner.com/r4/1a55666e-0320-4f6b-b276-8ad1178a06d1/
Horn Memorial Hospital | https://fhir-ehr.cerner.com/r4/1aa4438a-2520-42f9-8b43-85785136e80e/
Professional OB/GYN Doctors | https://fhir-ehr.cerner.com/r4/1aaa2297-cd97-4f91-84aa-bfa4adb4e672/
W. David Mello, M.D. | https://fhir-ehr.cerner.com/r4/1ac545fd-ef52-46ef-9d44-79bace12a10b/
Eugene Shteerman, MD | https://fhir-ehr.cerner.com/r4/1acb1d90-1c8d-4447-b242-48d6b194317b/
Renal-Hypertension Clinic, PC | https://fhir-ehr.cerner.com/r4/1ad2a81d-d102-4f59-a87a-db4fa01056bd/
Mountain Grove Health Clinic | https://fhir-ehr.cerner.com/r4/1b1e5c61-56d7-451b-9b71-92a7bd3e453e/
Dr. Bose Industrial & Family Medicine | https://fhir-ehr.cerner.com/r4/1b2b742f-42bf-43a5-8c28-95e9ccd18862/
Tallahassee Podiatry Associates | https://fhir-ehr.cerner.com/r4/1b51b01a-cf35-4022-974c-7633d8b348f9/
Metro Infectious Disease Consultants | https://fhir-ehr.cerner.com/r4/1b768eee-dd17-4e01-8b1e-f5330ffd0ffa/
Little Colorado Medical Center | https://fhir-ehr.cerner.com/r4/1b77ef85-4263-4810-a991-372a36dc4ff0/

Personalized Primary Care Atlanta | https://fhir-ehr.cerner.com/r4/1bd57171-f0fc-42ae-9baf-e255a76f2819/
The Steven A. Cohen Military Family Clinic At Veterans Village | https://fhir-ehr.cerner.com/r4/1c0a08f9-9cc4-4641-ba0f-c38d264c2529/
Caribou Medical Center | https://fhir-ehr.cerner.com/r4/1c1a9f5d-79fb-4003-8c99-6287771c0404/
Morrow County Health District | https://fhir-ehr.cerner.com/r4/1c1bd3d4-4a26-4d40-b6ea-57e1e5c43016/
Liberty Dayton Regional Medical Center | https://fhir-ehr.cerner.com/r4/1c4e6005-70c8-4848-94e1-292ffa50fed2/
Hemphill County Hospital | https://fhir-ehr.cerner.com/r4/1c565283-08b7-4811-af3a-d8ab0c3d5260/
Northland Health Care Access | https://fhir-ehr.cerner.com/r4/1c9815c7-2fbe-40be-9813-e5639c105f69/
South Florida Pediatric Partners | https://fhir-ehr.cerner.com/r4/1c9cb0c5-1db1-401e-9a06-132d030c72c2/
Ascension Providence Rochester Hospital | https://fhir-ehr.cerner.com/r4/1co7TB-AnE4kKYvBDzXBJf-MlYrYrEnf/
Texas Tech University Health Sciences Center El Paso | https://fhir-ehr.cerner.com/r4/1d0193b5-c6df-4894-ba58-5a49f2d64f8f/
Kane County Hospital | https://fhir-ehr.cerner.com/r4/1d0400a3-4b8b-4837-b984-e3261fda469a/
Indianapolis Gastroenterology, Inc. | https://fhir-ehr.cerner.com/r4/1d5dc169-f536-4ee1-9c67-c93c23521729/
Raso and Cohen Gastroenterology | https://fhir-ehr.cerner.com/r4/1d6c3167-ceed-47b0-b6f7-156a9cb2ffbe/
Neurology & Sleep Solutions LLC | https://fhir-ehr.cerner.com/r4/1d6c927a-8fe8-4114-911c-8498e2eb642e/
Merrimack Valley Orthopaedic Associates | https://fhir-ehr.cerner.com/r4/1e6e321c-be51-4a82-a0ac-c7ba981fee78/
Heritage Medical Associates, PA | https://fhir-ehr.cerner.com/r4/1e751165-d0f5-47ed-aa9b-1a8abb55d1d6/
Emory Healthcare, Inc | https://fhir-ehr.cerner.com/r4/1ea8551e-0fb1-4703-8c98-94d25868feac/
Goldsboro Podiatry | https://fhir-ehr.cerner.com/r4/1ee7fa8c-2604-4e16-b1f2-79febf0fab94/
Michel C. Samson, M.D., F.A.C.S., PLLC | https://fhir-ehr.cerner.com/r4/1f7b6536-c76b-4398-ab49-8978aae098e4/
Domain K CommunityWorks | https://fhir-ehr.cerner.com/r4/1fa69ab9-9d8c-4a5c-bc87-6030844e033a/
Iredell Memorial Hospital | https://fhir-ehr.cerner.com/r4/1faf3cea-e504-4363-85be-017534ea9e27/
City of Asheville Health Services | https://fhir-ehr.cerner.com/r4/1fc28530-8f60-48e4-aea0-77fe08e0b8d3/
Mountain View Child Care, Inc. d/b/a Totally Kids Rehabilitation Hospital | https://fhir-ehr.cerner.com/r4/1fec57aa-48c4-4598-a98f-f72022b4a4cc/
LMH Health | https://fhir-ehr.cerner.com/r4/1ff00bc8-0ecb-4ee5-8444-70f6c6b68888/
G. Scot Johnson MD | https://fhir-ehr.cerner.com/r4/1iSUCOMo-1LnA2beSKjvOuwrZcTnFbq7/
Dr. Tilak Mallik | https://fhir-ehr.cerner.com/r4/1pr65N3sygbkRcFn_c89F-donYqb1-Dt/
Cullman Surgical Assoc., P. C. | https://fhir-ehr.cerner.com/r4/2017165a-e6da-4297-96d2-0da8973a33da/
James Rommer, MD | https://fhir-ehr.cerner.com/r4/20233ef0-1a16-48bd-a934-aa148473a80d/
New Coast Cardiology | https://fhir-ehr.cerner.com/r4/204a45c4-fa47-4c88-b6c6-15100f41107e/
Tallahassee Memorial HealthCare | https://fhir-ehr.cerner.com/r4/20840a0f-84f0-4541-a74c-e4481222809f/
LOS ANGELES COUNTY DEPT OF HEALTH SERVICES | https://fhir-ehr.cerner.com/r4/208486af-ceea-4a7d-b4d7-95c884a327df/
Kidz Medical Services - Miami | https://fhir-ehr.cerner.com/r4/2088f28f-3c6b-4771-b216-22a921e823e3/
Women’s Medical Center of Meridian | https://fhir-ehr.cerner.com/r4/20d7d246-549d-436f-88f7-e8d24a8a542b/
Kingsley E. Agbeyegbe, MD | https://fhir-ehr.cerner.com/r4/20f03d9b-a36a-4840-9108-358bfe8520a9/
Drs. West, Scharf, Conte and Bastianelli | https://fhir-ehr.cerner.com/r4/20f47704-6d52-45dd-af98-57014a72c180/
Effingham Health System | https://fhir-ehr.cerner.com/r4/210c1b9f-8bdc-4fc0-af1b-d0a64f9c307f/
Jackson Parish Hospital | https://fhir-ehr.cerner.com/r4/21ed112e-ec5e-43b1-8ddc-cd3753841e6e/
Montgomery County Memorial Hospital | https://fhir-ehr.cerner.com/r4/2204183e-6c83-4c63-94c0-94d8c17a6ef8/
Many Rivers Whole Health | https://fhir-ehr.cerner.com/r4/2229c7e9-33af-4844-8811-015c0ae6032b/
McGehee Hospital Inc. | https://fhir-ehr.cerner.com/r4/226835e4-1cc9-4406-a88a-250212c16ce2/
Stewart, John A., MD, PC | https://fhir-ehr.cerner.com/r4/22Uc-fJDB9OVJIDI_oIBMMN7nEcPcLZt/
M.E.N.D., PA | https://fhir-ehr.cerner.com/r4/22d22c3c-8384-4172-b58d-229dd78c4154/
Trego County-Lemke Memorial Hospital | https://fhir-ehr.cerner.com/r4/235ba15f-6bef-42d8-831c-5f3f60c7755f/
CHILDRENS HOSPITAL OF THE KINGS DAUGHTERS | https://fhir-ehr.cerner.com/r4/237789e0-8b40-4355-aefd-25694ca16391/
Nicholas S. Vachon, DPM | https://fhir-ehr.cerner.com/r4/237aa410-7cb8-4ac1-ba42-3944408d6c7f/
Cleveland Family Care | https://fhir-ehr.cerner.com/r4/237d7594-4541-4b90-ad67-9467f72ad1ef/
Kittitas Valley Healthcare | https://fhir-ehr.cerner.com/r4/23941371-53b3-4b40-a249-d9e5af645869/
Lake Regional Health System | https://fhir-ehr.cerner.com/r4/239dffb3-54eb-4cb5-a859-26203ae74911/
General John J. Pershing Memorial Hospital Association DBA Pershing Memorial Hospital | https://fhir-ehr.cerner.com/r4/23d7eb1d-294f-4546-883b-c856fcd53f34/
Scott A. Groat, DPM | https://fhir-ehr.cerner.com/r4/2473c3e4-a3db-44eb-852b-6c845f6e5961/
Precision Surgical Specialists of Lowell | https://fhir-ehr.cerner.com/r4/248c4eac-ef54-410c-af1d-d3a135ccb339/
Van Diest Medical Center | https://fhir-ehr.cerner.com/r4/24c3ea72-6b18-4192-9262-677c412fb10a/
T.J. Regional Health | https://fhir-ehr.cerner.com/r4/24e03c9a-e2fd-45f4-8243-e38cc7e8418d/
Paul Potach D.P.M | https://fhir-ehr.cerner.com/r4/25323118-f910-447e-97a3-efa84a07950e/
Rock Regional Hospital | https://fhir-ehr.cerner.com/r4/2563cb1b-8ed5-4fa8-82ee-eb933a99c9c2/
Joel L. Gellen, DPM | https://fhir-ehr.cerner.com/r4/25641f20-a69b-41d6-9c60-3287d9431b57/
Central Valley Medical Center Inc | https://fhir-ehr.cerner.com/r4/26081706-bf97-4a1b-96e4-2d82c3343f85/
Walnut Lake Ob/Gyn | https://fhir-ehr.cerner.com/r4/26519c41-5760-4666-aec7-131cba00ac7b/
Kathryn T. Ballard MD | https://fhir-ehr.cerner.com/r4/266fc0e7-96c0-4bdc-b43f-3e8aea7cea7b/
Aesthetic Plastic Surgery, PC | https://fhir-ehr.cerner.com/r4/26b29267-7a91-4754-a0ab-557e7e4d37f2/
AdventHealth Ottawa | https://fhir-ehr.cerner.com/r4/2706bae0-904c-4f4d-a308-d6dab1fc6e73/
Colorado Canyons Hospital & Medical Center | https://fhir-ehr.cerner.com/r4/2727d563-1937-4182-91c8-c6faf5efe876/
Edward L. Murray, DPM | https://fhir-ehr.cerner.com/r4/274f233e-d0c5-4660-bb64-e2ff085087aa/
Tropical Texas Behavioral Health | https://fhir-ehr.cerner.com/r4/2806d8de-ae12-4b18-ae66-9968e4959f3b/
Caritas Clinics | https://fhir-ehr.cerner.com/r4/282ac7c4-9db7-44ff-9e15-9477722bfca6/
First Coast Infectious Disease | https://fhir-ehr.cerner.com/r4/2841d-FUNyRbAEZPU2fkwLVgAHCA3S2l/
Anita Pavels, MD | https://fhir-ehr.cerner.com/r4/2888fe54-ff91-4fa6-98a5-712a99f44d2f/
MedSouth Urgent Care | https://fhir-ehr.cerner.com/r4/288e16c2-01d4-4a2a-90df-7bc0d74aa458/
Beacon Health System | https://fhir-ehr.cerner.com/r4/28FMw_aQtzSqkrYbQSc2Fss9Rc_nhEOH/
Valley Vascular Associates | https://fhir-ehr.cerner.com/r4/299f89be-f85c-4368-87fb-a971e7696d7c/
Adventist Health System/West | https://fhir-ehr.cerner.com/r4/29a5ccea-f4ab-4447-a191-56b20695970f/

Blair Foot & Ankle | https://fhir-ehr.cerner.com/r4/29bd7f74-505f-4da0-ab1b-2b3301332cd9/
St. Joseph's Regional Medical Center | https://fhir-ehr.cerner.com/r4/29f657f0-c982-48e4-aa91-691f7be0aedf/
Mid-Nassau Medical Care for Kidz LLC | https://fhir-ehr.cerner.com/r4/2QFBP_GpXSU7KIclk_f76cqIGbQoW5zf/
University Medical Center | https://fhir-ehr.cerner.com/r4/2RN95TVx9sVNwZUXvBjAMhoPj5vjnRtA/
Weisbrod Memorial County Hospital | https://fhir-ehr.cerner.com/r4/2a26b890-db17-4a7e-9202-2a2892d9bf86/
Methodist Health System | https://fhir-ehr.cerner.com/r4/2ae7d625-833b-4a4d-a216-8fc7be3f9894/
Allen A. Flood, MD | https://fhir-ehr.cerner.com/r4/2b2a3443-b072-4bef-8852-df9682c77c5c/
Evolution Health | https://fhir-ehr.cerner.com/r4/2b4ecf8d-3f0b-405c-8db8-17bbbe95252b/
Vail Health | https://fhir-ehr.cerner.com/r4/2b53e1a6-a4f0-4eb4-9db6-d7bb72f1c188/
The Steven A. Cohen Military Family Clinic At Child & Family Service | https://fhir-ehr.cerner.com/r4/2b6bf215-e418-4787-a3e4-daea65e4cf1a/
Saint Thomas Health | https://fhir-ehr.cerner.com/r4/2b718c34-d07f-43cc-9f41-df1abcd82912/
Suburban Pulmonary Medicine | https://fhir-ehr.cerner.com/r4/2b76d21c-b20a-42c8-bad0-54a58e0ed059/
Colonial Behavioral Health | https://fhir-ehr.cerner.com/r4/2b8c86f5-c497-45b0-94ed-0102e20d1c70/
Jefferson Community Health & Life | https://fhir-ehr.cerner.com/r4/2b9c31ea-6ddc-4b55-946f-2c60cc32be99/
Gibson County Podiatry | https://fhir-ehr.cerner.com/r4/2bc71e38-c7fb-4443-b9ec-1941e90edee2/
Dr. William Strazzella DO | https://fhir-ehr.cerner.com/r4/2c050f9f-35c2-457e-bf0d-830a643051e4/
Burrell Podiatry Clinic | https://fhir-ehr.cerner.com/r4/2c42bde2-96fc-4b1a-a5b7-e9138619239c/
The Foot Care Group, PC. | https://fhir-ehr.cerner.com/r4/2c834eee-5231-4dd1-ba8d-28931b99c0cc/
South Central Regional Medical Center | https://fhir-ehr.cerner.com/r4/2c98a2ec-4d1e-465a-85ea-978418d9b03d/
Warren J. Degatur Jr. MD, FAAFP | https://fhir-ehr.cerner.com/r4/2cb3d6db-a361-49b3-a3c3-68fe3216159f/
Foot And Ankle Associates of Maine, PA | https://fhir-ehr.cerner.com/r4/2ccb01ad-4a64-4074-9560-d61ce84ce4ce/
Eye Specialists | https://fhir-ehr.cerner.com/r4/2cde80e5-c678-4804-afb2-5ad93811f383/
Arkansas Heart Hospital | https://fhir-ehr.cerner.com/r4/2d323e4d-c76a-4e6b-ac13-659410ca60ea/
Cherokee Nation | https://fhir-ehr.cerner.com/r4/2d405cde-1d8b-4a50-adff-ca7776cd856e/
Dr. Donald Huang | https://fhir-ehr.cerner.com/r4/2da544c8-ef40-4e26-86e5-29350376d197/
Jewell County Hospital | https://fhir-ehr.cerner.com/r4/2daa157e-8b5f-4b5c-b571-5b57834b9765/
First Choice Community Healthcare | https://fhir-ehr.cerner.com/r4/2e044b81-e4a1-4dfe-8ce3-5d982e938db0/
Martin County Hospital District | https://fhir-ehr.cerner.com/r4/2e0b373c-6849-4975-9202-a3b4d9fb20f3/
Wills Memorial Hospital | https://fhir-ehr.cerner.com/r4/2e91391f-862e-482e-a486-1862f5b91400/
South Texas Kidney Specialists | https://fhir-ehr.cerner.com/r4/2e9e3915-1773-46fb-b3fa-81cf91ffa56b/
Digestive Disease Consultants | https://fhir-ehr.cerner.com/r4/2ed1c574-c5ac-427e-a2ed-e9f8b5471f70/
Tenet HealthSystem Medical | https://fhir-ehr.cerner.com/r4/2ee676c7-a169-4238-a242-e953ca559f22/
Vascular Surgery Associates | https://fhir-ehr.cerner.com/r4/2eeadd18-0e47-46b5-b124-bf3110ed368e/
Oncology Associates, PC | https://fhir-ehr.cerner.com/r4/2ef7a227-7c5f-434c-8ef1-c7b04bd0431e/
College Medical Center | https://fhir-ehr.cerner.com/r4/2f200361-7791-4302-badd-31bba76d31ab/
American Fork Pediatrics | https://fhir-ehr.cerner.com/r4/2f242d85-274e-4e3f-a641-44b7b63bac25/
Institute of Neurology and Neurosurgery at St. Barnabas | https://fhir-ehr.cerner.com/r4/2f26dc99-c358-4b2b-a63e-0bdfec0a9b98/
BOONE COUNTY HEALTH CENTER | https://fhir-ehr.cerner.com/r4/2f32da6e-80b8-497f-843c-a19a93e136d5/
Mid Valley Hospital | https://fhir-ehr.cerner.com/r4/2f4c5ffc-f00d-4f5a-b6ca-21795d2aa680/
UHS_Ambulatory_West | https://fhir-ehr.cerner.com/r4/2f4f2c9e-c9c5-48b1-95a2-1ba6a49a76fd/
Arlington Podiatry | https://fhir-ehr.cerner.com/r4/2fc0a311-4308-49e6-8f80-b20728e79c72/
Northern Inyo Healthcare District | https://fhir-ehr.cerner.com/r4/2fc0be4f-8d9d-4f3f-89d9-ee59fb2aaa86/
Blue Ridge Behavioral Healthcare | https://fhir-ehr.cerner.com/r4/2ff6a8d5-57b7-42f5-afd5-bfc08b37bd8f/
Prospect Medical Holdings - Waterbury Hospital | https://fhir-ehr.cerner.com/r4/2ff937d5-49c0-4d88-b923-0f5bdcf3b04f/
Kathryn L. Ford Family Practice Center | https://fhir-ehr.cerner.com/r4/30290204-0354-41d4-82d0-b5e3a0bc4ec5/
RENAISSANCE HEALTH LLC | https://fhir-ehr.cerner.com/r4/30367288-af74-4979-9ada-cd518e69cb2c/
GERALD CHAMPION REGIONAL MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/304d13bb-2c34-4ffe-bf3e-d4d17562b002/
Neshoba County General Hospital | https://fhir-ehr.cerner.com/r4/30747ffd-8a27-4deb-952a-ce2992dc36bd/
Stafford District Hospital | https://fhir-ehr.cerner.com/r4/30cec37b-518a-4b38-8069-430360af95cf/
San Juan Regional Medical Center | https://fhir-ehr.cerner.com/r4/30ec54bc-d6f1-41e4-8f29-88104e9b8ee6/
Premier OB/GYN | https://fhir-ehr.cerner.com/r4/31c1d82c-d665-40a0-b8bd-9d7f82d8d52b/
Dover Cardiology Center | https://fhir-ehr.cerner.com/r4/31d30d44-6840-4141-93e1-b13c2f0041c7/
MH Master Holdings, LLLP by its general partner, MH Master, LLC | https://fhir-ehr.cerner.com/r4/31d3d17c-a50c-4d78-bc5b-e9716826315e/
Huron Regional Medical Center | https://fhir-ehr.cerner.com/r4/31fef104-c81e-4b2e-b1c2-a11a2b75de40/
Apex Partners, LLC | https://fhir-ehr.cerner.com/r4/320cb157-6a7c-4bbf-99c2-9adf12a908e0/
Dignity Health Yavapai Regional Medical Center | https://fhir-ehr.cerner.com/r4/325e1759-f94c-41b9-87e4-ef568789898b/
New York Comprehensive Care P.C. | https://fhir-ehr.cerner.com/r4/329afbd4-f1aa-4709-b672-086217c311d9/
Foot & Ankle Center of SJ | https://fhir-ehr.cerner.com/r4/32e03c95-b309-4594-826f-8331ad619414/
Choctaw Health Center | https://fhir-ehr.cerner.com/r4/3333adb6-d9a3-40bc-bd12-147d265f6db2/
Joseph W Strangarity, MD | https://fhir-ehr.cerner.com/r4/3337e6ed-5252-430d-9683-b149b59b10c0/
Rush Memorial Hospital | https://fhir-ehr.cerner.com/r4/333e9bbc-c795-477c-b297-aba3ff88fb23/
Concierge Sports and Family Health | https://fhir-ehr.cerner.com/r4/3395c71b-af87-4a04-a6d7-5b165990cf12/
Columbus Regional Healthcare System | https://fhir-ehr.cerner.com/r4/343172e7-a805-41c0-9b12-57213fdd82cd/
Stephen Vile, M. D. | https://fhir-ehr.cerner.com/r4/349347bc-b57a-40bd-9d6e-a0d5831d7c75/
Dr. Vincent Reyes | https://fhir-ehr.cerner.com/r4/3496639b-bf45-42dc-8e9b-e1a123f14b1a/
New England Foot & Ankle PC | https://fhir-ehr.cerner.com/r4/34UBEiA4BbjrlyKzOs77LsHNvAbVl0ub/
Veronica Kacmar-Fedorchak, DPM | https://fhir-ehr.cerner.com/r4/34c7ad52-72ac-4308-ba34-6fd734dc9209/
Boyle Heights Nephrology | https://fhir-ehr.cerner.com/r4/34e9cf55-d4f0-4e9c-8676-4a0b3dc4bae0/
Crisp Regional Hospital | https://fhir-ehr.cerner.com/r4/34ff5e8d-9e6e-46ac-96bc-b559872b0325/
The Steven A. Cohen Military Family Clinic At Endeavors | https://fhir-ehr.cerner.com/r4/351587b9-2bb4-44d5-9024-e475e0b7510e/
Sturdy Memorial Hospital | https://fhir-ehr.cerner.com/r4/3518be8a-ee50-46dd-887a-a3e6e4fc9294/
Iron County Medical Center | https://fhir-ehr.cerner.com/r4/3585fb85-29d2-4cc4-ba39-28265125f97f/

James T. Cort Internal Medicine | https://fhir-ehr.cerner.com/r4/35e4307a-9a7e-4250-8069-e6f294ff562b/
Gothenburg Memorial Hospital | https://fhir-ehr.cerner.com/r4/3674500c-a3e1-42b1-b8ad-0a387ebf7b32/
Lowell Surgical Associates | https://fhir-ehr.cerner.com/r4/36adad9c-8758-4091-9c08-d4e8de999cfb/
Surgeons Choice Medical Center | https://fhir-ehr.cerner.com/r4/36d07840-c916-4ccf-aa2f-8bc252a8face/
Cardio MD | https://fhir-ehr.cerner.com/r4/36d990dd-0e06-4a85-bc0f-4a8859d77748/
Dr. Neal Suares | https://fhir-ehr.cerner.com/r4/36e35b4b-e4c5-4e91-9408-cf0fec2fda80/
Southwest Memorial Hospital | https://fhir-ehr.cerner.com/r4/370a27ae-e433-405a-8270-a345a875a69f/
Pediatric Services of Springfield | https://fhir-ehr.cerner.com/r4/374254e6-8a71-4f61-90b5-064a630a4cd8/
Hunt Memorial Hospital District | https://fhir-ehr.cerner.com/r4/37516537-a669-4ba7-bc89-308a17141fc4/
Washington Regional Medical System | https://fhir-ehr.cerner.com/r4/3768b58f-9087-4dfa-842c-2b8faa633af3/
The Steven A. Cohen Military Family Clinic At Alaska Behavioral Health | https://fhir-ehr.cerner.com/r4/37729496-dd1e-4fc3-8c61-2567a329f99d/
OKLAHOMA SURGICAL HOSPITAL | https://fhir-ehr.cerner.com/r4/37d0fa6b-e0f7-4581-adbb-f9e2eac855e1/
Minneola District Hospital | https://fhir-ehr.cerner.com/r4/37f6d032-7bca-45b8-891c-69b79d7f4de8/
Nevada Regional Medical Center | https://fhir-ehr.cerner.com/r4/3813b615-6514-44ac-92c9-256417b57cd1/
Okanogan County Public Hospital District No 4 d/b/a North Valley Hospital District | https://fhir-ehr.cerner.com/r4/3886e5cc-74f6-4658-9302-8c8ffe285776/
Kevin R. Henry, DPM | https://fhir-ehr.cerner.com/r4/38b800d7-d14c-4f4e-8156-bce045188911/
Brodstone Healthcare | https://fhir-ehr.cerner.com/r4/392964be-b711-4e7a-a97d-b35e931678a8/
Livingston Hospital and Healthcare Services Inc | https://fhir-ehr.cerner.com/r4/3979aec0-01c5-4867-872c-320311ff1822/
Dr. Israel Alvarez | https://fhir-ehr.cerner.com/r4/39daffa1-6093-4b32-b0bb-17d705a8f06d/
CABELL HUNTINGTON HOSPITAL | https://fhir-ehr.cerner.com/r4/3N1pCmlUG0710nvlzCuO977VaU0tztwr/
Raritan Family Healthcare | https://fhir-ehr.cerner.com/r4/3a1dfc54-3ef1-4d24-a87c-45de2dcda2e0/
Atlanta Ropheka Medical Center | https://fhir-ehr.cerner.com/r4/3a26afd9-920c-4709-8b6b-367ca80f62e3/
Decatur County Hospital | https://fhir-ehr.cerner.com/r4/3a35c68f-f24b-40b5-8425-cac7e4d992c3/
Sepulveda & Associates, PC | https://fhir-ehr.cerner.com/r4/3a5f2b67-21a2-4bcc-959e-bdff6da685ae/
SMP Health - St. Andrew | https://fhir-ehr.cerner.com/r4/3a78ca0f-dec6-4126-bc01-09e0bce30400/
Stonewall Jackson Memorial Hospital | https://fhir-ehr.cerner.com/r4/3af1289d-eb50-43a1-88d7-f9212538b9d6/
M. Edwin Davis, M.D., P.C. | https://fhir-ehr.cerner.com/r4/3b1ec0f9-269d-4e41-99b2-594fce574943/
DaVita Inc. | https://fhir-ehr.cerner.com/r4/3b23ba82-4045-4c42-b34e-b749fc14463d/
Belkys Bravo, MD | https://fhir-ehr.cerner.com/r4/3b364ba7-1e24-4e24-b187-fb3fc86431d8/
Namita Mohideen MD Inc. | https://fhir-ehr.cerner.com/r4/3b6634a9-9b43-4d04-9164-67830eddec34/
Medical Clinic of Northville PC | https://fhir-ehr.cerner.com/r4/3bd112f2-a293-4bc2-86f3-8aca32fd3911/
COVENANT HEALTH | https://fhir-ehr.cerner.com/r4/3c4a889f-c0c4-4f50-90d1-60f6a5ad9e7d/
Niagara Falls Memorial Medical Center | https://fhir-ehr.cerner.com/r4/3c975af8-28ae-4d97-adec-66228015b5a8/
Nephrology Consultants, PA | https://fhir-ehr.cerner.com/r4/3c97fd5e-8596-4941-825c-71277aadd345/
West Alabama Pediatrics | https://fhir-ehr.cerner.com/r4/3d32fa57-0589-4d21-9742-97970793cb6a/
Strand Psychiatric Associates, PA | https://fhir-ehr.cerner.com/r4/3d3dd162-fab9-4f80-ae08-54f08e64d788/
Tenet HealthSystem Medical | https://fhir-ehr.cerner.com/r4/3d7077ef-b320-499e-93ef-04794be13f6c/
Catholic Charities Trenton | https://fhir-ehr.cerner.com/r4/3d9cd35a-d012-4d0a-9edd-67d1e56d2a64/
Doctors For Senior Health PC | https://fhir-ehr.cerner.com/r4/3d9dbe31-b367-4223-9466-3a189a9f7ec9/
San Francisco Foot & Ankle Center | https://fhir-ehr.cerner.com/r4/3dd204c7-56e5-4b85-94ad-73d0aa33f7f3/
OSF Saint Clare Medical Center | https://fhir-ehr.cerner.com/r4/3e12b969-e9cf-4559-9980-aa408e074b16/
ATLANTICARE HEALTH SYSTEM | https://fhir-ehr.cerner.com/r4/3e8d4a4e-e1e9-4f4d-8b87-af7fa09f6ac8/
Dutchess County Department of Mental Health | https://fhir-ehr.cerner.com/r4/3eaae75d-13f1-4578-a896-2c3cd494568d/
Executive Health of Coral Gables | https://fhir-ehr.cerner.com/r4/3ed38101-a312-4a4c-8cad-0627a5c63d9e/
McPherson Medical and Surgical Associates | https://fhir-ehr.cerner.com/r4/3ed7024d-31b1-4539-9702-b0342e4213ca/
Doctors Hospital at Renaissance | https://fhir-ehr.cerner.com/r4/3fe59471-3589-4f65-b447-b92822bfc057/
Platinum Digestive Health | https://fhir-ehr.cerner.com/r4/3fe60ded-faad-4fdb-aaa0-2885c5eec160/
Medsouth Associates, PC | https://fhir-ehr.cerner.com/r4/3iBzJkAlx2Dh_gbW0DPrMPITOG-k7xrK/
The Foot & Leg Specialty Center | https://fhir-ehr.cerner.com/r4/3jN56CzgE42qN67V-IipLF6k9nZSJJYD/
Podiatry Associates of Erie, Inc. | https://fhir-ehr.cerner.com/r4/3kiLm8shqVeZFkIvmcmzcEwgHoUxTgYM/
Associated Nephrology Consultants | https://fhir-ehr.cerner.com/r4/3y297hHso-SAgtaVMIScpv67gSH7SYy3/
Lexington Cardiology Associates | https://fhir-ehr.cerner.com/r4/401be0da-78bd-4f38-816f-7ed627bf5b4c/
Premier Surgical | https://fhir-ehr.cerner.com/r4/40521fdf-a90b-4eb2-b8bc-77e90b0288d6/
Pediatric Health Care | https://fhir-ehr.cerner.com/r4/406d860b-12fc-4de0-877e-16ab01dbbff5/
Digestive Disease Consultants | https://fhir-ehr.cerner.com/r4/415f73c4-eb26-4a2f-bd48-682d90f715e0/
Colon & Rectal Surgery Associates | https://fhir-ehr.cerner.com/r4/4186e40c-ae1e-4c84-b5ea-1707df8e59de/
Denise Bruner, MD | https://fhir-ehr.cerner.com/r4/4193635e-6bd2-43fb-854a-2ed7c1605ac8/
Neurology LLP | https://fhir-ehr.cerner.com/r4/41c6ed25-3515-4b65-ae90-1ce32a76404d/
MONONGALIA COUNTY GEN HOSP CO | https://fhir-ehr.cerner.com/r4/41e7ed61-011a-4b3f-8e27-7aa832467b04/
Great River Health System | https://fhir-ehr.cerner.com/r4/42531be2-cc81-4ca4-b6c8-9b0ab56190c5/
HHP Internal Medicine Associates | https://fhir-ehr.cerner.com/r4/4286a155-8d38-4f8a-8d99-037dcb62ebaa/
Hudson Physicians, S.C. | https://fhir-ehr.cerner.com/r4/42a1ed53-a9ac-42b2-918f-be592f726951/
American Anesthesiology of NJ | https://fhir-ehr.cerner.com/r4/430a7ff7-9999-4cda-a19f-fb8b573704c8/
Pedro J. Carvajal, MD | https://fhir-ehr.cerner.com/r4/433d186d-e7ed-4937-b3fc-cb398ca4e3d1/
Adult and Pediatric Neurology Diplomate ABPN | https://fhir-ehr.cerner.com/r4/433f567d-975b-4902-8c4f-47b718ca6b5a/
Tenet HealthSystem Medical | https://fhir-ehr.cerner.com/r4/4347afb7-6eab-41ed-8727-c40ab6d6cd93/
Katherine Shaw Bethea Hospital | https://fhir-ehr.cerner.com/r4/43b952fe-d2a5-473b-b04a-92c422b758a3/
The Steven A. Cohen Military Family Clinic At Metrocare | https://fhir-ehr.cerner.com/r4/4402b652-4a96-42fb-a377-6cc6100998fc/
North Caddo Medical Center | https://fhir-ehr.cerner.com/r4/440a8ebc-db01-474a-8d18-2ca626c92c6c/
Gary L. Adsit, DPM | https://fhir-ehr.cerner.com/r4/443f9f6a-5b23-4b72-82a6-952cfef57015/
ELLIS HOSPITAL | https://fhir-ehr.cerner.com/r4/44449a6c-e014-4a84-b9a2-5f63676d31de/

Internal Medicine Physicians PC | https://fhir-ehr.cerner.com/r4/4492e985-44bf-43dd-a2f3-262f81a54d5c/
Kadin Foot & Ankle Center | https://fhir-ehr.cerner.com/r4/44ca39cf-2a83-44a1-9f1c-726bd1023e23/
McLeod Health | https://fhir-ehr.cerner.com/r4/4505c6b8-b247-4d01-9a89-0b566587111a/
Central Maine Medical Center | https://fhir-ehr.cerner.com/r4/4517c430-03bf-4e32-b324-1387cc4e73f3/
Heidi Brewer, DPM | https://fhir-ehr.cerner.com/r4/45fd479e-4bcb-44bd-af7f-1d81650d7682/
Logansport Memorial Hospital | https://fhir-ehr.cerner.com/r4/46286911-5e07-45f3-b3ed-613a98a13430/
Boca Raton Regional Hospital | https://fhir-ehr.cerner.com/r4/4680ff74-0924-406e-b918-8a3dc5ea07ee/
New Richmond Clinic | https://fhir-ehr.cerner.com/r4/469198d4-e8c3-4208-8246-4a46a3b54553/
Gastroenterology Center- MS | https://fhir-ehr.cerner.com/r4/47494c44-199d-4eaa-a659-6335d3720af2/
Indiana Foot & Ankle Specialist | https://fhir-ehr.cerner.com/r4/474ddf0e-e459-4fdc-bb00-29da6ac3f85d/
Norton County Hospital | https://fhir-ehr.cerner.com/r4/47504f24-8f33-46ef-bd43-36455bc94e0b/
University Health System, Inc. | https://fhir-ehr.cerner.com/r4/479d1758-f967-4c2c-8306-7960101dd8ca/
CHCC Medical Group | https://fhir-ehr.cerner.com/r4/47b1c0d3-481a-4b04-b2c8-b105e0d45af5/
Copper Queen Community Hospital | https://fhir-ehr.cerner.com/r4/484401dc-c1cd-4d26-9e99-5c49739bf05b/
University Medical Center of El Paso | https://fhir-ehr.cerner.com/r4/487b1ee3-44e2-439f-85f0-68e5e235e27a/
Garland ISD Clinic | https://fhir-ehr.cerner.com/r4/48aa961c-db21-4ffc-8eb3-e4c75d7c7c56/
Kern County Hospital Authority | https://fhir-ehr.cerner.com/r4/48b0ed26-b687-4cf9-9aa1-7924cd98c950/
Rehabilitation Hospital of Indiana | https://fhir-ehr.cerner.com/r4/48ce8037-9a3c-462b-995a-240fb7beeb67/
South Mountain Nephrology, LLC | https://fhir-ehr.cerner.com/r4/490f08f3-38d3-444b-88f1-9798dea724e4/
Asim Chohan, MD | https://fhir-ehr.cerner.com/r4/4974de56-3f16-48b8-8593-c9b5a146fe18/
Hamilton General Hospital | https://fhir-ehr.cerner.com/r4/49e93315-a94f-4ee4-9fb8-52170ea80976/
Infectious Diseases Associates, PC | https://fhir-ehr.cerner.com/r4/49ec4064-7609-4f62-b5e6-20a05e00549b/
Kansas Medical Center | https://fhir-ehr.cerner.com/r4/4D1ac_Ty5h2vV–oigqxzpJxwsTeHb_k/
Surgical Arts | https://fhir-ehr.cerner.com/r4/4Nv9eay1aGUcDHoNoFvAiD-lWQW2B96h/
Clem Kirkland MD Inc. | https://fhir-ehr.cerner.com/r4/4WhyRArSk37mMNgPi8abRFnIJRbnJPpW/
Excela Health | https://fhir-ehr.cerner.com/r4/4a05505e-47a0-4af0-ad3e-f068134bca65/
Southeast Missouri Hospital | https://fhir-ehr.cerner.com/r4/4a0f2b1c-3433-4080-963d-5ef416dec69b/
North Country Hospital & Health Center | https://fhir-ehr.cerner.com/r4/4a15a283-6747-4ef7-984f-ce0e904fd6f0/
MEMORIAL HOSPITAL AT GULFPORT | https://fhir-ehr.cerner.com/r4/4a2476ac-8e51-4591-af31-2fc7fcc3fc0d/
Concierge Medical of Naples, LLC | https://fhir-ehr.cerner.com/r4/4aa55378-e9dd-4080-8ff1-d4ff4a0842d3/
Facv Consultants PC | https://fhir-ehr.cerner.com/r4/4b3fb786-b574-41dd-9f14-c2679485ee61/
Winfield OB-GYN | https://fhir-ehr.cerner.com/r4/4b5a41d6-4f6b-4c64-a2f5-0ec9374f0afa/
Hutchinson Regional Medical Center | https://fhir-ehr.cerner.com/r4/4b9f5490-74cd-4f99-afff-f874348363bf/
California Coast Physicians | https://fhir-ehr.cerner.com/r4/4ba49078-9665-4e9e-a0c8-bbc03a3add1d/
Ralph Zagha MD PA | https://fhir-ehr.cerner.com/r4/4c236d22-a5ee-4e8f-ba94-5b9c7200c22a/
Syracuse Area Health | https://fhir-ehr.cerner.com/r4/4c47f81f-d032-407c-bff2-76a77bc90bd3/
Morton County Health Systems, Inc. | https://fhir-ehr.cerner.com/r4/4cd1a241-f46d-4f25-80f2-af2c26c515bc/
Cibola General Hospital | https://fhir-ehr.cerner.com/r4/4d334a73-dc4a-445d-a950-509dd7bc0fd9/
North Canton Podiatry Inc | https://fhir-ehr.cerner.com/r4/4d4f1d55-8274-42f9-8e8e-37c848659018/
Dr. Ellbogen, MD | https://fhir-ehr.cerner.com/r4/4dcb773c-b035-4184-96ff-d8e4a6592906/
Eastland Memorial Hospital | https://fhir-ehr.cerner.com/r4/4dfa8a9b-1737-4e29-9540-cdf160fd93d1/
Azhar Khan MD PC | https://fhir-ehr.cerner.com/r4/4e25fccd-d74e-480d-8ad9-77a7a01a54de/
Memorial Hospital | https://fhir-ehr.cerner.com/r4/4e999ac6-c999-420e-9519-39e393fb5133/
Fernando L Martinez-Catinchi MD PA | https://fhir-ehr.cerner.com/r4/4e9afe93-70c0-4e43-adb4-49ec1d261955/
Gros Ventre OB/GYN | https://fhir-ehr.cerner.com/r4/4ea2101b-bb2d-4211-bc53-3120cb72bcc5/
The Hypertension Clinic | https://fhir-ehr.cerner.com/r4/4ea8f953-b718-4128-8919-0106a77acc02/
NORTH BROWARD HOSPITAL DISTRICT | https://fhir-ehr.cerner.com/r4/4ec99ef7-2f74-4efb-9ab9-a702c7c570f4/
Midwest Regional Health Service | https://fhir-ehr.cerner.com/r4/4ed2ef3a-53e1-48ef-b364-a16c512d3488/
Indiana University Health | https://fhir-ehr.cerner.com/r4/4ek42qnrCibOKYPH3Swwzqc3pT1bonJw/
Rostana Said, D.P.M. | https://fhir-ehr.cerner.com/r4/4f354041-938e-4d10-ad51-d4d0faeb8f7d/
Huntington Hospital | https://fhir-ehr.cerner.com/r4/4f35ff00-14bf-43a5-ae42-4f4f2c554bc0/
Ochsner LSU Health System of North Louisiana | https://fhir-ehr.cerner.com/r4/4f368659-4db2-486e-913c-e2c2f5852845/
Children’s Endocrinology & Diabetes Center | https://fhir-ehr.cerner.com/r4/4f93f8d3-0d33-4c91-972a-a4eea318b39f/
Blue Mountain Hospital District | https://fhir-ehr.cerner.com/r4/4fb2ef4c-fc22-4675-b38f-5641155a5454/
Ascension Seton | https://fhir-ehr.cerner.com/r4/4ff3b259-e48d-4066-8b35-a6a051f2802a/
University of New Mexico Health Sciences Center | https://fhir-ehr.cerner.com/r4/4nwOwRkG2bMG2PY-W1zZZrlh0VQphgtr/
Iowa Foot Care Center | https://fhir-ehr.cerner.com/r4/4pSnl_JZLf4SWeoz2R9X-DNm9Ix_iwaz/
Mosaic Mental Health | https://fhir-ehr.cerner.com/r4/507190e3-553c-45ab-80f1-7f5686edd221/
County of San Diego Federal | https://fhir-ehr.cerner.com/r4/508d381f-127f-4481-b25d-15bac563369c/
Petersburg Medical Center | https://fhir-ehr.cerner.com/r4/5118b28a-7a06-4865-8078-64025151437b/
TPMD, LLC | https://fhir-ehr.cerner.com/r4/512dcccf-0a75-4766-98d4-6cd215ee010d/
Richard M. Sooy, DPM | https://fhir-ehr.cerner.com/r4/51439fee-4f26-4c5b-b9eb-6e943125896d/
California Kidney Specialists | https://fhir-ehr.cerner.com/r4/5192cc27-2764-47df-a8de-8ad1cf29ade6/
Michael F. Esber, DPM PC | https://fhir-ehr.cerner.com/r4/51f96a70-43c0-40c0-931a-19c1f8bc3766/
Mecklenburg Health Department | https://fhir-ehr.cerner.com/r4/5213ec22-3df5-4b49-ab92-487589c502a5/
Dr. Mariela Urbina, MD | https://fhir-ehr.cerner.com/r4/5235b747-55be-4dca-a84a-6c74c3aea914/
The National Diabetes & Obesity Research Institute | https://fhir-ehr.cerner.com/r4/5253c5ce-87ba-4ca8-80b4-c943a8098fc6/
Lakes Regional MHMR | https://fhir-ehr.cerner.com/r4/5264162f-aa78-4667-a679-fe27952281ff/
Emma Goldman Clinic | https://fhir-ehr.cerner.com/r4/52689f1e-9825-4b5d-8853-96de57ae62a9/
Weaver, Kenneth R., MD | https://fhir-ehr.cerner.com/r4/5285d7cf-1d9d-45e6-b50a-a38a52ab319a/
Pomona Valley Hospital Medical Center | https://fhir-ehr.cerner.com/r4/52bd19c6-70df-487b-85b8-29be7abf17a1/
Premier Suburban Medical Group | https://fhir-ehr.cerner.com/r4/53113a2f-ce08-426c-a627-1d944f724a9e/

Renal Medical Associations, LLC | https://fhir-ehr.cerner.com/r4/53393c7a-0b87-4dcb-bbca-68e82f45f8dc/
Kaweah Health | https://fhir-ehr.cerner.com/r4/53c0399e-61c8-4d87-b605-11883089184d/
NICKLAUS CHILDRENS PEDIATRIC SPECIALISTS | https://fhir-ehr.cerner.com/r4/53e6a1e6-ae3a-42a1-b1de-6de5bdf38a06/
Dermatology & Skin Cancer Center of New Mexico | https://fhir-ehr.cerner.com/r4/547b0eb5-cfa9-4b3c-9b40-22fe9b0420af/
Dr. Nelson Vega | https://fhir-ehr.cerner.com/r4/547e0be6-20fb-42dc-9ff2-a10bcd0f2637/
West Broadway Clinic | https://fhir-ehr.cerner.com/r4/54bd9abd-9cf5-47af-bd4c-c4fcdbd30c2f/
Rice Medical Center | https://fhir-ehr.cerner.com/r4/54cec28b-dd40-47a8-a1d4-c74a4844f39d/
Kearny County Hospital | https://fhir-ehr.cerner.com/r4/554843c8-8d71-4199-8499-511dff49069d/
Belladonna Medical, P.C. | https://fhir-ehr.cerner.com/r4/5551d496-d540-4465-98ab-26d3cd0731b3/
Mental Health Resources, Inc. | https://fhir-ehr.cerner.com/r4/557d7750-391a-46cd-b368-48399c62b8b9/
Alan L. Kalischer, M.D. | https://fhir-ehr.cerner.com/r4/559fe11a-8e88-4e27-80a3-8c19d661fd5c/
Emory Clinic at Coke | https://fhir-ehr.cerner.com/r4/55a5c77f-3c48-4025-a938-86c4c8770d6f/
Franklin Medical Center | https://fhir-ehr.cerner.com/r4/562bb897-15aa-4c27-8c59-a5185eb0d309/
Senta Clinic | https://fhir-ehr.cerner.com/r4/5632fbae-577c-4a2c-bb09-322e166c2db1/
New England Hernia Center | https://fhir-ehr.cerner.com/r4/5702a1ef-1ffa-4749-8a59-5b2ca3bf45eb/
Allina Health | https://fhir-ehr.cerner.com/r4/571892a5-3ae5-45ee-800d-36f0ad04078d/
Premier Health Care Group, PLLC | https://fhir-ehr.cerner.com/r4/57555142-fd4d-44f9-b414-6223f59f4079/
Margaret Zakanycz, DPM | https://fhir-ehr.cerner.com/r4/57Qg7kR2kdfct_V85kTstH_EBqhrbO84/
RCHP Billings - Missoula LLC d/b/a Community Medical Center | https://fhir-ehr.cerner.com/r4/57e9b20b-351b-4b85-8ec7-ce273f1da74c/
Rockland Thoracic Associates | https://fhir-ehr.cerner.com/r4/5821737a-9839-4bff-9449-7d869c0a4a4a/
FastTrack Immediate Care | https://fhir-ehr.cerner.com/r4/58454b2e-331d-455c-9a19-f10338217401/
Haskell Memorial Hospital | https://fhir-ehr.cerner.com/r4/58719a2f-ec28-4116-b1e7-a70dee5ac969/
Rocky Mountain Infectious Disease, PC | https://fhir-ehr.cerner.com/r4/58a432b4-e1e9-4961-babc-ff3b87eb8606/
Novato Advanced Foot & Ankle | https://fhir-ehr.cerner.com/r4/58af3cfb-25bc-40a1-b39f-a39b55dc2d85/
Seneca Healthcare District Hospital | https://fhir-ehr.cerner.com/r4/58c7ab72-0260-42da-abd7-afdb8366fc20/
First Baptist Medical Center | https://fhir-ehr.cerner.com/r4/58cb9d91-2948-4de3-bf50-27f99b3c33d9/
Riverside Medical Center | https://fhir-ehr.cerner.com/r4/58e257bc-e191-4a35-bf38-51c1ed2d9839/
Tyler Holmes Memorial Hospital | https://fhir-ehr.cerner.com/r4/597f09fe-69bc-4621-95bd-45f5516bc666/
Kahuku Medical Center | https://fhir-ehr.cerner.com/r4/59b2bfcf-adfa-48b5-8352-526929b8ba96/
Greenwood County Hospital | https://fhir-ehr.cerner.com/r4/59ddc031-60ca-4feb-adf7-162696421640/
SpiriTrust Lutheran LIFE | https://fhir-ehr.cerner.com/r4/5Gnoym9jLjd2Os4NZp-YnJHFwjsCsY-K/
Frank Reda, MD | https://fhir-ehr.cerner.com/r4/5HKUQ3y5JIlMSB02bme0PPh4nsUfV6-w/
Cardiovascular Hospitals of America, International | https://fhir-ehr.cerner.com/r4/5QMHXtuuhmfMbm6YvBGNx6XMTSKhG4po/
Carondelet Health Network | https://fhir-ehr.cerner.com/r4/5Rx5ezruUpSXrd5Aut0-NzcXZSNNi8DC/
Barclay Internist | https://fhir-ehr.cerner.com/r4/5a379cca-ccf1-43ac-a865-97b631da6504/
Acenda Integrated Health | https://fhir-ehr.cerner.com/r4/5ac1e57b-e918-4133-bda2-dccfdc407094/
Medical Associates Clinic P C | https://fhir-ehr.cerner.com/r4/5ad9a857-21fb-4664-ba2a-5c537d9921b6/
Complete Cardiology, P.C. | https://fhir-ehr.cerner.com/r4/5ae19d71-7c48-44aa-b10b-af198fa0cb1a/
Philip Siebert, DPM | https://fhir-ehr.cerner.com/r4/5b1ccb05-83b0-455f-a36d-ab0c7e695794/
Roper St. Francis Healthcare | https://fhir-ehr.cerner.com/r4/5b3de6b7-e81f-4297-bc82-78ac9e1083cc/
Dermatology Associates of Northwest | https://fhir-ehr.cerner.com/r4/5baf204a-7e7e-47b6-b4db-d848c55eb2f5/
Capital Health System Inc. | https://fhir-ehr.cerner.com/r4/5bb47b8f-8587-42a0-80df-8d4eecf69db3/
Coquille Valley Hospital | https://fhir-ehr.cerner.com/r4/5c5c3b5c-6128-40bc-b71b-102ccb82d7e7/
Hutzel Womens Health Specialists | https://fhir-ehr.cerner.com/r4/5c654365-4e23-4939-9491-d281db1c1688/
Knoxville Neurology Clinic | https://fhir-ehr.cerner.com/r4/5c708613-7ed9-4580-a79f-48a3fd861b6b/
Christiana Care Health Services, Inc. | https://fhir-ehr.cerner.com/r4/5c7467fb-60f9-4172-add4-57667a5dfcfa/
Health Quest | https://fhir-ehr.cerner.com/r4/5ce1dfad-1169-4dc3-a793-3ed399b70e67/
Community Healthcare System, Inc. | https://fhir-ehr.cerner.com/r4/5d5c0d2d-0eb7-48af-8536-161bb1a08f58/
Animas Surgical Hospital, LLC | https://fhir-ehr.cerner.com/r4/5e345d7e-ad6a-4acc-afd2-8a8d30a43ef2/
Munising Memorial Hospital | https://fhir-ehr.cerner.com/r4/5f5b322c-2217-4325-ad8e-025b10008aca/
West Jefferson Pulmonary Associates | https://fhir-ehr.cerner.com/r4/5z2vc_BqCThe9SF0zyVci517P1gq6r4I/
Akron Ambulatory Foot Surgeons | https://fhir-ehr.cerner.com/r4/60151f1c-ed83-486a-b2ca-e2046f99f575/
The Resource Center | https://fhir-ehr.cerner.com/r4/6045c542-91fb-42f0-88cd-540b035e6ca7/
Ankle & Foot Associates, PA | https://fhir-ehr.cerner.com/r4/60738f4a-38f3-44cc-a527-32ebee139f3f/
Cullman Regional Medical Center | https://fhir-ehr.cerner.com/r4/60763645-ac00-4eaa-9f95-71337d5e80c1/
Julie Lorber, MD | https://fhir-ehr.cerner.com/r4/60edb781-d390-460f-addf-01761109a186/
Lincoln Community Hospital and Nursing Home | https://fhir-ehr.cerner.com/r4/612049ca-ad54-424a-803a-7ad03f0a9824/
Positive Impact Health Centers | https://fhir-ehr.cerner.com/r4/6123adb2-d0d2-485a-9dcf-5fba87efb2ef/
Ranken Jordan Pediatric Bridge Hospital | https://fhir-ehr.cerner.com/r4/613818d8-6255-42aa-8e2d-afc019a7c2f8/
Dr. Brandon Holloway | https://fhir-ehr.cerner.com/r4/6215f07a-9916-4137-9055-84bc5a503a57/
Family Healthcare of Smyrna, PC | https://fhir-ehr.cerner.com/r4/623b1fd6-a78d-4d9b-8087-fcf4e551f4dc/
Stony Brook Business Ventures, LLC | https://fhir-ehr.cerner.com/r4/624a554a-fb79-4703-86d3-5d635620055e/
St. Lukes Hospital SF | https://fhir-ehr.cerner.com/r4/6250bb55-ad93-47a0-aec6-517b10254738/
McLaren Health Care Corporation | https://fhir-ehr.cerner.com/r4/627b435a-9f3b-46fa-98a6-9a699e37eec6/
Milton Hershey School | https://fhir-ehr.cerner.com/r4/62b49e98-30bd-422f-99ce-a2bf06848427/
Memorial Hospital | https://fhir-ehr.cerner.com/r4/62ec6f7d-af4b-46d8-93b5-703ae9be8c7e/
CHSPSC LLC-5 Client | https://fhir-ehr.cerner.com/r4/62f3918e-1f4f-42f1-a374-2667f4059c19/
Winchester Foot and Ankle Associates, PLLC | https://fhir-ehr.cerner.com/r4/635f51c4-b647-4331-af69-de60fc5578b8/
DAVIS COUNTY HOSPITAL | https://fhir-ehr.cerner.com/r4/639e10d5-cd9b-4520-ac16-cab58cec3fc7/
Martin Luther King Jr. Community Hospital | https://fhir-ehr.cerner.com/r4/63bb0c78-dbbf-4de7-9bf4-daff7df1cfd4/
Odessa Memorial Health Care Center | https://fhir-ehr.cerner.com/r4/6437d534-74f4-4c4d-974f-f529c9435777/
Fairfield Memorial Hospital | https://fhir-ehr.cerner.com/r4/64706c27-8401-4242-8ca4-f0b7c493efc2/

Lakewood Foot and Ankle Specialists LLC | https://fhir-ehr.cerner.com/r4/64878668-706f-45bc-9263-a39f3c254f68/
Golden Plains Community Hospital | https://fhir-ehr.cerner.com/r4/64a4a959-a993-4956-922c-afcb600ae549/
VHS Physicians of Michigan | https://fhir-ehr.cerner.com/r4/65462acd-8903-4686-b436-2e6d88ad8c3c/
Mercy Medical Center-New Hampton | https://fhir-ehr.cerner.com/r4/657e1fae-2721-4373-98ee-a5ae763a6e77/
Jay Jazayeri, MD., Inc | https://fhir-ehr.cerner.com/r4/659004c0-9168-411b-8f01-5cd89f032f16/
Basel Refai MD | https://fhir-ehr.cerner.com/r4/65979035-1557-4261-8de9-caa332ef8187/
Archbold Medical Center | https://fhir-ehr.cerner.com/r4/66097e3b-7cef-4b96-acca-38bfaae85903/
Yukon-Kuskokwim Health Corporation | https://fhir-ehr.cerner.com/r4/663c4c6d-1396-44a4-b589-c11a968d4876/
Penn State Health Care Partners | https://fhir-ehr.cerner.com/r4/66620725-6ef3-4a7f-a15f-88b48c4af7dd/
Family Footcare | https://fhir-ehr.cerner.com/r4/669434cc-a457-4ea9-9824-8a9fc6bc2975/
VIRGINIA MASON MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/66ad9a50-d7f7-4c21-b933-2ba90047388e/
Allen County Regional Hospital | https://fhir-ehr.cerner.com/r4/6724d0cd-db84-40bf-a313-88dc7a6cd497/
Empower Psychiatry and Sleep LLC | https://fhir-ehr.cerner.com/r4/67e5ec72-de88-4fc7-ba34-a88699b7a637/
Marshfield Clinic Health System, Inc | https://fhir-ehr.cerner.com/r4/67ff075a-8289-4f2d-a8eb-5dc1f0d954ab/
Dr. Joaquin Gomez | https://fhir-ehr.cerner.com/r4/6859fc00-fade-4513-94e1-93ef2b0f345b/
University of South Carolina School of Medicine Educational Trust | https://fhir-ehr.cerner.com/r4/685fe42d-fc55-43db-9f82-d66c673ec539/
Yeaman Signature Health Clinic | https://fhir-ehr.cerner.com/r4/68902e51-a40f-4bd3-a87c-4a2e859e7200/
Southeast Colorado Hospital District | https://fhir-ehr.cerner.com/r4/68fd0d26-06fa-4584-8f6d-b42cfd864525/
Oxford Hills Foot & Ankle Center | https://fhir-ehr.cerner.com/r4/6978cc8c-2f09-418c-808e-8cf4513d296c/
Southeast Georgia Health System Inc. | https://fhir-ehr.cerner.com/r4/6996dfed-5d48-4d59-8b7b-8bd86c9887c0/
Dr. Jose Fernandez | https://fhir-ehr.cerner.com/r4/69a6697f-9e4e-4f3a-aab9-de2198560e99/
Zia Shah MD | https://fhir-ehr.cerner.com/r4/69b75c71-33e2-412f-b04e-24db77afc876/
IFAS Management, LLC | https://fhir-ehr.cerner.com/r4/6a316867-5684-4988-b95c-94ce28d46d1f/
Ultimate Access Primary Care | https://fhir-ehr.cerner.com/r4/6a4397dc-1436-41a9-b8c9-171f0d1bd37f/
Eminent Medical Center | https://fhir-ehr.cerner.com/r4/6a5c785f-c1ec-46b8-a0ea-6498bdab016c/
PICKENS COUNTY MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/6ad4f704-f405-4202-8945-20913573c2bf/
West Alabama Internal Medicine | https://fhir-ehr.cerner.com/r4/6ae415b4-ecb2-449e-8c4e-c5f9a5303c05/
Thayer County Memorial Hospital | https://fhir-ehr.cerner.com/r4/6aeeb1a0-1a0d-40b6-a477-0bb70c9416f3/
Greenville Surgical Clinic, PA | https://fhir-ehr.cerner.com/r4/6af660a6-1deb-4c41-a9ac-8c8750f37b1d/
Down East Community Hospital | https://fhir-ehr.cerner.com/r4/6b68bc92-a317-4686-a79a-fbb1b58a509e/
Children’s Diabetes and Endocrinology | https://fhir-ehr.cerner.com/r4/6b6f7688-be2d-4aa7-b765-ca3404c86a25/
Avala Health | https://fhir-ehr.cerner.com/r4/6b993c00-9c88-470f-88b4-6f0fe190a331/
Luis F. Anez MDPA | https://fhir-ehr.cerner.com/r4/6c20d173-8471-45ee-ad2d-9ab0afd60b33/
Mitchell County Hospital Health System | https://fhir-ehr.cerner.com/r4/6c22a45f-4292-4a09-83f4-40d88482c128/
Modern Urology Inc | https://fhir-ehr.cerner.com/r4/6c2e4e6d-e13b-45b5-9472-851cc4a641d9/
Obstetrics And Gynecology Professionals Of East Tennessee | https://fhir-ehr.cerner.com/r4/6c3494f8-7b9b-4ede-8c64-fe61ee38010c/
Union Hospital Inc. | https://fhir-ehr.cerner.com/r4/6c5673bf-1576-4b76-b281-a10d81e39c32/
Kamran Khan SC | https://fhir-ehr.cerner.com/r4/6cca5710-6b31-4150-9a3a-a57cd751124f/
Mission Vascular and Vein Institute | https://fhir-ehr.cerner.com/r4/6ced2343-be23-4638-ae8b-2d350b5289bb/
CPHY Production Central Time Zone | https://fhir-ehr.cerner.com/r4/6csa4Z8P3czmfJqzbWGv1g4x4Fsb2Dkm/
UHS_Ambulatory_East | https://fhir-ehr.cerner.com/r4/6d80f5c7-212b-4be1-9709-7bad9391b694/
Tift Regional Health System, Inc. | https://fhir-ehr.cerner.com/r4/6e2dde13-d4ea-4659-900f-6a252ed00859/
BestSelf Behavioral Health Inc | https://fhir-ehr.cerner.com/r4/6e4def70-1dc1-4769-a067-b144af5e540a/
Olean Medical Practice PLLC | https://fhir-ehr.cerner.com/r4/6edd93a1-7391-4938-bcd9-ebe248fd573e/
David C Morley Jr, MD | https://fhir-ehr.cerner.com/r4/6ee7bac8-8522-4f04-83ae-d5a91089775d/
MD West One | https://fhir-ehr.cerner.com/r4/6ef32936-a17b-48b0-8e6b-9fac7c18f46b/
St. Joseph’s Regional Medical Center | https://fhir-ehr.cerner.com/r4/6f2341d3-c614-4a71-9cef-bdca1a222d48/
The Rutland Hospital, Inc. d/b/a Rutland Regional Medical Center | https://fhir-ehr.cerner.com/r4/6f43d0e7-6ff2-489b-abdc-44e8a5e0ca0a/
Tri-City Primary Care Medical Group, Inc. | https://fhir-ehr.cerner.com/r4/6f6fa04d-6294-46cb-a755-92fcf4395ad8/
Palomar Health | https://fhir-ehr.cerner.com/r4/6f73eb02-7a46-4cae-8907-0208d6de890c/
Kiowa County Memorial Hospital | https://fhir-ehr.cerner.com/r4/6f9e2eb1-49bb-4863-9a96-e4549126af91/
Renal Associates of LaGrange | https://fhir-ehr.cerner.com/r4/6fa252c3-32fe-4cd1-9a6f-9884e79f34f6/
Wilson Medical Center - Reese Campus | https://fhir-ehr.cerner.com/r4/6facadf3-e724-4db7-a26f-0449710dbd8a/
Frank T Sconzo Jr, MD | https://fhir-ehr.cerner.com/r4/6fv5XYYikzOt7jgMZ3lQWfDk05MTT0pK/
MARY FREE BED REHABILITATION HOSPITAL | https://fhir-ehr.cerner.com/r4/7006fdc7-df54-41b9-a969-0708fc6f2031/
Clara Barton Hospital | https://fhir-ehr.cerner.com/r4/70091b8b-c363-42f8-b4d5-3b99f0fb60f1/
Alabama Foot Care | https://fhir-ehr.cerner.com/r4/703ad69f-3b2b-4332-b74a-2a8a2b8cfcf4/
Spectrum Human Services | https://fhir-ehr.cerner.com/r4/704a1319-18d8-48a8-90a4-1ca0fbc05de6/
St. Mary’s Medical Center | https://fhir-ehr.cerner.com/r4/704af85e-ff7f-4141-a47d-5f79ab640202/
University Health System, Inc. | https://fhir-ehr.cerner.com/r4/70957d54-2475-4916-a6e9-8796f340a1a0/
Sarah Bush Lincoln Health System | https://fhir-ehr.cerner.com/r4/70a80a72-e84a-495e-83fd-937e0d2effcd/
The Rockefeller University Clinical Research Center | https://fhir-ehr.cerner.com/r4/70be2934-ad89-4799-aefd-32f31fb0f9ef/
Dr. Kumar | https://fhir-ehr.cerner.com/r4/70d6fbd2-5812-4281-8f18-df88161f8bc5/
Dr. Lucia Zamorano | https://fhir-ehr.cerner.com/r4/711b57d3-78b2-41c6-971b-59cee3e8c70b/
Care New England Health System | https://fhir-ehr.cerner.com/r4/713ac9f5-15a6-4520-831d-8a5ba81c49d0/
Noxubee Medical Complex | https://fhir-ehr.cerner.com/r4/71747401-1366-4bfa-a42b-aee2082f7da8/
Schoolcraft Memorial Hospital | https://fhir-ehr.cerner.com/r4/71812193-7aa5-42d8-ba4c-ee45e2ea853f/
ST. JAMES PARISH HOSPITAL | https://fhir-ehr.cerner.com/r4/71db284b-f315-4638-addc-f58faa7c70f7/
Cullman Regional Medical Center | https://fhir-ehr.cerner.com/r4/71dfa678-f830-441a-8b12-bf5b951424f4/
Skin Surgery Center of Missouri | https://fhir-ehr.cerner.com/r4/7203a69f-f939-490d-8ac2-04ce52a8c7f3/
University Hospitals Samaritan Medical Center | https://fhir-ehr.cerner.com/r4/728ef80e-de1b-4c4d-b27c-2c7ac1cd8b9f/
Rehoboth McKinley Christian Health Care Services | https://fhir-ehr.cerner.com/r4/7290ec87-8419-47fa-9f4c-2ce723e9fe8b/

Northern Light Mayo Hospital | https://fhir-ehr.cerner.com/r4/7327d6db-1ee3-44fd-8eae-02972f435e62/
Adult Medicine Specialists | https://fhir-ehr.cerner.com/r4/73913c65-6ffa-4558-9bd4-9feeebb396eb/
Meridian Medical Group, PC | https://fhir-ehr.cerner.com/r4/73bc01f5-9bdd-4e4b-ba52-efb00b8cec28/
Choc Children's Hospital Of Orange County | https://fhir-ehr.cerner.com/r4/7477d6d6-6e4b-48c8-a228-9a3bdab172a0/
Rehab JV, LLC d/b/a Sheltering Arms Institute | https://fhir-ehr.cerner.com/r4/74ae929c-3b50-4f7a-9a1c-18042b69a652/
Baptist Health South Florida | https://fhir-ehr.cerner.com/r4/7517efed-1048-4d65-8b97-98e147342cf5/
Eastern Shoshone Tribe | https://fhir-ehr.cerner.com/r4/75231f6c-c145-4119-ae7e-eb393f82fd9c/
Ansari Pediatrics | https://fhir-ehr.cerner.com/r4/75356e65-cb1f-4ae8-8e4b-769ebb19838c/
District Medical Group | https://fhir-ehr.cerner.com/r4/75620b41-1ac4-4c73-abd7-1415dc6810c3/
Dr. Kenneth Treadwell | https://fhir-ehr.cerner.com/r4/757da266-83a7-4662-92da-34d0fca08f54/
Rumi Mind Health | https://fhir-ehr.cerner.com/r4/757da7e0-03b8-44ae-ae29-c8503bbfb4b0/
Maury Regional Healthcare System | https://fhir-ehr.cerner.com/r4/763a86fd-c545-483a-9179-bb60864b329a/
Glacier Pediatrics | https://fhir-ehr.cerner.com/r4/766713c8-6704-4cf2-bcff-6dfc96f148b0/
Northern maine medical center | https://fhir-ehr.cerner.com/r4/7722ef4c-2455-48ad-a4fa-814cb1ac7718/
Sumner Regional Medical Center | https://fhir-ehr.cerner.com/r4/7727cc5d-24db-49d2-897b-a2a11f267be7/
Affiliated Podiatrists of South Jersey | https://fhir-ehr.cerner.com/r4/7753d029-0f68-4c26-8081-55eb23bb5866/
Perry County Memorial Hospital | https://fhir-ehr.cerner.com/r4/775a5afe-736f-4ab9-8474-145e99d69207/
Pagosa Springs Medical Center | https://fhir-ehr.cerner.com/r4/7771e67c-eed3-4c07-8b39-4ee1de7dfb76/
Hardtner Medical Center | https://fhir-ehr.cerner.com/r4/777b5367-b223-44ce-9be8-fc23b019a51a/
Adventist Health Delano | https://fhir-ehr.cerner.com/r4/77b46b85-adb4-49fe-86ec-bf3171ce92c8/
Association for Mental Health and Wellness | https://fhir-ehr.cerner.com/r4/77c2b089-5ae8-473f-98a4-de9173e168aa/
Winkler County Memorial Hospital | https://fhir-ehr.cerner.com/r4/77dc4f13-4542-4087-9840-c260ca5742e2/
Chestnut Hill Podiatry | https://fhir-ehr.cerner.com/r4/78452970-88d1-4fec-b2cf-4da4ec4eae0d/
Saint Thomas Medical Partners GI | https://fhir-ehr.cerner.com/r4/78709fbe-29be-43bf-a468-23ceedbc9496/
Mental Illness Recovery Center Inc. | https://fhir-ehr.cerner.com/r4/7878c7ba-d1a3-4bd2-9b45-7234d7142c12/
Horizon Health Services | https://fhir-ehr.cerner.com/r4/78f4cdd4-55a7-4d47-b25a-4d044d550506/
Asquam Community Health Collaborative, LLC | https://fhir-ehr.cerner.com/r4/792eb4ff-2422-4781-8cdc-7969fda08ada/
Lake Health District | https://fhir-ehr.cerner.com/r4/794039a8-89a5-42e7-a8af-b2a702849aea/
Ascension via Christi Hospitals, Wichita KS, Inc | https://fhir-ehr.cerner.com/r4/79a09fdd-d4ce-4b27-b1e2-f7fe68705a34/
Laurel OB/GYN | https://fhir-ehr.cerner.com/r4/7a0e2187-5703-429e-8775-3b6e1de88486/
Indiana Spine Group, P.C. | https://fhir-ehr.cerner.com/r4/7a3454c5-556e-484a-9fb6-35b5426763b2/
Simi Obstetrics and Gynecology | https://fhir-ehr.cerner.com/r4/7acc477c-8372-44ca-ae6e-bcc04c61490f/
CPHY Production Central Time Zone B | https://fhir-ehr.cerner.com/r4/7af19993-3b76-4864-901f-f150f1fe4982/
Black River Memorial Hospital | https://fhir-ehr.cerner.com/r4/7b17929a-d976-4002-b080-2a37b05f2444/
Macon Community Hospital | https://fhir-ehr.cerner.com/r4/7b9c3187-d5a9-4f6c-ab6d-6c3b4f2632bc/
Castro County Hospital District | https://fhir-ehr.cerner.com/r4/7bceb249-cbfe-4868-961e-9518d1afdb86/
Anne-Marie Gracia | https://fhir-ehr.cerner.com/r4/7bgA5p-Jyk4Mxwneej09P02G7MB2Ivog/
Rochester Rehabilitation Center Inc | https://fhir-ehr.cerner.com/r4/7c4ed6b7-c140-41eb-bc5a-5ee81640f80d/
Coulter Clinic | https://fhir-ehr.cerner.com/r4/7c8c7300-43e9-473e-badd-c134996bff81/
Dr. Sonny Park | https://fhir-ehr.cerner.com/r4/7d7f9694-46c9-4670-abeb-9400514e3b75/
Southwest General Health Center | https://fhir-ehr.cerner.com/r4/7e89f9ba-2516-4eb3-98da-9f8cb196a8d0/
Phung Ngoc Le | https://fhir-ehr.cerner.com/r4/7ed31fb5-e400-4548-abad-bc7a3710bd4a/
Inspira Health Network, Inc. | https://fhir-ehr.cerner.com/r4/7f0d0b79-8c30-43ae-a149-9e0c2340daac/
Refugio County Memorial Hospital District | https://fhir-ehr.cerner.com/r4/7f96711f-afb0-4764-969a-c5d57fe30c59/
GWYNEDD MERCY COLLEGE | https://fhir-ehr.cerner.com/r4/7f97a135-de8b-4d0d-8cae-944f42aa5be1/
Donald M. Birch, MD | https://fhir-ehr.cerner.com/r4/7fIEmT-aoS0xFmowQrxBz0hBdpd93tVq/
Salem Memorial District Hospital | https://fhir-ehr.cerner.com/r4/7fa95236-8ac0-416b-a8ed-2e866ba26ee3/
BRMC Medical Specialists | https://fhir-ehr.cerner.com/r4/802a71be-a559-4f91-97b8-8d4875271bca/
M. Munir Zaitoon, M.D | https://fhir-ehr.cerner.com/r4/803d7d4c-e9ff-4575-b218-a37e8af02d5f/
Ascension Eastern Domain | https://fhir-ehr.cerner.com/r4/808f1961-f350-4340-88a7-c16f525788e6/
Nephrology Associates, Inc. | https://fhir-ehr.cerner.com/r4/80a80d81-3c72-4157-aef6-3c0ada81718a/
Missouri Delta Medical Center | https://fhir-ehr.cerner.com/r4/80babf0e-2f7d-4b87-9cc1-ea74c9b22a40/
Premier Healthcare Center, Corp. | https://fhir-ehr.cerner.com/r4/80f02a57-2bb0-4823-b4e1-a80c1fe53bb1/
Texas Tech Health Sciences Center - Permian Basin | https://fhir-ehr.cerner.com/r4/811b53d6-0f4b-471a-8da0-071261666340/
Lata Mundkur, MD | https://fhir-ehr.cerner.com/r4/812e0a2c-a2ee-43b3-baef-01bf949ae18f/
NeuroPsychiatric Hospitals | https://fhir-ehr.cerner.com/r4/81ae421e-0273-40bd-85b5-5e4a188d476b/
Associated Podiatrists, LLP | https://fhir-ehr.cerner.com/r4/81ed713e-778e-4b5c-9b69-03c747a235d6/
New York Neurology Associates | https://fhir-ehr.cerner.com/r4/8222ab26-0827-407d-9156-c671dd2b93d6/
Madison County Memorial Hospital | https://fhir-ehr.cerner.com/r4/823d67d6-97c5-40a2-b084-56d06cb82099/
Peter Barrett, DPM | https://fhir-ehr.cerner.com/r4/8261cbcc-fb41-4727-8758-abc015287dfe/
Coastal Pulmonary | https://fhir-ehr.cerner.com/r4/82b0ad09-dd0a-4a8a-9439-0c935213f8f1/
Prisma Health-Midlands | https://fhir-ehr.cerner.com/r4/82b5c78e-3511-4091-8bf4-9b7dbe078f0c/
Memorial Hospital of Sweetwater County | https://fhir-ehr.cerner.com/r4/82c1b592-2342-43bd-a292-07e36f400517/
Dubuque Orthopaedic Surgeons, PC | https://fhir-ehr.cerner.com/r4/82ffc56e-a8c8-428a-a28b-8c9d0bafcb76/
AU Medical Center, Inc. | https://fhir-ehr.cerner.com/r4/83090b64-9cdb-4df9-93d3-bb2473dfa7f3/
ENT Associates of Metairie | https://fhir-ehr.cerner.com/r4/8348592b-95fc-4d23-9be6-0b25765fe907/
Mercy Medical Center - Des Moines | https://fhir-ehr.cerner.com/r4/83b42fa0-a249-40c9-aee4-6a0b70e02e38/
Humboldt General Hospital | https://fhir-ehr.cerner.com/r4/84057439-c01a-4bda-b31b-652cf17a67ad/
OPELOUSAS GENERAL HOSPITAL | https://fhir-ehr.cerner.com/r4/840cfaf0-ce3e-493c-a182-e85f2fdef4ac/
Sheridan Community Hospital | https://fhir-ehr.cerner.com/r4/84290569-a747-4440-964c-bf6fb9f7826f/
Kossuth Regional Health Center | https://fhir-ehr.cerner.com/r4/8461b39c-bf4d-446e-92d9-25827935f03f/
Atlanta Infectious Disease Specialists | https://fhir-ehr.cerner.com/r4/846d4f57-4fd5-404c-9981-9b5cd4ada783/

Baxter Regional Medical Center | https://fhir-ehr.cerner.com/r4/84d755f8-a304-4a2c-b470-52d3a7d1b018/
Mission Pediatric Center | https://fhir-ehr.cerner.com/r4/858b0c69-6e2c-49ec-82b4-fd8c90a5ba5c/
Dr. Bob Health Centre | https://fhir-ehr.cerner.com/r4/85966690-f0af-4f43-9fef-36dfaadaf204/
Acadia-St. Landry Hospital DBA | https://fhir-ehr.cerner.com/r4/85N4jhvrbTGKz1yWzGdSlNin40OBTFWJ/
Surgical Multispecialties Medical Group | https://fhir-ehr.cerner.com/r4/85e438cb-0cb2-4c78-a169-d659fe5b2dde/
Clay County Medical Center | https://fhir-ehr.cerner.com/r4/85e4e207-a7a6-47a1-8e35-8e04fe8019c4/
Dr. Padma Gupta, MD, PA | https://fhir-ehr.cerner.com/r4/86251441-7ffd-4c0e-91b6-1c16f5c92270/
Odessa Medical Enterprises, PLLC | https://fhir-ehr.cerner.com/r4/86d17ea7-c0d4-4a9e-851b-e7036c82ae16/
St. Joseph's Medical Center | https://fhir-ehr.cerner.com/r4/86d69b79-55d0-4afd-bc39-aeeb3d4c8e8d/
UHS_Ambulatory_Central | https://fhir-ehr.cerner.com/r4/870ba945-f258-4fb9-a3f5-2c79586392b9/
Lake Washington Center for Cardiovascular Disease PLLC | https://fhir-ehr.cerner.com/r4/8717a3df-3396-4fec-bfa3-724001fec2f0/
Medicine Lodge Memorial Hospital | https://fhir-ehr.cerner.com/r4/8772d9b7-4fc0-47d2-b0dc-6592e9edd5a0/
Nisha Varghese, MD | https://fhir-ehr.cerner.com/r4/8778d8f2-34ff-41a0-84f8-16d4375c53fe/
Breckinridge Memorial Hospital | https://fhir-ehr.cerner.com/r4/8806eaa8-0846-445b-9986-4a26037c881b/
Cottage Hospital | https://fhir-ehr.cerner.com/r4/880dcefd-f3ae-43c2-83e6-1ba1a7fc665c/
Whitehall Medical Center | https://fhir-ehr.cerner.com/r4/88Br3I-ehV_mZejJLzCjr37wE_2hm9s-/
Cathy Berens, NP | https://fhir-ehr.cerner.com/r4/88e82c33-1d49-4d68-b406-6fe26c643c6f/
Phillips County Hospital | https://fhir-ehr.cerner.com/r4/88f6f0ad-680b-460f-ba7c-9dd496dece04/
Pike County Memorial Hospital | https://fhir-ehr.cerner.com/r4/89787a16-eaf7-491e-bab0-d804157796a5/
The Steven A. Cohen Military Family Clinic at Aspire Health Partners | https://fhir-ehr.cerner.com/r4/89aa3c8a-5af5-4166-add0-a8ea5eb1afec/
CARROLL COUNTY MEMORIAL HOSPITAL | https://fhir-ehr.cerner.com/r4/89am5gSIswYvqOJuGoJ38cMjxUeNFOma/
MAMMOTH HOSPITAL | https://fhir-ehr.cerner.com/r4/89b7757a-432f-4f56-8638-86920235f2d0/
Murray Calloway County Hospital | https://fhir-ehr.cerner.com/r4/89be43d0-c3c6-4e26-832c-349bbbe11892/
Southern Iowa Orthopedics | https://fhir-ehr.cerner.com/r4/89ded511-67c4-400b-8714-ed51dd046b01/
Podiatry Associates | https://fhir-ehr.cerner.com/r4/89eb3e3a-72ad-4166-b9d4-91005de7fa29/
Dr. Juan B. Martinez Jr, MD | https://fhir-ehr.cerner.com/r4/89ef8fdf-150d-47da-bc0d-912cd1a74b4c/
Western Oh Podiatric Medical Ctr | https://fhir-ehr.cerner.com/r4/89qRxg50XNEvJ1rMzQ6E1GUFVYLjKcWl/
Fort Healthcare Inc | https://fhir-ehr.cerner.com/r4/8F7ruIta-JA7ecm4ommy-Q50dF1FkFe4/
Crystal Clinic Orthopaedic Center, LLC | https://fhir-ehr.cerner.com/r4/8a12d269-bbac-4647-8604-a4aa813b261a/
Vista Women's Health, PA | https://fhir-ehr.cerner.com/r4/8a279096-6ad2-4c68-ac31-bf88e291604e/
JOSEPH F. ROBERTS MD | https://fhir-ehr.cerner.com/r4/8ae75827-0f9b-457f-be6b-a17f2d896c19/
Metro Obstetrics and Gynecology | https://fhir-ehr.cerner.com/r4/8ae7fa71-909e-4322-ac88-fac3d825c75a/
Complete Care Medical Center | https://fhir-ehr.cerner.com/r4/8aea60f2-7e84-4f0f-9c4a-ad23740ef3c8/
Astria Sunnyside Hospital | https://fhir-ehr.cerner.com/r4/8af40abf-26a7-44e3-a87a-572c3d78131b/
Lane County Hospital | https://fhir-ehr.cerner.com/r4/8b00a59f-c52d-4a54-aef2-92355b29c54b/
Richard Price MD | https://fhir-ehr.cerner.com/r4/8b00b995-da1d-4629-ae3d-d15b056f592a/
Glenn Hurst MD, P.C. | https://fhir-ehr.cerner.com/r4/8b21b716-2aba-46ab-a59f-946c67cb0eb9/
Richard M. Adams, DPM | https://fhir-ehr.cerner.com/r4/8b5675f4-fabf-49b9-90d5-2630480a3d7a/
Union General Hospital Inc | https://fhir-ehr.cerner.com/r4/8bbd570d-db8f-4e0a-abe5-48b447c735fb/
Wills Eye Hospital - Philadelphia | https://fhir-ehr.cerner.com/r4/8c9075b2-19d9-450c-8d32-ee60408fe15b/
General Surgical Associates, P.C. | https://fhir-ehr.cerner.com/r4/8ce5d363-ea3e-4f6f-a99f-e6d83ae8306f/
COUNTY OF VENTURA | https://fhir-ehr.cerner.com/r4/8cf1bb66-7b18-4eaa-b641-538f19feb923/
Fort Peck Assiniboine & Sioux Tribes | https://fhir-ehr.cerner.com/r4/8d007b18-c3d3-41d8-9174-c3a42d88ce7b/
University of South Alabama Hospitals and Clinics | https://fhir-ehr.cerner.com/r4/8d555f5f-2441-4690-bfdd-d2697379c3d6/
Pipeline Health | https://fhir-ehr.cerner.com/r4/8d72d1d0-5e06-4c91-a553-c2a44e6b7fe5/
Cook County Health and Hospitals System | https://fhir-ehr.cerner.com/r4/8d8e2b72-238a-4f00-88a3-8ba1a0a2d561/
Abigail Family Medicine L.L.C. | https://fhir-ehr.cerner.com/r4/8e2e78e9-d967-4216-a71d-852255f558ed/
Albany Surgical, PC | https://fhir-ehr.cerner.com/r4/8e2ece22-3efe-4cb1-860b-5b67b6cf3ea9/
Bellevue Heart Group | https://fhir-ehr.cerner.com/r4/8e5952e2-57ae-4f09-837e-37dc76b6aa95/
Comprehensive Counseling Center | https://fhir-ehr.cerner.com/r4/8e77b480-944d-4d4a-a93e-e5a9fd83d5c6/
Bethesda Health Group | https://fhir-ehr.cerner.com/r4/8e7e78cb-2c7c-403e-a42c-10f0d60ec05a/
Nemaha Valley Community Hospital | https://fhir-ehr.cerner.com/r4/8e95a1ff-1887-4987-a791-2170776e0067/
Andros ENT & Sleep Center, P.A. | https://fhir-ehr.cerner.com/r4/8eec72c0-b1a5-472c-aba8-b566cb8522fc/
Hawaii Foot & Ankle Associates | https://fhir-ehr.cerner.com/r4/8f6ecc28-1041-4fcd-81c1-b28615978693/
Ector County Hospital District/Medical Center Health System | https://fhir-ehr.cerner.com/r4/8f9a7649-0fa8-479b-a649-15bf2ad877a3/
Delaware County Memorial Hospital dba Regional Medical Center | https://fhir-ehr.cerner.com/r4/8fdd186f-a014-47f3-8c9e-d61f95a9a6ea/
Allentown Family Foot Care | https://fhir-ehr.cerner.com/r4/8jbgxuNWdtuelGLFHIXdkqcQh-JLjFrK/
MH Master Holdings, LLLP by its general partner, MH Master, LLC | https://fhir-ehr.cerner.com/r4/8tQtRvT74yBZNSR3hgVZdhYfRO0h8RfE/
Long Island Surgery, PC | https://fhir-ehr.cerner.com/r4/8u8tjEclnkYFNZ5jrEAJ1UOfzxVcOv0c/
Sierra Vista Hospital & Clinics | https://fhir-ehr.cerner.com/r4/9013796a-6c95-4914-9dd4-358554d0a3b0/
Raymond D. Hansen, MD, PA | https://fhir-ehr.cerner.com/r4/90c1c564-ec35-4c40-b3c5-6cbeb6d0ad79/
Dr. James Russell MD | https://fhir-ehr.cerner.com/r4/90e0c07c-ef75-44b1-9b9f-f5e17886a9ca/
Regional West Medical Center | https://fhir-ehr.cerner.com/r4/91542431-e1b2-4164-9745-f5cf28cc4ca5/
Lake Health District | https://fhir-ehr.cerner.com/r4/91732642-b694-4776-bbd7-c7859cc968c4/
Manila Zaman, MD Inc. | https://fhir-ehr.cerner.com/r4/91c4c3f3-36f9-4b17-8704-234555a2c4c6/
Eastern Plumas Hospital District | https://fhir-ehr.cerner.com/r4/91ce0f5a-eaec-4ac5-8575-4a3202e9921f/
Lavaca Medical Center | https://fhir-ehr.cerner.com/r4/91d3bb95-7713-4c15-beda-b8a73ec1b5e6/
Stephens Memorial Hospital | https://fhir-ehr.cerner.com/r4/92203b6c-8a1d-486c-8366-7f6d6d640e08/
City of Virginia Beach | https://fhir-ehr.cerner.com/r4/9229a1fd-2cd1-41dc-9da8-258046291286/
Stony Brook University Hospital | https://fhir-ehr.cerner.com/r4/929sni9vNtBT8k3NbtgAnVZlZv_TYNXC/
Butler County Health Care Center | https://fhir-ehr.cerner.com/r4/92c98ce4-86aa-46dd-ad49-f999f20da53c/
Northeastern Health System | https://fhir-ehr.cerner.com/r4/932b43fb-c766-413c-a343-640549d20cb3/

Healthcare Exclusively for Women | https://fhir-ehr.cerner.com/r4/933edef4-eba4-44c0-a5ce-a34dcfcf6c06/
Otakar Hubschmann, MD, PA | https://fhir-ehr.cerner.com/r4/93462298-4bdc-4b5e-ab96-39df8bb9a9b2/
CHI2_CO | https://fhir-ehr.cerner.com/r4/93480d7a-3b80-4883-ade6-d60a76bef7e6/
Internal Medicine and Pediatrics of Cullman, P.C. | https://fhir-ehr.cerner.com/r4/93522848-eb1f-4ed3-b857-907cddfe003b/
CHSPSC LLC-4 Client | https://fhir-ehr.cerner.com/r4/9366dc53-07b6-47b5-8809-6f7b8a082b2d/
ASCHINBERG PEDIATRICS | https://fhir-ehr.cerner.com/r4/9376d5c9-afda-4b32-a319-0c1c159dffd7/
Virginia Department of Behavioral Health & Developmental Services | https://fhir-ehr.cerner.com/r4/93e78106-37c0-4154-b468-1c807e894bac/
Richards Memorial Hospital | https://fhir-ehr.cerner.com/r4/940a6958-277a-4baa-b4ad-64568a7458eb/
Dr. Maria E. Ramon-Coton | https://fhir-ehr.cerner.com/r4/942fc837-2af2-4252-8b5e-29751ce526df/
Primary Care Physicians | https://fhir-ehr.cerner.com/r4/948ddc3f-5cc9-41d2-8d7f-5b15b32755b8/
Southern Orthopaedics & Sports Med. Asso | https://fhir-ehr.cerner.com/r4/94907365-1bae-4b91-8efe-455bfcdb37f6/
Lewis County Hospital District No. 1 | https://fhir-ehr.cerner.com/r4/94967595-d5d8-4052-92a3-32cb047ee8dd/
Sharpe Medical Consulting | https://fhir-ehr.cerner.com/r4/94cbcd71-bcb5-444e-b8e3-2b9b0923b3a1/
Montgomery Pulmonary Cons. | https://fhir-ehr.cerner.com/r4/94cd7aa5-f2cb-40d7-948e-fda3af64de2b/
LifePoint Corporate Services, General Partnership. | https://fhir-ehr.cerner.com/r4/94fb32bd-11fc-46c8-aef4-90035a0718bb/
Mobridge Regional Hospital | https://fhir-ehr.cerner.com/r4/95143858-4077-4cf1-b5d2-c2a999f62bb3/
Philip Gachassin MD APMC | https://fhir-ehr.cerner.com/r4/9529c62f-bc91-44f2-abdb-c398d2e65a54/
Joseph A. Harrison, MD | https://fhir-ehr.cerner.com/r4/95454678-6acd-4cfe-87b3-266b126ab92d/
Sedgwick County Health Center | https://fhir-ehr.cerner.com/r4/95483bf0-dc8f-4b45-ba9e-bc3492402317/
Ozlem Goker-Alpan MD LLC | https://fhir-ehr.cerner.com/r4/95bfb368-cccf-467f-b483-6c8f83ef71d6/
Advanced Care Providers | https://fhir-ehr.cerner.com/r4/95c62f9d-2884-4fa0-94af-73dfa538010c/
Ashland Health Center | https://fhir-ehr.cerner.com/r4/95fb61bf-febe-40ea-9e3b-6043dff13427/
New Birth Company: Kansas City | https://fhir-ehr.cerner.com/r4/9680e723-25c7-4fd0-85d5-1a4b8d8c4e0b/
Premier Medical Concierge, LLC | https://fhir-ehr.cerner.com/r4/96f8a1f0-44bc-4559-a027-d622dd33d06e/
Variety Children’s Hospital d/b/a Nicklaus Children’s Hospital | https://fhir-ehr.cerner.com/r4/96fd612b-7f6c-4509-9e0b-25e1bdc16363/
St. Francis Memorial Hospital | https://fhir-ehr.cerner.com/r4/9708be61-c717-4b6d-90d3-c1efafc5bba6/
KALEIDA HEALTH | https://fhir-ehr.cerner.com/r4/977e949f-0f0b-4a36-bf59-4f0819b90ab8/
O&O Alpan LLC | https://fhir-ehr.cerner.com/r4/9786e81f-9564-4e31-8df6-fde152b07608/
Delta Medical Clinic | https://fhir-ehr.cerner.com/r4/98457c6b-63ef-4752-8922-1770c81bf95b/
North Carolina Neurology and Sleep Center | https://fhir-ehr.cerner.com/r4/9866d918-4ba0-4040-b294-ab19b8bedf0b/
State of Delaware Health and Social Services | https://fhir-ehr.cerner.com/r4/987954ae-9180-4ce0-afd9-4dd65628349b/
Free State Dermatology | https://fhir-ehr.cerner.com/r4/987b7d37-b031-4fc2-a4e7-a26373f40c27/
H. Lee Moffitt Cancer Center and Research Institute, Inc. | https://fhir-ehr.cerner.com/r4/993df7f9-6163-4b2c-9388-9d472c4ef3f9/
Lubbock Heart and Surgical Hospital | https://fhir-ehr.cerner.com/r4/998628fb-23ae-4895-80fe-41f7930e56a2/
Olathe Medical Center Inc | https://fhir-ehr.cerner.com/r4/9997a5fc-aad4-42a6-b005-45276937bbd0/
Harrison County Hospital | https://fhir-ehr.cerner.com/r4/99ffa44e-e4f1-4a92-b7bf-d707fe48f277/
Public Health Trust of Miami-Dade County | https://fhir-ehr.cerner.com/r4/9NRYwNOTpYhpe-Vh6-aSWRYPlx02SAgP/
University Medicine and Cardiology | https://fhir-ehr.cerner.com/r4/9V4jT5mKo7NZgJpxVx0fBwOkw7fWIJBf/
SHOSHONE MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/9a0a9763-cc6e-4ca0-bdec-c16291c965b9/
Chesterfield Valley Dermatology | https://fhir-ehr.cerner.com/r4/9a2b715b-8521-452b-a2c9-b5b9d28fc8e0/
Osmond General Hospital | https://fhir-ehr.cerner.com/r4/9a33b0f6-bb54-4b97-805f-5e0a81abf079/
Family Podiatry | https://fhir-ehr.cerner.com/r4/9a5aef48-14ba-4f58-b31d-60b57310cb21/
Abbeville General Hospital | https://fhir-ehr.cerner.com/r4/9abe5281-fb44-4a76-833b-172cdda3a495/
Kuakini Medical Center | https://fhir-ehr.cerner.com/r4/9b1379b7-10bf-4227-b712-fc713ef35c39/
Springfield Pediatrics - NJ | https://fhir-ehr.cerner.com/r4/9b1dd89d-f09d-45d9-ac67-d4ba4699db91/
Dr. Timothy J. Killeen, MD | https://fhir-ehr.cerner.com/r4/9b2bceea-9933-492a-a11c-72e48b2960e6/
Peter Zauber, MD | https://fhir-ehr.cerner.com/r4/9b87cc2e-198e-4079-8e40-cd1ffc39f973/
Golden Isles Colon & Rectal Clinic, PC | https://fhir-ehr.cerner.com/r4/9bdf80eb-5b60-4906-912d-ba32f1633a1e/
Ottawa County Health Center | https://fhir-ehr.cerner.com/r4/9bff9324-b2ff-4506-8825-324d6cd35169/
Perry Mansfield MD Inc | https://fhir-ehr.cerner.com/r4/9c14889b-5c15-4fbc-9176-47ac68d769a1/
Urology Associates of the Central Coast | https://fhir-ehr.cerner.com/r4/9c3d5f6c-4d59-4a7f-9170-c96c3d9e561c/
Central Jersey Sports Medicine and Orthopaedic Center | https://fhir-ehr.cerner.com/r4/9c59f03b-784a-48b1-8226-af2410d7e79f/
MCDONOUGH DISTRICT HOSPITAL | https://fhir-ehr.cerner.com/r4/9c9d3cdf-0f7f-4b63-979a-f711747b3e95/
Miami Associates in Pediatric Surgery, PA | https://fhir-ehr.cerner.com/r4/9d02172d-d861-4f2f-87b5-3b1c5ad61f32/
CHSPSC LLC-1 Client | https://fhir-ehr.cerner.com/r4/9d2c8ef0-9a25-45b4-b53b-3738c3eda603/
QHCCS, LLC | https://fhir-ehr.cerner.com/r4/9d4860d0-61a4-4109-9b8d-cf607b282375/
Lakeside Pain Center | https://fhir-ehr.cerner.com/r4/9d6b5484-5a6e-4277-a298-c488b306f27b/
Lincoln Community Hospital and Nursing Home | https://fhir-ehr.cerner.com/r4/9d77d985-edbe-4a35-adeb-c90c1d0fe7de/
U of L Health, Inc. | https://fhir-ehr.cerner.com/r4/9d8de80b-ba56-4cc1-9cf8-cb9f0520d151/
COVENANT HEALTH | https://fhir-ehr.cerner.com/r4/9d9ce2ac-65e8-4488-a0f0-ba102e060a58/
Mayers Memorial Hospital District | https://fhir-ehr.cerner.com/r4/9e09a9e0-82cb-49ff-b12a-2b6fea0b48fa/
Crook County Medical Services District | https://fhir-ehr.cerner.com/r4/9e1c46ab-19e0-4fcc-9634-a468798d997d/
Robert H. Flannery, DPM | https://fhir-ehr.cerner.com/r4/9ebecf01-3d92-4d80-8298-e431bde0bd5e/
Alan Yager, MD | https://fhir-ehr.cerner.com/r4/9f256476-d263-4340-85b9-e872137a0274/
Alfieri Cardiology PA | https://fhir-ehr.cerner.com/r4/9f2b41af-66c5-4f3f-b955-096365a05e2c/
Jose Ramon Azaret, MD | https://fhir-ehr.cerner.com/r4/9fb39fb5-678e-4dfc-bb70-bc9a0f72bc42/
Scott County Hospital | https://fhir-ehr.cerner.com/r4/9fb5a2bd-a55d-48eb-b83b-63c1c6fa3826/
United Hospitalist Group | https://fhir-ehr.cerner.com/r4/9fc30ecc-7a77-4f7f-b2de-a7bf4f53247e/
Dr. Jeffrey J. Betman, Podiatric Physician and Surgeon, PC | https://fhir-ehr.cerner.com/r4/9fd8edc6-b948-4724-a29c-1558edd5eb23/
Monroe Foot Clinic | https://fhir-ehr.cerner.com/r4/9feb53c1-4d54-4b5c-a925-41e507b3918a/
St. Vincent’s Medical Center | https://fhir-ehr.cerner.com/r4/A8JBVvRX_lChZDLoNxFeQ8N_64m_7so-/
Robert Sussman, DPM | https://fhir-ehr.cerner.com/r4/APNTfmJzokp1NjKs1VyzBk1ajdBrJYMF/

Everett J. Mason, III, DPM | https://fhir-ehr.cerner.com/r4/AcoGxeqgq_UrHoDpyzXXx7HW8reQGSlo/
Trinity Health | https://fhir-ehr.cerner.com/r4/AdmVvrbHriE7AWDLGoyfeuamNXOy9O_a/
Methodist Le Bonheur Healthcare | https://fhir-ehr.cerner.com/r4/AhjJMjQtLMWypw5HhAKlG2VQs9XvM676/
MacArthur Primary Care | https://fhir-ehr.cerner.com/r4/B5Y5ZienVxjgCQmW_iKfuE1CW27UK8yA/
Anthony Medical Center | https://fhir-ehr.cerner.com/r4/B7F4hVCEUUKLely3RU0W7_wMcuPLet5m/
Insight Hospital & Medical Center Chicago | https://fhir-ehr.cerner.com/r4/BImYYihq-pkQ_BjNU9dZcYYz6hkmX_7A/
Tina Bhutani Jacques, MD INC. | https://fhir-ehr.cerner.com/r4/BY9je2QQBegY9p6M_ESNA4Q4nh7IiN-r/
Suburban Foot Physicians | https://fhir-ehr.cerner.com/r4/BguK45g6jzlyWbV8aA_pUBqa6WtQIC87/
Albert Einstein Healthcare Network | https://fhir-ehr.cerner.com/r4/CZXZx6LxE-L3UYv_vYuZuKXOvALyMhgz/
West Jefferson Holdings, LLC d/b/a West Jefferson Medical Center | https://fhir-ehr.cerner.com/r4/Cdexwx1cxINR0Iguyu5-xIb5GOBkUQFE/
Caneva Foot & Ankle Clinic, LTD. | https://fhir-ehr.cerner.com/r4/Cjes5HkVls0-AOSEdGoBEur2OUfYZvUw/
Dr. Munif Salek | https://fhir-ehr.cerner.com/r4/CnXmEagKas-yXlBLaNNR0bxofL-jnEs3/
Dr. Jose Pena MD | https://fhir-ehr.cerner.com/r4/DM0AwKVZp31J_av2gClWDZB8oYdLOUJ3/
TORRANCE MEMORIAL MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/Dbsl25a-uo0gf9Q0PnfwA_QlUbZ5qTHL/
Jefferson Pulmonary Associates | https://fhir-ehr.cerner.com/r4/DlenGenWw7p3GquvEFGvXhxTReSAOmjq/
Baxter Regional Medical Center | https://fhir-ehr.cerner.com/r4/E7o20T_kvrkmWyJzCB8osorjliMeLXLl/
Health Partners Management Group Inc | https://fhir-ehr.cerner.com/r4/EB87749h5gFXR747moCjBvZnLkChVxMK/
Edward Yavitz, MD | https://fhir-ehr.cerner.com/r4/EZGME5eaCSDAVOXwAl-ayebjMHV3ysNU/
Solano Kidney Care, Inc | https://fhir-ehr.cerner.com/r4/ErJOAfNQnxUFOkKvroFspS3XwC0l_BKr/
Neurological Surgery Associates, PC | https://fhir-ehr.cerner.com/r4/FbEd2u1hjjAzrJT3wpsP33KAKZk6Vh2g/
CHMC Community Health Services Network | https://fhir-ehr.cerner.com/r4/FmRItZc30RH60LjxwsIxQM4HGo6XcQXK/
Lakeland Regional Health Systems, Inc. | https://fhir-ehr.cerner.com/r4/Frl5JaixaVfSFyjwSToZ4YMYtvsBctDq/
Musick Dermatology & Advanced Clinical Spa, LLC | https://fhir-ehr.cerner.com/r4/GRzkF6yCy_Pe-6F3SJzcXkCEiy_u6zZe/
Sicher Foot Center | https://fhir-ehr.cerner.com/r4/G__Wo5W0WCpQT7T6QvV3hXEro56vpA07/
Singh Surgical Associates | https://fhir-ehr.cerner.com/r4/HHnW3DiyRSQ3xCoCWdDAngjb0weHlq9K/
SouthSide Family Practice | https://fhir-ehr.cerner.com/r4/HY_BpyTDGGcaRRDa_6Py3B9lPk64xVvN/
Ridge Family Practice | https://fhir-ehr.cerner.com/r4/HYem62jAGgg_5fV9EEjMvZqF_I7hxCPq/
Advocate Aurora Health, Inc. | https://fhir-ehr.cerner.com/r4/Hhyp0HLTvlWluJy7STHeGfBt6VssX-DH/
Cartersville Ob/Gyn Associates | https://fhir-ehr.cerner.com/r4/Hn5sEtQzojwI35Jt9y2Zkrc_h-YSYc1T/
GENESIS HEALTH SYSTEM | https://fhir-ehr.cerner.com/r4/Hq9lMFKIau9MlCiBN698ZPzTKNvsMrCb/
OKLAHOMA HEART HOSPITAL, LLC. | https://fhir-ehr.cerner.com/r4/I-7_h5bO8aC4DcrZl24eCXsg8gA1KGV3/
Steven DelMaestro, M.D. | https://fhir-ehr.cerner.com/r4/IO_kO4Kkq0aG92emh0jZF2-SsK4nWzI-/
CPHY Production Central Time Zone B | https://fhir-ehr.cerner.com/r4/IwrN7Hx84EEzPyKd-447Snznooiw3iPy/
Glens Falls Hospital | https://fhir-ehr.cerner.com/r4/J3Pj9g-143lbW_EOI9Oq1DsbsQDB7jLs/
University Dermatology and Vein Clinic, LLC | https://fhir-ehr.cerner.com/r4/J3trBeALwJU1F3hepm2v21jJ96hxu50P/
Mission Occumed | https://fhir-ehr.cerner.com/r4/J9_gd6aAFs2BCqQ-HDr4haXIslVxaBcd/
Kennrick J. Dennis, DPM | https://fhir-ehr.cerner.com/r4/Jq1h-Z1Yyu4OyupN7ciHN171trNUbJQP/
The Children's Mercy Hospital | https://fhir-ehr.cerner.com/r4/Jst2t4B3tQ_LvMKd5zgnH8scFXxFjMAP/
Montgomery Rheumatology | https://fhir-ehr.cerner.com/r4/Ju4SLrJ8HE83ty66H2bgjEBnrvB-FIla/
West Central Ohio Podiatry Inc. | https://fhir-ehr.cerner.com/r4/K-cN4tVgW_1xlTS_2tRMxdUMCQhBSDfG/
Michael F. Lett | https://fhir-ehr.cerner.com/r4/K50zk9n5d0FtfHiP6kL9kMMGuWk1O10F/
Daniel J. Ryan M.D., P.C. | https://fhir-ehr.cerner.com/r4/K5AZLDonMdOUURhD3rPUNxDoRLOgChcj/
Jefferson Neurological Associates | https://fhir-ehr.cerner.com/r4/K6KOCY0OtMauBRzchuHhxymqUlAkA_Bs/
Rockland Thoracic Associates | https://fhir-ehr.cerner.com/r4/K7r0JqNzwCCreORLHDZNhTb7SEfo_ZjL/
UHS of Delaware, Inc | https://fhir-ehr.cerner.com/r4/KOZ64ZU-fJam5DNQB3C21wHed7uKMN5J/
Onslow Medical Specialties Clinic | https://fhir-ehr.cerner.com/r4/Kh3I89FnZzehL9RP43jjzXcrZ9CMElX0/
Apex Partners, LLC | https://fhir-ehr.cerner.com/r4/KmHuSfpK2MXZbZ39Qy2JLIVVSEo-tvRd/
Manistee Clinic | https://fhir-ehr.cerner.com/r4/LrBRdknyIcS91xa0tYfjhd5nC_WGfHSe/
Beach Cities Dermatology | https://fhir-ehr.cerner.com/r4/M1jf01xe1APukiXfw25S4b_jE1CIaZBQ/
Mohammad Ismail, MD | https://fhir-ehr.cerner.com/r4/M2R0_m2IUHctNyO_gPCACDfAwqslpW-C/
CPHY Production Central Time Zone B | https://fhir-ehr.cerner.com/r4/M9pW7NLRg5Y5V-0_pDCZJ3f6ChoP9q3P/
James M. Hurst, DPM | https://fhir-ehr.cerner.com/r4/MRCAWChGRfj5b1ODnhqVgy_ttSr3D2p4/
Tucson Physician Group Holdings LLC | https://fhir-ehr.cerner.com/r4/MmWbh382tKlbvAIA1_DeLIjYVSwroch/
NORTH KANSAS CITY HOSPITAL | https://fhir-ehr.cerner.com/r4/MtxVU3dbzZwHcvfCb2vTAE2_Nwhai9Oq/
Jose Valena, MD | https://fhir-ehr.cerner.com/r4/N2XC_7Q96eOzsSZ8_M2qi0JA5Q0wEnRZ/
MidAtlantic Eye Center | https://fhir-ehr.cerner.com/r4/N6G4uZFC_0VHckv5d67VADXkySFwDJK1/
Penn Highlands DuBois | https://fhir-ehr.cerner.com/r4/N7LD0qx6O97vWG2K68nV0s0G4Xzq2rtM/
Ballard Family Medical | https://fhir-ehr.cerner.com/r4/NIiS30uhuk8X8j0rh7g_x24gSD2gAgj9/
Valley's Kids and Teens Clinic PA | https://fhir-ehr.cerner.com/r4/NJKfTJEh1zcbACZlgIDQXFg1pMIt6s2k/
Syringa Hospital & Clinics | https://fhir-ehr.cerner.com/r4/NPuuJBwmCt5825nd4RiHb2IYqE3xpZAv/
Florida Neurology | https://fhir-ehr.cerner.com/r4/OOz5hkiC68x4B2tV8TWG2SVCrgoGQtPF/
Oaklawn Hospital | https://fhir-ehr.cerner.com/r4/OSDxeVkxstnXkDtx-wIZj-GXD6nmeJaU/
Dermatology Institute | https://fhir-ehr.cerner.com/r4/OUq4sfoCPKtQL-ACHoGyRXMXcfN_WjFC/
AdventHealth | https://fhir-ehr.cerner.com/r4/OgZyfqFCSddL-itIAURNqB8312aD4fxe/
East Bank Gastroenterology | https://fhir-ehr.cerner.com/r4/Oy9v_722D9bcevVKOcXOLbc6xptKxGMe/
Sage Plastic Surgery | https://fhir-ehr.cerner.com/r4/PBxXyBpjIJSsFZVJZMPquS1RJJ3_fyh3/
Neurological Associates of Ocean County | https://fhir-ehr.cerner.com/r4/PTeEWPtmSNm88jbN0I0EEwOrCKZqga_1/
S.P. Associates D.O., P.C. | https://fhir-ehr.cerner.com/r4/PYvsXOYiL9Kg269uLlyr8nOudyrp1k0M/
Healthe Kids Institute | https://fhir-ehr.cerner.com/r4/PaGO9hNZ6QOevGkHyfhxLfTV37qhMwrk/
First Coast Surgical Associates | https://fhir-ehr.cerner.com/r4/PlW-EjC8LXq2pLtfi8pP4Fb9PQcNWAMu/
Mount Pleasant Internal Medicine | https://fhir-ehr.cerner.com/r4/Q4oqltMNOpmOKOSRwUX5whLDym1EgS_3/
Children's National Medical Center | https://fhir-ehr.cerner.com/r4/QvKCOrGcsj2hJ6sASbt18oYJYaBlOEXZ/

BILLINGS CLINIC | https://fhir-ehr.cerner.com/r4/R0BnjtS1Cg4P990d7iegvoMVqlnOQ9OI/
Adult Internal Medicine | https://fhir-ehr.cerner.com/r4/R7Xi5VKCF7I0nz39ERM0XL_mBu0AaiHV/
Vatsal H. Mody, M.D | https://fhir-ehr.cerner.com/r4/RNC0mGAiXtkLtK00WOVGaq2OiSLKKj4V/
MacArthur Primary Care | https://fhir-ehr.cerner.com/r4/RSiVkOMaHv5sLlFx1B8RLDUMq_Pfsl_h/
Pawnee County Memorial Hospital | https://fhir-ehr.cerner.com/r4/SjBKUOzn0fvamYJNg6kz0qALjGnkLLd4/
Sunnyside Pediatrics | https://fhir-ehr.cerner.com/r4/TGXWVOelATtk6ci_q_H9utj9QjU3VuOR/
Jay G. Levine, DPM | https://fhir-ehr.cerner.com/r4/TI7fF1-TbIN0NND9yAO9GkU8NUabQTWT/
Pedro J. Penalo, PLLC | https://fhir-ehr.cerner.com/r4/TsPhzaqUt_a0RHCDBKHbD1NfbKTYyx5W/
Riverside Medical Group | https://fhir-ehr.cerner.com/r4/TtBa6m0CO2ykz03C9oGIAfs1lSi1ZBkp/
Norwalk Pulmonary Consultants PC | https://fhir-ehr.cerner.com/r4/U6RZJm5ZXggU0nM508ECB72LT9L_i0-0/
NorthBay Health | https://fhir-ehr.cerner.com/r4/UMZ-Uxn6V9x08sH5gCnG-5yPg9ZX7et6/
Edward D. Hutson Jr, DPM | https://fhir-ehr.cerner.com/r4/UmST5Nz0TFWN1WTGDQw7-TwaxvLREKn_/
Anniston Neurology & Headache | https://fhir-ehr.cerner.com/r4/VFsZVt00usha-W5_7KX0hu6HzzIrMX3Q/
Patrick J. Clauss, DPM | https://fhir-ehr.cerner.com/r4/Vc_QWiREZa95EPT5Nx8RKuWcE-Mc1NaL/
The Curators of the University of Missouri on behalf of University of Missouri Health Care | https://fhir-ehr.cerner.com/r4/Vo3nb7XNL_9G2kQXBPPW3-r0QcpkrCy7/
Dubuque Orthopaedic Surgeons, PC | https://fhir-ehr.cerner.com/r4/WFOlwheC6aKuCJYbPTtM9YxT0wMlV2rb/
San Antonio Regional Hospital | https://fhir-ehr.cerner.com/r4/WKlSSS89qvhKmD7tJUsOt0whh7EBmDD-/
Kado Podiatry | https://fhir-ehr.cerner.com/r4/WQkVjQa0YhqVbUBQhUWeiP3ltAmffqww/
Family Podiatry Group of Tampa, PA | https://fhir-ehr.cerner.com/r4/WpueQ59D-7qcu1Z24coDRM6Ii1_UOg9Y/
Rochester Internists | https://fhir-ehr.cerner.com/r4/WwToQxBJNcC5xuy44-6eC2mX1ULkeGiM/
St. John Health System, Inc. | https://fhir-ehr.cerner.com/r4/X1J37H-QXH9V3MP4KYWMOTDwG4C2MnHw/
Baystate Health Inc | https://fhir-ehr.cerner.com/r4/XLdX047SCzOOTrtRZ4O8eaQwl3uRN9YN/
Indiana University Health Ball Memorial Physicians | https://fhir-ehr.cerner.com/r4/XkAOYtH-gm9Qydj1f9rswZevVOdKyBZt/
Shahla Medical Associates | https://fhir-ehr.cerner.com/r4/Xn4xUXZWRzcyVaayUfDGK1rXLAig3w6X/
SHARON REGIONAL HEALTH SYSTEM | https://fhir-ehr.cerner.com/r4/XxCJ99kCIg2i3KfxlKhrZa_KjVzO5m_9/
BANNER HEALTH | https://fhir-ehr.cerner.com/r4/Y62ncCuwN85GGa7s0iz44XRnQoc9qr60/
Family Foot & Ankle Clinic, PA | https://fhir-ehr.cerner.com/r4/YABuj1qyp0U_XWojJG2Hj5hEws9N2IN7/
Affordable Health, Inc. | https://fhir-ehr.cerner.com/r4/YxdZQnIRgDVd6D2PovRfq1rmZbCwUGSp/
S. F. Hartley, DPM, PC | https://fhir-ehr.cerner.com/r4/Z-NGhaoKbaEuTYlFPEiqS3Vb3zxVYtv3/
Dr. Albert Boyd, MD | https://fhir-ehr.cerner.com/r4/Z7xHii9RfplEhMFkoLTbtu4zeKZi3tFC/
U of L Physicians | https://fhir-ehr.cerner.com/r4/ZDeZ2YCfDO83BznnU2d6jrTVmnIa197z/
Bryan Neff, DPM | https://fhir-ehr.cerner.com/r4/ZKUyr6Kl3RZ_2jbMXb86LpQdf9wgFkxb/
Floyd Healthcare Management, Inc | https://fhir-ehr.cerner.com/r4/ZfysrRkN6BMVsGu-olfQgalxgHmZoVii/
CHA Medical and Surgical Group, PC. | https://fhir-ehr.cerner.com/r4/ZovcCzFH9WoaIYAtfnADtCEJJqhJ7vbO/
HCA Florida Citrus Hospital | https://fhir-ehr.cerner.com/r4/_Q_nrOmD9N2KAAS0PB_pqGQ9_bB3ecQc/
David H. Warner, DPM | https://fhir-ehr.cerner.com/r4/_byMhQ2TvVtBFrxJSYiBZz55T5g1Rbw2/
Tampa Bay Radiation Oncology & Urology | https://fhir-ehr.cerner.com/r4/_equjXi-I6k5_iN9ulQyh3xNMVDgQ7-w/
BayCare Health System, Inc | https://fhir-ehr.cerner.com/r4/a01cc5e9-1755-468c-b41c-495a18dec39f/
Ascension Central Domain | https://fhir-ehr.cerner.com/r4/a03a0cab-f0e8-4c09-b504-1f5b4ebcf684/
Eureka Springs Hospital | https://fhir-ehr.cerner.com/r4/a05aad53-87be-4c79-8f53-c66bebc6e96c/
Antelope Valley Medical Center | https://fhir-ehr.cerner.com/r4/a09bca45-00ba-4256-923c-f4e9ac2f9535/
Barnegat Medical Associates | https://fhir-ehr.cerner.com/r4/a0d69a10-dbbc-41b9-901f-3656554c58e0/
B.K. Gupta, MD | https://fhir-ehr.cerner.com/r4/a0e6d050-95dc-4004-8859-fe5d0d9bed79/
RMS Healthcare Inc | https://fhir-ehr.cerner.com/r4/a1043923-9a03-4091-af1d-8ba05128ac18/
Adult Medical Associates | https://fhir-ehr.cerner.com/r4/a124d63f-4821-4c46-aa22-72b63de7afb9/
Dr. Irwin Buchwald | https://fhir-ehr.cerner.com/r4/a1a7e971-49fe-4ce0-8575-d8dc8b864c18/
Gila River Healthcare Corporation | https://fhir-ehr.cerner.com/r4/a1aa7562-925a-46a1-8ac2-dbe276eb4e56/
Coxhealth | https://fhir-ehr.cerner.com/r4/a1b70c2c-780f-4d21-a690-3d71302d3d4f/
Rankin County Hospital | https://fhir-ehr.cerner.com/r4/a1c02c8d-1bac-499e-a65c-6c958b95811a/
UCI Medical Affiliates of South Carolina, Inc | https://fhir-ehr.cerner.com/r4/a1e03df3-d2c1-4196-a5dc-f9fb4460babe/
Tenet HealthSystem Medical | https://fhir-ehr.cerner.com/r4/a1e8a0f5-46c8-471e-b8cc-601e5d91f41a/
Barker Sleep Medicine, PLLC | https://fhir-ehr.cerner.com/r4/a2046a67-5779-48ce-913d-700822c2360e/
Wichita County Health Center | https://fhir-ehr.cerner.com/r4/a23f1f77-4149-4903-a9ce-5c317ba44205/
Northern Arizona HealthCare | https://fhir-ehr.cerner.com/r4/a2460eef-8cb2-4549-ae05-e195b0a28c42/
Pana Community Hospital | https://fhir-ehr.cerner.com/r4/a264d319-abe3-49cd-84c9-cb6403a03aa6/
Pami | https://fhir-ehr.cerner.com/r4/a2TfVcNaJGlijn6zzBhUnZFJmQJWpoQ7/
St. Clair Pulmonary & Critical Care PC | https://fhir-ehr.cerner.com/r4/a2aabeb9-840e-4290-b28b-f0bb3ed955f9/
Leland T. Gilmore, DPM | https://fhir-ehr.cerner.com/r4/a2be18e0-7f28-4d4f-a48e-668c32f30fa0/
Family Practice Clinic of Dothan, PA | https://fhir-ehr.cerner.com/r4/a2e55d9d-6e60-45c1-8f2f-fb6b0d44a9d7/
Edgar Sandoval, MD | https://fhir-ehr.cerner.com/r4/a30d0d06-099c-49a3-9d40-270ed7523c28/
UPMC Core Zone | https://fhir-ehr.cerner.com/r4/a33bb2f7-1f6a-4097-bd5f-175f3ee1706d/
Crossroads for Women, Inc. | https://fhir-ehr.cerner.com/r4/a349a661-1153-4053-a40b-30cb284c6ffc/
Adventist Health Tulare | https://fhir-ehr.cerner.com/r4/a36dfa71-4dd3-4608-9cfb-c7a63ade5531/
Lewis Hargett, MD | https://fhir-ehr.cerner.com/r4/a3d3e55e-4682-4bdf-aa49-2213dcdd95d7/
Casa Colina Hospital and Centers for Healthcare | https://fhir-ehr.cerner.com/r4/a477462c-6289-4395-a870-ea27830a6de9/
MEMORIAL COMMUNITY HEALTH INC | https://fhir-ehr.cerner.com/r4/a4c7307b-5132-41db-ae59-8b3c5b480948/
Primary Medical Associates Dean Road | https://fhir-ehr.cerner.com/r4/a4d64c85-d772-4db2-836a-d77a8ccf1f72/
Southeast Georgia Gastroenterology | https://fhir-ehr.cerner.com/r4/a5287c52-a68a-471c-ad99-6b7cc3d9fc8e/
Goose Creek Pediatrics | https://fhir-ehr.cerner.com/r4/a59cbcd4-c01a-47b0-9162-736ddb19e2b1/
Tri-City Mental Health Authority | https://fhir-ehr.cerner.com/r4/a64573bd-48d1-453d-bc0b-03ac15ad915e/
Felix Stanziola, MD | https://fhir-ehr.cerner.com/r4/a64bacdf-7122-42ec-b408-85ca6a1c0d9d/

CareWell Health Medical Center | https://fhir-ehr.cerner.com/r4/a65c889c-5800-4966-9f18-2b11c55e40a9/
Excelsior Springs Hospital | https://fhir-ehr.cerner.com/r4/a703c1c1-ff1b-4801-8b94-d0b101bbd1a1/
Green Hills Medical Clinic | https://fhir-ehr.cerner.com/r4/a7432ec6-a5a3-4b86-bd77-3f7b3b7d6177/
Surgical Associates of Atlanta, P.C. | https://fhir-ehr.cerner.com/r4/a74b5677-a506-4100-881e-d18e68399558/
Albuquerque Center for Rheumatology, P.C | https://fhir-ehr.cerner.com/r4/a7511550-a8b1-48d8-b97c-d2a4596e52d2/
Orthopedic & Sports Medicine of Saint Joseph | https://fhir-ehr.cerner.com/r4/a75267f5-7095-45ca-bda5-935aade48fcf/
North River Primary Care Associates | https://fhir-ehr.cerner.com/r4/a7589f07-8bb4-4104-b753-dd6b92bda7bd/
Escambia County Health Care Authority | https://fhir-ehr.cerner.com/r4/a7b7f339-eea5-408f-8f14-ad4341b10c45/
Reeves Regional Health | https://fhir-ehr.cerner.com/r4/a7e8884c-0f8a-4040-a7e2-b8409572d6c9/
Hillsboro Ortho Grp, PC | https://fhir-ehr.cerner.com/r4/a80e5974-f906-4d6f-8d3c-77165a60dc71/
ENGINEERED FLOORS, LLC | https://fhir-ehr.cerner.com/r4/a81eaf84-1569-4eed-953e-1a3a88244dfa/
Biltmore Family Medicine, PLLC | https://fhir-ehr.cerner.com/r4/a8569da8-2be1-4a1c-a10c-8effbdf16e4c/
Columbus Community Hospital | https://fhir-ehr.cerner.com/r4/a87187e5-fe2f-447e-bf32-4eeb3954a735/
Shore Medical Center | https://fhir-ehr.cerner.com/r4/a873c085-bb43-46f8-8d4e-db05392761e1/
Northern Arizona HealthCare | https://fhir-ehr.cerner.com/r4/a87a863d-8666-48d4-bbb9-1908bfb27a5f/
West Point Medical Group | https://fhir-ehr.cerner.com/r4/a8a7b4a9-8001-4d41-bf60-417974db31cb/
Miami Pulmonary Specialists | https://fhir-ehr.cerner.com/r4/a8e6f633-5cc5-4e18-8fe7-d085d8909630/
Elion Krok, MD | https://fhir-ehr.cerner.com/r4/a908c3c1-d57b-4b71-a356-fc8946aff540/
Neosho Memorial Regional Medical Center | https://fhir-ehr.cerner.com/r4/a9daee2a-e42f-4702-9c42-486fbda403f6/
Tulane Doctors Connected Care | https://fhir-ehr.cerner.com/r4/aE6oKaDmDLfrLKjprLJ-m3sxRFENsPKE/
Ocean County Foot & Ankle Surgical Associates | https://fhir-ehr.cerner.com/r4/aa8f482a-8515-48ba-93c5-7ed1e81290f5/
Ascension Alexian Brothers Behavioral Health Hospital | https://fhir-ehr.cerner.com/r4/aa9a3bec-4c8c-4fc5-b283-495def30e623/
Allergy & Asthma Specs Of K C | https://fhir-ehr.cerner.com/r4/aac618a0-1a30-48ba-8239-878d407b4545/
Awani Kumar, MD, PC | https://fhir-ehr.cerner.com/r4/aacbdb31-a2b4-4f14-9ce9-7a927513087d/
Kansas City Dermatology | https://fhir-ehr.cerner.com/r4/ab187e7e-b787-4906-b2dc-f4d9812dae4b/
Centra Health, Inc. | https://fhir-ehr.cerner.com/r4/ab208292-75a1-4788-9fc7-1e9a40a7eee3/
Sweeny Community Hospital | https://fhir-ehr.cerner.com/r4/ab4ef341-80b4-40a7-999d-52b52314ec6e/
Regional One Health | https://fhir-ehr.cerner.com/r4/ab796338-ac9c-40c5-863d-ce75caaa302c/
Permian Women's Center | https://fhir-ehr.cerner.com/r4/abd8726a-ad55-4f85-8206-9ee9deb6ac7b/
Northeast Montana Health Services, Inc d/b/a Poplar Community Hospital and Trinity Hospital | https://fhir-ehr.cerner.com/r4/ac22fd4c-796d-4bb8-9292-da1e40231549/
ClearSky Health | https://fhir-ehr.cerner.com/r4/ac2ef729-5b74-4f97-be5e-101a996a9360/
Skyline Hospital | https://fhir-ehr.cerner.com/r4/ac6e817f-dc27-43e8-b886-6559f137e853/
Billie A. Bondar, DPM | https://fhir-ehr.cerner.com/r4/acc087bc-aed4-43c6-bea6-f2d5e7395282/
Orthopedics Unlimited, LLC | https://fhir-ehr.cerner.com/r4/acd48832-2c61-46af-89fc-a48e69546675/
Republic County Hospital | https://fhir-ehr.cerner.com/r4/acf4b954-5b17-47d8-9d5a-ae7d4cae4b35/
Dr. Adekunle Adeoti | https://fhir-ehr.cerner.com/r4/acfb0414-085a-4a86-bff7-56c553089272/
Simpson General Hospital | https://fhir-ehr.cerner.com/r4/ad408f3e-a4ef-4981-b9b9-d19f9315fe54/
Platte County Health Department - Platte County | https://fhir-ehr.cerner.com/r4/ad54ccf5-596b-429b-98f6-1f67d232e0e5/
Hiren Patel, MD | https://fhir-ehr.cerner.com/r4/ad85122c-2b5b-437a-b79b-6ab4b32cc134/
Wayne State University | https://fhir-ehr.cerner.com/r4/ad8ce5cb-076d-4b2f-a3c8-94b0574f0516/
Unified Health Associates | https://fhir-ehr.cerner.com/r4/adcf8c94-9b00-4842-a377-0e772d7d3145/
Pacific Neurosurgery & Spine Medical Group, Inc | https://fhir-ehr.cerner.com/r4/ae3cc072-efac-4b88-a7b6-55306d11cb60/
H. Charles-Harris, MD PA | https://fhir-ehr.cerner.com/r4/aeb798ea-59c0-4b01-80ca-75ffd22a2d37/
City Creek Internal Medicine | https://fhir-ehr.cerner.com/r4/aefbe38d-e684-40e3-a49e-b011e4d43dac/
Kearney County Health Services | https://fhir-ehr.cerner.com/r4/afb10dcd-fcfe-4394-bcee-f9c44a02df40/
Ronald Teed, MD | https://fhir-ehr.cerner.com/r4/akXjjWGxUrRAGrtTo1EakM-WJa1twLjW/
Swisher Memorial Hospital | https://fhir-ehr.cerner.com/r4/b1ca1c78-3ab5-405e-b1b1-fc89e2712a56/
Ventura Eye Institute | https://fhir-ehr.cerner.com/r4/b210b38c-c8df-4e23-a364-b958c576d48b/
Sapphire Community Health, Inc. | https://fhir-ehr.cerner.com/r4/b2651172-99ed-43dd-9814-59d9dbd8df43/
Kids and Teens Pediatrics of Dover, Inc. | https://fhir-ehr.cerner.com/r4/b2acb63a-e605-4540-a24a-621fa8cc64e6/
Metropolitan Nashville General Hospital | https://fhir-ehr.cerner.com/r4/b2cf1748-d074-4519-b006-042b74c78195/
Nachiket Patel MDPA | https://fhir-ehr.cerner.com/r4/b2cf1c2c-a7b5-473b-8c37-e405a6e7bbb7/
Cure Cardiovascular Consultants, Inc | https://fhir-ehr.cerner.com/r4/b325db1e-d278-48b7-aa98-97fb6faadab8/
East Alabama Medical & GI Clinic, LLC | https://fhir-ehr.cerner.com/r4/b362c1f3-597f-4469-8522-c052fca7c0a4/
The Steven A. Cohen Military Family Clinic At Red Rock | https://fhir-ehr.cerner.com/r4/b3b1f767-47ed-4b48-a4ad-d6b16e6b1d96/
Last Frontier Healthcare District d.b.a. Modoc Medical Center | https://fhir-ehr.cerner.com/r4/b3e057a3-ecc6-4280-9206-7b1ecb90a801/
Gulfshore Concierge Medicine | https://fhir-ehr.cerner.com/r4/b428538a-637c-48b7-b539-ff9e23bd629f/
The Steven A. Cohen Military Family Clinic At Hope For The Warriors | https://fhir-ehr.cerner.com/r4/b42e48de-7b98-4d90-940b-5df7b37922b0/
Crockett Medical Center | https://fhir-ehr.cerner.com/r4/b4348b5b-bd9c-4bea-a3a3-0691137fbf46/
Advanced Skin and Mohs Surgery Center, SC | https://fhir-ehr.cerner.com/r4/b438bc62-3485-4cac-8230-6d587898797b/
Neuro Network Partners | https://fhir-ehr.cerner.com/r4/b43dd149-90a5-46ef-81a8-ea2a2b1b0ec9/
OTSEGO COUNTY | https://fhir-ehr.cerner.com/r4/b4c98020-9abb-4401-82af-2d9776616390/
Pulmonary and Critical Care Specialists of Princeton, P.C. | https://fhir-ehr.cerner.com/r4/b4fc8c7a-4685-46ad-866e-a6b49b921c08/
Coryell Memorial Healthcare System | https://fhir-ehr.cerner.com/r4/b521788a-adbe-4a3e-b071-9a158daabf49/
Ellinwood District Hospital and Clinic | https://fhir-ehr.cerner.com/r4/b578459b-7bee-4adb-9713-0cef1d841bee/
Eric J. Schultis, MD | https://fhir-ehr.cerner.com/r4/b57bb259-2b3e-4755-8a51-bd771e26c3b0/
Mount Desert Island Hospital | https://fhir-ehr.cerner.com/r4/b5eba017-85d4-4b6c-a2f0-9b2c7b0c38dd/
Missouri Cancer Associates, LLC | https://fhir-ehr.cerner.com/r4/b61b0e89-adcf-4d35-8153-8c055ce48a52/
WEST TENNESSEE HEALTHCARE | https://fhir-ehr.cerner.com/r4/b673e6c7-c87b-498f-86b2-99b24c52c924/
Webster County Community Hospital | https://fhir-ehr.cerner.com/r4/b68d0a04-43b9-441e-a3e1-bbf0caaa35f9/
Michael J. Everoski, M.D., P.C. | https://fhir-ehr.cerner.com/r4/b69fa4dd-a04c-4304-b660-7554d71b5970/

Stevens County Hospital | https://fhir-ehr.cerner.com/r4/b703cadf-70c6-4093-8c26-7df75e110a20/
Holland Hospital | https://fhir-ehr.cerner.com/r4/b7350dfb-b26c-45d0-a644-be758c7d66ad/
Grisell Memorial Hospital District #1 | https://fhir-ehr.cerner.com/r4/b7d97c24-76cc-4a74-827a-3cd7c83065ba/
Southview Clinic | https://fhir-ehr.cerner.com/r4/b7fee4ea-79bc-41bc-ae6c-4d9cef251670/
The Menninger Clinic | https://fhir-ehr.cerner.com/r4/b8b96c9f-ac27-4b9e-954e-4833a13f19d5/
CHSPSC LLC-3 Client | https://fhir-ehr.cerner.com/r4/b92996e8-6deb-4500-b78a-e05435af1db3/
Dr. Maria Fernandez | https://fhir-ehr.cerner.com/r4/b96617cd-e9a9-4deb-8d02-58e8c5cb1ed6/
Culbertson Memorial Hospital | https://fhir-ehr.cerner.com/r4/b9ce8d80-ae29-4a99-b82f-4b62ef47b7a2/
South Texas Vein Institute | https://fhir-ehr.cerner.com/r4/bFcH_rBwE4Vfh-4wWuSmUApKrNa0MEtt/
Douglas Green, MD | https://fhir-ehr.cerner.com/r4/bSvS6zPH2BVEWPgareZvFWvxdHHA6Pab/
Dr. Brian Harkins MD | https://fhir-ehr.cerner.com/r4/ba40796e-8707-4090-9556-3c8b839b86b5/
Rehabilitation Hospital of the Pacific | https://fhir-ehr.cerner.com/r4/ba83b482-215a-4958-9629-47fddfaae0e6/
Eric Fontenot, MD | https://fhir-ehr.cerner.com/r4/ba8bce9c-529e-4c80-844b-1ca88f89a8bf/
County of Harrison | https://fhir-ehr.cerner.com/r4/baa3016e-4126-494b-9b58-2e20bc13f248/
NORTHWEST MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/bac54c28-1b58-434d-9423-167d76930473/
Foot Specialists of Greater Cincinnati | https://fhir-ehr.cerner.com/r4/bb0f3815-61cd-44f3-85f8-eeb2e99ef22a/
Comprehensive Medical Healthcare | https://fhir-ehr.cerner.com/r4/bb3cf3a9-5187-4a0d-84d3-85d28a9b9a1a/
Hereford Regional Medical Center | https://fhir-ehr.cerner.com/r4/bbbbf2b2-cfef-49ba-b1d3-f1f87b5e9013/
Pedro P. Llaneza, MD, PA | https://fhir-ehr.cerner.com/r4/bc1213be-2063-4c75-b0c0-c9285ec4abac/
Pulmonary, Allergy, Critical Care and Sleep Associates | https://fhir-ehr.cerner.com/r4/bc71e42e-6e3a-4ef9-a8b0-54cac01ec656/
West Michigan Family Medicine | https://fhir-ehr.cerner.com/r4/bc80552c-474c-402c-8bab-1583250c3aaf/
Jay A. Levin, MD, PC | https://fhir-ehr.cerner.com/r4/bd05c5b1-188e-4fdd-808f-1d6e5be95377/
Dr. R Daniel Jacob | https://fhir-ehr.cerner.com/r4/bd679eca-e104-439f-8551-b38107963507/
Eye Vision International | https://fhir-ehr.cerner.com/r4/bda8206b-2b36-455e-b305-1bae21f5b548/
Osborne County Memorial Hospital | https://fhir-ehr.cerner.com/r4/bda9c6b4-e0b0-49ed-9423-c0c3e2ff982a/
Jasper Memorial Hospital | https://fhir-ehr.cerner.com/r4/bdbd4616-e8ad-4c16-a1c5-42c7683bcd27/
Cardiovascular Specialist, Inc., P.C. | https://fhir-ehr.cerner.com/r4/bdd61ccd-8502-4f34-8f72-a5af1c755ae0/
ENT and Allergy Center PA | https://fhir-ehr.cerner.com/r4/bde9959c-b44e-4698-a1d4-e1ee4cc98a86/
Bosque County Hospital District D/B/A Goodall-Witcher Hospital | https://fhir-ehr.cerner.com/r4/bdec8271-a893-4107-ba66-c0b4272fe522/
Western Missouri Medical Center | https://fhir-ehr.cerner.com/r4/be23e9e1-90d2-4a37-b049-059a92ffad6d/
Bay Clinic | https://fhir-ehr.cerner.com/r4/bea62b1d-5b0c-4c1a-bdbd-eaa129312421/
Marshall Browning Hospital | https://fhir-ehr.cerner.com/r4/bea9f66b-3601-4346-be31-6a76d7e93b2c/
Intermountain Healthcare | https://fhir-ehr.cerner.com/r4/bec2533f-556b-4412-813d-c5ad8dc7a1e3/
Hampton Roads Orthopaedics | https://fhir-ehr.cerner.com/r4/bed3d35e-3090-48a3-846e-89c1619e8fbd/
Primary Pediatrics | https://fhir-ehr.cerner.com/r4/bee4e7d6-454c-40de-9abd-9e2eb1cc9600/
BAPTIST HEALTH | https://fhir-ehr.cerner.com/r4/bef96e27-b3e6-4b62-ab3e-78a9a16c8040/
Anthony Vasile, MD | https://fhir-ehr.cerner.com/r4/bf28f0a0-d643-4b62-bbfa-515a5b632b83/
SCOTLAND MEMORIAL HOSPITAL | https://fhir-ehr.cerner.com/r4/bf2bc40a-17cb-4353-8de2-68c75c849bc8/
Berkely Family Medicine Associates | https://fhir-ehr.cerner.com/r4/bf5eb65c-cdc6-4156-8349-5fcd9a13f4a2/
Children’s Skin Center | https://fhir-ehr.cerner.com/r4/bf8f05ba-6e12-4216-9197-5290cecb808c/
Cumberland Mountain Community Services Board | https://fhir-ehr.cerner.com/r4/bf94e4d0-3a14-41fb-bd44-4abbe957f297/
Providence Medical Center | https://fhir-ehr.cerner.com/r4/bf97af92-8bdf-44b3-b6ce-a415e2d7e017/
Dimmit Regional Hospital | https://fhir-ehr.cerner.com/r4/bfa557fc-696e-49f4-8d78-7cdfe1e82721/
Peachtree Nephrology, PC | https://fhir-ehr.cerner.com/r4/c063783f-c1a8-47a6-bf5b-d87d5981e7cb/
Smith County Memorial Hospital | https://fhir-ehr.cerner.com/r4/c0c316ba-6c8e-4f8d-898b-bb21c58aa05f/
Medical health center of Middletown, INC. | https://fhir-ehr.cerner.com/r4/c0c965cf-92cd-4218-9112-e865b2347771/
MADISON VALLEY MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/c11411f4-01ed-4048-962f-685091adad2f/
Joseph Orraca-Tetteh | https://fhir-ehr.cerner.com/r4/c147b1f8-e253-413c-bddc-5e02b8bf2d5e/
Saleem Husain, MD | https://fhir-ehr.cerner.com/r4/c14a6098-afeb-4e0c-bf3a-408fab49f73e/
St. Johns Medical Center | https://fhir-ehr.cerner.com/r4/c1a92d40-9e4c-42a9-a69d-27d782800e16/
Pediatrix Medical Group of FL, Inc | https://fhir-ehr.cerner.com/r4/c27de2ed-48d8-4303-8e9b-4f2faf8e4ea6/
Inspira Medical Center Woodbury, Inc. | https://fhir-ehr.cerner.com/r4/c2a40efd-16d2-4828-be53-a20ad0090e09/
MedStar Health Hosted Environment | https://fhir-ehr.cerner.com/r4/c2a9aaad-29f4-4d5d-87b0-388c13a9b433/
Primary Care Specialists P.A. | https://fhir-ehr.cerner.com/r4/c2c641c8-5233-4dab-bc71-a8eadb28e83d/
Munson Healthcare Charlevoix Hospital | https://fhir-ehr.cerner.com/r4/c2zKUJGtYfzLNz84SXqRj8NdAMFQCK1P/
Fitzgibbon Hospital | https://fhir-ehr.cerner.com/r4/c30ce58a-2367-49b7-9f61-141cafe7a3eb/
Greater Salem Family Footcare Associates | https://fhir-ehr.cerner.com/r4/c3T6PEIfPZoUF9gf3uvco_NB4kf7fIWo/
Allergy & Asthma Assoc | https://fhir-ehr.cerner.com/r4/c3d6a188-86bd-4e90-a26d-5bfd89cb9cd7/
Yuma District Hospital | https://fhir-ehr.cerner.com/r4/c3e623e4-47c2-48c0-8c45-866563c97ee6/
WILKES REGIONAL MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/c3fd4b2e-3df5-4463-9a73-d51db35baf91/
Monroe County Hospital | https://fhir-ehr.cerner.com/r4/c4077300-4993-4503-8ecf-1bd837357695/
MADISON WOMEN’S CLINIC P.L.L.C. | https://fhir-ehr.cerner.com/r4/c46a5838-35ac-47fa-bfe5-86530b685fbb/
Georgia Center for Women | https://fhir-ehr.cerner.com/r4/c4a6a212-76d6-464f-ba2c-c6e11ea9c530/
The Steven A. Cohen Military Family Clinic At The Up Center | https://fhir-ehr.cerner.com/r4/c4f2491a-95ed-4fe6-a71d-a2eb4e47373a/
Celebration Minimally Invasive Spine Institute | https://fhir-ehr.cerner.com/r4/c4f78536-22cf-4253-bd59-727d2da9d3dc/
The East Alabama Health Care Authority | https://fhir-ehr.cerner.com/r4/c5013bf3-ebba-4bda-8574-ed83da9e1633/
Olson Memorial Clinic | https://fhir-ehr.cerner.com/r4/c5259d19-f4df-485f-85ba-303153b1ff25/
Palo Verde Hospital | https://fhir-ehr.cerner.com/r4/c544ef48-999b-4c8c-97ef-842ce47fcc3b/
Wayne General Hospital | https://fhir-ehr.cerner.com/r4/c57b8fef-3c95-4d31-a1ba-989525848740/
Massachusetts Institute of Technology | https://fhir-ehr.cerner.com/r4/c5cd8f23-ae54-4fcb-84cc-92eea9354e2b/
Hospital District #6 of Harper County KS | https://fhir-ehr.cerner.com/r4/c63e0ebe-63f4-43e1-a630-b2adca03ff23/
Henry Mayo MSO | https://fhir-ehr.cerner.com/r4/c65052a3-5b56-4bc7-9da4-b721aa72fb0c/

Dr. William J Hicks | https://fhir-ehr.cerner.com/r4/c75536dc-dc0f-4d24-99bf-fa4c77623097/
Community Pulmonary Associates | https://fhir-ehr.cerner.com/r4/c7797114-dad6-4d8b-8399-0e9448563368/
Iglesias Medical Clinic | https://fhir-ehr.cerner.com/r4/c7d64ae9-fd64-4f4f-859d-299415240ffc/
Internal Medicine LLC | https://fhir-ehr.cerner.com/r4/c858c747-c492-4c80-b098-823abe48bb82/
Bryce Beseth | https://fhir-ehr.cerner.com/r4/c884454b-a4fd-4744-9d6a-4bee42b3e7fa/
Knoxville Hospitals & Clinics | https://fhir-ehr.cerner.com/r4/c8a72a6e-62c3-45d0-9495-592759355e6a/
Miller County Hospital | https://fhir-ehr.cerner.com/r4/c8e98568-c4c1-4ca8-9ccd-db28e9b32c4a/
Premier Medical Group Of California | https://fhir-ehr.cerner.com/r4/c8f45fa0-e85f-40b9-9ed7-e942e5e7dfff/
Lexington Regional Health Center | https://fhir-ehr.cerner.com/r4/c90f55a1-9dfe-4440-9b93-7346ef821f3b/
Neurology Center of East Alabama | https://fhir-ehr.cerner.com/r4/c9412242-3040-4b44-a832-9e0c2378c87d/
The Steven A. Cohen Military Family Clinic At Valley Cities | https://fhir-ehr.cerner.com/r4/c94ce1de-8ba2-4394-973b-793fb06a2e01/
Primary Care Professionals | https://fhir-ehr.cerner.com/r4/c99a2c68-ceff-41e7-a9fb-11e1e806ec3a/
Carolina Vascular | https://fhir-ehr.cerner.com/r4/cGr6mCA1DbzMHHPoXdGLeAeuLqt6f0Ks/
Navicent Health | https://fhir-ehr.cerner.com/r4/cPXkxGWnH-HHwThIezCJp4EJYz7iHU2Y/
Ibrahim H Amjad MD FACS | https://fhir-ehr.cerner.com/r4/c_GakPKBwGEp9LXRCx-dgLzSCTzRDPZ4/
Wellpath | https://fhir-ehr.cerner.com/r4/ca02c823-7600-4deb-87ac-1a00a1f8f2a3/
Gibson Area Hospital & Health Services | https://fhir-ehr.cerner.com/r4/ca474ce8-3721-4dfa-ad48-2cc396fe7390/
Midwest Medical Center | https://fhir-ehr.cerner.com/r4/caa256dd-47f1-49dc-8288-dfc601f2ffbb/
ABHA MISHRA NEUROLOGY PLLC | https://fhir-ehr.cerner.com/r4/cafecfe3-1c38-4574-90a6-d2bb7610e4a4/
Coastal Plain Community MHMR Center | https://fhir-ehr.cerner.com/r4/cbd4218b-836f-4885-9bb3-ad046fcc104f/
Satanta District Hospital | https://fhir-ehr.cerner.com/r4/cbeeaf3b-295c-4ed3-bee9-82bd88557832/
Nebraska Foot and Ankle PC | https://fhir-ehr.cerner.com/r4/cc2a26ba-74cf-4fec-a5d2-d806d101d413/
UHS of Delaware, Inc | https://fhir-ehr.cerner.com/r4/ccc9af17-4ec5-4dee-8735-97dd2f249def/
Mt. Ascutney Hospital & Health Center | https://fhir-ehr.cerner.com/r4/cccde49a-ee51-4ec8-9936-cc3836c11c2a/
South Texas Children's Health Center | https://fhir-ehr.cerner.com/r4/cd0af118-6cf4-4017-b601-b5e761f852f2/
Whiteville Eye Associates, P.A. | https://fhir-ehr.cerner.com/r4/cd0e7390-249a-4a9b-90a3-cd8f40025a49/
OSS Orthopaedic Hospital, LLC dba OSS Health | https://fhir-ehr.cerner.com/r4/cda87002-30a4-40c7-b49e-55f8a753c2c8/
Texas Native Health | https://fhir-ehr.cerner.com/r4/cdf42bb0-51f6-4504-b5a7-cccb830ef48f/
St Luke's Hospital | https://fhir-ehr.cerner.com/r4/ce02d798-0df3-49b1-b868-83babab6d7e6/
Bridges Medical Services | https://fhir-ehr.cerner.com/r4/ce3945bd-6cea-4e7f-8854-a7e8b58f614b/
Midland Memorial Hospital | https://fhir-ehr.cerner.com/r4/ce473a90-8f1a-4986-bfd2-44af80062115/
Creek Nation Community Hospital | https://fhir-ehr.cerner.com/r4/cecd1e64-dce0-42d7-821c-54ece9b4bad8/
David Plotkin, DPM | https://fhir-ehr.cerner.com/r4/cehQG_SigJUv0o-Q08WrVZtDzYZ_7ohK/
Hawaii Health Systems Corp.-Kauai Region | https://fhir-ehr.cerner.com/r4/cf1fd70b-ce58-46c2-8a48-b5fabf717168/
North Central Health Care | https://fhir-ehr.cerner.com/r4/cf58ffc5-3496-47e2-bf0d-3a926e61ae7d/
Leslie C. Norman, MD | https://fhir-ehr.cerner.com/r4/cf64663f-bdef-4b1d-a35b-95627bc92438/
Dr. Francisco Martinez, MD PA | https://fhir-ehr.cerner.com/r4/cfba5949-af14-421b-84cb-50f19cad7661/
Ricardo Cigarroa, MD | https://fhir-ehr.cerner.com/r4/cfe0cbb7-718e-4bd6-83ee-6633504bbad2/
Progressive Feet | https://fhir-ehr.cerner.com/r4/cfef27b6-9e13-4f60-9a6d-cbb1f78cb5b7/
Vicki Raab, M.D. | https://fhir-ehr.cerner.com/r4/cps3xefvhcSt0AY7eotQvR92zVwh8r6g/
Circle Health, Inc | https://fhir-ehr.cerner.com/r4/d04f75c7-2a62-4686-b520-7bf0635f38f0/
United Medical, LLC | https://fhir-ehr.cerner.com/r4/d0607508-3922-4bbc-924a-d608b5ffe3b7/
Plumas District Hospital | https://fhir-ehr.cerner.com/r4/d09b5303-02b3-4cca-b4b2-ddf355d54e88/
Memorial Health System | https://fhir-ehr.cerner.com/r4/d14690d6-3018-4bc8-945e-f3e2f9884f7f/
Convenient Care Family Medicine | https://fhir-ehr.cerner.com/r4/d178af2b-123e-4a0a-98a1-88f04fb5a18d/
FISHER TITUS MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/d1e1772a-df16-459e-9e9d-ac11507ad967/
Callaway District Hospital | https://fhir-ehr.cerner.com/r4/d20828fa-18c8-4d75-9900-c8e656d360ce/
Morris County Hospital | https://fhir-ehr.cerner.com/r4/d20ca4de-00bb-48dc-a30c-dec35eefeee0/
Spring ENT, LLC | https://fhir-ehr.cerner.com/r4/d20e093f-31a9-4605-82c5-86f95f98be05/
Greensboro Pediatricians | https://fhir-ehr.cerner.com/r4/d229eaa4-39ac-4ce1-9bf0-8c3742977a5b/
Salina Surgical Center | https://fhir-ehr.cerner.com/r4/d29c89d3-f6e3-483d-8d3d-4a628849f568/
San Juan Hospital | https://fhir-ehr.cerner.com/r4/d2bc3d5a-3c39-4553-86b1-b3aa0a5429a7/
FAIRBANKS MEMORIAL HOSPITAL | https://fhir-ehr.cerner.com/r4/d2e61489-9680-4a3d-974a-fc8d705fc283/
Celebration Foot and Ankle Institute | https://fhir-ehr.cerner.com/r4/d4005c17-185b-4cb4-bca7-c5c6e6a820d3/
Fillmore County Hospital | https://fhir-ehr.cerner.com/r4/d4036e7f-af75-4bea-9808-6df2d5355c9c/
Johnson Memorial Hospital | https://fhir-ehr.cerner.com/r4/d4279a55-0a99-43d7-81b9-5e54f94665c6/
Rock County Hospital | https://fhir-ehr.cerner.com/r4/d4a56ff5-f6ae-4ca3-b326-1973b3579459/
Moundview Memorial Hospital | https://fhir-ehr.cerner.com/r4/d4f9e3fa-7388-47bf-b87f-9c8679219c91/
Mee Memorial Hospital | https://fhir-ehr.cerner.com/r4/d520cb3f-b7f8-4cdd-842c-667f4e1d6459/
The Performing, Endurance, and Artistic Athlete Clinic, PLLC | https://fhir-ehr.cerner.com/r4/d540673c-303d-49d9-a9e1-a1fb4df27dc9/
Pediatric Pulmonology of Central Georgia, LLC | https://fhir-ehr.cerner.com/r4/d56d19c5-1f59-4682-8c35-bc6d80287bb8/
Conway Medical Center | https://fhir-ehr.cerner.com/r4/d5d04c85-2e0a-49b7-a0e9-5d5feaebb4a4/
Shepherd's Hope | https://fhir-ehr.cerner.com/r4/d60ebf1e-4f43-4ee3-aa8d-81eddc9a9b5d/
Madison Memorial Hospital | https://fhir-ehr.cerner.com/r4/d61ab3e4-55bb-4859-99e6-22c413b48f2a/
MUNSON HEALTHCARE | https://fhir-ehr.cerner.com/r4/d63001e8-2b2d-46b2-9b8b-4bc37428b829/
Brian J. Lipman M.D PC | https://fhir-ehr.cerner.com/r4/d632725e-d12a-4178-a468-d2bf3b7c775c/
Gregg Harris, DPM | https://fhir-ehr.cerner.com/r4/d65aae46-5133-440d-81d0-4cf7c38d4aec/
Ideal Gastro | https://fhir-ehr.cerner.com/r4/d6d1b112-9099-4ef4-a649-a1adf35b40e6/
Dr. Charles Schlosser | https://fhir-ehr.cerner.com/r4/d70f3182-cccd-4885-a851-68a653a0125b/
Apex Partners, LLC | https://fhir-ehr.cerner.com/r4/d7365098-6d60-4ec8-86ad-b746a939e4ed/
Hansen Family Hospital | https://fhir-ehr.cerner.com/r4/d792478d-c7a5-4028-84d0-ae569d6b0c53/
Advanced Dermatology | https://fhir-ehr.cerner.com/r4/d7a9a6f7-da8c-47c3-88a4-819ad21c3206/

Too Tall Doc's, P.A. | https://fhir-ehr.cerner.com/r4/d7b2ef3a-7b20-4ec5-af14-9c525d5c485d/
Sheridan Memorial Hospital | https://fhir-ehr.cerner.com/r4/d7c7003a-96ae-4246-aaaa-19b18f13056e/
Dr. Rafael Abreu | https://fhir-ehr.cerner.com/r4/d802373d-49ea-4d93-af84-022b330fd6e1/
Dean Bright, DPM | https://fhir-ehr.cerner.com/r4/d8054bdb-86d4-407b-be85-631802b56471/
Northside Hospital - Atlanta | https://fhir-ehr.cerner.com/r4/d88010de-d791-42d4-b72d-513f9afc5ed1/
SMP Health - St. Kateri | https://fhir-ehr.cerner.com/r4/d880411f-de2e-4d8f-9a4b-216f05332fc5/
Pediatrics at Oyster Point LLC | https://fhir-ehr.cerner.com/r4/d885e14c-8eac-4d07-896e-861d8309023d/
Dr. Kermani | https://fhir-ehr.cerner.com/r4/d8a66cd8-2aa3-4c46-bd99-c97f0bd810bf/
CHADRON COMMUNITY HOSPITAL | https://fhir-ehr.cerner.com/r4/d8abdf5e-a2d6-41b9-bff8-4f8bef8b37dd/
StatCare Outpatient | https://fhir-ehr.cerner.com/r4/d924d991-43c4-4c48-b322-4525ba4c2001/
Crawford Memorial Hospital | https://fhir-ehr.cerner.com/r4/d97362bf-37fe-407d-8a05-be96ba9615b1/
Roger's Memorial Hospital, Inc. | https://fhir-ehr.cerner.com/r4/d9c821ad-f606-4b46-ae24-763b32cdc289/
BRATTLEBORO MEMORIAL HOSPITAL | https://fhir-ehr.cerner.com/r4/d9dc001d-1bc5-42f9-bd4d-eb79208fd32a/
David Hamilos, DPM | https://fhir-ehr.cerner.com/r4/dBicsLkd3XVQrgQlh28QIWbKwqoho4uN/
UHS of Delaware, Inc | https://fhir-ehr.cerner.com/r4/da0b5d99-573c-4f5e-aaf6-8d39fa93d033/
Charles Murphy, DPM | https://fhir-ehr.cerner.com/r4/da2180c9-bd45-4fd0-aaf0-2b4abda5475d/
Crozer Health Access Network | https://fhir-ehr.cerner.com/r4/da4132e4-9f74-48e8-ab61-a3667d915b64/
Cogdell Memorial Hospital | https://fhir-ehr.cerner.com/r4/da594151-329c-4768-a26a-5c6b74be997b/
Jewish Family Services of Atlantic and Cape May Counties | https://fhir-ehr.cerner.com/r4/da70f33d-e31d-497a-8eef-34fb466312cb/
Tuality Physicians, PC | https://fhir-ehr.cerner.com/r4/dab37ab4-940f-46d2-83dd-9830ab97c4d5/
Polar Wind Medical Center, Inc. | https://fhir-ehr.cerner.com/r4/dacaffe7-8a80-45f7-8229-32bd110ee86a/
Western Connecticut Health Network | https://fhir-ehr.cerner.com/r4/db9c2801-7026-47b6-a85f-5d485070d969/
Richard J. Loesch, DPM | https://fhir-ehr.cerner.com/r4/dbf295bc-ae33-44c8-8de8-75a887cfb796/
Hospital Espanol Auxilio Mutuo de Puerto Rico Inc. | https://fhir-ehr.cerner.com/r4/dc1174e6-86ee-45ec-8d08-d4cb3d1d2286/
Garden State Bariatrics | https://fhir-ehr.cerner.com/r4/dc524d3a-122f-4bf8-8bb3-afd287ec7c5e/
Mineral Community Hospital | https://fhir-ehr.cerner.com/r4/dc5f8db7-e9a3-4070-8bcb-b87b0fc836dc/
Advantage Healthcare For Women | https://fhir-ehr.cerner.com/r4/dc96a33f-fb3c-4ad3-8d24-0941136c69c8/
Paul Greco, M.D., Concierge Medical Services, P.L. | https://fhir-ehr.cerner.com/r4/dca1cfb3-683c-4835-9b66-95a129c0bbc2/
Wyoming Medical Center | https://fhir-ehr.cerner.com/r4/dcf3b1c6-3971-4673-962e-8b2cce0ff827/
Mitchell T. Zimmel, DPM | https://fhir-ehr.cerner.com/r4/dd839e2d-c171-46e8-bad2-f7adc1f055dd/
Westmoreland & Arnold, MD, PLLC | https://fhir-ehr.cerner.com/r4/defbea08-f7c0-41b2-bfd7-5c64c68d3dd5/
Steve Lovelady MD LLC | https://fhir-ehr.cerner.com/r4/df01cf33-b6d1-4222-ab6f-d5b35ecdd012/
Dr. Neal Suares | https://fhir-ehr.cerner.com/r4/df0ee526-959a-4abd-bc92-e5a1c513a0cb/
Memorial Hospital of Carbon County | https://fhir-ehr.cerner.com/r4/df6c8393-ac58-4a86-8a27-38dc34fcee7e/
Tenet HealthSystem Medical | https://fhir-ehr.cerner.com/r4/dfb1cd74-983a-49dc-aede-abe989223110/
Kingfisher Family Clinic | https://fhir-ehr.cerner.com/r4/e0aed929-e53b-4d96-a40c-36cb9539f12f/
Orthopaedic Institute for Children | https://fhir-ehr.cerner.com/r4/e0af8ad8-b54e-46fe-a442-6f887f68ff27/
SMP Health - St. Aloisius | https://fhir-ehr.cerner.com/r4/e0cb84ac-5315-42ed-a2ae-7e46d00bcf9d/
Touro University Medical Group | https://fhir-ehr.cerner.com/r4/e0d732aa-1d5c-42bf-b672-8fabe3feb437/
Internal Medicine | https://fhir-ehr.cerner.com/r4/e1517302-aa9f-41f1-ba0a-8919fe6c6001/
Santa Monica Dermatology | https://fhir-ehr.cerner.com/r4/e1A5O_wfjp6bxazsKQMUgQtMMK_UwF9x/
Yvel P. Moreau M.D | https://fhir-ehr.cerner.com/r4/e1cd2646-a978-48a1-b1dd-27086f7bcfa4/
Detroit Surgical Group | https://fhir-ehr.cerner.com/r4/e27d84dc-9e4f-4f10-a9eb-f14826a234e3/
Catholic Health Initiatives (CHI) | https://fhir-ehr.cerner.com/r4/e2996538-51cd-43ce-b940-5912ed45b61a/
Rockland Thoracic Associates | https://fhir-ehr.cerner.com/r4/e2ad55a9-c891-4848-8484-9308538693a3/
South Central Health | https://fhir-ehr.cerner.com/r4/e2ca5a14-2e79-4b49-ba4a-3cc6ac280cc6/
Lake Region Healthcare Corporation | https://fhir-ehr.cerner.com/r4/e35355ac-dfca-48b9-9dd9-0b7c408c2a66/
Pami | https://fhir-ehr.cerner.com/r4/e38cae97-dc5c-44e2-8dda-ca848530d8cd/
Green Valley Hospital | https://fhir-ehr.cerner.com/r4/e3c3f29b-49ce-4329-ade7-4c5593d87595/
Clinch Memorial Hospital | https://fhir-ehr.cerner.com/r4/e3eb99b3-ff90-4d59-9be0-218269c9d4cf/
Mid-America Internal Medicine | https://fhir-ehr.cerner.com/r4/e3f39aec-5b1f-4457-b1e5-9098a4b10cae/
Hillsboro Gastroenterology P.C. | https://fhir-ehr.cerner.com/r4/e472be88-5795-469f-aa11-18b9f51c16f8/
Monongalia County General Hospital Company | https://fhir-ehr.cerner.com/r4/e4a5b337-4c87-45bf-ab09-077b7fc19e84/
Johnny Arruda MD INC | https://fhir-ehr.cerner.com/r4/e4ed3cc1-426d-4144-a9f2-f9eab264d97b/
Hazelden Betty Ford Foundation | https://fhir-ehr.cerner.com/r4/e54ca37d-332e-47f6-85c8-4b653eedbcbc/
New York Hotel Trades Council and Hotel Association of New York City, Inc. Health Benefits Fund | https://fhir-ehr.cerner.com/r4/e60dd76f-2355-47fe-85cf-f04cc40e0a16/
Dr. Donald Huang | https://fhir-ehr.cerner.com/r4/e6567e17-7548-4791-8688-4e41c1c041ad/
Chase County Community Hospital | https://fhir-ehr.cerner.com/r4/e699c25a-4b9f-4771-9576-e790a1116e0f/
Upstate Podiatry Group | https://fhir-ehr.cerner.com/r4/e69c2bef-d9f0-4b8f-8ad3-47f8715149b1/
Associates in Gastroenterology, P.C. | https://fhir-ehr.cerner.com/r4/e6a2c484-1066-4f3f-be44-cc7c2a79d6c3/
USC Health System on behalf of its inpatient and outpatient facilities | https://fhir-ehr.cerner.com/r4/e6f9b4bf-142e-47be-8246-33cebe5229b6/
Grace Cottage Hospital | https://fhir-ehr.cerner.com/r4/e7974a89-7cd2-4b5f-95db-82e9a908402d/
William R. Burden, MD, PA | https://fhir-ehr.cerner.com/r4/e7b98fe9-c1c7-41df-9bd1-3564793164ce/
Foot & Ankle Center, PC | https://fhir-ehr.cerner.com/r4/e7d5e6b0-b881-4044-96cb-beb927af3b00/
Tender Care Pediatrics | https://fhir-ehr.cerner.com/r4/e7eee8ee-10a0-491b-8be6-a8be12c18675/
Faulkton Area Medical Center | https://fhir-ehr.cerner.com/r4/e7f1db76-681a-46a3-9951-b0b343a47d69/
Franklin General Hospital | https://fhir-ehr.cerner.com/r4/e84122bd-f46f-49c7-bf07-41bc9eda3960/
Nebraska Cardiac Care | https://fhir-ehr.cerner.com/r4/e8483750-562b-433d-9f50-10942f0fbd4f/
Benewah Community Hospital | https://fhir-ehr.cerner.com/r4/e8b4f872-6ea1-4b26-a974-041b5fb4c57b/
Mitchell County Memorial Hospital | https://fhir-ehr.cerner.com/r4/e8b4fcb7-9efb-4d05-b7ad-848dd8674433/
Wombkeepers AZ Obstetrics and Gynecology, PC | https://fhir-ehr.cerner.com/r4/e8e8bad8-b3b5-4f34-b7c8-aa8579a771d2/

Remi Vista, Inc. | https://fhir-ehr.cerner.com/r4/e917cccf-ef86-42c5-a988-a3b636c7a1c6/
Avinash Gupta, MD, PC | https://fhir-ehr.cerner.com/r4/eME9di7OkJfK0Dd-1ZlVnxRWlL5I7oU5/
The Steven A. Cohen Military Family Clinic At Easterseals | https://fhir-ehr.cerner.com/r4/ea58a6c7-91a7-4c12-b7a2-85fb3bc9550c/
Weirton Medical Center | https://fhir-ehr.cerner.com/r4/ea592379-b0ed-4cfa-aa0c-6e5256a40b54/
Womens Choice Oncology PLLC | https://fhir-ehr.cerner.com/r4/ea87e17a-d61e-4405-a8d8-e999d9a648b3/
Columbus Pain Center, P.C. | https://fhir-ehr.cerner.com/r4/eab031dc-b014-4e04-af2a-409cb0a42bac/
Henry A. Pretus, MD | https://fhir-ehr.cerner.com/r4/eab0e7ae-9234-494a-b931-951d942d180e/
Dr Anuradha Kollipara | https://fhir-ehr.cerner.com/r4/eb20a6ef-52fb-42cb-a510-0a41e19f393a/
Walter Knox Memorial Hospital | https://fhir-ehr.cerner.com/r4/eb237299-e2be-4fd4-aca6-5fa7adcd28c1/
Spectrum Healthcare | https://fhir-ehr.cerner.com/r4/ebc46185-d254-4127-aaac-ce969218157e/
Catherine Chiodo DPM | https://fhir-ehr.cerner.com/r4/ec02c4f4-91a2-412a-bcbb-74b4b09ac019/
Marcus Lee, M.D. | https://fhir-ehr.cerner.com/r4/ec6b7097-8351-4185-ba79-b9f0c80b045f/
Humane Center for Arthritis and Rheumatism | https://fhir-ehr.cerner.com/r4/ecb0768b-f462-488f-a03b-0c40f4d77fbb/
Tomeka Roberts, MD, PC | https://fhir-ehr.cerner.com/r4/eccb6e09-c137-4463-964b-10c8a4da7c61/
Stacy Frankel MD PA | https://fhir-ehr.cerner.com/r4/ece3b0d0-e9d1-4d87-8810-05245549aaf1/
Seasons Center for Community Mental Health | https://fhir-ehr.cerner.com/r4/ed13fa1e-5e6c-45da-822a-ab9435740c2e/
Pami | https://fhir-ehr.cerner.com/r4/ed1a6436-bdd3-4803-83f1-a24346db7ed7/
UNITED SURGICAL PARTNERS INTERNATIONAL INC | https://fhir-ehr.cerner.com/r4/ed29dd2e-7f6b-4b48-93ba-6ba78c79cd2d/
Public Hospital District One (dba) Mason Health | https://fhir-ehr.cerner.com/r4/ed3f5ef0-1e43-4472-a811-c1c95f23d109/
Michigan Institute for Interventional Pain | https://fhir-ehr.cerner.com/r4/ed6140a2-373e-4f70-84aa-c25e94497b9f/
Sabetha Community Hospital | https://fhir-ehr.cerner.com/r4/ed8a62d9-e900-4503-b1c6-0e092e2ef12a/
The Hospital of Central Connecticut | https://fhir-ehr.cerner.com/r4/ed8d75e5-e406-4ba4-8ab5-2d4dda194818/
Su and Chang Dermatology Associates, APMC | https://fhir-ehr.cerner.com/r4/ee3151e0-eab6-428c-81ce-718262289f98/
Aveon Health | https://fhir-ehr.cerner.com/r4/ee4e5494-2c92-4d67-a270-fa42d8538b42/
TMH Physician Partners | https://fhir-ehr.cerner.com/r4/ee8aa586-4745-4cbd-ac14-f90bc6a4297e/
Changing Tides Family Services | https://fhir-ehr.cerner.com/r4/eef7bdb7-cd7b-4ec1-b846-cf9ec1db80c8/
DaVita Inc. | https://fhir-ehr.cerner.com/r4/ef305183-7191-4c91-b4e4-93d680f39bae/
Yakima Valley Memorial | https://fhir-ehr.cerner.com/r4/ef853cc1-94e4-4ed7-883a-9be7485e458e/
Cheyenne County Hospital | https://fhir-ehr.cerner.com/r4/ef894d13-ce69-42f0-bfe5-f1607027bc20/
Nebraska Orthopaedic Hospital LLC | https://fhir-ehr.cerner.com/r4/efffdd49-80a8-4c46-87e6-e53d54707ef3/
Atlanta Heart Group | https://fhir-ehr.cerner.com/r4/eqfAJKRmsUhFnr8gvMoFTGKRt8zH6OgO/
Jersey Rehab, P.A. | https://fhir-ehr.cerner.com/r4/f0cfd11a-8550-4ab1-abda-1200b8b852fa/
Three Crosses Regional Hospital | https://fhir-ehr.cerner.com/r4/f0d5c852-07f4-485f-99fa-b042a7a7a20e/
Uintah Basin Medical Center | https://fhir-ehr.cerner.com/r4/f11b499f-f009-416a-ba91-79d8b37ce81a/
Kishwar Shareef MD, PC | https://fhir-ehr.cerner.com/r4/f16ab50d-5d7f-40fe-8c31-87d7133c9e42/
FAIRFIELD MEDICAL CENTER | https://fhir-ehr.cerner.com/r4/f17aed19-e2f6-49d4-bba0-64508a2357d2/
Douglas, Grant, Lincoln & Okanogan Counties Public Hospital District #6 d/b/a Coulee Medical Center | https://fhir-ehr.cerner.com/r4/f18be9cb-2758-4a4b-a2a6-5e5131bfb5bc/
Henry County Memorial Hospital | https://fhir-ehr.cerner.com/r4/f1bb4645-ebf5-4d16-800a-fd209b7f9cb1/
James C. Crittenden, MD | https://fhir-ehr.cerner.com/r4/f2435108-6ac5-4b8c-a0fd-046ed852f786/
Brown County Hospital | https://fhir-ehr.cerner.com/r4/f24ac13d-3953-486e-b046-3f6f7cc41dd9/
Madelia Health | https://fhir-ehr.cerner.com/r4/f2aa0e6f-59f8-4af5-916b-5f2f9445c1cb/
Roger Duber, DO | https://fhir-ehr.cerner.com/r4/f2d842ce-493a-4093-99fd-17ce5bfafb71/
James Fierro, DO | https://fhir-ehr.cerner.com/r4/f2e24f7b-9e64-4332-8401-3c349ad6c7fb/
Jason Defrancis,MD, PA | https://fhir-ehr.cerner.com/r4/f2f8af61-ce86-434e-9d4f-b09a982ce734/
Alabama Medicine and Rheumatology, LLC | https://fhir-ehr.cerner.com/r4/f342f1fe-7dbf-445a-81a0-f5820c7e8814/
Beloit Health System, Inc. | https://fhir-ehr.cerner.com/r4/f4477d7c-dbb4-4046-92c9-1cc56c248ecb/
Continuum Of Care Domain A | https://fhir-ehr.cerner.com/r4/f451fa90-c3fa-46d1-afef-950c87917649/
Senior Care Clinic | https://fhir-ehr.cerner.com/r4/f49f56a0-22e5-41d6-9c30-0e95cf63cef7/
Jersey Community Hospital | https://fhir-ehr.cerner.com/r4/f4be81d1-a15e-4e19-9601-5214010ddaac/
Drs. Chadband & Rowland, PC | https://fhir-ehr.cerner.com/r4/f4dfe6d5-e4f8-4229-a115-f303f19f0084/
Columbia Memorial Hospital | https://fhir-ehr.cerner.com/r4/f4f5fc7f-b635-4b26-8ba6-058ca1c8dc4d/
Timothy J. Graham, D.P.M. | https://fhir-ehr.cerner.com/r4/f52e395b-cb40-4c80-96f8-ef6241b5512c/
Jupiter Medical Center | https://fhir-ehr.cerner.com/r4/f5c2ab60-651e-4c3b-8f81-7ac7322f77b0/
Hermann Area District Hospital | https://fhir-ehr.cerner.com/r4/f62890b5-77ff-44bd-a981-0a0981047b35/
Tanveer Ahmad MD | https://fhir-ehr.cerner.com/r4/f65dbd8b-ab9d-477a-9002-1607571da950/
Cleveland Area Hospital Holdin | https://fhir-ehr.cerner.com/r4/f686027e-6665-41bf-82f5-c9d2a9f004d7/
Endeavor Health Services | https://fhir-ehr.cerner.com/r4/f691d777-e7de-4ba5-bbc2-a5052e2f6912/
Beaver Valley Hospital | https://fhir-ehr.cerner.com/r4/f694aea7-f3a7-40e8-9148-3e4c7d86718c/
Eastern Medical Specialists PC | https://fhir-ehr.cerner.com/r4/f6960be4-ec5f-4de6-8b4b-e2f3c6a9bd30/
Delaware Foot & Ankle Group | https://fhir-ehr.cerner.com/r4/f6b3438e-050c-4890-a29f-e0ac33bb956c/
Huntsville Podiatry Center, PC | https://fhir-ehr.cerner.com/r4/f6fa7381-903b-4783-8911-188a44e03a3f/
Och Regional Medical Center | https://fhir-ehr.cerner.com/r4/f7116466-8e41-49c8-9954-f17bc6610b23/
ADVENTIST HEALTHCARE | https://fhir-ehr.cerner.com/r4/f71725f4-8a5d-45dc-9e68-6ddbc583dfb3/
Jaisohn Medical Center | https://fhir-ehr.cerner.com/r4/f749ac8e-846a-4185-aba6-92d85a38f519/
Christina Goodridge MD, LLC | https://fhir-ehr.cerner.com/r4/f7b34135-f483-4274-a0f0-9aa8d656a86f/
Klamath Orthopedic Clinic | https://fhir-ehr.cerner.com/r4/f7d44d40-6ccb-4f64-af86-873a0c0e8aac/
Dr. Susan Hunter-Joerns, MD | https://fhir-ehr.cerner.com/r4/f7ee1b9a-ee95-47a7-b4a5-4902951fcb85/
ADAIR COUNTY MEMORIAL HOSPITAL | https://fhir-ehr.cerner.com/r4/f904b187-16a4-4582-8ea3-887d87de0011/
Dallas Center Medical | https://fhir-ehr.cerner.com/r4/f921a378-be2d-4c05-908f-c400501abbd0/
Your Next Step, PC | https://fhir-ehr.cerner.com/r4/f94c51a0-56e8-4b6b-b7fc-444d2a37a178/
Neighborhood Health Clinic | https://fhir-ehr.cerner.com/r4/f95f1525-0f2e-4884-bae5-8f36736ae7b1/

Jeff Davis Hospital | https://fhir-ehr.cerner.com/r4/f98028ac-bce8-4115-85e2-9556668ed9dd/
Advanced Pediatric Care Ltd. | https://fhir-ehr.cerner.com/r4/f99feffa-a04a-4042-9325-6ec22532618b/
Bridge Counseling Associates | https://fhir-ehr.cerner.com/r4/f9a6475a-3dbd-47b2-979a-55064cfdbd51/
Radiology Associates of South Florida | https://fhir-ehr.cerner.com/r4/f9aed9f4-5c6e-4527-8cf9-3a241a404968/
American Cardiology | https://fhir-ehr.cerner.com/r4/f9dfebfc-b50e-4045-a2f3-bb8ed7deceb7/
Brian Weeks, MD Inc. | https://fhir-ehr.cerner.com/r4/f9f2e2ba-3339-41a9-9c68-c52b1c13921e/
Peak Vision Eye Center | https://fhir-ehr.cerner.com/r4/fa0f517f-db34-4a7a-98d2-758b513b2168/
Kennrick J. Dennis, DPM | https://fhir-ehr.cerner.com/r4/faa53cfe-86c4-4c37-b87e-a425abe8cc46/
Boulder City Hospital Inc | https://fhir-ehr.cerner.com/r4/fab57722-243a-4069-b32a-bcc74c7779f7/
University of Central Florida Board of Trustees, for the benefit of the College of Medicine | https://fhir-ehr.cerner.com/r4/fb0d1cdd-40c5-4449-8f5b-4f83699d2a2c/
Children’s Urology | https://fhir-ehr.cerner.com/r4/fb1a9a08-013f-4e81-9e96-ab9b9040386e/
South Texas Infectious Diseases Consultants, PA | https://fhir-ehr.cerner.com/r4/fb7b0281-6ccf-430e-a59f-d7e9d3834a96/
Allergy & Asthma Clinic of Alexandria | https://fhir-ehr.cerner.com/r4/fbc8c866-997f-48a9-94e2-a511f307192d/
S. Rick Miller, DPM | https://fhir-ehr.cerner.com/r4/fc560d6f-3a3b-46f9-a29b-c2da7f788404/
Ellsworth County Medical Center | https://fhir-ehr.cerner.com/r4/fca01075-736c-4da3-b816-2ead95b5dce5/
The Health Care Authority of the City of Huntsville | https://fhir-ehr.cerner.com/r4/fca878a1-6c97-4ecb-b6e7-eb5d7cde15ab/
Neil S. Ozer, MD., Pa. | https://fhir-ehr.cerner.com/r4/fd185037-bf1a-4d86-8438-6657be53ce04/
Independence Park Medical Servs. | https://fhir-ehr.cerner.com/r4/fdbc9673-c618-4425-b458-9d4512be1bb3/
Gastro Pediatric Partners | https://fhir-ehr.cerner.com/r4/fdbebc86-839d-40a6-a52c-f292220e6f36/
Ukiah Valley Primary Care Medical | https://fhir-ehr.cerner.com/r4/fdd8a9ae-8fbb-4d2d-bbc0-da474abde02e/
CommonSpirit Health | https://fhir-ehr.cerner.com/r4/fdqklJrzTg5-JsHjn6gcvJbZmmigMGfd/
Russell Barone, DPM | https://fhir-ehr.cerner.com/r4/fe81710a-637d-4db2-97ce-b53c4afe449d/
Saint Gregory Heart & Vascular Center, Inc. | https://fhir-ehr.cerner.com/r4/fe81ea45-4e0e-4dc1-a82a-ac3412315182/
Joel Frankel MD PA | https://fhir-ehr.cerner.com/r4/ff12e4c4-d870-4293-8118-95d9d426fb5d/
Dewitt Hospital and Nursing Home | https://fhir-ehr.cerner.com/r4/ff3e5cd9-c23e-4fa5-b77d-dca4a39aa946/
Sierra Nevada Management Services LLC | https://fhir-ehr.cerner.com/r4/ff97dd98-9ceb-4fc9-aa7e-fa79a17e946a/
Children’s Hospital Los Angeles | https://fhir-ehr.cerner.com/r4/fjycTxieSBez9BFs-LP0YIikqnvefkZc/
University Health | https://fhir-ehr.cerner.com/r4/gF4lFO34tdbrCuznA3JTeuZ_9C_vRKZf/
Chelmsford Pediatrics | https://fhir-ehr.cerner.com/r4/gNshjM5O9NNHo91poBY-hsv5tXiOvke8/
Foot & Ankle Clinic LLP | https://fhir-ehr.cerner.com/r4/gOP4994uTxKCP3l4vJ7Jqo6k1NZgHGsz/
Shirley Ryan AbilityLab | https://fhir-ehr.cerner.com/r4/gQLsUwK-sX1j_JHv5H2t4FlFphw_xyX9/
Jeffrey W. Watson, DPM | https://fhir-ehr.cerner.com/r4/gVhfMvu-XwQRgQosgHcm4vmauyjhpt-k/
The Center For Reproductive Health | https://fhir-ehr.cerner.com/r4/gc3D2uUK9_wiMPvEUVjpk1l2BlYpBT7b/
Middlebrook Family Physicians, PA | https://fhir-ehr.cerner.com/r4/gec4dOg2yghesFrkYuCFDQ-HfVUq5AqK/
CPHY Production Central Time Zone B | https://fhir-ehr.cerner.com/r4/gg8R9PdgP8jTS0OvZ0ZjkUvfiE6NNO2X/
Rockland Thoracic Associates | https://fhir-ehr.cerner.com/r4/gzygYmj_ixxj0K8SMYuNLmEP8OHSt4DS/
WINONA HEALTH SERVICES INC | https://fhir-ehr.cerner.com/r4/h-wugRRmXDZkm9_GMtf9rhlhb3aHTbV5/
Anthony Parks, M.D. | https://fhir-ehr.cerner.com/r4/h3vXgKcy9xzmARVPPGTm-aPdZWF6hpS3/
Olson Memorial Clinic | https://fhir-ehr.cerner.com/r4/h7Ihx8KqeFMoV6aVE3v7wQPvUnR9Dqw0/
White Sands Family Practice Clinic | https://fhir-ehr.cerner.com/r4/h9KqHATFapnAh9QYI0aR69I-qK5X4t_N/
Jason Amato, MD Dermatology LLC | https://fhir-ehr.cerner.com/r4/hHhBZnqD5ZnFB3frpd36dudKBHu6EKvB/
James Brungo, DPM | https://fhir-ehr.cerner.com/r4/hRl8JDuP-2CULrcrMMdYM6D-1ltmi-Hy/
Enrique Griego, M.D. | https://fhir-ehr.cerner.com/r4/hf5J5V1F8weuXDjNzKXwtL9Iyl3y33_0/
Professional Associates in Surgery, LLP | https://fhir-ehr.cerner.com/r4/hk3a_n9kE2iADMEcT-8aONHluTmOxrTW/
Marlette Regional Hospital | https://fhir-ehr.cerner.com/r4/i-zcCbJ35X2O5bJkqEF8dvUIAeQf3o9y/
LMH Health | https://fhir-ehr.cerner.com/r4/iNB6hL-tYJggf7je2gx1HftngxiOxAQ3/
Columbia St Mary’s | https://fhir-ehr.cerner.com/r4/idzZ7Xu4K4e6cf6O6PqH5zcqaSD8_vYU/
Grace OB/GYN | https://fhir-ehr.cerner.com/r4/j1IyQmGp5_V_WwI9QPYQIpekJfKTa5u7/
Dr. Stephanie Herrera, MD | https://fhir-ehr.cerner.com/r4/jTfJyuZ_IzJgFgSiTjM4fFXBaCPszqk_/
Coastal Nephrology, PA | https://fhir-ehr.cerner.com/r4/jbccWDrU52Mquq865y5s4oJK8D_tdQlk/
Gillette | https://fhir-ehr.cerner.com/r4/jqkvYbZoqhtQ6PherLCPc_R4bZXPPDZZ/
Amanda Meszaros, DPM, FACFAS | https://fhir-ehr.cerner.com/r4/kM_99Orj1Rg3wRNHtR8VeEA5tc_onQVr/
Medical Center Podiatry PC | https://fhir-ehr.cerner.com/r4/kRYst33szaxuWCcieqasTJv68zF9577y/
Advanced Foot & Ankle Clinic, LLP | https://fhir-ehr.cerner.com/r4/kSfiRTuNDYx_39U4kLLwpT-2wyiW22lf/
Borgess Health Alliance | https://fhir-ehr.cerner.com/r4/l0sV4kAP8XYUeDPWgsblj-f2yztSg0Ya/
Southern Internal Medicine LLC | https://fhir-ehr.cerner.com/r4/lKCPDiQgazoGE3paP2y6xrcZ5A3i0bDn/
Thomas Rich, DPM | https://fhir-ehr.cerner.com/r4/lKtfa5-PPcTSlw3G84vjcA2C5nRSdCGY/
Juan J Salazar MD | https://fhir-ehr.cerner.com/r4/lPF6Nmtsq7QZn3Z4mj6UwIY-rfDIdNIc/
Sanjiv Sharma, M.D | https://fhir-ehr.cerner.com/r4/ldkOq_px0iebL_JoNnyvnAQJHo-eclMa/
WOOD COUNTY HOSPITAL | https://fhir-ehr.cerner.com/r4/m6q718FZg_-IH-imjhHk1P9jJGSwQzGK/
Aultman Health Foundation | https://fhir-ehr.cerner.com/r4/mP6IHJrv4n0_mPZFBm5GcbTX3TNMQJqa/
St. John Providence Health System | https://fhir-ehr.cerner.com/r4/mQjCqHb5rkr1u1foU4dqhQPBpi7Qk9R4/
Southwest Foot & Ankle Center, PLC | https://fhir-ehr.cerner.com/r4/mX7hxwEYErARs9T3I5uOZJg78CvtCjXk/
Dan Bangart, DPM | https://fhir-ehr.cerner.com/r4/mXy5ruQtMW3KrdcgJMyfKw06O9IkfnI0/
Jennifer Fung-Schwartz, DPM | https://fhir-ehr.cerner.com/r4/macdqZ07GqMWaleRkVLa0Ptzs0Q-CpEZ/
Solano Kidney Care, Inc | https://fhir-ehr.cerner.com/r4/mpHeoGaxK5S85g1wJYZSJQd5Cv8j4Vx4/
Tod S. Reed, DPM | https://fhir-ehr.cerner.com/r4/n-IthgIyDeEmqX148ukfLpw4d7XKXejt/
Chestertown Cardiology | https://fhir-ehr.cerner.com/r4/nI1GEqv2GptXSzP6SLPD5eHiyiISgxr0/
Pensacola Foot & Ankle Center | https://fhir-ehr.cerner.com/r4/nf8U42ELfecnNzeE3KFMRXwJoUOMBep7/
Wray Community District Hospital | https://fhir-ehr.cerner.com/r4/ntTIZxOIDS2tB2PUqr33FYQo0UWd2W9R/
North Canyon Medical Center, Inc | https://fhir-ehr.cerner.com/r4/o5pd3b6-cuxAhiQtysTRpegXDGjPAEUV/

Rancho Family Medical Group | https://fhir-ehr.cerner.com/r4/oGet4Bl4dxwTnl8D8A4oqs-kHHqPy5yb/
Pine Street Podiatry | https://fhir-ehr.cerner.com/r4/oftb6hxIHnNtZxMiREGYvNaJbaPmNQ7p/
Emmanuel Emelle, MD | https://fhir-ehr.cerner.com/r4/otCmFR9xLPoc2YGLoEEuj1ulH3uzON_F/
Neurological Associates of St. Paul, Na | https://fhir-ehr.cerner.com/r4/p84Vhuk4mPWFXFbQg94FgStyyPbRtG_D/
Rio Grande Heart Specialists | https://fhir-ehr.cerner.com/r4/pfPtWFyx8DThC8Zai2vpgBwaBZV28KWi/
CPHY Production Central Time Zone B | https://fhir-ehr.cerner.com/r4/pnbHyG7RagseR2fWr8smIQIcWYdHzI-0/
Dr. Hussain Al-darsani, MD | https://fhir-ehr.cerner.com/r4/q-3vUFaQmB_tKrR0ZIC4Z4u1bJnjsSJr/
Apex Partners, LLC | https://fhir-ehr.cerner.com/r4/q3J1m5qc22mRRs5Ad6fw1pFcqnkVdus_/
D.V. Pasupuleti, MD | https://fhir-ehr.cerner.com/r4/qAVEa7m1IQ-JEiYJqzzgxOEBv0A3Rmhs/
Dublin Womens Center | https://fhir-ehr.cerner.com/r4/qJCdeykC_0FoLWOQ15eYFbhjDQNwFiDg/
Amador Hormilla, M.D. | https://fhir-ehr.cerner.com/r4/qSQQl2ShxAvRHD2W70uxQVtT7BNMIXXO/
Naples Premier Concierge, P.L. | https://fhir-ehr.cerner.com/r4/qxwleH164DZXpWMqxaJrMbQUqnnRWJfq/
Center for Manual Medicine | https://fhir-ehr.cerner.com/r4/r2GtnbpYK4vtuAbMjau8TiI_I1r8CPyN/
Northern Light Health | https://fhir-ehr.cerner.com/r4/rii-5tqZIeHcg01uWOcN3lATP151-1Q9/
Physician Associates of Jacksonville | https://fhir-ehr.cerner.com/r4/sJsiTAK78Ymqden_ZevYBEoppqMpQx2F/
Scituate Podiatry Group, Inc. | https://fhir-ehr.cerner.com/r4/sbZmqu_ebJfkW97fOWCec4QJKCw6sjcW/
Mercedes Medical Clinic | https://fhir-ehr.cerner.com/r4/slYc7WiVO_dzl3tGHo9GBCymITDhz-sg/
A Woman’s Place, LLC | https://fhir-ehr.cerner.com/r4/sqiH60CNKO9o0PByEO9XAxX0dZX5s5b2/
Dr. Rodrigo Argenal MD | https://fhir-ehr.cerner.com/r4/sw4tW_HCNxON0WgWbRHaakuPPu_xXIN6/
Penndoc Foot & Ankle Center Llc | https://fhir-ehr.cerner.com/r4/t0FnDeiv5UB5yBJtCG5ByjAAa3LXYuNV/
Vibrant Health Family Clinics | https://fhir-ehr.cerner.com/r4/tQB5_7uQVbVZScakpLQEzBwfBS_4PTHH/
Stormont-Vail Healthcare Inc | https://fhir-ehr.cerner.com/r4/tSoPH8IMQuFTAj8CJZrbUMvKrv1i9WlM/
Podiatry Foot and Ankle Care, PLLC | https://fhir-ehr.cerner.com/r4/tW68ZW-Hmy7Lzce-ns8ohuxjCYcMJFzU/
Thomas J. Hagan, DPM | https://fhir-ehr.cerner.com/r4/u6U0gXkDqjtHVjydWZoD3S2kqgtUZm30/
Jerry I. Hadrych, DPM | https://fhir-ehr.cerner.com/r4/uCKIW6ytP5A7QtXDNpYXL4_mBtqJ8iB3/
Larry Campoli, DPM | https://fhir-ehr.cerner.com/r4/uOQzJcWKhFvl4J-SfFSpaG622G8TwRPZ/
Morgan Medical Center | https://fhir-ehr.cerner.com/r4/v561Je5dfmji-4BVw-9Mkp1hj_V8JdmU/
Ashland Mansfield Foot & Ankle Specialist | https://fhir-ehr.cerner.com/r4/v7_ZWNDo44D5rdNkeMtK4_1va3H09PQq/
Associates In Otolaryngology of New Jersey, LLC | https://fhir-ehr.cerner.com/r4/vHLmhTUEuZU9-C7EaUC6GMW9dKqEQxFt/
Bright Future Pediatrics PSC | https://fhir-ehr.cerner.com/r4/vvWOESzbUe72lEl5ItnHhnlfe3uimw2P/
Cardiothoracic Associates of Hawaii | https://fhir-ehr.cerner.com/r4/wLWuAWH5hkrIdvwkarOzmEdjXoXwalFs/
Colonial Healthcare | https://fhir-ehr.cerner.com/r4/wZCgH1CWyIXU4RnwCSTNxxMaI62WkSe4/
Deer Chase Medical Associates | https://fhir-ehr.cerner.com/r4/wrew10vD3jepzbTifdu3IylT2gxN5jJt/
Dover Foot Specialty Center, Inc. | https://fhir-ehr.cerner.com/r4/xCzjlohQb7LjffswhVfzHuvSjTl4Y9sP/
Bitterroot Health - Daly Hospital | https://fhir-ehr.cerner.com/r4/xGC8us00w6i72tkLoWiE0pdWD5WWsJe5/
Christine A. Carman Stiles, M.D. | https://fhir-ehr.cerner.com/r4/xIvgGYraZF0ESKmaiXn4CY7zx9H1lS2j/
Tey Women’s Health Center | https://fhir-ehr.cerner.com/r4/xV4nbZGmDts5h0cW_qqdfyysQaM9g4Uc/
Jeffrey A. Fischer, DPM | https://fhir-ehr.cerner.com/r4/xsi8i2IV7_2GY-SfeLLZ0w2vRcPnO9Sk/
Neurology and Spine Center | https://fhir-ehr.cerner.com/r4/yM1TVbA1pYVBqAL5r6hrPXGVr5nFBJbP/
Affiliated Podiatrists, Ltd. | https://fhir-ehr.cerner.com/r4/yNokLJokA2wmiV0j4EDnXS-uMoIhGKVB/
Children’s Health Care | https://fhir-ehr.cerner.com/r4/ya_22VheLN-3mn5hR1J6QJ0Z8rMCHJ7F/
Detroit Medical Center | https://fhir-ehr.cerner.com/r4/ynC9J_dODQE9MboiEOzSXwBNhdrTWHFe/
Marble Valley Healthworks, LLC | https://fhir-ehr.cerner.com/r4/zA015PZlU6y4mS2M66rhwFskWFFyp2EA/
Klass & Wasserman, MD | https://fhir-ehr.cerner.com/r4/zQbuaOz8Rb6ie3Ivt6H_LeKnU4TVuNuA/
GENESIS HEALTH SYSTEM | https://fhir-ehr.cerner.com/r4/zRBZsbKdoME7HivKpjAL4ZEb8JQBD9Cn/
Dr. Chad Smoker MD | https://fhir-ehr.cerner.com/r4/zf0glaGG5hLhMMZqeh2-kRj3FD2n6MNs/

Oracle Health Multi-Tenant Domains

File: guides/07_multi-tenant-domains.md

Source: https://wiki.cerner.com/display/APIDoc/Oracle+Health+Multi-Tenant+Domains

Table of Contents

* 1 [Overview](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Multi-Tenant+Domains#OracleHealthMultiTenantDomains-Overview)

* 2 [Supported Customer Domains](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Multi-Tenant+Domains#OracleHealthMultiTenantDomains-SupportedCustomerDomains)

* 3 [API and SMART Launch Integration](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Multi-Tenant+Domains#OracleHealthMultiTenantDomains-APIandSMARTLaunchIntegration)

* 3.1 [MVS Process](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Multi-Tenant+Domains#OracleHealthMultiTenantDomains-MVSProcess)

Overview

Multi-tenant domains in Oracle Health are a collection of several shared environment domains that vary in customer type. Oracle provides API and SMART launch integration to support those customers.

If your application performs API write transactions or is an embedded SMART launch, you must complete Oracle Validated Integration (OVI) through the Oracle PartnerNetwork (OPN) Healthcare track. See the [OPN Healthcare track journey](https://www.oracle.com/partnernetwork/journey/employee/company/track/build/integrated-with-health-platform/#rc30p1) for more information on the process.

For the full list of OVI application requirements, see [Oracle Validated Integration Expertise Application Requirements for Oracle Health](https://partnerhelp.oracle.com/app/answers/answer_view/a_id/1020962/loc/en_US/s/16777216_76937690efaf1-109e-445d-a961-a9a324a152e8/prTxnId/215137475/txnId/215137475#__highlight). An [Oracle.com](http://oracle.com/) account is required to view this page. If you do not already have an account, see the [Oracle Partner Hub](https://www.oracle.com/opn/index.html) for information on how to register.

Note

The default browser for SMART launch in a multi-tenant domain is MicrosoftMicrosoft Edge.

Supported Customer Domains

The following customer domains are supported:

* **Ambulatory ASP:** Supports physician practices of all sizes across more than 55 specialties. The Ambulatory Application Service Provider (ASP) model provides customers with ongoing solution support, updates, and maintenance.

* **CommunityWorks:** Provides a complete package of integrated solutions for community and critical access organizations across the U.S.

* **Population Health:** Provides big data solutions to assist with managing a population's health through predictive and trending analysis. This domain provides Oracle Health Care Management, Consumer Well-being, and Identity Provider as a Service (IdPaaS) solutions for customers without an Oracle HealthMillennium Platform footprint.

* **Continuum:** Supports long-term care, and behavioral health and rehabilitation venues.

API and SMART Launch Integration

API integration in a multi-tenant domain follows a unique process. Compared to customer- or remote-hosted single-tenant domains, API transaction limitations do not apply to multi-tenant domains; however, multi-tenant domains require a more rigorous validation process. This validation ensures that other customer experiences in the domains are not affected. The API infrastructure is shared at the parent domain level, but each individual customer has their own cloud tenant ID to keep data and transactions separate.

Multi-tenant customers typically do not have access through their own site to the data points that you may need to fully integrate your application. System code values necessary to make transactions may require resources from Oracle, which you can request through OPN to complete the integration.

You can use a minimum viable strategy (MVS) process or OPN for API transaction access and SMART launch integration.

MVS Process

The MVS process may be appropriate for applications that only require the read capability of USCDI FHIR R4 APIs. If you can successfully integrate the application without guidance or support from Oracle, customers or vendors can follow the MVS process to work toward production API access. This process is an alternative to the OPN validation process; however, if integration services are required for delivery, you must follow the OPN process.

The MVS process has the following requirements:

* Customers must contact their account executive to start this integration.

* Customers must complete an MVS onboarding document.

* A successful demonstration must be completed in a nonproduction environment.

* A monitoring period is required to review API transactions and ensure that they are appropriate for the use case and traffic volume does not overburden the domain.

Note

If you want to integrate a SMART launch or any APIs that require customer configuration, the MVS process is not an appropriate method.

Oracle Health Millennium Platform SMART Application Provisioning

File: guides/08_smart-application-provisioning.md

Source: https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning

Table of Contents

* 1 [Overview](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-Overview)

* 2 [Prerequisites](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-Prerequisites)

* 3 [RHO Customers](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-RHOCustomers)

* 3.1 [RHO Nonproduction](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-RHONonproduction)

* 3.2 [RHO Production](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-RHOProduction)

* 4 [CHO Customers](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-CHOCustomers)

* 4.1 [CHO Nonproduction](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-CHONonproduction)

* 4.2 [CHO Production](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-CHOProduction)

* 5 [Global Customers](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-GlobalCustomers)

* 5.1 [Global Nonproduction](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-GlobalNonproduction)

* 5.2 [Global Production](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-GlobalProduction)

* 5.3 [Region-Specific Systems](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-Region-SpecificSystems)

* 6 [Additional Resources](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-AdditionalResources)

* 6.1 [Oracle Health Wiki](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-Wiki)

* 6.2 [Oracle Help Center](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-OHC)

* 6.3 [Oracle.com](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Application+Provisioning#OracleHealthMillenniumPlatformSMARTApplicationProvisioning-Oracle.com)

Note

This page contains links to Oracle Health Wiki Reference Pages that require an account to access. If you do not already have an account, see [Create Your Oracle Account](https://profile.oracle.com/myprofile/account/create-account.jspx) for information on how to register.

Overview

This page describes the Oracle Health customer (health system) self-service provisioning and mapping process for SMART applications in a customer environment.

When a developer creates an application in code Console, they are creating an application against the production cloud environment that is associated with a production-level internal Millennium Platform environment.

Note

This application can connect to a customer’s production environment.

If a customer requires support for implementing an application, they can contact Oracle Health to request a contract for a custom scope. If the developer is part of Oracle PartnerNetwork (OPN) and has obtained expertise for FHIR in the Healthcare Track, they can submit a sales request to Oracle Health.

Self-service provisioning does not apply to Oracle Health CommunityWorks, PowerWorks, or Continuum customers (shared domain customers) unless it fits within the Minimum Viable Strategy (MVS). Have the customer reach out to their Oracle representative to explore this option.

Each service request (SR) listed below must be a separate SR. Do not combine any SR topics.

You can post development questions to the [Oracle Health Developer Forums](https://forums.oracle.com/ords/apexds/domain/open-developer-experience).

Customers can log SRs for issues to the solution of **Cerner Ignite APIs for Millennium**. If they are logging an SR for the first time, they can select **I can’t find my solution**. The available solutions are displayed and the customer can search for Cerner Ignite APIs for Millennium.

Prerequisites

The developer must already have an application created in a production environment through code Console.

RHO Customers

RHO Nonproduction

The following process applies to remote-hosted option (RHO) customers requesting application provisioning in a nonproduction environment:

* The customer requests a tenant ID for the domain from Oracle Health Hosting.

* The developer provides a nonproduction (sandbox) application ID and client ID to the customer. If the developer does not have a nonproduction application ID and client ID, complete the following steps:

* The developer who owns the application ensures that they have a nonproduction CernerCare account. See [Create Account](https://sandboxcernercare.com/accounts/create) to create a CernerCare account.

* The developer provides the production client ID, application ID, and application name to the customer, which are found in [code Console](https://code-console.cerner.com/).

* The customer logs an SR to the solution of **Cerner Ignite APIs for Millennium** to request transferring the application ID and client ID to the sandbox authorization server.

* The customer logs an SR to **Cerner Ignite APIs for Millennium** for provisioning.

* Ask for the application ID and client ID to be provisioned against the tenant ID.

* If the application uses FHIR APIs, the customer logs an SR to **Cerner Ignite APIs for Millennium** for any codable concepts that the developer might use.

* Include **DataWorks_FHIR_PopHlth** in the description and ask for specific codable concepts that need to be mapped. The developer provides this information.

* If applicable, the developer provides any external website dependencies to the customer for adding to the trusted sites on Citrix.

* Customers should work with their Oracle Hosting contacts for this step.

* If applicable, the customer completes the SMART application setup. See [Configure SMART Applications to Run in PowerChart or FirstNet](https://wiki.cerner.com/pages/viewpage.action?pageId=1368545861) for more information.

* The appropriate root URL is used for the sandbox environment.

* **FHIR:**`https://fhir-ehr.sandboxcerner.com/r4/<tenant ID>/`

* **EHR:**`https://api.sandboxcernermillennium.com/<tenant ID>/`

RHO Production

The following process applies to RHO customers requesting application provisioning in a production environment:

* The customer requests a tenant ID for the domain from Oracle Health Hosting.

* The developer provides a production application ID and client ID to the customer.

* The customer logs an SR to **Cerner Ignite APIs for Millennium** for provisioning.

* Ask for the application ID and client ID to be provisioned against the tenant ID.

* Request the FHIR URL.

* If applicable, the customer completes a Process for Executing Client Approval (PECA) form.

* If applicable, the developer provides any external website dependencies to the customer for adding to the trusted sites on Citrix.

* Customers should work with their Oracle Hosting contacts for this step.

* If applicable, the customer completes the SMART application setup. See [Configure SMART Applications to Run in PowerChart or FirstNet](https://wiki.cerner.com/pages/viewpage.action?pageId=1368545861) for more information.

* The appropriate root URL is used for the sandbox environment.

* **FHIR**: `https://fhir-ehr.cerner.com/r4/<tenant ID>/`

* **EHR:**`https://api.cernermillennium.com/<tenant ID>/`

CHO Customers

CHO Nonproduction

The following process applies to customer-hosted option (CHO) customers requesting application provisioning in a nonproduction environment:

* The customer finds their tenant ID in [Cerner Central](https://sandboxcernercentral.com/). The domain owners have access to the tenant for the domain.

* The developer provides a nonproduction (sandbox) application ID and client ID to the customer. If the developer does not have a nonproduction application ID and client ID, complete the following steps:

* The developer who owns the application ensures that they have a nonproduction CernerCare account. See [Create Account](https://sandboxcernercare.com/accounts/create) to create a CernerCare account.

* The developer provides the production client ID, application ID, and application name to the customer.

* The customer logs an SR to the solution of **Cerner Ignite APIs for Millennium** to request transferring the application ID and client ID to the sandbox authorization server.

* The customer logs an SR to **Cerner Ignite APIs for Millennium** for provisioning.

* Ask for the application ID and client ID to be provisioned against the tenant ID.

* If the application uses FHIR APIs, the customer logs an SR to **Cerner Ignite APIs for Millennium** for any codable concepts that the developer might use.

* Include **DataWorks_FHIR_PopHlth** in the description and ask for specific codable concepts that need to be mapped. The developer provides this information.

* If applicable, the developer provides any external website dependencies to the customer for adding to the trusted sites on Citrix.

* If applicable, the customer completes the SMART application setup. See [Configure SMART Applications to Run in PowerChart or FirstNet](https://wiki.cerner.com/pages/viewpage.action?pageId=1368545861) for more information.

* The appropriate root URL is used for the sandbox environment.

* **FHIR:**`https://fhir-ehr.sandboxcerner.com/r4/<tenant ID>/`

* **EHR:**`https://api.sandboxcernermillennium.com/<tenant ID>/`

CHO Production

The following process applies to customer-hosted option (CHO) customers requesting application provisioning in a production environment:

* The customer finds their tenant ID in [Cerner Central](https://sandboxcernercentral.com/). The domain owners have access to the tenant for the domain.

* The developer provides a production application ID and client ID to the customer.

* The customer logs an SR to **Cerner Ignite APIs for Millennium** for provisioning.

* Ask for the application ID and client ID to be provisioned against the tenant ID.

* If applicable, the customer completes a PECA form.

* If applicable, the customer completes the SMART application setup. See [Configure SMART Applications to Run in PowerChart or FirstNet](https://wiki.cerner.com/pages/viewpage.action?pageId=1368545861) for more information.

* The appropriate root URL is used for the sandbox environment.

* **FHIR:**`https://fhir-ehr.cerner.com/r4/<tenant ID>/`

* **EHR:**`https://api.cernermillennium.com/<tenant ID>/`

Global Customers

Note

Currently, only the FHIR APIs are supported globally.

Global Nonproduction

The following process applies to global customers requesting application provisioning in a nonproduction environment:

* The customer requests a tenant ID for the domain from Oracle Health Hosting.

* The developer provides a nonproduction (sandbox) application ID and client ID to the customer. If the developer does not have a nonproduction application ID and client ID for the customer's cloud region, complete the following steps:

* The developer creates a nonproduction or sandbox instance of their application in [code Console](https://code-console.cerner.com/).

* The developer provides the nonproduction client ID, application ID, and application name to the customer, which are found in [code Console](https://code-console.cerner.com/).

* The customer logs an SR to **Cerner Ignite APIs for Millennium** to request transferring the application ID and client ID to the customer's cloud region.

* The customer logs an SR to **Cerner Ignite APIs for Millennium** for provisioning.

* Ask for the application ID and client ID to be provisioned against the tenant ID.

* If the application uses FHIR APIs, the customer logs an SR to **Cerner Ignite APIs for Millennium** for any codable concepts that the developer might use.

* Include **DataWorks_FHIR_PopHlthin** the description and ask for specific codable concepts that need to be mapped. The developer provides this information.

* If applicable, the developer provides any external website dependencies to the customer for adding to the trusted sites on Citrix.

* Customers should work with their Oracle Hosting contacts for this step.

* If applicable, the customer completes the SMART application setup. See [Configure SMART Applications to Run in PowerChart or FirstNet](https://wiki.cerner.com/pages/viewpage.action?pageId=1368545861) for more information.

Global Production

The following process applies to global customers requesting application provisioning in a production environment:

* The customer requests a tenant ID for the domain from Oracle Health Hosting.

* The developer provides a production application ID and client ID to the customer that is in the customer's cloud region.

* The customer logs an SR to **Cerner Ignite APIs for Millennium** for provisioning.

* Ask for the application ID and client ID to be provisioned against the tenant ID.

* If applicable, the customer completes a PECA form.

* If applicable, the developer provides any external website dependencies to the customer for adding to the trusted sites on Citrix.

* Customers should work with their Oracle Hosting contacts for this step.

* If applicable, the customer completes the SMART application setup. See [Configure SMART Applications to Run in PowerChart or FirstNet](https://wiki.cerner.com/pages/viewpage.action?pageId=1368545861) for more information.

Region-Specific Systems

The following regions override the format above with a region-specific system:

* **Asia-Pacific:**`https://fhir-ehr.au.cerner.com/r4/<tenant ID>`

* **Canada:**`https://fhir-ehr.ca.cerner.com/r4/<tenant ID>`

* **UK:**`https://fhir-ehr.eu.cerner.com/r4/<tenant ID>`

Additional Resources

Oracle Health Wiki

* [Cerner Ignite APIs for Millennium Reference Pages](https://wiki.cerner.com/pages/viewpage.action?pageId=1370794191)

* [Implement Scheduling for FHIR](https://wiki.cerner.com/pages/viewpage.action?pageId=2087689414)

* [Understand Auditing for Cerner Ignite APIs for Millennium](https://wiki.cerner.com/pages/viewpage.action?pageId=1661095219)

Oracle Help Center

[Oracle Health Millennium Platform](https://docs.oracle.com/en/industries/health/millennium-platform-apis/index.html)

Oracle.com

* [Oracle Health Developer Program](https://www.oracle.com/health/developer/)

* [Oracle PartnerNetwork](https://www.oracle.com/partnernetwork/program/)

Oracle Health Millennium Platform SMART Overview

File: guides/09_smart-overview.md

Source: https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview

Table of Contents

* 1 [General](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-General)

* 1.1 [Introduction](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-Introduction)

* 1.2 [SaaS Model](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-SaaSModel)

* 1.3 [Authorization Model](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-AuthorizationModel)

* 1.4 [Access Points](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-AccessPoints)

* 1.5 [SMART Application Data Retrieval](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-SMARTApplicationDataRetrieval)

* 1.6 [SMART Without FHIR](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-SMARTWithoutFHIR)

* 1.7 [Well-Known SMART Configuration](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-Well-KnownSMARTConfiguration)

* 2 [Technical](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-Technical)

* 2.1 [User Interface](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-UserInterface)

* 2.2 [Screen Resolution](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-ScreenResolution)

* 2.3 [Progress Indicator](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-ProgressIndicator)

* 2.4 [Browser Requirement](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-BrowserRequirement)

* 2.5 [Single Sign On (SSO)](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-SingleSignOn(SSO))

* 2.6 [Embedded Browser Control](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-EmbeddedBrowserControl)

* 2.6.1 [No Shared Cookies](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-NoSharedCookies)

* 2.6.2 [HTML5 Session Storage](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-HTML5SessionStorage)

* 2.6.3 [Embedded in PowerChart?](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-EmbeddedinPowerChartEmbeddedinPowerChart?)

* 2.7 [HTML5 DOCTYPE](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-HTML5DOCTYPE)

* 2.8 [X-UA-Compatible Tag](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-X-UA-CompatibleTag)

* 2.9 [Technology and Framework for SMART Apps](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-TechnologyandFrameworkforSMARTApps)

* 2.10 [Open Source FHIR Client Libraries](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-OpenSourceFHIRClientLibraries)

* 2.11 [Tutorial](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-Tutorial)

* 2.12 [code Console and Sandbox](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-codeConsoleandSandbox)

* 2.13 [Launch Context](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-LaunchContext)

* 2.14 [SMART Apps in MPages](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-SMARTAppsinMPages)

* 2.14.1 [iframe Cookies](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-iframeCookies)

* 2.15 [Microsoft Microsoft Edge Browser (Chromium-Based) Support](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-MicrosoftEdgeBrowser(Chromium-Based)Support)

* 2.16 [Design Considerations for PowerChart Integration](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-DesignConsiderationsforPowerChartIntegration)

* 3 [Testing](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-Testing)

* 3.1 [code Console](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-codeConsole)

* 3.2 [PowerChart](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-PowerChart)

* 3.2.1 [SSL Certificate](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-SSLCertificate)

* 3.2.2 [Public Access](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-PublicAccess)

* 3.2.3 [No Custom TCP Port](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-NoCustomTCPPort)

* 3.3 [Oracle Health Patient Portal (formerly HealtheLife)](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-OracleHealthPatientPortal(formerlyHealtheLife))

* 4 [Additional Resources](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-AdditionalResources)

General

Introduction

The SMART (Substitutable Medical Apps and Reusable Technology) platform defines a specification for an electronic health record (EHR) to safely and securely open other applications with context. These SMART applications are commonly web

applications, but could be native mobile applications and that use HL7FHIR [standard](https://www.hl7.org/fhir/) to read and write data from the EHR. With SMART, Oracle Health can embed a SMART application in the EHR. Oracle Health believes that SMART applications are a major user of FHIR resources. Oracle Health also supports FHIR access through mobile SMART applications, as those specifications emerge from the SMART [website](http://smartplatforms.org/).

SaaS Model

Oracle Health expects most SMART applications to be provided to customers using a SaaS (software as a service) model. That is, the SMART developer or provider hosts the application. In this case, customers do not need to install any code or package to implement a particular SMART application.

Authorization Model

At a high level, provider-facing applications must receive the following authorizations:

* Oracle Health must validate and register every SMART application. As part of this process, Oracle Health validates the use of FHIR resources and operations (for example, READ and WRITE). Oracle Health does not validate the use of FHIR resources for direct-to-consumer applications.

* Each customer decides whether to allow a SMART application to run on a domain-by-domain basis.

* Each customer decides which users and roles can access the SMART application.

To learn more about the general SMART on FHIR application authorization process, see the SMART [App Authorization Guide](http://hl7.org/fhir/smart-app-launch/#smart-authorization-and-resource-retrieval). For implementation information regarding the Oracle Health Authorization server, see [Oracle Health Millennium Platform Authorization Framework](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework).

Access Points

Currently, users can open SMART applications in the following ways:

* Providers can access SMART applications from the PowerChart (PowerChart.exe) table of contents and the Organizer view.

* Providers can access SMART applications from an MPages component embedded in PowerChart.

* Consumers can access SMART applications through Oracle HealthPatient Portal (formerly HealtheLife) to view their patient information.

* Providers and consumers can access SMART applications from a stand-alone provider-facing or patient-facing SMART application.

Oracle Health is continuing to look at incorporating SMART application support into our other applications and platforms.

SMART Application Data Retrieval

SMART applications can use the Oracle Health implementation of the FHIR standard server to retrieve data from the EHR based on the patient chart being viewed. However, SMART applications are not limited to FHIR data for their needs. SMART application developers can use other data sources for their needs, including other third-party data sources, private, and proprietary data the SMART application maintains. SMART applications can also retrieve data through Oracle Health proprietary means (for example, MillenniumObjects, CareAware services, or Discern Explorer scripts). Using proprietary APIs limits interoperability, but if that is not a concern of the SMART application, it is an option.

SMART Without FHIR

Technically, the SMART specification requires that a FHIR server exist so that a SMART application can communicate with the FHIR server when the application opens, to determine the location of the authorization (OAuth 2) server. However, outside of this requirement, FHIR does not need to be used otherwise by the SMART application.

At a minimum, a SMART application that does not require FHIR must include at least one of the following scopes in its access token requests:

* launch

* launch/patient

* openid fhirUser

* openid profile (retired)

Well-Known SMART Configuration

It is also possible to view SMART authorization endpoints and access capabilities using a [Well-Known Uniform Resource Identifier](http://hl7.org/fhir/smart-app-launch/1.0.0/conformance/index.html#using-well-known).

See the Oracle Health Well-Known SMART Configuration [Capability Statement](https://docs.oracle.com/en/industries/health/millennium-platform-apis/mfrap/api-capabilitystatement.html) for more information.

Technical

User Interface

Oracle Health considers user interface (UI) and user experience (UX) when validating your SMART application. UI and UX are important parts of the overall user experience.

Screen Resolution

The recommended screen resolution varies based on the available screen's real estate. Instead of targeting a specific resolution, design your application to be responsive, and ensure that the application adjusts according to available screen sizes.

Progress Indicator

Oracle Health encourages using a loading overlay or a status progress indicator in your SMART applications.

Browser Requirement

For provider-facing applications running in the Oracle HealthMillennium Platform EHR, both MicrosoftMicrosoft Edge and Internet Explorer (IE) are supported. The embedded browser controls we use are [WebView2](https://docs.microsoft.com/en-us/microsoft-edge/webview2/) for Microsoft Edge and [IWebBrowser2 C++ interface](https://msdn.microsoft.com/en-us/library/aa752127(v=vs.85).aspx) for IE.

Oracle Health recommends upgrading from IE to Microsoft Edge. With MPages 9.0 and later, applications embedded in MPages Workflow or Summary views must function correctly with Microsoft Edge. Where the SMART on FHIR applications are dependent on IE, Oracle recommends using Microsoft Edge with IE mode. See [Modern Security Protection for Vulnerable Legacy Apps](https://learn.microsoft.com/en-us/deployedge/microsoft-edge-security-iemode-safer-than-ie) on Microsoft Learn for more information.

IE may be required for applications that integrate with previous Millennium Platform and MPages releases. IE10 is the minimum version of IE that we support. The latest supported browser varies based on the browser version installed at the Oracle Health customer site. Although no longer supported by Microsoft, customers could still use IE10, especially customers who host their own system.

The MPages 6.x platform depends on other components that require IE10 to run. Even though a newer version of IE is available in Citrix, MPages 6.x generates the application using IE10. Therefore, Oracle Health recommends that the embedded SMART application uses functions that work correctly for both IE and Microsoft Edge.

Single Sign On (SSO)

Oracle Health understands that it is counterintuitive to prompt a user for their credentials when opening a SMART application in PowerChart when the user is already logged in. With that in mind, the system is designed to provide an SSO experience for the users when a SMART application is opened from PowerChart.

As a developer, follow the guidelines below when developing your applications to be embedded in PowerChart.

* Due to technical limitations (see the [No Shared Cookies](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-NoSharedCookies) section below), applications should use the same embedded browser instead of opening a new window to authorize and open when embedded in PowerChart. Oracle Health still recommends using a new window for authorization and authentication in other workflows outside of PowerChart.

* To flex your application based on the current execution context (embedded versus stand-alone mode), see the [Embedded in PowerChart](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-EmbeddedinPowerChart) section for more information.

Embedded Browser Control

Oracle Health uses the [IWebBrowser2 C++ interface](https://msdn.microsoft.com/en-us/library/aa752127(v=vs.85).aspx) browser controls for IE and [WebView2](https://docs.microsoft.com/en-us/microsoft-edge/webview2/) for Microsoft Edge, both developed by Microsoft. Review the documentation for more information. This embedded browser control has some limitations compared to the stand-alone IE or Microsoft Edge browser controls.

No Shared Cookies

Web and stand-alone applications can use a separate window for the authorization flow to allow users to authenticate with the system. However, if the application is embedded in PowerChart, browser cookies are not shared between the embedded browser and the newly opened browser window. In this scenario, single-sign-on (SSO) does not work and the user needs to manually enter their credentials when prompted. Oracle Health recommends performing all navigation and redirects in the embedded browser without needing to open a new browser while embedding in PowerChart. To learn more about the technical details of IE, see [IE8 and Loosley-Coupled IE](https://blogs.msdn.microsoft.com/ie/2008/03/11/ie8-and-loosely-coupled-ie-lcie/) and [Tab Isolation](https://blogs.msdn.microsoft.com/ie/2010/03/04/tab-isolation/).

To flex your application based on the current execution context (embedded versus stand-alone mode), see [Embedded in PowerChart](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-EmbeddedinPowerChart).

HTML5 Session Storage

With the introduction of HTML5, [sessionStorage](https://developer.mozilla.org/en-US/docs/Web/API/Window/sessionStorage) can help persist data in a browser's session. Depending on the PowerChart release,`sessionStorage`may not be isolated per instances of the embedded browser. If your application is going to be embedded in PowerChart, Oracle Health does not recommend using`sessionStorage`.

To flex your application based on the current execution context (embedded versus stand-alone mode), see [Embedded in PowerChart](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+SMART+Overview#OracleHealthMillenniumPlatformSMARTOverview-EmbeddedinPowerChart) for more information.

Embedded in PowerChart?

To flex your application based on where it is being accessed, see the [FHIR Client Oracle Health Additions](https://github.com/cerner/fhir-client-cerner-additions/blob/main/src/js/utils.js#L14) GitHub, which verifies that certain conditions exist and determines whether the application is available in PowerChart.

HTML5 DOCTYPE

The doctype declaration tells the browser what version of HTML the document is written in. Oracle Health recommends including this declaration so that the browser generates the document correctly. It must be included in the first line of the document, right above the`<html>`tag.

```
<!DOCTYPE html>
```

X-UA-Compatible Tag

For the embedded IE browser to generate the application in the latest supported IE version, set the following HTML tag in the first line of the `<head>`section for all pages:

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

If this tag is not present as the first element on a page, the page and all associated JavaScript are generated in IE 7 mode, which may cause errors and unwanted behavior.

Technology and Framework for SMART Apps

The technology and framework you use is up to you and your company. Regardless of the technology, framework, or language you choose, make sure that your application is fast, responsive, and adaptable to various screen sizes.

Open Source FHIR Client Libraries

To start development, see the open source [fhir-client JavaScript library](https://github.com/smart-on-fhir/client-js) that takes care of the OAuth2 handshake and provides a built-in library to call FHIR resources. The library is usable, but has several known issues in previous versions. One particular issue is around the use of the`sessionStorage`property. Oracle Health requires that you upgrade the library to version [v0.1.10](https://github.com/smart-on-fhir/client-js/tree/v0.1.10) or higher to correct a known patient safety issue. You also must download and include this [additional code](https://github.com/cerner/fhir-client-cerner-additions) into your project to correct this issue.

Other additional FHIR clients are available:

* Java: https://github.com/hapifhir/hapi-fhir

* .NET: https://github.com/FirelyTeam/firely-net-sdk

* Python: https://github.com/smart-on-fhir/client-py

* iOS: https://github.com/smart-on-fhir/Swift-FHIR

Tutorial

See [Build a SMART on FHIR Application with Oracle Autonomous Cloud Services](https://apexapps.oracle.com/pls/apex/r/dbpm/livelabs/view-workshop?wid=3818) for step-by-step instructions on how to start creating a SMART application. The tutorial application is written in HTML and JavaScript with some CSS. Oracle Health recommends reviewing the tutorial.

code Console and Sandbox

The Oracle Health implementation of the SMART on FHIR ecosystem allows you to register, update, and delete your SMART application from our [code Console](https://code-console.cerner.com/). Also, you can open and test your application from the code Console in our sandbox environment. Currently, code Console has a 15-minute waiting period for new or updated application configurations to take effect. If you cannot open the application after the 15-minute period, post a question to the [Open Developer Experience Forum](https://forums.oracle.com/ords/apexds/domain/open-developer-experience).

Launch Context

See the [Scopes and Launch Content](https://hl7.org/fhir/smart-app-launch/scopes-and-launch-context.html) page for more information about obtaining the context. Generally, your application must be able to retrieve SMART context parameters such as patient ID, encounter ID (if available), tenant, and a few other parameters. You can inspect the OAuth2 `access_token`

value that is returned to see the actual context.

SMART Apps in MPages

SMART applications can be embedded and opened from MPages Workflow or Summary views. To securely embed a SMART application in an MPages iframe, additional code must be included in the SMART application. See [Cerner SMART Embeddable Library](https://github.com/cerner/cerner-smart-embeddable-lib) on GitHub for more information.

iframe Cookies

For IE, if your SMART application uses cookies, set the [P3P](https://www.w3.org/P3P/) header or meta tag to save cookies correctly while running in an MPages iframe. See [P3P](https://blogs.msdn.microsoft.com/ieinternals/2013/09/17/a-quick-look-at-p3p/) for more information.

For Microsoft Edge, if your SMART application uses cookies, the`Set-Cookie`response header has to contain the`SameSite=None; Secure`attributes for your cookies to be saved correctly while running in an iframe.

MicrosoftMicrosoft Edge Browser (Chromium-Based) Support

Along with Internet Explorer, Oracle Health supports embedded MicrosoftMicrosoft Edge (Chromium-based) in PowerChart.

With MicrosoftMicrosoft Edge as an option, customers can configure any SMART application to load using Microsoft Edge where available. Based on our test results, SMART applications generate faster, use less CPU, and less memory, compared to IE. If your application uses cookies while being loaded inside an iframe, or is embedded in MPages (which loads the application in an iframe), set the`Set-Cookie`response header with additional`SameSite=None; Secure`attributes for your cookies to persist.

Note

Even though MicrosoftMicrosoft Edge is supported in newer versions of Oracle HealthMillennium Platform, older PowerChart environments do not supportMicrosoft Edge. For compatibility, Oracle Health recommends that the embedded SMART application use functions that work correctly in both IE and Microsoft Edge browsers.

Design Considerations for PowerChart Integration

SMART applications that integrate into Oracle Health systems, particularly those that are displayed in PowerChart, must be designed with patient safety and patient context awareness in mind.

When multiple patient charts are open, the active chart may switch unexpectedly due to limitations in the host environment. This switch could result in a user unintentionally acting on the wrong patient chart.

To mitigate this risk, follow these steps:

* Design your application to avoid changing the active region or opening new windows without direct user interaction, such as selecting a button or link, tabbing to a specific element using the keyboard, or pressing a key or combination of keys to activate a feature. For example, if the system automatically displays a new notification, ensure that the correct patient remains in context.

* Developers must ensure that their application maintains proper patient context at all times.

* Test applications in workflows where multiple charts may be open, especially when opened from PowerChart. Ensure that each patient chart is clearly identified and distinguishable from others. Allow the user to switch between charts or view multiple charts simultaneously without causing an unexpected change in the active selection and without opening a new window or dialog box.

* Ensure that your application is compatible with MicrosoftMicrosoft Edge and collaborate with your customers to use the Microsoft Edge browser when opening your application whenever possible. Test for compatibility to ensure that the user experience is seamless.

Note

Developers are responsible for conducting risk assessments on their applications, particularly in scenarios where clinical safety could be affected. Oracle does not validate the behavior of third-party applications and is not liable for actions taken through these applications.

Testing

code Console

For provider and patient facing applications, you can select any patient from a list of patients in our sandbox environment to begin testing. After selecting a patient to test, you can open your application from a new web browser in [code Console](https://code-console.cerner.com/). Testing from code Console through the browser can help you start developing and testing your application more quickly.

PowerChart

Once your application works in code Console and you are committed to taking your application to production, contact us through [Code.cerner.com/submit](https://code.cerner.com/submit), and we can provide access to PowerChart to test your application. For provider-facing applications, PowerChart is the environment where providers access applications in a production environment, so it is important to test the applications in PowerChart.

Note

You must be a member of the Oracle Health Developer Program to access PowerChart.

SSL Certificate

Your application must be reachable through an HTTPS endpoint. Also, you need a valid SSL certificate for your site to test your application in PowerChart. A good resource to check your server's SSL certificates is [Qualys SSL Labs](https://www.ssllabs.com/ssltest/). Ensure that your server's certificate gets an A grade or higher.

Public Access

For PowerChart to open and display your application in the Oracle Health sandbox environment, your application's URL must be publicly accessible. In other words, the URL cannot point to hosts on your internal network.

If you plan to perform tests in PowerChart using your organization's environment, your application's URL does not need to be publicly accessible. However, the application's URL needs to be accessible from your organization's Citrix servers. One way to test the connectivity is to open a browser from Citrix servers to your application's URL.

No Custom TCP Port

When testing your application in the Oracle Health sandbox environment using PowerChart, your application must be hosted on a standard https port 443. If nonstandard ports are used, PowerChart cannot load the application's URL because of a firewall rule in place for security reasons.

Oracle HealthPatient Portal (formerly HealtheLife)

Direct-to-consumer applications can also be opened from Oracle HealthPatient Portal (formerly HealtheLife). Once Patient Portal is available for developers, developers in our program can open SMART applications from Oracle HealthPatient Portal so that you can test as a consumer accessing your application.

Additional Resources

* [Oracle Health Millennium FHIR API Documentation](https://docs.oracle.com/en/industries/health/millennium-platform-apis/index.html)

* [Oracle Health Millennium Platform Authorization Framework](https://wiki.cerner.com/display/APIDoc/Oracle+Health+Millennium+Platform+Authorization+Framework)

* [Open Developer Experience Forum](https://forums.oracle.com/ords/apexds/domain/open-developer-experience)

This page includes links to external resources. These resources are provided for reference purposes and should be used with caution. Contact your Oracle support team for more information about third-party content.